84465-5.1-4

LOS

LENGTH OF STAY

Length of Stay
by DRG and Payment Source
United States, 1990-91

LOS

LENGTH OF STAY BY DRG AND PAYMENT SOURCE

United States, 1990-91

Healthcare Knowledge Resources
Ann Arbor, Michigan
January, 1992

LENGTH OF STAY BY DRG AND PAYMENT SOURCE

This volume is one of five books in the Length of Stay by DRG and Payment Source series:

Length of Stay by DRG and Payment Source, United States, 1990-91
ISSN 1043-9285

Length of Stay by DRG and Payment Source, Northeastern Region, 1990-91
ISSN 1043-9307

Length of Stay by DRG and Payment Source, North Central Region, 1990-91
ISSN 1043-9323

Length of Stay by DRG and Payment Source, Southern Region, 1990-91
ISSN 1043-9293

Length of Stay by DRG and Payment Source, Western Region, 1990-91
ISSN 1043-9315

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period July 1, 1990 through June 30, 1991. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assumes any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1992 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any other form, or by any other means, or stored in a database or retrieval system, without prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi

Source of the Data
Data Quality
Hospital Characteristics
Projecting to the Universe

Organization of the Tables x

Diagnosis Related Groups
Expected Principal Payment Source
Presence or Absence of Complications and Comorbidities (CCs)
Patient Age and/or Birth Weight

Explanation of the Statistics xii

Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables xiii

Length of Stay Tables 1

Appendix 1: 1990-91 Hospital Characteristics 482

Appendix 2: State Inclusions By Region 483

Appendix 3: Diagnosis Related Groups 484

ACKNOWLEDGEMENTS

1990-91 LENGTH OF STAY BY DRG AND PAYMENT SOURCE SERIES

PROJECT TEAM

Jennifer Goewey, Publication Specialist, Normative Products
Carol Dingeldey, Publication Specialist, Normative Products
Linda Vanek, Manager, Normative Products

Information Services
Ed Morrissey, Senior Programmer Analyst
Jan Sweet, Electronic Publishing Analyst

Additionally, the following individuals made valuable contributions to the development of this publication:

Joyce Beach, Helen Garcia, Nancy Ramirez, and Donna Witkowski.

Also, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official vendor and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Length of Stay data have been available from CPHA since 1963. This book is one volume in a set of five books presenting statistics on hospital stay during 1990-91 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the series.

The *Length of Stay by DRG and Payment Source* series has been designed as a companion to the standard reference, *Length of Stay by Diagnosis and Operation*, to provide length of stay data by another patient classification system. *Length of Stay by DRG and Payment Source* is designed to assist the healthcare professional in utilization review and other cost containment and evaluation activities.

Notable differences between the *Length of Stay by DRG and Payment Source* series and the *Length of Stay by Diagnosis and Operation* series are primarily with the data source. Data used for the *Length of Stay by DRG and Payment Source* series have been projected to the universe of short-term, general, nonfederal hospitals based on patient records from 811 hospitals. A detailed description of the projection methodology is given on page viii. It is important to keep in mind that the numbers and calculations in *Length of Stay by DRG and Payment Source* represent projections rather than actual numbers.

The *Length of Stay by DRG and Payment Source* series is enhanced by providing length of stay data by the following four principal payment sources: Medicare, Medicaid, Blue Cross/Private Insurance, and No Insurance. This allows for comparison of length of stay by clinical condition and patient age among the major healthcare reimbursement systems.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. In addition to *Length of Stay by DRG and Payment Source*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay, Length of Stay by Diagnosis and Operation* and *Hospital Inpatient Charges*. Each series is developed annually for the United States. The Length of Stay series are also available for the Northeastern, North Central, Southern, and Western regions. Pediatric Length of Stay (19 years and under) and Geriatric Length of Stay (65 years and over) are produced in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape and diskette, provide a valuable perspective for utilization review and quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the *Length of Stay by DRG and Payment Source* tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the *Length of Stay by DRG and Payment Source* series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the *Length of Stay by DRG and Payment Source* series are from short-term, general, nonfederal, hospitals in the United States with discharge data for the period July 1, 1990 - June 30, 1991. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal – Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Ohio Hospital Association, Oregon Association of Hospitals, Vermont Hospital Association, and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay books are displayed in Appendix 1.

---

[1] American Hospital Association Guide to the Health Care Field, 1990.

Projecting to the Universe

To make the *LOS by DRG and Payment Source* sample reflect the activity of U.S. short-term general, nonfederal hospitals the following steps are taken:

Step 1 - Stratification

First, the hospitals are stratified by factors known to affect inpatient utilization. The two factors used are teaching intensity and geographical region:

A. **Teaching Intensity** is determined by a weighted index measuring program intensity created by Phillip and Hai[1]. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by the Joint Commission on Accreditation of Healthcare Organizations (JCAHO)
- Cancer Program approved by the American College of Surgeons (CANC)
- Residency approved by Accreditation Council for Graduate Medical Education (ACGME)
- Medical School Affiliation reported by the American Medical Association (MSA)
- Hospital-controlled professional nursing school, reported by the National League for Nursing (NURS)
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges (COTH)

Based on this index, hospitals are classified by one of three teaching status groups:

- Low Teaching Intensity Hospitals
- Medium Teaching Intensity Hospitals
- High Teaching Intensity Hospitals

The statistical formula is:

$$Ip = 9.9\,(JCAHO) + 14.0(CANC) + 28.0(ACGME) + 14.7(MSA) + 13.3(NURS) + 20.1(COTH)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

For the *Length of Stay by DRG and Payment Source* series the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution (low teaching intensity)
Ip value 25.0+	Teaching Institution (medium/high teaching intensity)

---

[1] Phillip P. J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

B. **Census Division** places the 50 states and the District of Columbia into nine geographical areas defined by the U.S. Department of Commerce, Bureau of the Census. These nine divisions and their corresponding regions are:

Region	**Division**
Northeast	New England Mid Atlantic
North Central	East North Central West North Central
South	South Atlantic East South Central West South Central
West	Mountain Pacific

A list of the states included in each region is provided in Appendix 2.

Step 2 - Projection

A matrix is constructed which identifies the number of actual discharges from hospitals by teaching intensity (nonteaching and teaching) and geographical region (Northeast, North Central, South, West). A projection factor is calculated for each cell within the matrix. This factor is calculated as follows:

$$\text{Projection Factor} = \frac{\text{Total discharges from the universe}}{\text{Number of actual discharges in LOS DRG sample}}$$

Each projection factor is multiplied by the number of actual discharges in a particular cell. The resulting numbers represent estimated patient discharges, the sum of which approximates total July 1990 through June 1991 discharges from the U.S. short-term, general, nonfederal hospital universe.

ORGANIZATION OF THE TABLES

The data are stratified by DRG, principal payment source, presence or absence of complications and comorbidities (CCs), and by age ranges.

Diagnosis Related Groups (DRGs)

There are 492 DRGs in the *1990-91 LOS by DRG and Payment Source* series. These DRGs are based on the eighth revision (version 9), effective October 1, 1991. Appendix 3 provides a list of all DRGs for the eighth revision.

Some DRGs have been excluded because they include invalid, ungroupable, or inappropriate categories for examining length of stay. The excluded DRGs are:

DRG Number	English Description
109	(No longer valid)
123	Circulatory Disorders w/AMI, Expired
385	Neonates, Died or Transferred to Another Acute Care Facility
433	Alcohol/Drug Abuse or Dependence, Left Against Medical Advice
438	(No longer valid)
456	Burns, Transferred to Another Acute Care Facility
467	Other Factors Influencing Health Status
468	Extensive Operating Room Procedure Unrelated to Principal Diagnosis
469	Principal Diagnosis Invalid as Discharge Diagnosis
470	Ungroupable
474	(No longer valid)
476	Prostatic Operating Room Procedure Unrelated to Principal Diagnosis
477	Non-extensive Operating Room Procedure Unrelated to Principal Diagnosis

Expected Principal Payment Source

For each DRG, there are four tables corresponding to one of four expected principal payment sources:

1. Medicare
2. Blue Cross/Blue Shield and Private Insurance
3. Medicaid
4. No Insurance

The 'No Insurance' category represents a collapsing of the following payment categories from the PAS abstract: 'Self Pay', 'Other', and 'No Charge'. These three payment categories have not been used consistently by all hospitals contributing data, and therefore this category should be interpreted with some caution.

Presence or Absence of Complications and Comorbidities (CCs)

To determine the presence of complications or comorbidities (CCs), a patient's secondary diagnoses are compared to those specific ICD-9-CM diagnosis codes defined by the Health Care Financing Administration (HCFA) as CCs.

HCFA definitions are:

- A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.
- A comorbidity is a pre-existing condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

Determination of the existence of CCs corresponds to the DRG version effective October 1, 1991.

Patient Age and/or Birth Weight

Patient discharges in the Medicare payment source category are in one of the following age groups, recorded in years:

0 - 69
70 - 74
75 - 79
80 - 84
85+

The other three payment source age groups are collapsed as follows:

0 - 17
18 - 34
35 - 49
50 - 69
70+

For DRGs 386 - 391, which classify neonates, the age range is replaced by a birth weight range, recorded in grams. The categories are as follows:

1 - 999
1000 - 1499
1500 - 1749
1750 - 2499
2500 +

All discharge records for newborns and neonates with an unrecorded birth weight have been excluded.

EXPLANATION OF THE STATISTICS

The statistics are displayed by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included. Since the *LOS by DRG and Payment Source* series is drawn from patient discharges from 811 hospitals and then projected to the universe of U.S. hospitals, *the numbers and calculations represent projections rather than actual numbers.* One actual patient discharge represents multiple projected patients; the average projection factor is 7.2. If the total number of patients listed is based on five or fewer *actual* discharges, the percentile distribution columns are left blank.

Total Number of Patients

This number represents the total number of projected patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for all projected patients and then dividing by the total number of projected patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the projected patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of projected patients is determined by arranging the projected patient stays from low to high. Counting up from the lowest stay to the point where half of the projected patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total projected patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, and 95th percentiles of stay are displayed in days. If, for example, the 25th percentile for a group of projected patients is four, it means 25 percent of the projected patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients. (If a line of data consists solely of stays of 99+ days, the discharges in that line will be excluded from all portions of the table.)

Subtotal and Grand Total

The subtotal represents the total projected patients in one of the two complication and comorbidity groups, within each payment source. The grand total represents the total number of projected patients in each payment source category. In cases where a total is off by one patient, it is the result of rounding the projections.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay regional or national volumes:

Step 1: Consult Appendix 3 at the back of the book for the particular DRG to be reviewed.

Step 2: Find the corresponding table in the book. The DRG number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

- Payment Source
- Complication/Comorbidity Status
- Age Group

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

A sample table with descriptions of table elements is provided on the next page.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Length of Stay by DRG and Payment Source

Sample Table

DRG number and title

Payment source

DRG 1: Craniotomy Age >17 except for Trauma

TYPE OF PATIENT	MEDICARE								
				PERCENTILES					
	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/CCs									
AGE GROUP									
0-69 (YRS.)	5407	17.2	192	5	8	13	22	36	50
70-74	3740	18.2	228	6	9	14	22	36	53
75-79	2849	17.4	175	6	8	14	22	35	49
80-84	1833	19.5	222	7	10	15	24	37	49
85 +	956	18.9	137	8	10	16	24	36	44
SUBTOTAL	**14784**	**17.9**	**199**	**6**	**9**	**14**	**22**	**36**	**49**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2864	9.5	43	3	5	8	12	17	22
70-74	1883	8.7	36	3	5	7	11	16	18
75-79	1471	11.3	90	4	6	9	13	20	30
80-84	819	8.6	20	4	5	8	12	15	16
85 +	363	11.5	62	4	6	10	15	23	25
SUBTOTAL	**7401**	**9.6**	**50**	**4**	**5**	**8**	**12**	**17**	**22**
GRAND TOTAL	**22185**	**15.1**	**164**	**5**	**7**	**12**	**19**	**30**	**42**

Presence or absence of Complications/ Comorbidities

Length of stay (in days) by percentile

Patient age group (Note: Age groups for Medicare differ from those for Medicaid, Blue Cross/Private Insurance, and No Insurance)

Total number of projected patients

DRG Length of Stay Tables

All DRGS

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1831396	8.6	77	2	4	6	10	17	24
70-74	1318582	8.8	75	2	4	7	11	17	24
75-79	1266625	9.2	78	2	4	7	11	18	25
80-84	1004129	9.7	82	3	4	7	12	19	26
85 +	950403	9.9	80	3	5	8	12	19	26
SUBTOTAL	**6371135**	**9.1**	**78**	**2**	**4**	**7**	**11**	**18**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	905708	5.6	40	1	2	4	7	11	16
70-74	593234	5.2	27	1	2	4	7	10	13
75-79	494847	5.6	30	1	2	4	7	11	14
80-84	337274	5.9	32	1	3	4	8	12	15
85 +	263453	6.3	34	2	3	5	8	12	16
SUBTOTAL	**2594515**	**5.6**	**34**	**1**	**2**	**4**	**7**	**11**	**15**
GRAND TOTAL	**8965650**	**8.1**	**68**	**2**	**3**	**6**	**10**	**16**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	562527	6.7	98	1	2	4	7	15	25
18-34	680143	5.7	52	1	2	4	6	11	18
35-49	809565	6.7	55	2	3	5	8	14	20
50-69	1400192	7.6	61	2	3	6	9	15	21
70 +	134293	8.8	83	2	4	6	11	18	25
	3586721	**7.0**	**65**	**2**	**3**	**5**	**8**	**14**	**21**
0-17	2475686	3.0	16	1	2	2	3	5	7
18-34	2993597	3.1	12	1	2	2	3	5	7
35-49	1812710	3.9	17	1	2	3	4	7	10
50-69	1464399	4.2	17	1	2	3	5	8	11
70 +	66245	5.0	23	1	2	4	6	10	13
	8812638	**3.4**	**15**	**1**	**2**	**2**	**4**	**6**	**9**
	12399359	**4.5**	**32**	**1**	**2**	**3**	**5**	**9**	**13**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	368966	7.3	118	1	2	4	8	16	29
18-34	453853	6.1	61	1	2	4	7	13	20
35-49	248230	8.6	97	2	3	6	10	19	28
50-69	276099	9.0	95	2	4	6	11	19	27
70 +	34643	10.9	123	3	5	8	13	24	38
SUBTOTAL	**1381791**	**7.6**	**93**	**2**	**3**	**5**	**9**	**16**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1376779	3.3	22	1	2	2	3	6	8
18-34	1323596	3.2	17	1	2	2	3	5	8
35-49	254004	5.5	42	1	2	4	6	11	18
50-69	128849	6.0	43	1	2	4	7	12	18
70 +	14627	6.4	45	1	3	5	8	13	18
SUBTOTAL	**3097854**	**3.6**	**23**	**1**	**2**	**2**	**4**	**6**	**10**
GRAND TOTAL	**4479645**	**4.8**	**48**	**1**	**2**	**3**	**5**	**10**	**16**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	225151	6.5	90	1	2	4	7	14	24
18-34	381497	5.5	47	1	2	4	6	11	16
35-49	287966	6.8	58	1	3	5	8	14	20
50-69	328906	7.7	66	2	3	5	9	16	22
70 +	81867	8.8	90	2	3	6	10	18	27
	1305387	**6.7**	**65**	**1**	**2**	**4**	**8**	**14**	**21**
0-17	1112751	2.7	11	1	1	2	3	5	6
18-34	1232135	3.0	12	1	1	2	3	5	8
35-49	506657	3.8	19	1	2	3	4	7	10
50-69	310366	4.3	20	1	2	3	5	8	11
70 +	44366	5.4	46	1	2	4	6	11	16
	3206274	**3.2**	**14**	**1**	**1**	**2**	**4**	**6**	**8**
	4511661	**4.2**	**32**	**1**	**2**	**3**	**5**	**8**	**13**

DRG 1: Craniotomy Age >17 except for Trauma

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5407	17.2	192	5	8	13	22	36	50	0-17	0								
70-74	3740	18.2	228	6	9	14	22	36	53	18-34	2934	11.8	124	3	5	8	14	25	34
75-79	2849	17.4	175	6	8	14	22	35	49	35-49	4396	15.3	194	5	7	11	19	31	47
80-84	1833	19.5	222	7	10	15	24	37	49	50-69	6338	16.3	172	5	8	12	21	33	46
85 +	956	18.9	137	8	10	16	24	36	44	70 +	460	18.9	257	6	10	14	23	30	65
SUBTOTAL	**14784**	**17.9**	**199**	**6**	**9**	**14**	**22**	**36**	**49**		**14128**	**15.2**	**175**	**4**	**7**	**11**	**19**	**31**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2864	9.5	43	3	5	8	12	17	22	0-17	0								
70-74	1883	8.7	36	3	5	7	11	16	18	18-34	3853	8.5	42	3	4	7	10	18	22
75-79	1471	11.3	90	4	6	9	13	20	30	35-49	4513	8.8	38	3	5	7	11	16	20
80-84	819	8.6	20	4	5	8	12	15	16	50-69	5060	8.8	41	3	5	7	11	17	21
85 +	363	11.5	62	4	6	10	15	23	25	70 +	258	9.3	33	2	5	8	11	19	22
SUBTOTAL	**7401**	**9.6**	**50**	**4**	**5**	**8**	**12**	**17**	**22**		**13684**	**8.7**	**40**	**3**	**5**	**7**	**11**	**17**	**21**
GRAND TOTAL	**22185**	**15.1**	**164**	**5**	**7**	**12**	**19**	**30**	**42**		**27812**	**12.0**	**119**	**3**	**6**	**9**	**14**	**24**	**32**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	1079	12.7	111	3	5	10	18	26	35	18-34	744	13.8	181	3	6	10	14	29	49
35-49	804	20.9	339	6	8	15	29	50	72	35-49	1125	15.9	163	4	8	12	19	35	45
50-69	1000	22.1	274	7	11	19	28	48	74	50-69	1348	18.3	229	5	8	13	25	42	50
70 +	83	20.6	47	12	15	20	24	29	39	70 +	147	16.3	124	7	9	17	25	50	99 +
SUBTOTAL	**2966**	**18.3**	**244**	**4**	**8**	**15**	**24**	**40**	**54**		**3364**	**16.4**	**195**	**4**	**8**	**12**	**21**	**38**	**49**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	1065	10.1	74	3	4	7	12	22	29	18-34	1039	9.2	50	2	5	8	12	17	24
35-49	623	10.8	53	4	5	9	14	21	25	35-49	1145	9.3	33	4	6	8	11	18	22
50-69	413	11.6	50	5	6	11	14	23	26	50-69	1025	9.4	50	3	5	7	12	18	23
70 +	33	6.8	7	4	5	6	8	12	12	70 +	79	13.0	93	3	7	8	18	26	39
SUBTOTAL	**2135**	**10.5**	**63**	**3**	**5**	**8**	**13**	**22**	**27**		**3287**	**9.4**	**45**	**3**	**5**	**8**	**12**	**18**	**24**
GRAND TOTAL	**5101**	**15.1**	**183**	**4**	**6**	**11**	**20**	**31**	**46**		**6652**	**12.9**	**133**	**4**	**6**	**9**	**15**	**27**	**40**

Total U.S., July 1990 - June 1991

DRG 2: Craniotomy for Trauma Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	603	19.7	327	6	8	14	29	67	99 +	0-17	0								
70-74	410	18.7	191	5	9	16	25	46	47	18-34	1172	19.0	251	6	10	16	24	37	75
75-79	514	18.7	384	7	8	11	21	38	76	35-49	593	16.7	185	6	8	12	20	41	50
80-84	667	17.4	110	8	10	14	21	28	42	50-69	499	19.4	194	7	9	14	24	44	52
85 +	560	20.7	197	7	11	17	28	46	54	70 +	176	22.8	214	9	10	16	30	44	58
SUBTOTAL	**2754**	**19.0**	**239**	**6**	**9**	**15**	**25**	**42**	**59**		**2440**	**18.8**	**223**	**6**	**9**	**15**	**24**	**41**	**58**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	267	7.9	15	4	6	7	9	13	16	0-17	0								
70-74	279	8.8	12	5	6	8	11	15	15	18-34	919	9.6	83	3	5	7	11	17	28
75-79	342	10.1	33	4	5	9	13	19	23	35-49	459	9.1	42	4	6	8	11	14	21
80-84	254	11.6	100	5	6	9	12	22	27	50-69	439	8.4	82	3	4	6	8	14	25
85 +	229	12.9	97	4	7	10	15	23	28	70 +	85	9.7	29	3	6	8	13	16	23
SUBTOTAL	**1370**	**10.1**	**51**	**4**	**6**	**9**	**12**	**17**	**23**		**1901**	**9.2**	**71**	**3**	**5**	**7**	**11**	**16**	**25**
GRAND TOTAL	**4124**	**16.1**	**194**	**5**	**8**	**12**	**20**	**32**	**47**		**4342**	**14.6**	**179**	**4**	**7**	**10**	**18**	**30**	**44**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	619	20.7	237	5	9	19	29	43	55	18-34	909	16.4	116	5	8	13	23	34	38
35-49	331	22.6	391	6	10	19	39	99 +	99 +	35-49	567	20.0	330	5	8	16	26	47	68
50-69	192	23.7	587	7	9	15	23	89	99 +	50-69	186	18.7	105	7	14	16	20	38	45
70 +	11	17.8	79							70 +	32	14.8	29						
SUBTOTAL	**1153**	**21.7**	**339**	**6**	**9**	**19**	**31**	**72**	**99 +**		**1694**	**17.9**	**188**	**5**	**8**	**15**	**23**	**37**	**45**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	373	10.4	52	2	5	9	16	24	31	18-34	892	8.1	58	3	4	6	10	16	23
35-49	119	12.6	113	4	5	8	22	32	36	35-49	414	8.7	118	2	4	5	8	16	24
50-69	18	10.8	21							50-69	139	9.6	32	4	6	7	15	21	21
70 +	6	16.0								70 +	36	8.2	1						
SUBTOTAL	**516**	**11.0**	**66**	**3**	**5**	**9**	**16**	**26**	**32**		**1480**	**8.4**	**71**	**3**	**4**	**6**	**10**	**16**	**23**
GRAND TOTAL	**1669**	**18.4**	**279**	**5**	**8**	**14**	**26**	**53**	**99 +**		**3174**	**13.5**	**155**	**4**	**5**	**9**	**17**	**29**	**38**

Total U.S., July 1990 - June 1991

DRG 3: Craniotomy Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	9348	10.1	127	2	3	6	14	24	34
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	9348	**10.1**	**127**	**2**	**3**	**6**	**14**	**24**	**34**
0-17	11480	5.7	32	2	2	4	7	11	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	11480	**5.7**	**32**	**2**	**2**	**4**	**7**	**11**	**16**
	20828	**7.7**	**80**	**2**	**3**	**5**	**9**	**18**	**26**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	4854	11.0	149	2	3	7	15	26	39
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4854**	**11.0**	**149**	**2**	**3**	**7**	**15**	**26**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	5505	6.4	44	2	3	4	7	14	19
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**5505**	**6.4**	**44**	**2**	**3**	**4**	**7**	**14**	**19**
GRAND TOTAL	**10359**	**8.5**	**98**	**2**	**3**	**5**	**10**	**20**	**30**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	2682	12.6	159	2	4	8	18	28	44
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2682	**12.6**	**159**	**2**	**4**	**8**	**18**	**28**	**44**
0-17	3798	6.0	35	2	3	4	7	12	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3798	**6.0**	**35**	**2**	**3**	**4**	**7**	**12**	**17**
	6479	**8.7**	**97**	**2**	**3**	**5**	**10**	**20**	**27**

DRG 4: Spinal Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1257	14.9	195	4	6	10	19	31	44
70-74	602	16.1	116	5	9	13	22	26	32
75-79	518	16.8	129	7	9	13	22	34	39
80-84	237	17.8	88	6	10	17	24	33	34
85 +	144	16.1	103	8	10	12	18	32	40
SUBTOTAL	**2757**	**15.8**	**152**	**5**	**8**	**12**	**21**	**30**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1150	7.1	35	2	3	6	9	13	18
70-74	420	6.9	57	2	3	5	7	13	20
75-79	357	6.8	16	3	4	6	9	12	13
80-84	89	7.3	10	4	5	7	9	11	14
85 +	60	10.2	37	3	6	10	18	19	19
SUBTOTAL	**2076**	**7.1**	**35**	**2**	**4**	**6**	**9**	**13**	**18**
GRAND TOTAL	**4833**	**12.1**	**121**	**3**	**5**	**9**	**16**	**26**	**33**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1493	11.2	70	5	7	8	12	20	29
18-34	1149	13.1	126	3	5	10	18	25	38
35-49	1175	12.3	185	2	4	8	15	30	49
50-69	1338	14.6	214	4	5	9	18	37	43
70 +	63	17.2	150	7	7	11	21	33	47
	5217	**12.8**	**148**	**3**	**5**	**9**	**16**	**28**	**42**
0-17	2600	7.3	19	3	5	6	8	12	16
18-34	2023	6.0	35	2	3	4	7	12	15
35-49	3104	4.5	10	2	2	4	6	8	11
50-69	1852	5.9	28	2	3	4	7	12	16
70 +	48	6.0	5	4	4	5	7	10	10
	9628	**5.8**	**23**	**2**	**3**	**5**	**7**	**11**	**14**
	14845	**8.3**	**78**	**2**	**3**	**6**	**10**	**17**	**25**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	466	12.0	65	5	7	9	17	23	26
18-34	290	17.0	339	4	4	10	21	42	56
35-49	238	20.1	195	5	9	16	33	42	47
50-69	218	20.4	281	5	7	13	36	51	58
70 +	19	11.7	10						
SUBTOTAL	**1232**	**16.2**	**205**	**4**	**7**	**11**	**23**	**39**	**48**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1006	8.5	42	4	5	7	9	14	19
18-34	417	7.4	56	2	2	5	8	15	18
35-49	234	8.4	41	3	4	7	10	16	18
50-69	98	9.0	37	3	4	8	10	19	24
70 +	0								
SUBTOTAL	**1755**	**8.3**	**46**	**3**	**5**	**7**	**9**	**15**	**20**
GRAND TOTAL	**2986**	**11.6**	**126**	**3**	**5**	**8**	**13**	**25**	**37**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	292	10.4	92	4	6	8	11	17	28
18-34	262	14.9	121	3	9	13	18	31	34
35-49	292	15.8	281	3	4	8	23	41	60
50-69	226	18.6	326	1	6	14	29	48	74
70 +	30	11.9	244	1	1	2	41	99 +	99 +
	1103	**14.6**	**209**	**3**	**6**	**9**	**18**	**34**	**53**
0-17	708	8.0	27	3	4	7	11	15	17
18-34	457	8.5	92	2	3	6	10	18	29
35-49	594	4.9	19	2	3	4	5	10	14
50-69	352	5.8	25	1	3	4	7	15	18
70 +	30	3.5	5						
	2140	**6.8**	**40**	**2**	**3**	**5**	**8**	**15**	**18**
	3243	**9.5**	**111**	**2**	**3**	**6**	**11**	**21**	**31**

Total U.S., July 1990 - June 1991

DRG 5: Extracranial Vascular Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8677	7.4	45	3	4	5	9	14	18
70-74	8252	7.8	48	3	4	6	9	15	20
75-79	6765	7.8	44	3	4	6	10	16	19
80-84	3342	8.9	57	3	4	6	11	17	25
85 +	1165	8.3	31	3	4	6	11	17	19
SUBTOTAL	28201	7.8	47	3	4	6	10	15	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8606	4.4	7	2	3	4	5	7	9
70-74	7909	4.4	7	2	3	4	5	7	9
75-79	6213	4.6	7	2	3	4	5	8	9
80-84	2710	5.1	10	2	3	4	6	9	12
85 +	731	5.6	15	2	3	4	6	11	16
SUBTOTAL	26169	4.5	8	2	3	4	5	7	10
GRAND TOTAL	54370	6.3	31	2	3	5	7	12	16

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	17	10.4	114						
18-34	76	10.9	83	2	4	7	12	27	27
35-49	521	9.7	106	3	4	5	11	23	30
50-69	6462	6.9	42	3	3	5	8	13	17
70 +	594	6.8	35	2	3	4	9	12	17
	7670	7.1	47	3	3	5	9	14	18
0-17	69	2.6	9	1	1	2	3	4	12
18-34	201	3.9	20	1	1	3	4	8	9
35-49	895	4.3	7	2	3	4	5	7	10
50-69	8939	4.3	5	2	3	4	5	7	9
70 +	525	4.2	4	2	3	4	5	6	9
	10630	4.2	6	2	3	4	5	7	9
	18300	5.5	25	2	3	4	6	10	13

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	1.0							
35-49	55	6.4	9	3	4	7	9	11	11
50-69	686	9.3	94	3	4	6	11	20	24
70 +	45	11.8	40	3	4	12	15	20	20
SUBTOTAL	797	9.1	86	3	4	6	11	19	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	41	5.2	59	1	2	2	4	25	25
18-34	90	3.4	2	2	2	3	4	6	6
35-49	119	3.5	3	2	2	3	4	5	8
50-69	529	5.1	11	2	3	4	6	9	14
70 +	22	7.0	20						
SUBTOTAL	801	4.7	12	2	3	4	6	9	11
GRAND TOTAL	1598	6.9	54	2	3	5	7	15	20

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	6.0	1						
18-34	38	5.5	17	< 1	3	4	7	15	15
35-49	156	6.0	25	2	3	5	7	12	13
50-69	953	6.4	28	2	3	4	9	13	18
70 +	238	8.1	55	3	4	6	11	13	28
	1397	6.6	32	2	3	5	8	13	18
0-17	46	2.8	2	< 1	< 1	3	3	5	6
18-34	127	2.7	2	1	1	3	4	4	5
35-49	215	4.0	8	2	2	3	5	9	10
50-69	1342	3.9	7	2	3	3	4	6	8
70 +	298	4.5	9	2	3	4	5	7	11
	2028	3.9	7	2	3	3	4	6	9
	3425	5.0	19	2	3	4	5	10	13

Total U.S., July 1990 - June 1991

DRG 6: Carpal Tunnel Release

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	165	3.5	29	< 1	1	2	3	8	21
70-74	79	6.5	81	< 1	1	3	5	29	29
75-79	41	4.3	11						
80-84	25	4.7	5						
85 +	16	3.1	9						
SUBTOTAL	**325**	**4.4**	**37**	**< 1**	**1**	**2**	**5**	**8**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	231	1.4		< 1	< 1	1	2	2	3
70-74	203	1.5	2	< 1	< 1	1	1	2	6
75-79	214	1.4	1	< 1	< 1	1	1	4	4
80-84	123	1.8	1	< 1	< 1	1	2	4	4
85 +	36	1.6	2						
SUBTOTAL	**808**	**1.5**	**1**	**< 1**	**< 1**	**1**	**1**	**3**	**4**
GRAND TOTAL	**1133**	**2.3**	**13**	**< 1**	**< 1**	**1**	**2**	**5**	**6**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	27	4.3	9						
35-49	86	3.2	9	1	1	2	4	7	13
50-69	131	2.1	2	< 1	1	2	3	5	5
70 +	6	2.0							
	249	**2.7**	**6**	**< 1**	**1**	**2**	**3**	**6**	**8**
0-17	62	1.3	1	1	1	1	1	1	5
18-34	355	1.5	1	< 1	< 1	1	2	2	3
35-49	758	1.8	4	< 1	< 1	1	2	4	5
50-69	808	1.3	1	< 1	< 1	1	1	2	2
70 +	24	1.0							
	2008	**1.5**	**2**	**< 1**	**< 1**	**1**	**1**	**3**	**4**
	2257	**1.6**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**4**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	5.0							
18-34	24	2.0							
35-49	12	1.5							
50-69	22	2.8	4						
70 +	0								
SUBTOTAL	**63**	**2.4**	**2**	**< 1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	91	2.8	18	< 1	< 1	< 1	2	9	17
35-49	103	2.3	4	< 1	1	2	3	7	7
50-69	91	1.1		< 1	< 1	1	1	1	2
70 +	6	1.0							
SUBTOTAL	**291**	**2.1**	**7**	**< 1**	**< 1**	**1**	**2**	**3**	**7**
GRAND TOTAL	**354**	**2.1**	**6**	**< 1**	**< 1**	**1**	**2**	**5**	**7**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	29	5.1	64						
35-49	16	1.0							
50-69	6	3.0							
70 +	6	1.0							
	57	**3.3**	**35**	**1**	**1**	**1**	**2**	**15**	**21**
0-17	0								
18-34	55	1.5	1	< 1	1	1	2	4	4
35-49	177	1.3	2	< 1	< 1	< 1	1	1	1
50-69	108	1.6	1	< 1	< 1	1	2	4	5
70 +	35	1.0		< 1	< 1	< 1	< 1	< 1	< 1
	375	**1.4**	**2**	**< 1**	**< 1**	**< 1**	**1**	**2**	**4**
	432	**1.6**	**6**	**< 1**	**< 1**	**1**	**1**	**2**	**4**

DRG 7: Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1879	13.2	239	2	4	8	16	32	61
70-74	1207	15.5	278	2	6	10	18	35	54
75-79	821	17.2	366	2	5	10	22	46	83
80-84	793	15.3	204	3	6	10	19	31	44
85 +	433	21.7	450	4	8	14	36	54	91
SUBTOTAL	**5134**	**15.4**	**286**	**2**	**5**	**10**	**19**	**40**	**61**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5134**	**15.4**	**286**	**2**	**5**	**10**	**19**	**40**	**61**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	569	9.3	113	1	3	4	13	20	31
18-34	933	9.3	171	1	2	5	11	21	40
35-49	1045	8.2	105	2	2	6	10	17	24
50-69	1588	10.3	129	1	3	7	13	25	35
70 +	98	20.4	355	3	7	13	30	58	63
	4233	**9.7**	**138**	**1**	**3**	**6**	**12**	**22**	**32**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4233	**9.7**	**138**	**1**	**3**	**6**	**12**	**22**	**32**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	285	8.8	118	2	3	4	12	19	46
18-34	352	9.1	108	1	2	5	13	23	40
35-49	171	10.1	151	1	2	8	11	27	58
50-69	215	14.1	238	1	3	13	23	78	99 +
70 +	19	14.9	90						
SUBTOTAL	**1042**	**10.3**	**148**	**1**	**3**	**6**	**14**	**29**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1042**	**10.3**	**148**	**1**	**3**	**6**	**14**	**29**	**47**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	185	6.1	49	2	2	5	6	11	15
18-34	563	9.1	167	1	2	5	11	25	46
35-49	260	7.2	49	1	2	4	11	20	23
50-69	200	11.2	113	1	4	8	19	30	97
70 +	66	14.3	151	2	5	10	18	39	39
	1274	**8.9**	**120**	**1**	**2**	**5**	**11**	**23**	**39**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1274	**8.9**	**120**	**1**	**2**	**5**	**11**	**23**	**39**

DRG 8: Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	1428	3.2	11	1	1	2	4	8	9	0-17	2680	3.0	9	1	1	2	4	6	10
70-74	738	4.3	23	1	1	2	6	11	13	18-34	3038	2.9	16	1	1	2	4	6	8
75-79	607	3.6	16	1	1	2	5	8	9	35-49	3385	3.1	17	1	1	2	4	7	9
80-84	245	4.1	20	< 1	1	2	6	10	14	50-69	2560	3.0	10	1	1	2	4	6	8
85 +	103	3.8	6	1	1	4	6	7	8	70 +	97	6.0	26	1	2	5	10	16	16
SUBTOTAL	**3121**	**3.6**	**15**	**1**	**1**	**2**	**5**	**8**	**11**		**11760**	**3.0**	**14**	**1**	**1**	**2**	**4**	**6**	**9**
GRAND TOTAL	**3121**	**3.6**	**15**	**1**	**1**	**2**	**5**	**8**	**11**		**11760**	**3.0**	**14**	**1**	**1**	**2**	**4**	**6**	**9**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	1178	3.9	58	1	1	2	4	6	8	0-17	939	3.1	29	< 1	1	2	3	7	8
18-34	727	3.1	10	1	1	2	4	6	9	18-34	1493	3.5	37	1	1	2	3	6	9
35-49	336	3.0	7	1	1	2	4	6	8	35-49	754	3.3	25	1	1	2	4	6	7
50-69	144	4.4	15	1	1	3	8	11	14	50-69	401	3.2	11	1	1	2	4	9	11
70 +	6	5.0								70 +	64	1.7	5	< 1	< 1	1	1	2	9
SUBTOTAL	**2391**	**3.6**	**34**	**1**	**1**	**2**	**4**	**7**	**9**		**3652**	**3.3**	**29**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**2391**	**3.6**	**34**	**1**	**1**	**2**	**4**	**7**	**9**		**3652**	**3.3**	**29**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 9: Spinal Disorders & Injuries

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	323	10.9	97	3	4	7	16	31	35	0-17	175	7.4	70	1	2	3	11	20	26
70-74	203	12.3	71	3	4	12	17	24	32	18-34	291	13.7	254	1	4	9	21	61	99 +
75-79	245	9.4	60	2	4	5	15	19	25	35-49	200	18.7	250	3	7	16	32	58	99 +
80-84	127	27.2	576	4	7	17	44	70	79	50-69	218	11.6	252	2	4	6	12	34	88
85 +	138	16.5	275	2	5	11	18	47	55	70 +	27	18.9	44						
SUBTOTAL	**1035**	**13.6**	**195**	**3**	**4**	**8**	**17**	**32**	**44**		**911**	**13.2**	**225**	**2**	**4**	**9**	**20**	**44**	**83**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	96	6.7	38	1	2	5	8	16	26	0-17	675	3.7	36	< 1	1	2	3	8	18
70-74	114	10.9	61	3	4	8	18	24	24	18-34	443	7.9	159	1	2	3	9	16	39
75-79	66	6.4	8	3	5	5	10	10	11	35-49	306	3.9	10	1	2	3	4	9	12
80-84	78	7.5	13	3	5	6	10	12	15	50-69	256	5.1	27	1	2	3	6	9	22
85 +	96	6.6	20	2	3	6	8	15	15	70 +	6	6.0							
SUBTOTAL	**451**	**7.8**	**34**	**2**	**3**	**6**	**10**	**16**	**23**		**1685**	**5.1**	**65**	**1**	**1**	**2**	**5**	**12**	**18**
GRAND TOTAL	**1486**	**11.8**	**153**	**2**	**4**	**7**	**15**	**26**	**37**		**2595**	**7.9**	**136**	**1**	**2**	**4**	**9**	**24**	**42**

	MEDICAID										NO INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	72	12.2	107	3	5	10	13	31	35	0-17	37	2.5	1						
18-34	187	14.8	271	3	6	11	39	99 +	99 +	18-34	190	7.4	54	1	3	4	12	19	23
35-49	81	19.3	175	4	4	20	29	39	42	35-49	113	13.9	137	3	4	10	21	33	33
50-69	38	28.5	891	2	9	17	39	94	94	50-69	49	10.0	211	1	3	5	7	31	51
70 +	0									70 +	18	6.7							
SUBTOTAL	**378**	**16.6**	**300**	**3**	**6**	**11**	**29**	**94**	**99 +**		**407**	**9.1**	**100**	**2**	**3**	**4**	**12**	**22**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	245	8.9	111	< 1	< 1	3	21	30	36	0-17	196	2.3	2	< 1	1	2	3	4	5
18-34	62	7.9	108	< 1	< 1	3	11	24	36	18-34	354	4.2	18	1	2	3	5	10	11
35-49	33	11.6	130	1	5	7	14	35	35	35-49	139	4.4	16	1	2	3	5	13	13
50-69	38	16.9	329	2	5	6	37	46	46	50-69	23	17.0	93						
70 +	0									70 +	10	4.0							
SUBTOTAL	**378**	**9.8**	**139**	**< 1**	**1**	**5**	**18**	**30**	**46**		**723**	**4.1**	**21**	**1**	**1**	**2**	**5**	**10**	**13**
GRAND TOTAL	**756**	**13.2**	**231**	**< 1**	**3**	**9**	**22**	**44**	**99 +**		**1130**	**5.9**	**55**	**1**	**2**	**3**	**6**	**15**	**22**

DRG 10: Nervous System Neoplasms w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	5738	10.5	105	3	4	8	13	21	27	0-17	992	4.9	55	1	1	3	5	10	16	
70-74	3526	10.8	99	3	5	8	14	23	30	18-34	720	7.0	70	1	2	4	9	14	19	
75-79	2969	11.7	156	3	4	8	14	26	39	35-49	2540	8.1	98	2	3	5	9	18	24	
80-84	1647	9.9	64	3	5	8	12	20	26	50-69	6525	8.7	78	2	3	6	11	18	24	
85 +	956	11.2	81	3	5	8	15	22	26	70 +	351	9.5	86	2	3	7	11	21	30	
SUBTOTAL	**14837**	**10.8**	**108**	**3**	**4**	**8**	**14**	**22**	**30**		**11128**	**8.1**	**82**	**2**	**3**	**5**	**10**	**18**	**23**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**14837**	**10.8**	**108**	**3**	**4**	**8**	**14**	**22**	**30**		**11128**	**8.1**	**82**	**2**	**3**	**5**	**10**	**18**	**23**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	350	6.7	64	1	2	4	7	13	17	0-17	401	6.2	60	1	1	3	9	19	20	
18-34	324	7.2	76	1	2	6	11	13	15	18-34	211	4.2	8	1	2	4	6	7	10	
35-49	738	8.5	52	2	4	7	11	16	23	35-49	635	6.5	27	2	3	5	9	15	18	
50-69	970	10.6	78	3	4	8	14	21	27	50-69	1292	8.2	55	2	4	6	10	16	22	
70 +	85	7.9	47	3	3	5	12	16	30	70 +	224	9.5	41	2	5	8	14	19	20	
SUBTOTAL	**2467**	**8.9**	**69**	**2**	**4**	**7**	**12**	**17**	**24**		**2763**	**7.3**	**46**	**2**	**3**	**5**	**9**	**16**	**20**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**2467**	**8.9**	**69**	**2**	**4**	**7**	**12**	**17**	**24**		**2763**	**7.3**	**46**	**2**	**3**	**5**	**9**	**16**	**20**	

DRG 11: Nervous System Neoplasms w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1256	6.5	40	1	2	4	8	17	21
70-74	771	6.7	57	1	2	4	8	13	28
75-79	627	7.5	49	2	3	5	9	20	22
80-84	365	7.7	60	2	3	6	8	18	26
85 +	262	7.3	39	2	3	6	9	15	18
SUBTOTAL	**3281**	**6.9**	**48**	**1**	**2**	**5**	**8**	**16**	**22**
GRAND TOTAL	**3281**	**6.9**	**48**	**1**	**2**	**5**	**8**	**16**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1209	3.2	19	1	1	2	3	7	10
18-34	520	3.4	11	1	1	2	5	6	7
35-49	1494	4.8	22	1	2	3	7	11	14
50-69	2207	5.2	24	1	2	4	6	12	15
70 +	113	5.1	14	2	2	4	6	13	15
	5543	**4.5**	**21**	**1**	**2**	**3**	**6**	**10**	**14**
	5543	**4.5**	**21**	**1**	**2**	**3**	**6**	**10**	**14**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	381	5.1	97	1	1	3	4	6	11
18-34	311	4.0	11	1	1	3	5	8	11
35-49	232	4.6	22	1	2	3	5	12	20
50-69	153	7.3	31	2	2	4	12	16	17
70 +	16	5.4	4						
SUBTOTAL	**1093**	**5.0**	**47**	**1**	**2**	**3**	**5**	**11**	**15**
GRAND TOTAL	**1093**	**5.0**	**47**	**1**	**2**	**3**	**5**	**11**	**15**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	360	2.8	14	1	1	2	3	4	4
18-34	207	3.2	8	1	1	2	4	6	12
35-49	294	5.4	34	1	2	4	6	13	15
50-69	397	4.8	20	1	2	3	6	12	14
70 +	29	5.4	20						
	1288	**4.1**	**21**	**1**	**2**	**3**	**5**	**10**	**14**
	1288	**4.1**	**21**	**1**	**2**	**3**	**5**	**10**	**14**

DRG 12: Degenerative Nervous System Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2196	11.5	144	3	5	8	14	25	40	0-17	427	5.7	79	1	1	3	7	11	17
70-74	2314	11.6	133	3	5	8	14	25	42	18-34	201	14.0	531	1	2	5	11	67	73
75-79	3412	12.9	196	3	5	9	15	26	42	35-49	529	7.9	44	2	4	6	11	16	17
80-84	2502	11.8	116	3	5	9	14	26	44	50-69	1086	11.5	92	3	5	9	15	26	35
85 +	1875	11.1	179	3	5	7	12	19	29	70 +	189	10.0	70	2	3	7	18	20	31
SUBTOTAL	**12300**	**11.9**	**156**	**3**	**5**	**8**	**14**	**25**	**39**		**2432**	**9.8**	**120**	**2**	**3**	**6**	**12**	**19**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1857	9.4	101	2	4	6	10	22	33	0-17	771	3.8	20	1	1	2	4	8	12
70-74	1846	8.8	109	2	3	6	10	19	31	18-34	633	5.9	96	1	2	3	6	10	21
75-79	2032	8.8	79	2	4	6	10	18	26	35-49	643	6.5	45	1	2	4	8	14	24
80-84	1788	9.8	147	2	4	6	11	19	31	50-69	1311	6.5	49	1	3	4	8	12	16
85 +	766	9.3	71	3	4	7	10	24	26	70 +	165	4.2	8	1	2	4	5	9	11
SUBTOTAL	**8289**	**9.2**	**105**	**2**	**4**	**6**	**10**	**19**	**30**		**3523**	**5.7**	**49**	**1**	**2**	**4**	**7**	**11**	**15**
GRAND TOTAL	**20590**	**10.8**	**137**	**3**	**4**	**7**	**13**	**23**	**35**		**5955**	**7.4**	**82**	**1**	**2**	**4**	**9**	**15**	**23**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	286	8.7	105	1	3	6	11	16	31	0-17	118	4.2	12	1	1	3	7	9	12
18-34	200	8.9	36	2	5	8	13	20	25	18-34	149	10.1	151	2	3	7	12	19	24
35-49	287	12.6	274	2	5	9	17	62	99 +	35-49	196	11.1	143	3	5	9	12	23	70
50-69	402	12.0	144	2	5	8	14	33	47	50-69	269	12.0	157	2	5	9	17	67	99 +
70 +	64	15.6	103	4	7	24	99 +	99 +	99 +	70 +	366	19.7	266	3	7	19	29	53	99 +
SUBTOTAL	**1240**	**11.1**	**149**	**2**	**4**	**8**	**15**	**33**	**98**		**1097**	**13.3**	**199**	**2**	**5**	**9**	**20**	**42**	**69**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	421	3.9	24	< 1	2	3	4	6	14	0-17	259	3.2	12	1	1	2	5	6	10
18-34	290	6.2	23	1	2	5	10	13	14	18-34	313	5.0	20	1	1	3	8	11	14
35-49	245	6.6	29	2	3	6	9	14	16	35-49	322	4.0	17	1	1	2	6	9	13
50-69	217	9.4	106	2	3	5	11	25	34	50-69	592	5.8	66	1	1	2	7	15	26
70 +	43	6.9	14							70 +	331	13.7	365	1	1	6	26	57	99
SUBTOTAL	**1217**	**6.1**	**43**	**1**	**2**	**4**	**7**	**13**	**16**		**1817**	**6.4**	**108**	**1**	**1**	**3**	**8**	**16**	**27**
GRAND TOTAL	**2457**	**8.6**	**103**	**1**	**3**	**6**	**11**	**22**	**34**		**2914**	**9.0**	**154**	**1**	**2**	**5**	**11**	**26**	**48**

DRG 13: Multiple Sclerosis & Cerebellar Ataxia

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	2203	9.3	59	3	5	7	11	17	26	0-17	88	4.7	13	2	2	3	7	11	12	
70-74	215	8.2	36	2	3	8	10	14	26	18-34	653	9.9	131	2	4	6	11	21	31	
75-79	134	7.9	12	4	5	8	10	12	13	35-49	1967	9.7	108	3	5	7	10	17	32	
80-84	125	10.3	50	4	6	7	14	25	25	50-69	951	9.1	82	3	5	6	10	16	28	
85 +	72	6.3	17	1	3	6	12	12	13	70 +	43	9.3	26	3	4	10	11	19	19	
SUBTOTAL	**2749**	**9.1**	**54**	**2**	**5**	**7**	**11**	**17**	**25**		**3702**	**9.4**	**103**	**2**	**4**	**7**	**10**	**18**	**29**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	2305	6.8	28	2	4	5	9	12	14	0-17	338	4.0	12	1	2	3	5	9	13	
70-74	187	9.4	131	3	4	7	10	15	17	18-34	2748	5.5	12	2	3	5	7	10	11	
75-79	146	4.6	5	2	3	4	6	8	9	35-49	5506	5.5	11	2	3	5	7	10	11	
80-84	0									50-69	1599	6.1	31	2	3	5	7	10	14	
85 +	45	6.8	14	4	4	5	9	15	15	70 +	0									
SUBTOTAL	**2681**	**6.8**	**34**	**2**	**4**	**5**	**9**	**12**	**15**		**10191**	**5.5**	**15**	**2**	**3**	**5**	**7**	**10**	**12**	
GRAND TOTAL	**5430**	**8.0**	**46**	**2**	**4**	**6**	**10**	**14**	**19**		**13893**	**6.6**	**41**	**2**	**3**	**5**	**8**	**11**	**15**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	47	4.0	14	<1	1	1	9	9	9	0-17	39	7.1	24	1	2	6	11	16	16	
18-34	259	9.9	64	4	6	8	12	26	38	18-34	194	9.5	83	3	5	7	11	14	31	
35-49	487	9.4	58	3	5	7	11	18	21	35-49	295	7.6	26	2	5	7	10	12	18	
50-69	136	7.9	51	4	4	8	9	10	15	50-69	135	9.5	75	3	4	7	10	18	33	
70 +	0									70 +	18	4.9	8							
SUBTOTAL	**930**	**9.0**	**58**	**3**	**4**	**7**	**11**	**18**	**28**		**681**	**8.4**	**52**	**3**	**4**	**7**	**10**	**14**	**21**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	128	6.0	25	2	3	4	7	9	19	0-17	256	3.7	4	1	2	4	5	6	7	
18-34	540	5.9	17	2	3	5	8	10	12	18-34	532	5.4	14	1	3	4	7	10	14	
35-49	524	7.7	54	2	4	7	8	12	20	35-49	813	5.3	10	1	3	5	7	10	11	
50-69	117	5.2	9	2	2	5	7	10	11	50-69	167	5.5	34	2	2	4	6	12	21	
70 +	0									70 +	0									
SUBTOTAL	**1310**	**6.6**	**33**	**2**	**3**	**6**	**8**	**10**	**13**		**1767**	**5.1**	**13**	**1**	**3**	**4**	**7**	**10**	**11**	
GRAND TOTAL	**2240**	**7.6**	**45**	**2**	**4**	**6**	**9**	**13**	**20**		**2448**	**6.0**	**26**	**2**	**3**	**5**	**7**	**11**	**14**	

DRG 14: Specific Cerebrovascular Disorders except TIA

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	32846	10.6	102	3	5	8	13	20	30
70-74	34354	11.0	93	4	5	8	13	21	30
75-79	41137	11.4	99	3	5	9	14	23	31
80-84	38695	11.7	106	4	6	9	14	22	31
85 +	40330	11.8	107	4	6	9	14	23	32
SUBTOTAL	**187362**	**11.3**	**102**	**4**	**5**	**8**	**14**	**22**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	14528	6.8	32	2	3	5	8	12	16
70-74	14611	7.2	40	2	4	6	9	13	17
75-79	15842	7.2	36	2	4	6	9	13	18
80-84	13282	7.7	35	3	4	6	9	13	17
85 +	12006	8.2	43	3	4	7	10	15	19
SUBTOTAL	**70269**	**7.4**	**37**	**3**	**4**	**6**	**9**	**13**	**17**
GRAND TOTAL	**257631**	**10.3**	**87**	**3**	**5**	**8**	**12**	**20**	**28**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	187	8.3	44	1	3	7	13	16	20
18-34	844	9.1	78	2	4	7	10	18	30
35-49	3899	9.6	99	3	5	7	12	18	26
50-69	21445	10.3	108	3	5	7	12	20	28
70 +	3967	9.9	66	3	5	8	12	19	25
	30342	**10.1**	**100**	**3**	**5**	**7**	**12**	**20**	**27**
0-17	183	4.6	28	1	2	3	5	8	15
18-34	1006	5.5	13	2	3	5	7	11	13
35-49	4371	6.4	27	2	3	5	8	12	16
50-69	14552	6.5	29	2	3	5	8	12	15
70 +	1818	6.7	28	2	3	5	8	13	18
	21929	**6.4**	**28**	**2**	**3**	**5**	**8**	**12**	**15**
	52271	**8.6**	**73**	**2**	**4**	**6**	**10**	**16**	**22**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	118	10.0	88	2	2	7	12	17	35
18-34	451	12.0	101	4	6	9	15	24	36
35-49	1446	12.1	125	3	6	9	15	25	30
50-69	5324	12.8	185	3	5	9	15	26	39
70 +	1314	14.4	198	3	6	10	17	33	49
SUBTOTAL	**8653**	**12.8**	**172**	**3**	**5**	**9**	**15**	**26**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	61	5.0	10	1	3	4	8	9	12
18-34	280	7.5	31	2	3	6	9	16	21
35-49	594	8.6	88	3	4	6	10	16	18
50-69	2167	8.2	39	3	4	6	11	15	22
70 +	580	10.8	113	4	5	7	11	21	43
SUBTOTAL	**3681**	**8.6**	**59**	**3**	**4**	**6**	**10**	**16**	**23**
GRAND TOTAL	**12334**	**11.6**	**142**	**3**	**5**	**8**	**14**	**23**	**33**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	74	6.9	35	1	3	4	10	16	21
18-34	541	8.0	47	2	4	6	10	18	22
35-49	1930	10.5	82	3	5	8	12	21	28
50-69	6470	10.1	102	3	4	7	12	21	29
70 +	2981	10.7	102	3	5	7	14	23	29
	11997	**10.2**	**96**	**3**	**4**	**7**	**13**	**21**	**28**
0-17	77	4.1	6	1	2	4	5	8	8
18-34	527	6.0	27	1	2	5	8	15	18
35-49	1595	6.6	25	2	3	5	9	15	18
50-69	4988	6.7	38	2	3	5	8	14	18
70 +	1376	7.3	40	2	3	5	9	17	24
	8563	**6.7**	**35**	**2**	**3**	**5**	**9**	**14**	**19**
	20559	**8.7**	**73**	**2**	**4**	**6**	**10**	**18**	**25**

DRG 15: Transient Ischemic Attack & Precerebral Occlusions

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	14670	5.2	16	2	3	4	6	10	12	0-17	11	3.0	1						
70-74	14256	5.3	17	2	3	4	7	10	12	18-34	283	4.4	8	1	3	4	6	9	11
75-79	16728	5.9	30	2	3	5	7	11	14	35-49	1869	4.4	12	1	2	3	6	8	10
80-84	14611	6.1	28	2	3	5	7	11	15	50-69	8905	4.6	16	1	2	4	6	8	10
85 +	14741	6.4	34	2	3	5	7	12	15	70 +	1378	5.0	18	2	3	4	7	9	11
SUBTOTAL	**75005**	**5.8**	**25**	**2**	**3**	**5**	**7**	**11**	**14**		**12447**	**4.6**	**15**	**1**	**2**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10973	3.8	10	1	2	3	5	7	9	0-17	30	3.1	1						
70-74	11446	3.7	7	1	2	3	5	7	9	18-34	599	3.1	8	1	1	2	3	6	10
75-79	10768	4.1	13	1	2	3	5	7	9	35-49	3453	3.4	6	1	2	3	4	7	8
80-84	9480	4.2	9	1	2	3	5	8	10	50-69	12945	3.4	6	1	2	3	4	6	8
85 +	8144	4.5	16	2	2	4	6	8	10	70 +	1096	3.2	4	1	2	3	4	6	7
SUBTOTAL	**50810**	**4.0**	**11**	**1**	**2**	**3**	**5**	**7**	**9**		**18122**	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**125816**	**5.1**	**20**	**2**	**3**	**4**	**6**	**9**	**12**		**30569**	**3.9**	**10**	**1**	**2**	**3**	**5**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	95	5.5	43	2	3	4	5	30	65	18-34	80	3.2	4	1	1	3	4	6	8
35-49	312	5.5	15	2	3	5	7	9	12	35-49	500	5.1	12	1	2	4	7	10	12
50-69	1859	5.6	27	2	3	4	7	11	14	50-69	2235	4.9	13	1	2	4	6	9	12
70 +	356	7.5	40	2	4	5	9	22	25	70 +	883	5.0	18	2	3	4	6	9	11
SUBTOTAL	**2622**	**5.9**	**28**	**2**	**3**	**4**	**7**	**11**	**16**		**3698**	**4.9**	**14**	**1**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	6	6.0							
18-34	88	2.9	3	1	2	3	4	6	7	18-34	224	3.5	5	1	2	3	5	7	7
35-49	381	4.2	9	1	2	3	5	8	10	35-49	1068	3.4	6	1	2	3	4	6	7
50-69	1216	4.1	8	2	2	3	5	8	11	50-69	3064	3.3	5	1	2	3	4	7	8
70 +	320	5.3	26	1	2	5	6	9	10	70 +	997	3.3	12	1	1	3	4	6	7
SUBTOTAL	**2004**	**4.3**	**11**	**1**	**2**	**3**	**5**	**8**	**10**		**5359**	**3.4**	**7**	**1**	**2**	**3**	**4**	**7**	**7**
GRAND TOTAL	**4626**	**5.2**	**21**	**2**	**2**	**4**	**6**	**10**	**14**		**9057**	**4.0**	**10**	**1**	**2**	**3**	**5**	**8**	**9**

Total U.S., July 1990 - June 1991

DRG 16: Nonspecific Cerebrovascular Disorders w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	1866	8.4	57	2	4	6	11	18	21		0-17	256	5.2	14	2	3	4	7	11	13
70-74	1470	8.7	50	2	4	7	12	19	26		18-34	173	6.5	23	1	2	6	8	14	18
75-79	1853	7.7	27	3	4	6	10	15	19		35-49	385	6.8	27	1	3	5	10	14	14
80-84	2116	9.9	124	3	4	7	11	21	31		50-69	914	7.1	30	2	3	6	9	14	22
85 +	2198	10.5	111	2	4	8	13	23	39		70 +	121	6.3	23	3	3	5	7	13	17
SUBTOTAL	**9502**	**9.1**	**79**	**3**	**4**	**7**	**11**	**19**	**26**			**1848**	**6.7**	**26**	**2**	**3**	**5**	**9**	**13**	**18**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0										0-17	0								
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**9502**	**9.1**	**79**	**3**	**4**	**7**	**11**	**19**	**26**			**1848**	**6.7**	**26**	**2**	**3**	**5**	**9**	**13**	**18**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	143	7.3	34	2	3	7	10	16	16		0-17	122	6.2	64	2	2	4	7	10	20
18-34	44	8.4	23	2	3	7	12	16	16		18-34	127	4.8	29	1	1	3	6	10	21
35-49	140	6.4	17	2	4	6	8	10	18		35-49	113	9.6	63	3	4	7	14	28	29
50-69	275	8.5	41	2	3	8	12	17	20		50-69	293	7.8	42	2	4	6	9	14	27
70 +	72	10.8	61	2	5	10	12	26	26		70 +	75	11.2	162	5	6	7	11	14	52
SUBTOTAL	**674**	**8.1**	**37**	**2**	**3**	**7**	**11**	**16**	**20**			**731**	**7.6**	**62**	**1**	**3**	**6**	**9**	**14**	**27**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**674**	**8.1**	**37**	**2**	**3**	**7**	**11**	**16**	**20**			**731**	**7.6**	**62**	**1**	**3**	**6**	**9**	**14**	**27**

DRG 17: Nonspecific Cerebrovascular Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	433	7.3	216	1	2	4	6	12	19	0-17	472	3.5	34	1	1	2	4	7	10
70-74	498	5.5	17	2	2	4	7	12	14	18-34	247	4.4	18	1	2	3	5	9	16
75-79	569	6.7	36	1	3	4	9	15	19	35-49	383	4.2	9	1	2	3	6	9	11
80-84	551	5.9	20	2	3	5	7	11	15	50-69	740	3.9	15	1	1	3	5	7	9
85 +	687	6.2	30	2	3	5	8	14	16	70 +	45	5.8	40	1	2	2	6	17	17
SUBTOTAL	**2738**	**6.3**	**57**	**2**	**3**	**4**	**7**	**12**	**16**		**1886**	**4.0**	**20**	**1**	**1**	**3**	**5**	**8**	**10**
GRAND TOTAL	**2738**	**6.3**	**57**	**2**	**3**	**4**	**7**	**12**	**16**		**1886**	**4.0**	**20**	**1**	**1**	**3**	**5**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	227	6.4	128	1	2	3	5	9	32	0-17	117	5.2	41	1	2	2	4	13	23
18-34	128	4.2	22	2	2	2	4	10	13	18-34	89	4.4	18	1	2	3	5	13	16
35-49	28	3.8	12							35-49	128	4.3	11	1	2	2	6	10	11
50-69	84	4.7	6	2	3	5	6	7	12	50-69	216	3.5	7	< 1	2	2	5	7	10
70 +	6	8.0								70 +	28	5.8	5						
SUBTOTAL	**473**	**5.3**	**70**	**1**	**2**	**3**	**5**	**10**	**13**		**579**	**4.3**	**17**	**1**	**2**	**3**	**6**	**10**	**12**
GRAND TOTAL	**473**	**5.3**	**70**	**1**	**2**	**3**	**5**	**10**	**13**		**579**	**4.3**	**17**	**1**	**2**	**3**	**6**	**10**	**12**

DRG 18: Cranial & Peripheral Nerve Disorders w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5452	7.3	45	2	3	5	9	14	20
70-74	2637	7.2	31	2	3	6	9	14	18
75-79	2115	8.3	55	2	4	6	10	16	21
80-84	1460	8.8	67	2	4	7	11	17	23
85 +	966	8.0	34	3	5	7	10	15	18
SUBTOTAL	**12630**	**7.7**	**46**	**2**	**4**	**6**	**9**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**12630**	**7.7**	**46**	**2**	**4**	**6**	**9**	**15**	**20**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	179	3.9	15	1	2	3	4	8	8
18-34	834	6.7	41	2	3	5	8	13	18
35-49	1887	6.2	31	2	3	5	7	13	17
50-69	2755	7.1	56	1	3	5	8	15	23
70 +	204	8.7	34	2	4	8	10	19	21
	5859	**6.7**	**44**	**2**	**3**	**5**	**8**	**14**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5859	**6.7**	**44**	**2**	**3**	**5**	**8**	**14**	**19**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	45	12.7	197	1	2	7	34	34	34
18-34	580	7.7	74	3	3	5	8	15	26
35-49	727	7.4	29	2	3	6	9	15	18
50-69	804	6.9	52	2	3	6	8	14	16
70 +	16	6.4	7						
SUBTOTAL	**2172**	**7.4**	**53**	**2**	**3**	**6**	**8**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2172**	**7.4**	**53**	**2**	**3**	**6**	**8**	**14**	**18**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	95	10.3	137	1	2	10	11	38	38
18-34	389	5.4	20	1	2	4	8	12	15
35-49	437	8.2	99	1	3	6	10	18	20
50-69	671	5.5	16	2	3	4	8	10	12
70 +	75	6.8	41	1	3	4	12	19	19
	1667	**6.5**	**49**	**1**	**3**	**5**	**8**	**12**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1667	**6.5**	**49**	**1**	**3**	**5**	**8**	**12**	**19**

DRG 19: Cranial & Peripheral Nerve Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2928	5.1	25	1	2	4	7	10	13	0-17	851	4.6	50	1	1	2	4	9	20
70-74	1427	4.6	16	1	2	3	6	9	11	18-34	2276	3.1	7	1	1	2	4	6	8
75-79	1284	5.4	19	1	3	4	7	10	13	35-49	4234	3.9	11	1	1	3	5	8	11
80-84	767	6.0	31	1	2	4	8	12	20	50-69	4705	3.8	11	1	1	3	5	8	11
85 +	454	5.2	17	1	2	4	7	11	14	70 +	178	4.0	10	1	2	3	5	8	11
SUBTOTAL	**6859**	**5.1**	**22**	**1**	**2**	**4**	**7**	**10**	**13**		**12245**	**3.8**	**13**	**1**	**1**	**3**	**5**	**8**	**10**
GRAND TOTAL	**6859**	**5.1**	**22**	**1**	**2**	**4**	**7**	**10**	**13**		**12245**	**3.8**	**13**	**1**	**1**	**3**	**5**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	241	5.0	17	1	2	4	6	13	14	0-17	297	4.8	41	1	1	3	5	10	11
18-34	561	3.9	8	1	2	3	6	8	10	18-34	1234	3.9	14	1	1	3	5	9	10
35-49	578	5.1	17	1	2	4	7	10	12	35-49	1011	3.2	11	1	1	2	4	7	10
50-69	437	6.5	90	1	2	4	7	10	22	50-69	1041	3.4	10	< 1	1	2	4	9	10
70 +	37	2.7	4	1	1	2	5	6	6	70 +	85	3.0	4	< 1	< 1	2	4	6	8
SUBTOTAL	**1854**	**5.0**	**32**	**1**	**2**	**4**	**7**	**9**	**12**		**3667**	**3.6**	**14**	**1**	**1**	**2**	**5**	**8**	**10**
GRAND TOTAL	**1854**	**5.0**	**32**	**1**	**2**	**4**	**7**	**9**	**12**		**3667**	**3.6**	**14**	**1**	**1**	**2**	**5**	**8**	**10**

DRG 20: Nervous System Infection except Viral Meningitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1386	14.3	122	4	7	11	19	27	38	0-17	2606	10.4	51	3	6	10	12	19	24
70-74	849	16.4	140	4	7	15	23	31	35	18-34	962	10.8	88	3	5	9	14	21	29
75-79	803	17.0	193	4	7	13	21	44	55	35-49	1003	11.9	75	4	7	11	15	22	29
80-84	613	13.3	78	3	6	11	19	24	31	50-69	1178	15.4	172	3	7	13	20	28	46
85+	564	15.1	180	4	6	11	21	31	33	70+	78	10.6	30	4	6	9	16	17	23
SUBTOTAL	**4216**	**15.2**	**142**	**4**	**7**	**12**	**20**	**29**	**38**		**5828**	**11.7**	**89**	**3**	**6**	**10**	**14**	**22**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	614	7.5	37	1	3	7	11	15	21	0-17	4437	7.4	24	2	3	7	10	13	15
70-74	277	6.3	22	2	3	6	7	11	21	18-34	1694	6.6	22	2	3	6	9	13	16
75-79	330	7.1	20	2	3	6	11	12	13	35-49	1490	7.6	37	2	3	6	10	16	21
80-84	258	8.8	42	3	4	7	11	19	24	50-69	1082	8.7	84	2	4	7	10	18	22
85+	76	6.1	9	2	4	6	7	9	13	70+	35	6.6	13						
SUBTOTAL	**1555**	**7.4**	**31**	**2**	**3**	**6**	**10**	**14**	**20**		**8737**	**7.5**	**33**	**2**	**3**	**7**	**10**	**14**	**17**
GRAND TOTAL	**5770**	**13.1**	**124**	**3**	**6**	**10**	**18**	**26**	**33**		**14565**	**9.2**	**60**	**2**	**4**	**8**	**11**	**18**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1873	11.4	50	4	8	10	13	19	22	0-17	1445	11.1	80	3	7	10	13	17	22
18-34	411	12.0	155	3	6	9	15	23	34	18-34	400	12.1	150	4	7	10	12	23	51
35-49	214	15.0	179	5	6	11	18	29	32	35-49	383	11.6	114	4	7	10	12	25	29
50-69	210	21.3	358	4	11	18	24	54	86	50-69	301	15.6	101	6	8	14	20	29	42
70+	11	32.0	247							70+	96	15.4	113	6	8	13	22	39	99+
SUBTOTAL	**2719**	**12.6**	**109**	**4**	**7**	**10**	**15**	**22**	**30**		**2626**	**12.0**	**102**	**4**	**7**	**10**	**14**	**21**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2566	8.8	22	3	6	10	11	14	16	0-17	1783	8.7	34	2	4	9	11	15	18
18-34	392	9.8	86	3	4	6	12	22	31	18-34	789	6.8	59	2	3	5	9	14	17
35-49	145	10.2	114	2	4	6	11	21	25	35-49	361	9.5	64	2	4	7	12	20	23
50-69	49	18.6	440	4	4	11	17	58	58	50-69	234	8.0	33	1	4	7	10	14	21
70+	6	2.0								70+	40	7.3	173	<1	<1	<1	7	39	39
SUBTOTAL	**3157**	**9.2**	**42**	**2**	**5**	**9**	**11**	**15**	**20**		**3208**	**8.2**	**46**	**2**	**4**	**7**	**10**	**15**	**19**
GRAND TOTAL	**5877**	**10.8**	**76**	**3**	**6**	**10**	**12**	**19**	**23**		**5833**	**9.9**	**75**	**2**	**5**	**9**	**12**	**17**	**23**

DRG 21: Viral Meningitis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	245	7.3	34	3	4	5	8	16	24	0-17	2783	4.2	12	2	2	3	5	8	11
70-74	157	11.9	49	5	6	9	16	24	27	18-34	1613	4.3	9	2	2	3	5	8	11
75-79	76	15.0	199	5	7	9	14	45	45	35-49	680	5.9	19	2	3	5	7	10	15
80-84	59	7.9	34	2	5	7	10	17	23	50-69	236	7.6	24	2	4	6	10	13	18
85 +	46	12.5	149	4	5	10	12	44	44	70 +	12	19.3	13						
SUBTOTAL	**584**	**10.0**	**77**	**3**	**5**	**7**	**11**	**23**	**27**		**5324**	**4.7**	**14**	**2**	**2**	**3**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	200	4.5	10	2	3	3	5	10	10	0-17	11630	3.2	4	1	2	3	4	5	7
70-74	64	7.1	17	3	4	6	9	13	17	18-34	7341	3.3	4	1	2	3	4	5	7
75-79	48	4.8	2	3	3	4	7	7	7	35-49	2582	3.9	8	2	2	3	5	7	9
80-84	10	8.0								50-69	470	5.1	12	2	3	4	6	10	14
85 +	11	3.0	1							70 +	31	3.8	1						
SUBTOTAL	**334**	**5.1**	**11**	**2**	**3**	**4**	**7**	**10**	**11**		**22054**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**917**	**8.2**	**58**	**3**	**4**	**6**	**10**	**16**	**24**		**27378**	**3.6**	**7**	**2**	**2**	**3**	**4**	**6**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1843	4.7	16	2	3	4	5	8	10	0-17	1224	3.8	9	1	2	3	5	8	11
18-34	386	5.3	38	2	2	3	6	10	15	18-34	623	4.8	17	2	2	4	5	9	11
35-49	54	8.5	37	3	3	8	11	20	20	35-49	191	5.2	9	2	3	4	7	10	12
50-69	82	7.3	13	2	4	6	10	12	14	50-69	104	5.3	8	2	3	5	6	10	11
70 +	17	8.7	28							70 +	16	8.1	30						
SUBTOTAL	**2381**	**5.0**	**21**	**2**	**3**	**4**	**6**	**9**	**12**		**2159**	**4.4**	**12**	**2**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6240	3.6	5	2	2	3	4	6	8	0-17	4992	3.1	3	2	2	3	4	5	6
18-34	1269	3.6	5	1	2	3	4	7	9	18-34	2944	3.4	5	1	2	3	4	6	7
35-49	83	5.6	13	2	3	5	7	11	13	35-49	596	4.3	11	1	2	4	5	8	13
50-69	27	7.7	10							50-69	107	6.0	10	2	3	6	9	10	12
70 +	0									70 +	6	10.0							
SUBTOTAL	**7619**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**8**		**8646**	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**10000**	**3.9**	**9**	**2**	**2**	**3**	**4**	**7**	**9**		**10805**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**8**

Total U.S., July 1990 - June 1991

DRG 22: Hypertensive Encephalopathy

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1696	6.0	21	2	3	5	7	12	16
70-74	1009	6.6	38	2	3	5	8	13	18
75-79	953	6.3	29	2	3	5	7	12	17
80-84	575	7.2	43	2	3	5	9	14	27
85 +	497	6.1	51	2	3	4	7	9	16
SUBTOTAL	**4731**	**6.4**	**32**	**2**	**3**	**5**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	894	3.6	5	1	2	3	5	7	7
70-74	424	4.1	8	1	2	3	5	8	9
75-79	409	4.0	7	2	2	3	5	7	9
80-84	301	4.4	12	2	2	3	5	8	11
85 +	227	4.1	3	2	3	4	5	7	8
SUBTOTAL	**2254**	**3.9**	**7**	**2**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**6985**	**5.6**	**25**	**2**	**3**	**4**	**7**	**11**	**15**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	48	13.8	66	5	5	14	25	25	25
18-34	82	5.0	9	2	2	4	7	11	11
35-49	597	4.4	10	2	2	4	6	7	8
50-69	1182	5.5	29	2	3	4	7	9	15
70 +	77	3.6	3	2	2	2	5	6	6
	1986	**5.3**	**24**	**2**	**2**	**4**	**6**	**9**	**14**
0-17	10	5.0							
18-34	145	3.4	9	1	2	2	5	8	12
35-49	792	3.4	5	1	2	3	4	7	8
50-69	1114	3.3	6	1	2	3	4	6	7
70 +	72	5.0	40	1	2	2	4	20	20
	2132	**3.4**	**7**	**1**	**2**	**3**	**4**	**7**	**8**
	4118	**4.3**	**16**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	42	9.2	6						
18-34	134	4.3	5	2	2	4	6	8	9
35-49	199	5.5	17	1	2	5	9	12	14
50-69	306	4.9	21	2	2	4	6	8	14
70 +	32	4.6	6						
SUBTOTAL	**714**	**5.2**	**16**	**2**	**2**	**4**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	51	4.3	10	< 1	2	4	5	11	11
35-49	197	3.0	3	2	2	2	4	5	7
50-69	115	7.1	38	2	3	4	9	14	23
70 +	13	5.0							
SUBTOTAL	**376**	**4.5**	**18**	**2**	**2**	**3**	**5**	**10**	**14**
GRAND TOTAL	**1090**	**5.0**	**17**	**2**	**2**	**4**	**6**	**10**	**14**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	158	5.2	11	2	3	5	7	8	9
35-49	462	5.2	19	2	2	4	7	13	16
50-69	425	5.7	17	2	3	4	8	11	12
70 +	40	7.1	20	2	3	7	9	17	17
	1084	**5.5**	**17**	**2**	**3**	**4**	**7**	**11**	**16**
0-17	10	8.0							
18-34	71	3.0	2	1	2	3	4	5	6
35-49	273	3.8	7	1	2	3	5	7	9
50-69	306	3.3	7	1	1	2	5	6	10
70 +	29	2.1	1						
	689	**3.5**	**6**	**1**	**2**	**3**	**5**	**7**	**9**
	1773	**4.7**	**14**	**1**	**2**	**3**	**6**	**10**	**12**

DRG 23: Nontraumatic Stupor & Coma

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	499	5.9	19	2	3	5	7	11	14	0-17	152	2.0	6	1	1	1	2	5	7
70-74	293	7.8	33	3	4	7	9	15	18	18-34	164	5.1	25	1	1	3	7	13	17
75-79	370	6.2	15	2	3	5	9	11	13	35-49	228	5.3	43	2	2	3	6	9	11
80-84	372	8.0	52	2	3	5	10	16	25	50-69	303	5.6	20	2	3	4	8	12	24
85+	426	7.2	38	2	3	5	8	14	23	70+	49	5.7	27	1	1	3	12	14	15
SUBTOTAL	**1960**	**6.9**	**31**	**2**	**3**	**5**	**8**	**13**	**17**		**897**	**4.8**	**26**	**1**	**2**	**3**	**6**	**12**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	62	5.2	4	2	4	6	7	7	7	0-17	237	2.1	3	< 1	1	1	2	4	4
70-74	69	2.8	2	1	2	2	4	5	5	18-34	220	2.7	2	1	1	3	4	5	5
75-79	186	3.7	7	1	1	4	5	6	9	35-49	148	2.2	3	< 1	1	1	3	5	7
80-84	114	3.8	18	1	2	2	4	8	17	50-69	140	3.6	5	2	2	3	4	7	10
85+	148	3.3	3	1	2	4	4	6	7	70+	12	7.0							
SUBTOTAL	**579**	**3.7**	**8**	**1**	**2**	**3**	**5**	**7**	**7**		**756**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**2539**	**6.2**	**28**	**2**	**3**	**5**	**7**	**12**	**16**		**1653**	**3.8**	**17**	**1**	**1**	**3**	**4**	**9**	**12**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	90	3.3	7	< 1	1	3	6	9	9	0-17	33	9.0	148	< 1	1	1	20	32	32
18-34	82	5.9	51	1	1	3	9	13	29	18-34	86	1.9	1	< 1	< 1	1	2	4	4
35-49	110	4.4	27	1	2	3	4	18	18	35-49	119	4.1	5	1	2	3	5	8	9
50-69	66	11.7	127	2	3	5	12	30	32	50-69	85	7.2	39	2	3	4	11	12	27
70+	11	2.1	1							70+	17	6.4	18						
SUBTOTAL	**360**	**5.8**	**53**	**1**	**1**	**3**	**6**	**13**	**29**		**341**	**4.9**	**32**	**< 1**	**2**	**3**	**5**	**11**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	110	3.9	10	1	1	3	4	12	12	0-17	54	1.3		< 1	< 1	1	1	3	3
18-34	29	4.5	3							18-34	79	2.1	1	1	1	2	3	4	4
35-49	6	1.0								35-49	81	3.1	2	2	2	3	4	5	5
50-69	21	2.5	2							50-69	52	3.1	7	< 1	1	1	6	7	7
70+	0									70+	17	2.0	1						
SUBTOTAL	**167**	**3.7**	**8**	**1**	**1**	**3**	**5**	**6**	**12**		**283**	**2.4**	**3**	**< 1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**527**	**5.1**	**40**	**1**	**1**	**3**	**5**	**12**	**18**		**624**	**3.8**	**20**	**< 1**	**1**	**2**	**4**	**8**	**11**

DRG 24: Seizure & Headache Age >17 w/ CC

	MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	18990	6.6	47	2	3	5	8	13	19
70-74	8867	7.2	56	2	3	5	9	14	19
75-79	8297	7.2	47	2	3	5	9	14	19
80-84	6354	7.5	51	2	3	5	9	15	23
85 +	5483	8.1	69	2	4	6	9	16	21
SUBTOTAL	**47991**	**7.1**	**52**	**2**	**3**	**5**	**8**	**14**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**47991**	**7.1**	**52**	**2**	**3**	**5**	**8**	**14**	**20**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	7051	4.5	31	1	2	3	5	9	11
35-49	9925	5.0	20	1	2	4	6	10	13
50-69	9882	5.5	23	2	2	4	7	12	15
70 +	795	6.4	26	2	3	5	9	13	18
	27654	**5.1**	**25**	**1**	**2**	**4**	**6**	**10**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	27654	**5.1**	**25**	**1**	**2**	**4**	**6**	**10**	**14**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	4683	5.7	50	1	2	4	6	11	18
35-49	4568	5.7	33	2	3	4	7	11	15
50-69	4121	6.6	52	2	3	5	8	13	17
70 +	332	13.0	150	4	4	9	14	31	46
SUBTOTAL	**13704**	**6.1**	**49**	**2**	**3**	**4**	**7**	**12**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**13704**	**6.1**	**49**	**2**	**3**	**4**	**7**	**12**	**17**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	3769	4.3	26	1	2	3	5	9	12
35-49	4699	3.9	13	1	2	3	5	7	9
50-69	3170	5.0	36	1	2	3	6	10	13
70 +	577	5.7	43	1	2	4	7	10	18
	12216	**4.4**	**25**	**1**	**2**	**3**	**5**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	12216	**4.4**	**25**	**1**	**2**	**3**	**5**	**8**	**11**

DRG 25: Seizure & Headache Age >17 w/o CC

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10450	4.1	13	1	2	3	5	8	10
70-74	3915	3.9	10	1	2	3	5	7	9
75-79	3221	4.3	23	2	2	3	5	7	9
80-84	2159	4.7	25	2	2	3	6	9	13
85 +	1815	4.7	13	2	2	4	5	9	12
SUBTOTAL	**21559**	**4.2**	**15**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**21559**	**4.2**	**15**	**1**	**2**	**3**	**5**	**8**	**10**

	BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	22043	3.1	8	1	1	2	4	6	8
35-49	20130	3.3	8	1	2	3	4	6	8
50-69	10514	3.4	7	1	2	3	4	7	8
70 +	380	4.0	6	1	2	4	5	8	8
	53067	**3.2**	**8**	**1**	**1**	**2**	**4**	**6**	**8**
	53067	**3.2**	**8**	**1**	**1**	**2**	**4**	**6**	**8**

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	7877	3.5	10	1	2	3	4	7	9
35-49	3594	4.0	18	1	2	3	5	8	12
50-69	1771	3.9	9	1	2	3	5	7	8
70 +	137	5.6	33	1	2	5	6	10	10
SUBTOTAL	**13379**	**3.7**	**13**	**1**	**2**	**3**	**4**	**7**	**10**
GRAND TOTAL	**13379**	**3.7**	**13**	**1**	**2**	**3**	**4**	**7**	**10**

	NO INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	9207	2.7	5	1	1	2	3	5	7
35-49	5180	2.8	5	1	1	2	4	5	8
50-69	2498	3.1	6	1	1	2	4	6	7
70 +	274	4.2	8	2	2	3	5	8	8
	17159	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**
	17159	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**

DRG 26: Seizure & Headache Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1 PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	96	6.6	65	1	2	3	10	17	29	0-17	8348	4.1	23	1	2	3	4	9	13
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	96	6.6	65	1	2	3	10	17	29		8348	4.1	23	1	2	3	4	9	13
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	71	1.7	1	1	1	1	2	3	4	0-17	37353	2.7	8	1	1	2	3	5	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	71	1.7	1	1	1	1	2	3	4		37353	2.7	8	1	1	2	3	5	7
GRAND TOTAL	167	4.5	44	1	1	2	3	10	17		45701	3.0	11	1	1	2	3	6	8

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6750	4.9	36	1	2	3	5	10	15	0-17	3197	4.4	49	1	2	3	5	8	12
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	6750	4.9	36	1	2	3	5	10	15		3197	4.4	49	1	2	3	5	8	12
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	21960	3.1	10	1	2	2	4	5	8	0-17	13451	2.7	17	1	1	2	3	5	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	21960	3.1	10	1	2	2	4	5	8		13451	2.7	17	1	1	2	3	5	7
GRAND TOTAL	28710	3.5	16	1	2	3	4	6	9		16647	3.0	24	1	1	2	3	5	7

Total U.S., July 1990 - June 1991

DRG 27: Traumatic Stupor & Coma, Coma >1 Hr

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	230	16.2	320	1	4	10	20	52	67
70-74	158	13.6	61	4	8	13	16	22	26
75-79	174	22.1	606	4	6	12	24	49	97
80-84	201	13.9	125	3	6	14	21	22	33
85 +	185	10.2	31	5	6	9	12	19	21
SUBTOTAL	**947**	**15.2**	**245**	**3**	**6**	**11**	**20**	**33**	**49**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	179	4.4	15	1	2	3	5	8	10
70-74	56	6.2	17	2	3	5	9	14	15
75-79	53	4.0	2	< 1	3	4	5	5	5
80-84	45	6.3	4						
85 +	77	4.9	10	1	3	4	5	9	13
SUBTOTAL	**409**	**4.9**	**12**	**1**	**3**	**4**	**5**	**9**	**11**
GRAND TOTAL	**1356**	**12.1**	**197**	**2**	**4**	**8**	**15**	**22**	**39**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	526	7.8	54	1	3	5	11	17	22
18-34	998	8.3	115	1	2	4	11	20	27
35-49	476	10.9	95	2	3	7	18	27	31
50-69	407	12.0	71	2	5	10	19	24	31
70 +	63	15.1	215	1	1	8	28	38	43
	2470	**9.5**	**97**	**1**	**3**	**6**	**14**	**22**	**30**
0-17	1345	3.9	16	1	1	2	5	10	13
18-34	1579	5.3	49	1	1	3	6	15	20
35-49	401	6.4	174	1	1	3	6	12	18
50-69	243	2.9	8	1	1	2	3	5	8
70 +	32	10.9	45						
	3601	**4.8**	**49**	**1**	**1**	**2**	**6**	**12**	**16**
	6071	**6.7**	**74**	**1**	**2**	**3**	**9**	**17**	**22**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	200	12.6	97	2	4	10	19	26	30
18-34	547	9.2	165	1	2	3	10	28	42
35-49	133	10.0	110	1	2	6	17	27	38
50-69	97	17.8	126	3	8	15	27	30	43
70 +	0								
SUBTOTAL	**977**	**10.8**	**146**	**1**	**2**	**6**	**16**	**27**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	382	3.3	12	1	1	2	4	9	11
18-34	363	6.6	120	1	1	3	8	13	23
35-49	120	2.8	4	1	1	2	4	7	7
50-69	40	5.8	36	1	2	4	6	19	19
70 +	0								
SUBTOTAL	**904**	**4.7**	**58**	**1**	**1**	**2**	**6**	**10**	**15**
GRAND TOTAL	**1881**	**7.9**	**113**	**1**	**2**	**3**	**9**	**23**	**29**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	231	9.1	64	1	3	8	13	18	20
18-34	987	8.1	124	1	1	3	11	24	36
35-49	467	8.0	92	1	2	4	10	20	31
50-69	157	11.3	166	1	2	8	16	26	28
70 +	40	5.2	12	1	1	4	8	11	11
	1882	**8.4**	**111**	**1**	**2**	**4**	**11**	**21**	**32**
0-17	802	5.0	110	1	1	2	4	12	18
18-34	1547	4.1	24	1	1	2	5	11	14
35-49	438	5.2	28	1	1	3	8	14	21
50-69	179	7.4	85	1	1	3	10	22	34
70 +	12	4.8	17						
	2978	**4.7**	**52**	**1**	**1**	**2**	**5**	**11**	**17**
	4860	**6.1**	**78**	**1**	**1**	**3**	**8**	**16**	**23**

DRG 28: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1111	9.0	89	2	4	6	12	17	23
70-74	1073	10.8	157	2	3	7	14	26	50
75-79	1345	9.2	61	2	4	7	12	18	24
80-84	1111	9.2	71	2	3	7	12	19	31
85 +	1427	8.7	55	2	4	6	11	17	24
SUBTOTAL	**6067**	**9.3**	**84**	**2**	**4**	**7**	**12**	**19**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6067**	**9.3**	**84**	**2**	**4**	**7**	**12**	**19**	**27**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2479	4.2	24	1	1	2	5	10	14
35-49	1395	5.4	28	1	2	3	7	13	18
50-69	1330	8.4	100	1	2	5	11	18	23
70 +	479	13.1	237	2	4	9	15	25	61
	5683	**6.2**	**68**	**1**	**2**	**3**	**8**	**14**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5683	**6.2**	**68**	**1**	**2**	**3**	**8**	**14**	**20**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	868	5.3	77	1	1	3	7	11	15
35-49	565	5.8	34	1	2	4	7	15	17
50-69	231	8.7	92	2	2	6	10	20	31
70 +	32	5.7	2						
SUBTOTAL	**1696**	**6.0**	**64**	**1**	**2**	**3**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1696**	**6.0**	**64**	**1**	**2**	**3**	**8**	**13**	**17**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2880	4.0	27	1	1	2	5	10	13
35-49	1263	5.0	42	1	2	3	6	11	16
50-69	511	6.2	46	1	2	4	7	14	23
70 +	125	8.8	58	1	3	7	9	22	24
	4779	**4.6**	**35**	**1**	**1**	**3**	**5**	**11**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4779	**4.6**	**35**	**1**	**1**	**3**	**5**	**11**	**17**

DRG 29: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	701	3.3	9	1	1	2	4	7	8
70-74	547	4.9	31	1	2	3	7	10	13
75-79	621	4.2	14	1	2	3	6	8	11
80-84	480	4.7	13	1	2	4	7	10	12
85 +	767	4.5	20	1	2	3	6	10	13
SUBTOTAL	**3117**	**4.3**	**17**	**1**	**2**	**3**	**6**	**9**	**12**
GRAND TOTAL	**3117**	**4.3**	**17**	**1**	**2**	**3**	**6**	**9**	**12**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	5646	3.0	8	1	1	2	4	7	9
35-49	2598	3.4	13	1	1	2	4	7	8
50-69	1703	4.0	26	1	2	3	4	8	12
70 +	295	3.6	6	1	2	3	5	8	10
	10242	**3.3**	**13**	**1**	**1**	**2**	**4**	**7**	**9**
	10242	**3.3**	**13**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	954	3.6	11	1	1	2	4	8	10
35-49	255	4.1	17	1	1	3	5	9	10
50-69	147	4.1	10	1	2	4	5	8	10
70 +	23	1.2							
SUBTOTAL	**1378**	**3.7**	**12**	**1**	**1**	**2**	**5**	**8**	**10**
GRAND TOTAL	**1378**	**3.7**	**12**	**1**	**1**	**2**	**5**	**8**	**10**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	5053	2.7	12	1	1	2	3	5	8
35-49	1673	3.3	11	1	1	2	4	6	10
50-69	542	4.1	16	1	2	2	5	10	12
70 +	207	3.6	9	1	1	3	5	10	13
	7475	**3.0**	**12**	**1**	**1**	**2**	**4**	**6**	**8**
	7475	**3.0**	**12**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 30: Traumatic Stupor & Coma, Coma <1 Hr Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	13	9.0								0-17	2131	4.2	24	1	1	3	5	10	13
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**13**	**9.0**									**2131**	**4.2**	**24**	**1**	**1**	**3**	**5**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	2.3	4							0-17	16976	2.0	3	1	1	1	2	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**16**	**2.3**	**4**								**16976**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**29**	**5.2**	**14**								**19106**	**2.2**	**6**	**1**	**1**	**1**	**2**	**4**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1196	5.2	61	1	1	3	5	13	15	0-17	1056	3.3	15	1	1	2	4	7	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1196**	**5.2**	**61**	**1**	**1**	**3**	**5**	**13**	**15**		**1056**	**3.3**	**15**	**1**	**1**	**2**	**4**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	7337	2.3	10	1	1	1	2	4	6	0-17	8181	2.0	7	<1	1	1	2	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**7337**	**2.3**	**10**	**1**	**1**	**1**	**2**	**4**	**6**		**8181**	**2.0**	**7**	**<1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**8533**	**2.7**	**18**	**1**	**1**	**1**	**3**	**5**	**9**		**9236**	**2.1**	**8**	**<1**	**1**	**1**	**2**	**5**	**6**

DRG 31: Concussion Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	621	5.4	31	1	2	4	6	12	19
70-74	454	5.3	26	1	2	3	7	12	18
75-79	459	6.0	41	1	2	5	7	12	16
80-84	493	5.6	42	2	2	3	5	11	16
85 +	857	8.4	125	2	3	5	10	15	22
SUBTOTAL	**2885**	**6.4**	**63**	**1**	**2**	**4**	**7**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2885**	**6.4**	**63**	**1**	**2**	**4**	**7**	**14**	**18**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2293	2.9	9	1	1	2	3	6	9
35-49	1135	3.8	17	1	1	3	5	7	11
50-69	880	4.5	27	1	1	3	5	11	14
70 +	278	4.4	11	1	2	3	7	9	11
	4586	**3.5**	**15**	**1**	**1**	**2**	**4**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4586	**3.5**	**15**	**1**	**1**	**2**	**4**	**8**	**11**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	623	3.2	18	1	1	2	3	5	11
35-49	173	4.1	34	1	2	3	3	5	18
50-69	105	3.1	4	1	2	3	4	5	10
70 +	11	6.0	18						
SUBTOTAL	**912**	**3.4**	**20**	**1**	**1**	**2**	**3**	**5**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**912**	**3.4**	**20**	**1**	**1**	**2**	**3**	**5**	**11**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2074	2.7	7	1	1	2	3	6	7
35-49	645	2.7	12	< 1	1	2	3	6	8
50-69	182	3.4	10	1	2	2	4	6	15
70 +	57	6.0	4	1	6	6	7	8	9
	2957	**2.8**	**8**	**1**	**1**	**2**	**3**	**6**	**7**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2957	**2.8**	**8**	**1**	**1**	**2**	**3**	**6**	**7**

DRG 32: Concussion Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	671	2.9	11	1	1	2	3	6	8
70-74	461	3.8	36	1	1	2	4	7	10
75-79	579	3.0	4	1	2	2	4	5	8
80-84	485	3.6	7	1	2	3	5	7	8
85 +	406	3.4	8	1	2	2	4	7	11
SUBTOTAL	**2602**	**3.3**	**13**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**2602**	**3.3**	**13**	**1**	**1**	**2**	**4**	**6**	**8**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	7390	1.9	3	1	1	1	2	3	5
35-49	3033	2.1	4	1	1	2	2	4	5
50-69	1717	2.1	2	1	1	2	3	4	5
70 +	349	3.7	11	1	1	3	5	9	13
	12489	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
	12489	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	768	1.9	2	1	1	2	2	4	4
35-49	264	3.1	13	< 1	1	2	3	6	11
50-69	52	2.0		1	2	2	2	3	3
70 +	25	2.8							
SUBTOTAL	**1110**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1110**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	4793	1.8	2	< 1	1	1	2	3	4
35-49	1313	2.5	17	1	1	2	3	5	6
50-69	553	2.0	3	1	1	1	3	3	5
70 +	160	3.6	9	1	2	2	4	9	11
	6819	**2.0**	**5**	**< 1**	**1**	**1**	**2**	**4**	**5**
	6819	**2.0**	**5**	**< 1**	**1**	**1**	**2**	**4**	**5**

Total U.S., July 1990 - June 1991

DRG 33: Concussion Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	20	1.5							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	20	1.5							
GRAND TOTAL	20	1.5							

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1248	2.8	15	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1248	2.8	15	1	1	2	3	5	7
0-17	12143	1.4	1	1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	12143	1.4	1	1	1	1	1	2	3
	13391	1.5	2	1	1	1	2	2	3

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	462	2.2	4	1	1	2	2	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	462	2.2	4	1	1	2	2	4	6
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2658	1.5	1	1	1	1	2	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2658	1.5	1	1	1	1	2	2	3
GRAND TOTAL	3120	1.6	2	1	1	1	2	3	4

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	535	2.8	13	1	1	2	3	4	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	535	2.8	13	1	1	2	3	4	9
0-17	4446	1.5	2	1	1	1	2	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4446	1.5	2	1	1	1	2	2	3
	4981	1.7	3	1	1	1	2	3	4

DRG 34: Other Disorders of Nervous System w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3719	7.2	50	2	3	5	9	16	21
70-74	2187	8.7	55	2	4	7	11	17	23
75-79	2025	8.5	55	2	4	7	10	18	27
80-84	1668	9.3	117	3	4	7	11	16	24
85+	1289	7.8	36	2	4	6	10	15	20
SUBTOTAL	**10888**	**8.1**	**61**	**2**	**4**	**6**	**10**	**16**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10888**	**8.1**	**61**	**2**	**4**	**6**	**10**	**16**	**24**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1957	5.4	59	1	1	3	6	14	19
18-34	930	5.7	72	1	2	3	6	9	23
35-49	1153	6.4	66	1	2	4	9	13	24
50-69	1969	8.4	87	2	3	6	10	19	27
70+	187	6.3	21	1	3	5	9	11	12
	6195	**6.6**	**72**	**1**	**2**	**4**	**8**	**15**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	6195	**6.6**	**72**	**1**	**2**	**4**	**8**	**15**	**23**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1588	7.3	109	1	2	3	8	18	31
18-34	690	6.1	85	1	2	3	6	12	27
35-49	512	6.3	44	1	2	4	9	11	31
50-69	512	7.3	66	2	3	5	9	13	20
70+	58	10.7	100	2	4	5	15	28	28
SUBTOTAL	**3360**	**7.0**	**88**	**1**	**2**	**4**	**8**	**15**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3360**	**7.0**	**88**	**1**	**2**	**4**	**8**	**15**	**28**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	551	6.2	69	1	2	3	9	15	25
18-34	521	8.3	193	1	2	3	8	21	44
35-49	535	5.7	51	1	2	4	7	12	19
50-69	498	6.6	38	2	3	5	9	18	23
70+	124	10.1	277	2	2	5	12	15	36
	2229	**6.9**	**100**	**1**	**2**	**4**	**8**	**17**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	2229	**6.9**	**100**	**1**	**2**	**4**	**8**	**17**	**25**

DRG 35: Other Disorders of Nervous System w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1177	4.8	17	1	2	4	6	10	15	0-17	3357	3.9	48	1	1	2	4	7	13
70-74	644	4.8	14	1	2	4	7	9	12	18-34	1489	3.6	33	1	1	2	4	7	9
75-79	765	4.5	16	1	2	3	5	9	13	35-49	2273	3.6	29	1	1	2	4	7	9
80-84	681	6.9	70	2	3	5	7	16	21	50-69	1818	3.7	11	1	1	3	5	7	9
85 +	371	4.9	14	1	2	4	7	9	11	70 +	65	2.6	3	1	1	2	3	5	6
SUBTOTAL	**3638**	**5.1**	**27**	**1**	**2**	**4**	**6**	**10**	**15**		**9003**	**3.7**	**33**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**3638**	**5.1**	**27**	**1**	**2**	**4**	**6**	**10**	**15**		**9003**	**3.7**	**33**	**1**	**1**	**2**	**4**	**7**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2273	3.8	24	1	1	2	4	8	11	0-17	1061	2.9	16	1	1	2	4	6	7
18-34	563	4.0	11	1	2	3	6	9	9	18-34	745	3.9	18	1	1	3	5	8	11
35-49	414	5.1	60	1	1	3	6	10	16	35-49	592	3.5	7	1	1	3	5	8	8
50-69	205	4.0	13	1	2	3	5	7	16	50-69	463	6.2	104	1	2	3	6	15	26
70 +	24	2.7	1							70 +	73	3.3	4	< 1	1	4	5	6	7
SUBTOTAL	**3479**	**4.0**	**26**	**1**	**1**	**3**	**5**	**8**	**11**		**2933**	**3.8**	**29**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**3479**	**4.0**	**26**	**1**	**1**	**3**	**5**	**8**	**11**		**2933**	**3.8**	**29**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 36: Retinal Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2312	2.8	4	1	2	2	3	5	7
70-74	1769	2.6	2	1	2	2	3	5	6
75-79	1148	2.8	5	1	2	2	3	5	7
80-84	610	2.9	5	1	2	2	3	5	7
85 +	327	3.7	12	2	2	2	3	10	12
SUBTOTAL	6166	2.8	4	1	2	2	3	5	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4955	2.1	2	1	1	2	3	3	4
70-74	4046	2.1	1	1	1	2	3	3	4
75-79	2712	2.1	1	1	1	2	3	4	4
80-84	1461	2.4	4	1	1	2	3	4	4
85 +	603	2.2	2	1	1	2	3	3	5
SUBTOTAL	13777	2.2	2	1	1	2	3	4	4
GRAND TOTAL	19943	2.4	3	1	1	2	3	4	5

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	148	4.9	44	1	1	2	3	19	21
18-34	706	2.6	5	1	2	2	3	4	5
35-49	1230	2.5	4	1	1	2	3	4	6
50-69	2426	2.7	6	1	1	2	3	6	7
70 +	170	3.2	3	2	2	3	4	5	5
	4679	2.7	6	1	1	2	3	5	6
0-17	1283	2.0	3	1	1	2	2	4	5
18-34	2435	1.9	1	1	1	2	2	3	4
35-49	3957	2.1	2	1	1	2	2	3	4
50-69	9388	2.1	2	1	1	2	2	3	4
70 +	438	2.3	2	1	1	2	3	4	4
	17500	2.1	2	1	1	2	2	3	4
	22179	2.2	3	1	1	2	3	4	5

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	85	5.3	122	< 1	1	2	5	8	46
18-34	345	2.5	5	1	1	2	3	3	7
35-49	255	3.8	87	1	2	2	3	4	6
50-69	313	2.9	4	1	2	2	4	6	7
70 +	16	3.3	1						
SUBTOTAL	1015	3.2	35	1	1	2	3	5	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	584	2.2	5	1	1	2	2	3	5
18-34	612	2.3	2	1	1	2	3	4	5
35-49	459	2.2	1	1	1	2	3	3	5
50-69	497	2.1	2	1	1	2	2	3	5
70 +	67	2.3	1	1	2	2	3	3	3
SUBTOTAL	2219	2.2	3	1	1	2	3	3	5
GRAND TOTAL	3234	2.5	13	1	1	2	3	4	5

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	2.3	2	1	1	2	4	4	4
18-34	245	3.1	6	1	1	2	4	7	8
35-49	189	2.6	18	1	1	1	3	3	5
50-69	435	2.8	11	1	1	2	3	5	7
70 +	68	3.7	7	1	1	3	5	8	8
	976	2.9	11	1	1	2	3	5	8
0-17	425	1.8	1	1	1	1	2	3	4
18-34	1095	2.0	2	1	1	2	3	4	4
35-49	1022	2.0	2	1	1	2	2	4	4
50-69	1770	2.0	2	1	1	2	2	4	4
70 +	173	1.5	1	1	1	1	2	2	3
	4485	2.0	2	1	1	2	2	4	4
	5461	2.1	3	1	1	2	3	4	5

DRG 37: Orbital Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	359	3.9	27	1	1	2	4	9	20
70-74	169	3.1	6	1	1	2	4	7	9
75-79	151	6.7	42	1	2	4	12	15	22
80-84	183	5.7	17	2	2	4	8	12	14
85 +	105	8.6	100	1	2	3	12	31	31
SUBTOTAL	**966**	**5.1**	**34**	**1**	**2**	**3**	**5**	**12**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	371	2.2	4	1	1	1	3	5	7
70-74	252	1.9	2	1	1	2	2	3	4
75-79	282	3.0	10	1	1	2	3	6	8
80-84	245	3.5	9	1	1	2	6	7	9
85 +	157	3.9	11	1	1	3	5	8	13
SUBTOTAL	**1307**	**2.8**	**7**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**2273**	**3.7**	**20**	**1**	**1**	**2**	**4**	**8**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	253	8.3	220	1	2	4	7	14	62
18-34	359	4.3	14	1	1	3	6	9	12
35-49	354	4.7	17	1	2	3	6	10	13
50-69	254	4.0	23	1	1	2	4	11	11
70 +	35	4.4	3						
	1255	**5.2**	**60**	**1**	**2**	**3**	**6**	**10**	**14**
0-17	1182	3.2	9	1	1	2	4	7	10
18-34	867	2.7	6	1	1	2	4	6	7
35-49	606	2.1	3	1	1	1	2	5	5
50-69	413	2.3	3	1	1	2	3	4	6
70 +	5	3.0							
	3073	**2.7**	**6**	**1**	**1**	**2**	**3**	**6**	**8**
	4329	**3.4**	**23**	**1**	**1**	**2**	**4**	**7**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	83	10.3	41	1	5	10	12	17	26
18-34	187	5.8	12	2	3	6	9	10	13
35-49	132	5.3	22	2	2	4	6	9	13
50-69	66	5.1	20	2	2	2	9	12	15
70 +	12	5.0							
SUBTOTAL	**480**	**6.3**	**24**	**2**	**2**	**5**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	447	4.8	23	1	2	3	6	11	16
18-34	497	3.6	10	1	1	3	5	9	11
35-49	118	3.0	3	1	1	3	4	6	6
50-69	73	2.5	10	1	1	1	2	4	13
70 +	42	10.2	78						
SUBTOTAL	**1176**	**4.2**	**18**	**1**	**1**	**3**	**5**	**10**	**12**
GRAND TOTAL	**1656**	**4.8**	**21**	**1**	**1**	**3**	**6**	**11**	**14**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	107	4.5	18	< 1	2	2	8	9	17
18-34	331	5.1	10	1	3	5	7	9	12
35-49	177	5.9	23	1	2	5	8	11	15
50-69	124	5.5	42	1	1	2	6	17	20
70 +	22	2.5	1						
	760	**5.2**	**20**	**1**	**2**	**4**	**7**	**11**	**15**
0-17	497	3.6	7	1	1	3	6	7	10
18-34	761	3.1	6	1	1	3	4	6	8
35-49	274	3.9	11	1	1	3	5	8	10
50-69	186	3.1	5	1	1	2	5	6	7
70 +	11	2.0							
	1729	**3.4**	**7**	**1**	**1**	**3**	**5**	**7**	**9**
	2489	**3.9**	**11**	**1**	**1**	**3**	**6**	**8**	**10**

DRG 38: Primary Iris Procedures

	MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	50	2.1	2	1	1	2	2	5	5
70-74	58	2.8	5	1	2	2	4	7	9
75-79	85	3.7	6	< 1	1	4	4	9	9
80-84	28	2.0							
85 +	35	2.6	1						
SUBTOTAL	256	2.9	4	1	2	2	4	5	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	142	1.4		< 1	< 1	1	2	2	3
70-74	139	1.3		< 1	< 1	< 1	1	2	2
75-79	243	1.7	2	< 1	< 1	1	2	4	5
80-84	156	1.3		< 1	< 1	< 1	1	2	2
85 +	33	2.8	1	2	2	3	3	5	5
SUBTOTAL	713	1.5	1	< 1	< 1	1	2	3	4
GRAND TOTAL	970	1.9	2	< 1	< 1	1	2	4	5

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	5	5.0							
35-49	0								
50-69	38	1.6		< 1	1	2	2	2	2
70 +	13	11.0							
	57	4.0	16	< 1	1	2	5	11	11
0-17	37	1.3		< 1	1	1	2	2	2
18-34	10	6.0							
35-49	41	1.3							
50-69	156	1.6	1	< 1	< 1	1	2	3	3
70 +	17	1.0							
	261	1.6	1	< 1	< 1	1	2	3	4
	317	2.1	5	< 1	< 1	1	2	4	6

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	11	2.0	1						
35-49	16	6.5	12						
50-69	16	1.4							
70 +	6	7.0							
SUBTOTAL	48	3.8	11	1	1	2	7	9	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	1.0							
18-34	11	3.5							
35-49	6	1.0							
50-69	30	1.4							
70 +	6	1.0							
SUBTOTAL	58	1.7	1	< 1	< 1	1	2	4	4
GRAND TOTAL	106	2.7	6	< 1	1	2	3	7	9

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	24	3.3	1						
70 +	0								
	24	3.3	1						
0-17	0								
18-34	16	1.6							
35-49	17	4.3	2						
50-69	51	1.2		< 1	1	1	1	2	2
70 +	28	1.0							
	112	1.7	2	< 1	< 1	1	2	4	5
	136	2.0	2	< 1	1	1	3	4	4

DRG 39: Lens Procedures with or without Vitrectomy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1311	1.9	4	< 1	< 1	1	2	3	5	0-17	42	5.5	135						
70-74	1215	2.0	3	< 1	< 1	1	2	4	6	18-34	55	4.5	71	< 1	1	2	2	29	29
75-79	1356	1.9	3	< 1	1	1	2	3	4	35-49	157	2.1	8	< 1	1	2	2	3	3
80-84	1136	1.7	1	< 1	< 1	1	2	3	4	50-69	606	2.2	7	< 1	< 1	1	2	5	7
85 +	945	2.0	7	< 1	< 1	1	2	3	5	70 +	89	1.3		< 1	1	1	2	2	2
SUBTOTAL	**5962**	**1.9**	**4**	**< 1**	**< 1**	**1**	**2**	**3**	**5**		**949**	**2.4**	**16**	**< 1**	**1**	**1**	**2**	**4**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1400	1.4	1	< 1	< 1	1	1	2	3	0-17	508	1.1		< 1	< 1	1	1	1	2
70-74	1732	1.3	1	< 1	< 1	< 1	1	2	2	18-34	193	1.7		< 1	1	2	2	3	3
75-79	2144	1.3	1	< 1	< 1	< 1	1	2	3	35-49	264	1.4	1	< 1	< 1	1	1	3	3
80-84	1961	1.2	1	< 1	< 1	1	1	2	2	50-69	1143	1.2		< 1	< 1	< 1	1	2	2
85 +	1907	1.4	1	< 1	< 1	1	1	2	3	70 +	197	1.3		< 1	1	1	1	2	3
SUBTOTAL	**9145**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**2**		**2304**	**1.2**		**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**15107**	**1.5**	**2**	**< 1**	**< 1**	**1**	**2**	**2**	**3**		**3253**	**1.6**	**5**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	28	5.3	44							0-17	37	3.6	28						
18-34	11	3.0	1							18-34	23	2.8	4						
35-49	60	3.1	6	1	1	2	6	6	8	35-49	47	1.0		< 1	< 1	< 1	1	1	1
50-69	181	2.9	12	< 1	1	2	3	4	15	50-69	156	2.3	9	< 1	< 1	1	2	6	7
70 +	24	3.3	11							70 +	73	1.4	2	< 1	< 1	1	1	1	6
SUBTOTAL	**304**	**3.2**	**14**	**1**	**1**	**2**	**4**	**7**	**15**		**336**	**2.1**	**9**	**< 1**	**< 1**	**1**	**2**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	391	1.4		< 1	< 1	1	2	2	3	0-17	322	1.7	3	< 1	1	1	1	3	7
18-34	93	2.0	1	1	1	2	2	4	4	18-34	39	2.5	5	< 1	1	1	6	6	6
35-49	33	3.2	6							35-49	142	1.5	1	< 1	< 1	< 1	1	2	3
50-69	220	1.3		< 1	1	1	1	2	3	50-69	367	1.5	1	< 1	< 1	< 1	2	3	4
70 +	53	1.2		< 1	1	1	1	3	3	70 +	360	1.0		< 1	< 1	< 1	< 1	1	1
SUBTOTAL	**791**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**		**1230**	**1.5**	**2**	**< 1**	**< 1**	**< 1**	**1**	**3**	**4**
GRAND TOTAL	**1094**	**2.0**	**5**	**< 1**	**1**	**1**	**2**	**4**	**5**		**1566**	**1.6**	**3**	**< 1**	**< 1**	**< 1**	**1**	**3**	**6**

Total U.S., July 1990 - June 1991

DRG 40: Extraocular Procedures except Orbit Age > 17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	407	4.3	28	< 1	1	2	5	9	11	0-17	0								
70-74	199	4.2	27	< 1	1	2	5	12	18	18-34	281	2.9	6	< 1	1	2	3	7	9
75-79	268	3.3	5	1	1	2	4	7	7	35-49	250	2.9	5	< 1	1	2	4	7	7
80-84	179	5.1	58	1	1	2	6	9	31	50-69	335	4.7	48	< 1	1	2	4	14	23
85 +	257	3.5	14	< 1	1	2	3	7	15	70 +	43	2.4	1						
SUBTOTAL	**1310**	**4.0**	**25**	**< 1**	**1**	**2**	**5**	**9**	**12**		**909**	**3.5**	**22**	**< 1**	**1**	**2**	**4**	**7**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	617	1.8	2	< 1	1	1	2	3	4	0-17	0								
70-74	446	2.1	5	< 1	1	1	2	4	7	18-34	913	1.8	3	< 1	< 1	1	2	4	5
75-79	436	2.2	6	< 1	1	1	2	6	10	35-49	775	2.0	5	< 1	< 1	1	2	4	7
80-84	315	3.6	31	< 1	1	1	3	8	23	50-69	743	1.5	2	1	1	1	1	2	4
85 +	343	2.6	7	< 1	< 1	1	3	8	8	70 +	31	10.7	384						
SUBTOTAL	**2156**	**2.3**	**9**	**< 1**	**1**	**1**	**2**	**4**	**8**		**2462**	**1.9**	**9**	**< 1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**3466**	**3.0**	**15**	**< 1**	**1**	**2**	**3**	**6**	**10**		**3371**	**2.3**	**13**	**< 1**	**1**	**1**	**2**	**5**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	132	4.1	8	1	2	4	6	7	8	18-34	349	2.3	3	< 1	1	2	3	4	5
35-49	54	4.5	18	1	1	2	9	13	13	35-49	97	7.7	69	1	2	5	11	26	28
50-69	86	3.0	4	1	1	2	5	6	7	50-69	66	3.1	12	1	1	1	2	11	11
70 +	11	10.0	1							70 +	11	5.3	22						
SUBTOTAL	**284**	**4.1**	**10**	**1**	**2**	**3**	**6**	**9**	**11**		**524**	**3.4**	**21**	**< 1**	**1**	**2**	**3**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	250	2.7	10	< 1	1	1	3	7	8	18-34	715	2.0	8	< 1	< 1	1	2	4	6
35-49	62	2.6	6	< 1	1	2	5	5	9	35-49	379	2.0	10	< 1	1	1	2	3	7
50-69	109	2.0	1	< 1	1	2	3	3	3	50-69	548	1.6	3	< 1	1	1	1	2	5
70 +	17	9.3	39							70 +	74	1.6	1	< 1	< 1	1	2	3	5
SUBTOTAL	**437**	**2.8**	**10**	**< 1**	**1**	**2**	**3**	**7**	**9**		**1717**	**1.9**	**7**	**< 1**	**1**	**1**	**2**	**3**	**6**
GRAND TOTAL	**721**	**3.3**	**10**	**1**	**1**	**2**	**4**	**8**	**9**		**2240**	**2.2**	**11**	**< 1**	**1**	**1**	**2**	**5**	**7**

DRG 41: Extraocular Procedures except Orbit Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**1.0**							
GRAND TOTAL	**6**	**1.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	427	1.7	2	< 1	< 1	1	2	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**427**	**1.7**	**2**	**< 1**	**< 1**	**1**	**2**	**4**	**6**
2.PATIENTS W/OUT CCs									
0-17	5748	1.2	1	< 1	< 1	< 1	1	1	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**5748**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**
GRAND TOTAL	**6175**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	218	2.0	4	< 1	1	1	2	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**218**	**2.0**	**4**	**< 1**	**1**	**1**	**2**	**4**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3276	1.3	1	< 1	< 1	< 1	1	1	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3276**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**3**
GRAND TOTAL	**3494**	**1.3**	**2**	**< 1**	**< 1**	**< 1**	**1**	**1**	**3**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	145	2.0	8	< 1	< 1	1	1	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**145**	**2.0**	**8**	**< 1**	**< 1**	**1**	**1**	**5**	**6**
2.PATIENTS W/OUT CCs									
0-17	3029	1.2	1	< 1	< 1	< 1	< 1	1	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3029**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**
GRAND TOTAL	**3174**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**

DRG 42: Intraocular Procedures except Retina, Iris & Lens

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1652	3.4	16	1	1	2	3	7	11
70-74	1226	3.7	30	1	1	2	3	8	14
75-79	1462	2.8	6	1	1	2	3	6	9
80-84	1020	3.6	13	1	1	2	4	8	12
85 +	682	3.4	12	1	1	2	4	8	10
SUBTOTAL	**6043**	**3.4**	**16**	**1**	**1**	**2**	**4**	**7**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3573	2.0	3	1	1	2	2	4	5
70-74	3212	2.1	4	1	1	2	2	4	6
75-79	3167	2.1	4	1	1	2	2	4	5
80-84	2209	2.0	3	1	1	2	2	4	5
85 +	1549	2.2	3	1	1	2	3	4	5
SUBTOTAL	**13710**	**2.1**	**3**	**1**	**1**	**2**	**2**	**4**	**5**
GRAND TOTAL	**19753**	**2.5**	**7**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	216	3.3	10	1	2	2	3	6	13
18-34	361	2.7	5	1	1	2	4	6	6
35-49	626	2.3	5	1	1	2	3	4	7
50-69	1395	2.7	19	1	1	2	3	5	7
70 +	132	2.7	5	1	2	2	3	6	7
	2730	**2.6**	**13**	**1**	**1**	**2**	**3**	**5**	**7**
0-17	1676	2.8	9	< 1	1	2	4	5	6
18-34	1455	2.5	5	1	1	2	3	5	5
35-49	1759	2.4	4	1	1	2	3	5	6
50-69	3419	1.8	2	1	1	1	2	3	4
70 +	307	1.8	2	1	1	1	2	4	4
	8616	**2.2**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	11346	**2.3**	**6**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	121	3.2	6	1	2	2	4	8	8
18-34	112	3.1	7	1	2	2	3	8	11
35-49	141	4.8	124	1	2	2	4	5	6
50-69	341	4.3	43	1	2	2	5	6	8
70 +	21	2.5	2						
SUBTOTAL	**736**	**4.0**	**46**	**1**	**2**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	916	2.9	6	1	1	2	4	7	8
18-34	497	2.6	4	1	1	2	4	5	6
35-49	319	2.2	3	1	1	2	3	3	6
50-69	447	2.7	7	1	1	2	3	5	8
70 +	117	3.0	7	1	1	2	4	7	9
SUBTOTAL	**2297**	**2.7**	**6**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**3033**	**3.0**	**16**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	10.9	664	1	1	4	5	5	96
18-34	174	2.7	6	1	1	2	3	5	9
35-49	162	3.8	26	1	1	2	5	9	10
50-69	181	2.6	4	1	1	2	3	7	8
70 +	39	2.9	7	1	1	1	7	7	7
	620	**3.8**	**82**	**1**	**1**	**2**	**4**	**7**	**9**
0-17	910	2.5	4	< 1	1	2	3	5	7
18-34	781	3.1	8	1	1	2	4	7	10
35-49	578	2.6	5	1	1	2	3	5	6
50-69	849	2.1	3	1	1	1	3	5	6
70 +	242	1.8	3	1	1	1	2	4	6
	3361	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
	3980	**2.7**	**17**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 43: Hyphema

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	13	2.0							
70-74	6	3.0							
75-79	6	8.0							
80-84	6	6.0							
85 +	21	12.7	58						
SUBTOTAL	**51**	**7.6**	**45**	**2**	**2**	**6**	**13**	**17**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	44	3.3	3						
70-74	11	3.5							
75-79	11	4.5	2						
80-84	0								
85 +	10	3.0							
SUBTOTAL	**76**	**3.5**	**2**	**1**	**3**	**3**	**5**	**6**	**6**
GRAND TOTAL	**127**	**5.1**	**23**	**2**	**3**	**3**	**6**	**13**	**13**

BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	156	3.1	2	1	2	3	4	5	5
18-34	68	3.3	3	1	1	3	4	5	7
35-49	6	4.0							
50-69	22	4.2	2						
70 +	6	4.0							
	257	**3.3**	**2**	**1**	**2**	**3**	**4**	**5**	**5**
0-17	1334	3.8	3	2	3	4	5	6	6
18-34	412	3.6	4	1	2	4	4	5	8
35-49	222	3.8	2	2	3	4	5	6	6
50-69	57	3.9	3	1	2	4	5	5	7
70 +	0								
	2026	**3.7**	**3**	**1**	**3**	**4**	**5**	**6**	**6**
	2283	**3.7**	**3**	**1**	**3**	**4**	**5**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	43	3.5	3	1	2	3	5	6	6
18-34	16	2.9	5						
35-49	15	7.0	9						
50-69	0								
70 +	0								
SUBTOTAL	**75**	**4.1**	**7**	**1**	**2**	**3**	**6**	**9**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	592	4.8	5	2	3	4	6	7	8
18-34	116	2.8	2	1	2	2	4	5	5
35-49	11	3.5	7						
50-69	5	3.0							
70 +	0								
SUBTOTAL	**724**	**4.4**	**5**	**2**	**3**	**4**	**6**	**7**	**8**
GRAND TOTAL	**799**	**4.4**	**5**	**2**	**3**	**4**	**6**	**7**	**8**

NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	56	4.9	13	1	3	4	5	12	12
18-34	63	5.7	19	1	3	4	5	14	14
35-49	53	3.0	4	< 1	1	3	3	7	7
50-69	0								
70 +	0								
	172	**4.6**	**14**	**1**	**2**	**3**	**5**	**12**	**14**
0-17	545	3.9	3	1	2	4	5	6	6
18-34	237	3.4	3	1	2	3	5	6	6
35-49	33	3.6	3						
50-69	44	3.5	1						
70 +	0								
	860	**3.7**	**3**	**1**	**2**	**4**	**5**	**6**	**6**
	1031	**3.9**	**5**	**1**	**2**	**4**	**5**	**6**	**7**

DRG 44: Acute Major Eye Infections

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	178	6.0	18	2	3	4	7	12	17	0-17	778	4.5	7	2	3	4	6	8	10
70-74	156	6.4	29	3	3	5	8	16	22	18-34	94	3.9	2	2	3	4	5	7	7
75-79	159	5.5	12	3	3	4	7	12	13	35-49	51	5.0	26	2	2	3	5	19	19
80-84	142	7.6	12	4	4	7	10	14	14	50-69	73	7.3	14	4	4	6	10	14	14
85 +	155	6.4	9	3	5	6	8	11	13	70 +	12	7.0							
SUBTOTAL	**790**	**6.4**	**16**	**3**	**4**	**5**	**8**	**12**	**14**		**1009**	**4.7**	**9**	**2**	**3**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	230	6.2	31	3	3	5	6	11	26	0-17	5176	3.3	3	2	2	3	4	5	6
70-74	212	6.1	33	3	4	5	6	8	22	18-34	491	3.6	3	2	3	3	4	6	7
75-79	155	5.5	9	3	4	5	7	9	11	35-49	367	4.0	5	2	2	4	5	8	9
80-84	141	5.7	12	2	3	5	7	11	13	50-69	299	5.1	7	2	3	4	7	10	11
85 +	229	6.6	19	2	4	6	7	12	16	70 +	22	3.8	2						
SUBTOTAL	**968**	**6.1**	**22**	**3**	**4**	**5**	**7**	**11**	**16**		**6355**	**3.4**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**1757**	**6.2**	**20**	**3**	**4**	**5**	**7**	**12**	**16**		**7364**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	511	4.9	10	2	3	4	5	8	12	0-17	447	5.0	8	2	3	4	6	10	11
18-34	57	7.8	11	5	5	6	11	14	14	18-34	97	3.7	8	2	2	2	5	9	10
35-49	56	8.1	15	3	7	8	8	14	14	35-49	75	5.7	14	3	3	4	5	11	16
50-69	43	5.9	8	2	4	5	9	11	11	50-69	40	14.3	201	3	3	6	35	35	35
70 +	11	8.1	10							70 +	0								
SUBTOTAL	**678**	**5.6**	**11**	**2**	**3**	**5**	**7**	**12**	**14**		**659**	**5.4**	**26**	**2**	**3**	**4**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3254	3.8	5	2	2	3	4	7	8	0-17	2429	3.5	5	2	2	3	4	6	8
18-34	157	5.0	51	2	2	3	5	8	10	18-34	466	4.2	7	2	3	4	5	7	11
35-49	103	7.6	16	2	5	9	11	14	15	35-49	126	5.3	27	2	2	4	6	8	14
50-69	50	6.9	21	3	3	4	13	14	14	50-69	126	5.8	44	2	3	4	7	8	13
70 +	11	8.0	1							70 +	17	3.9	2						
SUBTOTAL	**3575**	**4.0**	**8**	**2**	**2**	**3**	**5**	**7**	**9**		**3164**	**3.7**	**8**	**2**	**2**	**3**	**4**	**6**	**9**
GRAND TOTAL	**4253**	**4.2**	**9**	**2**	**2**	**3**	**5**	**7**	**10**		**3823**	**4.0**	**11**	**2**	**2**	**3**	**5**	**7**	**10**

DRG 45: Neurological Eye Disorders

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	511	5.4	19	1	2	5	7	9	12	0-17	55	4.7	8	2	3	4	7	9	10
70-74	426	4.6	10	2	2	4	7	8	10	18-34	204	4.8	15	2	2	4	6	12	15
75-79	350	5.5	25	2	3	4	7	8	24	35-49	291	4.1	6	2	2	3	5	7	9
80-84	188	5.1	13	2	2	4	7	10	10	50-69	367	4.6	9	1	2	4	7	9	10
85 +	83	5.9	18	1	2	7	9	13	14	70 +	22	5.0	2						
SUBTOTAL	**1557**	**5.2**	**17**	**2**	**2**	**4**	**7**	**9**	**12**		**939**	**4.5**	**9**	**2**	**2**	**4**	**6**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	410	2.9	4	1	1	2	4	5	8	0-17	359	3.1	6	1	1	2	4	7	8
70-74	304	3.7	9	1	1	3	5	7	11	18-34	333	2.9	2	1	1	3	4	5	5
75-79	240	3.8	9	< 1	1	3	5	8	8	35-49	388	3.4	4	1	2	3	5	6	8
80-84	162	3.4	5	< 1	1	3	5	7	8	50-69	708	3.3	6	1	2	2	4	7	9
85 +	74	4.7	14	1	1	4	6	10	13	70 +	29	1.8	1						
SUBTOTAL	**1189**	**3.5**	**7**	**1**	**1**	**3**	**5**	**7**	**8**		**1816**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**8**
GRAND TOTAL	**2747**	**4.4**	**14**	**1**	**2**	**4**	**6**	**8**	**11**		**2755**	**3.6**	**7**	**1**	**2**	**3**	**5**	**7**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	22	4.8	10							0-17	5	1.0							
18-34	106	6.9	17	3	4	6	9	11	14	18-34	82	4.8	8	2	2	4	7	10	10
35-49	44	6.1	17	1	3	5	7	15	15	35-49	63	3.6	4	2	2	3	4	7	8
50-69	66	5.1	13	1	3	3	7	9	13	50-69	135	4.4	11	1	2	3	5	9	12
70 +	6	9.0								70 +	17	2.7	6						
SUBTOTAL	**244**	**6.1**	**16**	**1**	**3**	**6**	**8**	**10**	**13**		**301**	**4.2**	**9**	**1**	**2**	**3**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	79	2.7	2	1	2	3	4	5	5	0-17	128	2.8	3	1	2	2	5	5	5
18-34	85	4.1	6	2	2	4	5	8	10	18-34	157	3.8	5	2	2	3	5	7	8
35-49	71	3.9	5	2	2	3	4	8	9	35-49	172	3.9	5	1	3	3	5	7	8
50-69	77	5.1	21	1	3	3	6	16	16	50-69	170	2.8	5	1	1	2	4	5	8
70 +	0									70 +	24	2.8	2						
SUBTOTAL	**313**	**3.9**	**9**	**1**	**2**	**3**	**5**	**8**	**10**		**652**	**3.3**	**4**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**556**	**4.9**	**13**	**1**	**2**	**4**	**7**	**9**	**12**		**953**	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**8**

DRG 46: Other Disorders of the Eye Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	647	4.9	32	1	2	3	6	10	13	0-17	0								
70-74	675	6.5	23	2	3	5	9	13	19	18-34	325	4.3	22	1	1	3	5	10	13
75-79	527	5.5	17	1	2	5	8	10	13	35-49	444	6.2	32	1	2	4	8	15	16
80-84	360	5.0	20	1	2	4	6	10	17	50-69	527	4.4	12	1	2	3	6	10	11
85 +	444	7.4	87	2	3	5	9	11	15	70 +	82	5.2	4	3	4	5	6	9	9
SUBTOTAL	**2653**	**5.9**	**35**	**1**	**2**	**4**	**8**	**11**	**15**		**1377**	**5.0**	**21**	**1**	**2**	**3**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2653**	**5.9**	**35**	**1**	**2**	**4**	**8**	**11**	**15**		**1377**	**5.0**	**21**	**1**	**2**	**3**	**7**	**11**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	344	6.7	42	1	2	4	10	16	18	18-34	304	3.8	19	1	2	2	4	7	17
35-49	361	8.5	65	1	3	6	11	15	27	35-49	265	4.9	10	1	3	4	7	9	10
50-69	186	5.9	48	1	2	3	6	17	22	50-69	175	3.9	6	1	2	3	6	8	9
70 +	64	13.1	123	2	3	6	21	31	31	70 +	61	4.9	13	1	2	4	6	10	13
SUBTOTAL	**955**	**7.7**	**60**	**1**	**2**	**5**	**11**	**18**	**25**		**805**	**4.3**	**13**	**1**	**2**	**3**	**6**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**955**	**7.7**	**60**	**1**	**2**	**5**	**11**	**18**	**25**		**805**	**4.3**	**13**	**1**	**2**	**3**	**6**	**9**	**10**

DRG 47: Other Disorders of the Eye Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	713	2.6	8	< 1	1	1	3	7	8	0-17	0								
70-74	375	4.3	17	1	1	3	5	10	11	18-34	691	2.9	4	1	1	2	4	6	7
75-79	505	2.8	13	< 1	< 1	1	3	6	8	35-49	704	3.7	15	1	1	3	4	7	11
80-84	349	2.6	10	< 1	1	2	3	5	9	50-69	683	2.9	11	< 1	1	2	4	7	9
85 +	366	2.9	7	< 1	< 1	2	3	9	10	70 +	35	2.9	3						
SUBTOTAL	**2307**	**3.0**	**11**	**< 1**	**1**	**2**	**4**	**7**	**10**		**2113**	**3.2**	**10**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**2307**	**3.0**	**11**	**< 1**	**1**	**2**	**4**	**7**	**10**		**2113**	**3.2**	**10**	**1**	**1**	**2**	**4**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	328	3.7	9	1	1	2	5	7	10	18-34	628	3.1	10	1	1	2	4	7	9
35-49	128	5.6	80	1	1	3	7	10	12	35-49	360	3.0	7	1	1	2	4	7	8
50-69	165	2.8	5	1	1	2	4	5	7	50-69	358	2.6	11	< 1	< 1	1	3	6	9
70 +	16	1.4								70 +	77	1.9	2	< 1	< 1	1	2	3	6
SUBTOTAL	**637**	**3.8**	**23**	**1**	**1**	**3**	**5**	**7**	**10**		**1423**	**2.9**	**9**	**< 1**	**1**	**2**	**3**	**6**	**9**
GRAND TOTAL	**637**	**3.8**	**23**	**1**	**1**	**3**	**5**	**7**	**10**		**1423**	**2.9**	**9**	**< 1**	**1**	**2**	**3**	**6**	**9**

DRG 48: Other Disorders of the Eye Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	536	4.1	13	1	2	3	5	10	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**536**	**4.1**	**13**	**1**	**2**	**3**	**5**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	2.0								0-17	2049	2.7	5	<1	1	2	3	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**6**	**2.0**									**2049**	**2.7**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**6**	**2.0**									**2585**	**3.0**	**7**	**1**	**1**	**2**	**4**	**5**	**7**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	407	4.5	45	1	2	3	4	6	15	0-17	238	4.1	27	1	1	3	5	8	16
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**407**	**4.5**	**45**	**1**	**2**	**3**	**4**	**6**	**15**		**238**	**4.1**	**27**	**1**	**1**	**3**	**5**	**8**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1922	3.6	15	1	2	3	4	7	8	0-17	1067	2.8	5	<1	1	2	3	6	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**1922**	**3.6**	**15**	**1**	**2**	**3**	**4**	**7**	**8**		**1067**	**2.8**	**5**	**<1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**2329**	**3.8**	**20**	**1**	**2**	**3**	**4**	**7**	**8**		**1306**	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**9**

DRG 49: Major Head & Neck Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	489	9.6	63	3	4	7	11	18	27
70-74	319	10.4	90	3	4	7	12	27	35
75-79	337	9.0	100	2	3	6	10	19	29
80-84	236	14.3	129	5	7	10	18	33	46
85 +	104	9.8	115	1	5	6	10	19	40
SUBTOTAL	**1486**	**10.4**	**94**	**3**	**4**	**7**	**12**	**21**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	407	4.7	16	1	2	3	6	10	14
70-74	294	4.2	9	1	2	3	5	9	12
75-79	267	5.1	13	1	2	4	7	11	12
80-84	80	3.7	4	2	2	3	5	7	9
85 +	94	4.4	6	2	2	4	6	9	9
SUBTOTAL	**1142**	**4.6**	**12**	**1**	**2**	**3**	**6**	**9**	**12**
GRAND TOTAL	**2628**	**7.8**	**67**	**2**	**3**	**6**	**9**	**17**	**23**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	61	6.4	25	1	2	4	10	14	16
18-34	26	10.8	223						
35-49	278	6.2	21	2	3	4	8	12	15
50-69	1059	8.3	58	2	3	6	11	17	22
70 +	28	10.4	108						
	1452	**7.9**	**54**	**2**	**3**	**5**	**11**	**16**	**21**
0-17	516	2.5	5	1	1	2	3	5	7
18-34	387	2.4	4	1	1	2	3	5	7
35-49	469	3.2	6	1	1	2	5	7	9
50-69	761	3.8	10	1	2	3	4	7	8
70 +	54	3.4	8	1	1	2	5	8	8
	2187	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**
	3638	**5.0**	**31**	**1**	**2**	**3**	**6**	**11**	**16**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	24	11.1	21						
18-34	12	4.5							
35-49	66	11.5	38	4	5	11	14	19	23
50-69	137	13.1	83	5	7	10	16	31	41
70 +	6	11.0							
SUBTOTAL	**244**	**12.0**	**62**	**4**	**7**	**10**	**16**	**23**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	121	7.8	66	1	2	5	9	23	27
18-34	71	3.2	5	1	1	2	5	7	7
35-49	38	5.7	12	1	2	5	9	11	11
50-69	95	8.8	80	1	4	5	16	29	29
70 +	17	6.7	7						
SUBTOTAL	**342**	**6.9**	**52**	**1**	**2**	**5**	**8**	**19**	**25**
GRAND TOTAL	**587**	**9.0**	**63**	**1**	**4**	**7**	**12**	**21**	**29**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	10.9	26						
18-34	16	10.1	8						
35-49	67	6.4	35	3	3	4	7	11	24
50-69	179	10.3	98	3	3	5	17	26	32
70 +	24	3.0	3						
	303	**8.9**	**73**	**3**	**3**	**5**	**14**	**19**	**28**
0-17	124	3.6	41	< 1	1	2	4	5	12
18-34	133	2.4	3	1	1	2	3	5	5
35-49	166	2.9	11	1	1	2	3	6	9
50-69	158	5.9	73	1	2	4	6	12	32
70 +	6	1.0							
	587	**3.7**	**34**	**1**	**1**	**2**	**4**	**6**	**9**
	890	**5.5**	**53**	**1**	**1**	**3**	**5**	**15**	**24**

Total U.S., July 1990 - June 1991

DRG 50: Sialoadenectomy

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	552	3.0	11	1	2	2	3	7	10
70-74	373	3.9	12	1	2	3	5	8	12
75-79	351	3.1	7	1	2	2	3	6	10
80-84	228	4.8	28	1	2	3	5	11	24
85 +	75	5.9	18	2	3	4	8	12	16
SUBTOTAL	**1579**	**3.6**	**14**	**1**	**2**	**2**	**4**	**7**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1527	2.0	1	1	1	2	2	3	4
70-74	1059	2.0	1	1	1	2	2	3	4
75-79	672	2.3	2	1	1	2	3	4	5
80-84	400	2.2	4	1	1	2	2	4	4
85 +	115	3.0	5	1	1	2	4	7	7
SUBTOTAL	**3773**	**2.1**	**2**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**5352**	**2.6**	**6**	**1**	**1**	**2**	**3**	**4**	**6**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	1.5							
18-34	90	1.9	1	1	1	2	3	3	4
35-49	233	2.4	4	1	2	2	2	3	7
50-69	489	3.3	10	1	2	2	3	8	11
70 +	49	7.3	63	1	2	4	11	27	27
	898	**3.1**	**11**	**1**	**2**	**2**	**3**	**7**	**10**
0-17	405	2.4	5	1	1	2	3	4	5
18-34	1663	1.7	2	1	1	1	2	3	3
35-49	2805	1.7	1	1	1	1	2	3	3
50-69	3539	1.8	1	1	1	2	2	3	4
70 +	85	1.8	1	1	1	2	2	3	3
	8496	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
	9394	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	46	2.7	5	1	1	2	5	7	7
18-34	22	2.0	1						
35-49	48	3.7	4	1	2	3	6	7	7
50-69	47	7.0	90	2	2	2	6	31	31
70 +	0								
SUBTOTAL	**163**	**4.2**	**32**	**1**	**2**	**2**	**4**	**7**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	118	2.9	9	1	2	2	3	6	11
18-34	246	2.1	4	1	1	2	2	3	4
35-49	217	2.7	4	1	1	2	3	6	8
50-69	110	2.5	3	1	1	2	3	4	8
70 +	30	3.6	2						
SUBTOTAL	**722**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**886**	**2.8**	**10**	**1**	**1**	**2**	**3**	**6**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	77	2.2	2	1	1	2	2	4	6
35-49	99	3.0	8	1	1	2	3	10	10
50-69	124	2.9	4	1	2	2	4	5	6
70 +	24	8.2	38						
	325	**3.2**	**9**	**1**	**1**	**2**	**3**	**6**	**10**
0-17	96	1.8	4	1	1	1	2	3	8
18-34	496	1.6	1	1	1	1	2	2	3
35-49	614	1.8	3	1	1	1	2	2	5
50-69	590	1.6	1	1	1	1	2	3	3
70 +	44	1.9	1	1	1	2	2	3	3
	1841	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**3**
	2166	**1.9**	**3**	**1**	**1**	**1**	**2**	**3**	**5**

DRG 51: Salivary Gland Procedures except Sialoadenectomy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	32	2.6	4	1	1	2	3	7	7
70-74	39	5.6	10						
75-79	23	2.7	2						
80-84	15	5.0	9						
85 +	50	2.0	1	1	1	2	3	4	4
SUBTOTAL	**160**	**3.4**	**7**	**1**	**1**	**3**	**4**	**9**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	160	3.5	27	1	1	2	3	5	21
70-74	52	2.3	3	1	1	2	4	5	5
75-79	114	1.4		1	1	1	2	3	3
80-84	40	2.3	1						
85 +	6	2.0							
SUBTOTAL	**372**	**2.5**	**13**	**1**	**1**	**2**	**3**	**3**	**5**
GRAND TOTAL	**532**	**2.8**	**11**	**1**	**1**	**2**	**3**	**5**	**9**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	1.4							
18-34	22	5.7	44						
35-49	27	2.0	3						
50-69	42	4.2	7						
70 +	0								
	121	**3.3**	**13**	**1**	**1**	**2**	**4**	**7**	**11**
0-17	153	1.5	1	< 1	1	1	2	3	3
18-34	195	1.9	6	1	1	1	2	3	4
35-49	309	1.5		1	1	1	2	2	3
50-69	333	1.6	1	1	1	1	2	3	3
70 +	20	2.5	2						
	1009	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**3**
	1130	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**4**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	5	3.0							
18-34	10	3.0							
35-49	11	8.0	40						
50-69	0								
70 +	0								
SUBTOTAL	**27**	**5.1**	**22**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	58	1.1		1	1	1	1	2	2
18-34	35	4.5	9						
35-49	17	3.3	2						
50-69	22	1.6	1						
70 +	10	1.0							
SUBTOTAL	**142**	**2.3**	**5**	**1**	**1**	**1**	**3**	**5**	**8**
GRAND TOTAL	**169**	**2.7**	**8**	**1**	**1**	**2**	**3**	**8**	**8**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	11	1.5							
35-49	0								
50-69	6	2.0							
70 +	6	1.0							
	23	**1.5**							
0-17	74	1.6	1	1	1	1	2	3	3
18-34	34	1.6	1						
35-49	92	1.3		< 1	1	1	1	3	3
50-69	66	1.3		1	1	1	1	2	3
70 +	6	1.0							
	272	**1.4**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
	295	**1.4**	**1**	**1**	**1**	**1**	**2**	**3**	**3**

DRG 52: Cleft Lip & Palate Repair

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	16	3.0	1							0-17	617	4.5	55	1	2	3	5	8	13
70-74	16	1.6								18-34	10	3.0							
75-79	0									35-49	52	3.2	10	1	2	2	3	12	12
80-84	0									50-69	66	5.5	163	1	1	2	2	3	47
85 +	0									70 +	0								
SUBTOTAL	**32**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**4**		**745**	**4.5**	**61**	**1**	**2**	**3**	**5**	**8**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	118	2.5	2	1	1	2	4	4	6	0-17	9873	2.0	1	1	1	2	3	4	4
70-74	16	1.7								18-34	501	1.7	1	1	1	1	2	3	3
75-79	5	2.0								35-49	754	1.8	1	1	1	2	2	3	4
80-84	0									50-69	318	2.4	13	1	1	2	2	3	4
85 +	0									70 +	6	3.0							
SUBTOTAL	**139**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**6**		**11453**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**4**
GRAND TOTAL	**171**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**6**		**12198**	**2.2**	**6**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	293	6.5	35	2	3	5	8	17	23	0-17	165	4.3	10	2	3	3	4	16	99 +
18-34	10	21.5	80							18-34	6	1.0							
35-49	0									35-49	11	3.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**304**	**7.0**	**44**	**2**	**3**	**5**	**9**	**17**	**23**		**183**	**4.1**	**10**	**2**	**3**	**3**	**4**	**10**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5273	2.3	3	1	1	2	3	4	5	0-17	2975	2.1	2	1	1	2	2	4	4
18-34	70	1.9	1	1	1	2	2	3	4	18-34	102	1.5		1	1	1	2	2	3
35-49	24	1.7	1							35-49	169	1.6	1	1	1	1	2	3	3
50-69	5	3.0								50-69	94	1.3		1	1	1	2	2	2
70 +	0									70 +	0								
SUBTOTAL	**5372**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**		**3340**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**4**
GRAND TOTAL	**5676**	**2.5**	**7**	**1**	**1**	**2**	**3**	**5**	**5**		**3523**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**4**

DRG 53: Sinus & Mastoid Procedures Age >17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	930	5.0	31	1	1	3	7	11	15	0-17	0								
70-74	562	5.1	35	1	1	2	7	12	17	18-34	761	5.1	67	1	1	2	5	11	15
75-79	399	6.8	124	1	1	2	8	17	25	35-49	1128	4.4	33	1	1	2	4	11	17
80-84	173	5.3	21	2	2	4	7	12	13	50-69	1209	4.1	26	1	1	2	5	9	16
85 +	94	4.9	16	1	2	4	7	9	15	70 +	37	3.3	8	1	1	1	6	8	8
SUBTOTAL	**2157**	**5.4**	**48**	**1**	**1**	**3**	**7**	**12**	**17**		**3136**	**4.4**	**38**	**1**	**1**	**2**	**5**	**11**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2318	1.8	3	1	1	1	2	3	5	0-17	0								
70-74	1139	1.9	6	1	1	1	2	3	5	18-34	7425	1.7	3	1	1	1	2	3	5
75-79	746	3.0	36	1	1	1	3	5	9	35-49	9535	1.6	2	1	1	1	2	3	4
80-84	271	1.7	1	1	1	1	2	3	4	50-69	6522	1.8	4	1	1	1	2	3	5
85 +	161	3.7	16	1	1	2	4	8	13	70 +	112	2.4	8	< 1	1	1	2	5	12
SUBTOTAL	**4636**	**2.1**	**10**	**1**	**1**	**1**	**2**	**4**	**5**		**23594**	**1.7**	**3**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**6793**	**3.1**	**24**	**1**	**1**	**1**	**3**	**7**	**11**		**26730**	**2.0**	**8**	**1**	**1**	**1**	**2**	**4**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	179	8.2	84	1	2	6	9	18	25	18-34	246	5.0	27	1	1	3	7	14	16
35-49	87	3.7	13	1	1	2	4	11	11	35-49	244	2.7	9	< 1	1	1	4	7	9
50-69	167	6.4	33	1	3	5	9	11	15	50-69	177	4.1	38	1	1	1	4	9	19
70 +	12	3.0								70 +	6	1.0							
SUBTOTAL	**444**	**6.5**	**52**	**1**	**2**	**4**	**9**	**15**	**19**		**672**	**3.9**	**24**	**1**	**1**	**2**	**5**	**9**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	932	2.3	15	1	1	1	2	5	8	18-34	2049	1.9	5	1	1	1	2	4	7
35-49	385	1.5	1	1	1	1	2	2	3	35-49	1957	1.7	4	1	1	1	1	3	4
50-69	238	2.5	6	1	1	2	3	6	9	50-69	1096	2.0	6	1	1	1	2	4	7
70 +	34	6.4	40	1	1	4	11	18	18	70 +	52	1.2		< 1	1	1	1	2	2
SUBTOTAL	**1589**	**2.2**	**11**	**1**	**1**	**1**	**2**	**4**	**8**		**5154**	**1.8**	**5**	**1**	**1**	**1**	**2**	**3**	**6**
GRAND TOTAL	**2034**	**3.1**	**23**	**1**	**1**	**1**	**3**	**8**	**11**		**5827**	**2.1**	**8**	**1**	**1**	**1**	**2**	**4**	**7**

DRG 54: Sinus & Mastoid Procedures Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	830	4.5	27	1	1	2	5	12	15
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**830**	**4.5**	**27**	**1**	**1**	**2**	**5**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	26	2.2	2							0-17	5423	1.8	6	< 1	1	1	1	4	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**26**	**2.2**	**2**								**5423**	**1.8**	**6**	**< 1**	**1**	**1**	**1**	**4**	**7**
GRAND TOTAL	**26**	**2.2**	**2**								**6253**	**2.2**	**9**	**1**	**1**	**1**	**2**	**5**	**8**

	MEDICAID										NO INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	207	7.4	76	1	1	2	13	23	28	0-17	199	5.4	39	1	1	3	7	17	20
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**207**	**7.4**	**76**	**1**	**1**	**2**	**13**	**23**	**28**		**199**	**5.4**	**39**	**1**	**1**	**3**	**7**	**17**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1352	2.1	7	1	1	1	2	5	8	0-17	1513	2.2	14	1	1	1	2	4	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1352**	**2.1**	**7**	**1**	**1**	**1**	**2**	**5**	**8**		**1513**	**2.2**	**14**	**1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**1559**	**2.8**	**19**	**1**	**1**	**1**	**2**	**7**	**13**		**1712**	**2.5**	**18**	**1**	**1**	**1**	**2**	**6**	**9**

DRG 55: Miscellaneous Ear, Nose, Mouth & Throat Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	540	3.3	17	1	1	2	3	8	15
70-74	295	3.9	16	1	1	2	5	9	15
75-79	148	3.6	23	1	1	2	3	7	10
80-84	85	4.5	18	1	1	2	6	12	12
85 +	31	13.5	101						
SUBTOTAL	**1100**	**3.9**	**22**	**1**	**1**	**2**	**4**	**10**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1348	1.5	1	1	1	1	2	2	3
70-74	670	1.5	2	1	1	1	1	3	5
75-79	344	1.4	1	< 1	1	1	1	2	3
80-84	142	2.3	8	1	1	1	2	6	9
85 +	48	1.2		< 1	1	1	1	2	2
SUBTOTAL	**2552**	**1.5**	**2**	**1**	**1**	**1**	**2**	**2**	**4**
GRAND TOTAL	**3652**	**2.2**	**9**	**1**	**1**	**1**	**2**	**5**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	791	6.9	139	1	1	3	6	19	22
18-34	495	3.4	11	1	1	2	5	8	10
35-49	412	3.4	14	1	1	2	4	7	11
50-69	652	4.0	39	1	1	2	3	8	17
70 +	6	2.0							
SUBTOTAL	**2357**	**4.7**	**64**	**1**	**1**	**2**	**5**	**11**	**19**
2.PATIENTS W/OUT CCs									
0-17	8303	1.7	4	< 1	1	1	1	3	5
18-34	5643	1.4	1	1	1	1	1	2	3
35-49	4794	1.3	1	1	1	1	1	2	3
50-69	3458	1.6	2	1	1	1	2	3	4
70 +	56	1.2		< 1	1	1	1	2	2
SUBTOTAL	**22255**	**1.5**	**2**	**1**	**1**	**1**	**1**	**2**	**4**
GRAND TOTAL	**24611**	**1.8**	**9**	**1**	**1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	394	12.5	252	1	2	5	20	37	51
18-34	112	3.3	5	1	1	3	6	6	7
35-49	69	5.6	32	< 1	1	4	6	17	18
50-69	55	3.9	11	1	1	3	5	5	13
70 +	0								
SUBTOTAL	**630**	**9.3**	**180**	**1**	**1**	**4**	**9**	**30**	**41**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3419	2.0	6	< 1	1	1	2	4	7
18-34	634	1.8	2	1	1	1	2	4	5
35-49	329	1.5	2	1	1	1	1	2	5
50-69	172	1.6	1	1	1	1	2	3	3
70 +	0								
SUBTOTAL	**4554**	**1.9**	**5**	**< 1**	**1**	**1**	**2**	**3**	**6**
GRAND TOTAL	**5184**	**2.8**	**32**	**1**	**1**	**1**	**2**	**6**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	168	5.3	45	1	1	3	6	9	13
18-34	215	5.1	28	1	1	3	7	11	20
35-49	144	3.9	12	1	1	3	5	11	11
50-69	110	3.4	5	1	1	3	5	7	8
70 +	31	7.7	20						
SUBTOTAL	**669**	**4.7**	**26**	**1**	**1**	**3**	**6**	**11**	**13**
2.PATIENTS W/OUT CCs									
0-17	2377	2.0	7	< 1	1	1	2	4	8
18-34	1092	1.5	2	1	1	1	2	2	3
35-49	1111	1.4	1	1	1	1	1	2	3
50-69	604	1.3	1	< 1	1	1	1	2	3
70 +	100	1.7	2	< 1	< 1	< 1	1	4	6
SUBTOTAL	**5284**	**1.7**	**4**	**< 1**	**1**	**1**	**1**	**3**	**4**
GRAND TOTAL	**5953**	**2.0**	**8**	**1**	**1**	**1**	**2**	**4**	**7**

DRG 56: Rhinoplasty

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	239	4.2	20	1	1	2	5	11	17	0-17	55	2.2	3	1	1	2	2	6	7
70-74	99	4.5	12	1	1	3	6	10	11	18-34	441	2.5	5	1	1	1	4	5	7
75-79	69	4.1	10	1	1	3	8	8	9	35-49	230	2.2	4	1	1	1	3	5	6
80-84	88	3.9	12	1	1	3	7	10	12	50-69	209	3.2	9	1	1	2	4	8	12
85 +	30	6.4	13							70 +	10	35.0							
SUBTOTAL	**525**	**4.3**	**16**	**1**	**1**	**3**	**6**	**10**	**12**		**945**	**2.9**	**17**	**1**	**1**	**1**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	434	1.6	2	1	1	1	2	3	5	0-17	1689	1.4	1	1	1	1	1	3	3
70-74	223	2.2	5	< 1	1	1	3	5	9	18-34	6253	1.3	1	1	1	1	1	2	3
75-79	128	1.9	3	1	1	1	2	5	6	35-49	3882	1.2		1	1	1	1	2	2
80-84	46	4.0	11	1	2	3	4	12	12	50-69	1498	1.5	4	1	1	1	1	2	4
85 +	17	2.3								70 +	34	1.5	1	1	1	1	2	3	3
SUBTOTAL	**849**	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**5**		**13355**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**1373**	**2.8**	**9**	**1**	**1**	**1**	**3**	**8**	**9**		**14300**	**1.4**	**2**	**1**	**1**	**1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	21	1.7	1							0-17	34	1.8	1						
18-34	46	2.6	1							18-34	162	2.6	5	1	1	1	4	5	9
35-49	41	1.7	1	1	1	1	2	4	4	35-49	62	1.6	2	1	1	1	1	3	6
50-69	40	4.2	4							50-69	63	3.3	6	1	1	2	6	7	8
70 +	0									70 +	11	1.5							
SUBTOTAL	**149**	**2.6**	**3**	**1**	**1**	**3**	**3**	**5**	**7**		**333**	**2.4**	**5**	**1**	**1**	**1**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	295	1.5	1	1	1	1	2	3	3	0-17	294	1.4	1	1	1	1	1	3	3
18-34	498	1.6	6	1	1	1	1	2	3	18-34	1394	1.3	1	1	1	1	1	2	3
35-49	162	1.4	1	1	1	1	2	2	3	35-49	644	1.3	1	1	1	1	1	2	3
50-69	27	1.8	1							50-69	238	1.3		1	1	1	2	2	2
70 +	0									70 +	6	1.0							
SUBTOTAL	**982**	**1.5**	**3**	**1**	**1**	**1**	**2**	**3**	**3**		**2576**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**1131**	**1.7**	**3**	**1**	**1**	**1**	**2**	**3**	**4**		**2908**	**1.4**	**2**	**1**	**1**	**1**	**1**	**2**	**4**

DRG 57: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	171	4.9	20	1	2	3	7	11	15
70-74	50	9.5	87	1	1	4	14	24	24
75-79	48	4.8	15	2	2	4	4	12	12
80-84	32	4.7	13						
85 +	11	13.8	27						
SUBTOTAL	**312**	**5.9**	**34**	**1**	**2**	**4**	**9**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	254	2.6	4	1	1	2	3	5	8
70-74	98	1.3	1	< 1	1	1	1	2	4
75-79	17	1.7							
80-84	17	3.0							
85 +	6	2.0							
SUBTOTAL	**392**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**705**	**3.9**	**20**	**1**	**1**	**2**	**4**	**9**	**14**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	738	2.7	4	1	1	2	3	5	6
35-49	362	3.4	9	1	2	3	4	6	9
50-69	247	3.8	16	1	1	2	4	9	15
70 +	11	2.6	2						
	1359	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**9**
0-17	0								
18-34	3606	1.9	2	1	1	1	2	3	4
35-49	1766	2.2	2	1	1	2	3	4	5
50-69	652	2.2	2	1	1	2	3	4	6
70 +	13	2.0							
	6037	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	7395	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	184	4.3	24	1	2	3	5	7	16
35-49	34	2.7	2	1	2	2	3	5	5
50-69	22	6.6	24						
70 +	6	6.0							
SUBTOTAL	**245**	**4.4**	**21**	**1**	**2**	**3**	**5**	**8**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	542	2.3	2	1	1	2	3	4	4
35-49	95	2.7	5	1	1	2	3	4	11
50-69	28	3.8	3						
70 +	13	1.0							
SUBTOTAL	**678**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**923**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**6**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	315	2.7	4	1	1	2	3	5	8
35-49	107	3.7	24	1	1	2	3	7	18
50-69	77	6.2	55	1	2	3	9	13	29
70 +	0								
	498	**3.5**	**18**	**1**	**1**	**2**	**3**	**7**	**11**
0-17	0								
18-34	1507	2.0	3	1	1	2	2	3	4
35-49	564	2.4	2	1	1	2	3	5	6
50-69	111	1.9	1	1	1	2	2	3	3
70 +	0								
	2182	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**4**
	2681	**2.3**	**6**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 58: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	1648	2.3	5	1	1	1	3	5	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	0										1648	2.3	5	1	1	1	3	5	7
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10	1.0								0-17	18861	1.3	2	<1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	10	1.0									18861	1.3	2	<1	1	1	1	2	3
GRAND TOTAL	10	1.0									20509	1.4	2	<1	1	1	1	2	3

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	629	3.3	17	1	1	2	3	9	10	0-17	564	2.8	13	1	1	2	3	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	629	3.3	17	1	1	2	3	9	10		564	2.8	13	1	1	2	3	6	8
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6022	1.4	3	1	1	1	1	2	3	0-17	6199	1.3	1	1	1	1	1	2	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	6022	1.4	3	1	1	1	1	2	3		6199	1.3	1	1	1	1	1	2	3
GRAND TOTAL	6651	1.6	4	1	1	1	1	2	4		6762	1.4	2	1	1	1	1	2	3

DRG 59: Tonsillectomy &/or Adenoidectomy Only, Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	55	2.8	3	1	1	2	4	5	5
70-74	24	3.0							
75-79	10	1.0							
80-84	0								
85 +	11	11.0	27						
SUBTOTAL	**101**	**3.6**	**12**	**1**	**1**	**3**	**4**	**6**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	227	1.1		1	1	1	1	1	2
70-74	11	1.0							
75-79	16	1.3							
80-84	0								
85 +	6	1.0							
SUBTOTAL	**260**	**1.1**		**1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**361**	**1.8**	**5**	**1**	**1**	**1**	**2**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	799	1.9	3	1	1	1	2	4	5
35-49	180	1.3	1	1	1	1	1	2	4
50-69	36	1.1							
70 +	0								
	1015	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
0-17	0								
18-34	15534	1.1		1	1	1	1	1	2
35-49	1795	1.2		1	1	1	1	2	2
50-69	280	1.1		1	1	1	1	2	2
70 +	38	1.0							
	17647	**1.1**		**1**	**1**	**1**	**1**	**1**	**2**
	18661	**1.1**		**1**	**1**	**1**	**1**	**1**	**2**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	72	2.0	2	1	1	1	3	4	5
35-49	0								
50-69	6	1.0							
70 +	0								
SUBTOTAL	**78**	**1.9**	**2**	**1**	**1**	**1**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1487	1.4	3	1	1	1	1	2	3
35-49	205	1.2	1	1	1	1	1	1	4
50-69	6	1.0							
70 +	0								
SUBTOTAL	**1697**	**1.3**	**2**	**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**1775**	**1.4**	**2**	**1**	**1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	203	1.9	4	1	1	1	2	3	8
35-49	5	3.0							
50-69	6	6.0							
70 +	0								
	214	**2.0**	4	**1**	**1**	**1**	**2**	**4**	**7**
0-17	0								
18-34	4286	1.1		1	1	1	1	1	2
35-49	443	1.1		< 1	1	1	1	1	2
50-69	60	1.0		1	1	1	1	1	1
70 +	0								
	4789	**1.1**		**1**	**1**	**1**	**1**	**1**	**2**
	5003	**1.1**		**1**	**1**	**1**	**1**	**1**	**2**

DRG 60: Tonsillectomy &/or Adenoidectomy Only, Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	2154	2.4	7	1	1	1	2	5	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**2154**	**2.4**	**7**	**1**	**1**	**1**	**2**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	77	1.0		1	1	1	1	1	1	0-17	56967	1.1		1	1	1	1	1	1
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**77**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**		**56967**	**1.1**		**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**77**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**		**59121**	**1.1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	860	3.6	18	1	1	2	4	9	14	0-17	619	2.4	7	1	1	1	3	5	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**860**	**3.6**	**18**	**1**	**1**	**2**	**4**	**9**	**14**		**619**	**2.4**	**7**	**1**	**1**	**1**	**3**	**5**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	12752	1.2	2	< 1	1	1	1	1	2	0-17	17471	1.1		1	1	1	1	1	1
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**12752**	**1.2**	**2**	**< 1**	**1**	**1**	**1**	**1**	**2**		**17471**	**1.1**		**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**13611**	**1.3**	**3**	**< 1**	**1**	**1**	**1**	**2**	**3**		**18090**	**1.1**	**1**	**1**	**1**	**1**	**1**	**1**	**1**

DRG 61: Myringotomy w/ Tube Insertion Age >17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	77	6.7	64	1	1	2	9	12	31	0-17	0								
70-74	44	6.1	24	1	1	5	12	12	12	18-34	50	6.5	39	1	2	3	7	21	21
75-79	43	9.5	85	1	1	15	15	26	26	35-49	55	3.8	13	< 1	1	1	7	10	10
80-84	38	6.4	22	1	1	5	11	14	14	50-69	67	4.9	28	1	1	1	11	14	14
85 +	0									70 +	6	6.0							
SUBTOTAL	**202**	**7.1**	**53**	**1**	**1**	**5**	**12**	**15**	**26**		**178**	**5.1**	**26**	**1**	**1**	**3**	**7**	**14**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	202	2.7	13	< 1	1	1	2	7	13	0-17	0								
70-74	62	4.0	91	1	1	1	1	8	34	18-34	373	1.9	5	1	1	1	2	4	6
75-79	84	1.9	2	1	1	1	3	4	5	35-49	426	1.8	7	1	1	1	1	2	6
80-84	11	5.1	4							50-69	399	1.7	4	1	1	1	2	3	4
85 +	11	1.0								70 +	10	1.0							
SUBTOTAL	**371**	**2.7**	**23**	**< 1**	**1**	**1**	**2**	**7**	**12**		**1208**	**1.8**	**5**	**1**	**1**	**1**	**2**	**3**	**6**
GRAND TOTAL	**573**	**4.3**	**38**	**1**	**1**	**1**	**5**	**12**	**15**		**1386**	**2.2**	**9**	**1**	**1**	**1**	**2**	**5**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	29	2.2	1							18-34	12	5.6	2						
35-49	41	1.6	1							35-49	6	1.0							
50-69	6	1.0								50-69	11	1.5							
70 +	0									70 +	5	2.0							
SUBTOTAL	**76**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**4**		**34**	**2.9**	**5**	**1**	**1**	**2**	**4**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	85	1.7	2	< 1	1	1	2	3	7	18-34	113	1.9	3	< 1	1	1	2	6	7
35-49	37	2.8	6							35-49	104	1.1		1	1	1	1	2	2
50-69	46	2.3	3	1	1	2	3	6	6	50-69	108	1.6	2	1	1	1	1	3	5
70 +	0									70 +	6	4.0							
SUBTOTAL	**167**	**2.1**	**3**	**< 1**	**1**	**1**	**3**	**6**	**6**		**330**	**1.6**	**2**	**1**	**1**	**1**	**1**	**4**	**5**
GRAND TOTAL	**244**	**2.0**	**3**	**1**	**1**	**1**	**2**	**6**	**6**		**364**	**1.7**	**2**	**1**	**1**	**1**	**1**	**4**	**5**

DRG 62: Myringotomy w/ Tube Insertion Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	1.0								0-17	521	5.9	106	1	1	3	6	9	20
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**1.0**									**521**	**5.9**	**106**	**1**	**1**	**3**	**6**	**9**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	7014	1.6	5	< 1	< 1	< 1	1	3	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**7014**	**1.6**	**5**	**< 1**	**< 1**	**< 1**	**1**	**3**	**5**
GRAND TOTAL	**6**	**1.0**									**7535**	**1.9**	**13**	**< 1**	**< 1**	**< 1**	**1**	**4**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	304	4.2	22	< 1	1	1	8	12	15	0-17	183	3.5	23	< 1	1	1	4	8	17
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**304**	**4.2**	**22**	**< 1**	**1**	**1**	**8**	**12**	**15**		**183**	**3.5**	**23**	**< 1**	**1**	**1**	**4**	**8**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2736	2.3	11	< 1	< 1	< 1	1	6	9	0-17	2420	1.6	3	< 1	< 1	< 1	1	2	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2736**	**2.3**	**11**	**< 1**	**< 1**	**< 1**	**1**	**6**	**9**		**2420**	**1.6**	**3**	**< 1**	**< 1**	**< 1**	**1**	**2**	**6**
GRAND TOTAL	**3040**	**2.5**	**13**	**< 1**	**< 1**	**< 1**	**1**	**7**	**10**		**2603**	**1.7**	**5**	**< 1**	**< 1**	**< 1**	**1**	**3**	**6**

DRG 63: Other Ear, Nose, Mouth & Throat O.R. Procedures

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	954	6.3	43	1	2	4	8	13	16
70-74	433	6.1	28	1	3	4	8	11	19
75-79	475	8.3	73	1	2	6	12	18	27
80-84	280	9.2	37	2	5	8	12	19	23
85 +	288	6.4	32	2	3	4	8	15	20
SUBTOTAL	**2431**	**7.0**	**45**	**1**	**3**	**5**	**9**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1112	3.2	9	1	1	2	4	6	7
70-74	414	3.4	7	1	1	3	5	6	9
75-79	376	2.6	2	1	1	2	3	5	5
80-84	228	4.0	9	1	2	3	7	8	10
85 +	155	2.4	2	1	1	2	3	4	4
SUBTOTAL	**2286**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**4717**	**5.1**	**31**	**1**	**2**	**3**	**6**	**11**	**16**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1059	4.6	28	1	2	3	5	9	14
18-34	2738	4.3	24	1	2	3	5	8	10
35-49	1435	5.3	44	1	2	4	7	9	11
50-69	1086	6.0	40	1	2	4	7	12	18
70 +	113	9.4	284	2	3	4	7	17	73
	6431	**4.9**	**37**	**1**	**2**	**3**	**6**	**9**	**13**
0-17	7853	2.4	5	1	1	2	3	4	5
18-34	16778	2.2	2	1	1	2	3	4	5
35-49	8343	2.3	2	1	1	2	3	4	5
50-69	2446	2.8	9	1	1	2	3	5	7
70 +	45	3.6	4	2	2	3	4	8	8
	35467	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	41898	**2.7**	**9**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	209	7.4	64	2	3	4	8	16	31
18-34	755	6.0	38	2	2	5	7	11	14
35-49	438	5.5	22	1	2	5	8	9	13
50-69	159	6.5	27	1	2	6	8	16	16
70 +	18	5.1	2						
SUBTOTAL	**1578**	**6.1**	**36**	**1**	**3**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1257	3.4	12	1	1	2	4	8	11
18-34	1660	3.1	6	1	2	2	4	6	7
35-49	505	3.9	51	1	2	2	4	6	6
50-69	108	3.1	5	1	2	2	4	8	8
70 +	6	3.0							
SUBTOTAL	**3536**	**3.3**	**14**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**5114**	**4.2**	**23**	**1**	**2**	**3**	**5**	**8**	**11**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	352	6.2	41	2	2	4	7	13	25
18-34	2217	4.9	23	1	2	4	6	10	12
35-49	1027	6.5	41	1	2	5	9	12	15
50-69	322	8.4	98	1	2	5	10	22	36
70 +	40	2.8	3	1	1	3	5	5	5
	3957	**5.7**	**36**	**1**	**2**	**4**	**7**	**11**	**15**
0-17	1886	2.7	8	1	1	2	3	5	6
18-34	7319	2.8	6	1	1	2	3	5	7
35-49	2622	2.9	6	1	1	2	4	5	7
50-69	632	3.5	11	1	1	3	4	8	11
70 +	63	3.7	16	< 1	1	2	6	10	13
	12522	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
	16479	**3.5**	**15**	**1**	**1**	**2**	**4**	**7**	**10**

Total U.S., July 1990 - June 1991

DRG 64: Ear, Nose, Mouth & Throat Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	940	11.3	175	2	4	7	13	24	34	0-17	108	6.8	24	3	4	4	7	15	19
70-74	637	9.2	197	1	2	6	11	19	22	18-34	16	9.8	45						
75-79	423	11.1	150	1	3	7	15	33	48	35-49	200	7.7	87	1	2	4	9	18	37
80-84	322	9.5	33	3	5	9	12	17	21	50-69	889	8.4	58	1	3	6	13	18	22
85 +	146	6.9	57	1	2	6	7	20	30	70 +	50	8.0	42	1	4	5	6	19	19
SUBTOTAL	**2467**	**10.2**	**153**	**1**	**3**	**7**	**12**	**22**	**32**		**1265**	**8.2**	**59**	**1**	**3**	**6**	**12**	**18**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	438	4.4	28	1	1	3	7	9	13	0-17	115	6.1	18	1	1	6	11	12	12
70-74	158	4.4	28	< 1	1	3	5	8	21	18-34	20	2.5	2						
75-79	206	4.2	26	< 1	1	2	5	11	16	35-49	189	4.0	16	1	1	2	6	10	12
80-84	102	3.0	6	1	1	2	3	8	9	50-69	457	3.4	13	1	1	2	5	9	11
85 +	78	5.0	38	< 1	1	2	8	12	23	70 +	17	4.7	3						
SUBTOTAL	**982**	**4.2**	**26**	**< 1**	**1**	**2**	**5**	**9**	**15**		**799**	**3.9**	**15**	**1**	**1**	**2**	**6**	**10**	**11**
GRAND TOTAL	**3449**	**8.5**	**124**	**1**	**2**	**5**	**10**	**19**	**29**		**2064**	**6.5**	**46**	**1**	**2**	**4**	**8**	**15**	**19**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	56	11.7	152	2	3	3	19	32	32	0-17	76	26.3	632	3	4	14	57	64	64
18-34	47	9.1	162	1	1	5	9	42	42	18-34	12	10.5							
35-49	294	9.5	104	2	4	7	12	21	23	35-49	53	8.6	29	2	3	6	13	15	15
50-69	562	10.8	106	2	4	8	14	25	37	50-69	338	7.5	71	1	2	6	9	16	17
70 +	13	19.0								70 +	50	10.5	97	< 1	3	6	20	31	31
SUBTOTAL	**971**	**10.5**	**110**	**2**	**3**	**7**	**14**	**23**	**34**		**530**	**10.6**	**189**	**1**	**3**	**6**	**13**	**18**	**57**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	53	7.3	43	1	2	5	10	24	24	0-17	30	6.5	17						
18-34	28	5.6	9							18-34	17	2.3	2						
35-49	107	5.8	15	2	3	5	9	13	15	35-49	60	3.4	13	1	1	2	4	9	13
50-69	256	5.4	22	1	2	3	8	12	14	50-69	226	3.8	25	1	1	2	5	7	16
70 +	0									70 +	46	3.4	6	< 1	2	3	5	9	9
SUBTOTAL	**444**	**5.7**	**22**	**1**	**2**	**4**	**8**	**12**	**15**		**378**	**3.9**	**20**	**1**	**1**	**2**	**4**	**9**	**13**
GRAND TOTAL	**1415**	**9.0**	**88**	**2**	**3**	**6**	**11**	**20**	**31**		**908**	**7.8**	**129**	**1**	**2**	**4**	**9**	**16**	**20**

DRG 65: Dysequilibrium

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	3700	4.0	9	1	2	3	5	7	9	0-17	155	4.1	14	1	1	3	6	11	11
70-74	3660	4.1	9	1	2	3	5	8	10	18-34	508	2.8	3	1	2	3	3	5	6
75-79	3758	4.3	11	2	2	3	5	8	10	35-49	1191	2.9	3	1	2	2	4	6	7
80-84	2800	5.1	50	2	2	3	6	9	12	50-69	3477	3.1	5	1	2	3	4	6	7
85 +	1934	5.0	29	2	2	4	6	8	11	70 +	394	3.8	17	1	2	2	5	7	10
SUBTOTAL	**15852**	**4.4**	**19**	**2**	**2**	**3**	**5**	**8**	**10**		**5725**	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	3939	3.0	4	1	2	3	4	5	7	0-17	255	2.4	3	1	1	2	3	4	5
70-74	3591	3.0	3	1	2	3	4	5	7	18-34	1490	2.7	6	1	1	2	3	5	7
75-79	3254	3.2	5	1	2	3	4	6	7	35-49	3942	2.6	3	1	1	2	3	5	6
80-84	2488	3.6	7	1	2	3	4	7	8	50-69	6945	2.7	4	1	1	2	3	5	6
85 +	1810	3.8	7	1	2	3	5	7	9	70 +	430	2.9	10	1	1	2	3	5	10
SUBTOTAL	**15082**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**13062**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**30935**	**3.8**	**13**	**1**	**2**	**3**	**5**	**7**	**9**		**18787**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	35	3.7	4							0-17	17	4.0	2						
18-34	107	5.1	19	1	2	4	6	12	18	18-34	201	3.6	8	1	2	3	4	6	9
35-49	222	4.7	15	1	2	3	7	8	13	35-49	277	3.0	5	1	2	2	4	4	9
50-69	414	5.3	49	1	2	3	6	10	12	50-69	617	3.1	4	1	2	3	4	5	7
70 +	97	6.7	18	3	4	6	7	16	16	70 +	227	2.9	6	1	2	2	3	5	6
SUBTOTAL	**875**	**5.2**	**32**	**1**	**2**	**4**	**7**	**10**	**13**		**1339**	**3.2**	**5**	**1**	**2**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	69	2.7	2	1	2	2	4	4	6	0-17	90	2.9	1	1	2	3	4	4	4
18-34	208	2.2	1	< 1	1	2	3	4	4	18-34	311	2.3	3	1	1	2	3	5	6
35-49	229	3.2	7	1	2	2	3	6	9	35-49	795	2.5	3	1	1	2	3	4	7
50-69	512	3.1	4	1	2	3	4	6	8	50-69	1339	2.4	2	1	1	2	3	5	6
70 +	11	3.5								70 +	301	2.7	4	1	1	2	4	6	6
SUBTOTAL	**1029**	**2.9**	**4**	**1**	**2**	**2**	**3**	**5**	**7**		**2836**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1904**	**4.0**	**18**	**1**	**2**	**3**	**5**	**8**	**10**		**4175**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 66: Epistaxis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1253	4.6	11	1	2	4	6	8	10
70-74	1053	4.6	8	2	3	4	6	8	10
75-79	876	4.8	10	2	3	4	7	8	11
80-84	694	4.4	8	1	2	4	5	9	10
85 +	694	5.6	18	2	3	4	8	10	16
SUBTOTAL	**4570**	**4.8**	**11**	**2**	**2**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	956	3.2	3	1	2	3	4	5	6
70-74	913	3.3	6	1	2	3	4	6	7
75-79	689	3.4	5	1	2	3	4	6	9
80-84	446	3.0	6	1	1	2	4	7	9
85 +	352	3.5	5	< 1	2	3	5	7	8
SUBTOTAL	**3355**	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**7925**	**4.1**	**9**	**1**	**2**	**4**	**5**	**8**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	138	2.5	3	1	1	2	4	5	6
18-34	115	4.7	5	1	4	4	6	8	9
35-49	401	4.3	5	2	2	4	6	8	8
50-69	1201	4.4	6	1	3	4	6	7	9
70 +	66	7.9	65	2	3	3	10	20	25
	1921	**4.4**	**8**	**1**	**2**	**4**	**6**	**7**	**9**
0-17	103	1.6	1	< 1	< 1	1	2	4	4
18-34	413	3.2	3	1	2	3	4	6	7
35-49	982	3.0	3	1	2	3	4	5	6
50-69	1933	3.4	4	1	2	3	5	6	7
70 +	127	3.2	3	1	1	3	5	5	5
	3558	**3.2**	**3**	**1**	**2**	**3**	**4**	**6**	**6**
	5479	**3.6**	**6**	**1**	**2**	**3**	**5**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	56	2.3	1	1	2	2	3	4	4
18-34	127	3.7	4	1	2	3	5	6	6
35-49	101	4.6	3	2	4	5	6	7	8
50-69	233	5.1	9	1	3	5	7	9	11
70 +	6	4.0							
SUBTOTAL	**523**	**4.3**	**6**	**1**	**2**	**4**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	84	2.0	1	1	1	2	2	4	4
18-34	105	3.5	4	1	1	3	5	6	7
35-49	86	3.5	3	1	2	3	5	5	7
50-69	80	4.1	3	2	3	4	5	7	7
70 +	6	4.0							
SUBTOTAL	**361**	**3.3**	**4**	**1**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**884**	**3.9**	**5**	**1**	**2**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	58	2.6	4	1	1	2	5	6	6
18-34	66	3.1	3	2	2	2	5	5	7
35-49	247	3.7	7	1	1	3	5	7	8
50-69	310	4.2	5	1	3	4	5	8	9
70 +	41	3.8	3	1	3	3	5	7	7
	721	**3.8**	**5**	**1**	**2**	**3**	**5**	**7**	**8**
0-17	46	1.1		< 1	1	1	1	2	2
18-34	222	3.2	4	1	2	3	4	6	8
35-49	334	3.1	3	1	2	3	4	6	7
50-69	659	3.1	3	1	2	3	4	5	6
70 +	30	2.0	2						
	1291	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
	2011	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**7**

DRG 67: Epiglottitis

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	73	5.6	2	3	5	6	7	7	7	0-17	190	5.5	6	3	3	5	7	10	10
70-74	37	8.9	23							18-34	84	4.8	3	2	4	5	6	7	7
75-79	40	5.5	3							35-49	147	3.8	3	2	2	4	5	7	7
80-84	29	8.2	6							50-69	142	5.3	10	2	3	5	7	9	10
85 +	11	11.0	1							70 +	6	2.0							
SUBTOTAL	**191**	**7.0**	**10**	**3**	**5**	**7**	**8**	**12**	**15**		**569**	**4.9**	**6**	**2**	**3**	**5**	**7**	**7**	**10**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	112	3.3	3	1	2	3	4	6	7	0-17	416	3.5	4	1	2	3	5	6	7
70-74	5	3.0								18-34	497	2.8	2	1	2	3	4	5	5
75-79	0									35-49	496	3.2	2	1	2	3	4	6	6
80-84	12	2.0								50-69	346	2.9	2	1	2	3	4	5	5
85 +	6	2.0								70 +	20	4.5	2						
SUBTOTAL	**135**	**3.1**	**3**	**2**	**2**	**3**	**4**	**6**	**7**		**1775**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**326**	**5.4**	**11**	**2**	**3**	**5**	**7**	**10**	**12**		**2344**	**3.6**	**4**	**1**	**2**	**3**	**5**	**6**	**7**

TYPE OF PATIENT	MEDICAID										NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	63	4.2	7	2	2	3	7	8	10	0-17	26	6.9	4						
18-34	18	6.7								18-34	22	2.0	1						
35-49	26	6.2	5							35-49	62	3.7	1	3	3	4	4	5	6
50-69	16	3.3	1							50-69	6	3.0							
70 +	0									70 +	0								
SUBTOTAL	**122**	**4.9**	**6**	**2**	**2**	**4**	**7**	**9**	**9**		**115**	**4.1**	**4**	**2**	**3**	**4**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	98	4.1	4	2	2	4	5	7	8	0-17	113	3.9	4	1	2	5	5	6	7
18-34	153	3.1	2	1	2	3	4	5	6	18-34	261	2.8	1	1	2	3	4	4	4
35-49	21	4.5	2							35-49	258	3.0	3	1	2	3	4	5	6
50-69	5	2.0								50-69	100	2.9	3	1	1	3	4	5	6
70 +	0									70 +	0								
SUBTOTAL	**277**	**3.5**	**3**	**1**	**2**	**3**	**5**	**6**	**6**		**732**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**399**	**3.9**	**4**	**2**	**2**	**4**	**5**	**7**	**8**		**847**	**3.2**	**3**	**1**	**2**	**3**	**4**	**6**	**6**

DRG 68: Otitis Media & URI Age >17 w/ CC

		MEDICARE							
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3494	5.4	12	2	3	5	7	10	12
70-74	2214	5.5	15	2	3	5	7	10	12
75-79	1688	6.1	31	2	3	5	7	11	15
80-84	1401	5.8	11	2	4	5	8	9	12
85 +	1216	6.5	22	2	3	5	8	11	16
SUBTOTAL	**10013**	**5.7**	**17**	**2**	**3**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10013**	**5.7**	**17**	**2**	**3**	**5**	**7**	**10**	**13**

		BLUE CROSS/PRIVATE INSURANCE							
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	5809	3.3	6	1	2	3	4	5	7
35-49	3394	4.2	10	2	2	3	5	8	11
50-69	2703	4.7	10	2	3	4	6	8	10
70 +	160	5.5	11	2	3	5	8	11	11
	12065	**3.9**	**8**	**2**	**2**	**3**	**5**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	12065	**3.9**	**8**	**2**	**2**	**3**	**5**	**7**	**9**

		MEDICAID							
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	2104	4.0	8	2	2	3	5	7	9
35-49	606	4.9	13	2	3	4	6	8	14
50-69	378	5.4	28	2	3	4	6	8	12
70 +	56	3.7	3	2	3	4	4	7	8
SUBTOTAL	**3144**	**4.3**	**12**	**2**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3144**	**4.3**	**12**	**2**	**2**	**3**	**5**	**7**	**10**

		NO INSURANCE							
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2499	3.5	14	1	2	3	4	6	8
35-49	712	3.6	6	1	2	3	4	8	9
50-69	599	4.3	10	1	2	4	5	8	12
70 +	103	3.3	7	< 1	1	3	4	8	9
	3913	**3.6**	**12**	**1**	**2**	**3**	**4**	**6**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3913	**3.6**	**12**	**1**	**2**	**3**	**4**	**6**	**9**

DRG 69: Otitis Media & URI Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1018	3.8	7	1	2	3	5	7	8	0-17	0								
70-74	622	4.0	9	1	2	3	5	9	11	18-34	8701	3.0	4	1	2	3	4	5	6
75-79	401	4.0	5	1	2	3	6	7	9	35-49	4789	3.1	4	1	2	3	4	5	7
80-84	336	4.9	9	2	3	4	6	8	11	50-69	2679	3.6	5	1	2	3	4	6	8
85 +	350	4.4	16	1	2	3	6	9	11	70 +	117	4.0	10	1	2	3	5	11	11
SUBTOTAL	**2727**	**4.1**	**9**	**1**	**2**	**3**	**5**	**8**	**10**		**16286**	**3.1**	**5**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**2727**	**4.1**	**9**	**1**	**2**	**3**	**5**	**8**	**10**		**16286**	**3.1**	**5**	**1**	**2**	**3**	**4**	**5**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	2196	3.1	5	1	2	3	4	5	7	18-34	3971	2.6	5	1	1	2	3	4	5
35-49	565	3.4	4	1	2	3	4	6	7	35-49	1423	2.8	4	1	1	2	4	6	7
50-69	211	4.7	17	1	2	3	6	7	18	50-69	598	3.9	9	1	2	3	5	7	10
70 +	84	5.4	10	2	3	5	7	7	15	70 +	61	3.4	2	2	2	3	5	5	5
SUBTOTAL	**3056**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**7**		**6053**	**2.8**	**5**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**3056**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**7**		**6053**	**2.8**	**5**	**1**	**2**	**2**	**3**	**5**	**6**

DRG 70: Otitis Media & URI Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES										PERCENTILES							
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	48	2.5	2	1	1	2	3	5	5	0-17	14575	3.1	7	1	2	2	4	5	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**48**	**2.5**	**2**	**1**	**1**	**2**	**3**	**5**	**5**		**14575**	**3.1**	**7**	**1**	**2**	**2**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	67	3.0	1	2	2	3	4	5	5	0-17	26688	2.8	3	1	2	3	3	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**67**	**3.0**	**1**	**2**	**2**	**3**	**4**	**5**	**5**		**26688**	**2.8**	**3**	**1**	**2**	**3**	**3**	**5**	**6**
GRAND TOTAL	**114**	**2.8**	**2**	**1**	**2**	**3**	**3**	**5**	**5**		**41263**	**2.9**	**4**	**1**	**2**	**3**	**3**	**5**	**6**

	MEDICAID										NO INSURANCE										
				PERCENTILES										PERCENTILES							
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10529	3.5	19	1	2	3	4	6	8	0-17	4949	3.2	9	1	2	3	4	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**10529**	**3.5**	**19**	**1**	**2**	**3**	**4**	**6**	**8**		**4949**	**3.2**	**9**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	19334	3.0	4	1	2	3	4	5	7	0-17	9632	2.8	4	1	2	2	3	5	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**19334**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**7**		**9632**	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**7**
GRAND TOTAL	**29864**	**3.2**	**9**	**1**	**2**	**3**	**4**	**5**	**7**		**14581**	**3.0**	**6**	**1**	**2**	**2**	**3**	**5**	**7**

DRG 71: Laryngotracheitis

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16	7.9	9						
70-74	0								
75-79	17	4.1	3						
80-84	33	6.9	11						
85 +	13	4.0							
SUBTOTAL	**79**	**6.0**	**9**	**2**	**4**	**4**	**9**	**10**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	42	2.1	1	< 1	1	2	3	4	4
70-74	6	2.0							
75-79	23	2.8	2						
80-84	13	2.0							
85 +	10	3.0							
SUBTOTAL	**94**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**173**	**4.0**	**8**	**1**	**2**	**3**	**5**	**9**	**10**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1893	2.7	5	1	1	2	3	5	6
18-34	23	2.5	2						
35-49	11	4.9	10						
50-69	37	6.4	13						
70 +	0								
	1964	**2.8**	**6**	**1**	**1**	**2**	**3**	**6**	**8**
0-17	13975	1.8	2	1	1	1	2	3	4
18-34	49	1.4		< 1	1	1	2	2	2
35-49	75	3.8	2	2	3	4	5	5	6
50-69	26	3.2	5						
70 +	20	1.5							
	14146	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
	16110	**1.9**	**3**	**1**	**1**	**2**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1150	3.2	9	1	1	2	4	6	8
18-34	10	1.0							
35-49	5	4.0							
50-69	0								
70 +	0								
SUBTOTAL	**1165**	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6015	2.2	2	1	1	2	3	4	5
18-34	18	1.6	1						
35-49	6	4.0							
50-69	0								
70 +	0								
SUBTOTAL	**6038**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**7203**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	749	2.6	5	1	1	2	3	6	7
18-34	0								
35-49	6	4.0							
50-69	0								
70 +	0								
	754	**2.6**	**5**	**1**	**1**	**2**	**3**	**6**	**7**
0-17	5128	1.8	1	1	1	1	2	3	4
18-34	11	4.1	4						
35-49	18	4.6							
50-69	0								
70 +	0								
	5157	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
	5911	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 72: Nasal Trauma & Deformity

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	72	3.5	12	1	1	2	4	9	12	0-17	99	1.8	1	1	1	2	2	4	5
70-74	73	6.8	45	2	2	5	6	21	21	18-34	300	2.1	2	1	1	1	2	5	6
75-79	28	2.6	1							35-49	130	4.4	17	1	1	3	6	9	16
80-84	62	2.6	6	1	1	2	3	6	9	50-69	113	5.5	59	1	2	4	4	8	29
85 +	73	3.7	3	1	2	3	6	6	6	70 +	11	3.5	2						
SUBTOTAL	**308**	**4.0**	**18**	**1**	**1**	**3**	**5**	**7**	**12**		**653**	**3.1**	**17**	**1**	**1**	**2**	**4**	**6**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	92	2.6	1	1	1	3	4	4	4	0-17	456	1.4	1	< 1	< 1	1	1	3	4
70-74	67	3.0	5	1	1	2	5	7	7	18-34	476	1.7	1	< 1	1	1	2	3	4
75-79	73	2.2	1	1	1	2	3	4	4	35-49	238	1.7	2	< 1	1	1	2	4	4
80-84	73	4.0	9	< 1	1	5	6	8	9	50-69	110	2.5	3	< 1	1	2	3	6	6
85 +	94	3.1	4	1	1	3	5	6	6	70 +	65	2.1	1	1	1	2	3	4	4
SUBTOTAL	**399**	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**7**		**1345**	**1.7**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**707**	**3.4**	**10**	**1**	**1**	**3**	**5**	**6**	**8**		**1998**	**2.1**	**7**	**< 1**	**1**	**1**	**2**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	19	1.0								0-17	34	3.4	3						
18-34	68	2.6	5	1	1	2	3	4	9	18-34	298	1.7	3	< 1	1	1	2	3	6
35-49	32	2.7	2							35-49	81	2.2	2	1	1	2	3	5	5
50-69	6	1.0								50-69	55	2.6	4	< 1	1	2	4	6	6
70 +	0									70 +	12	3.0							
SUBTOTAL	**125**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**		**480**	**2.1**	**3**	**1**	**1**	**1**	**2**	**4**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	92	1.4	2	< 1	< 1	< 1	1	1	7	0-17	208	1.6	1	< 1	< 1	1	2	3	4
18-34	60	2.3	3	< 1	1	2	4	5	6	18-34	287	1.7	3	< 1	< 1	1	2	3	4
35-49	35	1.8								35-49	93	1.9	2	< 1	1	2	2	3	6
50-69	13	2.0								50-69	53	2.7	2	1	2	2	3	5	5
70 +	0									70 +	27	3.0	3						
SUBTOTAL	**201**	**1.8**	**2**	**< 1**	**< 1**	**1**	**2**	**4**	**6**		**667**	**1.8**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**326**	**2.0**	**3**	**< 1**	**1**	**1**	**2**	**4**	**6**		**1147**	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**4**	**5**

DRG 73: Other Ear, Nose, Mouth & Throat Diagnoses Age >17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	1071	5.7	16	2	3	4	8	12	15	0-17	0									
70-74	693	7.2	67	2	2	4	8	16	24	18-34	542	4.2	19	1	2	3	5	7	15	
75-79	606	5.7	36	1	2	4	7	9	14	35-49	579	4.8	18	2	3	4	5	8	16	
80-84	550	7.4	29	2	4	6	9	14	19	50-69	843	5.5	35	1	2	4	7	11	16	
85 +	734	7.1	26	2	4	6	9	13	16	70 +	64	13.6	654	3	4	5	6	35	90	
SUBTOTAL	**3653**	**6.5**	**34**	**2**	**3**	**5**	**8**	**13**	**16**		**2028**	**5.2**	**48**	**1**	**2**	**4**	**6**	**10**	**16**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	922	4.1	12	1	1	3	6	9	11	0-17	0									
70-74	512	4.0	23	1	1	3	5	6	7	18-34	1703	2.9	5	1	1	2	4	6	6	
75-79	453	3.6	8	1	2	3	4	7	9	35-49	1654	2.8	4	1	1	2	4	6	6	
80-84	387	4.4	13	1	1	3	6	10	12	50-69	1717	2.8	4	1	1	2	4	6	7	
85 +	204	5.1	20	1	2	4	7	13	16	70 +	33	3.0	3	1	1	3	4	6	6	
SUBTOTAL	**2477**	**4.1**	**14**	**1**	**1**	**3**	**5**	**9**	**12**		**5107**	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**6**	
GRAND TOTAL	**6130**	**5.6**	**27**	**1**	**2**	**4**	**7**	**11**	**15**		**7135**	**3.5**	**18**	**1**	**1**	**3**	**4**	**6**	**8**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	251	5.0	15	2	2	4	6	11	11	18-34	442	4.9	54	1	2	3	5	11	12	
35-49	245	5.2	31	1	2	3	6	12	18	35-49	297	4.4	18	1	2	3	5	11	17	
50-69	249	6.3	35	2	2	4	8	12	14	50-69	234	5.0	32	1	2	3	5	10	21	
70 +	0									70 +	53	4.1	6	1	2	4	5	9	9	
SUBTOTAL	**744**	**5.5**	**27**	**2**	**2**	**4**	**6**	**11**	**15**		**1026**	**4.8**	**36**	**1**	**2**	**3**	**5**	**11**	**12**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	600	3.2	6	< 1	1	3	4	7	9	18-34	1152	2.9	4	1	1	2	4	6	7	
35-49	255	3.4	3	1	2	3	5	6	6	35-49	674	3.3	4	1	2	3	4	7	8	
50-69	195	4.3	13	1	2	3	5	12	13	50-69	459	2.6	5	< 1	1	2	3	5	6	
70 +	48	4.0	11	1	2	3	4	11	12	70 +	74	2.4	5	1	1	1	3	5	9	
SUBTOTAL	**1098**	**3.5**	**7**	**1**	**2**	**3**	**5**	**7**	**9**		**2359**	**3.0**	**4**	**1**	**1**	**2**	**4**	**6**	**7**	
GRAND TOTAL	**1842**	**4.3**	**16**	**1**	**2**	**3**	**5**	**9**	**12**		**3385**	**3.5**	**15**	**1**	**1**	**3**	**4**	**7**	**9**	

DRG 74: Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	18	3.3	14						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**18**	**3.3**	**14**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**1.0**							
GRAND TOTAL	**24**	**2.7**	**11**						

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1229	3.5	10	1	1	2	4	7	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1229	**3.5**	**10**	**1**	**1**	**2**	**4**	**7**	**11**
0-17	7059	2.3	5	< 1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	7059	**2.3**	**5**	**< 1**	**1**	**2**	**3**	**5**	**6**
	8288	**2.5**	**5**	**< 1**	**1**	**2**	**3**	**5**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1013	4.6	38	1	2	3	5	8	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1013**	**4.6**	**38**	**1**	**2**	**3**	**5**	**8**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	4315	2.9	10	< 1	1	2	4	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4315**	**2.9**	**10**	**< 1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**5328**	**3.2**	**16**	**1**	**1**	**2**	**4**	**7**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	608	3.6	11	1	1	2	4	7	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	608	**3.6**	**11**	**1**	**1**	**2**	**4**	**7**	**11**
0-17	2840	2.5	6	< 1	1	1	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2840	**2.5**	**6**	**< 1**	**1**	**1**	**3**	**5**	**7**
	3448	**2.7**	**7**	**< 1**	**1**	**2**	**3**	**6**	**8**

DRG 75: Major Chest Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10528	13.5	99	6	7	10	16	25	33
70-74	7690	14.1	104	6	8	11	17	26	34
75-79	4685	14.4	79	7	8	12	17	27	33
80-84	1512	17.4	188	7	8	13	21	35	47
85 +	318	18.3	118	8	9	16	25	33	37
SUBTOTAL	**24733**	**14.2**	**104**	**6**	**8**	**11**	**17**	**26**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2532	8.2	19	4	6	7	9	13	17
70-74	1501	8.4	26	5	6	7	9	12	16
75-79	1057	9.1	27	5	6	7	10	17	20
80-84	328	9.5	58	5	6	9	11	15	17
85 +	51	10.9	45	5	6	9	14	27	27
SUBTOTAL	**5470**	**8.5**	**26**	**5**	**6**	**7**	**9**	**14**	**17**
GRAND TOTAL	**30203**	**13.1**	**94**	**6**	**7**	**10**	**16**	**25**	**32**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1434	12.5	144	4	5	8	15	36	52
18-34	1937	12.4	83	5	7	9	15	24	29
35-49	4693	12.4	72	5	7	10	16	23	28
50-69	13207	12.0	64	6	7	9	14	22	29
70 +	606	14.0	65	7	8	11	19	27	31
	21877	**12.2**	**73**	**5**	**7**	**9**	**15**	**23**	**30**
0-17	2329	5.4	11	3	4	5	6	8	12
18-34	1748	7.7	25	4	5	6	8	13	17
35-49	2501	7.3	20	4	5	6	8	12	16
50-69	4944	7.5	14	4	5	7	8	12	14
70 +	136	9.3	49	5	7	8	9	11	14
	11658	**7.1**	**17**	**4**	**5**	**6**	**8**	**12**	**15**
	33536	**10.4**	**59**	**4**	**6**	**8**	**12**	**20**	**26**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	430	17.2	256	5	7	11	23	42	65
18-34	639	18.8	275	6	8	14	22	36	60
35-49	742	18.1	169	6	9	14	25	40	48
50-69	1026	15.7	115	6	8	12	22	30	40
70 +	53	26.0	383	3	15	23	30	69	69
SUBTOTAL	**2890**	**17.4**	**193**	**6**	**8**	**13**	**23**	**36**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	567	7.8	54	2	4	6	9	14	21
18-34	387	8.3	23	4	5	7	10	12	17
35-49	243	10.8	99	4	6	7	11	23	34
50-69	331	9.8	98	3	6	8	10	14	30
70 +	0								
SUBTOTAL	**1527**	**8.8**	**64**	**3**	**4**	**7**	**10**	**15**	**23**
GRAND TOTAL	**4417**	**14.5**	**165**	**4**	**7**	**10**	**19**	**31**	**41**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	454	15.2	288	4	7	9	17	37	58
18-34	1133	12.1	69	5	7	10	15	23	29
35-49	1197	13.6	120	5	6	10	17	26	34
50-69	2577	11.8	72	5	7	9	15	22	28
70 +	320	11.5	57	6	6	8	14	22	32
	5681	**12.5**	**99**	**5**	**7**	**9**	**16**	**25**	**29**
0-17	517	5.7	18	1	3	4	7	13	18
18-34	930	8.5	27	4	5	7	11	13	16
35-49	602	8.1	19	4	5	7	10	15	17
50-69	868	8.0	32	4	5	7	8	12	25
70 +	73	6.7	9	3	5	7	8	11	11
	2990	**7.7**	**26**	**4**	**5**	**6**	**9**	**13**	**19**
	8671	**10.9**	**79**	**4**	**6**	**8**	**13**	**21**	**27**

Total U.S., July 1990 - June 1991

DRG 76: Other Resp System O.R. Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10663	12.4	107	3	6	10	16	24	31	0-17	647	12.4	214	2	3	7	16	30	31
70-74	7603	12.6	106	3	6	10	16	26	33	18-34	1306	10.1	99	1	3	7	13	22	33
75-79	6102	13.7	138	3	7	11	17	27	36	35-49	3203	9.4	56	2	4	8	13	19	23
80-84	4090	15.8	160	4	8	12	21	31	37	50-69	9927	10.6	93	2	4	8	14	22	29
85 +	2350	17.9	184	6	9	14	21	35	50	70 +	616	13.2	172	4	7	10	15	23	39
SUBTOTAL	**30807**	**13.6**	**129**	**3**	**6**	**11**	**17**	**27**	**35**		**15698**	**10.5**	**95**	**2**	**4**	**8**	**14**	**22**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**30807**	**13.6**	**129**	**3**	**6**	**11**	**17**	**27**	**35**		**15698**	**10.5**	**95**	**2**	**4**	**8**	**14**	**22**	**28**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	393	11.6	128	1	3	9	16	30	40	0-17	254	14.0	207	1	2	8	22	25	51
18-34	534	15.2	180	1	7	14	20	27	59	18-34	481	11.6	88	2	5	9	14	26	31
35-49	850	14.4	189	3	6	10	17	27	50	35-49	1064	10.3	70	2	5	8	14	21	28
50-69	1696	13.2	104	3	6	11	18	27	31	50-69	2486	10.9	88	1	5	9	15	22	28
70 +	169	14.5	74	4	8	12	22	28	30	70 +	341	10.9	82	2	5	9	16	21	30
SUBTOTAL	**3642**	**13.7**	**137**	**2**	**6**	**11**	**18**	**28**	**35**		**4626**	**11.0**	**91**	**1**	**4**	**9**	**15**	**23**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3642**	**13.7**	**137**	**2**	**6**	**11**	**18**	**28**	**35**		**4626**	**11.0**	**91**	**1**	**4**	**9**	**15**	**23**	**30**

DRG 77: Other Resp System O.R. Procedures w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1376	5.2	35	1	2	3	7	11	14
70-74	994	5.7	34	1	1	4	8	14	18
75-79	630	7.0	33	1	3	5	10	14	22
80-84	351	7.8	39	1	3	6	10	15	24
85 +	162	11.3	58	2	6	9	17	22	26
SUBTOTAL	**3512**	**6.2**	**38**	**1**	**2**	**4**	**9**	**14**	**20**
GRAND TOTAL	**3512**	**6.2**	**38**	**1**	**2**	**4**	**9**	**14**	**20**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	662	4.3	22	1	1	3	6	9	14
18-34	838	4.0	14	1	1	3	6	9	12
35-49	1599	4.3	22	1	1	2	6	10	14
50-69	2466	4.6	20	1	1	3	7	11	13
70 +	50	7.5	32	1	3	6	11	19	19
	5615	**4.4**	**20**	**1**	**1**	**3**	**6**	**10**	**13**
	5615	**4.4**	**20**	**1**	**1**	**3**	**6**	**10**	**13**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	444	3.8	21	1	1	2	4	10	13
18-34	173	9.0	35	3	4	8	13	16	24
35-49	215	8.1	54	1	2	6	14	21	21
50-69	298	6.4	40	1	2	4	9	17	19
70 +	21	8.0	24						
SUBTOTAL	**1151**	**6.1**	**38**	**1**	**2**	**4**	**9**	**15**	**21**
GRAND TOTAL	**1151**	**6.1**	**38**	**1**	**2**	**4**	**9**	**15**	**21**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	210	3.1	6	1	1	2	5	8	9
18-34	263	5.3	26	1	1	4	7	10	17
35-49	357	4.3	17	1	1	3	6	10	13
50-69	578	6.3	39	1	1	4	7	18	19
70 +	74	7.0	18	1	4	7	9	14	16
	1483	**5.2**	**27**	**1**	**1**	**4**	**7**	**12**	**17**
	1483	**5.2**	**27**	**1**	**1**	**4**	**7**	**12**	**17**

DRG 78: Pulmonary Embolism

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4949	10.3	49	6	7	9	12	15	19
70-74	4644	10.2	27	6	7	9	12	15	18
75-79	4066	11.2	38	6	8	10	13	18	23
80-84	3276	11.5	52	6	8	10	13	18	23
85 +	2484	11.7	33	6	8	10	14	19	22
SUBTOTAL	**19420**	**10.8**	**40**	**6**	**7**	**9**	**12**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1312	7.9	10	4	6	8	10	12	13
70-74	1080	8.6	10	5	7	8	10	12	16
75-79	910	8.2	12	5	6	8	9	12	13
80-84	559	8.2	11	5	6	8	10	11	16
85 +	413	7.8	9	5	6	7	9	11	11
SUBTOTAL	**4274**	**8.2**	**10**	**5**	**6**	**8**	**10**	**12**	**14**
GRAND TOTAL	**23694**	**10.4**	**36**	**6**	**7**	**9**	**12**	**16**	**20**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	69	12.0	44	5	7	12	20	20	21
18-34	851	9.2	23	4	6	9	11	15	17
35-49	2214	9.1	21	5	7	8	11	14	17
50-69	4784	9.8	25	6	7	9	11	15	19
70 +	416	10.5	44	5	7	9	12	16	18
	8333	**9.6**	**25**	**5**	**7**	**9**	**11**	**15**	**19**
0-17	72	7.2	14	1	5	8	10	11	14
18-34	673	6.4	5	4	5	7	8	9	10
35-49	1453	7.4	7	4	6	7	9	11	12
50-69	2121	7.7	7	5	6	7	9	11	12
70 +	154	8.3	19	5	6	7	8	13	21
	4472	**7.4**	**7**	**4**	**6**	**7**	**9**	**11**	**12**
	12805	**8.8**	**20**	**5**	**6**	**8**	**10**	**13**	**16**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	45	7.6	10	4	5	7	9	15	15
18-34	366	10.7	43	5	6	9	13	19	20
35-49	267	10.1	28	5	6	10	13	14	19
50-69	462	11.5	25	6	8	10	13	18	24
70 +	82	12.9	35	6	9	10	15	25	25
SUBTOTAL	**1221**	**10.9**	**32**	**5**	**7**	**10**	**13**	**18**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	6.9	9						
18-34	263	6.5	5	3	5	7	8	9	10
35-49	216	8.3	9	5	6	9	10	12	12
50-69	167	9.0	18	4	7	9	10	13	19
70 +	30	9.1	17						
SUBTOTAL	**699**	**7.8**	**11**	**4**	**6**	**8**	**9**	**12**	**13**
GRAND TOTAL	**1920**	**9.8**	**27**	**5**	**7**	**9**	**12**	**16**	**19**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	5.0	4						
18-34	416	9.1	14	6	6	8	10	16	17
35-49	622	8.8	14	5	7	8	10	13	14
50-69	894	10.4	52	5	7	9	12	17	20
70 +	297	9.8	20	5	6	8	14	15	18
	2252	**9.6**	**30**	**5**	**7**	**8**	**11**	**15**	**18**
0-17	5	8.0							
18-34	473	7.4	9	4	6	7	8	11	14
35-49	340	7.9	12	5	6	7	9	11	16
50-69	503	7.4	13	4	5	7	8	11	12
70 +	71	6.9	12	3	5	7	7	12	14
	1391	**7.5**	**11**	**4**	**6**	**7**	**8**	**11**	**14**
	3644	**8.8**	**24**	**5**	**6**	**8**	**10**	**14**	**17**

DRG 79: Respiratory Infections & Inflammations Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16330	11.8	85	4	6	9	15	22	28
70-74	12879	12.2	87	4	7	10	15	22	29
75-79	15276	12.3	85	5	7	10	15	23	29
80-84	15911	12.6	82	5	7	10	15	23	31
85 +	20466	12.8	85	5	7	11	16	23	30
SUBTOTAL	**80863**	**12.4**	**85**	**5**	**7**	**10**	**15**	**23**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**80863**	**12.4**	**85**	**5**	**7**	**10**	**15**	**23**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2772	9.6	48	3	5	8	13	17	20
35-49	2730	10.7	60	4	6	9	14	19	25
50-69	6580	11.3	73	4	6	9	14	21	26
70 +	1492	11.2	99	3	6	9	13	19	25
	13573	**10.8**	**68**	**4**	**6**	**9**	**14**	**20**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	13573	**10.8**	**68**	**4**	**6**	**9**	**14**	**20**	**25**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	2650	11.3	75	4	6	9	14	21	28
35-49	1919	14.1	134	4	6	10	18	31	37
50-69	2773	13.2	107	4	7	10	16	27	37
70 +	587	12.9	91	5	7	10	14	24	33
SUBTOTAL	**7928**	**12.8**	**103**	**4**	**6**	**10**	**16**	**27**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7928**	**12.8**	**103**	**4**	**6**	**10**	**16**	**27**	**35**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1488	10.3	81	3	5	8	14	20	23
35-49	1724	11.6	74	4	6	9	14	24	29
50-69	2077	10.0	39	4	5	9	13	18	22
70 +	979	10.9	80	4	6	9	13	18	26
	6268	**10.7**	**65**	**3**	**5**	**9**	**14**	**20**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6268	**10.7**	**65**	**3**	**5**	**9**	**14**	**20**	**25**

DRG 80: Respiratory Infections & Inflammations Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1577	8.0	23	3	5	7	10	14	17
70-74	1162	8.4	35	4	5	7	10	15	21
75-79	1288	7.7	27	3	5	6	9	14	17
80-84	1413	8.5	30	4	5	7	10	14	20
85 +	1765	8.4	45	3	5	7	10	14	17
SUBTOTAL	7205	8.2	33	3	5	7	10	14	18
GRAND TOTAL	7205	8.2	33	3	5	7	10	14	18

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1310	5.9	21	2	3	5	7	9	15
35-49	1178	7.1	21	3	4	6	9	11	13
50-69	1678	7.7	35	3	4	6	9	13	17
70 +	192	8.4	23	3	5	8	10	17	19
	4358	7.0	27	3	4	6	8	12	15
	4358	7.0	27	3	4	6	8	12	15

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	828	8.5	43	3	4	7	10	16	22
35-49	496	9.9	65	2	5	8	13	17	24
50-69	322	8.6	23	3	5	8	11	14	17
70 +	146	7.0	14	3	4	7	10	14	99 +
SUBTOTAL	1793	8.8	44	3	5	7	11	16	22
GRAND TOTAL	1793	8.8	44	3	5	7	11	16	22

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1175	6.7	26	3	4	6	8	12	16
35-49	860	7.4	20	2	4	7	9	14	16
50-69	542	7.1	17	3	5	6	9	11	15
70 +	177	6.0	10	3	3	5	7	12	16
	2754	7.0	21	2	4	6	9	13	16
	2754	7.0	21	2	4	6	9	13	16

DRG 81: Respiratory Infections & Inflammations Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	111	17.2	386	3	5	11	21	24	74	0-17	3460	9.8	57	3	5	9	13	17	23
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**111**	**17.2**	**386**	**3**	**5**	**11**	**21**	**24**	**74**		**3460**	**9.8**	**57**	**3**	**5**	**9**	**13**	**17**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	11	5.6	13							0-17	1715	5.3	37	1	2	3	6	11	15
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**11**	**5.6**	**13**								**1715**	**5.3**	**37**	**1**	**2**	**3**	**6**	**11**	**15**
GRAND TOTAL	**122**	**16.1**	**363**	**2**	**4**	**11**	**20**	**24**	**74**		**5175**	**8.3**	**55**	**2**	**3**	**7**	**12**	**15**	**19**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	3310	10.1	60	3	5	8	14	18	22	0-17	1045	8.0	46	2	4	7	10	14	18
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**3310**	**10.1**	**60**	**3**	**5**	**8**	**14**	**18**	**22**		**1045**	**8.0**	**46**	**2**	**4**	**7**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2000	5.9	33	2	3	4	8	12	16	0-17	741	4.5	18	1	2	3	5	10	14
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**2000**	**5.9**	**33**	**2**	**3**	**4**	**8**	**12**	**16**		**741**	**4.5**	**18**	**1**	**2**	**3**	**5**	**10**	**14**
GRAND TOTAL	**5311**	**8.5**	**54**	**2**	**3**	**7**	**12**	**16**	**20**		**1786**	**6.6**	**37**	**1**	**3**	**5**	**9**	**14**	**17**

DRG 82: Respiratory Neoplasms

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	13861	9.7	74	2	4	7	12	19	23
70-74	11374	10.1	75	3	5	8	13	19	25
75-79	9258	10.7	88	3	5	8	13	21	28
80-84	5685	10.1	75	2	5	8	13	20	27
85 +	3203	10.1	72	3	5	8	13	19	25
SUBTOTAL	**43381**	**10.1**	**77**	**3**	**5**	**8**	**13**	**19**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1598	6.5	44	1	2	5	8	12	18
70-74	1222	5.8	29	1	3	5	8	11	15
75-79	883	6.1	47	1	2	5	8	13	15
80-84	494	5.9	20	2	2	4	9	12	15
85 +	358	8.1	65	1	3	6	9	14	31
SUBTOTAL	**4556**	**6.3**	**40**	**1**	**2**	**5**	**8**	**12**	**16**
GRAND TOTAL	**47937**	**9.7**	**75**	**2**	**4**	**7**	**12**	**19**	**25**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	279	3.4	7	1	1	2	5	7	9
18-34	492	7.1	30	1	3	6	9	16	18
35-49	3534	8.4	67	2	4	6	10	16	24
50-69	15493	8.6	54	2	4	7	11	17	22
70 +	985	9.2	45	3	5	7	12	19	26
	20783	**8.5**	**55**	**2**	**4**	**7**	**11**	**17**	**22**
0-17	215	3.4	5	1	1	3	5	6	6
18-34	148	3.2	7	1	1	2	5	9	9
35-49	708	4.1	9	1	2	4	5	8	11
50-69	2870	4.9	15	1	2	4	6	11	13
70 +	162	5.1	12	1	2	5	7	10	13
	4103	**4.7**	**14**	**1**	**2**	**4**	**6**	**10**	**12**
	24886	**7.9**	**50**	**2**	**3**	**6**	**10**	**16**	**21**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	93	9.6	82	1	2	4	17	25	28
18-34	240	9.1	55	1	4	7	12	20	31
35-49	1062	9.2	62	2	3	6	13	19	26
50-69	2903	10.8	91	3	5	8	14	21	27
70 +	150	12.8	112	1	4	10	14	31	38
SUBTOTAL	**4448**	**10.4**	**84**	**2**	**4**	**8**	**14**	**21**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	81	3.2	4	1	1	4	4	6	7
18-34	52	8.6	34	< 1	4	9	12	20	20
35-49	171	6.2	30	1	2	5	8	15	19
50-69	423	5.2	14	1	2	4	8	12	13
70 +	32	7.2	14						
SUBTOTAL	**760**	**5.5**	**19**	**1**	**2**	**4**	**8**	**12**	**13**
GRAND TOTAL	**5208**	**9.7**	**77**	**2**	**4**	**7**	**12**	**20**	**26**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	87	9.6	45	2	4	2	13	21	21
18-34	142	7.5	30	1	3	8	12	14	18
35-49	1007	9.1	54	2	4	7	12	19	24
50-69	3972	9.2	68	2	4	7	12	19	25
70 +	650	9.2	57	3	4	7	12	18	22
	5857	**9.2**	**63**	**2**	**4**	**7**	**12**	**19**	**24**
0-17	44	4.8	9						
18-34	43	5.8	9	1	2	6	8	9	9
35-49	233	6.1	28	1	2	5	8	12	14
50-69	545	5.1	14	1	2	4	7	11	12
70 +	53	5.2	6	2	3	4	7	9	9
	918	**5.4**	**17**	**1**	**2**	**4**	**8**	**11**	**12**
	6775	**8.7**	**58**	**2**	**4**	**7**	**11**	**18**	**23**

DRG 83: Major Chest Trauma w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1384	6.9	32	2	3	5	8	13	18
70-74	1156	7.5	58	2	3	5	10	15	23
75-79	1280	7.2	33	2	3	6	9	15	18
80-84	1355	8.9	32	4	5	8	11	17	21
85 +	1760	8.6	45	3	4	6	11	18	22
SUBTOTAL	6934	7.9	40	2	4	6	10	17	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	6934	7.9	40	2	4	6	10	17	20

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	162	3.6	3	1	2	3	5	6	7
18-34	958	4.2	10	1	2	3	6	8	10
35-49	1757	5.0	12	2	3	4	7	10	12
50-69	2652	6.1	19	2	3	5	8	11	14
70 +	1124	6.3	16	3	4	5	8	12	14
	6652	5.5	16	2	3	4	7	10	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6652	5.5	16	2	3	4	7	10	13

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	11	2.0	1						
18-34	194	5.9	35	2	3	4	7	10	19
35-49	217	6.2	21	1	3	4	9	13	16
50-69	301	7.1	42	2	3	5	10	12	21
70 +	41	7.1	4	5	5	9	9	99 +	99 +
SUBTOTAL	764	6.5	32	2	3	5	9	13	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	764	6.5	32	2	3	5	9	13	19

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	100	4.0	11	1	2	3	5	8	14
18-34	667	4.7	14	1	2	3	7	10	12
35-49	738	5.1	17	1	3	4	6	8	10
50-69	752	5.8	19	2	3	5	8	12	14
70 +	253	7.5	26	3	4	6	9	11	19
	2510	5.4	18	2	2	4	7	10	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2510	5.4	18	2	2	4	7	10	13

Total U.S., July 1990 - June 1991

DRG 84: Major Chest Trauma w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	471	3.0	4	1	2	2	3	6	7
70-74	370	3.1	4	1	2	2	4	6	7
75-79	302	3.3	5	1	1	3	4	7	10
80-84	356	5.0	21	2	2	4	6	10	16
85 +	580	4.9	8	2	3	4	6	9	11
SUBTOTAL	**2080**	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**2080**	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**9**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	191	1.7	2	<1	1	1	2	3	6
18-34	1091	2.5	3	1	1	2	3	4	7
35-49	1485	2.6	3	1	1	2	3	5	6
50-69	1776	2.9	5	1	1	2	4	6	7
70 +	534	4.1	14	1	2	3	4	7	12
	5077	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**
	5077	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	60	2.1		1	2	2	3	3	3
18-34	122	2.8	6	1	1	2	3	7	8
35-49	57	3.6	4	1	2	3	6	7	7
50-69	46	3.2	2	1	2	3	5	5	5
70 +	0								
SUBTOTAL	**285**	**2.9**	**4**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**285**	**2.9**	**4**	**1**	**1**	**2**	**3**	**6**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	98	2.6	6	1	1	1	4	8	9
18-34	569	2.2	2	1	1	2	3	4	5
35-49	567	2.9	4	1	1	2	4	5	7
50-69	337	2.7	4	1	1	2	4	6	7
70 +	135	3.3	4	1	2	3	4	7	7
	1706	**2.6**	**3**	**1**	**1**	**2**	**4**	**5**	**7**
	1706	**2.6**	**3**	**1**	**1**	**2**	**4**	**5**	**7**

DRG 85: Pleural Effusion w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3595	7.9	44	2	4	6	10	15	21
70-74	2926	8.5	47	3	4	7	11	16	22
75-79	2764	8.5	38	3	4	7	11	17	20
80-84	2545	9.6	66	3	4	7	12	18	26
85 +	2538	9.6	43	3	5	8	12	18	22
SUBTOTAL	**14368**	**8.7**	**48**	**3**	**4**	**7**	**11**	**17**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	14368	8.7	48	3	4	7	11	17	22

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	306	9.8	86	3	4	6	15	25	43
18-34	370	6.7	22	2	3	6	8	12	17
35-49	932	7.4	31	2	3	6	9	15	18
50-69	2669	7.6	33	2	4	6	10	14	17
70 +	290	10.5	38	4	6	9	15	22	22
	4568	**7.8**	**36**	**2**	**4**	**6**	**10**	**15**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4568	7.8	36	2	4	6	10	15	20

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	144	9.4	29	4	6	8	10	18	21
18-34	184	6.2	22	1	3	5	10	13	16
35-49	242	8.9	55	3	4	6	11	17	29
50-69	640	8.7	43	3	4	7	12	19	23
70 +	44	9.7	33	2	6	9	11	22	22
SUBTOTAL	**1253**	**8.5**	**41**	**2**	**4**	**7**	**11**	**18**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	1253	8.5	41	2	4	7	11	18	21

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	114	6.8	12	2	4	7	9	12	12
18-34	258	6.3	11	2	4	6	8	13	13
35-49	365	8.8	70	1	2	7	11	18	22
50-69	528	8.9	64	2	4	7	12	17	31
70 +	216	9.1	36	4	5	7	12	20	20
	1481	**8.3**	**49**	**2**	**4**	**7**	**11**	**17**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1481	8.3	49	2	4	7	11	17	22

DRG 86: Pleural Effusion w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	474	4.6	14	1	2	3	6	9	12
70-74	374	5.2	18	1	2	4	6	10	13
75-79	287	3.9	8	1	2	3	5	7	8
80-84	289	6.5	21	2	4	6	8	10	20
85 +	260	6.7	28	2	4	5	8	11	13
SUBTOTAL	**1685**	**5.3**	**18**	**1**	**2**	**4**	**6**	**10**	**13**
GRAND TOTAL	**1685**	**5.3**	**18**	**1**	**2**	**4**	**6**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	87	4.3	8	1	2	3	6	9	10
18-34	204	4.8	8	2	3	4	7	10	11
35-49	360	5.0	11	1	2	4	6	10	13
50-69	882	4.0	9	1	2	3	5	9	10
70 +	41	4.2	15	< 1	< 1	3	7	12	12
	1575	**4.3**	**9**	**1**	**2**	**3**	**6**	**9**	**11**
	1575	**4.3**	**9**	**1**	**2**	**3**	**6**	**9**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	39	6.4	27	1	1	5	10	16	16
18-34	83	7.3	23	2	3	6	11	16	16
35-49	58	4.6	7	1	2	3	7	8	8
50-69	109	4.6	9	2	2	4	6	10	10
70 +	6	1.0							
SUBTOTAL	**294**	**5.5**	**16**	**1**	**2**	**4**	**8**	**11**	**16**
GRAND TOTAL	**294**	**5.5**	**16**	**1**	**2**	**4**	**8**	**11**	**16**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	5	1.0							
18-34	85	3.6	5	1	2	4	4	7	9
35-49	167	3.5	6	1	1	3	5	8	9
50-69	189	3.4	6	1	2	3	4	6	9
70 +	22	6.3	7						
	469	**3.6**	**6**	**1**	**2**	**3**	**4**	**7**	**9**
	469	**3.6**	**6**	**1**	**2**	**3**	**4**	**7**	**9**

DRG 87: Pulmonary Edema & Respiratory Failure

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	14150	8.4	43	3	4	7	10	15	20	0-17	292	7.5	87	1	2	4	9	19	37
70-74	9689	9.0	56	3	5	7	11	17	22	18-34	450	5.6	13	2	3	5	6	11	12
75-79	8388	8.8	40	3	5	7	11	16	20	35-49	1136	7.5	23	3	4	6	10	14	16
80-84	4709	9.7	52	4	6	8	12	18	22	50-69	6649	8.0	42	3	4	7	10	14	19
85 +	3230	9.0	46	3	5	7	11	16	20	70 +	782	8.1	46	3	4	6	10	15	19
SUBTOTAL	**40166**	**8.8**	**47**	**3**	**5**	**7**	**11**	**16**	**21**		**9310**	**7.8**	**40**	**3**	**4**	**6**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	562	6.3	18	2	3	6	8	11	13	0-17	131	3.1	3	1	1	3	4	6	6
70-74	476	6.5	26	3	3	6	8	10	16	18-34	113	2.6	3	1	1	2	4	5	6
75-79	238	5.7	15	2	3	5	7	11	12	35-49	247	4.4	11	1	2	4	6	7	9
80-84	306	6.8	24	2	3	5	11	15	17	50-69	454	4.7	7	1	3	4	6	8	10
85 +	224	6.8	48	2	3	5	9	11	13	70 +	41	3.8	2	2	2	3	5	6	6
SUBTOTAL	**1806**	**6.4**	**24**	**2**	**3**	**5**	**8**	**12**	**15**		**987**	**4.1**	**8**	**1**	**2**	**4**	**5**	**7**	**9**
GRAND TOTAL	**41973**	**8.7**	**46**	**3**	**5**	**7**	**11**	**16**	**20**		**10296**	**7.5**	**38**	**2**	**4**	**6**	**9**	**14**	**17**

TYPE OF PATIENT	MEDICAID										NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	266	11.1	148	1	4	8	12	30	45	0-17	191	9.1	82	1	3	7	14	18	42
18-34	238	9.0	47	3	3	7	11	20	28	18-34	171	5.3	13	2	3	4	7	11	12
35-49	797	8.4	56	3	3	6	9	20	24	35-49	316	7.1	51	2	2	4	10	17	18
50-69	2135	8.1	32	3	4	7	10	14	19	50-69	1631	7.6	38	2	4	6	9	14	17
70 +	211	10.7	46	3	7	10	14	24	99 +	70 +	287	6.3	15	2	4	5	7	11	13
SUBTOTAL	**3646**	**8.6**	**48**	**3**	**4**	**7**	**11**	**17**	**22**		**2596**	**7.4**	**39**	**2**	**4**	**6**	**9**	**15**	**18**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	78	8.5	128	1	2	3	7	29	38	0-17	39	8.7	36	1	1	9	16	16	16
18-34	50	4.1	3	3	3	3	5	7	9	18-34	66	3.3	5	1	2	2	4	6	8
35-49	28	5.1	4							35-49	79	4.1	5	1	3	4	5	8	8
50-69	130	6.9	15	3	4	6	9	10	11	50-69	123	4.2	5	2	2	4	5	8	9
70 +	0									70 +	63	4.7	31	2	2	3	5	5	22
SUBTOTAL	**286**	**6.7**	**45**	**2**	**3**	**5**	**8**	**11**	**21**		**371**	**4.6**	**15**	**1**	**2**	**4**	**5**	**9**	**12**
GRAND TOTAL	**3932**	**8.5**	**48**	**3**	**4**	**7**	**10**	**17**	**22**		**2967**	**7.0**	**37**	**2**	**3**	**5**	**9**	**14**	**17**

DRG 88: Chronic Obstructive Pulmonary Disease

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	29983	7.9	43	3	4	6	10	14	18	0-17	294	6.1	11	2	4	5	8	11	13
70-74	21926	7.8	35	3	4	6	10	14	19	18-34	452	7.2	32	2	4	5	9	14	16
75-79	18270	8.2	38	3	4	7	10	15	19	35-49	2091	6.7	39	2	3	5	8	12	15
80-84	11403	8.4	56	3	4	7	10	15	20	50-69	13485	7.1	28	3	4	6	9	13	16
85 +	6400	9.3	73	3	5	7	11	17	22	70 +	1666	6.9	19	2	4	6	9	14	16
SUBTOTAL	**87982**	**8.1**	**44**	**3**	**4**	**6**	**10**	**15**	**19**		**17988**	**7.0**	**28**	**3**	**4**	**6**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	20473	5.8	14	2	3	5	7	10	12	0-17	431	3.7	6	1	2	3	5	7	8
70-74	13720	6.0	16	2	3	5	8	11	13	18-34	585	4.2	6	2	3	4	5	7	8
75-79	10218	6.0	17	3	4	5	8	10	12	35-49	3220	5.2	14	2	3	4	7	10	12
80-84	5561	5.8	17	2	3	5	7	10	12	50-69	14252	5.4	11	2	3	5	7	9	11
85 +	2344	5.8	13	2	3	5	8	10	13	70 +	1288	5.3	13	2	3	4	7	10	11
SUBTOTAL	**52316**	**5.9**	**15**	**2**	**3**	**5**	**7**	**10**	**12**		**19775**	**5.3**	**11**	**2**	**3**	**5**	**7**	**9**	**11**
GRAND TOTAL	**140299**	**7.3**	**34**	**3**	**4**	**6**	**9**	**13**	**17**		**37763**	**6.1**	**20**	**2**	**3**	**5**	**8**	**11**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	155	8.7	49	3	4	6	12	16	27	0-17	73	6.1	29	2	2	3	10	13	19
18-34	277	9.4	239	1	2	6	9	13	17	18-34	332	6.0	26	2	3	5	7	12	21
35-49	1453	6.8	30	2	3	6	8	12	15	35-49	1141	6.0	16	2	4	5	7	11	14
50-69	6005	7.2	42	3	4	6	8	13	16	50-69	3827	6.5	27	2	3	5	8	12	18
70 +	416	8.6	154	2	4	5	8	14	19	70 +	872	7.2	25	2	4	6	9	13	19
SUBTOTAL	**8306**	**7.3**	**52**	**2**	**4**	**6**	**8**	**13**	**16**		**6245**	**6.5**	**25**	**2**	**3**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	178	4.0	11	1	2	2	6	8	13	0-17	117	3.1	5	1	2	2	4	5	8
18-34	450	3.7	5	1	2	3	5	7	8	18-34	499	3.4	8	1	2	3	4	6	8
35-49	1495	5.1	14	2	2	4	6	10	12	35-49	1259	4.3	8	1	2	4	6	8	9
50-69	4651	5.5	17	2	3	5	7	10	12	50-69	4068	5.0	16	2	3	4	6	9	11
70 +	253	5.2	11	2	2	5	6	9	12	70 +	685	5.1	18	1	3	4	7	10	14
SUBTOTAL	**7026**	**5.3**	**15**	**2**	**3**	**4**	**7**	**9**	**12**		**6628**	**4.7**	**14**	**2**	**2**	**4**	**6**	**9**	**11**
GRAND TOTAL	**15333**	**6.4**	**36**	**2**	**3**	**5**	**8**	**11**	**14**		**12873**	**5.6**	**20**	**2**	**3**	**4**	**7**	**10**	**14**

DRG 89: Simple Pneumonia & Pleurisy Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	61184	8.1	33	3	5	7	10	14	18	0-17	0								
70-74	49778	8.5	37	4	5	7	10	14	19	18-34	11715	5.8	20	2	3	5	7	10	13
75-79	56942	8.8	42	4	5	7	11	15	20	35-49	17391	6.5	16	3	4	6	8	11	14
80-84	53606	9.3	41	4	5	8	11	16	21	50-69	39271	7.4	22	3	4	6	9	13	16
85+	66470	9.7	49	4	6	8	12	17	21	70+	5452	7.9	33	3	4	6	10	14	20
SUBTOTAL	**287980**	**8.9**	**41**	**4**	**5**	**7**	**11**	**15**	**20**		**73828**	**7.0**	**22**	**3**	**4**	**6**	**9**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**287980**	**8.9**	**41**	**4**	**5**	**7**	**11**	**15**	**20**		**73828**	**7.0**	**22**	**3**	**4**	**6**	**9**	**12**	**15**

	MEDICAID										NO INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	6393	6.9	28	3	4	6	8	13	16	18-34	5943	5.6	18	2	3	5	7	10	12
35-49	6947	7.8	33	3	4	6	10	14	17	35-49	7047	6.6	21	2	4	6	8	12	15
50-69	10212	7.9	25	3	5	7	10	13	17	50-69	9952	7.4	33	3	4	6	9	13	17
70+	2237	9.6	52	3	5	8	12	18	27	70+	3792	7.7	40	3	4	6	10	14	18
SUBTOTAL	**25789**	**7.8**	**31**	**3**	**4**	**6**	**10**	**14**	**17**		**26733**	**6.8**	**28**	**3**	**4**	**6**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**25789**	**7.8**	**31**	**3**	**4**	**6**	**10**	**14**	**17**		**26733**	**6.8**	**28**	**3**	**4**	**6**	**8**	**12**	**15**

DRG 90: Simple Pneumonia & Pleurisy Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	9519	5.5	9	3	4	5	7	9	11	0-17	0								
70-74	7310	6.1	12	3	4	5	8	10	13	18-34	17108	4.3	5	2	3	4	5	7	8
75-79	7301	6.2	11	3	4	6	8	10	12	35-49	19204	4.7	6	2	3	4	6	8	9
80-84	6941	6.5	15	3	4	6	8	10	13	50-69	16144	5.1	7	2	3	5	6	9	10
85 +	8156	6.9	15	3	4	6	9	12	14	70 +	1120	5.3	8	2	3	5	7	8	11
SUBTOTAL	**39228**	**6.2**	**13**	**3**	**4**	**5**	**8**	**10**	**13**		**53576**	**4.7**	**6**	**2**	**3**	**4**	**6**	**8**	**9**
GRAND TOTAL	**39228**	**6.2**	**13**	**3**	**4**	**5**	**8**	**10**	**13**		**53576**	**4.7**	**6**	**2**	**3**	**4**	**6**	**8**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	4773	4.7	8	2	3	4	6	8	10	18-34	7288	4.3	6	2	3	4	5	7	9
35-49	2479	5.6	12	2	3	5	7	10	11	35-49	5385	4.6	7	2	3	4	6	8	9
50-69	1568	5.9	10	3	4	5	7	10	13	50-69	3709	4.9	8	2	3	4	6	9	10
70 +	304	6.1	12	2	4	5	8	14	57	70 +	761	5.3	9	2	3	5	7	9	12
SUBTOTAL	**9123**	**5.2**	**10**	**2**	**3**	**5**	**6**	**9**	**11**		**17142**	**4.5**	**7**	**2**	**3**	**4**	**6**	**8**	**9**
GRAND TOTAL	**9123**	**5.2**	**10**	**2**	**3**	**5**	**6**	**9**	**11**		**17142**	**4.5**	**7**	**2**	**3**	**4**	**6**	**8**	**9**

DRG 91: Simple Pneumonia & Pleurisy Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	338	7.2	55	2	3	6	8	12	16	0-17	30132	4.3	10	2	2	3	5	8	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	338	7.2	55	2	3	6	8	12	16		30132	4.3	10	2	2	3	5	8	10
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	152	3.6	4	2	2	3	4	7	7	0-17	64293	3.4	4	2	2	3	4	6	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	152	3.6	4	2	2	3	4	7	7		64293	3.4	4	2	2	3	4	6	7
GRAND TOTAL	491	6.1	42	2	2	4	7	11	13		94425	3.7	6	2	2	3	4	6	8

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	24360	5.0	18	2	3	4	6	9	12	0-17	12079	4.3	12	1	2	3	5	8	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	24360	5.0	18	2	3	4	6	9	12		12079	4.3	12	1	2	3	5	8	11
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	48651	3.7	5	2	2	3	5	6	8	0-17	21499	3.3	4	1	2	3	4	6	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	48651	3.7	5	2	2	3	5	6	8		21499	3.3	4	1	2	3	4	6	7
GRAND TOTAL	73011	4.1	10	2	2	3	5	7	9		33578	3.6	7	1	2	3	4	6	8

Total U.S., July 1990 - June 1991

DRG 92: Interstitial Lung Disease w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2073	8.3	50	3	4	7	10	15	19	0-17	338	5.2	15	2	3	4	7	13	17
70-74	1225	9.0	41	3	5	7	12	16	22	18-34	460	6.1	21	2	3	5	8	11	20
75-79	1445	8.4	33	3	4	7	11	16	20	35-49	771	8.0	35	3	4	6	9	16	22
80-84	1022	8.5	31	3	5	7	10	15	18	50-69	1362	6.7	24	2	3	5	9	13	17
85 +	948	9.5	71	3	4	7	11	18	26	70 +	168	7.2	18	4	4	6	7	15	16
SUBTOTAL	**6713**	**8.6**	**45**	**3**	**5**	**7**	**11**	**16**	**21**		**3099**	**6.8**	**26**	**2**	**3**	**5**	**8**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**6713**	**8.6**	**45**	**3**	**5**	**7**	**11**	**16**	**21**		**3099**	**6.8**	**26**	**2**	**3**	**5**	**8**	**14**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	211	7.8	86	1	3	4	7	25	31	0-17	128	5.5	19	1	2	4	8	12	14
18-34	279	7.5	59	2	4	6	9	12	14	18-34	219	5.7	14	2	3	4	9	11	13
35-49	455	8.3	55	2	4	7	9	16	24	35-49	334	8.3	45	1	4	6	11	17	21
50-69	357	8.3	52	2	4	5	11	20	28	50-69	281	5.6	17	2	3	4	7	11	14
70 +	55	5.3	15	1	2	6	8	12	13	70 +	123	9.8	90	3	6	7	11	13	29
SUBTOTAL	**1358**	**7.9**	**58**	**2**	**3**	**6**	**9**	**16**	**25**		**1084**	**6.9**	**36**	**2**	**3**	**6**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1358**	**7.9**	**58**	**2**	**3**	**6**	**9**	**16**	**25**		**1084**	**6.9**	**36**	**2**	**3**	**6**	**9**	**13**	**17**

DRG 93: Interstitial Lung Disease w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	407	6.7	24	2	3	6	8	13	15
70-74	290	6.8	31	2	2	5	10	14	16
75-79	290	5.2	13	2	3	4	7	11	12
80-84	224	5.7	15	2	3	4	8	13	16
85 +	156	7.7	26	3	4	7	8	15	20
SUBTOTAL	**1367**	**6.3**	**22**	**2**	**3**	**5**	**8**	**13**	**16**
GRAND TOTAL	**1367**	**6.3**	**22**	**2**	**3**	**5**	**8**	**13**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	475	3.8	6	2	2	3	5	7	10
18-34	379	4.0	8	< 1	2	3	5	8	10
35-49	508	4.2	4	2	3	4	5	7	8
50-69	502	5.7	28	1	2	5	8	10	15
70 +	46	5.9	1	4	5	6	7	7	7
	1910	**4.5**	**12**	**1**	**2**	**4**	**6**	**8**	**10**
	1910	**4.5**	**12**	**1**	**2**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	284	4.0	5	2	2	4	5	7	9
18-34	72	5.1	6	2	3	5	7	9	9
35-49	69	6.4	27	2	3	4	10	15	18
50-69	49	4.0	7	< 1	2	3	6	9	9
70 +	6	7.0							
SUBTOTAL	**479**	**4.5**	**9**	**2**	**2**	**4**	**6**	**9**	**9**
GRAND TOTAL	**479**	**4.5**	**9**	**2**	**2**	**4**	**6**	**9**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	116	4.1	8	1	2	4	5	8	11
18-34	96	3.7	7	1	1	3	5	8	10
35-49	197	5.0	10	1	3	4	6	11	11
50-69	164	5.8	41	2	2	3	8	13	13
70 +	35	5.1	14						
	609	**4.8**	**18**	**1**	**2**	**3**	**6**	**11**	**12**
	609	**4.8**	**18**	**1**	**2**	**3**	**6**	**11**	**12**

DRG 94: Pneumothorax w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2880	8.3	57	3	4	6	10	15	21	0-17	540	5.0	18	2	2	4	6	8	11
70-74	1719	8.8	52	3	4	6	11	20	26	18-34	2176	6.7	28	2	3	5	8	13	17
75-79	1498	9.3	61	3	4	7	11	18	25	35-49	1996	7.1	73	2	3	5	8	11	17
80-84	1121	9.6	39	4	5	8	12	19	24	50-69	2445	7.3	29	3	4	6	9	14	17
85 +	859	9.5	84	3	5	8	11	17	21	70 +	385	11.7	78	3	7	9	14	19	26
SUBTOTAL	**8078**	**8.9**	**57**	**3**	**4**	**7**	**11**	**17**	**24**		**7543**	**7.1**	**44**	**2**	**4**	**5**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**8078**	**8.9**	**57**	**3**	**4**	**7**	**11**	**17**	**24**		**7543**	**7.1**	**44**	**2**	**4**	**5**	**9**	**13**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	177	7.6	26	3	4	6	10	15	22	0-17	216	5.1	10	2	3	4	7	9	13
18-34	1040	6.5	28	2	3	5	9	11	18	18-34	2254	5.9	24	2	3	5	8	12	14
35-49	554	8.3	49	3	4	6	10	16	23	35-49	1185	7.1	37	3	4	5	8	12	20
50-69	450	10.8	92	3	5	7	12	24	31	50-69	691	7.0	25	2	4	6	9	14	16
70 +	0									70 +	141	5.7	9	2	4	5	6	10	13
SUBTOTAL	**2222**	**7.9**	**49**	**3**	**4**	**6**	**9**	**15**	**22**		**4486**	**6.3**	**27**	**2**	**3**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2222**	**7.9**	**49**	**3**	**4**	**6**	**9**	**15**	**22**		**4486**	**6.3**	**27**	**2**	**3**	**5**	**8**	**12**	**15**

DRG 95: Pneumothorax w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	531	5.3	19	2	2	4	6	12	15	0-17	1612	3.7	7	1	2	3	5	7	9
70-74	343	5.4	15	2	3	4	7	12	15	18-34	6608	4.3	9	1	2	4	5	8	10
75-79	273	5.3	16	1	3	4	6	10	13	35-49	2718	4.3	10	1	2	4	5	8	10
80-84	108	3.9	5	1	2	3	6	7	8	50-69	1189	4.6	11	2	3	4	6	8	11
85 +	208	5.3	17	2	3	4	6	9	15	70 +	86	4.7	8	2	3	4	7	7	13
SUBTOTAL	**1463**	**5.2**	**16**	**2**	**3**	**4**	**6**	**11**	**14**		**12213**	**4.3**	**9**	**1**	**2**	**4**	**5**	**8**	**10**
GRAND TOTAL	**1463**	**5.2**	**16**	**2**	**3**	**4**	**6**	**11**	**14**		**12213**	**4.3**	**9**	**1**	**2**	**4**	**5**	**8**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	389	3.5	6	1	2	3	4	6	9	0-17	710	3.6	5	1	2	3	5	7	8
18-34	1673	4.8	17	2	3	4	6	9	11	18-34	5303	4.1	7	1	2	4	5	7	9
35-49	327	4.5	7	1	3	4	5	9	9	35-49	1269	4.9	11	2	3	4	6	9	12
50-69	130	3.9	4	1	2	3	5	7	7	50-69	333	4.1	7	2	3	3	4	6	8
70 +	36	9.1	10							70 +	55	5.2	10	2	3	4	6	7	14
SUBTOTAL	**2555**	**4.6**	**14**	**1**	**3**	**4**	**6**	**9**	**10**		**7670**	**4.2**	**8**	**1**	**2**	**4**	**5**	**8**	**9**
GRAND TOTAL	**2555**	**4.6**	**14**	**1**	**3**	**4**	**6**	**9**	**10**		**7670**	**4.2**	**8**	**1**	**2**	**4**	**5**	**8**	**9**

DRG 96: Bronchitis & Asthma Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	50234	6.9	27	3	4	6	8	12	15
70-74	32676	7.1	24	3	4	6	9	12	15
75-79	29256	7.1	27	3	4	6	9	12	16
80-84	20533	7.3	27	3	4	6	9	13	16
85+	16133	7.4	26	3	4	6	9	13	17
SUBTOTAL	**148833**	**7.1**	**26**	**3**	**4**	**6**	**9**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**148833**	**7.1**	**26**	**3**	**4**	**6**	**9**	**12**	**16**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	7277	4.5	13	2	2	4	6	8	11
35-49	12888	5.3	15	2	3	4	7	10	12
50-69	28047	6.1	17	2	4	5	7	10	13
70+	2407	6.5	17	3	4	5	8	12	16
	50619	**5.7**	**16**	**2**	**3**	**5**	**7**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	50619	**5.7**	**16**	**2**	**3**	**5**	**7**	**10**	**13**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	5340	4.7	16	2	3	4	6	9	11
35-49	6395	5.4	16	2	3	4	7	10	12
50-69	9226	6.3	21	2	3	5	8	11	14
70+	626	9.6	171	2	4	6	10	16	27
SUBTOTAL	**21586**	**5.7**	**23**	**2**	**3**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**21586**	**5.7**	**23**	**2**	**3**	**5**	**7**	**10**	**13**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	3858	4.1	15	1	2	3	5	8	10
35-49	4343	4.6	9	2	2	4	6	9	10
50-69	6743	5.1	11	2	3	4	6	9	11
70+	1123	5.6	9	2	3	5	7	10	12
	16067	**4.8**	**12**	**2**	**3**	**4**	**6**	**9**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	16067	**4.8**	**12**	**2**	**3**	**4**	**6**	**9**	**10**

DRG 97: Bronchitis & Asthma Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	11859	4.9	9	2	3	4	6	8	11	0-17	0								
70-74	5715	5.2	21	2	3	4	6	9	10	18-34	21792	3.4	5	1	2	3	4	6	7
75-79	4934	5.5	21	2	3	5	7	9	10	35-49	23653	4.0	6	2	2	3	5	7	8
80-84	3103	5.6	17	2	3	5	7	9	11	50-69	17304	4.4	7	2	3	4	6	8	9
85 +	2637	5.6	14	2	3	5	7	9	12	70 +	619	4.1	7	2	2	3	6	8	9
SUBTOTAL	**28247**	**5.2**	**15**	**2**	**3**	**5**	**6**	**9**	**11**		**63368**	**3.9**	**6**	**2**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**28247**	**5.2**	**15**	**2**	**3**	**5**	**6**	**9**	**11**		**63368**	**3.9**	**6**	**2**	**2**	**3**	**5**	**7**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	10590	3.4	4	1	2	3	4	6	7	18-34	11064	3.1	3	1	2	3	4	5	6
35-49	6524	4.1	7	2	2	3	5	7	9	35-49	8593	3.7	5	1	2	3	5	7	8
50-69	3935	4.7	9	2	3	4	6	8	10	50-69	4542	4.1	6	1	2	4	5	7	9
70 +	309	3.9	5	1	2	4	5	6	7	70 +	480	4.4	14	1	2	3	5	8	9
SUBTOTAL	**21359**	**3.8**	**6**	**1**	**2**	**3**	**5**	**7**	**8**		**24680**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**21359**	**3.8**	**6**	**1**	**2**	**3**	**5**	**7**	**8**		**24680**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**8**

DRG 98: Bronchitis & Asthma Age 0-17

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	105	5.2	6	2	3	6	7	10	10
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**105**	**5.2**	**6**	**2**	**3**	**6**	**7**	**10**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	295	2.8	3	1	2	2	3	5	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**295**	**2.8**	**3**	**1**	**2**	**2**	**3**	**5**	**5**
GRAND TOTAL	**400**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	31285	3.6	7	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	31285	**3.6**	**7**	**1**	**2**	**3**	**4**	**6**	**8**
0-17	123873	2.7	3	1	2	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	123873	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**6**
	155158	**2.9**	**4**	**1**	**2**	**2**	**3**	**5**	**6**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	29001	3.9	9	1	2	3	5	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**29001**	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	102281	3.0	4	1	2	3	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**102281**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**131282**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	15269	3.3	6	1	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	15269	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**7**
0-17	57738	2.5	3	1	2	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	57738	**2.5**	**3**	**1**	**2**	**2**	**3**	**4**	**5**
	73007	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**6**

DRG 99: Respiratory Signs & Symptoms w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10195	4.7	20	1	2	4	6	9	12	0-17	2615	4.7	21	1	2	3	6	10	14
70-74	6288	5.2	18	2	2	4	6	10	13	18-34	1139	3.8	17	1	1	3	5	8	12
75-79	5683	5.1	23	2	2	4	6	10	13	35-49	3531	3.4	8	1	2	2	4	7	9
80-84	3566	5.8	47	2	3	4	7	11	15	50-69	7559	4.4	15	1	2	3	5	8	11
85 +	2582	5.9	29	2	3	4	7	11	15	70 +	649	6.4	50	2	3	4	7	13	25
SUBTOTAL	**28313**	**5.2**	**25**	**2**	**2**	**4**	**6**	**10**	**13**		**15494**	**4.2**	**17**	**1**	**2**	**3**	**5**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**28313**	**5.2**	**25**	**2**	**2**	**4**	**6**	**10**	**13**		**15494**	**4.2**	**17**	**1**	**2**	**3**	**5**	**8**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	2580	5.7	39	1	2	4	7	11	16	0-17	917	6.0	80	2	2	3	6	11	19
18-34	612	4.6	23	1	1	3	6	10	14	18-34	724	3.1	11	1	1	2	3	6	10
35-49	1158	5.0	40	1	2	3	5	9	14	35-49	1372	2.8	4	1	2	2	3	5	7
50-69	2060	4.5	15	1	2	4	5	10	13	50-69	2002	3.9	12	1	2	3	5	8	10
70 +	164	5.9	20	2	3	5	7	10	20	70 +	431	4.3	10	1	2	4	6	8	11
SUBTOTAL	**6574**	**5.1**	**30**	**1**	**2**	**4**	**6**	**10**	**14**		**5447**	**3.9**	**22**	**1**	**2**	**3**	**4**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**6574**	**5.1**	**30**	**1**	**2**	**4**	**6**	**10**	**14**		**5447**	**3.9**	**22**	**1**	**2**	**3**	**4**	**8**	**10**

DRG 100: Respiratory Signs & Symptoms w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4485	2.8	6	1	1	2	3	5	7	0-17	6532	2.6	5	1	1	2	3	5	6
70-74	2530	2.8	4	1	1	2	4	5	6	18-34	2772	2.2	4	1	1	2	3	4	5
75-79	1935	3.1	4	1	2	3	4	6	7	35-49	10112	2.2	2	1	1	2	3	4	5
80-84	1316	3.3	10	1	2	3	4	6	8	50-69	10066	2.4	5	1	1	2	3	4	6
85+	872	3.1	4	1	2	3	4	7	8	70+	290	2.6	3	1	1	2	4	5	6
SUBTOTAL	**11139**	**2.9**	**6**	**1**	**2**	**2**	**4**	**5**	**7**		**29770**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**11139**	**2.9**	**6**	**1**	**2**	**2**	**4**	**5**	**7**		**29770**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6910	3.2	8	1	1	2	4	6	8	0-17	2742	2.9	9	1	1	2	3	6	7
18-34	576	2.7	6	1	1	2	3	5	7	18-34	1103	1.9	1	1	1	2	2	4	4
35-49	1046	2.6	5	1	1	2	3	5	6	35-49	3239	2.2	3	1	1	2	3	4	5
50-69	964	2.9	3	1	2	3	4	5	6	50-69	2170	2.2	2	1	1	2	3	4	5
70+	111	3.8	5	1	2	3	6	7	8	70+	138	1.8	1	<1	1	1	2	4	4
SUBTOTAL	**9607**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**		**9394**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**9607**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**		**9394**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 101: Other Respiratory System Diagnoses w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5056	6.3	24	2	3	5	8	12	15	0-17	2433	6.4	47	1	2	4	8	15	19
70-74	3770	6.5	43	2	3	5	8	12	15	18-34	1854	5.0	23	1	2	4	6	10	14
75-79	3242	7.2	59	2	3	5	9	14	17	35-49	2738	5.1	22	1	2	4	7	10	12
80-84	2609	7.5	66	2	3	5	9	15	20	50-69	4679	5.6	16	2	3	5	8	11	13
85 +	2444	6.9	23	2	3	6	9	13	17	70 +	700	5.5	18	2	3	4	7	11	13
SUBTOTAL	**17121**	**6.8**	**42**	**2**	**3**	**5**	**9**	**13**	**16**		**12404**	**5.5**	**24**	**1**	**2**	**4**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**17121**	**6.8**	**42**	**2**	**3**	**5**	**9**	**13**	**16**		**12404**	**5.5**	**24**	**1**	**2**	**4**	**7**	**11**	**15**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1404	5.2	44	1	2	3	6	14	17	0-17	813	7.3	78	1	1	4	11	16	24
18-34	881	6.4	25	2	2	5	8	14	18	18-34	1218	4.0	14	1	2	3	5	9	11
35-49	526	5.7	35	1	3	4	8	9	12	35-49	1067	4.5	18	1	2	3	6	8	13
50-69	740	5.8	74	1	2	4	6	11	14	50-69	881	6.2	35	1	3	5	7	12	25
70 +	96	7.7	40	1	4	6	12	20	21	70 +	225	5.3	19	2	3	4	7	10	13
SUBTOTAL	**3647**	**5.8**	**44**	**1**	**2**	**4**	**7**	**13**	**16**		**4204**	**5.3**	**33**	**1**	**2**	**4**	**6**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3647**	**5.8**	**44**	**1**	**2**	**4**	**7**	**13**	**16**		**4204**	**5.3**	**33**	**1**	**2**	**4**	**6**	**12**	**15**

DRG 102: Other Respiratory System Diagnoses w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1049	3.6	9	1	1	2	5	7	9
70-74	695	4.2	12	1	2	3	5	9	10
75-79	589	4.0	9	1	2	3	5	9	10
80-84	538	5.4	32	1	2	4	6	12	17
85 +	610	4.9	15	1	2	4	6	10	15
SUBTOTAL	**3482**	**4.3**	**15**	**1**	**2**	**3**	**5**	**9**	**12**
GRAND TOTAL	**3482**	**4.3**	**15**	**1**	**2**	**3**	**5**	**9**	**12**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	4677	2.5	12	1	1	2	3	4	6
18-34	1538	2.5	5	1	1	2	3	5	6
35-49	2111	2.7	5	1	1	2	3	5	6
50-69	2088	3.2	6	1	2	2	4	6	8
70 +	234	4.1	9	1	2	3	5	9	10
	10648	**2.7**	**9**	**1**	**1**	**2**	**3**	**5**	**7**
	10648	**2.7**	**9**	**1**	**1**	**2**	**3**	**5**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3139	3.3	46	1	1	2	4	6	7
18-34	512	4.2	35	1	1	2	4	10	12
35-49	290	3.7	8	1	1	3	5	7	8
50-69	195	4.9	34	1	2	3	6	11	19
70 +	23	2.0	1						
SUBTOTAL	**4159**	**3.5**	**41**	**1**	**1**	**2**	**4**	**6**	**9**
GRAND TOTAL	**4159**	**3.5**	**41**	**1**	**1**	**2**	**4**	**6**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1858	2.3	3	1	1	2	3	5	6
18-34	1038	2.4	3	1	1	2	3	4	6
35-49	676	2.8	6	1	1	2	3	6	8
50-69	661	2.7	5	1	1	2	4	5	7
70 +	103	5.4	98	1	2	2	4	13	45
	4337	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
	4337	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 103: Heart Transplant

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	140	22.8	229	10	14	16	31	67	99+	0-17	93	28.0	165	7	22	31	43	46	79
70-74	0									18-34	29	58.3	267						
75-79	0									35-49	93	32.1	623	11	16	24	51	93	99+
80-84	0									50-69	249	23.1	307	9	11	16	31	51	57
85+	0									70+	0								
SUBTOTAL	**140**	**22.8**	**229**	**10**	**14**	**16**	**31**	**67**	**99+**		**463**	**28.1**	**412**	**9**	**13**	**22**	**43**	**68**	**96**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	27	14.7	45							0-17	18	13.1	26						
70-74	0									18-34	6	10.0							
75-79	0									35-49	17	13.7	12						
80-84	0									50-69	38	17.3	221	10	10	11	15	54	54
85+	0									70+	0								
SUBTOTAL	**27**	**14.7**	**45**								**79**	**15.0**	**119**	**10**	**10**	**11**	**16**	**21**	**54**
GRAND TOTAL	**167**	**21.5**	**207**	**10**	**12**	**16**	**30**	**65**	**99+**		**542**	**26.2**	**390**	**9**	**12**	**20**	**39**	**64**	**94**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	37	36.0	597	12	17	68	99+	99+	99+	0-17	13	19.0							
18-34	39	19.3	74							18-34	32	21.5	55						
35-49	32	31.1	427							35-49	33	16.1	29						
50-69	16	81.9	9							50-69	69	24.2	187	11	16	20	33	63	99+
70+	0									70+	0								
SUBTOTAL	**124**	**35.3**	**672**	**10**	**14**	**31**	**68**	**99+**	**99+**		**147**	**21.4**	**116**	**11**	**16**	**19**	**27**	**33**	**63**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	17.0								0-17	0								
18-34	6	17.0								18-34	0								
35-49	5	13.0								35-49	6	11.0							
50-69	0									50-69	10	12.0							
70+	0									70+	0								
SUBTOTAL	**16**	**15.7**	**4**								**16**	**11.6**							
GRAND TOTAL	**141**	**33.0**	**633**	**11**	**14**	**22**	**68**	**99+**	**99+**		**163**	**20.4**	**113**	**11**	**13**	**16**	**27**	**33**	**63**

DRG 104: Cardiac Valve Procedures w/ Cardiac Cath

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3170	19.7	143	10	12	17	23	34	43	0-17	460	18.4	219	7	9	14	26	52	99 +
70-74	2807	20.0	131	10	13	17	24	34	41	18-34	89	17.2	97	7	8	17	24	35	36
75-79	2257	20.7	125	10	13	18	25	36	44	35-49	731	17.0	105	8	9	14	22	29	39
80-84	1030	23.4	146	12	14	21	29	36	47	50-69	3031	18.5	130	9	11	15	22	32	42
85 +	181	20.9	133	10	14	16	24	36	44	70 +	319	19.7	103	10	13	17	24	32	45
SUBTOTAL	**9444**	**20.5**	**137**	**10**	**13**	**17**	**25**	**35**	**44**		**4629**	**18.3**	**133**	**8**	**10**	**15**	**22**	**34**	**43**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	258	16.1	62	9	10	15	20	27	36	0-17	74	8.4	19	2	6	7	11	13	18
70-74	210	13.2	34	7	9	13	16	20	29	18-34	44	9.7	18	6	6	7	12	18	18
75-79	186	14.8	39	8	11	13	17	24	28	35-49	99	10.1	14	6	7	9	13	16	18
80-84	59	14.4	16	9	10	14	18	19	21	50-69	404	14.3	57	7	9	11	17	26	30
85 +	23	11.4	8							70 +	6	15.0							
SUBTOTAL	**736**	**14.7**	**45**	**8**	**10**	**13**	**17**	**22**	**29**		**627**	**12.6**	**48**	**6**	**8**	**10**	**16**	**24**	**28**
GRAND TOTAL	**10180**	**20.0**	**132**	**10**	**12**	**17**	**24**	**34**	**42**		**5256**	**17.6**	**126**	**8**	**10**	**14**	**22**	**32**	**42**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	147	25.1	375	8	10	19	39	60	61	0-17	154	27.1	327	7	11	24	41	50	64
18-34	122	23.7	349	9	10	17	26	71	71	18-34	72	18.5	184	6	7	13	34	39	41
35-49	130	22.9	189	8	12	21	28	46	50	35-49	229	22.7	238	9	11	17	34	46	61
50-69	338	22.6	168	13	15	19	27	47	64	50-69	620	15.2	70	8	9	13	19	25	27
70 +	11	18.3	78							70 +	113	17.4	215	7	9	13	22	37	65
SUBTOTAL	**750**	**23.3**	**241**	**9**	**13**	**19**	**27**	**49**	**62**		**1188**	**18.6**	**175**	**8**	**10**	**14**	**23**	**38**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	38	13.4	60	1	8	15	19	26	26	0-17	24	7.5	2						
18-34	16	11.5	18							18-34	6	8.0							
35-49	6	14.0								35-49	34	7.0	4	4	6	7	9	10	10
50-69	10	11.0	4							50-69	51	8.4	3	6	7	8	10	11	11
70 +	11	26.0	10							70 +	11	9.7	10						
SUBTOTAL	**81**	**14.5**	**55**	**6**	**9**	**14**	**19**	**26**	**29**		**126**	**7.9**	**4**	**6**	**7**	**7**	**10**	**10**	**11**
GRAND TOTAL	**831**	**22.4**	**229**	**9**	**13**	**19**	**26**	**47**	**61**		**1314**	**17.6**	**168**	**7**	**9**	**13**	**21**	**37**	**46**

DRG 105: Cardiac Valve Procedures w/o Cardiac Cath

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4202	13.7	69	8	9	11	15	22	29	0-17	1664	11.8	117	5	6	8	14	22	33
70-74	3501	13.3	54	8	9	11	15	21	31	18-34	466	12.3	63	6	8	9	15	23	35
75-79	2534	14.9	68	8	10	13	17	24	32	35-49	1438	10.9	52	7	8	9	11	16	21
80-84	1021	14.2	60	8	10	12	16	23	29	50-69	4664	12.7	71	7	8	10	14	21	28
85 +	269	16.1	106	9	11	12	17	30	41	70 +	294	12.7	23	8	9	11	14	20	22
SUBTOTAL	**11525**	**13.9**	**65**	**8**	**9**	**11**	**16**	**23**	**31**		**8526**	**12.2**	**75**	**7**	**8**	**9**	**14**	**21**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	509	9.2	7	7	8	8	10	13	15	0-17	593	6.8	8	4	5	6	8	9	14
70-74	460	10.2	11	8	8	9	11	13	16	18-34	194	7.5	2	6	6	7	8	9	10
75-79	250	10.1	6	8	8	10	11	15	16	35-49	414	8.5	19	6	7	8	9	10	12
80-84	115	12.4	22	7	9	11	14	22	22	50-69	949	9.0	10	6	7	8	10	12	13
85 +	29	10.3	10							70 +	65	9.7	16	7	7	8	10	12	22
SUBTOTAL	**1364**	**10.0**	**10**	**7**	**8**	**9**	**11**	**14**	**16**		**2215**	**8.2**	**12**	**5**	**7**	**8**	**9**	**11**	**13**
GRAND TOTAL	**12890**	**13.5**	**60**	**8**	**9**	**11**	**15**	**22**	**29**		**10741**	**11.4**	**65**	**6**	**7**	**9**	**12**	**19**	**25**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	598	14.5	263	6	7	8	15	34	51	0-17	519	10.8	73	6	7	8	11	17	32
18-34	295	15.7	97	7	9	12	20	39	45	18-34	253	12.4	62	6	8	9	12	29	31
35-49	309	15.5	147	7	8	10	16	36	46	35-49	497	14.5	111	7	8	11	17	25	37
50-69	515	17.2	214	8	9	11	19	36	49	50-69	881	11.5	50	7	8	9	12	18	25
70 +	35	24.2	42							70 +	141	12.4	49	7	9	10	14	22	23
SUBTOTAL	**1753**	**15.9**	**198**	**7**	**8**	**11**	**18**	**36**	**46**		**2290**	**12.2**	**71**	**6**	**8**	**9**	**13**	**22**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	165	8.8	73	5	6	6	8	14	14	0-17	101	8.4	33	5	6	7	8	12	31
18-34	96	8.6	5	6	7	8	9	11	14	18-34	79	7.5	6	5	6	8	9	10	12
35-49	57	11.7	37	6	8	10	11	24	24	35-49	126	10.1	27	6	7	8	12	15	18
50-69	86	11.4	20	8	10	11	11	14	27	50-69	142	9.0	8	6	7	9	10	15	15
70 +	0									70 +	32	9.8	2	8	9	9	10	13	13
SUBTOTAL	**404**	**9.7**	**42**	**6**	**6**	**8**	**11**	**14**	**23**		**481**	**9.0**	**18**	**6**	**7**	**8**	**10**	**13**	**15**
GRAND TOTAL	**2156**	**14.7**	**175**	**6**	**8**	**10**	**15**	**34**	**43**		**2771**	**11.6**	**63**	**6**	**7**	**9**	**12**	**21**	**29**

DRG 106: Coronary Bypass w/ Cardiac Cath

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	18096	14.7	59	8	10	13	17	24	29	0-17	0								
70-74	14205	15.8	77	8	10	14	18	26	32	18-34	150	10.6	31	6	8	9	12	18	23
75-79	9344	17.4	86	9	11	15	21	29	37	35-49	5309	11.7	32	7	8	10	13	19	23
80-84	3045	18.2	89	10	12	16	22	28	35	50-69	22882	13.1	41	8	9	11	15	20	24
85 +	551	20.7	192	10	13	16	23	40	52	70 +	1247	15.8	81	8	10	13	17	28	37
SUBTOTAL	**45241**	**15.9**	**75**	**8**	**10**	**14**	**19**	**26**	**32**		**29588**	**12.9**	**41**	**7**	**9**	**11**	**15**	**20**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3027	11.5	18	7	9	11	13	17	20	0-17	0								
70-74	2036	12.2	21	7	9	11	14	18	22	18-34	66	9.6	15	6	8	8	9	16	19
75-79	1047	12.2	17	8	9	12	15	18	20	35-49	2088	10.3	11	7	8	10	12	15	17
80-84	256	13.9	31	8	10	13	16	22	28	50-69	5895	10.8	11	7	8	10	13	15	17
85 +	56	15.9	37	9	12	13	23	26	26	70 +	163	12.1	24	8	8	11	14	17	18
SUBTOTAL	**6422**	**12.0**	**20**	**8**	**9**	**11**	**14**	**18**	**21**		**8212**	**10.7**	**12**	**7**	**8**	**10**	**13**	**15**	**17**
GRAND TOTAL	**51663**	**15.4**	**70**	**8**	**10**	**13**	**18**	**25**	**31**		**37800**	**12.4**	**36**	**7**	**9**	**11**	**14**	**19**	**23**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	21.0								0-17	0								
18-34	39	9.0	4	7	7	9	9	13	13	18-34	23	10.6	12						
35-49	461	14.0	84	7	8	11	15	25	33	35-49	1107	11.4	39	6	8	10	13	18	25
50-69	1510	17.5	111	9	11	14	20	30	42	50-69	4341	12.3	42	7	8	11	14	20	25
70 +	57	16.7	66	7	9	16	21	31	33	70 +	726	12.7	39	7	9	11	14	21	26
SUBTOTAL	**2072**	**16.6**	**104**	**8**	**10**	**14**	**19**	**28**	**38**		**6197**	**12.2**	**41**	**7**	**8**	**11**	**14**	**20**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	16	11.9	14						
35-49	125	12.1	14	7	9	12	14	18	18	35-49	426	9.8	14	6	7	10	11	13	15
50-69	272	14.9	59	8	9	13	18	24	29	50-69	927	10.2	15	6	8	9	11	15	18
70 +	26	15.5	12							70 +	77	11.3	16	8	9	10	11	17	22
SUBTOTAL	**423**	**14.1**	**44**	**8**	**9**	**13**	**17**	**21**	**25**		**1447**	**10.2**	**14**	**6**	**8**	**10**	**11**	**15**	**18**
GRAND TOTAL	**2495**	**16.1**	**95**	**8**	**10**	**13**	**19**	**27**	**36**		**7644**	**11.8**	**36**	**7**	**8**	**10**	**14**	**19**	**24**

DRG 107: Coronary Bypass w/o Cardiac Cath

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	15557	11.2	40	7	8	9	12	17	22	0-17	0								
70-74	12023	11.9	51	7	8	10	13	18	25	18-34	114	8.2	6	6	7	7	9	11	12
75-79	6344	12.5	50	8	9	10	14	20	25	35-49	4592	8.5	17	6	7	8	9	11	13
80-84	1653	13.6	68	8	9	11	15	22	28	50-69	23105	9.7	23	7	7	8	10	14	17
85 +	201	12.7	18	8	9	12	14	20	22	70 +	1043	10.7	31	7	8	9	11	16	20
SUBTOTAL	**35778**	**11.8**	**47**	**7**	**8**	**10**	**13**	**18**	**24**		**28855**	**9.5**	**23**	**6**	**7**	**8**	**10**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3033	8.6	7	6	7	8	9	11	13	0-17	0								
70-74	2005	8.9	8	6	7	8	10	12	14	18-34	29	7.0							
75-79	1059	9.5	8	7	8	9	10	13	14	35-49	1762	7.7	5	6	6	7	8	10	11
80-84	217	10.8	21	7	8	9	12	17	25	50-69	5960	8.1	5	6	7	8	9	10	12
85 +	25	10.6	7							70 +	84	7.7	3	4	7	8	9	9	10
SUBTOTAL	**6338**	**8.9**	**8**	**7**	**7**	**8**	**10**	**12**	**14**		**7835**	**8.0**	**5**	**6**	**7**	**8**	**9**	**10**	**12**
GRAND TOTAL	**42116**	**11.4**	**42**	**7**	**8**	**9**	**12**	**17**	**22**		**36690**	**9.2**	**19**	**6**	**7**	**8**	**10**	**13**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	13	9.0							
18-34	34	9.1	14	6	7	8	9	17	17	18-34	54	7.4	4	5	7	7	7	13	13
35-49	543	9.2	11	6	7	8	10	13	16	35-49	846	9.4	20	6	7	8	10	15	19
50-69	1671	10.9	31	7	8	9	12	16	19	50-69	3533	9.8	26	6	7	8	10	14	19
70 +	103	16.9	101	7	9	11	22	38	38	70 +	462	10.5	31	7	8	9	11	16	20
SUBTOTAL	**2351**	**10.7**	**32**	**7**	**8**	**9**	**12**	**17**	**21**		**4908**	**9.7**	**25**	**6**	**7**	**8**	**10**	**14**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	18	6.6	1							18-34	0								
35-49	155	8.0	6	6	7	8	8	12	12	35-49	234	7.9	11	5	6	7	8	11	11
50-69	271	8.9	10	6	7	8	9	13	15	50-69	780	8.3	17	5	6	8	9	12	17
70 +	27	15.0	82							70 +	46	8.4	2	6	8	8	9	10	10
SUBTOTAL	**471**	**8.9**	**15**	**6**	**7**	**8**	**9**	**13**	**15**		**1061**	**8.2**	**15**	**5**	**6**	**8**	**9**	**11**	**14**
GRAND TOTAL	**2822**	**10.4**	**29**	**7**	**8**	**9**	**11**	**16**	**20**		**5969**	**9.5**	**24**	**6**	**7**	**8**	**10**	**14**	**16**

DRG 108: Other Cardiothoracic Procedures

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2218	14.5	95	7	9	12	16	25	34
70-74	1759	16.6	115	8	10	13	20	29	38
75-79	1004	15.1	55	8	10	13	18	25	29
80-84	284	17.2	116	9	11	13	21	29	41
85 +	12	12.5							
SUBTOTAL	**5277**	**15.5**	**96**	**8**	**9**	**12**	**18**	**26**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	304	9.8	19	6	8	9	10	13	15
70-74	208	10.4	23	7	8	9	13	16	19
75-79	108	10.0	17	7	8	9	12	18	19
80-84	22	17.5	2						
85 +	5	8.0							
SUBTOTAL	**647**	**10.3**	**21**	**7**	**8**	**9**	**12**	**16**	**19**
GRAND TOTAL	**5924**	**14.9**	**90**	**8**	**9**	**12**	**17**	**26**	**34**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	8561	13.8	140	5	7	10	16	26	37
18-34	540	9.0	65	4	6	7	9	13	18
35-49	1040	10.5	50	6	7	9	11	16	24
50-69	2801	11.8	46	6	8	10	14	21	25
70 +	187	16.0	57	8	9	13	22	25	31
	13129	**12.9**	**111**	**6**	**7**	**10**	**15**	**24**	**34**
0-17	4730	6.8	12	4	5	6	8	11	13
18-34	426	4.8	10	1	1	5	6	8	10
35-49	492	7.2	11	2	6	7	8	11	13
50-69	532	9.4	24	6	7	8	11	15	19
70 +	0								
	6180	**6.9**	**14**	**3**	**5**	**6**	**8**	**11**	**14**
	19310	**11.0**	**88**	**5**	**6**	**8**	**12**	**21**	**28**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	2704	13.9	126	6	7	11	17	27	43
18-34	173	12.5	85	5	7	9	13	29	36
35-49	124	18.8	249	7	8	11	21	51	53
50-69	231	16.0	208	7	8	10	14	35	58
70 +	11	20.8	18						
SUBTOTAL	**3242**	**14.2**	**135**	**6**	**7**	**11**	**17**	**29**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2317	7.8	17	5	6	7	9	12	16
18-34	71	7.1	10	2	6	7	8	10	15
35-49	59	8.0	2	7	7	8	8	10	12
50-69	53	12.7	20	6	8	12	16	19	19
70 +	0								
SUBTOTAL	**2500**	**7.9**	**17**	**5**	**6**	**7**	**9**	**12**	**16**
GRAND TOTAL	**5742**	**11.4**	**93**	**5**	**6**	**8**	**13**	**21**	**32**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	3221	13.3	150	5	7	9	15	26	40
18-34	134	8.2	42	4	5	6	8	12	14
35-49	196	11.2	99	6	7	9	11	18	42
50-69	487	13.1	84	7	8	11	14	19	37
70 +	62	12.1	39	6	8	9	16	23	23
	4099	**13.0**	**136**	**5**	**7**	**9**	**15**	**26**	**37**
0-17	1354	7.3	41	2	5	6	9	14	15
18-34	93	6.5	7	2	5	6	8	11	12
35-49	119	4.6	7	1	1	6	6	7	9
50-69	55	9.8	31	5	6	8	13	23	24
70 +	6	11.0							
	1627	**7.2**	**37**	**2**	**5**	**6**	**8**	**13**	**15**
	5727	**11.4**	**115**	**4**	**6**	**8**	**13**	**22**	**32**

DRG 110: Major Cardiovascular Procedures w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	14775	12.8	91	6	8	10	14	22	31	0-17	3368	10.2	127	3	5	7	12	20	29
70-74	12281	13.4	86	7	8	11	15	23	30	18-34	488	12.2	91	4	6	9	15	24	35
75-79	8748	14.4	116	7	8	11	16	25	32	35-49	2236	10.1	57	5	7	9	11	16	22
80-84	3992	15.5	115	7	9	13	19	28	36	50-69	12231	11.6	60	6	8	9	13	19	26
85 +	1412	16.4	105	8	10	14	20	26	36	70 +	929	12.6	67	6	8	10	14	21	31
SUBTOTAL	**41208**	**13.7**	**99**	**7**	**8**	**11**	**16**	**24**	**32**		**19252**	**11.2**	**73**	**5**	**7**	**9**	**13**	**19**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**41208**	**13.7**	**99**	**7**	**8**	**11**	**16**	**24**	**32**		**19252**	**11.2**	**73**	**5**	**7**	**9**	**13**	**19**	**27**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1538	12.3	120	4	6	9	15	30	39	0-17	1220	10.8	98	3	5	8	14	22	30
18-34	213	13.3	152	5	6	7	14	36	41	18-34	297	10.9	63	5	6	8	12	31	39
35-49	410	13.5	121	5	7	10	15	26	34	35-49	703	13.4	158	6	8	9	16	25	33
50-69	1169	14.4	94	7	9	12	17	27	33	50-69	2044	11.6	61	6	7	9	13	19	27
70 +	94	18.3	94	8	10	18	26	31	38	70 +	390	11.1	30	6	7	10	14	21	23
SUBTOTAL	**3424**	**13.4**	**114**	**5**	**7**	**10**	**16**	**29**	**37**		**4655**	**11.6**	**84**	**5**	**7**	**9**	**14**	**22**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3424**	**13.4**	**114**	**5**	**7**	**10**	**16**	**29**	**37**		**4655**	**11.6**	**84**	**5**	**7**	**9**	**14**	**22**	**30**

DRG 111: Major Cardiovascular Procedures w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2698	8.5	17	5	7	8	10	12	14
70-74	2033	8.3	14	4	6	8	10	12	15
75-79	1270	9.2	30	4	7	8	11	14	17
80-84	661	9.5	30	5	7	9	10	14	18
85 +	196	8.3	13	4	5	8	12	13	13
SUBTOTAL	**6858**	**8.6**	**20**	**4**	**7**	**8**	**10**	**12**	**15**
GRAND TOTAL	**6858**	**8.6**	**20**	**4**	**7**	**8**	**10**	**12**	**15**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	3176	5.2	8	2	4	5	6	9	10
18-34	189	4.4	8	1	2	4	6	8	11
35-49	990	6.2	7	3	5	7	8	9	10
50-69	4661	7.7	10	5	6	8	9	11	12
70 +	211	8.8	17	6	7	8	10	12	14
	9227	**6.6**	**11**	**3**	**5**	**6**	**8**	**10**	**12**
	9227	**6.6**	**11**	**3**	**5**	**6**	**8**	**10**	**12**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1398	6.5	40	3	4	5	7	11	14
18-34	51	10.5	200	3	4	7	7	50	50
35-49	79	9.6	57	6	6	7	9	11	36
50-69	200	10.4	51	4	7	9	12	16	23
70 +	18	8.6	6						
SUBTOTAL	**1745**	**7.2**	**48**	**3**	**4**	**6**	**8**	**12**	**16**
GRAND TOTAL	**1745**	**7.2**	**48**	**3**	**4**	**6**	**8**	**12**	**16**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1092	5.5	17	2	3	5	7	10	12
18-34	147	5.4	8	1	4	5	7	9	10
35-49	269	7.8	36	3	5	6	9	11	16
50-69	849	7.8	14	4	6	7	9	13	16
70 +	81	9.7	20	5	7	9	12	17	20
	2438	**6.7**	**19**	**2**	**4**	**6**	**8**	**11**	**14**
	2438	**6.7**	**19**	**2**	**4**	**6**	**8**	**11**	**14**

DRG 112: Percutaneous Cardiovascular Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	27775	6.2	37	2	2	5	8	13	16	0-17	843	3.9	19	1	2	2	4	9	10
70-74	18850	6.2	36	2	2	4	8	12	16	18-34	940	5.4	21	1	2	4	7	11	17
75-79	12269	7.1	35	2	3	6	9	14	18	35-49	12247	5.0	22	1	2	4	7	10	13
80-84	5296	8.0	39	2	3	6	10	16	20	50-69	39772	5.0	19	1	2	3	7	10	13
85 +	1631	9.3	48	2	4	8	13	19	22	70 +	1602	5.9	31	2	2	4	7	14	16
SUBTOTAL	**65822**	**6.6**	**37**	**2**	**3**	**5**	**9**	**13**	**17**		**55403**	**5.0**	**21**	**1**	**2**	**4**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	18418	4.1	10	1	2	3	6	8	10	0-17	2118	2.5	7	1	1	2	3	4	7
70-74	12492	4.3	10	1	2	3	6	8	11	18-34	1901	3.4	7	1	1	2	5	8	9
75-79	6922	4.5	12	1	2	3	6	9	11	35-49	17881	3.9	8	1	2	3	5	8	9
80-84	2641	5.2	16	1	2	4	7	10	13	50-69	40815	4.0	9	1	2	3	5	8	10
85 +	581	6.7	21	2	3	6	9	13	16	70 +	949	4.8	10	1	2	4	7	10	11
SUBTOTAL	**41054**	**4.4**	**11**	**1**	**2**	**3**	**6**	**9**	**11**		**63665**	**3.9**	**9**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**106876**	**5.7**	**29**	**2**	**2**	**4**	**8**	**12**	**15**		**119068**	**4.4**	**14**	**1**	**2**	**3**	**6**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	248	5.4	36	1	1	2	7	16	23	0-17	225	5.6	53	1	2	2	7	12	24
18-34	222	7.5	47	2	3	6	9	21	29	18-34	263	4.5	11	1	2	4	7	10	11
35-49	1339	5.5	23	2	2	4	7	12	16	35-49	2766	5.4	22	1	2	4	7	12	14
50-69	2828	7.2	58	2	3	5	9	14	23	50-69	6290	5.0	19	1	2	4	7	10	12
70 +	229	7.6	26	3	3	6	11	15	19	70 +	768	6.4	41	2	2	4	9	15	18
SUBTOTAL	**4865**	**6.7**	**46**	**2**	**2**	**5**	**9**	**13**	**18**		**10312**	**5.2**	**22**	**1**	**2**	**4**	**7**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	423	2.6	10	1	1	2	3	4	9	0-17	378	2.4	2	1	1	2	2	5	6
18-34	315	3.9	10	1	1	3	5	10	11	18-34	561	3.3	9	1	1	2	4	7	9
35-49	990	5.0	21	1	2	4	6	11	13	35-49	3712	4.0	9	1	2	3	6	8	9
50-69	1579	4.7	18	1	2	3	6	9	12	50-69	6648	4.0	9	1	2	3	6	8	10
70 +	85	5.8	17	2	2	6	8	10	17	70 +	493	4.4	10	1	2	3	6	9	10
SUBTOTAL	**3391**	**4.5**	**18**	**1**	**2**	**3**	**6**	**10**	**12**		**11792**	**3.9**	**9**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**8256**	**5.8**	**36**	**1**	**2**	**4**	**7**	**12**	**16**		**22105**	**4.5**	**16**	**1**	**2**	**3**	**6**	**9**	**12**

DRG 113: Amputation for Circ System Disorders except Upper Limb & Toe

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8015	20.5	261	7	10	16	27	44	62
70-74	5173	20.5	273	7	10	15	26	43	58
75-79	5090	20.1	264	7	10	15	25	42	58
80-84	4880	18.2	196	6	9	14	23	36	50
85 +	6354	15.3	164	5	8	11	18	30	46
SUBTOTAL	**29512**	**18.9**	**236**	**6**	**9**	**14**	**24**	**39**	**56**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	249	11.0	67	3	7	8	13	22	31
70-74	158	13.7	70	5	7	10	22	26	31
75-79	311	14.0	73	6	9	11	19	26	37
80-84	203	8.6	26	4	4	7	11	18	18
85 +	358	10.2	52	3	6	8	13	20	22
SUBTOTAL	**1278**	**11.5**	**62**	**4**	**7**	**9**	**15**	**22**	**29**
GRAND TOTAL	**30790**	**18.6**	**231**	**6**	**9**	**14**	**23**	**38**	**55**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	86	20.4	290	5	5	14	32	54	54
35-49	527	17.1	114	7	9	15	23	31	36
50-69	3186	20.5	178	8	11	17	27	37	47
70 +	399	17.0	135	6	9	14	24	37	53
	4197	**19.7**	**170**	**7**	**10**	**16**	**26**	**37**	**47**
0-17	6	4.0							
18-34	24	13.7	188						
35-49	52	19.2	188	5	9	14	29	42	42
50-69	180	12.9	43	6	8	12	15	21	29
70 +	33	9.8	2						
	295	**13.5**	**83**	**5**	**7**	**12**	**15**	**25**	**36**
	4492	**19.3**	**167**	**7**	**10**	**16**	**25**	**36**	**46**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	85	25.1	164	10	15	22	33	47	47
35-49	462	18.7	164	7	9	15	28	37	48
50-69	1218	21.9	267	7	10	17	28	46	57
70 +	205	16.8	129	8	9	11	23	31	43
SUBTOTAL	**1970**	**20.8**	**228**	**7**	**10**	**16**	**28**	**44**	**54**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	10	7.0							
35-49	41	16.0	121						
50-69	100	12.2	19	6	9	12	15	18	19
70 +	0								
SUBTOTAL	**151**	**12.9**	**50**	**5**	**7**	**11**	**15**	**20**	**32**
GRAND TOTAL	**2121**	**20.2**	**220**	**7**	**10**	**16**	**26**	**42**	**53**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	40	28.5	151						
35-49	350	19.2	142	8	11	15	28	35	39
50-69	886	22.7	321	6	10	18	30	51	67
70 +	280	15.0	121	6	7	10	22	29	41
	1555	**20.7**	**250**	**6**	**9**	**15**	**28**	**44**	**54**
0-17	6	3.0							
18-34	6	8.0							
35-49	16	8.4	4						
50-69	21	18.2	120						
70 +	6	42.0							
	54	**15.2**	**161**	**4**	**7**	**9**	**18**	**41**	**42**
	1609	**20.5**	**248**	**6**	**9**	**15**	**28**	**42**	**54**

DRG 114: Upper Limb & Toe Amputation for Circ System Disorders

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2666	11.6	98	3	5	9	15	23	29	0-17	0								
70-74	1307	13.6	116	3	7	11	17	30	39	18-34	46	7.1	39	< 1	2	5	11	20	20
75-79	1021	10.7	56	3	5	9	14	20	26	35-49	473	10.8	65	3	5	9	13	24	29
80-84	863	14.0	158	5	7	11	15	26	32	50-69	1583	12.7	106	3	6	10	16	29	35
85 +	663	10.6	54	3	7	9	13	20	24	70 +	125	10.6	45	3	6	9	14	22	23
SUBTOTAL	**6521**	**12.1**	**100**	**3**	**5**	**10**	**15**	**24**	**31**		**2228**	**12.1**	**94**	**3**	**5**	**9**	**15**	**27**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	170	7.5	24	2	4	7	10	15	18	0-17	17	1.7							
70-74	114	5.3	6	1	4	5	7	8	9	18-34	29	7.2	67						
75-79	65	10.0	103	1	3	4	16	24	34	35-49	43	5.7	35	< 1	1	3	10	18	18
80-84	75	7.4	7	4	5	7	10	10	13	50-69	143	5.7	18	1	2	4	8	13	13
85 +	70	6.7	13	3	4	7	8	12	15	70 +	6	3.0							
SUBTOTAL	**494**	**7.2**	**28**	**2**	**4**	**7**	**9**	**14**	**18**		**237**	**5.5**	**27**	**1**	**1**	**3**	**8**	**13**	**14**
GRAND TOTAL	**7014**	**11.7**	**97**	**3**	**5**	**9**	**14**	**23**	**30**		**2465**	**11.4**	**91**	**3**	**4**	**9**	**14**	**25**	**31**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	6	10.0							
18-34	67	16.7	159	6	8	14	20	29	52	18-34	67	9.6	57	1	4	8	19	21	22
35-49	244	11.1	85	3	4	9	15	20	27	35-49	158	13.2	92	4	7	12	16	27	28
50-69	498	14.4	176	5	7	10	17	28	40	50-69	481	12.2	54	4	7	10	19	25	27
70 +	37	16.9	103							70 +	68	8.3	39	1	4	6	14	16	22
SUBTOTAL	**846**	**13.8**	**148**	**4**	**6**	**11**	**17**	**27**	**40**		**780**	**11.8**	**62**	**3**	**6**	**10**	**18**	**22**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	27	3.5	4							0-17	16	6.2	20						
18-34	16	2.6								18-34	29	8.0	21						
35-49	11	2.0	1							35-49	40	10.3	82	2	4	10	11	32	32
50-69	56	7.4	10	2	4	8	10	10	12	50-69	54	14.1	49	5	8	14	18	25	25
70 +	0									70 +	6	1.0							
SUBTOTAL	**110**	**5.2**	**11**	**2**	**2**	**4**	**9**	**10**	**10**		**144**	**10.5**	**58**	**3**	**4**	**10**	**14**	**25**	**25**
GRAND TOTAL	**956**	**12.8**	**140**	**3**	**6**	**9**	**15**	**26**	**36**		**924**	**11.6**	**62**	**3**	**5**	**10**	**18**	**22**	**27**

DRG 115: Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	840	13.8	110	5	8	11	17	21	44
70-74	1424	14.2	131	5	8	11	17	27	33
75-79	1500	13.4	69	5	7	12	18	24	30
80-84	1465	13.1	89	5	8	11	15	22	28
85 +	1312	11.7	42	4	7	11	15	19	23
SUBTOTAL	**6541**	**13.2**	**87**	**5**	**8**	**11**	**16**	**22**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	43	6.6	13	2	4	5	9	14	14
70-74	36	10.4	37						
75-79	43	9.0	37	2	4	7	14	21	21
80-84	104	7.2	15	1	6	8	9	12	16
85 +	63	6.5	17	2	4	5	7	14	16
SUBTOTAL	**287**	**7.6**	**23**	**2**	**5**	**7**	**9**	**14**	**16**
GRAND TOTAL	**6828**	**13.0**	**86**	**5**	**7**	**11**	**16**	**22**	**28**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	20.0							
35-49	32	10.6	8						
50-69	360	12.8	70	6	7	11	15	22	30
70 +	123	11.9	25	6	9	12	13	15	22
	521	**12.5**	**56**	**6**	**8**	**12**	**14**	**20**	**28**
0-17	0								
18-34	11	9.6	2						
35-49	0								
50-69	26	9.2	10						
70 +	12	13.0							
	49	**10.3**	**8**	**6**	**8**	**11**	**13**	**14**	**14**
	570	**12.4**	**52**	**6**	**8**	**12**	**14**	**20**	**27**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	22	19.5	7						
50-69	46	15.1	37	8	11	13	18	25	25
70 +	44	11.5	26						
SUBTOTAL	**112**	**14.6**	**35**	**7**	**10**	**15**	**18**	**24**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**112**	**14.6**	**35**	**7**	**10**	**15**	**18**	**24**	**24**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	43.0							
18-34	13	24.0							
35-49	24	15.9	46						
50-69	100	18.7	366	5	9	11	20	66	66
70 +	93	14.9	102	5	8	13	21	31	36
	236	**17.8**	**220**	**5**	**9**	**13**	**23**	**35**	**59**
0-17	0								
18-34	0								
35-49	6	12.0							
50-69	10	11.5							
70 +	6	13.0							
	22	**12.0**	**1**						
	258	**17.3**	**204**	**5**	**9**	**12**	**21**	**31**	**43**

DRG 116: Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5418	7.6	47	2	4	6	9	14	20
70-74	7744	7.3	36	2	4	6	9	14	17
75-79	10134	8.1	54	2	4	6	10	15	20
80-84	8938	8.4	55	3	4	6	10	16	21
85 +	8863	8.7	43	3	4	7	11	17	23
SUBTOTAL	**41096**	**8.1**	**48**	**2**	**4**	**6**	**10**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2994	4.7	16	1	2	4	6	9	11
70-74	3456	4.4	12	1	2	3	6	8	10
75-79	4222	4.7	11	2	2	4	6	9	11
80-84	4197	4.7	10	1	2	4	6	9	11
85 +	3171	5.1	14	1	3	4	7	10	12
SUBTOTAL	**18041**	**4.7**	**12**	**1**	**2**	**4**	**6**	**9**	**11**
GRAND TOTAL	**59137**	**7.0**	**39**	**2**	**3**	**5**	**9**	**14**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	327	7.2	90	2	3	4	7	11	41
18-34	360	5.8	20	2	3	5	8	11	15
35-49	549	5.2	17	1	3	4	6	10	13
50-69	3170	7.2	49	2	3	6	9	13	16
70 +	922	6.4	22	2	4	5	8	12	16
	5328	**6.8**	**42**	**2**	**3**	**5**	**8**	**12**	**16**
0-17	309	4.2	5	1	2	4	6	7	8
18-34	283	4.0	6	1	2	3	6	7	8
35-49	493	4.5	13	1	2	3	6	10	14
50-69	2780	4.3	10	1	2	3	6	8	10
70 +	537	4.3	9	2	2	4	5	7	9
	4402	**4.3**	**10**	**1**	**2**	**3**	**6**	**8**	**10**
	9730	**5.6**	**29**	**2**	**3**	**4**	**7**	**11**	**14**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	71	9.3	42	2	5	8	15	17	24
18-34	61	7.2	10	4	5	7	9	12	12
35-49	78	12.8	479	2	5	7	10	11	90
50-69	388	9.2	64	2	4	8	11	17	21
70 +	149	12.0	98	2	6	9	17	28	28
SUBTOTAL	**746**	**10.0**	**109**	**2**	**5**	**8**	**11**	**18**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	117	7.6	42	2	3	5	13	22	22
18-34	60	5.5	14	1	3	5	8	11	11
35-49	60	8.7	25	2	4	11	12	16	18
50-69	144	5.0	9	2	2	4	8	9	10
70 +	60	6.2	16	2	3	5	8	14	14
SUBTOTAL	**441**	**6.4**	**23**	**2**	**3**	**5**	**9**	**13**	**17**
GRAND TOTAL	**1188**	**8.7**	**80**	**2**	**4**	**7**	**11**	**17**	**22**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	5.8	9	2	3	5	7	11	11
18-34	50	7.2	8	1	7	7	9	10	11
35-49	142	7.5	22	1	5	7	10	13	17
50-69	604	6.0	27	2	3	4	7	10	18
70 +	482	5.5	22	1	2	4	8	11	14
	1338	**6.0**	**24**	**1**	**3**	**5**	**8**	**11**	**16**
0-17	49	2.6	3	1	2	2	2	7	7
18-34	77	3.9	10	1	2	2	6	9	12
35-49	120	3.8	7	1	2	3	6	7	10
50-69	535	3.7	16	1	2	3	5	7	8
70 +	290	3.8	9	1	2	3	5	9	9
	1071	**3.7**	**12**	**1**	**2**	**3**	**5**	**7**	**9**
	2409	**5.0**	**20**	**1**	**2**	**4**	**7**	**10**	**12**

DRG 117: Cardiac Pacemaker Revision except Device Replacement

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	382	5.6	19	1	3	4	7	12	18	0-17	110	5.9	39	1	2	2	6	20	20
70-74	359	7.7	133	1	2	4	8	13	35	18-34	62	5.1	24	1	2	4	7	11	19
75-79	407	8.9	114	2	3	5	10	21	37	35-49	86	3.2	6	1	2	2	5	6	10
80-84	339	6.5	36	2	2	4	8	16	21	50-69	258	5.7	44	1	2	3	6	11	23
85 +	388	6.7	41	1	3	5	9	13	15	70 +	58	3.5	5	1	1	3	5	7	8
SUBTOTAL	**1875**	**7.1**	**70**	**2**	**3**	**4**	**8**	**15**	**21**		**574**	**5.1**	**32**	**1**	**2**	**3**	**6**	**11**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	290	2.6	3	1	1	2	3	5	6	0-17	64	4.3	12	1	2	4	5	8	14
70-74	333	3.5	12	1	1	3	4	7	12	18-34	50	2.3	1	1	1	3	3	4	4
75-79	439	3.8	26	1	1	2	4	9	14	35-49	75	3.9	5	1	2	4	5	6	9
80-84	258	3.7	6	1	2	3	5	7	7	50-69	237	3.7	51	1	1	2	3	5	17
85 +	216	3.0	6	1	1	3	4	5	9	70 +	29	1.4							
SUBTOTAL	**1536**	**3.4**	**13**	**1**	**1**	**3**	**4**	**7**	**10**		**455**	**3.5**	**30**	**1**	**1**	**2**	**4**	**6**	**13**
GRAND TOTAL	**3410**	**5.4**	**48**	**1**	**2**	**3**	**6**	**11**	**17**		**1029**	**4.4**	**32**	**1**	**2**	**3**	**5**	**9**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	59	4.2	5	1	3	5	6	7	8	0-17	24	17.6	185						
18-34	5	10.0								18-34	37	5.7	9						
35-49	5	14.0								35-49	11	1.0							
50-69	23	6.2	12							50-69	56	4.2	15	1	2	3	6	6	15
70 +	6	5.0								70 +	18	4.0	1						
SUBTOTAL	**98**	**5.6**	**12**	**1**	**3**	**5**	**7**	**11**	**13**		**147**	**6.5**	**63**	**1**	**2**	**4**	**7**	**15**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	22	4.2	2							0-17	5	2.0							
18-34	0									18-34	13	3.0							
35-49	18	2.0								35-49	0								
50-69	49	2.2	4							50-69	34	4.2	29						
70 +	10	2.0								70 +	22	4.9	7						
SUBTOTAL	**99**	**2.6**	**3**	**< 1**	**1**	**2**	**3**	**6**	**7**		**73**	**4.0**	**16**	**1**	**2**	**3**	**3**	**8**	**16**
GRAND TOTAL	**198**	**4.1**	**10**	**1**	**2**	**3**	**5**	**8**	**11**		**220**	**5.7**	**49**	**1**	**2**	**3**	**7**	**15**	**30**

DRG 118: Cardiac Pacemaker Device Replacement

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	587	4.1	21	1	2	3	5	8	11	0-17	108	4.3	39	1	1	3	4	7	30
70-74	788	4.4	41	1	1	3	5	9	14	18-34	87	2.9	4	1	2	2	4	7	7
75-79	1101	3.5	14	1	1	2	5	8	11	35-49	105	4.6	17	1	2	2	5	14	14
80-84	1074	3.9	15	1	1	3	5	8	11	50-69	364	4.4	16	1	2	3	6	12	14
85 +	1221	4.0	18	1	1	2	5	10	14	70 +	152	5.5	44	1	1	2	9	12	24
SUBTOTAL	**4771**	**3.9**	**21**	**1**	**1**	**2**	**5**	**8**	**13**		**817**	**4.5**	**24**	**1**	**2**	**3**	**5**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	483	2.2	3	1	1	1	3	5	6	0-17	84	3.7	14	1	1	2	4	10	14
70-74	584	2.1	2	1	1	2	3	4	5	18-34	65	2.3	1	1	2	2	3	3	5
75-79	1015	2.2	4	1	1	2	3	4	7	35-49	81	1.3		1	1	1	2	2	2
80-84	929	2.4	3	1	1	2	3	4	5	50-69	480	2.1	3	1	1	1	2	5	7
85 +	1044	2.3	6	1	1	2	3	4	6	70 +	79	1.6	1	1	1	1	2	2	5
SUBTOTAL	**4055**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**6**		**789**	**2.2**	**4**	**1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**8826**	**3.2**	**14**	**1**	**1**	**2**	**4**	**7**	**10**		**1606**	**3.3**	**15**	**1**	**1**	**2**	**4**	**8**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	28	6.6	12							0-17	16	2.7	2						
18-34	42	4.3	11							18-34	13	2.0							
35-49	5	5.0								35-49	16	3.1	5						
50-69	27	5.2	5							50-69	71	3.8	8	1	1	3	5	9	9
70 +	28	12.3	105							70 +	91	6.0	66	< 1	1	2	6	27	27
SUBTOTAL	**129**	**6.7**	**38**	**1**	**2**	**5**	**9**	**14**	**24**		**208**	**4.5**	**34**	**1**	**1**	**2**	**5**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	38	5.2	18	1	2	3	11	12	12	0-17	17	4.3	3						
18-34	11	3.0	4							18-34	27	1.2							
35-49	19	2.5	6							35-49	11	1.0							
50-69	77	5.7	56	1	1	2	9	10	29	50-69	100	2.8	5	1	1	1	4	7	7
70 +	11	12.5								70 +	81	3.1	23	< 1	1	2	2	4	20
SUBTOTAL	**156**	**5.5**	**38**	**1**	**1**	**3**	**10**	**12**	**13**		**235**	**2.7**	**11**	**< 1**	**1**	**1**	**4**	**6**	**7**
GRAND TOTAL	**285**	**6.1**	**38**	**1**	**1**	**3**	**9**	**12**	**24**		**443**	**3.6**	**23**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 119: Vein Ligation & Stripping

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	527	9.2	134	1	2	5	13	26	46
70-74	342	7.3	103	1	2	4	8	18	28
75-79	266	5.6	22	2	3	4	6	11	12
80-84	114	9.7	57	2	5	8	13	15	34
85 +	130	15.5	268	4	4	7	23	43	43
SUBTOTAL	**1379**	**8.7**	**118**	**1**	**3**	**5**	**11**	**19**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	936	2.9	8	1	1	2	4	7	8
70-74	556	3.5	12	1	1	3	4	6	11
75-79	293	5.1	36	1	1	3	5	13	14
80-84	98	5.6	37	1	1	3	8	19	19
85 +	36	2.0	1						
SUBTOTAL	**1918**	**3.6**	**16**	**1**	**1**	**2**	**4**	**7**	**12**
GRAND TOTAL	**3297**	**5.7**	**65**	**1**	**2**	**3**	**6**	**13**	**19**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	9.0	38	2	5	10	10	23	23
18-34	142	5.8	50	1	2	2	10	14	24
35-49	451	4.9	45	1	1	2	5	13	17
50-69	574	4.8	25	1	1	3	7	13	16
70 +	33	9.8	30						
	1254	**5.2**	**37**	**1**	**1**	**3**	**7**	**14**	**18**
0-17	65	3.0	17	1	1	2	2	5	16
18-34	2329	1.5	1	1	1	1	2	2	3
35-49	4678	1.9	5	1	1	1	2	3	4
50-69	3159	2.0	3	1	1	1	2	4	6
70 +	39	1.6	1	1	1	1	2	3	3
	10271	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**4**
	11525	**2.2**	**8**	**1**	**1**	**1**	**2**	**4**	**7**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	29	4.1	15						
18-34	94	4.8	19	1	1	3	8	12	14
35-49	45	8.1	49	3	3	6	14	24	24
50-69	50	6.2	24	2	2	4	12	15	15
70 +	11	23.5	172						
SUBTOTAL	**229**	**6.6**	**48**	**1**	**2**	**4**	**10**	**14**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	29	7.1	54						
18-34	253	1.7	1	1	1	1	2	3	5
35-49	230	2.0	2	1	1	1	2	4	6
50-69	127	2.1	3	1	1	2	2	4	5
70 +	0								
SUBTOTAL	**639**	**2.1**	**6**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**868**	**3.3**	**21**	**1**	**1**	**2**	**3**	**8**	**12**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	20.0	71						
18-34	29	2.0	2						
35-49	151	3.5	15	1	1	2	4	11	14
50-69	95	6.0	20	1	2	6	8	10	19
70 +	10	34.0							
	297	**5.8**	**55**	**1**	**1**	**3**	**7**	**14**	**26**
0-17	16	3.5	12						
18-34	450	1.6	2	1	1	1	2	3	5
35-49	792	1.8	6	1	1	1	2	3	4
50-69	578	1.9	3	1	1	1	2	4	6
70 +	6	11.0							
	1842	**1.8**	**4**	**1**	**1**	**1**	**2**	**3**	**5**
	2139	**2.4**	**13**	**1**	**1**	**1**	**2**	**5**	**8**

DRG 120: Other Circulatory System O.R. Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	13835	9.3	109	1	2	5	12	22	30	0-17	164	9.8	73	2	4	7	14	24	28
70-74	4789	12.6	183	1	3	9	17	30	41	18-34	530	6.7	74	1	2	4	7	17	21
75-79	3668	14.1	192	2	4	11	20	32	46	35-49	1328	10.0	114	1	3	7	14	23	30
80-84	2062	14.2	207	2	4	10	21	29	37	50-69	3367	12.5	156	2	4	9	17	29	42
85 +	1627	17.7	182	3	7	15	24	36	45	70 +	347	9.8	140	2	3	7	12	19	24
SUBTOTAL	**25980**	**11.5**	**154**	**1**	**3**	**8**	**16**	**27**	**36**		**5735**	**11.1**	**139**	**1**	**3**	**7**	**15**	**26**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	934	8.9	102	1	2	6	11	24	29	0-17	135	4.0	19	1	1	2	7	10	15
70-74	603	11.4	170	1	2	8	13	24	38	18-34	155	5.2	15	1	2	4	7	12	14
75-79	422	11.4	71	2	5	11	16	27	31	35-49	278	6.2	25	1	2	5	8	14	16
80-84	375	10.2	64	1	4	9	15	21	23	50-69	646	8.9	52	1	3	7	12	20	22
85 +	356	10.1	81	1	2	9	14	26	30	70 +	25	7.8	54						
SUBTOTAL	**2690**	**10.2**	**105**	**1**	**3**	**8**	**13**	**24**	**30**		**1238**	**7.3**	**41**	**1**	**2**	**5**	**10**	**16**	**21**
GRAND TOTAL	**28671**	**11.4**	**149**	**1**	**3**	**8**	**16**	**26**	**36**		**6973**	**10.4**	**124**	**1**	**3**	**7**	**14**	**24**	**33**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	54	13.8	107	6	7	9	14	38	38	0-17	99	19.0	290	2	3	18	29	47	57
18-34	533	9.8	135	1	3	6	12	21	32	18-34	234	8.4	111	2	2	5	10	18	42
35-49	688	12.4	191	1	3	7	16	33	37	35-49	640	11.0	116	1	3	8	15	27	32
50-69	1329	14.2	211	2	4	10	18	33	42	50-69	955	12.2	123	1	4	9	17	27	40
70 +	167	14.2	186	2	4	7	22	28	28	70 +	163	22.7	435	1	7	14	33	62	69
SUBTOTAL	**2770**	**12.9**	**190**	**2**	**4**	**9**	**17**	**29**	**39**		**2090**	**12.5**	**164**	**1**	**3**	**8**	**17**	**30**	**41**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	49	6.2	18	1	3	5	9	14	14	0-17	61	13.9	223	1	1	10	26	39	39
18-34	52	7.6	13	< 1	6	8	9	14	14	18-34	54	4.8	8	1	2	6	7	9	9
35-49	124	11.2	43	5	7	10	14	17	26	35-49	104	8.7	111	1	2	5	8	22	36
50-69	151	10.7	73	1	5	8	13	25	28	50-69	155	5.6	34	1	1	3	8	10	20
70 +	11	23.0	110							70 +	30	4.7	24						
SUBTOTAL	**387**	**10.3**	**57**	**1**	**5**	**9**	**14**	**25**	**27**		**404**	**7.5**	**87**	**1**	**2**	**4**	**8**	**21**	**36**
GRAND TOTAL	**3157**	**12.6**	**175**	**2**	**4**	**9**	**16**	**28**	**37**		**2494**	**11.7**	**155**	**1**	**3**	**7**	**16**	**29**	**39**

Total U.S., July 1990 - June 1991

DRG 121: Circulatory Disorders w/ AMI & C.V. Comp Disch Alive

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	22789	9.7	34	5	6	8	11	16	20	0-17	6	8.0							
70-74	23860	10.2	42	5	7	9	12	17	22	18-34	327	7.1	13	2	5	7	8	10	15
75-79	25346	10.4	46	5	7	9	12	17	23	35-49	4437	8.0	14	4	6	8	9	12	14
80-84	22679	10.9	51	5	7	9	13	18	23	50-69	18499	8.9	26	4	6	8	10	14	17
85+	20177	10.7	59	5	7	9	13	18	23	70+	2366	9.4	34	4	6	8	11	16	20
SUBTOTAL	**114852**	**10.4**	**46**	**5**	**7**	**9**	**12**	**17**	**22**		**25636**	**8.7**	**24**	**4**	**6**	**8**	**10**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	834	7.2	8	4	5	7	9	11	11	0-17	0								
70-74	495	6.9	7	3	5	7	8	11	11	18-34	0								
75-79	468	7.8	10	5	6	8	9	11	14	35-49	333	7.5	8	3	6	8	9	11	11
80-84	341	8.1	8	4	6	8	10	12	13	50-69	1032	7.0	7	4	6	7	9	10	11
85+	327	7.5	5	4	6	7	9	10	12	70+	75	6.0	8	3	4	7	7	9	12
SUBTOTAL	**2465**	**7.4**	**8**	**4**	**6**	**7**	**9**	**11**	**12**		**1440**	**7.1**	**8**	**3**	**6**	**7**	**9**	**10**	**11**
GRAND TOTAL	**117317**	**10.3**	**46**	**5**	**7**	**9**	**12**	**17**	**22**		**27076**	**8.7**	**24**	**4**	**6**	**8**	**10**	**13**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	96	8.3	7	4	7	8	10	13	13	18-34	156	8.3	18	4	5	8	12	13	19
35-49	689	8.9	24	4	6	8	11	15	19	35-49	1444	7.5	10	4	6	7	9	11	13
50-69	2706	10.2	43	5	6	9	12	18	23	50-69	5310	8.9	43	4	6	8	10	14	16
70+	527	12.2	130	6	7	9	13	20	21	70+	1651	8.7	23	4	6	8	10	14	18
SUBTOTAL	**4018**	**10.2**	**51**	**5**	**6**	**9**	**12**	**18**	**22**		**8561**	**8.6**	**34**	**4**	**6**	**8**	**10**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	5	5.0								18-34	0								
35-49	19	8.7								35-49	68	6.8	2	5	6	6	7	9	10
50-69	55	5.8	8	2	4	5	9	9	10	50-69	310	7.8	10	5	6	7	10	12	14
70+	5	6.0								70+	34	6.8	17	4	4	5	7	16	16
SUBTOTAL	**84**	**6.4**	**6**	**4**	**4**	**6**	**9**	**9**	**10**		**413**	**7.6**	**10**	**5**	**6**	**7**	**9**	**11**	**14**
GRAND TOTAL	**4102**	**10.1**	**50**	**5**	**6**	**9**	**11**	**18**	**22**		**8974**	**8.6**	**32**	**4**	**6**	**8**	**10**	**13**	**16**

DRG 122: Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	12113	7.8	24	4	6	7	9	12	14
70-74	8962	7.9	25	4	6	7	9	12	15
75-79	8215	8.1	24	4	6	7	9	12	14
80-84	6051	9.1	51	4	6	8	10	14	18
85 +	4093	9.1	27	5	6	8	11	15	18
SUBTOTAL	**39434**	**8.2**	**29**	**4**	**6**	**7**	**10**	**13**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	11714	6.6	11	3	5	7	8	10	11
70-74	8978	6.8	8	3	5	7	8	10	11
75-79	7249	7.0	10	4	5	7	8	10	12
80-84	5234	7.4	10	4	6	7	9	11	13
85 +	3572	7.4	12	4	5	7	9	12	14
SUBTOTAL	**36747**	**6.9**	**10**	**3**	**5**	**7**	**8**	**10**	**12**
GRAND TOTAL	**76181**	**7.6**	**20**	**4**	**5**	**7**	**9**	**11**	**14**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	4.0							
18-34	283	6.3	8	2	5	6	8	9	11
35-49	4432	6.4	11	2	4	6	8	10	11
50-69	13849	7.0	12	3	5	7	9	11	12
70 +	863	7.3	19	2	5	7	9	11	13
	19433	**6.9**	**12**	**3**	**5**	**7**	**9**	**10**	**12**
0-17	11	5.0							
18-34	736	6.2	8	2	4	6	8	10	11
35-49	11631	6.2	7	3	5	6	8	9	10
50-69	26262	6.5	7	3	5	7	8	10	11
70 +	1075	7.0	10	3	5	7	8	12	13
	39716	**6.4**	**7**	**3**	**5**	**6**	**8**	**9**	**11**
	59149	**6.6**	**9**	**3**	**5**	**7**	**8**	**10**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	4.0							
18-34	240	8.6	66	4	5	7	8	12	21
35-49	917	7.5	23	4	5	7	9	12	15
50-69	1602	8.3	20	4	6	7	9	13	17
70 +	163	11.4	71	5	6	10	15	42	99 +
SUBTOTAL	**2930**	**8.3**	**28**	**4**	**5**	**7**	**10**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	2.0							
18-34	119	6.7	14	3	4	7	8	9	10
35-49	846	6.8	15	3	5	6	8	10	12
50-69	1440	6.9	7	4	5	7	8	10	11
70 +	99	8.0	16	4	5	7	11	15	18
SUBTOTAL	**2510**	**6.9**	**10**	**3**	**5**	**7**	**8**	**10**	**12**
GRAND TOTAL	**5440**	**7.6**	**21**	**4**	**5**	**7**	**9**	**12**	**15**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	230	5.4	7	1	3	6	7	9	10
35-49	1849	6.9	11	3	5	7	8	10	12
50-69	3711	7.4	20	3	5	7	9	11	12
70 +	652	7.4	12	4	5	7	9	11	13
	6442	**7.2**	**16**	**3**	**5**	**7**	**9**	**11**	**12**
0-17	0								
18-34	446	6.4	9	2	4	7	8	9	13
35-49	3971	6.0	6	3	4	6	7	9	10
50-69	6340	6.3	8	3	5	6	8	10	11
70 +	870	6.7	9	3	5	6	8	11	12
	11626	**6.2**	**8**	**3**	**5**	**6**	**8**	**9**	**11**
	18068	**6.6**	**11**	**3**	**5**	**6**	**8**	**10**	**11**

DRG 124: Circulatory Disorders except AMI, w/ Card Cath & Complex Diag

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	30332	5.7	26	1	2	5	8	11	15
70-74	20744	5.8	32	1	2	5	8	12	15
75-79	14932	6.4	30	1	2	5	9	13	16
80-84	6298	7.4	36	1	3	6	10	14	19
85 +	1855	8.2	40	2	4	7	11	16	21
SUBTOTAL	**74162**	**6.1**	**30**	**1**	**2**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	12737	3.9	8	1	2	3	5	8	9
70-74	8526	4.0	9	1	2	3	5	8	9
75-79	5359	4.6	11	1	2	4	6	8	10
80-84	2223	5.2	14	1	3	5	7	10	13
85 +	509	5.3	11	2	3	5	7	10	12
SUBTOTAL	**29354**	**4.2**	**9**	**1**	**2**	**4**	**6**	**8**	**10**
GRAND TOTAL	**103516**	**5.5**	**25**	**1**	**2**	**4**	**7**	**11**	**14**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1227	5.2	43	1	2	2	5	13	18
18-34	785	5.2	30	1	1	4	7	12	15
35-49	7674	4.4	19	1	1	3	6	9	12
50-69	27759	4.6	18	1	1	3	6	9	12
70 +	1511	5.7	20	1	2	5	8	11	14
	38955	**4.6**	**20**	**1**	**1**	**3**	**6**	**10**	**12**
0-17	202	4.8	23	1	1	4	7	10	11
18-34	428	2.8	9	1	1	2	4	5	6
35-49	6989	3.3	5	1	1	3	5	6	7
50-69	19680	3.4	7	1	1	3	5	7	8
70 +	534	4.1	7	1	2	4	5	8	10
	27834	**3.4**	**6**	**1**	**1**	**3**	**5**	**7**	**8**
	66789	**4.1**	**15**	**1**	**1**	**3**	**6**	**8**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	520	6.4	37	1	2	4	9	17	21
18-34	406	7.3	77	1	2	4	8	21	26
35-49	1552	6.0	27	1	2	5	8	12	14
50-69	3606	6.6	35	1	3	5	9	14	17
70 +	211	11.4	204	3	4	6	9	30	52
SUBTOTAL	**6294**	**6.6**	**42**	**1**	**2**	**5**	**9**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	122	2.9	6	1	1	2	3	8	8
18-34	162	3.7	6	1	1	4	5	8	9
35-49	740	4.1	11	1	2	4	5	8	10
50-69	1296	4.7	15	1	2	4	7	9	10
70 +	93	8.6	102	2	2	5	13	15	44
SUBTOTAL	**2412**	**4.5**	**17**	**1**	**2**	**4**	**6**	**9**	**11**
GRAND TOTAL	**8705**	**6.0**	**36**	**1**	**2**	**5**	**8**	**12**	**17**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	465	4.5	34	1	2	2	5	10	12
18-34	314	7.7	44	2	2	7	11	16	16
35-49	2058	5.1	20	1	2	4	7	10	13
50-69	4819	5.6	28	1	2	5	7	11	14
70 +	497	7.1	74	1	2	4	8	13	32
	8153	**5.6**	**30**	**1**	**2**	**4**	**7**	**11**	**15**
0-17	58	4.1	15	< 1	1	2	5	10	13
18-34	141	4.4	11	1	1	4	7	10	10
35-49	1615	3.6	6	1	2	3	5	7	8
50-69	3434	4.1	10	1	2	3	5	8	9
70 +	257	5.1	21	1	2	4	7	9	9
	5505	**4.0**	**10**	**1**	**2**	**3**	**5**	**8**	**9**
	13659	**4.9**	**23**	**1**	**2**	**4**	**6**	**9**	**13**

DRG 125: Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	19920	2.9	9	1	1	2	4	7	9	0-17	3839	1.8	3	< 1	1	1	2	3	4
70-74	13212	3.0	11	1	1	2	4	7	9	18-34	899	2.9	5	1	1	2	4	6	7
75-79	7346	3.4	12	1	1	2	5	8	10	35-49	8249	2.6	6	1	1	2	4	6	7
80-84	2277	4.2	36	1	1	3	6	9	11	50-69	25167	2.5	9	1	1	1	3	6	8
85 +	454	4.5	13	1	1	4	7	9	11	70 +	997	2.4	4	1	1	1	3	5	8
SUBTOTAL	**43209**	**3.1**	**12**	**1**	**1**	**2**	**4**	**7**	**9**		**39151**	**2.4**	**7**	**1**	**1**	**1**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	21340	2.3	5	1	1	1	3	5	7	0-17	6052	1.6	4	< 1	1	1	2	2	3
70-74	13005	2.3	4	1	1	1	3	5	7	18-34	2363	2.1	4	1	1	1	3	4	5
75-79	7126	2.6	7	1	1	2	3	6	7	35-49	24752	2.2	3	1	1	1	3	5	6
80-84	2023	3.1	9	1	1	2	4	7	9	50-69	50208	2.1	3	1	1	1	3	5	6
85 +	386	3.1	11	1	1	2	3	7	12	70 +	1035	2.2	3	1	1	1	3	5	7
SUBTOTAL	**43880**	**2.4**	**5**	**1**	**1**	**1**	**3**	**5**	**7**		**84410**	**2.1**	**3**	**1**	**1**	**1**	**3**	**4**	**6**
GRAND TOTAL	**87089**	**2.8**	**9**	**1**	**1**	**2**	**4**	**6**	**8**		**123560**	**2.2**	**5**	**1**	**1**	**1**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1605	2.5	14	< 1	1	2	2	4	10	0-17	1118	2.7	12	1	1	2	2	6	9
18-34	382	3.6	12	1	1	2	5	8	10	18-34	281	3.5	15	1	1	2	6	7	8
35-49	1437	3.4	13	1	1	2	5	7	9	35-49	2021	3.8	14	1	1	3	5	7	9
50-69	2690	4.5	52	1	1	2	6	9	12	50-69	3837	3.3	15	1	1	2	4	7	9
70 +	134	5.1	39	1	1	2	8	15	18	70 +	350	2.6	5	1	1	2	4	6	7
SUBTOTAL	**6248**	**3.7**	**31**	**1**	**1**	**2**	**4**	**8**	**10**		**7608**	**3.3**	**14**	**1**	**1**	**2**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2645	2.0	11	< 1	1	1	2	2	4	0-17	1816	1.8	3	< 1	1	1	2	3	5
18-34	513	2.9	15	1	1	2	3	6	9	18-34	697	2.2	2	1	1	2	3	4	5
35-49	1906	3.1	16	1	1	2	4	7	9	35-49	5210	2.5	4	1	1	2	3	5	6
50-69	2933	2.9	11	1	1	2	4	6	9	50-69	7151	2.6	6	1	1	2	3	5	7
70 +	127	4.2	26	1	1	2	7	15	16	70 +	390	2.4	5	1	1	2	3	5	7
SUBTOTAL	**8124**	**2.7**	**13**	**1**	**1**	**1**	**3**	**6**	**8**		**15264**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**14372**	**3.1**	**21**	**1**	**1**	**2**	**3**	**7**	**9**		**22872**	**2.7**	**8**	**1**	**1**	**2**	**3**	**6**	**7**

DRG 126: Acute & Subacute Endocarditis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	951	20.9	198	5	10	18	30	38	43	0-17	175	15.8	160	3	5	10	29	33	43	
70-74	530	22.3	184	6	11	20	31	45	49	18-34	327	15.8	134	3	7	12	23	33	40	
75-79	546	24.6	201	8	13	22	35	44	50	35-49	622	17.3	130	5	10	14	27	36	43	
80-84	454	26.6	265	11	14	25	32	44	54	50-69	779	19.5	154	6	10	15	28	37	43	
85 +	341	24.9	205	8	11	22	35	47	49	70 +	56	20.4	129	7	10	13	32	36	36	
SUBTOTAL	**2822**	**23.3**	**212**	**7**	**12**	**20**	**32**	**43**	**48**		**1959**	**17.9**	**145**	**5**	**8**	**14**	**27**	**36**	**42**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	90	21.4	140	6	14	16	29	41	41	0-17	64	5.9	23	1	2	7	8	10	18	
70-74	57	13.2	159	4	7	9	16	42	49	18-34	56	8.6	34	1	2	9	12	20	21	
75-79	56	16.1	54	4	11	12	22	28	28	35-49	112	11.5	94	2	5	9	16	19	37	
80-84	78	17.2	124	8	10	13	18	31	45	50-69	176	15.8	137	5	7	14	20	39	39	
85 +	17	18.0	56							70 +	16	22.0	71							
SUBTOTAL	**297**	**17.6**	**126**	**6**	**9**	**15**	**28**	**31**	**41**		**423**	**12.5**	**109**	**2**	**5**	**10**	**17**	**28**	**37**	
GRAND TOTAL	**3119**	**22.7**	**206**	**7**	**11**	**20**	**31**	**43**	**48**		**2382**	**16.9**	**143**	**4**	**8**	**14**	**26**	**36**	**42**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	107	24.9	335	2	9	20	31	52	58	0-17	49	29.7	69	17	23	30	41	41	41	
18-34	532	24.0	197	6	13	27	34	43	46	18-34	281	18.3	193	3	8	15	28	45	48	
35-49	657	27.2	247	5	15	28	36	47	51	35-49	464	22.9	240	4	7	23	35	45	50	
50-69	99	23.0	70	11	19	24	28	32	41	50-69	207	20.3	141	8	11	18	29	46	47	
70 +	6	46.0								70 +	17	25.2	33							
SUBTOTAL	**1401**	**25.6**	**225**	**5**	**15**	**28**	**35**	**44**	**50**		**1017**	**21.5**	**202**	**4**	**9**	**18**	**30**	**45**	**47**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	18	19.0	163							0-17	5	6.0								
18-34	52	12.8	61	2	6	12	19	23	23	18-34	75	17.5	138	6	9	15	26	33	41	
35-49	50	29.8	176	12	17	33	40	50	50	35-49	75	8.4	22	2	5	8	13	15	17	
50-69	6	34.0								50-69	22	15.7	78							
70 +	0									70 +	6	7.0								
SUBTOTAL	**125**	**21.4**	**184**	**4**	**12**	**19**	**33**	**40**	**46**		**183**	**12.9**	**95**	**4**	**6**	**9**	**18**	**28**	**33**	
GRAND TOTAL	**1526**	**25.2**	**223**	**4**	**14**	**28**	**34**	**44**	**50**		**1201**	**20.2**	**195**	**4**	**8**	**17**	**29**	**43**	**47**	

DRG 127: Heart Failure & Shock

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	93553	7.4	36	3	4	6	9	14	18
70-74	78960	7.6	35	3	4	6	9	14	18
75-79	88639	7.7	36	3	4	6	9	14	18
80-84	83047	8.2	47	3	4	6	10	15	20
85 +	90123	8.6	52	3	4	7	10	16	21
SUBTOTAL	**434321**	**7.9**	**42**	**3**	**4**	**6**	**10**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	11359	5.0	13	2	3	4	6	9	12
70-74	11057	5.1	10	2	3	4	7	9	11
75-79	13081	5.3	16	2	3	4	6	9	11
80-84	12725	5.5	18	2	3	5	7	10	13
85 +	15031	5.8	19	2	3	5	7	10	14
SUBTOTAL	**63254**	**5.4**	**16**	**2**	**3**	**4**	**7**	**9**	**12**
GRAND TOTAL	**497575**	**7.6**	**39**	**3**	**4**	**6**	**9**	**14**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	832	4.9	18	2	3	4	6	8	11
18-34	977	5.7	14	2	3	5	7	10	15
35-49	5944	6.0	16	2	3	5	8	11	14
50-69	39003	6.8	26	2	4	5	8	12	16
70 +	8376	7.1	37	2	4	5	9	13	17
	55132	**6.7**	**27**	**2**	**4**	**5**	**8**	**12**	**16**
0-17	254	4.5	18	1	2	3	5	12	15
18-34	113	4.3	4	1	3	5	5	7	8
35-49	1367	4.3	5	2	3	4	5	7	8
50-69	7046	4.4	9	2	3	4	6	8	10
70 +	1332	4.7	12	2	2	4	6	9	11
	10111	**4.5**	**9**	**2**	**3**	**4**	**6**	**8**	**10**
	65243	**6.3**	**24**	**2**	**3**	**5**	**8**	**11**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	811	5.5	22	2	3	4	8	10	14
18-34	1383	7.2	52	2	3	5	9	14	23
35-49	4787	6.9	37	2	3	5	9	13	16
50-69	16246	7.2	33	2	4	6	9	14	18
70 +	2635	7.5	28	3	4	6	9	15	20
SUBTOTAL	**25862**	**7.2**	**34**	**2**	**4**	**6**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	305	4.4	10	2	2	4	5	9	10
18-34	214	4.3	12	2	2	3	5	10	13
35-49	687	4.8	10	1	3	4	6	9	12
50-69	2329	4.8	11	2	2	4	6	9	11
70 +	672	5.1	11	2	3	4	7	9	12
SUBTOTAL	**4207**	**4.8**	**11**	**2**	**2**	**4**	**6**	**9**	**11**
GRAND TOTAL	**30069**	**6.8**	**32**	**2**	**3**	**5**	**8**	**13**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	262	5.0	28	1	2	4	6	10	11
18-34	646	6.4	17	2	3	5	9	13	14
35-49	3598	6.0	19	2	3	5	7	11	13
50-69	13074	6.4	23	2	3	5	8	12	16
70 +	5819	6.8	41	2	3	5	8	13	19
	23399	**6.4**	**27**	**2**	**3**	**5**	**8**	**12**	**16**
0-17	41	3.2	4	1	2	3	5	7	7
18-34	108	3.7	12	1	2	2	6	7	16
35-49	1174	3.9	6	1	2	4	5	7	10
50-69	2779	4.3	15	2	2	3	5	7	9
70 +	1292	5.0	46	1	2	4	6	9	12
	5394	**4.4**	**20**	**1**	**2**	**3**	**5**	**7**	**9**
	28792	**6.0**	**26**	**2**	**3**	**5**	**7**	**11**	**15**

Total U.S., July 1990 - June 1991

DRG 128: Deep Vein Thrombophlebitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3844	8.6	29	4	6	8	10	13	16	0-17	11	6.4	2						
70-74	2620	8.3	14	5	6	8	9	13	16	18-34	379	8.0	19	4	5	7	11	14	16
75-79	2523	9.4	32	5	6	8	11	16	20	35-49	1410	8.6	34	4	5	7	10	15	19
80-84	1777	9.3	25	4	6	8	11	15	19	50-69	2974	8.5	18	4	6	8	10	14	17
85 +	1818	9.0	18	5	6	8	11	14	18	70 +	198	9.6	42	4	6	8	11	14	20
SUBTOTAL	**12582**	**8.8**	**25**	**4**	**6**	**8**	**10**	**14**	**17**		**4972**	**8.5**	**24**	**4**	**6**	**8**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2597	7.1	10	3	5	7	8	11	13	0-17	110	5.1	7	1	3	6	8	8	9
70-74	2039	6.8	7	4	5	7	8	10	11	18-34	1465	6.4	9	3	4	6	8	10	11
75-79	1916	7.7	16	4	5	7	9	11	14	35-49	3014	6.6	11	3	5	6	8	10	13
80-84	1218	6.8	8	3	5	7	8	10	12	50-69	4283	6.8	8	4	5	7	8	10	12
85 +	965	7.5	11	4	6	7	10	12	13	70 +	217	6.4	8	3	5	6	8	11	11
SUBTOTAL	**8734**	**7.2**	**10**	**4**	**5**	**7**	**9**	**11**	**13**		**9089**	**6.6**	**9**	**3**	**5**	**6**	**8**	**10**	**12**
GRAND TOTAL	**21315**	**8.1**	**19**	**4**	**6**	**7**	**10**	**13**	**15**		**14061**	**7.3**	**15**	**3**	**5**	**7**	**9**	**11**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	57	10.1	15	5	5	12	13	14	14	0-17	10	22.0							
18-34	180	9.1	19	5	6	8	11	13	19	18-34	258	6.4	11	2	3	7	8	11	12
35-49	299	9.5	48	3	5	8	12	15	27	35-49	357	8.9	22	5	6	7	11	16	20
50-69	489	9.2	28	4	6	8	11	15	21	50-69	528	9.1	38	4	6	7	11	17	22
70 +	49	9.3	9							70 +	149	7.6	24	3	5	6	9	13	19
SUBTOTAL	**1074**	**9.3**	**31**	**4**	**6**	**8**	**12**	**15**	**21**		**1301**	**8.4**	**29**	**3**	**5**	**7**	**10**	**16**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	40	3.8	16	1	1	2	5	13	13	0-17	25	10.2	2						
18-34	421	6.0	10	2	4	6	8	10	11	18-34	381	6.0	9	3	4	6	7	10	13
35-49	411	7.1	9	3	5	7	9	11	13	35-49	692	6.0	8	3	4	5	7	10	12
50-69	264	7.1	40	3	5	6	7	11	17	50-69	843	6.4	7	3	5	6	8	10	11
70 +	29	12.3	7							70 +	144	6.5	12	2	4	6	8	14	14
SUBTOTAL	**1166**	**6.7**	**18**	**3**	**4**	**6**	**9**	**11**	**13**		**2085**	**6.3**	**8**	**3**	**4**	**6**	**8**	**10**	**12**
GRAND TOTAL	**2240**	**8.0**	**26**	**3**	**5**	**7**	**10**	**13**	**15**		**3386**	**7.1**	**17**	**3**	**5**	**6**	**8**	**12**	**15**

DRG 129: Cardiac Arrest, Unexplained

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	301	14.4	93	4	7	13	21	29	34
70-74	180	7.4	45	1	1	7	12	15	19
75-79	129	10.2	92	1	4	7	17	22	30
80-84	153	8.7	28	2	3	8	11	17	19
85 +	147	11.0	54	4	6	9	14	21	29
SUBTOTAL	**911**	**10.9**	**73**	**2**	**5**	**9**	**15**	**22**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	52	7.7	99	< 1	1	4	8	19	36
70-74	18	1.3							
75-79	5	4.0							
80-84	24	8.6	7						
85 +	16	3.6	4						
SUBTOTAL	**114**	**6.2**	**53**	**1**	**1**	**5**	**7**	**11**	**11**
GRAND TOTAL	**1025**	**10.4**	**73**	**1**	**4**	**8**	**14**	**21**	**29**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	10.6	6						
18-34	18	8.4	70						
35-49	57	3.9	3	< 1	3	4	5	6	6
50-69	117	10.9	133	2	3	8	16	34	39
70 +	23	5.8	1						
	231	**8.4**	**83**	**2**	**3**	**6**	**10**	**23**	**36**
0-17	25	2.0	1						
18-34	17	2.0	2						
35-49	22	5.5	13						
50-69	44	3.0	6	< 1	1	2	6	6	6
70 +	0								
	108	**3.1**	**7**	**< 1**	**1**	**2**	**4**	**6**	**11**
	338	**6.8**	**65**	**1**	**2**	**4**	**8**	**16**	**29**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	45	18.0	191	< 1	8	20	20	40	40
18-34	12	10.0	79						
35-49	15	4.0							
50-69	28	18.9	461						
70 +	17	5.6							
SUBTOTAL	**117**	**13.8**	**224**	**1**	**4**	**6**	**20**	**40**	**49**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	6	5.0							
50-69	0								
70 +	6	4.0							
SUBTOTAL	**11**	**4.5**							
GRAND TOTAL	**128**	**13.0**	**211**	**1**	**4**	**5**	**20**	**40**	**42**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	1.0							
18-34	32	9.7	53						
35-49	5	1.0							
50-69	62	18.2	62	8	10	22	27	28	28
70 +	17	5.0	15						
	127	**12.1**	**87**	**1**	**2**	**10**	**22**	**27**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	10	1.0							
70 +	0								
	10	**1.0**							
	137	**11.3**	**89**	**1**	**2**	**10**	**22**	**27**	**27**

DRG 130: Peripheral Vascular Disorders w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	18255	7.8	37	2	4	7	10	14	18
70-74	13728	7.8	36	2	4	7	9	14	18
75-79	12290	7.8	35	2	4	7	10	14	17
80-84	10349	9.2	64	3	5	7	11	17	22
85 +	9120	8.8	39	3	5	8	11	16	20
SUBTOTAL	63741	8.2	42	2	5	7	10	14	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	63741	8.2	42	2	5	7	10	14	19

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	215	6.0	13	2	3	5	8	10	15
18-34	1986	7.6	21	3	5	7	9	12	17
35-49	5467	7.4	24	3	5	7	9	12	15
50-69	14813	7.4	28	2	4	7	9	13	15
70 +	1256	7.0	19	2	4	6	9	12	15
	23738	7.4	26	2	4	7	9	12	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	23738	7.4	26	2	4	7	9	12	15

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	134	8.2	35	1	2	7	11	15	15
18-34	1090	8.0	24	3	4	7	11	13	17
35-49	1577	8.0	40	2	4	7	9	15	21
50-69	2854	8.0	35	2	4	7	10	15	20
70 +	344	12.2	157	3	5	9	16	31	50
SUBTOTAL	5997	8.3	43	2	4	7	10	15	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	5997	8.3	43	2	4	7	10	15	21

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	86	8.6	74	1	1	3	19	22	25
18-34	1027	7.5	16	2	5	7	9	13	16
35-49	2105	7.6	26	2	4	7	9	13	17
50-69	3126	7.1	35	2	4	6	9	13	17
70 +	719	7.2	40	2	3	6	8	14	17
	7063	7.3	31	2	4	7	9	13	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	7063	7.3	31	2	4	7	9	13	17

DRG 131: Peripheral Vascular Disorders w/o CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8300	5.4	13	1	2	5	7	10	11
70-74	6355	5.7	14	1	2	6	8	10	12
75-79	5458	6.2	25	1	3	6	8	10	13
80-84	3622	6.2	18	1	3	6	8	11	14
85 +	2924	6.7	18	2	4	6	9	12	13
SUBTOTAL	**26659**	**5.9**	**17**	**1**	**3**	**6**	**8**	**10**	**12**
GRAND TOTAL	**26659**	**5.9**	**17**	**1**	**3**	**6**	**8**	**10**	**12**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	470	4.4	11	1	1	4	7	9	10
18-34	4016	5.8	9	2	4	6	8	9	11
35-49	7951	5.8	14	1	4	6	8	10	11
50-69	12611	5.4	12	1	2	5	7	9	11
70 +	786	5.8	13	1	3	6	8	10	11
	25834	**5.6**	**12**	**1**	**3**	**6**	**7**	**9**	**11**
	25834	**5.6**	**12**	**1**	**3**	**6**	**7**	**9**	**11**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	200	5.6	33	2	3	4	5	13	24
18-34	1232	6.4	13	2	4	6	8	11	13
35-49	1284	6.5	17	2	3	6	8	11	15
50-69	1252	5.3	25	1	2	4	8	11	13
70 +	123	6.1	24	< 1	3	6	9	11	17
SUBTOTAL	**4090**	**6.1**	**19**	**1**	**3**	**6**	**8**	**11**	**13**
GRAND TOTAL	**4090**	**6.1**	**19**	**1**	**3**	**6**	**8**	**11**	**13**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	213	4.4	17	1	1	3	6	10	15
18-34	1708	5.3	9	1	3	5	7	9	11
35-49	2398	5.7	11	1	3	5	8	10	12
50-69	2909	4.9	10	1	2	5	7	9	10
70 +	485	6.0	15	1	4	6	8	11	12
	7712	**5.3**	**11**	**1**	**3**	**5**	**7**	**9**	**11**
	7712	**5.3**	**11**	**1**	**3**	**5**	**7**	**9**	**11**

DRG 132: Atherosclerosis w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3529	5.5	35	1	2	4	7	11	14
70-74	2482	4.9	21	1	2	4	6	10	15
75-79	2283	5.8	52	1	2	4	7	11	15
80-84	1920	5.8	24	2	3	4	7	11	16
85 +	1451	6.8	61	2	3	5	8	11	15
SUBTOTAL	**11665**	**5.6**	**37**	**2**	**2**	**4**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**11665**	**5.6**	**37**	**2**	**2**	**4**	**7**	**11**	**15**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	59	5.9	29	2	2	4	6	15	20
18-34	45	4.0	12	< 1	1	4	7	10	10
35-49	825	3.7	9	1	2	3	5	8	10
50-69	3652	4.3	16	1	2	3	6	9	11
70 +	310	5.1	38	2	2	3	5	11	14
	4891	**4.3**	**16**	**1**	**2**	**3**	**5**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4891	**4.3**	**16**	**1**	**2**	**3**	**5**	**9**	**11**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	2.0							
18-34	98	5.1	8	1	3	5	7	9	10
35-49	307	4.5	16	1	2	3	6	9	11
50-69	730	5.3	39	1	2	4	7	11	13
70 +	60	5.2	10	2	3	5	9	10	10
SUBTOTAL	**1201**	**5.1**	**29**	**1**	**2**	**4**	**7**	**10**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1201**	**5.1**	**29**	**1**	**2**	**4**	**7**	**10**	**11**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	24	2.6	9						
18-34	38	2.0	1	1	1	2	3	3	3
35-49	399	4.5	36	1	1	3	5	10	11
50-69	1014	5.3	35	1	2	4	6	11	16
70 +	231	4.5	11	< 1	2	3	7	9	10
	1706	**4.9**	**31**	**1**	**2**	**3**	**6**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1706	**4.9**	**31**	**1**	**2**	**3**	**6**	**10**	**13**

DRG 133: Atherosclerosis w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1205	2.9	6	<1	1	2	4	5	7
70-74	973	3.6	14	1	1	3	5	6	7
75-79	790	4.0	8	1	2	3	5	8	10
80-84	541	3.9	12	1	2	3	5	7	8
85+	342	3.8	4	2	3	3	4	7	9
SUBTOTAL	**3850**	**3.5**	**9**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**3850**	**3.5**	**9**	**1**	**2**	**3**	**4**	**7**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	33	5.8	46						
18-34	75	2.6	4	1	1	2	4	5	7
35-49	928	2.8	5	1	1	2	4	6	8
50-69	2539	2.7	3	1	1	2	3	5	7
70+	58	3.1	4	1	2	3	4	7	8
	3633	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**7**
	3633	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	29	1.0							
18-34	22	3.3	1						
35-49	213	3.1	7	1	1	2	4	6	9
50-69	341	3.7	4	1	2	3	5	6	7
70+	23	15.7	227						
SUBTOTAL	**628**	**3.8**	**18**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**628**	**3.8**	**18**	**1**	**2**	**3**	**5**	**7**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	19	1.0							
18-34	27	4.2	3						
35-49	459	3.3	9	<1	1	2	4	6	8
50-69	635	3.3	12	1	1	2	4	7	10
70+	73	4.0	12	1	2	3	5	5	15
	1213	**3.3**	**11**	**<1**	**1**	**2**	**4**	**6**	**9**
	1213	**3.3**	**11**	**<1**	**1**	**2**	**4**	**6**	**9**

DRG 134: Hypertension

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4281	5.2	18	2	3	4	6	11	13
70-74	2906	5.1	13	2	3	4	6	9	11
75-79	2575	5.5	19	2	3	4	7	11	13
80-84	2002	5.4	16	2	3	4	6	10	13
85 +	1523	6.2	25	2	3	5	7	12	16
SUBTOTAL	**13286**	**5.4**	**18**	**2**	**3**	**4**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2947	3.6	6	1	2	3	5	7	8
70-74	2204	3.5	7	1	2	3	4	7	9
75-79	2081	3.8	10	1	2	3	5	7	9
80-84	1478	3.7	7	1	2	3	4	7	10
85 +	869	3.6	5	1	2	3	5	7	7
SUBTOTAL	**9579**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**22865**	**4.7**	**14**	**2**	**2**	**4**	**6**	**9**	**11**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	233	5.1	24	1	2	4	6	12	16
18-34	479	4.1	8	1	2	3	5	8	10
35-49	2753	4.5	11	2	2	3	6	8	11
50-69	4528	4.6	11	2	2	4	6	9	10
70 +	249	5.1	13	1	2	5	7	11	13
	8242	**4.5**	**11**	**2**	**2**	**4**	**6**	**9**	**10**
0-17	436	2.8	7	1	1	2	3	5	10
18-34	1110	3.0	4	1	1	3	4	6	7
35-49	4930	3.1	4	1	2	3	4	5	7
50-69	6274	3.4	5	1	2	3	4	6	8
70 +	145	2.8	2	1	2	3	3	4	6
	12895	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
	21137	**3.7**	**8**	**1**	**2**	**3**	**5**	**7**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	129	5.1	6	2	3	6	7	8	8
18-34	300	5.7	13	2	3	5	8	10	11
35-49	1090	4.6	11	2	2	4	6	9	11
50-69	1383	5.6	77	2	3	4	7	9	14
70 +	93	4.9	7	2	3	4	7	37	99 +
SUBTOTAL	**2995**	**5.2**	**42**	**2**	**2**	**4**	**7**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	232	4.1	13	1	2	2	6	9	11
18-34	305	3.7	7	1	2	2	6	8	8
35-49	939	3.5	8	1	2	3	4	6	8
50-69	1154	3.8	7	1	2	3	5	7	9
70 +	113	2.5	1	1	2	2	3	3	4
SUBTOTAL	**2743**	**3.7**	**8**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**5738**	**4.5**	**26**	**1**	**2**	**3**	**6**	**8**	**11**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	73	3.5	2	2	2	4	4	5	6
18-34	325	4.8	17	1	2	3	5	11	16
35-49	1368	4.7	16	1	2	4	6	9	13
50-69	1518	4.7	17	1	2	4	6	9	12
70 +	219	4.7	19	1	2	3	6	13	21
	3502	**4.7**	**17**	**1**	**2**	**4**	**6**	**9**	**13**
0-17	128	2.2	6	1	1	1	2	4	8
18-34	627	3.1	5	1	1	2	4	6	8
35-49	1935	3.4	7	1	2	3	4	7	9
50-69	1856	3.3	10	1	2	2	4	7	8
70 +	254	4.4	28	2	2	3	5	8	10
	4800	**3.3**	**9**	**1**	**2**	**2**	**4**	**7**	**9**
	8302	**3.9**	**13**	**1**	**2**	**3**	**5**	**8**	**10**

DRG 135: Cardiac Congenital & Valvular Disorders Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1053	5.7	26	1	3	5	8	11	15
70-74	834	8.1	80	1	3	6	9	20	25
75-79	1011	7.3	64	2	3	5	9	14	19
80-84	928	7.9	65	2	3	5	10	15	20
85 +	1160	7.8	74	2	3	5	9	17	23
SUBTOTAL	**4986**	**7.3**	**62**	**2**	**3**	**5**	**9**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4986**	**7.3**	**62**	**2**	**3**	**5**	**9**	**15**	**21**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	272	5.8	31	1	2	3	7	15	15
35-49	461	5.3	38	1	2	3	6	10	21
50-69	809	5.6	29	1	2	4	8	14	16
70 +	136	5.9	19	2	3	4	8	13	14
	1677	**5.6**	**31**	**1**	**2**	**4**	**7**	**12**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1677	**5.6**	**31**	**1**	**2**	**4**	**7**	**12**	**17**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	292	9.0	97	1	2	5	11	29	35
35-49	278	12.2	199	2	4	6	14	38	40
50-69	174	6.6	48	< 1	3	5	9	11	25
70 +	43	5.5	5						
SUBTOTAL	**788**	**9.4**	**122**	**1**	**3**	**6**	**10**	**29**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**788**	**9.4**	**122**	**1**	**3**	**6**	**10**	**29**	**35**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	173	6.5	149	1	2	3	6	10	17
35-49	349	7.4	64	2	3	4	9	19	28
50-69	240	8.0	53	2	3	6	11	15	26
70 +	57	5.6	28	1	2	3	8	16	16
	819	**7.3**	**76**	**2**	**3**	**4**	**9**	**15**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	819	**7.3**	**76**	**2**	**3**	**4**	**9**	**15**	**25**

DRG 136: Cardiac Congenital & Valvular Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	434	3.7	8	1	2	3	5	7	9
70-74	162	3.9	12	1	2	3	5	9	10
75-79	237	3.7	6	1	2	3	5	6	6
80-84	241	3.7	11	1	2	3	4	5	13
85 +	288	4.7	9	2	2	4	6	9	10
SUBTOTAL	**1363**	**4.0**	**9**	**1**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**1363**	**4.0**	**9**	**1**	**2**	**3**	**5**	**7**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	584	2.7	4	1	1	2	3	4	6
35-49	1204	2.8	3	1	2	2	4	5	6
50-69	765	2.7	6	1	1	2	3	5	6
70 +	34	2.4	5						
	2587	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	2587	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	167	4.7	26	1	1	3	6	11	14
35-49	120	3.4	3	1	2	3	5	6	7
50-69	121	3.3	3	< 1	2	4	4	6	7
70 +	6	6.0							
SUBTOTAL	**412**	**4.0**	**13**	**1**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**412**	**4.0**	**13**	**1**	**2**	**3**	**5**	**7**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	232	3.0	12	1	1	2	3	6	12
35-49	269	3.1	9	1	2	2	3	7	9
50-69	255	3.0	5	1	1	3	4	5	6
70 +	34	3.2	1						
	790	**3.0**	**8**	**1**	**1**	**2**	**4**	**6**	**9**
	790	**3.0**	**8**	**1**	**1**	**2**	**4**	**6**	**9**

DRG 137: Cardiac Congenital & Valvular Disorders Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	1230	5.3	108	1	1	3	6	9	17
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1230**	**5.3**	**108**	**1**	**1**	**3**	**6**	**9**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1344	3.2	30	<1	1	1	3	8	12
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1344**	**3.2**	**30**	**<1**	**1**	**1**	**3**	**8**	**12**
GRAND TOTAL	**0**										**2574**	**4.2**	**68**	**<1**	**1**	**2**	**4**	**8**	**15**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	941	5.8	68	1	2	3	7	13	26	0-17	614	4.7	64	<1	1	3	5	11	18
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**941**	**5.8**	**68**	**1**	**2**	**3**	**7**	**13**	**26**		**614**	**4.7**	**64**	**<1**	**1**	**3**	**5**	**11**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1211	2.9	10	<1	1	2	4	6	8	0-17	901	2.8	9	1	1	1	4	6	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1211**	**2.9**	**10**	**<1**	**1**	**2**	**4**	**6**	**8**		**901**	**2.8**	**9**	**1**	**1**	**1**	**4**	**6**	**9**
GRAND TOTAL	**2152**	**4.2**	**38**	**<1**	**1**	**2**	**4**	**9**	**13**		**1515**	**3.6**	**32**	**1**	**1**	**2**	**4**	**8**	**12**

DRG 138: Cardiac Arrhythmia & Conduction Disorders w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	35527	5.1	22	2	2	4	6	10	13	0-17	928	6.4	83	1	2	4	6	14	21
70-74	33653	5.4	22	2	3	4	7	10	14	18-34	2442	3.0	5	1	1	2	4	6	8
75-79	35115	5.8	28	2	3	4	7	11	15	35-49	7022	3.5	11	1	2	3	4	7	8
80-84	28602	6.2	29	2	3	5	8	12	15	50-69	25024	4.3	13	1	2	3	5	8	11
85 +	24061	6.7	33	2	3	5	8	13	16	70 +	3590	4.8	29	1	2	4	6	9	12
SUBTOTAL	**156958**	**5.8**	**27**	**2**	**3**	**4**	**7**	**11**	**14**		**39007**	**4.2**	**16**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**156958**	**5.8**	**27**	**2**	**3**	**4**	**7**	**11**	**14**		**39007**	**4.2**	**16**	**1**	**2**	**3**	**5**	**8**	**10**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	495	4.2	23	1	2	2	6	8	12	0-17	310	4.5	18	1	2	3	6	8	16
18-34	800	3.4	8	1	1	3	4	7	10	18-34	1106	2.8	9	1	1	2	3	5	8
35-49	1364	4.4	16	1	2	3	6	8	11	35-49	2286	4.1	19	1	2	3	5	8	12
50-69	4171	5.6	21	2	3	4	7	11	15	50-69	5837	4.4	16	1	2	3	5	9	12
70 +	762	7.5	68	2	4	6	9	14	24	70 +	2355	5.5	24	1	2	4	7	11	15
SUBTOTAL	**7591**	**5.3**	**25**	**1**	**2**	**4**	**7**	**10**	**14**		**11893**	**4.4**	**18**	**1**	**2**	**3**	**5**	**9**	**12**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**7591**	**5.3**	**25**	**1**	**2**	**4**	**7**	**10**	**14**		**11893**	**4.4**	**18**	**1**	**2**	**3**	**5**	**9**	**12**

DRG 139: Cardiac Arrhythmia & Conduction Disorders w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	17539	3.1	5	1	2	3	4	6	7
70-74	16122	3.3	7	1	2	3	4	6	8
75-79	15534	3.8	8	1	2	3	5	7	8
80-84	10741	4.0	11	1	2	3	5	7	9
85 +	8557	4.5	11	2	2	4	6	8	11
SUBTOTAL	**68493**	**3.6**	**8**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**68493**	**3.6**	**8**	**1**	**2**	**3**	**5**	**7**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2240	3.0	9	1	1	2	4	6	9
18-34	5123	2.1	2	1	1	2	3	4	5
35-49	13381	2.3	3	1	1	2	3	4	5
50-69	27862	2.8	4	1	1	2	3	5	6
70 +	2074	3.0	6	1	1	2	4	6	7
	50680	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	50680	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	982	3.2	8	1	1	2	4	6	9
18-34	938	2.7	4	1	1	2	4	5	7
35-49	1011	3.8	36	1	2	3	4	7	8
50-69	1663	3.9	8	1	2	3	5	8	9
70 +	381	4.2	8	2	2	3	6	8	11
SUBTOTAL	**4973**	**3.6**	**13**	**1**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**4973**	**3.6**	**13**	**1**	**2**	**3**	**4**	**7**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	856	3.5	14	1	1	2	4	7	12
18-34	2306	2.3	3	1	1	2	3	5	6
35-49	3487	2.2	3	1	1	2	3	4	5
50-69	6143	2.7	4	1	1	2	3	5	6
70 +	1327	3.1	8	1	1	2	4	5	8
	14120	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
	14120	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 140: Angina Pectoris

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	45627	4.6	12	2	3	4	6	8	11	0-17	5	1.0							
70-74	35037	4.9	15	2	3	4	6	9	11	18-34	399	2.9	2	2	2	3	4	4	6
75-79	35704	5.0	15	2	3	4	6	9	12	35-49	6880	3.5	6	1	2	3	4	6	8
80-84	30224	5.2	18	2	3	4	6	9	12	50-69	25284	4.0	9	2	2	3	5	7	9
85 +	26047	5.4	16	2	3	4	7	10	13	70 +	3116	4.7	17	2	2	4	5	8	11
SUBTOTAL	**172640**	**5.0**	**15**	**2**	**3**	**4**	**6**	**9**	**11**		**35685**	**3.9**	**9**	**2**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	35157	3.3	4	1	2	3	4	6	7	0-17	6	2.0							
70-74	26759	3.5	5	1	2	3	4	6	7	18-34	1147	2.4	3	1	1	2	3	4	5
75-79	24542	3.7	7	2	2	3	5	6	8	35-49	18195	2.6	3	1	2	2	3	5	5
80-84	19942	4.0	10	2	2	3	5	7	8	50-69	44899	3.0	6	1	2	3	4	5	6
85 +	13519	4.1	7	2	2	3	5	7	9	70 +	2951	3.3	6	1	2	3	4	6	8
SUBTOTAL	**119919**	**3.6**	**6**	**1**	**2**	**3**	**5**	**6**	**8**		**67198**	**2.9**	**5**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**292560**	**4.4**	**12**	**2**	**2**	**4**	**5**	**8**	**10**		**102883**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	6	3.0							
18-34	287	4.4	9	2	2	3	6	9	11	18-34	280	3.8	12	1	2	3	5	7	12
35-49	2873	4.0	7	2	2	3	5	7	9	35-49	2424	3.5	6	1	2	3	4	7	8
50-69	8647	4.6	21	2	2	4	6	8	11	50-69	7330	3.9	10	1	2	3	5	7	9
70 +	990	6.1	20	2	3	5	8	11	11	70 +	2572	4.5	22	1	2	3	6	8	10
SUBTOTAL	**12797**	**4.6**	**18**	**2**	**2**	**4**	**6**	**8**	**11**		**12611**	**3.9**	**12**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	316	2.8	3	1	2	2	4	5	6	18-34	631	2.3	3	1	1	2	3	4	7
35-49	3299	3.2	4	1	2	3	4	6	8	35-49	6267	2.8	3	1	2	2	3	5	6
50-69	6059	3.8	10	1	2	3	5	6	8	50-69	11686	3.0	5	1	2	2	4	5	7
70 +	761	3.8	5	2	2	3	5	6	8	70 +	2173	3.2	6	1	2	2	4	6	7
SUBTOTAL	**10434**	**3.6**	**8**	**1**	**2**	**3**	**4**	**6**	**8**		**20757**	**2.9**	**4**	**1**	**2**	**2**	**4**	**5**	**7**
GRAND TOTAL	**23232**	**4.1**	**13**	**2**	**2**	**3**	**5**	**7**	**10**		**33367**	**3.3**	**7**	**1**	**2**	**3**	**4**	**6**	**8**

DRG 141: Syncope & Collapse w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	13072	4.5	18	2	2	4	5	8	11	0-17	643	2.4	3	1	1	2	3	4	6
70-74	13740	4.9	18	2	3	4	6	9	12	18-34	1862	3.2	15	1	2	2	3	5	8
75-79	16447	5.2	21	2	3	4	6	10	12	35-49	3386	3.4	10	1	2	3	4	6	9
80-84	15347	5.6	23	2	3	4	7	10	14	50-69	9243	3.8	9	1	2	3	5	7	9
85+	15958	6.3	40	2	3	5	7	12	16	70+	1614	5.2	36	1	2	4	6	9	11
SUBTOTAL	**74564**	**5.3**	**25**	**2**	**3**	**4**	**6**	**10**	**13**		**16748**	**3.7**	**13**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**74564**	**5.3**	**25**	**2**	**3**	**4**	**6**	**10**	**13**		**16748**	**3.7**	**13**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	256	2.6	2	1	1	2	4	5	5	0-17	284	3.8	36	1	1	2	4	10	12
18-34	501	3.2	5	1	2	3	4	6	8	18-34	680	3.0	7	1	1	2	3	5	8
35-49	822	3.6	9	1	2	3	4	6	8	35-49	1245	3.6	12	1	2	3	4	7	8
50-69	1810	4.7	16	2	3	4	5	9	11	50-69	2425	3.6	13	1	2	3	5	7	10
70+	366	6.2	22	2	3	5	7	12	17	70+	1167	5.3	28	2	2	4	6	10	17
SUBTOTAL	**3755**	**4.3**	**14**	**1**	**2**	**3**	**5**	**8**	**10**		**5801**	**3.9**	**17**	**1**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3755**	**4.3**	**14**	**1**	**2**	**3**	**5**	**8**	**10**		**5801**	**3.9**	**17**	**1**	**2**	**3**	**5**	**7**	**10**

DRG 142: Syncope & Collapse w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7315	3.3	7	1	2	3	4	6	7
70-74	7491	3.4	9	1	2	3	4	6	8
75-79	8376	3.7	13	1	2	3	4	6	8
80-84	7352	4.0	16	1	2	3	5	7	9
85+	7419	4.2	28	1	2	3	5	7	9
SUBTOTAL	**37953**	**3.7**	**14**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**37953**	**3.7**	**14**	**1**	**2**	**3**	**4**	**6**	**8**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	1768	2.2	2	1	1	2	3	4	5
18-34	3635	2.5	3	1	1	2	3	5	6
35-49	6973	2.5	3	1	1	2	3	4	5
50-69	11830	2.6	3	1	1	2	3	5	6
70+	1144	3.1	4	1	2	3	4	6	6
	25350	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
	25350	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	547	2.9	5	1	1	2	4	5	7
18-34	616	2.9	3	1	2	2	5	5	5
35-49	668	3.4	5	1	2	3	4	6	8
50-69	838	3.9	9	1	2	3	5	7	10
70+	258	4.6	19	1	2	3	5	9	17
SUBTOTAL	**2927**	**3.5**	**7**	**1**	**2**	**3**	**5**	**6**	**8**
GRAND TOTAL	**2927**	**3.5**	**7**	**1**	**2**	**3**	**5**	**6**	**8**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	444	1.7	1	1	1	1	2	3	4
18-34	1690	2.8	8	1	1	2	3	5	6
35-49	1624	2.4	3	1	1	2	3	4	6
50-69	2840	2.5	3	1	1	2	3	5	6
70+	928	3.5	12	1	1	3	4	7	8
	7525	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
	7525	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 143: Chest Pain

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	21332	3.6	7	1	2	3	4	7	9	0-17	145	2.1	1	< 1	1	2	3	4	4
70-74	12228	3.6	8	1	2	3	4	7	9	18-34	2612	2.4	3	1	1	2	3	5	6
75-79	10629	3.7	8	1	2	3	5	6	8	35-49	13982	2.7	3	1	2	2	3	5	6
80-84	7403	4.5	24	2	2	3	5	8	11	50-69	21548	3.0	7	1	2	2	4	5	6
85 +	4976	4.4	33	1	2	3	5	8	10	70 +	1169	3.5	7	1	2	3	4	7	8
SUBTOTAL	**56568**	**3.8**	**12**	**1**	**2**	**3**	**5**	**7**	**9**		**39456**	**2.8**	**5**	**1**	**2**	**2**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	23460	2.6	4	1	2	2	3	4	6	0-17	376	1.8	2	1	1	1	2	4	5
70-74	13511	2.7	3	1	2	2	3	5	6	18-34	9821	2.1	2	1	1	2	2	4	4
75-79	10146	2.8	3	1	2	2	3	5	6	35-49	54162	2.1	2	1	1	2	3	4	4
80-84	5947	2.9	4	1	2	2	4	5	6	50-69	57763	2.3	2	1	1	2	3	4	5
85 +	3785	3.0	5	1	2	2	4	6	7	70 +	1712	2.4	2	1	1	2	3	4	5
SUBTOTAL	**56848**	**2.7**	**4**	**1**	**2**	**2**	**3**	**5**	**6**		**123833**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**113417**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**7**		**163290**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	93	3.5	4	1	2	4	4	8	8	0-17	38	6.0	104	1	1	1	5	30	30
18-34	1448	2.9	5	1	1	2	3	6	8	18-34	2170	2.3	3	1	1	2	3	4	5
35-49	3594	3.1	6	1	2	2	4	6	8	35-49	5953	2.6	3	1	1	2	3	5	6
50-69	5539	3.5	7	1	2	3	4	7	8	50-69	6785	3.1	7	1	2	2	4	5	8
70 +	320	4.5	10	1	2	4	6	8	11	70 +	800	3.0	4	1	1	2	4	7	7
SUBTOTAL	**10995**	**3.3**	**7**	**1**	**2**	**3**	**4**	**7**	**8**		**15746**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	140	2.5	3	1	1	2	3	5	6	0-17	124	1.7	1	< 1	1	1	2	3	4
18-34	1738	2.3	2	1	1	2	3	4	5	18-34	4334	2.0	2	1	1	2	2	4	5
35-49	4808	2.5	3	1	1	2	3	5	6	35-49	18063	2.1	2	1	1	2	2	4	5
50-69	4499	3.0	5	1	2	3	4	5	7	50-69	16219	2.3	3	1	1	2	3	4	5
70 +	311	2.6	3	1	1	2	4	4	5	70 +	1219	2.8	7	1	1	2	3	5	6
SUBTOTAL	**11496**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**		**39959**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**22491**	**3.0**	**5**	**1**	**2**	**2**	**4**	**6**	**7**		**55705**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

Total U.S., July 1990 - June 1991

DRG 144: Other Circulatory System Diagnoses w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	20001	6.9	50	1	3	5	9	14	18
70-74	9785	7.2	37	2	3	6	9	14	18
75-79	8265	7.3	40	2	3	5	9	14	20
80-84	5646	7.2	32	2	3	6	9	15	18
85+	3876	8.5	89	2	4	6	10	15	26
SUBTOTAL	**47572**	**7.2**	**47**	**2**	**3**	**5**	**9**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**47572**	**7.2**	**47**	**2**	**3**	**5**	**9**	**14**	**19**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	3489	7.2	47	1	3	5	9	15	19
18-34	2589	6.5	60	1	2	4	8	14	17
35-49	5378	6.4	34	2	3	5	8	13	18
50-69	11919	6.3	33	1	3	5	8	13	17
70+	952	5.7	15	2	3	5	7	12	13
	24327	**6.4**	**37**	**1**	**3**	**5**	**8**	**13**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	24327	**6.4**	**37**	**1**	**3**	**5**	**8**	**13**	**17**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	2435	9.5	88	2	3	7	12	21	29
18-34	1653	8.8	66	2	3	6	12	19	26
35-49	2079	7.8	54	2	3	5	10	15	23
50-69	2613	7.4	52	2	3	5	9	14	20
70+	232	7.7	29	2	4	7	10	16	21
SUBTOTAL	**9012**	**8.3**	**65**	**2**	**3**	**6**	**10**	**18**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9012**	**8.3**	**65**	**2**	**3**	**6**	**10**	**18**	**25**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1042	7.7	36	2	3	6	11	15	20
18-34	1235	5.9	36	1	2	5	7	12	16
35-49	2130	6.4	38	1	3	5	8	12	17
50-69	2858	6.2	28	1	3	5	8	13	16
70+	509	5.6	29	1	2	4	7	10	14
	7774	**6.4**	**34**	**1**	**3**	**5**	**8**	**13**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	7774	**6.4**	**34**	**1**	**3**	**5**	**8**	**13**	**17**

DRG 145: Other Circulatory System Diagnoses w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	2994	4.0	14	1	2	3	5	7	9	0-17	1861	3.5	10	1	1	2	4	8	11	
70-74	1884	3.7	7	1	2	3	5	7	9	18-34	2534	3.0	5	1	2	2	4	6	7	
75-79	1300	3.9	13	1	2	3	5	7	10	35-49	4428	3.1	7	1	1	2	4	6	8	
80-84	1103	4.9	11	1	2	4	7	10	12	50-69	5364	3.4	7	1	2	3	4	7	8	
85 +	540	5.5	12	2	3	5	7	11	12	70 +	355	3.7	10	1	2	3	4	6	10	
SUBTOTAL	**7820**	**4.1**	**12**	**1**	**2**	**3**	**5**	**8**	**10**		**14541**	**3.3**	**7**	**1**	**1**	**2**	**4**	**6**	**8**	
GRAND TOTAL	**7820**	**4.1**	**12**	**1**	**2**	**3**	**5**	**8**	**10**		**14541**	**3.3**	**7**	**1**	**1**	**2**	**4**	**6**	**8**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	788	4.0	13	1	1	3	6	9	11	0-17	617	3.7	20	< 1	1	3	4	6	13	
18-34	488	3.9	35	1	2	3	5	6	9	18-34	1266	2.5	4	1	1	2	3	4	6	
35-49	442	4.2	9	1	2	3	5	8	14	35-49	1378	3.2	7	1	1	2	4	6	8	
50-69	594	5.2	13	2	3	4	7	12	13	50-69	1485	4.0	8	1	2	3	5	8	9	
70 +	42	3.5	2							70 +	166	4.4	11	1	2	3	6	8	10	
SUBTOTAL	**2355**	**4.3**	**17**	**1**	**2**	**3**	**6**	**9**	**12**		**4912**	**3.4**	**8**	**1**	**1**	**2**	**4**	**7**	**9**	
GRAND TOTAL	**2355**	**4.3**	**17**	**1**	**2**	**3**	**6**	**9**	**12**		**4912**	**3.4**	**8**	**1**	**1**	**2**	**4**	**7**	**9**	

DRG 146: Rectal Resection w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2122	12.1	35	7	9	11	13	19	25	0-17	183	8.0	14	5	6	7	9	15	16
70-74	1983	12.6	54	7	8	11	13	21	27	18-34	143	10.8	54	4	7	9	12	15	32
75-79	1635	12.7	41	7	9	11	14	21	29	35-49	618	9.6	9	6	8	9	11	13	16
80-84	1288	14.7	50	8	10	13	18	24	28	50-69	2581	11.3	30	7	8	10	13	17	21
85 +	669	14.4	85	7	9	12	17	25	32	70 +	148	11.7	19	6	9	10	14	19	21
SUBTOTAL	**7696**	**13.0**	**49**	**7**	**9**	**11**	**15**	**21**	**27**		**3674**	**10.9**	**27**	**7**	**8**	**10**	**12**	**16**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**7696**	**13.0**	**49**	**7**	**9**	**11**	**15**	**21**	**27**		**3674**	**10.9**	**27**	**7**	**8**	**10**	**12**	**16**	**20**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	113	7.8	5	4	6	6	9	11	11	0-17	72	16.3	116	7	8	10	26	34	34
18-34	35	15.7	48							18-34	59	13.2	29	7	9	11	15	22	22
35-49	102	12.5	61	8	10	11	12	12	44	35-49	117	10.6	9	8	9	10	13	15	17
50-69	149	17.8	73	9	11	14	26	32	33	50-69	694	10.8	15	7	9	10	12	16	18
70 +	6	10.0								70 +	94	16.2	78	9	9	11	21	37	37
SUBTOTAL	**405**	**13.4**	**64**	**8**	**9**	**11**	**14**	**26**	**32**		**1036**	**11.8**	**32**	**7**	**9**	**10**	**13**	**18**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**405**	**13.4**	**64**	**8**	**9**	**11**	**14**	**26**	**32**		**1036**	**11.8**	**32**	**7**	**9**	**10**	**13**	**18**	**24**

DRG 147: Rectal Resection w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	516	8.9	16	5	7	8	10	12	13	0-17	720	7.2	5	4	6	7	8	10	11
70-74	522	8.6	7	5	7	8	10	12	13	18-34	98	6.9	9	2	5	6	9	12	12
75-79	370	9.6	15	5	8	9	11	16	20	35-49	391	7.3	8	3	6	7	9	11	12
80-84	184	9.5	22	4	7	9	11	13	23	50-69	1124	8.7	8	5	7	8	10	12	13
85+	119	7.5	14	3	5	7	10	13	16	70+	57	6.9	6	3	6	7	8	10	11
SUBTOTAL	**1712**	**8.9**	**14**	**5**	**7**	**9**	**10**	**13**	**15**		**2390**	**7.9**	**7**	**5**	**6**	**8**	**9**	**11**	**13**
GRAND TOTAL	**1712**	**8.9**	**14**	**5**	**7**	**9**	**10**	**13**	**15**		**2390**	**7.9**	**7**	**5**	**6**	**8**	**9**	**11**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	424	7.9	10	4	6	8	10	11	14	0-17	161	7.9	4	6	6	8	9	12	12
18-34	34	9.9	6							18-34	45	7.5	8	2	5	9	10	11	11
35-49	53	11.6	25	7	8	11	11	23	23	35-49	56	7.7	3	6	6	8	9	10	10
50-69	62	8.4	11	5	7	8	9	12	17	50-69	266	8.2	14	3	6	8	10	12	14
70+	20	11.5								70+	39	8.4	3	5	8	9	10	10	10
SUBTOTAL	**593**	**8.5**	**12**	**5**	**6**	**8**	**11**	**13**	**14**		**566**	**8.0**	**9**	**5**	**6**	**8**	**9**	**11**	**14**
GRAND TOTAL	**593**	**8.5**	**12**	**5**	**6**	**8**	**11**	**13**	**14**		**566**	**8.0**	**9**	**5**	**6**	**8**	**9**	**11**	**14**

DRG 148: Major Small & Large Bowel Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	31052	14.2	99	7	8	11	16	26	35
70-74	30430	14.3	98	7	9	11	16	25	33
75-79	28512	15.5	112	7	9	12	18	27	36
80-84	21764	16.2	101	8	10	13	19	29	37
85+	15212	17.5	110	8	10	15	22	31	37
SUBTOTAL	**126970**	**15.3**	**105**	**7**	**9**	**12**	**18**	**27**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**126970**	**15.3**	**105**	**7**	**9**	**12**	**18**	**27**	**36**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	3257	13.3	169	4	6	9	16	29	52
18-34	6497	12.1	82	5	7	9	14	23	28
35-49	14308	12.5	84	6	8	10	14	22	29
50-69	34299	12.9	80	7	8	10	14	22	29
70+	2685	15.7	145	7	9	12	18	29	41
	61045	**12.9**	**89**	**6**	**8**	**10**	**14**	**23**	**30**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	61045	**12.9**	**89**	**6**	**8**	**10**	**14**	**23**	**30**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1438	16.1	270	5	6	10	22	43	80
18-34	2097	13.3	100	6	7	10	16	28	39
35-49	1716	16.1	197	6	8	12	18	29	51
50-69	2902	16.7	146	7	9	13	20	32	45
70+	328	19.3	198	8	10	13	25	39	43
SUBTOTAL	**8481**	**15.7**	**170**	**6**	**8**	**12**	**19**	**33**	**48**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**8481**	**15.7**	**170**	**6**	**8**	**12**	**19**	**33**	**48**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	931	16.5	319	4	7	10	18	53	67
18-34	3395	10.7	47	5	7	9	13	19	24
35-49	4248	12.7	81	6	8	10	14	23	33
50-69	7554	13.4	73	7	8	11	16	24	30
70+	1807	15.4	134	7	9	12	20	27	35
	17935	**13.1**	**91**	**6**	**8**	**10**	**15**	**24**	**31**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	17935	**13.1**	**91**	**6**	**8**	**10**	**15**	**24**	**31**

DRG 149: Major Small & Large Bowel Procedures w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6475	8.5	13	5	7	8	10	12	14	0-17	3488	7.1	44	3	4	6	8	11	14
70-74	5307	8.8	14	6	7	8	10	12	15	18-34	4725	7.3	18	3	5	7	9	11	13
75-79	4326	9.0	14	6	7	8	10	13	16	35-49	8414	7.7	13	4	6	7	9	12	13
80-84	2910	10.1	29	6	7	9	11	14	17	50-69	13407	8.3	10	5	7	8	9	12	14
85 +	1392	10.5	43	6	7	9	12	16	19	70 +	552	8.8	26	5	6	8	9	12	18
SUBTOTAL	**20409**	**9.0**	**18**	**6**	**7**	**8**	**10**	**13**	**16**		**30586**	**7.8**	**16**	**4**	**6**	**7**	**9**	**12**	**14**
GRAND TOTAL	**20409**	**9.0**	**18**	**6**	**7**	**8**	**10**	**13**	**16**		**30586**	**7.8**	**16**	**4**	**6**	**7**	**9**	**12**	**14**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1661	7.5	29	3	5	7	8	12	14	0-17	1321	7.0	32	2	4	6	8	12	16
18-34	1228	7.1	19	2	4	7	9	13	16	18-34	2209	6.9	14	3	5	7	8	10	12
35-49	517	8.9	22	5	7	8	9	14	20	35-49	2060	8.3	23	4	6	7	10	14	16
50-69	663	9.3	17	5	7	8	11	14	18	50-69	2471	8.3	16	5	6	8	9	13	15
70 +	70	10.1	16	6	8	10	13	15	17	70 +	434	9.8	57	5	7	8	10	13	19
SUBTOTAL	**4139**	**7.9**	**24**	**3**	**5**	**7**	**9**	**13**	**17**		**8494**	**7.8**	**22**	**4**	**5**	**7**	**9**	**12**	**16**
GRAND TOTAL	**4139**	**7.9**	**24**	**3**	**5**	**7**	**9**	**13**	**17**		**8494**	**7.8**	**22**	**4**	**5**	**7**	**9**	**12**	**16**

DRG 150: Peritoneal Adhesiolysis w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5299	12.4	88	5	7	10	15	23	32
70-74	4287	13.0	82	5	8	11	16	23	32
75-79	4555	14.6	103	6	8	12	17	27	35
80-84	3354	14.4	93	7	9	12	17	23	29
85 +	2222	15.6	84	7	10	13	19	26	32
SUBTOTAL	**19717**	**13.7**	**92**	**6**	**8**	**11**	**16**	**25**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**19717**	**13.7**	**92**	**6**	**8**	**11**	**16**	**25**	**33**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	856	10.0	41	5	6	8	12	16	25
18-34	1753	9.6	47	3	5	8	12	17	22
35-49	3748	10.5	56	4	6	9	13	19	25
50-69	5756	11.3	51	5	7	10	14	20	24
70 +	359	14.2	163	3	8	11	15	25	42
	12472	**10 8**	**56**	**4**	**6**	**9**	**14**	**19**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	12472	**10.8**	**56**	**4**	**6**	**9**	**14**	**19**	**24**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	378	12.6	143	4	5	8	14	27	40
18-34	568	9.5	55	3	5	8	11	16	27
35-49	605	13.4	140	5	7	10	15	25	31
50-69	736	13.6	101	6	8	10	16	24	29
70 +	147	12.6	14	7	10	13	15	18	18
SUBTOTAL	**2435**	**12.4**	**104**	**4**	**7**	**9**	**14**	**23**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2435**	**12.4**	**104**	**4**	**7**	**9**	**14**	**23**	**31**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	305	10.5	32	5	6	10	13	16	20
18-34	629	9.2	48	3	6	8	11	14	23
35-49	989	10.9	78	4	7	9	13	17	22
50-69	1112	12.0	52	5	7	11	15	21	26
70 +	182	11.1	24	5	8	10	16	17	20
	3217	**10.9**	**57**	**4**	**6**	**9**	**13**	**20**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3217	**10.9**	**57**	**4**	**6**	**9**	**13**	**20**	**25**

DRG 151: Peritoneal Adhesiolysis w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1996	6.6	18	3	4	6	8	11	13
70-74	1275	7.6	14	3	5	7	10	12	15
75-79	888	7.3	19	2	5	7	9	12	16
80-84	559	8.7	26	4	6	8	10	14	18
85 +	309	9.2	14	4	6	9	11	14	15
SUBTOTAL	**5028**	**7.4**	**18**	**3**	**5**	**7**	**9**	**12**	**14**
GRAND TOTAL	**5028**	**7.4**	**18**	**3**	**5**	**7**	**9**	**12**	**14**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	845	7.1	19	3	5	6	8	12	17
18-34	3694	5.2	13	1	3	4	7	9	12
35-49	5645	5.7	14	2	3	5	7	10	12
50-69	4564	6.7	18	2	4	6	9	12	14
70 +	102	7.4	10	3	5	7	10	12	13
	14850	**6.0**	**16**	**2**	**3**	**5**	**8**	**11**	**13**
	14850	**6.0**	**16**	**2**	**3**	**5**	**8**	**11**	**13**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	414	7.3	11	4	5	7	8	12	14
18-34	652	6.3	41	3	3	5	7	10	12
35-49	450	5.2	13	2	3	4	6	11	12
50-69	342	7.5	39	3	3	6	9	13	28
70 +	16	9.8	16						
SUBTOTAL	**1874**	**6.5**	**28**	**3**	**3**	**5**	**8**	**11**	**13**
GRAND TOTAL	**1874**	**6.5**	**28**	**3**	**3**	**5**	**8**	**11**	**13**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	388	6.4	13	3	4	6	7	11	15
18-34	1247	5.4	11	1	3	5	8	10	12
35-49	1164	6.0	10	3	4	5	8	10	11
50-69	705	7.3	17	2	5	7	9	12	15
70 +	56	6.0	6	4	4	6	6	11	11
	3560	**6.1**	**12**	**2**	**4**	**6**	**8**	**11**	**12**
	3560	**6.1**	**12**	**2**	**4**	**6**	**8**	**11**	**12**

DRG 152: Minor Small & Large Bowel Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1432	9.3	49	4	6	8	10	16	21
70-74	914	9.3	32	4	6	8	10	17	21
75-79	949	10.4	34	5	7	9	12	17	21
80-84	690	12.2	122	4	6	9	15	19	49
85 +	419	10.7	71	5	6	8	12	19	31
SUBTOTAL	**4405**	**10.1**	**57**	**4**	**6**	**8**	**11**	**18**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4405**	**10.1**	**57**	**4**	**6**	**8**	**11**	**18**	**23**

BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	387	10.3	178	3	6	7	9	16	19
18-34	377	9.0	32	3	5	8	12	16	18
35-49	696	8.0	37	2	5	7	10	15	17
50-69	1398	8.1	27	3	5	7	10	14	21
70 +	79	13.3	123	4	7	9	15	37	37
	2938	**8.6**	**54**	**3**	**5**	**7**	**10**	**15**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2938	**8.6**	**54**	**3**	**5**	**7**	**10**	**15**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	264	14.4	194	5	7	11	15	32	46
18-34	172	9.9	25	4	7	9	12	19	21
35-49	148	9.3	51	4	6	8	10	13	25
50-69	192	11.1	58	4	7	9	13	19	35
70 +	12	10.9	1						
SUBTOTAL	**787**	**11.6**	**98**	**4**	**7**	**9**	**12**	**21**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**787**	**11.6**	**98**	**4**	**7**	**9**	**12**	**21**	**32**

NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	197	7.8	13	4	6	8	9	12	18
18-34	189	8.7	18	5	6	8	10	14	17
35-49	201	9.4	19	4	6	8	11	15	18
50-69	338	9.2	45	2	4	8	12	16	23
70 +	50	8.5	6	4	8	9	10	13	13
	976	**8.8**	**26**	**3**	**6**	**8**	**10**	**15**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	976	**8.8**	**26**	**3**	**6**	**8**	**10**	**15**	**18**

DRG 153: Minor Small & Large Bowel Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	850	6.4	11	3	5	6	7	9	10	0-17	1075	5.8	18	2	4	6	7	8	9
70-74	599	6.6	7	4	5	6	9	10	12	18-34	998	5.8	13	2	4	6	7	9	10
75-79	413	7.1	6	4	5	7	9	10	11	35-49	1584	5.7	8	2	4	6	7	9	10
80-84	300	7.0	7	3	5	7	9	10	11	50-69	1588	6.1	8	2	4	6	8	9	11
85 +	92	6.2	4	3	5	6	7	10	11	70 +	62	6.3	6	3	4	7	8	9	9
SUBTOTAL	**2254**	**6.6**	**8**	**4**	**5**	**7**	**8**	**10**	**10**		**5309**	**5.8**	**11**	**2**	**4**	**6**	**7**	**9**	**10**
GRAND TOTAL	**2254**	**6.6**	**8**	**4**	**5**	**7**	**8**	**10**	**10**		**5309**	**5.8**	**11**	**2**	**4**	**6**	**7**	**9**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	762	7.2	25	4	5	7	8	10	14	0-17	336	7.1	14	4	5	6	8	10	12
18-34	448	6.1	7	2	4	6	8	9	10	18-34	855	6.2	9	2	4	6	8	9	10
35-49	178	7.1	17	3	4	7	8	11	14	35-49	420	6.0	15	2	4	5	8	10	11
50-69	163	7.7	5	5	7	8	10	10	10	50-69	343	6.3	9	3	5	6	8	8	14
70 +	0									70 +	24	8.0	1						
SUBTOTAL	**1551**	**6.9**	**17**	**3**	**5**	**7**	**8**	**10**	**11**		**1978**	**6.4**	**11**	**3**	**5**	**6**	**8**	**10**	**11**
GRAND TOTAL	**1551**	**6.9**	**17**	**3**	**5**	**7**	**8**	**10**	**11**		**1978**	**6.4**	**11**	**3**	**5**	**6**	**8**	**10**	**11**

DRG 154: Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	9591	15.9	149	6	8	12	19	30	40
70-74	6878	17.3	163	7	9	13	21	34	45
75-79	6576	17.8	160	7	9	14	22	33	43
80-84	4936	18.7	158	8	10	16	24	33	49
85 +	3279	20.1	173	8	11	16	26	38	49
SUBTOTAL	**31260**	**17.5**	**160**	**7**	**9**	**14**	**22**	**33**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**31260**	**17.5**	**160**	**7**	**9**	**14**	**22**	**33**	**44**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1485	11.3	67	5	7	9	13	19	22
35-49	5400	12.7	90	5	7	10	15	23	32
50-69	10063	14.0	107	6	8	11	17	26	35
70 +	827	16.1	147	7	9	13	19	25	31
	17775	**13.5**	**101**	**6**	**8**	**10**	**16**	**25**	**33**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	17775	**13.5**	**101**	**6**	**8**	**10**	**16**	**25**	**33**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	813	12.1	124	5	7	9	15	22	32
35-49	1387	14.3	127	5	7	11	18	31	37
50-69	1367	17.9	217	6	8	13	22	40	52
70 +	188	29.5	230	9	13	32	42	48	52
SUBTOTAL	**3755**	**15.9**	**179**	**5**	**8**	**11**	**19**	**36**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3755**	**15.9**	**179**	**5**	**8**	**11**	**19**	**36**	**47**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1252	10.5	60	5	7	8	11	18	28
35-49	1928	12.5	93	5	7	9	14	25	33
50-69	2482	14.7	138	5	8	11	17	26	41
70 +	405	18.7	223	7	9	13	23	41	60
	6067	**13.4**	**118**	**5**	**7**	**10**	**15**	**26**	**35**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6067	**13.4**	**118**	**5**	**7**	**10**	**15**	**26**	**35**

DRG 155: Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1522	8.0	30	3	5	7	10	14	17
70-74	1060	7.7	30	3	5	7	9	12	16
75-79	873	8.1	20	3	5	7	10	14	18
80-84	556	8.8	30	3	6	7	11	16	19
85 +	438	11.0	43	4	6	10	14	19	26
SUBTOTAL	**4450**	**8.3**	**30**	**3**	**5**	**7**	**10**	**15**	**18**
GRAND TOTAL	**4450**	**8.3**	**30**	**3**	**5**	**7**	**10**	**15**	**18**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1576	6.5	8	4	5	6	8	9	12
35-49	3579	6.7	9	4	5	6	8	10	12
50-69	3585	7.6	21	4	5	7	9	12	17
70 +	109	9.7	37	6	7	8	9	21	25
	8849	**7.1**	**14**	**4**	**5**	**6**	**8**	**11**	**14**
	8849	**7.1**	**14**	**4**	**5**	**6**	**8**	**11**	**14**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	517	7.1	12	4	5	7	8	11	16
35-49	504	8.7	37	3	5	7	12	16	18
50-69	323	12.4	132	4	7	9	15	24	37
70 +	32	13.5	47						
SUBTOTAL	**1376**	**9.1**	**55**	**4**	**5**	**7**	**10**	**17**	**22**
GRAND TOTAL	**1376**	**9.1**	**55**	**4**	**5**	**7**	**10**	**17**	**22**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	663	6.9	10	4	5	6	8	10	12
35-49	1088	8.2	26	4	5	7	10	14	17
50-69	937	9.2	49	4	6	7	11	15	17
70 +	77	7.3	13	4	5	7	8	12	17
	2764	**8.2**	**30**	**4**	**5**	**7**	**9**	**14**	**17**
	2764	**8.2**	**30**	**4**	**5**	**7**	**9**	**14**	**17**

DRG 156: Stomach, Esophageal & Duodenal Procedures Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	37	33.8	645						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**37**	**33.8**	**645**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	22	9.5	30						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**22**	**9.5**	**30**						
GRAND TOTAL	**59**	**24.9**	**554**	**4**	**11**	**13**	**43**	**63**	**83**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	3398	9.8	152	2	3	6	11	23	37
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3398	**9.8**	**152**	**2**	**3**	**6**	**11**	**23**	**37**
0-17	7840	4.4	35	2	2	3	4	7	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	7840	**4.4**	**35**	**2**	**2**	**3**	**4**	**7**	**11**
	11238	**6.0**	**77**	**2**	**2**	**3**	**6**	**13**	**19**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	2785	12.0	180	3	4	7	15	27	45
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2785**	**12.0**	**180**	**3**	**4**	**7**	**15**	**27**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3969	4.9	21	2	2	3	5	9	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3969**	**4.9**	**21**	**2**	**2**	**3**	**5**	**9**	**12**
GRAND TOTAL	**6753**	**7.8**	**99**	**2**	**3**	**5**	**8**	**17**	**26**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1227	11.2	192	2	3	6	14	35	57
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1227	**11.2**	**192**	**2**	**3**	**6**	**14**	**35**	**57**
0-17	2932	4.4	22	2	2	3	4	8	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2932	**4.4**	**22**	**2**	**2**	**3**	**4**	**8**	**12**
	4159	**6.4**	**82**	**2**	**2**	**3**	**6**	**14**	**25**

DRG 157: Anal & Stomal Procedures w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4428	5.5	42	1	2	4	7	11	15	0-17	739	6.1	27	1	3	5	8	13	16
70-74	2511	6.1	39	1	2	4	7	13	16	18-34	2180	3.9	23	1	2	2	5	8	11
75-79	2377	6.3	30	2	3	5	8	13	18	35-49	4842	3.8	12	1	2	3	5	8	10
80-84	1562	7.3	57	2	3	5	9	15	20	50-69	4694	4.3	17	1	2	3	5	9	11
85 +	1340	7.8	43	2	3	6	11	17	21	70 +	180	5.5	18	1	4	4	8	10	12
SUBTOTAL	**12218**	**6.3**	**42**	**1**	**2**	**4**	**8**	**13**	**18**		**12636**	**4.2**	**17**	**1**	**2**	**3**	**5**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**12218**	**6.3**	**42**	**1**	**2**	**4**	**8**	**13**	**18**		**12636**	**4.2**	**17**	**1**	**2**	**3**	**5**	**9**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	320	9.6	246	1	3	5	9	14	46	0-17	218	5.8	17	2	3	5	7	10	11
18-34	548	5.2	27	1	2	3	7	12	17	18-34	660	4.2	17	1	2	3	5	9	12
35-49	631	5.7	39	1	2	4	6	11	19	35-49	1027	4.2	12	1	2	3	5	10	13
50-69	473	5.8	24	1	2	4	7	12	13	50-69	930	5.4	28	1	2	4	7	14	19
70 +	43	9.7	226	1	2	5	11	47	47	70 +	45	2.5	2	< 1	1	2	3	6	6
SUBTOTAL	**2014**	**6.3**	**72**	**1**	**2**	**4**	**7**	**12**	**19**		**2880**	**4.7**	**19**	**1**	**2**	**3**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2014**	**6.3**	**72**	**1**	**2**	**4**	**7**	**12**	**19**		**2880**	**4.7**	**19**	**1**	**2**	**3**	**6**	**10**	**14**

DRG 158: Anal & Stomal Procedures w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	**TOTAL PATIENTS**	**AVG. STAY**	**VARIANCE**	**PERCENTILES**						**TYPE OF PATIENT**	**TOTAL PATIENTS**	**AVG. STAY**	**VARIANCE**	**PERCENTILES**					
				10TH	**25TH**	**50TH**	**75TH**	**90TH**	**95TH**					**10TH**	**25TH**	**50TH**	**75TH**	**90TH**	**95TH**
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4829	2.5	7	1	1	2	3	5	6	0-17	1947	3.6	9	1	1	3	5	7	9
70-74	3140	2.4	3	1	1	2	3	5	6	18-34	11415	2.1	3	1	1	2	3	4	5
75-79	2198	2.8	5	1	1	2	3	6	8	35-49	19134	2.1	2	1	1	2	3	4	5
80-84	1040	3.2	9	1	1	2	4	6	8	50-69	13164	2.2	3	1	1	2	3	4	5
85 +	675	3.5	11	1	2	2	4	7	9	70 +	228	3.0	6	1	1	2	4	7	8
SUBTOTAL	**11881**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**7**		**45889**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**11881**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**7**		**45889**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	**TOTAL PATIENTS**	**AVG. STAY**	**VARIANCE**	**PERCENTILES**						**TYPE OF PATIENT**	**TOTAL PATIENTS**	**AVG. STAY**	**VARIANCE**	**PERCENTILES**					
				10TH	**25TH**	**50TH**	**75TH**	**90TH**	**95TH**					**10TH**	**25TH**	**50TH**	**75TH**	**90TH**	**95TH**
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1045	4.3	14	1	2	3	6	8	12	0-17	619	3.8	9	1	1	3	5	8	10
18-34	1466	2.8	4	1	1	2	4	6	7	18-34	3315	2.7	4	1	1	2	3	5	7
35-49	973	2.5	3	1	1	2	3	4	6	35-49	3926	2.3	3	1	1	2	3	5	5
50-69	596	3.2	7	1	1	3	4	7	9	50-69	1975	2.4	5	1	1	2	3	4	6
70 +	17	2.0	1							70 +	186	3.3	14	< 1	1	1	4	8	14
SUBTOTAL	**4097**	**3.2**	**7**	**1**	**1**	**2**	**4**	**6**	**8**		**10021**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**4097**	**3.2**	**7**	**1**	**1**	**2**	**4**	**6**	**8**		**10021**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 159: Hernia Procedures except Inguinal & Femoral Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5827	5.2	20	2	3	4	7	9	12	0-17	0								
70-74	3977	5.8	28	2	3	5	7	10	13	18-34	476	3.5	5	1	2	3	5	7	9
75-79	3108	6.3	37	2	3	5	8	12	16	35-49	2401	4.8	18	1	2	4	6	8	12
80-84	1732	7.3	31	2	3	6	9	14	18	50-69	4262	5.3	15	2	3	4	7	9	11
85 +	988	7.5	32	2	3	6	10	16	19	70 +	258	6.6	58	1	3	4	8	14	26
SUBTOTAL	**15632**	**5.9**	**28**	**2**	**3**	**5**	**8**	**11**	**14**		**7397**	**5.1**	**17**	**1**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**15632**	**5.9**	**28**	**2**	**3**	**5**	**8**	**11**	**14**		**7397**	**5.1**	**17**	**1**	**3**	**4**	**6**	**9**	**11**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	261	4.7	9	1	2	4	7	9	10	18-34	222	3.6	5	1	2	3	5	7	8
35-49	667	5.2	16	1	3	4	7	9	11	35-49	630	5.1	18	1	3	4	6	9	13
50-69	875	5.6	24	2	3	4	7	9	13	50-69	1018	4.9	14	2	3	4	7	9	10
70 +	57	4.5	6	2	3	4	5	9	10	70 +	198	5.4	36	1	2	4	7	12	20
SUBTOTAL	**1860**	**5.3**	**18**	**1**	**3**	**4**	**7**	**9**	**11**		**2069**	**4.9**	**16**	**1**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1860**	**5.3**	**18**	**1**	**3**	**4**	**7**	**9**	**11**		**2069**	**4.9**	**16**	**1**	**2**	**4**	**6**	**9**	**12**

DRG 160: Hernia Procedures except Inguinal & Femoral Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5369	3.0	4	1	2	3	4	6	7	0-17	0								
70-74	3214	3.4	5	1	2	3	4	6	8	18-34	2705	2.3	3	1	1	2	3	4	6
75-79	2400	3.3	6	1	2	3	4	7	8	35-49	8840	2.6	3	1	1	2	3	5	6
80-84	1242	3.6	5	1	2	3	5	6	7	50-69	9672	2.8	3	1	1	2	4	5	6
85 +	464	4.7	12	2	2	4	6	8	10	70 +	351	2.8	5	1	1	2	4	5	7
SUBTOTAL	**12689**	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**21567**	**2.7**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**12689**	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**21567**	**2.7**	**3**	**1**	**1**	**2**	**4**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	913	2.5	2	1	1	2	3	4	6	18-34	1004	2.4	3	1	1	2	3	5	6
35-49	1352	2.8	3	1	1	2	4	5	6	35-49	2139	2.7	3	1	1	2	4	5	5
50-69	1122	3.5	5	1	2	3	4	6	8	50-69	1860	3.1	6	1	1	3	4	6	7
70 +	73	4.2	12	1	2	3	5	12	12	70 +	244	2.9	4	1	2	2	4	5	7
SUBTOTAL	**3461**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**6**		**5247**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**3461**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**6**		**5247**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**

DRG 161: Inguinal & Femoral Hernia Procedures Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4742	3.6	13	1	1	3	4	7	9	0-17	0								
70-74	4632	3.6	14	1	1	3	4	7	10	18-34	585	2.3	2	1	1	2	3	5	6
75-79	4902	4.6	17	1	2	3	6	10	14	35-49	1141	3.1	8	1	1	2	4	6	9
80-84	4103	4.6	20	1	2	3	6	9	11	50-69	3961	3.3	11	1	1	2	4	6	9
85 +	2976	6.6	45	1	2	5	8	14	18	70 +	562	3.6	10	1	1	3	4	7	9
SUBTOTAL	**21355**	**4.4**	**21**	**1**	**2**	**3**	**6**	**9**	**13**		**6250**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**21355**	**4.4**	**21**	**1**	**2**	**3**	**6**	**9**	**13**		**6250**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	96	2.9	5	< 1	1	2	4	8	8	18-34	215	2.4	4	1	1	2	3	7	7
35-49	201	3.0	7	1	1	2	4	6	9	35-49	328	3.3	9	1	1	3	4	7	9
50-69	393	4.4	16	1	1	4	6	11	12	50-69	818	3.2	7	1	1	3	4	5	10
70 +	81	5.4	13	1	2	5	9	9	13	70 +	246	5.1	56	1	1	3	6	16	33
SUBTOTAL	**771**	**4.0**	**13**	**1**	**1**	**3**	**5**	**9**	**12**		**1607**	**3.4**	**15**	**1**	**1**	**2**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**771**	**4.0**	**13**	**1**	**1**	**3**	**5**	**9**	**12**		**1607**	**3.4**	**15**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 162: Inguinal & Femoral Hernia Procedures Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6602	1.8	2	1	1	1	2	3	5
70-74	5422	1.9	2	1	1	1	2	4	5
75-79	4938	2.3	7	1	1	2	3	4	6
80-84	3236	2.5	6	1	1	2	3	5	6
85+	2161	2.9	7	1	1	2	3	6	8
SUBTOTAL	**22359**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**22359**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**6**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	4600	1.5	1	<1	1	1	2	3	3
35-49	7536	1.6	1	1	1	1	2	3	4
50-69	13351	1.7	2	1	1	1	2	3	4
70+	788	2.0	2	1	1	1	2	4	5
	26274	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
	26274	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	514	1.9	2	1	1	1	3	4	4
35-49	405	1.8	2	1	1	1	2	4	4
50-69	563	1.9	2	1	1	1	2	4	4
70+	129	3.8	17	1	1	2	4	12	12
SUBTOTAL	**1612**	**2.0**	**3**	**1**	**1**	**1**	**3**	**4**	**4**
GRAND TOTAL	**1612**	**2.0**	**3**	**1**	**1**	**1**	**3**	**4**	**4**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	1790	1.7	2	1	1	1	2	3	4
35-49	1785	1.8	3	1	1	1	2	3	4
50-69	1898	1.7	2	1	1	1	2	3	4
70+	406	2.0	2	<1	1	1	3	4	6
	5879	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
	5879	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 163: Hernia Procedures Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	22	1.5	1							0-17	1562	3.2	24	< 1	1	1	3	8	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**22**	**1.5**	**1**								**1562**	**3.2**	**24**	**< 1**	**1**	**1**	**3**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	66	1.3		< 1	< 1	1	1	2	3	0-17	13701	1.3	1	< 1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**66**	**1.3**		**< 1**	**< 1**	**1**	**1**	**2**	**3**		**13701**	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**89**	**1.3**		**< 1**	**< 1**	**1**	**1**	**3**	**3**		**15263**	**1.5**	**4**	**< 1**	**1**	**1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1359	4.4	72	1	1	2	4	9	34	0-17	688	3.1	16	< 1	1	1	4	7	13
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1359**	**4.4**	**72**	**1**	**1**	**2**	**4**	**9**	**34**		**688**	**3.1**	**16**	**< 1**	**1**	**1**	**4**	**7**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8690	1.5	2	< 1	1	1	2	2	4	0-17	5915	1.4	4	< 1	< 1	1	1	2	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**8690**	**1.5**	**2**	**< 1**	**1**	**1**	**2**	**2**	**4**		**5915**	**1.4**	**4**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**10049**	**1.9**	**12**	**< 1**	**1**	**1**	**2**	**3**	**4**		**6603**	**1.6**	**6**	**< 1**	**< 1**	**1**	**1**	**3**	**4**

DRG 164: Appendectomy w/ Complicated Principal Diag w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1710	10.8	30	5	7	10	13	18	21
70-74	1124	11.0	35	6	7	9	14	17	24
75-79	676	10.5	32	5	7	9	13	17	20
80-84	459	13.0	73	6	8	10	15	26	30
85 +	415	12.9	37	7	9	11	16	20	21
SUBTOTAL	**4384**	**11.2**	**37**	**5**	**7**	**10**	**14**	**19**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4384**	**11.2**	**37**	**5**	**7**	**10**	**14**	**19**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2980	9.4	23	5	6	8	11	15	19
18-34	2039	8.6	23	4	6	8	10	13	17
35-49	2550	9.1	20	5	6	8	11	15	18
50-69	2462	10.1	30	5	7	9	12	17	21
70 +	49	10.2	32	4	5	10	11	20	20
	10080	**9.3**	**24**	**5**	**6**	**8**	**11**	**15**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	10080	**9.3**	**24**	**5**	**6**	**8**	**11**	**15**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	950	9.5	16	5	7	9	12	16	18
18-34	535	10.5	91	5	6	8	11	16	22
35-49	295	11.3	44	6	7	11	14	17	22
50-69	230	13.8	216	6	6	8	13	34	51
70 +	29	10.7	11						
SUBTOTAL	**2039**	**10.5**	**64**	**5**	**7**	**8**	**12**	**17**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2039**	**10.5**	**64**	**5**	**7**	**8**	**12**	**17**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1318	10.1	37	5	6	9	12	17	21
18-34	1549	8.9	23	4	6	8	11	14	19
35-49	1012	8.6	22	5	6	8	10	13	14
50-69	503	9.9	33	5	7	8	11	17	22
70 +	35	12.8	174	4	5	6	10	40	40
	4416	**9.3**	**29**	**5**	**6**	**8**	**11**	**15**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4416	**9.3**	**29**	**5**	**6**	**8**	**11**	**15**	**20**

DRG 165: Appendectomy w/ Complicated Principal Diag w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	942	6.7	7	3	5	7	8	10	11	0-17	9128	5.9	9	3	4	6	7	9	11
70-74	553	6.9	9	4	5	6	9	12	13	18-34	6718	5.2	6	2	3	5	7	8	10
75-79	266	7.3	13	4	5	6	8	12	16	35-49	5011	5.9	7	3	4	6	7	9	10
80-84	125	8.5	11	4	6	7	11	14	15	50-69	3291	6.4	7	3	5	6	8	10	10
85 +	73	9.4	18	5	5	8	11	17	17	70 +	52	5.7	2	3	5	6	6	8	8
SUBTOTAL	**1959**	**7.1**	**9**	**4**	**5**	**7**	**8**	**11**	**13**		**24199**	**5.8**	**8**	**3**	**4**	**5**	**7**	**9**	**10**
GRAND TOTAL	**1959**	**7.1**	**9**	**4**	**5**	**7**	**8**	**11**	**13**		**24199**	**5.8**	**8**	**3**	**4**	**5**	**7**	**9**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2666	6.5	7	3	5	6	8	10	11	0-17	4093	6.3	9	3	4	6	8	10	11
18-34	982	5.8	6	3	4	5	7	8	10	18-34	4459	5.8	8	3	4	6	7	9	11
35-49	289	6.6	8	4	5	6	7	10	14	35-49	2092	6.0	6	3	4	6	8	9	10
50-69	139	8.0	13	4	5	8	10	13	14	50-69	873	6.0	8	3	4	6	7	9	11
70 +	11	7.5								70 +	24	21.6	184						
SUBTOTAL	**4086**	**6.4**	**7**	**3**	**5**	**6**	**8**	**10**	**11**		**11542**	**6.1**	**9**	**3**	**4**	**6**	**8**	**10**	**11**
GRAND TOTAL	**4086**	**6.4**	**7**	**3**	**5**	**6**	**8**	**10**	**11**		**11542**	**6.1**	**9**	**3**	**4**	**6**	**8**	**10**	**11**

DRG 166: Appendectomy w/o Complicated Principal Diag w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	973	5.4	35	3	4	5	7	11	12	0-17	3545	4.6	12	2	3	4	5	8	10
70-74	577	6.8	24	3	4	6	8	12	13	18-34	4486	4.6	10	2	3	4	5	8	10
75-79	462	7.8	33	3	4	6	9	16	22	35-49	2806	5.4	18	2	3	4	7	9	12
80-84	259	8.4	30	3	4	7	11	17	23	50-69	1700	5.6	9	3	4	5	7	9	11
85 +	166	8.4	15	3	5	8	10	13	17	70 +	89	8.3	27	3	4	8	10	18	18
SUBTOTAL	**2437**	**7.1**	**31**	**3**	**4**	**6**	**8**	**12**	**17**		**12626**	**4.9**	**13**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2437**	**7.1**	**31**	**3**	**4**	**6**	**8**	**12**	**17**		**12626**	**4.9**	**13**	**2**	**3**	**4**	**6**	**9**	**11**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	807	5.7	19	2	3	5	7	10	15	0-17	1062	4.3	7	2	3	4	5	8	10
18-34	1101	6.3	29	3	4	5	7	10	17	18-34	2560	4.7	8	2	3	4	6	8	11
35-49	320	5.7	5	3	4	5	7	9	10	35-49	952	5.5	8	2	3	5	7	9	11
50-69	63	6.7	38	3	4	4	6	13	25	50-69	462	5.6	7	3	4	5	7	9	10
70 +	31	6.8	1							70 +	38	7.3	6						
SUBTOTAL	**2322**	**6.0**	**22**	**3**	**3**	**5**	**7**	**10**	**13**		**5073**	**4.9**	**8**	**2**	**3**	**4**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2322**	**6.0**	**22**	**3**	**3**	**5**	**7**	**10**	**13**		**5073**	**4.9**	**8**	**2**	**3**	**4**	**6**	**8**	**11**

DRG 167: Appendectomy w/o Complicated Principal Diag w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1243	3.5	3	2	2	3	4	5	6	0-17	36784	2.7	2	2	2	2	3	4	5
70-74	602	4.3	4	2	3	4	5	7	8	18-34	40816	2.9	2	2	2	3	3	4	5
75-79	229	3.9	4	1	3	4	5	6	7	35-49	15747	3.3	3	2	2	3	4	5	6
80-84	92	4.0	1	2	3	4	5	5	5	50-69	5516	3.6	3	2	2	3	4	6	7
85 +	23	7.2	21							70 +	49	4.3	7	2	2	3	6	10	10
SUBTOTAL	**2188**	**3.8**	**4**	**2**	**3**	**3**	**4**	**6**	**7**		**98912**	**2.9**	**2**	**2**	**2**	**3**	**3**	**4**	**5**
GRAND TOTAL	**2188**	**3.8**	**4**	**2**	**3**	**3**	**4**	**6**	**7**		**98912**	**2.9**	**2**	**2**	**2**	**3**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	7373	3.0	2	2	2	3	4	5	6	0-17	11460	2.8	2	2	2	3	3	4	5
18-34	6002	3.2	2	2	2	3	4	5	6	18-34	21866	2.9	2	2	2	3	3	4	5
35-49	776	4.0	6	2	3	3	4	6	9	35-49	5038	3.2	2	2	2	3	4	5	6
50-69	240	3.6	3	2	2	4	5	6	6	50-69	1170	3.4	3	2	2	3	4	6	7
70 +	11	3.5	2							70 +	23	3.0	2						
SUBTOTAL	**14402**	**3.2**	**3**	**2**	**2**	**3**	**4**	**5**	**6**		**39557**	**2.9**	**2**	**2**	**2**	**3**	**3**	**5**	**5**
GRAND TOTAL	**14402**	**3.2**	**3**	**2**	**2**	**3**	**4**	**5**	**6**		**39557**	**2.9**	**2**	**2**	**2**	**3**	**3**	**5**	**5**

DRG 168: Mouth Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	982	4.3	37	1	2	2	4	8	15	0-17	275	4.2	10	1	2	4	5	11	11
70-74	477	5.5	80	1	1	2	6	11	29	18-34	277	3.7	4	2	2	4	5	6	7
75-79	276	6.6	69	1	2	3	6	22	35	35-49	344	5.2	18	1	2	4	8	11	15
80-84	281	4.6	14	2	2	3	6	9	10	50-69	566	4.2	19	1	1	3	5	9	11
85 +	203	5.3	30	1	2	4	5	13	18	70 +	44	4.0	7	1	2	3	6	9	9
SUBTOTAL	**2219**	**5.0**	**47**	**1**	**2**	**3**	**5**	**10**	**18**		**1507**	**4.3**	**14**	**1**	**2**	**3**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2219**	**5.0**	**47**	**1**	**2**	**3**	**5**	**10**	**18**		**1507**	**4.3**	**14**	**1**	**2**	**3**	**5**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	188	3.3	7	1	2	3	4	5	12	0-17	95	6.6	35	1	2	5	8	19	20
18-34	252	8.0	126	2	3	5	9	14	15	18-34	309	5.8	31	2	2	4	8	11	19
35-49	184	5.7	12	2	3	5	9	12	13	35-49	233	6.5	31	2	3	5	9	15	22
50-69	223	6.8	46	1	2	3	9	17	22	50-69	128	7.1	41	1	1	7	9	18	18
70 +	6	3.0								70 +	38	2.8	4						
SUBTOTAL	**853**	**6.1**	**56**	**1**	**2**	**4**	**8**	**13**	**16**		**802**	**6.2**	**32**	**1**	**2**	**5**	**8**	**14**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**853**	**6.1**	**56**	**1**	**2**	**4**	**8**	**13**	**16**		**802**	**6.2**	**32**	**1**	**2**	**5**	**8**	**14**	**19**

DRG 169: Mouth Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	615	2.3	3	1	1	2	3	4	6	0-17	1971	1.8	2	1	1	1	2	3	5
70-74	411	2.2	3	1	1	2	2	4	6	18-34	1073	2.6	5	1	1	2	3	6	7
75-79	323	2.6	4	1	1	2	3	6	7	35-49	1062	2.4	5	1	1	1	3	6	7
80-84	225	2.1	5	1	1	1	2	4	10	50-69	1215	2.0	3	1	1	1	2	4	5
85 +	208	2.0	3	1	1	2	2	3	4	70 +	39	3.2	6	1	1	3	4	8	8
SUBTOTAL	**1782**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**6**		**5360**	**2.1**	**4**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**1782**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**6**		**5360**	**2.1**	**4**	**1**	**1**	**1**	**2**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	655	2.1	3	1	1	1	3	5	6	0-17	756	2.3	3	< 1	1	2	3	5	6
18-34	242	4.4	9	1	2	4	6	9	10	18-34	629	3.2	6	1	1	2	4	7	8
35-49	130	3.6	16	< 1	1	2	5	11	13	35-49	249	4.5	15	1	1	3	7	8	9
50-69	82	1.8	1	< 1	1	1	3	3	4	50-69	289	2.2	2	1	1	2	3	4	6
70 +	15	3.3	4							70 +	28	1.6							
SUBTOTAL	**1125**	**2.8**	**7**	**1**	**1**	**2**	**4**	**6**	**9**		**1951**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**1125**	**2.8**	**7**	**1**	**1**	**2**	**4**	**6**	**9**		**1951**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 170: Other Digestive System O.R. Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3651	14.2	130	4	7	11	18	28	37
70-74	2228	15.5	187	4	7	11	19	34	51
75-79	1496	17.3	221	4	8	13	21	39	51
80-84	1079	15.7	107	5	8	13	21	30	34
85 +	910	14.8	125	4	8	12	20	29	37
SUBTOTAL	**9363**	**15.2**	**156**	**4**	**7**	**12**	**20**	**31**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9363**	**15.2**	**156**	**4**	**7**	**12**	**20**	**31**	**42**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	727	10.2	99	3	4	7	12	19	29
18-34	1343	9.3	93	2	4	7	10	20	26
35-49	1738	9.5	77	2	4	7	12	18	29
50-69	2878	11.2	89	3	6	9	13	22	28
70 +	127	9.7	36	3	6	8	14	19	19
	6812	**10.2**	**88**	**3**	**5**	**8**	**12**	**20**	**28**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6812	**10.2**	**88**	**3**	**5**	**8**	**12**	**20**	**28**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	287	18.9	410	2	5	10	38	48	94
18-34	439	8.9	44	4	5	6	11	19	27
35-49	469	17.0	237	4	7	10	23	38	56
50-69	411	17.5	157	5	9	12	23	37	44
70 +	36	26.6	285						
SUBTOTAL	**1641**	**15.5**	**214**	**3**	**6**	**9**	**21**	**38**	**48**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1641**	**15.5**	**214**	**3**	**6**	**9**	**21**	**38**	**48**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	240	9.8	36	3	5	9	14	26	99 +
18-34	743	7.0	56	1	3	5	8	15	22
35-49	637	10.1	62	4	5	8	13	20	23
50-69	546	11.8	67	5	5	10	15	24	34
70 +	59	11.6	50	3	6	11	17	23	27
	2224	**9.5**	**62**	**2**	**4**	**7**	**13**	**20**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2224	**9.5**	**62**	**2**	**4**	**7**	**13**	**20**	**27**

DRG 171: Other Digestive System O.R. Procedures w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	0										0									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	586	6.1	23	1	3	5	8	15	17	0-17	1544	4.3	9	1	2	4	5	8	11	
70-74	393	6.5	22	2	3	6	8	12	19	18-34	3190	3.6	13	1	1	3	5	7	9	
75-79	241	6.5	30	1	3	6	9	12	19	35-49	1989	4.6	15	1	2	4	6	8	11	
80-84	191	4.7	9	1	2	4	7	8	11	50-69	1284	6.4	27	2	3	5	9	12	15	
85 +	137	6.7	27	3	4	6	7	8	16	70 +	11	12.0	133							
SUBTOTAL	1546	6.1	23	1	3	5	8	12	17		8018	4.5	16	1	2	4	5	9	11	
GRAND TOTAL	1546	6.1	23	1	3	5	8	12	17		8018	4.5	16	1	2	4	5	9	11	

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	0										0									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	608	5.7	19	2	3	4	7	13	15	0-17	551	5.4	36	2	3	4	6	10	15	
18-34	785	4.8	21	1	2	4	6	8	9	18-34	1521	3.9	10	1	2	3	5	7	11	
35-49	307	6.8	18	2	4	6	9	13	14	35-49	656	5.8	27	1	3	5	7	13	17	
50-69	94	8.8	74	2	4	6	10	19	38	50-69	312	7.2	43	1	3	5	9	17	20	
70 +	0									70 +	11	4.9	4							
SUBTOTAL	1794	5.7	24	2	3	5	7	10	14		3052	4.9	23	1	2	4	6	10	15	
GRAND TOTAL	1794	5.7	24	2	3	5	7	10	14		3052	4.9	23	1	2	4	6	10	15	

DRG 172: Digestive Malignancy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5020	9.5	71	2	4	7	12	20	28	0-17	112	12.2	80	2	4	8	23	24	25
70-74	4735	9.7	78	2	4	7	12	21	30	18-34	255	8.5	46	2	3	7	11	16	16
75-79	4614	10.5	104	2	4	8	14	23	32	35-49	1484	8.4	110	1	3	5	10	16	26
80-84	4021	10.4	110	3	4	7	13	21	30	50-69	5395	8.6	68	2	3	6	11	18	25
85 +	4382	10.6	89	3	4	8	13	21	30	70 +	475	9.0	120	2	3	6	10	15	30
SUBTOTAL	**22773**	**10.1**	**90**	**2**	**4**	**7**	**13**	**21**	**30**		**7720**	**8.6**	**79**	**2**	**3**	**6**	**11**	**17**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**22773**	**10.1**	**90**	**2**	**4**	**7**	**13**	**21**	**30**		**7720**	**8.6**	**79**	**2**	**3**	**6**	**11**	**17**	**25**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	21	11.3	71							0-17	42	26.7	207						
18-34	108	9.7	61	3	4	7	13	21	29	18-34	102	9.9	74	1	4	6	16	23	26
35-49	640	12.0	117	2	4	9	17	28	31	35-49	474	8.2	83	1	3	6	9	16	25
50-69	1506	11.4	141	3	4	8	14	24	32	50-69	1530	10.3	107	2	4	7	13	22	28
70 +	141	13.1	93	5	7	13	15	39	99 +	70 +	507	9.5	108	2	4	7	11	22	35
SUBTOTAL	**2416**	**11.6**	**128**	**3**	**4**	**8**	**15**	**26**	**32**		**2655**	**10.1**	**108**	**2**	**4**	**7**	**13**	**22**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2416**	**11.6**	**128**	**3**	**4**	**8**	**15**	**26**	**32**		**2655**	**10.1**	**108**	**2**	**4**	**7**	**13**	**22**	**29**

DRG 173: Digestive Malignancy w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	838	4.9	41	1	1	3	6	11	14
70-74	672	5.6	39	1	2	4	7	11	15
75-79	651	5.8	49	1	1	4	8	12	15
80-84	582	4.7	16	1	2	3	7	9	14
85 +	573	5.7	23	1	2	4	9	11	13
SUBTOTAL	**3316**	**5.3**	**35**	**1**	**2**	**4**	**7**	**11**	**14**
GRAND TOTAL	**3316**	**5.3**	**35**	**1**	**2**	**4**	**7**	**11**	**14**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	106	4.5	6	1	2	5	7	8	8
18-34	60	3.6	11	1	2	2	4	9	12
35-49	339	5.2	16	1	2	5	8	10	14
50-69	1505	4.4	24	< 1	1	3	6	9	13
70 +	92	3.1	3	1	2	3	5	5	6
	2102	**4.4**	**21**	**1**	**1**	**3**	**6**	**9**	**13**
	2102	**4.4**	**21**	**1**	**1**	**3**	**6**	**9**	**13**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	30	7.2	12						
18-34	23	4.3	4						
35-49	204	8.0	81	1	3	5	7	25	32
50-69	385	6.2	30	1	2	5	9	15	15
70 +	35	6.5	7						
SUBTOTAL	**677**	**6.8**	**43**	**1**	**2**	**5**	**9**	**15**	**21**
GRAND TOTAL	**677**	**6.8**	**43**	**1**	**2**	**5**	**9**	**15**	**21**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	11	1.0							
18-34	29	5.0	11						
35-49	134	5.8	25	< 1	1	4	10	15	15
50-69	375	4.1	12	1	2	3	6	9	11
70 +	40	2.8	8	< 1	< 1	2	3	9	9
	589	**4.4**	**15**	**< 1**	**2**	**3**	**6**	**11**	**14**
	589	**4.4**	**15**	**< 1**	**2**	**3**	**6**	**11**	**14**

- DRG 174: G.I. Hemorrhage w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	31029	6.3	32	2	3	5	7	11	15	0-17	1145	3.9	12	1	2	3	4	8	11	
70-74	26322	6.3	24	3	4	5	7	11	14	18-34	4865	4.2	14	2	2	3	5	7	9	
75-79	30012	6.7	32	3	4	5	8	12	16	35-49	12650	4.6	12	2	3	4	5	8	10	
80-84	27111	7.1	32	3	4	6	8	12	17	50-69	25179	5.0	14	2	3	4	6	9	11	
85 +	29749	7.6	43	3	4	6	9	14	19	70 +	3015	6.2	21	2	4	5	7	12	14	
SUBTOTAL	**144223**	**6.8**	**33**	**3**	**4**	**5**	**8**	**12**	**16**		**46854**	**4.9**	**14**	**2**	**3**	**4**	**6**	**8**	**11**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**144223**	**6.8**	**33**	**3**	**4**	**5**	**8**	**12**	**16**		**46854**	**4.9**	**14**	**2**	**3**	**4**	**6**	**8**	**11**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	735	4.7	17	2	2	4	5	9	14	0-17	413	4.2	19	1	2	3	5	8	9	
18-34	2282	5.6	58	2	2	4	6	10	16	18-34	3789	3.9	10	2	2	3	4	7	9	
35-49	3984	6.5	44	2	3	5	7	12	18	35-49	6600	4.8	14	2	3	4	6	8	11	
50-69	4437	6.6	47	2	3	5	8	11	14	50-69	7688	5.1	16	2	3	4	6	9	12	
70 +	880	8.0	26	3	4	7	11	21	25	70 +	2170	6.7	34	2	3	5	8	14	19	
SUBTOTAL	**12318**	**6.3**	**45**	**2**	**3**	**5**	**7**	**12**	**17**		**20659**	**4.9**	**17**	**2**	**3**	**4**	**6**	**9**	**12**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**12318**	**6.3**	**45**	**2**	**3**	**5**	**7**	**12**	**17**		**20659**	**4.9**	**17**	**2**	**3**	**4**	**6**	**9**	**12**	

DRG 175: G.I. Hemorrhage w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5160	3.7	4	2	2	3	5	6	7	0-17	1727	2.5	4	1	1	2	3	4	6
70-74	4679	4.0	5	2	2	4	5	7	8	18-34	4086	2.8	4	1	2	2	3	5	6
75-79	4840	4.1	6	2	2	3	5	7	9	35-49	7092	3.2	3	1	2	3	4	6	7
80-84	3942	4.6	9	2	3	4	6	9	11	50-69	10463	3.6	4	2	2	3	4	6	7
85+	3856	4.7	8	2	3	4	6	8	10	70+	681	4.5	9	2	3	4	5	7	13
SUBTOTAL	**22478**	**4.2**	**6**	**2**	**2**	**4**	**5**	**7**	**9**		**24049**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**22478**	**4.2**	**6**	**2**	**2**	**4**	**5**	**7**	**9**		**24049**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	951	2.7	4	1	1	2	4	4	6	0-17	686	2.6	6	1	1	2	3	5	11
18-34	946	3.5	6	1	2	3	4	6	7	18-34	2567	3.0	9	1	2	2	4	5	6
35-49	826	3.3	4	1	2	3	4	5	7	35-49	2833	3.1	4	1	2	3	4	6	6
50-69	825	4.3	22	2	2	3	5	7	9	50-69	2998	3.3	4	1	2	3	4	6	7
70+	188	5.2	34	1	2	4	5	8	15	70+	437	4.4	99	1	2	3	4	6	8
SUBTOTAL	**3736**	**3.5**	**10**	**1**	**2**	**3**	**4**	**6**	**7**		**9521**	**3.2**	**10**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**3736**	**3.5**	**10**	**1**	**2**	**3**	**4**	**6**	**7**		**9521**	**3.2**	**10**	**1**	**2**	**3**	**4**	**5**	**7**

DRG 176: Complicated Peptic Ulcer

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2275	7.9	45	3	4	6	9	15	21
70-74	1558	7.5	34	3	4	6	9	14	18
75-79	1583	8.1	44	3	4	6	10	15	20
80-84	1387	8.5	38	3	5	7	10	16	22
85 +	1630	8.6	38	4	5	7	10	15	21
SUBTOTAL	**8434**	**8.1**	**40**	**3**	**4**	**6**	**10**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	820	5.2	18	1	3	4	7	9	12
70-74	547	5.2	13	2	3	4	7	9	11
75-79	666	5.4	11	2	3	5	7	9	10
80-84	372	5.8	17	2	3	5	8	9	16
85 +	317	7.0	27	3	4	5	9	12	13
SUBTOTAL	**2722**	**5.6**	**16**	**2**	**3**	**5**	**7**	**9**	**12**
GRAND TOTAL	**11156**	**7.5**	**36**	**3**	**4**	**6**	**9**	**14**	**19**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	95	6.7	40	2	4	5	8	9	30
18-34	355	5.9	27	2	3	4	7	11	15
35-49	911	6.3	27	2	3	5	8	12	15
50-69	1590	7.0	41	2	3	5	8	15	20
70 +	166	7.6	30	3	3	6	10	18	21
	3118	**6.7**	**35**	**2**	**3**	**5**	**8**	**12**	**18**
0-17	124	3.4	10	1	1	2	5	9	9
18-34	373	4.2	9	1	2	3	5	7	10
35-49	1062	4.3	15	1	2	3	5	8	11
50-69	1110	4.2	7	1	2	4	5	8	10
70 +	59	6.4	43	1	2	3	8	18	18
	2728	**4.3**	**11**	**1**	**2**	**3**	**5**	**8**	**10**
	5846	**5.6**	**25**	**2**	**3**	**4**	**7**	**11**	**15**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	32	6.0	32						
18-34	278	7.1	28	2	3	6	9	14	16
35-49	256	7.4	59	1	3	5	8	15	19
50-69	337	10.5	75	3	5	7	13	20	27
70 +	28	8.2	18						
SUBTOTAL	**932**	**8.4**	**56**	**2**	**4**	**6**	**9**	**18**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	58	8.0	233	< 1	1	3	6	8	56
18-34	78	5.9	43	2	2	4	6	8	28
35-49	135	3.9	9	2	2	3	5	9	9
50-69	73	5.0	3	3	4	5	7	8	8
70 +	40	6.2	13						
SUBTOTAL	**383**	**5.4**	**50**	**1**	**2**	**4**	**5**	**9**	**10**
GRAND TOTAL	**1315**	**7.5**	**56**	**2**	**3**	**5**	**9**	**15**	**20**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	55	3.0	5	< 1	1	3	6	6	7
18-34	176	5.3	12	2	3	4	7	11	13
35-49	313	7.2	43	2	3	5	9	15	25
50-69	386	5.8	19	2	3	4	7	11	13
70 +	52	8.7	50	3	4	6	8	25	25
	982	**6.2**	**28**	**2**	**3**	**4**	**7**	**13**	**15**
0-17	58	3.4	4	1	1	4	5	6	7
18-34	165	4.6	5	1	3	4	6	8	8
35-49	217	4.3	5	2	3	4	6	8	8
50-69	259	4.8	7	3	3	4	6	9	9
70 +	24	10.1	26						
	724	**4.7**	**7**	**2**	**3**	**4**	**6**	**8**	**9**
	1706	**5.5**	**20**	**2**	**3**	**4**	**7**	**10**	**13**

DRG 177: Uncomplicated Peptic Ulcer w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3969	5.5	15	2	3	4	7	10	13
70-74	2674	5.8	16	2	3	5	7	10	13
75-79	2539	6.6	22	3	4	5	8	12	15
80-84	1937	6.9	22	2	4	6	9	12	14
85 +	1531	7.3	51	3	4	6	8	13	16
SUBTOTAL	**12650**	**6.2**	**23**	**2**	**3**	**5**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**12650**	**6.2**	**23**	**2**	**3**	**5**	**7**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	117	3.0	2	2	2	3	4	5	5
18-34	882	4.1	6	1	3	4	5	9	9
35-49	2271	4.6	8	2	3	4	5	8	10
50-69	3094	4.9	9	2	3	4	6	9	10
70 +	216	5.0	7	2	3	4	6	9	10
	6580	**4.6**	**8**	**2**	**3**	**4**	**6**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6580	**4.6**	**8**	**2**	**3**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	40	3.9	3	1	3	4	6	6	6
18-34	383	4.9	36	2	2	3	5	10	11
35-49	613	4.8	8	2	3	4	6	8	10
50-69	714	5.9	38	2	3	4	7	11	14
70 +	122	5.6	8	2	3	6	7	11	11
SUBTOTAL	**1872**	**5.3**	**25**	**2**	**3**	**4**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1872**	**5.3**	**25**	**2**	**3**	**4**	**6**	**10**	**12**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	5.9	3	2	6	6	7	8	8
18-34	412	3.9	5	1	2	3	5	7	8
35-49	800	4.2	7	2	2	3	5	8	10
50-69	770	5.2	15	2	3	5	6	10	10
70 +	126	4.1	7	1	2	3	6	7	10
	2157	**4.5**	**10**	**2**	**2**	**4**	**6**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2157	**4.5**	**10**	**2**	**2**	**4**	**6**	**8**	**10**

DRG 178: Uncomplicated Peptic Ulcer w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2203	4.2	7	1	2	4	5	7	9
70-74	1437	3.8	7	1	2	3	5	6	8
75-79	1056	4.8	12	2	3	4	6	8	12
80-84	658	5.1	9	2	3	5	6	9	13
85 +	513	4.6	7	2	3	4	6	9	10
SUBTOTAL	**5868**	**4.3**	**8**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**5868**	**4.3**	**8**	**2**	**3**	**4**	**5**	**7**	**9**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	459	3.2	9	1	1	2	4	8	11
18-34	2388	3.2	4	1	2	3	4	5	7
35-49	4726	3.6	8	1	2	3	4	6	9
50-69	4009	3.4	4	1	2	3	4	6	7
70 +	76	3.8	3	2	2	4	4	6	7
	11658	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**7**
	11658	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	155	3.3	5	1	1	3	4	8	8
18-34	614	3.7	5	1	2	3	5	7	8
35-49	495	3.9	11	1	2	3	4	7	9
50-69	363	4.2	9	1	2	4	5	8	12
70 +	50	5.7	10	2	3	6	7	11	11
SUBTOTAL	**1677**	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**1677**	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	99	3.4	7	1	2	2	4	6	12
18-34	1006	2.7	3	1	1	2	4	5	6
35-49	1283	3.3	5	1	2	3	4	6	8
50-69	973	3.9	11	1	2	3	4	6	12
70 +	106	3.5	3	2	3	3	4	7	7
	3468	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**7**
	3468	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**7**

DRG 179: Inflammatory Bowel Disease

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	2661	8.8	59	3	4	7	10	17	24	0-17	1175	9.9	77	2	5	7	13	20	26	
70-74	1549	8.8	67	3	4	6	11	16	25	18-34	4794	8.0	42	2	4	6	10	15	20	
75-79	1146	9.2	43	3	5	7	11	18	25	35-49	4357	7.3	31	3	4	6	9	14	19	
80-84	822	11.6	79	4	5	9	16	22	30	50-69	2501	7.8	29	3	4	6	10	15	18	
85 +	495	10.9	65	4	6	9	14	19	23	70 +	95	11.5	48	3	7	10	15	25	25	
SUBTOTAL	**6674**	**9.4**	**62**	**3**	**5**	**7**	**11**	**18**	**25**		**12922**	**7.9**	**39**	**3**	**4**	**6**	**10**	**15**	**20**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	869	7.1	29	2	4	6	9	13	16	0-17	1532	6.3	35	2	3	5	8	12	16	
70-74	306	8.0	32	3	5	6	9	13	15	18-34	4945	6.0	17	2	3	5	8	11	15	
75-79	283	8.1	41	1	4	6	10	17	21	35-49	3369	5.9	20	2	3	5	7	11	15	
80-84	137	7.8	36	1	4	6	10	14	22	50-69	1461	5.9	14	2	3	5	8	10	12	
85 +	144	7.0	13	4	4	6	8	14	14	70 +	32	4.3	1				-			
SUBTOTAL	**1738**	**7.4**	**31**	**2**	**4**	**6**	**9**	**13**	**17**		**11339**	**6.0**	**20**	**2**	**3**	**5**	**8**	**11**	**15**	
GRAND TOTAL	**8412**	**9.0**	**56**	**3**	**4**	**7**	**11**	**17**	**24**		**24262**	**7.0**	**31**	**2**	**3**	**6**	**9**	**14**	**18**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	182	8.6	45	3	3	6	14	21	21	0-17	284	8.1	40	2	4	6	11	17	18	
18-34	776	8.8	53	3	4	7	11	19	27	18-34	1701	7.7	32	2	4	6	10	15	19	
35-49	542	8.0	26	3	5	7	10	14	18	35-49	907	7.9	35	2	4	6	10	16	21	
50-69	218	10.3	98	3	4	7	15	21	30	50-69	478	8.4	53	3	4	6	10	18	20	
70 +	23	13.8	51							70 +	42	5.8	6	2	4	7	7	10	10	
SUBTOTAL	**1741**	**8.8**	**50**	**3**	**4**	**7**	**11**	**18**	**24**		**3412**	**7.8**	**36**	**2**	**4**	**6**	**10**	**16**	**20**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	387	6.9	51	2	3	5	8	13	25	0-17	410	8.2	45	2	4	7	10	14	20	
18-34	760	6.5	23	2	3	5	8	12	16	18-34	1449	5.5	14	2	3	5	7	10	13	
35-49	192	7.2	20	3	4	6	10	14	17	35-49	779	6.1	19	2	3	5	7	12	15	
50-69	78	7.7	39	1	3	6	9	20	20	50-69	276	6.3	12	3	4	6	7	12	14	
70 +	16	4.0								70 +	49	5.4	1	3	5	6	6	7	7	
SUBTOTAL	**1433**	**6.7**	**31**	**2**	**3**	**5**	**8**	**14**	**18**		**2964**	**6.1**	**20**	**2**	**3**	**5**	**7**	**12**	**14**	
GRAND TOTAL	**3174**	**7.8**	**42**	**3**	**4**	**6**	**9**	**16**	**21**		**6375**	**7.0**	**29**	**2**	**3**	**6**	**9**	**14**	**18**	

Total U.S., July 1990 - June 1991

DRG 180: G.I. Obstruction w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	13549	7.0	59	2	3	5	8	13	17
70-74	10491	7.1	38	2	4	5	8	13	18
75-79	11972	7.6	49	2	4	6	9	14	19
80-84	10828	7.4	36	2	4	6	9	14	18
85 +	12290	8.0	43	3	4	6	10	15	20
SUBTOTAL	**59130**	**7.4**	**46**	**2**	**4**	**6**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**59130**	**7.4**	**46**	**2**	**4**	**6**	**9**	**14**	**18**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1075	4.2	32	1	1	3	5	7	10
18-34	1430	5.3	19	2	2	4	7	11	13
35-49	3837	5.6	21	2	3	4	7	11	14
50-69	8043	6.3	35	2	3	5	7	12	16
70 +	1038	8.0	60	3	4	6	9	15	20
	15424	**6.0**	**32**	**2**	**3**	**5**	**7**	**12**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	15424	**6.0**	**32**	**2**	**3**	**5**	**7**	**12**	**15**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	608	4.7	14	1	2	4	6	9	12
18-34	670	7.4	62	2	3	4	9	14	29
35-49	1190	6.7	39	2	4	5	7	12	17
50-69	1812	7.5	45	2	4	6	9	15	21
70 +	377	6.9	18	3	4	6	9	14	18
SUBTOTAL	**4657**	**6.9**	**40**	**2**	**3**	**5**	**8**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4657**	**6.9**	**40**	**2**	**3**	**5**	**8**	**13**	**18**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	489	3.2	10	1	1	2	4	5	6
18-34	571	4.8	13	1	3	4	6	8	10
35-49	896	5.6	22	2	3	4	7	10	14
50-69	1646	7.1	52	2	3	6	8	12	22
70 +	612	5.4	18	2	2	4	7	12	13
	4213	**5.8**	**32**	**1**	**3**	**4**	**7**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4213	**5.8**	**32**	**1**	**3**	**4**	**7**	**11**	**14**

DRG 181: G.I. Obstruction w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6050	4.2	7	2	2	4	5	7	9	0-17	2719	2.3	4	1	1	2	3	4	6
70-74	4750	4.3	8	2	2	4	5	7	9	18-34	3200	3.4	6	1	2	3	4	6	8
75-79	4680	4.4	9	2	3	4	6	8	10	35-49	6849	3.8	6	1	2	3	5	7	9
80-84	3437	5.1	12	2	3	4	6	9	12	50-69	9465	3.9	5	1	2	3	5	7	8
85 +	3281	5.3	14	2	3	4	7	10	11	70 +	446	4.3	9	1	2	4	6	9	10
SUBTOTAL	**22197**	**4.5**	**10**	**2**	**3**	**4**	**6**	**8**	**10**		**22678**	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**22197**	**4.5**	**10**	**2**	**3**	**4**	**6**	**8**	**10**		**22678**	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1462	2.7	5	1	1	2	3	6	7	0-17	1092	2.4	5	1	1	2	3	5	6
18-34	771	3.9	7	1	2	3	5	8	10	18-34	1771	3.4	5	1	2	3	4	6	8
35-49	1005	4.5	9	2	3	4	5	8	10	35-49	1770	3.7	6	1	2	3	5	6	9
50-69	944	4.8	12	2	3	4	6	8	11	50-69	2302	3.9	6	1	2	3	5	7	9
70 +	182	5.5	16	2	3	4	7	12	15	70 +	209	3.5	4	1	2	3	5	6	8
SUBTOTAL	**4364**	**3.9**	**9**	**1**	**2**	**3**	**5**	**8**	**10**		**7144**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**4364**	**3.9**	**9**	**1**	**2**	**3**	**5**	**8**	**10**		**7144**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**8**

Total U.S., July 1990 - June 1991

DRG 182: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	64217	5.5	23	2	3	4	7	10	13
70-74	46267	5.9	26	2	3	5	7	11	14
75-79	47222	6.0	25	2	3	5	7	11	15
80-84	38760	6.5	35	2	3	5	8	12	15
85 +	37195	7.0	39	2	3	5	8	13	17
SUBTOTAL	**233662**	**6.1**	**28**	**2**	**3**	**5**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**233662**	**6.1**	**28**	**2**	**3**	**5**	**7**	**11**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	31957	3.4	10	1	2	3	4	6	8
35-49	39330	4.2	12	1	2	3	5	8	10
50-69	51348	4.9	19	2	2	4	6	9	12
70 +	4256	5.4	21	2	3	4	6	11	14
	126891	**4.3**	**15**	**1**	**2**	**3**	**5**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	126891	**4.3**	**15**	**1**	**2**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	9794	4.4	22	1	2	3	5	8	11
35-49	8812	4.9	16	2	3	4	6	9	11
50-69	10438	5.7	34	2	3	4	7	10	13
70 +	1223	6.3	42	2	3	5	8	11	15
SUBTOTAL	**30268**	**5.1**	**26**	**2**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**30268**	**5.1**	**26**	**2**	**2**	**4**	**6**	**9**	**12**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	12994	3.3	8	1	2	2	4	6	8
35-49	11606	3.9	12	1	2	3	5	7	10
50-69	10855	4.6	16	1	2	3	6	8	12
70 +	2563	5.6	33	2	3	4	7	11	15
	38018	**4.0**	**14**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	38018	**4.0**	**14**	**1**	**2**	**3**	**5**	**8**	**10**

DRG 183: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	25513	3.7	7	1	2	3	5	7	9	0-17	0								
70-74	17896	3.9	8	1	2	3	5	7	9	18-34	53401	2.6	4	1	1	2	3	5	6
75-79	13877	4.1	11	1	2	3	5	8	9	35-49	56630	3.1	5	1	2	3	4	6	7
80-84	10292	4.3	11	1	2	4	6	8	10	50-69	52241	3.4	6	1	2	3	5	7	8
85 +	7803	4.5	15	1	2	4	6	8	10	70 +	1782	3.7	8	1	2	3	5	7	9
SUBTOTAL	**75380**	**4.0**	**10**	**1**	**2**	**3**	**5**	**8**	**9**		**164054**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**75380**	**4.0**	**10**	**1**	**2**	**3**	**5**	**8**	**9**		**164054**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	11041	2.8	7	1	1	2	3	5	7	18-34	22406	2.4	4	1	1	2	3	5	6
35-49	5827	3.7	9	1	2	3	5	7	9	35-49	14855	3.1	5	1	1	2	4	6	7
50-69	3905	4.1	9	1	2	4	5	8	9	50-69	9905	3.4	6	1	2	3	4	6	8
70 +	415	4.2	8	1	2	3	5	7	10	70 +	1148	3.6	7	1	2	3	4	7	9
SUBTOTAL	**21189**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**8**		**48313**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**21189**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**8**		**48313**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**

DRG 184: Esophagitis, Gastroent & Misc Digest Disorders Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	304	3.3	7	1	2	3	4	6	7
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	304	3.3	7	1	2	3	4	6	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	157	2.1	2	1	1	2	2	4	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	157	2.1	2	1	1	2	2	4	5
GRAND TOTAL	461	2.9	6	1	1	2	4	5	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	56446	2.9	11	1	2	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	56446	2.9	11	1	2	2	3	5	6
0-17	59713	2.3	4	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	59713	2.3	4	1	1	2	3	4	6
	116159	2.6	8	1	1	2	3	4	6

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	33467	3.7	23	1	2	3	4	6	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	33467	3.7	23	1	2	3	4	6	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	32912	2.9	8	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	32912	2.9	8	1	1	2	3	5	7
GRAND TOTAL	66378	3.3	16	1	2	2	4	6	8

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	17467	3.0	8	1	2	2	3	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	17467	3.0	8	1	2	2	3	5	8
0-17	20163	2.4	5	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	20163	2.4	5	1	1	2	3	4	6
	37629	2.7	6	1	1	2	3	5	7

DRG 185: Dental & Oral Dis except Extractions & Restorations, Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	824	6.5	62	1	3	5	8	12	17
70-74	571	7.6	47	2	3	5	8	18	26
75-79	440	8.3	49	2	4	7	12	16	22
80-84	351	6.5	21	2	3	5	9	12	17
85 +	214	6.8	38	1	4	6	8	12	25
SUBTOTAL	2400	7.1	48	2	3	5	8	14	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	345	3.5	10	1	1	3	4	7	8
70-74	214	3.7	6	1	2	3	5	8	9
75-79	218	3.9	10	1	2	3	4	9	12
80-84	117	3.4	5	1	2	3	4	7	8
85 +	93	4.5	6	1	2	5	7	7	8
SUBTOTAL	987	3.7	8	1	2	3	5	8	9
GRAND TOTAL	3387	6.1	39	1	2	5	7	12	17

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1489	3.4	9	1	1	3	4	6	9
35-49	984	5.3	24	1	2	4	7	10	12
50-69	1024	6.7	25	2	3	6	9	13	17
70 +	67	7.7	17	2	4	7	11	12	14
	3565	4.9	20	1	2	4	6	10	13
0-17	0								
18-34	2508	2.5	4	1	1	2	3	5	6
35-49	1298	3.3	42	1	1	2	4	6	8
50-69	675	3.3	11	1	1	2	4	6	7
70 +	122	3.7	8	1	1	3	6	7	9
	4604	2.9	16	1	1	2	4	5	7
	8168	3.8	19	1	1	3	5	8	10

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	796	4.0	13	1	2	3	5	7	9
35-49	343	4.3	14	1	2	3	6	10	13
50-69	188	6.1	15	2	3	6	8	12	15
70 +	0								
SUBTOTAL	1327	4.4	14	1	2	3	6	9	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	892	3.1	5	1	1	2	4	6	7
35-49	221	2.8	4	1	1	2	4	5	7
50-69	104	3.5	5	< 1	2	3	5	6	10
70 +	6	9.0							
SUBTOTAL	1223	3.1	5	1	1	2	4	6	7
GRAND TOTAL	2550	3.7	10	1	2	3	5	8	10

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1432	3.5	8	1	2	3	4	6	8
35-49	668	4.0	10	1	2	3	5	9	11
50-69	234	5.3	13	2	3	4	6	12	12
70 +	30	8.2	31						
	2363	3.8	10	1	2	3	5	7	11
0-17	0								
18-34	2991	2.1	2	1	1	2	3	4	5
35-49	895	2.4	5	1	1	2	3	4	6
50-69	178	2.6	3	< 1	1	2	3	4	8
70 +	55	2.9	6	1	1	2	2	7	7
	4119	2.2	3	1	1	2	3	4	5
	6483	2.8	6	1	1	2	3	5	7

DRG 186: Dental & Oral Dis except Extractions & Restorations, Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	11	2.4	2							0-17	2121	3.7	30	1	2	3	4	6	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**11**	**2.4**	**2**								**2121**	**3.7**	**30**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	1.0								0-17	3114	2.1	3	< 1	1	2	3	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**1.0**									**3114**	**2.1**	**3**	**< 1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**17**	**1.9**	**2**								**5236**	**2.8**	**14**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1714	3.9	6	2	2	3	5	7	9	0-17	700	2.8	4	1	2	2	4	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1714**	**3.9**	**6**	**2**	**2**	**3**	**5**	**7**	**9**		**700**	**2.8**	**4**	**1**	**2**	**2**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1708	2.7	4	1	1	2	3	5	6	0-17	1793	2.3	3	< 1	1	2	3	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1708**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**		**1793**	**2.3**	**3**	**< 1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**3422**	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**9**		**2493**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 187: Dental Extractions & Restorations

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	509	3.0	11	1	1	2	3	6	9	0-17	606	1.6	1	< 1	1	1	2	3	4
70-74	149	2.1	2	1	1	2	3	3	4	18-34	472	3.3	12	1	1	2	3	10	13
75-79	113	3.3	16	1	1	1	3	8	13	35-49	272	3.9	6	1	2	3	6	8	9
80-84	74	3.3	5	1	2	2	5	6	8	50-69	165	3.0	6	< 1	1	3	4	5	10
85 +	66	4.8	17	2	2	2	5	13	13	70 +	45	3.8	1						
SUBTOTAL	**911**	**3.1**	**10**	**1**	**1**	**2**	**3**	**7**	**9**		**1560**	**2.7**	**7**	**< 1**	**1**	**2**	**3**	**5**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	328	2.1	4	< 1	< 1	1	3	5	8	0-17	1837	1.2		< 1	< 1	< 1	1	2	3
70-74	71	4.3	7	1	1	4	6	8	8	18-34	841	1.6	3	< 1	< 1	1	1	3	4
75-79	107	2.4	2	1	1	2	4	5	5	35-49	171	1.6	1	< 1	1	1	2	3	3
80-84	50	2.2	2	< 1	1	2	2	5	5	50-69	173	2.2	3	1	1	1	2	5	7
85 +	67	2.1	3	1	1	2	2	5	6	70 +	0								
SUBTOTAL	**623**	**2.4**	**4**	**< 1**	**1**	**1**	**3**	**5**	**7**		**3022**	**1.4**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**1534**	**2.8**	**8**	**< 1**	**1**	**2**	**3**	**6**	**8**		**4582**	**1.8**	**4**	**< 1**	**< 1**	**1**	**2**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	635	2.7	12	< 1	1	2	3	5	7	0-17	313	2.2	5	1	1	1	3	4	5
18-34	355	3.0	9	1	1	2	4	8	10	18-34	184	3.2	20	1	1	2	3	4	8
35-49	164	3.3	6	1	1	2	5	7	9	35-49	38	6.4	3	4	4	7	8	8	8
50-69	37	3.4	8	1	1	2	7	8	8	50-69	38	3.5	4	1	1	4	5	6	6
70 +	0									70 +	27	13.7	494						
SUBTOTAL	**1191**	**2.9**	**10**	**< 1**	**1**	**2**	**3**	**7**	**9**		**601**	**3.4**	**37**	**1**	**1**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2727	1.2	1	< 1	< 1	< 1	< 1	1	3	0-17	931	1.3	1	< 1	< 1	< 1	1	2	3
18-34	448	1.6	2	< 1	< 1	1	2	3	4	18-34	553	2.4	2	< 1	1	2	3	5	6
35-49	39	1.7	1							35-49	139	2.3	3	1	1	2	3	4	4
50-69	35	3.3	5							50-69	43	2.3	4	< 1	< 1	1	3	7	7
70 +	0									70 +	0								
SUBTOTAL	**3249**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**		**1666**	**1.8**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**4440**	**1.7**	**4**	**< 1**	**< 1**	**< 1**	**1**	**3**	**6**		**2267**	**2.2**	**11**	**< 1**	**< 1**	**1**	**3**	**4**	**5**

Total U.S., July 1990 - June 1991

DRG 188: Other Digestive System Diagnoses Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	12302	6.8	40	2	3	5	8	13	17	0-17	0								
70-74	8833	6.9	44	2	3	5	8	14	19	18-34	3102	4.5	18	1	2	3	6	9	12
75-79	8229	7.3	49	2	3	5	9	14	20	35-49	4960	5.6	28	1	2	4	7	11	16
80-84	7266	7.4	54	2	3	5	9	15	20	50-69	8159	5.8	34	1	2	4	7	11	15
85 +	6969	7.9	45	2	4	6	10	15	20	70 +	835	6.4	23	2	3	5	8	13	21
SUBTOTAL	**43599**	**7.2**	**46**	**2**	**3**	**5**	**9**	**14**	**19**		**17056**	**5.5**	**29**	**1**	**2**	**4**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**43599**	**7.2**	**46**	**2**	**3**	**5**	**9**	**14**	**19**		**17056**	**5.5**	**29**	**1**	**2**	**4**	**7**	**11**	**15**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	1402	6.0	46	2	2	4	7	12	16	18-34	1437	5.4	26	1	2	4	7	12	17
35-49	1216	6.8	51	2	3	5	9	12	21	35-49	1683	5.5	23	1	2	4	7	12	16
50-69	1322	6.7	37	2	3	5	9	12	18	50-69	1777	6.2	29	2	3	5	8	12	16
70 +	240	10.5	129	3	4	8	11	14	52	70 +	503	6.7	67	1	3	4	8	16	18
SUBTOTAL	**4179**	**6.7**	**50**	**2**	**3**	**5**	**8**	**12**	**18**		**5400**	**5.8**	**30**	**1**	**2**	**4**	**7**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4179**	**6.7**	**50**	**2**	**3**	**5**	**8**	**12**	**18**		**5400**	**5.8**	**30**	**1**	**2**	**4**	**7**	**12**	**17**

DRG 189: Other Digestive System Diagnoses Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0										0-17	0								
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85+	0										70+	0								
SUBTOTAL	**0**											**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	3185	3.2	13	<1	1	2	4	7	10		0-17	0								
70-74	2347	3.4	10	<1	1	2	5	8	10		18-34	5275	2.6	5	1	1	2	3	5	7
75-79	2078	3.3	11	<1	1	2	4	7	9		35-49	5485	3.2	8	1	1	2	4	6	8
80-84	1737	3.4	14	<1	1	2	4	7	9		50-69	5984	3.1	8	<1	1	2	4	6	8
85+	1422	4.1	49	1	1	2	4	8	11		70+	280	3.9	15	1	1	3	5	8	15
SUBTOTAL	**10768**	**3.4**	**17**	**<1**	**1**	**2**	**4**	**7**	**10**			**17024**	**3.0**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**10768**	**3.4**	**17**	**<1**	**1**	**2**	**4**	**7**	**10**			**17024**	**3.0**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70+	0										70+	0								
SUBTOTAL	**0**											**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0										0-17	0								
18-34	1346	3.0	8	1	1	2	4	6	8		18-34	3041	2.7	8	1	1	2	3	6	9
35-49	689	3.4	7	1	1	3	5	7	8		35-49	1802	3.3	17	<1	1	2	4	6	10
50-69	582	3.4	8	1	1	3	4	7	9		50-69	1335	3.0	11	<1	1	2	4	6	9
70+	60	4.1	12	1	2	4	9	99+	99+		70+	138	2.7	4	1	1	2	4	5	6
SUBTOTAL	**2679**	**3.2**	**8**	**1**	**1**	**2**	**4**	**7**	**9**			**6316**	**2.9**	**11**	**<1**	**1**	**2**	**3**	**6**	**9**
GRAND TOTAL	**2679**	**3.2**	**8**	**1**	**1**	**2**	**4**	**7**	**9**			**6316**	**2.9**	**11**	**<1**	**1**	**2**	**3**	**6**	**9**

DRG 190: Other Digestive System Diagnoses Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	253	4.2	10	1	2	3	5	10	14
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**253**	**4.2**	**10**	**1**	**2**	**3**	**5**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	17	2.7	2						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**17**	**2.7**	**2**						
GRAND TOTAL	**270**	**4.1**	**10**	**1**	**2**	**3**	**5**	**8**	**14**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	2804	4.3	52	1	1	2	4	9	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2804	**4.3**	**52**	**1**	**1**	**2**	**4**	**9**	**12**
0-17	9977	2.0	7	< 1	1	1	2	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	9977	**2.0**	**7**	**< 1**	**1**	**1**	**2**	**4**	**6**
	12781	**2.5**	**18**	**< 1**	**1**	**1**	**2**	**5**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1848	7.0	88	1	2	4	8	17	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1848**	**7.0**	**88**	**1**	**2**	**4**	**8**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	4993	2.4	15	< 1	1	1	2	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4993**	**2.4**	**15**	**< 1**	**1**	**1**	**2**	**5**	**7**
GRAND TOTAL	**6841**	**3.7**	**39**	**< 1**	**1**	**2**	**4**	**8**	**14**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1020	5.8	79	1	1	3	7	13	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1020	**5.8**	**79**	**1**	**1**	**3**	**7**	**13**	**17**
0-17	4351	1.9	5	< 1	1	1	2	3	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4351	**1.9**	**5**	**< 1**	**1**	**1**	**2**	**3**	**6**
	5371	**2.6**	**21**	**< 1**	**1**	**1**	**2**	**6**	**10**

DRG 191: Pancreas, Liver & Shunt Procedures w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3009	19.3	228	7	9	15	24	38	53
70-74	2077	18.4	169	7	9	14	24	37	50
75-79	1802	18.3	164	7	9	15	24	36	48
80-84	1006	22.1	320	7	11	17	26	51	56
85 +	745	18.3	115	8	10	16	23	32	45
SUBTOTAL	**8640**	**19.1**	**202**	**7**	**10**	**15**	**24**	**37**	**51**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**8640**	**19.1**	**202**	**7**	**10**	**15**	**24**	**37**	**51**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	264	13.6	31	7	10	12	15	22	26
18-34	1143	16.1	317	5	7	10	16	39	60
35-49	2212	16.5	165	5	8	13	21	36	49
50-69	3284	17.1	188	5	8	13	22	33	45
70 +	165	15.2	164	5	7	12	22	33	50
	7067	**16.6**	**195**	**5**	**8**	**12**	**21**	**33**	**49**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	7067	**16.6**	**195**	**5**	**8**	**12**	**21**	**33**	**49**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	73	13.1	76	5	7	10	15	29	31
18-34	724	21.5	403	5	7	14	28	53	62
35-49	608	23.6	360	8	10	17	31	51	80
50-69	465	20.3	252	7	9	16	26	40	44
70 +	83	22.0	431	7	12	15	25	27	94
SUBTOTAL	**1953**	**21.5**	**346**	**6**	**9**	**15**	**28**	**47**	**62**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1953**	**21.5**	**346**	**6**	**9**	**15**	**28**	**47**	**62**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	108	19.1	419	6	9	12	15	72	72
18-34	897	16.3	321	4	6	10	17	41	50
35-49	820	21.2	298	6	9	15	27	49	61
50-69	970	18.8	311	5	8	14	24	46	62
70 +	140	16.4	96	7	9	11	23	33	37
	2935	**18.6**	**308**	**5**	**7**	**12**	**23**	**43**	**61**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2935	**18.6**	**308**	**5**	**7**	**12**	**23**	**43**	**61**

DRG 192: Pancreas, Liver & Shunt Procedures w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	428	8.6	25	3	5	7	11	15	19
70-74	236	9.3	24	4	6	8	13	16	18
75-79	164	9.8	30	4	7	8	13	17	17
80-84	96	9.7	6	6	9	10	10	13	16
85 +	66	6.8	15	1	1	8	8	12	13
SUBTOTAL	**990**	**8.9**	**24**	**4**	**6**	**8**	**11**	**15**	**17**
GRAND TOTAL	**990**	**8.9**	**24**	**4**	**6**	**8**	**11**	**15**	**17**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	186	8.5	16	3	6	8	10	15	17
18-34	423	8.7	41	4	5	6	10	18	18
35-49	834	8.8	59	2		7	10	16	21
50-69	986	8.3	26	3	5	7	10	14	19
70 +	11	7.5							
	2440	**8.5**	**39**	**3**	**5**	**7**	**10**	**16**	**19**
	2440	**8.5**	**39**	**3**	**5**	**7**	**10**	**16**	**19**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	43	13.1	41	2	10	12	16	24	24
18-34	166	8.8	51	3	5	7	10	15	23
35-49	72	10.9	37	6	6	8	17	19	24
50-69	56	11.6	22	4	9	11	13	15	22
70 +	11	16.0	4						
SUBTOTAL	**349**	**10.4**	**44**	**4**	**6**	**9**	**13**	**19**	**23**
GRAND TOTAL	**349**	**10.4**	**44**	**4**	**6**	**9**	**13**	**19**	**23**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	80	14.5	219	4	5	9	12	47	51
18-34	399	7.9	33	3	4	6	9	17	21
35-49	275	11.7	103	3	5	8	15	28	40
50-69	174	8.0	41	3	5	7	9	13	15
70 +	41	21.5	411	6	7	16	27	68	68
	969	**10.1**	**95**	**3**	**5**	**7**	**11**	**21**	**29**
	969	**10.1**	**95**	**3**	**5**	**7**	**11**	**21**	**29**

DRG 193: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2243	16.4	156	6	9	12	20	32	40	0-17	130	13.8	160	1	6	13	17	28	29
70-74	2334	15.4	89	7	9	13	19	27	32	18-34	526	9.2	37	4	5	7	10	16	23
75-79	2424	15.4	114	7	9	12	19	26	35	35-49	1115	12.2	91	4	7	9	16	21	32
80-84	2050	16.5	99	7	10	14	20	29	39	50-69	2562	13.6	115	5	8	10	17	24	31
85 +	1568	18.5	124	9	11	15	22	32	43	70 +	254	13.1	60	5	8	13	15	23	29
SUBTOTAL	**10618**	**16.3**	**117**	**7**	**9**	**13**	**20**	**29**	**38**		**4586**	**12.8**	**101**	**5**	**7**	**10**	**16**	**23**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**10618**	**16.3**	**117**	**7**	**9**	**13**	**20**	**29**	**38**		**4586**	**12.8**	**101**	**5**	**7**	**10**	**16**	**23**	**31**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	128	21.5	143	11	12	19	25	45	45	0-17	66	21.4	90	11	12	24	28	35	35
18-34	218	10.5	40	5	6	8	15	22	24	18-34	259	9.1	23	4	6	8	12	15	19
35-49	222	18.6	245	7	8	15	21	36	59	35-49	289	12.7	110	4	7	10	14	29	33
50-69	239	17.8	193	8	9	14	21	37	42	50-69	577	16.4	159	7	8	13	17	32	48
70 +	90	14.5	92	6	8	12	21	30	42	70 +	120	14.0	66	5	8	13	18	27	32
SUBTOTAL	**898**	**16.4**	**165**	**6**	**8**	**12**	**21**	**29**	**42**		**1311**	**14.2**	**119**	**5**	**8**	**11**	**16**	**29**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**898**	**16.4**	**165**	**6**	**8**	**12**	**21**	**29**	**42**		**1311**	**14.2**	**119**	**5**	**8**	**11**	**16**	**29**	**35**

DRG 194: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	372	8.0	21	3	5	7	10	13	14	0-17	214	9.2	30	5	6	8	12	14	18
70-74	445	9.1	22	4	6	9	11	14	18	18-34	350	6.2	25	1	3	5	8	12	16
75-79	310	11.5	57	4	7	10	15	22	33	35-49	559	6.5	17	2	3	6	8	13	16
80-84	252	7.9	22	2	5	8	10	12	15	50-69	879	8.5	34	1	5	8	10	15	21
85 +	194	9.3	20	1	7	10	13	15	16	70 +	49	6.0	32	1	1	1	10	14	17
SUBTOTAL	**1573**	**9.1**	**30**	**3**	**6**	**8**	**11**	**15**	**20**		**2050**	**7.6**	**28**	**1**	**4**	**7**	**10**	**14**	**16**
GRAND TOTAL	**1573**	**9.1**	**30**	**3**	**6**	**8**	**11**	**15**	**20**		**2050**	**7.6**	**28**	**1**	**4**	**7**	**10**	**14**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	110	11.9	47	6	8	9	17	25	27	0-17	84	10.2	30	6	7	8	12	22	22
18-34	137	8.7	34	3	4	7	11	15	22	18-34	123	9.1	237	2	4	6	8	11	32
35-49	74	8.1	13	4	6	7	9	13	16	35-49	127	6.5	54	1	2	5	8	12	17
50-69	56	12.2	139	3	6	7	15	38	38	50-69	165	8.7	18	4	6	9	10	14	15
70 +	0									70 +	11	8.2	4						
SUBTOTAL	**377**	**10.0**	**52**	**4**	**6**	**8**	**12**	**25**	**27**		**511**	**8.5**	**83**	**2**	**5**	**7**	**10**	**14**	**22**
GRAND TOTAL	**377**	**10.0**	**52**	**4**	**6**	**8**	**12**	**25**	**27**		**511**	**8.5**	**83**	**2**	**5**	**7**	**10**	**14**	**22**

DRG 195: Total Cholecystectomy w/ C.D.E. w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3773	9.7	28	5	6	8	12	16	18	0-17	118	8.3	27	5	6	6	8	22	22
70-74	3619	10.2	34	5	7	9	12	16	19	18-34	2370	6.8	9	4	5	6	8	10	12
75-79	3966	11.3	45	6	7	10	13	19	26	35-49	2887	7.7	17	4	5	7	9	12	16
80-84	2677	12.5	43	6	8	11	14	21	26	50-69	4317	8.9	22	4	6	8	11	14	18
85 +	2160	14.3	70	7	9	12	17	25	29	70 +	276	10.1	25	6	7	8	12	20	21
SUBTOTAL	**16195**	**11.3**	**44**	**6**	**7**	**10**	**13**	**18**	**24**		**9969**	**8.1**	**18**	**4**	**5**	**7**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**16195**	**11.3**	**44**	**6**	**7**	**10**	**13**	**18**	**24**		**9969**	**8.1**	**18**	**4**	**5**	**7**	**9**	**13**	**17**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	81	9.1	21	5	6	6	11	18	18	0-17	53	8.0	7	5	6	8	9	14	14
18-34	1248	7.7	16	4	5	7	9	13	15	18-34	1199	8.2	25	4	5	7	10	14	16
35-49	524	10.4	35	4	6	9	14	20	22	35-49	924	8.3	21	4	6	7	10	14	16
50-69	397	10.5	26	5	7	9	13	19	22	50-69	1012	10.3	51	4	6	9	12	18	22
70 +	101	11.3	26	6	8	11	14	28	99 +	70 +	226	12.2	136	4	6	8	13	24	49
SUBTOTAL	**2352**	**9.0**	**25**	**4**	**6**	**8**	**11**	**16**	**20**		**3414**	**9.1**	**40**	**4**	**5**	**7**	**11**	**15**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2352**	**9.0**	**25**	**4**	**6**	**8**	**11**	**16**	**20**		**3414**	**9.1**	**40**	**4**	**5**	**7**	**11**	**15**	**18**

DRG 196: Total Cholecystectomy w/ C.D.E. w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	697	6.9	7	4	5	6	8	11	11	0-17	59	5.8	4	5	5	5	6	9	9
70-74	483	7.3	20	4	5	7	9	11	12	18-34	1120	6.0	7	3	4	6	7	9	11
75-79	363	8.8	15	4	5	9	12	13	14	35-49	1239	6.3	7	3	4	6	8	10	11
80-84	242	8.5	13	5	6	8	11	12	15	50-69	1415	6.3	9	3	4	6	8	9	11
85 +	133	9.1	12	5	6	9	11	14	14	70 +	107	8.0	13	4	6	8	10	10	12
SUBTOTAL	**1918**	**7.7**	**14**	**4**	**5**	**7**	**10**	**12**	**13**		**3940**	**6.2**	**8**	**3**	**4**	**6**	**8**	**10**	**11**
GRAND TOTAL	**1918**	**7.7**	**14**	**4**	**5**	**7**	**10**	**12**	**13**		**3940**	**6.2**	**8**	**3**	**4**	**6**	**8**	**10**	**11**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	78	6.5	3	4	6	6	8	9	9	0-17	22	8.2	18						
18-34	911	6.4	8	3	4	6	8	9	11	18-34	687	6.7	11	3	4	6	9	12	13
35-49	176	7.5	10	4	6	7	9	12	14	35-49	456	6.3	9	3	4	6	8	11	11
50-69	136	9.2	24	5	6	7	12	14	19	50-69	504	7.3	12	3	5	7	10	12	13
70 +	35	10.8	21							70 +	52	8.0	14	5	5	6	10	14	16
SUBTOTAL	**1336**	**6.9**	**11**	**4**	**5**	**6**	**8**	**11**	**13**		**1721**	**6.8**	**11**	**3**	**4**	**6**	**9**	**12**	**13**
GRAND TOTAL	**1336**	**6.9**	**11**	**4**	**5**	**6**	**8**	**11**	**13**		**1721**	**6.8**	**11**	**3**	**4**	**6**	**9**	**12**	**13**

DRG 197: Total Cholecystectomy w/o C.D.E. w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	23986	7.4	38	2	4	6	9	13	17	0-17	288	5.8	11	2	3	5	8	11	13
70-74	16576	7.6	35	2	4	6	10	14	17	18-34	8368	5.3	15	1	3	5	7	10	12
75-79	13002	8.9	42	3	5	8	11	16	21	35-49	17380	5.3	18	1	3	5	7	10	12
80-84	8397	9.9	54	3	6	9	12	17	21	50-69	26204	6.4	25	2	3	5	8	11	15
85+	4923	10.8	50	4	7	9	13	19	22	70+	1209	8.6	103	2	4	6	10	15	24
SUBTOTAL	**66886**	**8.3**	**42**	**2**	**4**	**7**	**10**	**15**	**19**		**53448**	**5.9**	**23**	**1**	**3**	**5**	**7**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**66886**	**8.3**	**42**	**2**	**4**	**7**	**10**	**15**	**19**		**53448**	**5.9**	**23**	**1**	**3**	**5**	**7**	**11**	**13**

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	158	8.3	30	3	5	7	10	15	18	0-17	130	5.1	5	3	4	4	6	7	10
18-34	3960	6.2	16	2	4	5	8	11	13	18-34	3627	5.9	19	2	3	5	8	10	13
35-49	2435	6.6	36	2	4	6	8	11	15	35-49	4214	6.6	33	2	3	5	8	12	15
50-69	2833	7.6	44	3	4	6	9	13	18	50-69	5385	7.0	35	2	4	6	9	12	15
70+	400	12.0	77	3	6	9	16	24	28	70+	738	8.4	34	3	5	7	11	15	18
SUBTOTAL	**9786**	**7.0**	**33**	**2**	**4**	**6**	**9**	**12**	**16**		**14094**	**6.7**	**30**	**2**	**3**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**9786**	**7.0**	**33**	**2**	**4**	**6**	**9**	**12**	**16**		**14094**	**6.7**	**30**	**2**	**3**	**5**	**8**	**12**	**15**

DRG 198: Total Cholecystectomy w/o C.D.E. w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	21555	3.5	7	1	1	3	5	7	8	0-17	1237	3.1	5	1	1	3	4	6	7
70-74	12753	3.6	7	1	1	3	5	7	9	18-34	48088	2.7	4	1	1	2	4	5	6
75-79	7607	4.1	13	1	1	3	6	8	10	35-49	68815	2.7	5	1	1	2	4	5	7
80-84	3357	4.7	11	1	2	4	6	9	11	50-69	61421	3.0	5	1	1	2	4	6	7
85 +	1207	5.6	18	1	2	5	8	11	15	70 +	855	3.7	6	1	2	3	5	7	8
SUBTOTAL	**46480**	**3.7**	**9**	**1**	**1**	**3**	**5**	**7**	**9**		**180415**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**46480**	**3.7**	**9**	**1**	**1**	**3**	**5**	**7**	**9**		**180415**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	569	3.1	3	1	2	3	4	6	7	0-17	340	3.2	4	1	2	3	4	7	8
18-34	15641	3.3	4	1	2	3	4	6	7	18-34	16768	3.0	5	1	1	3	4	6	7
35-49	5424	3.8	6	1	2	4	5	7	8	35-49	16875	3.1	5	1	1	3	4	6	7
50-69	2911	4.6	11	1	2	4	6	9	11	50-69	11136	3.4	8	1	1	3	4	7	8
70 +	239	7.5	19	2	5	7	9	15	17	70 +	630	3.9	7	1	2	3	5	7	10
SUBTOTAL	**24784**	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**8**		**45749**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**8**
GRAND TOTAL	**24784**	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**8**		**45749**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**8**

DRG 199: Hepatobiliary Diagnostic Procedure for Malignancy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	691	14.4	183	5	7	10	18	33	37
70-74	409	14.3	92	5	8	12	18	29	42
75-79	384	13.6	181	5	7	11	15	23	27
80-84	165	12.6	40	5	8	11	17	21	21
85 +	149	16.4	39	8	13	16	22	25	27
SUBTOTAL	1798	14.2	137	5	7	11	17	26	34
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	160	7.5	28	4	5	6	8	11	14
70-74	133	11.5	80	5	5	10	17	18	18
75-79	101	7.9	59	1	3	6	8	27	27
80-84	63	11.2	13	7	8	11	13	17	17
85 +	11	8.5	22						
SUBTOTAL	468	9.2	50	4	5	7	11	18	18
GRAND TOTAL	2266	13.2	123	4	7	10	16	25	32

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	41	18.7	217	1	4	9	32	39	39
18-34	39	9.9	54	3	4	5	18	23	23
35-49	243	8.4	31	2	5	7	11	15	17
50-69	844	11.3	62	4	6	10	13	22	32
70 +	60	13.5	22	7	8	16	16	19	19
	1227	11.0	62	4	6	9	13	20	32
0-17	78	10.7	13	5	9	10	13	16	16
18-34	0								
35-49	62	9.8	37	5	5	8	12	22	22
50-69	246	7.4	23	2	5	7	9	14	16
70 +	12	3.4	7						
	398	8.3	25	2	5	8	11	14	22
	1625	10.4	55	4	5	9	13	19	24

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	11	13.0	1						
18-34	5	30.0							
35-49	60	16.7	142	4	5	10	27	36	38
50-69	23	24.0	300						
70 +	12	12.9	1						
SUBTOTAL	110	18.1	156	5	10	14	28	38	49
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	5.7							
18-34	6	1.0							
35-49	6	12.0							
50-69	0								
70 +	0								
SUBTOTAL	28	5.9	13						
GRAND TOTAL	138	15.6	151	5	6	12	26	34	38

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	2.0							
18-34	0								
35-49	47	11.6	118	5	6	7	11	40	40
50-69	100	12.0	77	3	5	9	16	29	29
70 +	77	8.1	13	3	5	8	11	13	14
	230	10.4	66	3	5	8	13	27	29
0-17	29	7.1	12						
18-34	6	3.0							
35-49	16	2.6							
50-69	62	7.1	26	2	3	6	9	14	19
70 +	0								
	112	6.3	20	2	3	5	8	13	18
	342	9.0	55	3	4	7	11	17	29

Total U.S., July 1990 - June 1991

DRG 200: Hepatobiliary Diagnostic Procedure for Non-malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	372	14.1	84	3	8	12	19	24	31
70-74	318	12.3	85	4	5	10	15	27	35
75-79	246	13.6	84	4	6	12	21	24	28
80-84	90	11.7	52	3	7	11	15	31	76
85 +	44	16.3	96	2	6	16	22	34	34
SUBTOTAL	**1070**	**13.3**	**83**	**4**	**7**	**11**	**18**	**25**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	161	6.5	33	1	3	6	7	13	14
70-74	77	5.4	9	1	3	5	7	10	11
75-79	60	6.9	19	1	2	7	12	13	14
80-84	44	5.7	28	2	2	3	13	16	16
85 +	15	10.0	2						
SUBTOTAL	**357**	**6.4**	**24**	**1**	**3**	**7**	**8**	**12**	**14**
GRAND TOTAL	**1427**	**11.6**	**77**	**3**	**5**	**9**	**16**	**23**	**31**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	168	17.0	220	3	7	13	19	49	49
18-34	202	11.2	83	2	5	9	14	25	32
35-49	271	10.4	65	2	4	9	15	23	28
50-69	454	10.9	65	2	5	9	15	22	26
70 +	29	13.3	5						
	1125	**11.8**	**94**	**2**	**5**	**9**	**15**	**25**	**32**
0-17	134	6.8	70	1	2	4	6	15	15
18-34	236	4.4	18	1	2	3	6	7	10
35-49	416	4.2	17	1	1	3	6	10	11
50-69	301	3.7	11	1	1	2	5	9	10
70 +	6	10.0							
	1093	**4.5**	**23**	**1**	**1**	**3**	**6**	**10**	**11**
	2218	**8.2**	**73**	**1**	**2**	**6**	**11**	**19**	**25**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	51	24.6	593	1	9	11	43	65	65
18-34	90	11.2	125	3	4	6	16	37	37
35-49	106	14.2	160	3	5	11	27	33	47
50-69	138	16.1	235	6	7	10	22	62	62
70 +	0								
SUBTOTAL	**385**	**15.6**	**250**	**4**	**5**	**9**	**22**	**37**	**62**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	85	9.0	74	1	3	6	13	27	27
18-34	38	4.9	9	1	2	5	6	11	11
35-49	29	4.1	15						
50-69	57	2.9	8	< 1	1	2	4	9	10
70 +	6	7.0							
SUBTOTAL	**213**	**6.0**	**42**	**1**	**1**	**4**	**7**	**13**	**27**
GRAND TOTAL	**598**	**12.1**	**197**	**1**	**4**	**7**	**16**	**29**	**47**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	33	11.9	120	2	3	12	12	34	34
18-34	161	13.8	134	3	4	9	23	33	36
35-49	164	10.3	69	2	4	9	15	27	36
50-69	125	11.1	54	1	6	10	19	22	23
70 +	21	15.6	13						
	504	**12.0**	**89**	**2**	**4**	**10**	**18**	**27**	**34**
0-17	38	4.9	7	1	3	5	8	9	9
18-34	155	4.1	4	2	2	4	5	6	9
35-49	93	6.3	20	1	3	5	10	12	16
50-69	77	5.1	24	1	2	4	6	6	21
70 +	0								
	362	**5.0**	**13**	**1**	**2**	**5**	**6**	**9**	**12**
	866	**9.0**	**69**	**1**	**3**	**6**	**11**	**22**	**28**

DRG 201: Other Hepatobiliary or Pancreas O.R. Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1166	10.6	107	3	5	7	14	23	34
70-74	599	11.4	41	4	6	11	16	22	25
75-79	410	17.5	318	4	6	11	21	41	46
80-84	162	15.7	99	5	7	14	20	32	35
85 +	106	21.3	173	8	11	15	35	45	45
SUBTOTAL	**2443**	**12.7**	**139**	**4**	**6**	**9**	**16**	**27**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	82	3.9	16	< 1	1	1	7	8	14
70-74	32	8.0	30						
75-79	18	6.0	1						
80-84	0								
85 +	0								
SUBTOTAL	**132**	**5.2**	**20**	**1**	**1**	**5**	**8**	**11**	**14**
GRAND TOTAL	**2575**	**12.4**	**135**	**3**	**5**	**9**	**16**	**26**	**37**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	245	11.6	412	1	1	3	10	70	84
18-34	242	9.0	94	1	3	5	13	24	29
35-49	720	10.0	103	3	4	6	13	24	38
50-69	1149	9.2	65	2	4	7	12	19	24
70 +	67	20.4	357	4	9	16	22	57	57
	2423	**9.9**	**126**	**2**	**3**	**6**	**12**	**23**	**37**
0-17	65	2.9	8	1	1	1	5	8	8
18-34	68	3.0	13	1	1	1	5	10	10
35-49	43	8.6	19	2	5	9	11	16	16
50-69	88	3.7	7	1	1	3	5	8	9
70 +	0								
	265	**4.2**	**15**	**1**	**1**	**3**	**8**	**10**	**10**
	2688	**9.4**	**118**	**1**	**3**	**6**	**11**	**22**	**36**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	70	2.0	3	< 1	1	2	2	3	7
18-34	196	7.9	76	2	4	6	9	18	51
35-49	527	10.2	106	3	5	8	11	16	26
50-69	270	9.6	45	5	5	7	12	22	25
70 +	23	10.5	39						
SUBTOTAL	**1087**	**9.1**	**81**	**3**	**5**	**7**	**11**	**18**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	33	3.7	15	< 1	< 1	1	7	11	11
18-34	6	7.0							
35-49	18	3.6	18						
50-69	0								
70 +	0								
SUBTOTAL	**58**	**4.0**	**15**	**< 1**	**1**	**1**	**7**	**10**	**11**
GRAND TOTAL	**1145**	**8.9**	**79**	**2**	**4**	**7**	**11**	**17**	**25**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	2.5	3	1	1	3	3	5	7
18-34	111	12.2	98	2	6	8	17	33	33
35-49	386	11.0	128	3	5	7	13	26	27
50-69	503	9.0	99	2	4	6	10	20	27
70 +	28	12.9	145						
	1088	**9.8**	**109**	**2**	**4**	**6**	**11**	**25**	**33**
0-17	26	1.0							
18-34	31	3.3							
35-49	55	2.3	16						
50-69	24	4.3	13						
70 +	0								
	135	**2.7**	**10**	**1**	**1**	**1**	**3**	**7**	**9**
	1223	**9.0**	**103**	**1**	**3**	**6**	**10**	**23**	**27**

Total U.S., July 1990 - June 1991

DRG 202: Cirrhosis & Alcoholic Hepatitis

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5969	9.4	64	3	4	7	11	18	25
70-74	2587	9.4	83	3	4	7	11	19	26
75-79	1667	10.3	46	4	6	8	13	21	24
80-84	1084	10.8	82	4	5	9	14	18	26
85 +	417	11.5	79	3	5	9	16	22	34
SUBTOTAL	**11724**	**9.7**	**68**	**3**	**5**	**8**	**12**	**18**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	305	5.0	22	1	1	3	9	12	12
70-74	178	4.6	17	1	1	3	7	11	11
75-79	68	1.7	1	1	1	1	3	3	3
80-84	30	5.4	31						
85 +	23	10.5	42						
SUBTOTAL	**604**	**4.7**	**21**	**1**	**1**	**3**	**6**	**12**	**14**
GRAND TOTAL	**12327**	**9.5**	**67**	**3**	**4**	**7**	**12**	**18**	**25**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	77	4.6	32	1	1	2	5	15	20
18-34	726	8.9	83	2	3	6	11	20	25
35-49	3333	8.4	68	3	4	6	10	15	20
50-69	5476	9.0	68	2	4	7	11	18	23
70 +	174	7.8	50	2	3	6	11	13	31
	9785	**8.7**	**68**	**2**	**4**	**6**	**11**	**17**	**23**
0-17	69	4.5	25	1	1	2	8	14	14
18-34	106	5.6	44	1	1	4	5	20	21
35-49	409	3.9	13	1	1	3	6	8	10
50-69	604	4.7	28	1	1	2	6	13	15
70 +	11	5.0							
	1200	**4.5**	**24**	**1**	**1**	**2**	**6**	**12**	**15**
	10985	**8.3**	**65**	**2**	**4**	**6**	**10**	**17**	**22**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	75	7.8	26	2	3	6	12	16	18
18-34	1185	7.5	38	2	4	6	9	16	20
35-49	3384	8.3	65	2	4	6	10	17	23
50-69	2358	9.3	72	2	4	7	11	19	25
70 +	82	12.3	89	4	5	7	15	34	34
SUBTOTAL	**7084**	**8.5**	**63**	**2**	**4**	**6**	**10**	**17**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	11	2.4	2						
18-34	40	3.9	5	1	2	4	6	8	8
35-49	102	4.9	25	1	2	3	5	12	18
50-69	123	3.7	7	1	1	3	5	9	10
70 +	6	3.0							
SUBTOTAL	**281**	**4.1**	**13**	**1**	**2**	**3**	**5**	**9**	**10**
GRAND TOTAL	**7364**	**8.3**	**62**	**2**	**4**	**6**	**10**	**17**	**23**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	33	3.8	5	1	2	4	6	7	7
18-34	1402	6.0	30	2	3	5	7	11	16
35-49	4286	7.5	40	2	3	6	10	14	20
50-69	2878	7.7	45	2	3	6	10	16	21
70 +	100	6.2	12	4	4	6	7	11	17
	8700	**7.3**	**40**	**2**	**3**	**6**	**9**	**14**	**20**
0-17	33	1.5		< 1	< 1	1	2	2	2
18-34	105	4.7	7	2	3	4	6	8	13
35-49	275	4.7	16	1	2	4	7	11	14
50-69	202	4.7	30	< 1	1	4	6	7	20
70 +	0								
	615	**4.5**	**19**	**1**	**1**	**4**	**6**	**8**	**13**
	9315	**7.1**	**39**	**2**	**3**	**5**	**9**	**14**	**19**

DRG 203: Malignancy of Hepatobiliary System or Pancreas

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4177	9.7	69	3	5	7	12	20	27	0-17	95	16.6	180	2	3	11	30	38	38
70-74	3744	9.5	81	2	4	7	12	19	23	18-34	196	7.9	64	2	3	5	11	14	28
75-79	3350	9.9	89	2	4	7	13	19	24	35-49	1142	9.2	117	1	3	6	11	20	26
80-84	2614	9.7	102	3	4	7	12	18	23	50-69	4584	8.4	52	2	4	6	11	17	22
85 +	1809	10.1	48	3	5	9	12	18	22	70 +	304	9.8	79	4	5	8	12	15	23
SUBTOTAL	**15694**	**9.7**	**79**	**3**	**4**	**7**	**12**	**19**	**24**		**6321**	**8.7**	**68**	**2**	**3**	**6**	**11**	**19**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1015	5.8	27	1	2	5	8	13	17	0-17	176	3.7	4	1	3	4	4	6	8
70-74	739	6.1	53	1	2	4	7	14	20	18-34	46	3.1	6	1	1	2	4	9	9
75-79	800	6.1	15	2	3	5	9	12	13	35-49	448	4.6	14	1	2	3	6	10	13
80-84	590	5.7	21	1	2	4	8	13	14	50-69	1561	5.1	26	1	2	3	7	12	15
85 +	537	7.3	20	3	4	7	9	15	17	70 +	145	5.6	14	2	3	5	7	10	13
SUBTOTAL	**3682**	**6.1**	**28**	**1**	**2**	**5**	**8**	**13**	**17**		**2376**	**4.9**	**21**	**1**	**2**	**3**	**6**	**11**	**14**
GRAND TOTAL	**19376**	**9.1**	**72**	**2**	**4**	**7**	**11**	**17**	**23**		**8696**	**7.6**	**58**	**1**	**3**	**6**	**10**	**15**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	17	8.0	77							0-17	73	9.0	60	4	4	8	8	25	25
18-34	108	8.6	67	1	3	7	8	19	30	18-34	100	10.0	95	1	4	7	13	22	40
35-49	415	10.3	81	3	5	7	11	20	33	35-49	332	11.4	87	2	5	8	13	28	31
50-69	842	9.3	71	2	4	7	12	17	24	50-69	1264	8.3	71	2	3	7	10	15	20
70 +	98	10.6	44	4	5	10	14	23	26	70 +	323	9.2	72	2	4	6	13	23	31
SUBTOTAL	**1480**	**9.6**	**72**	**2**	**4**	**7**	**12**	**19**	**26**		**2091**	**9.0**	**76**	**2**	**4**	**7**	**11**	**18**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	22	5.9	73							0-17	16	2.0							
18-34	39	3.7	5	1	2	3	6	8	8	18-34	46	4.4	5	1	3	4	6	9	9
35-49	33	6.1	4							35-49	112	6.0	115	1	1	3	7	9	45
50-69	223	7.0	34	1	3	5	10	14	22	50-69	407	5.4	29	1	1	5	6	11	19
70 +	28	7.9	27							70 +	64	10.5	97	1	2	4	22	23	23
SUBTOTAL	**346**	**6.5**	**31**	**1**	**3**	**5**	**8**	**14**	**17**		**647**	**5.8**	**51**	**1**	**1**	**4**	**6**	**12**	**22**
GRAND TOTAL	**1826**	**9.0**	**66**	**2**	**4**	**7**	**11**	**19**	**24**		**2737**	**8.3**	**72**	**2**	**3**	**6**	**10**	**18**	**25**

Total U.S., July 1990 - June 1991

DRG 204: Disorders of Pancreas except Malignancy

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	11074	8.6	59	3	4	6	10	16	23
70-74	4613	8.4	45	3	4	7	10	16	21
75-79	3758	9.1	62	3	5	7	10	16	24
80-84	2920	8.9	61	3	5	7	10	18	23
85 +	3145	9.7	96	4	5	7	11	17	23
SUBTOTAL	**25509**	**8.8**	**62**	**3**	**4**	**7**	**10**	**16**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3145	5.5	18	2	3	5	7	9	11
70-74	1908	5.4	15	2	3	5	7	9	11
75-79	1671	5.4	13	2	3	5	7	10	12
80-84	837	6.2	27	2	4	5	7	11	13
85 +	893	5.0	13	2	3	4	7	10	11
SUBTOTAL	**8455**	**5.5**	**16**	**2**	**3**	**5**	**7**	**10**	**12**
GRAND TOTAL	**33963**	**8.0**	**53**	**3**	**4**	**6**	**9**	**15**	**21**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	167	9.3	86	2	3	7	12	23	29
18-34	4415	7.8	51	3	4	6	9	15	21
35-49	10226	8.0	58	3	4	6	9	15	22
50-69	8286	8.2	48	3	4	6	10	15	22
70 +	473	8.2	82	2	4	6	10	14	16
	23567	**8.0**	**54**	**3**	**4**	**6**	**9**	**15**	**22**
0-17	426	4.5	6	1	3	4	6	8	10
18-34	4430	4.7	18	2	2	4	6	8	10
35-49	7420	5.4	15	2	3	4	7	10	13
50-69	6317	5.2	18	2	3	4	6	9	11
70 +	172	6.5	18	2	4	5	9	15	15
	18765	**5.2**	**17**	**2**	**3**	**4**	**6**	**9**	**12**
	42332	**6.8**	**39**	**2**	**3**	**5**	**8**	**13**	**17**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	113	5.7	6	3	4	5	8	10	11
18-34	3955	7.6	48	3	4	6	9	14	20
35-49	6849	7.7	46	3	4	6	9	15	21
50-69	2461	7.5	35	2	4	6	9	14	21
70 +	245	6.8	17	3	4	6	7	12	14
SUBTOTAL	**13624**	**7.6**	**44**	**3**	**4**	**6**	**9**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	115	5.0	19	2	2	4	4	14	15
18-34	1538	6.0	26	2	3	5	7	10	15
35-49	1485	5.8	19	2	3	5	8	11	14
50-69	649	5.7	32	2	3	4	6	10	12
70 +	84	6.7	12	3	4	5	9	13	13
SUBTOTAL	**3871**	**5.9**	**24**	**2**	**3**	**5**	**7**	**11**	**14**
GRAND TOTAL	**17496**	**7.2**	**40**	**2**	**4**	**5**	**8**	**14**	**19**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	123	6.2	13	3	3	6	7	12	14
18-34	5804	6.9	39	2	3	5	8	14	18
35-49	7369	7.0	35	2	4	5	8	13	18
50-69	2796	7.5	42	3	4	6	9	13	19
70 +	249	7.2	18	3	4	6	9	16	17
	16341	**7.0**	**37**	**2**	**4**	**5**	**8**	**13**	**18**
0-17	109	8.6	76	4	4	5	10	31	31
18-34	2903	5.0	14	2	3	4	6	9	11
35-49	2724	5.5	21	2	3	4	7	10	13
50-69	1562	5.0	10	2	3	4	6	9	11
70 +	105	6.4	14	3	5	5	6	13	15
	7404	**5.2**	**17**	**2**	**3**	**4**	**6**	**9**	**12**
	23745	**6.5**	**32**	**2**	**3**	**5**	**7**	**12**	**16**

DRG 205: Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6526	8.4	61	2	4	6	10	16	23	0-17	1849	6.8	85	1	2	3	8	15	23
70-74	2936	9.0	60	2	4	7	11	20	27	18-34	1965	5.6	28	1	3	4	7	11	16
75-79	2570	8.9	51	3	4	7	11	16	21	35-49	3476	6.8	39	1	3	5	9	13	17
80-84	1390	9.2	51	3	4	7	12	17	22	50-69	4400	8.4	70	2	3	6	10	17	27
85 +	692	12.6	91	3	5	10	18	27	31	70 +	286	7.5	56	2	3	5	8	17	25
SUBTOTAL	**14115**	**8.9**	**60**	**2**	**4**	**7**	**11**	**18**	**24**		**11976**	**7.2**	**57**	**1**	**3**	**5**	**9**	**15**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**14115**	**8.9**	**60**	**2**	**4**	**7**	**11**	**18**	**24**		**11976**	**7.2**	**57**	**1**	**3**	**5**	**9**	**15**	**21**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1263	7.8	108	1	2	4	11	16	29	0-17	754	6.1	86	1	2	3	8	12	17
18-34	1633	6.7	50	2	3	5	8	11	17	18-34	1868	6.1	40	2	3	4	7	12	19
35-49	1764	7.6	55	2	3	6	9	15	22	35-49	1862	7.5	59	2	3	5	9	15	20
50-69	1825	7.9	52	2	4	6	10	15	19	50-69	1378	7.3	68	2	3	5	9	13	17
70 +	77	8.8	33	1	5	8	12	16	21	70 +	192	8.7	31	3	4	8	12	16	22
SUBTOTAL	**6562**	**7.5**	**63**	**2**	**3**	**6**	**9**	**15**	**21**		**6054**	**6.9**	**58**	**1**	**3**	**5**	**9**	**14**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**6562**	**7.5**	**63**	**2**	**3**	**6**	**9**	**15**	**21**		**6054**	**6.9**	**58**	**1**	**3**	**5**	**9**	**14**	**20**

DRG 206: Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1085	4.1	18	1	1	3	5	8	13	0-17	2103	3.4	12	1	1	2	4	8	10
70-74	394	5.2	82	1	1	3	5	11	13	18-34	2227	3.9	10	1	1	3	6	8	10
75-79	317	5.7	24	1	2	4	8	13	14	35-49	3185	3.1	9	1	1	2	4	7	9
80-84	211	5.8	32	1	1	4	7	16	20	50-69	2290	3.7	11	1	1	3	5	7	9
85+	138	5.6	10	2	3	5	8	10	11	70+	88	5.2	19	1	2	4	7	9	17
SUBTOTAL	**2145**	**4.8**	**32**	**1**	**1**	**3**	**6**	**10**	**14**		**9893**	**3.5**	**10**	**1**	**1**	**2**	**5**	**8**	**10**
GRAND TOTAL	**2145**	**4.8**	**32**	**1**	**1**	**3**	**6**	**10**	**14**		**9893**	**3.5**	**10**	**1**	**1**	**2**	**5**	**8**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	897	3.5	25	1	1	2	4	7	8	0-17	860	3.9	15	1	1	2	5	8	12
18-34	924	4.7	11	1	2	4	6	9	12	18-34	1725	4.4	14	1	2	4	6	8	9
35-49	463	4.5	19	1	2	4	5	7	12	35-49	1022	3.5	12	< 1	1	2	5	7	9
50-69	212	5.1	23	1	2	4	6	12	20	50-69	605	4.3	19	1	1	2	6	10	11
70+	6	11.0								70+	27	4.6	3						
SUBTOTAL	**2502**	**4.3**	**19**	**1**	**2**	**3**	**5**	**8**	**11**		**4239**	**4.1**	**14**	**1**	**1**	**3**	**5**	**8**	**10**
GRAND TOTAL	**2502**	**4.3**	**19**	**1**	**2**	**3**	**5**	**8**	**11**		**4239**	**4.1**	**14**	**1**	**1**	**3**	**5**	**8**	**10**

DRG 207: Disorders of the Biliary Tract w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7342	5.9	21	2	3	5	8	12	15
70-74	5975	6.4	22	2	3	5	8	12	15
75-79	6369	7.1	48	2	3	6	8	13	17
80-84	5137	7.5	39	2	4	6	9	14	18
85 +	6546	8.8	64	3	4	7	11	17	21
SUBTOTAL	**31368**	**7.1**	**39**	**2**	**3**	**6**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**31368**	**7.1**	**39**	**2**	**3**	**6**	**9**	**13**	**17**

BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	548	8.0	104	1	2	4	10	17	24
18-34	1814	4.3	11	1	2	3	6	9	11
35-49	3554	5.2	26	1	2	4	6	10	13
50-69	6387	5.3	19	1	2	4	7	10	13
70 +	574	6.6	21	2	4	6	8	11	14
	12878	**5.3**	**24**	**1**	**2**	**4**	**7**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	12878	**5.3**	**24**	**1**	**2**	**4**	**7**	**10**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	186	7.4	28	2	3	7	10	15	23
18-34	985	4.6	16	1	2	3	6	10	13
35-49	713	6.7	50	1	3	5	7	14	18
50-69	1127	6.3	23	2	3	5	9	12	14
70 +	353	11.1	34	5	6	10	14	20	22
SUBTOTAL	**3365**	**6.5**	**31**	**2**	**3**	**5**	**9**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3365**	**6.5**	**31**	**2**	**3**	**5**	**9**	**13**	**18**

NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	120	6.7	32	2	3	6	7	22	22
18-34	956	4.7	21	1	2	4	6	9	12
35-49	1205	5.7	25	1	3	4	8	10	15
50-69	1785	4.7	14	1	2	4	6	9	12
70 +	464	5.6	10	2	3	5	8	10	12
	4530	**5.1**	**19**	**1**	**2**	**4**	**7**	**10**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4530	**5.1**	**19**	**1**	**2**	**4**	**7**	**10**	**12**

DRG 208: Disorders of the Biliary Tract w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4015	3.3	6	1	2	3	4	7	8	0-17	710	4.1	17	1	1	2	6	10	12
70-74	3084	3.5	7	1	2	3	4	7	8	18-34	6075	2.5	4	1	1	2	3	5	6
75-79	2285	3.9	8	1	2	3	5	7	10	35-49	9006	2.6	3	1	1	2	3	5	6
80-84	1785	4.5	14	1	2	4	6	8	12	50-69	9966	2.8	5	1	1	2	4	5	6
85 +	1769	5.6	18	2	3	5	7	10	13	70 +	305	4.3	9	1	2	3	6	9	10
SUBTOTAL	**12938**	**3.9**	**10**	**1**	**2**	**3**	**5**	**8**	**10**		**26063**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**12938**	**3.9**	**10**	**1**	**2**	**3**	**5**	**8**	**10**		**26063**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	393	4.4	19	1	2	3	5	11	14	0-17	249	3.6	9	1	2	2	4	7	13
18-34	2565	2.8	4	1	1	2	4	5	7	18-34	2907	2.7	4	1	1	2	3	5	7
35-49	1015	3.4	6	1	2	3	4	6	7	35-49	2690	2.6	4	1	1	2	4	5	6
50-69	730	4.0	8	1	2	3	5	8	10	50-69	2160	3.2	8	1	1	2	4	7	9
70 +	169	5.6	13	1	3	6	8	11	12	70 +	248	3.9	11	1	1	3	6	9	12
SUBTOTAL	**4872**	**3.3**	**7**	**1**	**2**	**3**	**4**	**7**	**8**		**8253**	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**4872**	**3.3**	**7**	**1**	**2**	**3**	**4**	**7**	**8**		**8253**	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 209: Major Joint & Limb Reattachment Procedures, Lower Extremity

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	33285	10.5	35	6	7	9	12	15	20	0-17	34	8.7	11	5	6	8	10	15	15
70-74	34884	11.1	36	7	8	10	12	16	21	18-34	720	8.2	18	5	6	8	9	12	13
75-79	34678	11.6	42	7	8	10	13	18	22	35-49	3595	9.2	28	5	7	8	10	13	17
80-84	27278	12.5	55	7	8	11	14	20	25	50-69	21759	9.8	26	6	7	9	11	14	18
85 +	24053	13.5	78	7	8	11	15	23	31	70 +	3769	10.6	28	6	7	10	12	16	19
SUBTOTAL	**154178**	**11.7**	**48**	**7**	**8**	**10**	**13**	**18**	**23**		**29878**	**9.8**	**27**	**6**	**7**	**9**	**11**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	30377	8.6	9	6	7	8	10	12	14	0-17	130	7.5	27	2	4	7	8	12	12
70-74	30110	8.9	11	6	7	8	10	13	14	18-34	1380	7.1	10	4	5	7	8	10	11
75-79	24663	9.3	14	6	7	9	11	13	15	35-49	5873	7.4	7	4	6	7	9	10	12
80-84	15514	9.9	16	6	7	9	12	14	17	50-69	31722	8.0	8	5	6	8	9	11	13
85 +	9890	10.3	21	6	7	9	12	15	18	70 +	3057	8.9	21	5	6	8	10	13	16
SUBTOTAL	**110554**	**9.2**	**13**	**6**	**7**	**9**	**11**	**13**	**15**		**42161**	**8.0**	**9**	**5**	**6**	**8**	**9**	**11**	**13**
GRAND TOTAL	**264733**	**10.6**	**35**	**6**	**7**	**9**	**12**	**16**	**20**		**72039**	**8.7**	**17**	**5**	**7**	**8**	**10**	**13**	**15**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	12.0								0-17	5	5.0							
18-34	385	10.9	59	5	7	9	14	17	21	18-34	187	8.4	15	5	6	7	9	13	21
35-49	793	10.6	29	6	8	9	12	16	18	35-49	903	10.4	48	5	6	8	12	19	26
50-69	1807	11.1	29	7	8	10	13	17	22	50-69	3929	10.3	33	6	7	9	12	16	23
70 +	538	14.6	95	7	9	12	18	22	26	70 +	1858	9.6	32	5	6	8	11	16	22
SUBTOTAL	**3529**	**11.5**	**44**	**6**	**8**	**10**	**13**	**18**	**22**		**6882**	**10.1**	**35**	**5**	**7**	**8**	**12**	**16**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	44	7.6	69	2	2	7	9	28	28	0-17	33	7.3	13	4	4	7	9	14	14
18-34	491	8.3	9	4	7	8	10	13	14	18-34	303	7.6	16	4	6	7	8	10	16
35-49	681	8.5	12	5	6	8	10	12	14	35-49	1177	7.5	9	5	6	7	9	11	14
50-69	1657	10.0	51	6	7	9	11	15	17	50-69	4874	7.7	7	5	6	7	9	11	12
70 +	287	11.6	29	7	8	10	13	15	29	70 +	1522	8.3	18	5	6	7	9	13	15
SUBTOTAL	**3161**	**9.5**	**35**	**5**	**7**	**8**	**11**	**14**	**16**		**7910**	**7.8**	**10**	**5**	**6**	**7**	**9**	**11**	**13**
GRAND TOTAL	**6690**	**10.6**	**41**	**6**	**7**	**9**	**12**	**16**	**21**		**14792**	**8.8**	**23**	**5**	**6**	**8**	**10**	**14**	**17**

DRG 210: Hip & Femur Procedures except Major Joint Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10547	13.0	83	5	8	11	15	23	29	0-17	0								
70-74	10928	13.3	85	6	8	11	15	24	32	18-34	2730	10.6	77	4	6	9	12	18	24
75-79	18211	13.3	76	6	8	11	15	22	29	35-49	2271	12.6	111	4	6	9	15	24	37
80-84	23874	13.4	87	6	8	11	15	22	30	50-69	5537	12.6	77	6	7	10	15	22	29
85 +	39150	13.0	79	6	8	11	15	21	29	70 +	2586	12.3	63	5	8	11	14	21	26
SUBTOTAL	**102710**	**13.2**	**81**	**6**	**8**	**11**	**15**	**22**	**30**		**13124**	**12.1**	**81**	**5**	**7**	**10**	**14**	**21**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**102710**	**13.2**	**81**	**6**	**8**	**11**	**15**	**22**	**30**		**13124**	**12.1**	**81**	**5**	**7**	**10**	**14**	**21**	**29**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	1079	11.6	98	4	6	9	14	21	28	18-34	1763	11.6	63	5	6	9	14	23	28
35-49	686	13.0	105	5	7	10	15	25	42	35-49	813	11.8	67	5	6	9	15	22	30
50-69	1414	15.7	136	7	9	12	19	30	44	50-69	1430	11.7	50	6	7	10	14	21	24
70 +	659	12.6	33	7	9	11	14	21	25	70 +	1564	11.7	106	5	7	9	13	20	25
SUBTOTAL	**3838**	**13.5**	**105**	**5**	**8**	**11**	**15**	**25**	**33**		**5570**	**11.7**	**72**	**5**	**7**	**9**	**14**	**21**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3838**	**13.5**	**105**	**5**	**8**	**11**	**15**	**25**	**33**		**5570**	**11.7**	**72**	**5**	**7**	**9**	**14**	**21**	**27**

DRG 211: Hip & Femur Procedures except Major Joint Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH		
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	0									0-17	0										
70-74	0									18-34	0										
75-79	0									35-49	0										
80-84	0									50-69	0										
85 +	0									70 +	0										
SUBTOTAL	**0**										**0**										
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	3722	8.9	35	4	6	8	10	14	18	0-17	0										
70-74	4084	9.5	27	5	7	9	11	15	17	18-34	4425	7.1	39	2	4	6	9	12	15		
75-79	5719	9.9	34	5	7	9	12	15	19	35-49	3192	6.5	18	3	4	5	8	11	14		
80-84	6806	9.9	23	5	7	9	12	15	18	50-69	4766	7.5	20	3	5	7	9	12	14		
85 +	9911	10.2	30	5	7	9	12	16	19	70 +	1081	9.1	23	5	6	9	11	13	15		
SUBTOTAL	**30241**	**9.8**	**30**	**5**	**7**	**9**	**12**	**15**	**19**		**13465**	**7.3**	**27**	**3**	**4**	**6**	**9**	**12**	**14**		
GRAND TOTAL	**30241**	**9.8**	**30**	**5**	**7**	**9**	**12**	**15**	**19**		**13465**	**7.3**	**27**	**3**	**4**	**6**	**9**	**12**	**14**		

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH		
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	0									0-17	0										
18-34	0									18-34	0										
35-49	0									35-49	0										
50-69	0									50-69	0										
70 +	0									70 +	0										
SUBTOTAL	**0**										**0**										
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	0									0-17	0										
18-34	981	8.1	60	3	4	6	9	14	20	18-34	2598	7.6	33	3	4	6	9	13	15		
35-49	315	7.5	56	2	4	6	8	17	17	35-49	1220	7.0	35	2	4	6	8	12	16		
50-69	500	9.4	19	5	7	9	11	16	17	50-69	1229	7.3	26	3	4	6	8	14	16		
70 +	253	11.5	34	5	7	10	16	19	21	70 +	779	10.4	52	5	6	8	12	21	25		
SUBTOTAL	**2049**	**8.7**	**48**	**3**	**5**	**7**	**10**	**16**	**20**		**5827**	**7.8**	**35**	**3**	**4**	**6**	**9**	**13**	**17**		
GRAND TOTAL	**2049**	**8.7**	**48**	**3**	**5**	**7**	**10**	**16**	**20**		**5827**	**7.8**	**35**	**3**	**4**	**6**	**9**	**13**	**17**		

Total U.S., July 1990 - June 1991

DRG 212: Hip & Femur Procedures except Major Joint Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	174	9.2	32	3	6	8	11	20	22
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**174**	**9.2**	**32**	**3**	**6**	**8**	**11**	**20**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	40	8.6	34	1	6	8	10	22	22
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**40**	**8.6**	**34**	**1**	**6**	**8**	**10**	**22**	**22**
GRAND TOTAL	**214**	**9.1**	**33**	**2**	**6**	**8**	**11**	**20**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	3503	7.7	52	2	3	5	9	16	23
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3503	**7.7**	**52**	**2**	**3**	**5**	**9**	**16**	**23**
0-17	12933	5.9	42	1	2	4	7	13	20
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	12933	**5.9**	**42**	**1**	**2**	**4**	**7**	**13**	**20**
	16436	**6.3**	**45**	**1**	**2**	**4**	**7**	**14**	**21**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1881	7.8	90	2	3	4	8	18	27
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1881**	**7.8**	**90**	**2**	**3**	**4**	**8**	**18**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	5017	6.5	54	1	2	4	7	16	23
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**5017**	**6.5**	**54**	**1**	**2**	**4**	**7**	**16**	**23**
GRAND TOTAL	**6898**	**6.9**	**64**	**2**	**2**	**4**	**8**	**17**	**23**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1060	6.9	47	2	3	4	8	15	26
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1060	**6.9**	**47**	**2**	**3**	**4**	**8**	**15**	**26**
0-17	4616	5.5	38	1	2	4	7	11	19
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4616	**5.5**	**38**	**1**	**2**	**4**	**7**	**11**	**19**
	5676	**5.8**	**40**	**1**	**2**	**4**	**7**	**12**	**20**

DRG 213: Amputation for Musculoskeletal System & Conn Tissue Disorders

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1562	13.9	149	3	6	11	19	27	39	0-17	65	7.7	38	2	2	6	17	17	17
70-74	833	12.9	126	4	6	10	16	25	38	18-34	59	8.3	54	3	4	5	6	22	22
75-79	712	13.3	139	5	7	11	16	25	61	35-49	230	10.4	71	2	4	7	13	29	31
80-84	464	14.1	142	4	6	11	17	29	35	50-69	676	12.2	98	3	5	9	18	24	30
85 +	617	11.9	58	5	7	11	15	20	24	70 +	62	12.0	46	4	7	13	16	22	25
SUBTOTAL	**4188**	**13.4**	**129**	**4**	**6**	**11**	**16**	**25**	**38**		**1092**	**11.3**	**85**	**2**	**5**	**8**	**17**	**24**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	452	6.2	36	1	3	5	7	14	21	0-17	185	4.0	17	1	2	2	5	10	10
70-74	141	7.0	20	2	3	5	11	13	15	18-34	283	4.7	12	2	2	4	5	11	12
75-79	79	6.9	18	2	2	7	10	14	14	35-49	147	5.7	31	1	2	4	7	13	16
80-84	88	8.0	15	2	4	10	10	13	14	50-69	258	7.0	61	1	2	5	8	15	19
85 +	112	7.0	12	4	4	6	9	15	15	70 +	27	7.6	1						
SUBTOTAL	**873**	**6.6**	**27**	**2**	**3**	**5**	**9**	**14**	**15**		**900**	**5.5**	**31**	**1**	**2**	**4**	**7**	**11**	**15**
GRAND TOTAL	**5062**	**12.2**	**118**	**3**	**6**	**9**	**15**	**24**	**34**		**1992**	**8.7**	**69**	**2**	**3**	**6**	**11**	**19**	**25**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	30	5.3	9							0-17	0								
18-34	126	19.4	137	6	13	16	27	41	41	18-34	55	19.0	461	3	7	13	21	68	78
35-49	135	13.7	39	7	8	14	19	21	24	35-49	97	12.8	65	1	7	12	19	23	27
50-69	287	17.2	220	5	7	14	21	40	43	50-69	159	12.2	129	3	5	9	16	27	27
70 +	31	19.3	21							70 +	28	6.0	22						
SUBTOTAL	**608**	**16.4**	**152**	**5**	**8**	**14**	**20**	**32**	**41**		**340**	**12.9**	**165**	**2**	**5**	**10**	**18**	**27**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	142	3.2	10	1	1	2	4	6	7	0-17	101	3.8	20	< 1	1	2	3	12	15
18-34	98	6.0	29	2	3	4	7	17	20	18-34	81	8.4	105	< 1	2	3	7	31	31
35-49	111	7.6	29	2	4	5	13	17	17	35-49	53	3.9	3	1	3	4	4	8	8
50-69	97	7.1	25	2	3	7	10	13	20	50-69	78	8.8	49	2	3	5	13	21	22
70 +	11	10.0	1							70 +	0								
SUBTOTAL	**469**	**5.9**	**25**	**1**	**2**	**4**	**7**	**15**	**17**		**313**	**6.3**	**52**	**1**	**2**	**3**	**7**	**15**	**22**
GRAND TOTAL	**1067**	**11.9**	**124**	**2**	**4**	**8**	**16**	**24**	**40**		**654**	**9.7**	**122**	**1**	**3**	**5**	**13**	**23**	**29**

DRG 214: Back & Neck Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	16203	9.0	57	3	5	7	10	16	23	0-17	3357	10.7	69	6	7	8	11	16	26
70-74	11541	9.5	54	4	5	7	11	18	23	18-34	5445	8.1	38	3	4	7	10	16	20
75-79	8713	10.3	52	4	6	8	12	18	24	35-49	14018	6.8	31	3	4	5	8	12	17
80-84	4151	11.3	65	5	6	9	14	20	25	50-69	18369	8.2	58	3	4	6	9	15	21
85 +	1393	15.3	186	6	8	11	18	24	36	70 +	866	9.8	53	4	6	7	11	19	22
SUBTOTAL	**42001**	**9.9**	**62**	**4**	**5**	**8**	**12**	**18**	**24**		**42054**	**7.9**	**48**	**3**	**4**	**6**	**9**	**14**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**42001**	**9.9**	**62**	**4**	**5**	**8**	**12**	**18**	**24**		**42054**	**7.9**	**48**	**3**	**4**	**6**	**9**	**14**	**20**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	877	13.7	214	6	7	10	14	23	32	0-17	823	10.5	33	6	7	9	12	19	22
18-34	1002	9.2	55	3	4	7	12	18	24	18-34	1394	8.3	45	3	4	7	10	15	22
35-49	1552	9.4	78	3	4	7	11	18	30	35-49	2404	7.9	49	3	4	6	9	17	24
50-69	1029	10.3	129	3	5	7	10	20	29	50-69	2334	8.2	61	3	4	6	10	15	21
70 +	52	25.2	391	6	8	22	36	69	69	70 +	335	9.7	50	5	6	8	11	17	19
SUBTOTAL	**4512**	**10.6**	**120**	**3**	**5**	**8**	**12**	**20**	**30**		**7290**	**8.5**	**51**	**3**	**4**	**7**	**10**	**16**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4512**	**10.6**	**120**	**3**	**5**	**8**	**12**	**20**	**30**		**7290**	**8.5**	**51**	**3**	**4**	**7**	**10**	**16**	**22**

DRG 215: Back & Neck Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	18855	5.3	12	2	3	4	5	9	11	0-17	5430	7.0	14	3	5	7	8	10	12
70-74	12280	5.8	12	3	4	5	7	10	12	18-34	36178	4.0	7	2	2	3	5	7	9
75-79	7980	6.5	21	3	4	5	8	11	14	35-49	86927	4.0	7	2	2	3	5	7	8
80-84	3055	7.4	22	3	4	7	9	13	17	50-69	55048	4.5	8	2	3	4	5	8	10
85+	743	7.8	24	3	4	7	10	14	19	70+	1040	6.1	20	3	4	5	7	10	12
SUBTOTAL	**42913**	**5.9**	**15**	**3**	**4**	**5**	**7**	**10**	**13**		**184624**	**4.2**	**8**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**42913**	**5.9**	**15**	**3**	**4**	**5**	**7**	**10**	**13**		**184624**	**4.2**	**8**	**2**	**3**	**4**	**5**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	868	8.0	17	4	5	7	9	15	18	0-17	1439	6.9	8	4	5	7	8	10	12
18-34	4207	4.6	11	2	3	4	5	8	11	18-34	8520	4.3	11	2	3	3	5	8	10
35-49	4212	4.6	13	2	3	4	5	8	11	35-49	15518	3.9	10	2	2	3	5	7	8
50-69	1549	5.4	14	2	3	4	7	9	12	50-69	7848	4.3	7	2	3	4	5	7	9
70+	49	8.6	78	2	4	4	11	31	31	70+	340	6.3	18	2	4	5	7	13	17
SUBTOTAL	**10884**	**5.0**	**14**	**2**	**3**	**4**	**6**	**9**	**12**		**33666**	**4.2**	**10**	**2**	**3**	**3**	**5**	**7**	**9**
GRAND TOTAL	**10884**	**5.0**	**14**	**2**	**3**	**4**	**6**	**9**	**12**		**33666**	**4.2**	**10**	**2**	**3**	**3**	**5**	**7**	**9**

DRG 216: Biopsies of Musculoskeletal System & Connective Tissue

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1625	15.3	211	3	6	11	19	34	45	0-17	313	9.6	64	1	3	8	16	24	28
70-74	1048	14.7	137	4	7	12	17	30	37	18-34	127	14.1	221	3	4	6	25	50	50
75-79	1050	18.6	252	5	8	14	26	37	45	35-49	455	11.2	158	2	4	6	13	24	43
80-84	745	16.8	172	5	8	13	21	38	53	50-69	1054	13.9	137	2	6	11	18	28	34
85 +	523	17.6	226	7	10	14	19	31	51	70 +	77	13.0	50	5	6	15	16	25	25
SUBTOTAL	**4991**	**16.4**	**202**	**4**	**7**	**12**	**20**	**34**	**45**		**2026**	**12.6**	**135**	**2**	**4**	**9**	**17**	**28**	**41**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	807	6.2	45	1	2	4	8	13	20	0-17	1578	4.4	19	1	1	3	7	10	12
70-74	473	7.8	83	1	2	4	9	18	32	18-34	560	4.1	30	1	2	3	5	7	9
75-79	361	11.5	99	2	4	8	16	29	33	35-49	748	4.5	24	1	2	3	5	10	17
80-84	340	9.1	61	1	2	5	17	21	21	50-69	1021	5.0	25	1	1	3	7	14	16
85 +	129	7.7	20	2	3	9	9	13	14	70 +	11	1.5							
SUBTOTAL	**2110**	**8.0**	**67**	**1**	**2**	**5**	**10**	**20**	**24**		**3919**	**4.5**	**23**	**1**	**1**	**3**	**6**	**10**	**15**
GRAND TOTAL	**7101**	**13.9**	**176**	**2**	**5**	**10**	**18**	**30**	**42**		**5945**	**7.3**	**76**	**1**	**2**	**4**	**9**	**17**	**25**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	145	14.4	249	1	4	12	18	33	56	0-17	98	11.6	253	1	5	8	9	23	71
18-34	114	14.1	141	3	5	10	20	37	39	18-34	45	10.1	66	1	2	9	13	24	26
35-49	127	21.9	228	6	10	16	33	45	47	35-49	102	15.5	405	2	3	8	20	63	68
50-69	171	18.7	286	4	7	14	26	56	59	50-69	228	12.2	56	2	8	12	16	18	22
70 +	6	5.0								70 +	29	13.2	42						
SUBTOTAL	**563**	**17.2**	**241**	**3**	**6**	**12**	**22**	**42**	**56**		**503**	**12.6**	**167**	**2**	**6**	**9**	**16**	**21**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	405	6.3	49	1	2	4	8	12	16	0-17	555	7.6	155	1	2	3	8	20	27
18-34	153	12.8	168	1	3	10	12	34	43	18-34	217	7.5	156	1	1	3	6	21	45
35-49	34	5.6	63	1	1	3	4	23	23	35-49	184	7.1	114	1	1	2	9	19	24
50-69	58	6.7	45	1	3	3	8	20	20	50-69	210	7.2	100	1	1	4	9	13	23
70 +	0									70 +	29	8.0	41						
SUBTOTAL	**650**	**7.8**	**85**	**1**	**2**	**5**	**10**	**19**	**32**		**1195**	**7.4**	**136**	**1**	**2**	**3**	**8**	**19**	**26**
GRAND TOTAL	**1213**	**12.2**	**179**	**1**	**3**	**7**	**15**	**33**	**43**		**1698**	**9.0**	**151**	**1**	**2**	**5**	**11**	**20**	**27**

DRG 217: Wnd Debrid & Skn Grft except Hand,for Muscskelet & Conn Tiss Dis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4714	22.6	361	5	8	17	33	53	72	0-17	944	15.3	217	3	6	10	18	42	50
70-74	1994	21.1	256	6	10	17	29	48	55	18-34	2777	14.7	160	3	6	11	18	33	47
75-79	1830	23.2	318	6	9	20	31	49	66	35-49	2508	17.5	208	4	7	13	25	40	51
80-84	1290	24.2	333	6	11	21	36	55	73	50-69	2931	19.7	301	5	8	14	27	43	58
85 +	1282	22.9	371	6	10	17	31	62	79	70 +	276	23.8	293	3	9	20	39	42	53
SUBTOTAL	**11110**	**22.7**	**333**	**5**	**10**	**17**	**32**	**52**	**70**		**9436**	**17.3**	**232**	**4**	**7**	**13**	**23**	**40**	**50**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1305	11.3	179	2	3	7	15	24	38	0-17	3124	5.8	51	1	2	3	7	13	19
70-74	695	9.6	61	2	3	7	15	21	25	18-34	4398	7.5	80	1	2	4	9	17	22
75-79	468	9.9	88	1	3	7	13	29	32	35-49	2943	7.0	60	1	2	4	8	16	23
80-84	304	7.9	52	2	3	6	9	22	27	50-69	2155	7.6	82	1	2	5	9	18	28
85 +	181	10.1	106	3	5	7	10	22	35	70 +	160	9.1	72	2	4	6	13	18	21
SUBTOTAL	**2952**	**10.3**	**120**	**2**	**3**	**7**	**14**	**23**	**31**		**12780**	**7.0**	**69**	**1**	**2**	**4**	**9**	**16**	**22**
GRAND TOTAL	**14063**	**20.1**	**314**	**4**	**7**	**15**	**28**	**48**	**64**		**22216**	**11.4**	**164**	**1**	**3**	**7**	**14**	**28**	**40**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	305	18.3	205	3	5	14	28	40	42	0-17	260	14.4	121	4	7	11	20	32	37
18-34	1111	19.2	230	4	7	15	29	44	56	18-34	1730	14.4	186	3	5	10	19	32	44
35-49	850	22.7	396	4	9	17	31	59	69	35-49	1029	18.7	251	4	8	15	24	44	58
50-69	906	22.6	368	7	10	16	28	47	60	50-69	780	21.5	332	4	9	16	31	55	68
70 +	45	18.0	190	7	9	15	23	99 +	99 +	70 +	108	21.7	269	3	7	20	24	49	66
SUBTOTAL	**3217**	**21.0**	**313**	**4**	**8**	**16**	**29**	**47**	**60**		**3907**	**17.1**	**239**	**3**	**6**	**13**	**22**	**40**	**55**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	933	5.8	43	1	2	3	7	13	22	0-17	1540	6.6	53	1	2	4	8	17	22
18-34	1281	10.8	136	2	3	7	14	27	33	18-34	3847	6.8	55	1	2	4	8	15	20
35-49	536	11.9	178	2	4	7	17	30	43	35-49	1427	6.9	46	1	2	5	10	16	21
50-69	188	13.3	198	3	4	9	18	26	42	50-69	506	6.7	62	1	2	4	8	17	23
70 +	28	5.2	16							70 +	38	13.9	198	1	1	10	24	43	43
SUBTOTAL	**2967**	**9.5**	**124**	**1**	**2**	**6**	**12**	**23**	**32**		**7358**	**6.8**	**54**	**1**	**2**	**4**	**9**	**16**	**21**
GRAND TOTAL	**6184**	**15.5**	**255**	**2**	**4**	**10**	**21**	**38**	**50**		**11265**	**10.4**	**142**	**1**	**3**	**6**	**13**	**25**	**35**

Total U.S., July 1990 - June 1991

DRG 218: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5775	8.5	64	3	4	7	10	15	21	0-17	0								
70-74	3937	8.3	44	3	4	7	10	15	21	18-34	3920	7.4	50	2	3	5	9	14	18
75-79	3458	9.3	50	3	5	7	11	18	23	35-49	4220	7.2	45	2	4	5	8	13	20
80-84	2185	10.3	82	4	5	8	12	20	25	50-69	6021	7.6	41	2	4	6	9	14	20
85 +	1718	9.6	39	3	5	8	12	18	21	70 +	870	11.0	60	4	5	9	15	22	27
SUBTOTAL	**17073**	**9.0**	**57**	**3**	**5**	**7**	**11**	**17**	**22**		**15031**	**7.6**	**46**	**2**	**4**	**6**	**9**	**15**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**17073**	**9.0**	**57**	**3**	**5**	**7**	**11**	**17**	**22**		**15031**	**7.6**	**46**	**2**	**4**	**6**	**9**	**15**	**20**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	1331	8.5	102	3	4	6	9	18	22	18-34	2606	7.8	63	2	3	6	9	14	22
35-49	1140	8.3	52	3	4	6	10	15	22	35-49	1914	8.2	55	3	4	5	10	17	22
50-69	743	10.7	116	3	5	7	10	26	32	50-69	1677	7.6	31	3	4	6	10	15	19
70 +	68	8.3	28	3	4	7	11	14	21	70 +	332	9.1	36	4	5	8	12	17	18
SUBTOTAL	**3283**	**8.9**	**87**	**3**	**4**	**6**	**10**	**19**	**26**		**6530**	**7.9**	**51**	**2**	**4**	**6**	**10**	**15**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3283**	**8.9**	**87**	**3**	**4**	**6**	**10**	**19**	**26**		**6530**	**7.9**	**51**	**2**	**4**	**6**	**10**	**15**	**21**

DRG 219: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	7787	4.5	8	2	3	4	6	8	10	0-17	0								
70-74	4312	4.7	11	2	3	4	6	8	10	18-34	24279	3.4	7	1	2	3	4	6	8
75-79	2906	5.3	13	2	3	5	7	9	11	35-49	23892	3.8	8	1	2	3	5	7	8
80-84	1563	7.0	73	2	4	5	8	12	16	50-69	20323	4.2	9	2	2	4	5	7	9
85 +	1046	7.4	49	3	4	6	9	12	17	70 +	728	6.8	30	2	3	5	9	16	20
SUBTOTAL	**17614**	**5.1**	**18**	**2**	**3**	**4**	**6**	**9**	**11**		**69222**	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**17614**	**5.1**	**18**	**2**	**3**	**4**	**6**	**9**	**11**		**69222**	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**9**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	4789	4.7	19	1	2	4	5	9	11	18-34	13986	3.9	9	1	2	3	5	7	10
35-49	2439	5.2	34	1	3	4	6	10	14	35-49	8517	4.3	13	1	2	3	5	8	11
50-69	1040	4.6	10	2	3	4	6	8	10	50-69	4769	4.3	9	2	2	4	5	8	9
70 +	105	15.4	610	3	4	5	10	82	82	70 +	423	7.2	37	2	3	5	9	15	19
SUBTOTAL	**8373**	**4.9**	**31**	**1**	**2**	**4**	**6**	**9**	**12**		**27694**	**4.1**	**11**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**8373**	**4.9**	**31**	**1**	**2**	**4**	**6**	**9**	**12**		**27694**	**4.1**	**11**	**1**	**2**	**3**	**5**	**8**	**10**

DRG 220: Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**3.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	20	2.5	2						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**20**	**2.5**	**2**						
GRAND TOTAL	**26**	**2.6**	**2**						

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1689	5.9	43	1	2	4	7	12	18
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1689	**5.9**	**43**	**1**	**2**	**4**	**7**	**12**	**18**
0-17	22206	2.7	10	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	22206	**2.7**	**10**	**1**	**1**	**2**	**3**	**5**	**7**
	23895	**3.0**	**13**	**1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	527	5.2	20	1	2	3	7	11	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**527**	**5.2**	**20**	**1**	**2**	**3**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	4957	3.2	20	1	1	2	3	6	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4957**	**3.2**	**20**	**1**	**1**	**2**	**3**	**6**	**9**
GRAND TOTAL	**5484**	**3.4**	**20**	**1**	**1**	**2**	**4**	**7**	**10**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	621	5.6	22	2	2	4	7	11	18
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	621	**5.6**	**22**	**2**	**2**	**4**	**7**	**11**	**18**
0-17	7780	2.8	8	1	1	2	3	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	7780	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**8**
	8402	**3.0**	**10**	**1**	**1**	**2**	**3**	**6**	**9**

DRG 221: Knee Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1632	7.9	44	2	4	6	10	16	23	0-17	729	4.7	21	1	2	3	5	10	14
70-74	1159	9.2	72	2	4	7	11	18	26	18-34	2489	4.7	15	2	3	4	5	9	11
75-79	991	11.7	139	2	5	8	12	23	37	35-49	1471	6.0	57	2	2	4	7	13	17
80-84	461	10.6	117	2	4	9	15	19	42	50-69	1595	7.5	61	1	3	6	9	16	25
85 +	276	14.5	174	4	7	11	18	27	37	70 +	170	9.0	20	3	6	8	11	16	18
SUBTOTAL	**4519**	**9.7**	**91**	**2**	**4**	**7**	**12**	**20**	**27**		**6453**	**5.8**	**39**	**1**	**3**	**4**	**7**	**11**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4519**	**9.7**	**91**	**2**	**4**	**7**	**12**	**20**	**27**		**6453**	**5.8**	**39**	**1**	**3**	**4**	**7**	**11**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	114	6.0	66	1	2	3	4	25	26	0-17	170	5.8	36	1	2	4	7	11	22
18-34	344	10.1	117	2	3	6	14	25	29	18-34	639	5.4	16	2	2	4	7	12	14
35-49	215	11.7	102	1	4	6	23	28	99 +	35-49	414	6.9	52	1	2	4	10	18	18
50-69	191	14.3	147	2	4	12	21	29	45	50-69	245	9.4	86	1	4	7	11	19	26
70 +	0									70 +	64	7.4	15	4	5	7	8	9	19
SUBTOTAL	**865**	**10.9**	**119**	**2**	**3**	**6**	**16**	**27**	**38**		**1532**	**6.5**	**41**	**1**	**2**	**4**	**8**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**865**	**10.9**	**119**	**2**	**3**	**6**	**16**	**27**	**38**		**1532**	**6.5**	**41**	**1**	**2**	**4**	**8**	**14**	**18**

DRG 222: Knee Procedures w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2570	5.0	42	1	2	3	6	11	13
70-74	1498	4.7	23	1	1	4	6	9	12
75-79	1089	4.4	13	1	1	4	6	9	12
80-84	634	5.2	18	1	2	4	8	11	14
85 +	173	4.4	13	1	1	4	7	9	9
SUBTOTAL	**5963**	**4.8**	**28**	**1**	**2**	**4**	**6**	**10**	**13**
GRAND TOTAL	**5963**	**4.8**	**28**	**1**	**2**	**4**	**6**	**10**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	14839	2.5	2	1	2	2	3	4	5
18-34	42320	2.6	3	1	2	2	3	4	5
35-49	16496	2.8	5	1	2	2	3	5	6
50-69	6454	3.4	10	< 1	1	3	4	7	9
70 +	295	4.9	14	2	2	3	8	10	12
	80405	**2.7**	**4**	**1**	**2**	**2**	**3**	**4**	**5**
	80405	**2.7**	**4**	**1**	**2**	**2**	**3**	**4**	**5**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1112	4.5	34	1	1	3	4	11	18
18-34	1957	3.2	5	1	2	3	4	6	7
35-49	527	3.3	6	1	2	3	4	7	9
50-69	258	6.7	44	1	3	4	9	12	24
70 +	11	2.5	2						
SUBTOTAL	**3865**	**3.8**	**17**	**1**	**2**	**3**	**4**	**8**	**11**
GRAND TOTAL	**3865**	**3.8**	**17**	**1**	**2**	**3**	**4**	**8**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2424	3.0	10	1	2	2	3	5	8
18-34	9128	2.8	5	1	2	2	3	4	6
35-49	2750	2.9	4	1	2	2	4	5	7
50-69	1233	3.4	10	< 1	1	3	4	7	8
70 +	91	4.7	8	< 1	1	6	7	7	10
	15627	**2.9**	**6**	**1**	**2**	**2**	**3**	**5**	**7**
	15627	**2.9**	**6**	**1**	**2**	**2**	**3**	**5**	**7**

DRG 223: Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2797	4.1	14	2	2	3	4	7	12
70-74	1833	4.8	24	2	2	3	5	9	15
75-79	1391	6.0	85	2	3	4	7	11	14
80-84	1102	7.8	85	2	3	4	9	19	26
85 +	643	7.1	48	2	3	6	8	12	18
SUBTOTAL	**7765**	**5.4**	**44**	**2**	**2**	**4**	**6**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3684	2.7	7	1	2	2	3	4	5
70-74	2399	2.8	2	1	2	3	3	5	5
75-79	1246	2.9	3	1	2	3	4	5	6
80-84	415	3.7	12	1	2	3	4	5	8
85 +	151	4.5	5	2	3	4	6	8	8
SUBTOTAL	**7896**	**2.9**	**5**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**15661**	**4.1**	**26**	**1**	**2**	**3**	**4**	**7**	**11**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	309	4.0	19	1	1	3	4	8	12
18-34	1099	3.6	9	1	2	3	4	7	9
35-49	1415	3.8	10	1	2	3	5	8	10
50-69	2514	3.8	14	1	2	3	4	7	11
70 +	231	6.8	85	1	2	4	7	12	42
	5568	**3.9**	**15**	**1**	**2**	**3**	**4**	**8**	**11**
0-17	656	2.2	3	1	1	2	2	4	7
18-34	3433	1.8	1	1	1	2	2	3	3
35-49	6387	1.9	1	1	1	2	2	3	4
50-69	9200	2.2	1	1	1	2	3	4	4
70 +	262	2.9	2	1	2	3	4	4	6
	19938	**2.1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
	25506	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	120	12.6	332	1	2	7	14	28	41
18-34	240	5.8	40	2	3	4	6	11	18
35-49	244	3.6	12	1	1	3	5	7	11
50-69	201	7.3	86	1	2	4	10	15	26
70 +	13	16.5	228						
SUBTOTAL	**817**	**6.7**	**98**	**1**	**2**	**4**	**7**	**14**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	77	6.0	116	1	1	2	3	14	42
18-34	273	2.9	4	1	2	2	4	7	7
35-49	236	2.4	4	1	1	2	3	5	7
50-69	216	2.3	2	1	1	2	3	4	5
70 +	0								
SUBTOTAL	**803**	**2.9**	**15**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**1621**	**4.8**	**60**	**1**	**2**	**3**	**5**	**10**	**15**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	6.3	52	1	1	3	14	15	15
18-34	783	4.6	16	1	2	4	6	9	10
35-49	563	4.8	26	1	2	4	5	10	16
50-69	416	4.0	19	1	2	3	4	7	9
70 +	108	4.3	15	1	1	3	5	11	11
	1981	**4.6**	**22**	**1**	**2**	**3**	**5**	**10**	**13**
0-17	131	4.4	19	1	1	2	9	13	13
18-34	816	2.0	2	1	1	2	2	3	5
35-49	1151	2.0	2	1	1	2	2	3	3
50-69	1416	2.2	2	1	1	2	3	3	4
70 +	74	2.4	1	1	2	2	3	4	4
	3588	**2.2**	**3**	**1**	**1**	**2**	**3**	**3**	**4**
	5569	**3.0**	**11**	**1**	**1**	**2**	**3**	**6**	**9**

Total U.S., July 1990 - June 1991

DRG 224: Shoulder, Elbow or Forearm Proc,exc Major Joint Proc, w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3781	2.5	2	1	2	2	3	4	5
70-74	2435	2.7	3	1	2	2	3	5	6
75-79	1883	2.8	3	1	2	2	3	5	7
80-84	868	3.1	5	1	2	3	4	6	7
85 +	422	4.2	8	1	2	3	5	8	11
SUBTOTAL	**9388**	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**9388**	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**6**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	7503	2.0	2	1	1	2	3	4	4
18-34	12297	2.0	2	1	1	2	2	3	4
35-49	7338	2.2	2	1	1	2	3	4	5
50-69	8805	2.3	3	1	1	2	3	4	5
70 +	397	2.9	4	1	1	2	4	6	6
	36341	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
	36341	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**4**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1252	2.4	4	1	1	2	3	4	6
18-34	1512	2.5	3	1	1	2	3	5	6
35-49	531	3.0	4	1	1	3	4	6	7
50-69	273	3.3	6	1	2	3	4	7	8
70 +	47	4.9	10	1	2	5	7	9	10
SUBTOTAL	**3614**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**3614**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2436	2.1	3	1	1	2	3	4	5
18-34	5238	2.6	4	1	1	2	3	5	6
35-49	2166	2.3	3	1	1	2	3	4	5
50-69	1744	2.5	3	1	1	2	3	5	6
70 +	171	2.7	2	1	2	3	3	4	4
	11754	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	11754	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 225: Foot Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1614	7.9	67	1	2	6	10	17	25
70-74	812	7.6	51	1	3	6	10	14	26
75-79	580	8.4	44	2	3	7	11	17	19
80-84	440	9.6	148	1	3	6	12	18	32
85 +	259	12.6	162	3	6	10	14	18	49
SUBTOTAL	**3705**	**8.4**	**78**	**1**	**3**	**6**	**11**	**17**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3200	2.7	8	1	1	2	3	5	7
70-74	1832	3.0	13	1	1	2	3	6	8
75-79	1239	3.3	18	< 1	1	2	4	6	7
80-84	503	5.0	34	< 1	1	2	6	14	19
85 +	241	5.6	22	1	3	4	7	14	18
SUBTOTAL	**7015**	**3.1**	**14**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**10721**	**5.0**	**42**	**1**	**2**	**3**	**6**	**11**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	711	3.3	8	1	2	2	4	6	8
18-34	587	4.8	21	1	1	3	8	10	14
35-49	1005	5.7	24	1	2	4	8	13	16
50-69	1694	6.8	49	1	2	5	9	14	19
70 +	59	7.6	40	1	2	4	14	17	18
	4057	**5.6**	**33**	**1**	**2**	**3**	**8**	**13**	**16**
0-17	6170	2.2	4	1	1	2	2	4	5
18-34	6543	2.2	4	< 1	1	1	3	4	6
35-49	8012	2.2	3	< 1	1	2	3	4	5
50-69	8512	2.3	5	< 1	1	2	3	4	5
70 +	166	3.2	12	1	1	2	3	4	13
	29404	**2.2**	**4**	**< 1**	**1**	**2**	**3**	**4**	**6**
	33460	**2.6**	**9**	**< 1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	279	4.0	17	1	1	3	4	10	13
18-34	195	6.4	28	1	2	4	10	15	18
35-49	265	9.4	114	2	3	5	12	19	37
50-69	217	12.0	128	2	5	8	16	30	47
70 +	26	4.1	12						
SUBTOTAL	**982**	**7.7**	**79**	**1**	**2**	**4**	**10**	**17**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2449	2.3	4	1	1	2	3	4	5
18-34	986	2.6	6	< 1	< 1	1	3	5	8
35-49	649	2.6	8	< 1	< 1	1	3	5	9
50-69	558	3.2	18	< 1	< 1	1	3	8	13
70 +	53	5.0	45	< 1	< 1	2	4	13	23
SUBTOTAL	**4695**	**2.5**	**8**	**< 1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**5677**	**3.4**	**24**	**< 1**	**1**	**2**	**4**	**7**	**13**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	150	3.4	7	1	2	2	4	9	10
18-34	240	7.8	40	1	3	6	12	16	21
35-49	309	8.4	64	2	3	5	12	20	26
50-69	289	9.4	102	2	4	6	11	19	30
70 +	29	5.5	45						
	1018	**7.7**	**64**	**2**	**3**	**5**	**10**	**17**	**22**
0-17	2319	2.3	4	1	1	2	3	4	5
18-34	1843	3.4	12	1	1	2	4	8	10
35-49	1544	2.8	6	1	1	2	3	5	9
50-69	1221	2.6	5	1	1	2	3	6	7
70 +	67	3.4	13	1	1	2	4	4	14
	6995	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**8**
	8013	**3.4**	**17**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 226: Soft Tissue Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2298	7.3	72	2	3	5	8	16	23	0-17	1943	3.7	17	1	2	3	4	7	14
70-74	1140	7.9	79	2	3	5	10	16	22	18-34	991	5.4	30	1	2	4	7	11	14
75-79	828	10.2	247	2	3	5	10	18	41	35-49	1273	6.4	69	1	2	4	7	14	19
80-84	633	8.7	67	1	3	7	11	21	26	50-69	1865	6.9	81	1	2	4	8	14	22
85 +	398	9.2	86	2	4	6	10	19	34	70 +	127	7.1	20	2	3	6	12	12	14
SUBTOTAL	**5297**	**8.2**	**103**	**2**	**3**	**5**	**9**	**17**	**26**		**6197**	**5.6**	**51**	**1**	**2**	**3**	**7**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**5297**	**8.2**	**103**	**2**	**3**	**5**	**9**	**17**	**26**		**6197**	**5.6**	**51**	**1**	**2**	**3**	**7**	**12**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1204	3.4	17	1	1	2	3	7	10	0-17	424	5.9	122	1	1	2	4	13	28
18-34	497	7.0	75	1	2	4	8	18	24	18-34	496	6.1	103	1	2	3	7	12	15
35-49	279	10.5	120	2	3	8	12	23	33	35-49	388	7.5	78	1	2	3	9	20	26
50-69	202	9.5	92	2	4	7	11	25	36	50-69	311	5.9	65	1	2	4	6	8	24
70 +	11	41.5	46							70 +	67	2.9	2	1	2	3	4	5	6
SUBTOTAL	**2193**	**5.9**	**64**	**1**	**2**	**3**	**7**	**13**	**22**		**1685**	**6.2**	**92**	**1**	**2**	**3**	**6**	**14**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2193**	**5.9**	**64**	**1**	**2**	**3**	**7**	**13**	**22**		**1685**	**6.2**	**92**	**1**	**2**	**3**	**6**	**14**	**25**

DRG 227: Soft Tissue Procedures w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH		
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	0									0-17	0										
70-74	0									18-34	0										
75-79	0									35-49	0										
80-84	0									50-69	0										
85 +	0									70 +	0										
SUBTOTAL	**0**										**0**										
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	3369	3.5	20	1	2	2	4	6	9	0-17	8417	2.3	6	1	1	2	3	4	5		
70-74	1844	3.5	12	1	1	2	4	7	11	18-34	7968	2.3	3	1	1	2	3	4	5		
75-79	1253	3.5	11	1	2	3	4	7	10	35-49	10442	2.3	4	1	1	2	3	4	6		
80-84	459	3.7	7	1	2	3	5	7	10	50-69	7845	2.6	5	1	1	2	3	5	6		
85 +	300	4.0	8	1	2	3	6	7	11	70 +	229	3.3	5	1	2	3	5	7	9		
SUBTOTAL	**7225**	**3.5**	**15**	**1**	**2**	**3**	**4**	**7**	**10**		**34901**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**6**		
GRAND TOTAL	**7225**	**3.5**	**15**	**1**	**2**	**3**	**4**	**7**	**10**		**34901**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**6**		

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH		
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	0									0-17	0										
18-34	0									18-34	0										
35-49	0									35-49	0										
50-69	0									50-69	0										
70 +	0									70 +	0										
SUBTOTAL	**0**										**0**										
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	3552	2.5	10	1	1	2	3	4	6	0-17	2439	2.4	6	1	1	2	3	4	6		
18-34	1272	3.7	16	1	1	2	4	7	11	18-34	3078	2.5	6	1	1	2	3	5	6		
35-49	477	3.3	9	1	1	2	4	8	10	35-49	2486	2.5	5	1	1	2	3	5	7		
50-69	319	3.0	6	< 1	1	2	4	6	9	50-69	1357	2.6	4	1	1	2	3	5	6		
70 +	12	1.0								70 +	129	3.6	8	1	1	3	5	7	9		
SUBTOTAL	**5633**	**2.8**	**11**	**1**	**1**	**2**	**3**	**5**	**8**		**9490**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**6**		
GRAND TOTAL	**5633**	**2.8**	**11**	**1**	**1**	**2**	**3**	**5**	**8**		**9490**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**6**		

DRG 228: Major Thumb or Joint Proc,or Oth Hand or Wrist Proc w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	846	3.5	17	1	1	2	4	7	11
70-74	370	6.8	143	1	1	2	6	21	23
75-79	337	3.9	8	1	2	3	5	8	10
80-84	109	7.6	81	1	1	4	11	28	28
85 +	66	6.4	29	2	2	4	10	11	19
SUBTOTAL	**1728**	**4.7**	**49**	**1**	**1**	**2**	**5**	**10**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1414	2.4	8	1	1	2	3	4	5
70-74	688	2.1	2	1	1	2	3	4	5
75-79	350	2.7	7	1	1	2	3	6	7
80-84	66	3.2	4	2	2	3	4	4	9
85 +	27	2.4	1						
SUBTOTAL	**2544**	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**4272**	**3.3**	**25**	**1**	**1**	**2**	**3**	**6**	**10**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	212	4.3	24	1	1	2	5	8	21
18-34	485	4.1	15	1	2	3	5	9	11
35-49	444	4.9	42	1	1	3	6	10	23
50-69	685	4.5	32	1	1	3	6	10	14
70 +	35	3.1	6						
	1861	**4.4**	**28**	**1**	**1**	**3**	**5**	**10**	**12**
0-17	367	1.9	7	1	1	1	2	3	4
18-34	695	2.6	8	1	1	1	3	6	9
35-49	1312	2.1	4	1	1	2	2	4	5
50-69	2097	1.8	1	1	1	1	2	3	4
70 +	21	2.0							
	4491	**2.0**	**4**	**1**	**1**	**1**	**2**	**4**	**6**
	6352	**2.8**	**12**	**1**	**1**	**2**	**3**	**6**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	104	4.3	16	1	1	2	9	11	11
18-34	256	4.4	13	1	2	3	6	10	11
35-49	107	2.9	4	1	1	3	4	5	6
50-69	80	3.3	7	1	2	2	3	9	10
70 +	5	3.0							
SUBTOTAL	**553**	**3.9**	**11**	**1**	**2**	**3**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	175	1.5	1	< 1	< 1	1	2	3	3
18-34	129	2.6	3	1	1	2	4	4	6
35-49	99	2.8	4	1	1	3	3	6	9
50-69	102	2.1	1	< 1	1	2	2	3	6
70 +	6	2.0							
SUBTOTAL	**511**	**2.2**	**3**	**<1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**1064**	**3.1**	**8**	**1**	**1**	**2**	**4**	**7**	**9**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	129	4.8	21	1	1	4	5	14	14
18-34	572	3.3	12	1	1	2	5	7	12
35-49	236	3.9	18	1	1	3	5	8	10
50-69	198	5.5	31	< 1	2	3	6	14	18
70 +	28	7.1	14						
	1163	**4.1**	**18**	**1**	**1**	**2**	**5**	**10**	**14**
0-17	164	2.0	4	< 1	1	1	2	3	4
18-34	274	3.2	13	1	1	2	3	11	11
35-49	206	1.8	1	1	1	2	2	3	3
50-69	342	1.7	1	1	1	2	2	3	3
70 +	6	2.0							
	992	**2.2**	**5**	**1**	**1**	**2**	**2**	**3**	**6**
	2156	**3.2**	**13**	**1**	**1**	**2**	**3**	**7**	**11**

DRG 229: Hand or Wrist Proc, except Major Joint Proc, w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1350	2.0	2	1	1	1	2	4	5
70-74	629	2.1	6	< 1	1	1	2	4	6
75-79	385	2.0	3	1	1	2	2	4	4
80-84	218	3.1	14	< 1	1	2	2	9	14
85 +	111	1.7	1	1	1	1	2	4	5
SUBTOTAL	**2694**	**2.1**	**4**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**2694**	**2.1**	**4**	**1**	**1**	**1**	**2**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	3784	1.6	2	< 1	1	1	2	3	5
18-34	5319	1.9	2	< 1	1	1	2	3	5
35-49	3615	1.9	3	< 1	1	1	2	4	5
50-69	3002	1.8	3	< 1	1	1	2	3	6
70 +	71	2.1	2	1	1	2	2	5	6
	15790	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**
	15790	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1683	2.0	6	< 1	1	1	2	4	6
18-34	1223	2.5	8	1	1	2	3	4	6
35-49	436	2.8	7	< 1	1	2	4	6	8
50-69	178	2.6	8	1	1	2	2	6	7
70 +	6	6.0							
SUBTOTAL	**3526**	**2.3**	**7**	**< 1**	**1**	**1**	**3**	**5**	**7**
GRAND TOTAL	**3526**	**2.3**	**7**	**< 1**	**1**	**1**	**3**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1645	1.7	3	< 1	1	1	2	3	5
18-34	3935	2.4	9	< 1	1	2	3	5	6
35-49	1389	2.4	4	< 1	1	2	3	5	7
50-69	689	2.8	19	< 1	1	2	3	5	10
70 +	36	1.8	1	< 1	< 1	2	2	4	4
	7694	**2.3**	**8**	**< 1**	**1**	**1**	**3**	**5**	**6**
	7694	**2.3**	**8**	**< 1**	**1**	**1**	**3**	**5**	**6**

DRG 230: Local Excision & Removal of Int Fix Devices of Hip & Femur

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	467	13.1	413	1	2	5	16	26	58
70-74	327	10.4	163	2	3	6	12	20	45
75-79	383	9.0	120	1	3	5	10	17	36
80-84	234	7.2	38	2	4	5	9	20	20
85 +	346	12.1	155	2	3	9	15	33	42
SUBTOTAL	**1757**	**10.7**	**205**	**2**	**3**	**6**	**13**	**22**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	571	4.4	27	1	1	3	6	10	14
70-74	367	2.7	3	1	1	2	3	5	6
75-79	366	3.3	15	1	1	2	4	7	7
80-84	367	3.1	7	1	2	2	3	7	8
85 +	322	4.4	12	1	2	4	5	9	11
SUBTOTAL	**1993**	**3.6**	**15**	**1**	**1**	**3**	**4**	**8**	**10**
GRAND TOTAL	**3751**	**7.0**	**117**	**1**	**2**	**3**	**7**	**15**	**22**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	432	5.0	78	< 1	1	2	3	17	35
18-34	220	4.3	33	1	1	2	4	11	16
35-49	227	5.2	31	1	2	3	6	12	14
50-69	308	5.2	19	2	2	3	6	14	17
70 +	29	3.5	7						
	1216	**4.9**	**45**	**1**	**1**	**3**	**5**	**12**	**17**
0-17	3613	2.5	18	1	1	1	2	4	7
18-34	2565	1.9	2	1	1	1	2	4	5
35-49	1300	2.2	4	1	1	2	3	4	6
50-69	675	2.4	5	1	1	2	3	4	6
70 +	71	2.3	3	1	1	2	3	5	7
	8224	**2.3**	**10**	**1**	**1**	**1**	**2**	**4**	**6**
	9441	**2.6**	**15**	**1**	**1**	**1**	**3**	**5**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	216	4.4	54	< 1	1	2	3	17	28
18-34	101	4.0	54	1	1	2	3	9	33
35-49	73	12.8	225	1	2	6	18	44	46
50-69	45	7.5	23	1	3	8	10	17	17
70 +	0								
SUBTOTAL	**436**	**6.0**	**89**	**1**	**1**	**2**	**5**	**18**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	984	4.9	73	1	1	2	3	17	25
18-34	485	2.6	13	1	1	2	2	4	8
35-49	158	4.5	28	1	2	3	4	8	20
50-69	30	2.6	1						
70 +	22	3.7	4						
SUBTOTAL	**1680**	**4.2**	**50**	**1**	**1**	**2**	**3**	**9**	**21**
GRAND TOTAL	**2116**	**4.5**	**59**	**1**	**1**	**2**	**3**	**13**	**24**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	163	4.2	99	1	1	1	2	13	15
18-34	108	8.4	67	1	2	4	13	23	26
35-49	63	8.8	190	1	2	4	6	27	49
50-69	21	8.0	47						
70 +	0								
	356	**6.5**	**106**	**1**	**1**	**2**	**6**	**21**	**25**
0-17	989	2.8	20	< 1	1	1	2	6	15
18-34	803	2.1	5	1	1	1	2	4	4
35-49	319	2.6	12	1	1	2	3	5	9
50-69	116	3.3	11	< 1	1	2	4	8	12
70 +	28	2.8	6						
	2257	**2.5**	**13**	**1**	**1**	**1**	**2**	**4**	**9**
	2613	**3.1**	**28**	**1**	**1**	**1**	**3**	**6**	**14**

Total U.S., July 1990 - June 1991

DRG 231: Local Excision & Removal of Int Fix Devices except Hip & Femur

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1730	8.0	81	2	3	5	10	18	28
70-74	862	11.7	189	2	3	6	15	29	44
75-79	632	12.4	162	2	4	7	16	33	45
80-84	428	8.3	47	2	3	7	10	21	23
85 +	274	10.9	79	3	4	9	15	20	22
SUBTOTAL	**3926**	**9.8**	**118**	**2**	**3**	**6**	**12**	**23**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3071	3.7	19	1	1	2	4	8	12
70-74	1642	4.6	83	1	2	2	4	6	18
75-79	1038	4.0	19	1	1	2	5	9	13
80-84	461	5.1	28	1	2	3	7	12	14
85 +	323	4.7	16	1	2	3	8	12	13
SUBTOTAL	**6536**	**4.1**	**36**	**1**	**1**	**2**	**4**	**9**	**14**
GRAND TOTAL	**10462**	**6.2**	**74**	**1**	**2**	**3**	**7**	**15**	**22**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	781	7.4	76	1	2	4	11	15	27
18-34	1258	4.7	29	1	2	3	6	9	13
35-49	1354	5.3	33	1	2	3	6	12	17
50-69	1506	6.7	54	1	2	4	9	16	17
70 +	140	6.6	22	2	3	7	9	12	15
	5039	**5.9**	**46**	**1**	**2**	**3**	**8**	**13**	**17**
0-17	6295	2.6	12	< 1	1	1	3	6	9
18-34	9063	2.2	3	1	1	2	3	4	5
35-49	8320	2.5	10	1	1	2	3	4	6
50-69	6660	2.6	7	1	1	2	3	5	7
70 +	228	3.2	6	1	2	2	4	6	9
	30566	**2.4**	**8**	**1**	**1**	**2**	**3**	**5**	**7**
	35605	**2.9**	**15**	**1**	**1**	**2**	**3**	**6**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	337	8.5	100	1	2	5	9	22	39
18-34	428	8.3	81	1	2	6	10	16	35
35-49	322	9.5	121	1	3	5	12	22	33
50-69	198	9.0	66	1	4	6	11	23	28
70 +	0								
SUBTOTAL	**1285**	**8.8**	**94**	**1**	**2**	**6**	**11**	**22**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1700	3.7	31	< 1	1	2	4	8	12
18-34	1796	3.2	15	1	1	2	4	6	10
35-49	816	2.8	6	1	1	2	4	6	7
50-69	421	3.0	8	1	1	2	4	6	9
70 +	10	2.0							
SUBTOTAL	**4743**	**3.3**	**19**	**1**	**1**	**2**	**4**	**6**	**10**
GRAND TOTAL	**6028**	**4.5**	**40**	**1**	**1**	**2**	**5**	**10**	**16**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	288	11.1	136	1	4	7	12	33	41
18-34	441	5.8	46	1	2	4	6	16	21
35-49	405	8.2	68	2	3	5	9	21	30
50-69	355	8.4	126	1	2	5	9	19	32
70 +	51	14.3	516	< 1	2	3	9	69	69
	1540	**8.3**	**106**	**1**	**2**	**5**	**9**	**21**	**33**
0-17	1956	3.2	25	< 1	1	1	3	9	13
18-34	3070	2.8	9	1	1	2	3	5	8
35-49	1996	3.3	15	1	1	2	3	7	10
50-69	1023	3.4	20	1	1	2	3	7	10
70 +	66	6.3	25	1	2	4	11	15	15
	8112	**3.1**	**16**	**1**	**1**	**2**	**3**	**7**	**10**
	9652	**4.0**	**34**	**1**	**1**	**2**	**4**	**9**	**14**

Total U.S., July 1990 - June 1991

DRG 232: Arthroscopy

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	79	10.3	50	2	5	9	18	21	21
70-74	39	11.6	20	7	7	11	15	19	19
75-79	58	13.7	78	2	7	12	21	26	26
80-84	57	13.7	93	2	6	11	24	28	28
85 +	10	28.0							
SUBTOTAL	**243**	**12.9**	**72**	**3**	**6**	**11**	**21**	**26**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	323	3.3	11	1	2	2	3	6	14
70-74	95	2.9	2	2	2	2	3	5	7
75-79	86	1.8	1	1	1	2	3	3	3
80-84	29	5.1	11						
85 +	6	12.0							
SUBTOTAL	**540**	**3.2**	**9**	**1**	**2**	**2**	**3**	**6**	**9**
GRAND TOTAL	**783**	**6.2**	**49**	**1**	**2**	**3**	**7**	**19**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	114	3.1	14	< 1	1	1	3	10	11
18-34	40	8.2	71	< 1	1	5	14	26	26
35-49	90	9.2	58	1	2	9	16	23	23
50-69	50	8.1	25	2	4	7	15	15	15
70 +	10	53.0							
	304	**8.1**	**113**	**1**	**1**	**4**	**11**	**16**	**26**
0-17	898	2.5	11	< 1	< 1	1	2	6	8
18-34	2075	1.9	4	< 1	1	1	2	3	4
35-49	1233	2.2	8	1	1	1	2	3	5
50-69	834	2.6	20	1	1	1	3	4	6
70 +	6	1.0							
	5046	**2.2**	**9**	**< 1**	**1**	**1**	**2**	**4**	**6**
	5350	**2.5**	**16**	**< 1**	**1**	**1**	**2**	**5**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	11	5.9	10						
18-34	10	1.0							
35-49	0								
50-69	5	10.0							
70 +	0								
SUBTOTAL	**26**	**4.8**	**16**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	181	5.7	49	< 1	1	2	9	18	22
18-34	172	2.5	5	< 1	1	2	2	7	8
35-49	87	4.9	21	1	1	4	7	16	16
50-69	6	2.0							
70 +	0								
SUBTOTAL	**446**	**4.2**	**28**	**< 1**	**1**	**2**	**4**	**13**	**17**
GRAND TOTAL	**473**	**4.3**	**27**	**< 1**	**1**	**2**	**4**	**12**	**17**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	12.2	13						
18-34	16	5.5	12						
35-49	0								
50-69	40	2.3	6						
70 +	6	8.0							
	73	**5.0**	**21**	**< 1**	**1**	**3**	**8**	**9**	**16**
0-17	241	3.0	22	< 1	1	1	3	4	9
18-34	556	2.2	4	< 1	1	1	2	5	6
35-49	250	2.1	8	1	1	1	2	3	5
50-69	170	1.9	1	1	1	2	3	3	4
70 +	13	2.0							
	1229	**2.3**	**8**	**< 1**	**1**	**1**	**2**	**4**	**6**
	1303	**2.4**	**9**	**< 1**	**1**	**1**	**3**	**5**	**8**

DRG 233: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1459	11.4	99	2	4	8	16	26	35
70-74	919	9.8	98	2	4	7	12	19	26
75-79	896	11.5	75	3	6	10	15	24	26
80-84	657	12.8	102	4	6	9	19	24	31
85 +	644	10.9	73	3	5	9	14	21	33
SUBTOTAL	**4576**	**11.2**	**92**	**3**	**5**	**9**	**15**	**23**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4576**	**11.2**	**92**	**3**	**5**	**9**	**15**	**23**	**31**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1263	5.9	12	3	3	5	8	11	12
18-34	1355	8.8	108	2	3	5	10	20	30
35-49	1080	10.1	143	2	3	6	10	21	39
50-69	1328	10.6	118	2	4	7	14	21	29
70 +	167	20.2	328	6	7	14	27	57	57
	5194	**9.2**	**109**	**2**	**3**	**6**	**10**	**19**	**28**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5194	**9.2**	**109**	**2**	**3**	**6**	**10**	**19**	**28**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	472	6.7	22	3	4	6	8	10	13
18-34	313	9.2	52	3	4	7	12	18	26
35-49	172	10.0	64	2	5	8	14	24	29
50-69	208	14.8	282	4	5	9	14	35	70
70 +	0								
SUBTOTAL	**1166**	**9.3**	**90**	**3**	**5**	**7**	**10**	**18**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1166**	**9.3**	**90**	**3**	**5**	**7**	**10**	**18**	**26**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	367	5.6	18	2	3	5	7	12	14
18-34	508	9.0	62	2	3	6	12	20	26
35-49	427	9.3	70	2	3	8	13	19	24
50-69	369	11.1	113	2	3	9	14	25	28
70 +	75	13.3	77	1	7	12	21	23	32
	1746	**9.0**	**70**	**2**	**3**	**6**	**12**	**19**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1746	**9.0**	**70**	**2**	**3**	**6**	**12**	**19**	**25**

DRG 234: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	977	4.2	14	1	2	3	5	9	13
70-74	735	5.1	19	1	2	4	7	12	14
75-79	613	7.0	89	1	2	4	8	15	21
80-84	473	5.6	24	1	2	4	7	11	13
85 +	270	7.1	37	1	3	6	11	13	13
SUBTOTAL	**3067**	**5.5**	**35**	**1**	**2**	**4**	**7**	**12**	**14**
GRAND TOTAL	**3067**	**5.5**	**35**	**1**	**2**	**4**	**7**	**12**	**14**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	5183	3.6	6	1	2	3	5	6	8
18-34	3884	3.1	10	1	1	2	4	6	9
35-49	3194	3.6	23	1	1	2	4	8	11
50-69	2436	3.6	11	1	1	2	5	8	10
70 +	144	5.9	27	2	2	4	7	14	14
	14841	**3.5**	**12**	**1**	**1**	**3**	**4**	**7**	**9**
	14841	**3.5**	**12**	**1**	**1**	**3**	**4**	**7**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1721	4.2	8	1	2	4	5	7	9
18-34	644	4.2	18	1	2	3	5	9	11
35-49	298	4.5	16	1	2	4	5	8	12
50-69	167	8.7	99	1	3	6	12	15	25
70 +	0								
SUBTOTAL	**2830**	**4.5**	**18**	**1**	**2**	**4**	**5**	**8**	**11**
GRAND TOTAL	**2830**	**4.5**	**18**	**1**	**2**	**4**	**5**	**8**	**11**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1579	4.1	15	1	2	3	5	7	8
18-34	1752	3.7	23	1	1	2	4	7	11
35-49	923	4.1	28	1	1	2	4	10	15
50-69	466	5.9	50	1	2	3	8	13	21
70 +	49	3.6	7	< 1	2	2	5	8	8
	4769	**4.2**	**24**	**1**	**2**	**3**	**5**	**8**	**11**
	4769	**4.2**	**24**	**1**	**2**	**3**	**5**	**8**	**11**

DRG 235: Fractures of Femur

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	612	14.8	278	3	5	9	16	52	72
70-74	409	18.6	518	4	5	8	23	64	85
75-79	646	15.0	266	3	5	10	19	45	68
80-84	803	18.3	394	3	5	10	24	49	70
85 +	1398	10.9	99	3	5	8	14	22	36
SUBTOTAL	**3867**	**14.5**	**270**	**3**	**5**	**9**	**17**	**41**	**64**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	296	8.6	189	2	3	5	9	15	42
70-74	210	10.4	135	3	4	7	10	22	25
75-79	334	6.1	23	2	3	4	8	12	17
80-84	482	7.7	53	2	3	5	10	16	25
85 +	895	7.1	53	2	3	5	8	14	23
SUBTOTAL	**2216**	**7.6**	**76**	**2**	**3**	**5**	**9**	**15**	**23**
GRAND TOTAL	**6083**	**12.0**	**210**	**2**	**4**	**7**	**14**	**29**	**52**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	664	12.7	145	1	3	8	20	31	38
18-34	119	18.0	458	1	5	6	31	51	66
35-49	87	12.4	124	5	5	6	21	28	42
50-69	138	15.7	221	4	9	10	14	34	58
70 +	102	9.7	40	2	4	9	11	21	26
	1110	**13.4**	**181**	**2**	**4**	**9**	**20**	**31**	**44**
0-17	5934	10.0	102	1	2	5	17	24	29
18-34	216	7.3	119	1	2	4	7	13	33
35-49	94	5.3	21	1	2	4	6	14	14
50-69	222	9.7	170	2	3	5	8	33	45
70 +	50	5.1	1	3	4	6	6	6	6
	6516	**9.8**	**104**	**1**	**2**	**5**	**17**	**24**	**29**
	7627	**10.3**	**116**	**1**	**2**	**5**	**17**	**24**	**30**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	470	12.3	104	1	3	11	20	26	27
18-34	29	12.5	182						
35-49	100	20.5	476	4	6	8	24	64	65
50-69	70	19.5	249	4	5	14	32	43	46
70 +	22	5.8	24						
SUBTOTAL	**691**	**14.0**	**185**	**2**	**4**	**8**	**20**	**32**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3153	10.5	94	1	2	6	19	23	27
18-34	99	7.1	208	1	2	3	6	7	65
35-49	34	2.3	1						
50-69	53	9.6	138	1	2	3	14	40	40
70 +	11	5.0	10						
SUBTOTAL	**3350**	**10.3**	**98**	**1**	**2**	**6**	**18**	**23**	**28**
GRAND TOTAL	**4041**	**10.9**	**115**	**1**	**3**	**6**	**19**	**24**	**29**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	383	14.0	117	2	4	13	24	29	34
18-34	117	6.7	31	1	2	5	8	15	15
35-49	56	20.5	860	1	4	7	8	75	75
50-69	44	10.1	67	1	4	7	13	24	24
70 +	41	10.8	168	< 1	3	6	12	40	40
	642	**12.8**	**178**	**1**	**3**	**8**	**19**	**28**	**35**
0-17	3227	9.1	100	1	2	4	17	23	29
18-34	303	4.9	28	1	2	3	6	9	11
35-49	77	4.9	14	1	2	4	7	10	13
50-69	69	8.3	92	3	4	6	7	10	41
70 +	58	7.9	99	1	2	4	11	23	36
	3734	**8.6**	**94**	**1**	**2**	**4**	**15**	**22**	**27**
	4376	**9.2**	**108**	**1**	**2**	**4**	**16**	**23**	**29**

DRG 236: Fractures of Hip & Pelvis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2370	10.6	88	3	5	8	13	21	29	0-17	589	8.7	110	2	3	6	10	17	35
70-74	2822	11.9	132	3	6	9	14	22	32	18-34	1155	8.5	63	2	4	6	10	16	26
75-79	4388	12.2	119	4	6	9	15	24	33	35-49	912	10.8	150	2	5	7	11	26	48
80-84	5192	12.0	113	4	6	9	14	23	33	50-69	1478	10.9	100	3	5	8	13	21	31
85 +	9310	11.0	93	4	5	8	14	21	27	70 +	772	11.8	106	4	5	9	16	23	26
SUBTOTAL	**24082**	**11.5**	**106**	**4**	**6**	**9**	**14**	**22**	**30**		**4906**	**10.2**	**104**	**2**	**5**	**7**	**12**	**20**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1220	6.9	24	2	3	6	8	13	18	0-17	1499	5.0	40	1	2	3	5	11	21
70-74	1623	6.5	21	2	4	5	8	12	16	18-34	1754	6.0	50	1	2	4	7	10	22
75-79	2397	7.9	34	3	4	6	9	15	19	35-49	1122	6.8	35	2	4	5	9	12	15
80-84	3061	8.0	36	2	4	7	10	16	21	50-69	1379	6.9	47	2	3	5	8	12	18
85 +	4894	7.6	46	3	4	6	10	14	17	70 +	511	7.6	30	2	4	6	9	15	18
SUBTOTAL	**13194**	**7.6**	**36**	**3**	**4**	**6**	**9**	**14**	**18**		**6265**	**6.2**	**43**	**1**	**2**	**4**	**7**	**12**	**21**
GRAND TOTAL	**37276**	**10.1**	**85**	**3**	**5**	**8**	**12**	**19**	**26**		**11171**	**8.0**	**74**	**2**	**3**	**6**	**9**	**16**	**25**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	105	12.1	245	3	4	6	12	29	39	0-17	193	7.6	42	1	2	6	9	20	22
18-34	337	12.6	249	3	4	7	15	31	49	18-34	777	7.7	50	2	4	6	9	16	20
35-49	136	10.3	93	2	4	6	15	27	29	35-49	295	9.0	76	2	4	6	11	21	25
50-69	306	10.3	71	3	4	8	11	25	31	50-69	446	9.8	73	2	4	7	10	26	29
70 +	71	8.9	36	4	6	7	21	99 +	99 +	70 +	421	17.4	416	2	5	10	18	54	65
SUBTOTAL	**956**	**11.2**	**155**	**3**	**4**	**7**	**12**	**28**	**34**		**2132**	**10.2**	**143**	**2**	**4**	**6**	**11**	**22**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	373	4.8	55	1	2	2	4	17	21	0-17	586	7.2	96	1	2	3	7	21	29
18-34	230	7.4	81	1	2	4	8	25	36	18-34	1103	5.8	44	2	3	4	6	9	16
35-49	142	12.4	230	2	4	5	15	44	44	35-49	491	6.3	35	2	3	4	8	13	18
50-69	149	9.1	91	2	3	5	9	27	32	50-69	307	8.4	117	2	3	5	8	19	25
70 +	74	7.0	23	1	3	7	13	99 +	99 +	70 +	338	11.2	264	3	4	6	12	23	50
SUBTOTAL	**968**	**7.3**	**96**	**1**	**2**	**4**	**7**	**21**	**34**		**2825**	**7.1**	**90**	**2**	**3**	**4**	**7**	**14**	**23**
GRAND TOTAL	**1923**	**9.3**	**129**	**2**	**3**	**5**	**11**	**25**	**34**		**4957**	**8.4**	**115**	**2**	**3**	**5**	**9**	**18**	**26**

DRG 237: Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	120	6.7	116	2	2	4	7	11	34	0-17	119	4.8	4	2	4	5	6	8	8
70-74	99	4.4	6	2	2	4	5	8	9	18-34	158	4.5	7	1	3	5	6	8	11
75-79	102	4.6	5	2	3	4	6	7	11	35-49	58	5.4	35	2	3	3	5	16	23
80-84	142	6.3	15	2	4	5	7	12	14	50-69	100	6.3	33	2	3	4	8	18	22
85 +	309	5.3	11	3	3	4	5	11	15	70 +	16	4.8	16						
SUBTOTAL	**772**	**5.5**	**27**	**2**	**3**	**4**	**6**	**11**	**12**		**450**	**5.1**	**16**	**2**	**3**	**4**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	129	3.0	6	1	1	2	4	6	8	0-17	512	4.5	22	1	1	2	6	10	17
70-74	134	5.4	11	2	3	4	8	11	11	18-34	582	4.6	30	1	2	3	5	7	18
75-79	209	4.8	9	1	2	4	7	9	11	35-49	241	3.3	5	1	1	3	4	5	9
80-84	163	3.9	4	1	2	4	5	7	7	50-69	235	3.1	4	1	1	3	5	6	7
85 +	190	4.2	6	1	2	4	6	7	9	70 +	18	4.6	6						
SUBTOTAL	**825**	**4.3**	**8**	**1**	**2**	**4**	**6**	**9**	**9**		**1589**	**4.1**	**20**	**1**	**1**	**3**	**5**	**8**	**13**
GRAND TOTAL	**1597**	**4.9**	**18**	**1**	**2**	**4**	**6**	**9**	**11**		**2040**	**4.3**	**19**	**1**	**2**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	28	11.1	23							0-17	42	3.2	4						
18-34	28	8.1	7							18-34	128	5.5	22	2	3	4	6	7	11
35-49	13	64.0								35-49	22	4.2	1						
50-69	18	3.6								50-69	25	10.7	104						
70 +	0									70 +	17	6.7							
SUBTOTAL	**86**	**16.5**	**418**	**4**	**4**	**8**	**15**	**64**	**64**		**234**	**5.6**	**28**	**2**	**3**	**4**	**6**	**7**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	157	5.3	26	1	2	3	6	14	20	0-17	191	4.1	16	1	2	3	5	8	11
18-34	77	2.9	2	< 1	2	3	4	5	6	18-34	286	4.0	13	1	2	3	4	8	11
35-49	11	1.5								35-49	103	4.8	7	1	3	4	7	9	10
50-69	16	6.8	20							50-69	63	4.7	7	1	3	4	6	9	9
70 +	17	5.1	6							70 +	18	3.7							
SUBTOTAL	**278**	**4.5**	**19**	**1**	**2**	**3**	**6**	**10**	**14**		**660**	**4.2**	**12**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**364**	**7.4**	**138**	**1**	**2**	**4**	**7**	**14**	**20**		**894**	**4.5**	**16**	**1**	**2**	**4**	**6**	**8**	**10**

DRG 238: Osteomyelitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1812	14.5	115	4	6	12	19	30	36	0-17	453	12.6	73	5	7	10	16	23	27
70-74	709	14.0	155	4	7	10	16	31	47	18-34	195	11.4	74	3	5	10	14	31	32
75-79	771	16.5	155	5	8	14	19	32	45	35-49	668	11.4	114	4	5	7	13	21	43
80-84	577	16.1	115	6	7	13	22	34	36	50-69	1228	12.7	99	4	7	10	15	23	34
85 +	519	20.2	271	6	9	13	26	47	53	70 +	86	18.1	293	7	8	11	14	49	70
SUBTOTAL	**4388**	**15.7**	**150**	**5**	**7**	**12**	**19**	**33**	**44**		**2630**	**12.4**	**104**	**4**	**7**	**9**	**15**	**23**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	292	10.8	58	4	5	8	14	20	25	0-17	1478	8.4	46	2	4	7	11	17	26
70-74	141	11.7	87	4	6	8	14	21	27	18-34	262	7.7	80	1	2	5	8	18	23
75-79	218	9.5	54	4	5	9	11	18	25	35-49	481	7.3	52	2	3	4	9	14	19
80-84	99	7.6	25	3	3	6	11	16	19	50-69	522	8.9	61	2	4	8	11	14	19
85 +	120	10.9	29	2	8	10	15	18	21	70 +	23	5.6	9						
SUBTOTAL	**870**	**10.3**	**55**	**3**	**5**	**8**	**14**	**20**	**24**		**2766**	**8.2**	**53**	**2**	**4**	**7**	**10**	**15**	**23**
GRAND TOTAL	**5258**	**14.8**	**139**	**4**	**7**	**11**	**18**	**31**	**42**		**5396**	**10.3**	**82**	**3**	**5**	**8**	**12**	**20**	**28**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	241	17.5	118	3	8	16	22	35	42	0-17	231	11.2	54	3	7	9	14	23	24
18-34	269	19.0	247	4	8	13	28	44	49	18-34	174	13.4	119	3	6	11	16	29	41
35-49	417	19.5	294	4	8	14	25	45	52	35-49	309	15.9	163	3	7	13	18	42	42
50-69	368	16.6	124	4	9	13	23	34	37	50-69	448	13.0	172	3	5	8	15	30	42
70 +	34	14.3	68	8	9	11	15	32	32	70 +	50	20.4	95	3	13	28	30	30	30
SUBTOTAL	**1330**	**18.1**	**201**	**4**	**8**	**14**	**23**	**42**	**46**		**1214**	**13.7**	**141**	**3**	**6**	**10**	**17**	**30**	**41**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	613	12.5	67	3	6	11	17	26	28	0-17	700	8.9	39	3	5	7	12	19	22
18-34	135	8.9	67	3	5	7	13	15	16	18-34	162	11.4	83	1	5	10	15	28	33
35-49	75	20.0	256	4	8	15	18	43	55	35-49	204	12.7	101	3	6	10	16	26	39
50-69	112	9.0	50	2	4	7	13	24	28	50-69	92	8.1	30	3	3	6	15	17	17
70 +	0									70 +	28	8.2	107						
SUBTOTAL	**935**	**12.1**	**87**	**3**	**6**	**9**	**15**	**26**	**29**		**1186**	**9.8**	**59**	**3**	**5**	**8**	**13**	**21**	**26**
GRAND TOTAL	**2265**	**15.6**	**162**	**3**	**7**	**13**	**21**	**34**	**43**		**2400**	**11.8**	**104**	**3**	**5**	**9**	**15**	**26**	**34**

DRG 239: Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8084	10.6	79	3	5	8	14	22	28
70-74	7714	11.2	99	3	5	9	14	22	29
75-79	8331	10.4	89	3	5	8	12	20	26
80-84	7578	11.3	93	3	5	9	14	22	28
85 +	6714	9.5	53	3	5	7	12	17	22
SUBTOTAL	**38421**	**10.6**	**84**	**3**	**5**	**8**	**13**	**21**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2232	6.8	26	2	3	5	8	15	18
70-74	2875	7.3	37	2	4	6	9	14	17
75-79	3801	7.5	30	3	4	6	9	14	17
80-84	3606	7.8	33	3	4	7	10	14	18
85 +	3631	7.7	28	2	4	7	10	14	17
SUBTOTAL	**16144**	**7.5**	**31**	**3**	**4**	**6**	**9**	**14**	**17**
GRAND TOTAL	**54565**	**9.7**	**70**	**3**	**5**	**7**	**12**	**19**	**24**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	894	6.6	41	1	3	5	8	15	17
18-34	528	8.4	59	1	3	6	11	21	25
35-49	2105	10.5	98	2	4	7	13	23	35
50-69	6767	10.7	87	3	4	8	14	22	28
70 +	727	8.9	44	3	4	7	12	19	20
	11021	**10.1**	**82**	**2**	**4**	**7**	**13**	**21**	**28**
0-17	1581	4.0	16	1	2	3	5	8	10
18-34	347	2.9	5	1	1	2	4	6	8
35-49	834	5.9	35	1	2	4	7	14	16
50-69	2071	6.3	31	1	3	5	8	13	18
70 +	362	6.7	29	1	2	5	9	14	18
	5195	**5.3**	**27**	**1**	**2**	**4**	**6**	**12**	**16**
	16216	**8.6**	**70**	**2**	**3**	**6**	**11**	**19**	**25**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	333	6.6	31	1	4	5	9	12	13
18-34	290	9.2	110	2	3	5	11	21	39
35-49	530	9.7	179	2	3	7	10	15	38
50-69	923	10.2	64	2	4	8	15	21	24
70 +	119	11.3	68	3	6	10	17	24	53
SUBTOTAL	**2196**	**9.5**	**95**	**2**	**4**	**7**	**12**	**20**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	677	4.4	28	1	2	4	5	7	10
18-34	365	4.8	46	1	1	3	5	7	18
35-49	145	6.0	33	2	3	3	7	13	21
50-69	218	8.7	80	2	3	6	11	18	27
70 +	58	13.6	353	5	5	7	10	44	67
SUBTOTAL	**1465**	**5.7**	**58**	**1**	**2**	**4**	**6**	**11**	**21**
GRAND TOTAL	**3661**	**7.9**	**84**	**2**	**3**	**5**	**9**	**18**	**26**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	236	5.5	19	1	2	5	7	9	16
18-34	61	5.8	13	2	3	4	8	10	14
35-49	349	7.9	38	2	4	6	9	19	21
50-69	1148	8.8	46	2	4	7	11	17	21
70 +	555	7.8	43	2	4	6	10	15	27
	2349	**8.0**	**42**	**2**	**4**	**6**	**9**	**17**	**22**
0-17	466	3.6	8	1	2	3	4	5	10
18-34	265	3.9	6	1	2	3	5	6	8
35-49	163	5.1	13	1	3	5	7	9	12
50-69	463	6.0	23	2	3	5	7	12	14
70 +	217	5.5	13	2	3	4	8	11	14
	1573	**4.8**	**14**	**1**	**2**	**4**	**6**	**9**	**13**
	3922	**6.7**	**33**	**2**	**3**	**5**	**8**	**15**	**19**

DRG 240: Connective Tissue Disorders w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3999	9.5	103	3	4	7	11	20	26	0-17	1237	5.5	30	1	2	4	7	10	15
70-74	2217	9.7	75	3	4	7	11	20	25	18-34	1459	6.7	43	1	2	5	8	14	21
75-79	1833	9.0	44	3	4	7	12	17	22	35-49	2294	7.4	44	2	3	6	9	14	20
80-84	1312	10.7	113	3	5	8	12	23	29	50-69	2275	8.1	52	2	4	6	10	17	20
85 +	862	9.8	55	3	4	8	13	22	26	70 +	138	7.7	45	2	3	5	11	17	21
SUBTOTAL	**10223**	**9.7**	**84**	**3**	**4**	**7**	**12**	**20**	**25**		**7402**	**7.2**	**45**	**2**	**3**	**5**	**9**	**15**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**10223**	**9.7**	**84**	**3**	**4**	**7**	**12**	**20**	**25**		**7402**	**7.2**	**45**	**2**	**3**	**5**	**9**	**15**	**20**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	699	7.2	128	2	3	5	8	12	26	0-17	512	6.6	43	2	2	4	8	17	20
18-34	936	8.3	55	2	3	6	11	18	23	18-34	694	7.5	37	2	3	6	10	14	18
35-49	698	9.0	87	2	4	7	10	17	28	35-49	542	9.5	60	2	3	8	14	21	22
50-69	548	10.7	128	2	3	7	13	24	32	50-69	491	10.7	57	4	5	8	15	21	23
70 +	71	13.7	189	3	4	10	33	99 +	99 +	70 +	75	8.9	25	3	7	10	15	99 +	99 +
SUBTOTAL	**2953**	**8.8**	**98**	**2**	**3**	**6**	**10**	**18**	**28**		**2314**	**8.5**	**50**	**2**	**4**	**6**	**11**	**19**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2953**	**8.8**	**98**	**2**	**3**	**6**	**10**	**18**	**28**		**2314**	**8.5**	**50**	**2**	**4**	**6**	**11**	**19**	**22**

DRG 241: Connective Tissue Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1654	5.6	26	2	3	4	7	9	14	0-17	4752	3.5	15	1	1	3	4	7	9
70-74	732	5.6	16	1	3	5	7	10	13	18-34	1884	4.2	14	1	2	3	6	9	11
75-79	621	5.5	12	2	3	5	7	10	13	35-49	1870	4.7	20	2	2	3	5	9	12
80-84	504	6.9	31	2	3	5	9	12	19	50-69	1610	5.1	19	1	2	4	7	10	12
85 +	238	5.6	5	3	4	6	7	9	9	70 +	33	5.9	5	3	5	5	7	10	10
SUBTOTAL	**3749**	**5.7**	**21**	**2**	**3**	**4**	**7**	**10**	**14**		**10150**	**4.1**	**17**	**1**	**2**	**3**	**5**	**8**	**11**
GRAND TOTAL	**3749**	**5.7**	**21**	**2**	**3**	**4**	**7**	**10**	**14**		**10150**	**4.1**	**17**	**1**	**2**	**3**	**5**	**8**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1486	4.2	25	1	2	3	5	8	10	0-17	1760	3.9	13	1	2	3	5	7	11
18-34	1018	5.2	30	1	2	4	7	12	17	18-34	870	4.6	21	1	2	3	5	9	14
35-49	458	5.1	10	2	3	4	7	8	13	35-49	587	4.8	17	1	2	3	7	11	12
50-69	181	6.6	28	2	3	5	7	16	18	50-69	381	5.9	61	1	2	4	8	10	13
70 +	23	3.2	9							70 +	47	3.9	2						
SUBTOTAL	**3166**	**4.8**	**25**	**1**	**2**	**4**	**6**	**9**	**14**		**3645**	**4.4**	**21**	**1**	**2**	**3**	**5**	**9**	**12**
GRAND TOTAL	**3166**	**4.8**	**25**	**1**	**2**	**4**	**6**	**9**	**14**		**3645**	**4.4**	**21**	**1**	**2**	**3**	**5**	**9**	**12**

Total U.S., July 1990 - June 1991

DRG 242: Septic Arthritis

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	469	14.1	149	4	6	9	17	34	44
70-74	295	14.2	100	5	7	10	19	33	39
75-79	285	11.2	86	4	5	8	16	22	23
80-84	293	15.9	248	5	6	11	17	42	47
85 +	244	15.0	113	4	7	11	24	32	36
SUBTOTAL	**1586**	**14.1**	**143**	**4**	**6**	**10**	**17**	**32**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	211	7.6	47	3	3	5	9	12	32
70-74	158	6.8	55	2	3	5	8	10	33
75-79	206	9.6	127	3	4	5	10	22	28
80-84	125	8.1	41	3	4	6	7	19	23
85 +	138	6.4	21	3	3	5	7	15	15
SUBTOTAL	**838**	**7.8**	**64**	**3**	**4**	**5**	**8**	**15**	**23**
GRAND TOTAL	**2424**	**11.9**	**125**	**3**	**5**	**8**	**14**	**27**	**36**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	247	9.1	39	2	4	7	14	20	22
18-34	189	5.8	10	3	3	6	7	9	12
35-49	254	10.3	84	4	5	7	11	15	37
50-69	280	9.0	81	2	4	6	9	19	27
70 +	11	5.5	2						
	982	**8.7**	**59**	**2**	**4**	**6**	**10**	**16**	**22**
0-17	1009	7.3	35	2	4	6	8	14	21
18-34	468	4.6	7	2	3	4	6	9	10
35-49	539	4.7	8	2	3	4	6	8	11
50-69	315	6.4	23	2	3	5	8	15	16
70 +	53	4.3	13	1	2	3	4	9	14
	2384	**6.0**	**23**	**2**	**3**	**5**	**7**	**11**	**15**
	3366	**6.8**	**35**	**2**	**3**	**5**	**8**	**14**	**17**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	126	14.1	58	6	9	13	21	23	28
18-34	133	7.9	82	2	3	6	9	13	21
35-49	93	12.9	203	3	5	7	13	48	48
50-69	55	11.5	52	4	6	9	16	25	26
70 +	11	25.5	2						
SUBTOTAL	**418**	**11.8**	**107**	**3**	**5**	**9**	**14**	**24**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	520	9.9	44	3	6	8	14	19	22
18-34	230	9.2	81	3	4	7	9	17	35
35-49	61	5.8	20	2	3	3	8	13	17
50-69	37	3.3	3						
70 +	6	5.0							
SUBTOTAL	**853**	**9.1**	**53**	**3**	**4**	**7**	**12**	**17**	**22**
GRAND TOTAL	**1272**	**10.0**	**72**	**3**	**5**	**7**	**12**	**21**	**27**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	162	8.9	22	4	5	8	12	18	19
18-34	221	8.9	43	3	4	7	14	18	22
35-49	185	9.1	18	4	5	8	13	15	16
50-69	102	14.1	195	3	4	8	18	29	44
70 +	29	10.1	108						
	699	**9.8**	**59**	**3**	**5**	**8**	**13**	**18**	**21**
0-17	544	7.0	25	2	4	6	9	13	17
18-34	476	7.1	33	3	3	6	9	13	14
35-49	145	8.2	39	2	2	6	13	16	23
50-69	33	2.9	1						
70 +	15	9.0	9						
	1213	**7.1**	**29**	**2**	**3**	**6**	**9**	**13**	**16**
	1913	**8.1**	**42**	**3**	**4**	**6**	**10**	**16**	**19**

DRG 243: Medical Back Problems

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	12022	6.7	32	2	3	5	8	13	18	0-17	956	4.2	16	1	2	3	5	9	12
70-74	9126	7.4	33	2	4	6	9	14	18	18-34	4734	5.1	20	1	3	4	6	9	13
75-79	9873	8.0	41	2	4	6	10	15	19	35-49	7207	5.8	26	1	2	5	7	11	14
80-84	9005	8.4	66	2	4	7	10	16	22	50-69	10400	5.8	21	1	3	5	7	11	14
85+	9883	8.8	57	3	5	7	11	16	20	70+	1242	9.6	104	2	3	6	13	19	28
SUBTOTAL	**49910**	**7.8**	**46**	**2**	**4**	**6**	**10**	**15**	**19**		**24540**	**5.8**	**27**	**1**	**3**	**5**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16922	4.6	19	1	2	4	6	9	12	0-17	3518	2.7	5	1	1	2	4	6	7
70-74	10808	5.0	31	1	2	4	7	10	13	18-34	24354	3.6	12	1	1	3	5	7	9
75-79	9045	5.2	18	1	2	4	7	11	13	35-49	43388	3.8	13	1	1	3	5	8	10
80-84	7077	5.8	19	1	3	5	8	11	14	50-69	33826	3.8	11	1	1	3	5	8	10
85+	5545	6.4	31	2	3	5	8	12	15	70+	1533	4.7	12	1	2	4	7	9	11
SUBTOTAL	**49397**	**5.2**	**23**	**1**	**2**	**4**	**7**	**10**	**13**		**106619**	**3.8**	**12**	**1**	**1**	**3**	**5**	**8**	**10**
GRAND TOTAL	**99306**	**6.5**	**36**	**1**	**3**	**5**	**8**	**12**	**16**		**131159**	**4.1**	**15**	**1**	**1**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	238	4.6	13	1	2	4	5	10	15	0-17	347	5.3	42	1	2	3	5	10	15
18-34	1004	5.6	25	1	2	4	7	11	15	18-34	2559	4.7	15	1	2	4	6	9	12
35-49	1243	5.8	53	1	3	4	7	11	12	35-49	2014	5.4	25	1	2	4	7	10	13
50-69	1288	7.5	85	1	3	5	8	13	19	50-69	1652	5.6	24	1	2	4	7	12	17
70+	170	7.2	16	3	4	8	14	99+	99+	70+	692	6.4	33	1	3	5	8	13	17
SUBTOTAL	**3942**	**6.3**	**53**	**1**	**3**	**5**	**8**	**12**	**15**		**7264**	**5.3**	**23**	**1**	**2**	**4**	**7**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	630	3.0	13	<1	1	2	4	6	10	0-17	1256	3.2	16	1	1	2	4	6	8
18-34	4233	4.0	17	1	1	3	5	8	11	18-34	9156	3.6	13	1	1	3	5	7	9
35-49	3876	4.4	20	1	1	3	6	9	12	35-49	9360	3.8	19	1	1	3	5	8	10
50-69	1911	4.8	25	1	2	3	7	11	13	50-69	5677	3.5	11	1	1	2	5	8	10
70+	213	6.1	17	2	3	5	8	9	19	70+	785	4.5	16	1	1	3	6	10	13
SUBTOTAL	**10863**	**4.3**	**19**	**1**	**1**	**3**	**5**	**9**	**11**		**26235**	**3.7**	**15**	**1**	**1**	**3**	**5**	**8**	**10**
GRAND TOTAL	**14806**	**4.8**	**29**	**1**	**2**	**3**	**6**	**10**	**13**		**33499**	**4.0**	**17**	**1**	**1**	**3**	**5**	**8**	**10**

DRG 244: Bone Diseases & Specific Arthropathies w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2403	6.7	30	2	3	5	9	13	16	0-17	122	5.4	34	1	2	3	5	16	16
70-74	2200	6.9	29	2	3	6	10	13	15	18-34	176	4.8	16	2	2	4	6	8	12
75-79	2464	6.9	29	1	3	6	9	13	16	35-49	390	5.5	20	2	3	4	7	11	14
80-84	2326	7.8	45	2	4	6	10	15	20	50-69	1367	6.1	23	1	3	5	8	12	15
85 +	2334	9.1	85	2	4	7	12	16	23	70 +	278	5.1	14	1	2	4	7	11	14
SUBTOTAL	**11727**	**7.5**	**44**	**2**	**3**	**6**	**10**	**14**	**17**		**2333**	**5.7**	**21**	**1**	**2**	**5**	**7**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**11727**	**7.5**	**44**	**2**	**3**	**6**	**10**	**14**	**17**		**2333**	**5.7**	**21**	**1**	**2**	**5**	**7**	**12**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	227	6.0	35	2	2	4	7	12	15	0-17	43	9.1	37	1	4	8	15	19	19
18-34	207	6.9	17	3	4	6	9	13	16	18-34	40	3.2	2	2	2	2	5	6	6
35-49	111	9.9	66	2	4	6	12	25	26	35-49	183	5.4	16	2	2	4	6	14	15
50-69	364	6.1	24	2	3	5	7	14	16	50-69	330	6.1	44	2	3	4	6	13	18
70 +	40	9.7	24	4	6	7	14	19	19	70 +	128	13.0	431	1	3	8	9	40	66
SUBTOTAL	**948**	**6.9**	**32**	**2**	**3**	**5**	**9**	**14**	**19**		**724**	**7.2**	**110**	**2**	**3**	**4**	**8**	**14**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**948**	**6.9**	**32**	**2**	**3**	**5**	**9**	**14**	**19**		**724**	**7.2**	**110**	**2**	**3**	**4**	**8**	**14**	**19**

DRG 245: Bone Diseases & Specific Arthropathies w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1430	4.8	19	1	2	3	6	10	12
70-74	1171	5.5	25	1	2	4	8	11	13
75-79	1281	5.3	14	1	2	4	7	11	12
80-84	1209	5.3	17	1	2	4	7	10	14
85+	943	5.3	15	2	3	4	7	10	13
SUBTOTAL	**6035**	**5.2**	**18**	**1**	**2**	**4**	**7**	**10**	**13**
GRAND TOTAL	**6035**	**5.2**	**18**	**1**	**2**	**4**	**7**	**10**	**13**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	930	3.8	9	1	1	3	5	8	10
18-34	428	3.2	4	1	2	3	4	5	7
35-49	840	3.5	9	1	2	3	5	6	8
50-69	1771	4.4	15	1	2	3	7	9	10
70+	126	4.1	9	1	2	3	6	9	10
	4095	**3.9**	**11**	**1**	**2**	**3**	**5**	**8**	**10**
	4095	**3.9**	**11**	**1**	**2**	**3**	**5**	**8**	**10**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	492	4.4	9	1	2	4	7	8	11
18-34	109	4.6	8	< 1	1	5	8	8	8
35-49	183	3.3	6	1	1	3	4	7	10
50-69	268	4.2	6	1	3	4	6	7	9
70+	22	3.0	2						
SUBTOTAL	**1074**	**4.2**	**8**	**1**	**2**	**4**	**6**	**8**	**10**
GRAND TOTAL	**1074**	**4.2**	**8**	**1**	**2**	**4**	**6**	**8**	**10**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	384	3.6	8	1	2	3	5	7	9
18-34	200	3.5	7	2	2	3	4	8	11
35-49	205	3.4	4	1	2	3	5	6	6
50-69	488	4.1	8	1	2	3	6	9	10
70+	90	5.0	22	1	2	5	9	51	99+
	1368	**3.8**	**8**	**1**	**2**	**3**	**5**	**8**	**10**
	1368	**3.8**	**8**	**1**	**2**	**3**	**5**	**8**	**10**

DRG 246: Non-specific Arthropathies

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	258	5.4	15	2	3	4	7	8	13	0-17	38	3.0	2	1	2	3	4	5	5
70-74	209	5.4	10	1	3	5	7	9	12	18-34	93	5.5	11	2	3	4	8	11	11
75-79	244	6.6	51	2	2	4	7	16	28	35-49	184	4.7	8	2	2	4	6	9	11
80-84	197	6.0	11	2	4	5	8	10	13	50-69	226	5.2	16	1	3	4	7	9	11
85 +	182	11.6	161	3	4	8	14	52	99 +	70 +	35	3.9	1						
SUBTOTAL	**1090**	**6.8**	**51**	**2**	**3**	**5**	**8**	**13**	**27**		**575**	**4.9**	**11**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	144	4.3	13	2	2	3	5	7	9	0-17	253	3.4	4	2	2	3	4	6	7
70-74	159	4.0	6	1	2	3	5	7	8	18-34	292	4.5	9	2	2	3	6	10	11
75-79	207	5.5	10	2	3	5	8	10	11	35-49	222	3.8	4	2	2	3	5	7	9
80-84	169	6.5	21	2	3	6	9	12	18	50-69	373	4.5	15	1	2	3	7	8	11
85 +	182	4.8	6	2	3	5	6	8	9	70 +	13	2.0							
SUBTOTAL	**861**	**5.1**	**12**	**2**	**3**	**4**	**7**	**9**	**11**		**1153**	**4.1**	**9**	**2**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**1951**	**6.0**	**34**	**2**	**3**	**5**	**8**	**11**	**15**		**1728**	**4.3**	**10**	**2**	**2**	**3**	**6**	**8**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	11	6.1	4							0-17	16	5.9	2						
18-34	22	6.3	28							18-34	47	5.1	5	< 1	4	5	6	9	9
35-49	33	13.8	55	3	10	12	17	27	27	35-49	40	6.6	22	2	2	5	11	15	15
50-69	48	5.1	6	2	3	7	7	8	8	50-69	34	4.7	8	1	3	5	10	99 +	99 +
70 +	11	5.5	13							70 +	18	5.1	38						
SUBTOTAL	**125**	**7.7**	**36**	**2**	**3**	**7**	**10**	**15**	**19**		**155**	**5.5**	**14**	**1**	**3**	**5**	**9**	**15**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	157	4.6	17	1	2	3	6	11	12	0-17	104	2.5	1	1	2	3	3	5	5
18-34	83	4.1	2	2	3	4	5	6	8	18-34	174	5.6	10	2	2	5	7	10	12
35-49	61	5.6	10	1	3	6	7	10	13	35-49	109	3.6	13	1	1	2	4	10	15
50-69	74	3.8	4	2	2	3	5	7	8	50-69	94	2.9	2	< 1	2	3	4	5	6
70 +	12	3.5								70 +	12	6.8	10						
SUBTOTAL	**387**	**4.5**	**10**	**2**	**2**	**4**	**6**	**8**	**11**		**493**	**4.0**	**9**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**512**	**5.2**	**18**	**2**	**2**	**4**	**7**	**11**	**14**		**647**	**4.4**	**10**	**1**	**2**	**4**	**6**	**10**	**12**

DRG 247: Signs & Symptoms of Musculoskeletal System & Conn Tissue

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1485	5.2	20	1	2	4	7	11	14	0-17	184	3.4	8	1	2	3	4	4	11
70-74	940	6.1	46	1	2	4	7	16	17	18-34	475	3.9	9	1	2	3	5	8	10
75-79	1077	6.8	36	2	3	5	8	16	24	35-49	893	4.2	13	1	2	3	5	8	12
80-84	673	7.3	46	2	3	5	8	16	25	50-69	1275	4.2	11	1	2	3	5	9	11
85 +	768	7.2	39	2	3	5	10	15	20	70 +	122	6.3	22	1	2	5	8	13	16
SUBTOTAL	**4943**	**6.3**	**36**	**2**	**3**	**4**	**8**	**14**	**21**		**2949**	**4.2**	**12**	**1**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1296	3.9	30	1	1	2	4	8	13	0-17	1198	2.8	11	1	1	2	3	6	9
70-74	1198	4.6	22	1	2	3	5	9	13	18-34	1876	3.1	18	1	1	2	4	6	8
75-79	1002	4.8	35	1	2	2	5	12	17	35-49	3273	3.1	15	1	1	2	3	5	8
80-84	735	5.8	34	1	2	4	7	13	17	50-69	3011	3.2	20	1	1	2	4	6	8
85 +	771	5.5	42	1	2	3	7	12	15	70 +	99	4.9	12	2	3	3	7	11	13
SUBTOTAL	**5002**	**4.8**	**32**	**1**	**2**	**3**	**5**	**10**	**15**		**9456**	**3.1**	**17**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**9945**	**5.5**	**34**	**1**	**2**	**4**	**7**	**12**	**17**		**12405**	**3.4**	**16**	**1**	**1**	**2**	**4**	**7**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	148	5.4	11	1	3	4	10	10	10	0-17	91	3.0	4	1	1	2	3	6	7
18-34	259	4.4	13	1	2	3	5	10	10	18-34	184	4.7	26	1	2	3	6	8	22
35-49	300	5.2	18	2	2	4	7	11	13	35-49	260	3.5	7	1	2	3	5	7	9
50-69	322	6.8	143	2	3	4	7	8	11	50-69	303	4.7	12	1	2	4	6	10	12
70 +	11	5.5								70 +	50	3.1	8	1	1	2	5	8	10
SUBTOTAL	**1041**	**5.5**	**55**	**1**	**2**	**4**	**7**	**10**	**11**		**887**	**4.1**	**13**	**1**	**2**	**3**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	474	2.8	5	1	1	2	4	6	9	0-17	467	2.8	7	1	1	2	4	8	9
18-34	473	3.6	16	1	2	3	4	6	8	18-34	759	3.1	8	1	1	2	4	7	9
35-49	452	2.6	3	1	1	2	3	5	6	35-49	794	2.9	7	1	1	2	4	6	9
50-69	216	5.7	88	< 1	2	3	4	7	26	50-69	525	3.0	8	1	1	2	4	7	8
70 +	28	4.4	8							70 +	81	3.8	11	1	2	3	5	15	99 +
SUBTOTAL	**1643**	**3.4**	**20**	**1**	**1**	**2**	**4**	**6**	**7**		**2627**	**3.0**	**8**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**2683**	**4.2**	**34**	**1**	**2**	**3**	**5**	**8**	**10**		**3514**	**3.3**	**9**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 248: Tendonitis, Myositis & Bursitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	965	5.9	20	2	3	5	8	12	13	0-17	261	3.9	7	1	2	3	4	8	9
70-74	524	6.6	29	2	3	5	9	13	19	18-34	471	5.0	31	1	2	3	6	8	19
75-79	558	6.8	20	2	3	6	10	14	14	35-49	863	5.0	20	1	2	4	6	10	14
80-84	470	6.4	24	2	3	5	8	14	16	50-69	1014	5.5	17	1	3	5	7	11	14
85 +	396	7.9	37	2	4	6	11	15	25	70 +	45	3.8	4	1	2	4	4	8	8
SUBTOTAL	**2912**	**6.5**	**25**	**2**	**3**	**5**	**8**	**13**	**15**		**2654**	**5.1**	**19**	**1**	**2**	**4**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	960	4.0	11	1	2	3	5	8	9	0-17	2043	2.6	3	1	1	2	3	5	6
70-74	497	4.6	28	1	2	3	6	10	12	18-34	1228	3.5	6	1	2	3	4	7	9
75-79	471	5.6	41	1	2	4	6	11	13	35-49	2141	3.1	10	1	1	2	4	6	7
80-84	414	7.7	111	1	3	5	8	13	25	50-69	2260	3.4	13	1	1	2	4	7	8
85 +	235	6.1	20	2	3	5	8	11	15	70 +	75	3.6	8	1	2	3	4	10	10
SUBTOTAL	**2578**	**5.2**	**38**	**1**	**2**	**4**	**6**	**10**	**13**		**7747**	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**5490**	**5.9**	**32**	**1**	**3**	**4**	**7**	**12**	**15**		**10401**	**3.6**	**12**	**1**	**2**	**3**	**4**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	156	3.7	9	1	2	3	3	9	11	0-17	98	6.5	23	3	4	5	6	15	22
18-34	148	6.9	12	3	4	6	10	11	14	18-34	347	4.3	8	1	2	4	5	8	10
35-49	179	8.5	94	2	4	6	7	18	31	35-49	294	4.6	9	2	2	4	6	9	11
50-69	194	5.2	16	2	2	3	8	11	14	50-69	186	5.1	26	< 1	2	4	6	11	19
70 +	0									70 +	41	8.2	18	2	4	10	11	15	15
SUBTOTAL	**677**	**6.1**	**37**	**2**	**3**	**5**	**8**	**11**	**14**		**965**	**4.3**	**15**	**1**	**2**	**4**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	695	3.3	5	1	2	3	5	6	7	0-17	833	3.6	22	1	1	2	4	8	10
18-34	258	4.6	14	1	3	4	5	7	15	18-34	656	3.6	10	1	2	3	5	7	8
35-49	113	6.9	51	1	2	5	8	19	24	35-49	599	3.1	6	1	1	2	4	6	8
50-69	150	4.0	12	1	2	3	5	8	14	50-69	414	2.9	5	1	1	2	4	7	8
70 +	6	4.0								70 +	64	3.2	5	< 1	1	2	5	7	7
SUBTOTAL	**1222**	**4.0**	**13**	**1**	**2**	**3**	**5**	**7**	**13**		**2566**	**3.4**	**12**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**1899**	**4.8**	**23**	**1**	**2**	**3**	**6**	**10**	**14**		**3531**	**3.8**	**13**	**1**	**2**	**3**	**5**	**8**	**10**

DRG 249: Aftercare, Musculoskeletal System & Connective Tissue

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1041	8.7	87	1	3	6	12	16	29	0-17	240	4.4	26	1	1	2	4	11	19
70-74	783	10.4	146	2	3	7	12	23	30	18-34	129	5.8	32	1	2	4	7	9	21
75-79	808	10.0	134	1	3	6	11	21	49	35-49	129	6.6	91	1	1	3	7	16	26
80-84	739	11.6	105	2	4	9	15	27	35	50-69	484	8.4	66	1	4	6	11	18	26
85 +	606	13.1	182	3	5	10	16	27	34	70 +	88	12.8	325	1	1	8	11	60	60
SUBTOTAL	**3977**	**10.5**	**128**	**2**	**3**	**7**	**13**	**22**	**34**		**1070**	**7.4**	**82**	**1**	**2**	**4**	**8**	**18**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1268	5.2	32	1	2	3	7	10	15	0-17	1344	2.8	18	< 1	< 1	1	3	5	11
70-74	1359	4.4	14	1	2	4	6	9	11	18-34	541	4.4	62	1	1	2	4	8	17
75-79	1249	5.4	38	1	2	3	7	11	14	35-49	599	3.3	9	1	1	2	5	6	11
80-84	766	4.7	17	1	2	4	6	9	13	50-69	1183	3.7	22	1	1	2	5	7	10
85 +	484	7.0	56	1	2	4	8	19	22	70 +	156	3.7	7	1	1	3	5	8	9
SUBTOTAL	**5126**	**5.1**	**29**	**1**	**2**	**3**	**7**	**11**	**14**		**3823**	**3.4**	**24**	**< 1**	**1**	**2**	**4**	**7**	**11**
GRAND TOTAL	**9104**	**7.5**	**80**	**1**	**2**	**5**	**9**	**16**	**23**		**4893**	**4.3**	**39**	**< 1**	**1**	**2**	**5**	**9**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	121	5.0	57	< 1	1	3	6	12	12	0-17	112	3.5	14	< 1	1	2	4	10	15
18-34	86	15.1	604	1	3	5	8	73	73	18-34	53	3.9	13	< 1	2	2	5	13	13
35-49	75	7.3	30	2	3	7	8	9	24	35-49	83	6.9	75	1	1	3	10	19	33
50-69	90	6.5	69	2	2	4	7	9	37	50-69	217	10.3	155	1	2	8	12	25	31
70 +	0									70 +	295	11.9	70	3	6	10	16	24	34
SUBTOTAL	**372**	**8.1**	**195**	**1**	**2**	**4**	**8**	**12**	**37**		**760**	**9.1**	**93**	**1**	**2**	**8**	**11**	**23**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	638	3.4	32	< 1	< 1	1	3	6	11	0-17	313	2.0	6	< 1	< 1	< 1	2	5	8
18-34	137	4.9	22	1	1	3	7	11	12	18-34	294	4.1	13	1	1	3	6	9	10
35-49	130	4.0	8	1	2	3	5	9	9	35-49	187	2.5	4	1	1	2	3	4	6
50-69	125	5.6	27	1	2	3	11	13	16	50-69	233	4.1	16	1	2	3	6	8	11
70 +	6	3.0								70 +	193	8.3	76	1	3	5	10	20	30
SUBTOTAL	**1035**	**4.0**	**28**	**< 1**	**1**	**2**	**5**	**9**	**12**		**1219**	**4.0**	**24**	**< 1**	**1**	**2**	**5**	**9**	**12**
GRAND TOTAL	**1407**	**5.1**	**75**	**< 1**	**1**	**3**	**6**	**10**	**13**		**1979**	**5.9**	**57**	**< 1**	**1**	**3**	**8**	**14**	**23**

Total U.S., July 1990 - June 1991

DRG 250: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	791	4.8	16	1	2	4	6	9	13	0-17	0								
70-74	382	6.8	70	2	3	4	9	11	23	18-34	603	3.5	38	1	1	2	4	7	7
75-79	522	7.7	35	1	2	7	10	17	19	35-49	534	3.8	24	1	1	3	5	6	8
80-84	616	6.6	22	2	3	5	7	14	16	50-69	630	3.5	10	1	2	3	4	7	9
85 +	854	7.9	132	2	3	5	9	15	17	70 +	211	6.2	20	1	3	5	9	15	17
SUBTOTAL	**3165**	**6.7**	**60**	**1**	**3**	**5**	**8**	**14**	**17**		**1979**	**3.9**	**24**	**1**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3165**	**6.7**	**60**	**1**	**3**	**5**	**8**	**14**	**17**		**1979**	**3.9**	**24**	**1**	**2**	**3**	**5**	**7**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	178	3.1	3	1	2	3	4	6	7	18-34	660	4.1	37	1	1	3	5	7	10
35-49	96	4.0	5	1	2	4	6	7	8	35-49	347	3.8	10	1	2	3	6	8	10
50-69	76	4.6	4	2	3	5	6	99 +	99 +	50-69	193	4.5	26	1	1	3	5	12	13
70 +	16	3.9	2							70 +	60	6.0	17	2	3	4	8	14	14
SUBTOTAL	**365**	**3.7**	**4**	**1**	**2**	**3**	**6**	**7**	**8**		**1260**	**4.2**	**27**	**1**	**2**	**3**	**5**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**365**	**3.7**	**4**	**1**	**2**	**3**	**6**	**7**	**8**		**1260**	**4.2**	**27**	**1**	**2**	**3**	**5**	**8**	**12**

DRG 251: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	664	2.7	8	1	1	2	3	4	5
70-74	644	3.1	9	1	1	2	4	6	9
75-79	711	3.4	23	1	1	2	4	7	12
80-84	566	3.9	17	1	1	2	4	9	13
85+	741	6.3	61	1	2	4	7	13	19
SUBTOTAL	**3326**	**4.0**	**26**	**1**	**1**	**2**	**4**	**8**	**12**
GRAND TOTAL	**3326**	**4.0**	**26**	**1**	**1**	**2**	**4**	**8**	**12**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	2305	2.2	4	1	1	2	3	4	5
35-49	2081	2.5	13	1	1	2	3	5	6
50-69	1668	2.3	3	1	1	2	3	4	6
70+	137	4.1	8	1	2	3	6	7	10
	6191	**2.4**	**7**	**1**	**1**	**2**	**3**	**4**	**6**
	6191	**2.4**	**7**	**1**	**1**	**2**	**3**	**4**	**6**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	593	2.5	3	1	1	2	3	4	5
35-49	219	6.7	272	1	1	2	4	7	72
50-69	80	3.6	12	1	1	3	3	9	13
70+	17	3.7	4						
SUBTOTAL	**909**	**3.6**	**72**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**909**	**3.6**	**72**	**1**	**1**	**2**	**3**	**5**	**7**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	2599	2.1	2	1	1	2	3	4	5
35-49	932	2.3	3	1	1	2	3	5	6
50-69	477	2.6	3	1	1	2	4	5	6
70+	101	5.1	66	<1	1	2	3	27	28
	4109	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
	4109	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 252: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5	7.0								0-17	486	2.0	2	1	1	2	2	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**5**	**7.0**									**486**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	8663	1.4	1	< 1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**8663**	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**5**	**7.0**									**9149**	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	168	3.7	7	< 1	1	3	6	8	9	0-17	185	2.8	5	1	1	2	4	7	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**168**	**3.7**	**7**	**< 1**	**1**	**3**	**6**	**8**	**9**		**185**	**2.8**	**5**	**1**	**1**	**2**	**4**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2122	1.7	2	1	1	1	2	3	4	0-17	3574	1.3		< 1	1	1	1	2	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2122**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**		**3574**	**1.3**		**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**2290**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**5**		**3759**	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**

DRG 253: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3311	7.0	39	2	3	5	9	14	19	0-17	0								
70-74	2519	7.9	61	2	3	5	10	17	23	18-34	2029	4.5	27	1	2	3	5	9	13
75-79	3055	7.7	42	2	4	6	10	15	23	35-49	1732	4.9	18	1	2	4	6	10	13
80-84	2971	8.5	62	2	4	6	10	17	22	50-69	2238	6.6	64	1	3	5	8	13	16
85 +	4139	9.3	134	2	4	6	11	20	31	70 +	739	9.5	121	2	4	5	11	18	28
SUBTOTAL	**15996**	**8.1**	**73**	**2**	**3**	**6**	**10**	**17**	**23**		**6738**	**5.9**	**50**	**1**	**2**	**4**	**7**	**11**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**15996**	**8.1**	**73**	**2**	**3**	**6**	**10**	**17**	**23**		**6738**	**5.9**	**50**	**1**	**2**	**4**	**7**	**11**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	690	5.4	67	1	2	3	6	10	14	18-34	1849	3.7	16	1	1	3	4	8	12
35-49	550	6.4	63	1	2	4	7	12	23	35-49	989	4.5	23	1	2	3	6	9	13
50-69	616	8.1	49	2	3	6	10	19	23	50-69	794	5.3	43	1	2	3	6	10	14
70 +	69	9.8	81	3	4	5	11	28	28	70 +	314	5.9	28	1	2	4	8	10	20
SUBTOTAL	**1924**	**6.7**	**62**	**1**	**2**	**4**	**8**	**15**	**22**		**3946**	**4.4**	**25**	**1**	**2**	**3**	**5**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1924**	**6.7**	**62**	**1**	**2**	**4**	**8**	**15**	**22**		**3946**	**4.4**	**25**	**1**	**2**	**3**	**5**	**9**	**13**

DRG 254: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	2624	3.7	9	1	2	3	4	7	10	0-17	0								
70-74	2094	4.8	37	1	2	3	6	8	11	18-34	6482	2.6	7	1	1	2	3	5	6
75-79	2443	4.7	24	1	2	3	6	9	13	35-49	5222	2.9	13	1	1	2	3	5	7
80-84	2304	6.0	46	2	3	4	7	12	14	50-69	4764	3.4	10	1	1	3	4	7	9
85 +	2766	5.2	20	1	2	4	7	10	14	70 +	627	6.5	119	1	2	4	6	14	18
SUBTOTAL	**12231**	**4.8**	**27**	**1**	**2**	**4**	**6**	**9**	**12**		**17095**	**3.1**	**14**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**12231**	**4.8**	**27**	**1**	**2**	**4**	**6**	**9**	**12**		**17095**	**3.1**	**14**	**1**	**1**	**2**	**4**	**6**	**8**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0								
18-34	1475	3.4	9	1	1	3	4	6	9	18-34	6085	2.7	6	1	1	2	3	5	7
35-49	634	3.9	11	1	2	3	5	7	10	35-49	2636	2.7	5	1	1	2	3	5	8
50-69	393	5.2	66	1	2	4	5	8	13	50-69	1411	3.5	17	1	1	3	4	7	9
70 +	104	4.3	11	1	2	3	6	10	13	70 +	356	5.4	154	1	2	2	4	11	18
SUBTOTAL	**2606**	**3.8**	**19**	**1**	**2**	**3**	**5**	**7**	**10**		**10488**	**2.9**	**12**	**1**	**1**	**2**	**4**	**5**	**8**
GRAND TOTAL	**2606**	**3.8**	**19**	**1**	**2**	**3**	**5**	**7**	**10**		**10488**	**2.9**	**12**	**1**	**1**	**2**	**4**	**5**	**8**

DRG 255: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	31	22.3	593							0-17	1000	3.4	11	1	1	2	4	7	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**31**	**22.3**	**593**								**1000**	**3.4**	**11**	**1**	**1**	**2**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	40	2.4	4	1	1	2	3	7	7	0-17	11620	2.0	5	1	1	1	2	3	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**40**	**2.4**	**4**	**1**	**1**	**2**	**3**	**7**	**7**		**11620**	**2.0**	**5**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**72**	**11.1**	**356**	**1**	**1**	**2**	**5**	**51**	**51**		**12620**	**2.1**	**5**	**1**	**1**	**1**	**2**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	402	3.4	11	1	2	2	4	7	8	0-17	621	3.3	7	1	1	2	4	7	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**402**	**3.4**	**11**	**1**	**2**	**2**	**4**	**7**	**8**		**621**	**3.3**	**7**	**1**	**1**	**2**	**4**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3983	2.3	6	1	1	2	3	4	6	0-17	6175	2.1	4	1	1	1	2	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**3963**	**2.3**	**6**	**1**	**1**	**2**	**3**	**4**	**6**		**6175**	**2.1**	**4**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**4386**	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**6**		**6796**	**2.2**	**4**	**1**	**1**	**1**	**2**	**4**	**6**

DRG 256: Other Musculoskeletal System & Connective Tissue Diagnoses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1866	5.9	28	2	2	4	8	13	16	0-17	569	4.9	57	1	1	3	6	10	17
70-74	816	5.6	24	1	2	4	7	12	14	18-34	511	4.2	10	1	2	3	5	8	11
75-79	879	6.2	45	2	3	4	7	12	24	35-49	958	4.1	22	1	2	2	5	9	12
80-84	576	6.0	33	1	2	4	8	18	21	50-69	1335	6.0	106	1	2	3	6	12	16
85 +	665	7.9	60	2	3	4	9	21	26	70 +	80	5.4	14	1	2	6	8	11	11
SUBTOTAL	**4803**	**6.2**	**36**	**2**	**3**	**4**	**8**	**14**	**20**		**3453**	**5.0**	**59**	**1**	**2**	**3**	**6**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1494	4.0	20	1	2	3	5	8	11	0-17	3110	2.9	23	< 1	1	1	3	6	10
70-74	915	3.2	6	1	2	3	4	6	7	18-34	1589	2.3	4	< 1	1	2	3	5	6
75-79	767	4.7	31	1	2	3	5	8	18	35-49	3077	2.8	7	1	1	2	3	5	7
80-84	539	3.8	9	1	2	3	5	8	11	50-69	2532	2.8	11	1	1	2	3	5	7
85 +	420	5.4	18	2	3	4	6	11	14	70 +	73	2.6	5	1	1	2	3	3	10
SUBTOTAL	**4135**	**4.1**	**18**	**1**	**2**	**3**	**5**	**8**	**11**		**10382**	**2.8**	**12**	**< 1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**8938**	**5.2**	**29**	**1**	**2**	**3**	**6**	**11**	**16**		**13834**	**3.3**	**25**	**< 1**	**1**	**2**	**4**	**6**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	340	3.6	16	< 1	1	2	4	8	10	0-17	232	5.2	59	1	1	2	6	12	33
18-34	242	3.8	7	1	2	3	5	8	8	18-34	367	3.7	8	1	2	3	5	8	9
35-49	449	6.0	57	1	2	3	7	14	19	35-49	435	3.4	9	1	1	3	4	8	11
50-69	623	7.1	73	1	2	4	9	16	25	50-69	295	5.4	27	1	2	4	7	12	16
70 +	6	25.0								70 +	59	12.4	682	1	1	2	4	56	90
SUBTOTAL	**1660**	**5.6**	**51**	**1**	**2**	**3**	**7**	**12**	**19**		**1388**	**4.6**	**53**	**1**	**1**	**3**	**5**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1802	3.3	31	< 1	1	1	3	8	16	0-17	1374	2.7	21	< 1	1	1	2	5	13
18-34	661	2.9	6	< 1	1	2	3	6	7	18-34	1034	2.8	12	1	1	2	3	5	7
35-49	497	2.9	6	1	2	2	3	5	7	35-49	989	2.3	3	1	1	2	3	4	6
50-69	282	3.1	4	1	2	3	4	6	10	50-69	846	2.6	3	1	2	2	3	4	6
70 +	54	4.4	18	1	3	3	4	16	16	70 +	52	2.8	6	< 1	1	2	4	8	8
SUBTOTAL	**3296**	**3.2**	**20**	**< 1**	**1**	**2**	**3**	**6**	**12**		**4295**	**2.6**	**11**	**< 1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**4956**	**4.0**	**31**	**< 1**	**1**	**2**	**4**	**9**	**15**		**5683**	**3.1**	**22**	**< 1**	**1**	**2**	**3**	**6**	**9**

Total U.S., July 1990 - June 1991

DRG 257: Total Mastectomy for Malignancy w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8082	4.6	12	2	3	4	5	8	9	0-17	0								
70-74	7565	4.6	10	2	3	4	5	8	10	18-34	791	3.8	3	2	3	3	5	6	8
75-79	6165	4.9	17	2	3	4	6	8	10	35-49	6685	3.7	4	2	2	3	4	6	7
80-84	4209	5.2	11	2	3	4	6	9	11	50-69	10120	4.1	6	2	3	4	5	7	8
85 +	2593	5.7	22	2	3	5	7	10	14	70 +	563	4.1	4	2	3	4	5	7	8
SUBTOTAL	**28614**	**4.9**	**14**	**2**	**3**	**4**	**6**	**8**	**10**		**18159**	**3.9**	**5**	**2**	**3**	**3**	**5**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**28614**	**4.9**	**14**	**2**	**3**	**4**	**6**	**8**	**10**		**18159**	**3.9**	**5**	**2**	**3**	**3**	**5**	**6**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	96	5.8	38	3	3	4	5	14	28	18-34	251	3.5	3	2	2	3	4	6	7
35-49	488	4.6	7	2	3	4	6	7	9	35-49	1664	3.7	7	2	2	3	4	7	8
50-69	979	6.0	25	2	3	5	7	11	14	50-69	2391	3.9	5	2	2	3	5	6	8
70 +	113	7.0	36	3	3	5	8	22	22	70 +	521	4.1	4	2	2	4	6	7	7
SUBTOTAL	**1677**	**5.6**	**22**	**2**	**3**	**4**	**6**	**10**	**14**		**4827**	**3.9**	**5**	**2**	**2**	**3**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1677**	**5.6**	**22**	**2**	**3**	**4**	**6**	**10**	**14**		**4827**	**3.9**	**5**	**2**	**2**	**3**	**5**	**7**	**8**

DRG 258: Total Mastectomy for Malignancy w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8762	3.5	3	2	2	3	4	5	6	0-17	6	4.0							
70-74	8133	3.6	3	2	2	3	5	6	7	18-34	914	3.3	2	2	2	3	4	5	5
75-79	6558	3.7	3	2	2	3	4	6	7	35-49	11026	3.2	2	2	2	3	4	5	6
80-84	3679	3.8	4	2	3	3	5	6	8	50-69	17809	3.3	2	2	2	3	4	5	6
85 +	1867	4.0	5	2	3	3	5	7	8	70 +	642	3.6	4	1	2	3	5	6	6
SUBTOTAL	**28999**	**3.6**	**3**	**2**	**2**	**3**	**4**	**6**	**7**		**30397**	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**28999**	**3.6**	**3**	**2**	**2**	**3**	**4**	**6**	**7**		**30397**	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	6	5.0							
18-34	154	4.1	3	3	3	4	5	6	8	18-34	324	3.0	1	2	2	3	4	4	5
35-49	710	4.1	11	2	3	3	5	7	8	35-49	2862	3.1	3	2	2	3	4	5	6
50-69	924	4.3	10	2	3	4	5	8	9	50-69	3665	3.1	3	2	2	3	4	5	6
70 +	63	3.6	4	1	1	5	5	6	6	70 +	450	2.9	3	1	2	3	3	5	6
SUBTOTAL	**1851**	**4.2**	**9**	**2**	**3**	**3**	**5**	**7**	**9**		**7306**	**3.1**	**3**	**2**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**1851**	**4.2**	**9**	**2**	**3**	**3**	**5**	**7**	**9**		**7306**	**3.1**	**3**	**2**	**2**	**3**	**4**	**5**	**6**

DRG 259: Subtotal Mastectomy for Malignancy w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1261	4.4	21	1	2	3	5	10	15	0-17	0								
70-74	952	4.6	21	1	2	3	5	11	16	18-34	196	2.5	4	1	1	2	3	4	7
75-79	637	5.4	58	1	2	3	5	11	16	35-49	1361	3.2	18	1	1	2	3	5	8
80-84	557	5.4	45	1	2	3	6	10	16	50-69	2021	3.3	11	1	2	2	3	6	10
85 +	422	5.1	18	1	2	3	7	11	14	70 +	96	8.8	161	1	1	4	9	37	44
SUBTOTAL	**3829**	**4.8**	**30**	**1**	**2**	**3**	**5**	**11**	**16**		**3674**	**3.4**	**18**	**1**	**2**	**2**	**3**	**6**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3829**	**4.8**	**30**	**1**	**2**	**3**	**5**	**11**	**16**		**3674**	**3.4**	**18**	**1**	**2**	**2**	**3**	**6**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	38	6.7	32	2	2	3	15	15	15	18-34	52	3.0	7	1	1	2	4	8	8
35-49	88	7.4	56	3	3	5	8	24	28	35-49	322	2.8	29	1	1	2	3	4	6
50-69	152	5.0	17	1	2	5	5	12	12	50-69	457	3.8	11	1	2	3	5	8	10
70 +	16	2.4								70 +	67	3.8	28	< 1	< 1	1	3	16	16
SUBTOTAL	**294**	**5.8**	**31**	**1**	**2**	**4**	**8**	**12**	**18**		**899**	**3.4**	**19**	**1**	**1**	**2**	**4**	**7**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**294**	**5.8**	**31**	**1**	**2**	**4**	**8**	**12**	**18**		**899**	**3.4**	**19**	**1**	**1**	**2**	**4**	**7**	**12**

DRG 260: Subtotal Mastectomy for Malignancy w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1966	2.3	2	1	1	2	3	4	5
70-74	1658	2.3	1	1	1	2	3	4	4
75-79	1176	2.7	4	1	1	2	3	5	7
80-84	461	2.1	3	1	1	2	2	4	7
85 +	206	4.4	65	1	1	1	5	8	15
SUBTOTAL	**5468**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**5468**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	6	1.0							
18-34	442	2.2	2	1	1	2	3	4	6
35-49	3432	2.1	1	1	1	2	3	4	4
50-69	5037	2.2	2	1	1	2	3	4	5
70 +	142	2.1	2	1	1	2	2	5	5
	9058	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
	9058	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	13	1.0							
18-34	46	2.3	3	< 1	1	1	3	5	6
35-49	148	3.3	4	2	2	3	4	7	7
50-69	164	3.1	6	1	1	3	4	6	9
70 +	18	5.5	45						
SUBTOTAL	**389**	**3.1**	**7**	**1**	**1**	**3**	**4**	**7**	**9**
GRAND TOTAL	**389**	**3.1**	**7**	**1**	**1**	**3**	**4**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	6	1.0							
18-34	169	2.7	3	1	1	2	4	6	7
35-49	827	2.1	2	1	1	2	2	4	5
50-69	1015	2.1	2	1	1	2	3	4	4
70 +	123	2.2	1	< 1	1	2	3	4	4
	2139	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
	2139	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**

DRG 261: Breast Proc for Non-malignancy except Biopsy & Local Excision

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	367	3.3	3	1	2	3	5	6	7	0-17	82	2.9	2	1	2	3	4	5	6
70-74	204	3.2	34	1	1	2	3	4	6	18-34	806	2.7	2	1	2	2	3	5	5
75-79	88	2.7	4	< 1	1	2	4	6	8	35-49	1428	3.5	7	1	2	3	4	7	8
80-84	36	3.5	8	< 1	1	2	5	9	9	50-69	802	3.5	6	2	2	3	4	7	8
85 +	44	4.7	10	1	2	4	7	11	11	70 +	11	2.0	1						
SUBTOTAL	**739**	**3.3**	**13**	**1**	**2**	**2**	**4**	**6**	**7**		**3129**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	1411	2.5	2	1	1	2	3	4	5	0-17	1744	1.7	1	1	1	2	2	3	3
70-74	640	2.1	2	1	1	2	3	4	4	18-34	10065	1.9	1	1	1	2	2	3	3
75-79	298	2.4	4	1	1	2	3	4	7	35-49	10485	2.2	2	1	1	2	3	4	4
80-84	124	3.2	17	< 1	1	2	3	15	15	50-69	6482	2.1	2	1	1	2	3	4	4
85 +	29	1.8	1							70 +	42	2.5	2	1	1	2	3	5	5
SUBTOTAL	**2502**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**		**28818**	**2.1**	**2**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**3240**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**		**31947**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**

TYPE OF PATIENT	MEDICAID										NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	18	1.3								0-17	46	2.2	1	1	2	2	3	3	3
18-34	112	2.9	1	2	2	3	3	5	6	18-34	181	2.1	1	1	1	2	3	3	4
35-49	99	2.8	3	< 1	1	3	4	5	7	35-49	199	3.4	7	1	2	2	4	7	11
50-69	51	7.6	20	2	3	8	14	14	14	50-69	133	3.0	5	1	1	2	3	8	8
70 +	0									70 +	0								
SUBTOTAL	**279**	**3.6**	**9**	**1**	**2**	**3**	**4**	**8**	**8**		**558**	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**8**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	190	1.9	1	1	1	2	2	3	4	0-17	379	1.5		1	1	2	2	2	2
18-34	997	2.2	2	1	1	2	3	3	5	18-34	2090	1.8	1	1	1	2	2	3	4
35-49	373	2.6	3	1	2	2	3	5	7	35-49	1928	2.1	2	1	1	2	3	4	4
50-69	128	2.5	1	1	2	2	3	4	5	50-69	1098	2.3	2	1	1	2	3	4	5
70 +	12	1.0								70 +	22	2.7	2						
SUBTOTAL	**1700**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**5517**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**1979**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**		**6075**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**4**

DRG 262: Breast Biopsy & Local Excision for Non-malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	308	4.0	30	1	1	2	6	9	18	0-17	6	1.0							
70-74	147	3.4	10	1	1	2	5	9	10	18-34	22	3.4	12						
75-79	159	3.2	26	< 1	1	2	3	7	7	35-49	296	2.5	6	< 1	1	1	3	7	8
80-84	47	1.7	1	1	1	2	2	3	3	50-69	194	3.3	7	1	1	2	5	8	9
85 +	58	4.1	5	2	2	2	6	8	8	70 +	0								
SUBTOTAL	**718**	**3.6**	**21**	**1**	**1**	**2**	**4**	**8**	**10**		**517**	**2.8**	**7**	**< 1**	**1**	**2**	**3**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	537	1.9	3	< 1	< 1	1	2	4	6	0-17	149	1.1		< 1	< 1	1	1	1	1
70-74	261	1.7	2	< 1	< 1	1	2	3	5	18-34	428	1.3	1	< 1	< 1	< 1	1	2	3
75-79	208	1.7	4	< 1	< 1	1	1	2	7	35-49	1735	1.5	2	< 1	< 1	< 1	1	3	4
80-84	132	1.9	2	1	1	1	3	3	3	50-69	1239	1.6	4	< 1	< 1	1	1	3	4
85 +	56	1.6								70 +	11	9.0	70						
SUBTOTAL	**1195**	**1.8**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**6**		**3563**	**1.5**	**3**	**< 1**	**< 1**	**< 1**	**1**	**3**	**4**
GRAND TOTAL	**1913**	**2.5**	**10**	**< 1**	**1**	**1**	**2**	**6**	**8**		**4080**	**1.7**	**4**	**< 1**	**< 1**	**< 1**	**1**	**3**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	1.0								0-17	0								
18-34	5	1.0								18-34	22	6.9	9						
35-49	64	7.0	48	1	2	3	7	20	20	35-49	86	3.0	4	1	1	4	4	6	6
50-69	27	5.0	23							50-69	49	2.9	1	2	2	3	4	4	4
70 +	0									70 +	5	1.0							
SUBTOTAL	**102**	**5.8**	**39**	**1**	**1**	**3**	**7**	**20**	**20**		**162**	**3.4**	**6**	**1**	**1**	**3**	**4**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	35	2.2	3							0-17	46	1.0		< 1	< 1	1	1	1	1
18-34	227	3.4	9	< 1	< 1	2	5	8	8	18-34	186	1.5	1	< 1	< 1	< 1	2	2	5
35-49	105	2.2	3	< 1	< 1	1	3	6	6	35-49	443	1.6	2	< 1	< 1	< 1	1	3	4
50-69	80	2.1	3	< 1	< 1	1	4	6	6	50-69	195	2.0	2	< 1	< 1	1	3	4	5
70 +	0									70 +	70	1.0		< 1	< 1	< 1	1	1	1
SUBTOTAL	**447**	**2.8**	**6**	**< 1**	**< 1**	**2**	**4**	**7**	**8**		**938**	**1.6**	**2**	**< 1**	**< 1**	**< 1**	**1**	**4**	**4**
GRAND TOTAL	**549**	**3.4**	**14**	**< 1**	**< 1**	**2**	**4**	**7**	**12**		**1100**	**1.8**	**3**	**< 1**	**< 1**	**1**	**2**	**4**	**5**

DRG 263: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8171	20.6	281	5	9	15	28	49	68
70-74	3414	20.5	271	6	10	16	25	46	62
75-79	3913	19.4	250	6	9	15	25	42	63
80-84	3684	20.9	274	7	10	15	28	49	69
85 +	4679	19.7	241	6	9	15	27	43	61
SUBTOTAL	**23862**	**20.2**	**266**	**6**	**9**	**15**	**27**	**47**	**65**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**23862**	**20.2**	**266**	**6**	**9**	**15**	**27**	**47**	**65**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	279	17.1	280	2	5	11	23	50	52
18-34	804	18.5	251	5	7	12	25	43	60
35-49	2087	16.4	199	4	7	12	20	33	46
50-69	3054	16.0	160	4	7	12	23	34	40
70 +	391	21.6	274	7	8	15	29	44	60
	6615	**16.8**	**197**	**4**	**7**	**12**	**23**	**36**	**46**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6615	**16.8**	**197**	**4**	**7**	**12**	**23**	**36**	**46**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	220	16.8	117	5	9	15	30	38	99 +
18-34	1110	22.3	319	5	9	18	36	53	99
35-49	1138	19.6	233	5	9	15	28	42	55
50-69	1278	19.0	264	6	8	14	23	43	51
70 +	225	21.0	128	8	11	20	30	44	50
SUBTOTAL	**3972**	**20.1**	**257**	**5**	**9**	**16**	**29**	**46**	**62**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3972**	**20.1**	**257**	**5**	**9**	**16**	**29**	**46**	**62**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	102	17.9	157	5	9	13	27	42	42
18-34	666	14.3	155	3	5	9	21	29	40
35-49	986	13.1	113	4	7	10	17	25	32
50-69	974	17.1	212	5	8	13	20	34	51
70 +	172	21.5	417	3	6	13	27	47	68
	2900	**15.4**	**180**	**4**	**7**	**12**	**19**	**32**	**42**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2900	**15.4**	**180**	**4**	**7**	**12**	**19**	**32**	**42**

DRG 264: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1487	12.4	111	3	5	9	16	25	35
70-74	687	9.4	63	2	4	7	13	18	22
75-79	596	11.7	82	3	6	10	14	22	34
80-84	681	11.5	60	3	5	9	16	22	27
85 +	582	11.5	83	3	6	9	15	26	28
SUBTOTAL	**4033**	**11.5**	**87**	**3**	**5**	**9**	**15**	**23**	**30**
GRAND TOTAL	**4033**	**11.5**	**87**	**3**	**5**	**9**	**15**	**23**	**30**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	422	8.7	65	2	4	6	10	21	30
18-34	1006	8.4	39	3	4	6	11	17	22
35-49	1181	7.6	48	2	3	6	10	15	22
50-69	1126	8.3	29	3	4	7	12	15	19
70 +	102	10.6	43	4	7	8	12	21	24
	3838	**8.2**	**42**	**2**	**4**	**6**	**11**	**16**	**21**
	3838	**8.2**	**42**	**2**	**4**	**6**	**11**	**16**	**21**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	228	5.5	34	1	2	4	7	12	13
18-34	662	11.7	150	3	5	8	16	22	30
35-49	355	10.9	78	3	5	9	14	21	22
50-69	176	11.7	44	3	8	11	17	20	22
70 +	26	25.6	1108						
SUBTOTAL	**1447**	**10.8**	**127**	**2**	**4**	**8**	**13**	**20**	**28**
GRAND TOTAL	**1447**	**10.8**	**127**	**2**	**4**	**8**	**13**	**20**	**28**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	199	7.3	70	3	3	4	7	17	32
18-34	633	7.5	34	2	4	6	10	17	21
35-49	503	8.1	41	2	4	7	11	14	24
50-69	307	8.3	37	2	4	7	11	16	22
70 +	53	6.4	22	< 1	2	6	8	15	15
	1694	**7.8**	**40**	**2**	**4**	**6**	**9**	**16**	**22**
	1694	**7.8**	**40**	**2**	**4**	**6**	**9**	**16**	**22**

DRG 265: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1297	8.8	108	1	3	6	10	21	27
70-74	759	8.1	74	2	3	5	10	19	27
75-79	894	10.2	147	1	2	7	12	27	40
80-84	795	10.1	155	1	2	6	13	22	37
85 +	789	8.0	69	2	3	5	9	17	30
SUBTOTAL	**4534**	**9.1**	**112**	**1**	**3**	**6**	**10**	**22**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4534**	**9.1**	**112**	**1**	**3**	**6**	**10**	**22**	**33**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	622	5.5	82	1	2	3	5	14	19
18-34	977	4.8	37	1	2	3	6	9	12
35-49	1471	7.7	74	1	3	6	9	13	27
50-69	1641	9.1	116	2	4	6	10	18	24
70 +	108	8.2	64	1	2	5	13	23	24
	4819	**7.3**	**84**	**1**	**3**	**5**	**8**	**15**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4819	**7.3**	**84**	**1**	**3**	**5**	**8**	**15**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	222	7.8	61	1	3	5	10	19	22
18-34	426	6.4	63	2	2	4	7	13	16
35-49	265	11.6	99	2	4	8	14	32	34
50-69	251	11.0	130	1	3	5	15	30	32
70 +	6	10.0							
SUBTOTAL	**1170**	**8.9**	**90**	**2**	**3**	**5**	**11**	**23**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1170**	**8.9**	**90**	**2**	**3**	**5**	**11**	**23**	**32**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	158	6.1	37	1	3	4	8	15	17
18-34	739	6.4	68	1	2	4	7	13	25
35-49	467	7.7	55	2	2	5	8	21	24
50-69	394	9.9	86	3	5	7	11	23	28
70 +	72	8.8	151	1	1	2	13	16	48
	1830	**7.6**	**71**	**1**	**2**	**5**	**9**	**19**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1830	**7.6**	**71**	**1**	**2**	**5**	**9**	**19**	**25**

DRG 266: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1317	4.3	21	1	2	3	5	9	13	0-17	3256	3.1	16	1	1	2	3	7	10
70-74	970	3.2	8	1	1	2	4	7	8	18-34	3428	3.6	13	1	1	3	5	7	10
75-79	878	4.1	15	1	2	3	5	9	13	35-49	3874	3.6	9	1	1	3	5	7	9
80-84	648	3.4	11	1	1	2	5	9	10	50-69	3491	3.6	8	1	1	3	5	7	9
85 +	576	4.5	19	1	1	3	7	10	11	70 +	96	3.7	28	1	1	1	3	16	19
SUBTOTAL	**4389**	**3.9**	**15**	**1**	**1**	**3**	**5**	**8**	**11**		**14145**	**3.5**	**11**	**1**	**1**	**2**	**5**	**7**	**9**
GRAND TOTAL	**4389**	**3.9**	**15**	**1**	**1**	**3**	**5**	**8**	**11**		**14145**	**3.5**	**11**	**1**	**1**	**2**	**5**	**7**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1300	4.2	18	1	1	3	6	9	13	0-17	1325	3.6	15	1	1	2	4	9	13
18-34	1092	5.1	59	1	1	3	5	11	19	18-34	2561	3.8	12	1	1	3	5	8	10
35-49	381	4.9	43	1	1	3	6	8	9	35-49	1193	4.0	14	1	1	3	5	9	12
50-69	143	6.4	60	< 1	1	3	6	23	23	50-69	728	3.9	15	1	1	3	5	9	12
70 +	49	3.7	6	1	2	3	7	7	7	70 +	90	1.9	2	< 1	< 1	1	3	4	5
SUBTOTAL	**2965**	**4.7**	**38**	**1**	**1**	**3**	**6**	**9**	**16**		**5896**	**3.8**	**13**	**1**	**1**	**3**	**5**	**8**	**11**
GRAND TOTAL	**2965**	**4.7**	**38**	**1**	**1**	**3**	**6**	**9**	**16**		**5896**	**3.8**	**13**	**1**	**1**	**3**	**5**	**8**	**11**

DRG 267: Perianal & Pilonidal Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	101	3.8	22	1	2	3	3	7	22	0-17	75	1.5		1	1	1	2	2	3
70-74	18	4.1	23							18-34	198	4.7	134	1	1	1	3	5	49
75-79	13	9.0								35-49	61	3.9	44	1	1	1	4	11	24
80-84	26	7.7	22							50-69	88	7.5	43	2	2	5	18	18	18
85 +	25	23.5	527							70 +	0								
SUBTOTAL	182	7.5	131	1	1	3	7	17	46		422	4.6	81	1	1	1	4	8	18
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	120	2.2	3	1	1	2	3	4	7	0-17	842	1.5	1	1	1	1	2	3	4
70-74	21	3.5	1							18-34	3416	1.7	2	1	1	1	2	3	4
75-79	31	1.2								35-49	773	1.6	2	1	1	1	2	3	4
80-84	6	3.0								50-69	265	1.7	1	1	1	1	2	3	4
85 +	0									70 +	0								
SUBTOTAL	178	2.2	3	1	1	2	3	4	7		5295	1.7	2	1	1	1	2	3	4
GRAND TOTAL	360	4.9	74	1	1	2	4	9	19		5716	1.9	8	1	1	1	2	3	4

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	23	3.0	4						
18-34	63	1.8	1	<1	<1	1	2	4	4	18-34	76	3.4	13	1	1	2	4	4	16
35-49	6	1.0								35-49	56	2.6	7	1	1	1	6	7	7
50-69	10	4.0	1							50-69	44	3.3	5						
70 +	0									70 +	0								
SUBTOTAL	78	2.0	2	<1	1	2	3	4	5		200	3.1	8	1	1	2	4	7	7
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	168	3.3	7	<1	2	3	4	4	12	0-17	199	2.0	1	1	1	2	3	3	5
18-34	370	1.9	2	1	1	1	3	4	5	18-34	912	1.9	3	<1	1	1	2	4	4
35-49	92	2.9	11	1	1	2	2	11	11	35-49	193	1.8	2	<1	1	1	2	4	7
50-69	5	4.0								50-69	35	2.6	4						
70 +	0									70 +	0								
SUBTOTAL	635	2.4	5	1	1	2	3	4	5		1339	1.9	3	<1	1	1	2	4	5
GRAND TOTAL	713	2.4	4	1	1	2	3	4	5		1539	2.1	3	<1	1	1	2	4	6

DRG 268: Skin, Subcutaneous Tissue & Breast Plastic Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	177	6.9	112	1	2	2	7	12	43	0-17	237	2.6	3	1	1	2	3	4	6
70-74	158	7.9	63	1	2	5	15	19	28	18-34	387	2.6	5	1	1	2	3	5	6
75-79	104	4.8	18	1	1	3	8	10	14	35-49	123	2.8	5	1	1	2	4	6	7
80-84	79	2.7	5	1	1	2	4	5	9	50-69	319	3.4	16	1	1	2	4	7	14
85 +	103	6.6	15	2	3	7	9	14	15	70 +	17	8.6	80						
SUBTOTAL	**621**	**6.2**	**57**	**1**	**2**	**3**	**8**	**15**	**19**		**1084**	**3.0**	**10**	**1**	**1**	**2**	**3**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	367	2.1	4	< 1	1	1	2	5	6	0-17	685	1.6	1	< 1	1	1	2	3	5
70-74	322	2.5	15	1	1	1	2	5	13	18-34	673	1.9	2	1	1	1	2	3	4
75-79	204	2.7	9	1	1	2	3	7	8	35-49	827	2.1	2	1	1	2	3	3	4
80-84	176	2.5	3	1	1	2	3	6	6	50-69	1061	1.8	5	1	1	1	2	3	4
85 +	120	3.4	7	1	1	2	5	9	9	70 +	46	1.5		< 1	< 1	2	2	2	2
SUBTOTAL	**1189**	**2.5**	**8**	**1**	**1**	**1**	**3**	**6**	**8**		**3291**	**1.9**	**3**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1810**	**3.8**	**28**	**1**	**1**	**2**	**5**	**9**	**14**		**4375**	**2.1**	**5**	**1**	**1**	**1**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	46	2.9	4	< 1	1	3	4	7	7	0-17	70	2.5	5	< 1	< 1	1	3	6	8
18-34	96	3.8	8	1	2	3	4	9	11	18-34	252	2.0	2	< 1	1	1	2	4	5
35-49	56	8.0	51	1	2	7	13	19	19	35-49	190	3.2	7	1	1	2	5	7	8
50-69	26	3.7	11							50-69	191	2.7	4	1	1	2	4	5	8
70 +	0									70 +	38	2.6	2						
SUBTOTAL	**224**	**4.7**	**22**	**1**	**2**	**3**	**7**	**11**	**19**		**742**	**2.5**	**5**	**< 1**	**1**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	302	2.5	9	1	1	2	3	7	7	0-17	185	2.1	4	< 1	1	1	2	5	8
18-34	112	2.9	4	1	1	2	3	6	8	18-34	343	2.0	2	< 1	1	2	3	4	4
35-49	37	2.9	4	1	1	2	6	6	6	35-49	669	1.5	1	1	1	1	2	3	3
50-69	74	2.3	4	1	1	1	5	6	6	50-69	1451	1.3		1	1	1	1	2	3
70 +	0									70 +	210	1.3		< 1	1	1	1	2	2
SUBTOTAL	**525**	**2.6**	**7**	**1**	**1**	**2**	**3**	**6**	**7**		**2858**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**750**	**3.2**	**12**	**1**	**1**	**2**	**3**	**7**	**9**		**3599**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 269: Other Skin, Subcut Tiss & Breast Proc w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3377	11.3	105	2	4	8	15	25	33	0-17	575	5.4	25	1	2	4	6	12	14
70-74	1863	11.5	140	2	4	8	15	27	39	18-34	1013	5.2	26	1	2	4	7	9	13
75-79	1681	11.8	116	2	4	9	16	24	34	35-49	1897	6.6	40	2	2	4	9	14	21
80-84	1278	11.4	89	2	5	9	16	23	35	50-69	2531	8.0	50	2	3	6	11	18	22
85+	1397	12.6	119	2	5	10	18	27	31	70+	205	14.2	173	2	4	8	20	38	42
SUBTOTAL	**9597**	**11.6**	**114**	**2**	**4**	**9**	**16**	**26**	**34**		**6222**	**7.1**	**48**	**1**	**2**	**5**	**9**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**9597**	**11.6**	**114**	**2**	**4**	**9**	**16**	**26**	**34**		**6222**	**7.1**	**48**	**1**	**2**	**5**	**9**	**16**	**21**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	316	6.5	48	2	3	5	7	13	19	0-17	254	4.2	8	1	1	4	6	9	10
18-34	929	7.8	71	2	3	5	9	16	35	18-34	1433	5.8	40	1	2	4	7	12	16
35-49	646	10.2	93	2	4	8	12	22	36	35-49	970	7.0	52	2	2	4	9	15	19
50-69	570	14.3	239	3	5	10	20	49	76	50-69	721	9.4	90	1	3	6	13	20	34
70+	42	10.3	32	5	6	8	16	20	20	70+	117	10.8	48	5	5	8	15	23	26
SUBTOTAL	**2502**	**9.8**	**119**	**2**	**4**	**6**	**12**	**23**	**40**		**3494**	**6.9**	**54**	**1**	**2**	**5**	**9**	**15**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2502**	**9.8**	**119**	**2**	**4**	**6**	**12**	**23**	**40**		**3494**	**6.9**	**54**	**1**	**2**	**5**	**9**	**15**	**19**

DRG 270: Other Skin, Subcut Tiss & Breast Proc w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2256	3.8	14	1	1	3	4	9	12	0-17	4122	2.3	5	<1	<1	1	3	5	7
70-74	1197	3.2	8	<1	1	2	4	7	9	18-34	3454	2.7	6	<1	1	2	3	5	7
75-79	939	3.5	8	1	1	3	5	8	9	35-49	4570	2.7	9	<1	1	2	3	5	7
80-84	531	4.3	17	1	1	3	5	9	15	50-69	4761	2.6	7	1	1	2	3	5	7
85 +	294	4.3	16	1	1	3	6	11	13	70 +	107	3.0	16	<1	1	2	2	4	15
SUBTOTAL	**5216**	**3.7**	**12**	**1**	**1**	**3**	**4**	**8**	**11**		**17014**	**2.6**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**5216**	**3.7**	**12**	**1**	**1**	**3**	**4**	**8**	**11**		**17014**	**2.6**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1925	3.4	15	<1	1	2	4	7	10	0-17	1841	2.9	7	<1	1	2	4	6	9
18-34	1184	3.5	10	1	1	3	5	7	8	18-34	3133	3.7	11	1	1	3	5	7	9
35-49	552	5.2	82	1	1	3	5	9	12	35-49	1622	3.8	16	1	1	3	5	7	11
50-69	253	3.8	9	1	1	3	6	7	9	50-69	963	2.9	10	1	1	2	4	6	11
70 +	50	2.8	5	1	2	2	3	9	9	70 +	86	3.5	16	<1	<1	2	4	9	15
SUBTOTAL	**3964**	**3.7**	**23**	**<1**	**1**	**2**	**5**	**7**	**10**		**7645**	**3.4**	**11**	**<1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**3964**	**3.7**	**23**	**<1**	**1**	**2**	**5**	**7**	**10**		**7645**	**3.4**	**11**	**<1**	**1**	**2**	**4**	**7**	**10**

DRG 271: Skin Ulcers

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3451	11.6	121	3	5	8	14	25	32
70-74	1899	11.5	111	4	6	9	13	23	30
75-79	2235	12.2	112	4	6	9	15	25	34
80-84	2489	11.8	90	3	6	9	15	26	37
85 +	3338	13.0	111	4	7	10	16	23	35
SUBTOTAL	**13412**	**12.1**	**110**	**4**	**6**	**9**	**15**	**24**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	491	10.3	82	3	5	7	13	21	30
70-74	330	9.9	75	3	4	8	11	22	30
75-79	315	9.1	57	2	4	7	12	18	28
80-84	446	10.4	132	3	4	8	12	20	29
85 +	661	11.4	98	4	6	8	13	22	33
SUBTOTAL	**2243**	**10.4**	**92**	**3**	**5**	**8**	**12**	**21**	**30**
GRAND TOTAL	**15655**	**11.8**	**108**	**3**	**6**	**9**	**15**	**24**	**33**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	79	7.0	19	2	4	6	10	11	19
18-34	343	11.7	127	4	5	7	13	27	35
35-49	604	10.2	127	3	5	7	11	16	27
50-69	1108	10.7	95	3	5	8	13	19	29
70 +	202	11.7	135	2	5	9	13	32	33
	2336	**10.7**	**110**	**3**	**5**	**8**	**12**	**19**	**29**
0-17	65	6.6	45	2	3	5	8	8	28
18-34	93	6.4	46	2	3	4	6	13	30
35-49	137	9.4	47	2	4	8	12	18	23
50-69	203	5.0	13	< 1	1	5	8	9	14
70 +	28	7.3	29						
	526	**6.7**	**35**	**1**	**3**	**5**	**8**	**14**	**18**
	2861	**10.0**	**98**	**3**	**5**	**7**	**12**	**18**	**28**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	116	15.7	194	4	4	8	25	41	44
18-34	484	9.6	99	3	5	7	11	18	34
35-49	505	13.0	125	3	6	9	15	28	36
50-69	611	12.2	116	4	6	9	14	25	37
70 +	128	21.4	462	6	8	17	54	99 +	99 +
SUBTOTAL	**1843**	**12.6**	**151**	**3**	**6**	**9**	**15**	**32**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	109	8.5	63	< 1	3	5	14	18	28
18-34	141	15.8	273	1	6	11	18	34	60
35-49	118	7.2	31	2	3	5	8	19	19
50-69	152	10.5	121	2	4	7	13	18	43
70 +	12	8.0							
SUBTOTAL	**531**	**10.7**	**137**	**2**	**4**	**7**	**13**	**28**	**34**
GRAND TOTAL	**2374**	**12.2**	**148**	**3**	**5**	**8**	**15**	**29**	**43**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	66	3.9	5	1	3	3	6	6	8
18-34	179	7.8	32	1	3	7	10	17	19
35-49	331	10.5	91	3	5	8	14	23	24
50-69	451	9.9	105	3	5	7	12	14	26
70 +	146	8.6	36	1	6	7	11	27	99 +
	1173	**9.2**	**78**	**2**	**4**	**7**	**12**	**19**	**24**
0-17	37	6.5	5						
18-34	94	14.2	236	3	5	8	13	51	51
35-49	70	7.0	26	1	3	7	11	12	19
50-69	88	6.4	15	1	1	8	10	10	10
70 +	42	9.0	53	4	5	5	8	27	27
	330	**9.1**	**95**	**1**	**4**	**7**	**10**	**13**	**27**
	1503	**9.2**	**82**	**2**	**4**	**7**	**11**	**19**	**24**

DRG 272: Major Skin Disorders w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1829	9.7	51	3	5	8	13	18	23
70-74	1361	8.0	28	3	4	7	11	14	16
75-79	1230	8.4	36	3	4	7	10	17	22
80-84	1103	11.2	95	3	5	8	14	23	30
85 +	1005	11.6	103	3	5	8	14	23	36
SUBTOTAL	**6527**	**9.6**	**61**	**3**	**5**	**8**	**12**	**18**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6527**	**9.6**	**61**	**3**	**5**	**8**	**12**	**18**	**23**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	927	5.3	20	2	3	4	7	9	13
18-34	464	7.4	24	3	3	7	11	14	15
35-49	784	8.5	63	2	4	6	11	15	21
50-69	1292	9.1	54	2	5	7	11	18	22
70 +	96	8.8	13	3	8	9	11	14	15
	3562	**7.8**	**45**	**2**	**4**	**6**	**9**	**15**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3562	**7.8**	**45**	**2**	**4**	**6**	**9**	**15**	**20**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	412	5.7	24	2	2	5	7	10	19
18-34	335	8.7	38	2	3	7	13	18	22
35-49	260	12.1	99	3	4	9	18	27	32
50-69	262	10.3	137	2	4	7	13	17	25
70 +	10	4.0							
SUBTOTAL	**1278**	**8.7**	**71**	**2**	**3**	**6**	**12**	**18**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1278**	**8.7**	**71**	**2**	**3**	**6**	**12**	**18**	**23**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	254	6.7	45	2	3	5	9	12	14
18-34	213	8.9	73	4	4	7	11	15	21
35-49	257	6.9	29	2	3	6	9	15	15
50-69	167	6.7	22	1	3	6	8	13	15
70 +	86	7.2	13	1	4	7	10	11	13
	977	**7.3**	**41**	**2**	**4**	**6**	**9**	**13**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	977	**7.3**	**41**	**2**	**4**	**6**	**9**	**13**	**15**

DRG 273: Major Skin Disorders w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	653	7.9	31	2	4	6	11	17	20
70-74	462	7.0	25	2	3	5	10	15	18
75-79	392	4.9	11	1	2	4	7	10	11
80-84	294	8.5	90	2	4	5	12	14	22
85 +	265	6.1	43	2	3	4	8	12	14
SUBTOTAL	**2065**	**7.0**	**37**	**2**	**3**	**5**	**9**	**14**	**18**
GRAND TOTAL	**2065**	**7.0**	**37**	**2**	**3**	**5**	**9**	**14**	**18**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1433	3.9	12	1	2	3	4	7	11
18-34	527	6.5	26	2	2	5	9	14	16
35-49	901	8.0	45	2	3	6	11	18	21
50-69	1150	7.8	49	2	3	5	11	18	22
70 +	13	3.0							
	4024	**6.2**	**35**	**2**	**2**	**4**	**8**	**15**	**19**
	4024	**6.2**	**35**	**2**	**2**	**4**	**8**	**15**	**19**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	557	4.0	15	1	2	3	4	8	13
18-34	193	9.7	50	2	3	9	14	19	23
35-49	176	12.0	59	3	5	10	17	21	31
50-69	110	8.2	52	1	2	6	13	16	23
70 +	18	5.0	6						
SUBTOTAL	**1054**	**6.9**	**42**	**1**	**2**	**4**	**10**	**16**	**21**
GRAND TOTAL	**1054**	**6.9**	**42**	**1**	**2**	**4**	**10**	**16**	**21**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	455	3.6	8	1	2	3	4	6	7
18-34	195	5.9	17	2	3	4	8	12	17
35-49	191	4.6	12	1	2	4	6	10	14
50-69	170	6.1	20	2	3	4	8	15	15
70 +	63	3.1	4	< 1	1	2	4	7	7
	1075	**4.6**	**13**	**1**	**2**	**4**	**6**	**10**	**14**
	1075	**4.6**	**13**	**1**	**2**	**4**	**6**	**10**	**14**

DRG 274: Malignant Breast Disorders w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	679	9.4	113	2	3	7	11	18	28
70-74	604	9.3	84	2	4	6	11	21	27
75-79	486	12.0	135	2	4	8	18	21	29
80-84	488	10.8	78	2	4	8	16	22	31
85 +	369	8.9	77	1	4	7	11	19	29
SUBTOTAL	**2626**	**10.0**	**100**	**2**	**4**	**7**	**13**	**21**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2626**	**10.0**	**100**	**2**	**4**	**7**	**13**	**21**	**29**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	64	6.0	60	2	2	4	5	10	30
35-49	723	6.3	36	1	2	4	8	13	17
50-69	1238	9.9	165	2	3	6	11	22	27
70 +	27	6.9	12						
	2052	**8.5**	**117**	**2**	**3**	**5**	**9**	**19**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2052	**8.5**	**117**	**2**	**3**	**5**	**9**	**19**	**25**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	5.0							
18-34	41	10.3	26	3	5	9	13	19	19
35-49	291	11.2	119	3	3	7	17	30	37
50-69	329	8.2	31	2	4	8	10	14	22
70 +	6	7.0							
SUBTOTAL	**672**	**9.6**	**71**	**2**	**4**	**8**	**11**	**21**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**672**	**9.6**	**71**	**2**	**4**	**8**	**11**	**21**	**29**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	69	5.2	13	2	3	5	8	14	99 +
35-49	156	6.6	26	2	4	5	7	14	14
50-69	340	8.0	46	2	3	6	9	20	25
70 +	44	5.7	15	< 1	3	5	9	14	14
	609	**7.1**	**36**	**2**	**3**	**5**	**9**	**14**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	609	**7.1**	**36**	**2**	**3**	**5**	**9**	**14**	**24**

DRG 275: Malignant Breast Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	190	3.8	29	< 1	< 1	2	4	8	9	0-17	0								
70-74	96	3.6	11	< 1	1	3	4	11	12	18-34	40	2.7	1	< 1	2	3	3	5	5
75-79	159	6.0	59	1	3	4	5	11	31	35-49	350	2.9	16	< 1	1	2	4	5	6
80-84	68	5.1	9	2	3	4	7	8	13	50-69	620	4.0	27	1	2	3	4	7	12
85 +	40	9.2	175	1	2	4	9	41	41	70 +	24	4.9	6						
SUBTOTAL	**552**	**5.0**	**45**	**< 1**	**1**	**3**	**5**	**9**	**13**		**1033**	**3.6**	**22**	**< 1**	**1**	**3**	**4**	**6**	**8**
GRAND TOTAL	**552**	**5.0**	**45**	**< 1**	**1**	**3**	**5**	**9**	**13**		**1033**	**3.6**	**22**	**< 1**	**1**	**3**	**4**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	6	4.0							
18-34	11	2.0	1							18-34	27	5.1	22						
35-49	59	3.4	5	< 1	< 1	3	5	7	8	35-49	94	3.0	4	1	2	3	3	6	8
50-69	78	8.9	173	2	3	5	9	14	54	50-69	159	3.4	8	1	1	3	5	6	7
70 +	0									70 +	6	1.0							
SUBTOTAL	**148**	**6.2**	**101**	**< 1**	**2**	**4**	**6**	**10**	**14**		**292**	**3.4**	**8**	**1**	**1**	**3**	**5**	**6**	**8**
GRAND TOTAL	**148**	**6.2**	**101**	**< 1**	**2**	**4**	**6**	**10**	**14**		**292**	**3.4**	**8**	**1**	**1**	**3**	**5**	**6**	**8**

DRG 276: Non-maligant Breast Disorders

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	168	6.3	25	1	2	6	8	12	17
70-74	21	4.0	3						
75-79	71	5.6	17	1	1	6	8	9	14
80-84	78	5.9	14	2	2	6	8	12	12
85 +	61	5.2	18	1	2	3	6	13	14
SUBTOTAL	**398**	**5.8**	**19**	**1**	**2**	**6**	**8**	**12**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	168	3.7	10	< 1	1	2	5	8	12
70-74	164	3.2	6	< 1	1	2	4	7	7
75-79	27	5.7	1						
80-84	54	3.1	5	< 1	1	2	5	6	7
85 +	23	5.3	24						
SUBTOTAL	**437**	**3.6**	**8**	**< 1**	**1**	**3**	**5**	**7**	**8**
GRAND TOTAL	**835**	**4.7**	**15**	**1**	**2**	**3**	**7**	**9**	**12**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	2.3							
18-34	88	4.5	6	1	2	4	7	8	8
35-49	189	5.3	15	2	3	4	7	10	13
50-69	134	5.3	19	1	2	4	8	10	12
70 +	0								
	427	**5.0**	**14**	**1**	**2**	**4**	**7**	**9**	**13**
0-17	329	3.5	10	1	2	3	4	6	6
18-34	959	3.4	5	1	2	3	4	6	7
35-49	665	2.9	4	1	1	2	4	6	6
50-69	572	3.2	8	< 1	1	2	5	7	8
70 +	0								
	2525	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**7**
	2952	**3.5**	**8**	**1**	**2**	**3**	**5**	**7**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	17	6.7	12						
18-34	82	3.9	4	1	2	4	6	7	7
35-49	42	5.0	3						
50-69	45	6.0	8	2	4	6	7	12	12
70 +	6	2.0							
SUBTOTAL	**191**	**4.8**	**7**	**2**	**3**	**5**	**6**	**7**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	170	3.5	5	1	2	3	4	8	8
18-34	436	3.3	4	1	2	3	4	5	8
35-49	158	3.3	3	< 1	2	3	4	6	7
50-69	88	4.9	5	2	3	5	7	8	9
70 +	10	3.0							
SUBTOTAL	**862**	**3.5**	**4**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**1054**	**3.7**	**5**	**1**	**2**	**3**	**5**	**7**	**8**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	13	3.0							
18-34	60	3.5	1	2	3	3	4	5	6
35-49	64	4.6	9	2	2	3	6	10	10
50-69	59	4.2	25	< 1	1	3	4	12	19
70 +	10	2.0							
	206	**3.9**	**11**	**1**	**2**	**3**	**4**	**6**	**10**
0-17	81	3.6	6	1	2	3	5	7	10
18-34	434	2.9	4	1	1	2	4	5	6
35-49	344	3.0	5	1	1	2	4	6	7
50-69	66	3.9	11	1	1	2	6	7	12
70 +	13	6.0							
	939	**3.1**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
	1145	**3.3**	**6**	**1**	**1**	**3**	**4**	**6**	**7**

Total U.S., July 1990 - June 1991

DRG 277: Cellulitis Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	19110	8.0	36	3	4	7	10	14	19	0-17	0								
70-74	10604	8.4	37	3	5	7	10	15	20	18-34	3609	5.9	17	2	3	5	7	11	14
75-79	10309	8.6	40	3	5	7	10	16	20	35-49	7750	6.5	19	2	4	5	8	12	16
80-84	8556	9.2	55	4	5	7	11	16	21	50-69	13424	7.3	32	3	4	6	9	13	17
85 +	10277	9.4	53	4	5	8	11	17	23	70 +	1054	9.0	89	3	4	6	10	15	26
SUBTOTAL	**58856**	**8.6**	**43**	**3**	**5**	**7**	**10**	**15**	**20**		**25837**	**7.0**	**29**	**3**	**4**	**6**	**8**	**13**	**16**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**58856**	**8.6**	**43**	**3**	**5**	**7**	**10**	**15**	**20**		**25837**	**7.0**	**29**	**3**	**4**	**6**	**8**	**13**	**16**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	3526	6.5	28	2	3	5	8	11	17	18-34	3876	5.6	18	2	3	5	7	10	13
35-49	4978	7.4	29	3	4	6	9	14	17	35-49	4852	6.4	21	2	3	5	8	12	15
50-69	3854	8.5	33	3	4	7	11	16	17	50-69	3883	7.4	35	3	4	6	9	14	18
70 +	334	10.5	82	4	6	7	12	22	30	70 +	627	8.3	24	3	5	7	10	15	19
SUBTOTAL	**12691**	**7.6**	**32**	**3**	**4**	**6**	**9**	**14**	**17**		**13238**	**6.5**	**25**	**2**	**3**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**12691**	**7.6**	**32**	**3**	**4**	**6**	**9**	**14**	**17**		**13238**	**6.5**	**25**	**2**	**3**	**5**	**8**	**12**	**15**

DRG 278: Cellulitis Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	7560	5.6	12	2	3	5	7	9	11	0-17	0								
70-74	4648	6.0	13	3	3	5	7	10	14	18-34	10924	3.9	6	2	2	3	5	7	8
75-79	3936	6.2	14	3	4	5	8	10	14	35-49	13577	4.7	12	2	3	4	6	8	10
80-84	3505	6.4	16	3	4	6	8	11	13	50-69	12080	5.1	12	2	3	4	6	9	11
85+	3663	7.0	22	3	4	6	9	12	15	70+	381	5.8	17	2	3	4	7	13	14
SUBTOTAL	**23312**	**6.1**	**15**	**3**	**4**	**5**	**8**	**10**	**14**		**36962**	**4.6**	**11**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**23312**	**6.1**	**15**	**3**	**4**	**5**	**8**	**10**	**14**		**36962**	**4.6**	**11**	**2**	**3**	**4**	**6**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	3602	4.4	9	2	3	4	5	8	10	18-34	7910	4.0	7	2	2	3	5	7	8
35-49	2424	5.7	13	2	3	5	7	10	12	35-49	5961	4.8	15	2	3	4	6	8	11
50-69	1674	6.4	23	2	4	5	8	12	16	50-69	3374	5.1	11	2	3	4	6	9	11
70+	213	7.1	32	3	3	5	10	17	21	70+	322	5.8	13	2	3	5	7	12	14
SUBTOTAL	**7914**	**5.3**	**15**	**2**	**3**	**4**	**6**	**10**	**12**		**17567**	**4.5**	**11**	**2**	**2**	**4**	**6**	**8**	**11**
GRAND TOTAL	**7914**	**5.3**	**15**	**2**	**3**	**4**	**6**	**10**	**12**		**17567**	**4.5**	**11**	**2**	**2**	**4**	**6**	**8**	**11**

DRG 279: Cellulitis Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	59	9.0	81	2	2	5	14	23	33
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**59**	**9.0**	**81**	**2**	**2**	**5**	**14**	**23**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	49	6.7	14	3	4	5	9	13	13
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**49**	**6.7**	**14**	**3**	**4**	**5**	**9**	**13**	**13**
GRAND TOTAL	**109**	**8.0**	**51**	**2**	**4**	**5**	**12**	**14**	**33**

BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2775	4.5	12	2	2	4	5	9	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2775	**4.5**	**12**	**2**	**2**	**4**	**5**	**9**	**12**
0-17	12864	3.4	4	1	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	12864	**3.4**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
	15639	**3.6**	**6**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	2272	5.6	20	2	3	4	7	11	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2272**	**5.6**	**20**	**2**	**3**	**4**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	9665	3.7	6	2	2	3	5	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**9665**	**3.7**	**6**	**2**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**11937**	**4.1**	**9**	**2**	**2**	**3**	**5**	**7**	**9**

NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1415	4.7	11	2	2	4	6	9	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1415	**4.7**	**11**	**2**	**2**	**4**	**6**	**9**	**11**
0-17	7277	3.4	5	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	7277	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**8**
	8692	**3.6**	**7**	**1**	**2**	**3**	**4**	**7**	**8**

Total U.S., July 1990 - June 1991

DRG 280: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2341	5.3	31	1	2	4	6	11	15	0-17	0								
70-74	1404	5.3	20	1	3	4	7	9	12	18-34	3871	2.6	7	1	1	2	3	5	7
75-79	2082	6.6	59	2	3	5	8	13	16	35-49	2296	3.0	6	1	1	2	4	6	8
80-84	2717	5.8	27	2	3	5	7	10	14	50-69	2206	4.1	12	1	2	3	5	8	10
85 +	4134	7.2	57	2	3	5	8	13	18	70 +	888	4.2	14	1	2	3	5	8	12
SUBTOTAL	12678	6.2	43	2	3	5	8	12	16		9261	3.2	9	1	1	2	4	7	9
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	12678	6.2	43	2	3	5	8	12	16		9261	3.2	9	1	1	2	4	7	9

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	1686	2.8	7	1	1	2	4	6	8	18-34	6138	2.4	5	< 1	1	2	3	5	6
35-49	920	3.5	11	1	1	2	4	8	9	35-49	2359	2.9	8	1	1	2	4	6	8
50-69	347	5.0	15	1	2	4	7	10	13	50-69	903	4.2	38	1	1	3	5	8	13
70 +	36	6.9	7							70 +	324	4.8	17	1	2	4	6	11	13
SUBTOTAL	2989	3.3	10	1	1	2	4	7	9		9725	2.8	10	< 1	1	2	3	6	8
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	2989	3.3	10	1	1	2	4	7	9		9725	2.8	10	< 1	1	2	3	6	8

DRG 281: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	0										0-17	0									
70-74	0										18-34	0									
75-79	0										35-49	0									
80-84	0										50-69	0									
85 +	0										70 +	0									
SUBTOTAL	**0**											**0**									
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	1500	2.7	4	1	1	2	3	5	7		0-17	0									
70-74	1028	3.3	8	1	2	3	4	6	7		18-34	8848	2.1	3	< 1	1	1	3	4	5
75-79	1382	4.3	14	1	2	3	5	9	13		35-49	4601	2.2	3	1	1	2	3	4	6
80-84	1469	4.3	13	1	2	3	5	9	12		50-69	3461	2.4	4	1	1	2	3	5	6
85 +	2208	4.7	13	1	2	4	6	9	11		70 +	788	2.8	10	1	1	2	3	5	8
SUBTOTAL	**7587**	**4.0**	**11**	**1**	**2**	**3**	**5**	**8**	**10**			**17699**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**7587**	**4.0**	**11**	**1**	**2**	**3**	**5**	**8**	**10**			**17699**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	0										0-17	0									
18-34	0										18-34	0									
35-49	0										35-49	0									
50-69	0										50-69	0									
70 +	0										70 +	0									
SUBTOTAL	**0**											**0**									
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	0										0-17	0									
18-34	3393	2.1	5	1	1	1	2	4	5		18-34	14748	1.9	3	< 1	1	1	2	4	5
35-49	795	2.6	17	< 1	1	2	3	5	8		35-49	3995	2.0	3	< 1	1	2	2	3	5
50-69	287	2.3	3	1	1	2	3	5	6		50-69	1175	2.4	7	1	1	2	2	5	7
70 +	54	4.5	13	< 1	1	2	6	10	10		70 +	298	3.3	13	1	1	2	4	8	13
SUBTOTAL	**4528**	**2.2**	**7**	**1**	**1**	**2**	**2**	**4**	**6**			**20216**	**2.0**	**4**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**4528**	**2.2**	**7**	**1**	**1**	**2**	**2**	**4**	**6**			**20216**	**2.0**	**4**	**< 1**	**1**	**1**	**2**	**4**	**5**

DRG 282: Trauma to the Skin, Subcut Tiss & Breast Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	39	5.0	18						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	39	5.0	18						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	1.0							
GRAND TOTAL	49	4.2	17						

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1526	2.2	3	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1526	2.2	3	1	1	2	3	4	5
0-17	7079	1.8	3	1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	7079	1.8	3	1	1	1	2	3	4
	8605	1.9	3	1	1	1	2	4	5

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	827	2.5	4	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	827	2.5	4	1	1	2	3	5	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	4361	2.0	3	< 1	1	1	2	3	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	4361	2.0	3	< 1	1	1	2	3	6
GRAND TOTAL	5188	2.1	3	1	1	1	2	4	6

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1099	2.9	11	1	1	2	3	6	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1099	2.9	11	1	1	2	3	6	10
0-17	5646	1.8	3	< 1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	5646	1.8	3	< 1	1	1	2	3	4
	6745	2.0	5	< 1	1	1	2	4	5

Total U.S., July 1990 - June 1991

DRG 283: Minor Skin Disorders w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1827	7.0	49	2	3	5	8	14	20	0-17	908	5.2	44	1	2	4	6	10	14
70-74	1147	6.7	34	2	3	5	8	13	20	18-34	856	5.0	22	1	2	4	6	10	17
75-79	857	6.4	16	2	4	6	8	11	14	35-49	1221	5.2	19	1	3	4	7	9	14
80-84	885	7.5	45	2	4	6	9	14	18	50-69	1457	6.6	45	1	3	5	8	14	18
85 +	788	6.7	20	3	3	5	9	14	17	70 +	121	7.0	26	2	4	6	9	12	18
SUBTOTAL	**5504**	**6.9**	**36**	**2**	**3**	**5**	**8**	**14**	**18**		**4563**	**5.7**	**33**	**1**	**3**	**4**	**7**	**11**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**5504**	**6.9**	**36**	**2**	**3**	**5**	**8**	**14**	**18**		**4563**	**5.7**	**33**	**1**	**3**	**4**	**7**	**11**	**16**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	712	5.0	23	2	2	4	6	9	14	0-17	343	6.1	46	2	2	4	7	11	19
18-34	621	6.3	24	1	3	6	8	15	17	18-34	538	5.7	48	1	2	3	6	15	19
35-49	415	9.4	206	2	3	5	9	17	37	35-49	426	6.4	45	1	2	5	8	14	18
50-69	244	6.5	14	2	4	6	7	13	15	50-69	295	6.0	32	2	2	5	7	13	14
70 +	69	12.9	335	1	2	5	14	51	51	70 +	72	11.4	268	2	3	5	8	51	51
SUBTOTAL	**2062**	**6.7**	**73**	**2**	**3**	**5**	**7**	**13**	**18**		**1674**	**6.2**	**55**	**1**	**2**	**4**	**7**	**14**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2062**	**6.7**	**73**	**2**	**3**	**5**	**7**	**13**	**18**		**1674**	**6.2**	**55**	**1**	**2**	**4**	**7**	**14**	**19**

Total U.S., July 1990 - June 1991

DRG 284: Minor Skin Disorders w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	692	4.1	10	1	2	3	6	8	10
70-74	549	4.4	33	1	2	3	5	10	15
75-79	405	3.8	9	< 1	1	3	5	9	10
80-84	445	3.9	7	1	2	3	5	8	9
85 +	259	7.2	89	1	2	4	7	19	30
SUBTOTAL	**2350**	**4.4**	**24**	**1**	**2**	**3**	**5**	**9**	**11**
GRAND TOTAL	**2350**	**4.4**	**24**	**1**	**2**	**3**	**5**	**9**	**11**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	3059	2.8	9	< 1	1	2	3	6	7
18-34	1904	3.0	6	1	1	2	4	6	7
35-49	2052	3.4	7	1	2	3	4	7	8
50-69	1802	3.1	6	1	1	3	4	6	7
70 +	82	3.8	6	< 1	2	4	7	7	8
	8898	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**7**
	8898	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1963	3.2	14	1	1	2	4	6	8
18-34	461	4.2	16	< 1	1	3	6	9	10
35-49	273	4.4	18	1	2	3	5	10	14
50-69	137	5.5	24	1	2	5	7	8	16
70 +	16	2.3	2						
SUBTOTAL	**2850**	**3.6**	**15**	**1**	**1**	**3**	**5**	**7**	**9**
GRAND TOTAL	**2850**	**3.6**	**15**	**1**	**1**	**3**	**5**	**7**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1241	2.8	7	< 1	1	2	3	6	7
18-34	792	2.9	5	1	1	2	4	6	7
35-49	710	3.4	13	1	1	2	4	7	8
50-69	511	2.6	5	1	1	2	3	6	8
70 +	85	1.6	1	< 1	1	1	2	4	4
	3340	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**8**
	3340	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 285: Amputat of Lower Limb for Endocrine, Nutrit,& Metabol Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1841	18.9	279	4	8	14	25	44	61	0-17	0								
70-74	957	21.1	195	7	9	19	28	40	48	18-34	52	20.2	370	4	5	17	28	68	68
75-79	710	20.0	241	4	9	15	26	40	56	35-49	486	13.2	72	2	6	13	18	24	32
80-84	326	21.7	239	6	10	20	36	47	70	50-69	1070	15.8	180	3	8	12	21	29	42
85 +	205	20.9	322	7	11	18	28	39	97	70 +	87	17.6	124	7	10	14	29	39	39
SUBTOTAL	**4039**	**20.0**	**252**	**5**	**9**	**15**	**27**	**43**	**60**		**1696**	**15.3**	**154**	**3**	**7**	**13**	**20**	**29**	**39**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	99	9.7	38	3	4	9	14	21	22	0-17	5	1.0							
70-74	22	15.3	60							18-34	6	3.0							
75-79	39	11.4	49	4	4	14	15	25	25	35-49	92	10.5	92	2	6	7	11	33	33
80-84	23	9.7	6							50-69	37	10.5	76						
85 +	22	16.0	259							70 +	0								
SUBTOTAL	**204**	**11.3**	**67**	**3**	**6**	**9**	**14**	**22**	**28**		**140**	**9.8**	**85**	**2**	**4**	**7**	**11**	**29**	**33**
GRAND TOTAL	**4243**	**19.5**	**247**	**5**	**9**	**15**	**26**	**42**	**60**		**1836**	**14.9**	**151**	**3**	**7**	**12**	**20**	**29**	**36**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	60	15.2	101	3	6	14	24	31	31	18-34	53	11.4	77	3	5	9	19	31	31
35-49	189	22.5	240	9	11	16	32	50	56	35-49	242	16.5	182	5	9	12	19	37	57
50-69	461	24.6	367	8	12	19	31	47	74	50-69	346	17.2	127	4	9	15	26	33	38
70 +	16	32.8	391							70 +	59	29.9	790	11	11	17	46	86	86
SUBTOTAL	**725**	**23.5**	**320**	**7**	**11**	**17**	**31**	**47**	**56**		**699**	**17.6**	**213**	**4**	**9**	**13**	**24**	**35**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	5	4.0							
35-49	22	21.8	103							35-49	11	13.8	18						
50-69	17	8.7	12							50-69	49	10.1	48	2	4	10	15	20	20
70 +	0									70 +	0								
SUBTOTAL	**38**	**16.0**	**105**	**4**	**7**	**11**	**28**	**31**	**31**		**65**	**10.2**	**44**	**2**	**4**	**10**	**15**	**20**	**20**
GRAND TOTAL	**764**	**23.1**	**312**	**7**	**11**	**17**	**31**	**47**	**56**		**764**	**17.0**	**203**	**4**	**9**	**13**	**22**	**33**	**46**

Total U.S., July 1990 - June 1991

DRG 286: Adrenal & Pituitary Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	373	12.5	117	5	7	9	14	20	34	0-17	287	11.7	167	5	6	9	11	18	21
70-74	223	13.6	55	5	8	14	19	25	30	18-34	325	9.0	45	4	6	7	10	14	27
75-79	202	13.8	87	6	8	10	16	28	34	35-49	492	9.1	17	5	6	8	13	16	17
80-84	44	9.7	15	7	7	9	11	19	19	50-69	689	10.8	60	5	7	9	11	20	26
85 +	28	10.8	33							70 +	11	10.0							
SUBTOTAL	**870**	**12.9**	**87**	**5**	**7**	**10**	**15**	**23**	**30**		**1803**	**10.1**	**63**	**5**	**6**	**8**	**11**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	272	6.1	7	4	5	5	7	9	10	0-17	233	6.7	8	4	5	6	7	11	11
70-74	128	6.2	3	4	5	6	8	8	10	18-34	483	6.3	8	4	5	6	7	9	10
75-79	75	6.1	2	4	6	6	7	8	8	35-49	699	6.6	15	4	4	6	7	11	13
80-84	16	7.1	2							50-69	552	6.4	9	4	5	6	8	8	11
85 +	0									70 +	0								
SUBTOTAL	**491**	**6.2**	**5**	**4**	**5**	**6**	**7**	**9**	**9**		**1967**	**6.5**	**11**	**4**	**5**	**6**	**7**	**9**	**11**
GRAND TOTAL	**1361**	**10.5**	**68**	**4**	**6**	**8**	**13**	**19**	**26**		**3770**	**8.2**	**39**	**4**	**5**	**7**	**9**	**13**	**18**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	134	15.2	70	6	8	13	24	26	28	0-17	79	9.8	14	5	7	9	14	15	16
18-34	103	9.6	38	5	6	8	9	22	29	18-34	126	12.0	71	6	7	9	15	23	29
35-49	48	9.2	13	6	6	8	12	16	16	35-49	142	9.7	46	5	7	8	11	14	14
50-69	124	12.3	35	6	8	11	15	23	25	50-69	131	9.1	26	5	5	7	11	18	21
70 +	5	46.0								70 +	5	13.0							
SUBTOTAL	**414**	**12.7**	**64**	**6**	**7**	**9**	**16**	**25**	**28**		**483**	**10.2**	**43**	**5**	**7**	**8**	**11**	**16**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	79	6.7	6	4	5	7	7	11	11	0-17	37	7.5	12						
18-34	98	6.9	7	4	5	7	8	8	16	18-34	159	7.1	28	4	5	6	8	11	16
35-49	79	6.9	3	5	5	8	8	9	10	35-49	174	5.9	13	3	4	5	6	8	18
50-69	71	8.7	25	5	6	8	9	13	24	50-69	148	7.8	10	3	6	7	10	12	13
70 +	0									70 +	0								
SUBTOTAL	**327**	**7.2**	**10**	**4**	**5**	**7**	**8**	**10**	**13**		**518**	**6.9**	**17**	**3**	**5**	**6**	**8**	**12**	**13**
GRAND TOTAL	**742**	**10.3**	**47**	**5**	**6**	**8**	**11**	**23**	**25**		**1001**	**8.5**	**32**	**4**	**5**	**7**	**10**	**14**	**18**

DRG 287: Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2513	14.4	147	4	7	11	18	30	39	0-17	11	8.9	4						
70-74	961	16.4	182	5	7	12	22	35	51	18-34	184	8.0	16	3	6	7	12	14	14
75-79	848	16.5	219	4	7	12	21	38	56	35-49	738	11.9	91	3	5	10	14	26	33
80-84	613	20.2	455	6	8	14	24	67	98	50-69	2185	12.4	107	3	6	10	17	24	33
85 +	636	20.0	335	5	8	14	28	63	83	70 +	61	19.3	183	5	6	12	35	38	39
SUBTOTAL	**5570**	**16.3**	**224**	**5**	**7**	**12**	**21**	**35**	**59**		**3178**	**12.2**	**101**	**3**	**6**	**10**	**16**	**24**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	79	5.7	4	2	4	7	7	7	9	0-17	5	6.0							
70-74	68	14.0	37	4	12	13	18	22	22	18-34	11	4.6	2						
75-79	29	10.2	29							35-49	76	8.2	29	3	4	5	13	14	21
80-84	18	3.9	8							50-69	91	7.8	32	2	2	7	12	17	17
85 +	12	4.0								70 +	0								
SUBTOTAL	**207**	**8.8**	**35**	**2**	**4**	**7**	**12**	**20**	**21**		**185**	**7.7**	**28**	**2**	**3**	**6**	**12**	**17**	**17**
GRAND TOTAL	**5776**	**16.1**	**219**	**4**	**7**	**12**	**21**	**35**	**56**		**3363**	**11.9**	**98**	**3**	**5**	**9**	**15**	**24**	**33**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	1.0								0-17	0								
18-34	128	18.1	195	6	7	14	21	42	44	18-34	109	13.1	155	4	8	9	13	46	46
35-49	341	15.1	153	4	7	12	19	28	53	35-49	338	13.1	151	4	6	9	16	29	53
50-69	409	14.4	192	3	6	11	18	25	38	50-69	469	13.4	134	3	6	9	16	38	40
70 +	12	16.9	61							70 +	28	22.8	554						
SUBTOTAL	**895**	**15.1**	**177**	**3**	**7**	**12**	**19**	**29**	**44**		**943**	**13.5**	**157**	**4**	**6**	**9**	**16**	**38**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	5	3.0								18-34	20	6.0							
35-49	23	12.5	84							35-49	28	10.2	15						
50-69	0									50-69	39	9.5	75	1	2	8	14	28	28
70 +	0									70 +	0								
SUBTOTAL	**28**	**10.8**	**82**								**87**	**8.9**	**40**	**1**	**6**	**8**	**10**	**15**	**28**
GRAND TOTAL	**923**	**15.0**	**175**	**3**	**7**	**12**	**19**	**28**	**44**		**1030**	**13.1**	**148**	**4**	**6**	**9**	**15**	**29**	**46**

DRG 288: O.R. Procedures for Obesity

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	166	8.1	80	3	4	5	8	13	16
70-74	0								
75-79	18	33.7							
80-84	6	23.0							
85 +	0								
SUBTOTAL	**190**	**11.0**	**131**	**3**	**5**	**7**	**11**	**33**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	125	5.7	20	2	3	5	8	10	14
70-74	23	4.1	5						
75-79	11	3.0	4						
80-84	12	3.0							
85 +	0								
SUBTOTAL	**171**	**5.1**	**16**	**2**	**3**	**4**	**6**	**10**	**11**
GRAND TOTAL	**361**	**8.2**	**85**	**2**	**3**	**5**	**9**	**18**	**33**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	33	23.2	1034	2	4	11	24	91	91
18-34	296	6.8	15	4	5	6	7	12	13
35-49	714	6.3	17	3	4	5	7	9	13
50-69	319	8.5	67	3	5	5	10	14	24
70 +	20	9.0	9						
	1382	**7.4**	**59**	**3**	**4**	**6**	**7**	**12**	**18**
0-17	77	4.0	3	1	4	4	5	6	6
18-34	978	4.4	7	2	3	4	5	6	7
35-49	1565	4.3	6	2	3	4	5	7	7
50-69	486	4.0	4	2	2	4	5	7	8
70 +	0								
	3106	**4.3**	**6**	**2**	**3**	**4**	**5**	**7**	**7**
	4488	**5.2**	**24**	**2**	**3**	**5**	**6**	**7**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	5	16.0							
18-34	88	6.6	3	4	5	7	8	9	9
35-49	128	10.1	133	5	5	7	8	16	31
50-69	11	6.5	2						
70 +	0								
SUBTOTAL	**233**	**8.7**	**79**	**5**	**5**	**7**	**8**	**11**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	1.5							
18-34	273	4.8	8	3	3	4	6	8	9
35-49	164	4.3	4	2	3	4	6	8	8
50-69	47	4.1	4	2	2	3	5	8	8
70 +	0								
SUBTOTAL	**494**	**4.5**	**6**	**2**	**3**	**4**	**6**	**8**	**8**
GRAND TOTAL	**727**	**5.8**	**33**	**2**	**3**	**5**	**7**	**8**	**11**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	64	7.8	72	2	5	6	8	9	35
35-49	114	5.3	16	2	4	4	5	9	18
50-69	33	4.5	4						
70 +	0								
	211	**5.9**	**32**	**2**	**4**	**5**	**6**	**9**	**20**
0-17	16	5.0	1						
18-34	230	2.8	5	1	1	2	4	6	6
35-49	455	2.5	5	1	1	2	3	6	7
50-69	157	2.0	1	1	1	1	3	3	4
70 +	0								
	858	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	1069	**3.2**	**12**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 289: Parathyroid Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	757	6.3	47	2	3	4	7	14	18	0-17	26	10.0	26						
70-74	451	6.8	60	2	3	4	6	17	30	18-34	58	5.9	15	3	3	4	8	13	16
75-79	297	12.6	412	2	3	5	16	32	34	35-49	251	6.1	77	1	2	3	5	13	30
80-84	114	5.7	37	2	2	3	6	12	24	50-69	395	6.1	91	1	2	3	5	18	20
85 +	28	15.6	118							70 +	11	4.6	2						
SUBTOTAL	**1647**	**7.7**	**123**	**2**	**3**	**4**	**7**	**18**	**26**		**740**	**6.2**	**77**	**2**	**2**	**3**	**5**	**15**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	865	3.0	4	1	2	3	3	5	7	0-17	26	4.0	6						
70-74	704	3.5	19	2	2	3	3	5	7	18-34	339	2.7	2	2	2	2	3	5	5
75-79	448	3.1	6	1	2	2	3	5	7	35-49	1128	2.5	2	1	2	2	3	4	5
80-84	143	3.7	13	2	2	3	4	6	6	50-69	2159	2.4	1	1	2	2	3	4	4
85 +	43	4.1	7	2	2	3	4	10	10	70 +	57	2.6	1	1	2	2	3	4	4
SUBTOTAL	**2204**	**3.3**	**10**	**1**	**2**	**3**	**3**	**5**	**7**		**3709**	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**3851**	**5.2**	**63**	**2**	**2**	**3**	**5**	**11**	**18**		**4449**	**3.1**	**16**	**1**	**2**	**2**	**3**	**5**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	53	6.6	12	3	4	5	9	12	12	18-34	11	4.4	13						
35-49	38	11.6	153	2	3	6	15	39	39	35-49	92	5.3	30	1	2	3	5	20	20
50-69	57	19.7	824	3	5	8	21	87	99	50-69	125	5.9	39	2	2	3	5	16	22
70 +	0									70 +	10	10.5	47						
SUBTOTAL	**149**	**13.0**	**390**	**3**	**4**	**6**	**12**	**39**	**43**		**239**	**5.8**	**35**	**2**	**2**	**4**	**7**	**17**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	5.0								0-17	6	2.0							
18-34	75	6.9	20	2	2	7	12	14	14	18-34	135	3.9	24	1	2	3	3	5	8
35-49	68	3.8	6	2	2	3	4	5	11	35-49	284	2.5	3	1	2	2	3	3	6
50-69	99	3.2	2	2	2	3	4	6	6	50-69	288	3.5	16	1	2	2	3	7	13
70 +	0									70 +	33	2.0							
SUBTOTAL	**248**	**4.5**	**11**	**2**	**2**	**3**	**5**	**11**	**12**		**745**	**3.1**	**12**	**1**	**2**	**2**	**3**	**5**	**8**
GRAND TOTAL	**396**	**7.7**	**169**	**2**	**3**	**4**	**8**	**12**	**21**		**984**	**3.8**	**19**	**1**	**2**	**2**	**3**	**8**	**14**

DRG 290: Thyroid Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1184	5.0	24	2	2	3	6	10	15	0-17	72	3.8	8	2	2	2	5	7	12
70-74	850	5.5	51	2	2	3	6	12	17	18-34	858	3.2	8	1	2	2	3	6	8
75-79	593	6.7	169	2	2	3	6	11	21	35-49	1461	3.2	5	1	2	3	4	6	9
80-84	238	6.3	47	2	2	4	6	14	23	50-69	1778	4.2	43	2	2	3	5	7	10
85 +	168	8.7	86	2	3	6	8	32	34	70 +	67	3.0	2	2	2	3	4	4	7
SUBTOTAL	**3033**	**5.8**	**66**	**2**	**2**	**3**	**6**	**11**	**18**		**4237**	**3.6**	**22**	**1**	**2**	**3**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3013	2.4	2	1	2	2	3	4	5	0-17	674	2.0	2	1	1	2	2	3	4
70-74	1655	2.4	2	1	2	2	3	4	5	18-34	7110	2.0	1	1	1	2	2	3	4
75-79	1010	2.5	2	1	2	2	3	4	5	35-49	12549	2.0	1	1	1	2	2	3	4
80-84	432	2.6	1	1	2	2	3	4	5	50-69	8575	2.2	1	1	2	2	3	3	4
85 +	85	5.3	17	1	2	3	8	12	14	70 +	120	2.2	1	1	1	2	3	3	4
SUBTOTAL	**6197**	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**5**		**29027**	**2.1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**9230**	**3.6**	**25**	**1**	**2**	**2**	**3**	**6**	**9**		**33264**	**2.3**	**4**	**1**	**1**	**2**	**3**	**3**	**4**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	21	4.2	3							0-17	54	6.2	45	1	2	3	4	18	18
18-34	179	4.0	6	2	2	3	5	8	10	18-34	284	2.8	2	1	2	3	3	4	6
35-49	117	6.9	56	2	3	5	7	14	28	35-49	331	3.0	3	2	2	3	3	5	5
50-69	192	5.4	19	2	3	4	6	12	17	50-69	274	3.2	4	2	2	3	3	6	7
70 +	10	3.0								70 +	34	3.3	5						
SUBTOTAL	**519**	**5.2**	**23**	**2**	**2**	**4**	**6**	**10**	**13**		**977**	**3.2**	**6**	**1**	**2**	**3**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	160	2.2	1	1	2	2	3	3	4	0-17	151	1.9	1	1	1	2	2	3	4
18-34	930	2.4	3	1	2	2	3	4	5	18-34	1719	2.1	2	1	1	2	3	3	4
35-49	644	2.5	1	1	2	2	3	4	5	35-49	2625	1.9	1	1	1	2	2	3	4
50-69	429	2.9	14	1	2	2	3	4	5	50-69	1563	2.3	2	1	1	2	3	4	5
70 +	11	12.4	89							70 +	108	1.9		1	1	2	2	3	3
SUBTOTAL	**2174**	**2.6**	**5**	**1**	**2**	**2**	**3**	**4**	**5**		**6166**	**2.1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**2693**	**3.1**	**10**	**1**	**2**	**2**	**3**	**5**	**7**		**7143**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**4**

DRG 291: Thyroglossal Procedures

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	31	2.9	3						
70-74	19	2.0							
75-79	6	3.0							
80-84	0								
85 +	0								
SUBTOTAL	**56**	**2.6**	**2**	**1**	**2**	**2**	**4**	**5**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	95	1.4		1	1	1	2	2	3
70-74	50	1.4							
75-79	11	1.5							
80-84	12	2.0							
85 +	16	1.6							
SUBTOTAL	**183**	**1.5**		**1**	**1**	**1**	**2**	**2**	**2**
GRAND TOTAL	**239**	**1.7**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	1.6							
18-34	31	1.4							
35-49	16	1.0							
50-69	17	4.2	4						
70 +	0								
	114	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
0-17	1354	1.2	1	1	1	1	1	2	2
18-34	448	1.5		1	1	1	2	2	3
35-49	306	1.6	2	1	1	1	2	2	3
50-69	276	1.6		1	1	2	2	2	3
70 +	0								
	2384	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**
	2499	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	12	2.0							
18-34	0								
35-49	10	2.0							
50-69	0								
70 +	0								
SUBTOTAL	**23**	**2.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	331	1.3		1	1	1	2	2	3
18-34	65	1.7	1	1	1	1	2	2	5
35-49	24	2.3	1						
50-69	0								
70 +	6	2.0							
SUBTOTAL	**426**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**448**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	24	1.0							
35-49	6	1.0							
50-69	11	3.0	4						
70 +	0								
	41	**1.5**	**2**	**< 1**	**1**	**1**	**1**	**5**	**5**
0-17	373	1.2		1	1	1	1	2	2
18-34	164	1.3	1	1	1	1	2	2	3
35-49	58	1.6		1	1	2	2	3	3
50-69	22	1.7							
70 +	0								
	616	**1.3**		**1**	**1**	**1**	**1**	**2**	**2**
	658	**1.3**		**1**	**1**	**1**	**1**	**2**	**3**

DRG 292: Other Endocrine, Nutrit & Metab O.R. Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1777	13.1	148	2	5	10	17	29	35	0-17	182	12.2	116	2	4	8	21	28	45
70-74	653	12.5	76	2	6	12	18	30	34	18-34	162	11.2	208	2	3	8	13	18	27
75-79	797	19.3	185	6	10	15	27	39	53	35-49	435	9.7	98	2	3	6	12	26	26
80-84	425	18.9	309	3	9	15	23	44	81	50-69	868	13.6	147	2	6	10	18	27	39
85 +	278	17.3	345	3	8	11	26	87	99 +	70 +	59	14.1	71	2	5	14	21	25	25
SUBTOTAL	**3930**	**15.1**	**183**	**3**	**6**	**12**	**20**	**34**	**53**		**1705**	**12.2**	**137**	**2**	**4**	**9**	**16**	**26**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3930**	**15.1**	**183**	**3**	**6**	**12**	**20**	**34**	**53**		**1705**	**12.2**	**137**	**2**	**4**	**9**	**16**	**26**	**34**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	64	25.2	432	1	4	19	39	43	68	0-17	53	13.7	63	8	10	12	18	68	99 +
18-34	214	17.0	180	6	8	12	22	40	52	18-34	107	8.0	33	2	3	7	10	18	23
35-49	213	17.6	280	5	6	13	23	32	37	35-49	204	10.6	103	2	5	7	15	20	25
50-69	304	15.3	179	4	7	11	18	29	45	50-69	186	10.9	94	2	5	8	14	22	30
70 +	29	35.5	131							70 +	29	10.1	53						
SUBTOTAL	**823**	**17.8**	**240**	**5**	**7**	**12**	**23**	**39**	**46**		**579**	**10.5**	**83**	**2**	**5**	**8**	**14**	**21**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**823**	**17.8**	**240**	**5**	**7**	**12**	**23**	**39**	**46**		**579**	**10.5**	**83**	**2**	**5**	**8**	**14**	**21**	**30**

DRG 293: Other Endocrine, Nutrit & Metab O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	191	6.9	35	2	2	4	10	18	21
70-74	51	5.7	11	1	4	4	8	11	11
75-79	80	6.3	20	1	3	5	8	11	17
80-84	44	7.4	16	2	5	7	9	13	13
85 +	22	2.6	3						
SUBTOTAL	**389**	**6.4**	**26**	**1**	**2**	**4**	**10**	**13**	**18**
GRAND TOTAL	**389**	**6.4**	**26**	**1**	**2**	**4**	**10**	**13**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	219	4.8	36	1	1	3	6	12	14
18-34	157	4.7	9	1	2	4	7	10	11
35-49	238	5.4	34	1	2	3	7	10	22
50-69	245	7.0	32	2	3	4	12	15	16
70 +	10	1.0							
	869	**5.5**	**30**	**1**	**2**	**4**	**7**	**12**	**15**
	869	**5.5**	**30**	**1**	**2**	**4**	**7**	**12**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	81	4.5	17	1	1	3	10	13	99 +
18-34	107	7.5	19	2	3	7	10	14	17
35-49	55	5.1	10	2	2	5	7	11	12
50-69	47	6.1	55	1	2	3	3	20	20
70 +	6	6.0							
SUBTOTAL	**296**	**6.0**	**23**	**1**	**2**	**4**	**9**	**13**	**20**
GRAND TOTAL	**296**	**6.0**	**23**	**1**	**2**	**4**	**9**	**13**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	101	2.8	8	< 1	1	2	3	7	11
18-34	511	1.7	4	< 1	< 1	< 1	< 1	3	9
35-49	142	2.9	2	1	2	3	4	5	5
50-69	105	3.4	7	< 1	< 1	2	5	8	9
70 +	6	1.0							
	864	**2.2**	**5**	**< 1**	**< 1**	**< 1**	**3**	**5**	**8**
	864	**2.2**	**5**	**< 1**	**< 1**	**< 1**	**3**	**5**	**8**

DRG 294: Diabetes Age >35

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	19472	7.3	32	3	4	6	9	13	17	0-17	0								
70-74	10525	8.0	47	3	4	6	9	14	18	18-34	0								
75-79	9453	8.0	40	3	4	6	9	15	20	35-49	9905	5.6	24	2	3	5	7	9	11
80-84	6805	8.6	52	3	5	7	11	16	19	50-69	13561	6.7	27	3	4	5	8	12	15
85 +	4785	9.5	76	3	5	7	11	17	25	70 +	884	8.0	49	3	4	6	8	15	21
SUBTOTAL	**51039**	**8.0**	**44**	**3**	**4**	**6**	**9**	**14**	**19**		**24351**	**6.3**	**27**	**2**	**3**	**5**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	9124	5.4	13	2	3	5	7	9	12	0-17	0								
70-74	5200	5.6	23	2	3	5	7	10	12	18-34	0								
75-79	4126	5.7	23	2	3	5	7	9	11	35-49	9464	4.2	7	2	3	4	5	7	9
80-84	2443	6.0	15	3	4	5	7	10	13	50-69	12010	4.6	6	2	3	4	6	8	9
85 +	1273	6.4	19	3	4	5	8	11	15	70 +	346	4.7	7	2	2	5	7	8	9
SUBTOTAL	**22166**	**5.6**	**16**	**2**	**3**	**5**	**7**	**9**	**12**		**21819**	**4.4**	**7**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**73206**	**7.3**	**37**	**3**	**4**	**6**	**9**	**13**	**17**		**46170**	**5.4**	**18**	**2**	**3**	**4**	**7**	**9**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	5182	6.4	31	2	3	5	7	11	15	35-49	5722	5.8	25	2	3	5	7	10	14
50-69	5239	7.2	34	3	4	6	9	13	17	50-69	5019	6.5	25	2	3	5	8	11	15
70 +	478	8.6	88	2	5	7	10	20	81	70 +	578	8.0	92	3	3	6	8	17	34
SUBTOTAL	**10898**	**6.9**	**35**	**2**	**4**	**5**	**8**	**13**	**17**		**11319**	**6.2**	**29**	**2**	**3**	**5**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	2702	5.3	13	2	3	5	7	9	10	35-49	4251	3.9	7	1	2	3	5	7	9
50-69	2787	5.5	17	2	3	5	7	10	12	50-69	3942	4.3	16	1	2	3	5	7	9
70 +	194	5.7	8	2	3	6	7	9	11	70 +	231	4.6	10	1	2	4	6	9	12
SUBTOTAL	**5683**	**5.4**	**15**	**2**	**3**	**5**	**7**	**9**	**11**		**8424**	**4.1**	**11**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**16581**	**6.4**	**29**	**2**	**3**	**5**	**8**	**11**	**15**		**19743**	**5.3**	**22**	**2**	**3**	**4**	**6**	**9**	**13**

DRG 295: Diabetes Age 0-35

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1812	6.0	24	2	3	5	7	10	16	0-17	5857	4.1	16	1	2	3	5	7	8
70-74	0									18-34	7940	4.6	13	2	2	4	6	8	11
75-79	0									35-49	470	5.2	15	2	3	4	6	9	13
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**1812**	**6.0**	**24**	**2**	**3**	**5**	**7**	**10**	**16**		**14268**	**4.4**	**14**	**1**	**2**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	730	4.9	21	1	2	3	5	10	14	0-17	14366	3.9	5	1	2	4	5	7	8
70-74	0									18-34	10393	3.7	5	2	2	3	4	6	8
75-79	0									35-49	577	4.2	7	1	3	4	5	7	8
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**730**	**4.9**	**21**	**1**	**2**	**3**	**5**	**10**	**14**		**25336**	**3.8**	**5**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**2543**	**5.6**	**23**	**2**	**3**	**4**	**7**	**10**	**16**		**39603**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1802	4.8	17	1	2	4	6	9	11	0-17	1966	4.3	7	1	2	4	6	7	9
18-34	5338	5.2	17	2	3	4	6	9	12	18-34	6303	4.9	19	2	2	4	6	8	11
35-49	327	5.5	15	2	3	5	7	9	17	35-49	384	6.1	44	2	3	5	7	10	10
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**7467**	**5.1**	**17**	**2**	**3**	**4**	**6**	**9**	**12**		**8652**	**4.8**	**17**	**2**	**2**	**4**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	4484	4.4	9	1	2	4	6	8	10	0-17	4586	3.9	5	1	2	4	5	6	7
18-34	4425	4.6	16	2	2	4	6	8	10	18-34	6810	3.5	7	1	2	3	4	6	7
35-49	236	4.9	19	2	2	3	5	8	18	35-49	308	3.4	5	1	2	3	5	7	7
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**9144**	**4.5**	**13**	**2**	**2**	**4**	**6**	**8**	**10**		**11704**	**3.7**	**6**	**1**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**16611**	**4.8**	**15**	**2**	**2**	**4**	**6**	**9**	**11**		**20356**	**4.2**	**11**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 296: Nutritional & Misc Metabolic Disorders Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	39661	7.1	50	2	3	5	9	14	20	0-17	0								
70-74	28903	7.9	62	2	3	6	9	15	23	18-34	7208	7.3	62	1	2	4	11	16	21
75-79	32930	8.3	64	2	4	6	10	16	22	35-49	9493	5.4	28	1	2	4	7	11	15
80-84	31898	8.6	68	3	4	6	10	17	22	50-69	20254	6.5	41	2	3	5	8	13	18
85 +	39943	9.3	75	3	4	7	11	18	26	70 +	3272	6.7	34	2	3	5	8	13	17
SUBTOTAL	**173336**	**8.3**	**64**	**2**	**4**	**6**	**10**	**16**	**22**		**40226**	**6.4**	**41**	**2**	**3**	**4**	**8**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**173336**	**8.3**	**64**	**2**	**4**	**6**	**10**	**16**	**22**		**40226**	**6.4**	**41**	**2**	**3**	**4**	**8**	**14**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	3700	7.4	80	1	2	4	9	17	23	18-34	2473	5.5	43	1	2	4	7	14	16
35-49	4178	6.2	37	2	3	4	8	13	17	35-49	3327	5.1	23	1	2	4	6	10	13
50-69	6952	7.3	49	2	3	5	9	15	22	50-69	5613	6.4	47	2	3	4	8	13	17
70 +	1593	10.6	179	2	4	7	11	21	34	70 +	2191	6.8	34	2	3	5	8	14	18
SUBTOTAL	**16429**	**7.4**	**67**	**2**	**3**	**5**	**9**	**15**	**22**		**13604**	**6.0**	**39**	**2**	**2**	**4**	**7**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**16429**	**7.4**	**67**	**2**	**3**	**5**	**9**	**15**	**22**		**13604**	**6.0**	**39**	**2**	**2**	**4**	**7**	**12**	**16**

DRG 297: Nutritional & Misc Metabolic Disorders Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8308	4.6	17	1	2	3	6	9	13	0-17	0								
70-74	7082	4.7	17	2	2	4	6	9	12	18-34	10969	4.4	25	1	2	3	5	12	15
75-79	8611	5.0	14	2	3	4	6	9	12	35-49	7989	3.5	9	1	2	3	4	7	10
80-84	8280	5.3	17	2	3	4	6	10	13	50-69	8087	3.6	8	1	2	3	4	7	8
85+	10603	5.8	27	2	3	4	7	11	15	70+	855	4.2	16	1	2	3	5	7	9
SUBTOTAL	**42885**	**5.1**	**19**	**2**	**3**	**4**	**6**	**10**	**13**		**27901**	**3.9**	**15**	**1**	**2**	**3**	**4**	**8**	**13**
GRAND TOTAL	**42885**	**5.1**	**19**	**2**	**3**	**4**	**6**	**10**	**13**		**27901**	**3.9**	**15**	**1**	**2**	**3**	**4**	**8**	**13**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	2455	6.0	39	1	2	3	8	15	20	18-34	3357	3.4	14	1	1	2	4	7	13
35-49	1292	4.3	15	1	2	3	5	8	12	35-49	2255	3.5	11	1	2	2	4	7	10
50-69	1624	4.2	13	1	2	3	5	8	10	50-69	2181	3.2	10	1	1	2	4	6	8
70+	345	5.0	9	2	3	5	6	9	12	70+	772	4.6	39	1	2	3	6	8	11
SUBTOTAL	**5716**	**5.0**	**25**	**1**	**2**	**3**	**6**	**12**	**16**		**8566**	**3.5**	**14**	**1**	**2**	**2**	**4**	**7**	**11**
GRAND TOTAL	**5716**	**5.0**	**25**	**1**	**2**	**3**	**6**	**12**	**16**		**8566**	**3.5**	**14**	**1**	**2**	**2**	**4**	**7**	**11**

DRG 298: Nutritional & Misc Metabolic Disorders Age 0-17

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	323	5.7	22	1	2	5	8	13	15
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**323**	**5.7**	**22**	**1**	**2**	**5**	**8**	**13**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	95	3.3	4	2	2	3	3	8	8
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**95**	**3.3**	**4**	**2**	**2**	**3**	**3**	**8**	**8**
GRAND TOTAL	**418**	**5.2**	**19**	**1**	**2**	**4**	**7**	**12**	**13**

BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	12158	6.7	71	1	2	3	8	16	22
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	12158	**6.7**	**71**	**1**	**2**	**3**	**8**	**16**	**22**
0-17	44093	3.3	16	1	1	2	3	6	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	44093	**3.3**	**16**	**1**	**1**	**2**	**3**	**6**	**11**
	56250	**4.0**	**30**	**1**	**2**	**2**	**4**	**10**	**14**

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10479	7.0	71	2	2	4	8	15	22
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**10479**	**7.0**	**71**	**2**	**2**	**4**	**8**	**15**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	28041	4.2	22	1	2	3	5	9	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**28041**	**4.2**	**22**	**1**	**2**	**3**	**5**	**9**	**13**
GRAND TOTAL	**38520**	**5.0**	**37**	**1**	**2**	**3**	**6**	**11**	**15**

NO INSURANCE									
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	4582	6.1	55	1	2	3	7	13	22
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4582	**6.1**	**55**	**1**	**2**	**3**	**7**	**13**	**22**
0-17	14727	2.9	10	1	1	2	3	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	14727	**2.9**	**10**	**1**	**1**	**2**	**3**	**6**	**8**
	19309	**3.7**	**22**	**1**	**1**	**2**	**4**	**8**	**12**

DRG 299: Inborn Errors of Metabolism

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	310	8.1	43	2	3	6	13	17	20
70-74	41	4.0	11	2	2	2	7	11	11
75-79	62	4.9	13	1	3	3	9	10	13
80-84	17	3.6	2						
85 +	11	5.5	13						
SUBTOTAL	**441**	**7.0**	**36**	**2**	**2**	**5**	**9**	**17**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	327	4.8	23	1	1	3	7	13	15
70-74	44	2.2	9						
75-79	33	1.9	1						
80-84	0								
85 +	13	1.0							
SUBTOTAL	**416**	**4.2**	**20**	**1**	**1**	**2**	**5**	**12**	**15**
GRAND TOTAL	**857**	**5.7**	**30**	**1**	**2**	**4**	**9**	**14**	**17**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	862	5.9	40	1	2	4	7	15	22
18-34	347	5.4	24	1	2	4	8	10	13
35-49	283	7.5	104	1	4	5	8	15	17
50-69	245	5.0	27	1	1	3	7	10	14
70 +	10	6.0							
	1747	**5.9**	**46**	**1**	**2**	**4**	**7**	**13**	**17**
0-17	1282	3.7	15	1	1	2	4	9	13
18-34	390	3.2	10	1	1	2	5	8	9
35-49	386	2.4	9	1	1	1	3	4	6
50-69	226	2.1	3	< 1	1	1	3	5	7
70 +	0								
	2283	**3.3**	**12**	**1**	**1**	**2**	**4**	**7**	**11**
	4030	**4.4**	**29**	**1**	**1**	**3**	**5**	**10**	**14**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	584	9.0	148	2	3	5	9	20	53
18-34	153	5.3	18	2	2	5	7	12	12
35-49	56	5.6	9	2	2	5	8	10	11
50-69	16	2.4							
70 +	10	4.0							
SUBTOTAL	**819**	**7.9**	**113**	**2**	**3**	**5**	**9**	**16**	**49**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	509	4.7	31	1	2	3	6	10	14
18-34	93	2.8	3	1	2	2	3	6	7
35-49	45	3.4	3	1	2	4	5	6	6
50-69	32	18.7	771						
70 +	10	4.0							
SUBTOTAL	**690**	**5.0**	**68**	**1**	**2**	**3**	**6**	**10**	**12**
GRAND TOTAL	**1509**	**6.6**	**94**	**1**	**2**	**4**	**7**	**13**	**29**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	255	4.7	34	1	1	3	5	11	14
18-34	130	7.5	30	1	2	8	9	14	16
35-49	49	5.3	12	1	3	4	7	13	13
50-69	12	9.7	27						
70 +	0								
	447	**5.7**	**32**	**1**	**2**	**4**	**8**	**14**	**15**
0-17	823	2.8	11	1	1	2	3	6	9
18-34	346	3.6	33	1	1	2	4	6	8
35-49	72	4.6	19	1	1	3	5	13	13
50-69	64	2.7	6	1	1	1	4	7	8
70 +	0								
	1305	**3.1**	**17**	**1**	**1**	**2**	**3**	**6**	**9**
	1751	**3.7**	**22**	**1**	**1**	**2**	**4**	**8**	**13**

DRG 300: Endocrine Disorders w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2753	7.8	49	2	4	6	9	14	21	0-17	1073	5.9	33	1	3	4	7	12	15
70-74	1987	8.9	48	3	4	7	11	18	21	18-34	792	3.9	7	2	2	3	5	8	9
75-79	2137	10.2	69	3	5	8	13	20	27	35-49	1394	5.4	32	1	2	4	7	10	13
80-84	1637	11.7	177	3	5	8	13	24	37	50-69	2042	6.8	36	2	3	5	8	13	18
85 +	1515	10.9	61	4	6	9	14	21	31	70 +	281	8.7	36	3	5	7	10	15	19
SUBTOTAL	**10029**	**9.6**	**78**	**3**	**5**	**7**	**12**	**19**	**25**		**5582**	**5.9**	**31**	**2**	**3**	**4**	**8**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**10029**	**9.6**	**78**	**3**	**5**	**7**	**12**	**19**	**25**		**5582**	**5.9**	**31**	**2**	**3**	**4**	**8**	**11**	**15**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	514	7.6	77	1	2	5	10	14	33	0-17	466	5.1	53	1	1	3	5	12	28
18-34	373	5.7	29	1	2	4	7	12	17	18-34	363	4.5	10	1	2	4	6	8	12
35-49	346	6.5	29	2	3	6	8	10	19	35-49	493	6.7	37	1	3	5	9	15	22
50-69	555	8.8	44	2	3	7	11	20	21	50-69	698	7.6	89	2	3	6	9	14	20
70 +	89	11.4	78	4	5	10	13	32	32	70 +	86	12.3	76	3	5	10	22	27	27
SUBTOTAL	**1877**	**7.5**	**51**	**2**	**3**	**6**	**10**	**15**	**21**		**2106**	**6.5**	**57**	**1**	**2**	**4**	**8**	**13**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1877**	**7.5**	**51**	**2**	**3**	**6**	**10**	**15**	**21**		**2106**	**6.5**	**57**	**1**	**2**	**4**	**8**	**13**	**20**

DRG 301: Endocrine Disorders w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	773	4.9	20	1	2	3	6	11	15
70-74	490	5.7	37	1	2	3	8	13	24
75-79	455	5.5	13	2	2	5	7	11	14
80-84	202	6.2	16	1	4	6	9	10	14
85 +	246	5.4	17	1	3	5	6	10	19
SUBTOTAL	**2166**	**5.4**	**22**	**1**	**2**	**4**	**7**	**11**	**15**
GRAND TOTAL	**2166**	**5.4**	**22**	**1**	**2**	**4**	**7**	**11**	**15**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2335	2.2	5	1	1	2	2	4	5
18-34	1418	2.9	5	1	1	2	3	6	8
35-49	1767	3.0	5	1	2	2	4	6	7
50-69	1498	3.4	7	1	2	2	4	6	8
70 +	43	4.5	12	1	3	3	5	13	13
	7061	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
	7061	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	877	3.7	15	1	2	2	4	7	11
18-34	493	3.6	4	2	2	3	5	6	8
35-49	201	4.8	34	1	2	3	5	7	26
50-69	184	6.9	86	2	3	4	6	12	43
70 +	23	3.9	1						
SUBTOTAL	**1778**	**4.1**	**22**	**1**	**2**	**3**	**5**	**8**	**11**
GRAND TOTAL	**1778**	**4.1**	**22**	**1**	**2**	**3**	**5**	**8**	**11**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1584	2.2	10	1	1	1	2	5	8
18-34	746	3.4	26	1	1	2	4	6	10
35-49	630	3.2	10	1	1	2	4	6	8
50-69	471	3.1	6	1	1	2	4	6	8
70 +	35	3.3	7	1	1	2	4	9	9
	3465	**2.8**	**13**	**1**	**1**	**1**	**3**	**6**	**8**
	3465	**2.8**	**13**	**1**	**1**	**1**	**3**	**6**	**8**

Total U.S., July 1990 - June 1991

DRG 302: Kidney Transplant

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3980	17.0	110	8	10	14	20	29	36
70-74	11	10.0	18						
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**3991**	**17.0**	**110**	**8**	**10**	**14**	**20**	**29**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	638	11.2	25	6	8	10	13	19	19
70-74	18	8.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**656**	**11.1**	**25**	**6**	**8**	**10**	**13**	**18**	**19**
GRAND TOTAL	**4647**	**16.2**	**102**	**7**	**9**	**14**	**20**	**27**	**35**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	312	21.9	190	10	13	17	25	46	50
18-34	356	13.1	53	7	8	10	15	24	30
35-49	465	14.5	144	7	8	11	18	24	30
50-69	212	15.8	79	8	10	13	21	26	38
70 +	0								
	1346	**16.1**	**131**	**7**	**9**	**13**	**20**	**28**	**41**
0-17	151	14.8	26	8	10	14	19	22	22
18-34	134	12.2	17	8	9	12	14	19	20
35-49	168	10.1	19	6	7	9	11	14	16
50-69	51	9.5	10	6	7	9	12	14	14
70 +	0								
	504	**12.0**	**24**	**7**	**8**	**11**	**14**	**19**	**22**
	1850	**15.0**	**105**	**7**	**9**	**12**	**18**	**24**	**32**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	132	27.2	265	12	14	22	31	61	63
18-34	143	13.5	68	6	8	11	16	31	34
35-49	49	15.3	157	6	8	10	12	45	45
50-69	44	12.6	9	8	9	12	14	18	18
70 +	0								
SUBTOTAL	**369**	**18.5**	**185**	**6**	**10**	**13**	**22**	**34**	**59**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	11	14.5							
18-34	50	10.9	17	5	9	10	13	18	18
35-49	33	11.4	8						
50-69	10	10.0							
70 +	0								
SUBTOTAL	**104**	**11.3**	**12**	**6**	**9**	**10**	**14**	**16**	**18**
GRAND TOTAL	**473**	**16.9**	**155**	**6**	**10**	**13**	**22**	**31**	**45**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	24	17.1	43						
18-34	66	11.0	24	7	8	8	15	19	21
35-49	70	14.1	136	7	9	12	14	15	54
50-69	49	11.5	7	8	10	10	13	16	16
70 +	0								
	210	**12.9**	**63**	**7**	**8**	**10**	**15**	**19**	**23**
0-17	0								
18-34	11	17.0	110						
35-49	27	10.0	15						
50-69	6	8.0							
70 +	0								
	44	**11.5**	**46**	**7**	**7**	**8**	**13**	**27**	**27**
	254	**12.6**	**60**	**7**	**8**	**10**	**15**	**19**	**24**

DRG 303: Kidney, Ureter & Major Bladder Procedures for Neoplasm

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4287	13.1	80	6	8	10	15	22	29
70-74	3621	12.8	70	6	7	10	15	22	28
75-79	3095	14.0	90	6	8	11	17	24	35
80-84	1567	15.5	129	7	9	12	18	28	37
85 +	664	16.1	96	8	9	13	21	25	31
SUBTOTAL	**13234**	**13.7**	**87**	**6**	**8**	**11**	**16**	**24**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1243	8.9	30	5	6	8	10	13	19
70-74	990	9.0	30	5	6	8	11	14	16
75-79	767	8.9	24	5	7	8	10	12	19
80-84	331	9.3	21	5	6	8	10	16	22
85 +	159	7.8	17	3	6	8	9	13	16
SUBTOTAL	**3491**	**8.9**	**27**	**5**	**6**	**8**	**10**	**13**	**19**
GRAND TOTAL	**16726**	**12.7**	**78**	**6**	**7**	**10**	**15**	**22**	**29**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	272	12.6	118	6	8	9	14	19	24
18-34	103	10.6	36	5	7	10	11	25	26
35-49	1217	9.7	39	5	6	8	11	16	19
50-69	4706	10.8	44	6	7	9	12	18	24
70 +	430	12.3	62	6	8	10	16	19	25
	6728	**10.8**	**47**	**6**	**7**	**9**	**12**	**18**	**23**
0-17	321	8.4	11	5	6	8	10	11	12
18-34	136	6.7	8	4	5	6	8	10	12
35-49	964	6.7	7	5	5	6	8	9	11
50-69	2562	7.9	13	5	6	7	9	12	14
70 +	99	8.4	5	5	7	8	10	12	12
	4082	**7.6**	**12**	**5**	**6**	**7**	**9**	**12**	**13**
	10810	**9.6**	**36**	**5**	**6**	**8**	**11**	**15**	**20**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	117	14.3	97	6	7	11	18	30	41
18-34	76	13.7	49	7	9	9	20	25	25
35-49	109	12.4	122	4	6	9	14	34	42
50-69	320	14.3	111	6	8	12	21	30	70
70 +	66	15.9	72	8	9	12	24	28	28
SUBTOTAL	**689**	**14.1**	**100**	**6**	**8**	**11**	**20**	**28**	**40**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	119	9.4	27	2	7	8	11	13	18
18-34	23	6.5	4						
35-49	63	7.4	1	6	7	7	8	9	9
50-69	136	7.6	12	2	6	8	10	12	14
70 +	17	11.3	14						
SUBTOTAL	**356**	**8.3**	**16**	**2**	**7**	**8**	**10**	**12**	**14**
GRAND TOTAL	**1045**	**12.1**	**79**	**5**	**7**	**9**	**15**	**25**	**30**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	82	10.5	42	4	6	9	11	24	24
18-34	54	6.6	3	5	6	6	7	11	11
35-49	288	10.8	46	5	6	8	14	21	23
50-69	785	12.4	83	6	7	9	14	22	40
70 +	132	13.9	94	7	8	12	15	23	27
	1341	**11.9**	**72**	**6**	**7**	**9**	**14**	**21**	**32**
0-17	147	9.3	33	4	6	9	10	12	26
18-34	70	7.6	10	4	5	7	10	13	14
35-49	205	8.6	26	5	6	8	10	13	14
50-69	479	7.2	9	5	5	6	9	11	12
70 +	68	9.8	88	5	6	8	9	10	40
	969	**8.0**	**23**	**5**	**6**	**7**	**9**	**12**	**14**
	2310	**10.2**	**55**	**5**	**6**	**8**	**11**	**18**	**24**

DRG 304: Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	6106	11.5	93	4	6	9	14	22	29		0-17	4023	7.9	54	3	4	6	9	16	22	
70-74	3142	11.3	82	3	6	9	14	22	30		18-34	2398	8.4	43	3	5	7	10	15	22	
75-79	2073	12.4	100	3	6	9	16	27	29		35-49	3379	8.4	39	2	4	7	11	16	20	
80-84	1239	13.9	124	4	7	11	17	27	37		50-69	4410	10.1	75	3	5	8	12	19	28	
85 +	753	15.2	143	4	8	13	19	28	35		70 +	254	9.2	45	3	5	7	10	20	25	
SUBTOTAL	**13313**	**12.0**	**98**	**4**	**6**	**9**	**15**	**24**	**30**			**14465**	**8.8**	**56**	**3**	**4**	**7**	**10**	**17**	**23**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	0										0-17	0									
70-74	0										18-34	0									
75-79	0										35-49	0									
80-84	0										50-69	0									
85 +	0										70 +	0									
SUBTOTAL	**0**											**0**									
GRAND TOTAL	**13313**	**12.0**	**98**	**4**	**6**	**9**	**15**	**24**	**30**			**14465**	**8.8**	**56**	**3**	**4**	**7**	**10**	**17**	**23**	

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	1289	9.5	60	4	5	7	11	19	25		0-17	1028	9.2	103	3	4	6	11	19	29	
18-34	1024	9.8	43	4	5	8	12	19	23		18-34	886	8.2	25	3	5	7	10	15	20	
35-49	710	14.1	228	4	6	10	15	33	37		35-49	932	8.2	71	2	4	6	9	15	25	
50-69	591	14.4	120	4	7	11	18	31	41		50-69	1007	9.4	51	3	5	8	11	19	25	
70 +	69	18.0	260	5	6	12	20	49	49		70 +	128	11.8	53	4	5	11	17	24	27	
SUBTOTAL	**3683**	**11.4**	**106**	**4**	**6**	**8**	**13**	**23**	**33**			**3981**	**8.9**	**64**	**3**	**4**	**7**	**11**	**18**	**25**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	0										0-17	0									
18-34	0										18-34	0									
35-49	0										35-49	0									
50-69	0										50-69	0									
70 +	0										70 +	0									
SUBTOTAL	**0**											**0**									
GRAND TOTAL	**3683**	**11.4**	**106**	**4**	**6**	**8**	**13**	**23**	**33**			**3981**	**8.9**	**64**	**3**	**4**	**7**	**11**	**18**	**25**	

DRG 305: Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	2231	6.3	44	2	3	5	8	10	13	0-17	10637	4.9	11	2	3	4	6	8	10
70-74	982	5.6	18	2	3	5	7	9	13	18-34	3400	5.2	12	1	3	5	6	9	11
75-79	603	7.0	29	2	4	6	8	11	18	35-49	4348	4.9	11	1	3	5	6	8	10
80-84	177	8.2	71	2	4	6	9	13	21	50-69	3838	4.7	11	1	2	4	6	9	11
85 +	116	6.8	63	1	2	5	8	12	31	70 +	74	6.4	14	1	4	7	9	11	12
SUBTOTAL	**4109**	**6.4**	**37**	**2**	**3**	**5**	**8**	**11**	**14**		**22296**	**4.9**	**11**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**4109**	**6.4**	**37**	**2**	**3**	**5**	**8**	**11**	**14**		**22296**	**4.9**	**11**	**2**	**3**	**4**	**6**	**8**	**10**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	3047	5.4	14	2	3	5	7	9	11	0-17	3284	5.2	17	2	3	4	6	8	11
18-34	826	6.1	14	2	4	5	8	11	15	18-34	1656	4.8	5	2	3	5	6	7	8
35-49	441	6.1	14	2	4	5	7	11	14	35-49	1226	5.0	7	2	3	5	7	8	9
50-69	400	8.3	59	1	4	6	10	17	25	50-69	850	5.0	12	1	2	4	7	9	13
70 +	30	7.6	34							70 +	65	4.1	13	1	1	3	6	7	14
SUBTOTAL	**4745**	**5.9**	**19**	**2**	**3**	**5**	**7**	**10**	**14**		**7081**	**5.0**	**12**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**4745**	**5.9**	**19**	**2**	**3**	**5**	**7**	**10**	**14**		**7081**	**5.0**	**12**	**2**	**3**	**4**	**6**	**8**	**10**

DRG 306: Prostatectomy w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2263	7.4	40	3	3	5	9	14	20	0-17	0								
70-74	2763	7.8	49	2	3	6	10	14	19	18-34	0								
75-79	2817	8.2	42	3	4	6	11	16	21	35-49	88	2.7	1	2	2	2	3	4	6
80-84	2377	9.2	57	3	4	7	13	18	25	50-69	1507	7.4	48	2	3	5	10	15	19
85+	1615	11.4	71	3	5	9	15	23	26	70+	294	7.1	50	2	3	5	9	16	17
SUBTOTAL	**11835**	**8.6**	**52**	**3**	**4**	**6**	**11**	**17**	**23**		**1889**	**7.2**	**47**	**2**	**3**	**5**	**9**	**15**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**11835**	**8.6**	**52**	**3**	**4**	**6**	**11**	**17**	**23**		**1889**	**7.2**	**47**	**2**	**3**	**5**	**9**	**15**	**18**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	6	3.0								35-49	17	3.2	1						
50-69	71	13.4	279	3	3	5	14	48	48	50-69	227	9.7	47	2	3	9	15	21	22
70+	78	14.6	141	3	5	16	17	24	52	70+	136	6.6	25	2	3	5	8	16	17
SUBTOTAL	**156**	**13.6**	**202**	**3**	**3**	**8**	**17**	**48**	**48**		**380**	**8.3**	**40**	**2**	**3**	**7**	**11**	**17**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**156**	**13.6**	**202**	**3**	**3**	**8**	**17**	**48**	**48**		**380**	**8.3**	**40**	**2**	**3**	**7**	**11**	**17**	**21**

DRG 307: Prostatectomy w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1492	4.0	10	2	3	4	5	6	6	0-17	5	1.0							
70-74	1370	4.7	12	2	3	4	5	9	10	18-34	6	1.0							
75-79	1242	4.4	8	2	3	4	5	8	10	35-49	135	3.8	29	2	2	3	3	4	6
80-84	632	4.8	14	2	3	4	5	10	11	50-69	1939	3.9	6	2	3	3	4	6	8
85 +	355	6.0	18	2	3	5	7	14	15	70 +	146	4.4	14	1	2	3	4	10	10
SUBTOTAL	**5090**	**4.5**	**11**	**2**	**3**	**4**	**5**	**8**	**10**		**2230**	**3.9**	**8**	**2**	**2**	**3**	**4**	**6**	**9**
GRAND TOTAL	**5090**	**4.5**	**11**	**2**	**3**	**4**	**5**	**8**	**10**		**2230**	**3.9**	**8**	**2**	**2**	**3**	**4**	**6**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	6	4.0								35-49	22	2.9	3						
50-69	67	3.9	1	3	3	4	4	4	6	50-69	236	3.8	16	2	2	3	3	5	20
70 +	36	3.6								70 +	82	4.6	16	2	3	3	4	14	14
SUBTOTAL	**109**	**3.8**		**3**	**3**	**4**	**4**	**4**	**6**		**341**	**4.0**	**15**	**2**	**2**	**3**	**3**	**5**	**14**
GRAND TOTAL	**109**	**3.8**		**3**	**3**	**4**	**4**	**4**	**6**		**341**	**4.0**	**15**	**2**	**2**	**3**	**3**	**5**	**14**

DRG 308: Minor Bladder Procedures w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2473	8.0	51	2	3	6	10	17	23	0-17	705	8.0	67	1	3	6	10	16	19
70-74	1890	7.4	51	2	3	5	9	15	21	18-34	344	6.3	22	2	3	5	8	12	18
75-79	2004	9.4	103	2	3	7	11	20	27	35-49	503	7.6	48	2	4	7	9	13	14
80-84	1471	9.3	92	2	3	7	11	21	33	50-69	1446	6.6	54	1	2	5	8	13	18
85 +	1266	9.3	93	2	3	7	12	19	27	70 +	165	12.1	313	1	2	5	14	20	70
SUBTOTAL	**9104**	**8.6**	**76**	**2**	**3**	**6**	**11**	**19**	**24**		**3164**	**7.3**	**67**	**1**	**3**	**5**	**9**	**14**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**9104**	**8.6**	**76**	**2**	**3**	**6**	**11**	**19**	**24**		**3164**	**7.3**	**67**	**1**	**3**	**5**	**9**	**14**	**19**

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	411	9.8	48	2	4	9	12	21	25	0-17	279	7.9	48	2	2	5	13	19	21
18-34	294	9.8	30	4	6	9	13	18	24	18-34	191	7.1	20	2	2	7	11	14	16
35-49	124	10.5	103	1	4	8	13	21	39	35-49	146	7.7	38	2	4	6	10	17	18
50-69	152	7.8	25	1	4	6	12	14	16	50-69	287	9.1	139	1	3	5	9	21	34
70 +	40	7.8	44	2	2	4	13	21	21	70 +	57	6.6	18	2	4	5	9	9	17
SUBTOTAL	**1021**	**9.5**	**46**	**2**	**5**	**8**	**12**	**20**	**24**		**959**	**8.0**	**67**	**2**	**3**	**6**	**10**	**17**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1021**	**9.5**	**46**	**2**	**5**	**8**	**12**	**20**	**24**		**959**	**8.0**	**67**	**2**	**3**	**6**	**10**	**17**	**21**

DRG 309: Minor Bladder Procedures w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1595	4.0	58	1	1	3	4	7	9	0-17	829	5.5	30	1	2	4	7	11	21
70-74	1190	3.7	19	1	2	2	4	7	10	18-34	313	4.4	11	1	2	4	6	8	11
75-79	914	3.5	10	1	1	3	4	7	11	35-49	683	4.6	7	2	2	4	6	8	10
80-84	539	3.6	9	1	2	3	5	8	10	50-69	1631	3.8	8	1	1	3	5	8	9
85 +	411	4.7	28	1	2	3	7	10	13	70 +	114	2.3	2	1	1	2	3	4	5
SUBTOTAL	4650	3.8	30	1	2	3	4	8	10		3570	4.4	14	1	2	4	6	8	11
GRAND TOTAL	4650	3.8	30	1	2	3	4	8	10		3570	4.4	14	1	2	4	6	8	11

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	329	3.9	7	1	2	3	6	8	9	0-17	256	5.0	40	1	2	3	6	8	11
18-34	152	5.2	7	1	2	6	7	8	8	18-34	145	6.3	72	1	2	4	6	11	32
35-49	103	4.1	7	2	2	4	4	7	10	35-49	246	3.2	5	1	2	2	4	6	8
50-69	125	4.0	9	1	2	3	6	8	9	50-69	342	3.7	7	1	2	3	5	8	9
70 +	16	4.7	10							70 +	96	2.7	2	1	2	3	3	5	6
SUBTOTAL	726	4.2	7	1	2	4	6	8	9		1084	4.1	24	1	2	3	5	8	10
GRAND TOTAL	726	4.2	7	1	2	4	6	8	9		1084	4.1	24	1	2	3	5	8	10

DRG 310: Transurethral Procedures w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7899	4.4	20	1	2	3	5	8	13
70-74	7533	4.6	22	1	2	3	6	9	13
75-79	7014	4.9	29	1	2	3	6	10	15
80-84	5909	5.6	33	1	2	4	7	12	17
85 +	5099	6.8	49	2	3	5	8	14	21
SUBTOTAL	**33454**	**5.1**	**30**	**1**	**2**	**3**	**6**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**33454**	**5.1**	**30**	**1**	**2**	**3**	**6**	**11**	**15**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	89	8.5	153	1	2	3	4	37	37
18-34	2165	3.9	9	1	2	3	5	7	9
35-49	4151	3.8	10	1	2	3	5	7	9
50-69	7397	3.8	12	1	2	3	5	7	9
70 +	775	4.0	14	1	2	3	5	9	12
	14577	**3.9**	**12**	**1**	**2**	**3**	**5**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	14577	**3.9**	**12**	**1**	**2**	**3**	**5**	**7**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	6.4	13						
18-34	406	5.1	27	1	2	4	6	10	13
35-49	276	5.3	46	1	2	3	5	8	29
50-69	362	6.0	37	1	3	4	7	12	19
70 +	157	14.4	268	3	3	8	14	43	58
SUBTOTAL	**1232**	**6.6**	**73**	**1**	**2**	**4**	**7**	**12**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1232**	**6.6**	**73**	**1**	**2**	**4**	**7**	**12**	**26**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	41	3.1	8	1	2	2	3	10	10
18-34	796	3.4	4	1	2	3	4	6	7
35-49	951	3.5	5	1	2	3	5	6	7
50-69	1641	3.2	8	1	1	2	4	7	9
70 +	405	5.0	46	1	1	3	5	13	14
	3834	**3.5**	**11**	**1**	**2**	**3**	**4**	**7**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3834	**3.5**	**11**	**1**	**2**	**3**	**4**	**7**	**8**

DRG 311: Transurethral Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6772	2.5	3	1	1	2	3	4	6	0-17	562	3.1	10	1	1	2	4	5	6
70-74	5652	2.5	4	1	1	2	3	5	6	18-34	7625	2.6	3	1	1	2	3	5	6
75-79	4862	2.5	4	1	1	2	3	5	6	35-49	13440	2.5	3	1	1	2	3	5	6
80-84	3237	2.9	10	1	1	2	3	5	6	50-69	14408	2.5	3	1	1	2	3	5	6
85 +	2633	3.1	7	1	1	2	4	6	7	70 +	705	2.5	5	1	1	2	3	4	8
SUBTOTAL	**23156**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**		**36740**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**23156**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**		**36740**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	52	4.2	6	1	3	4	6	9	9	0-17	87	2.0	1	< 1	1	2	2	4	4
18-34	764	2.8	4	1	1	2	3	6	7	18-34	2459	2.4	2	1	1	2	3	4	5
35-49	524	2.5	3	1	1	2	3	5	5	35-49	2784	2.4	3	1	1	2	3	5	5
50-69	324	2.8	5	1	1	2	3	7	7	50-69	2624	2.4	4	1	1	2	3	5	7
70 +	125	2.8	3	1	1	2	4	6	6	70 +	447	2.4	2	1	1	2	3	4	5
SUBTOTAL	**1790**	**2.8**	**4**	**1**	**1**	**2**	**3**	**6**	**7**		**8402**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1790**	**2.8**	**4**	**1**	**1**	**2**	**3**	**6**	**7**		**8402**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 312: Urethral Procedures, Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	737	4.9	25	1	2	3	6	11	13	0-17	0								
70-74	509	4.2	12	1	2	3	6	8	12	18-34	267	4.2	19	1	1	2	5	11	16
75-79	705	5.3	44	1	2	3	7	14	21	35-49	433	3.8	10	1	1	3	5	8	9
80-84	446	6.9	133	1	2	4	7	13	20	50-69	514	3.7	15	1	1	2	6	9	11
85 +	401	6.0	35	1	2	4	8	12	23	70 +	81	5.6	41	2	2	4	5	22	22
SUBTOTAL	**2799**	**5.3**	**47**	**1**	**2**	**3**	**6**	**12**	**17**		**1295**	**4.0**	**16**	**1**	**1**	**2**	**5**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2799**	**5.3**	**47**	**1**	**2**	**3**	**6**	**12**	**17**		**1295**	**4.0**	**16**	**1**	**1**	**2**	**5**	**8**	**12**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	55	5.1	16	1	2	4	5	13	14	18-34	111	5.2	14	1	2	5	7	12	14
35-49	87	5.2	25	1	2	4	7	8	22	35-49	124	2.6	2	1	2	2	3	5	5
50-69	84	3.9	7	1	2	3	5	7	11	50-69	141	6.0	69	1	1	3	6	11	33
70 +	22	6.6	11							70 +	28	3.7	3						
SUBTOTAL	**247**	**4.8**	**16**	**1**	**2**	**4**	**7**	**10**	**13**		**403**	**4.6**	**31**	**1**	**2**	**3**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**247**	**4.8**	**16**	**1**	**2**	**4**	**7**	**10**	**13**		**403**	**4.6**	**31**	**1**	**2**	**3**	**6**	**10**	**12**

DRG 313: Urethral Procedures, Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	491	2.0	2	1	1	1	3	4	6	0-17	0								
70-74	497	2.1	2	1	1	2	2	4	5	18-34	790	2.2	4	1	1	2	3	4	5
75-79	417	2.4	2	1	1	2	3	5	5	35-49	801	2.7	6	1	1	2	3	5	8
80-84	296	3.6	19	1	1	2	4	8	15	50-69	745	2.0	3	1	1	1	2	4	6
85 +	148	4.0	12	1	2	3	4	7	11	70 +	45	2.1	2	< 1	1	1	3	4	4
SUBTOTAL	**1849**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**6**		**2381**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**1849**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**6**		**2381**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	23	4.0								18-34	320	3.0	4	1	1	3	4	5	8
35-49	60	2.6	2	< 1	1	2	3	5	5	35-49	177	2.7	3	1	2	2	3	6	6
50-69	52	2.7	4	1	1	2	3	6	7	50-69	120	2.4	5	< 1	1	2	2	6	8
70 +	11	5.5	7							70 +	12	1.5							
SUBTOTAL	**145**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**7**		**629**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**145**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**7**		**629**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**7**

DRG 314: Urethral Procedures, Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	19	3.8	8						
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**19**	**3.8**	**8**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**19**	**3.8**	**8**						

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	215	4.1	17	1	1	2	5	11	15
18-34	0								
35-49	0								
50-69	0								
70+	0								
	215	**4.1**	**17**	**1**	**1**	**2**	**5**	**11**	**15**
0-17	792	2.2	6	<1	<1	1	2	5	7
18-34	0								
35-49	0								
50-69	0								
70+	0								
	792	**2.2**	**6**	**<1**	**<1**	**1**	**2**	**5**	**7**
	1007	**2.6**	**9**	**<1**	**1**	**1**	**3**	**6**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	72	1.9	5	<1	1	1	1	4	9
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**72**	**1.9**	**5**	**<1**	**1**	**1**	**1**	**4**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	196	3.0	5	<1	1	2	5	6	9
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**196**	**3.0**	**5**	**<1**	**1**	**2**	**5**	**6**	**9**
GRAND TOTAL	**268**	**2.7**	**5**	**<1**	**1**	**2**	**4**	**6**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	2.1	1	1	2	2	2	4	4
18-34	0								
35-49	0								
50-69	0								
70+	0								
	52	**2.1**	**1**	**1**	**2**	**2**	**2**	**4**	**4**
0-17	378	2.3	6	<1	<1	1	2	7	9
18-34	0								
35-49	0								
50-69	0								
70+	0								
	378	**2.3**	**6**	**<1**	**<1**	**1**	**2**	**7**	**9**
	430	**2.3**	**6**	**<1**	**<1**	**1**	**2**	**6**	**9**

DRG 315: Other Kidney & Urinary Tract O.R. Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	9049	10.0	147	1	2	6	12	24	36	0-17	393	13.1	292	2	4	8	15	29	30
70-74	3338	12.1	187	2	3	8	16	27	41	18-34	1028	7.6	49	1	3	6	10	15	22
75-79	2797	13.6	173	2	5	10	17	30	43	35-49	2413	8.4	74	1	2	6	12	19	27
80-84	1520	18.3	246	3	8	15	23	42	61	50-69	3852	9.5	99	1	3	7	13	22	29
85 +	926	18.2	304	3	7	13	23	40	68	70 +	230	14.9	346	2	4	9	17	36	64
SUBTOTAL	**17630**	**12.1**	**183**	**2**	**3**	**8**	**16**	**30**	**41**		**7917**	**9.2**	**104**	**1**	**3**	**6**	**12**	**21**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3413	3.5	19	1	1	2	4	8	10	0-17	294	5.0	16	1	2	4	7	10	12
70-74	1156	3.9	19	1	1	2	5	9	12	18-34	749	3.8	10	1	2	3	6	9	10
75-79	901	4.2	20	1	1	2	5	10	14	35-49	1269	3.8	13	1	1	2	5	9	11
80-84	366	5.1	32	1	1	2	7	15	16	50-69	2326	3.3	13	1	1	2	4	8	11
85 +	158	5.6	27	1	1	2	7	15	16	70 +	139	4.2	10	1	1	3	7	8	10
SUBTOTAL	**5993**	**3.8**	**20**	**1**	**1**	**2**	**5**	**9**	**13**		**4778**	**3.6**	**13**	**1**	**1**	**2**	**5**	**9**	**11**
GRAND TOTAL	**23624**	**10.0**	**155**	**1**	**2**	**6**	**13**	**25**	**36**		**12695**	**7.1**	**77**	**1**	**2**	**4**	**9**	**17**	**23**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	202	17.7	365	2	3	13	24	44	62	0-17	132	17.8	215	5	8	12	27	39	41
18-34	931	12.6	172	2	4	9	16	26	40	18-34	682	9.3	71	2	4	7	12	20	27
35-49	1053	12.7	136	3	5	9	17	27	39	35-49	761	10.1	99	1	4	7	12	23	35
50-69	1416	15.0	261	2	4	10	18	38	50	50-69	1100	11.5	129	1	4	9	15	26	38
70 +	110	22.5	602	4	11	14	25	87	95	70 +	115	15.6	219	4	7	10	18	53	53
SUBTOTAL	**3711**	**14.1**	**223**	**2**	**4**	**10**	**17**	**33**	**49**		**2790**	**11.1**	**118**	**1**	**4**	**8**	**14**	**25**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	135	7.9	27	3	4	6	10	15	17	0-17	102	4.9	11	1	2	3	7	10	10
18-34	453	4.6	20	1	1	3	6	10	17	18-34	441	4.9	28	1	2	4	6	10	14
35-49	569	5.2	25	1	1	4	7	12	16	35-49	419	5.1	29	1	2	3	6	14	16
50-69	471	5.6	29	1	1	3	8	15	16	50-69	475	3.8	21	1	1	2	4	9	14
70 +	27	3.5	13							70 +	6	2.0							
SUBTOTAL	**1655**	**5.3**	**25**	**1**	**1**	**4**	**7**	**14**	**16**		**1443**	**4.6**	**25**	**1**	**1**	**3**	**5**	**10**	**15**
GRAND TOTAL	**5366**	**11.4**	**178**	**1**	**3**	**7**	**15**	**25**	**40**		**4232**	**8.8**	**96**	**1**	**2**	**6**	**11**	**20**	**29**

DRG 316: Renal Failure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	9421	8.1	58	2	3	6	10	17	23	0-17	489	7.6	83	1	3	4	9	17	31
70-74	4930	10.1	79	3	5	8	12	20	26	18-34	791	6.8	41	2	3	5	8	15	16
75-79	5116	11.0	71	3	5	8	14	21	27	35-49	1911	7.3	33	2	4	6	9	15	22
80-84	4584	10.8	69	4	5	9	13	21	26	50-69	3894	8.8	64	2	4	7	11	18	24
85 +	4733	11.2	90	4	6	9	13	22	28	70 +	524	8.9	53	2	4	7	12	19	26
SUBTOTAL	**28783**	**9.9**	**73**	**2**	**4**	**8**	**13**	**20**	**26**		**7609**	**8.1**	**55**	**2**	**4**	**6**	**10**	**16**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1663	4.1	15	1	1	3	6	10	13	0-17	304	3.7	28	1	1	2	4	7	12
70-74	607	5.1	13	1	2	4	7	10	14	18-34	434	4.8	16	1	2	4	6	8	8
75-79	734	5.7	22	1	3	4	7	13	16	35-49	525	3.6	14	1	2	2	4	8	9
80-84	544	7.5	88	2	3	5	9	14	18	50-69	896	4.9	21	1	2	3	7	11	14
85 +	378	7.6	50	2	3	6	8	15	17	70 +	84	5.7	7	2	4	5	8	8	12
SUBTOTAL	**3925**	**5.4**	**31**	**1**	**2**	**4**	**7**	**12**	**15**		**2243**	**4.4**	**19**	**1**	**2**	**3**	**5**	**9**	**13**
GRAND TOTAL	**32709**	**9.3**	**70**	**2**	**4**	**7**	**12**	**18**	**25**		**9851**	**7.3**	**49**	**2**	**3**	**5**	**9**	**15**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	260	5.4	28	1	2	4	6	11	13	0-17	119	10.7	73	1	5	8	14	26	29
18-34	1186	7.6	72	2	3	5	10	16	22	18-34	698	6.5	37	1	3	5	9	12	16
35-49	1448	8.3	71	2	3	6	10	17	22	35-49	960	7.7	60	2	3	6	9	15	18
50-69	1866	8.3	45	2	4	7	10	17	22	50-69	1412	8.2	49	1	4	6	10	17	23
70 +	324	8.5	40	3	5	7	12	17	17	70 +	403	11.0	97	3	4	7	15	25	41
SUBTOTAL	**5085**	**8.0**	**58**	**2**	**3**	**6**	**10**	**16**	**22**		**3593**	**8.1**	**57**	**2**	**3**	**6**	**10**	**17**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	218	5.1	32	1	1	3	7	12	16	0-17	138	2.9	7	< 1	1	2	4	8	9
18-34	320	4.1	14	1	2	3	5	10	13	18-34	364	4.7	40	< 1	2	4	6	9	13
35-49	256	5.2	32	1	2	3	6	10	22	35-49	414	4.1	24	< 1	1	3	5	8	10
50-69	350	5.4	24	1	2	4	7	12	16	50-69	397	3.6	23	< 1	< 1	2	5	8	8
70 +	12	3.9	1							70 +	29	6.3	21						
SUBTOTAL	**1155**	**4.9**	**25**	**1**	**2**	**3**	**6**	**12**	**16**		**1342**	**4.0**	**27**	**< 1**	**1**	**3**	**5**	**8**	**11**
GRAND TOTAL	**6240**	**7.4**	**53**	**2**	**3**	**6**	**9**	**15**	**20**		**4935**	**7.0**	**52**	**1**	**2**	**5**	**9**	**15**	**20**

DRG 317: Admit for Renal Dialysis

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	525	3.3	44	< 1	1	2	3	6	8
70-74	281	2.1	3	< 1	< 1	1	3	6	6
75-79	237	1.6	2	< 1	< 1	< 1	1	4	5
80-84	28	6.3	30						
85 +	74	2.6	3	1	1	3	3	3	8
SUBTOTAL	**1144**	**2.7**	**23**	**< 1**	**< 1**	**1**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	50	1.7	2	1	1	1	1	5	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**50**	**1.7**	**2**	**1**	**1**	**1**	**1**	**5**	**5**
GRAND TOTAL	**1194**	**2.6**	**22**	**< 1**	**< 1**	**1**	**3**	**5**	**7**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	517	1.3	1	1	1	1	1	2	2
18-34	140	1.8	2	< 1	< 1	1	2	4	4
35-49	291	2.0	4	< 1	< 1	< 1	2	5	6
50-69	432	1.6	1	< 1	< 1	< 1	2	4	4
70 +	0								
	1380	**1.6**	**2**	**< 1**	**< 1**	**1**	**1**	**3**	**4**
0-17	44	1.5	2						
18-34	18	3.4	1						
35-49	36	1.3							
50-69	142	1.0		< 1	< 1	< 1	< 1	< 1	< 1
70 +	0								
	240	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**4**
	1620	**1.5**	**2**	**< 1**	**< 1**	**1**	**1**	**3**	**4**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	158	1.5	7	1	1	1	1	1	1
18-34	393	1.3	2	< 1	< 1	< 1	1	1	4
35-49	422	1.1		< 1	< 1	< 1	< 1	< 1	2
50-69	726	1.4	4	< 1	< 1	< 1	< 1	< 1	2
70 +	0								
SUBTOTAL	**1698**	**1.3**	**3**	**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	6	3.0							
50-69	77	1.0		< 1	< 1	< 1	< 1	< 1	< 1
70 +	0								
SUBTOTAL	**83**	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**3**
GRAND TOTAL	**1781**	**1.3**	**3**	**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	6.0	4						
18-34	50	2.1	10	< 1	< 1	< 1	1	11	11
35-49	34	2.2	2	< 1	1	2	2	5	5
50-69	45	1.8	3	< 1	< 1	< 1	1	6	6
70 +	0								
	139	**2.3**	**6**	**< 1**	**< 1**	**< 1**	**2**	**6**	**8**
0-17	0								
18-34	6	1.0							
35-49	0								
50-69	6	1.0							
70 +	0								
	11	**1.0**							
	150	**2.2**	**6**	**< 1**	**< 1**	**< 1**	**2**	**6**	**8**

Total U.S., July 1990 - June 1991

DRG 318: Kidney & Urinary Tract Neoplasms w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1256	8.0	104	2	3	6	9	16	22
70-74	1109	8.7	87	2	4	6	10	17	29
75-79	1070	8.4	54	2	3	6	11	17	24
80-84	976	8.7	56	2	3	6	12	19	24
85 +	1035	9.7	75	2	4	7	13	21	29
SUBTOTAL	**5447**	**8.7**	**77**	**2**	**3**	**6**	**11**	**19**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5447**	**8.7**	**77**	**2**	**3**	**6**	**11**	**19**	**25**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	194	5.2	14	1	3	4	6	10	14
18-34	63	13.8	85	5	5	11	20	30	30
35-49	309	6.8	41	2	2	5	8	14	20
50-69	1509	7.1	43	1	2	5	9	18	21
70 +	120	4.7	16	1	2	4	7	11	14
	2195	**6.9**	**42**	**1**	**3**	**5**	**9**	**17**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2195	**6.9**	**42**	**1**	**3**	**5**	**9**	**17**	**20**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	67	5.0	9	1	2	4	8	9	10
18-34	27	8.3	67						
35-49	58	13.7	315	1	3	4	23	47	60
50-69	235	10.3	120	3	4	9	11	14	40
70 +	39	12.0	58	4	4	11	21	23	23
SUBTOTAL	**426**	**10.0**	**125**	**2**	**3**	**7**	**11**	**23**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**426**	**10.0**	**125**	**2**	**3**	**7**	**11**	**23**	**33**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	131	6.5	52	1	5	5	6	10	10
18-34	6	5.0							
35-49	92	9.4	94	1	2	7	15	22	38
50-69	299	6.2	34	1	2	4	9	18	20
70 +	45	7.0	45	< 1	3	4	5	19	19
	573	**6.9**	**49**	**1**	**3**	**5**	**9**	**18**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	573	**6.9**	**49**	**1**	**3**	**5**	**9**	**18**	**21**

Total U.S., July 1990 - June 1991

DRG 319: Kidney & Urinary Tract Neoplasms w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	287	3.2	25	< 1	1	2	4	6	7	0-17	140	2.7	7	< 1	< 1	1	4	7	7
70-74	231	3.3	6	1	1	3	5	6	9	18-34	44	4.5	70	< 1	1	1	3	26	26
75-79	174	1.9	3	< 1	1	1	2	3	4	35-49	174	2.6	6	1	1	2	3	7	9
80-84	116	4.2	26	1	1	3	4	18	18	50-69	445	2.9	10	1	1	2	4	5	8
85 +	73	6.5	25	1	3	4	12	12	17	70 +	0								
SUBTOTAL	**879**	**3.4**	**17**	**1**	**1**	**2**	**4**	**6**	**11**		**803**	**2.9**	**12**	**< 1**	**1**	**2**	**4**	**6**	**9**
GRAND TOTAL	**879**	**3.4**	**17**	**1**	**1**	**2**	**4**	**6**	**11**		**803**	**2.9**	**12**	**< 1**	**1**	**2**	**4**	**6**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	34	5.4	19	< 1	1	4	11	11	11	0-17	118	2.3	4	1	1	1	4	4	7
18-34	28	3.7	6							18-34	54	3.2	2	1	2	4	4	6	6
35-49	27	2.8	1							35-49	72	1.8	1	1	1	2	2	3	4
50-69	56	2.9	3	1	2	3	4	6	7	50-69	96	4.7	23	1	1	3	8	10	19
70 +	6	4.0								70 +	16	1.6	1						
SUBTOTAL	**150**	**3.7**	**8**	**1**	**2**	**3**	**4**	**8**	**11**		**357**	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**9**
GRAND TOTAL	**150**	**3.7**	**8**	**1**	**2**	**3**	**4**	**8**	**11**		**357**	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**9**

DRG 320: Kidney & Urinary Tract Infections Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	26095	7.5	40	3	4	6	9	13	17	0-17	0								
70-74	18935	7.9	39	3	4	6	9	14	19	18-34	9177	4.5	12	2	3	4	5	7	9
75-79	23415	8.4	49	3	4	7	10	15	19	35-49	8419	5.5	20	2	3	4	7	10	12
80-84	25664	8.9	54	3	5	7	11	16	21	50-69	12276	6.4	31	2	3	5	8	11	14
85 +	34559	9.0	50	3	5	7	11	16	21	70 +	2043	8.0	68	2	4	6	10	14	19
SUBTOTAL	**128668**	**8.4**	**47**	**3**	**5**	**7**	**10**	**15**	**20**		**31914**	**5.7**	**26**	**2**	**3**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**128668**	**8.4**	**47**	**3**	**5**	**7**	**10**	**15**	**20**		**31914**	**5.7**	**26**	**2**	**3**	**5**	**7**	**10**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	6248	5.5	18	2	3	4	6	10	13	18-34	4875	4.6	17	2	3	4	6	8	10
35-49	3577	6.9	30	3	4	6	8	12	17	35-49	3090	5.6	11	2	3	5	7	10	12
50-69	4467	7.7	58	3	4	6	9	13	17	50-69	3681	6.5	22	2	4	5	8	11	15
70 +	1256	12.2	190	4	5	8	14	24	31	70 +	1484	8.7	68	3	4	6	10	18	25
SUBTOTAL	**15547**	**7.0**	**49**	**2**	**4**	**5**	**8**	**12**	**17**		**13129**	**5.8**	**24**	**2**	**3**	**5**	**7**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**15547**	**7.0**	**49**	**2**	**4**	**5**	**8**	**12**	**17**		**13129**	**5.8**	**24**	**2**	**3**	**5**	**7**	**10**	**14**

DRG 321: Kidney & Urinary Tract Infections Age >17 w/o CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6265	4.9	8	2	3	4	6	8	10
70-74	4323	5.6	20	2	3	5	7	9	12
75-79	5040	5.7	16	2	3	5	7	9	12
80-84	4669	5.7	12	2	3	5	7	9	11
85 +	5109	5.9	13	3	4	5	7	10	12
SUBTOTAL	**25406**	**5.5**	**14**	**2**	**3**	**5**	**7**	**9**	**11**
GRAND TOTAL	**25406**	**5.5**	**14**	**2**	**3**	**5**	**7**	**9**	**11**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	18784	3.6	3	2	2	3	4	6	7
35-49	9660	4.1	11	2	2	4	5	7	8
50-69	8518	4.6	8	2	3	4	5	8	9
70 +	667	4.6	9	2	3	4	6	8	12
	37628	**4.0**	**6**	**2**	**3**	**4**	**5**	**7**	**8**
	37628	**4.0**	**6**	**2**	**3**	**4**	**5**	**7**	**8**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	8221	3.9	4	2	3	4	5	6	7
35-49	1630	5.0	12	2	3	4	6	9	10
50-69	1092	5.4	11	2	3	5	7	9	13
70 +	429	6.9	14	3	4	6	9	15	15
SUBTOTAL	**11372**	**4.3**	**7**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**11372**	**4.3**	**7**	**2**	**3**	**4**	**5**	**7**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	9486	3.6	3	2	2	3	5	6	7
35-49	3113	4.2	7	2	3	4	5	7	8
50-69	1907	4.6	8	2	3	4	6	8	10
70 +	505	4.7	11	2	3	4	6	7	11
	15011	**3.9**	**5**	**2**	**2**	**4**	**5**	**6**	**7**
	15011	**3.9**	**5**	**2**	**2**	**4**	**5**	**6**	**7**

Total U.S., July 1990 - June 1991

DRG 322: Kidney & Urinary Tract Infections Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	299	9.4	103	3	4	6	14	18	25
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**299**	**9.4**	**103**	**3**	**4**	**6**	**14**	**18**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	32	2.8	4						
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**32**	**2.8**	**4**						
GRAND TOTAL	**330**	**8.8**	**97**	**2**	**4**	**5**	**10**	**18**	**23**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6145	4.3	8	2	2	4	5	7	10
18-34	0								
35-49	0								
50-69	0								
70+	0								
	6145	**4.3**	**8**	**2**	**2**	**4**	**5**	**7**	**10**
0-17	18929	3.8	4	2	2	3	5	6	8
18-34	0								
35-49	0								
50-69	0								
70+	0								
	18929	**3.8**	**4**	**2**	**2**	**3**	**5**	**6**	**8**
	25074	**3.9**	**5**	**2**	**2**	**3**	**5**	**7**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	4366	5.3	14	2	3	4	7	10	12
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**4366**	**5.3**	**14**	**2**	**3**	**4**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10338	4.6	8	2	3	4	6	8	10
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**10338**	**4.6**	**8**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**14704**	**4.8**	**10**	**2**	**3**	**4**	**6**	**8**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	2359	4.9	14	2	3	4	6	8	10
18-34	0								
35-49	0								
50-69	0								
70+	0								
	2359	**4.9**	**14**	**2**	**3**	**4**	**6**	**8**	**10**
0-17	7823	4.0	5	2	2	3	5	7	8
18-34	0								
35-49	0								
50-69	0								
70+	0								
	7823	**4.0**	**5**	**2**	**2**	**3**	**5**	**7**	**8**
	10182	**4.2**	**7**	**2**	**3**	**4**	**5**	**7**	**9**

DRG 323: Urinary Stones w/ CC, &/or ESW Lithotripsy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6663	4.1	18	1	2	3	5	8	10	0-17	816	2.8	4	1	1	2	3	5	7
70-74	3944	3.9	9	1	2	3	5	7	9	18-34	6418	2.8	5	1	1	2	4	5	7
75-79	2940	4.8	17	1	2	4	6	10	13	35-49	10207	2.9	6	1	1	2	4	6	8
80-84	1958	6.1	59	1	2	4	7	13	17	50-69	9355	3.2	7	1	1	3	4	6	7
85 +	1263	6.4	49	2	3	4	7	12	14	70 +	359	4.5	12	1	2	3	6	8	14
SUBTOTAL	**16769**	**4.6**	**23**	**1**	**2**	**3**	**6**	**9**	**12**		**27155**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	906	1.9	4	1	1	1	2	4	5	0-17	61	2.1	1	1	1	2	3	3	4
70-74	417	1.7	2	1	1	1	2	3	4	18-34	944	2.1	2	1	1	2	3	4	5
75-79	285	1.6	2	1	1	1	2	4	5	35-49	2032	2.0	3	1	1	1	2	4	5
80-84	172	2.8	9	1	1	1	4	6	7	50-69	1624	1.9	3	1	1	1	2	4	5
85 +	55	1.5	1	< 1	1	1	2	3	4	70 +	36	2.4	5						
SUBTOTAL	**1836**	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**5**		**4698**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**18605**	**4.3**	**22**	**1**	**2**	**3**	**5**	**8**	**12**		**31853**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	184	5.3	16	1	2	5	6	14	15	0-17	163	3.5	11	1	2	2	5	7	13
18-34	1386	3.7	9	1	2	3	5	7	9	18-34	2348	2.8	7	1	1	2	3	5	7
35-49	844	5.0	34	1	2	3	7	9	12	35-49	2528	2.9	6	1	1	2	4	6	7
50-69	577	5.2	33	1	2	4	7	11	15	50-69	1690	3.5	20	1	1	3	4	7	9
70 +	57	7.3	91	1	1	4	12	99 +	99 +	70 +	143	4.6	55	1	2	3	4	6	8
SUBTOTAL	**3048**	**4.5**	**23**	**1**	**2**	**3**	**5**	**9**	**12**		**6872**	**3.0**	**11**	**1**	**1**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5	1.0								0-17	0								
18-34	174	2.3	4	1	1	1	3	4	7	18-34	369	2.4	3	1	1	2	3	5	6
35-49	93	1.5	1	1	1	1	2	3	4	35-49	419	1.7	2	< 1	1	1	2	3	4
50-69	78	1.7	3	1	1	1	1	3	8	50-69	272	2.1	3	1	1	1	3	5	5
70 +	5	1.0								70 +	21	1.0							
SUBTOTAL	**354**	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**5**		**1082**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**3402**	**4.3**	**22**	**1**	**2**	**3**	**5**	**8**	**12**		**7954**	**2.9**	**10**	**1**	**1**	**2**	**4**	**6**	**7**

Total U.S., July 1990 - June 1991

DRG 324: Urinary Stones w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6817	2.4	4	1	1	2	3	4	5
70-74	3622	2.5	4	1	1	2	3	5	7
75-79	2080	2.3	4	1	1	2	3	4	6
80-84	865	3.0	8	1	1	2	4	5	7
85 +	562	3.4	11	1	1	2	4	7	13
SUBTOTAL	**13946**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**13946**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**6**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2070	2.0	2	1	1	2	2	4	4
18-34	24750	1.9	2	1	1	1	2	3	4
35-49	39287	1.8	2	1	1	1	2	3	4
50-69	24994	2.0	2	1	1	2	2	4	5
70 +	323	2.5	4	1	1	2	3	6	7
	91424	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
	91424	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	324	2.6	8	1	1	2	3	4	6
18-34	2478	2.3	2	1	1	2	3	5	5
35-49	1271	2.5	3	1	1	2	3	5	6
50-69	496	3.3	6	1	2	2	4	6	7
70 +	63	2.6	3	1	1	2	4	5	5
SUBTOTAL	**4632**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**4632**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	625	2.2	4	1	1	2	2	4	5
18-34	9239	1.9	2	1	1	2	2	3	5
35-49	8156	1.8	2	1	1	1	2	3	4
50-69	3988	1.9	2	1	1	1	2	4	5
70 +	162	3.0	7	1	1	2	5	7	7
	22170	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**5**
	22170	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**5**

DRG 325: Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1698	5.1	24	1	2	4	6	11	16
70-74	1319	5.5	20	1	2	4	7	12	15
75-79	1573	5.3	14	2	3	4	7	10	14
80-84	1546	6.9	38	2	3	5	9	15	18
85+	1711	5.5	21	2	3	4	6	10	14
SUBTOTAL	**7846**	**5.6**	**24**	**2**	**2**	**4**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7846**	**5.6**	**24**	**2**	**2**	**4**	**7**	**11**	**15**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	390	3.2	6	1	2	3	4	6	7
35-49	666	5.3	37	1	2	3	6	12	17
50-69	1469	3.6	8	1	2	3	5	7	10
70+	172	3.6	7	1	2	3	4	6	7
	2698	**4.0**	**15**	**1**	**2**	**3**	**5**	**7**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	2698	**4.0**	**15**	**1**	**2**	**3**	**5**	**7**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	221	3.2	5	<1	2	2	5	8	10
35-49	155	5.0	8	2	3	5	6	9	11
50-69	221	5.0	15	1	2	4	9	10	11
70+	93	6.7	17	2	3	7	8	9	17
SUBTOTAL	**691**	**4.7**	**12**	**1**	**2**	**4**	**7**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**691**	**4.7**	**12**	**1**	**2**	**4**	**7**	**9**	**11**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	177	3.3	7	1	1	2	5	8	10
35-49	147	5.2	14	1	2	5	7	11	12
50-69	380	3.3	4	1	2	3	5	6	7
70+	164	5.5	27	2	2	5	7	9	9
	867	**4.0**	**12**	**1**	**2**	**3**	**6**	**8**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	867	**4.0**	**12**	**1**	**2**	**3**	**6**	**8**	**9**

DRG 326: Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	913	3.0	5	1	1	3	4	6	7
70-74	685	3.1	5	1	1	3	4	7	7
75-79	822	3.2	12	1	2	2	4	5	6
80-84	503	3.5	7	1	2	3	4	6	9
85 +	576	3.9	7	1	2	3	5	7	9
SUBTOTAL	**3499**	**3.3**	**7**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**3499**	**3.3**	**7**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	880	2.3	3	1	1	2	3	5	5
35-49	1077	2.7	4	1	1	2	4	5	7
50-69	1187	2.4	4	1	1	2	3	5	6
70 +	98	4.1	14	1	2	2	5	13	13
	3243	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	3243	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	258	2.7	3	1	1	2	4	5	6
35-49	129	2.9	3	1	1	2	4	6	6
50-69	67	2.5	4	< 1	1	2	3	6	7
70 +	0								
SUBTOTAL	**454**	**2.7**	**3**	**1**	**1**	**2**	**4**	**6**	**6**
GRAND TOTAL	**454**	**2.7**	**3**	**1**	**1**	**2**	**4**	**6**	**6**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	460	2.6	8	1	1	2	3	5	7
35-49	231	2.2	2	< 1	1	2	3	5	5
50-69	281	2.7	3	< 1	1	2	4	5	7
70 +	80	3.8	7	1	2	3	6	9	9
	1052	**2.7**	**5**	**1**	**1**	**2**	**4**	**5**	**7**
	1052	**2.7**	**5**	**1**	**1**	**2**	**4**	**5**	**7**

DRG 327: Kidney & Urinary Tract Signs & Symptoms Age 0-17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	61	3.6	6	1	2	2	6	7	7
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**61**	**3.6**	**6**	**1**	**2**	**2**	**6**	**7**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	17	2.3	4						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**17**	**2.3**	**4**						
GRAND TOTAL	**78**	**3.3**	**6**	**<1**	**1**	**2**	**6**	**7**	**7**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	507	2.8	6	1	1	2	3	6	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	507	**2.8**	**6**	**1**	**1**	**2**	**3**	**6**	**9**
0-17	1322	2.0	2	1	1	2	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1322	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**
	1829	**2.2**	**4**	**1**	**1**	**2**	**2**	**4**	**6**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	188	2.3	2	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**188**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	556	3.0	27	1	1	2	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**556**	**3.0**	**27**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**744**	**2.8**	**21**	**1**	**1**	**2**	**4**	**5**	**6**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	139	2.2	2	1	1	2	3	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	139	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
0-17	562	1.8	3	<1	1	1	2	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	562	**1.8**	**3**	**<1**	**1**	**1**	**2**	**3**	**5**
	701	**1.9**	**3**	**<1**	**1**	**1**	**2**	**3**	**5**

Total U.S., July 1990 - June 1991

DRG 328: Urethral Stricture Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	203	4.0	5	1	2	4	6	7	7
70-74	270	6.7	83	1	1	3	7	13	29
75-79	216	4.1	11	1	2	4	5	7	15
80-84	271	4.3	20	1	2	2	5	12	12
85 +	167	5.6	10	2	3	5	8	11	12
SUBTOTAL	**1126**	**5.0**	**30**	**1**	**2**	**4**	**6**	**9**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1126**	**5.0**	**30**	**1**	**2**	**4**	**6**	**9**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	112	2.7	5	<1	1	2	4	7	7
35-49	133	2.8	3	1	1	3	4	5	6
50-69	162	4.4	12	1	1	3	7	9	12
70 +	49	3.3		2	3	3	4	4	4
	457	**3.4**	**7**	**1**	**1**	**3**	**5**	**7**	**7**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	457	**3.4**	**7**	**1**	**1**	**3**	**5**	**7**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	40	3.0	3						
35-49	17	3.9	3						
50-69	6	6.0							
70 +	6	2.0							
SUBTOTAL	**68**	**3.4**	**3**	**1**	**2**	**4**	**5**	**6**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**68**	**3.4**	**3**	**1**	**2**	**4**	**5**	**6**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	12	2.5							
35-49	40	3.2	4						
50-69	65	1.7	1	1	1	1	2	3	4
70 +	6	4.0							
	123	**2.4**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	123	**2.4**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**

DRG 329: Urethral Stricture Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	65	1.9	4	< 1	1	1	1	5	8
70-74	23	1.5							
75-79	94	1.8	1	< 1	1	1	2	4	4
80-84	66	2.4	4	1	1	1	3	6	6
85 +	13	11.0	88						
SUBTOTAL	**260**	**2.4**	**10**	**< 1**	**1**	**1**	**3**	**5**	**6**
GRAND TOTAL	**260**	**2.4**	**10**	**< 1**	**1**	**1**	**3**	**5**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	117	1.5		< 1	1	1	2	2	3
35-49	184	2.4	3	< 1	1	1	4	6	6
50-69	165	2.3	4	< 1	1	1	3	4	9
70 +	6	2.0							
	472	**2.1**	**3**	**< 1**	**1**	**1**	**2**	**5**	**6**
	472	**2.1**	**3**	**< 1**	**1**	**1**	**2**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	53	3.9	8	< 1	2	3	8	8	8
35-49	23	3.4	19						
50-69	18	1.7							
70 +	6	2.0							
SUBTOTAL	**100**	**3.3**	**9**	**< 1**	**1**	**2**	**3**	**8**	**11**
GRAND TOTAL	**100**	**3.3**	**9**	**< 1**	**1**	**2**	**3**	**8**	**11**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	70	4.8	36	< 1	< 1	1	4	17	17
35-49	21	2.3	3						
50-69	6	6.0							
70 +	6	1.0							
	103	**4.1**	**27**	**< 1**	**< 1**	**1**	**5**	**14**	**17**
	103	**4.1**	**27**	**< 1**	**< 1**	**1**	**5**	**14**	**17**

DRG 330: Urethral Stricture Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	113	3.7	47	<1	1	1	3	8	28
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**113**	**3.7**	**47**	**<1**	**1**	**1**	**3**	**8**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	199	2.5	9	<1	<1	1	3	7	12
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**199**	**2.5**	**9**	**<1**	**<1**	**1**	**3**	**7**	**12**
GRAND TOTAL	**0**										**313**	**2.9**	**23**	**<1**	**<1**	**1**	**3**	**8**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13	1.0								0-17	17	5.7	4						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**13**	**1.0**									**17**	**5.7**	**4**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	62	1.1		<1	<1	<1	<1	<1	2	0-17	35	2.3	7						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**62**	**1.1**		**<1**	**<1**	**<1**	**<1**	**<1**	**2**		**35**	**2.3**	**7**						
GRAND TOTAL	**75**	**1.1**		**<1**	**<1**	**<1**	**<1**	**<1**	**2**		**52**	**3.4**	**8**	**<1**	**<1**	**2**	**6**	**8**	**8**

DRG 331: Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10258	6.9	43	1	3	5	9	14	18
70-74	4466	6.5	34	2	3	5	8	13	18
75-79	4384	7.0	40	2	3	5	9	14	20
80-84	3421	7.7	72	2	3	6	9	15	20
85 +	3473	7.7	40	2	4	6	10	14	19
SUBTOTAL	**26003**	**7.1**	**44**	**2**	**3**	**5**	**9**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	26003	7.1	44	2	3	5	9	14	19

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2673	4.4	20	1	2	3	5	9	12
35-49	3210	5.3	22	1	2	4	7	11	14
50-69	4217	5.1	19	1	2	4	7	10	13
70 +	485	5.6	21	2	3	4	7	14	15
	10585	**5.0**	**20**	**1**	**2**	**4**	**7**	**10**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	10585	5.0	20	1	2	4	7	10	14

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1369	6.0	31	[illegible]	2	4	7	14	18
35-49	979	7.5	45	2	4	6	9	14	21
50-69	1189	8.3	55	2	4	6	11	15	22
70 +	155	7.6	43	1	3	8	9	14	22
SUBTOTAL	**3692**	**7.2**	**44**	**2**	**3**	**5**	**9**	**14**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	3692	7.2	44	2	3	5	9	14	21

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1424	4.3	18	1	2	3	5	9	11
35-49	1172	5.7	36	1	2	4	7	14	18
50-69	1381	6.0	24	1	2	5	8	12	16
70 +	361	10.9	350	2	3	5	10	27	34
	4338	**5.8**	**55**	**1**	**2**	**4**	**7**	**12**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4338	5.8	55	1	2	4	7	12	16

Total U.S., July 1990 - June 1991

DRG 332: Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2384	3.9	15	1	1	3	5	8	11	0-17	0								
70-74	1417	2.9	8	< 1	1	2	4	6	9	18-34	3063	2.7	5	1	1	2	3	6	7
75-79	1196	3.5	9	1	1	3	4	7	8	35-49	3182	2.6	7	1	1	2	3	6	7
80-84	596	4.7	40	1	1	3	5	8	17	50-69	2954	2.8	7	1	1	2	4	6	8
85 +	446	4.3	14	1	1	3	7	9	11	70 +	159	3.7	8	1	1	3	5	9	10
SUBTOTAL	**6039**	**3.7**	**15**	**1**	**1**	**2**	**5**	**8**	**11**		**9358**	**2.7**	**6**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**6039**	**3.7**	**15**	**1**	**1**	**2**	**5**	**8**	**11**		**9358**	**2.7**	**6**	**1**	**1**	**2**	**3**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	739	3.3	8	1	1	2	5	7	9	18-34	1646	2.9	11	1	1	2	3	6	8
35-49	490	4.9	16	1	2	4	7	9	13	35-49	1238	2.8	6	1	1	2	3	6	7
50-69	361	6.0	25	1	2	5	8	13	19	50-69	826	3.1	14	< 1	1	2	4	6	9
70 +	59	5.4	15	< 1	2	4	9	11	11	70 +	140	2.9	4	1	1	2	4	6	6
SUBTOTAL	**1648**	**4.5**	**16**	**1**	**2**	**3**	**6**	**9**	**12**		**3850**	**2.9**	**10**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**1648**	**4.5**	**16**	**1**	**2**	**3**	**6**	**9**	**12**		**3850**	**2.9**	**10**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 333: Other Kidney & Urinary Tract Diagnoses Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	456	6.7	38	1	3	5	8	11	16	0-17	2876	5.1	43	1	2	3	6	10	13	
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85+	0									70+	0									
SUBTOTAL	**456**	**6.7**	**38**	**1**	**3**	**5**	**8**	**11**	**16**		**2876**	**5.1**	**43**	**1**	**2**	**3**	**6**	**10**	**13**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	163	8.2	120	1	2	4	8	23	41	0-17	5051	3.1	9	1	1	2	4	6	8	
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85+	0									70+	0									
SUBTOTAL	**163**	**8.2**	**120**	**1**	**2**	**4**	**8**	**23**	**41**		**5051**	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	**8**	
GRAND TOTAL	**619**	**7.1**	**60**	**1**	**3**	**5**	**8**	**14**	**19**		**7927**	**3.8**	**23**	**1**	**1**	**3**	**5**	**8**	**10**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	1445	6.9	38	1	3	5	9	15	20	0-17	938	4.5	20	1	1	3	6	9	14	
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70+	0									70+	0									
SUBTOTAL	**1445**	**6.9**	**38**	**1**	**3**	**5**	**9**	**15**	**20**		**938**	**4.5**	**20**	**1**	**1**	**3**	**6**	**9**	**14**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	2056	4.0	17	1	1	3	5	8	11	0-17	1641	3.0	7	1	1	2	4	7	8	
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70+	0									70+	0									
SUBTOTAL	**2056**	**4.0**	**17**	**1**	**1**	**3**	**5**	**8**	**11**		**1641**	**3.0**	**7**	**1**	**1**	**2**	**4**	**7**	**8**	
GRAND TOTAL	**3501**	**5.2**	**28**	**1**	**2**	**4**	**7**	**11**	**16**		**2579**	**3.5**	**12**	**1**	**1**	**2**	**4**	**7**	**10**	

DRG 334: Major Male Pelvic Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	7978	8.7	16	5	7	8	10	13	16	0-17	44	7.5	18						
70-74	6713	8.7	18	5	6	8	10	14	16	18-34	50	9.9	17	5	6	8	15	15	15
75-79	2763	9.9	48	5	7	8	11	16	21	35-49	261	7.5	7	4	6	7	10	11	11
80-84	830	10.6	23	5	8	10	12	17	20	50-69	6079	8.6	20	5	6	8	9	13	15
85+	318	12.6	41	6	8	11	15	22	23	70+	465	9.3	19	5	7	8	10	14	18
SUBTOTAL	**18602**	**9.1**	**23**	**5**	**6**	**8**	**10**	**14**	**17**		**6900**	**8.6**	**19**	**5**	**6**	**8**	**10**	**13**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**18602**	**9.1**	**23**	**5**	**6**	**8**	**10**	**14**	**17**		**6900**	**8.6**	**19**	**5**	**6**	**8**	**10**	**13**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	11	7.5	13						
18-34	11	5.6	2							18-34	39	7.6	9	5	5	6	11	13	13
35-49	16	15.5	135							35-49	60	6.8	12	2	4	6	10	11	12
50-69	166	9.9	14	6	8	9	13	14	19	50-69	1163	8.8	30	5	6	7	10	14	16
70+	61	8.3	10	4	7	7	10	13	15	70+	188	8.9	16	5	7	8	9	14	21
SUBTOTAL	**254**	**9.7**	**23**	**5**	**7**	**8**	**12**	**14**	**19**		**1462**	**8.6**	**27**	**5**	**6**	**7**	**10**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**254**	**9.7**	**23**	**5**	**7**	**8**	**12**	**14**	**19**		**1462**	**8.6**	**27**	**5**	**6**	**7**	**10**	**13**	**16**

DRG 335: Major Male Pelvic Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	5093	7.4	6	5	6	7	8	11	12
70-74	3469	7.2	5	5	6	7	8	10	11
75-79	1087	7.1	7	4	5	7	8	10	12
80-84	354	7.7	4	6	6	8	9	10	12
85 +	101	7.4	7	3	5	8	9	11	12
SUBTOTAL	**10103**	**7.3**	**6**	**5**	**6**	**7**	**8**	**10**	**12**
GRAND TOTAL	**10103**	**7.3**	**6**	**5**	**6**	**7**	**8**	**10**	**12**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	131	3.2	7	1	1	3	3	8	10
18-34	94	5.8	4	2	5	6	7	9	9
35-49	279	7.3	3	5	6	7	9	10	10
50-69	7479	7.3	6	5	6	7	8	10	11
70 +	260	7.0	5	5	6	7	8	9	10
	8243	**7.2**	**6**	**5**	**6**	**7**	**8**	**10**	**11**
	8243	**7.2**	**6**	**5**	**6**	**7**	**8**	**10**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	24	2.6	2						
18-34	11	6.0							
35-49	6	8.0							
50-69	100	7.7	10	4	6	8	8	9	19
70 +	33	12.9	135	5	8	8	9	38	38
SUBTOTAL	**174**	**7.9**	**40**	**4**	**5**	**8**	**8**	**9**	**19**
GRAND TOTAL	**174**	**7.9**	**40**	**4**	**5**	**8**	**8**	**9**	**19**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	54	1.7	1	< 1	1	1	2	3	5
18-34	72	6.2	7	2	5	7	7	8	12
35-49	88	5.6	5	4	4	5	7	9	10
50-69	1313	6.8	4	4	5	7	8	9	9
70 +	165	7.6	7	4	6	7	8	13	13
	1693	**6.6**	**5**	**4**	**5**	**7**	**8**	**9**	**10**
	1693	**6.6**	**5**	**4**	**5**	**7**	**8**	**9**	**10**

DRG 336: Transurethral Prostatectomy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	22161	4.9	12	2	3	4	5	8	11	0-17	6	3.0							
70-74	26129	5.1	15	3	3	4	6	9	11	18-34	18	16.8	97						
75-79	25433	5.5	20	3	3	4	6	10	13	35-49	220	6.0	29	2	3	4	5	11	24
80-84	16343	6.3	31	3	3	5	7	12	16	50-69	12304	4.9	12	2	3	4	6	9	11
85 +	9948	7.4	37	3	4	5	9	14	18	70 +	2468	5.3	19	2	3	4	6	10	13
SUBTOTAL	**100015**	**5.6**	**21**	**3**	**3**	**4**	**6**	**10**	**13**		**15017**	**5.0**	**13**	**2**	**3**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**100015**	**5.6**	**21**	**3**	**3**	**4**	**6**	**10**	**13**		**15017**	**5.0**	**13**	**2**	**3**	**4**	**6**	**9**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	16	3.0							
50-69	778	6.2	33	2	3	4	7	12	15	50-69	2569	4.3	6	2	3	4	5	7	9
70 +	363	6.8	47	3	4	5	7	12	22	70 +	1396	4.9	13	2	3	4	5	9	11
SUBTOTAL	**1141**	**6.4**	**38**	**2**	**3**	**5**	**7**	**12**	**15**		**3981**	**4.5**	**9**	**2**	**3**	**4**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1141**	**6.4**	**38**	**2**	**3**	**5**	**7**	**12**	**15**		**3981**	**4.5**	**9**	**2**	**3**	**4**	**5**	**8**	**10**

DRG 337: Transurethral Prostatectomy w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	29676	3.5	2	2	3	3	4	5	6
70-74	28905	3.6	2	2	3	3	4	5	6
75-79	21473	3.8	3	2	3	3	4	6	7
80-84	10944	4.0	5	2	3	4	5	6	7
85 +	4997	4.5	6	2	3	4	5	7	9
SUBTOTAL	**95995**	**3.7**	**3**	**2**	**3**	**3**	**4**	**5**	**7**
GRAND TOTAL	**95995**	**3.7**	**3**	**2**	**3**	**3**	**4**	**5**	**7**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	16	1.0							
18-34	35	1.2							
35-49	989	3.2	2	2	2	3	4	5	6
50-69	32699	3.4	2	2	3	3	4	5	6
70 +	2825	3.6	3	2	3	3	4	6	6
	36564	**3.4**	**2**	**2**	**3**	**3**	**4**	**5**	**6**
	36564	**3.4**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	39	3.6	2	1	3	4	5	5	5
50-69	833	4.2	4	2	3	4	5	7	9
70 +	384	3.8	2	2	3	3	5	6	6
SUBTOTAL	**1256**	**4.1**	**4**	**2**	**3**	**4**	**5**	**6**	**8**
GRAND TOTAL	**1256**	**4.1**	**4**	**2**	**3**	**4**	**5**	**6**	**8**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	168	3.5	8	1	2	3	3	6	12
50-69	5261	3.1	2	2	2	3	4	4	5
70 +	1573	3.4	4	2	2	3	4	5	6
	7001	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
	7001	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**6**

DRG 338: Testes Procedures, for Malignancy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	823	5.6	25	1	1	4	7	14	16	0-17	29	10.7	26						
70-74	915	6.7	79	1	1	3	8	18	26	18-34	173	11.3	477	1	1	3	11	21	94
75-79	1047	5.2	49	1	1	2	6	15	23	35-49	71	8.5	29	3	5	7	11	18	18
80-84	999	5.1	42	1	1	2	7	11	19	50-69	401	5.5	55	1	1	3	7	11	14
85 +	640	10.1	179	2	3	6	13	22	28	70 +	68	6.1	16	1	3	5	8	11	14
SUBTOTAL	**4424**	**6.3**	**71**	**1**	**1**	**3**	**8**	**15**	**22**		**743**	**7.4**	**152**	**1**	**1**	**4**	**9**	**15**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	290	1.6	1	1	1	1	2	3	3	0-17	83	5.3	42	1	1	1	11	18	18
70-74	575	1.6	2	1	1	1	2	3	4	18-34	824	2.0	3	1	1	1	2	4	7
75-79	609	2.2	15	1	1	1	2	3	7	35-49	615	1.9	2	1	1	1	2	3	4
80-84	577	1.6	2	1	1	1	2	3	4	50-69	377	2.2	7	1	1	1	3	4	5
85 +	296	1.6	1	1	1	1	2	3	3	70 +	77	3.2	10	1	1	2	3	10	10
SUBTOTAL	**2347**	**1.8**	**5**	**1**	**1**	**1**	**2**	**3**	**4**		**1975**	**2.2**	**6**	**1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**6770**	**4.7**	**53**	**1**	**1**	**2**	**5**	**12**	**18**		**2718**	**3.6**	**51**	**1**	**1**	**2**	**3**	**8**	**11**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	11	10.0							
18-34	48	7.4	33	1	1	9	12	16	16	18-34	134	6.5	19	1	3	7	11	11	12
35-49	29	11.7	16							35-49	16	5.5	12						
50-69	28	13.5	92							50-69	188	6.1	44	1	1	3	10	17	21
70 +	18	13.0	1							70 +	102	5.6	33	1	1	3	8	17	20
SUBTOTAL	**122**	**10.6**	**44**	**1**	**3**	**12**	**16**	**16**	**22**		**451**	**6.2**	**32**	**1**	**1**	**4**	**10**	**13**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	70	3.9	10	1	2	3	4	10	10	0-17	13	1.0							
18-34	93	3.1	3	2	2	2	3	6	8	18-34	317	2.5	8	1	1	2	2	6	9
35-49	27	5.0	8							35-49	144	1.7	3	1	1	1	1	3	4
50-69	13	2.0								50-69	88	2.7	8	1	1	1	4	6	11
70 +	21	2.3	1							70 +	58	1.3		< 1	< 1	1	1	3	3
SUBTOTAL	**224**	**3.4**	**6**	**2**	**2**	**2**	**4**	**9**	**10**		**620**	**2.2**	**6**	**1**	**1**	**1**	**2**	**5**	**7**
GRAND TOTAL	**346**	**6.0**	**31**	**2**	**2**	**3**	**10**	**15**	**16**		**1071**	**3.9**	**21**	**1**	**1**	**2**	**5**	**10**	**13**

DRG 339: Testes Procedures, Non-malignancy Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	523	4.2	39	1	1	2	5	10	10	0-17	0								
70-74	231	5.2	46	1	1	2	6	13	17	18-34	201	3.9	21	1	1	2	5	7	16
75-79	283	5.7	72	1	1	3	7	13	20	35-49	184	5.3	26	1	2	4	8	14	20
80-84	183	6.8	18	2	3	7	11	11	15	50-69	382	5.5	45	1	2	3	7	14	26
85 +	63	5.8	31	1	2	3	7	15	20	70 +	12	6.7	39						
SUBTOTAL	**1283**	**5.2**	**45**	**1**	**1**	**3**	**7**	**11**	**16**		**779**	**5.0**	**35**	**1**	**2**	**3**	**6**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	696	2.4	10	1	1	1	2	5	8	0-17	0								
70-74	453	2.5	6	1	1	2	3	5	8	18-34	2693	1.6	1	1	1	1	2	3	4
75-79	296	3.0	16	1	1	2	3	8	10	35-49	1941	1.7	3	< 1	1	1	2	3	4
80-84	141	2.7	6	1	2	2	2	5	11	50-69	1571	2.1	5	1	1	1	2	4	8
85 +	53	2.2	5	< 1	1	1	2	6	6	70 +	41	3.0	3	1	1	2	5	5	5
SUBTOTAL	**1640**	**2.6**	**10**	**1**	**1**	**2**	**3**	**6**	**8**		**6246**	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**2923**	**3.7**	**27**	**1**	**1**	**2**	**4**	**9**	**11**		**7026**	**2.1**	**7**	**1**	**1**	**1**	**2**	**4**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	62	3.6	18	1	1	2	5	8	16	18-34	89	3.0	4	1	1	3	4	7	7
35-49	49	5.5	5	2	4	5	7	9	9	35-49	100	8.8	209	1	1	2	9	38	50
50-69	28	8.8	26							50-69	125	2.9	5	1	1	2	4	7	7
70 +	20	7.0	38							70 +	6	5.0							
SUBTOTAL	**159**	**5.6**	**21**	**1**	**2**	**5**	**7**	**14**	**14**		**318**	**4.8**	**75**	**1**	**1**	**2**	**5**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	278	2.1	4	1	1	1	3	4	5	18-34	1400	1.8	2	1	1	1	2	3	5
35-49	50	1.8	2	1	1	1	2	4	4	35-49	392	2.8	31	< 1	1	1	2	3	9
50-69	46	1.5								50-69	350	1.9	2	< 1	1	1	2	3	5
70 +	6	10.0								70 +	42	1.6	1	< 1	1	1	3	3	3
SUBTOTAL	**379**	**2.1**	**4**	**1**	**1**	**1**	**3**	**4**	**5**		**2184**	**2.0**	**7**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**538**	**3.1**	**11**	**1**	**1**	**1**	**4**	**7**	**12**		**2503**	**2.3**	**17**	**1**	**1**	**1**	**2**	**4**	**6**

DRG 340: Testes Procedures, Non-malignancy Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	24	2.5								0-17	456	3.3	60	1	1	2	3	6	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**24**	**2.5**									**456**	**3.3**	**60**	**1**	**1**	**2**	**3**	**6**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	7753	1.3	1	< 1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**7753**	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**24**	**2.5**									**8210**	**1.4**	**4**	**< 1**	**1**	**1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	264	2.7	6	1	1	2	4	6	7	0-17	110	2.6	8	< 1	< 1	2	4	5	13
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**264**	**2.7**	**6**	**1**	**1**	**2**	**4**	**6**	**7**		**110**	**2.6**	**8**	**< 1**	**< 1**	**2**	**4**	**5**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2095	1.4	1	< 1	1	1	1	2	3	0-17	2836	1.2	1	< 1	< 1	1	1	2	2
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2095**	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**		**2836**	**1.2**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**2360**	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**		**2946**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

DRG 341: Penis Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2078	4.7	35	1	2	3	6	8	14	0-17	540	5.2	22	1	1	4	8	12	15
70-74	1220	6.0	77	2	3	4	6	10	17	18-34	182	6.6	32	1	2	5	12	13	17
75-79	994	5.4	23	2	3	4	7	11	14	35-49	568	3.4	12	1	2	3	4	6	8
80-84	708	6.0	27	3	3	5	7	11	14	50-69	1618	3.5	9	1	2	3	4	6	10
85 +	310	6.8	26	2	3	5	9	16	18	70 +	159	4.7	13	2	2	4	5	9	16
SUBTOTAL	**5310**	**5.4**	**41**	**2**	**3**	**4**	**6**	**10**	**14**		**3068**	**4.0**	**14**	**1**	**2**	**3**	**5**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3421	2.9	4	1	2	3	4	5	6	0-17	5563	2.4	7	< 1	1	1	3	6	8
70-74	1890	3.3	5	1	2	3	4	5	7	18-34	458	2.7	4	1	1	2	4	6	7
75-79	1254	3.5	6	1	2	3	4	5	7	35-49	1183	2.8	18	1	1	2	3	4	6
80-84	534	3.9	5	2	2	3	5	8	9	50-69	4990	2.5	3	1	1	2	3	4	5
85 +	292	4.7	10	2	3	4	6	11	11	70 +	170	2.9	1	2	2	3	4	4	4
SUBTOTAL	**7391**	**3.3**	**5**	**1**	**2**	**3**	**4**	**5**	**7**		**12363**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**12700**	**4.2**	**21**	**1**	**2**	**3**	**5**	**7**	**11**		**15431**	**2.8**	**8**	**1**	**1**	**2**	**3**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	160	4.1	19	1	1	3	4	10	11	0-17	92	3.8	44	1	1	1	2	9	28
18-34	95	12.5	164	1	2	7	15	37	38	18-34	28	6.2	16						
35-49	82	8.7	306	1	2	2	7	13	71	35-49	160	4.2	15	1	2	3	6	8	8
50-69	66	15.7	347	3	4	5	42	55	99 +	50-69	334	4.0	22	1	2	3	5	7	11
70 +	0									70 +	40	3.2	2	2	2	3	4	6	6
SUBTOTAL	**403**	**8.9**	**183**	**1**	**2**	**3**	**11**	**34**	**42**		**654**	**4.1**	**22**	**1**	**2**	**3**	**5**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1907	2.7	8	< 1	1	1	4	7	8	0-17	2157	2.5	6	< 1	1	1	3	6	8
18-34	100	4.0	12	1	2	3	4	11	12	18-34	189	3.1	4	1	1	3	4	6	8
35-49	60	3.1	1	2	2	3	3	5	5	35-49	304	4.3	31	1	2	2	5	10	18
50-69	98	3.8	9	2	2	3	4	6	11	50-69	1006	2.5	3	1	1	2	3	4	5
70 +	38	3.1								70 +	103	2.8	2	1	2	3	4	4	5
SUBTOTAL	**2203**	**2.9**	**8**	**1**	**1**	**2**	**4**	**7**	**9**		**3759**	**2.7**	**7**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**2606**	**3.8**	**39**	**1**	**1**	**2**	**4**	**7**	**11**		**4413**	**2.9**	**10**	**1**	**1**	**2**	**3**	**6**	**8**

Total U.S., July 1990 - June 1991

DRG 342: Circumcision Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	58	1.6	1	1	1	1	2	3	4	0-17	0								
70-74	54	3.0	3	2	2	2	4	7	7	18-34	23	3.7	9						
75-79	30	2.7	2							35-49	28	2.5	1						
80-84	32	5.0	5							50-69	51	1.5							
85 +	35	5.0	16							70 +	0								
SUBTOTAL	**208**	**3.2**	**6**	**1**	**1**	**2**	**4**	**7**	**9**		**102**	**2.3**	**3**	**1**	**1**	**2**	**2**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	121	1.7	2	< 1	1	1	2	2	5	0-17	0								
70-74	48	1.0								18-34	62	1.0		< 1	< 1	< 1	< 1	1	1
75-79	44	1.8	2							35-49	86	2.7	16	< 1	< 1	< 1	1	7	16
80-84	33	3.6	13							50-69	85	1.4		1	1	1	2	2	3
85 +	10	1.0								70 +	11	1.0							
SUBTOTAL	**257**	**1.8**	**4**	**1**	**1**	**1**	**2**	**4**	**7**		**245**	**1.7**	**6**	**< 1**	**< 1**	**1**	**1**	**2**	**7**
GRAND TOTAL	**465**	**2.4**	**5**	**1**	**1**	**1**	**3**	**5**	**8**		**347**	**1.9**	**6**	**< 1**	**< 1**	**1**	**2**	**4**	**7**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	10	1.0							
35-49	5	8.0								35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**5**	**8.0**									**10**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	6	27.0								18-34	18	1.0							
35-49	6	3.0								35-49	36	2.2	2						
50-69	0									50-69	29	1.0							
70 +	0									70 +	13	1.0							
SUBTOTAL	**11**	**15.0**	**158**								**96**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**4**	**4**
GRAND TOTAL	**16**	**12.8**	**116**								**107**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**3**	**4**

DRG 343: Circumcision Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	81	1.5	1	< 1	1	1	2	3	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										81	1.5	1	< 1	1	1	2	3	4
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	743	1.2	1	< 1	< 1	< 1	1	1	2
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										743	1.2	1	< 1	< 1	< 1	1	1	2
GRAND TOTAL	0										824	1.2	1	< 1	< 1	< 1	1	1	2

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	35	1.1								0-17	49	4.2	68						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	35	1.1									49	4.2	68						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	771	1.0		< 1	< 1	< 1	< 1	1	1	0-17	612	1.2	1	< 1	< 1	< 1	< 1	1	2
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	771	1.0		< 1	< 1	< 1	< 1	1	1		612	1.2	1	< 1	< 1	< 1	< 1	1	2
GRAND TOTAL	806	1.0		< 1	< 1	< 1	< 1	1	1		662	1.5	7	< 1	< 1	< 1	< 1	1	3

DRG 344: Other Male Reproductive System O.R. Procedures for Malignancy

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	548	4.8	6	2	3	4	6	7	11	0-17	5	13.0							
70-74	828	5.2	9	2	3	5	6	8	11	18-34	34	8.9	7						
75-79	453	8.5	66	1	3	6	11	19	24	35-49	67	5.7	2	4	5	5	7	8	9
80-84	243	7.9	52	2	4	5	9	17	19	50-69	690	6.9	32	3	4	5	8	16	18
85 +	154	10.5	71	2	3	9	14	22	25	70 +	51	4.6	8						
SUBTOTAL	2226	6.4	32	2	3	5	7	13	17		847	6.8	28	3	4	5	8	14	17
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	578	3.7	3	1	2	4	5	6	6	0-17	11	4.1	4						
70-74	701	3.4	4	1	2	3	5	6	7	18-34	103	5.9	3	4	5	6	7	8	9
75-79	551	3.4	5	1	1	3	5	6	8	35-49	56	5.1	9	1	2	6	7	9	10
80-84	165	3.0	4	1	1	2	4	6	6	50-69	616	3.8	6	1	2	4	5	6	7
85 +	5	4.0								70 +	65	2.6	4	1	1	2	4	6	6
SUBTOTAL	2001	3.5	4	1	2	3	5	6	7		850	4.0	6	1	2	4	6	7	8
GRAND TOTAL	4227	5.0	21	1	2	4	6	9	13		1697	5.4	19	1	3	4	6	9	14

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	11.0	18							0-17	18	7.9	2						
18-34	22	6.5	5							18-34	39	9.3	2						
35-49	0									35-49	11	12.6	7						
50-69	6	4.0								50-69	89	6.9	19	3	4	5	8	16	16
70 +	29	9.3	141							70 +	24	3.5	1						
SUBTOTAL	68	8.2	68	2	4	5	8	15	33		180	7.4	15	3	4	7	10	13	16
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	12.0								0-17	13	7.0							
18-34	5	12.0								18-34	18	8.4	1						
35-49	5	8.0								35-49	5	7.0							
50-69	16	4.5	12							50-69	141	3.7	4	1	3	3	5	5	7
70 +	0									70 +	24	6.3	17						
SUBTOTAL	32	7.6	18								201	4.7	7	1	3	4	7	9	10
GRAND TOTAL	100	8.0	52	2	4	6	10	15	33		381	6.0	13	2	3	5	8	10	12

DRG 345: Other Male Reproductive System O.R. Proc except for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	233	4.1	8	2	2	4	5	7	9	0-17	0								
70-74	271	3.5	5	1	2	3	4	7	10	18-34	21	6.1	13						
75-79	273	6.2	76	2	2	5	9	12	12	35-49	50	3.5	9	1	1	3	3	9	9
80-84	189	8.0	152	2	2	4	7	16	52	50-69	196	4.7	29	1	2	3	5	16	19
85+	154	7.0	22	2	3	6	10	14	14	70+	24	9.0							
SUBTOTAL	**1120**	**5.5**	**53**	**2**	**2**	**4**	**7**	**10**	**14**		**292**	**5.0**	**24**	**1**	**2**	**3**	**8**	**10**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	372	3.4	21	1	1	2	4	5	14	0-17	27	2.2	6						
70-74	210	3.5	8	1	1	2	6	8	10	18-34	77	3.1	6	< 1	1	2	5	8	8
75-79	157	2.7	5	1	1	2	4	5	5	35-49	188	2.9	15	< 1	1	1	2	9	15
80-84	74	5.0	22	2	2	3	5	15	15	50-69	751	2.3	4	1	1	2	3	5	7
85+	47	3.1	4							70+	70	2.0	1	1	1	2	3	3	3
SUBTOTAL	**861**	**3.4**	**14**	**1**	**1**	**2**	**4**	**7**	**12**		**1113**	**2.4**	**6**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**1980**	**4.6**	**37**	**1**	**2**	**3**	**5**	**9**	**14**		**1405**	**3.0**	**11**	**1**	**1**	**2**	**3**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	5	47.0							
18-34	0									18-34	6	10.0							
35-49	6	3.0								35-49	32	4.9	15						
50-69	5	54.0								50-69	37	5.4	5	3	3	6	7	9	9
70+	6	2.0								70+	28	3.6	5						
SUBTOTAL	**16**	**18.7**	**608**								**107**	**7.0**	**91**	**2**	**2**	**5**	**8**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	1.0								0-17	5	10.0							
18-34	0									18-34	16	3.6							
35-49	6	5.0								35-49	46	3.9	17	< 1	1	2	3	13	14
50-69	17	4.2	5							50-69	116	3.5	11	1	1	3	5	9	11
70+	0									70+	5	15.0							
SUBTOTAL	**29**	**3.7**	**5**								**189**	**4.1**	**15**	**1**	**1**	**3**	**5**	**10**	**14**
GRAND TOTAL	**45**	**9.2**	**270**	**1**	**2**	**3**	**6**	**54**	**54**		**296**	**5.2**	**44**	**1**	**1**	**3**	**7**	**10**	**13**

DRG 346: Malignancy, Male Reproductive System, w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1092	7.7	54	2	3	5	10	17	23	0-17	65	8.7	115	2	2	4	5	30	30
70-74	1380	7.7	44	2	3	6	10	16	19	18-34	71	8.3	32	3	4	7	12	13	23
75-79	1378	7.9	43	2	4	6	10	16	21	35-49	27	3.4	4						
80-84	1052	8.8	56	2	4	7	11	17	26	50-69	921	6.4	26	1	3	5	9	14	15
85 +	1094	9.3	86	2	4	7	12	18	23	70 +	132	9.1	74	2	3	5	11	26	29
SUBTOTAL	**5996**	**8.2**	**56**	**2**	**3**	**6**	**11**	**17**	**22**		**1217**	**6.9**	**37**	**2**	**3**	**5**	**9**	**14**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**5996**	**8.2**	**56**	**2**	**3**	**6**	**11**	**17**	**22**		**1217**	**6.9**	**37**	**2**	**3**	**5**	**9**	**14**	**20**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	18	13.2	70							0-17	52	2.8	9						
18-34	73	10.7	123	1	2	8	16	23	40	18-34	87	7.0	38	1	2	6	8	17	25
35-49	22	6.7	5							35-49	17	2.0	1						
50-69	74	10.4	17	4	5	12	13	15	15	50-69	163	7.4	43	1	2	5	11	20	22
70 +	50	5.2	5	2	3	6	7	9	9	70 +	133	8.8	181	1	3	5	7	12	52
SUBTOTAL	**238**	**9.3**	**55**	**2**	**4**	**8**	**13**	**16**	**23**		**451**	**7.0**	**81**	**1**	**1**	**5**	**8**	**17**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**238**	**9.3**	**55**	**2**	**4**	**8**	**13**	**16**	**23**		**451**	**7.0**	**81**	**1**	**1**	**5**	**8**	**17**	**22**

DRG 347: Malignancy, Male Reproductive System, w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	278	3.0	10	< 1	1	1	4	7	12	0-17	28	2.0							
70-74	266	5.1	79	< 1	2	3	5	7	12	18-34	90	2.6	2	1	1	2	4	4	5
75-79	273	4.1	52	< 1	1	3	4	6	11	35-49	52	2.5	5	< 1	1	2	2	7	7
80-84	158	7.4	166	1	3	4	4	13	50	50-69	291	3.5	9	1	1	2	5	8	11
85 +	99	5.1	30	1	2	3	6	16	19	70 +	24	1.2							
SUBTOTAL	**1074**	**4.7**	**64**	**< 1**	**1**	**3**	**5**	**7**	**12**		**484**	**3.0**	**7**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**1074**	**4.7**	**64**	**< 1**	**1**	**3**	**5**	**7**	**12**		**484**	**3.0**	**7**	**1**	**1**	**2**	**4**	**7**	**9**

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	4.3	6							0-17	24	1.8							
18-34	39	2.3	3	1	1	2	3	6	6	18-34	67	4.7	22	1	2	4	5	6	19
35-49	21	3.9	4							35-49	17	3.7	4						
50-69	23	5.0	7							50-69	121	3.5	15	1	1	2	5	9	14
70 +	37	1.9	3							70 +	19	1.7							
SUBTOTAL	**136**	**3.1**	**5**	**< 1**	**1**	**2**	**6**	**6**	**7**		**249**	**3.5**	**14**	**1**	**1**	**2**	**5**	**5**	**14**
GRAND TOTAL	**136**	**3.1**	**5**	**< 1**	**1**	**2**	**6**	**6**	**7**		**249**	**3.5**	**14**	**1**	**1**	**2**	**5**	**5**	**14**

DRG 348: Benign Prostatic Hypertrophy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	903	3.9	6	1	2	4	5	7	8	0-17	0								
70-74	903	5.2	22	1	2	4	6	10	17	18-34	0								
75-79	978	5.0	42	1	2	4	6	9	11	35-49	16	3.4	4						
80-84	595	5.3	20	1	2	4	6	13	15	50-69	643	3.8	8	1	1	3	5	7	10
85 +	626	7.0	51	2	3	5	9	13	20	70 +	101	5.3	35	1	3	4	5	9	28
SUBTOTAL	**4005**	**5.2**	**28**	**1**	**2**	**4**	**6**	**10**	**13**		**759**	**4.0**	**11**	**1**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4005**	**5.2**	**28**	**1**	**2**	**4**	**6**	**10**	**13**		**759**	**4.0**	**11**	**1**	**2**	**3**	**5**	**7**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	10	7.0							
35-49	0									35-49	6	7.0							
50-69	76	4.2	9	1	2	2	7	8	8	50-69	109	4.9	6	2	3	4	7	8	9
70 +	40	7.8	8							70 +	90	5.8	86	1	1	2	3	31	31
SUBTOTAL	**116**	**5.5**	**11**	**1**	**2**	**7**	**8**	**10**	**11**		**215**	**5.4**	**39**	**1**	**2**	**4**	**7**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**116**	**5.5**	**11**	**1**	**2**	**7**	**8**	**10**	**11**		**215**	**5.4**	**39**	**1**	**2**	**4**	**7**	**8**	**11**

DRG 349: Benign Prostatic Hypertrophy w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES										PERCENTILES							
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	677	2.7	4	<1	1	2	3	6	6	0-17	0								
70-74	592	2.5	3	1	1	2	3	4	6	18-34	0								
75-79	508	2.6	4	<1	1	2	3	6	7	35-49	57	1.9		<1	2	2	2	3	3
80-84	212	2.6	1	<1	2	3	3	4	5	50-69	824	2.7	4	1	1	2	4	4	8
85+	140	2.5	2	1	1	2	3	4	4	70+	64	1.7		1	1	2	2	2	3
SUBTOTAL	**2129**	**2.6**	**3**	**<1**	**1**	**2**	**3**	**5**	**6**		**945**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**2129**	**2.6**	**3**	**<1**	**1**	**2**	**3**	**5**	**6**		**945**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID										NO INSURANCE										
				PERCENTILES										PERCENTILES							
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	18	3.4	1							35-49	0								
50-69	87	2.9	16	<1	1	1	4	4	17	50-69	199	2.0	2	<1	1	1	3	4	4
70+	57	3.3	5	<1	1	2	6	6	6	70+	31	2.8	3						
SUBTOTAL	**162**	**3.1**	**10**	**<1**	**1**	**2**	**4**	**6**	**6**		**230**	**2.1**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**162**	**3.1**	**10**	**<1**	**1**	**2**	**4**	**6**	**6**		**230**	**2.1**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**

DRG 350: Inflammation of the Male Reproductive System

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2006	6.5	30	3	4	5	8	11	13
70-74	902	5.7	13	2	4	5	7	10	12
75-79	1035	6.4	21	3	4	5	7	12	13
80-84	599	7.0	22	3	4	6	8	13	14
85 +	453	7.9	17	3	5	8	10	11	17
SUBTOTAL	**4995**	**6.5**	**23**	**3**	**4**	**5**	**8**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1102	4.9	7	2	3	4	6	8	10
70-74	506	4.6	5	3	3	4	5	8	10
75-79	294	4.6	3	3	3	5	6	7	7
80-84	147	4.6	6	2	3	3	6	8	9
85 +	168	4.7	7	2	3	4	6	9	9
SUBTOTAL	**2218**	**4.7**	**6**	**2**	**3**	**4**	**6**	**8**	**9**
GRAND TOTAL	**7213**	**6.0**	**18**	**2**	**3**	**5**	**7**	**10**	**12**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	149	3.8	6	2	2	3	5	8	9
18-34	586	4.2	5	2	2	4	5	7	8
35-49	1317	4.7	7	2	3	4	6	8	11
50-69	2127	5.2	9	2	3	5	6	8	10
70 +	158	5.1	8	2	3	4	8	9	9
	4337	**4.8**	**8**	**2**	**3**	**4**	**6**	**8**	**10**
0-17	855	3.2	5	1	2	3	4	6	7
18-34	1921	3.4	3	1	2	3	4	6	7
35-49	2408	3.9	4	2	2	4	5	6	7
50-69	2236	4.1	4	2	3	4	5	7	7
70 +	23	4.1	11						
	7442	**3.8**	**4**	**2**	**2**	**3**	**5**	**6**	**7**
	11779	**4.2**	**6**	**2**	**3**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	94	3.6	3	1	2	4	5	6	7
18-34	207	7.5	36	3	4	5	9	12	27
35-49	177	6.1	9	3	4	6	8	10	10
50-69	223	4.8	6	2	3	4	7	9	10
70 +	6	4.0							
SUBTOTAL	**707**	**5.7**	**17**	**2**	**3**	**5**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	404	2.6	3	1	2	2	3	4	5
18-34	301	4.0	10	1	2	3	5	6	11
35-49	170	4.3	7	2	3	4	5	7	8
50-69	104	4.4	4	2	3	4	5	9	9
70 +	0								
SUBTOTAL	**979**	**3.6**	**6**	**1**	**2**	**3**	**4**	**6**	**9**
GRAND TOTAL	**1686**	**4.5**	**12**	**1**	**2**	**4**	**5**	**9**	**10**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	76	5.2	16	1	3	4	7	11	16
18-34	324	4.9	21	2	2	4	5	12	13
35-49	458	4.4	8	2	2	4	6	7	9
50-69	341	5.1	10	2	3	4	6	10	12
70 +	93	6.1	11	3	4	5	7	14	14
	1291	**4.9**	**13**	**2**	**3**	**4**	**6**	**9**	**12**
0-17	350	3.1	7	< 1	1	2	4	5	6
18-34	1026	3.7	18	1	2	3	5	6	7
35-49	639	3.3	4	1	2	3	4	6	7
50-69	437	3.4	5	1	2	3	5	5	7
70 +	12	4.5							
	2464	**3.5**	**10**	**1**	**2**	**3**	**4**	**6**	**7**
	3755	**4.0**	**12**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 351: Sterilization, Male

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	10	1.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**10**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	295	1.0		< 1	< 1	< 1	< 1	< 1	< 1
75-79	0									35-49	249	1.0		< 1	< 1	< 1	< 1	< 1	< 1
80-84	0									50-69	11	1.0							
85 +	0									70 +	0								
SUBTOTAL	**0**										**555**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**< 1**
GRAND TOTAL	**0**										**565**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**< 1**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	6	1.0								18-34	124	1.0		< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									35-49	43	1.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**6**	**1.0**									**167**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**< 1**
GRAND TOTAL	**6**	**1.0**									**167**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**< 1**

DRG 352: Other Male Reproductive System Diagnoses

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	196	3.9	13	< 1	1	3	6	9	10	0-17	168	3.0	8	< 1	1	2	3	8	11
70-74	120	5.2	35	1	2	3	6	11	20	18-34	79	4.2	20	1	1	2	6	13	13
75-79	41	5.0	5	3	3	4	8	9	9	35-49	62	4.7	13	2	3	3	7	10	14
80-84	57	9.9	53	5	5	7	15	22	22	50-69	138	3.8	10	< 1	1	3	6	7	7
85 +	52	6.9	93	2	3	3	5	34	34	70 +	0								
SUBTOTAL	**465**	**5.4**	**35**	**1**	**2**	**3**	**6**	**10**	**22**		**447**	**3.7**	**12**	**< 1**	**1**	**3**	**5**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	172	2.7	6	1	1	2	3	6	7	0-17	746	1.5	1	< 1	1	1	2	3	4
70-74	108	1.7	1	1	1	1	3	3	3	18-34	500	2.2	10	< 1	1	1	2	4	6
75-79	41	3.3	6	1	1	2	5	8	8	35-49	353	2.8	7	1	1	1	4	8	9
80-84	47	3.9	9	1	2	2	8	8	8	50-69	366	1.9	2	1	1	1	2	4	6
85 +	18	4.0								70 +	6	4.0							
SUBTOTAL	**387**	**2.7**	**5**	**1**	**1**	**2**	**3**	**6**	**8**		**1971**	**2.0**	**5**	**< 1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**852**	**4.2**	**23**	**1**	**1**	**3**	**5**	**8**	**14**		**2418**	**2.3**	**7**	**< 1**	**1**	**1**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	109	3.6	10	1	2	3	4	11	13	0-17	43	6.5	37	< 1	2	3	14	17	17
18-34	61	7.2	14	2	5	7	8	10	16	18-34	99	4.1	6	2	2	4	5	8	11
35-49	22	6.8	14							35-49	38	4.7	8	< 1	1	5	7	9	9
50-69	16	10.8	73							50-69	19	2.0							
70 +	0									70 +	0								
SUBTOTAL	**209**	**5.5**	**21**	**1**	**2**	**4**	**7**	**11**	**16**		**199**	**4.5**	**14**	**1**	**2**	**4**	**6**	**9**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	320	1.6	2	< 1	< 1	1	2	3	3	0-17	221	1.6	1	< 1	< 1	1	2	4	4
18-34	56	2.3	4	1	1	1	3	7	7	18-34	269	2.3	4	1	1	2	3	5	8
35-49	24	2.2	2							35-49	185	2.4	5	1	1	2	3	3	8
50-69	23	3.8	3							50-69	32	3.3	7						
70 +	0									70 +	0								
SUBTOTAL	**423**	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**3**	**6**		**707**	**2.2**	**4**	**1**	**1**	**1**	**3**	**4**	**7**
GRAND TOTAL	**631**	**3.0**	**12**	**< 1**	**1**	**2**	**3**	**7**	**10**		**906**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**8**

DRG 353: Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	426	13.0	66	6	8	11	14	24	36
70-74	370	11.5	39	7	8	10	12	20	27
75-79	292	14.4	99	6	7	12	16	28	37
80-84	217	16.9	261	5	9	11	20	61	99+
85+	165	18.0	171	6	9	15	23	29	55
SUBTOTAL	**1471**	**14.0**	**111**	**6**	**8**	**11**	**16**	**28**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	141	6.9	11	4	5	6	8	12	14
70-74	156	7.7	20	4	4	6	9	12	19
75-79	137	7.3	16	2	4	6	11	13	16
80-84	75	8.2	4	6	7	8	9	10	13
85+	59	8.5	28	3	4	8	10	10	23
SUBTOTAL	**568**	**7.5**	**16**	**4**	**5**	**7**	**9**	**12**	**16**
GRAND TOTAL	**2039**	**12.2**	**93**	**5**	**7**	**10**	**14**	**23**	**29**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	298	7.5	13	5	5	7	8	10	13
35-49	840	8.9	17	5	7	8	10	13	18
50-69	739	11.4	79	6	7	9	13	18	27
70+	39	11.7	18	7	8	10	17	19	19
	1916	**9.7**	**43**	**5**	**7**	**8**	**11**	**17**	**20**
0-17	0								
18-34	347	6.7	5	4	5	7	8	10	10
35-49	707	6.5	9	3	5	6	8	10	12
50-69	467	6.3	6	3	4	7	8	9	11
70+	0								
	1522	**6.5**	**7**	**3**	**5**	**6**	**8**	**10**	**11**
	3438	**8.3**	**29**	**4**	**6**	**7**	**9**	**13**	**17**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	82	10.8	37	6	7	9	9	23	23
35-49	175	10.6	30	6	6	9	14	16	21
50-69	136	16.6	103	8	9	15	23	27	28
70+	0								
SUBTOTAL	**392**	**12.7**	**64**	**6**	**7**	**9**	**15**	**23**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	88	5.9	7	3	4	5	8	8	13
35-49	73	6.8	4	5	6	7	9	9	9
50-69	24	4.9	6						
70+	6	6.0							
SUBTOTAL	**191**	**6.1**	**6**	**3**	**4**	**6**	**8**	**9**	**9**
GRAND TOTAL	**583**	**10.6**	**55**	**5**	**6**	**8**	**13**	**21**	**24**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	115	9.8	41	5	5	7	14	15	28
35-49	217	9.2	54	5	5	7	10	16	22
50-69	209	11.9	52	6	7	9	16	23	31
70+	12	26.3	551						
	553	**10.7**	**67**	**5**	**6**	**8**	**13**	**19**	**31**
0-17	0								
18-34	139	6.1	6	4	5	6	7	9	10
35-49	207	6.9	9	4	5	6	7	10	14
50-69	116	7.9	13	4	6	7	10	15	16
70+	11	4.0							
	473	**6.8**	**10**	**4**	**5**	**6**	**7**	**10**	**14**
	1026	**8.9**	**44**	**4**	**5**	**7**	**10**	**16**	**20**

Total U.S., July 1990 - June 1991

DRG 354: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3150	6.9	23	4	4	6	8	11	13	0-17	5	9.0							
70-74	2319	7.7	25	4	5	6	9	13	18	18-34	756	4.9	4	3	3	4	6	8	9
75-79	1865	7.3	32	4	5	6	8	11	14	35-49	2115	5.8	8	3	4	5	7	9	11
80-84	976	9.4	43	5	6	8	11	16	24	50-69	3473	6.4	12	4	4	5	7	11	13
85 +	535	10.1	73	4	5	7	12	20	32	70 +	161	8.1	13	4	5	7	11	13	16
SUBTOTAL	**8844**	**7.7**	**32**	**4**	**5**	**6**	**9**	**13**	**17**		**6511**	**6.0**	**10**	**3**	**4**	**5**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**8844**	**7.7**	**32**	**4**	**5**	**6**	**9**	**13**	**17**		**6511**	**6.0**	**10**	**3**	**4**	**5**	**7**	**10**	**12**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	24	13.4	4							0-17	13	14.0							
18-34	341	6.3	28	3	4	5	7	9	13	18-34	196	5.0	3	3	4	5	5	7	9
35-49	349	5.9	10	3	4	5	7	8	11	35-49	525	5.5	8	3	4	5	7	9	10
50-69	296	8.7	21	5	6	8	10	17	20	50-69	747	6.8	14	4	5	6	8	10	13
70 +	68	10.3	60	4	5	9	15	99 +	99 +	70 +	108	9.7	55	4	5	7	10	13	31
SUBTOTAL	**1078**	**7.2**	**25**	**3**	**4**	**6**	**8**	**13**	**20**		**1589**	**6.4**	**15**	**3**	**4**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1078**	**7.2**	**25**	**3**	**4**	**6**	**8**	**13**	**20**		**1589**	**6.4**	**15**	**3**	**4**	**5**	**7**	**10**	**13**

DRG 355: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2490	4.6	2	3	4	4	5	6	7	0-17	16	2.7	1						
70-74	1870	4.8	3	3	4	5	5	7	7	18-34	3170	3.5	1	2	3	3	4	5	5
75-79	1219	5.1	3	3	4	5	6	7	8	35-49	6368	3.9	1	3	3	4	4	5	6
80-84	478	5.5	4	4	4	5	7	7	8	50-69	5804	4.6	3	3	4	4	5	6	7
85 +	317	6.6	10	4	4	6	8	10	15	70 +	136	5.2	1	4	4	5	6	7	7
SUBTOTAL	**6375**	**4.9**	**3**	**3**	**4**	**5**	**6**	**7**	**8**		**15494**	**4.1**	**2**	**3**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**6375**	**4.9**	**3**	**3**	**4**	**5**	**6**	**7**	**8**		**15494**	**4.1**	**2**	**3**	**3**	**4**	**5**	**6**	**7**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	1244	3.5	2	2	3	3	4	5	6	18-34	907	3.3	2	2	3	3	4	5	6
35-49	624	3.9	2	2	3	4	4	5	6	35-49	1442	3.8	2	3	3	4	4	5	6
50-69	336	5.0	5	3	4	4	6	8	9	50-69	1155	4.5	2	3	4	4	5	6	7
70 +	22	4.5								70 +	86	4.2	1	3	3	4	5	6	7
SUBTOTAL	**2227**	**3.9**	**3**	**2**	**3**	**4**	**4**	**6**	**7**		**3590**	**3.9**	**2**	**2**	**3**	**4**	**4**	**6**	**6**
GRAND TOTAL	**2227**	**3.9**	**3**	**2**	**3**	**4**	**4**	**6**	**7**		**3590**	**3.9**	**2**	**2**	**3**	**4**	**4**	**6**	**6**

DRG 356: Female Reproductive System Reconstructive Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3787	4.9	10	2	3	4	6	8	9	0-17	11	5.8	28						
70-74	2918	5.0	7	3	3	4	6	8	11	18-34	298	4.0	3	3	3	4	5	6	6
75-79	1979	5.4	13	3	3	5	6	8	10	35-49	2138	4.5	4	3	3	4	5	7	8
80-84	1109	6.0	18	3	4	5	7	10	13	50-69	4184	4.7	5	3	3	4	6	7	9
85+	341	5.7	9	3	4	5	7	9	11	70+	187	4.3	5	2	3	4	5	7	10
SUBTOTAL	**10133**	**5.2**	**11**	**3**	**3**	**4**	**6**	**8**	**10**		**6818**	**4.6**	**5**	**3**	**3**	**4**	**6**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8333	3.8	3	2	3	4	4	6	7	0-17	53	5.7	8	2	3	6	8	11	11
70-74	6235	3.8	2	2	3	3	4	6	7	18-34	2082	3.2	2	2	2	3	4	5	5
75-79	4239	3.9	3	2	3	4	5	6	7	35-49	12622	3.4	2	2	3	3	4	5	6
80-84	1638	4.1	3	2	3	4	5	6	7	50-69	19175	3.6	2	2	3	3	4	5	6
85+	487	3.9	5	1	3	3	5	7	9	70+	363	4.3	17	2	3	4	5	5	8
SUBTOTAL	**20933**	**3.8**	**3**	**2**	**3**	**4**	**5**	**6**	**7**		**34294**	**3.5**	**2**	**2**	**3**	**3**	**4**	**5**	**6**
GRAND TOTAL	**31066**	**4.3**	**6**	**2**	**3**	**4**	**5**	**7**	**8**		**41112**	**3.7**	**3**	**2**	**3**	**3**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5	4.0								0-17	0								
18-34	96	6.5	6	4	5	6	9	11	11	18-34	34	4.7	7	3	3	3	6	10	10
35-49	281	4.7	4	3	3	4	6	7	8	35-49	467	4.2	3	2	3	4	5	7	8
50-69	307	5.6	16	3	3	5	6	8	12	50-69	750	4.7	6	3	3	4	6	7	8
70+	15	4.3	4							70+	77	4.1	4	2	3	4	5	5	9
SUBTOTAL	**704**	**5.3**	**10**	**3**	**3**	**5**	**6**	**8**	**10**		**1327**	**4.5**	**5**	**2**	**3**	**4**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	4.4	18							0-17	16	7.6	4						
18-34	499	3.4	2	2	2	3	4	6	6	18-34	384	3.0	1	2	2	3	4	4	5
35-49	987	4.0	4	2	3	4	5	6	7	35-49	2007	3.3	2	2	2	3	4	5	5
50-69	769	3.8	3	2	3	4	4	6	7	50-69	3188	3.4	2	2	3	3	4	5	6
70+	60	4.7	4	2	3	5	7	7	7	70+	227	3.0	1	2	2	3	4	4	5
SUBTOTAL	**2331**	**3.8**	**3**	**2**	**3**	**4**	**5**	**6**	**7**		**5823**	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**3036**	**4.2**	**5**	**2**	**3**	**4**	**5**	**7**	**8**		**7150**	**3.6**	**3**	**2**	**3**	**3**	**4**	**5**	**6**

DRG 357: Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1887	11.5	53	5	7	9	14	21	26
70-74	1628	12.7	65	5	8	10	15	22	30
75-79	1072	14.5	121	5	7	11	18	28	40
80-84	592	12.5	101	5	6	10	15	23	38
85 +	313	19.2	276	7	10	14	22	35	41
SUBTOTAL	**5493**	**13.0**	**91**	**5**	**7**	**10**	**15**	**23**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	518	6.3	11	3	4	5	7	10	13
70-74	305	7.5	11	4	5	7	9	11	14
75-79	186	7.3	18	4	5	6	8	13	14
80-84	161	6.7	5	4	5	6	9	10	11
85 +	61	6.8	4	4	5	7	8	10	10
SUBTOTAL	**1231**	**6.8**	**11**	**4**	**5**	**6**	**8**	**11**	**13**
GRAND TOTAL	**6724**	**11.9**	**82**	**5**	**6**	**9**	**14**	**22**	**29**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	32	5.5	3						
18-34	452	6.7	7	4	5	6	8	10	11
35-49	1582	7.6	16	4	5	7	9	12	15
50-69	3101	10.6	58	5	6	8	13	18	24
70 +	131	12.8	58	6	7	10	17	26	28
	5298	**9.4**	**44**	**4**	**5**	**8**	**11**	**16**	**21**
0-17	65	4.0	1	3	3	4	4	5	7
18-34	734	4.4	3	3	3	4	5	6	8
35-49	1493	4.9	5	3	4	4	5	8	10
50-69	1381	5.6	5	4	4	5	6	8	10
70 +	11	5.5	2						
	3683	**5.0**	**5**	**3**	**4**	**5**	**6**	**8**	**9**
	8982	**7.6**	**32**	**4**	**4**	**6**	**9**	**13**	**17**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	50	7.9	5						
18-34	76	7.5	11	5	5	7	9	13	15
35-49	184	10.5	18	5	8	10	14	16	16
50-69	287	11.4	69	5	6	9	13	26	27
70 +	13	17.0							
SUBTOTAL	**610**	**10.5**	**42**	**5**	**6**	**9**	**13**	**16**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	8.9	9						
18-34	83	4.5	11	2	3	4	5	5	16
35-49	50	4.9	1	3	4	5	5	7	7
50-69	32	5.5	14						
70 +	6	8.0							
SUBTOTAL	**186**	**5.2**	**10**	**2**	**3**	**4**	**5**	**11**	**11**
GRAND TOTAL	**796**	**9.3**	**40**	**4**	**5**	**8**	**11**	**16**	**22**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	41	6.7	1						
18-34	116	8.0	19	4	5	8	9	11	20
35-49	436	8.7	30	4	5	7	10	18	29
50-69	661	9.1	31	4	5	8	11	15	21
70 +	114	8.1	12	4	5	8	12	12	13
	1368	**8.7**	**27**	**4**	**5**	**7**	**10**	**15**	**21**
0-17	57	7.0	13	2	5	6	8	13	13
18-34	272	4.3	6	3	3	4	4	6	8
35-49	265	4.8	4	3	4	4	5	7	8
50-69	316	5.4	5	3	4	5	7	9	10
70 +	5	13.0							
	915	**5.0**	**6**	**3**	**4**	**4**	**6**	**8**	**11**
	2283	**7.3**	**22**	**3**	**4**	**6**	**9**	**13**	**16**

Total U.S., July 1990 - June 1991

DRG 358: Uterine & Adnexa Proc for Non-malignancy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	9255	6.0	14	3	4	5	7	9	13	0-17	780	4.6	11	2	3	4	5	8	9
70-74	5781	6.3	15	4	4	5	7	10	13	18-34	23117	4.6	6	3	3	4	5	7	9
75-79	4121	6.7	21	4	4	6	7	11	14	35-49	70901	4.9	6	3	4	4	5	7	9
80-84	1723	7.5	20	4	5	6	8	13	18	50-69	16259	5.4	11	3	4	5	6	8	10
85 +	747	9.9	48	4	5	8	13	19	25	70 +	314	6.7	15	4	4	6	7	12	12
SUBTOTAL	**21628**	**6.5**	**18**	**4**	**4**	**5**	**7**	**11**	**14**		**111371**	**4.9**	**7**	**3**	**4**	**4**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**21628**	**6.5**	**18**	**4**	**4**	**5**	**7**	**11**	**14**		**111371**	**4.9**	**7**	**3**	**4**	**4**	**5**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	188	7.3	48	3	3	5	7	19	27	0-17	199	5.2	15	2	3	4	7	8	10
18-34	5775	5.2	7	3	4	4	6	8	10	18-34	6894	4.8	8	3	3	4	5	7	9
35-49	5243	5.9	16	3	4	5	7	9	12	35-49	15659	5.0	7	3	4	4	6	8	10
50-69	1084	6.6	11	4	4	6	7	10	13	50-69	3144	5.3	6	3	4	5	6	8	10
70 +	74	9.1	55	4	5	9	10	11	33	70 +	163	5.4	13	3	4	5	6	7	9
SUBTOTAL	**12364**	**5.7**	**13**	**3**	**4**	**5**	**7**	**9**	**11**		**26058**	**5.0**	**7**	**3**	**4**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**12364**	**5.7**	**13**	**3**	**4**	**5**	**7**	**9**	**11**		**26058**	**5.0**	**7**	**3**	**4**	**4**	**6**	**8**	**10**

DRG 359: Uterine & Adnexa Proc for Non-malignancy w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	13410	4.3	2	3	3	4	5	6	7	0-17	3906	3.4	5	2	2	3	4	5	7
70-74	7777	4.6	3	3	4	4	5	6	7	18-34	107504	3.4	2	2	3	3	4	5	5
75-79	4707	4.7	3	3	4	4	5	7	7	35-49	224878	3.8	2	3	3	4	4	5	6
80-84	1451	4.9	3	3	4	5	6	7	8	50-69	52144	4.1	2	3	3	4	5	6	6
85 +	453	5.7	8	3	4	5	6	9	10	70 +	679	4.3	2	3	3	4	5	6	7
SUBTOTAL	**27798**	**4.5**	**3**	**3**	**4**	**4**	**5**	**6**	**7**		**389109**	**3.7**	**2**	**2**	**3**	**4**	**4**	**5**	**6**
GRAND TOTAL	**27798**	**4.5**	**3**	**3**	**4**	**4**	**5**	**6**	**7**		**389109**	**3.7**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	774	3.7	4	2	2	3	4	6	9	0-17	1060	3.3	3	1	2	3	4	5	6
18-34	17954	3.7	3	2	3	4	4	5	6	18-34	26364	3.5	2	2	3	3	4	5	6
35-49	10646	4.1	4	3	3	4	5	6	6	35-49	42230	3.8	2	3	3	4	4	5	5
50-69	1348	5.4	37	3	4	4	6	7	10	50-69	8637	4.0	2	3	3	4	4	5	6
70 +	131	5.7	5	4	4	5	6	10	11	70 +	347	3.9	1	3	3	4	5	5	6
SUBTOTAL	**30852**	**3.9**	**5**	**2**	**3**	**4**	**4**	**5**	**7**		**78638**	**3.7**	**2**	**2**	**3**	**4**	**4**	**5**	**6**
GRAND TOTAL	**30852**	**3.9**	**5**	**2**	**3**	**4**	**4**	**5**	**7**		**78638**	**3.7**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

Total U.S., July 1990 - June 1991

DRG 360: Vagina, Cervix & Vulva Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1209	5.8	53	2	3	4	7	10	14	0-17	268	6.2	52	< 1	1	3	6	20	24
70-74	849	6.5	35	2	3	5	7	12	17	18-34	412	4.1	21	1	1	3	5	8	10
75-79	697	7.1	110	3	4	5	7	11	14	35-49	1000	4.8	16	1	2	4	6	8	14
80-84	551	7.6	45	2	3	5	9	15	28	50-69	1161	5.5	22	2	3	4	6	10	14
85 +	407	7.1	31	2	3	6	9	14	22	70 +	51	6.3	15	3	3	5	8	12	16
SUBTOTAL	**3713**	**6.6**	**56**	**2**	**3**	**5**	**7**	**12**	**17**		**2892**	**5.1**	**23**	**1**	**2**	**4**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1924	3.6	2	2	3	3	5	6	7	0-17	807	2.3	3	< 1	1	1	4	5	6
70-74	1470	3.8	4	1	3	4	5	6	6	18-34	2712	2.0	2	< 1	1	1	3	4	5
75-79	1016	3.8	4	2	2	4	5	6	8	35-49	3896	2.9	3	1	1	3	4	5	6
80-84	630	4.1	4	2	3	4	5	7	8	50-69	3900	3.5	4	1	2	3	4	5	6
85 +	280	3.6	10	1	2	2	4	7	9	70 +	107	3.8	2	2	2	4	5	5	8
SUBTOTAL	**5320**	**3.8**	**4**	**2**	**2**	**4**	**5**	**6**	**7**		**11422**	**2.8**	**4**	**< 1**	**1**	**3**	**4**	**5**	**6**
GRAND TOTAL	**9033**	**4.9**	**27**	**2**	**3**	**4**	**5**	**8**	**11**		**14314**	**3.3**	**8**	**1**	**1**	**3**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	60	6.1	63	1	1	4	7	22	28	0-17	87	2.9	6	1	1	2	3	8	8
18-34	246	3.1	3	1	1	3	4	6	6	18-34	222	3.4	16	1	1	2	5	7	8
35-49	242	6.2	97	1	3	3	6	10	46.	35-49	254	6.2	48	1	3	4	6	17	26
50-69	159	6.2	21	2	3	5	7	14	18	50-69	278	5.2	19	2	3	4	5	8	16
70 +	0									70 +	45	4.7	6	< 1	3	6	7	8	8
SUBTOTAL	**706**	**5.1**	**47**	**1**	**2**	**3**	**6**	**10**	**14**		**887**	**4.8**	**26**	**1**	**2**	**4**	**5**	**8**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	440	3.0	7	1	1	2	4	7	8	0-17	357	2.3	5	< 1	1	2	3	4	6
18-34	818	2.3	3	< 1	1	2	3	5	6	18-34	888	1.8	2	< 1	< 1	1	2	4	4
35-49	305	2.6	2	< 1	1	2	4	4	6	35-49	836	3.0	8	< 1	1	3	4	5	8
50-69	180	3.7	9	1	2	3	5	7	9	50-69	657	3.3	4	< 1	2	3	4	6	7
70 +	10	2.0								70 +	83	2.2	1	< 1	< 1	2	3	4	4
SUBTOTAL	**1752**	**2.7**	**5**	**< 1**	**1**	**2**	**4**	**5**	**7**		**2820**	**2.6**	**5**	**< 1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**2458**	**3.4**	**18**	**1**	**1**	**2**	**4**	**6**	**9**		**3707**	**3.1**	**11**	**< 1**	**1**	**2**	**4**	**6**	**8**

DRG 361: Laparoscopy & Incisional Tubal Interruption

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	171	6.8	32	< 1	1	5	11	16	19	0-17	153	4.7	7	2	2	4	6	8	9
70-74	45	5.4	33	1	1	3	6	17	17	18-34	1532	3.4	7	1	1	3	5	7	8
75-79	19	2.3	4							35-49	677	3.6	9	1	1	3	5	7	10
80-84	10	2.0								50-69	59	4.0	8	< 1	< 1	4	6	8	8
85 +	16	10.1	98							70 +	0								
SUBTOTAL	**261**	**6.2**	**36**	**1**	**1**	**4**	**11**	**16**	**19**		**2420**	**3.6**	**7**	**1**	**1**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	137	2.8	10	< 1	< 1	2	3	7	13	0-17	890	2.7	4	1	1	2	3	5	6
70-74	53	3.4	4	< 1	1	4	5	6	6	18-34	8465	2.5	4	< 1	1	2	3	5	6
75-79	21	9.5	71							35-49	4447	2.2	3	< 1	1	1	3	4	6
80-84	0									50-69	177	2.1	2	< 1	1	2	3	3	6
85 +	24	2.2	2							70 +	0								
SUBTOTAL	**234**	**3.5**	**17**	**< 1**	**< 1**	**2**	**4**	**7**	**13**		**13980**	**2.4**	**3**	**< 1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**496**	**4.9**	**29**	**< 1**	**1**	**3**	**6**	**13**	**18**		**16400**	**2.6**	**4**	**< 1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	107	4.3	43	1	1	3	5	7	31	0-17	67	3.6	2	2	2	4	5	5	6
18-34	681	4.3	9	1	2	4	6	9	9	18-34	709	3.6	5	1	2	3	5	7	7
35-49	85	3.3	7	1	1	3	6	8	9	35-49	175	4.0	12	1	2	3	6	9	15
50-69	6	7.0								50-69	0								
70 +	6	18.0								70 +	6	1.0							
SUBTOTAL	**884**	**4.3**	**14**	**1**	**2**	**3**	**6**	**9**	**9**		**957**	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	213	3.5	7	1	1	2	6	8	9	0-17	244	3.4	5	1	1	3	5	6	9
18-34	2777	2.5	3	< 1	1	2	4	5	6	18-34	3631	2.5	4	< 1	1	2	3	5	6
35-49	418	2.6	5	< 1	1	2	3	5	7	35-49	1075	2.4	5	< 1	1	1	3	4	7
50-69	16	5.1	2							50-69	16	2.8	6						
70 +	12	4.0								70 +	0								
SUBTOTAL	**3437**	**2.6**	**4**	**< 1**	**1**	**2**	**4**	**5**	**7**		**4966**	**2.5**	**5**	**< 1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**4320**	**3.0**	**6**	**< 1**	**1**	**2**	**4**	**6**	**7**		**5922**	**2.7**	**5**	**< 1**	**1**	**2**	**4**	**5**	**7**

Total U.S., July 1990 - June 1991

DRG 362: Endoscopic Tubal Interruption

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**2.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**1.0**							
GRAND TOTAL	**11**	**1.5**							

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	88	2.5	7	< 1	1	1	3	6	11
35-49	27	1.6	2						
50-69	0								
70 +	0								
	115	**2.3**	**6**	**< 1**	**1**	**1**	**3**	**6**	**10**
0-17	0								
18-34	761	1.2		< 1	< 1	< 1	< 1	1	3
35-49	458	1.1		< 1	< 1	< 1	< 1	1	2
50-69	0								
70 +	0								
	1219	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**3**
	1333	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	63	1.9	3	< 1	< 1	1	2	4	7
35-49	11	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**74**	**1.8**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	637	1.2		< 1	< 1	< 1	< 1	2	3
35-49	70	1.0		< 1	< 1	< 1	< 1	< 1	< 1
50-69	6	1.0							
70 +	0								
SUBTOTAL	**713**	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**
GRAND TOTAL	**787**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**2**	**3**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	32	2.9	2						
35-49	0								
50-69	0								
70 +	0								
	32	**2.9**	**2**						
0-17	0								
18-34	190	1.4	1	< 1	< 1	< 1	1	3	4
35-49	122	1.0		< 1	< 1	< 1	1	1	2
50-69	0								
70 +	0								
	313	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**
	344	**1.4**	**1**	**< 1**	**< 1**	**< 1**	**1**	**3**	**4**

DRG 363: D&C, Conization & Radio-implant, for Malignancy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	785	4.9	38	1	2	3	5	12	17	0-17	0								
70-74	726	5.1	44	1	2	3	4	12	20	18-34	137	2.7	4	1	2	2	3	4	4
75-79	495	5.4	25	2	3	3	6	11	20	35-49	357	3.4	11	1	2	3	4	5	11
80-84	394	6.3	76	2	2	4	6	11	18	50-69	484	3.7	8	2	2	3	4	7	9
85 +	304	6.5	24	3	3	4	8	15	16	70 +	16	5.2	24						
SUBTOTAL	**2704**	**5.4**	**42**	**2**	**2**	**3**	**5**	**12**	**18**		**994**	**3.5**	**9**	**1**	**2**	**3**	**3**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1115	2.5	1	1	2	2	3	4	4	0-17	0								
70-74	896	2.6	3	1	2	2	3	4	5	18-34	496	1.5	1	< 1	< 1	1	2	3	3
75-79	620	2.4	1	1	2	2	3	4	4	35-49	1340	2.4	2	1	2	2	3	4	4
80-84	440	3.0	4	1	2	3	3	5	8	50-69	1361	2.5	2	1	2	2	3	4	5
85 +	242	3.0	2	1	2	3	3	5	6	70 +	37	2.0	1						
SUBTOTAL	**3313**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**5**		**3234**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**6017**	**3.9**	**22**	**1**	**2**	**3**	**4**	**7**	**11**		**4227**	**2.6**	**4**	**1**	**2**	**2**	**3**	**4**	**5**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	82	2.6	1	1	1	3	3	4	4	18-34	32	6.6	84						
35-49	104	4.4	15	2	2	3	5	8	18	35-49	137	4.6	26	1	2	4	4	5	16
50-69	350	6.1	27	2	3	4	8	14	18	50-69	246	5.3	79	1	2	3	4	8	22
70 +	31	15.7	117							70 +	17	4.4	6						
SUBTOTAL	**567**	**5.8**	**33**	**2**	**2**	**4**	**7**	**14**	**18**		**432**	**5.1**	**60**	**1**	**2**	**3**	**4**	**8**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	325	2.0	1	< 1	1	2	3	3	4	18-34	118	1.6	1	1	1	1	2	4	5
35-49	424	2.5	1	1	2	2	3	4	5	35-49	322	2.2	2	1	1	2	3	3	4
50-69	258	2.7	1	2	2	3	3	4	4	50-69	429	2.1	1	< 1	1	2	3	3	4
70 +	6	4.0								70 +	64	1.6		< 1	< 1	2	2	3	3
SUBTOTAL	**1013**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**4**		**933**	**2.1**	**1**	**< 1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**1580**	**3.6**	**15**	**1**	**2**	**3**	**4**	**6**	**12**		**1365**	**3.0**	**22**	**1**	**1**	**2**	**3**	**4**	**6**

Total U.S., July 1990 - June 1991

DRG 364: D&C, Conization except for Malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	528	3.2	10	1	1	2	4	8	10	0-17	72	2.1	1	1	1	2	2	4	4
70-74	220	3.3	5	1	2	3	4	7	7	18-34	662	1.9	2	1	1	1	2	4	4
75-79	236	3.7	9	1	2	3	5	8	11	35-49	1919	2.1	3	1	1	1	3	4	5
80-84	213	4.2	9	1	2	4	5	10	10	50-69	652	2.4	4	< 1	1	2	3	5	7
85 +	229	5.2	14	1	2	3	8	10	14	70 +	12	2.9	1						
SUBTOTAL	**1426**	**3.8**	**10**	**1**	**1**	**3**	**5**	**9**	**10**		**3316**	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	419	1.9	5	< 1	< 1	1	2	3	6	0-17	136	1.9	3	< 1	1	1	3	3	3
70-74	275	2.2	5	< 1	< 1	1	2	7	8	18-34	1984	1.8	2	< 1	< 1	1	2	4	5
75-79	165	2.1	2	< 1	1	2	2	4	6	35-49	3501	1.3	1	< 1	< 1	1	1	2	3
80-84	187	2.2	3	< 1	1	1	3	6	6	50-69	1510	1.2	1	< 1	< 1	< 1	1	2	2
85 +	148	3.5	17	< 1	1	2	4	6	16	70 +	24	1.0							
SUBTOTAL	**1194**	**2.2**	**6**	**< 1**	**< 1**	**1**	**2**	**6**	**7**		**7156**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**3**	**4**
GRAND TOTAL	**2620**	**3.1**	**9**	**< 1**	**1**	**2**	**4**	**8**	**10**		**10472**	**1.6**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	4.0								0-17	12	2.1	1						
18-34	366	2.8	6	1	1	2	3	5	7	18-34	431	2.1	3	1	1	2	3	4	4
35-49	379	3.6	21	1	1	2	5	6	7	35-49	786	2.6	8	< 1	1	2	3	5	6
50-69	146	3.4	7	1	2	2	4	5	9	50-69	180	2.7	11	1	1	1	3	9	13
70 +	16	5.6	4							70 +	12	1.0							
SUBTOTAL	**912**	**3.3**	**13**	**1**	**1**	**2**	**4**	**5**	**7**		**1421**	**2.4**	**7**	**1**	**1**	**2**	**3**	**4**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	28	2.6	2							0-17	27	1.0							
18-34	623	1.7	2	< 1	< 1	1	2	4	5	18-34	725	1.6	2	< 1	< 1	1	2	3	5
35-49	309	1.8	2	< 1	1	1	2	4	5	35-49	642	1.7	2	< 1	< 1	1	2	3	5
50-69	163	1.6	1	1	1	1	2	3	3	50-69	330	1.2		< 1	< 1	< 1	1	2	3
70 +	10	3.0								70 +	40	1.3	1	< 1	< 1	< 1	< 1	3	3
SUBTOTAL	**1133**	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**		**1763**	**1.6**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**2045**	**2.4**	**7**	**< 1**	**1**	**2**	**3**	**5**	**6**		**3184**	**2.0**	**4**	**< 1**	**1**	**1**	**2**	**4**	**5**

DRG 365: Other Female Reproductive System O.R. Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	706	12.0	100	4	5	10	16	21	28	0-17	72	7.3	41	2	4	6	8	11	28
70-74	408	12.8	117	3	5	9	17	28	39	18-34	577	6.5	16	3	4	5	8	12	16
75-79	406	13.1	137	5	6	9	14	28	42	35-49	1013	7.9	38	3	4	6	10	15	18
80-84	224	14.6	71	5	7	13	22	25	26	50-69	951	10.0	97	3	5	7	11	18	26
85 +	116	15.2	88	6	7	12	21	32	33	70 +	43	6.8	13						
SUBTOTAL	**1860**	**12.9**	**108**	**4**	**6**	**10**	**17**	**25**	**34**		**2656**	**8.3**	**56**	**3**	**4**	**6**	**10**	**16**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	578	4.3	6	2	3	4	5	7	10	0-17	225	4.6	25	2	3	3	4	7	24
70-74	301	5.2	14	3	3	4	5	9	13	18-34	1959	3.7	3	2	3	3	4	6	7
75-79	144	4.9	12	2	3	4	6	10	10	35-49	2286	4.4	11	2	3	3	5	8	10
80-84	108	4.2	6	1	2	4	5	7	10	50-69	1316	4.2	5	2	3	4	5	7	8
85 +	11	5.9	4							70 +	6	3.0							
SUBTOTAL	**1142**	**4.6**	**9**	**2**	**3**	**4**	**5**	**8**	**10**		**5792**	**4.1**	**8**	**2**	**3**	**3**	**5**	**7**	**8**
GRAND TOTAL	**3002**	**9.8**	**87**	**3**	**4**	**7**	**12**	**22**	**28**		**8448**	**5.4**	**27**	**2**	**3**	**4**	**6**	**10**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	29	9.3	10							0-17	24	10.9	50						
18-34	266	5.7	9	3	4	5	7	12	12	18-34	262	6.4	19	2	4	5	8	12	14
35-49	221	9.1	33	4	5	8	12	17	26	35-49	245	8.6	63	2	4	6	8	18	23
50-69	106	14.0	131	3	6	8	23	38	38	50-69	129	12.9	125	3	6	9	19	31	40
70 +	17	24.0	16							70 +	18	19.7	134						
SUBTOTAL	**639**	**8.9**	**52**	**3**	**5**	**7**	**11**	**19**	**27**		**678**	**8.9**	**68**	**2**	**4**	**7**	**10**	**20**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	58	5.5	10	2	3	5	10	10	10	0-17	137	4.7	12	3	3	4	6	9	10
18-34	527	4.5	6	2	2	4	6	8	10	18-34	853	4.2	6	2	3	4	5	7	8
35-49	217	4.8	8	2	3	4	6	8	11	35-49	444	4.2	13	1	2	3	5	8	13
50-69	78	5.2	10	2	3	5	6	9	14	50-69	302	3.9	7	2	2	3	5	7	10
70 +	0									70 +	22	3.7	2						
SUBTOTAL	**879**	**4.7**	**8**	**2**	**3**	**4**	**6**	**9**	**10**		**1758**	**4.2**	**8**	**2**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**1518**	**6.5**	**30**	**2**	**3**	**5**	**8**	**12**	**17**		**2436**	**5.5**	**29**	**2**	**3**	**4**	**6**	**11**	**14**

Total U.S., July 1990 - June 1991

DRG 366: Malignancy, Female Reproductive System w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	965	8.1	63	2	3	5	12	17	24	0-17	50	4.6	8	1	1	6	6	8	9
70-74	833	8.6	94	1	3	5	11	25	28	18-34	92	4.1	14	1	1	2	5	12	12
75-79	579	10.5	127	2	3	7	14	25	36	35-49	558	8.2	59	2	4	5	10	20	23
80-84	550	11.3	97	2	4	9	16	22	36	50-69	1157	7.9	58	2	3	6	9	19	22
85 +	482	10.6	61	3	5	9	15	23	26	70 +	84	10.3	58	2	4	6	18	23	23
SUBTOTAL	**3410**	**9.5**	**88**	**2**	**3**	**6**	**14**	**22**	**27**		**1941**	**7.8**	**56**	**2**	**3**	**5**	**10**	**18**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3410**	**9.5**	**88**	**2**	**3**	**6**	**14**	**22**	**27**		**1941**	**7.8**	**56**	**2**	**3**	**5**	**10**	**18**	**22**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	48	9.4	55	< 1	2	9	18	18	18	0-17	29	5.6	5						
18-34	125	6.4	21	2	3	5	11	12	14	18-34	80	7.9	52	1	3	6	11	12	30
35-49	239	8.0	71	2	3	5	11	17	21	35-49	165	7.8	121	1	2	4	10	15	40
50-69	288	6.9	27	1	3	6	9	13	18	50-69	419	6.1	33	1	2	5	8	12	15
70 +	62	14.7	183	1	2	7	29	30	38	70 +	35	7.4	8	3	4	9	9	10	10
SUBTOTAL	**763**	**8.0**	**58**	**1**	**3**	**6**	**11**	**18**	**23**		**729**	**6.7**	**53**	**1**	**2**	**5**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**763**	**8.0**	**58**	**1**	**3**	**6**	**11**	**18**	**23**		**729**	**6.7**	**53**	**1**	**2**	**5**	**9**	**13**	**16**

DRG 367: Malignancy, Female Reproductive System w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	154	3.1	4	1	2	3	4	6	7
70-74	250	2.7	3	< 1	2	2	3	5	6
75-79	163	2.9	7	1	1	2	3	7	8
80-84	82	3.9	4	< 1	2	4	5	6	8
85 +	119	3.5	7	1	2	3	4	6	9
SUBTOTAL	**769**	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**769**	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	53	3.1	10	< 1	< 1	1	5	10	10
18-34	95	2.9	3	1	1	2	4	6	6
35-49	477	3.6	25	< 1	1	2	4	7	12
50-69	527	3.3	7	1	2	3	4	7	7
70 +	22	4.6	13						
SUBTOTAL	**1174**	**3.4**	**14**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**1174**	**3.4**	**14**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	98	3.5	3	1	1	4	4	6	8
18-34	46	3.1	6	< 1	2	2	3	9	9
35-49	129	4.6	22	1	2	3	5	12	17
50-69	227	2.6	6	1	1	2	3	5	10
70 +	13	1.0							
SUBTOTAL	**512**	**3.3**	**10**	**1**	**1**	**2**	**4**	**8**	**11**
GRAND TOTAL	**512**	**3.3**	**10**	**1**	**1**	**2**	**4**	**8**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	22	3.8	10						
18-34	68	3.0	7	1	1	2	4	4	11
35-49	209	3.0	14	< 1	1	2	3	6	9
50-69	261	3.4	17	1	1	2	5	7	10
70 +	13	2.0							
SUBTOTAL	**573**	**3.2**	**14**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**573**	**3.2**	**14**	**1**	**1**	**2**	**4**	**7**	**10**

Total U.S., July 1990 - June 1991

DRG 368: Infections, Female Reproductive System

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	423	7.1	24	3	4	6	9	15	18	0-17	798	4.3	5	2	3	4	5	7	8
70-74	133	10.0	79	4	6	8	9	14	39	18-34	2876	4.3	6	2	3	4	5	7	9
75-79	99	8.8	26	2	4	9	12	18	20	35-49	1148	6.0	24	2	3	5	7	11	15
80-84	75	11.2	41	6	6	9	14	25	25	50-69	207	9.3	179	3	4	6	10	17	21
85 +	148	10.5	93	4	5	8	12	22	28	70 +	13	5.0	17						
SUBTOTAL	**878**	**8.7**	**48**	**3**	**4**	**7**	**10**	**15**	**21**		**5041**	**4.9**	**18**	**2**	**3**	**4**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	340	4.5	6	2	3	4	6	8	10	0-17	2988	3.8	5	2	2	3	5	6	7
70-74	56	8.6	36	2	4	7	16	19	19	18-34	14455	3.7	5	2	2	3	4	6	7
75-79	35	6.0	14							35-49	3522	4.3	5	2	3	4	5	7	9
80-84	46	6.4	12	1	4	5	10	12	12	50-69	257	4.1	5	2	3	4	5	6	6
85 +	69	6.4	4	4	4	7	8	8	10	70 +	24	2.5	1						
SUBTOTAL	**546**	**5.4**	**11**	**2**	**3**	**5**	**7**	**10**	**11**		**21245**	**3.8**	**5**	**2**	**2**	**3**	**5**	**6**	**8**
GRAND TOTAL	**1424**	**7.4**	**36**	**2**	**4**	**6**	**9**	**13**	**18**		**26286**	**4.0**	**8**	**2**	**2**	**3**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	876	4.2	4	2	3	4	5	7	9	0-17	663	4.5	7	2	3	4	5	7	8
18-34	3320	4.6	6	2	3	4	5	8	10	18-34	2551	4.2	5	2	3	4	5	7	8
35-49	559	5.1	8	2	3	4	7	9	9	35-49	611	6.1	15	2	4	5	8	11	13
50-69	71	11.0	55	3	5	9	19	23	23	50-69	46	6.2	14	3	3	5	9	14	14
70 +	10	14.0								70 +	24	4.5							
SUBTOTAL	**4837**	**4.7**	**7**	**2**	**3**	**4**	**6**	**8**	**10**		**3895**	**4.6**	**7**	**2**	**3**	**4**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2781	4.2	6	2	3	4	5	7	9	0-17	2371	4.1	7	2	3	4	5	7	9
18-34	9086	3.8	4	2	3	3	5	6	7	18-34	9978	3.6	3	2	2	3	4	6	7
35-49	858	4.5	7	2	3	4	6	8	10	35-49	1405	4.1	5	2	3	4	5	7	9
50-69	51	6.0	4	3	4	6	8	9	9	50-69	84	4.4	1	3	4	4	5	6	7
70 +	6	2.0								70 +	0								
SUBTOTAL	**12782**	**4.0**	**4**	**2**	**3**	**4**	**5**	**7**	**8**		**13838**	**3.7**	**4**	**2**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**17619**	**4.2**	**5**	**2**	**3**	**4**	**5**	**7**	**9**		**17734**	**3.9**	**5**	**2**	**2**	**3**	**5**	**6**	**8**

DRG 369: Menstrual & Other Female Reproductive System Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	690	3.5	7	1	2	3	5	8	10
70-74	268	6.8	52	1	2	6	7	19	28
75-79	297	5.8	13	2	3	5	8	11	14
80-84	178	6.2	10	3	4	5	7	13	13
85 +	261	5.7	9	2	3	5	8	10	12
SUBTOTAL	**1694**	**5.0**	**18**	**1**	**2**	**4**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	493	3.3	7	< 1	1	3	4	6	8
70-74	192	3.1	3	1	2	3	4	5	6
75-79	175	3.4	5	< 1	1	4	4	6	10
80-84	180	4.3	8	1	2	4	7	9	10
85 +	94	3.1	3	1	2	2	4	6	7
SUBTOTAL	**1133**	**3.4**	**6**	**1**	**1**	**3**	**5**	**6**	**8**
GRAND TOTAL	**2827**	**4.4**	**14**	**1**	**2**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	646	2.4	2	1	1	2	3	4	4
18-34	2188	3.2	8	1	2	2	4	6	8
35-49	2330	3.0	6	1	1	2	4	5	7
50-69	614	3.6	6	1	2	3	5	6	8
70 +	16	6.1	9						
	5794	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
0-17	3183	1.8	1	1	1	1	2	3	4
18-34	11283	2.1	2	1	1	2	3	4	5
35-49	6601	2.6	3	1	1	2	4	4	5
50-69	1271	2.9	2	1	2	3	4	5	5
70 +	21	1.7	2						
	22359	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	28152	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	210	3.3	2	2	2	3	4	5	6
18-34	902	3.2	5	1	2	3	4	5	7
35-49	433	3.1	6	1	1	2	4	6	7
50-69	86	2.6	4	< 1	1	2	4	5	8
70 +	6	8.0							
SUBTOTAL	**1638**	**3.2**	**5**	**1**	**2**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	939	2.0	2	< 1	1	1	3	3	5
18-34	2823	2.2	2	1	1	2	3	4	5
35-49	532	2.7	4	1	1	2	3	6	7
50-69	149	2.8	7	< 1	1	2	4	6	6
70 +	0								
SUBTOTAL	**4442**	**2.2**	**3**	**< 1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**6080**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	200	2.4	1	1	1	2	3	4	5
18-34	1248	2.6	3	1	1	2	4	5	6
35-49	847	3.4	8	1	2	3	4	6	9
50-69	247	3.6	9	< 1	1	3	5	8	12
70 +	29	3.6	5						
	2570	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
0-17	1255	1.8	2	< 1	1	1	2	3	5
18-34	4599	2.0	2	< 1	1	2	3	4	4
35-49	1880	2.4	2	< 1	1	2	3	4	5
50-69	371	3.1	9	< 1	1	2	4	6	9
70 +	6	3.0							
	8110	**2.1**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**
	10681	**2.3**	**3**	**< 1**	**1**	**2**	**3**	**4**	**6**

DRG 370: Cesarean Section w/ CC

MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	773	6.1	22	3	4	4	7	12	17	0-17	1664	6.2	12	3	4	5	7	11	13
70-74	0									18-34	83147	5.4	21	3	4	4	5	8	10
75-79	0									35-49	17239	6.1	51	3	4	5	6	8	13
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**773**	**6.1**	**22**	**3**	**4**	**4**	**7**	**12**	**17**		**102050**	**5.5**	**26**	**3**	**4**	**4**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**773**	**6.1**	**22**	**3**	**4**	**4**	**7**	**12**	**17**		**102050**	**5.5**	**26**	**3**	**4**	**4**	**5**	**8**	**11**

MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5569	6.1	15	3	4	5	7	10	12	0-17	1641	5.6	11	3	4	5	7	8	11
18-34	56835	5.6	21	3	4	4	6	8	11	18-34	35446	5.0	14	3	4	4	5	7	9
35-49	4088	6.4	34	3	4	5	6	11	15	35-49	5471	5.3	28	3	4	4	5	7	10
50-69	0									50-69	12	7.0							
70 +	0									70 +	0								
SUBTOTAL	**66492**	**5.7**	**21**	**3**	**4**	**5**	**6**	**9**	**11**		**42571**	**5.1**	**16**	**3**	**4**	**4**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**66492**	**5.7**	**21**	**3**	**4**	**5**	**6**	**9**	**11**		**42571**	**5.1**	**16**	**3**	**4**	**4**	**5**	**7**	**10**

DRG 371: Cesarean Section w/o CC

	MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1431	4.3	9	3	3	4	4	5	7
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	1431	4.3	9	3	3	4	4	5	7
GRAND TOTAL	1431	4.3	9	3	3	4	4	5	7

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	3901	4.1	2	3	3	4	4	5	7
18-34	350954	4.0	4	3	3	4	4	5	6
35-49	62422	4.3	6	3	3	4	5	5	6
50-69	39	4.1	1						
70 +	0								
	417316	4.0	4	3	3	4	4	5	6
	417316	4.0	4	3	3	4	4	5	6

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10176	4.3	6	3	3	4	5	6	7
18-34	139501	4.0	5	3	3	4	4	5	6
35-49	7859	4.3	5	3	3	4	5	6	6
50-69	0								
70 +	0								
SUBTOTAL	157536	4.1	5	3	3	4	4	5	6
GRAND TOTAL	157536	4.1	5	3	3	4	4	5	6

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2355	3.9	2	3	3	4	4	5	6
18-34	104398	3.8	3	3	3	4	4	5	5
35-49	16875	4.0	6	3	3	4	4	5	6
50-69	6	4.0							
70 +	0								
	123634	3.9	4	3	3	4	4	5	5
	123634	3.9	4	3	3	4	4	5	5

DRG 372: Vaginal Delivery w/ Complicating Diagnoses

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	300	3.5	7	1	2	3	4	9	10	0-17	1251	3.5	7	2	2	3	4	6	9
70-74	0									18-34	35271	3.2	11	2	2	3	3	5	7
75-79	0									35-49	5725	3.4	13	2	2	3	3	5	7
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**300**	**3.5**	**7**	**1**	**2**	**3**	**4**	**9**	**10**		**42247**	**3.2**	**11**	**2**	**2**	**3**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	308	2.8	3	1	2	3	3	4	4	0-17	2132	2.8	3	1	2	2	3	4	6
70-74	0									18-34	67147	2.6	5	1	2	2	3	4	5
75-79	0									35-49	9422	2.7	5	1	2	2	3	4	5
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**308**	**2.8**	**3**	**1**	**2**	**3**	**3**	**4**	**4**		**78701**	**2.6**	**5**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**608**	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**9**		**120948**	**2.9**	**7**	**1**	**2**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	4013	3.6	11	2	2	3	4	6	8	0-17	1330	3.4	8	2	2	3	4	5	8
18-34	25261	3.3	11	1	2	2	4	6	8	18-34	14730	3.1	11	1	2	2	3	5	7
35-49	1550	4.1	32	1	2	3	4	8	10	35-49	1723	3.1	8	1	2	2	3	5	8
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**30824**	**3.4**	**12**	**1**	**2**	**2**	**4**	**6**	**8**		**17783**	**3.1**	**10**	**1**	**2**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5971	3.1	10	1	2	3	3	5	6	0-17	1409	2.7	6	1	2	2	3	4	4
18-34	38532	2.6	5	1	2	2	3	4	5	18-34	25265	2.4	5	1	2	2	3	4	5
35-49	1857	2.9	9	1	2	2	3	5	7	35-49	2991	2.4	4	1	2	2	3	4	4
50-69	6	2.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**46366**	**2.6**	**5**	**1**	**2**	**2**	**3**	**4**	**5**		**29665**	**2.5**	**5**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**77189**	**2.9**	**8**	**1**	**2**	**2**	**3**	**5**	**6**		**47447**	**2.7**	**7**	**1**	**2**	**2**	**3**	**4**	**6**

DRG 373: Vaginal Delivery w/o Complicating Diagnoses

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	839	2.8	9	1	2	2	3	4	8
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**839**	**2.8**	**9**	**1**	**2**	**2**	**3**	**4**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3845	2.0	2	1	2	2	2	3	3
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**3845**	**2.0**	**2**	**1**	**2**	**2**	**2**	**3**	**3**
GRAND TOTAL	**4684**	**2.2**	**3**	**1**	**2**	**2**	**2**	**3**	**3**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	2727	2.4	6	1	2	2	3	3	4
18-34	61002	2.5	5	1	2	2	3	3	4
35-49	8012	2.6	6	1	2	2	3	4	4
50-69	0								
70 +	0								
	71741	**2.6**	**5**	**1**	**2**	**2**	**3**	**3**	**4**
0-17	23863	2.1	1	1	2	2	2	3	3
18-34	1111499	2.1	1	1	2	2	2	3	3
35-49	138061	2.1	1	1	2	2	2	3	3
50-69	58	2.6	1	2	2	2	3	4	4
70 +	0								
	1273481	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**
	1345223	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8968	2.6	6	1	2	2	3	4	5
18-34	70679	2.4	5	1	2	2	3	3	4
35-49	2939	2.5	4	1	2	2	3	3	6
50-69	11	1.5							
70 +	0								
SUBTOTAL	**82598**	**2.4**	**5**	**1**	**2**	**2**	**3**	**3**	**4**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	69391	2.1	2	1	2	2	2	3	3
18-34	577427	1.9	1	1	1	2	2	3	3
35-49	21425	2.0	1	1	1	2	2	3	3
50-69	19	2.7							
70 +	0								
SUBTOTAL	**668261**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
GRAND TOTAL	**750859**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**3**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	3260	2.1	1	1	2	2	2	3	4
18-34	39139	2.2	4	1	1	2	2	3	4
35-49	3070	2.6	20	1	2	2	3	3	4
50-69	0								
70 +	0								
	45469	**2.2**	**5**	**1**	**2**	**2**	**2**	**3**	**4**
0-17	20375	1.9	1	1	1	2	2	3	3
18-34	433256	1.8	1	1	1	2	2	3	3
35-49	43389	1.9	1	1	1	2	2	3	3
50-69	48	1.7		< 1	1	2	2	2	2
70 +	0								
	497067	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
	542536	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**

DRG 374: Vaginal Delivery w/ Sterilization &/or D&C

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	137	7.9	140	2	2	3	4	32	32	0-17	65	6.0	32	2	2	4	5	17	17
70-74	0									18-34	7028	3.2	11	2	2	3	3	5	7
75-79	0									35-49	1768	3.8	14	2	2	3	4	6	9
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**137**	**7.9**	**140**	**2**	**2**	**3**	**4**	**32**	**32**		**8861**	**3.4**	**12**	**2**	**2**	**3**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	650	2.2	1	1	2	2	3	3	4	0-17	139	2.1	1	1	2	2	2	3	4
70-74	0									18-34	68154	2.4	1	2	2	2	3	3	4
75-79	0									35-49	14963	2.4	1	2	2	2	3	3	4
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**650**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**4**		**83256**	**2.4**	**1**	**2**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**786**	**3.2**	**29**	**1**	**2**	**2**	**3**	**4**	**4**		**92117**	**2.5**	**2**	**2**	**2**	**2**	**3**	**3**	**4**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	182	4.1	9	2	2	3	7	8	9	0-17	71	3.8	6	2	2	3	3	9	9
18-34	9103	3.3	11	2	2	2	3	5	8	18-34	3122	3.0	7	2	2	2	3	5	6
35-49	838	3.3	3	2	2	3	4	6	7	35-49	598	3.1	4	2	2	3	4	5	6
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**10122**	**3.3**	**11**	**2**	**2**	**3**	**3**	**5**	**8**		**3791**	**3.0**	**6**	**2**	**2**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	270	2.7	9	1	2	2	3	4	5	0-17	83	2.7	3	1	1	2	3	5	7
18-34	64244	2.3	1	2	2	2	3	3	4	18-34	20489	2.2	2	1	2	2	3	3	3
35-49	5742	2.5	2	2	2	2	3	4	4	35-49	4763	2.3	1	1	2	2	3	3	4
50-69	6	2.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**70262**	**2.3**	**2**	**2**	**2**	**2**	**3**	**3**	**4**		**25335**	**2.3**	**2**	**1**	**2**	**2**	**3**	**3**	**3**
GRAND TOTAL	**80384**	**2.5**	**3**	**2**	**2**	**2**	**3**	**3**	**4**		**29125**	**2.4**	**2**	**1**	**2**	**2**	**3**	**3**	**4**

DRG 375: Vaginal Delivery w/ O.R. Proc except Steril &/or D&C

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**5**	**2.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	5	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**5**	**2.0**							
GRAND TOTAL	**10**	**2.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	3.9	4						
18-34	361	4.3	12	2	3	3	5	7	10
35-49	71	4.9	8	2	2	5	7	7	12
50-69	0								
70 +	0								
	443	**4.4**	**11**	**2**	**2**	**3**	**5**	**7**	**11**
0-17	52	2.7	1	1	2	3	3	4	5
18-34	1058	2.5	3	1	2	2	3	4	5
35-49	201	2.8	2	1	2	2	4	5	6
50-69	0								
70 +	0								
	1311	**2.5**	**3**	**1**	**2**	**2**	**3**	**4**	**5**
	1754	**3.0**	**5**	**1**	**2**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	130	5.9	52	2	2	3	5	13	15
18-34	645	3.6	5	2	2	3	5	6	8
35-49	58	3.1	2	2	2	3	4	5	6
50-69	0								
70 +	0								
SUBTOTAL	**833**	**3.9**	**13**	**2**	**2**	**3**	**5**	**6**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	141	2.8	2	2	2	3	3	6	6
18-34	1067	2.8	6	1	2	2	3	4	4
35-49	32	2.0		1	2	2	2	3	3
50-69	0								
70 +	0								
SUBTOTAL	**1241**	**2.8**	**6**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**2074**	**3.2**	**9**	**2**	**2**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	6.7	37						
18-34	274	4.3	11	2	2	3	5	10	12
35-49	37	5.6	77		2	2	3	26	26
50-69	0								
70 +	0								
	326	**4.6**	**20**	**2**	**2**	**3**	**5**	**12**	**14**
0-17	78	2.8	1	2	2	3	3	4	4
18-34	775	2.6	2	1	2	2	3	4	5
35-49	66	2.6	3	1	1	2	3	5	7
50-69	0								
70 +	0								
	919	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**5**
	1245	**3.1**	**7**	**2**	**2**	**2**	**3**	**5**	**8**

DRG 376: Postpartum & Post Abortion Diagnoses w/o O.R. Procedure

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	63	4.3	15	1	2	3	5	10	14	0-17	176	3.2	10	1	2	3	4	5	6
70-74	0									18-34	3519	3.7	9	1	2	3	5	6	8
75-79	0									35-49	426	4.1	9	1	2	3	5	8	12
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**63**	**4.3**	**15**	**1**	**2**	**3**	**5**	**10**	**14**		**4121**	**3.7**	**9**	**1**	**2**	**3**	**5**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	66	2.7	1	2	2	3	3	4	4	0-17	497	2.4	2	1	1	2	3	4	5
70-74	0									18-34	8599	3.0	6	1	2	2	4	5	7
75-79	0									35-49	1525	2.8	4	1	2	2	3	6	7
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**66**	**2.7**	**1**	**2**	**2**	**3**	**3**	**4**	**4**		**10621**	**2.9**	**6**	**1**	**2**	**2**	**3**	**5**	**7**
GRAND TOTAL	**129**	**3.5**	**8**	**1**	**2**	**3**	**4**	**5**	**10**		**14743**	**3.1**	**7**	**1**	**2**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	468	3.3	3	2	2	3	4	5	7	0-17	215	3.3	6	1	2	2	4	7	10
18-34	3910	3.8	9	1	2	3	5	7	10	18-34	2498	3.4	21	1	1	2	4	6	9
35-49	189	3.6	15	1	1	2	4	7	16	35-49	229	3.9	12	1	2	2	5	7	16
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**4568**	**3.7**	**8**	**1**	**2**	**3**	**4**	**7**	**9**		**2943**	**3.4**	**19**	**1**	**2**	**2**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1024	2.9	10	1	2	2	4	4	5	0-17	452	2.3	1	1	2	2	3	4	4
18-34	8591	2.6	6	1	1	2	3	5	6	18-34	4863	2.3	7	1	1	2	3	4	5
35-49	514	2.7	4	1	2	2	3	5	7	35-49	536	2.4	4	1	1	2	3	5	8
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**10129**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**6**		**5851**	**2.3**	**6**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**14697**	**3.0**	**7**	**1**	**2**	**2**	**4**	**5**	**7**		**8794**	**2.7**	**11**	**1**	**1**	**2**	**3**	**4**	**7**

DRG 377: Postpartum & Post Abortion Diagnoses w/ O.R. Procedure

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	22	7.8	13						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**22**	**7.8**	**13**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	5	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**5**	**3.0**							
GRAND TOTAL	**27**	**6.9**	**14**						

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	66	2.5	2	1	1	2	3	5	5
18-34	1804	4.3	28	1	1	3	5	9	13
35-49	340	5.4	32	1	2	3	7	13	15
50-69	0								
70 +	0								
	2210	**4.4**	**28**	**1**	**1**	**3**	**5**	**10**	**14**
0-17	50	2.3	6	< 1	1	1	3	9	9
18-34	2337	2.2	3	< 1	1	2	3	4	6
35-49	322	3.1	12	1	1	2	3	5	13
50-69	0								
70 +	0								
	2709	**2.3**	**4**	**< 1**	**1**	**2**	**3**	**4**	**6**
	4919	**3.3**	**16**	**1**	**1**	**2**	**4**	**7**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	153	3.6	9	1	2	3	4	9	12
18-34	1454	3.6	12	1	2	3	5	7	10
35-49	127	5.8	41	1	1	3	9	14	19
50-69	0								
70 +	0								
SUBTOTAL	**1734**	**3.8**	**14**	**1**	**2**	**3**	**5**	**7**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	117	2.5	5	1	1	2	3	4	8
18-34	1888	2.7	5	1	1	2	3	6	8
35-49	117	1.7	1	< 1	1	1	2	4	4
50-69	0								
70 +	0								
SUBTOTAL	**2121**	**2.7**	**5**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**3856**	**3.2**	**9**	**1**	**1**	**2**	**4**	**7**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	2.3	1	1	2	2	3	3	4
18-34	756	4.0	20	1	2	2	5	8	12
35-49	131	4.0	11	1	1	3	5	11	12
50-69	0								
70 +	0								
	954	**3.8**	**17**	**1**	**2**	**2**	**4**	**8**	**12**
0-17	44	1.9	1	< 1	1	2	3	3	3
18-34	1420	2.4	5	1	1	2	3	5	6
35-49	124	2.3	4	1	1	2	3	4	7
50-69	0								
70 +	0								
	1588	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	2542	**2.9**	**10**	**1**	**1**	**2**	**3**	**6**	**9**

DRG 378: Ectopic Pregnancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	79	4.0	2	3	3	4	4	6	7	0-17	179	3.0	2	1	2	3	4	5	5
70-74	0									18-34	7701	3.7	3	2	3	3	4	5	7
75-79	0									35-49	2172	4.0	4	2	3	4	5	6	7
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	79	4.0	2	3	3	4	4	6	7		10052	3.7	3	2	3	4	4	5	7
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	112	2.9	1	2	2	3	3	4	5	0-17	374	3.1	2	1	2	3	4	5	5
70-74	0									18-34	19896	2.8	2	1	2	3	4	4	5
75-79	0									35-49	5174	2.9	2	1	2	3	4	4	5
80-84	0									50-69	6	3.0							
85 +	0									70 +	0								
SUBTOTAL	112	2.9	1	2	2	3	3	4	5		25450	2.9	2	1	2	3	4	4	5
GRAND TOTAL	191	3.4	2	2	3	3	4	5	6		35502	3.1	2	1	2	3	4	5	5

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	95	4.0	7	1	3	4	5	6	13	0-17	123	3.3	1	2	3	3	4	4	6
18-34	3847	3.9	3	2	3	4	5	6	7	18-34	5680	3.7	3	2	3	4	4	5	6
35-49	459	4.3	4	3	3	4	5	6	7	35-49	1046	4.0	3	2	3	4	5	6	8
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	4401	4.0	3	2	3	4	5	6	7		6849	3.7	3	2	3	4	4	6	7
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	249	2.8	1	1	2	3	3	5	5	0-17	261	2.4	1	1	2	2	3	4	4
18-34	7300	3.1	2	1	2	3	4	5	5	18-34	11556	2.9	2	1	2	3	4	4	5
35-49	501	3.2	2	1	2	3	4	5	5	35-49	1832	2.7	2	1	2	3	4	4	5
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	8050	3.1	2	1	2	3	4	5	5		13648	2.8	2	1	2	3	4	4	5
GRAND TOTAL	12451	3.4	3	1	3	3	4	5	6		20497	3.1	2	1	2	3	4	5	5

DRG 379: Threatened Abortion

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	168	4.5	54	1	1	3	4	8	12
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**168**	**4.5**	**54**	**1**	**1**	**3**	**4**	**8**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	378	3.3	23	1	1	2	3	8	14
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**378**	**3.3**	**23**	**1**	**1**	**2**	**3**	**8**	**14**
GRAND TOTAL	**546**	**3.7**	**33**	**1**	**1**	**2**	**4**	**8**	**14**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	512	3.0	8	1	1	2	4	6	7
18-34	10611	3.9	28	1	1	2	4	8	12
35-49	1386	6.0	66	1	1	3	8	15	18
50-69	0								
70 +	0								
	12509	**4.1**	**31**	**1**	**1**	**2**	**4**	**9**	**13**
0-17	1778	2.3	7	< 1	1	1	3	4	7
18-34	48612	2.6	15	< 1	1	2	3	5	7
35-49	5823	3.4	36	< 1	1	2	3	7	10
50-69	0								
70 +	0								
	56213	**2.7**	**17**	**< 1**	**1**	**2**	**3**	**5**	**8**
	68722	**3.0**	**20**	**< 1**	**1**	**2**	**3**	**6**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1808	2.9	9	1	1	2	3	5	7
18-34	11012	3.5	18	1	1	2	4	6	10
35-49	354	3.0	5	1	1	3	4	6	8
50-69	0								
70 +	0								
SUBTOTAL	**13174**	**3.4**	**17**	**1**	**1**	**2**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	5050	2.4	7	< 1	1	1	3	5	7
18-34	34007	2.2	6	< 1	1	1	3	4	6
35-49	- 1182	2.3	7	< 1	1	1	3	4	6
50-69	0								
70 +	0								
SUBTOTAL	**40239**	**2.2**	**7**	**< 1**	**1**	**1**	**3**	**4**	**6**
GRAND TOTAL	**53413**	**2.5**	**9**	**< 1**	**1**	**2**	**3**	**5**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	411	3.1	11	1	1	2	3	7	9
18-34	5139	3.6	24	1	1	2	4	8	11
35-49	406	4.9	34	1	1	2	4	15	18
50-69	0								
70 +	0								
	5957	**3.7**	**24**	**1**	**1**	**2**	**4**	**8**	**12**
0-17	1279	1.9	4	< 1	1	1	2	3	5
18-34	18758	2.3	7	< 1	1	1	3	4	6
35-49	1597	2.8	18	< 1	1	2	3	5	7
50-69	0								
70 +	0								
	21633	**2.3**	**8**	**< 1**	**1**	**1**	**3**	**4**	**6**
	27590	**2.6**	**12**	**< 1**	**1**	**1**	**3**	**5**	**8**

Total U.S., July 1990 - June 1991

DRG 380: Abortion w/o D&C

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	45	3.0	2	1	2	3	5	5	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**45**	**3.0**	**2**	**1**	**2**	**3**	**5**	**5**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	97	1.4		1	1	1	2	2	3
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**97**	**1.4**		**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**142**	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**5**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	2.4	1	1	2	2	3	4	4
18-34	821	3.0	11	1	1	2	3	6	8
35-49	204	3.3	6	1	1	2	5	7	8
50-69	0								
70 +	0								
	1082	**3.0**	**10**	**1**	**1**	**2**	**4**	**6**	**8**
0-17	588	1.3		< 1	1	1	1	2	3
18-34	6970	1.5	1	< 1	1	1	2	2	3
35-49	1664	1.4	1	< 1	1	1	1	2	4
50-69	0								
70 +	0								
	9223	**1.4**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**
	10305	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	221	2.3	3	< 1	1	2	4	5	5
18-34	1131	2.8	13	1	1	2	3	6	10
35-49	137	2.2	2	1	1	2	3	4	5
50-69	0								
70 +	0								
SUBTOTAL	**1489**	**2.7**	**10**	**1**	**1**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1223	1.4		< 1	1	1	2	2	3
18-34	7435	1.5	1	< 1	1	1	2	2	3
35-49	479	1.5	1	< 1	1	1	2	3	4
50-69	0								
70 +	0								
SUBTOTAL	**9138**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**10627**	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	82	2.0	2	1	1	1	3	5	5
18-34	801	2.3	5	1	1	2	2	4	8
35-49	96	2.4	4	< 1	< 1	1	4	6	6
50-69	0								
70 +	0								
	979	**2.2**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
0-17	678	1.6	10	< 1	1	1	2	2	3
18-34	4918	1.5	1	< 1	1	1	2	2	3
35-49	789	1.7	4	< 1	1	1	2	3	3
50-69	0								
70 +	0								
	6385	**1.5**	**2**	**< 1**	**1**	**1**	**2**	**2**	**3**
	7364	**1.6**	**3**	**< 1**	**1**	**1**	**2**	**3**	**4**

DRG 381: Abortion w/ D&C, Aspiration Curettage or Hysterotomy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	101	4.0	30	1	1	2	3	8	25	0-17	157	2.4	5	1	1	2	2	6	6
70-74	0									18-34	2696	2.4	7	1	1	1	3	5	6
75-79	0									35-49	952	2.8	8	1	1	2	3	6	11
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**101**	**4.0**	**30**	**1**	**1**	**2**	**3**	**8**	**25**		**3806**	**2.5**	**8**	**1**	**1**	**1**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	223	1.4		< 1	1	1	2	3	3	0-17	1110	1.3	1	< 1	< 1	1	1	2	3
70-74	0									18-34	24319	1.2		< 1	< 1	1	1	2	2
75-79	0									35-49	7610	1.2	1	< 1	< 1	1	1	2	3
80-84	0									50-69	18	1.0							
85 +	0									70 +	0								
SUBTOTAL	**223**	**1.4**		**< 1**	**1**	**1**	**2**	**3**	**3**		**33057**	**1.2**		**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**324**	**2.2**	**11**	**< 1**	**1**	**1**	**2**	**3**	**7**		**36863**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	167	2.7	4	1	1	2	4	6	7	0-17	209	2.3	2	1	1	2	4	5	5
18-34	2392	2.7	8	1	1	2	3	5	7	18-34	2350	2.4	6	1	1	2	3	5	6
35-49	270	2.3	2	1	1	2	3	5	6	35-49	505	2.3	4	< 1	1	1	3	5	6
50-69	0									50-69	6	3.0							
70 +	0									70 +	0								
SUBTOTAL	**2829**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**7**		**3071**	**2.4**	**5**	**< 1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1908	1.2		< 1	< 1	1	1	2	2	0-17	1227	1.3		< 1	< 1	1	1	2	3
18-34	11657	1.4	1	< 1	1	1	1	3	3	18-34	17242	1.3	1	< 1	< 1	1	1	2	3
35-49	1271	1.4	1	< 1	1	1	1	2	3	35-49	3395	1.2		< 1	< 1	1	1	2	3
50-69	0									50-69	6	1.0							
70 +	0									70 +	0								
SUBTOTAL	**14836**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**		**21870**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**17665**	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**		**24941**	**1.4**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

DRG 382: False Labor

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	26	1.0								0-17	124	1.4	1	<1	<1	<1	1	3	4
70-74	0									18-34	1113	2.3	12	<1	<1	1	2	4	8
75-79	0									35-49	133	1.9	1	<1	1	2	3	3	3
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**26**	**1.0**									**1370**	**2.2**	**10**	**<1**	**<1**	**1**	**2**	**4**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	119	1.1		<1	<1	1	1	1	2	0-17	802	1.1		<1	<1	<1	1	1	2
70-74	0									18-34	18656	1.2	2	<1	<1	<1	1	1	2
75-79	0									35-49	2281	1.3	2	<1	<1	<1	1	1	2
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**119**	**1.1**		**<1**	**<1**	**1**	**1**	**1**	**2**		**21740**	**1.2**	**2**	**<1**	**<1**	**<1**	**1**	**1**	**2**
GRAND TOTAL	**145**	**1.0**		**<1**	**<1**	**<1**	**1**	**1**	**1**		**23110**	**1.3**	**2**	**<1**	**<1**	**<1**	**1**	**1**	**2**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	236	1.4	2	<1	<1	<1	1	2	4	0-17	30	1.8	1						
18-34	1515	1.9	6	<1	<1	1	2	3	5	18-34	412	2.1	3	<1	<1	1	3	5	7
35-49	24	1.9	1							35-49	35	1.1							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1775**	**1.8**	**6**	**<1**	**<1**	**1**	**2**	**3**	**5**		**476**	**2.0**	**3**	**<1**	**<1**	**1**	**3**	**4**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2266	1.1		<1	<1	<1	1	1	2	0-17	502	1.0		<1	<1	<1	1	1	1
18-34	17111	1.1	1	<1	<1	<1	1	1	2	18-34	6182	1.2	1	<1	<1	<1	1	1	2
35-49	366	1.1		<1	<1	<1	1	1	1	35-49	533	1.1		<1	<1	<1	1	1	1
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**19742**	**1.1**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**		**7217**	**1.1**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**
GRAND TOTAL	**21517**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**		**7693**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**

DRG 383: Other Antepartum Diagnoses w/ Medical Complications

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	612	5.8	96	1	2	3	5	12	15	0-17	1790	3.7	10	1	2	3	5	7	7
70-74	0									18-34	30698	3.7	19	1	2	3	4	7	9
75-79	0									35-49	3537	3.9	13	1	2	3	4	8	10
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**612**	**5.8**	**96**	**1**	**2**	**3**	**5**	**12**	**15**		**36026**	**3.7**	**18**	**1**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	277	3.7	15	1	1	3	4	7	15	0-17	1979	2.7	14	1	1	2	3	5	6
70-74	0									18-34	52518	2.8	7	1	1	2	3	5	7
75-79	0									35-49	6350	3.0	10	< 1	1	2	4	5	8
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**277**	**3.7**	**15**	**1**	**1**	**3**	**4**	**7**	**15**		**60847**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**889**	**5.1**	**71**	**1**	**2**	**3**	**5**	**11**	**15**		**96873**	**3.1**	**12**	**1**	**1**	**2**	**4**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	3865	3.3	12	1	2	3	4	6	7	0-17	1415	3.2	4	1	2	3	4	6	7
18-34	30144	3.7	16	1	2	3	4	7	9	18-34	16253	3.5	10	1	2	3	4	6	8
35-49	1493	4.7	49	1	2	3	5	8	13	35-49	1471	3.9	11	1	2	3	5	8	10
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**35502**	**3.7**	**17**	**1**	**2**	**3**	**4**	**7**	**9**		**19139**	**3.5**	**10**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	4155	2.6	5	< 1	1	2	3	5	7	0-17	1253	2.8	7	< 1	1	2	4	4	7
18-34	34014	2.7	6	< 1	1	2	3	5	6	18-34	19535	2.8	7	1	1	2	3	5	6
35-49	2144	3.1	6	1	1	2	4	6	8	35-49	2034	3.2	7	< 1	1	2	4	6	9
50-69	5	1.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**40319**	**2.7**	**6**	**< 1**	**1**	**2**	**3**	**5**	**6**		**22822**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**75821**	**3.2**	**11**	**< 1**	**1**	**2**	**4**	**6**	**8**		**41961**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 384: Other Antepartum Diagnoses w/o Medical Complications

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	54	3.2	3	<1	2	3	5	6	6	0-17	102	2.6	10	<1	1	1	3	7	14
70-74	0									18-34	3522	4.4	49	<1	1	2	4	10	14
75-79	0									35-49	812	4.3	38	1	1	2	4	9	14
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**54**	**3.2**	**3**	**<1**	**2**	**3**	**5**	**6**	**6**		**4436**	**4.3**	**46**	**1**	**1**	**2**	**4**	**9**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	107	2.7	15	<1	1	1	2	13	13	0-17	679	1.9	3	<1	<1	1	2	3	5
70-74	0									18-34	32100	2.0	6	<1	<1	1	2	4	6
75-79	0									35-49	5872	2.2	7	<1	<1	1	2	4	6
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**107**	**2.7**	**15**	**<1**	**1**	**1**	**2**	**13**	**13**		**38651**	**2.0**	**6**	**<1**	**<1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**161**	**2.9**	**11**	**<1**	**1**	**1**	**3**	**6**	**13**		**43087**	**2.3**	**11**	**<1**	**<1**	**1**	**2**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	206	3.8	35	1	1	2	4	7	10	0-17	57	3.4	6	<1	1	2	6	7	7
18-34	2367	3.2	15	<1	1	2	4	7	9	18-34	1483	3.2	13	<1	1	2	4	6	11
35-49	80	3.5	17	1	2	2	3	5	18	35-49	178	3.6	15	1	1	3	4	7	13
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**2653**	**3.3**	**17**	**<1**	**1**	**2**	**4**	**7**	**9**		**1718**	**3.2**	**13**	**<1**	**1**	**2**	**4**	**6**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1893	2.3	16	<1	<1	1	2	4	7	0-17	580	2.2	11	<1	<1	1	2	4	7
18-34	17674	2.1	8	<1	<1	1	2	4	6	18-34	11524	1.9	5	<1	<1	1	2	4	5
35-49	831	1.9	3	<1	1	1	2	4	6	35-49	1718	2.0	4	<1	<1	1	2	4	6
50-69	6	4.0								50-69	6	1.0							
70+	0									70+	0								
SUBTOTAL	**20403**	**2.2**	**9**	**<1**	**<1**	**1**	**2**	**4**	**6**		**13828**	**2.0**	**5**	**<1**	**<1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**23055**	**2.3**	**10**	**<1**	**<1**	**1**	**2**	**4**	**6**		**15546**	**2.1**	**6**	**<1**	**<1**	**1**	**2**	**4**	**6**

DRG 386: Extreme Immaturity or Respiratory Distress Syndrome, Neonate

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	1408	76.2	194	63	74	92	99 +	99 +	99 +
1000-1499	6	21.0								1000-1499	3284	51.3	303	31	40	52	65	81	93
1500-1749	0									1500-1749	1783	34.8	175	21	26	34	42	52	58
1750-2499	16	32.0	353							1750-2499	5146	17.1	144	5	10	15	22	32	41
2500 +	0									2500 +	6059	8.8	73	2	4	7	11	15	21
SUBTOTAL	**21**	**29.1**	**280**								**17681**	**27.1**	**606**	**4**	**8**	**19**	**49**	**84**	**99 +**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	16	36.0	3	34	36	99 +	99 +	99 +	99 +
1500-1749	0									1500-1749	26	27.1	419						
1750-2499	0									1750-2499	62	20.5	421	4	5	7	29	57	57
2500 +	0									2500 +	157	5.7	22	1	3	5	8	22	99 +
SUBTOTAL	**0**										**260**	**13.2**	**249**	**2**	**4**	**7**	**22**	**67**	**99 +**
GRAND TOTAL	**21**	**29.1**	**280**								**17941**	**26.9**	**604**	**4**	**8**	**19**	**49**	**84**	**99 +**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	1632	74.1	242	61	71	88	99 +	99 +	99 +	1-999	610	69.8	263	57	68	84	99 +	99 +	99 +
1000-1499	2784	48.8	315	28	38	49	65	97	99 +	1000-1499	1272	48.9	250	31	38	47	60	74	91
1500-1749	1289	31.0	208	17	22	28	37	52	75	1500-1749	798	29.3	115	19	23	28	35	42	50
1750-2499	3276	17.1	148	4	8	15	24	31	38	1750-2499	1811	15.8	120	4	9	14	21	27	32
2500 +	2412	9.3	159	2	4	6	10	16	36	2500 +	2452	7.5	66	2	3	6	9	13	18
SUBTOTAL	**11393**	**32.9**	**706**	**5**	**11**	**30**	**65**	**99 +**	**99 +**		**6942**	**25.2**	**550**	**3**	**7**	**19**	**44**	**76**	**99 +**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	34	26.9	91							1000-1499	5	46.0							
1500-1749	5	16.0								1500-1749	0								
1750-2499	26	16.6	332							1750-2499	0								
2500 +	129	6.0	28	2	3	4	6	18	19	2500 +	78	11.2	131	5	6	9	10	14	51
SUBTOTAL	**194**	**11.4**	**143**	**2**	**4**	**6**	**16**	**30**	**37**		**83**	**13.4**	**·194**	**5**	**6**	**9**	**11**	**46**	**51**
GRAND TOTAL	**11587**	**32.6**	**704**	**5**	**11**	**30**	**64**	**99 +**	**99 +**		**7026**	**25.1**	**548**	**3**	**7**	**19**	**44**	**75**	**99 +**

DRG 387: Prematurity w/ Major Problems

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	64	62.0	321	32	61	62	83	99+	99+
1000-1499	0									1000-1499	1674	42.1	242	24	32	41	52	68	76
1500-1749	11	16.0	4							1500-1749	1663	25.3	144	13	18	22	30	42	48
1750-2499	27	10.5	9							1750-2499	11952	11.6	83	4	5	9	15	21	27
2500+	17	3.4	1							2500+	8817	6.4	36	2	3	5	7	11	16
SUBTOTAL	**55**	**9.5**	**27**	**4**	**4**	**10**	**14**	**18**	**18**		**24170**	**12.9**	**174**	**3**	**4**	**8**	**16**	**30**	**43**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	11	36.5	2						
1000-1499	0									1000-1499	108	30.9	176	9	24	30	41	50	50
1500-1749	0									1500-1749	242	24.8	85	16	18	20	31	39	43
1750-2499	5	29.0								1750-2499	1611	11.1	72	2	4	9	16	23	29
2500+	0									2500+	1116	6.0	57	2	2	4	6	11	18
SUBTOTAL	**5**	**29.0**									**3088**	**11.1**	**111**	**2**	**3**	**7**	**16**	**27**	**35**
GRAND TOTAL	**60**	**11.2**	**55**	**4**	**4**	**10**	**16**	**18**	**29**		**27258**	**12.7**	**167**	**3**	**4**	**8**	**16**	**29**	**42**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	151	65.2	339	38	53	78	87	99+	99+	1-999	39	69.8	208	57	74	79	99+	99+	99+
1000-1499	1869	38.0	222	23	29	36	45	62	84	1000-1499	736	39.2	228	22	30	38	46	59	72
1500-1749	2059	24.5	129	13	17	22	30	38	46	1500-1749	1056	25.0	124	15	18	22	29	38	46
1750-2499	9100	11.4	62	4	6	10	15	21	27	1750-2499	6342	10.9	80	3	5	9	15	20	27
2500+	4218	7.5	70	2	3	5	8	13	22	2500+	3432	6.0	42	2	3	4	7	11	13
SUBTOTAL	**17397**	**15.3**	**201**	**3**	**5**	**11**	**21**	**36**	**46**		**11605**	**12.7**	**167**	**3**	**4**	**8**	**17**	**30**	**39**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	11	63.0	110							1-999	16	52.0	45						
1000-1499	239	35.3	294	20	25	31	38	51	63	1000-1499	76	29.6	191	15	22	25	36	46	66
1500-1749	232	20.6	74	12	15	19	24	40	41	1500-1749	105	24.2	202	6	16	21	32	49	53
1750-2499	1528	10.3	50	3	5	10	14	20	24	1750-2499	897	9.0	35	2	4	8	14	16	18
2500+	769	6.5	49	2	3	4	7	13	25	2500+	463	4.2	8	1	2	4	6	8	11
SUBTOTAL	**2778**	**12.5**	**146**	**2**	**4**	**9**	**17**	**27**	**36**		**1557**	**10.1**	**106**	**2**	**3**	**6**	**14**	**22**	**30**
GRAND TOTAL	**20175**	**14.9**	**194**	**3**	**5**	**10**	**20**	**34**	**44**		**13163**	**12.4**	**160**	**2**	**4**	**8**	**16**	**29**	**39**

DRG 388: Prematurity w/o Major Problems

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	5	20.0							
1750-2499	65	4.6	6	2	2	4	8	8	8
2500 +	44	2.5	4	1	1	2	4	6	6
SUBTOTAL	**114**	**4.5**	**18**	**1**	**2**	**4**	**6**	**8**	**8**
GRAND TOTAL	**114**	**4.5**	**18**	**1**	**2**	**4**	**6**	**8**	**8**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	5	25.0							
1000-1499	13	69.0							
1500-1749	78	16.5	10	13	15	17	19	20	20
1750-2499	454	9.5	28	4	5	9	15	16	18
2500 +	245	6.9	25	2	3	6	10	15	18
	795	**10.5**	**90**	**3**	**5**	**9**	**15**	**18**	**20**
1-999	0								
1000-1499	160	28.0	81	15	20	30	36	38	39
1500-1749	345	18.7	43	12	15	17	22	24	37
1750-2499	11241	4.9	17	2	2	4	6	10	13
2500 +	14255	3.0	4	1	2	2	4	5	6
	26001	**4.2**	**18**	**2**	**2**	**3**	**4**	**8**	**12**
	26796	**4.4**	**21**	**2**	**2**	**3**	**5**	**9**	**13**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	46	19.5	32	8	18	19	22	30	30
1750-2499	557	9.9	35	4	5	9	13	17	21
2500 +	164	7.6	47	2	4	4	13	15	17
SUBTOTAL	**767**	**10.0**	**44**	**3**	**4**	**9**	**13**	**19**	**23**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	188	27.8	168	14	21	26	32	46	49
1500-1749	524	18.8	69	10	15	17	21	28	39
1750-2499	10396	5.0	20	2	2	3	6	11	14
2500 +	7537	3.0	6	1	2	2	4	5	7
SUBTOTAL	**18646**	**4.8**	**29**	**1**	**2**	**3**	**5**	**11**	**16**
GRAND TOTAL	**19413**	**5.0**	**31**	**1**	**2**	**3**	**5**	**12**	**17**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	6	31.0							
1500-1749	55	23.1	14	16	22	25	25	28	29
1750-2499	380	10.2	103	3	4	7	11	18	28
2500 +	67	5.6	11	2	3	5	9	10	12
	508	**11.2**	**105**	**3**	**4**	**8**	**15**	**25**	**29**
1-999	0								
1000-1499	99	25.1	94	17	19	23	26	33	57
1500-1749	304	17.7	47	9	12	18	22	27	30
1750-2499	7460	4.8	20	1	2	3	6	11	14
2500 +	6879	2.9	6	1	2	2	3	5	6
	14742	**4.3**	**22**	**1**	**2**	**3**	**5**	**10**	**14**
	15250	**4.5**	**27**	**1**	**2**	**3**	**5**	**10**	**15**

DRG 389: Full Term Neonate w/ Major Problems

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	42	10.1	103	3	4	5	24	30	30
2500 +	172	3.7	5	1	2	4	5	7	10
SUBTOTAL	**214**	**5.0**	**31**	**1**	**2**	**4**	**5**	**10**	**21**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	6	10.0							
2500 +	49	3.2	8	1	2	2	3	11	11
SUBTOTAL	**55**	**3.9**	**12**	**2**	**2**	**2**	**3**	**11**	**11**
GRAND TOTAL	**269**	**4.7**	**27**	**1**	**2**	**3**	**5**	**10**	**11**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	29	65.2	302						
1000-1499	184	35.1	321	15	18	31	50	60	66
1500-1749	207	22.9	192	11	16	21	25	35	44
1750-2499	3340	6.9	37	2	3	5	9	14	18
2500 +	70169	4.4	20	2	2	3	5	8	11
	73930	**4.6**	**27**	**2**	**2**	**3**	**5**	**8**	**11**
1-999	0								
1000-1499	0								
1500-1749	16	17.0	85						
1750-2499	691	4.5	13	1	2	4	5	9	11
2500 +	18090	3.3	7	1	2	3	4	5	7
	18797	**3.4**	**8**	**1**	**2**	**3**	**4**	**5**	**7**
	92727	**4.4**	**24**	**2**	**2**	**3**	**5**	**8**	**11**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	33	61.0	167	48	54	73	99 +	99 +	99 +
1000-1499	153	30.2	128	16	24	26	42	48	52
1500-1749	241	25.9	254	12	15	20	33	57	72
1750-2499	3524	7.2	68	2	3	5	8	14	20
2500 +	42034	4.7	26	2	2	3	5	9	12
SUBTOTAL	**45985**	**5.1**	**38**	**2**	**2**	**4**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	22	34.7	225						
1500-1749	53	18.3	65	13	15	15	18	34	34
1750-2499	1340	5.6	37	2	2	4	6	12	17
2500 +	14182	4.2	21	1	2	3	4	7	11
SUBTOTAL	**15597**	**4.4**	**25**	**1**	**2**	**3**	**5**	**8**	**12**
GRAND TOTAL	**61581**	**5.0**	**35**	**2**	**2**	**3**	**5**	**9**	**13**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	6	77.0							
1000-1499	123	39.1	309	22	30	36	48	54	67
1500-1749	100	21.7	183	9	14	19	23	34	69
1750-2499	2249	8.0	84	2	4	5	10	15	21
2500 +	36837	4.3	19	1	2	3	5	8	10
	39315	**4.7**	**30**	**1**	**2**	**3**	**5**	**9**	**12**
1-999	0								
1000-1499	24	35.2	58						
1500-1749	34	10.1	46						
1750-2499	864	5.8	14	2	3	5	7	11	13
2500 +	11313	3.7	9	1	2	3	4	7	8
	12235	**4.0**	**12**	**1**	**2**	**3**	**5**	**7**	**9**
	51549	**4.5**	**26**	**1**	**2**	**3**	**5**	**8**	**11**

Total U.S., July 1990 - June 1991

DRG 390: Neonate w/ Other Significant Problems

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	0								
1000-1499	0									1000-1499	19	37.3	108						
1500-1749	0									1500-1749	11	10.2	4						
1750-2499	0									1750-2499	321	5.1	10	2	3	4	7	10	11
2500 +	0									2500 +	4047	3.7	9	2	2	3	4	6	9
SUBTOTAL	**0**										**4398**	**4.0**	**15**	**2**	**2**	**3**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	35	17.4	122						
1500-1749	0									1500-1749	88	13.0	9	9	10	13	15	17	19
1750-2499	26	1.8	1							1750-2499	8035	3.6	13	2	2	3	4	6	8
2500 +	420	2.7	2	2	2	2	3	5	5	2500 +	173432	2.7	2	1	2	2	3	4	5
SUBTOTAL	**445**	**2.7**	**2**	**1**	**2**	**2**	**3**	**5**	**5**		**181591**	**2.7**	**3**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**445**	**2.7**	**2**	**1**	**2**	**2**	**3**	**5**	**5**		**185989**	**2.7**	**3**	**1**	**2**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	10	44.5	421							1500-1749	0								
1750-2499	332	6.1	50	2	2	5	7	11	13	1750-2499	148	7.0	34	2	3	6	9	12	13
2500 +	2459	4.1	20	2	2	3	4	8	12	2500 +	1765	3.8	9	1	2	3	5	6	10
SUBTOTAL	**2801**	**4.5**	**31**	**2**	**2**	**3**	**5**	**8**	**12**		**1913**	**4.0**	**12**	**1**	**2**	**3**	**5**	**7**	**11**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	22	16.1	5							1000-1499	34	20.9	52	8	17	23	26	31	31
1500-1749	160	15.2	57	10	12	13	16	19	20	1500-1749	92	17.0	27	10	14	16	20	27	29
1750-2499	9595	3.6	10	1	2	3	4	7	10	1750-2499	5442	3.7	20	1	2	3	4	6	9
2500 +	116723	2.6	4	1	2	2	3	4	6	2500 +	94531	2.5	4	1	2	2	3	4	5
SUBTOTAL	**126501**	**2.7**	**5**	**1**	**2**	**2**	**3**	**4**	**6**		**100099**	**2.6**	**5**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**129302**	**2.8**	**5**	**1**	**2**	**2**	**3**	**5**	**6**		**102012**	**2.6**	**5**	**1**	**2**	**2**	**3**	**4**	**5**

DRG 391: Normal Newborn

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	0									1750-2499	0								
2500 +	0									2500 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	5	27.0							
1500-1749	0									1500-1749	6	9.0							
1750-2499	53	2.6	2	1	2	2	4	5	5	1750-2499	12792	2.7	2	1	2	2	3	4	5
2500 +	1886	2.3	1	1	2	2	3	4	4	2500 +	984315	2.3	1	1	2	2	3	4	4
SUBTOTAL	**1939**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**4**		**997118**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**4**
GRAND TOTAL	**1939**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**4**		**997118**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**4**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	0									1750-2499	0								
2500 +	0									2500 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	18	42.6	792							1000-1499	20	14.5	13						
1500-1749	22	9.0	6							1500-1749	11	13.5	33						
1750-2499	12015	2.5	3	1	2	2	3	4	5	1750-2499	7443	2.5	3	1	2	2	3	4	5
2500 +	465833	2.2	1	1	2	2	2	4	4	2500 +	485336	2.2	1	1	1	2	3	4	4
SUBTOTAL	**477888**	**2.2**	**1**	**1**	**2**	**2**	**2**	**4**	**4**		**492811**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**477888**	**2.2**	**1**	**1**	**2**	**2**	**2**	**4**	**4**		**492811**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**

DRG 392: Splenectomy Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	740	11.4	79	5	7	9	13	20	27
70-74	388	13.4	142	6	7	10	17	22	28
75-79	338	15.3	168	8	10	12	15	25	38
80-84	214	18.7	163	8	9	15	25	35	35
85 +	84	28.2	550	7	10	24	36	78	78
SUBTOTAL	**1764**	**14.3**	**157**	**6**	**8**	**11**	**16**	**25**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	275	7.6	19	4	4	6	10	13	15
70-74	161	6.7	7	4	5	6	7	10	12
75-79	73	9.4	33	5	5	8	10	21	23
80-84	22	8.6	1						
85 +	13	8.0							
SUBTOTAL	**544**	**7.6**	**17**	**4**	**5**	**7**	**9**	**13**	**15**
GRAND TOTAL	**2308**	**12.7**	**132**	**5**	**7**	**10**	**14**	**23**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	839	9.6	49	4	6	7	10	22	26
35-49	874	8.9	23	5	6	7	11	15	21
50-69	761	10.9	90	5	6	8	12	17	22
70 +	52	8.7	8	5	6	8	11	12	12
	2526	**9.7**	**52**	**5**	**6**	**7**	**11**	**17**	**23**
0-17	0								
18-34	846	5.3	5	3	4	5	6	9	10
35-49	505	5.5	6	3	4	5	6	8	8
50-69	493	7.3	22	3	5	6	8	12	16
70 +	18	10.9	11						
	1862	**5.9**	**11**	**3**	**4**	**5**	**7**	**9**	**12**
	4388	**8.1**	**38**	**4**	**5**	**6**	**9**	**15**	**20**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	267	12.1	98	4	6	8	15	29	31
35-49	103	8.1	7	5	7	8	9	12	16
50-69	38	11.3	23	4	7	10	15	19	19
70 +	0								
SUBTOTAL	**409**	**11.0**	**71**	**4**	**6**	**8**	**12**	**24**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	166	7.6	54	3	5	6	7	11	29
35-49	60	4.7	1	3	4	4	6	6	6
50-69	6	23.0							
70 +	0								
SUBTOTAL	**232**	**7.2**	**46**	**3**	**4**	**6**	**7**	**11**	**23**
GRAND TOTAL	**641**	**9.7**	**65**	**4**	**5**	**7**	**10**	**23**	**29**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	565	9.2	100	5	6	8	10	12	17
35-49	300	9.8	33	5	6	7	14	20	21
50-69	274	11.4	48	5	8	9	13	17	22
70 +	30	12.2	37						
	1168	**10.0**	**70**	**5**	**6**	**8**	**11**	**17**	**20**
0-17	0								
18-34	458	6.5	34	3	4	5	7	10	13
35-49	190	6.6	22	4	5	6	7	8	13
50-69	72	6.6	11	4	4	6	8	11	15
70 +	0								
	719	**6.5**	**29**	**3**	**4**	**6**	**7**	**10**	**13**
	1888	**8.7**	**57**	**4**	**5**	**7**	**9**	**15**	**19**

DRG 393: Splenectomy Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	461	7.5	10	5	6	6	9	12	14
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**461**	**7.5**	**10**	**5**	**6**	**6**	**9**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1222	4.8	4	3	4	5	6	6	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**1222**	**4.8**	**4**	**3**	**4**	**5**	**6**	**6**	**8**
GRAND TOTAL	**0**										**1683**	**5.5**	**7**	**3**	**4**	**5**	**6**	**9**	**11**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	138	5.6	3	4	4	5	6	8	9	0-17	80	6.1	6	3	5	6	8	9	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**138**	**5.6**	**3**	**4**	**4**	**5**	**6**	**8**	**9**		**80**	**6.1**	**6**	**3**	**5**	**6**	**8**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	240	4.9	3	3	4	4	5	7	9	0-17	311	5.0	4	3	4	4	6	8	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**240**	**4.9**	**3**	**3**	**4**	**4**	**5**	**7**	**9**		**311**	**5.0**	**4**	**3**	**4**	**4**	**6**	**8**	**9**
GRAND TOTAL	**378**	**5.1**	**4**	**3**	**4**	**5**	**6**	**8**	**9**		**391**	**5.2**	**4**	**3**	**4**	**5**	**6**	**9**	**9**

DRG 394: Other O.R. Procedures of the Blood And Blood Forming Organs

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	506	11.0	109	1	4	8	13	29	35	0-17	307	9.4	49	2	4	8	14	21	26
70-74	205	6.7	23	2	3	6	10	16	99 +	18-34	318	4.6	12	1	2	4	6	8	8
75-79	171	9.4	123	2	3	5	14	22	49	35-49	447	7.7	83	1	2	6	10	15	19
80-84	107	11.7	145	3	5	8	15	19	57	50-69	510	10.3	111	1	4	7	13	31	37
85 +	109	14.1	91	5	6	14	18	26	44	70 +	23	9.4	38						
SUBTOTAL	**1098**	**10.3**	**101**	**2**	**4**	**7**	**14**	**26**	**42**		**1606**	**8.3**	**75**	**1**	**3**	**6**	**10**	**18**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	249	3.5	22	1	1	2	4	7	9	0-17	2078	3.8	11	1	1	3	5	8	11
70-74	167	3.4	11	1	1	2	4	8	9	18-34	940	3.3	16	1	1	1	5	9	10
75-79	166	6.7	26	1	3	6	8	11	21	35-49	814	3.1	12	< 1	1	2	4	9	11
80-84	60	2.8	3	1	1	3	5	6	6	50-69	816	3.2	7	< 1	1	2	5	7	8
85 +	36	4.6	39							70 +	31	1.0							
SUBTOTAL	**678**	**4.3**	**21**	**1**	**1**	**3**	**6**	**9**	**15**		**4678**	**3.4**	**11**	**1**	**1**	**2**	**5**	**8**	**10**
GRAND TOTAL	**1776**	**8.0**	**79**	**1**	**2**	**6**	**10**	**20**	**29**		**6284**	**4.7**	**32**	**1**	**1**	**3**	**6**	**10**	**14**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	206	25.8	409	3	7	23	45	47	48	0-17	150	9.1	51	2	5	7	11	21	21
18-34	109	10.1	50	3	4	9	12	19	31	18-34	142	6.9	27	1	3	6	11	14	16
35-49	68	15.1	254	3	4	10	12	47	47	35-49	130	8.9	51	2	5	6	13	15	17
50-69	54	20.6	329	5	8	11	27	57	59	50-69	54	9.9	141	3	5	7	8	40	44
70 +	0									70 +	17	5.4	12						
SUBTOTAL	**437**	**19.6**	**328**	**3**	**5**	**11**	**40**	**47**	**47**		**494**	**8.4**	**54**	**1**	**4**	**7**	**10**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	876	4.7	19	1	2	3	6	10	13	0-17	716	3.9	13	1	1	3	6	9	10
18-34	192	5.6	37	1	1	4	6	18	19	18-34	455	3.1	8	1	1	2	5	7	8
35-49	91	5.9	21	1	1	5	9	13	14	35-49	258	2.9	3	1	1	3	4	6	6
50-69	35	2.9	2							50-69	108	3.6	12	1	1	2	5	11	14
70 +	6	1.0								70 +	24	1.0							
SUBTOTAL	**1199**	**4.8**	**22**	**1**	**1**	**3**	**6**	**10**	**15**		**1560**	**3.4**	**10**	**1**	**1**	**2**	**5**	**7**	**10**
GRAND TOTAL	**1636**	**8.8**	**146**	**1**	**2**	**5**	**9**	**22**	**41**		**2054**	**4.6**	**25**	**1**	**1**	**3**	**6**	**10**	**14**

DRG 395: Red Blood Cell Disorders Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	12983	6.7	39	1	3	5	9	13	17
70-74	8053	6.2	37	1	2	4	8	13	17
75-79	9126	6.2	30	1	3	5	8	12	16
80-84	7861	6.2	36	2	3	5	8	12	17
85 +	9355	6.6	52	2	3	5	8	12	17
SUBTOTAL	**47378**	**6.4**	**39**	**1**	**3**	**5**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6812	6.2	24	2	3	5	8	11	14
70-74	2228	4.6	15	1	2	4	6	9	11
75-79	2618	4.4	11	1	2	3	7	9	12
80-84	2551	4.0	12	1	1	3	6	8	11
85 +	2397	4.8	15	1	2	4	6	10	12
SUBTOTAL	**16607**	**5.2**	**18**	**1**	**2**	**4**	**7**	**10**	**13**
GRAND TOTAL	**63985**	**6.1**	**34**	**1**	**2**	**5**	**8**	**12**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2722	8.0	82	1	3	6	10	15	21
35-49	3988	6.0	34	1	2	4	8	13	18
50-69	7783	5.7	31	1	2	4	7	12	16
70 +	866	6.5	36	1	2	5	8	15	19
	15359	**6.2**	**42**	**1**	**2**	**4**	**8**	**14**	**19**
0-17	0								
18-34	4318	4.7	16	1	2	4	7	9	12
35-49	3048	4.0	12	1	2	3	5	8	10
50-69	2777	3.7	8	1	2	3	5	7	9
70 +	301	3.2	6	1	1	3	5	6	9
	10444	**4.2**	**13**	**1**	**2**	**3**	**6**	**8**	**10**
	25803	**5.4**	**31**	**1**	**2**	**4**	**7**	**11**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	4991	7.3	34	2	4	6	9	13	19
35-49	2375	6.9	28	2	3	6	9	13	16
50-69	1910	7.2	59	2	3	5	8	14	20
70 +	341	7.6	66	2	3	6	10	15	46
SUBTOTAL	**9617**	**7.2**	**39**	**2**	**3**	**6**	**9**	**13**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	10036	5.9	17	2	3	5	8	11	13
35-49	2154	5.6	15	2	3	5	7	10	14
50-69	536	4.9	15	1	2	4	6	9	13
70 +	75	5.8	29	2	2	3	8	12	21
SUBTOTAL	**12801**	**5.8**	**17**	**2**	**3**	**5**	**8**	**11**	**14**
GRAND TOTAL	**22418**	**6.4**	**27**	**2**	**3**	**5**	**8**	**12**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1502	6.7	34	2	3	5	8	13	19
35-49	1429	6.0	30	1	3	5	7	12	18
50-69	1936	5.2	22	1	2	4	6	12	16
70 +	699	6.6	67	2	2	4	8	13	18
	5567	**6.0**	**33**	**1**	**2**	**4**	**7**	**12**	**17**
0-17	0								
18-34	2948	5.1	18	1	2	4	6	10	12
35-49	1507	4.1	10	1	2	3	6	7	10
50-69	906	3.3	8	1	1	2	5	7	8
70 +	179	2.7	3	< 1	1	3	4	5	5
	5540	**4.5**	**14**	**1**	**2**	**4**	**6**	**8**	**11**
	11107	**5.2**	**24**	**1**	**2**	**4**	**6**	**10**	**14**

DRG 396: Red Blood Cell Disorders Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	80	2.0	3	<1	1	1	3	4	7	0-17	3557	5.5	38	1	1	4	7	11	18
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**80**	**2.0**	**3**	**<1**	**1**	**1**	**3**	**4**	**7**		**3557**	**5.5**	**38**	**1**	**1**	**4**	**7**	**11**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	18	2.3	2							0-17	8350	3.6	10	1	1	3	5	7	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**18**	**2.3**	**2**								**8350**	**3.6**	**10**	**1**	**1**	**3**	**5**	**7**	**9**
GRAND TOTAL	**98**	**2.1**	**2**	**<1**	**1**	**1**	**3**	**4**	**6**		**11907**	**4.2**	**19**	**1**	**1**	**3**	**5**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	4291	5.0	27	<1	2	4	7	10	13	0-17	1502	5.1	20	1	2	4	7	9	13
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**4291**	**5.0**	**27**	**<1**	**2**	**4**	**7**	**10**	**13**		**1502**	**5.1**	**20**	**1**	**2**	**4**	**7**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	11802	3.7	8	1	2	3	5	7	8	0-17	4341	3.6	7	1	2	3	5	7	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**11802**	**3.7**	**8**	**1**	**2**	**3**	**5**	**7**	**8**		**4341**	**3.6**	**7**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**16093**	**4.0**	**13**	**1**	**2**	**3**	**5**	**8**	**10**		**5843**	**4.0**	**11**	**1**	**2**	**3**	**5**	**8**	**9**

DRG 397: Coagulation Disorders

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2274	6.9	35	2	3	6	8	14	17
70-74	1660	7.5	54	2	3	5	9	17	25
75-79	1920	9.5	131	2	4	6	11	18	29
80-84	1335	7.7	32	2	4	6	10	15	19
85 +	1044	9.4	71	3	5	7	10	19	32
SUBTOTAL	**8233**	**8.1**	**66**	**2**	**4**	**6**	**9**	**16**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	732	4.9	22	1	2	4	6	9	15
70-74	470	4.3	7	1	2	4	6	8	8
75-79	493	5.9	17	2	3	5	7	11	15
80-84	358	5.1	19	1	2	4	7	10	13
85 +	258	5.2	11	1	3	5	6	10	13
SUBTOTAL	**2311**	**5.1**	**16**	**1**	**2**	**4**	**6**	**9**	**13**
GRAND TOTAL	**10544**	**7.4**	**57**	**2**	**3**	**5**	**9**	**14**	**22**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1744	3.4	13	< 1	1	2	4	7	11
18-34	588	4.7	12	1	2	4	6	9	15
35-49	1113	5.6	24	2	3	4	7	11	16
50-69	1801	5.9	31	1	3	5	7	12	17
70 +	168	8.1	27	3	4	6	12	15	18
	5414	**5.0**	**23**	**1**	**2**	**4**	**6**	**10**	**14**
0-17	5309	2.8	6	1	1	2	3	5	7
18-34	1098	3.9	10	1	2	3	5	8	9
35-49	881	4.5	11	2	2	4	6	8	10
50-69	1080	4.6	10	1	2	3	6	9	12
70 +	39	5.8	17						
	8407	**3.4**	**8**	**1**	**2**	**2**	**4**	**7**	**9**
	13821	**4.0**	**15**	**1**	**2**	**3**	**5**	**8**	**11**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	841	4.3	18	1	1	3	6	10	13
18-34	494	8.9	173	2	3	5	8	19	26
35-49	494	6.9	31	2	3	5	8	15	16
50-69	338	7.3	34	2	3	5	11	15	18
70 +	47	11.3	64	3	5	9	23	23	23
SUBTOTAL	**2215**	**6.5**	**62**	**1**	**2**	**4**	**8**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2244	3.1	7	1	2	2	4	6	7
18-34	406	5.0	17	2	2	4	6	9	12
35-49	181	3.7	5	1	2	3	5	6	9
50-69	157	4.7	28	1	1	3	6	12	22
70 +	0								
SUBTOTAL	**2988**	**3.5**	**10**	**1**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**5202**	**4.8**	**35**	**1**	**2**	**3**	**5**	**10**	**15**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	728	3.3	8	1	1	2	4	8	9
18-34	400	5.2	18	1	3	4	7	9	15
35-49	459	5.5	24	1	2	4	8	11	15
50-69	520	6.9	22	2	3	6	9	13	19
70 +	120	8.0	23	2	4	7	13	15	16
	2227	**5.2**	**20**	**1**	**2**	**4**	**7**	**11**	**15**
0-17	2120	2.8	6	1	1	2	3	5	7
18-34	523	3.5	12	1	1	3	4	6	10
35-49	314	3.1	2	2	2	3	4	5	6
50-69	246	3.3	6	< 1	< 1	2	6	7	7
70 +	35	2.5	2	< 1	1	3	4	4	4
	3238	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**7**
	5465	**3.9**	**13**	**1**	**2**	**3**	**5**	**8**	**11**

DRG 398: Reticuloendothelial & Immunity Disorders w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	4773	7.8	29	3	4	6	10	14	18	0-17	6843	6.5	30	2	3	5	8	13	16	
70-74	3313	7.5	25	3	4	6	9	14	17	18-34	2278	6.9	30	1	3	6	8	14	18	
75-79	2519	8.4	58	2	4	7	10	15	22	35-49	2856	6.6	22	2	4	5	8	12	16	
80-84	1477	8.4	45	3	4	6	11	18	21	50-69	5362	7.4	32	3	4	6	9	13	16	
85+	898	9.6	63	3	4	8	13	18	25	70+	350	8.8	53	2	5	8	9	18	23	
SUBTOTAL	**12979**	**8.0**	**38**	**3**	**4**	**6**	**10**	**15**	**19**		**17689**	**6.9**	**30**	**2**	**4**	**5**	**8**	**13**	**16**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85+	0									70+	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**12979**	**8.0**	**38**	**3**	**4**	**6**	**10**	**15**	**19**		**17689**	**6.9**	**30**	**2**	**4**	**5**	**8**	**13**	**16**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	2737	6.6	31	2	3	5	8	13	15	0-17	2121	6.5	25	2	3	5	8	13	17	
18-34	539	7.5	23	3	5	7	8	15	16	18-34	658	6.5	54	2	3	5	7	11	17	
35-49	509	8.9	99	3	4	7	9	16	20	35-49	596	6.9	26	2	4	6	8	12	16	
50-69	607	6.9	22	3	4	6	9	12	14	50-69	972	7.6	32	3	5	6	9	13	16	
70+	33	5.5	3							70+	110	6.4	43	1	2	5	6	13	17	
SUBTOTAL	**4425**	**7.0**	**37**	**2**	**4**	**6**	**8**	**13**	**16**		**4457**	**6.8**	**32**	**2**	**4**	**5**	**8**	**13**	**17**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70+	0									70+	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**4425**	**7.0**	**37**	**2**	**4**	**6**	**8**	**13**	**16**		**4457**	**6.8**	**32**	**2**	**4**	**5**	**8**	**13**	**17**	

Total U.S., July 1990 - June 1991

DRG 399: Reticuloendothelial & Immunity Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	483	4.9	20	2	2	3	6	9	10	0-17	6392	4.4	12	1	2	4	6	8	9
70-74	363	4.3	8	< 1	2	4	7	8	9	18-34	1387	3.5	6	< 1	1	3	5	7	8
75-79	338	6.1	33	2	3	5	7	11	16	35-49	1133	4.2	5	2	3	4	5	7	8
80-84	196	3.7	8	1	2	3	4	8	10	50-69	1026	5.3	21	1	3	5	6	10	13
85 +	124	5.4	10	2	3	6	6	11	11	70 +	43	4.2	7	< 1	1	6	7	7	7
SUBTOTAL	**1504**	**4.9**	**18**	**1**	**2**	**4**	**6**	**9**	**11**		**9981**	**4.3**	**11**	**1**	**2**	**4**	**6**	**8**	**9**
GRAND TOTAL	**1504**	**4.9**	**18**	**1**	**2**	**4**	**6**	**9**	**11**		**9981**	**4.3**	**11**	**1**	**2**	**4**	**6**	**8**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2805	4.5	11	1	2	4	6	8	10	0-17	2457	4.7	9	2	3	4	6	8	11
18-34	412	4.2	11	1	2	3	6	8	10	18-34	779	4.7	28	1	2	4	6	8	11
35-49	177	6.1	14	2	3	6	8	12	15	35-49	376	4.1	6	1	2	4	6	8	9
50-69	132	6.9	16	2	4	5	9	15	16	50-69	219	4.2	8	< 1	2	3	6	8	10
70 +	10	4.0								70 +	28	5.1	6						
SUBTOTAL	**3537**	**4.6**	**12**	**1**	**2**	**4**	**6**	**8**	**10**		**3859**	**4.6**	**13**	**1**	**2**	**4**	**6**	**8**	**11**
GRAND TOTAL	**3537**	**4.6**	**12**	**1**	**2**	**4**	**6**	**8**	**10**		**3859**	**4.6**	**13**	**1**	**2**	**4**	**6**	**8**	**11**

DRG 400: Lymphoma & Leukemia w/ Major O.R. Procedure

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1578	13.9	137	4	7	10	17	28	38	0-17	269	24.3	575	4	8	14	33	73	86
70-74	1319	14.7	119	3	6	13	20	31	42	18-34	521	11.0	96	4	6	7	13	23	36
75-79	1164	15.4	219	4	7	10	18	35	46	35-49	871	15.3	304	4	5	8	15	39	57
80-84	597	15.1	184	5	7	9	18	33	50	50-69	1972	11.7	110	2	5	9	15	26	33
85 +	283	14.0	52	4	8	15	19	21	27	70 +	51	9.5	30	2	7	8	10	20	20
SUBTOTAL	**4940**	**14.6**	**153**	**4**	**7**	**11**	**18**	**30**	**41**		**3684**	**13.4**	**199**	**3**	**5**	**9**	**15**	**31**	**47**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	997	5.8	17	2	3	5	7	9	14	0-17	371	6.8	44	2	4	5	7	10	15
70-74	675	6.7	32	1	3	6	8	13	17	18-34	1156	5.1	9	1	3	5	7	8	9
75-79	478	7.5	22	2	5	7	9	15	19	35-49	1180	5.4	12	1	3	5	7	10	12
80-84	258	6.9	34	1	3	5	11	14	17	50-69	1886	5.4	16	1	3	4	7	10	12
85 +	102	11.9	89	3	6	10	16	21	43	70 +	39	6.4	67	2	2	4	5	27	27
SUBTOTAL	**2510**	**6.7**	**28**	**2**	**3**	**6**	**8**	**13**	**17**		**4632**	**5.4**	**16**	**1**	**3**	**5**	**7**	**10**	**12**
GRAND TOTAL	**7451**	**12.0**	**125**	**3**	**5**	**9**	**15**	**25**	**35**		**8316**	**8.9**	**112**	**2**	**4**	**6**	**10**	**18**	**28**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	82	22.2	691	3	6	12	24	80	85	0-17	69	15.1	176	4	9	10	14	29	52
18-34	124	24.5	616	7	9	11	26	69	75	18-34	197	12.8	183	3	5	7	16	31	35
35-49	85	24.4	452	8	8	15	45	60	67	35-49	254	12.2	85	5	7	9	13	25	32
50-69	197	15.8	171	5	8	12	19	28	48	50-69	479	13.8	144	4	7	10	16	33	38
70 +	13	18.0								70 +	53	11.9	77	1	5	12	18	30	30
SUBTOTAL	**501**	**20.5**	**423**	**6**	**8**	**12**	**22**	**60**	**69**		**1052**	**13.2**	**136**	**4**	**7**	**9**	**15**	**30**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	94	6.8	15	< 1	4	7	10	12	13	0-17	66	9.8	71	4	4	7	15	22	30
18-34	161	6.1	23	2	3	5	7	13	17	18-34	227	6.1	13	2	4	6	7	11	17
35-49	67	7.4	54	1	2	6	8	15	28	35-49	265	6.6	29	1	2	6	8	17	17
50-69	27	5.4	3							50-69	270	4.6	9	1	2	5	6	8	10
70 +	17	8.7	12							70 +	33	2.7	2						
SUBTOTAL	**366**	**6.6**	**25**	**1**	**3**	**6**	**8**	**13**	**16**		**862**	**6.0**	**23**	**1**	**3**	**5**	**7**	**12**	**17**
GRAND TOTAL	**866**	**14.6**	**302**	**3**	**6**	**8**	**15**	**29**	**66**		**1914**	**10.0**	**98**	**2**	**5**	**7**	**12**	**20**	**31**

Total U.S., July 1990 - June 1991

DRG 401: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1600	12.4	128	2	4	9	18	30	41	0-17	157	11.6	67	< 1	4	11	16	23	23
70-74	1235	12.9	99	2	5	10	19	26	31	18-34	240	9.7	44	3	4	8	13	18	24
75-79	1172	14.5	139	2	5	12	19	29	40	35-49	582	8.9	63	2	3	7	10	23	26
80-84	945	13.7	117	3	5	11	18	28	39	50-69	1532	11.2	109	2	4	8	14	25	32
85 +	606	15.7	298	2	6	11	19	31	43	70 +	142	7.4	34	1	3	7	10	12	14
SUBTOTAL	**5557**	**13.5**	**142**	**2**	**5**	**11**	**19**	**28**	**37**		**2652**	**10.4**	**88**	**2**	**4**	**8**	**14**	**23**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**5557**	**13.5**	**142**	**2**	**5**	**11**	**19**	**28**	**37**		**2652**	**10.4**	**88**	**2**	**4**	**8**	**14**	**23**	**30**

TYPE OF PATIENT	MEDICAID										NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	58	13.4	96	1	5	12	22	28	28	0-17	23	10.8	6						
18-34	144	12.8	128	3	5	9	17	44	44	18-34	75	12.2	37	4	8	14	17	19	23
35-49	138	16.5	134	6	6	13	23	35	35	35-49	150	10.9	86	3	5	6	15	32	32
50-69	148	16.0	80	5	8	16	21	27	32	50-69	403	10.5	129	1	4	7	14	20	33
70 +	11	14.5	79							70 +	40	6.8	65	< 1	2	4	5	25	25
SUBTOTAL	**499**	**14.9**	**112**	**4**	**6**	**13**	**21**	**31**	**35**		**691**	**10.6**	**103**	**2**	**4**	**7**	**15**	**23**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**499**	**14.9**	**112**	**4**	**6**	**13**	**21**	**31**	**35**		**691**	**10.6**	**103**	**2**	**4**	**7**	**15**	**23**	**32**

DRG 402: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	787	5.3	37	1	2	4	7	10	17	0-17	369	5.2	17	1	2	4	7	10	15
70-74	776	5.0	29	1	1	3	7	12	18	18-34	503	4.0	15	1	1	3	5	11	11
75-79	462	4.8	15	1	1	3	7	11	12	35-49	824	3.6	14	1	1	2	5	9	10
80-84	273	4.6	20	1	1	3	7	9	16	50-69	1754	4.2	15	1	1	3	6	9	11
85 +	182	5.7	25	1	2	4	8	12	13	70 +	28	4.4	29						
SUBTOTAL	**2481**	**5.1**	**28**	**1**	**1**	**3**	**7**	**11**	**15**		**3477**	**4.1**	**15**	**1**	**1**	**3**	**6**	**10**	**11**
GRAND TOTAL	**2481**	**5.1**	**28**	**1**	**1**	**3**	**7**	**11**	**15**		**3477**	**4.1**	**15**	**1**	**1**	**3**	**6**	**10**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	93	4.6	11	< 1	2	4	6	9	12	0-17	115	4.1	11	< 1	1	3	7	10	10
18-34	97	7.9	37	< 1	3	8	8	21	22	18-34	231	5.5	27	1	2	4	9	11	19
35-49	104	8.2	47	2	2	5	14	17	22	35-49	167	3.1	8	< 1	1	2	4	6	9
50-69	56	8.5	49	2	3	9	10	22	24	50-69	355	5.4	32	1	2	3	7	16	21
70 +	19	5.0	22							70 +	47	3.4	14	< 1	< 1	2	2	10	10
SUBTOTAL	**369**	**7.1**	**37**	**1**	**2**	**5**	**10**	**17**	**22**		**915**	**4.7**	**24**	**1**	**1**	**3**	**7**	**11**	**18**
GRAND TOTAL	**369**	**7.1**	**37**	**1**	**2**	**5**	**10**	**17**	**22**		**915**	**4.7**	**24**	**1**	**1**	**3**	**7**	**11**	**18**

DRG 403: Lymphoma & Non-acute Leukemia w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5093	11.9	108	3	5	9	16	25	36	0-17	734	9.3	130	1	3	5	11	27	34
70-74	4615	11.8	126	3	5	8	15	24	35	18-34	733	11.1	142	2	4	7	13	29	36
75-79	4505	11.6	128	2	5	8	14	24	37	35-49	1815	9.7	98	2	3	7	12	21	31
80-84	3024	10.7	80	3	5	9	13	21	30	50-69	5156	11.2	120	2	4	8	14	22	35
85 +	2371	10.9	88	3	4	9	14	22	30	70 +	410	11.5	200	2	4	8	15	23	35
SUBTOTAL	**19608**	**11.5**	**110**	**3**	**5**	**9**	**14**	**24**	**35**		**8848**	**10.7**	**123**	**2**	**4**	**8**	**13**	**23**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**19608**	**11.5**	**110**	**3**	**5**	**9**	**14**	**24**	**35**		**8848**	**10.7**	**123**	**2**	**4**	**8**	**13**	**23**	**34**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	251	10.9	182	2	3	6	12	32	34	0-17	168	7.6	70	1	2	5	9	16	24
18-34	316	12.5	136	2	4	7	23	31	36	18-34	272	10.6	108	1	3	8	15	30	38
35-49	425	12.5	83	4	6	9	18	26	29	35-49	615	8.9	59	2	3	7	12	21	26
50-69	752	11.1	111	3	5	8	13	23	39	50-69	1166	10.8	113	2	4	8	14	24	31
70 +	78	13.5	175	4	5	5	20	37	45	70 +	252	7.7	19	2	4	7	10	14	15
SUBTOTAL	**1823**	**11.8**	**122**	**3**	**5**	**8**	**16**	**26**	**34**		**2474**	**9.8**	**88**	**2**	**4**	**7**	**12**	**21**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1823**	**11.8**	**122**	**3**	**5**	**8**	**16**	**26**	**34**		**2474**	**9.8**	**88**	**2**	**4**	**7**	**12**	**21**	**28**

DRG 404: Lymphoma & Non-acute Leukemia w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1486	5.0	16	1	2	4	7	10	12	0-17	650	3.2	9	1	1	2	5	8	10
70-74	1161	5.8	24	1	2	5	8	11	15	18-34	714	4.0	58	< 1	1	2	5	6	13
75-79	956	5.9	30	1	3	4	7	13	18	35-49	1219	5.0	25	1	2	4	6	9	11
80-84	640	6.2	21	1	2	6	8	12	15	50-69	2229	4.8	19	1	2	4	6	10	13
85 +	401	6.5	38	1	3	5	8	12	18	70 +	109	5.5	8	1	3	6	7	9	12
SUBTOTAL	**4644**	**5.7**	**24**	**1**	**2**	**4**	**8**	**11**	**15**		**4922**	**4.5**	**25**	**1**	**2**	**4**	**6**	**9**	**12**
GRAND TOTAL	**4644**	**5.7**	**24**	**1**	**2**	**4**	**8**	**11**	**15**		**4922**	**4.5**	**25**	**1**	**2**	**4**	**6**	**9**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	232	4.1	14	1	1	3	5	8	10	0-17	312	3.6	15	1	1	2	4	7	10
18-34	207	5.6	32	1	2	5	6	17	21	18-34	293	5.9	32	1	2	5	8	12	17
35-49	207	5.7	14	1	3	5	7	10	17	35-49	341	4.9	34	< 1	1	2	7	13	22
50-69	252	5.9	27	1	2	5	8	13	15	50-69	464	5.4	45	< 1	1	3	7	11	17
70 +	38	6.2	22	1	4	4	9	16	16	70 +	154	4.7	17	< 1	2	3	6	10	13
SUBTOTAL	**937**	**5.4**	**22**	**1**	**2**	**5**	**7**	**10**	**17**		**1563**	**5.0**	**32**	**< 1**	**1**	**3**	**6**	**10**	**17**
GRAND TOTAL	**937**	**5.4**	**22**	**1**	**2**	**5**	**7**	**10**	**17**		**1563**	**5.0**	**32**	**< 1**	**1**	**3**	**6**	**10**	**17**

DRG 405: Acute Leukemia w/o Major O.R. Procedure Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**2.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6**	**2.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3243	13.9	180	3	5	9	18	34	47
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3243	**13.9**	**180**	**3**	**5**	**9**	**18**	**34**	**47**
0-17	3134	5.4	39	1	2	3	6	12	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3134	**5.4**	**39**	**1**	**2**	**3**	**6**	**12**	**21**
	6377	**9.7**	**129**	**1**	**3**	**5**	**12**	**26**	**35**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1042	14.6	244	2	4	9	21	43	52
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1042**	**14.6**	**244**	**2**	**4**	**9**	**21**	**43**	**52**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1090	5.3	38	1	2	4	6	10	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1090**	**5.3**	**38**	**1**	**2**	**4**	**6**	**10**	**15**
GRAND TOTAL	**2132**	**9.9**	**160**	**1**	**3**	**5**	**11**	**28**	**45**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	799	16.5	188	3	6	12	25	32	47
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	799	**16.5**	**188**	**3**	**6**	**12**	**25**	**32**	**47**
0-17	1083	5.7	27	1	3	4	7	10	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1083	**5.7**	**27**	**1**	**3**	**4**	**7**	**10**	**14**
	1882	**10.3**	**124**	**2**	**3**	**6**	**12**	**26**	**32**

DRG 406: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R.Proc w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1141	12.7	83	4	7	10	18	24	28	0-17	160	14.9	178	5	7	9	18	36	46
70-74	807	12.9	101	3	6	11	16	25	29	18-34	165	10.4	69	3	7	8	11	24	28
75-79	537	12.0	116	3	6	8	16	24	33	35-49	688	12.3	124	4	6	8	14	26	39
80-84	417	15.7	119	5	8	14	19	36	41	50-69	1432	13.4	152	4	6	9	16	29	39
85 +	227	12.4	45	4	7	13	17	22	27	70 +	83	21.0	393	6	8	13	42	62	99 +
SUBTOTAL	**3129**	**13.0**	**97**	**4**	**6**	**10**	**17**	**25**	**30**		**2528**	**13.2**	**151**	**4**	**6**	**9**	**16**	**29**	**41**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3129**	**13.0**	**97**	**4**	**6**	**10**	**17**	**25**	**30**		**2528**	**13.2**	**151**	**4**	**6**	**9**	**16**	**29**	**41**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	51	9.7	92	3	3	8	11	35	35	0-17	16	5.0	2						
18-34	59	7.2	51	1	3	5	10	13	27	18-34	60	11.3	37	5	7	9	19	20	22
35-49	90	19.6	130	2	9	19	27	37	39	35-49	128	10.1	52	3	5	7	11	24	24
50-69	201	18.3	218	4	8	14	21	42	45	50-69	277	12.2	100	4	7	10	16	22	35
70 +	6	2.0								70 +	52	8.7	49	4	6	6	8	27	27
SUBTOTAL	**407**	**15.7**	**179**	**3**	**6**	**11**	**21**	**37**	**42**		**534**	**11.0**	**76**	**4**	**6**	**9**	**12**	**22**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**407**	**15.7**	**179**	**3**	**6**	**11**	**21**	**37**	**42**		**534**	**11.0**	**76**	**4**	**6**	**9**	**12**	**22**	**26**

DRG 407: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R.Proc w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	335	6.4	26	1	3	6	8	12	15	0-17	130	5.9	7	2	4	5	8	9	11
70-74	192	6.4	12	3	3	7	9	11	12	18-34	189	4.9	12	1	3	4	7	10	15
75-79	196	7.2	28	3	4	6	8	15	22	35-49	385	5.5	12	2	3	5	7	10	11
80-84	129	5.5	16	1	2	4	8	9	14	50-69	950	6.6	32	2	3	5	8	12	15
85+	28	2.8	3							70+	28	4.0	7						
SUBTOTAL	**880**	**6.3**	**22**	**2**	**3**	**6**	**8**	**12**	**15**		**1682**	**6.0**	**23**	**2**	**3**	**5**	**8**	**11**	**15**
GRAND TOTAL	**880**	**6.3**	**22**	**2**	**3**	**6**	**8**	**12**	**15**		**1682**	**6.0**	**23**	**2**	**3**	**5**	**8**	**11**	**15**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	77	7.4	28	1	5	7	8	16	21	0-17	16	7.6	4						
18-34	40	4.8	8	2	2	4	6	11	11	18-34	39	6.5	8	3	3	6	9	11	11
35-49	63	6.4	37	1	2	4	7	18	18	35-49	141	7.8	126	1	3	6	8	11	16
50-69	86	8.4	23	4	5	6	12	18	18	50-69	166	7.7	51	2	3	5	9	21	27
70+	11	12.3	70							70+	18	6.6	21						
SUBTOTAL	**277**	**7.3**	**29**	**2**	**4**	**6**	**8**	**18**	**18**		**379**	**7.6**	**71**	**2**	**3**	**6**	**9**	**14**	**23**
GRAND TOTAL	**277**	**7.3**	**29**	**2**	**4**	**6**	**8**	**18**	**18**		**379**	**7.6**	**71**	**2**	**3**	**6**	**9**	**14**	**23**

DRG 408: Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R.Proc

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1053	8.7	95	2	3	5	10	19	28
70-74	834	8.3	93	2	3	5	10	19	22
75-79	520	9.3	67	2	2	6	14	20	22
80-84	275	8.7	79	2	2	7	11	20	22
85 +	193	9.4	66	2	3	10	12	18	32
SUBTOTAL	**2875**	**8.7**	**86**	**2**	**3**	**6**	**11**	**19**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	707	3.5	8	1	2	3	4	6	8
70-74	397	3.5	12	1	1	2	4	8	13
75-79	474	3.7	10	1	2	3	4	8	9
80-84	274	3.8	9	1	2	3	6	9	9
85 +	90	2.5	2	1	1	2	4	5	5
SUBTOTAL	**1942**	**3.5**	**9**	**1**	**2**	**2**	**4**	**8**	**9**
GRAND TOTAL	**4817**	**6.6**	**61**	**1**	**2**	**4**	**8**	**15**	**20**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	227	5.5	21	1	3	4	7	12	18
18-34	173	4.9	16	1	2	4	6	9	16
35-49	710	6.5	34	2	2	5	8	16	20
50-69	1358	8.0	102	2	2	5	8	20	31
70 +	58	4.9	18	1	2	3	7	13	13
	2526	**7.1**	**69**	**1**	**2**	**5**	**8**	**15**	**23**
0-17	209	3.2	14	< 1	1	2	3	8	15
18-34	246	2.5	3	1	1	2	3	4	7
35-49	892	3.2	7	1	2	2	4	6	9
50-69	1058	3.4	10	1	2	2	4	6	9
70 +	71	2.1	2	1	1	1	3	4	4
	2476	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**9**
	5002	**5.2**	**43**	**1**	**2**	**3**	**6**	**11**	**16**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	80	12.7	228	2	4	7	21	26	59
18-34	47	9.8	64	2	3	6	21	99 +	99 +
35-49	130	11.5	174	2	3	6	17	24	49
50-69	327	12.8	225	1	3	5	20	34	50
70 +	18	35.7	400						
SUBTOTAL	**601**	**13.0**	**222**	**2**	**3**	**6**	**21**	**34**	**49**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	85	4.5	44	1	1	2	7	7	29
18-34	69	1.9	2	1	1	1	2	3	6
35-49	174	3.6	6	1	2	3	4	9	9
50-69	102	3.5	5	1	2	3	5	8	8
70 +	24	7.4	4						
SUBTOTAL	**455**	**3.7**	**14**	**1**	**2**	**2**	**5**	**8**	**9**
GRAND TOTAL	**1056**	**9.0**	**153**	**1**	**2**	**4**	**9**	**24**	**48**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	72	6.5	19	3	3	4	11	11	16
18-34	101	5.0	9	1	2	5	7	8	12
35-49	212	6.6	33	2	3	5	8	14	21
50-69	289	10.1	153	2	2	5	11	39	43
70 +	5	8.0							
	680	**7.8**	**83**	**2**	**3**	**5**	**8**	**19**	**29**
0-17	99	7.1	91	1	1	2	8	30	30
18-34	111	3.1	6	1	1	2	5	8	9
35-49	273	3.0	8	1	1	2	3	6	8
50-69	274	3.8	17	1	1	3	4	8	9
70 +	17	4.2	12						
	774	**3.8**	**23**	**1**	**1**	**2**	**4**	**8**	**11**
	1455	**5.7**	**55**	**1**	**2**	**3**	**6**	**11**	**21**

DRG 409: Radiotherapy

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2498	9.2	117	3	4	5	9	21	29
70-74	2099	8.4	60	3	4	5	11	18	24
75-79	1646	9.7	88	4	4	5	12	25	32
80-84	852	10.5	91	4	5	5	14	23	32
85 +	570	12.7	166	4	5	6	15	33	46
SUBTOTAL	**7665**	**9.5**	**97**	**3**	**4**	**5**	**11**	**21**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	394	9.3	220	2	2	5	10	22	41
70-74	335	10.7	252	1	2	4	6	44	53
75-79	195	7.1	154	2	2	5	5	8	55
80-84	160	9.0	117	3	5	5	6	19	42
85 +	86	15.8	359	3	4	5	36	44	62
SUBTOTAL	**1170**	**9.7**	**218**	**1**	**2**	**5**	**6**	**36**	**48**
GRAND TOTAL	**8835**	**9.5**	**113**	**3**	**4**	**5**	**11**	**21**	**33**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	236	6.6	65	1	3	4	5	24	33
18-34	311	4.1	17	2	2	3	5	10	19
35-49	1225	5.8	45	2	3	4	5	10	19
50-69	2738	7.2	51	2	4	5	7	15	23
70 +	174	6.2	11	2	4	5	9	11	11
	4685	**6.6**	**47**	**2**	**3**	**5**	**6**	**14**	**22**
0-17	74	3.3	6	1	2	3	3	5	11
18-34	407	2.6	16	1	1	2	3	4	5
35-49	839	3.5	38	1	2	2	3	6	6
50-69	698	4.0	49	1	2	2	4	6	6
70 +	94	5.1	1	5	5	5	5	7	7
	2112	**3.6**	**35**	**1**	**2**	**2**	**3**	**5**	**6**
	6797	**5.6**	**45**	**1**	**2**	**4**	**5**	**11**	**21**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	29	5.4	36						
18-34	59	3.8	7	2	2	3	5	5	11
35-49	342	6.5	33	2	4	5	7	11	18
50-69	378	6.9	31	3	4	5	7	13	18
70 +	31	8.8	42						
SUBTOTAL	**839**	**6.6**	**31**	**2**	**4**	**5**	**7**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	4.0							
18-34	92	3.3	3	2	2	3	4	7	7
35-49	98	3.8	1	2	3	4	5	5	5
50-69	189	8.7	276	2	3	4	5	13	63
70 +	19	2.7							
SUBTOTAL	**403**	**5.9**	**137**	**2**	**3**	**4**	**5**	**6**	**13**
GRAND TOTAL	**1241**	**6.4**	**66**	**2**	**3**	**5**	**6**	**12**	**17**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	2.7	2						
18-34	104	3.6	7	2	2	3	4	11	11
35-49	194	3.8	4	2	2	4	5	5	7
50-69	335	7.8	68	2	4	5	8	21	29
70 +	74	18.7	194	2	4	15	33	35	36
	728	**7.1**	**72**	**2**	**3**	**4**	**6**	**15**	**30**
0-17	11	6.0							
18-34	132	2.0	1	1	1	2	2	3	4
35-49	183	2.2	2	1	1	2	3	4	5
50-69	92	4.5	15	1	2	3	5	11	14
70 +	0								
	418	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
	1146	**5.5**	**52**	**1**	**2**	**3**	**5**	**11**	**29**

DRG 410: Chemotherapy w/o Acute Leukemia As Secondary Diagnosis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	48458	3.5	7	1	2	3	4	6	7	0-17	13083	3.4	10	1	2	3	5	6	6
70-74	30002	3.6	11	1	2	3	5	6	7	18-34	9987	3.3	7	1	2	3	5	6	6
75-79	17868	3.8	17	1	2	3	5	6	7	35-49	28657	3.6	12	1	2	3	5	6	8
80-84	5981	3.9	13	1	2	4	5	6	8	50-69	74991	3.3	8	1	2	3	4	6	7
85 +	1641	3.6	6	1	2	3	5	6	7	70 +	2194	4.0	47	1	2	3	4	6	7
SUBTOTAL	**103950**	**3.6**	**10**	**1**	**2**	**3**	**5**	**6**	**7**		**128913**	**3.4**	**10**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8814	2.7	4	1	1	2	4	5	6	0-17	10957	3.3	3	1	2	3	5	5	6
70-74	5886	2.6	3	1	1	2	4	5	6	18-34	4287	3.2	3	1	2	4	4	5	6
75-79	3383	2.6	3	1	1	2	4	5	6	35-49	9799	2.5	3	1	1	2	4	5	5
80-84	1291	2.9	6	1	1	2	4	5	6	50-69	16233	2.5	4	1	1	2	4	5	6
85 +	396	2.8	6	1	1	2	4	5	8	70 +	393	2.4	4	1	1	1	4	5	6
SUBTOTAL	**19770**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**6**		**41667**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**123720**	**3.5**	**9**	**1**	**2**	**3**	**4**	**6**	**7**		**170580**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5095	3.7	14	1	2	3	5	6	7	0-17	3254	2.9	4	1	1	2	4	5	6
18-34	3720	3.9	10	1	2	3	5	7	8	18-34	2962	3.5	18	1	1	3	5	5	7
35-49	6352	3.9	11	1	2	4	5	6	8	35-49	4763	3.5	10	1	2	3	4	6	7
50-69	9601	3.9	10	1	2	3	5	6	8	50-69	10057	3.4	16	1	2	2	4	6	7
70 +	208	4.8	6	2	3	5	6	7	8	70 +	536	3.3	15	1	2	2	4	5	8
SUBTOTAL	**24977**	**3.9**	**11**	**1**	**2**	**3**	**5**	**6**	**8**		**21572**	**3.4**	**13**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3828	3.4	3	1	2	3	5	6	6	0-17	2644	3.2	3	1	2	3	5	5	6
18-34	1514	3.6	6	1	2	4	5	6	7	18-34	1197	3.4	4	1	2	4	5	6	6
35-49	1995	2.7	5	1	1	2	4	6	6	35-49	1744	2.2	3	1	1	2	3	5	5
50-69	2146	3.1	4	1	1	3	4	6	7	50-69	2334	2.5	3	1	1	2	4	5	6
70 +	128	4.2	4	1	2	5	5	7	7	70 +	58	2.1	2	1	1	2	3	5	6
SUBTOTAL	**9611**	**3.2**	**4**	**1**	**2**	**3**	**5**	**6**	**6**		**7977**	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**34588**	**3.7**	**9**	**1**	**2**	**3**	**5**	**6**	**7**		**29549**	**3.2**	**10**	**1**	**1**	**2**	**4**	**5**	**6**

Total U.S., July 1990 - June 1991

DRG 411: History of Malignancy w/o Endoscopy

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	49	2.9	6	1	1	3	3	9	9
70-74	37	4.8	2						
75-79	11	8.8	27						
80-84	0								
85 +	0								
SUBTOTAL	**96**	**4.3**	**10**	**1**	**3**	**3**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	79	2.5	2	1	1	3	3	5	5
70-74	16	1.7	1						
75-79	41	2.4	4	1	1	1	3	7	7
80-84	10	3.0							
85 +	6	3.0							
SUBTOTAL	**152**	**2.4**	**3**	**1**	**1**	**3**	**3**	**5**	**5**
GRAND TOTAL	**248**	**3.1**	**6**	**1**	**1**	**3**	**4**	**6**	**7**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	54	10.7	185	1	1	1	23	32	32
18-34	0								
35-49	28	36.1	106						
50-69	47	4.6	48						
70 +	0								
	129	**13.9**	**260**	**1**	**1**	**3**	**32**	**36**	**39**
0-17	46	1.4		< 1	1	1	2	3	3
18-34	47	4.0	14						
35-49	81	1.4	1	< 1	< 1	1	1	3	3
50-69	125	2.8	5	< 1	1	2	4	7	8
70 +	0								
	298	**2.4**	**5**	**< 1**	**1**	**2**	**3**	**5**	**8**
	427	**5.9**	**110**	**< 1**	**1**	**2**	**3**	**23**	**34**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	13	1.0							
18-34	6	7.0							
35-49	0								
50-69	6	3.0							
70 +	6	1.0							
SUBTOTAL	**30**	**2.5**	**5**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	47	1.6		1	1	2	2	3	3
18-34	6	12.0							
35-49	24	1.5							
50-69	6	2.0							
70 +	0								
SUBTOTAL	**83**	**2.3**	**7**	**< 1**	**1**	**2**	**2**	**3**	**12**
GRAND TOTAL	**113**	**2.4**	**7**	**< 1**	**1**	**2**	**2**	**7**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	18	1.0							
35-49	5	1.0							
50-69	28	3.4	6						
70 +	0								
	51	**2.3**	**5**	**< 1**	**1**	**1**	**2**	**8**	**8**
0-17	6	1.0							
18-34	17	1.0							
35-49	16	1.0							
50-69	23	1.0							
70 +	6	1.0							
	67	**1.0**		**< 1**	**< 1**	**1**	**1**	**1**	**1**
	118	**1.6**	**3**	**< 1**	**< 1**	**1**	**1**	**3**	**6**

DRG 412: History of Malignancy w/ Endoscopy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	37	2.7	7						
70-74	0								
75-79	6	1.0							
80-84	42	1.7	1						
85 +	22	1.8	1						
SUBTOTAL	**107**	**2.0**	**3**	**< 1**	**1**	**2**	**2**	**4**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	58	1.3	1	< 1	< 1	1	1	3	4
70-74	130	1.0		< 1	< 1	< 1	1	1	1
75-79	77	1.5	1	< 1	< 1	< 1	1	4	4
80-84	24	1.0							
85 +	42	1.3							
SUBTOTAL	**330**	**1.2**		**< 1**	**< 1**	**< 1**	**1**	**1**	**3**
GRAND TOTAL	**436**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**4**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	1.0							
50-69	10	2.0							
70 +	0								
	21	**1.5**							
0-17	5	1.0							
18-34	6	1.0							
35-49	25	1.0							
50-69	67	1.8	1	< 1	< 1	1	3	3	3
70 +	6	1.0							
	109	**1.5**	**1**	**< 1**	**< 1**	**1**	**1**	**3**	**3**
	130	**1.5**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**3**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	6	5.0							
70 +	6	1.0							
SUBTOTAL	**11**	**3.0**	**4**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**11**	**3.0**	**4**						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	6	2.0							
50-69	29	1.8	1						
70 +	12	1.0							
	47	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**4**	**4**
	47	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**4**	**4**

DRG 413: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1782	11.8	108	3	5	8	15	24	33
70-74	1643	11.4	106	3	5	8	13	27	31
75-79	1109	9.5	61	2	4	8	13	20	23
80-84	909	10.9	71	3	6	9	12	21	32
85 +	610	11.1	123	3	5	8	15	25	34
SUBTOTAL	**6052**	**11.0**	**95**	**3**	**5**	**8**	**14**	**24**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6052**	**11.0**	**95**	**3**	**5**	**8**	**14**	**24**	**31**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	180	6.3	73	1	2	3	6	12	35
18-34	113	9.6	51	3	4	7	18	19	19
35-49	551	10.2	170	2	4	7	11	17	33
50-69	1618	10.0	72	2	5	8	12	20	29
70 +	161	10.8	84	2	5	6	19	29	29
	2623	**9.8**	**93**	**2**	**4**	**7**	**12**	**21**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2623	**9.8**	**93**	**2**	**4**	**7**	**12**	**21**	**29**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	66	14.3	437	4	4	11	12	16	84
18-34	59	9.3	70	1	3	6	19	22	25
35-49	245	9.7	46	3	6	8	12	18	20
50-69	393	10.6	93	2	4	8	15	24	36
70 +	16	17.6	133						
SUBTOTAL	**780**	**10.7**	**108**	**2**	**4**	**8**	**12**	**20**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**780**	**10.7**	**108**	**2**	**4**	**8**	**12**	**20**	**30**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	80	4.8	6	2	3	5	5	9	9
18-34	40	12.3	256	1	2	8	15	50	50
35-49	180	11.1	105	3	5	9	13	22	34
50-69	427	10.4	80	3	5	9	13	22	25
70 +	113	6.8	17	2	4	6	9	12	17
	841	**9.6**	**82**	**2**	**4**	**8**	**12**	**19**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	841	**9.6**	**82**	**2**	**4**	**8**	**12**	**19**	**25**

DRG 414: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	404	5.6	20	2	2	5	7	11	12
70-74	212	5.5	16	1	2	6	7	12	15
75-79	186	4.8	11	1	2	5	6	10	12
80-84	198	7.2	46	1	2	5	11	20	22
85 +	130	5.7	27	1	2	4	10	15	18
SUBTOTAL	**1130**	**5.7**	**24**	**1**	**2**	**4**	**7**	**12**	**16**
GRAND TOTAL	**1130**	**5.7**	**24**	**1**	**2**	**4**	**7**	**12**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	230	3.4	10	< 1	1	2	4	7	12
18-34	92	4.4	20	1	2	3	5	10	19
35-49	398	4.6	18	1	2	3	6	10	12
50-69	788	6.8	59	1	2	5	8	14	22
70 +	6	1.0							
	1515	**5.5**	**40**	**1**	**2**	**4**	**7**	**12**	**17**
	1515	**5.5**	**40**	**1**	**2**	**4**	**7**	**12**	**17**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	108	2.2	3	< 1	1	2	3	6	6
18-34	54	3.5	10	1	1	3	5	11	11
35-49	99	8.1	34	2	3	6	12	14	25
50-69	183	6.2	51	2	2	4	8	11	22
70 +	11	8.0	4						
SUBTOTAL	**456**	**5.4**	**34**	**1**	**2**	**3**	**7**	**11**	**14**
GRAND TOTAL	**456**	**5.4**	**34**	**1**	**2**	**3**	**7**	**11**	**14**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	111	3.5	5	< 1	2	3	6	7	7
18-34	46	3.3	5	< 1	1	2	5	6	6
35-49	161	5.0	7	2	2	5	7	8	11
50-69	124	7.3	45	2	2	4	8	20	22
70 +	45	8.9	62	1	5	5	21	21	21
	486	**5.4**	**24**	**1**	**2**	**5**	**6**	**12**	**21**
	486	**5.4**	**24**	**1**	**2**	**5**	**6**	**12**	**21**

DRG 415: O.R. Procedure for Infectious & Parasitic Diseases

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6915	19.5	220	6	9	15	26	44	53	0-17	946	15.2	220	4	6	10	21	37	48
70-74	3799	21.1	251	7	11	17	26	43	52	18-34	1561	11.8	125	3	5	9	14	26	32
75-79	3961	20.4	227	7	10	16	27	44	58	35-49	2467	14.9	136	4	6	11	19	32	41
80-84	2885	21.4	236	7	11	17	29	44	66	50-69	4385	17.8	219	5	8	14	22	36	50
85+	2466	22.4	298	8	11	17	27	44	59	70+	359	18.8	207	7	10	14	22	43	50
SUBTOTAL	**20027**	**20.6**	**240**	**7**	**10**	**16**	**27**	**43**	**55**		**9718**	**15.9**	**187**	**4**	**7**	**12**	**21**	**34**	**44**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1168	10.9	84	3	5	7	15	23	28	0-17	1191	6.5	29	2	3	5	8	14	17
70-74	720	11.1	81	4	5	8	14	25	33	18-34	1531	6.9	31	2	3	5	9	14	17
75-79	565	11.5	114	4	5	8	14	21	30	35-49	1926	8.1	56	2	4	6	10	16	24
80-84	292	11.2	72	3	6	9	14	24	28	50-69	1838	9.6	68	2	4	8	13	19	26
85+	160	9.7	20	4	6	10	13	16	16	70+	66	9.5	33	3	5	7	15	18	18
SUBTOTAL	**2905**	**11.0**	**85**	**3**	**5**	**8**	**14**	**22**	**29**		**6553**	**8.0**	**50**	**2**	**3**	**6**	**10**	**15**	**21**
GRAND TOTAL	**22932**	**19.4**	**231**	**6**	**9**	**15**	**25**	**42**	**53**		**16271**	**12.7**	**147**	**3**	**5**	**9**	**16**	**28**	**39**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	531	18.6	283	3	7	14	24	39	61	0-17	393	19.2	283	3	7	12	30	54	58
18-34	713	14.8	182	3	5	11	21	40	64	18-34	528	11.5	92	4	5	8	14	28	35
35-49	774	20.3	235	5	9	16	27	40	52	35-49	814	16.6	278	4	8	11	19	40	67
50-69	848	23.7	349	6	12	19	31	62	77	50-69	789	17.5	208	5	8	12	25	38	60
70+	168	23.8	191	7	11	25	35	47	99+	70+	192	19.7	238	6	8	13	25	55	56
SUBTOTAL	**3033**	**19.8**	**271**	**5**	**8**	**16**	**27**	**44**	**66**		**2716**	**16.4**	**226**	**4**	**7**	**11**	**22**	**37**	**55**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	494	6.2	30	1	3	5	7	14	16	0-17	342	8.0	45	2	3	6	11	14	24
18-34	456	9.5	64	2	5	7	11	17	28	18-34	806	7.6	35	2	4	6	9	14	20
35-49	246	10.7	53	4	5	9	14	26	28	35-49	473	8.3	47	2	4	7	11	15	23
50-69	178	15.3	83	3	7	15	22	29	32	50-69	393	7.4	34	2	4	5	11	17	22
70+	6	2.0								70+	27	11.3	47						
SUBTOTAL	**1380**	**9.3**	**60**	**2**	**4**	**7**	**12**	**20**	**27**		**2041**	**7.8**	**39**	**2**	**4**	**6**	**10**	**15**	**22**
GRAND TOTAL	**4414**	**16.5**	**229**	**3**	**6**	**12**	**23**	**39**	**54**		**4757**	**12.7**	**164**	**3**	**5**	**9**	**15**	**30**	**41**

DRG 416: Septicemia Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	20212	11.0	72	4	6	9	13	19	27	0-17	0								
70-74	15395	10.7	59	4	6	9	13	18	25	18-34	2677	8.5	48	3	4	7	10	15	22
75-79	17404	11.6	71	5	6	9	14	20	27	35-49	5289	9.4	55	3	5	8	11	18	23
80-84	16813	12.1	87	5	7	10	14	22	30	50-69	12562	9.9	53	4	5	8	12	17	23
85 +	19777	12.0	84	5	7	10	14	21	28	70 +	1540	10.1	48	5	6	8	12	18	24
SUBTOTAL	**89600**	**11.5**	**75**	**4**	**6**	**9**	**14**	**20**	**27**		**22067**	**9.6**	**53**	**4**	**5**	**8**	**12**	**17**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	963	8.7	30	3	5	8	11	13	18	0-17	0								
70-74	722	7.3	24	3	4	6	9	15	19	18-34	748	5.1	9	2	3	4	7	9	12
75-79	938	8.4	42	3	5	7	10	14	17	35-49	904	6.0	16	2	3	5	7	11	13
80-84	905	8.1	26	3	5	7	10	16	19	50-69	1148	6.4	14	3	4	6	8	11	13
85 +	976	9.2	54	4	5	7	11	16	21	70 +	152	7.4	25	1	4	7	10	14	16
SUBTOTAL	**4504**	**8.4**	**36**	**3**	**5**	**7**	**10**	**15**	**19**		**2952**	**6.0**	**14**	**2**	**3**	**5**	**7**	**11**	**13**
GRAND TOTAL	**94104**	**11.3**	**74**	**4**	**6**	**9**	**14**	**20**	**27**		**25019**	**9.2**	**50**	**3**	**5**	**7**	**11**	**16**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	2003	10.5	88	3	5	8	12	20	30	18-34	1296	9.4	85	3	4	7	11	19	28
35-49	1922	12.6	96	4	6	10	15	25	35	35-49	1718	9.7	37	4	5	8	12	19	22
50-69	3062	12.0	93	4	7	9	14	22	32	50-69	2342	11.0	92	4	6	8	13	19	25
70 +	820	14.7	162	5	7	12	16	30	47	70 +	878	12.0	166	5	6	8	13	23	55
SUBTOTAL	**7808**	**12.0**	**101**	**4**	**6**	**9**	**14**	**22**	**34**		**6234**	**10.5**	**87**	**4**	**5**	**8**	**12**	**19**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	244	5.4	8	2	4	5	6	9	10	18-34	308	7.1	38	2	3	6	9	13	22
35-49	65	8.0	22	3	5	7	14	14	17	35-49	204	4.6	6	2	3	4	6	8	11
50-69	94	7.9	30	3	5	5	10	20	20	50-69	172	5.3	8	2	3	5	7	9	10
70 +	65	8.1	25	3	4	6	12	16	17	70 +	91	7.2	12	3	5	6	10	12	14
SUBTOTAL	**467**	**6.7**	**18**	**3**	**4**	**5**	**8**	**13**	**16**		**776**	**6.0**	**21**	**2**	**3**	**5**	**7**	**11**	**13**
GRAND TOTAL	**8275**	**11.7**	**98**	**4**	**6**	**9**	**14**	**22**	**33**		**7010**	**10.0**	**81**	**3**	**5**	**8**	**12**	**19**	**25**

Total U.S., July 1990 - June 1991

DRG 417: Septicemia Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	108	14.8	265	3	4	10	15	52	52	0-17	5922	6.5	36	2	3	5	9	12	16
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**108**	**14.8**	**265**	**3**	**4**	**10**	**15**	**52**	**52**		**5922**	**6.5**	**36**	**2**	**3**	**5**	**9**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	28	4.8	7							0-17	8869	3.9	8	2	2	3	4	8	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**28**	**4.8**	**7**								**8869**	**3.9**	**8**	**2**	**2**	**3**	**4**	**8**	**10**
GRAND TOTAL	**136**	**12.8**	**228**	**3**	**3**	**7**	**15**	**43**	**52**		**14791**	**5.0**	**21**	**2**	**2**	**3**	**6**	**10**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	4915	7.3	58	2	3	5	9	13	17	0-17	2549	6.7	29	2	3	5	9	13	16
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**4915**	**7.3**	**58**	**2**	**3**	**5**	**9**	**13**	**17**		**2549**	**6.7**	**29**	**2**	**3**	**5**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	7503	4.5	9	2	3	3	6	9	10	0-17	4274	4.1	9	2	2	3	4	9	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**7503**	**4.5**	**9**	**2**	**3**	**3**	**6**	**9**	**10**		**4274**	**4.1**	**9**	**2**	**2**	**3**	**4**	**9**	**11**
GRAND TOTAL	**12418**	**5.6**	**30**	**2**	**3**	**4**	**7**	**11**	**13**		**6823**	**5.0**	**18**	**2**	**2**	**3**	**7**	**11**	**13**

DRG 418: Postoperative & Post-traumatic Infections

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3233	9.0	68	3	4	7	11	17	24
70-74	2014	9.6	67	3	5	7	11	19	26
75-79	1510	10.1	78	3	5	8	12	19	25
80-84	998	11.2	123	4	6	8	13	23	34
85 +	749	9.2	32	4	6	8	12	15	19
SUBTOTAL	**8503**	**9.6**	**73**	**3**	**5**	**7**	**12**	**18**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2243	7.0	33	3	4	6	8	12	18
70-74	1323	7.0	20	3	4	6	9	12	16
75-79	974	8.1	25	3	5	7	9	15	19
80-84	605	6.5	16	2	4	6	8	11	14
85 +	373	7.6	39	2	4	6	10	12	15
SUBTOTAL	**5518**	**7.2**	**27**	**3**	**4**	**6**	**9**	**13**	**17**
GRAND TOTAL	**14022**	**8.7**	**57**	**3**	**4**	**7**	**10**	**16**	**22**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	790	6.5	40	2	3	5	8	13	15
18-34	1102	5.1	11	2	3	4	6	9	11
35-49	2104	7.0	29	3	4	6	9	13	16
50-69	2863	8.4	61	3	4	6	10	15	21
70 +	194	7.5	36	3	4	6	8	16	22
	7054	**7.2**	**42**	**2**	**4**	**6**	**9**	**14**	**17**
0-17	1846	4.3	10	2	2	3	5	8	10
18-34	3078	4.4	11	2	2	4	5	8	10
35-49	3404	5.1	15	2	3	4	6	9	12
50-69	3298	5.6	15	2	3	5	7	10	12
70 +	56	4.9	5	2	3	5	5	9	10
	11681	**4.9**	**13**	**2**	**3**	**4**	**6**	**9**	**11**
	18735	**5.8**	**25**	**2**	**3**	**4**	**7**	**11**	**14**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	445	7.8	62	2	3	5	8	15	22
18-34	575	5.5	12	2	3	5	7	10	12
35-49	520	7.6	39	2	3	6	10	14	18
50-69	487	8.0	32	2	4	7	9	15	22
70 +	17	9.3							
SUBTOTAL	**2044**	**7.1**	**36**	**2**	**3**	**6**	**9**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	992	4.9	13	2	2	4	7	10	11
18-34	1015	5.0	15	2	3	4	6	10	15
35-49	621	5.3	12	2	3	4	7	10	13
50-69	376	7.4	25	3	4	6	10	12	16
70 +	22	6.0	3						
SUBTOTAL	**3026**	**5.3**	**16**	**2**	**3**	**4**	**7**	**10**	**16**
GRAND TOTAL	**5070**	**6.1**	**24**	**2**	**3**	**5**	**8**	**11**	**16**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	281	4.6	10	1	2	4	6	9	12
18-34	662	6.8	30	2	3	5	9	14	21
35-49	544	5.9	19	2	3	5	7	11	13
50-69	658	9.0	85	2	4	6	9	19	31
70 +	110	7.7	42	2	4	6	8	13	29
	2255	**7.0**	**44**	**2**	**3**	**5**	**8**	**14**	**19**
0-17	788	4.6	11	1	2	3	6	9	12
18-34	1327	4.9	11	2	3	4	6	9	12
35-49	936	5.0	9	2	3	4	6	9	11
50-69	655	5.9	15	2	3	5	8	11	14
70 +	52	10.6	104	3	4	6	10	30	30
	3758	**5.1**	**13**	**2**	**3**	**4**	**6**	**9**	**12**
	6013	**5.8**	**25**	**2**	**3**	**4**	**7**	**11**	**15**

DRG 419: Fever of Unknown Origin Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5391	7.0	36	2	3	5	9	14	17	0-17	0								
70-74	3643	7.0	35	2	3	5	9	14	19	18-34	1764	5.3	14	2	3	4	6	10	12
75-79	3028	7.6	34	3	4	6	9	15	18	35-49	2516	5.6	14	2	3	5	7	11	13
80-84	2084	8.7	72	3	4	6	11	16	28	50-69	4241	6.8	28	3	4	5	8	13	17
85 +	1830	8.5	105	3	4	6	10	16	21	70 +	302	6.2	18	2	3	5	7	14	14
SUBTOTAL	**15977**	**7.5**	**49**	**3**	**4**	**6**	**9**	**15**	**19**		**8823**	**6.1**	**22**	**2**	**3**	**5**	**8**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**15977**	**7.5**	**49**	**3**	**4**	**6**	**9**	**15**	**19**		**8823**	**6.1**	**22**	**2**	**3**	**5**	**8**	**11**	**14**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	812	5.5	30	2	2	4	7	10	13	18-34	614	4.8	17	2	2	3	6	9	12
35-49	417	6.3	12	2	4	6	9	11	13	35-49	580	6.7	33	2	3	5	9	13	21
50-69	423	9.0	128	2	3	6	9	17	28	50-69	813	6.0	17	2	3	5	8	11	14
70 +	81	9.2	24	6	7	7	8	17	20	70 +	169	8.4	45	2	4	6	12	19	27
SUBTOTAL	**1732**	**6.7**	**52**	**2**	**3**	**5**	**8**	**12**	**17**		**2175**	**6.0**	**24**	**2**	**3**	**5**	**8**	**11**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1732**	**6.7**	**52**	**2**	**3**	**5**	**8**	**12**	**17**		**2175**	**6.0**	**24**	**2**	**3**	**5**	**8**	**11**	**16**

DRG 420: Fever of Unknown Origin Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1059	4.7	10	2	3	4	6	8	10	0-17	0								
70-74	857	5.2	16	2	3	4	6	11	13	18-34	1813	4.1	8	1	2	3	5	8	10
75-79	707	4.9	12	2	3	4	6	10	11	35-49	1659	4.1	6	2	2	4	5	8	9
80-84	539	6.0	24	2	3	5	7	9	14	50-69	1607	4.9	11	2	3	4	6	9	10
85 +	556	6.1	9	3	4	6	7	10	12	70 +	36	3.8	2	1	4	4	5	5	5
SUBTOTAL	**3719**	**5.3**	**14**	**2**	**3**	**4**	**7**	**10**	**12**		**5116**	**4.4**	**8**	**2**	**2**	**4**	**6**	**8**	**10**
GRAND TOTAL	**3719**	**5.3**	**14**	**2**	**3**	**4**	**7**	**10**	**12**		**5116**	**4.4**	**8**	**2**	**2**	**4**	**6**	**8**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	357	4.7	19	2	3	4	6	8	10	18-34	594	3.6	5	1	2	3	5	7	8
35-49	113	4.6	9	1	2	4	6	11	11	35-49	328	3.5	4	1	2	3	5	6	8
50-69	147	4.5	2	3	3	4	6	7	7	50-69	303	5.3	12	2	3	4	6	10	15
70 +	24	2.7	2							70 +	88	5.9	14	3	3	4	9	13	13
SUBTOTAL	**642**	**4.5**	**13**	**2**	**3**	**4**	**6**	**7**	**9**		**1313**	**4.1**	**8**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**642**	**4.5**	**13**	**2**	**3**	**4**	**6**	**7**	**9**		**1313**	**4.1**	**8**	**1**	**2**	**3**	**5**	**8**	**9**

DRG 421: Viral Illness Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2587	5.5	21	2	3	4	7	10	15
70-74	1554	5.1	11	2	3	4	6	9	13
75-79	1395	5.1	11	2	3	4	6	10	13
80-84	1081	6.6	30	2	4	5	7	14	18
85 +	1359	5.9	19	2	3	5	7	11	14
SUBTOTAL	**7976**	**5.6**	**18**	**2**	**3**	**4**	**7**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	882	3.8	6	1	2	3	5	7	8
70-74	531	4.2	10	1	2	3	5	8	10
75-79	542	3.7	7	1	2	3	5	7	8
80-84	376	3.8	6	2	2	4	4	7	7
85 +	326	5.7	15	2	2	4	8	12	12
SUBTOTAL	**2657**	**4.1**	**9**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**10633**	**5.2**	**16**	**2**	**3**	**4**	**6**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	5718	3.8	9	1	2	3	5	7	8
35-49	3104	4.7	18	2	2	3	6	9	12
50-69	2605	4.8	12	2	3	4	6	8	12
70 +	130	5.5	11	2	3	4	9	10	12
	11558	**4.3**	**12**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	0								
18-34	6247	3.0	4	1	2	3	4	6	7
35-49	3137	3.2	5	1	2	3	4	6	7
50-69	1698	3.5	6	1	2	3	4	7	8
70 +	62	2.5	1	1	2	3	3	4	4
	11145	**3.1**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
	22703	**3.7**	**9**	**1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	963	4.9	26	1	2	4	6	9	11
35-49	394	5.5	18	2	3	4	7	11	13
50-69	274	6.6	48	2	2	4	8	13	15
70 +	28	8.2	32						
SUBTOTAL	**1658**	**5.4**	**28**	**2**	**2**	**4**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1121	3.3	9	1	2	3	4	6	7
35-49	265	4.0	4	2	3	4	5	6	9
50-69	157	3.8	5	1	2	3	5	8	9
70 +	22	3.5	2						
SUBTOTAL	**1565**	**3.5**	**8**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**3223**	**4.5**	**19**	**1**	**2**	**4**	**5**	**8**	**11**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1942	3.8	11	1	2	3	4	7	10
35-49	731	4.6	12	2	2	3	6	9	12
50-69	540	5.3	23	1	2	4	7	10	15
70 +	76	6.1	11	3	4	5	6	13	13
	3288	**4.3**	**13**	**1**	**2**	**3**	**5**	**8**	**11**
0-17	0								
18-34	2519	2.8	4	1	2	2	3	5	6
35-49	924	2.7	5	1	2	2	3	5	6
50-69	492	2.9	9	1	1	2	3	6	6
70 +	61	2.3	3	1	1	2	3	5	6
	3995	**2.8**	**5**	**1**	**2**	**2**	**3**	**5**	**6**
	7284	**3.5**	**9**	**1**	**2**	**3**	**4**	**6**	**9**

DRG 422: Viral Illness & Fever of Unknown Origin Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	208	3.8	7	1	2	4	5	7	9
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**208**	**3.8**	**7**	**1**	**2**	**4**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	78	2.1	1	1	2	2	3	3	3
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**78**	**2.1**	**1**	**1**	**2**	**2**	**3**	**3**	**3**
GRAND TOTAL	**286**	**3.4**	**6**	**1**	**2**	**3**	**4**	**7**	**9**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	21568	3.5	8	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	21568	**3.5**	**8**	**1**	**2**	**3**	**4**	**6**	**8**
0-17	39900	2.7	2	1	2	3	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	39900	**2.7**	**2**	**1**	**2**	**3**	**3**	**4**	**5**
	61468	**3.0**	**4**	**1**	**2**	**3**	**3**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	13326	3.8	14	2	2	3	4	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**13326**	**3.8**	**14**	**2**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	26160	3.0	3	1	2	3	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**26160**	**3.0**	**3**	**1**	**2**	**3**	**3**	**4**	**5**
GRAND TOTAL	**39486**	**3.3**	**7**	**2**	**2**	**3**	**4**	**5**	**7**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	7954	3.3	7	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	7954	**3.3**	**7**	**1**	**2**	**3**	**4**	**6**	**8**
0-17	16583	2.7	2	1	2	3	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	16583	**2.7**	**2**	**1**	**2**	**3**	**3**	**4**	**5**
	24538	**2.9**	**3**	**1**	**2**	**3**	**3**	**5**	**6**

DRG 423: Other Infectious & Parasitic Diseases Diagnoses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1768	11.5	120	3	5	8	13	26	34	0-17	1292	9.0	105	2	3	6	12	19	31
70-74	840	11.5	75	4	6	9	15	22	31	18-34	1046	7.9	86	2	3	5	8	16	21
75-79	832	12.0	89	3	5	10	16	23	30	35-49	1089	7.7	34	2	4	6	10	15	19
80-84	566	13.3	138	4	5	9	18	29	36	50-69	1138	10.7	118	3	4	7	13	23	37
85 +	478	11.0	107	4	5	8	12	19	27	70 +	64	7.5	16	5	5	6	9	11	18
SUBTOTAL	**4485**	**11.8**	**107**	**3**	**5**	**9**	**14**	**25**	**32**		**4628**	**8.8**	**88**	**2**	**3**	**6**	**10**	**18**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	290	6.6	18	2	3	6	9	15	16	0-17	1617	5.1	28	1	2	3	6	10	17
70-74	121	6.3	19	2	4	4	7	14	15	18-34	1482	4.5	9	2	2	4	6	9	10
75-79	128	8.7	29	4	4	7	15	15	19	35-49	1287	4.7	14	1	2	4	6	9	11
80-84	117	8.8	36	2	4	8	13	17	23	50-69	472	5.7	18	2	3	4	8	12	15
85 +	87	7.4	13	3	4	9	10	12	12	70 +	11	6.3	22						
SUBTOTAL	**743**	**7.3**	**23**	**2**	**4**	**6**	**10**	**15**	**16**		**4869**	**4.9**	**18**	**1**	**2**	**4**	**6**	**10**	**13**
GRAND TOTAL	**5228**	**11.1**	**98**	**3**	**5**	**8**	**14**	**23**	**30**		**9497**	**6.8**	**56**	**2**	**3**	**5**	**8**	**14**	**19**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	640	9.0	64	2	4	7	12	19	24	0-17	538	6.4	47	2	3	4	7	14	17
18-34	430	10.9	150	2	4	6	13	29	45	18-34	626	10.2	251	1	3	6	11	17	44
35-49	296	11.4	53	4	6	10	15	19	23	35-49	372	10.2	128	2	4	7	11	21	37
50-69	165	12.7	121	3	6	8	16	32	40	50-69	298	13.7	215	3	5	9	16	31	31
70 +	34	7.2	37	1	2	5	9	19	19	70 +	53	12.5	87	4	4	10	17	28	28
SUBTOTAL	**1565**	**10.3**	**93**	**3**	**4**	**7**	**14**	**21**	**32**		**1887**	**9.7**	**164**	**2**	**3**	**6**	**11**	**17**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	840	6.7	32	2	3	5	10	14	15	0-17	853	5.9	31	1	2	4	9	11	16
18-34	286	5.0	9	3	3	4	6	10	11	18-34	826	4.8	16	2	2	4	7	10	19
35-49	85	6.8	48	2	2	4	10	11	30	35-49	382	6.7	78	2	3	4	7	11	19
50-69	105	4.3	8	1	2	4	5	10	11	50-69	125	3.2	3	1	2	2	6	6	6
70 +	6	7.0								70 +	13	2.0	1						
SUBTOTAL	**1322**	**6.1**	**27**	**2**	**3**	**4**	**9**	**11**	**15**		**2199**	**5.4**	**33**	**2**	**2**	**4**	**7**	**11**	**16**
GRAND TOTAL	**2887**	**8.4**	**67**	**2**	**3**	**6**	**11**	**16**	**23**		**4086**	**7.4**	**98**	**2**	**3**	**4**	**9**	**15**	**26**

DRG 424: O.R. Procedure w/ Principal Diagnoses of Mental Illness

	MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1037	22.2	261	6	11	19	30	43	58
70-74	541	30.4	590	7	14	24	38	73	96
75-79	508	30.5	393	9	15	28	50	74	99 +
80-84	624	27.1	305	9	15	23	37	51	76
85 +	335	25.3	437	7	11	21	44	79	99 +
SUBTOTAL	**3045**	**26.4**	**381**	**7**	**12**	**22**	**35**	**59**	**80**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	447	19.6	376	2	4	13	27	45	59
70-74	195	19.6	405	1	5	12	29	50	71
75-79	150	28.6	337	2	13	28	45	51	60
80-84	98	11.6	63	2	7	12	25	99 +	99 +
85 +	127	22.7	709	1	4	12	32	38	94
SUBTOTAL	**1019**	**20.6**	**404**	**2**	**5**	**14**	**30**	**56**	**71**
GRAND TOTAL	**4063**	**24.9**	**393**	**5**	**11**	**20**	**34**	**57**	**79**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	96	15.6	336	4	6	10	17	29	69
18-34	261	15.8	135	5	8	13	24	36	63
35-49	484	17.2	141	4	10	18	22	29	37
50-69	347	18.2	163	4	9	15	23	35	42
70 +	43	21.2	120	11	12	29	99 +	99 +	99 +
	1231	**17.2**	**161**	**5**	**9**	**15**	**23**	**34**	**47**
0-17	190	14.4	482	1	2	4	17	59	62
18-34	633	12.0	171	1	2	9	18	33	40
35-49	781	14.1	140	1	4	13	20	29	35
50-69	519	14.3	211	1	2	6	28	37	43
70 +	5	9.0							
	2128	**13.5**	**197**	**1**	**2**	**9**	**21**	**34**	**42**
	3359	**14.9**	**187**	**1**	**4**	**12**	**22**	**34**	**42**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	39	21.6	177	5	11	15	33	99 +	99 +
18-34	190	17.4	162	4	8	16	25	45	99 +
35-49	165	25.6	531	3	8	20	35	61	86
50-69	155	18.0	101	6	12	16	26	38	45
70 +	13	16.0							
SUBTOTAL	**561**	**20.2**	**262**	**5**	**10**	**16**	**29**	**45**	**86**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	267	12.6	316	1	1	4	19	42	54
18-34	201	16.5	162	2	8	14	23	30	32
35-49	151	19.0	254	4	7	18	23	47	63
50-69	112	24.8	341	5	11	16	30	58	58
70 +	0								
SUBTOTAL	**731**	**16.9**	**281**	**1**	**4**	**11**	**24**	**41**	**58**
GRAND TOTAL	**1292**	**18.3**	**275**	**2**	**6**	**14**	**26**	**44**	**61**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	42	22.3	649						
18-34	210	12.0	140	1	3	10	16	38	41
35-49	127	12.1	163	1	2	7	18	21	34
50-69	91	29.3	694	9	11	20	43	87	87
70 +	23	14.8	55						
	494	**16.2**	**332**	**1**	**4**	**11**	**21**	**43**	**87**
0-17	27	10.7	73						
18-34	362	9.4	73	2	4	6	11	25	30
35-49	276	10.9	267	1	2	4	14	26	42
50-69	107	10.0	61	1	3	8	16	18	27
70 +	6	14.0							
	778	**10.1**	**140**	**1**	**2**	**6**	**14**	**25**	**29**
	1272	**12.5**	**223**	**1**	**3**	**7**	**17**	**29**	**43**

Total U.S., July 1990 - June 1991

DRG 425: Acute Adjust React & Disturbances of Psychosocial Dysfunction

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3290	7.8	69	1	2	5	10	17	28	0-17	331	7.1	94	1	2	3	9	19	31
70-74	1740	7.7	90	2	3	5	9	16	23	18-34	1315	6.0	42	1	2	4	7	14	20
75-79	2214	7.3	50	2	3	5	9	15	23	35-49	1622	6.0	43	1	2	4	8	14	19
80-84	2069	7.5	56	2	3	5	9	16	19	50-69	1820	6.1	40	1	2	4	7	13	20
85 +	2036	7.9	81	2	3	5	9	18	21	70 +	245	6.2	25	2	3	4	7	15	16
SUBTOTAL	**11350**	**7.7**	**68**	**2**	**3**	**5**	**9**	**16**	**22**		**5333**	**6.1**	**44**	**1**	**2**	**4**	**8**	**14**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2683	6.8	75	1	2	4	8	15	21	0-17	1846	9.1	174	1	2	3	10	26	39
70-74	1197	6.9	109	1	2	4	7	16	25	18-34	3899	5.8	40	1	2	3	8	14	18
75-79	1380	5.9	32	1	2	4	7	14	20	35-49	4049	5.8	39	1	2	3	7	14	19
80-84	903	6.7	53	1	2	4	8	14	24	50-69	2483	4.7	26	1	2	3	6	11	16
85 +	887	5.4	23	2	2	4	7	11	17	70 +	56	6.9	20	2	5	6	7	14	16
SUBTOTAL	**7050**	**6.4**	**63**	**1**	**2**	**4**	**7**	**14**	**20**		**12333**	**6.1**	**59**	**1**	**2**	**3**	**7**	**14**	**20**
GRAND TOTAL	**18400**	**7.2**	**67**	**2**	**3**	**5**	**8**	**15**	**21**		**17666**	**6.1**	**54**	**1**	**2**	**3**	**7**	**14**	**20**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	237	6.7	51	1	2	4	9	14	15	0-17	103	7.8	68	< 1	2	4	12	24	29
18-34	790	6.2	32	1	2	4	9	14	18	18-34	1034	4.5	24	1	1	3	5	9	12
35-49	686	6.8	42	1	2	5	9	15	21	35-49	694	5.3	74	1	1	3	6	12	17
50-69	536	5.8	25	1	3	4	7	12	14	50-69	616	5.4	22	1	2	4	7	10	13
70 +	128	13.0	599	2	3	6	7	8	87	70 +	214	9.0	66	3	4	7	10	20	31
SUBTOTAL	**2377**	**6.7**	**68**	**1**	**2**	**4**	**9**	**14**	**18**		**2662**	**5.4**	**43**	**1**	**2**	**3**	**7**	**11**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1167	11.3	193	1	2	5	17	32	38	0-17	769	5.0	47	1	1	2	5	14	22
18-34	1922	7.3	63	1	2	5	10	17	23	18-34	2297	4.4	23	1	1	3	6	11	15
35-49	975	7.4	88	1	2	4	9	19	26	35-49	1318	4.6	29	1	1	3	6	11	17
50-69	355	4.8	23	1	2	3	6	14	17	50-69	584	4.0	21	1	1	3	4	9	14
70 +	45	6.6	10	2	3	8	9	11	11	70 +	178	6.9	31	1	2	6	11	21	99 +
SUBTOTAL	**4464**	**8.2**	**102**	**1**	**2**	**4**	**10**	**21**	**28**		**5147**	**4.6**	**28**	**1**	**1**	**3**	**6**	**11**	**17**
GRAND TOTAL	**6841**	**7.7**	**91**	**1**	**2**	**4**	**10**	**18**	**27**		**7809**	**4.9**	**34**	**1**	**1**	**3**	**6**	**11**	**18**

DRG 426: Depressive Neuroses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3507	9.7	68	2	4	7	13	21	27	0-17	2295	16.6	222	3	6	14	23	32	47
70-74	923	10.6	78	3	5	8	14	21	28	18-34	4647	7.8	56	2	3	5	10	17	22
75-79	1004	10.7	100	2	4	7	14	26	29	35-49	3958	8.0	59	2	3	6	11	17	22
80-84	678	11.6	93	3	6	9	15	20	41	50-69	1674	8.6	67	2	3	6	11	20	24
85 +	444	11.9	114	3	4	8	18	25	29	70 +	64	13.5	153	4	6	9	12	40	40
SUBTOTAL	**6557**	**10.3**	**80**	**2**	**4**	**7**	**14**	**22**	**28**		**12637**	**9.6**	**100**	**2**	**3**	**7**	**13**	**22**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4124	9.7	85	2	3	7	13	21	27	0-17	9745	14.9	163	2	5	12	21	31	42
70-74	1116	11.8	89	2	4	9	17	23	30	18-34	12141	6.9	47	1	2	5	9	15	21
75-79	917	10.3	86	1	3	8	14	23	29	35-49	9454	7.9	61	1	3	6	11	17	23
80-84	679	9.7	91	2	3	7	14	21	31	50-69	2948	8.1	54	1	3	5	12	17	21
85 +	383	12.0	101	3	4	9	16	25	35	70 +	63	5.1	23	1	1	4	6	15	15
SUBTOTAL	**7220**	**10.2**	**88**	**2**	**3**	**8**	**14**	**22**	**29**		**34350**	**9.5**	**96**	**1**	**3**	**6**	**13**	**22**	**29**
GRAND TOTAL	**13776**	**10.3**	**84**	**2**	**4**	**8**	**14**	**22**	**28**		**46987**	**9.6**	**97**	**1**	**3**	**6**	**13**	**22**	**29**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	943	18.6	182	5	9	14	26	35	41	0-17	571	12.1	169	3	5	7	13	30	41
18-34	3877	7.8	35	2	4	6	10	15	21	18-34	4997	6.3	45	1	2	4	8	14	19
35-49	1989	9.1	81	2	4	7	12	17	20	35-49	2095	6.2	35	1	2	4	8	14	19
50-69	457	9.8	54	3	4	9	13	19	29	50-69	372	8.7	46	2	3	6	12	19	22
70 +	24	46.9	1728							70 +	56	10.9	126	< 1	4	4	21	31	31
SUBTOTAL	**7291**	**9.8**	**90**	**2**	**4**	**7**	**12**	**20**	**27**		**8092**	**6.8**	**55**	**1**	**2**	**4**	**8**	**15**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5164	18.6	232	3	7	15	27	39	53	0-17	3208	10.3	128	1	3	6	14	23	30
18-34	6495	7.8	55	1	3	6	10	15	20	18-34	9412	5.2	29	1	2	3	7	12	16
35-49	2313	9.1	118	1	3	6	12	18	25	35-49	3331	5.5	28	1	2	4	7	13	15
50-69	602	9.3	46	2	4	8	13	21	21	50-69	875	7.4	49	1	2	5	11	17	21
70 +	0									70 +	70	15.0	267	2	4	14	15	19	66
SUBTOTAL	**14574**	**11.9**	**152**	**2**	**4**	**8**	**15**	**28**	**36**		**16895**	**6.4**	**54**	**1**	**2**	**4**	**8**	**15**	**20**
GRAND TOTAL	**21865**	**11.2**	**132**	**2**	**4**	**8**	**14**	**25**	**34**		**24986**	**6.5**	**54**	**1**	**2**	**4**	**8**	**15**	**21**

DRG 427: Neuroses except Depressive

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1267	9.5	67	2	4	7	13	19	30
70-74	339	15.1	126	3	8	12	20	27	38
75-79	273	9.4	60	3	4	8	11	20	25
80-84	105	10.0	38	4	4	8	15	21	22
85 +	95	11.6	126	2	6	8	13	41	41
SUBTOTAL	**2078**	**10.5**	**81**	**2**	**4**	**9**	**13**	**23**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1947	10.2	133	2	3	7	12	22	33
70-74	376	14.4	258	3	5	11	15	29	62
75-79	358	10.3	46	2	4	9	15	20	23
80-84	183	10.2	97	2	4	7	11	26	41
85 +	205	13.2	227	2	4	7	14	43	55
SUBTOTAL	**3067**	**10.9**	**144**	**2**	**4**	**7**	**13**	**23**	**33**
GRAND TOTAL	**5146**	**10.7**	**119**	**2**	**4**	**8**	**13**	**23**	**33**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	884	12.9	153	2	4	9	20	27	41
18-34	1713	7.3	77	1	2	5	9	16	22
35-49	1420	8.0	48	2	3	6	10	17	20
50-69	478	9.0	56	2	3	7	12	21	27
70 +	22	10.6	8						
	4517	**8.8**	**84**	**2**	**3**	**6**	**11**	**20**	**25**
0-17	6070	13.3	165	2	4	9	19	29	37
18-34	5887	7.9	79	1	2	5	10	18	25
35-49	4403	8.0	73	1	3	6	11	16	23
50-69	1120	7.8	44	2	3	6	11	17	21
70 +	27	6.2	15						
	17506	**9.8**	**112**	**1**	**3**	**6**	**13**	**22**	**30**
	22023	**9.6**	**106**	**1**	**3**	**6**	**13**	**22**	**29**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	618	13.7	165	3	5	10	18	29	37
18-34	1727	7.8	57	2	3	5	10	16	22
35-49	707	6.3	30	2	3	4	8	13	18
50-69	157	12.8	168	3	4	9	15	40	40
70 +	6	4.0							
SUBTOTAL	**3215**	**8.9**	**84**	**2**	**3**	**6**	**11**	**20**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3752	17.6	268	3	5	13	25	42	56
18-34	3421	8.3	85	1	3	6	9	18	27
35-49	1004	7.6	75	2	3	5	9	15	19
50-69	245	6.8	37	2	3	4	8	15	17
70 +	0								
SUBTOTAL	**8422**	**12.3**	**186**	**2**	**3**	**7**	**15**	**30**	**43**
GRAND TOTAL	**11637**	**11.3**	**160**	**2**	**3**	**7**	**14**	**28**	**42**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	417	10.1	111	1	2	7	14	28	33
18-34	1824	5.8	39	1	2	4	7	13	18
35-49	791	5.4	25	1	2	3	7	13	17
50-69	140	9.4	46	2	4	7	15	22	22
70 +	16	16.8	152						
	3188	**6.5**	**49**	**1**	**2**	**4**	**8**	**16**	**22**
0-17	1988	10.3	106	2	3	7	14	24	29
18-34	3591	5.3	34	1	2	3	7	11	16
35-49	1563	6.6	81	1	2	4	8	14	19
50-69	327	6.2	29	1	2	5	9	13	17
70 +	22	6.5	33						
	7490	**6.9**	**67**	**1**	**2**	**4**	**9**	**15**	**22**
	10679	**6.8**	**62**	**1**	**2**	**4**	**8**	**15**	**22**

DRG 428: Disorders of Personality & Impulse Control

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1114	11.4	119	2	4	8	14	26	34	0-17	778	31.8	507	5	12	29	47	59	71
70-74	54	25.0	98	13	21	22	33	42	42	18-34	1239	14.3	240	2	4	8	21	40	57
75-79	57	9.1	22	4	5	8	14	15	15	35-49	596	13.0	111	3	6	10	20	32	37
80-84	21	30.6	237							50-69	179	11.7	251	3	4	7	12	21	27
85 +	17	8.0	13							70 +	12	4.5							
SUBTOTAL	**1263**	**12.1**	**127**	**2**	**5**	**9**	**14**	**27**	**34**		**2804**	**18.7**	**353**	**2**	**5**	**11**	**28**	**50**	**59**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1856	12.8	230	2	3	7	16	29	47	0-17	1946	20.6	285	3	7	17	30	43	57
70-74	116	18.3	309	2	6	9	25	41	41	18-34	2641	11.9	166	2	4	8	15	29	43
75-79	83	10.2	15	6	6	11	12	14	19	35-49	1410	12.0	127	2	4	8	17	29	34
80-84	40	21.0	126	2	13	19	34	34	34	50-69	214	9.2	58	2	3	7	15	23	26
85 +	48	11.2	57	2	6	8	14	24	24	70 +	0								
SUBTOTAL	**2143**	**13.1**	**223**	**2**	**4**	**8**	**16**	**31**	**46**		**6210**	**14.6**	**207**	**2**	**4**	**9**	**21**	**34**	**44**
GRAND TOTAL	**3406**	**12.8**	**188**	**2**	**4**	**8**	**16**	**29**	**41**		**9014**	**15.9**	**256**	**2**	**4**	**10**	**22**	**39**	**52**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	161	28.9	711	3	7	20	55	72	82	0-17	177	20.6	289	3	7	19	28	42	51
18-34	1482	11.1	105	2	4	8	15	22	34	18-34	1089	8.0	104	1	2	5	9	16	33
35-49	482	9.5	75	1	3	7	13	18	27	35-49	238	11.3	86	1	4	10	16	24	30
50-69	53	11.3	70	2	4	7	19	22	28	50-69	54	10.7	20	5	7	7	15	16	16
70 +	0									70 +	12	16.1	1						
SUBTOTAL	**2178**	**12.1**	**165**	**2**	**4**	**9**	**16**	**26**	**39**		**1670**	**10.1**	**134**	**1**	**3**	**6**	**13**	**24**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	826	23.0	382	3	8	18	36	57	66	0-17	377	16.3	239	1	4	13	21	30	46
18-34	2298	9.5	97	2	3	7	13	22	28	18-34	1561	8.6	98	1	2	6	12	18	26
35-49	617	11.5	138	2	4	8	14	28	45	35-49	626	6.8	60	1	2	4	9	15	18
50-69	99	9.5	84	3	4	7	8	28	31	50-69	95	11.9	143	2	5	7	12	28	49
70 +	0									70 +	11	25.5	62						
SUBTOTAL	**3841**	**12.8**	**194**	**2**	**4**	**8**	**16**	**32**	**46**		**2670**	**9.4**	**121**	**1**	**3**	**6**	**13**	**21**	**30**
GRAND TOTAL	**6018**	**12.5**	**183**	**2**	**4**	**8**	**16**	**30**	**45**		**4240**	**9.7**	**126**	**1**	**3**	**6**	**13**	**23**	**32**

Total U.S., July 1990 - June 1991

DRG 429: Organic Disturbances & Mental Retardation

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4408	14.7	196	3	6	11	19	31	42
70-74	3898	14.2	145	4	6	11	19	31	43
75-79	6266	14.7	191	4	7	11	18	30	46
80-84	7000	14.3	189	3	6	10	18	30	45
85 +	6982	13.1	173	3	5	9	16	28	47
SUBTOTAL	**28554**	**14.2**	**181**	**3**	**6**	**10**	**18**	**30**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3586	13.7	150	3	6	10	17	31	42
70-74	3006	12.9	122	3	5	10	18	26	34
75-79	4449	13.0	145	3	6	10	17	26	32
80-84	4559	12.2	117	3	5	9	16	26	34
85 +	4422	11.5	103	3	5	8	15	25	33
SUBTOTAL	**20022**	**12.6**	**127**	**3**	**5**	**9**	**16**	**26**	**34**
GRAND TOTAL	**48576**	**13.5**	**159**	**3**	**6**	**10**	**17**	**28**	**40**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	310	14.9	221	2	4	10	22	35	43
18-34	450	14.9	247	3	5	11	18	27	49
35-49	547	12.7	139	3	5	9	19	31	42
50-69	1236	13.5	202	2	4	9	18	30	42
70 +	503	13.4	223	3	6	10	14	31	50
	3047	**13.7**	**203**	**2**	**5**	**9**	**17**	**31**	**45**
0-17	483	14.6	228	1	2	8	24	34	48
18-34	603	12.6	99	2	7	10	17	23	31
35-49	510	13.1	103	2	5	11	20	26	40
50-69	903	11.8	106	2	5	9	15	29	36
70 +	395	10.5	92	3	5	8	14	22	32
	2894	**12.5**	**124**	**2**	**5**	**9**	**18**	**29**	**36**
	5940	**13.1**	**165**	**2**	**5**	**9**	**17**	**29**	**40**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	245	11.1	125	2	3	7	14	33	35
18-34	911	12.5	88	4	5	10	19	23	28
35-49	660	12.5	98	3	5	10	17	27	31
50-69	564	16.8	297	4	7	12	19	52	84
70 +	223	17.0	312	2	6	12	21	39	62
SUBTOTAL	**2603**	**13.7**	**163**	**3**	**6**	**10**	**18**	**30**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	561	16.5	158	2	4	14	26	35	43
18-34	853	13.7	231	2	6	9	15	37	53
35-49	350	11.2	64	4	6	10	14	19	26
50-69	423	14.0	95	4	7	12	18	27	34
70 +	216	8.1	38	2	4	7	13	24	99 +
SUBTOTAL	**2404**	**13.5**	**154**	**3**	**5**	**10**	**18**	**31**	**44**
GRAND TOTAL	**5006**	**13.6**	**159**	**3**	**6**	**10**	**18**	**30**	**44**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	71	8.5	60	< 1	2	5	13	21	24
18-34	464	10.5	94	2	4	7	14	27	34
35-49	308	9.4	114	2	4	6	9	20	33
50-69	508	15.0	249	4	6	10	19	38	68
70 +	509	14.2	232	3	5	11	19	34	60
	1861	**12.5**	**181**	**2**	**4**	**8**	**16**	**28**	**45**
0-17	116	8.7	158	2	2	4	16	56	99 +
18-34	389	9.6	78	1	2	7	14	22	28
35-49	273	11.1	186	3	4	7	13	25	40
50-69	385	12.7	113	2	4	10	17	28	33
70 +	795	13.8	222	2	4	11	20	71	99 +
	1958	**12.1**	**166**	**2**	**4**	**9**	**17**	**36**	**72**
	3819	**12.3**	**173**	**2**	**4**	**8**	**16**	**32**	**57**

DRG 430: Psychoses

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	34583	15.8	158	4	7	13	21	31	40
70-74	9944	18.6	190	4	9	16	25	36	45
75-79	9119	18.4	205	4	8	15	24	37	49
80-84	6124	18.9	214	4	8	15	26	39	54
85 +	3948	16.5	163	4	7	14	24	36	46
SUBTOTAL	**63718**	**16.9**	**178**	**4**	**7**	**14**	**23**	**34**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	65397	15.9	159	4	7	13	21	32	41
70-74	10680	17.7	158	5	8	15	24	33	40
75-79	9510	18.7	180	4	9	16	25	36	44
80-84	5361	17.8	198	4	8	14	23	34	44
85 +	3193	17.1	196	4	7	14	22	35	45
SUBTOTAL	**94142**	**16.5**	**166**	**4**	**7**	**14**	**22**	**33**	**42**
GRAND TOTAL	**157860**	**16.7**	**170**	**4**	**7**	**14**	**22**	**33**	**43**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	3376	19.7	247	3	8	17	30	42	58
18-34	13332	12.9	115	3	6	10	17	26	33
35-49	17446	13.2	116	3	6	11	17	26	32
50-69	11890	14.9	117	4	7	13	20	29	35
70 +	759	15.4	174	3	6	11	21	35	42
	46803	**14.1**	**129**	**3**	**6**	**11**	**19**	**28**	**35**
0-17	16728	18.8	186	4	9	16	26	37	47
18-34	45749	12.7	106	3	6	10	17	25	31
35-49	52755	12.8	96	3	6	10	17	25	31
50-69	24750	14.3	98	4	7	12	19	27	33
70 +	953	14.7	129	4	7	13	18	26	35
	140935	**13.8**	**114**	**3**	**6**	**11**	**18**	**27**	**34**
	187738	**13.8**	**118**	**3**	**6**	**11**	**18**	**28**	**34**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1963	20.4	263	6	10	14	28	45	62
18-34	15687	13.2	114	3	6	10	17	27	34
35-49	11554	13.6	112	3	6	11	18	27	34
50-69	5960	16.3	146	4	8	14	22	31	41
70 +	233	16.7	124	4	7	14	25	33	38
SUBTOTAL	**35397**	**14.3**	**130**	**4**	**7**	**11**	**19**	**29**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8596	21.3	239	5	11	17	29	46	57
18-34	36705	13.6	126	3	6	11	18	28	37
35-49	23841	14.4	133	4	7	11	19	29	36
50-69	8852	15.8	135	4	7	13	21	31	39
70 +	357	16.5	153	3	6	14	25	34	37
SUBTOTAL	**78352**	**15.0**	**147**	**4**	**7**	**12**	**20**	**31**	**40**
GRAND TOTAL	**113749**	**14.8**	**142**	**4**	**7**	**12**	**19**	**30**	**39**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	819	14.0	184	2	5	11	19	32	38
18-34	10730	10.4	94	2	4	8	13	21	28
35-49	6962	11.9	131	3	5	9	15	24	34
50-69	3374	14.8	164	3	6	11	20	31	41
70 +	770	16.8	143	4	5	14	25	32	36
	22655	**11.9**	**124**	**2**	**4**	**9**	**15**	**25**	**33**
0-17	4036	15.3	168	3	5	12	21	35	43
18-34	25666	10.8	101	2	4	8	14	23	30
35-49	18419	11.5	109	2	5	9	15	23	30
50-69	7582	13.8	122	3	6	11	18	27	36
70 +	1352	17.0	169	3	8	14	22	34	46
	57054	**11.9**	**115**	**2**	**5**	**9**	**16**	**25**	**33**
	79709	**11.9**	**118**	**2**	**5**	**9**	**15**	**25**	**33**

Total U.S., July 1990 - June 1991

DRG 431: Childhood Mental Disorders

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	104	13.2	303	1	3	6	16	55	58
70-74	0								
75-79	11	8.0	54						
80-84	28	10.1	14						
85 +	41	23.5	1182						
SUBTOTAL	**184**	**14.7**	**456**	**2**	**3**	**6**	**15**	**55**	**82**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	233	8.7	78	2	4	6	13	18	24
70-74	32	7.1	36						
75-79	18	7.6	18						
80-84	0								
85 +	0								
SUBTOTAL	**283**	**8.5**	**70**	**2**	**3**	**6**	**13**	**17**	**24**
GRAND TOTAL	**468**	**10.9**	**230**	**2**	**3**	**6**	**14**	**21**	**50**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1394	16.7	279	2	5	11	25	36	62
18-34	57	13.0	297	< 1	1	6	17	42	53
35-49	6	19.0							
50-69	6	7.0							
70 +	0								
	1463	**16.5**	**278**	**2**	**4**	**11**	**25**	**37**	**62**
0-17	6874	19.0	298	2	7	15	27	42	60
18-34	258	10.6	156	2	3	5	14	31	48
35-49	43	7.0	94	1	2	3	13	99 +	99 +
50-69	18	4.5	6						
70 +	0								
	7192	**18.6**	**295**	**2**	**7**	**14**	**27**	**42**	**60**
	8655	**18.3**	**292**	**2**	**6**	**14**	**26**	**42**	**60**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	991	22.4	286	6	10	19	31	45	63
18-34	95	7.7	60	1	2	6	10	22	28
35-49	11	2.4	2						
50-69	0								
70 +	10	10.0							
SUBTOTAL	**1107**	**20.8**	**283**	**4**	**9**	**18**	**29**	**44**	**62**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	7158	25.3	357	5	12	21	36	61	82
18-34	327	9.9	160	2	4	6	11	16	41
35-49	21	4.3	2						
50-69	16	4.9	9						
70 +	5	4.0							
SUBTOTAL	**7527**	**24.5**	**359**	**4**	**11**	**21**	**35**	**60**	**82**
GRAND TOTAL	**8634**	**24.0**	**351**	**4**	**11**	**21**	**35**	**57**	**81**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	343	16.4	192	2	5	14	24	33	43
18-34	55	18.8	736	1	4	7	15	54	89
35-49	17	9.7	49						
50-69	6	3.0							
70 +	11	3.7	10						
	432	**15.9**	**255**	**2**	**4**	**13**	**22**	**34**	**52**
0-17	2519	15.1	169	2	6	13	20	32	44
18-34	152	8.3	256	1	2	4	9	22	85
35-49	39	6.7	12	3	4	6	12	12	12
50-69	6	1.0							
70 +	6	4.0							
	2721	**14.5**	**175**	**2**	**5**	**12**	**20**	**31**	**44**
	3154	**14.7**	**186**	**2**	**5**	**12**	**20**	**32**	**44**

DRG 432: Other Mental Disorder Diagnoses

MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	129	8.8	58	1	2	6	15	21	22	0-17	249	20.6	262	3	6	21	30	50	57
70-74	34	7.5	73							18-34	380	18.4	218	2	6	16	26	39	44
75-79	41	8.3	12							35-49	175	11.1	118	1	3	8	17	25	30
80-84	40	5.0	16							50-69	145	11.4	72	2	2	11	17	21	29
85 +	18	19.7	661							70 +	0								
SUBTOTAL	**261**	**8.7**	**95**	**1**	**3**	**5**	**12**	**21**	**22**		**949**	**16.5**	**203**	**2**	**5**	**14**	**26**	**38**	**50**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	230	6.7	56	1	2	5	9	14	21	0-17	832	13.9	210	1	2	8	22	34	43
70-74	55	8.2	35	2	4	8	10	20	21	18-34	947	16.0	177	2	6	14	22	31	41
75-79	16	5.8	29							35-49	281	12.5	115	1	3	11	19	27	39
80-84	16	7.8	29							50-69	86	5.7	38	1	2	4	6	15	25
85 +	22	4.1	4							70 +	6	8.0							
SUBTOTAL	**340**	**6.8**	**47**	**1**	**2**	**5**	**9**	**15**	**21**		**2154**	**14.3**	**180**	**1**	**3**	**11**	**21**	**32**	**41**
GRAND TOTAL	**601**	**7.6**	**68**	**1**	**2**	**5**	**10**	**16**	**22**		**3103**	**15.0**	**188**	**1**	**3**	**12**	**22**	**32**	**43**

MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	59	10.2	71	2	3	8	16	24	30	0-17	42	27.7	269						
18-34	96	13.3	95	3	5	8	21	28	33	18-34	123	11.9	151	2	3	7	20	42	42
35-49	69	7.6	73	2	4	4	8	14	35	35-49	58	7.3	56	2	2	3	14	21	21
50-69	33	12.7	126							50-69	27	3.7	12						
70 +	6	19.0								70 +	0								
SUBTOTAL	**262**	**11.2**	**92**	**2**	**4**	**7**	**18**	**28**	**30**		**250**	**12.6**	**186**	**1**	**3**	**7**	**20**	**42**	**44**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	346	17.7	421	1	1	8	30	52	55	0-17	166	16.4	292	1	2	8	23	44	54
18-34	280	16.8	226	4	8	11	19	36	47	18-34	262	14.1	235	1	2	8	24	32	55
35-49	51	11.2	52	2	8	9	15	27	27	35-49	108	9.2	109	< 1	1	6	12	31	32
50-69	33	11.2	119							50-69	27	10.2	63						
70 +	0									70 +	6	15.0							
SUBTOTAL	**711**	**16.6**	**307**	**1**	**5**	**10**	**21**	**39**	**54**		**569**	**13.7**	**223**	**1**	**2**	**8**	**22**	**32**	**45**
GRAND TOTAL	**972**	**15.1**	**254**	**1**	**4**	**9**	**20**	**35**	**52**		**818**	**13.4**	**212**	**1**	**2**	**8**	**21**	**35**	**45**

DRG 434: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	11188	7.5	59	2	3	5	9	16	23	0-17	504	6.3	106	<1	1	2	5	20	29
70-74	3148	8.7	65	3	4	6	11	17	25	18-34	3844	7.3	63	1	2	4	8	19	28
75-79	2345	9.6	108	3	4	6	11	22	35	35-49	8133	7.1	47	2	3	5	8	14	23
80-84	1451	7.5	38	2	3	6	9	16	23	50-69	7186	7.0	45	2	3	5	8	15	22
85+	841	7.8	59	2	3	6	9	14	16	70+	293	7.3	29	2	4	6	9	14	18
SUBTOTAL	**18974**	**8.0**	**65**	**2**	**3**	**5**	**10**	**17**	**24**		**19960**	**7.1**	**51**	**2**	**3**	**5**	**8**	**15**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**18974**	**8.0**	**65**	**2**	**3**	**5**	**10**	**17**	**24**		**19960**	**7.1**	**51**	**2**	**3**	**5**	**8**	**15**	**24**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	175	4.9	64	1	1	3	5	11	47	0-17	212	5.7	72	<1	<1	1	5	22	23
18-34	10595	5.8	28	2	3	4	7	10	15	18-34	6001	5.3	29	1	2	4	6	11	15
35-49	14188	5.7	21	2	3	5	6	9	13	35-49	9109	5.4	32	1	2	4	7	10	14
50-69	4620	7.5	72	2	4	5	8	14	22	50-69	4016	6.2	32	2	3	5	8	13	16
70+	66	8.5	72	1	2	7	10	13	33	70+	283	7.4	54	2	2	4	10	18	21
SUBTOTAL	**29644**	**6.0**	**32**	**2**	**3**	**5**	**7**	**10**	**15**		**19621**	**5.6**	**32**	**1**	**2**	**4**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**29644**	**6.0**	**32**	**2**	**3**	**5**	**7**	**10**	**15**		**19621**	**5.6**	**32**	**1**	**2**	**4**	**7**	**11**	**15**

DRG 435: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	11330	5.8	39	2	3	4	6	12	17	0-17	4841	15.2	263	1	1	9	28	36	44
70-74	1820	6.6	36	2	3	5	8	14	20	18-34	29972	8.0	76	1	3	5	9	22	28
75-79	1174	6.3	34	2	3	5	6	14	18	35-49	31364	6.7	46	2	3	5	7	14	24
80-84	734	6.5	45	1	2	4	9	14	17	50-69	11466	6.5	44	2	3	5	7	14	24
85+	367	5.9	21	2	2	4	8	12	17	70+	195	6.8	51	2	2	4	7	17	28
SUBTOTAL	**15424**	**6.0**	**38**	**2**	**3**	**4**	**7**	**13**	**17**		**77838**	**7.7**	**75**	**1**	**3**	**5**	**8**	**21**	**28**
GRAND TOTAL	**15424**	**6.0**	**38**	**2**	**3**	**4**	**7**	**13**	**17**		**77838**	**7.7**	**75**	**1**	**3**	**5**	**8**	**21**	**28**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1766	10.6	197	1	2	4	14	41	42	0-17	1754	10.2	185	<1	1	3	13	36	42
18-34	44235	5.1	24	2	3	4	5	8	13	18-34	26951	4.8	29	1	2	3	5	11	14
35-49	33486	5.0	13	3	3	5	5	7	8	35-49	19784	4.8	23	1	2	3	5	9	14
50-69	6667	5.4	16	2	4	5	5	8	12	50-69	4901	5.3	31	1	2	3	6	12	16
70+	108	6.6	36	4	4	5	6	16	29	70+	217	8.1	69	1	1	4	14	16	27
SUBTOTAL	**86262**	**5.2**	**23**	**2**	**3**	**4**	**5**	**7**	**12**		**53606**	**5.0**	**34**	**1**	**2**	**3**	**5**	**11**	**15**
GRAND TOTAL	**86262**	**5.2**	**23**	**2**	**3**	**4**	**5**	**7**	**12**		**53606**	**5.0**	**34**	**1**	**2**	**3**	**5**	**11**	**15**

DRG 436: Alc/Drug Dependence w/ Rehabilitation Therapy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	888	17.9	86	5	11	17	27	29	30	0-17	135	34.7	334	12	26	34	41	61	68
70-74	186	14.9	82	4	8	14	22	28	34	18-34	427	19.8	106	6	14	20	27	29	40
75-79	112	17.3	89	3	9	16	22	31	34	35-49	418	18.4	87	5	9	21	26	29	30
80-84	43	16.0	65	5	11	14	21	28	28	50-69	392	19.1	85	6	12	20	28	29	31
85 +	22	17.4	79							70 +	34	17.4	6						
SUBTOTAL	**1252**	**17.3**	**86**	**5**	**10**	**15**	**26**	**29**	**31**		**1406**	**20.6**	**136**	**6**	**12**	**21**	**28**	**32**	**38**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1108	18.5	89	6	11	20	28	28	29	0-17	3414	34.8	309	13	23	34	45	63	74
70-74	240	19.2	89	8	10	24	28	28	29	18-34	5738	18.5	92	5	12	19	26	28	30
75-79	81	13.7	41	6	10	11	16	24	28	35-49	3264	17.0	74	4	10	17	24	28	28
80-84	31	11.9	32	4	10	10	15	22	22	50-69	1043	17.5	62	6	11	18	24	28	28
85 +	0									70 +	17	28.0							
SUBTOTAL	**1460**	**18.2**	**87**	**6**	**10**	**18**	**28**	**28**	**29**		**13476**	**22.2**	**194**	**6**	**13**	**21**	**28**	**39**	**52**
GRAND TOTAL	**2712**	**17.8**	**87**	**5**	**10**	**17**	**27**	**28**	**30**		**14881**	**22.0**	**189**	**6**	**13**	**21**	**28**	**38**	**50**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	80	31.9	324	7	20	29	42	63	63	0-17	26	40.7	85	28	34	46	54	99 +	99 +
18-34	673	13.3	128	4	4	7	22	28	28	18-34	170	13.3	81	3	6	11	21	28	28
35-49	872	12.2	108	4	4	7	21	27	28	35-49	189	11.1	74	4	4	7	15	26	28
50-69	219	18.5	67	5	12	21	26	27	28	50-69	170	10.5	44	4	6	8	13	21	26
70 +	10	18.5	22							70 +	28	10.0	40						
SUBTOTAL	**1854**	**14.2**	**137**	**4**	**4**	**10**	**23**	**28**	**29**		**584**	**12.8**	**104**	**4**	**5**	**9**	**18**	**28**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1262	32.7	335	7	19	31	45	58	67	0-17	422	32.0	183	12	22	35	41	49	55
18-34	8308	12.9	107	4	4	7	22	28	28	18-34	3307	14.1	89	3	6	12	22	28	28
35-49	4490	11.3	95	3	4	5	21	28	28	35-49	1736	11.7	68	4	5	9	17	27	28
50-69	604	13.3	89	4	4	12	22	25	28	50-69	409	12.2	94	3	6	8	14	28	31
70 +	36	5.8	3							70 +	72	9.6	19	5	6	8	13	15	20
SUBTOTAL	**14700**	**14.1**	**155**	**4**	**4**	**8**	**23**	**28**	**32**		**5945**	**14.5**	**114**	**3**	**6**	**11**	**22**	**28**	**32**
GRAND TOTAL	**16554**	**14.1**	**153**	**4**	**4**	**8**	**23**	**28**	**31**		**6530**	**14.3**	**113**	**3**	**6**	**11**	**22**	**28**	**33**

DRG 437: Alc/Drug Dependence, Combined Rehab & Detox Therapy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2883	18.0	72	6	12	17	26	29	30	0-17	48	30.5	317	14	25	26	28	69	77
70-74	456	17.9	74	8	10	17	27	29	30	18-34	1256	18.4	91	4	12	19	26	29	32
75-79	257	16.9	63	8	10	15	24	28	28	35-49	2110	18.0	96	4	10	19	26	29	31
80-84	79	18.7	49	10	10	19	25	27	28	50-69	1446	18.2	75	6	11	19	26	29	30
85+	16	16.8	103							70+	40	20.7	151	3	13	17	28	45	45
SUBTOTAL	**3690**	**17.9**	**71**	**7**	**11**	**17**	**26**	**29**	**30**		**4899**	**18.3**	**92**	**5**	**11**	**19**	**26**	**29**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4119	17.2	70	6	11	16	24	28	30	0-17	982	25.3	164	8	16	27	32	42	49
70-74	565	17.6	64	7	12	17	26	28	30	18-34	13673	18.1	76	5	11	20	25	28	30
75-79	284	15.2	60	6	9	14	22	28	29	35-49	12300	16.9	78	4	9	18	24	28	29
80-84	106	16.3	56	10	10	15	21	27	30	50-69	3704	17.4	81	4	10	18	26	28	29
85+	0									70+	49	17.1	77	2	14	21	23	27	28
SUBTOTAL	**5073**	**17.1**	**68**	**6**	**11**	**16**	**24**	**28**	**30**		**30708**	**17.8**	**83**	**5**	**10**	**19**	**25**	**28**	**30**
GRAND TOTAL	**8764**	**17.4**	**70**	**6**	**11**	**17**	**25**	**29**	**30**		**35608**	**17.8**	**84**	**5**	**11**	**19**	**25**	**28**	**30**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	18	14.2	54							0-17	18	33.2	83						
18-34	1096	12.4	88	3	4	9	21	28	28	18-34	624	15.0	93	3	5	17	22	28	30
35-49	1022	12.5	98	4	4	9	21	28	29	35-49	698	14.5	100	4	6	12	22	27	29
50-69	286	14.9	93	4	5	14	21	28	33	50-69	421	12.9	100	3	6	9	21	27	28
70+	0									70+	28	4.4	3						
SUBTOTAL	**2423**	**12.8**	**93**	**4**	**4**	**9**	**21**	**28**	**29**		**1787**	**14.4**	**101**	**3**	**5**	**12**	**21**	**28**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	117	21.8	279	4	7	20	32	50	51	0-17	150	24.9	136	5	18	27	36	41	41
18-34	6367	13.3	98	3	4	10	22	28	29	18-34	5566	14.6	84	3	6	14	21	28	29
35-49	3600	10.9	89	3	4	5	17	28	29	35-49	3560	13.5	83	3	6	11	21	28	29
50-69	455	11.0	88	3	4	6	17	28	30	50-69	968	12.7	64	3	6	11	19	25	27
70+	6	3.0								70+	38	6.5	3	4	5	6	8	9	9
SUBTOTAL	**10545**	**12.5**	**98**	**3**	**4**	**8**	**21**	**28**	**29**		**10283**	**14.2**	**84**	**3**	**6**	**13**	**21**	**28**	**29**
GRAND TOTAL	**12968**	**12.5**	**97**	**3**	**4**	**9**	**21**	**28**	**29**		**12070**	**14.2**	**87**	**3**	**6**	**13**	**21**	**28**	**29**

DRG 439: Skin Grafts for Injuries

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	202	16.8	187	3	6	12	25	38	42	0-17	70	18.2	257	3	6	10	29	47	47
70-74	128	19.3	301	3	5	12	35	50	50	18-34	98	13.4	153	2	4	9	16	39	39
75-79	87	9.4	25	1	4	10	13	16	18	35-49	138	10.9	94	1	2	6	20	26	28
80-84	50	14.8	231	5	7	12	13	56	56	50-69	153	11.0	128	1	4	7	12	26	31
85 +	78	12.1	78	3	5	10	17	29	29	70 +	32	12.9	142						
SUBTOTAL	**546**	**15.4**	**187**	**3**	**6**	**11**	**18**	**35**	**49**		**490**	**12.6**	**148**	**1**	**4**	**8**	**17**	**29**	**39**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	195	4.7	22	1	2	4	6	8	18	0-17	331	3.8	8	1	1	3	6	7	10
70-74	98	4.1	12	1	2	2	6	11	12	18-34	394	4.3	19	1	1	3	6	11	11
75-79	56	7.3	53	1	1	4	11	21	22	35-49	426	4.5	21	1	1	3	5	11	14
80-84	27	3.3	5							50-69	286	7.2	57	1	2	4	10	17	29
85 +	55	7.1	31	2	3	6	9	18	18	70 +	11	2.5							
SUBTOTAL	**431**	**5.1**	**25**	**1**	**2**	**4**	**7**	**11**	**18**		**1448**	**4.8**	**26**	**1**	**1**	**3**	**6**	**11**	**14**
GRAND TOTAL	**977**	**10.8**	**141**	**1**	**3**	**7**	**13**	**28**	**38**		**1938**	**6.8**	**68**	**1**	**2**	**4**	**8**	**15**	**26**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	28	9.4	93							0-17	22	10.5	53						
18-34	43	7.7	39	1	2	5	8	20	20	18-34	55	21.0	165	2	14	18	29	37	48
35-49	46	8.8	27	1	8	9	11	99 +	99 +	35-49	45	11.2	20	4	8	11	17	18	18
50-69	67	14.7	124	2	6	11	28	32	36	50-69	44	12.9	90	1	7	11	24	28	28
70 +	0									70 +	18	1.3							
SUBTOTAL	**184**	**10.8**	**83**	**2**	**4**	**9**	**15**	**28**	**36**		**183**	**13.5**	**115**	**1**	**6**	**11**	**18**	**28**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	174	3.0	10	1	1	2	3	8	9	0-17	74	12.5	353	3	3	5	8	28	73
18-34	131	7.3	57	1	2	5	8	18	23	18-34	208	8.2	53	1	3	6	12	17	20
35-49	47	6.2	23	1	1	5	10	15	15	35-49	129	6.7	32	1	2	4	10	15	15
50-69	56	7.4	12	2	4	7	11	11	13	50-69	57	3.9	8	< 1	1	2	7	7	7
70 +	6	1.0								70 +	11	3.5	7						
SUBTOTAL	**413**	**5.3**	**31**	**1**	**1**	**3**	**7**	**11**	**15**		**478**	**7.8**	**92**	**1**	**3**	**5**	**10**	**15**	**23**
GRAND TOTAL	**597**	**7.0**	**53**	**1**	**2**	**5**	**10**	**17**	**28**		**661**	**9.4**	**105**	**1**	**3**	**6**	**12**	**20**	**28**

DRG 440: Wound Debridements for Injuries

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1077	15.1	189	3	7	11	20	31	47	0-17	473	11.3	74	2	4	9	15	24	30
70-74	671	14.4	150	2	5	11	19	30	35	18-34	782	9.6	59	2	4	7	12	20	24
75-79	422	19.6	255	2	5	15	34	44	57	35-49	749	12.8	218	3	4	8	16	24	42
80-84	323	16.5	209	5	8	12	21	31	58	50-69	760	13.2	118	3	5	10	19	27	36
85 +	344	17.7	275	5	7	11	22	49	51	70 +	104	10.1	24	6	7	11	15	99 +	99 +
SUBTOTAL	**2836**	**16.1**	**205**	**3**	**6**	**12**	**22**	**35**	**49**		**2868**	**11.7**	**120**	**3**	**5**	**9**	**15**	**24**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	722	5.3	26	1	2	4	7	11	17	0-17	1596	5.2	26	1	2	3	7	11	16
70-74	342	6.0	20	2	3	5	8	12	15	18-34	2009	5.1	32	1	2	3	6	11	17
75-79	195	7.2	36	3	4	6	8	11	21	35-49	1374	5.2	23	1	2	4	7	11	15
80-84	241	7.0	31	1	2	6	9	16	20	50-69	1050	5.9	41	1	2	4	7	13	20
85 +	106	8.8	27	1	3	10	13	15	17	70 +	53	8.5	62	1	2	4	15	21	21
SUBTOTAL	**1606**	**6.2**	**28**	**1**	**2**	**5**	**9**	**13**	**17**		**6082**	**5.3**	**30**	**1**	**2**	**4**	**7**	**12**	**16**
GRAND TOTAL	**4442**	**12.5**	**164**	**2**	**4**	**8**	**17**	**30**	**40**		**8950**	**7.4**	**68**	**1**	**2**	**5**	**10**	**17**	**23**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	185	15.9	207	5	7	10	19	31	60	0-17	184	15.2	214	2	4	10	30	44	46
18-34	349	14.3	199	4	6	11	19	39	60	18-34	752	10.1	93	2	4	8	12	21	27
35-49	178	14.3	161	2	4	13	23	29	43	35-49	444	10.6	84	2	3	7	16	22	26
50-69	170	15.7	238	1	5	8	26	41	49	50-69	201	14.0	196	2	5	8	20	30	44
70 +	21	8.4	29							70 +	22	23.5	55						
SUBTOTAL	**903**	**14.8**	**198**	**3**	**5**	**11**	**20**	**39**	**49**		**1604**	**11.5**	**122**	**2**	**4**	**8**	**16**	**26**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	646	6.1	34	1	2	5	8	15	17	0-17	783	4.8	29	1	1	3	6	10	13
18-34	635	8.1	81	1	3	6	10	16	19	18-34	1885	5.4	32	1	2	4	6	12	16
35-49	173	6.8	80	2	2	5	7	11	15	35-49	547	5.7	46	1	2	4	7	10	15
50-69	119	11.6	77	2	4	11	17	28	28	50-69	212	4.4	15	1	2	3	7	9	15
70 +	6	5.0								70 +	11	7.0	18						
SUBTOTAL	**1579**	**7.4**	**63**	**1**	**2**	**5**	**9**	**16**	**21**		**3438**	**5.3**	**33**	**1**	**2**	**4**	**6**	**11**	**15**
GRAND TOTAL	**2482**	**10.1**	**125**	**1**	**3**	**6**	**14**	**22**	**31**		**5041**	**7.2**	**69**	**1**	**2**	**4**	**9**	**17**	**24**

DRG 441: Hand Procedures for Injuries

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	99	5.5	14	1	4	5	6	14	14
70-74	29	5.7	14						
75-79	50	6.2	9	2	4	5	9	12	12
80-84	17	3.1	2						
85 +	6	16.0							
SUBTOTAL	**200**	**5.8**	**15**	**2**	**3**	**5**	**8**	**12**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	293	2.3	6	1	1	1	2	5	8
70-74	178	2.2	3	1	1	2	3	5	6
75-79	79	2.5	6	1	1	2	2	8	9
80-84	29	2.0							
85 +	11	1.0							
SUBTOTAL	**590**	**2.3**	**5**	**1**	**1**	**1**	**2**	**5**	**8**
GRAND TOTAL	**791**	**3.2**	**10**	**1**	**1**	**2**	**4**	**8**	**10**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	45	7.1	4	4	6	7	7	12	12
18-34	98	6.0	18	1	2	6	8	14	15
35-49	105	6.7	33	2	2	3	11	19	19
50-69	85	5.1	37	1	2	3	5	21	21
70 +	0								
	334	**6.2**	**26**	**2**	**2**	**5**	**7**	**13**	**19**
0-17	695	2.8	5	1	1	2	4	6	8
18-34	951	2.8	7	1	1	2	4	6	8
35-49	881	3.0	6	1	1	2	4	6	8
50-69	531	2.8	22	1	1	2	3	4	6
70 +	30	2.2	1						
	3087	**2.8**	**9**	**1**	**1**	**2**	**3**	**6**	**8**
	3421	**3.2**	**11**	**1**	**1**	**2**	**4**	**6**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	19.4	178						
18-34	33	5.7	4	4	4	4	7	9	9
35-49	35	5.5	8						
50-69	12	9.3	27						
70 +	0								
SUBTOTAL	**95**	**8.4**	**62**	**3**	**4**	**5**	**9**	**27**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	225	3.2	10	1	1	2	5	10	10
18-34	155	4.2	16	1	2	3	5	9	10
35-49	53	5.9	21	1	3	5	6	15	15
50-69	32	3.2	5						
70 +	0								
SUBTOTAL	**465**	**3.8**	**14**	**1**	**1**	**2**	**5**	**10**	**11**
GRAND TOTAL	**560**	**4.6**	**25**	**1**	**1**	**3**	**6**	**10**	**13**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	28	8.1	33						
18-34	116	4.8	42	1	2	2	5	7	18
35-49	44	4.7	5	2	2	5	5	9	9
50-69	10	2.0							
70 +	0								
	198	**5.1**	**32**	**1**	**2**	**4**	**5**	**9**	**19**
0-17	284	3.5	30	1	1	2	4	6	7
18-34	721	3.6	10	1	1	2	5	8	8
35-49	319	3.7	17	< 1	1	2	4	9	13
50-69	142	3.2	10	1	1	2	4	7	10
70 +	17	1.0							
	1482	**3.5**	**15**	**1**	**1**	**2**	**5**	**8**	**9**
	1680	**3.7**	**18**	**1**	**1**	**2**	**5**	**8**	**10**

DRG 442: Other O.R. Procedures for Injuries w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4145	9.3	106	1	3	6	11	22	31
70-74	2390	9.0	115	2	3	6	11	19	26
75-79	2116	8.8	75	2	3	6	11	18	27
80-84	1337	9.3	94	2	3	7	13	18	29
85 +	799	12.4	128	2	4	9	18	33	38
SUBTOTAL	**10786**	**9.4**	**103**	**2**	**3**	**6**	**12**	**21**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10786**	**9.4**	**103**	**2**	**3**	**6**	**12**	**21**	**30**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1385	6.0	67	1	1	3	8	18	25
18-34	2554	6.0	53	1	2	4	8	12	17
35-49	2692	6.5	51	1	2	4	9	15	23
50-69	3039	7.9	91	1	2	5	9	18	27
70 +	304	9.7	101	1	3	5	15	28	30
	9974	**6.8**	**68**	**1**	**2**	**4**	**8**	**15**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	9974	**6.8**	**68**	**1**	**2**	**4**	**8**	**15**	**24**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	544	9.8	140	1	3	6	12	22	31
18-34	1027	6.4	44	1	2	4	8	15	19
35-49	605	11.5	212	1	3	7	14	25	36
50-69	541	11.1	126	1	4	7	15	23	28
70 +	53	6.9	14	3	4	8	9	13	13
SUBTOTAL	**2770**	**9.1**	**120**	**1**	**3**	**6**	**12**	**20**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2770**	**9.1**	**120**	**1**	**3**	**6**	**12**	**20**	**29**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	382	5.9	32	1	1	3	10	15	17
18-34	1694	5.6	26	1	3	5	8	10	14
35-49	989	8.2	97	1	2	5	10	17	32
50-69	655	8.2	78	1	3	6	10	16	21
70 +	111	5.5	19	2	3	5	6	17	17
	3830	**6.7**	**55**	**1**	**2**	**5**	**8**	**15**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3830	**6.7**	**55**	**1**	**2**	**5**	**8**	**15**	**18**

DRG 443: Other O.R. Procedures for Injuries w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2132	3.4	10	1	1	2	5	7	10	0-17	4056	2.2	7	1	1	1	2	5	7
70-74	1296	4.3	26	1	1	2	5	9	12	18-34	6582	2.4	6	1	1	1	3	5	7
75-79	984	3.4	11	1	1	2	4	7	10	35-49	5296	2.7	8	1	1	2	3	6	8
80-84	605	2.8	6	1	1	2	3	6	10	50-69	3858	3.3	14	1	1	2	4	7	10
85 +	419	3.4	9	1	1	2	4	9	11	70 +	232	3.1	8	1	1	2	4	7	8
SUBTOTAL	**5436**	**3.5**	**14**	**1**	**1**	**2**	**5**	**8**	**11**		**20024**	**2.6**	**8**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**5436**	**3.5**	**14**	**1**	**1**	**2**	**5**	**8**	**11**		**20024**	**2.6**	**8**	**1**	**1**	**2**	**3**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1084	2.9	11	1	1	2	3	7	12	0-17	1390	2.2	6	< 1	1	1	3	4	6
18-34	1227	3.5	28	1	1	3	4	6	7	18-34	3442	3.3	7	1	1	2	4	7	9
35-49	621	3.5	9	1	1	2	5	7	8	35-49	1607	3.3	13	1	1	2	4	7	9
50-69	218	4.1	9	1	2	3	7	8	9	50-69	876	3.3	12	1	1	2	4	8	11
70 +	45	5.2	13	1	2	4	8	12	12	70 +	108	2.3	8	1	1	1	2	5	13
SUBTOTAL	**3196**	**3.4**	**17**	**1**	**1**	**2**	**4**	**7**	**9**		**7423**	**3.1**	**9**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**3196**	**3.4**	**17**	**1**	**1**	**2**	**4**	**7**	**9**		**7423**	**3.1**	**9**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 444: Traumatic Injury Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1164	6.1	29	2	3	5	7	12	13
70-74	443	5.8	16	2	2	5	8	11	16
75-79	757	6.3	18	2	4	5	8	10	14
80-84	574	8.3	98	2	4	6	11	15	19
85 +	784	8.9	33	3	4	7	12	16	20
SUBTOTAL	**3726**	**7.0**	**38**	**2**	**3**	**6**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3726**	**7.0**	**38**	**2**	**3**	**6**	**9**	**13**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1472	3.4	8	1	1	3	4	6	8
35-49	1255	4.7	16	1	2	4	6	9	12
50-69	1222	5.3	13	2	3	5	7	10	12
70 +	137	5.5	13	2	2	4	8	11	12
	4086	**4.4**	**13**	**1**	**2**	**4**	**6**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4086	**4.4**	**13**	**1**	**2**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	808	4.7	38	1	2	3	5	10	16
35-49	363	5.1	13	1	2	5	7	8	13
50-69	236	6.5	60	1	2	4	7	10	17
70 +	5	11.0							
SUBTOTAL	**1411**	**5.2**	**36**	**1**	**2**	**4**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1411**	**5.2**	**36**	**1**	**2**	**4**	**6**	**10**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2340	3.6	10	1	1	3	5	7	9
35-49	1006	4.7	10	1	2	4	6	9	11
50-69	419	5.4	22	1	2	4	7	12	16
70 +	105	5.2	17	1	3	3	6	13	14
	3871	**4.1**	**12**	**1**	**2**	**3**	**5**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3871	**4.1**	**12**	**1**	**2**	**3**	**5**	**8**	**11**

Total U.S., July 1990 - June 1991

DRG 445: Traumatic Injury Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	741	3.9	7	1	2	3	5	7	8	0-17	0								
70-74	416	4.3	12	2	2	3	6	7	9	18-34	4758	2.5	4	1	1	2	3	5	6
75-79	298	3.8	8	1	2	3	5	6	9	35-49	2984	3.2	13	1	2	2	4	6	7
80-84	401	4.5	8	1	2	4	6	8	10	50-69	1637	3.5	9	1	2	3	4	6	8
85 +	395	8.1	164	1	2	4	10	12	21	70 +	255	4.3	15	1	2	3	4	10	15
SUBTOTAL	**2250**	**4.8**	**38**	**1**	**2**	**4**	**6**	**8**	**12**		**9633**	**2.9**	**8**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**2250**	**4.8**	**38**	**1**	**2**	**4**	**6**	**8**	**12**		**9633**	**2.9**	**8**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID										NO INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	1606	2.7	4	1	1	2	4	5	7	18-34	5637	2.7	6	1	1	2	3	5	7
35-49	466	4.5	92	1	2	3	5	9	10	35-49	1628	3.1	7	1	1	2	4	6	8
50-69	155	2.9	1	1	2	3	3	5	5	50-69	670	4.0	24	1	1	3	4	9	10
70 +	20	8.5	13							70 +	126	3.3	5	1	1	2	5	6	7
SUBTOTAL	**2246**	**3.2**	**23**	**1**	**1**	**2**	**4**	**5**	**8**		**8060**	**2.9**	**8**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**2246**	**3.2**	**23**	**1**	**1**	**2**	**4**	**5**	**8**		**8060**	**2.9**	**8**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 446: Traumatic Injury Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	3.0								0-17	831	3.3	6	1	2	3	4	7	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**3.0**									**831**	**3.3**	**6**	**1**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	1.7	1							0-17	3770	2.6	5	1	1	2	3	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**16**	**1.7**	**1**								**3770**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**22**	**2.1**	**1**								**4601**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	530	3.4	11	1	1	2	4	6	9	0-17	562	3.8	15	1	1	3	5	7	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**530**	**3.4**	**11**	**1**	**1**	**2**	**4**	**6**	**9**		**562**	**3.8**	**15**	**1**	**1**	**3**	**5**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2310	2.7	5	1	1	2	3	5	6	0-17	2694	2.4	7	1	1	2	3	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2310**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**		**2694**	**2.4**	**7**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**2840**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**7**		**3256**	**2.7**	**9**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 447: Allergic Reactions Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	610	3.1	9	1	2	2	4	6	7	0-17	0								
70-74	416	3.3	8	1	2	3	4	6	9	18-34	373	3.0	11	1	1	2	4	5	8
75-79	310	4.4	9	1	2	4	6	8	11	35-49	574	3.4	5	1	1	3	5	7	7
80-84	170	5.1	17	1	2	4	6	13	13	50-69	778	3.3	5	1	2	3	5	6	8
85 +	172	4.3	19	1	2	3	5	10	16	70 +	44	2.9	5	1	2	2	4	8	8
SUBTOTAL	**1677**	**3.7**	**11**	**1**	**2**	**3**	**5**	**7**	**9**		**1769**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	620	3.0	8	1	1	2	3	7	12	0-17	0								
70-74	271	2.3	2	1	1	2	3	4	5	18-34	1347	2.0	2	1	1	1	3	4	5
75-79	245	3.1	5	1	1	2	4	5	7	35-49	1563	2.1	2	1	1	2	2	4	5
80-84	204	3.5	15	1	1	2	4	6	16	50-69	1374	2.4	4	1	1	2	3	4	6
85 +	47	3.8	8	1	2	3	8	8	8	70 +	18	2.0	2						
SUBTOTAL	**1387**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**		**4302**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**3064**	**3.4**	**9**	**1**	**1**	**2**	**4**	**7**	**9**		**6071**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	75	4.0	5	1	3	4	5	6	9	18-34	94	4.3	14	1	1	4	6	10	16
35-49	143	4.0	8	1	2	3	6	8	10	35-49	188	3.3	8	1	1	3	3	9	11
50-69	134	5.9	26	2	2	4	8	15	18	50-69	147	3.6	7	1	2	2	5	7	7
70 +	15	3.0	2							70 +	18	2.4	1						
SUBTOTAL	**367**	**4.7**	**14**	**1**	**2**	**4**	**6**	**10**	**14**		**447**	**3.6**	**9**	**1**	**1**	**3**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	148	2.6	6	1	1	2	3	5	5	18-34	508	1.9	2	1	1	1	2	4	4
35-49	122	2.6	3	1	1	2	4	4	5	35-49	419	2.3	5	< 1	1	2	3	4	5
50-69	84	3.3	6	< 1	1	2	5	8	8	50-69	272	2.1	2	1	1	2	2	4	6
70 +	21	2.0	1							70 +	12	1.0							
SUBTOTAL	**376**	**2.7**	**5**	**1**	**1**	**2**	**4**	**5**	**8**		**1211**	**2.1**	**3**	**1**	**1**	**2**	**2**	**4**	**5**
GRAND TOTAL	**743**	**3.7**	**11**	**1**	**1**	**3**	**5**	**8**	**10**		**1658**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

Total U.S., July 1990 - June 1991

DRG 448: Allergic Reactions Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	322	2.5	5	1	1	2	3	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**322**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1175	1.8	1	1	1	1	2	3	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1175**	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**0**										**1497**	**1.9**	**2**	**1**	**1**	**2**	**2**	**4**	**4**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	124	2.4	3	1	1	2	3	5	6	0-17	60	6.4	221	1	1	1	3	24	52
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**124**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**		**60**	**6.4**	**221**	**1**	**1**	**1**	**3**	**24**	**52**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	415	1.9	1	1	1	2	2	3	4	0-17	335	1.7	1	1	1	1	2	3	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**415**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**		**335**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**539**	**2.0**	**1**	**1**	**1**	**2**	**3**	**4**	**4**		**395**	**2.4**	**37**	**1**	**1**	**1**	**2**	**4**	**4**

DRG 449: Poisoning & Toxic Effects of Drugs Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10513	5.1	27	1	2	4	6	11	16	0-17	0								
70-74	4036	6.1	43	2	3	4	7	13	17	18-34	7766	3.7	24	1	1	2	4	8	11
75-79	3904	5.9	23	2	3	5	7	11	15	35-49	6938	4.1	22	1	1	3	5	9	13
80-84	3250	6.8	38	2	3	5	9	14	19	50-69	4855	5.7	46	1	2	3	7	12	19
85 +	3137	7.1	77	2	3	5	8	14	20	70 +	405	5.2	118	1	2	3	5	9	14
SUBTOTAL	**24840**	**5.9**	**38**	**1**	**2**	**4**	**7**	**12**	**17**		**19965**	**4.3**	**31**	**1**	**1**	**3**	**5**	**9**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**24840**	**5.9**	**38**	**1**	**2**	**4**	**7**	**12**	**17**		**19965**	**4.3**	**31**	**1**	**1**	**3**	**5**	**9**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	7407	3.9	29	1	1	2	4	8	12	18-34	10651	3.1	21	1	1	2	3	6	8
35-49	4848	4.9	38	1	2	3	5	11	16	35-49	6125	3.2	12	1	1	2	4	6	9
50-69	2214	5.2	31	1	2	4	6	11	13	50-69	1785	4.2	25	1	1	3	5	9	14
70 +	133	5.3	24	2	2	3	7	11	11	70 +	404	5.2	17	1	2	4	8	12	16
SUBTOTAL	**14601**	**4.4**	**32**	**1**	**1**	**3**	**5**	**9**	**14**		**18965**	**3.3**	**18**	**1**	**1**	**2**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**14601**	**4.4**	**32**	**1**	**1**	**3**	**5**	**9**	**14**		**18965**	**3.3**	**18**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 450: Poisoning & Toxic Effects of Drugs Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3371	3.5	31	1	1	2	4	7	11	0-17	0								
70-74	1113	3.9	14	1	1	3	5	7	11	18-34	14304	2.5	18	< 1	1	1	2	4	6
75-79	812	3.8	15	1	2	2	4	8	9	35-49	9398	3.1	26	1	1	2	3	6	10
80-84	666	4.3	16	1	2	3	6	10	12	50-69	3489	3.0	21	1	1	2	3	6	12
85 +	622	4.5	32	1	1	3	5	8	12	70 +	113	2.6	4	1	1	2	4	6	7
SUBTOTAL	**6583**	**3.8**	**25**	**1**	**1**	**2**	**4**	**8**	**11**		**27304**	**2.7**	**21**	**1**	**1**	**2**	**3**	**5**	**9**
GRAND TOTAL	**6583**	**3.8**	**25**	**1**	**1**	**2**	**4**	**8**	**11**		**27304**	**2.7**	**21**	**1**	**1**	**2**	**3**	**5**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	7001	2.6	12	1	1	2	3	5	8	18-34	14881	2.1	7	< 1	1	1	2	4	6
35-49	2572	3.2	23	1	1	2	3	6	9	35-49	4959	2.3	10	< 1	1	1	2	4	7
50-69	721	3.6	28	1	1	2	4	6	9	50-69	1129	2.9	27	< 1	1	2	3	5	7
70 +	22	4.5	6							70 +	133	2.7	4	1	1	2	3	6	7
SUBTOTAL	**10317**	**2.8**	**16**	**1**	**1**	**2**	**3**	**5**	**8**		**21102**	**2.2**	**9**	**< 1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**10317**	**2.8**	**16**	**1**	**1**	**2**	**3**	**5**	**8**		**21102**	**2.2**	**9**	**< 1**	**1**	**1**	**2**	**4**	**6**

DRG 451: Poisoning & Toxic Effects of Drugs Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	67	2.2	1	1	2	2	2	4	4	0-17	3758	2.9	16	1	1	2	3	5	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	67	2.2	1	1	2	2	2	4	4		3758	2.9	16	1	1	2	3	5	8
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	39	1.7	1	1	1	2	2	3	3	0-17	18072	2.1	10	< 1	1	1	2	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	39	1.7	1	1	1	2	2	3	3		18072	2.1	10	< 1	1	1	2	4	5
GRAND TOTAL	106	2.0	1	1	1	2	2	3	4		21830	2.2	11	< 1	1	1	2	4	6

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	2904	3.4	13	1	1	2	4	6	10	0-17	2421	2.9	12	1	1	2	3	5	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	2904	3.4	13	1	1	2	4	6	10		2421	2.9	12	1	1	2	3	5	9
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	13480	2.6	8	1	1	2	3	6	7	0-17	11155	2.1	7	< 1	1	1	2	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	13480	2.6	8	1	1	2	3	6	7		11155	2.1	7	< 1	1	1	2	4	6
GRAND TOTAL	16383	2.7	9	1	1	2	3	6	7		13577	2.2	8	< 1	1	1	2	5	6

DRG 452: Complications of Treatment w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6961	5.7	34	1	2	4	7	11	16	0-17	2056	3.5	15	1	1	2	4	9	12
70-74	4210	5.6	33	1	2	4	7	11	15	18-34	2169	4.4	28	1	2	3	5	8	12
75-79	3016	5.3	21	1	2	4	7	12	15	35-49	2883	4.5	23	1	2	3	5	8	13
80-84	2366	6.0	36	2	2	4	7	13	18	50-69	4447	4.9	38	1	2	3	6	10	15
85 +	1707	7.1	72	2	3	5	8	14	23	70 +	318	6.0	51	1	2	3	8	12	23
SUBTOTAL	**18260**	**5.7**	**36**	**1**	**2**	**4**	**7**	**12**	**16**		**11872**	**4.5**	**29**	**1**	**2**	**3**	**5**	**9**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**18260**	**5.7**	**36**	**1**	**2**	**4**	**7**	**12**	**16**		**11872**	**4.5**	**29**	**1**	**2**	**3**	**5**	**9**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	994	5.5	45	1	1	3	7	14	17	0-17	531	3.7	20	< 1	1	2	4	10	13
18-34	844	5.4	28	1	2	4	7	15	18	18-34	638	3.7	11	1	1	2	5	7	10
35-49	632	8.3	94	1	3	5	9	18	33	35-49	745	3.8	14	1	2	3	5	7	12
50-69	616	6.4	51	1	2	4	8	12	18	50-69	913	4.6	21	1	2	3	6	10	14
70 +	65	13.8	107	2	3	12	20	32	32	70 +	274	5.1	35	1	2	3	6	12	19
SUBTOTAL	**3151**	**6.4**	**55**	**1**	**2**	**4**	**8**	**15**	**21**		**3101**	**4.1**	**18**	**1**	**1**	**2**	**5**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3151**	**6.4**	**55**	**1**	**2**	**4**	**8**	**15**	**21**		**3101**	**4.1**	**18**	**1**	**1**	**2**	**5**	**9**	**13**

DRG 453: Complications of Treatment w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2351	3.6	9	1	2	3	5	7	9
70-74	1822	3.4	12	1	1	3	4	6	10
75-79	1378	3.7	11	1	2	3	4	8	11
80-84	797	3.3	9	1	1	3	4	7	8
85 +	519	4.3	11	1	2	4	6	9	12
SUBTOTAL	**6866**	**3.6**	**10**	**1**	**1**	**3**	**4**	**7**	**10**
GRAND TOTAL	**6866**	**3.6**	**10**	**1**	**1**	**3**	**4**	**7**	**10**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2551	2.0	7	< 1	1	1	2	4	6
18-34	3976	2.4	5	1	1	2	3	4	6
35-49	4456	2.7	5	1	1	2	3	6	7
50-69	4249	3.0	8	1	1	2	3	6	8
70 +	115	3.5	10	1	1	2	5	11	11
	15347	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
	15347	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	935	2.7	7	< 1	1	2	3	5	9
18-34	830	2.7	4	1	1	2	4	6	7
35-49	446	4.1	18	1	1	3	6	8	9
50-69	457	3.7	21	1	2	2	3	7	11
70 +	53	6.0	9	3	4	5	9	12	12
SUBTOTAL	**2721**	**3.1**	**11**	**1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**2721**	**3.1**	**11**	**1**	**1**	**2**	**4**	**7**	**8**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	656	2.7	15	1	1	1	3	6	8
18-34	1217	2.5	7	1	1	2	3	5	6
35-49	872	2.8	4	1	1	2	4	5	6
50-69	568	2.8	5	1	1	2	4	5	8
70 +	75	2.1	1	1	1	2	3	4	4
	3389	**2.7**	**8**	**1**	**1**	**2**	**3**	**5**	**7**
	3389	**2.7**	**8**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 454: Other Injury, Poisoning & Toxic Effect Diag w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	958	6.0	58	1	2	4	7	15	22	0-17	1043	2.5	8	1	1	1	2	6	10
70-74	571	6.5	56	1	1	4	8	15	20	18-34	936	2.5	10	1	1	1	3	5	6
75-79	661	7.5	94	2	3	5	8	19	24	35-49	757	3.6	18	1	1	2	4	7	12
80-84	505	7.1	40	2	3	4	9	18	23	50-69	686	5.2	74	1	1	3	6	12	18
85+	704	7.9	54	1	3	6	11	18	22	70+	98	4.3	9	1	2	3	6	10	10
SUBTOTAL	**3398**	**6.9**	**62**	**1**	**2**	**5**	**8**	**17**	**22**		**3521**	**3.3**	**25**	**1**	**1**	**2**	**3**	**7**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3398**	**6.9**	**62**	**1**	**2**	**5**	**8**	**17**	**22**		**3521**	**3.3**	**25**	**1**	**1**	**2**	**3**	**7**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	910	4.7	38	1	1	2	5	12	18	0-17	823	4.6	143	<1	1	2	3	9	13
18-34	384	4.9	56	<1	1	1	5	15	17	18-34	1097	2.3	7	<1	1	1	2	5	7
35-49	213	6.1	45	1	2	5	8	9	13	35-49	566	3.1	10	1	1	2	4	8	11
50-69	187	8.5	55	2	3	7	12	17	21	50-69	326	4.1	18	1	1	3	6	9	11
70+	64	9.7	45	3	4	5	17	20	20	70+	67	7.3	94	1	1	4	8	16	36
SUBTOTAL	**1757**	**5.5**	**47**	**1**	**1**	**3**	**7**	**15**	**20**		**2878**	**3.5**	**51**	**<1**	**1**	**2**	**3**	**7**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1757**	**5.5**	**47**	**1**	**1**	**3**	**7**	**15**	**20**		**2878**	**3.5**	**51**	**<1**	**1**	**2**	**3**	**7**	**12**

DRG 455: Other Injury, Poisoning & Toxic Effect Diag w/o CC

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	242	3.0	25	1	1	2	2	6	9	0-17	2766	1.6	3	1	1	1	2	2	4
70-74	159	2.0	2	< 1	1	1	3	5	6	18-34	2749	1.5	1	< 1	1	1	2	3	3
75-79	205	3.0	6	1	1	2	3	8	9	35-49	1345	1.7	1	1	1	1	2	3	4
80-84	167	4.2	17	1	2	3	4	13	15	50-69	668	1.8	2	1	1	1	2	3	4
85 +	185	4.7	20	2	2	3	5	10	19	70 +	259	3.1	5	1	2	2	4	6	9
SUBTOTAL	**958**	**3.4**	**16**	**1**	**1**	**2**	**4**	**7**	**10**		**7786**	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**958**	**3.4**	**16**	**1**	**1**	**2**	**4**	**7**	**10**		**7786**	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID										NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	2383	2.6	25	< 1	1	1	2	4	8	0-17	1851	1.6	4	< 1	1	1	1	3	5
18-34	927	1.5	3	< 1	< 1	1	1	2	3	18-34	1920	1.5	2	< 1	1	1	1	2	3
35-49	162	2.6	5	< 1	1	2	3	6	6	35-49	645	2.1	8	< 1	1	1	2	3	5
50-69	38	2.4	7	1	1	1	2	9	9	50-69	214	1.8	1	< 1	1	2	2	3	4
70 +	6	1.0								70 +	96	1.3		1	1	1	2	2	2
SUBTOTAL	**3516**	**2.3**	**18**	**< 1**	**1**	**1**	**2**	**4**	**6**		**4727**	**1.6**	**3**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**3516**	**2.3**	**18**	**< 1**	**1**	**1**	**2**	**4**	**6**		**4727**	**1.6**	**3**	**< 1**	**1**	**1**	**2**	**3**	**4**

DRG 457: Extensive Burns w/o O.R. Procedure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10	18.0								0-17	0								
70-74	0									18-34	5	73.0							
75-79	0									35-49	5	2.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**10**	**18.0**									**10**	**37.5**	**1395**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	10.0								0-17	27	9.4	86						
70-74	0									18-34	16	14.7	82						
75-79	0									35-49	21	11.8	44						
80-84	0									50-69	18	6.7	87						
85 +	0									70 +	0								
SUBTOTAL	**6**	**10.0**									**82**	**10.4**	**79**	**< 1**	**3**	**6**	**19**	**23**	**28**
GRAND TOTAL	**16**	**15.2**	**16**								**93**	**13.5**	**286**	**< 1**	**3**	**6**	**21**	**28**	**68**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	21	18.5	382							0-17	0								
18-34	6	3.0								18-34	0								
35-49	12	11.0	79							35-49	13	25.0							
50-69	0									50-69	6	1.0							
70 +	0									70 +	0								
SUBTOTAL	**39**	**13.9**	**259**	**3**	**3**	**8**	**20**	**50**	**50**		**19**	**17.7**	**129**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	21	4.3	6							0-17	35	5.6	28						
18-34	22	13.8	49							18-34	18	2.6	6						
35-49	0									35-49	16	10.8	47						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**43**	**9.1**	**50**	**2**	**3**	**8**	**14**	**21**	**21**		**69**	**6.1**	**35**	**1**	**1**	**5**	**8**	**16**	**20**
GRAND TOTAL	**81**	**11.4**	**153**	**3**	**3**	**8**	**18**	**21**	**50**		**88**	**8.5**	**76**	**1**	**1**	**6**	**16**	**25**	**25**

DRG 458: Non-extensive Burns w/ Skin Graft

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	391	24.6	365	6	13	23	32	76	99+
70-74	133	18.6	206	3	6	14	30	39	43
75-79	80	20.7	127	8	11	18	36	37	40
80-84	136	21.4	205	8	10	19	31	58	99+
85+	72	18.8	46	11	14	19	26	99+	99+
SUBTOTAL	**813**	**22.2**	**265**	**6**	**11**	**19**	**32**	**47**	**99+**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	181	13.7	78	2	6	12	22	28	28
70-74	76	12.0	106	4	5	7	22	26	36
75-79	16	19.3	73						
80-84	60	9.3	27	3	5	8	13	15	22
85+	49	15.6	239	3	4	6	27	42	42
SUBTOTAL	**382**	**13.2**	**100**	**3**	**5**	**9**	**22**	**28**	**31**
GRAND TOTAL	**1195**	**19.3**	**230**	**4**	**8**	**16**	**30**	**42**	**76**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	173	12.9	107	3	6	11	17	27	27
18-34	349	15.2	90	6	8	13	20	33	35
35-49	281	17.5	238	3	5	14	25	34	38
50-69	273	19.8	275	7	9	13	27	54	55
70+	6	12.0							
	1082	**16.6**	**183**	**4**	**8**	**13**	**23**	**34**	**53**
0-17	940	10.1	91	1	2	7	15	22	33
18-34	690	9.6	74	2	3	7	13	21	27
35-49	501	9.5	58	2	4	7	13	22	23
50-69	237	13.4	132	3	7	8	19	29	44
70+	22	8.7	108						
	2389	**10.1**	**85**	**1**	**3**	**7**	**14**	**22**	**29**
	3471	**12.1**	**124**	**2**	**4**	**9**	**17**	**27**	**35**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	314	21.9	275	7	10	18	27	38	55
18-34	234	17.7	122	6	10	14	22	32	46
35-49	161	20.5	100	9	14	20	27	40	99+
50-69	111	26.8	461	5	15	23	39	80	99
70+	6	24.0							
SUBTOTAL	**826**	**21.1**	**228**	**7**	**11**	**18**	**27**	**41**	**53**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	943	13.0	82	2	6	12	20	25	29
18-34	316	11.7	86	2	5	10	15	19	29
35-49	100	10.3	60	2	6	7	15	18	27
50-69	77	14.0	89	5	8	11	19	23	42
70+	0								
SUBTOTAL	**1436**	**12.6**	**82**	**2**	**6**	**11**	**18**	**25**	**29**
GRAND TOTAL	**2262**	**15.7**	**152**	**4**	**7**	**14**	**21**	**30**	**40**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	105	20.1	177	2	10	22	29	41	46
18-34	130	16.8	127	2	8	16	24	37	38
35-49	132	19.3	232	5	11	15	21	34	46
50-69	80	19.4	161	8	11	17	23	60	99+
70+	16	38.3	1						
	462	**19.5**	**183**	**4**	**11**	**17**	**25**	**38**	**46**
0-17	573	13.2	112	1	4	12	18	28	35
18-34	392	11.7	59	3	5	11	19	21	25
35-49	179	14.1	76	2	6	13	18	27	33
50-69	94	14.5	116	2	6	15	23	30	38
70+	17	14.3	232						
	1255	**13.0**	**92**	**2**	**5**	**12**	**18**	**25**	**33**
	1717	**14.7**	**125**	**2**	**6**	**13**	**20**	**29**	**36**

DRG 459: Non-extensive Burns w/ Wound Debridement or Other O.R. Proc

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	130	15.3	108	5	8	14	17	31	34
70-74	32	6.9	18						
75-79	54	14.6	97	3	8	10	17	33	33
80-84	21	13.3	27						
85 +	22	30.9	364						
SUBTOTAL	**258**	**15.3**	**137**	**4**	**8**	**14**	**17**	**34**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	60	7.1	34	1	2	6	11	17	19
70-74	29	7.4	35						
75-79	11	7.0	10						
80-84	5	18.0							
85 +	0								
SUBTOTAL	**105**	**7.7**	**35**	**2**	**2**	**6**	**11**	**17**	**19**
GRAND TOTAL	**363**	**13.1**	**119**	**2**	**6**	**11**	**17**	**33**	**46**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	61	8.6	17	4	5	8	13	16	16
18-34	66	13.3	123	1	1	11	25	32	33
35-49	97	6.5	83	< 1	2	4	7	13	41
50-69	83	12.1	41	6	7	9	15	26	26
70 +	0								
	307	**9.9**	**74**	**2**	**4**	**8**	**14**	**25**	**32**
0-17	295	3.7	8	1	2	3	5	7	11
18-34	249	6.3	21	1	3	5	9	14	15
35-49	194	7.7	37	1	3	5	11	18	21
50-69	85	7.7	48	1	1	5	11	21	21
70 +	0								
	823	**5.9**	**26**	**1**	**2**	**4**	**8**	**13**	**17**
	1130	**7.0**	**42**	**1**	**2**	**5**	**9**	**15**	**19**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	65	17.2	285	6	6	9	23	43	58
18-34	64	15.8	118	6	8	12	26	35	37
35-49	69	12.5	28	6	9	12	19	19	20
50-69	42	30.2	511						
70 +	10	2.0							
SUBTOTAL	**250**	**17.1**	**239**	**5**	**7**	**10**	**20**	**40**	**59**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	278	5.8	28	< 1	2	4	8	14	16
18-34	45	5.0	36	< 1	1	3	6	20	20
35-49	50	9.7	43	1	3	12	13	19	19
50-69	16	15.9	98						
70 +	0								
SUBTOTAL	**389**	**6.6**	**39**	**1**	**2**	**4**	**9**	**16**	**20**
GRAND TOTAL	**638**	**10.7**	**143**	**1**	**3**	**7**	**13**	**23**	**37**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	20.2	283						
18-34	63	13.1	58	4	5	10	19	21	25
35-49	33	7.0	10	2	5	6	10	11	11
50-69	82	23.8	255	5	9	19	39	43	55
70 +	0								
	200	**17.2**	**195**	**4**	**5**	**11**	**20**	**43**	**46**
0-17	192	5.7	35	< 1	1	4	8	12	15
18-34	188	6.8	61	1	3	5	6	11	37
35-49	103	6.2	17	2	3	6	8	10	19
50-69	43	14.6	159	< 1	3	13	15	35	35
70 +	0								
	527	**6.9**	**56**	**1**	**2**	**5**	**8**	**13**	**21**
	726	**9.7**	**115**	**1**	**3**	**6**	**11**	**20**	**37**

DRG 460: Non-extensive Burns w/o O.R. Procedure

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	602	9.6	69	2	4	7	12	25	29	0-17	331	6.4	36	2	2	4	9	16	18
70-74	185	6.7	18	2	4	6	8	11	15	18-34	355	6.3	27	2	3	5	8	11	17
75-79	336	11.0	64	3	5	9	13	25	28	35-49	291	6.0	23	2	2	5	8	12	16
80-84	159	15.0	317	4	5	10	11	37	68	50-69	445	7.3	36	2	3	5	9	15	21
85 +	203	8.9	31	4	4	7	11	19	21	70 +	17	9.6							
SUBTOTAL	**1485**	**10.0**	**87**	**3**	**4**	**7**	**12**	**22**	**29**		**1438**	**6.6**	**31**	**2**	**3**	**5**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	243	5.6	17	1	2	6	8	10	13	0-17	3584	3.9	14	1	1	3	5	9	12
70-74	123	7.9	72	1	2	4	12	20	30	18-34	1865	4.5	20	1	2	3	6	11	13
75-79	95	4.7	8	1	2	4	7	9	10	35-49	1153	4.7	20	1	1	3	7	10	14
80-84	163	6.4	28	2	3	4	7	14	21	50-69	611	5.2	20	1	2	4	7	12	15
85 +	114	8.5	41	3	6	7	10	15	15	70 +	6	6.0							
SUBTOTAL	**739**	**6.5**	**32**	**1**	**2**	**5**	**8**	**13**	**18**		**7217**	**4.3**	**17**	**1**	**1**	**3**	**6**	**10**	**13**
GRAND TOTAL	**2224**	**8.8**	**72**	**2**	**4**	**7**	**10**	**18**	**27**		**8656**	**4.7**	**20**	**1**	**2**	**3**	**6**	**10**	**14**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	381	7.5	39	2	3	5	11	16	20	0-17	283	6.4	33	1	3	4	9	15	17
18-34	198	9.2	74	2	3	5	12	24	30	18-34	323	4.7	12	1	2	4	6	10	13
35-49	227	7.4	19	3	4	6	9	15	16	35-49	223	5.7	15	2	3	5	9	11	14
50-69	165	6.5	15	2	4	6	8	11	16	50-69	160	5.0	7	1	2	6	7	8	8
70 +	10	4.0								70 +	42	7.0	22						
SUBTOTAL	**980**	**7.6**	**38**	**2**	**3**	**6**	**10**	**16**	**21**		**1031**	**5.5**	**19**	**1**	**2**	**4**	**8**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	4158	5.1	22	1	2	4	7	10	13	0-17	3036	4.6	21	1	1	3	6	10	13
18-34	566	4.7	24	1	1	3	6	14	17	18-34	1314	3.6	13	1	1	2	5	9	11
35-49	187	5.4	76	1	2	3	7	10	10	35-49	581	4.6	21	1	1	3	6	10	14
50-69	120	7.5	147	1	2	4	10	12	15	50-69	190	5.3	36	1	2	2	7	15	22
70 +	0									70 +	11	5.0							
SUBTOTAL	**5031**	**5.1**	**28**	**1**	**2**	**4**	**7**	**10**	**14**		**5132**	**4.4**	**20**	**1**	**1**	**3**	**6**	**10**	**13**
GRAND TOTAL	**6011**	**5.5**	**30**	**1**	**2**	**4**	**7**	**12**	**16**		**6163**	**4.6**	**20**	**1**	**1**	**3**	**6**	**10**	**13**

DRG 461: O.R. Proc w/ Diagnoses of Other Contact w/ Health Services

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1467	16.0	389	1	2	8	28	51	94
70-74	1131	16.2	380	1	2	9	26	43	57
75-79	766	13.9	243	1	2	6	23	32	45
80-84	643	16.4	277	1	2	12	28	40	45
85 +	404	19.6	471	2	3	13	28	59	76
SUBTOTAL	**4411**	**16.1**	**354**	**1**	**2**	**9**	**26**	**45**	**62**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1103	2.9	22	1	1	1	3	5	8
70-74	729	3.4	44	1	1	1	3	7	16
75-79	519	3.5	29	1	1	1	4	9	21
80-84	358	3.9	43	1	1	1	3	12	22
85 +	129	2.1	8	1	1	1	2	3	5
SUBTOTAL	**2838**	**3.2**	**31**	**1**	**1**	**1**	**3**	**6**	**15**
GRAND TOTAL	**7249**	**11.1**	**267**	**1**	**1**	**3**	**16**	**35**	**49**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	373	8.0	204	1	1	5	17	99 +	99 +
18-34	613	9.8	327	1	1	4	22	99 +	99 +
35-49	738	8.8	224	1	1	4	7	29	63
50-69	1257	9.3	184	1	1	3	13	31	45
70 +	82	17.4	304	1	2	15	32	35	60
SUBTOTAL	**3063**	**9.3**	**230**	**1**	**1**	**4**	**13**	**49**	**99 +**
2.PATIENTS W/OUT CCs									
0-17	1444	2.6	29	1	1	1	2	4	8
18-34	2157	2.9	74	1	1	1	3	4	7
35-49	2636	2.7	23	1	1	1	3	5	7
50-69	1803	3.1	32	1	1	1	3	7	9
70 +	45	8.1	73	1	1	2	14	25	25
SUBTOTAL	**8085**	**2.9**	**40**	**1**	**1**	**1**	**3**	**5**	**8**
GRAND TOTAL	**11149**	**4.6**	**100**	**1**	**1**	**2**	**4**	**10**	**30**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	268	4.9	32	1	1	3	6	17	17
18-34	214	23.6	712	1	2	11	50	81	99 +
35-49	147	14.5	624	1	1	5	40	99 +	99 +
50-69	110	15.4	390	1	1	5	22	51	61
70 +	10	7.0							
SUBTOTAL	**750**	**13.7**	**450**	**1**	**1**	**4**	**17**	**63**	**99**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	914	2.2	14	1	1	1	2	4	10
18-34	473	2.8	22	< 1	1	1	2	4	6
35-49	213	5.1	49	1	1	3	6	13	29
50-69	174	8.8	416	< 1	1	1	3	37	77
70 +	24	2.0							
SUBTOTAL	**1797**	**3.3**	**63**	**1**	**1**	**1**	**3**	**6**	**13**
GRAND TOTAL	**2547**	**6.4**	**199**	**1**	**1**	**1**	**4**	**17**	**50**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	108	12.2	340	1	1	3	26	63	99 +
18-34	195	7.3	152	1	1	2	6	32	52
35-49	264	5.3	87	1	1	2	6	10	22
50-69	228	12.0	138	1	2	10	19	39	99 +
70 +	78	20.8	448	1	6	12	24	70	70
SUBTOTAL	**873**	**9.7**	**198**	**1**	**1**	**3**	**15**	**33**	**63**
2.PATIENTS W/OUT CCs									
0-17	386	2.4	6	1	1	1	2	7	7
18-34	1100	2.9	10	1	1	1	3	10	10
35-49	721	2.3	11	1	1	1	2	5	9
50-69	433	2.1	39	1	1	1	1	3	4
70 +	81	1.9	3	1	1	1	3	99 +	99 +
SUBTOTAL	**2720**	**2.5**	**14**	**1**	**1**	**1**	**3**	**6**	**10**
GRAND TOTAL	**3593**	**4.3**	**68**	**1**	**1**	**1**	**4**	**10**	**23**

DRG 462: Renabilitation

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	13425	21.8	206	7	12	18	29	41	51	0-17	790	26.7	490	4	9	24	51	82	99 +
70-74	11055	22.3	210	7	12	19	29	42	52	18-34	2364	25.2	417	6	11	22	38	80	99 +
75-79	12110	21.2	153	8	13	19	28	38	46	35-49	3647	23.2	301	6	10	20	31	51	71
80-84	10359	21.1	145	8	13	19	26	37	45	50-69	6903	23.6	240	7	12	21	34	49	60
85 +	9037	19.2	114	8	12	17	24	33	41	70 +	1899	22.4	207	8	12	18	30	43	55
SUBTOTAL	**55985**	**21.2**	**170**	**8**	**12**	**19**	**27**	**39**	**48**		**15603**	**23.7**	**291**	**6**	**11**	**21**	**33**	**54**	**78**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3966	19.4	156	6	10	17	27	37	44	0-17	1127	17.3	313	2	4	10	28	39	53
70-74	4110	17.9	142	6	9	15	24	33	41	18-34	1106	20.0	230	6	8	18	26	45	59
75-79	4698	17.7	127	6	10	15	22	33	43	35-49	1292	22.0	361	5	10	18	30	51	79
80-84	3619	17.9	132	7	10	15	21	32	41	50-69	3196	20.2	208	6	9	16	28	40	51
85 +	2667	16.8	99	6	10	15	22	30	37	70 +	589	17.8	111	6	9	16	26	33	35
SUBTOTAL	**19059**	**18.0**	**134**	**6**	**10**	**15**	**23**	**33**	**42**		**7309**	**19.9**	**249**	**4**	**9**	**16**	**27**	**40**	**53**
GRAND TOTAL	**75044**	**20.4**	**163**	**7**	**11**	**18**	**26**	**37**	**46**		**22912**	**22.5**	**281**	**6**	**10**	**19**	**31**	**50**	**68**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	401	27.3	453	6	13	21	45	66	92	0-17	117	24.3	420	4	7	20	53	99 +	99 +
18-34	1691	27.9	271	9	17	28	35	70	99 +	18-34	728	25.7	426	6	10	23	41	70	99 +
35-49	1396	26.4	248	7	16	27	31	54	79	35-49	718	18.6	210	4	7	15	28	38	54
50-69	1430	24.6	223	9	14	23	30	43	60	50-69	1658	21.9	247	5	9	19	31	44	57
70 +	260	20.9	149	7	11	20	28	38	45	70 +	2037	22.5	211	7	12	19	29	43	49
SUBTOTAL	**5178**	**26.2**	**263**	**9**	**15**	**26**	**31**	**54**	**81**		**5258**	**22.2**	**260**	**6**	**10**	**19**	**31**	**46**	**58**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	364	17.9	235	3	6	12	31	46	58	0-17	175	17.4	490	2	2	4	38	61	89
18-34	424	26.0	284	11	14	23	43	99 +	99 +	18-34	230	22.1	522	3	7	16	28	54	95
35-49	236	26.4	318	7	12	25	34	56	77	35-49	264	20.1	219	5	11	16	31	60	99 +
50-69	455	22.0	166	8	12	18	32	42	48	50-69	499	23.1	224	8	11	21	29	42	51
70 +	169	20.1	68	9	15	21	28	32	32	70 +	398	18.1	90	8	11	17	24	32	36
SUBTOTAL	**1648**	**22.6**	**234**	**7**	**11**	**20**	**34**	**48**	**77**		**1566**	**20.5**	**267**	**4**	**9**	**17**	**27**	**42**	**60**
GRAND TOTAL	**6826**	**25.3**	**258**	**8**	**14**	**25**	**32**	**53**	**81**		**6825**	**21.8**	**262**	**6**	**10**	**18**	**30**	**45**	**59**

Total U.S., July 1990 - June 1991

DRG 463: Signs & Symptoms w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2257	6.9	73	1	2	4	8	13	23	0-17	608	5.2	38	1	2	3	6	9	27
70-74	1578	6.3	26	2	3	4	8	13	16	18-34	218	4.3	56	< 1	1	2	3	7	13
75-79	1503	7.6	70	2	3	6	10	15	19	35-49	798	6.1	32	1	3	4	7	13	17
80-84	1375	7.4	56	2	3	5	10	14	19	50-69	1629	5.2	24	1	2	4	6	10	13
85 +	1394	7.3	40	2	3	5	9	15	21	70 +	134	6.3	25	3	3	4	7	16	17
SUBTOTAL	**8108**	**7.1**	**55**	**2**	**3**	**5**	**9**	**14**	**20**		**3387**	**5.4**	**31**	**1**	**2**	**4**	**6**	**10**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**8108**	**7.1**	**55**	**2**	**3**	**5**	**9**	**14**	**20**		**3387**	**5.4**	**31**	**1**	**2**	**4**	**6**	**10**	**16**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	439	4.2	17	1	2	3	5	8	13	0-17	310	3.5	9	1	1	2	4	10	11
18-34	209	13.5	719	1	2	4	6	85	86	18-34	127	4.1	20	< 1	1	2	5	13	15
35-49	383	5.8	13	2	3	5	9	11	12	35-49	326	6.3	25	2	3	5	8	14	16
50-69	608	7.0	36	2	3	5	10	13	20	50-69	390	6.6	32	1	2	5	9	16	18
70 +	27	9.9	13							70 +	90	8.8	78	2	3	6	12	23	33
SUBTOTAL	**1666**	**6.8**	**118**	**1**	**2**	**4**	**8**	**12**	**17**		**1243**	**5.6**	**29**	**1**	**2**	**4**	**7**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1666**	**6.8**	**118**	**1**	**2**	**4**	**8**	**12**	**17**		**1243**	**5.6**	**29**	**1**	**2**	**4**	**7**	**14**	**18**

DRG 464: Signs & Symptoms w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	952	3.4	15	1	1	2	4	6	8	0-17	718	2.5	12	1	1	2	3	4	6
70-74	521	3.2	10	1	1	2	4	6	8	18-34	371	2.6	2	1	1	2	4	5	5
75-79	560	3.4	10	1	1	2	4	8	10	35-49	794	2.8	6	< 1	1	2	4	6	8
80-84	414	4.7	11	2	2	4	6	10	13	50-69	1270	2.8	5	1	1	2	3	6	8
85 +	396	4.9	13	2	2	4	6	9	14	70 +	124	2.7	4	1	1	2	4	4	6
SUBTOTAL	**2843**	**3.7**	**13**	**1**	**2**	**3**	**5**	**8**	**10**		**3277**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**2843**	**3.7**	**13**	**1**	**2**	**3**	**5**	**8**	**10**		**3277**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	500	3.1	7	1	1	2	4	6	7	0-17	324	2.2	2	1	1	2	3	4	5
18-34	140	2.5	2	< 1	1	2	3	4	5	18-34	149	2.2	2	1	1	2	3	4	6
35-49	124	3.7	12	< 1	1	2	4	10	13	35-49	301	3.2	7	1	1	3	4	6	9
50-69	127	4.4	11	2	2	3	6	9	11	50-69	360	2.5	3	1	1	2	3	4	4
70 +	17	6.0	26							70 +	44	2.6	3	< 1	1	2	4	6	6
SUBTOTAL	**908**	**3.3**	**8**	**1**	**1**	**2**	**4**	**7**	**10**		**1179**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**908**	**3.3**	**8**	**1**	**1**	**2**	**4**	**7**	**10**		**1179**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 465: Aftercare w/ History of Malignancy As Secondary Diagnosis

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	106	10.0	134	1	1	5	17	28	45
70-74	34	2.5	3						
75-79	100	3.9	28	1	1	2	3	16	20
80-84	36	22.4	992						
85 +	23	18.2	292						
SUBTOTAL	**299**	**9.3**	**237**	**1**	**2**	**2**	**7**	**28**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	109	2.2	13	< 1	1	1	2	4	17
70-74	57	4.4	36	< 1	1	1	3	17	18
75-79	70	1.6	3	< 1	1	1	1	2	7
80-84	29	7.3	68						
85 +	6	1.0							
SUBTOTAL	**270**	**3.0**	**24**	**< 1**	**1**	**1**	**2**	**14**	**17**
GRAND TOTAL	**570**	**6.3**	**145**	**1**	**1**	**2**	**4**	**18**	**28**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	44	3.7	12						
18-34	0								
35-49	19	1.0							
50-69	72	4.7	35	1	2	3	4	8	24
70 +	0								
	135	**3.9**	**24**	**1**	**1**	**2**	**4**	**9**	**9**
0-17	23	1.7	2						
18-34	0								
35-49	17	1.0							
50-69	72	2.0	10	1	1	1	1	2	12
70 +	10	3.0							
	123	**1.9**	**6**	**1**	**1**	**1**	**1**	**3**	**7**
	258	**2.9**	**17**	**1**	**1**	**1**	**3**	**8**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	1.0							
18-34	11	1.5							
35-49	0								
50-69	21	1.7							
70 +	0								
SUBTOTAL	**38**	**1.6**		**< 1**	**1**	**2**	**2**	**2**	**2**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	5	1.0							
18-34	0								
35-49	5	2.0							
50-69	11	1.0							
70 +	0								
SUBTOTAL	**22**	**1.2**							
GRAND TOTAL	**60**	**1.4**		**< 1**	**1**	**1**	**2**	**2**	**2**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	23	13.9	94						
70 +	0								
	23	**13.9**	**94**						
0-17	11	1.0							
18-34	10	2.0							
35-49	0								
50-69	10	1.0							
70 +	0								
	31	**1.3**							
	54	**6.6**	**78**	**1**	**1**	**2**	**13**	**16**	**29**

Total U.S., July 1990 - June 1991

DRG 466: Aftercare w/o History of Malignancy As Secondary Diagnosis

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH		
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	1095	6.9	92	1	1	2	10	19	27	0-17	951	2.2	12	< 1	1	1	2	4	7		
70-74	670	9.0	166	1	2	5	12	19	27	18-34	229	5.1	43	1	1	2	5	12	14		
75-79	613	12.5	249	1	2	7	15	26	60	35-49	393	4.3	109	1	1	1	4	6	8		
80-84	505	13.3	167	1	3	13	18	29	35	50-69	725	4.8	66	1	1	2	6	13	24		
85 +	469	14.5	178	1	6	13	19	27	38	70 +	45	8.5	81	< 1	1	3	17	25	25		
SUBTOTAL	**3353**	**10.4**	**168**	**1**	**2**	**6**	**15**	**24**	**32**		**2342**	**3.7**	**51**	**< 1**	**1**	**1**	**3**	**9**	**15**		
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	487	4.4	69	< 1	1	1	4	11	17	0-17	796	2.5	11	< 1	1	1	2	6	10		
70-74	386	4.2	52	1	1	2	4	8	9	18-34	389	2.3	2	1	1	2	3	4	5		
75-79	308	4.7	37	1	1	2	6	16	21	35-49	447	2.1	5	< 1	1	1	2	4	6		
80-84	169	11.6	140	1	2	10	17	29	31	50-69	673	3.2	17	< 1	1	1	5	8	11		
85 +	151	11.4	126	1	3	10	15	22	27	70 +	61	3.8	13	1	1	1	6	10	11		
SUBTOTAL	**1501**	**5.9**	**80**	**1**	**1**	**2**	**7**	**16**	**23**		**2367**	**2.6**	**10**	**< 1**	**1**	**1**	**3**	**6**	**8**		
GRAND TOTAL	**4854**	**9.0**	**145**	**1**	**1**	**4**	**13**	**23**	**29**		**4709**	**3.2**	**31**	**< 1**	**1**	**1**	**3**	**7**	**11**		

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH		
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	581	4.6	84	1	1	2	3	14	36	0-17	356	2.7	8	< 1	1	2	3	7	7		
18-34	53	3.6	8	< 1	1	2	7	8	8	18-34	146	11.6	230	< 1	1	4	17	33	55		
35-49	65	6.5	40	1	2	3	12	17	20	35-49	163	4.9	41	1	1	2	4	21	22		
50-69	82	8.5	265	< 1	1	2	6	51	51	50-69	615	6.9	90	1	2	4	7	21	53		
70 +	6	11.0								70 +	186	29.4	676	5	13	23	77	99 +	99 +		
SUBTOTAL	**787**	**5.2**	**95**	**1**	**1**	**2**	**3**	**14**	**35**		**1465**	**9.0**	**219**	**1**	**1**	**3**	**12**	**33**	**77**		
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	369	2.4	10	< 1	1	1	2	5	8	0-17	343	1.7	1	1	1	1	2	4	4		
18-34	130	2.0	1	< 1	1	2	2	3	4	18-34	181	3.3	7	1	1	2	4	9	9		
35-49	49	1.0		< 1	1	1	1	1	1	35-49	159	2.1	2	1	1	2	2	5	5		
50-69	60	2.3	5	1	1	1	5	6	6	50-69	290	3.1	6	1	2	3	3	4	11		
70 +	6	1.0								70 +	50	18.8	458	6	6	8	17	71	71		
SUBTOTAL	**614**	**2.2**	**7**	**< 1**	**1**	**1**	**2**	**4**	**6**		**1024**	**3.3**	**39**	**1**	**1**	**2**	**3**	**6**	**9**		
GRAND TOTAL	**1401**	**3.8**	**59**	**< 1**	**1**	**1**	**3**	**7**	**16**		**2489**	**6.6**	**153**	**1**	**1**	**3**	**5**	**21**	**47**		

DRG 471: Bilateral or Multiple Major Joint Procs of Lower Extremity

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1464	12.7	54	7	8	10	15	21	26	0-17	6	19.0							
70-74	1393	13.3	88	6	8	10	15	24	32	18-34	34	13.5	29						
75-79	1279	14.7	89	7	9	12	17	24	30	35-49	190	10.9	46	6	7	9	10	22	24
80-84	1077	14.5	120	7	9	12	16	23	40	50-69	1088	12.6	80	7	8	10	14	23	33
85 +	542	19.0	288	7	9	14	21	38	58	70 +	106	8.2	6	7	7	8	9	12	16
SUBTOTAL	**5755**	**14.2**	**107**	**7**	**8**	**11**	**16**	**23**	**36**		**1423**	**12.1**	**70**	**7**	**8**	**9**	**14**	**23**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1034	10.8	32	6	7	9	13	18	20	0-17	31	15.6	10						
70-74	983	10.4	30	6	7	9	12	16	19	18-34	54	10.9	51	5	8	9	11	29	29
75-79	566	10.6	19	6	7	10	14	15	20	35-49	171	9.3	29	4	5	8	12	16	22
80-84	299	12.3	64	6	8	10	15	22	29	50-69	1153	9.8	19	6	7	9	12	16	19
85 +	187	9.8	17	7	7	9	11	14	21	70 +	112	10.1	17	7	7	8	16	18	18
SUBTOTAL	**3069**	**10.7**	**32**	**6**	**7**	**9**	**13**	**17**	**20**		**1522**	**9.9**	**22**	**5**	**7**	**9**	**12**	**17**	**19**
GRAND TOTAL	**8824**	**13.0**	**84**	**6**	**8**	**10**	**15**	**22**	**28**		**2945**	**11.0**	**46**	**6**	**7**	**9**	**13**	**18**	**23**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	28	13.1	9							18-34	23	8.5	4						
35-49	16	21.6	41							35-49	39	11.9	15	6	9	11	14	19	19
50-69	64	14.4	74	4	6	12	21	28	28	50-69	211	12.0	67	4	7	10	12	21	38
70 +	19	12.9	11							70 +	78	8.0	8	5	6	8	10	11	15
SUBTOTAL	**127**	**14.8**	**53**	**5**	**8**	**15**	**17**	**28**	**29**		**351**	**10.9**	**47**	**4**	**7**	**9**	**12**	**19**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	6	18.0								18-34	22	5.4	27						
35-49	0									35-49	6	7.0							
50-69	27	9.8	6							50-69	138	8.8	7	5	7	8	11	12	13
70 +	6	27.0								70 +	50	8.1	20	4	6	7	8	20	20
SUBTOTAL	**38**	**13.5**	**45**	**7**	**7**	**12**	**18**	**27**	**27**		**216**	**8.3**	**13**	**4**	**7**	**8**	**10**	**13**	**15**
GRAND TOTAL	**165**	**14.5**	**51**	**7**	**8**	**15**	**17**	**27**	**28**		**567**	**9.9**	**36**	**4**	**7**	**8**	**11**	**18**	**20**

DRG 472: Extensive Burns w/ O.R. Procedure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	35	22.8	296							0-17	43	31.8	124	20	26	30	38	99 +	99 +
70-74	11	36.7	13							18-34	80	37.8	570	10	16	31	56	68	86
75-79	0									35-49	28	41.2	162						
80-84	11	30.0	1							50-69	10	37.5							
85 +	6	55.0								70 +	0								
SUBTOTAL	**62**	**29.5**	**258**	**4**	**17**	**33**	**40**	**49**	**55**		**162**	**36.8**	**351**	**16**	**22**	**34**	**54**	**68**	**86**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	11	57.9	121							0-17	32	25.8	152						
70-74	6	29.0								18-34	35	17.2	56						
75-79	0									35-49	22	28.3	94						
80-84	0									50-69	17	26.0	200						
85 +	0									70 +	0								
SUBTOTAL	**16**	**48.0**	**278**								**105**	**23.5**	**133**	**11**	**15**	**20**	**32**	**45**	**48**
GRAND TOTAL	**79**	**33.3**	**316**	**4**	**29**	**33**	**47**	**55**	**68**		**267**	**31.6**	**307**	**13**	**19**	**30**	**45**	**57**	**68**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	68	35.6	139	22	27	37	50	99 +	99 +	0-17	16	30.2	176						
18-34	45	26.4	189	11	18	29	55	99 +	99 +	18-34	61	53.0	478	30	34	53	79	84	88
35-49	5	71.0								35-49	22	33.9	142						
50-69	11	24.3	33							50-69	5	48.0							
70 +	0									70 +	5	26.0							
SUBTOTAL	**129**	**32.9**	**224**	**18**	**22**	**33**	**55**	**99 +**	**99 +**		**109**	**44.3**	**426**	**25**	**29**	**37**	**53**	**87**	**96**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	44	25.9	117	15	19	23	41	45	45	0-17	17	27.3	896						
18-34	16	45.8	672							18-34	23	23.3	295						
35-49	6	4.0								35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**66**	**28.9**	**364**	**13**	**16**	**23**	**43**	**48**	**74**		**39**	**25.0**	**541**	**2**	**2**	**12**	**43**	**68**	**68**
GRAND TOTAL	**194**	**31.5**	**273**	**14**	**21**	**30**	**48**	**99 +**	**99 +**		**149**	**39.2**	**526**	**12**	**26**	**36**	**53**	**82**	**88**

DRG 473: Acute Leukemia w/o Major O.R. Procedure Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1193	25.5	323	4	8	27	37	50	64
70-74	1166	21.9	482	3	5	13	33	48	69
75-79	694	17.3	232	3	6	10	29	38	52
80-84	631	11.8	148	3	5	8	13	23	45
85 +	282	11.2	67	4	6	8	15	25	30
SUBTOTAL	**3966**	**19.8**	**335**	**3**	**6**	**12**	**31**	**45**	**57**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	163	8.0	62	2	4	5	9	20	28
70-74	182	9.1	105	1	2	5	9	28	32
75-79	183	8.9	98	2	4	4	9	28	35
80-84	64	8.2	53	2	3	5	11	15	28
85 +	67	8.6	31	4	5	6	9	20	20
SUBTOTAL	**658**	**8.6**	**80**	**2**	**3**	**5**	**9**	**27**	**32**
GRAND TOTAL	**4624**	**18.2**	**314**	**3**	**5**	**11**	**29**	**43**	**53**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	646	25.8	313	4	10	27	34	47	61
35-49	792	25.3	337	3	8	25	38	52	63
50-69	1431	25.0	347	3	7	27	36	54	64
70 +	150	19.4	208	4	7	19	30	38	45
	3018	**24.9**	**332**	**3**	**8**	**26**	**36**	**51**	**62**
0-17	0								
18-34	323	8.6	144	1	1	4	8	23	40
35-49	292	10.5	142	1	2	5	18	29	36
50-69	447	9.9	226	1	2	4	8	31	40
70 +	27	5.9	41						
	1090	**9.6**	**175**	**1**	**2**	**4**	**8**	**29**	**36**
	4108	**20.9**	**336**	**2**	**4**	**18**	**33**	**47**	**59**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	301	24.6	356	3	8	23	37	51	59
35-49	168	31.4	533	7	12	28	43	59	87
50-69	212	25.1	290	4	9	26	40	50	53
70 +	0								
SUBTOTAL	**681**	**26.4**	**386**	**3**	**8**	**26**	**40**	**51**	**59**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	167	8.8	129	1	2	3	8	28	36
35-49	39	7.5	37	1	3	7	11	20	20
50-69	29	12.2	295						
70 +	0								
SUBTOTAL	**234**	**9.0**	**134**	**1**	**2**	**4**	**9**	**23**	**36**
GRAND TOTAL	**915**	**22.0**	**379**	**2**	**5**	**18**	**37**	**51**	**56**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	369	24.3	320	3	7	26	38	52	53
35-49	292	30.4	353	6	18	30	38	58	76
50-69	241	23.6	414	3	7	23	33	48	76
70 +	52	4.1	5	1	2	4	5	7	7
	954	**24.9**	**369**	**3**	**7**	**26**	**36**	**52**	**67**
0-17	0								
18-34	159	6.8	95	< 1	< 1	3	7	28	31
35-49	65	10.0	115	1	5	7	9	34	34
50-69	75	5.0	34	1	2	3	5	8	24
70 +	16	2.6	2						
	317	**6.8**	**83**	**< 1**	**1**	**4**	**7**	**24**	**33**
	1271	**20.4**	**359**	**1**	**5**	**12**	**33**	**47**	**58**

DRG 475: Respiratory System Diagnosis with Ventilator Support

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	13304	15.0	130	5	8	12	19	28	38	0-17	1847	13.3	133	3	6	10	18	32	42
70-74	8863	16.2	142	6	9	13	20	31	40	18-34	1160	11.8	121	3	4	8	16	26	34
75-79	6989	16.0	132	6	9	13	20	29	36	35-49	1978	12.6	103	3	6	10	18	24	28
80-84	5047	16.7	165	6	8	13	21	33	42	50-69	6403	14.4	104	5	8	12	18	28	37
85 +	3473	16.2	132	6	8	14	20	32	44	70 +	1010	14.2	75	5	8	12	17	26	32
SUBTOTAL	**37676**	**15.8**	**138**	**5**	**8**	**13**	**20**	**30**	**39**		**12399**	**13.7**	**108**	**4**	**7**	**11**	**18**	**27**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	276	8.2	40	2	3	7	10	20	21	0-17	588	7.5	25	2	4	6	10	15	18
70-74	133	9.1	24	5	6	7	12	16	18	18-34	130	4.8	8	2	3	5	6	8	8
75-79	191	8.5	37	3	5	8	11	13	14	35-49	266	5.4	27	2	2	4	6	13	16
80-84	115	10.5	38	4	6	10	14	16	17	50-69	231	8.4	47	3	4	7	11	15	33
85 +	101	18.2	727	4	7	7	14	61	95	70 +	29	3.8	10						
SUBTOTAL	**817**	**10.0**	**130**	**3**	**5**	**8**	**12**	**16**	**24**		**1245**	**6.8**	**29**	**2**	**3**	**5**	**9**	**14**	**16**
GRAND TOTAL	**38492**	**15.7**	**139**	**5**	**8**	**13**	**20**	**30**	**39**		**13643**	**13.1**	**105**	**4**	**6**	**11**	**17**	**26**	**35**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1945	15.0	229	2	5	11	17	36	58	0-17	785	12.6	130	3	5	9	17	29	38
18-34	1074	12.6	123	4	5	9	18	25	38	18-34	837	10.5	98	2	4	7	14	25	34
35-49	1301	14.2	154	4	7	11	17	27	35	35-49	1147	12.8	130	3	5	10	16	26	38
50-69	2651	14.7	125	5	8	12	19	28	37	50-69	2467	12.9	81	4	7	11	17	25	31
70 +	310	15.1	196	4	8	10	18	33	57	70 +	478	14.6	118	4	7	12	20	29	32
SUBTOTAL	**7282**	**14.4**	**161**	**4**	**7**	**11**	**18**	**29**	**41**		**5714**	**12.6**	**104**	**3**	**5**	**10**	**17**	**26**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	398	9.5	40	2	5	8	12	20	20	0-17	386	5.7	17	2	3	5	7	12	14
18-34	140	8.4	48	2	4	6	10	17	28	18-34	244	4.5	8	2	3	4	6	9	11
35-49	69	8.3	34	3	3	5	13	18	20	35-49	121	5.9	27	1	2	4	7	13	20
50-69	50	9.0	43	2	4	7	12	17	25	50-69	162	7.7	47	2	3	5	12	15	26
70 +	6	9.0								70 +	0								
SUBTOTAL	**662**	**9.1**	**41**	**3**	**4**	**7**	**12**	**20**	**20**		**913**	**5.8**	**22**	**2**	**3**	**4**	**7**	**13**	**15**
GRAND TOTAL	**7944**	**14.0**	**153**	**4**	**6**	**11**	**18**	**28**	**39**		**6627**	**11.7**	**98**	**3**	**5**	**9**	**16**	**25**	**32**

DRG 478: Other Vascular Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	38120	8.3	84	1	3	6	10	18	25	0-17	1186	5.3	36	1	2	2	7	12	16
70-74	22442	9.7	88	2	4	7	12	20	28	18-34	838	6.6	66	1	2	3	8	18	24
75-79	18275	10.7	97	2	5	8	14	22	29	35-49	3745	7.8	71	1	3	5	10	16	22
80-84	10649	11.7	103	3	6	9	15	23	30	50-69	17781	8.6	66	2	4	6	11	17	22
85 +	6954	11.9	108	3	6	9	15	23	29	70 +	1708	11.0	103	2	5	8	14	23	32
SUBTOTAL	**96440**	**9.8**	**93**	**2**	**4**	**7**	**12**	**20**	**27**		**25259**	**8.4**	**69**	**1**	**3**	**6**	**10**	**17**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**96440**	**9.8**	**93**	**2**	**4**	**7**	**12**	**20**	**27**		**25259**	**8.4**	**69**	**1**	**3**	**6**	**10**	**17**	**23**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	506	10.8	155	2	2	7	13	21	33	0-17	548	5.8	26	1	2	5	8	11	15
18-34	627	6.6	96	1	2	3	7	14	33	18-34	444	6.6	41	1	2	4	9	18	20
35-49	1335	9.6	179	1	2	5	11	21	35	35-49	1234	7.8	48	1	2	6	11	17	22
50-69	4029	10.6	133	1	3	7	13	24	34	50-69	3360	8.6	62	1	4	7	11	17	25
70 +	462	13.4	152	1	6	9	22	29	34	70 +	1090	8.4	55	1	4	7	11	19	24
SUBTOTAL	**6959**	**10.2**	**144**	**1**	**3**	**7**	**13**	**23**	**34**		**6676**	**8.1**	**55**	**1**	**3**	**6**	**10**	**17**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**6959**	**10.2**	**144**	**1**	**3**	**7**	**13**	**23**	**34**		**6676**	**8.1**	**55**	**1**	**3**	**6**	**10**	**17**	**23**

Total U.S., July 1990 - June 1991

DRG 479: Other Vascular Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	7896	4.9	14	1	2	4	7	9	11	0-17	838	3.0	8	1	1	2	4	6	9
70-74	5550	5.2	16	1	2	5	7	10	12	18-34	545	4.7	18	1	2	3	7	10	16
75-79	4581	5.5	16	1	2	5	7	11	13	35-49	3018	4.1	9	1	2	3	5	8	10
80-84	2352	6.1	36	1	2	5	8	11	13	50-69	10934	4.6	15	1	2	4	6	9	11
85 +	1115	6.8	21	1	3	6	9	14	15	70 +	382	4.7	9	1	2	5	6	9	11
SUBTOTAL	**21494**	**5.3**	**18**	**1**	**2**	**5**	**7**	**10**	**12**		**15716**	**4.4**	**13**	**1**	**2**	**4**	**6**	**8**	**11**
GRAND TOTAL	**21494**	**5.3**	**18**	**1**	**2**	**5**	**7**	**10**	**12**		**15716**	**4.4**	**13**	**1**	**2**	**4**	**6**	**8**	**11**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	191	5.9	24	1	1	6	8	13	14	0-17	403	3.2	12	1	1	2	3	8	12
18-34	121	4.0	4	2	2	3	5	7	8	18-34	224	4.5	17	1	1	3	6	9	16
35-49	296	6.1	42	1	2	4	8	13	21	35-49	684	4.5	34	1	2	4	5	8	10
50-69	987	6.1	27	1	3	5	8	11	16	50-69	2004	4.7	17	1	2	4	6	10	13
70 +	92	12.3	131	1	7	10	17	22	50	70 +	391	4.3	13	1	1	3	6	11	13
SUBTOTAL	**1686**	**6.3**	**35**	**1**	**3**	**5**	**8**	**13**	**17**		**3707**	**4.5**	**20**	**1**	**1**	**4**	**6**	**9**	**13**
GRAND TOTAL	**1686**	**6.3**	**35**	**1**	**3**	**5**	**8**	**13**	**17**		**3707**	**4.5**	**20**	**1**	**1**	**4**	**6**	**9**	**13**

DRG 480: Liver Transplant

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	33	21.2	33	16	18	19	50	99 +	99 +
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**33**	**21.2**	**33**	**16**	**18**	**19**	**50**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**33**	**21.2**	**33**	**16**	**18**	**19**	**50**	**99 +**	**99 +**

BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	459	36.8	563	15	21	31	55	99	99 +
18-34	70	33.2	369	17	18	36	40	55	79
35-49	188	34.0	555	14	16	26	51	87	99 +
50-69	155	32.1	254	13	21	27	51	58	68
70 +	0								
	873	**35.1**	**493**	**15**	**18**	**29**	**54**	**95**	**99 +**
0-17	60	16.2	17	11	13	17	20	22	24
18-34	6	22.0							
35-49	6	25.0							
50-69	0								
70 +	0								
	72	**17.4**	**22**	**11**	**13**	**17**	**21**	**24**	**25**
	944	**33.7**	**479**	**14**	**18**	**26**	**53**	**87**	**99 +**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	194	46.1	684	16	29	53	78	99 +	99 +
18-34	26	41.2	395	23	25	44	77	99 +	99 +
35-49	32	25.0	71	14	17	31	33	35	35
50-69	11	26.0	40						
70 +	0								
SUBTOTAL	**264**	**42.2**	**610**	**16**	**25**	**34**	**74**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	49	24.6	85						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**49**	**24.6**	**85**						
GRAND TOTAL	**313**	**39.4**	**568**	**14**	**25**	**34**	**72**	**94**	**99 +**

NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	182	40.4	162	26	32	40	59	99 +	99 +
18-34	11	40.0	860						
35-49	34	20.2	46	12	15	18	25	32	32
50-69	16	46.4	69						
70 +	0								
	244	**38.0**	**221**	**17**	**29**	**40**	**59**	**99 +**	**99 +**
0-17	13	14.0							
18-34	0								
35-49	6	2.0							
50-69	0								
70 +	0								
	19	**10.4**	**32**						
	263	**36.0**	**258**	**15**	**26**	**37**	**58**	**99 +**	**99 +**

DRG 481: Bone Marrow Transplant

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	24	34.0	79							0-17	548	41.9	175	28	33	41	50	60	73
70-74	16	20.7	67							18-34	230	41.6	239	31	32	36	43	60	84
75-79	0									35-49	394	40.8	175	27	34	39	47	60	78
80-84	10	12.0								50-69	109	43.4	193	27	34	41	57	63	75
85 +	5	18.0								70 +	0								
SUBTOTAL	55	24.6	129	10	12	25	27	42	42		1281	41.6	188	29	33	39	48	61	75
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10	1.0								0-17	37	47.5	99	32	38	47	55	64	64
70-74	0									18-34	32	18.8	243						
75-79	23	3.9	1							35-49	66	19.3	445	< 1	1	7	38	52	52
80-84	5	27.0								50-69	16	22.1	711						
85 +	0									70 +	0								
SUBTOTAL	39	6.2	71								150	26.4	485	< 1	2	30	47	55	57
GRAND TOTAL	94	17.0	187	1	4	12	26	42	42		1431	40.0	241	26	32	39	48	60	73

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	128	50.3	259	32	39	52	66	99 +	99 +	0-17	155	47.0	228	32	35	46	53	72	96
18-34	55	41.5	200	27	34	38	51	78	99 +	18-34	49	44.6	371	27	28	40	48	84	84
35-49	28	39.6	317							35-49	38	37.2	71	25	32	34	45	52	52
50-69	0									50-69	27	26.5	240						
70 +	0									70 +	0								
SUBTOTAL	211	46.6	271	31	34	47	59	99	99 +		269	43.1	273	28	33	40	52	72	84
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	22	44.8	124							0-17	26	18.5	319						
18-34	10	1.0								18-34	32	12.3	220						
35-49	0									35-49	11	46.0	580						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	32	30.8	516								69	20.1	444	1	1	23	36	36	69
GRAND TOTAL	243	44.5	330	29	34	43	58	96	99 +		338	38.4	393	3	31	37	47	69	84

DRG 482: Tracheostomy w/ Mouth, Larynx or Pharynx Disorder

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2164	17.2	121	8	10	14	21	31	37	0-17	299	16.6	145	6	8	12	24	45	99+
70-74	1479	18.9	191	8	11	14	22	34	49	18-34	141	10.9	38	4	7	10	14	21	24
75-79	855	16.3	164	7	9	13	19	35	52	35-49	661	13.4	79	4	7	12	16	29	35
80-84	330	20.5	402	7	9	14	20	62	88	50-69	2393	16.8	125	7	10	13	21	29	41
85+	182	18.4	102	6	12	17	22	28	45	70+	130	21.3	360	6	10	14	24	53	73
SUBTOTAL	**5010**	**17.8**	**168**	**8**	**10**	**14**	**21**	**33**	**45**		**3625**	**16.1**	**127**	**6**	**9**	**13**	**20**	**29**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	614	11.7	47	5	8	11	13	20	23	0-17	137	12.7	71	4	8	10	16	20	20
70-74	366	12.1	90	4	7	10	13	17	32	18-34	111	8.1	11	5	6	9	11	12	14
75-79	216	10.7	33	3	6	10	14	19	22	35-49	450	9.3	23	4	6	9	11	16	20
80-84	91	13.6	78	5	8	11	19	31	36	50-69	1071	9.8	36	4	6	9	12	15	17
85+	39	10.7	25	3	7	12	14	19	19	70+	55	10.9	12	6	9	9	12	18	18
SUBTOTAL	**1326**	**11.8**	**58**	**4**	**7**	**11**	**13**	**19**	**24**		**1823**	**9.8**	**34**	**4**	**6**	**9**	**12**	**16**	**20**
GRAND TOTAL	**6337**	**16.5**	**151**	**7**	**9**	**13**	**19**	**31**	**41**		**5448**	**14.0**	**105**	**5**	**8**	**11**	**16**	**26**	**37**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	225	27.3	609	8	9	17	40	83	95	0-17	111	31.1	740	3	9	19	56	79	94
18-34	111	13.9	99	6	8	12	16	21	46	18-34	150	14.2	109	5	7	11	17	29	45
35-49	394	20.4	166	7	12	17	26	37	48	35-49	261	17.0	123	8	9	14	21	29	37
50-69	724	18.8	179	7	10	16	25	38	57	50-69	659	15.0	112	6	9	11	17	30	34
70+	41	19.4	61	7	12	24	26	29	29	70+	47	28.7	723	7	11	14	72	72	72
SUBTOTAL	**1495**	**20.2**	**242**	**7**	**10**	**16**	**26**	**43**	**63**		**1229**	**17.3**	**219**	**6**	**9**	**12**	**21**	**34**	**53**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	171	27.9	566	4	10	23	30	68	79	0-17	84	14.6	321	6	6	11	16	16	79
18-34	66	7.4	12	3	4	9	10	11	14	18-34	128	8.6	15	6	6	8	11	14	15
35-49	159	12.1	101	5	7	10	13	20	20	35-49	123	12.0	157	2	4	10	12	29	41
50-69	175	13.7	161	4	7	10	16	21	31	50-69	282	10.5	32	5	6	10	12	18	21
70+	17	15.3	97							70+	11	6.0							
SUBTOTAL	**588**	**16.7**	**298**	**4**	**7**	**10**	**20**	**30**	**64**		**627**	**10.9**	**94**	**4**	**6**	**9**	**12**	**17**	**23**
GRAND TOTAL	**2083**	**19.2**	**260**	**6**	**10**	**14**	**24**	**38**	**64**		**1856**	**15.2**	**186**	**6**	**7**	**11**	**17**	**29**	**47**

DRG 483: Tracheostomy except for Mouth, Larynx or Pharynx Disorder

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4865	45.3	625	15	31	49	84	99+	99+	0-17	956	39.0	432	17	30	51	99+	99+	99+
70-74	2742	49.1	581	17	36	56	86	99+	99+	18-34	2377	39.6	565	13	20	37	59	87	99+
75-79	2436	48.7	552	18	35	52	78	99+	99+	35-49	1964	38.2	527	10	23	40	67	99+	99+
80-84	1414	48.5	538	21	37	54	96	99+	99+	50-69	3354	46.9	569	17	32	50	78	99+	99+
85+	758	46.0	534	20	28	48	70	98	99+	70+	466	53.2	522	27	39	55	86	99+	99+
SUBTOTAL	**12215**	**47.2**	**588**	**17**	**33**	**52**	**84**	**99+**	**99+**		**9119**	**42.6**	**563**	**14**	**28**	**45**	**76**	**99+**	**99+**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	221	16.3	298	3	6	9	28	35	46	0-17	257	20.8	401	4	8	14	44	65	99+
70-74	65	26.2	994	5	5	7	37	78	84	18-34	223	9.7	57	3	4	8	15	18	23
75-79	50	11.9	33	5	8	11	14	21	21	35-49	180	6.9	84	2	3	5	8	9	13
80-84	31	7.0								50-69	182	10.2	84	3	5	7	12	24	37
85+	6	4.0								70+	0								
SUBTOTAL	**372**	**16.4**	**380**	**3**	**7**	**9**	**19**	**35**	**78**		**843**	**12.6**	**204**	**2**	**4**	**8**	**16**	**43**	**64**
GRAND TOTAL	**12587**	**46.3**	**609**	**15**	**32**	**51**	**83**	**99+**	**99+**		**9962**	**40.1**	**602**	**10**	**23**	**42**	**73**	**99+**	**99+**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	705	38.9	630	13	28	72	99+	99+	99+	0-17	284	38.9	707	8	19	59	99+	99+	99+
18-34	1085	41.8	557	14	26	47	96	99+	99+	18-34	1064	37.0	589	9	15	36	58	84	94
35-49	932	46.4	581	15	34	53	86	99+	99+	35-49	747	39.8	641	9	21	39	63	97	99+
50-69	835	46.0	652	14	32	51	90	99+	99+	50-69	899	43.0	539	11	27	46	69	99+	99+
70+	97	54.1	268	34	50	71	99+	99+	99+	70+	254	42.2	568	17	24	46	85	99+	99+
SUBTOTAL	**3655**	**43.7**	**602**	**15**	**31**	**53**	**99+**	**99+**	**99+**		**3248**	**39.9**	**601**	**9**	**21**	**42**	**66**	**99+**	**99+**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	133	26.7	599	3	9	22	53	99+	99+	0-17	123	23.0	457	7	10	17	37	60	99
18-34	118	18.2	507	4	6	10	29	90	99+	18-34	228	11.7	176	4	6	7	13	19	30
35-49	64	25.3	686	7	8	10	52	71	71	35-49	88	7.8	28	1	3	7	11	17	17
50-69	74	18.0	236	3	9	12	25	38	55	50-69	34	12.5	61	4	7	13	14	28	28
70+	0									70+	6	48.0							
SUBTOTAL	**389**	**22.2**	**529**	**4**	**8**	**14**	**44**	**94**	**99+**		**479**	**14.4**	**254**	**3**	**6**	**10**	**17**	**30**	**48**
GRAND TOTAL	**4044**	**41.6**	**635**	**12**	**27**	**51**	**99+**	**99+**	**99+**		**3727**	**36.6**	**629**	**8**	**15**	**38**	**63**	**99**	**99+**

DRG 484: Craniotomy for Multiple Significant Trauma

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	16	57.5	300							0-17	262	19.3	114	7	14	17	27	40	99 +
70-74	5	11.0								18-34	345	21.4	138	9	13	20	30	36	43
75-79	11	22.5	79							35-49	169	24.6	184	13	17	20	32	57	99 +
80-84	24	24.7	50							50-69	79	24.9	291	7	9	25	31	60	60
85 +	18	33.6	146							70 +	39	23.4	316	9	12	18	30	63	63
SUBTOTAL	75	32.5	325	14	20	31	41	70	70		893	21.8	164	8	13	20	30	41	57
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	49	14.7	165						
70-74	0									18-34	22	22.1	86						
75-79	0									35-49	28	24.9	224						
80-84	0									50-69	6	8.0							
85 +	0									70 +	0								
SUBTOTAL	0										104	18.6	179	7	9	13	28	40	44
GRAND TOTAL	75	32.5	325	14	20	31	41	70	70		998	21.4	166	8	13	19	30	41	57

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	91	21.7	161	8	12	15	37	38	47	0-17	61	21.4	53	13	15	22	26	29	38
18-34	126	33.5	450	10	17	37	71	99 +	99 +	18-34	240	25.5	248	8	13	25	37	47	52
35-49	35	30.8	857							35-49	67	16.6	62	6	11	16	24	27	30
50-69	11	25.2	69							50-69	11	28.0	70						
70 +	0									70 +	0								
SUBTOTAL	262	28.7	412	9	13	29	54	99 +	99 +		379	23.4	190	8	13	22	30	38	47
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	33.0								0-17	5	10.0							
18-34	6	7.0								18-34	6	32.0							
35-49	6	13.0								35-49	0								
50-69	0									50-69	6	7.0							
70 +	0									70 +	0								
SUBTOTAL	17	17.7	131								17	16.1	133						
GRAND TOTAL	279	28.0	402	9	12	28	47	99 +	99 +		396	23.0	189	8	12	22	30	38	47

DRG 485: Limb Reattachment, Hip And Femur Proc for Multiple Significant Trauma

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	279	20.4	339	9	10	14	20	46	61	0-17	804	16.5	159	7	9	13	21	28	36
70-74	125	17.6	318	8	9	12	15	27	56	18-34	2556	17.8	148	7	10	14	22	32	42
75-79	379	15.2	86	6	9	12	19	26	37	35-49	1008	19.6	143	8	11	16	27	37	45
80-84	567	14.6	48	8	9	13	18	24	28	50-69	512	23.3	238	9	12	20	28	47	51
85 +	704	12.8	28	7	9	12	15	20	26	70 +	241	24.4	229	9	12	19	39	49	54
SUBTOTAL	**2053**	**15.1**	**110**	**7**	**9**	**13**	**17**	**24**	**31**		**5122**	**18.8**	**166**	**8**	**10**	**15**	**24**	**35**	**48**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	18	9.0	12							0-17	32	7.6	15	4	4	7	9	15	15
70-74	16	8.4	4							18-34	91	21.4	655	5	8	9	25	82	82
75-79	10	10.0								35-49	6	9.0							
80-84	12	47.0								50-69	11	9.0	1						
85 +	17	7.3								70 +	0								
SUBTOTAL	**74**	**15.0**	**214**	**7**	**7**	**9**	**11**	**47**	**47**		**140**	**16.7**	**469**	**4**	**7**	**9**	**14**	**29**	**82**
GRAND TOTAL	**2127**	**15.1**	**113**	**7**	**9**	**12**	**17**	**25**	**32**		**5262**	**18.7**	**174**	**7**	**10**	**15**	**24**	**35**	**49**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	171	18.6	208	7	10	15	23	33	60	0-17	358	16.1	78	8	11	14	18	29	41
18-34	458	18.3	90	7	12	17	24	33	41	18-34	1151	17.5	130	7	10	13	22	36	38
35-49	137	21.2	245	9	14	16	21	64	69	35-49	416	22.8	257	8	11	18	30	43	59
50-69	33	17.2	29							50-69	92	14.7	108	6	9	13	16	50	86
70 +	0									70 +	80	15.7	89	1	8	15	21	25	37
SUBTOTAL	**799**	**18.8**	**140**	**7**	**12**	**17**	**23**	**36**	**44**		**2096**	**18.1**	**149**	**8**	**10**	**14**	**23**	**37**	**43**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	4.0								0-17	10	9.0							
18-34	27	20.5	230							18-34	21	12.7	20						
35-49	6	33.0								35-49	28	9.4	57						
50-69	0									50-69	6	9.0							
70 +	0									70 +	5	10.0							
SUBTOTAL	**39**	**19.6**	**225**	**3**	**4**	**24**	**37**	**37**	**37**		**70**	**10.3**	**30**	**4**	**7**	**9**	**11**	**17**	**23**
GRAND TOTAL	**838**	**18.9**	**144**	**7**	**11**	**17**	**24**	**37**	**42**		**2166**	**17.8**	**147**	**8**	**10**	**14**	**23**	**36**	**42**

DRG 486: Other O.R. Procedures for Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	480	15.6	134	6	8	13	19	32	53
70-74	162	20.4	145	9	11	14	30	40	42
75-79	138	20.3	150	9	12	19	25	27	53
80-84	94	22.5	170	8	9	16	36	39	45
85 +	48	18.8	81	6	10	19	28	31	31
SUBTOTAL	**923**	**18.0**	**146**	**6**	**10**	**14**	**25**	**36**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	25	7.3	4						
70-74	0								
75-79	6	14.0							
80-84	19	5.4	14						
85 +	5	7.0							
SUBTOTAL	**54**	**7.3**	**13**	**3**	**4**	**7**	**9**	**14**	**14**
GRAND TOTAL	**977**	**17.4**	**144**	**6**	**9**	**13**	**25**	**36**	**44**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	2256	14.4	164	5	7	10	18	27	43
18-34	5164	14.8	164	5	7	10	18	30	41
35-49	2161	15.5	136	6	8	12	18	30	47
50-69	1142	18.8	158	7	10	14	27	40	49
70 +	342	20.3	121	8	14	18	26	38	59
	11066	**15.4**	**159**	**5**	**8**	**11**	**19**	**31**	**43**
0-17	114	14.6	181	4	7	9	13	41	48
18-34	174	12.2	231	4	6	8	12	19	27
35-49	62	7.1	5	5	6	7	8	9	13
50-69	54	14.7	59	1	9	12	23	25	25
70 +	0								
	403	**12.4**	**165**	**4**	**6**	**9**	**12**	**23**	**41**
	11470	**15.3**	**159**	**5**	**7**	**11**	**19**	**31**	**43**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	574	17.3	235	4	7	11	24	34	57
18-34	2046	18.7	311	6	9	13	23	45	63
35-49	468	24.5	465	6	9	17	40	65	91
50-69	109	20.8	289	5	11	14	25	62	62
70 +	0								
SUBTOTAL	**3197**	**19.4**	**324**	**6**	**8**	**13**	**25**	**45**	**66**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	29	10.0	14						
18-34	78	10.3	28	3	7	10	15	19	19
35-49	6	12.0							
50-69	0								
70 +	0								
SUBTOTAL	**113**	**10.3**	**23**	**3**	**7**	**10**	**13**	**16**	**19**
GRAND TOTAL	**3310**	**19.1**	**316**	**6**	**8**	**13**	**24**	**45**	**64**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	866	13.6	108	5	6	9	19	27	37
18-34	5368	13.2	111	5	7	10	16	27	36
35-49	1336	15.4	154	5	8	11	18	32	44
50-69	356	16.3	151	7	9	11	23	47	58
70 +	60	19.2	430	8	9	13	23	99 +	99 +
	7985	**13.8**	**123**	**5**	**7**	**10**	**17**	**29**	**38**
0-17	56	7.4	21	3	4	6	9	17	19
18-34	272	10.6	103	4	5	8	11	18	38
35-49	98	13.4	51	6	7	13	16	29	29
50-69	6	11.0							
70 +	0								
	432	**10.9**	**82**	**4**	**6**	**8**	**13**	**18**	**29**
	8418	**13.6**	**121**	**5**	**7**	**10**	**17**	**29**	**37**

DRG 487: Other Multiple Significant Trauma

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	486	13.1	140	3	6	10	15	26	32	0-17	2457	9.3	72	2	4	7	11	20	27
70-74	441	11.5	99	3	5	7	17	24	30	18-34	3216	9.9	109	2	4	7	12	20	32
75-79	438	15.4	158	4	7	12	18	35	43	35-49	1946	9.7	80	3	5	8	12	18	25
80-84	451	12.9	67	4	7	11	16	27	31	50-69	1279	10.8	127	3	5	8	12	20	32
85 +	513	10.9	64	3	5	8	14	22	27	70 +	518	15.1	134	5	8	12	18	36	46
SUBTOTAL	2329	12.7	107	4	6	10	16	26	32		9417	10.1	99	2	4	7	12	20	30
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	7.3	4							0-17	222	7.6	50	1	3	6	9	20	22
70-74	12	10.0								18-34	145	6.7	22	1	3	6	9	14	17
75-79	10	6.0								35-49	30	5.0	5						
80-84	10	14.0								50-69	94	6.8	16	2	3	5	10	13	14
85 +	11	7.9	4							70 +	15	12.1	174						
SUBTOTAL	60	8.9	9	6	6	10	10	14	14		508	7.2	37	1	3	6	9	14	20
GRAND TOTAL	2388	12.6	105	4	6	10	16	26	32		9925	10.0	96	2	4	7	12	20	30

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	625	10.4	64	3	5	8	14	21	23	0-17	1120	9.7	112	2	3	7	13	21	27
18-34	609	11.0	124	3	4	7	13	30	32	18-34	2228	8.1	69	2	3	6	10	16	25
35-49	171	14.3	116	3	6	11	19	40	99 +	35-49	970	10.3	130	2	4	7	11	25	41
50-69	143	21.9	462	3	7	13	22	69	69	50-69	428	11.6	163	2	5	8	14	26	28
70 +	28	7.5	7							70 +	98	14.6	224	3	6	9	17	32	61
SUBTOTAL	1577	12.0	139	3	5	8	15	29	40		4844	9.3	104	2	3	6	11	20	28
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	110	7.3	50	1	3	4	11	21	24	0-17	132	8.5	51	2	3	7	8	22	23
18-34	17	5.3	2							18-34	202	7.8	69	1	2	4	11	26	28
35-49	16	4.6	4							35-49	28	8.8	23						
50-69	10	28.0								50-69	20	5.5							
70 +	0									70 +	0								
SUBTOTAL	153	8.2	66	2	3	5	11	24	28		383	8.0	56	1	3	5	11	22	26
GRAND TOTAL	1729	11.7	134	3	5	8	15	27	40		5226	9.2	101	2	3	6	11	20	28

DRG 488: HIV w/ Extensive O.R. Procedure

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	252	19.9	210	8	10	16	26	53	57
70-74	23	54.6	1821						
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**275**	**22.8**	**433**	**8**	**8**	**16**	**26**	**57**	**92**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**275**	**22.8**	**433**	**8**	**8**	**16**	**26**	**57**	**92**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	954	18.9	244	5	9	15	25	43	59
35-49	1310	20.0	226	6	9	18	24	38	54
50-69	405	27.2	556	8	11	18	36	79	80
70 +	6	6.0							
	2675	**20.6**	**290**	**6**	**9**	**17**	**25**	**49**	**64**
0-17	0								
18-34	16	12.5	12						
35-49	0								
50-69	0								
70 +	0								
	16	**12.5**	**12**						
	2691	**20.6**	**289**	**6**	**9**	**17**	**25**	**49**	**60**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	63	18.1	662	7	8	13	99	99 +	99 +
18-34	850	22.9	432	7	12	18	25	56	96
35-49	797	24.5	291	8	13	21	32	46	61
50-69	72	25.1	220	17	18	21	24	31	75
70 +	0								
SUBTOTAL	**1783**	**23.5**	**370**	**8**	**12**	**19**	**29**	**56**	**95**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	17	7.0	16						
35-49	16	8.6	4						
50-69	0								
70 +	0								
SUBTOTAL	**32**	**7.8**	**10**						
GRAND TOTAL	**1815**	**23.2**	**367**	**7**	**12**	**19**	**29**	**55**	**94**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	13.0	27						
18-34	603	19.2	322	5	9	14	24	38	66
35-49	421	19.8	171	7	12	16	26	57	62
50-69	88	22.9	143	9	16	19	26	49	49
70 +	0								
	1124	**19.6**	**249**	**6**	**10**	**15**	**24**	**39**	**62**
0-17	0								
18-34	0								
35-49	12	50.0							
50-69	0								
70 +	0								
	12	**50.0**							
	1137	**20.0**	**256**	**6**	**10**	**15**	**25**	**39**	**62**

DRG 489: HIV w/ Major Related Condition

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2464	15.4	173	4	7	11	20	35	46	0-17	335	8.8	29	2	4	8	11	15	20
70-74	71	20.1	323	3	5	12	40	48	55	18-34	5282	13.0	125	3	6	10	16	25	38
75-79	0									35-49	7646	14.0	128	4	6	11	18	26	36
80-84	6	12.0								50-69	1344	15.9	164	5	8	13	21	32	42
85 +	0									70 +	26	30.9	672						
SUBTOTAL	**2541**	**15.5**	**177**	**4**	**7**	**12**	**20**	**35**	**46**		**14634**	**13.7**	**131**	**4**	**6**	**11**	**17**	**26**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	74	6.4	28	2	4	5	5	18	18
75-79	0									35-49	59	6.3	17	3	5	5	7	7	19
80-84	0									50-69	23	10.9	258						
85 +	0									70 +	0								
SUBTOTAL	**0**										**156**	**7.1**	**59**	**1**	**3**	**5**	**6**	**18**	**19**
GRAND TOTAL	**2541**	**15.5**	**177**	**4**	**7**	**12**	**20**	**35**	**46**		**14790**	**13.7**	**130**	**4**	**6**	**11**	**17**	**26**	**37**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1403	12.5	183	2	4	9	16	27	40	0-17	245	13.8	164	2	3	10	24	36	40
18-34	8277	13.8	152	4	6	10	17	28	36	18-34	3798	12.9	115	3	6	10	17	25	33
35-49	6900	16.7	234	4	7	13	22	35	56	35-49	3405	13.2	98	4	6	11	18	25	34
50-69	773	16.9	196	5	8	14	23	40	52	50-69	633	15.6	162	4	8	12	20	32	46
70 +	0									70 +	0								
SUBTOTAL	**17353**	**15.0**	**191**	**4**	**6**	**11**	**20**	**31**	**44**		**8081**	**13.3**	**113**	**3**	**6**	**11**	**18**	**26**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	24	12.6	30							0-17	0								
18-34	85	10.9	165	3	3	5	14	22	52	18-34	46	21.2	185	2	14	22	38	38	38
35-49	115	11.2	77	1	4	8	16	25	25	35-49	62	11.8	192	4	5	8	11	19	54
50-69	6	3.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**230**	**11.0**	**104**	**3**	**3**	**7**	**16**	**22**	**25**		**108**	**15.8**	**209**	**3**	**5**	**10**	**22**	**38**	**53**
GRAND TOTAL	**17583**	**14.9**	**190**	**4**	**6**	**11**	**19**	**31**	**44**		**8189**	**13.3**	**115**	**3**	**6**	**11**	**18**	**27**	**35**

DRG 490: HIV w/ or w/o Other Related Condition

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	720	9.6	123	2	3	6	12	21	30
70-74	39	6.0	2						
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**759**	**9.4**	**118**	**2**	**3**	**6**	**12**	**21**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	13.4	75						
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**16**	**13.4**	**75**						
GRAND TOTAL	**775**	**9.5**	**117**	**2**	**4**	**6**	**12**	**21**	**30**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	311	6.5	58	1	2	4	8	17	23
18-34	1889	7.7	48	2	3	6	10	17	24
35-49	2700	9.3	121	1	3	6	11	22	28
50-69	559	9.3	108	2	3	8	10	19	32
70+	0								
	5459	**8.6**	**91**	**1**	**3**	**6**	**10**	**19**	**26**
0-17	5	9.0							
18-34	127	7.1	52	1	3	4	7	22	25
35-49	132	5.7	15	2	3	4	8	11	14
50-69	45	3.9	5						
70+	0								
	309	**6.1**	**29**	**2**	**3**	**4**	**7**	**14**	**22**
	5768	**8.5**	**88**	**1**	**3**	**6**	**10**	**19**	**26**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1087	7.8	106	1	2	4	9	18	30
18-34	2895	7.9	65	2	3	5	10	18	22
35-49	2111	8.9	131	1	3	5	10	20	31
50-69	276	15.8	360	2	4	12	16	40	44
70+	0								
SUBTOTAL	**6369**	**8.6**	**109**	**1**	**3**	**5**	**10**	**19**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	172	2.3	11	<1	1	1	2	4	11
18-34	250	6.5	29	1	2	5	10	15	19
35-49	130	4.8	27	2	2	4	5	6	11
50-69	6	10.0							
70+	0								
SUBTOTAL	**557**	**4.9**	**26**	**1**	**1**	**3**	**6**	**12**	**16**
GRAND TOTAL	**6926**	**8.3**	**103**	**1**	**3**	**5**	**10**	**18**	**27**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	295	6.2	64	1	2	4	7	19	32
18-34	1028	8.0	118	1	3	5	8	14	26
35-49	1146	9.6	106	2	4	6	12	21	31
50-69	190	9.2	112	1	3	4	13	29	33
70+	0								
	2659	**8.6**	**107**	**2**	**3**	**5**	**10**	**19**	**31**
0-17	86	2.2	14	1	1	1	2	2	16
18-34	216	8.8	113	2	3	6	9	13	21
35-49	189	7.0	34	1	2	5	13	16	19
50-69	6	18.0							
70+	0								
	497	**7.1**	**71**	**1**	**2**	**5**	**9**	**16**	**19**
	3156	**8.3**	**102**	**1**	**3**	**5**	**10**	**19**	**27**

Total U.S., July 1990 - June 1991

DRG 491: Major Joint And Limb Reattachment Procedures, Upper Extremity

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	720	7.1	22	3	4	6	9	11	22
70-74	665	7.2	18	3	5	6	9	11	15
75-79	634	8.1	28	3	5	7	10	15	18
80-84	431	9.5	45	4	5	7	12	18	26
85 +	235	8.7	26	4	5	8	10	14	22
SUBTOTAL	**2684**	**7.9**	**27**	**3**	**5**	**7**	**9**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1316	4.3	5	2	3	4	5	7	8
70-74	947	5.0	5	3	3	5	6	9	10
75-79	690	5.6	11	3	4	5	7	9	11
80-84	440	5.6	5	3	4	5	7	9	10
85 +	186	6.9	12	4	5	7	8	10	13
SUBTOTAL	**3579**	**5.1**	**7**	**2**	**3**	**5**	**6**	**8**	**10**
GRAND TOTAL	**6263**	**6.3**	**18**	**3**	**4**	**5**	**8**	**10**	**14**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	41	5.4	6	4	4	4	6	11	11
35-49	159	6.5	19	2	3	5	8	14	16
50-69	462	5.9	14	3	3	5	7	11	13
70 +	84	7.8	57	3	5	6	7	12	35
	745	**6.2**	**20**	**3**	**3**	**5**	**7**	**11**	**14**
0-17	12	2.0							
18-34	298	2.6	2	1	1	2	3	4	7
35-49	536	3.5	4	1	2	3	5	7	7
50-69	1229	4.1	7	2	3	3	5	7	8
70 +	134	4.1	3	2	3	5	6	6	6
	2210	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
	2954	**4.3**	**11**	**2**	**2**	**4**	**5**	**8**	**9**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	8.0							
35-49	43	7.5	2	5	6	8	8	9	9
50-69	59	8.7	22	4	5	8	13	15	17
70 +	0								
SUBTOTAL	**107**	**8.2**	**13**	**4**	**7**	**8**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	34	4.4	4	1	4	4	5	8	8
35-49	49	7.7	31	1	6	7	7	22	22
50-69	103	4.8	3	3	4	4	6	7	9
70 +	5	4.0							
SUBTOTAL	**192**	**5.4**	**12**	**1**	**4**	**5**	**7**	**8**	**9**
GRAND TOTAL	**299**	**6.4**	**14**	**4**	**4**	**6**	**8**	**9**	**13**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	11	3.5							
35-49	29	3.0							
50-69	118	5.9	8	3	4	5	9	10	12
70 +	29	9.6	24						
	188	**5.9**	**13**	**3**	**3**	**5**	**8**	**10**	**14**
0-17	6	3.0							
18-34	51	2.3	1	1	1	2	3	4	4
35-49	92	4.6	6	2	2	5	7	8	8
50-69	189	3.5	3	2	2	3	5	6	7
70 +	62	4.2	3	2	3	4	5	7	7
	400	**3.7**	**4**	**2**	**2**	**3**	**5**	**7**	**8**
	588	**4.4**	**8**	**2**	**3**	**4**	**5**	**8**	**9**

DRG 492: Chemotherapy w/ Acute Leukemia As Secondary Diagnosis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	577	11.5	137	3	5	6	18	30	37	0-17	7115	3.1	13	1	2	2	3	5	6
70-74	257	13.8	238	3	5	6	24	35	50	18-34	1017	5.8	68	1	2	4	6	8	24
75-79	155	13.7	219	1	5	5	23	34	42	35-49	604	12.4	181	2	4	5	23	35	40
80-84	29	28.3	337							50-69	902	11.3	121	2	4	6	22	30	32
85 +	0									70 +	19	13.5	175						
SUBTOTAL	**1018**	**12.9**	**188**	**3**	**5**	**6**	**19**	**34**	**47**		**9657**	**4.8**	**50**	**1**	**2**	**3**	**4**	**7**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1018**	**12.9**	**188**	**3**	**5**	**6**	**19**	**34**	**47**		**9657**	**4.8**	**50**	**1**	**2**	**3**	**4**	**7**	**23**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	2912	3.5	18	1	2	3	4	5	7	0-17	1384	4.0	60	2	2	3	4	6	7
18-34	330	10.0	100	1	4	6	14	23	25	18-34	202	9.3	92	2	4	5	11	29	34
35-49	135	14.0	465	3	4	5	15	64	88	35-49	128	13.7	126	4	4	6	24	32	32
50-69	94	7.8	69	2	3	5	6	22	33	50-69	68	20.9	153	5	7	24	30	33	42
70 +	0									70 +	6	6.0							
SUBTOTAL	**3472**	**4.6**	**52**	**1**	**2**	**3**	**5**	**7**	**15**		**1789**	**5.9**	**88**	**2**	**2**	**3**	**5**	**11**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3472**	**4.6**	**52**	**1**	**2**	**3**	**5**	**7**	**15**		**1789**	**5.9**	**88**	**2**	**2**	**3**	**5**	**11**	**25**

Appendices

Appendix 1

1990-91 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

HOSPITAL CATEGORY	UNIVERSE TOTAL[2]	LOS BY DRG SAMPLE	%
Region			
Northeastern	759	91	12.0
North Central	1,554	311	20.0
Southern	2,020	176	8.7
Western	1,003	233	23.2
Total	5,336	811	15.2
Location[3]			
Urban	2,811	491	17.5
Rural	2,525	320	12.7
Teaching Intensity[4]			
High/Medium	975	219	22.5
Low	4,361	592	13.6

---

[1] Hospitals with average stay less than 30 days

[2] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association

[3] Urban hospitals are those with a metropolitan statistical area designation on the AHA Annual Survey of Hospitals. Hospitals without a metropolitan statistical area designation represent rural hospitals.

[4] The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.

Appendix 2

STATE INCLUSIONS BY REGION

Northeast

- Connecticut
- Maine
- Massachusetts
- New Hampshire
- New Jersey
- New York
- Pennsylvania
- Rhode Island
- Vermont

North Central

- Illinois
- Indiana
- Iowa
- Kansas
- Michigan
- Minnesota
- Missouri
- Nebraska
- North Dakota
- Ohio
- South Dakota
- Wisconsin

South

- Alabama
- Arkansas
- Delaware
- District of Columbia
- Florida
- Georgia
- Kentucky
- Louisiana
- Maryland
- Mississippi
- North Carolina
- Oklahoma
- South Carolina
- Tennessee
- Texas
- Virginia
- West Virginia

West

- Alaska
- Arizona
- California
- Colorado
- Hawaii
- Idaho
- Montana
- Nevada
- New Mexico
- Oregon
- Utah
- Washington
- Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

Appendix 3

DIAGNOSIS RELATED GROUPS

DRG	Description
1	Craniotomy Age >17 except for Trauma
2	Craniotomy for Trauma Age > 17
3	Craniotomy Age 0-17
4	Spinal Procedures
5	Extracranial Vascular Procedures
6	Carpal Tunnel Release
7	Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC
8	Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC
9	Spinal Disorders & Injuries
10	Nervous System Neoplasms w/ CC
11	Nervous System Neoplasms w/o CC
12	Degenerative Nervous System Disorders
13	Multiple Sclerosis & Cerebellar Ataxia
14	Specific Cerebrovascular Disorders except TIA
15	Transient Ischemic Attack & Precerebral Occlusions
16	Nonspecific Cerebrovascular Disorders w/ CC
17	Nonspecific Cerebrovascular Disorders w/o CC
18	Cranial & Peripheral Nerve Disorders w/ CC
19	Cranial & Peripheral Nerve Disorders w/o CC
20	Nervous System Infection except Viral Meningitis
21	Viral Meningitis
22	Hypertensive Encephalopathy
23	Nontraumatic Stupor & Coma
24	Seizure & Headache Age >17 w/ CC
25	Seizure & Headache Age >17 w/o CC
26	Seizure & Headache Age 0-17
27	Traumatic Stupor & Coma, Coma >1 Hr
28	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC
29	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC
30	Traumatic Stupor & Coma, Coma <1 Hr Age 0-17
31	Concussion Age >17 w/ CC
32	Concussion Age >17 w/o CC
33	Concussion Age 0-17
34	Other Disorders of Nervous System w/ CC
35	Other Disorders of Nervous System w/o CC
36	Retinal Procedures
37	Orbital Procedures
38	Primary Iris Procedures
39	Lens Procedures with or without Vitrectomy
40	Extraocular Procedures except Orbit Age > 17
41	Extraocular Procedures except Orbit Age 0-17
42	Intraocular Procedures except Retina, Iris & Lens
43	Hyphema
44	Acute Major Eye Infections
45	Neurological Eye Disorders
46	Other Disorders of the Eye Age >17 w/ CC
47	Other Disorders of the Eye Age >17 w/o CC
48	Other Disorders of the Eye Age 0-17
49	Major Head & Neck Procedures
50	Sialoadenectomy
51	Salivary Gland Procedures except Sialoadenectomy
52	Cleft Lip & Palate Repair

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
53	Sinus & Mastoid Procedures Age > 17
54	Sinus & Mastoid Procedures Age 0-17
55	Miscellaneous Ear, Nose, Mouth & Throat Procedures
56	Rhinoplasty
57	T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17
58	T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17
59	Tonsillectomy &/or Adenoidectomy Only, Age > 17
60	Tonsillectomy &/or Adenoidectomy Only, Age 0-17
61	Myringotomy w/ Tube Insertion Age > 17
62	Myringotomy w/ Tube Insertion Age 0-17
63	Other Ear, Nose, Mouth & Throat O.R. Procedures
64	Ear, Nose, Mouth & Throat Malignancy
65	Dysequilibrium
66	Epistaxis
67	Epiglottitis
68	Otitis Media & URI Age >17 w/ CC
69	Otitis Media & URI Age >17 w/o CC
70	Otitis Media & URI Age 0-17
71	Laryngotracheitis
72	Nasal Trauma & Deformity
73	Other Ear, Nose, Mouth & Throat Diagnoses Age > 17
74	Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17
75	Major Chest Procedures
76	Other Resp System O.R. Procedures w/ CC
77	Other Resp System O.R. Procedures w/o CC
78	Pulmonary Embolism
79	Respiratory Infections & Inflammations Age >17 w/ CC
80	Respiratory Infections & Inflammations Age >17 w/o CC
81	Respiratory Infections & Inflammations Age 0-17
82	Respiratory Neoplasms
83	Major Chest Trauma w/ CC
84	Major Chest Trauma w/o CC
85	Pleural Effusion w/ CC
86	Pleural Effusion w/o CC
87	Pulmonary Edema & Respiratory Failure
88	Chronic Obstructive Pulmonary Disease
89	Simple Pneumonia & Pleurisy Age >17 w/ CC
90	Simple Pneumonia & Pleurisy Age >17 w/o CC
91	Simple Pneumonia & Pleurisy Age 0-17
92	Interstitial Lung Disease w/ CC
93	Interstitial Lung Disease w/o CC
94	Pneumothorax w/ CC
95	Pneumothorax w/o CC
96	Bronchitis & Asthma Age >17 w/ CC
97	Bronchitis & Asthma Age >17 w/o CC
98	Bronchitis & Asthma Age 0-17
99	Respiratory Signs & Symptoms w/ CC
100	Respiratory Signs & Symptoms w/o CC
101	Other Respiratory System Diagnoses w/ CC
102	Other Respiratory System Diagnoses w/o CC
103	Heart Transplant
104	Cardiac Valve Procedures w/ Cardiac Cath
105	Cardiac Valve Procedures w/o Cardiac Cath
106	Coronary Bypass w/ Cardiac Cath
107	Coronary Bypass w/o Cardiac Cath
108	Other Cardiothoracic Procedures

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
109	No Longer Valid (Table Excluded)
110	Major Cardiovascular Procedures w/ CC
111	Major Cardiovascular Procedures w/o CC
112	Percutaneous Cardiovascular Procedures
113	Amputation for Circ System Disorders except Upper Limb & Toe
114	Upper Limb & Toe Amputation for Circ System Disorders
115	Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock
116	Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock
117	Cardiac Pacemaker Revision except Device Replacement
118	Cardiac Pacemaker Device Replacement
119	Vein Ligation & Stripping
120	Other Circulatory System O.R. Procedures
121	Circulatory Disorders w/ AMI & C.V. Comp Disch Alive
122	Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive
123	Circulatory Disorders w/ AMI, Expired (Table Excluded)
124	Circulatory Disorders except AMI, w/ Card Cath & Complex Diag
125	Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag
126	Acute & Subacute Endocarditis
127	Heart Failure & Shock
128	Deep Vein Thrombophlebitis
129	Cardiac Arrest, Unexplained
130	Peripheral Vascular Disorders w/ CC
131	Peripheral Vascular Disorders w/o CC
132	Atherosclerosis w/ CC
133	Atherosclerosis w/o CC
134	Hypertension
135	Cardiac Congenital & Valvular Disorders Age >17 w/ CC
136	Cardiac Congenital & Valvular Disorders Age >17 w/o CC
137	Cardiac Congenital & Valvular Disorders Age 0-17
138	Cardiac Arrhythmia & Conduction Disorders w/ CC
139	Cardiac Arrhythmia & Conduction Disorders w/o CC
140	Angina Pectoris
141	Syncope & Collapse w/ CC
142	Syncope & Collapse w/o CC
143	Chest Pain
144	Other Circulatory System Diagnoses w/ CC
145	Other Circulatory System Diagnoses w/o CC
146	Rectal Resection w/ CC
147	Rectal Resection w/o CC
148	Major Small & Large Bowel Procedures w/ CC
149	Major Small & Large Bowel Procedures w/o CC
150	Peritoneal Adhesiolysis w/ CC
151	Peritoneal Adhesiolysis w/o CC
152	Minor Small & Large Bowel Procedures w/ CC
153	Minor Small & Large Bowel Procedures w/o CC
154	Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC
155	Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC
156	Stomach, Esophageal & Duodenal Procedures Age 0-17
157	Anal & Stomal Procedures w/ CC
158	Anal & Stomal Procedures w/o CC
159	Hernia Procedures except Inguinal & Femoral Age >17 w/ CC
160	Hernia Procedures except Inguinal & Femoral Age >17 w/o CC
161	Inguinal & Femoral Hernia Procedures Age >17 w/ CC
162	Inguinal & Femoral Hernia Procedures Age >17 w/o CC
163	Hernia Procedures Age 0-17
164	Appendectomy w/ Complicated Principal Diag w/ CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
165	Appendectomy w/ Complicated Principal Diag w/o CC
166	Appendectomy w/o Complicated Principal Diag w/ CC
167	Appendectomy w/o Complicated Principal Diag w/o CC
168	Mouth Procedures w/ CC
169	Mouth Procedures w/o CC
170	Other Digestive System O.R. Procedures w/ CC
171	Other Digestive System O.R. Procedures w/o CC
172	Digestive Malignancy w/ CC
173	Digestive Malignancy w/o CC
174	G.I. Hemorrhage w/ CC
175	G.I. Hemorrhage w/o CC
176	Complicated Peptic Ulcer
177	Uncomplicated Peptic Ulcer w/ CC
178	Uncomplicated Peptic Ulcer w/o CC
179	Inflammatory Bowel Disease
180	G.I. Obstruction w/ CC
181	G.I. Obstruction w/o CC
182	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/ CC
183	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/o CC
184	Esophagitis, Gastroent & Misc Digest Disorders Age 0-17
185	Dental & Oral Dis except Extractions & Restorations, Age >17
186	Dental & Oral Dis except Extractions & Restorations, Age 0-17
187	Dental Extractions & Restorations
188	Other Digestive System Diagnoses Age >17 w/ CC
189	Other Digestive System Diagnoses Age >17 w/o CC
190	Other Digestive System Diagnoses Age 0-17
191	Pancreas, Liver & Shunt Procedures w/ CC
192	Pancreas, Liver & Shunt Procedures w/o CC
193	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC
194	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC
195	Total Cholecystectomy w/ C.D.E. w/ CC
196	Total Cholecystectomy w/ C.D.E. w/o CC
197	Total Cholecystectomy w/o C.D.E. w/ CC
198	Total Cholecystectomy w/o C.D.E. w/o CC
199	Hepatobiliary Diagnostic Procedure for Malignancy
200	Hepatobiliary Diagnostic Procedure for Non-malignancy
201	Other Hepatobiliary or Pancreas O.R. Procedures
202	Cirrhosis & Alcoholic Hepatitis
203	Malignancy of Hepatobiliary System or Pancreas
204	Disorders of Pancreas except Malignancy
205	Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC
206	Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC
207	Disorders of the Biliary Tract w/ CC
208	Disorders of the Biliary Tract w/o CC
209	Major Joint & Limb Reattachment Procedures, Lower Extremity
210	Hip & Femur Procedures except Major Joint Age >17 w/ CC
211	Hip & Femur Procedures except Major Joint Age >17 w/o CC
212	Hip & Femur Procedures except Major Joint Age 0-17
213	Amputation for Musculoskeletal System & Conn Tissue Disorders
214	Back & Neck Procedures w/ CC
215	Back & Neck Procedures w/o CC
216	Biopsies of Musculoskeletal System & Connective Tissue
217	Wnd Debrid & Skn Grft except Hand, for Muscskelet & Conn Tiss Dis
218	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC
219	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC
220	Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
221	Knee Procedures w/ CC
222	Knee Procedures w/o CC
223	Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC
224	Shoulder, Elbow or Forearm Proc, exc Major Joint Proc, w/o CC
225	Foot Procedures
226	Soft Tissue Procedures w/ CC
227	Soft Tissue Procedures w/o CC
228	Major Thumb or Joint Proc, or Oth Hand or Wrist Proc w/ CC
229	Hand or Wrist Proc, except Major Joint Proc, w/o CC
230	Local Excision & Removal of Int Fix Devices of Hip & Femur
231	Local Excision & Removal of Int Fix Devices except Hip & Femur
232	Arthroscopy
233	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC
234	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC
235	Fractures of Femur
236	Fractures of Hip & Pelvis
237	Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh
238	Osteomyelitis
239	Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy
240	Connective Tissue Disorders w/ CC
241	Connective Tissue Disorders w/o CC
242	Septic Arthritis
243	Medical Back Problems
244	Bone Diseases & Specific Arthropathies w/ CC
245	Bone Diseases & Specific Arthropathies w/o CC
246	Non-specific Arthropathies
247	Signs & Symptoms of Musculoskeletal System & Conn Tissue
248	Tendonitis, Myositis & Bursitis
249	Aftercare, Musculoskeletal System & Connective Tissue
250	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC
251	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC
252	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17
253	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/ CC
254	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/o CC
255	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17
256	Other Musculoskeletal System & Connective Tissue Diagnoses
257	Total Mastectomy for Malignancy w/ CC
258	Total Mastectomy for Malignancy w/o CC
259	Subtotal Mastectomy for Malignancy w/ CC
260	Subtotal Mastectomy for Malignancy w/o CC
261	Breast Proc for Non-malignancy except Biopsy & Local Excision
262	Breast Biopsy & Local Excision for Non-malignancy
263	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC
264	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC
265	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC
266	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC
267	Perianal & Pilonidal Procedures
268	Skin, Subcutaneous Tissue & Breast Plastic Procedures
269	Other Skin, Subcut Tiss & Breast Proc w/ CC
270	Other Skin, Subcut Tiss & Breast Proc w/o CC
271	Skin Ulcers
272	Major Skin Disorders w/ CC
273	Major Skin Disorders w/o CC
274	Malignant Breast Disorders w/ CC
275	Malignant Breast Disorders w/o CC
276	Non-malignant Breast Disorders

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
277	Cellulitis Age >17 w/ CC
278	Cellulitis Age >17 w/o CC
279	Cellulitis Age 0-17
280	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC
281	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC
282	Trauma to the Skin, Subcut Tiss & Breast Age 0-17
283	Minor Skin Disorders w/ CC
284	Minor Skin Disorders w/o CC
285	Amputat of Lower Limb for Endocrine, Nutrit & Metabol Disorders
286	Adrenal & Pituitary Procedures
287	Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders
288	O.R. Procedures for Obesity
289	Parathyroid Procedures
290	Thyroid Procedures
291	Thyroglossal Procedures
292	Other Endocrine, Nutrit & Metab O.R. Proc w/ CC
293	Other Endocrine, Nutrit & Metab O.R. Proc w/o CC
294	Diabetes Age > 35
295	Diabetes Age 0-35
296	Nutritional & Misc Metabolic Disorders Age >17 w/ CC
297	Nutritional & Misc Metabolic Disorders Age >17 w/o CC
298	Nutritional & Misc Metabolic Disorders Age 0-17
299	Inborn Errors of Metabolism
300	Endocrine Disorders w/ CC
301	Endocrine Disorders w/o CC
302	Kidney Transplant
303	Kidney, Ureter & Major Bladder Procedures for Neoplasm
304	Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC
305	Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC
306	Prostatectomy w/ CC
307	Prostatectomy w/o CC
308	Minor Bladder Procedures w/ CC
309	Minor Bladder Procedures w/o CC
310	Transurethral Procedures w/ CC
311	Transurethral Procedures w/o CC
312	Urethral Procedures Age >17 w/ CC
313	Urethral Procedures Age >17 w/o CC
314	Urethral Procedures Age 0-17
315	Other Kidney & Urinary Tract O.R. Procedures
316	Renal Failure
317	Admit for Renal Dialysis
318	Kidney & Urinary Tract Neoplasms w/ CC
319	Kidney & Urinary Tract Neoplasms w/o CC
320	Kidney & Urinary Tract Infections Age >17 w/ CC
321	Kidney & Urinary Tract Infections Age >17 w/o CC
322	Kidney & Urinary Tract Infections Age 0-17
323	Urinary Stones w/ CC, &/or ESW Lithotripsy
324	Urinary Stones w/o CC
325	Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC
326	Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC
327	Kidney & Urinary Tract Signs & Symptoms Age 0-17
328	Urethral Stricture Age >17 w/ CC
329	Urethral Stricture Age >17 w/o CC
330	Urethral Stricture Age 0-17
331	Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC
332	Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
333	Other Kidney & Urinary Tract Diagnoses Age 0-17
334	Major Male Pelvic Procedures w/ CC
335	Major Male Pelvic Procedures w/o CC
336	Transurethral Prostatectomy w/ CC
337	Transurethral Prostatectomy w/o CC
338	Testes Procedures, for Malignancy
339	Testes Procedures, Non-malignancy Age > 17
340	Testes Procedures, Non-malignancy Age 0-17
341	Penis Procedures
342	Circumcision Age > 17
343	Circumcision Age 0-17
344	Other Male Reproductive System O.R. Procedures for Malignancy
345	Other Male Reproductive System O.R. Proc except for Malignancy
346	Malignancy, Male Reproductive System, w/ CC
347	Malignancy, Male Reproductive System, w/o CC
348	Benign Prostatic Hypertrophy w/ CC
349	Benign Prostatic Hypertrophy w/o CC
350	Inflammation of the Male Reproductive System
351	Sterilization, Male
352	Other Male Reproductive System Diagnoses
353	Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy
354	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC
355	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC
356	Female Reproductive System Reconstructive Procedures
357	Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy
358	Uterine & Adnexa Proc for Non-malignancy w/ CC
359	Uterine & Adnexa Proc for Non-malignancy w/o CC
360	Vagina, Cervix & Vulva Procedures
361	Laparoscopy & Incisional Tubal Interruption
362	Endoscopic Tubal Interruption
363	D&C, Conization & Radio-implant, for Malignancy
364	D&C, Conization except for Malignancy
365	Other Female Reproductive System O.R. Procedures
366	Malignancy, Female Reproductive System w/ CC
367	Malignancy, Female Reproductive System w/o CC
368	Infections, Female Reproductive System
369	Menstrual & Other Female Reproductive System Disorders
370	Cesarean Section w/ CC
371	Cesarean Section w/o CC
372	Vaginal Delivery w/ Complicating Diagnoses
373	Vaginal Delivery w/o Complicating Diagnoses
374	Vaginal Delivery w/ Sterilization &/or D&C
375	Vaginal Delivery w/ O.R. Proc except Steril &/or D&C
376	Postpartum & Post Abortion Diagnoses w/o O.R. Procedure
377	Postpartum & Post Abortion Diagnoses w/ O.R. Procedure
378	Ectopic Pregnancy
379	Threatened Abortion
380	Abortion w/o D&C
381	Abortion w/ D&C, Aspiration Curettage or Hysterotomy
382	False Labor
383	Other Antepartum Diagnoses w/ Medical Complications
384	Other Antepartum Diagnoses w/o Medical Complications
385	Neonates, Died or Transferred to Another Acute Care Facility (Table Excluded)
386	Extreme Immaturity or Respiratory Distress Syndrome, Neonate
387	Prematurity w/ Major Problems

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
388	Prematurity w/o Major Problems
389	Full Term Neonate w/ Major Problems
390	Neonate w/ Other Significant Problems
391	Normal Newborn
392	Splenectomy Age > 17
393	Splenectomy Age 0-17
394	Other O.R. Procedures of the Blood And Blood Forming Organs
395	Red Blood Cell Disorders Age > 17
396	Red Blood Cell Disorders Age 0-17
397	Coagulation Disorders
398	Reticuloendothelial & Immunity Disorders w/ CC
399	Reticuloendothelial & Immunity Disorders w/o CC
400	Lymphoma & Leukemia w/ Major O.R. Procedure
401	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC
402	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC
403	Lymphoma & Non-acute Leukemia w/ CC
404	Lymphoma & Non-acute Leukemia w/o CC
405	Acute Leukemia w/o Major O.R. Procedure Age 0-17
406	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/ CC
407	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/o CC
408	Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R. Proc
409	Radiotherapy
410	Chemotherapy Without Acute Leukemia as Secondary Diagnosis
411	History of Malignancy w/o Endoscopy
412	History of Malignancy w/ Endoscopy
413	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC
414	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC
415	O.R. Procedure for Infectious & Parasitic Diseases
416	Septicemia Age > 17
417	Septicemia Age 0-17
418	Postoperative & Post-traumatic Infections
419	Fever of Unknown Origin Age >17 w/ CC
420	Fever of Unknown Origin Age >17 w/o CC
421	Viral Illness Age > 17
422	Viral Illness & Fever of Unknown Origin Age 0-17
423	Other Infectious & Parasitic Diseases Diagnoses
424	O.R. Procedure w/ Principal Diagnoses of Mental Illness
425	Acute Adjust React & Disturbances of Psychosocial Dysfunction
426	Depressive Neuroses
427	Neuroses except Depressive
428	Disorders of Personality & Impulse Control
429	Organic Disturbances & Mental Retardation
430	Psychoses
431	Childhood Mental Disorders
432	Other Mental Disorder Diagnoses
433	Alcohol/Drug Abuse or Dependence, Left AMA (Table Excluded)
434	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC
435	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC
436	Alc/Drug Dependence w/ Rehabilitation Therapy
437	Alc/Drug Dependence, Combined Rehab & Detox Therapy
438	No Longer Valid (Table Excluded)
439	Skin Grafts for Injuries
440	Wound Debridements for Injuries
441	Hand Procedures for Injuries
442	Other O.R. Procedures for Injuries w/ CC
443	Other O.R. Procedures for Injuries w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
444	Traumatic Injury Age >17 w/ CC
445	Traumatic Injury Age >17 w/o CC
446	Traumatic Injury Age 0-17
447	Allergic Reactions Age >17
448	Allergic Reactions Age 0-17
449	Poisoning & Toxic Effects of Drugs Age >17 w/ CC
450	Poisoning & Toxic Effects of Drugs Age >17 w/o CC
451	Poisoning & Toxic Effects of Drugs Age 0-17
452	Complications of Treatment w/ CC
453	Complications of Treatment w/o CC
454	Other Injury, Poisoning & Toxic Effect Diag w/ CC
455	Other Injury, Poisoning & Toxic Effect Diag w/o CC
456	Burns, Transferred to Another Acute Care Facility (Table Excluded)
457	Extensive Burns w/o O.R. Procedure
458	Non-extensive Burns w/ Skin Graft
459	Non-extensive Burns w/ Wound Debridement or Other O.R. Proc
460	Non-extensive Burns w/o O.R. Procedure
461	O.R. Proc w/ Diagnoses of Other Contact w/ Health Services
462	Rehabilitation
463	Signs & Symptoms w/ CC
464	Signs & Symptoms w/o CC
465	Aftercare w/ History of Malignancy As Secondary Diagnosis
466	Aftercare w/o History of Malignancy As Secondary Diagnosis
467	Other Factors Influencing Health Status (Table Excluded)
468	Extensive O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
469	Principal Diagnosis Invalid As Discharge Diagnosis (Table Excluded)
470	Ungroupable (Table Excluded)
471	Bilateral or Multiple Major Joint Procs of Lower Extremity
472	Extensive Burns w/ O.R. Procedure
473	Acute Leukemia w/o Major O.R. Procedure Age > 17
474	No Longer Valid (Table Excluded)
475	Respiratory System Diagnosis with Ventilator Support
476	Prostatic O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
477	Non-extensive O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
478	Other Vascular Procedures w/ CC
479	Other Vascular Procedures w/o CC
480	Liver Transplant
481	Bone Marrow Transplant
482	Tracheostomy w/ Mouth, Larynx or Pharynx Disorder
483	Tracheostomy Except for Mouth, Larynx or Pharynx Disorder
484	Craniotomy for Multiple Significant Trauma
485	Limb Reattach., Hip and Femur Procs for Multi Sign Trauma
486	Other O.R. Procedures for Multiple Significant Trauma
487	Other Multiple Significant Trauma
488	HIV w/ Extensive O.R. Procedure
489	HIV w/ Major Related Condition
490	HIV w/ or w/o Other Related Condition
491	Major Joint and Limb Reattachment Procedures, Upper Extremity
492	Chemotherapy with Acute Leukemia as Secondary Diagnosis

134465-5.2-u

LOS

LENGTH OF STAY

Length of Stay
by DRG and Payment Source
Northeastern Region, 1990-91

LOS

LENGTH OF STAY

BY DRG AND PAYMENT SOURCE

Northeastern Region, 1990-91

Healthcare Knowledge Resources
Ann Arbor, Michigan
January, 1992

LENGTH OF STAY BY DRG AND PAYMENT SOURCE

This volume is one of five books in the Length of Stay by DRG and Payment Source series:

Length of Stay by DRG and Payment Source, United States, 1990-91
ISSN 1043-9285

Length of Stay by DRG and Payment Source, Northeastern Region, 1990-91
ISSN 1043-9307

Length of Stay by DRG and Payment Source, North Central Region, 1990-91
ISSN 1043-9323

Length of Stay by DRG and Payment Source, Southern Region, 1990-91
ISSN 1043-9293

Length of Stay by DRG and Payment Source, Western Region, 1990-91
ISSN 1043-9315

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period July 1, 1990 through June 30, 1991. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assumes any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1992 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any other form, or by any other means, or stored in a database or retrieval system, without prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi

Source of the Data
Data Quality
Hospital Characteristics
Projecting to the Universe

Organization of the Tables x

Diagnosis Related Groups
Expected Principal Payment Source
Presence or Absence of Complications and Comorbidities (CCs)
Patient Age and/or Birth Weight

Explanation of the Statistics xii

Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables xiii

Length of Stay Tables 1

Appendix 1: 1990-91 Hospital Characteristics 482

Appendix 2: State Inclusions By Region 483

Appendix 3: Diagnosis Related Groups 484

ACKNOWLEDGEMENTS

1990-91 LENGTH OF STAY BY DRG AND PAYMENT SOURCE SERIES

PROJECT TEAM

Jennifer Goewey, Publication Specialist, Normative Products
Carol Dingeldey, Publication Specialist, Normative Products
Linda Vanek, Manager, Normative Products

Information Services
Ed Morrissey, Senior Programmer Analyst
Jan Sweet, Electronic Publishing Analyst

Additionally, the following individuals made valuable contributions to the development of this publication:

Joyce Beach, Helen Garcia, Nancy Ramirez, and Donna Witkowski.

Also, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official vendor and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Length of Stay data have been available from CPHA since 1963. This book is one volume in a set of five books presenting statistics on hospital stay during 1990-91 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the series.

The *Length of Stay by DRG and Payment Source* series has been designed as a companion to the standard reference, *Length of Stay by Diagnosis and Operation*, to provide length of stay data by another patient classification system. *Length of Stay by DRG and Payment Source* is designed to assist the healthcare professional in utilization review and other cost containment and evaluation activities.

Notable differences between the *Length of Stay by DRG and Payment Source* series and the *Length of Stay by Diagnosis and Operation* series are primarily with the data source. Data used for the *Length of Stay by DRG and Payment Source* series have been projected to the universe of short-term, general, nonfederal hospitals based on patient records from 811 hospitals. A detailed description of the projection methodology is given on page viii. It is important to keep in mind that the numbers and calculations in *Length of Stay by DRG and Payment Source* represent projections rather than actual numbers.

The *Length of Stay by DRG and Payment Source* series is enhanced by providing length of stay data by the following four principal payment sources: Medicare, Medicaid, Blue Cross/Private Insurance, and No Insurance. This allows for comparison of length of stay by clinical condition and patient age among the major healthcare reimbursement systems.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. In addition to *Length of Stay by DRG and Payment Source*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay*, *Length of Stay by Diagnosis and Operation* and *Hospital Inpatient Charges*. Each series is developed annually for the United States. The Length of Stay series are also available for the Northeastern, North Central, Southern, and Western regions. Pediatric Length of Stay (19 years and under) and Geriatric Length of Stay (65 years and over) are produced in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape and diskette, provide a valuable perspective for utilization review and quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the *Length of Stay by DRG and Payment Source* tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the *Length of Stay by DRG and Payment Source* series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the *Length of Stay by DRG and Payment Source* series are from short-term, general, nonfederal, hospitals in the United States with discharge data for the period July 1, 1990 - June 30, 1991. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal – Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Ohio Hospital Association, Oregon Association of Hospitals, Vermont Hospital Association, and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay books are displayed in Appendix 1.

---

[1] American Hospital Association Guide to the Health Care Field, 1990.

Projecting to the Universe

To make the *LOS by DRG and Payment Source* sample reflect the activity of U.S. short-term general, nonfederal hospitals the following steps are taken:

Step 1 - Stratification

First, the hospitals are stratified by factors known to affect inpatient utilization. The two factors used are teaching intensity and geographical region:

A. **Teaching Intensity** is determined by a weighted index measuring program intensity created by Phillip and Hai[1]. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by the Joint Commission on Accreditation of Healthcare Organizations (JCAHO)
- Cancer Program approved by the American College of Surgeons (CANC)
- Residency approved by Accreditation Council for Graduate Medical Education (ACGME)
- Medical School Affiliation reported by the American Medical Association (MSA)
- Hospital-controlled professional nursing school, reported by the National League for Nursing (NURS)
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges (COTH)

Based on this index, hospitals are classified by one of three teaching status groups:

- Low Teaching Intensity Hospitals
- Medium Teaching Intensity Hospitals
- High Teaching Intensity Hospitals

The statistical formula is:

$$Ip = 9.9\,(JCAHO) + 14.0(CANC) + 28.0(ACGME) + 14.7(MSA) + 13.3(NURS) + 20.1(COTH)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

For the *Length of Stay by DRG and Payment Source* series the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution (low teaching intensity)
Ip value 25.0+	Teaching Institution (medium/high teaching intensity)

---

[1] Phillip P. J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

B. **Census Division** places the 50 states and the District of Columbia into nine geographical areas defined by the U.S. Department of Commerce, Bureau of the Census. These nine divisions and their corresponding regions are:

Region	**Division**
Northeast	New England Mid Atlantic
North Central	East North Central West North Central
South	South Atlantic East South Central West South Central
West	Mountain Pacific

A list of the states included in each region is provided in Appendix 2.

Step 2 - Projection

A matrix is constructed which identifies the number of actual discharges from hospitals by teaching intensity (nonteaching and teaching) and geographical region (Northeast, North Central, South, West). A projection factor is calculated for each cell within the matrix. This factor is calculated as follows:

$$\text{Projection Factor} = \frac{\text{Total discharges from the universe}}{\text{Number of actual discharges in LOS DRG sample}}$$

Each projection factor is multiplied by the number of actual discharges in a particular cell. The resulting numbers represent estimated patient discharges, the sum of which approximates total July 1990 through June 1991 discharges from the U.S. short-term, general, nonfederal hospital universe.

ORGANIZATION OF THE TABLES

The data are stratified by DRG, principal payment source, presence or absence of complications and comorbidities (CCs), and by age ranges.

Diagnosis Related Groups (DRGs)

There are 492 DRGs in the *1990-91 LOS by DRG and Payment Source* series. These DRGs are based on the eighth revision (version 9), effective October 1, 1991. Appendix 3 provides a list of all DRGs for the eighth revision.

Some DRGs have been excluded because they include invalid, ungroupable, or inappropriate categories for examining length of stay. The excluded DRGs are:

DRG Number	English Description
109	(No longer valid)
123	Circulatory Disorders w/AMI, Expired
385	Neonates, Died or Transferred to Another Acute Care Facility
433	Alcohol/Drug Abuse or Dependence, Left Against Medical Advice
438	(No longer valid)
456	Burns, Transferred to Another Acute Care Facility
467	Other Factors Influencing Health Status
468	Extensive Operating Room Procedure Unrelated to Principal Diagnosis
469	Principal Diagnosis Invalid as Discharge Diagnosis
470	Ungroupable
474	(No longer valid)
476	Prostatic Operating Room Procedure Unrelated to Principal Diagnosis
477	Non-extensive Operating Room Procedure Unrelated to Principal Diagnosis

Expected Principal Payment Source

For each DRG, there are four tables corresponding to one of four expected principal payment sources:

1. Medicare
2. Blue Cross/Blue Shield and Private Insurance
3. Medicaid
4. No Insurance

The 'No Insurance' category represents a collapsing of the following payment categories from the PAS abstract: 'Self Pay', 'Other', and 'No Charge'. These three payment categories have not been used consistently by all hospitals contributing data, and therefore this category should be interpreted with some caution.

Presence or Absence of Complications and Comorbidities (CCs)

To determine the presence of complications or comorbidities (CCs), a patient's secondary diagnoses are compared to those specific ICD-9-CM diagnosis codes defined by the Health Care Financing Administration (HCFA) as CCs.

HCFA definitions are:

- A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.
- A comorbidity is a pre-existing condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

Determination of the existence of CCs corresponds to the DRG version effective October 1, 1991.

Patient Age and/or Birth Weight

Patient discharges in the Medicare payment source category are in one of the following age groups, recorded in years:

0 - 69
70 - 74
75 - 79
80 - 84
85+

The other three payment source age groups are collapsed as follows:

0 - 17
18 - 34
35 - 49
50 - 69
70+

For DRGs 386 - 391, which classify neonates, the age range is replaced by a birth weight range, recorded in grams. The categories are as follows:

1 - 999
1000 - 1499
1500 - 1749
1750 - 2499
2500 +

All discharge records for newborns and neonates with an unrecorded birth weight have been excluded.

EXPLANATION OF THE STATISTICS

The statistics are displayed by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included. Since the *LOS by DRG and Payment Source* series is drawn from patient discharges from 811 hospitals and then projected to the universe of U.S. hospitals, *the numbers and calculations represent projections rather than actual numbers.* One actual patient discharge represents multiple projected patients; the average projection factor is 7.2. If the total number of patients listed is based on five or fewer *actual* discharges, the percentile distribution columns are left blank.

Total Number of Patients

This number represents the total number of projected patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for all projected patients and then dividing by the total number of projected patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the projected patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of projected patients is determined by arranging the projected patient stays from low to high. Counting up from the lowest stay to the point where half of the projected patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total projected patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, and 95th percentiles of stay are displayed in days. If, for example, the 25th percentile for a group of projected patients is four, it means 25 percent of the projected patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients. (If a line of data consists solely of stays of 99+ days, the discharges in that line will be excluded from all portions of the table.)

Subtotal and Grand Total

The subtotal represents the total projected patients in one of the two complication and comorbidity groups, within each payment source. The grand total represents the total number of projected patients in each payment source category. In cases where a total is off by one patient, it is the result of rounding the projections.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay regional or national volumes:

Step 1: Consult Appendix 3 at the back of the book for the particular DRG to be reviewed.

Step 2: Find the corresponding table in the book. The DRG number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

- Payment Source
- Complication/Comorbidity Status
- Age Group

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

A sample table with descriptions of table elements is provided on the next page.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Length of Stay by DRG and Payment Source

Sample Table

DRG number and title

Payment source

DRG 1: Craniotomy Age >17 except for Trauma

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/CCs									
AGE GROUP									
0-69 (YRS.)	5407	17.2	192	5	8	13	22	36	50
70-74	3740	18.2	228	6	9	14	22	36	53
75-79	2849	17.4	175	6	8	14	22	35	49
80-84	1833	19.5	222	7	10	15	24	37	49
85 +	956	18.9	137	8	10	16	24	36	44
SUBTOTAL	**14784**	**17.9**	**199**	**6**	**9**	**14**	**22**	**36**	**49**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2864	9.5	43	3	5	8	12	17	22
70-74	1883	8.7	36	3	5	7	11	16	18
75-79	1471	11.3	90	4	6	9	13	20	30
80-84	819	8.6	20	4	5	8	12	15	16
85 +	363	11.5	62	4	6	10	15	23	25
SUBTOTAL	**7401**	**9.6**	**50**	**4**	**5**	**8**	**12**	**17**	**22**
GRAND TOTAL	**22185**	**15.1**	**164**	**5**	**7**	**12**	**19**	**30**	**42**

Presence or absence of Complications/ Comorbidities

Length of stay (in days) by percentile

Patient age group (Note: Age groups for Medicare differ from those for Medicaid, Blue Cross/Private Insurance, and No Insurance)

Total number of projected patients

DRG Length of Stay Tables

All DRGS

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	348280	9.6	103	2	4	7	12	20	29
70-74	273315	10.1	106	2	4	7	12	21	30
75-79	271758	10.8	118	2	4	8	13	22	32
80-84	219122	11.7	131	3	5	8	14	24	36
85 +	209896	12.3	139	3	5	9	15	25	37
SUBTOTAL	**1322372**	**10.7**	**118**	**2**	**4**	**8**	**13**	**22**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	177456	5.9	51	1	2	4	7	12	17
70-74	129779	5.7	36	1	2	4	7	11	15
75-79	111955	6.2	46	1	2	4	8	12	18
80-84	78904	6.8	52	1	3	5	8	14	19
85 +	61671	7.4	56	2	3	5	9	15	20
SUBTOTAL	**559765**	**6.2**	**48**	**1**	**2**	**4**	**8**	**12**	**17**
GRAND TOTAL	**1882136**	**9.4**	**102**	**2**	**4**	**7**	**11**	**20**	**28**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	166932	8.1	134	1	2	4	9	19	33
18-34	160823	6.4	66	1	2	4	7	13	20
35-49	178199	7.6	72	2	3	5	9	16	23
50-69	313747	8.4	75	2	3	6	10	17	24
70 +	22670	10.7	120	2	4	8	13	22	30
	842371	**7.8**	**86**	**2**	**3**	**5**	**9**	**16**	**24**
0-17	669931	3.0	12	1	2	2	3	5	7
18-34	725543	3.1	11	1	2	2	4	5	7
35-49	399414	3.9	17	1	2	3	5	7	10
50-69	327459	4.4	19	1	2	3	6	9	11
70 +	13204	5.6	31	1	2	4	7	11	15
	2135551	**3.5**	**14**	**1**	**2**	**3**	**4**	**6**	**9**
	2977922	**4.7**	**39**	**1**	**2**	**3**	**5**	**9**	**14**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	84141	8.0	134	1	2	4	9	20	34
18-34	77984	7.4	95	1	2	4	8	17	27
35-49	49235	10.2	137	2	4	6	12	25	35
50-69	50332	10.3	140	2	4	7	12	23	34
70 +	5958	15.1	249	4	6	10	20	45	84
SUBTOTAL	**267651**	**8.8**	**129**	**2**	**3**	**5**	**10**	**21**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	264487	3.6	30	1	2	2	4	6	9
18-34	216566	3.9	27	1	2	2	4	7	12
35-49	57315	6.5	60	1	2	5	7	14	23
50-69	26794	6.5	53	1	3	5	7	13	20
70 +	2993	6.8	64	2	3	5	8	12	20
SUBTOTAL	**568154**	**4.2**	**34**	**1**	**2**	**3**	**5**	**7**	**12**
GRAND TOTAL	**835804**	**5.7**	**69**	**1**	**2**	**3**	**6**	**12**	**21**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	55970	7.0	93	1	2	4	8	16	26
18-34	56407	6.2	58	1	2	4	7	13	19
35-49	39414	7.8	70	2	3	6	9	16	23
50-69	49433	9.0	85	2	4	6	11	19	26
70 +	10961	11.4	141	3	5	8	14	24	33
	212185	**7.6**	**82**	**1**	**3**	**5**	**9**	**16**	**24**
0-17	242392	3.0	10	1	2	2	4	5	7
18-34	172832	3.2	13	1	1	2	4	6	8
35-49	69616	4.0	24	1	2	3	5	8	11
50-69	45394	4.6	25	1	2	3	6	9	12
70 +	6113	6.4	52	1	2	4	8	13	19
	536346	**3.4**	**15**	**1**	**2**	**2**	**4**	**6**	**9**
	748531	**4.6**	**38**	**1**	**2**	**3**	**5**	**9**	**14**

DRG 1: Craniotomy Age >17 except for Trauma

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1090	19.2	257	6	8	14	28	40	62	0-17	0								
70-74	577	23.3	426	7	9	15	27	61	82	18-34	721	10.1	92	2	3	7	13	24	35
75-79	576	22.1	272	7	11	18	28	50	70	35-49	974	15.8	196	4	7	12	19	31	47
80-84	320	22.7	349	10	13	18	23	37	78	50-69	1194	19.0	240	8	9	13	21	49	67
85 +	153	20.4	100	8	13	20	28	36	41	70 +	90	24.7	463	8	10	15	30	74	74
SUBTOTAL	**2717**	**21.2**	**301**	**7**	**10**	**16**	**27**	**45**	**76**		**2980**	**16.0**	**210**	**4**	**7**	**12**	**20**	**36**	**50**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	526	10.3	35	5	6	8	13	18	21	0-17	0								
70-74	256	8.8	19	5	6	7	9	16	17	18-34	1002	8.9	41	3	4	7	12	19	23
75-79	294	14.6	160	3	6	9	19	32	43	35-49	936	10.2	30	5	6	9	12	16	19
80-84	152	11.1	25	5	8	12	15	16	22	50-69	977	10.1	42	4	6	9	13	19	23
85 +	13	11.0								70 +	51	7.8	16						
SUBTOTAL	**1242**	**11.1**	**64**	**5**	**6**	**9**	**15**	**19**	**24**		**2965**	**9.7**	**38**	**3**	**6**	**8**	**12**	**18**	**21**
GRAND TOTAL	**3958**	**18.0**	**248**	**5**	**8**	**13**	**22**	**39**	**57**		**5945**	**12.8**	**134**	**4**	**6**	**10**	**16**	**24**	**36**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	271	9.1	33	2	3	8	15	16	18	18-34	90	16.3	224	1	2	14	20	49	49
35-49	128	14.6	81	6	8	12	18	25	36	35-49	89	24.6	395	4	10	15	52	57	57
50-69	180	34.6	551	9	19	28	48	74	89	50-69	38	22.6	312						
70 +	13	12.0								70 +	12	9.0							
SUBTOTAL	**592**	**18.1**	**323**	**3**	**7**	**14**	**20**	**43**	**51**		**229**	**20.2**	**312**	**2**	**9**	**15**	**46**	**57**	**76**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	128	11.1	35	5	7	8	15	21	25	18-34	77	10.9	31	2	7	11	16	19	19
35-49	76	16.3	50	7	9	17	23	25	25	35-49	64	8.0	3						
50-69	77	13.2	73	6	6	11	14	31	31	50-69	77	13.0	52	3	6	16	18	24	24
70 +	0									70 +	12	18.0							
SUBTOTAL	**282**	**13.1**	**54**	**6**	**7**	**11**	**16**	**25**	**25**		**230**	**11.2**	**35**	**3**	**7**	**10**	**16**	**19**	**24**
GRAND TOTAL	**874**	**16.5**	**242**	**5**	**7**	**12**	**20**	**32**	**48**		**459**	**15.7**	**193**	**3**	**7**	**11**	**18**	**49**	**57**

Northeastern Region, July 1990 - June 1991

DRG 2: Craniotomy for Trauma Age >17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	64	32.4	514	4	15	47	99+	99+	99+	0-17	0								
70-74	77	19.8	381	2	3	10	46	47	47	18-34	282	17.6	215	7	10	15	24	32	75
75-79	115	31.2	1038	2	9	16	29	99	99	35-49	103	12.1	30	7	8	11	15	25	25
80-84	89	20.3	135	11	12	13	28	45	45	50-69	26	19.5	13						
85+	102	20.0	132	5	5	15	27	39	39	70+	25	13.0	4						
SUBTOTAL	**448**	**24.7**	**492**	**4**	**11**	**16**	**39**	**77**	**99+**		**436**	**16.1**	**153**	**7**	**10**	**13**	**18**	**29**	**75**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	64	9.0	9							0-17	0								
70-74	75	8.3	4	6	6	9	9	12	12	18-34	192	11.8	119	3	7	7	11	28	45
75-79	115	9.6	18	3	7	10	13	16	16	35-49	116	11.6	85	4	6	8	12	36	36
80-84	52	8.5								50-69	38	3.7							
85+	39	12.0	76							70+	0								
SUBTOTAL	**344**	**9.3**	**18**	**4**	**7**	**9**	**12**	**14**	**16**		**346**	**10.9**	**100**	**3**	**4**	**7**	**11**	**28**	**36**
GRAND TOTAL	**792**	**18.0**	**344**	**4**	**8**	**12**	**26**	**47**	**77**		**782**	**13.8**	**137**	**4**	**7**	**11**	**16**	**28**	**36**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	102	18.7	210	6	10	19	19	55	55	18-34	128	18.5	107	9	12	15	20	38	38
35-49	39	43.0	1087	19	21	94	99+	99+	99+	35-49	90	14.2	41	2	10	16	20	23	23
50-69	26	46.0	1133							50-69	38	26.1	187						
70+	0									70+	0								
SUBTOTAL	**166**	**28.6**	**702**	**9**	**13**	**20**	**89**	**99+**	**99+**		**256**	**18.2**	**110**	**10**	**12**	**16**	**20**	**38**	**43**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	77	12.5	43	4	6	16	21	99+	99+	18-34	141	7.8	13	3	5	8	11	12	14
35-49	13	26.0								35-49	25	31.0	731						
50-69	0									50-69	12	15.0							
70+	0									70+	13	9.0							
SUBTOTAL	**90**	**14.5**	**59**	**4**	**9**	**19**	**25**	**99+**	**99+**		**192**	**11.4**	**165**	**3**	**5**	**9**	**12**	**15**	**58**
GRAND TOTAL	**256**	**23.6**	**521**	**6**	**11**	**19**	**79**	**99+**	**99+**		**448**	**15.3**	**144**	**5**	**8**	**12**	**16**	**38**	**45**

DRG 3: Craniotomy Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	3467	9.1	93	2	3	6	13	20	27
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**3467**	**9.1**	**93**	**2**	**3**	**6**	**13**	**20**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	3193	5.7	23	2	3	5	7	10	13
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**3193**	**5.7**	**23**	**2**	**3**	**5**	**7**	**10**	**13**
GRAND TOTAL	**0**										**6660**	**7.5**	**62**	**2**	**3**	**5**	**9**	**17**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1715	9.6	100	2	3	6	13	21	29	0-17	1083	11.4	113	3	4	7	17	24	37
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1715**	**9.6**	**100**	**2**	**3**	**6**	**13**	**21**	**29**		**1083**	**11.4**	**113**	**3**	**4**	**7**	**17**	**24**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1277	7.8	45	2	4	6	10	17	22	0-17	954	6.0	16	2	3	5	8	10	16
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1277**	**7.8**	**45**	**2**	**4**	**6**	**10**	**17**	**22**		**954**	**6.0**	**16**	**2**	**3**	**5**	**8**	**10**	**16**
GRAND TOTAL	**2991**	**8.8**	**77**	**2**	**3**	**6**	**12**	**18**	**24**		**2037**	**8.9**	**74**	**2**	**4**	**6**	**10**	**19**	**25**

DRG 4: Spinal Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	154	19.8	150	7	9	15	29	34	45	0-17	657	10.0	37	5	7	8	12	17	20
70-74	64	14.3	69							18-34	231	16.1	104	5	9	16	20	24	49
75-79	127	15.1	46	9	9	12	19	28	29	35-49	219	16.0	262	3	7	11	30	99 +	99 +
80-84	51	24.7	91							50-69	245	22.4	204	7	9	16	39	43	45
85 +	13	12.0								70 +	0								
SUBTOTAL	**408**	**17.8**	**105**	**8**	**9**	**12**	**24**	**33**	**34**		**1352**	**14.3**	**137**	**5**	**7**	**10**	**18**	**38**	**45**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	216	7.4	18	2	5	7	10	13	17	0-17	979	7.0	13	3	5	7	8	13	14
70-74	77	9.0	11	5	6	9	12	13	13	18-34	485	5.4	11	2	3	5	7	10	13
75-79	26	7.0	9							35-49	487	5.8	16	2	3	5	8	13	15
80-84	13	9.0								50-69	256	6.5	12	2	4	6	8	11	15
85 +	26	14.5	21							70 +	0								
SUBTOTAL	**358**	**8.3**	**19**	**3**	**5**	**8**	**12**	**13**	**17**		**2207**	**6.3**	**13**	**2**	**4**	**6**	**8**	**12**	**14**
GRAND TOTAL	**767**	**13.4**	**87**	**4**	**7**	**11**	**17**	**29**	**33**		**3558**	**9.3**	**75**	**3**	**5**	**7**	**11**	**18**	**30**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	155	10.9	36	6	7	8	14	22	23	0-17	103	8.5	4	5	7	9	9	12	12
18-34	51	8.3	56							18-34	26	10.5	21						
35-49	52	7.8	13							35-49	13	9.0							
50-69	26	25.5	115							50-69	12	45.0							
70 +	0									70 +	0								
SUBTOTAL	**283**	**11.2**	**64**	**4**	**5**	**9**	**15**	**22**	**23**		**154**	**11.8**	**103**	**6**	**7**	**9**	**9**	**15**	**45**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	387	8.2	16	5	6	7	8	14	19	0-17	206	6.3	8	2	4	7	7	11	12
18-34	101	5.7	19	< 1	3	6	8	15	15	18-34	26	4.5	2						
35-49	64	8.6	16							35-49	63	4.2	3						
50-69	0									50-69	25	3.5	2						
70 +	0									70 +	0								
SUBTOTAL	**553**	**7.8**	**18**	**4**	**5**	**7**	**8**	**14**	**16**		**320**	**5.5**	**7**	**2**	**3**	**6**	**7**	**8**	**11**
GRAND TOTAL	**835**	**8.9**	**36**	**4**	**5**	**7**	**9**	**17**	**22**		**474**	**7.6**	**47**	**2**	**5**	**7**	**9**	**12**	**15**

DRG 5: Extracranial Vascular Procedures

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1408	8.8	91	3	5	7	9	16	23
70-74	1446	8.8	66	4	4	7	11	16	21
75-79	1098	8.6	48	3	4	6	12	16	21
80-84	409	8.7	74	3	5	6	10	13	21
85 +	180	10.3	27	5	6	7	15	19	19
SUBTOTAL	**4540**	**8.8**	**69**	**3**	**4**	**7**	**11**	**16**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1074	5.2	10	3	3	4	6	8	11
70-74	1250	5.3	11	2	3	5	6	8	13
75-79	738	5.3	7	2	4	5	7	9	9
80-84	357	6.4	16	2	4	6	7	12	17
85 +	89	7.1	44	2	3	3	16	19	19
SUBTOTAL	**3508**	**5.4**	**11**	**2**	**3**	**5**	**6**	**9**	**12**
GRAND TOTAL	**8048**	**7.3**	**47**	**3**	**4**	**5**	**8**	**13**	**18**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	13	27.0							
35-49	103	9.5	126	2	4	5	11	38	38
50-69	1263	7.3	28	2	4	6	9	14	18
70 +	102	8.6	13	4	4	7	12	13	13
	1480	**7.7**	**37**	**2**	**4**	**6**	**9**	**14**	**18**
0-17	26	1.5							
18-34	64	3.4	7						
35-49	206	4.7	5	2	3	4	6	6	12
50-69	1431	4.8	5	3	3	4	6	8	9
70 +	0								
	1727	**4.7**	**5**	**2**	**3**	**4**	**6**	**8**	**9**
	3207	**6.1**	**22**	**2**	**4**	**5**	**7**	**11**	**14**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	64	16.1	201						
70 +	0								
SUBTOTAL	**64**	**16.1**	**201**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	13	2.0							
18-34	26	3.0	1						
35-49	12	2.0							
50-69	25	8.0	1						
70 +	0								
SUBTOTAL	**76**	**4.3**	**8**	**2**	**2**	**3**	**7**	**9**	**9**
GRAND TOTAL	**140**	**9.7**	**129**	**2**	**2**	**5**	**9**	**24**	**40**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	26	4.5							
50-69	138	6.6	56	2	2	4	7	13	28
70 +	0								
	163	**6.3**	**47**	**2**	**2**	**4**	**5**	**13**	**28**
0-17	13	1.0							
18-34	26	3.5							
35-49	13	6.0							
50-69	63	3.4	4						
70 +	13	5.0							
	128	**3.6**	**3**	**<1**	**2**	**4**	**5**	**6**	**6**
	291	**5.1**	**30**	**2**	**2**	**4**	**5**	**7**	**13**

DRG 6: Carpal Tunnel Release

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	38	9.0	77						
70-74	25	3.0	4						
75-79	13	2.0							
80-84	13	6.0							
85 +	0								
SUBTOTAL	**89**	**5.9**	**43**	**< 1**	**< 1**	**5**	**6**	**21**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	38	1.3							
70-74	75	1.9	4	< 1	< 1	1	1	6	6
75-79	125	1.3	1	< 1	< 1	< 1	1	4	4
80-84	64	1.8	1						
85 +	25	1.0							
SUBTOTAL	**327**	**1.5**	**2**	**< 1**	**< 1**	**1**	**1**	**4**	**4**
GRAND TOTAL	**416**	**2.4**	**14**	**< 1**	**< 1**	**1**	**2**	**5**	**6**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	25	1.5							
50-69	38	1.0							
70 +	0								
	63	**1.2**							
0-17	25	1.0							
18-34	177	1.3		< 1	< 1	1	1	2	3
35-49	263	1.2		< 1	< 1	< 1	1	2	2
50-69	354	1.1		< 1	< 1	1	1	1	2
70 +	12	1.0							
	832	**1.2**		**< 1**	**< 1**	**1**	**1**	**2**	**2**
	895	**1.2**		**< 1**	**< 1**	**1**	**1**	**2**	**2**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	12	2.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**12**	**2.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	13	2.0							
35-49	64	2.6	5						
50-69	25	1.0							
70 +	0								
SUBTOTAL	**102**	**2.1**	**4**	**< 1**	**1**	**2**	**2**	**7**	**7**
GRAND TOTAL	**115**	**2.1**	**3**	**< 1**	**1**	**2**	**2**	**7**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	12	1.0							
35-49	112	1.0		< 1	< 1	< 1	< 1	1	1
50-69	50	1.0							
70 +	0								
	175	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**
	175	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**

DRG 7: Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	421	20.2	504	2	2	13	32	68	99 +
70-74	307	22.8	474	4	6	15	29	54	59
75-79	154	23.8	522	6	8	20	36	88	99 +
80-84	215	16.6	219	3	8	8	25	30	62
85 +	89	35.4	367	4	30	51	54	99 +	99 +
SUBTOTAL	**1186**	**21.8**	**456**	**2**	**6**	**16**	**32**	**62**	**95**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1186**	**21.8**	**456**	**2**	**6**	**16**	**32**	**62**	**95**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	219	9.2	143	2	3	4	11	19	53
18-34	165	8.9	50	1	2	7	13	21	22
35-49	193	10.7	339	1	2	5	10	23	76
50-69	422	9.7	130	1	3	6	11	25	42
70 +	38	15.4	129						
	1037	**9.9**	**160**	**1**	**3**	**6**	**11**	**22**	**30**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1037	**9.9**	**160**	**1**	**3**	**6**	**11**	**22**	**30**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	77	7.2	30	3	3	4	12	17	17
18-34	38	4.3	1						
35-49	26	5.0	17						
50-69	51	8.6	138						
70 +	13	21.0							
SUBTOTAL	**204**	**7.6**	**62**	**1**	**3**	**4**	**12**	**29**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**204**	**7.6**	**62**	**1**	**3**	**4**	**12**	**29**	**99 +**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	7.2	16						
18-34	64	13.9	276						
35-49	38	7.2	81						
50-69	26	4.5	13						
70 +	0								
	192	**9.1**	**126**	**1**	**1**	**6**	**11**	**20**	**46**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	192	**9.1**	**126**	**1**	**1**	**6**	**11**	**20**	**46**

DRG 8: Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	306	3.1	16	1	1	2	3	8	10	0-17	1013	3.0	9	1	1	2	4	8	11
70-74	240	5.9	38	< 1	1	3	11	13	24	18-34	993	2.9	37	< 1	1	1	3	5	7
75-79	179	3.2	7	1	1	2	5	7	9	35-49	854	3.0	11	< 1	1	2	4	7	11
80-84	76	3.8	21	< 1	< 1	2	3	14	14	50-69	601	2.5	4	1	1	2	4	5	7
85 +	39	4.3	6							70 +	0								
SUBTOTAL	**839**	**4.1**	**22**	**1**	**1**	**2**	**6**	**11**	**13**		**3461**	**2.9**	**16**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**839**	**4.1**	**22**	**1**	**1**	**2**	**6**	**11**	**13**		**3461**	**2.9**	**16**	**1**	**1**	**2**	**3**	**6**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	423	4.6	130	< 1	1	2	4	6	7	0-17	348	3.1	16	< 1	1	1	2	8	13
18-34	167	3.4	3	1	2	3	5	6	7	18-34	268	3.0	33	1	1	1	3	3	7
35-49	64	3.0	7							35-49	128	2.6	3	1	1	2	4	6	7
50-69	25	1.0								50-69	63	3.2	10						
70 +	0									70 +	25	1.0							
SUBTOTAL	**679**	**4.0**	**83**	**< 1**	**1**	**2**	**4**	**6**	**7**		**832**	**3.0**	**18**	**< 1**	**1**	**1**	**3**	**7**	**9**
GRAND TOTAL	**679**	**4.0**	**83**	**< 1**	**1**	**2**	**4**	**6**	**7**		**832**	**3.0**	**18**	**< 1**	**1**	**1**	**3**	**7**	**9**

DRG 9: Spinal Disorders & Injuries

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	64	12.7	149						
70-74	26	14.5	94						
75-79	63	8.0	30						
80-84	39	57.3	245						
85 +	38	30.7	443						
SUBTOTAL	**229**	**22.2**	**480**	**2**	**5**	**15**	**35**	**55**	**79**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	25	14.2	104						
75-79	38	7.3	4						
80-84	25	7.4	21						
85 +	13	15.0							
SUBTOTAL	**101**	**10.0**	**44**	**3**	**4**	**8**	**15**	**24**	**24**
GRAND TOTAL	**331**	**18.4**	**377**	**3**	**5**	**12**	**24**	**49**	**55**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	2.0	1						
18-34	102	9.4	63	1	3	8	12	27	27
35-49	13	4.0							
50-69	64	5.8	13						
70 +	0								
	230	**6.4**	**40**	**1**	**2**	**4**	**9**	**13**	**27**
0-17	192	3.5	34	< 1	1	1	3	8	24
18-34	89	3.3	8	< 1	1	2	4	10	10
35-49	25	2.5	2						
50-69	77	7.7	59	2	3	3	8	24	24
70 +	0								
	383	**4.2**	**34**	**< 1**	**1**	**2**	**4**	**9**	**24**
	613	**5.1**	**37**	**1**	**1**	**3**	**6**	**12**	**24**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	52	10.3	48						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**52**	**10.3**	**48**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	39	7.7	91						
18-34	13	2.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**52**	**6.3**	**74**						
GRAND TOTAL	**103**	**8.3**	**64**	**1**	**1**	**5**	**15**	**21**	**21**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	2.5							
18-34	51	6.8	24						
35-49	0								
50-69	0								
70 +	0								
	77	**5.3**	**20**	**2**	**3**	**4**	**5**	**15**	**15**
0-17	103	2.6	2	1	1	2	3	5	5
18-34	51	2.2	2						
35-49	0								
50-69	0								
70 +	0								
	154	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	231	**3.4**	**10**	**1**	**2**	**3**	**4**	**5**	**15**

DRG 10: Nervous System Neoplasms w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1292	12.1	81	3	5	10	17	26	36
70-74	814	16.0	170	4	6	12	24	31	51
75-79	724	16.7	342	3	5	11	19	53	71
80-84	368	12.7	107	3	6	9	18	26	30
85 +	152	11.7	41	4	6	12	19	20	22
SUBTOTAL	**3350**	**14.1**	**164**	**3**	**6**	**10**	**19**	**30**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3350**	**14.1**	**164**	**3**	**6**	**10**	**19**	**30**	**44**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	542	4.3	54	1	1	2	5	7	10
18-34	103	6.1	21	1	1	7	10	14	14
35-49	446	9.2	45	2	4	7	16	18	20
50-69	1468	10.9	92	2	4	7	16	23	34
70 +	140	10.8	89	2	4	8	16	21	35
	2698	**9.1**	**81**	**1**	**3**	**6**	**12**	**20**	**28**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2698	**9.1**	**81**	**1**	**3**	**6**	**12**	**20**	**28**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	77	4.8	18	1	1	4	6	13	13
18-34	142	6.1	32	1	1	2	13	13	15
35-49	127	8.2	22	2	5	7	11	16	16
50-69	153	13.8	137	4	5	8	21	36	37
70 +	25	4.0	1						
SUBTOTAL	**524**	**8.5**	**69**	**1**	**2**	**6**	**12**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**524**	**8.5**	**69**	**1**	**2**	**6**	**12**	**16**	**21**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	257	5.1	42	1	1	2	5	13	22
18-34	38	4.3	2						
35-49	115	8.2	53	2	4	4	9	24	24
50-69	176	9.2	117	4	4	7	8	10	47
70 +	39	15.0	9						
	625	**7.4**	**68**	**1**	**3**	**4**	**9**	**19**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	625	**7.4**	**68**	**1**	**3**	**4**	**9**	**19**	**23**

DRG 11: Nervous System Neoplasms w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	434	8.3	57	2	4	5	10	21	25	0-17	386	3.6	37	1	1	2	3	9	10
70-74	153	12.1	178	2	2	8	29	31	42	18-34	128	2.9	5	1	1	2	5	7	7
75-79	166	12.4	70	4	7	9	20	22	31	35-49	344	7.7	42	1	2	7	12	17	19
80-84	115	10.9	118	1	4	8	9	35	35	50-69	600	6.3	32	1	2	4	7	16	21
85 +	50	8.7	30							70 +	13	2.0							
SUBTOTAL	**918**	**10.0**	**89**	**2**	**4**	**7**	**12**	**25**	**31**		**1472**	**5.6**	**36**	**1**	**2**	**3**	**7**	**14**	**19**
GRAND TOTAL	**918**	**10.0**	**89**	**2**	**4**	**7**	**12**	**25**	**31**		**1472**	**5.6**	**36**	**1**	**2**	**3**	**7**	**14**	**19**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	52	3.3	4							0-17	103	2.1	1	1	1	2	3	4	4
18-34	38	2.3	1							18-34	37	2.3	2						
35-49	25	10.7	94							35-49	51	4.8	36						
50-69	13	7.0								50-69	64	5.9	23						
70 +	0									70 +	0								
SUBTOTAL	**128**	**4.8**	**30**	**1**	**1**	**3**	**6**	**15**	**20**		**255**	**3.6**	**16**	**1**	**1**	**2**	**4**	**14**	**15**
GRAND TOTAL	**128**	**4.8**	**30**	**1**	**1**	**3**	**6**	**15**	**20**		**255**	**3.6**	**16**	**1**	**1**	**2**	**4**	**14**	**15**

DRG 12: Degenerative Nervous System Disorders

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	444	16.9	382	3	6	10	22	84	99 +
70-74	432	16.8	328	4	7	10	24	77	99 +
75-79	903	19.6	445	5	6	13	23	53	79
80-84	573	18.7	237	5	8	14	29	58	99 +
85 +	505	13.2	205	4	6	9	14	29	39
SUBTOTAL	**2858**	**17.4**	**338**	**4**	**6**	**11**	**23**	**58**	**92**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	380	11.1	141	2	4	7	10	27	37
70-74	429	11.3	212	3	3	7	12	26	69
75-79	481	10.4	142	2	5	8	10	20	33
80-84	483	13.2	297	3	5	6	14	36	72
85 +	163	10.6	42	5	6	9	12	24	25
SUBTOTAL	**1937**	**11.5**	**188**	**3**	**5**	**7**	**12**	**24**	**40**
GRAND TOTAL	**4794**	**15.0**	**286**	**3**	**6**	**9**	**18**	**46**	**73**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	129	4.2	25	< 1	1	2	4	13	17
18-34	52	18.8	794						
35-49	77	6.4	16	2	2	8	9	13	13
50-69	204	10.2	44	4	4	10	13	20	26
70 +	26	25.0	37						
	488	**9.7**	**143**	**1**	**2**	**5**	**13**	**20**	**31**
0-17	232	3.4	7	< 1	1	2	5	8	10
18-34	204	4.8	32	1	1	2	7	10	24
35-49	127	8.0	87	1	2	6	8	31	34
50-69	292	7.0	29	2	4	5	11	12	15
70 +	38	4.3							
	894	**5.6**	**34**	**1**	**2**	**4**	**7**	**11**	**15**
	1381	**7.0**	**76**	**1**	**2**	**4**	**10**	**15**	**24**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	116	8.1	22	1	4	9	11	16	16
18-34	25	6.0	1						
35-49	51	9.0	14						
50-69	52	13.8	148						
70 +	38	18.5	115						
SUBTOTAL	**282**	**10.5**	**68**	**3**	**5**	**9**	**14**	**28**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	167	2.8	2	< 1	2	3	4	4	6
18-34	51	6.2	14						
35-49	26	8.0	1						
50-69	13	11.0							
70 +	26	9.0	9						
SUBTOTAL	**282**	**4.8**	**12**	**< 1**	**2**	**4**	**7**	**10**	**11**
GRAND TOTAL	**564**	**7.7**	**48**	**1**	**3**	**6**	**11**	**16**	**28**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	3.0	4						
18-34	51	7.3	8						
35-49	26	15.5	31						
50-69	0								
70 +	26	12.5	94						
	128	**9.1**	**48**	**2**	**3**	**8**	**11**	**22**	**22**
0-17	103	3.1	5	< 1	1	5	5	6	6
18-34	38	3.4	11						
35-49	12	8.0							
50-69	51	21.4	219						
70 +	51	43.9	793						
	255	**15.2**	**459**	**1**	**1**	**6**	**23**	**57**	**75**
	384	**13.2**	**329**	**1**	**2**	**7**	**15**	**42**	**57**

DRG 13: Multiple Sclerosis & Cerebellar Ataxia

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	420	9.5	47	2	5	9	12	19	26
70-74	38	10.2	125						
75-79	52	8.8	9						
80-84	38	15.0	62						
85+	25	9.1	9						
SUBTOTAL	**573**	**9.8**	**50**	**2**	**5**	**9**	**12**	**21**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	434	6.7	26	2	3	5	9	13	15
70-74	76	7.5	24	2	4	7	10	17	17
75-79	37	5.0	9						
80-84	0								
85+	12	4.0							
SUBTOTAL	**559**	**6.6**	**24**	**2**	**4**	**5**	**9**	**13**	**15**
GRAND TOTAL	**1132**	**8.2**	**40**	**2**	**4**	**6**	**10**	**17**	**25**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	2.5							
18-34	141	11.4	71	4	4	9	19	21	31
35-49	512	13.2	250	4	5	8	12	25	66
50-69	243	13.2	233	4	4	6	15	32	65
70+	0								
	921	**12.6**	**214**	**4**	**5**	**7**	**12**	**29**	**42**
0-17	90	4.7	15	1	2	3	7	13	13
18-34	650	5.3	7	2	3	5	7	9	10
35-49	1458	5.8	13	1	4	5	8	10	13
50-69	345	9.3	83	4	4	5	9	28	35
70+	0								
	2542	**6.1**	**23**	**2**	**4**	**5**	**8**	**10**	**13**
	3464	**7.8**	**82**	**2**	**4**	**6**	**9**	**13**	**23**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	26	5.0	17						
18-34	52	15.5	174						
35-49	152	10.7	121	4	4	7	18	20	42
50-69	38	7.4	6						
70+	0								
SUBTOTAL	**268**	**10.6**	**113**	**4**	**5**	**8**	**10**	**38**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	13	7.0							
18-34	51	6.2	1						
35-49	103	10.0	41	5	6	7	11	26	26
50-69	25	6.5							
70+	0								
SUBTOTAL	**192**	**8.3**	**26**	**5**	**6**	**7**	**8**	**12**	**26**
GRAND TOTAL	**459**	**9.6**	**78**	**4**	**6**	**7**	**9**	**26**	**42**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	64	7.4	7						
35-49	26	5.5							
50-69	25	20.7	163						
70+	0								
	115	**9.9**	**73**	**4**	**6**	**7**	**8**	**33**	**33**
0-17	116	4.7	1	3	4	4	5	7	7
18-34	51	6.9	39						
35-49	152	5.1	11	1	2	5	7	11	11
50-69	25	3.5	7						
70+	0								
	344	**5.1**	**12**	**1**	**3**	**5**	**6**	**11**	**11**
	459	**6.3**	**31**	**1**	**3**	**5**	**7**	**11**	**17**

DRG 14: Specific Cerebrovascular Disorders except TIA

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5442	12.9	182	4	6	9	15	29	45
70-74	6317	14.3	186	4	6	10	17	31	50
75-79	7778	14.4	185	4	6	10	18	31	53
80-84	7227	15.1	210	5	7	10	18	36	60
85 +	7769	16.6	220	5	7	11	21	38	56
SUBTOTAL	**34533**	**14.8**	**199**	**4**	**7**	**10**	**18**	**34**	**54**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2536	8.1	52	3	4	7	10	14	18
70-74	2763	9.3	77	3	4	7	10	17	27
75-79	3092	9.5	69	3	5	8	11	18	24
80-84	2991	9.5	54	3	5	7	11	17	23
85 +	2547	10.6	90	3	5	8	13	20	27
SUBTOTAL	**13928**	**9.4**	**69**	**3**	**5**	**7**	**11**	**18**	**23**
GRAND TOTAL	**48461**	**13.2**	**167**	**4**	**6**	**9**	**16**	**29**	**45**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	14.5	2						
18-34	153	10.9	82	2	5	9	13	29	30
35-49	640	10.9	153	4	5	8	12	17	22
50-69	4579	11.4	128	3	5	8	13	22	32
70 +	594	12.4	108	4	7	9	16	20	22
	5992	**11.4**	**127**	**4**	**5**	**8**	**13**	**21**	**30**
0-17	39	3.0	2						
18-34	153	7.1	10	3	4	7	10	11	12
35-49	825	6.3	15	2	4	6	8	11	15
50-69	2931	7.7	46	2	3	6	9	14	20
70 +	265	8.7	28	4	5	8	11	13	17
	4212	**7.4**	**37**	**2**	**4**	**6**	**9**	**14**	**18**
	10204	**9.8**	**94**	**2**	**5**	**7**	**12**	**19**	**25**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	25	4.0	4						
18-34	77	16.0	123	5	5	13	24	36	36
35-49	102	18.0	436	4	7	13	16	71	71
50-69	736	20.6	619	4	7	12	22	84	99 +
70 +	153	24.5	562	3	9	23	33	90	99 +
SUBTOTAL	**1093**	**20.2**	**554**	**4**	**7**	**13**	**24**	**82**	**99**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	25	22.0	1						
35-49	50	6.2	1						
50-69	267	9.3	24	3	6	9	12	14	17
70 +	128	16.0	264	5	6	8	14	49	52
SUBTOTAL	**471**	**11.5**	**102**	**4**	**6**	**8**	**13**	**22**	**44**
GRAND TOTAL	**1564**	**17.6**	**434**	**4**	**6**	**10**	**21**	**66**	**95**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	13	10.0							
18-34	76	5.0	8	1	3	4	8	9	9
35-49	291	9.5	46	4	5	8	11	24	24
50-69	1039	9.9	70	3	5	7	13	19	24
70 +	382	16.0	123	5	7	13	25	29	34
	1801	**10.9**	**82**	**3**	**5**	**8**	**14**	**24**	**28**
0-17	0								
18-34	51	2.7	1						
35-49	140	7.8	43	3	3	5	8	16	25
50-69	732	8.5	66	2	4	6	11	16	19
70 +	126	7.6	47	4	4	4	8	27	27
	1049	**8.1**	**59**	**2**	**4**	**5**	**11**	**16**	**19**
	2850	**9.9**	**76**	**3**	**4**	**7**	**13**	**22**	**27**

DRG 15: Transient Ischemic Attack & Precerebral Occlusions

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2777	6.0	21	2	3	5	8	11	13
70-74	3000	5.8	17	2	3	5	8	11	13
75-79	3277	7.1	64	2	3	5	8	13	17
80-84	3201	7.9	57	2	4	6	9	15	19
85+	3298	8.5	71	3	4	6	10	16	24
SUBTOTAL	**15553**	**7.1**	**48**	**2**	**3**	**5**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2170	4.6	21	1	2	3	6	8	10
70-74	2269	4.1	8	1	2	3	6	8	9
75-79	2112	5.2	32	1	2	4	7	9	11
80-84	2025	5.1	12	2	3	4	7	10	11
85+	1653	5.9	27	2	3	5	7	10	12
SUBTOTAL	**10229**	**4.9**	**20**	**1**	**2**	**4**	**6**	**9**	**11**
GRAND TOTAL	**25782**	**6.2**	**38**	**2**	**3**	**5**	**8**	**12**	**15**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	26	2.0	1						
35-49	279	5.4	27	2	2	3	7	10	12
50-69	1730	5.3	29	1	2	4	7	9	12
70+	277	6.2	7	3	4	6	8	9	11
	2312	**5.4**	**26**	**1**	**2**	**4**	**7**	**9**	**11**
0-17	13	4.0							
18-34	51	5.0	9						
35-49	605	4.0	6	1	2	3	5	8	9
50-69	2805	3.7	7	1	2	3	5	7	9
70+	164	3.1	3	1	2	3	4	5	7
	3639	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**9**
	5950	**4.4**	**15**	**1**	**2**	**4**	**6**	**9**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	13	3.0							
35-49	39	11.3	32						
50-69	280	6.5	16	2	2	7	10	11	13
70+	64	10.3	56						
SUBTOTAL	**396**	**7.5**	**27**	**2**	**3**	**7**	**11**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	76	3.4	4	1	2	4	4	7	7
50-69	179	4.5	6	2	3	4	5	8	11
70+	101	5.6	4	2	4	5	7	9	9
SUBTOTAL	**356**	**4.6**	**6**	**2**	**3**	**4**	**6**	**8**	**9**
GRAND TOTAL	**752**	**6.1**	**19**	**2**	**3**	**5**	**8**	**11**	**15**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	63	5.5	12						
50-69	394	6.6	20	2	3	6	8	13	17
70+	153	6.8	15	3	4	6	10	11	15
	610	**6.5**	**18**	**2**	**4**	**6**	**9**	**13**	**15**
0-17	0								
18-34	25	5.0	4						
35-49	51	2.3	1						
50-69	606	4.0	5	1	2	4	6	7	8
70+	191	4.1	6	1	2	3	7	8	9
	873	**3.9**	**5**	**1**	**2**	**3**	**5**	**7**	**8**
	1483	**5.0**	**12**	**1**	**3**	**4**	**7**	**9**	**11**

DRG 16: Nonspecific Cerebrovascular Disorders w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	228	9.4	37	3	4	8	13	19	23
70-74	292	12.5	99	3	6	10	21	39	99 +
75-79	405	8.0	26	3	4	7	11	16	17
80-84	470	14.5	182	3	6	9	21	39	61
85 +	444	18.0	267	4	8	12	29	47	99 +
SUBTOTAL	**1840**	**13.0**	**151**	**3**	**5**	**9**	**17**	**39**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1840**	**13.0**	**151**	**3**	**5**	**9**	**17**	**39**	**47**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	4.8	4						
18-34	64	6.0	15						
35-49	90	6.2	17	1	2	5	10	12	12
50-69	127	13.0	56	5	7	12	22	23	24
70 +	25	5.0	4						
	370	**8.2**	**39**	**2**	**3**	**7**	**10**	**22**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	370	**8.2**	**39**	**2**	**3**	**7**	**10**	**22**	**23**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	39	6.3	6						
18-34	0								
35-49	13	10.0							
50-69	37	5.7	21						
70 +	25	18.0	67						
SUBTOTAL	**114**	**9.1**	**47**	**2**	**3**	**8**	**10**	**26**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**114**	**9.1**	**47**	**2**	**3**	**8**	**10**	**26**	**26**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	5.8	5						
18-34	25	1.0							
35-49	26	6.0	1						
50-69	12	27.0							
70 +	0								
	115	**7.1**	**55**	**1**	**3**	**5**	**7**	**27**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	115	**7.1**	**55**	**1**	**3**	**5**	**7**	**27**	**27**

DRG 17: Nonspecific Cerebrovascular Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	77	19.9	983	1	2	6	19	88	88	0-17	180	2.4	6	< 1	1	1	3	4	10
70-74	114	7.1	29	2	3	5	9	18	18	18-34	64	5.4	30						
75-79	89	9.9	55	3	4	7	16	25	25	35-49	76	5.5	19	1	2	3	11	12	12
80-84	115	8.3	33	2	4	7	11	20	20	50-69	89	6.9	57	1	2	4	7	25	25
85 +	152	7.2	23	3	4	5	12	15	16	70 +	12	2.0							
SUBTOTAL	**547**	**9.6**	**183**	**2**	**3**	**5**	**14**	**18**	**20**		**421**	**4.3**	**26**	**1**	**1**	**2**	**4**	**11**	**16**
GRAND TOTAL	**547**	**9.6**	**183**	**2**	**3**	**5**	**14**	**18**	**20**		**421**	**4.3**	**26**	**1**	**1**	**2**	**4**	**11**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	90	3.0	2	1	2	2	5	5	5	0-17	26	2.0							
18-34	25	2.0								18-34	13	5.0							
35-49	0									35-49	12	11.0							
50-69	0									50-69	63	3.2	4						
70 +	0									70 +	0								
SUBTOTAL	**115**	**2.8**	**2**	**1**	**2**	**2**	**4**	**5**	**5**		**114**	**4.0**	**9**	**1**	**2**	**2**	**5**	**11**	**11**
GRAND TOTAL	**115**	**2.8**	**2**	**1**	**2**	**2**	**4**	**5**	**5**		**114**	**4.0**	**9**	**1**	**2**	**2**	**5**	**11**	**11**

DRG 18: Cranial & Peripheral Nerve Disorders w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	850	8.0	62	2	4	6	10	14	20
70-74	571	9.0	44	2	5	7	11	15	20
75-79	370	10.8	136	2	4	7	12	21	36
80-84	367	12.0	138	2	5	7	16	36	36
85 +	230	7.0	20	2	3	6	12	17	99 +
SUBTOTAL	**2388**	**9.2**	**79**	**2**	**4**	**7**	**11**	**19**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2388**	**9.2**	**79**	**2**	**4**	**7**	**11**	**19**	**25**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	4.5	7						
18-34	218	6.4	16	2	3	6	9	15	15
35-49	421	7.4	27	3	5	6	7	15	19
50-69	663	10.5	90	2	4	8	13	23	26
70 +	39	11.7	28						
	1392	**8.7**	**58**	**2**	**4**	**6**	**10**	**19**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1392	**8.7**	**58**	**2**	**4**	**6**	**10**	**19**	**24**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	13	34.0							
18-34	51	15.9	361						
35-49	64	8.4	7						
50-69	115	5.8	9	1	4	6	7	12	12
70 +	0								
SUBTOTAL	**243**	**10.1**	**128**	**3**	**4**	**7**	**11**	**34**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**243**	**10.1**	**128**	**3**	**4**	**7**	**11**	**34**	**39**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	14.8	198						
18-34	38	7.3	17						
35-49	39	22.3	623						
50-69	150	6.1	9	2	3	7	8	9	12
70 +	13	19.0							
	291	**10.5**	**159**	**2**	**3**	**8**	**10**	**19**	**38**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	291	**10.5**	**159**	**2**	**3**	**8**	**10**	**19**	**38**

DRG 19: Cranial & Peripheral Nerve Disorders w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	483	5.8	21	1	2	5	7	13	18
70-74	302	4.3	7	1	2	4	7	7	8
75-79	278	5.4	18	2	3	4	6	10	11
80-84	240	6.2	58	1	1	2	9	20	29
85 +	179	5.0	12	1	2	5	7	8	14
SUBTOTAL	**1482**	**5.4**	**23**	**1**	**2**	**5**	**7**	**10**	**15**
GRAND TOTAL	**1482**	**5.4**	**23**	**1**	**2**	**5**	**7**	**10**	**15**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	386	6.0	82	1	2	3	7	14	24
18-34	507	3.3	10	1	1	2	5	6	10
35-43	777	3.7	6	1	2	3	5	7	10
50-69	1029	3.9	11	1	2	3	5	7	10
70 +	39	4.0	5						
	2738	**4.0**	**20**	**1**	**2**	**3**	**5**	**7**	**10**
	2738	**4.0**	**20**	**1**	**2**	**3**	**5**	**7**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	129	4.8	13	< 1	1	5	7	10	13
18-34	64	5.2	7						
35-49	90	6.9	36	1	3	4	10	20	20
50-69	64	15.2	430						
70 +	0								
SUBTOTAL	**347**	**7.3**	**109**	**1**	**2**	**5**	**7**	**13**	**20**
GRAND TOTAL	**347**	**7.3**	**109**	**1**	**2**	**5**	**7**	**13**	**20**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	103	9.7	79	3	4	6	10	32	32
18-34	189	5.8	40	1	1	4	9	11	26
35-49	125	1.9	2	1	1	1	3	4	4
50-69	151	4.8	25	1	2	2	6	10	18
70 +	12	4.0							
	581	**5.4**	**40**	**1**	**1**	**3**	**7**	**11**	**18**
	581	**5.4**	**40**	**1**	**1**	**3**	**7**	**11**	**18**

DRG 20: Nervous System Infection except Viral Meningitis

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	291	14.0	69	5	7	11	21	28	28
70-74	179	21.2	47	14	16	22	26	31	33
75-79	203	22.4	304	6	11	15	29	55	63
80-84	127	13.0	41	4	10	14	19	23	23
85 +	178	17.0	135	5	6	12	25	33	40
SUBTOTAL	**977**	**17.5**	**136**	**5**	**9**	**14**	**23**	**33**	**40**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	127	4.7	13	1	1	2	7	11	11
70-74	51	6.2							
75-79	139	6.8	14	2	3	7	11	11	12
80-84	64	13.6	52						
85 +	0								
SUBTOTAL	**381**	**7.2**	**27**	**1**	**3**	**7**	**10**	**12**	**19**
GRAND TOTAL	**1358**	**14.6**	**127**	**3**	**6**	**11**	**21**	**28**	**33**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	604	11.2	61	4	7	10	13	21	24
18-34	232	10.8	47	2	7	9	13	21	30
35-49	333	12.0	35	3	8	12	16	19	23
50-69	177	16.9	137	4	10	18	20	24	51
70 +	12	4.0							
	1358	**12.0**	**66**	**4**	**7**	**10**	**16**	**21**	**24**
0-17	1102	7.5	22	2	3	7	10	12	16
18-34	292	7.3	20	3	3	7	11	12	15
35-49	370	6.7	35	2	3	6	8	11	21
50-69	269	9.0	125	2	4	7	8	13	21
70 +	13	11.0							
	2046	**7.5**	**38**	**2**	**3**	**7**	**10**	**12**	**18**
	3404	**9.3**	**54**	**2**	**4**	**8**	**11**	**19**	**21**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	450	11.9	64	4	7	10	13	25	31
18-34	77	10.3	63	1	4	8	15	25	25
35-49	26	16.0	1						
50-69	26	13.0	84						
70 +	0								
SUBTOTAL	**579**	**12.0**	**63**	**4**	**7**	**10**	**15**	**25**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	472	8.6	26	2	4	8	11	14	21
18-34	63	8.4	12						
35-49	26	10.5							
50-69	0								
70 +	0								
SUBTOTAL	**561**	**8.7**	**24**	**2**	**5**	**8**	**11**	**14**	**15**
GRAND TOTAL	**1140**	**10.4**	**46**	**3**	**6**	**10**	**13**	**20**	**25**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	360	11.0	19	4	9	11	14	15	17
18-34	12	5.0							
35-49	51	9.5	1						
50-69	12	6.0							
70 +	25	21.0	176						
	461	**11.1**	**32**	**5**	**8**	**10**	**14**	**15**	**22**
0-17	308	8.1	30	2	3	8	10	18	18
18-34	89	7.3	23	1	1	7	11	15	15
35-49	51	12.8	71						
50-69	37	8.3	30						
70 +	0								
	486	**8.5**	**35**	**1**	**3**	**8**	**10**	**18**	**21**
	947	**9.7**	**35**	**2**	**6**	**10**	**13**	**17**	**21**

DRG 21: Viral Meningitis

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	52	8.5	85						
70-74	38	13.8	94						
75-79	25	25.4	416						
80-84	0								
85 +	12	12.0							
SUBTOTAL	**128**	**13.8**	**180**	**2**	**5**	**7**	**24**	**39**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	26	5.0	4						
80-84	0								
85 +	0								
SUBTOTAL	**26**	**5.0**	**4**						
GRAND TOTAL	**153**	**12.3**	**161**	**3**	**3**	**6**	**24**	**27**	**45**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	590	5.0	16	1	2	3	7	12	14
18-34	268	5.4	8	2	3	4	7	9	12
35-49	102	6.2	16	2	3	5	6	15	15
50-69	38	6.0	15						
70 +	0								
	999	**5.3**	**14**	**2**	**3**	**4**	**7**	**11**	**14**
0-17	2545	3.2	5	1	2	3	4	6	6
18-34	1305	3.5	5	1	2	3	4	6	9
35-49	761	4.1	11	2	2	3	5	8	13
50-69	77	6.2	17	3	4	4	6	15	15
70 +	0								
	4688	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
	5687	**3.8**	**8**	**1**	**2**	**3**	**4**	**7**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	309	5.5	29	2	3	4	7	9	17
18-34	39	14.7	193						
35-49	0								
50-69	13	10.0							
70 +	0								
SUBTOTAL	**361**	**6.7**	**53**	**2**	**3**	**4**	**7**	**17**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1336	3.8	9	2	2	3	4	7	8
18-34	190	3.3	3	2	2	3	4	5	8
35-49	12	11.0							
50-69	0								
70 +	0								
SUBTOTAL	**1538**	**3.8**	**8**	**2**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**1898**	**4.3**	**18**	**2**	**2**	**3**	**4**	**8**	**10**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	283	3.6	13	1	2	2	3	8	11
18-34	89	7.9	6	4	5	8	10	11	11
35-49	38	7.4	4						
50-69	12	2.0							
70 +	0								
	423	**4.8**	**14**	**1**	**2**	**3**	**8**	**10**	**11**
0-17	925	3.0	2	2	2	3	3	4	5
18-34	405	3.8	13	1	2	3	5	6	9
35-49	39	7.7	37						
50-69	0								
70 +	0								
	1368	**3.4**	**7**	**1**	**2**	**3**	**4**	**5**	**7**
	1792	**3.7**	**9**	**1**	**2**	**3**	**4**	**8**	**10**

DRG 22: Hypertensive Encephalopathy

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	152	9.1	31	3	4	8	13	18	20
70-74	138	6.4	14	2	3	7	10	11	12
75-79	113	8.8	55	2	4	7	9	28	28
80-84	38	6.0	9						
85 +	64	5.2	2						
SUBTOTAL	**504**	**7.6**	**28**	**3**	**3**	**7**	**9**	**12**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	63	3.2	1						
70-74	51	6.5	29						
75-79	50	3.8							
80-84	38	5.0	8						
85 +	37	5.7	4						
SUBTOTAL	**239**	**4.7**	**10**	**2**	**3**	**4**	**6**	**9**	**15**
GRAND TOTAL	**743**	**6.6**	**24**	**2**	**3**	**5**	**9**	**12**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	15.0	104						
18-34	0								
35-49	76	3.7	3	2	2	3	4	7	7
50-69	127	6.7	15	3	3	8	9	10	15
70 +	0								
	228	**6.6**	**31**	**2**	**3**	**5**	**8**	**15**	**25**
0-17	0								
18-34	25	2.0							
35-49	102	4.8	11	1	3	4	9	11	11
50-69	191	5.0	7	2	2	4	7	9	11
70 +	0								
	318	**4.7**	**8**	**2**	**2**	**4**	**6**	**9**	**11**
	546	**5.5**	**19**	**2**	**2**	**4**	**7**	**10**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	26	8.0	4						
18-34	0								
35-49	0								
50-69	26	4.0	4						
70 +	0								
SUBTOTAL	**52**	**6.0**	**8**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	12	1.0							
35-49	25	3.0							
50-69	13	14.0							
70 +	13	5.0							
SUBTOTAL	**64**	**5.2**	**21**						
GRAND TOTAL	**115**	**5.6**	**16**	**<1**	**3**	**5**	**6**	**14**	**14**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	25	6.0	1						
35-49	64	8.8	46						
50-69	25	7.5	21						
70 +	0								
	114	**7.9**	**32**	**2**	**4**	**5**	**12**	**18**	**18**
0-17	0								
18-34	0								
35-49	25	5.0	4						
50-69	26	3.0	4						
70 +	0								
	51	**4.0**	**5**						
	164	**6.7**	**27**	**2**	**3**	**5**	**7**	**16**	**18**

DRG 23: Nontraumatic Stupor & Coma

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	89	3.3	3	1	2	3	5	6	6	0-17	0								
70-74	51	5.2	8							18-34	75	7.3	32	2	3	3	13	17	17
75-79	75	5.3	8	2	3	4	9	9	9	35-49	38	4.3	11						
80-84	101	9.8	111	2	4	5	16	35	35	50-69	64	5.8	11						
85 +	64	6.4	11							70 +	0								
SUBTOTAL	**379**	**6.2**	**40**	**2**	**3**	**5**	**7**	**12**	**16**		**177**	**6.1**	**21**	**2**	**3**	**4**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	12	7.0								0-17	64	2.0	1						
70-74	12	2.0								18-34	76	2.9	2	1	1	3	4	5	5
75-79	63	3.0	3							35-49	13	1.0							
80-84	0									50-69	26	2.5							
85 +	51	4.5	2							70 +	0								
SUBTOTAL	**138**	**3.8**	**4**	**2**	**2**	**4**	**5**	**7**	**7**		**179**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**517**	**5.6**	**31**	**2**	**3**	**4**	**7**	**9**	**14**		**356**	**4.2**	**15**	**1**	**2**	**3**	**4**	**12**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	3.7	3							0-17	0								
18-34	0									18-34	12	2.0							
35-49	25	10.1	67							35-49	13	4.0							
50-69	0									50-69	12	3.0							
70 +	0									70 +	0								
SUBTOTAL	**64**	**6.2**	**38**								**38**	**3.0**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	38	7.0	13							0-17	0								
18-34	13	6.0								18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	12	7.0							
70 +	0									70 +	0								
SUBTOTAL	**51**	**6.8**	**10**								**12**	**7.0**							
GRAND TOTAL	**115**	**6.5**	**25**	**2**	**3**	**5**	**6**	**18**	**18**		**50**	**4.0**	**4**						

DRG 24: Seizure & Headache Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3338	7.2	55	2	3	5	9	14	20
70-74	1719	8.9	102	2	4	6	10	18	22
75-79	1677	8.7	90	2	4	6	11	15	20
80-84	1288	8.2	55	2	3	6	10	19	28
85 +	1237	10.5	146	3	4	7	13	20	43
SUBTOTAL	9260	8.4	83	2	4	6	10	17	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	9260	8.4	83	2	4	6	10	17	24

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1135	5.4	71	1	2	3	5	10	14
35-49	1805	5.1	22	1	2	3	7	10	13
50-69	2040	5.4	18	2	3	4	6	12	14
70 +	100	6.3	15	2	2	4	10	12	12
	5080	5.3	31	1	2	4	6	10	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5080	5.3	31	1	2	4	6	10	14

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1084	7.2	113	2	3	4	7	13	23
35-49	841	7.2	66	1	3	4	7	16	28
50-69	698	6.2	22	2	3	5	8	12	14
70 +	89	16.5	235	4	4	11	30	47	47
SUBTOTAL	2713	7.2	82	2	3	4	7	14	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	2713	7.2	82	2	3	4	7	14	26

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	546	4.5	12	1	2	3	6	10	12
35-49	517	4.5	31	1	2	3	5	7	9
50-69	429	4.1	7	1	2	3	6	9	10
70 +	114	5.9	22	1	3	4	6	18	18
	1605	4.5	18	1	2	3	6	9	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1605	4.5	18	1	2	3	6	9	11

DRG 25: Seizure & Headache Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2034	4.4	12	1	2	3	5	9	11
70-74	885	4.5	20	1	2	3	5	8	12
75-79	685	5.9	84	2	2	4	6	9	21
80-84	456	5.3	49	2	2	3	6	14	18
85 +	480	5.4	15	2	3	4	6	13	14
SUBTOTAL	**4539**	**4.8**	**29**	**2**	**2**	**3**	**5**	**9**	**13**
GRAND TOTAL	**4539**	**4.8**	**29**	**2**	**2**	**3**	**5**	**9**	**13**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	4385	3.1	7	1	2	2	4	6	7
35-49	3507	3.4	8	1	1	3	4	6	8
50-69	2122	3.3	5	1	2	3	4	6	8
70 +	76	3.7	3	1	2	4	5	6	6
	10090	**3.3**	**7**	**1**	**2**	**3**	**4**	**6**	**8**
	10090	**3.3**	**7**	**1**	**2**	**3**	**4**	**6**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1498	3.4	9	1	2	2	4	8	10
35-49	748	5.3	42	1	2	4	7	10	12
50-69	241	3.7	4	2	2	3	6	7	8
70 +	39	7.0	5						
SUBTOTAL	**2526**	**4.1**	**19**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**2526**	**4.1**	**19**	**1**	**2**	**3**	**5**	**8**	**10**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1445	2.9	5	1	1	2	4	6	7
35-49	631	2.9	7	1	1	2	4	5	9
50-69	380	3.6	7	1	2	3	4	6	6
70 +	77	5.0	6	2	2	5	8	8	8
	2534	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
	2534	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 26: Seizure & Headache Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	13	10.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**13**	**10.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**13**	**10.0**							

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	2588	4.7	29	1	2	3	5	10	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2588	**4.7**	**29**	**1**	**2**	**3**	**5**	**10**	**16**
0-17	10221	3.1	11	1	1	2	4	6	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	10221	**3.1**	**11**	**1**	**1**	**2**	**4**	**6**	**9**
	12810	**3.4**	**15**	**1**	**1**	**2**	**4**	**7**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1925	5.4	34	1	2	4	7	11	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1925**	**5.4**	**34**	**1**	**2**	**4**	**7**	**11**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	5226	3.5	11	1	2	3	4	6	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**5226**	**3.5**	**11**	**1**	**2**	**3**	**4**	**6**	**9**
GRAND TOTAL	**7152**	**4.0**	**16**	**1**	**2**	**3**	**4**	**8**	**10**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	897	6.0	125	1	2	4	6	11	18
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	897	**6.0**	**125**	**1**	**2**	**4**	**6**	**11**	**18**
0-17	3226	3.5	55	1	1	2	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3226	**3.5**	**55**	**1**	**1**	**2**	**4**	**6**	**8**
	4123	**4.1**	**72**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 27: Traumatic Stupor & Coma, Coma >1 Hr

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	38	37.3	646							0-17	90	5.3	16	1	2	5	6	14	14
70-74	25	7.9	26							18-34	140	5.5	18	2	2	3	7	14	14
75-79	25	72.6	599							35-49	90	17.9	99	6	6	18	27	33	33
80-84	38	21.7								50-69	102	12.5	32	5	10	13	19	22	22
85+	38	6.7	3							70+	25	10.7	94						
SUBTOTAL	**164**	**27.6**	**746**	5	6	21	39	67	97		**448**	**9.9**	**66**	2	3	6	14	22	27
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	25	4.0	1							0-17	180	4.6	14	1	1	3	8	11	12
70-74	0									18-34	230	7.7	58	1	2	5	11	23	28
75-79	13	5.0								35-49	0								
80-84	13	8.0								50-69	38	1.7	1						
85+	38	3.7								70+	0								
SUBTOTAL	**89**	**4.6**	**3**	3	3	4	5	8	8		**448**	**6.0**	**40**	1	1	3	9	13	23
GRAND TOTAL	**253**	**19.5**	**605**	3	4	6	22	55	67		**895**	**7.9**	**57**	1	2	5	12	20	25

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	38	18.8	48							0-17	39	14.3	15						
18-34	64	8.6	117							18-34	64	5.0	33						
35-49	0									35-49	38	5.9	17						
50-69	26	20.0	51							50-69	0								
70+	0									70+	0								
SUBTOTAL	**128**	**13.9**	**111**	2	3	13	24	29	30		**140**	**7.8**	**40**	1	1	6	16	16	18
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	39	1.3								0-17	64	2.4	1						
18-34	25	3.5	2							18-34	128	5.7	28	1	2	3	11	12	17
35-49	13	7.0								35-49	38	10.6	58						
50-69	0									50-69	12	3.0							
70+	0									70+	0								
SUBTOTAL	**77**	**3.0**	**5**	1	1	2	5	7	7		**243**	**5.4**	**31**	1	2	3	8	13	19
GRAND TOTAL	**205**	**9.8**	**99**	1	2	5	23	27	30		**384**	**6.3**	**35**	1	2	3	11	16	18

DRG 28: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	217	11.8	235	2	5	7	14	20	69
70-74	241	18.3	336	2	3	11	29	51	64
75-79	316	10.2	58	3	5	9	13	24	25
80-84	165	13.4	170	2	6	8	31	42	99 +
85 +	238	10.0	69	3	5	7	11	27	35
SUBTOTAL	**1177**	**12.6**	**174**	**3**	**5**	**8**	**16**	**30**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1177**	**12.6**	**174**	**3**	**5**	**8**	**16**	**30**	**50**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	334	5.9	46	1	1	2	7	20	22
35-49	282	5.4	23	1	2	4	8	13	15
50-69	205	9.8	34	3	6	9	13	20	23
70 +	89	22.2	466	6	7	15	25	72	72
	910	**8.2**	**101**	**1**	**2**	**5**	**11**	**20**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	910	**8.2**	**101**	**1**	**2**	**5**	**11**	**20**	**23**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	115	4.0	11	1	2	2	8	10	10
35-49	128	6.8	15	2	4	6	9	14	15
50-69	0								
70 +	0								
SUBTOTAL	**243**	**5.5**	**15**	**1**	**2**	**5**	**8**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**243**	**5.5**	**15**	**1**	**2**	**5**	**8**	**11**	**15**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	370	5.1	37	< 1	2	3	6	15	30
35-49	141	3.7	19	1	1	2	6	7	16
50-69	77	6.8	56	< 1	2	4	6	23	23
70 +	25	12.8	84						
	613	**5.3**	**40**	**1**	**2**	**3**	**6**	**17**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	613	**5.3**	**40**	**1**	**2**	**3**	**6**	**17**	**23**

DRG 29: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	178	3.5	15	< 1	2	2	4	5	17	0-17	0								
70-74	64	3.4	5							18-34	1115	3.3	10	1	1	2	4	9	10
75-79	165	4.6	14	1	2	3	6	11	13	35-49	500	4.2	11	1	1	4	5	9	14
80-84	76	5.7	20	1	2	4	10	13	13	50-69	345	3.3	4	1	2	3	4	7	8
85 +	240	4.6	32	1	2	3	5	15	27	70 +	115	3.8	8	1	2	3	5	10	10
SUBTOTAL	**723**	**4.3**	**21**	**1**	**2**	**3**	**5**	**11**	**16**		**2075**	**3.6**	**9**	**1**	**1**	**2**	**4**	**8**	**10**
GRAND TOTAL	**723**	**4.3**	**21**	**1**	**2**	**3**	**5**	**11**	**16**		**2075**	**3.6**	**9**	**1**	**1**	**2**	**4**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	128	3.3	4	1	2	3	5	7	8	18-34	575	2.4	2	1	1	2	3	4	5
35-49	25	2.0	1							35-49	216	3.1	2	1	2	3	4	6	6
50-69	26	6.5	2							50-69	115	4.4	18	1	2	2	4	13	13
70 +	0									70 +	39	1.7	1						
SUBTOTAL	**179**	**3.6**	**5**	**1**	**2**	**3**	**5**	**8**	**8**		**944**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**179**	**3.6**	**5**	**1**	**2**	**3**	**5**	**8**	**8**		**944**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**6**

DRG 30: Traumatic Stupor & Coma, Coma <1 Hr Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	13	9.0								0-17	565	4.4	19	1	1	3	6	10	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**13**	**9.0**									**565**	**4.4**	**19**	**1**	**1**	**3**	**6**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	3903	2.0	5	< 1	1	1	2	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**3903**	**2.0**	**5**	**< 1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**13**	**9.0**									**4467**	**2.3**	**7**	**1**	**1**	**1**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	283	5.1	35	1	1	3	5	13	15	0-17	167	3.5	7	1	1	2	6	7	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**283**	**5.1**	**35**	**1**	**1**	**3**	**5**	**13**	**15**		**167**	**3.5**	**7**	**1**	**1**	**2**	**6**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1787	2.0	3	< 1	1	1	2	4	6	0-17	2028	2.1	5	< 1	1	1	2	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1787**	**2.0**	**3**	**< 1**	**1**	**1**	**2**	**4**	**6**		**2028**	**2.1**	**5**	**< 1**	**1**	**1**	**2**	**5**	**6**
GRAND TOTAL	**2070**	**2.4**	**9**	**< 1**	**1**	**1**	**3**	**5**	**7**		**2195**	**2.2**	**5**	**< 1**	**1**	**1**	**2**	**5**	**7**

DRG 31: Concussion Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	126	7.8	54	1	2	4	12	19	23
70-74	139	6.8	38	1	2	3	10	18	18
75-79	114	6.2	19	1	3	6	7	16	16
80-84	90	7.3	58	2	3	4	9	25	25
85 +	252	11.0	316	2	3	7	11	15	78
SUBTOTAL	**721**	**8.4**	**141**	**2**	**3**	**5**	**10**	**18**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**721**	**8.4**	**141**	**2**	**3**	**5**	**10**	**18**	**23**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	710	2.9	8	< 1	1	2	4	7	10
35-49	318	3.9	10	1	2	3	5	7	12
50-69	227	4.6	18	1	2	2	7	13	16
70 +	63	3.2	6						
	1317	**3.5**	**11**	**1**	**1**	**2**	**5**	**7**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1317	**3.5**	**11**	**1**	**1**	**2**	**5**	**7**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	115	4.0	26	1	2	2	3	18	18
35-49	77	2.7		2	2	3	3	3	3
50-69	12	3.0							
70 +	0								
SUBTOTAL	**204**	**3.5**	**15**	**1**	**2**	**3**	**3**	**5**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**204**	**3.5**	**15**	**1**	**2**	**3**	**3**	**5**	**18**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	622	2.8	6	1	1	2	4	6	8
35-49	153	2.3	2	< 1	1	2	3	4	6
50-69	26	3.5	7						
70 +	12	7.0							
	813	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	813	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 32: Concussion Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	213	3.7	25	1	1	2	3	9	22
70-74	163	5.8	88	1	1	3	5	8	37
75-79	151	2.8	4	1	2	2	3	5	8
80-84	152	4.5	12	1	1	4	5	7	14
85 +	127	3.5	9	1	1	2	4	7	11
SUBTOTAL	**807**	**4.1**	**30**	**1**	**1**	**2**	**4**	**8**	**11**
GRAND TOTAL	**807**	**4.1**	**30**	**1**	**1**	**2**	**4**	**8**	**11**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2058	2.0	5	1	1	1	2	3	4
35-49	810	2.0	1	1	1	2	2	4	4
50-69	380	2.1	2	1	1	2	3	4	5
70 +	114	4.9	15	1	2	3	5	13	13
	3362	**2.1**	**4**	**1**	**1**	**2**	**2**	**4**	**5**
	3362	**2.1**	**4**	**1**	**1**	**2**	**2**	**4**	**5**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	139	2.2	1	1	1	2	3	3	5
35-49	64	2.6	1						
50-69	13	2.0							
70 +	13	3.0							
SUBTOTAL	**228**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**228**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**5**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1203	1.9	1	< 1	1	2	3	3	4
35-49	392	2.5	2	1	1	2	3	4	6
50-69	140	2.1	3	1	1	1	3	5	6
70 +	63	2.2	1						
	1799	**2.1**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**
	1799	**2.1**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**

DRG 33: Concussion Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	317	4.2	44	1	1	2	3	11	16
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**317**	**4.2**	**44**	**1**	**1**	**2**	**3**	**11**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	3227	1.3	1	1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**3227**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**0**										**3544**	**1.6**	**5**	**1**	**1**	**1**	**2**	**2**	**3**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	90	2.3	3	1	1	2	3	6	6	0-17	89	2.7	7	1	1	2	3	9	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**90**	**2.3**	**3**	**1**	**1**	**2**	**3**	**6**	**6**		**89**	**2.7**	**7**	**1**	**1**	**2**	**3**	**9**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	588	1.4	1	<1	1	1	1	3	3	0-17	852	1.6	1	<1	1	1	2	3	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**588**	**1.4**	**1**	**<1**	**1**	**1**	**1**	**3**	**3**		**852**	**1.6**	**1**	**<1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**678**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**		**941**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 34: Other Disorders of Nervous System w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	847	9.1	64	2	4	6	12	21	26	0-17	670	6.1	58	1	2	3	7	18	22
70-74	559	12.5	123	2	4	9	18	29	33	18-34	256	6.3	44	2	3	5	8	9	10
75-79	468	10.9	104	2	6	7	12	31	47	35-49	256	5.5	15	1	2	5	9	12	13
80-84	405	12.8	320	4	5	8	12	24	48	50-69	485	7.8	48	2	3	5	9	22	24
85 +	330	7.7	28	2	4	7	10	15	16	70 +	25	4.0	1						
SUBTOTAL	**2609**	**10.5**	**122**	**2**	**4**	**7**	**13**	**24**	**31**		**1692**	**6.5**	**46**	**1**	**2**	**4**	**8**	**17**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2609**	**10.5**	**122**	**2**	**4**	**7**	**13**	**24**	**31**		**1692**	**6.5**	**46**	**1**	**2**	**4**	**8**	**17**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	514	7.0	128	1	2	3	7	11	44	0-17	155	6.8	26	2	3	6	11	17	99 +
18-34	153	7.2	268	1	2	3	3	4	61	18-34	26	13.5	59						
35-49	89	8.6	93	2	2	4	9	31	31	35-49	51	5.0	34						
50-69	114	5.3	18	2	2	3	6	13	13	50-69	64	9.3	33	1	8	9	19	99 +	99 +
70 +	13	28.0								70 +	13	12.0							
SUBTOTAL	**883**	**7.3**	**140**	**1**	**2**	**3**	**7**	**13**	**31**		**308**	**7.8**	**36**	**2**	**2**	**8**	**15**	**21**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**883**	**7.3**	**140**	**1**	**2**	**3**	**7**	**13**	**31**		**308**	**7.8**	**36**	**2**	**2**	**8**	**15**	**21**	**99 +**

DRG 35: Other Disorders of Nervous System w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	216	3.9	7	1	2	4	5	8	10
70-74	204	4.4	12	1	2	4	6	12	12
75-79	215	4.7	26	1	3	3	5	7	24
80-84	190	6.5	22	2	3	6	7	12	21
85 +	37	4.3	4						
SUBTOTAL	**863**	**4.8**	**17**	**1**	**3**	**4**	**6**	**9**	**12**
GRAND TOTAL	**863**	**4.8**	**17**	**1**	**3**	**4**	**6**	**9**	**12**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1030	3.3	40	< 1	1	2	4	6	8
18-34	294	3.5	8	1	1	2	6	8	9
35-49	432	5.2	115	< 1	1	2	5	7	15
50-69	458	3.9	15	1	1	3	6	8	9
70 +	12	1.0							
	2226	**3.8**	**45**	**< 1**	**1**	**2**	**4**	**7**	**9**
	2226	**3.8**	**45**	**< 1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	707	4.1	12	1	2	3	5	8	10
18-34	90	4.0	11	1	1	2	7	9	9
35-49	64	9.9	265						
50-69	64	5.8	28						
70 +	12	3.0							
SUBTOTAL	**938**	**4.6**	**32**	**1**	**2**	**3**	**5**	**8**	**13**
GRAND TOTAL	**938**	**4.6**	**32**	**1**	**2**	**3**	**5**	**8**	**13**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	386	2.6	3	1	1	2	4	6	6
18-34	52	2.5	7						
35-49	76	3.3	7	1	1	2	7	7	7
50-69	114	12.3	318	2	3	4	6	58	58
70 +	12	1.0							
	641	**4.4**	**73**	**1**	**1**	**2**	**4**	**7**	**7**
	641	**4.4**	**73**	**1**	**1**	**2**	**4**	**7**	**7**

DRG 36: Retinal Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	475	3.8	9	2	2	2	4	8	12	0-17	0								
70-74	449	2.8	2	2	2	2	3	4	5	18-34	232	2.3	1	1	2	2	3	4	4
75-79	217	2.5	1	1	2	2	3	4	6	35-49	399	2.8	7	1	2	2	3	4	6
80-84	128	2.6	1	1	2	2	3	4	5	50-69	902	3.5	9	2	2	2	4	7	8
85 +	103	5.0	25	2	2	2	10	15	15	70 +	64	3.2	1						
SUBTOTAL	**1374**	**3.2**	**7**	**2**	**2**	**2**	**3**	**6**	**8**		**1597**	**3.1**	**7**	**2**	**2**	**2**	**3**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	964	2.3	1	1	2	2	3	4	6	0-17	309	2.6	4	1	2	2	3	5	6
70-74	835	2.4	2	1	2	2	3	3	4	18-34	464	2.2	1	1	1	2	2	3	6
75-79	605	2.5	2	1	2	2	3	4	6	35-49	823	2.5	3	1	2	2	3	4	5
80-84	333	3.5	13	2	2	2	3	7	8	50-69	2470	2.5	5	1	2	2	3	4	4
85 +	102	2.9	3	2	2	2	3	7	7	70 +	103	2.9	1	2	2	3	4	4	4
SUBTOTAL	**2839**	**2.5**	**3**	**1**	**2**	**2**	**3**	**4**	**6**		**4168**	**2.5**	**4**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**4213**	**2.8**	**4**	**1**	**2**	**2**	**3**	**4**	**6**		**5766**	**2.7**	**5**	**1**	**2**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	3.0	4							0-17	0								
18-34	155	1.8		1	1	2	2	3	3	18-34	64	4.4	8						
35-49	52	2.3	1							35-49	39	2.7							
50-69	64	4.4	8							50-69	51	2.8	1						
70 +	0									70 +	26	6.5	2						
SUBTOTAL	**297**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**7**		**180**	**3.9**	**5**	**2**	**2**	**3**	**5**	**8**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	116	2.9	5	1	2	2	3	9	9	0-17	39	1.7							
18-34	64	2.2	1							18-34	205	2.2	2	1	1	2	3	4	6
35-49	39	2.7	3							35-49	231	2.7	1	1	2	3	3	4	6
50-69	13	2.0								50-69	179	2.3	4	1	1	2	3	6	7
70 +	13	3.0								70 +	0								
SUBTOTAL	**245**	**2.6**	**3**	**1**	**2**	**2**	**3**	**5**	**9**		**654**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**542**	**2.6**	**3**	**1**	**2**	**2**	**3**	**5**	**7**		**834**	**2.7**	**3**	**1**	**1**	**2**	**3**	**6**	**7**

DRG 37: Orbital Procedures

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	77	5.2	72	1	1	2	2	24	24
70-74	39	3.0	3						
75-79	39	2.3	2						
80-84	64	6.6	10						
85 +	12	31.0							
SUBTOTAL	**231**	**6.1**	**65**	**1**	**1**	**3**	**6**	**24**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	64	1.4	1						
70-74	26	1.5							
75-79	64	1.4							
80-84	26	4.0	9						
85 +	25	8.5	21						
SUBTOTAL	**204**	**2.6**	**9**	**1**	**1**	**1**	**2**	**7**	**13**
GRAND TOTAL	**435**	**4.5**	**42**	**1**	**1**	**2**	**4**	**12**	**24**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	15.6	752						
18-34	26	1.5							
35-49	77	4.7	8	2	3	3	7	10	10
50-69	77	3.3	2	2	2	3	4	6	6
70 +	13	3.0							
	257	**6.6**	**217**	**1**	**2**	**3**	**4**	**9**	**49**
0-17	308	3.4	14	1	1	2	4	10	13
18-34	204	2.1	2	1	1	2	2	4	7
35-49	52	1.5							
50-69	128	2.2	2	1	1	2	2	5	6
70 +	0								
	691	**2.6**	**8**	**1**	**1**	**2**	**3**	**6**	**10**
	949	**3.7**	**68**	**1**	**1**	**2**	**3**	**6**	**10**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	13	11.0							
18-34	26	5.5	13						
35-49	25	2.0							
50-69	39	3.0	2						
70 +	12	5.0							
SUBTOTAL	**115**	**4.5**	**11**	**2**	**2**	**2**	**5**	**11**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	116	4.9	19	1	2	3	6	16	16
18-34	77	4.0	12	1	1	3	5	11	11
35-49	12	6.0							
50-69	12	1.0							
70 +	26	11.5	115						
SUBTOTAL	**244**	**5.2**	**30**	**1**	**1**	**3**	**6**	**16**	**22**
GRAND TOTAL	**359**	**4.9**	**24**	**1**	**2**	**3**	**6**	**11**	**16**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	1.3							
18-34	37	4.3	8						
35-49	0								
50-69	51	2.0	1						
70 +	0								
	127	**2.5**	**4**	**< 1**	**1**	**2**	**3**	**4**	**8**
0-17	128	4.1	9	< 1	1	4	6	9	10
18-34	64	2.4	1						
35-49	13	4.0							
50-69	38	3.6	3						
70 +	0								
	244	**3.6**	**6**	**< 1**	**1**	**3**	**6**	**7**	**10**
	371	**3.2**	**6**	**< 1**	**1**	**2**	**4**	**7**	**8**

DRG 38: Primary Iris Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	13	1.0							
70-74	26	2.0							
75-79	51	4.5	8						
80-84	0								
85 +	13	2.0							
SUBTOTAL	**103**	**3.1**	**8**	**<1**	**2**	**2**	**4**	**9**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	50	1.0							
70-74	100	1.1		<1	<1	<1	1	2	2
75-79	125	1.4	1	<1	<1	<1	<1	5	5
80-84	100	1.1		<1	<1	<1	<1	2	2
85 +	0								
SUBTOTAL	**374**	**1.2**	**1**	**<1**	**<1**	**<1**	**<1**	**2**	**2**
GRAND TOTAL	**477**	**1.6**	**2**	**<1**	**<1**	**<1**	**1**	**4**	**5**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	13	11.0							
	13	**11.0**							
0-17	0								
18-34	0								
35-49	25	1.0							
50-69	50	1.5	1						
70 +	0								
	75	**1.3**	**1**	**<1**	**<1**	**<1**	**<1**	**3**	**3**
	88	**2.8**	**12**	**<1**	**<1**	**<1**	**3**	**11**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	13	2.0							
70 +	0								
SUBTOTAL	**13**	**2.0**							
GRAND TOTAL	**13**	**2.0**							

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	13	4.0							
70 +	0								
	13	**4.0**							
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	13	4.0							

DRG 39: Lens Procedures with or without Vitrectomy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	685	1.6	3	< 1	< 1	1	2	2	3	0-17	26	1.0							
70-74	749	1.9	2	< 1	< 1	2	2	3	6	18-34	26	2.0							
75-79	827	1.8	3	< 1	< 1	1	2	2	3	35-49	64	2.0							
80-84	737	1.7	1	< 1	< 1	1	2	3	3	50-69	330	2.3	9	< 1	< 1	1	2	4	7
85 +	596	2.3	10	< 1	< 1	1	2	3	5	70 +	50	1.3							
SUBTOTAL	**3594**	**1.8**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**4**		**495**	**2.1**	**6**	**< 1**	**< 1**	**1**	**2**	**3**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	530	1.3		< 1	< 1	< 1	1	2	2	0-17	193	1.0		< 1	< 1	< 1	1	1	1
70-74	833	1.4	1	< 1	< 1	< 1	1	2	2	18-34	76	1.8		< 1	< 1	2	2	3	3
75-79	880	1.2		< 1	< 1	< 1	1	2	2	35-49	63	1.0							
80-84	1058	1.3	1	< 1	< 1	< 1	1	2	2	50-69	466	1.3		< 1	< 1	< 1	1	2	3
85 +	972	1.4	1	< 1	< 1	1	2	2	3	70 +	90	1.3		1	1	1	2	2	2
SUBTOTAL	**4273**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**2**		**889**	**1.2**		**< 1**	**< 1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**7867**	**1.5**	**2**	**< 1**	**< 1**	**1**	**2**	**2**	**3**		**1384**	**1.5**	**3**	**< 1**	**< 1**	**1**	**2**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	26	1.5							
18-34	0									18-34	0								
35-49	38	2.7	6							35-49	25	1.0							
50-69	90	4.2	21	< 1	2	2	4	15	15	50-69	88	1.1		< 1	< 1	< 1	1	2	2
70 +	13	1.0								70 +	13	1.0							
SUBTOTAL	**141**	**3.5**	**16**	**1**	**1**	**2**	**4**	**6**	**15**		**152**	**1.2**		**< 1**	**< 1**	**1**	**1**	**2**	**2**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	168	1.5	1	< 1	< 1	1	2	2	4	0-17	129	1.1		< 1	< 1	1	1	2	2
18-34	39	2.3	2							18-34	0								
35-49	0									35-49	63	1.0							
50-69	90	1.6	1	1	1	1	2	3	3	50-69	87	1.0		< 1	< 1	< 1	< 1	< 1	< 1
70 +	25	1.0								70 +	13	1.0							
SUBTOTAL	**322**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**		**291**	**1.0**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**
GRAND TOTAL	**463**	**2.2**	**6**	**< 1**	**1**	**1**	**2**	**4**	**6**		**443**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**2**

DRG 40: Extraocular Procedures except Orbit Age >17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	139	5.3	59	< 1	< 1	2	5	9	28	0-17	0								
70-74	64	1.8	1							18-34	52	2.3	3						
75-79	89	2.6	2	1	1	2	4	4	4	35-49	90	1.9	1	< 1	< 1	1	3	4	4
80-84	102	6.0	96	< 1	1	2	4	31	31	50-69	140	4.5	78	< 1	1	2	3	3	32
85 +	153	2.0	2	< 1	1	2	3	3	5	70 +	26	2.5							
SUBTOTAL	**547**	**3.7**	**37**	**< 1**	**< 1**	**2**	**4**	**5**	**9**		**308**	**3.2**	**38**	**< 1**	**< 1**	**2**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	205	1.5	1	< 1	1	1	2	3	3	0-17	0								
70-74	203	1.2		< 1	< 1	1	1	2	3	18-34	422	1.7	3	< 1	< 1	1	1	4	6
75-79	152	1.3		< 1	< 1	1	1	2	3	35-49	409	1.4	2	< 1	< 1	1	1	2	2
80-84	103	4.6	55	< 1	1	3	3	24	24	50-69	398	1.2		< 1	1	1	1	1	2
85 +	165	2.8	11	< 1	< 1	1	2	8	12	70 +	13	1.0							
SUBTOTAL	**827**	**2.0**	**11**	**< 1**	**< 1**	**1**	**2**	**3**	**4**		**1242**	**1.4**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**4**
GRAND TOTAL	**1374**	**2.7**	**22**	**< 1**	**< 1**	**1**	**2**	**4**	**8**		**1549**	**1.8**	**9**	**< 1**	**< 1**	**1**	**1**	**3**	**4**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	63	1.8	1						
35-49	0									35-49	26	3.5	2						
50-69	26	1.5								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**26**	**1.5**									**89**	**2.3**	**2**	**< 1**	**1**	**2**	**3**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	52	1.8	2							18-34	242	1.4	1	< 1	< 1	< 1	1	2	4
35-49	12	1.0								35-49	153	1.5	3	1	1	1	1	1	7
50-69	39	2.3								50-69	281	1.3	1	< 1	1	1	1	2	2
70 +	0									70 +	0								
SUBTOTAL	**103**	**1.9**	**1**	**1**	**1**	**2**	**3**	**4**	**4**		**677**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**5**
GRAND TOTAL	**128**	**1.8**	**1**	**1**	**1**	**2**	**2**	**4**	**4**		**766**	**1.5**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**5**

DRG 41: Extraocular Procedures except Orbit Age 0-17

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	245	1.3		< 1	< 1	< 1	1	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	245	**1.3**		**< 1**	**< 1**	**< 1**	**1**	**3**	**3**
0-17	2974	1.2	1	< 1	< 1	< 1	< 1	1	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2974	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**
	3219	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	64	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**64**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1984	1.1		< 1	< 1	< 1	< 1	1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1984**	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**
GRAND TOTAL	**2048**	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	1.0		< 1	< 1	< 1	1	1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	90	**1.0**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**
0-17	2085	1.1		< 1	< 1	< 1	< 1	< 1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2085	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**
	2175	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**

DRG 42: Intraocular Procedures except Retina, Iris & Lens

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	386	3.8	11	2	2	3	4	11	12	0-17	64	4.5	18						
70-74	245	7.0	102	1	2	2	9	16	44	18-34	64	3.2	3						
75-79	461	3.2	6	1	2	2	4	6	9	35-49	193	3.0	10	1	2	2	3	6	14
80-84	243	5.7	19	2	2	4	8	14	17	50-69	412	4.2	55	1	2	2	3	7	9
85 +	204	4.3	16	1	1	3	7	9	16	70 +	26	2.0							
SUBTOTAL	**1539**	**4.5**	**27**	**1**	**2**	**2**	**6**	**10**	**15**		**759**	**3.8**	**35**	**1**	**2**	**2**	**3**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	423	2.2	3	1	1	2	2	4	7	0-17	526	3.3	19	< 1	1	2	4	6	8
70-74	500	2.7	6	1	1	2	3	5	11	18-34	384	2.8	3	1	2	2	3	5	5
75-79	462	2.1	2	1	1	2	2	4	5	35-49	309	3.5	4	1	2	3	6	6	7
80-84	346	1.9	1	1	1	2	3	3	3	50-69	448	2.9	8	1	1	2	3	8	10
85 +	320	2.6	3	1	1	2	3	5	6	70 +	12	1.0							
SUBTOTAL	**2050**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**		**1679**	**3.1**	**10**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**3589**	**3.3**	**15**	**1**	**1**	**2**	**3**	**7**	**10**		**2438**	**3.3**	**17**	**1**	**2**	**2**	**4**	**6**	**9**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	4.0	8							0-17	26	3.0	4						
18-34	26	2.0								18-34	12	2.0							
35-49	26	2.0								35-49	13	1.0							
50-69	77	8.2	160	1	2	2	6	36	36	50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**167**	**5.3**	**83**	**2**	**2**	**2**	**2**	**8**	**36**		**51**	**2.3**	**3**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	103	2.8	3	1	1	2	4	5	5	0-17	283	2.0	4	< 1	< 1	< 1	2	4	7
18-34	26	3.0	1							18-34	51	5.3	12						
35-49	38	1.7	1							35-49	38	2.7	3						
50-69	52	6.0	24							50-69	89	2.0	3	< 1	< 1	1	2	6	6
70 +	0									70 +	26	1.0							
SUBTOTAL	**218**	**3.4**	**9**	**1**	**1**	**3**	**4**	**5**	**14**		**488**	**2.4**	**5**	**< 1**	**< 1**	**1**	**3**	**7**	**8**
GRAND TOTAL	**385**	**4.2**	**42**	**1**	**2**	**2**	**4**	**7**	**14**		**539**	**2.4**	**5**	**< 1**	**< 1**	**1**	**3**	**6**	**7**

DRG 43: Hyphema

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	13	2.0								0-17	63	3.2	2						
70-74	0									18-34	25	2.5	2						
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**13**	**2.0**									**88**	**3.0**	**2**	**1**	**1**	**3**	**4**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	12	1.0								0-17	279	4.2	2	3	3	4	5	6	7
70-74	0									18-34	114	3.8	7	<1	2	4	4	10	10
75-79	0									35-49	51	4.5	1						
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**12**	**1.0**									**443**	**4.1**	**3**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**25**	**1.5**									**532**	**3.9**	**3**	**1**	**3**	**4**	**5**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	13	14.0							
35-49	0									35-49	13	3.0							
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**26**	**8.5**	**31**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	140	4.4	2	3	3	4	6	6	7	0-17	76	4.2	3	1	3	5	6	6	6
18-34	13	3.0								18-34	12	2.0							
35-49	0									35-49	0								
50-69	0									50-69	12	4.0							
70+	0									70+	0								
SUBTOTAL	**153**	**4.3**	**2**	**3**	**3**	**4**	**5**	**6**	**7**		**101**	**3.9**	**3**	**1**	**3**	**4**	**6**	**6**	**6**
GRAND TOTAL	**153**	**4.3**	**2**	**3**	**3**	**4**	**5**	**6**	**7**		**127**	**4.8**	**12**	**2**	**3**	**4**	**6**	**13**	**14**

DRG 44: Acute Major Eye Infections

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	51	6.0	12						
70-74	50	4.3	2						
75-79	51	4.0	7						
80-84	39	5.7	10						
85 +	38	6.6	3						
SUBTOTAL	229	5.2	8	3	3	4	6	10	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	39	11.0	117						
70-74	51	4.7							
75-79	26	4.5							
80-84	0								
85 +	63	9.8	13						
SUBTOTAL	179	7.8	37	4	5	5	7	16	26
GRAND TOTAL	407	6.4	22	3	4	5	7	12	16

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	116	6.6	18	2	3	4	10	15	15
18-34	0								
35-49	13	5.0							
50-69	13	4.0							
70 +	12	7.0							
	154	6.2	14	3	3	4	9	11	15
0-17	1204	3.5	4	2	2	3	4	5	7
18-34	113	3.9	6	2	3	3	4	10	10
35-49	51	5.5	4						
50-69	103	5.2	8	2	3	4	8	10	10
70 +	0								
	1470	3.7	5	2	2	3	4	7	9
	1624	3.9	6	2	2	3	4	7	10

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	128	6.5	18	3	4	5	8	15	17
18-34	13	5.0							
35-49	39	9.7	10						
50-69	0								
70 +	0								
SUBTOTAL	180	7.1	17	3	4	5	8	14	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	772	4.4	9	2	3	3	6	9	11
18-34	25	3.0							
35-49	26	7.0	4						
50-69	13	14.0							
70 +	0								
SUBTOTAL	836	4.6	10	2	3	3	6	9	12
GRAND TOTAL	1016	5.0	12	2	3	4	6	10	14

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	4.0	1						
18-34	0								
35-49	0								
50-69	12	35.0							
70 +	0								
	77	9.0	133	3	3	4	5	35	35
0-17	592	3.4	3	1	2	3	4	6	6
18-34	116	4.9	12	1	3	4	5	12	12
35-49	12	4.0							
50-69	0								
70 +	0								
	720	3.7	5	1	2	3	4	6	9
	797	4.2	19	2	2	3	4	6	9

DRG 45: Neurological Eye Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	88	6.1	8	1	5	6	8	11	11	0-17	0								
70-74	88	4.9	5	2	2	5	7	8	8	18-34	64	5.7	26						
75-79	89	7.7	52	1	3	7	8	24	24	35-49	64	4.2	4						
80-84	38	7.3	6							50-69	51	4.0	10						
85 +	12	1.0								70 +	0								
SUBTOTAL	**315**	**6.2**	**21**	**1**	**3**	**6**	**8**	**10**	**11**		**179**	**4.7**	**14**	**2**	**2**	**4**	**7**	**9**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	64	2.4	8							0-17	154	3.8	7	1	1	3	7	8	8
70-74	101	3.9	13	< 1	1	2	6	11	11	18-34	115	3.3	1	2	2	3	4	5	5
75-79	100	2.8	5	< 1	< 1	2	4	8	8	35-49	77	4.8	5	1	4	5	6	8	8
80-84	63	2.8	7							50-69	152	4.1	8	1	2	3	6	7	11
85 +	26	5.0	1							70 +	12	1.0							
SUBTOTAL	**354**	**3.2**	**8**	**< 1**	**< 1**	**2**	**5**	**8**	**8**		**511**	**3.9**	**6**	**1**	**2**	**3**	**6**	**7**	**8**
GRAND TOTAL	**669**	**4.6**	**17**	**< 1**	**1**	**4**	**7**	**8**	**11**		**690**	**4.1**	**8**	**1**	**2**	**3**	**6**	**8**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	26	7.0	1							18-34	13	2.0							
35-49	0									35-49	0								
50-69	12	3.0								50-69	13	2.0							
70 +	0									70 +	0								
SUBTOTAL	**38**	**5.7**	**4**								**26**	**2.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	26	2.5								0-17	39	3.0	3						
18-34	25	4.5								18-34	13	3.0							
35-49	0									35-49	26	3.0							
50-69	0									50-69	12	1.0							
70 +	0									70 +	12	4.0							
SUBTOTAL	**51**	**3.5**	**1**								**102**	**2.9**	**2**	**1**	**3**	**3**	**3**	**5**	**5**
GRAND TOTAL	**89**	**4.4**	**4**	**2**	**3**	**4**	**6**	**8**	**8**		**128**	**2.7**	**1**	**1**	**2**	**3**	**3**	**5**	**5**

DRG 46: Other Disorders of the Eye Age >17 w/ CC

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	203	3.4	6	1	1	2	5	8	9	0-17	0								
70-74	242	5.6	14	1	2	4	9	12	13	18-34	50	2.8	2						
75-79	177	4.9	26	1	1	3	6	10	20	35-49	102	6.3	27	1	1	5	12	15	
80-84	101	3.8	8	< 1	1	4	5	10	10	50-69	89	6.2	21	1	2	6	10	14	
85 +	115	10.1	255	1	2	4	9	54	54	70 +	25	5.5							
SUBTOTAL	**838**	**5.3**	**51**	**1**	**2**	**4**	**8**	**10**	**13**		**267**	**5.5**	**19**	**1**	**2**	**4**	**9**	12	[illegible]
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**838**	**5.3**	**51**	**1**	**2**	**4**	**8**	**10**	**13**		**267**	**5.5**	**19**	**1**	**2**	**4**	**9**	12	14

TYPE OF PATIENT	MEDICAID										NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	90	7.5	40	2	2	4	16	18	18	18-34	0								
35-49	76	7.7	16	1	5	8	11	12	12	35-49	13	9.0							
50-69	39	2.0	1							50-69	26	5.5	13						
70 +	25	25.9	26							70 +	0								
SUBTOTAL	**230**	**8.6**	**65**	**1**	**2**	**5**	**12**	**21**	**31**		**39**	**6.7**	**11**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**230**	**8.6**	**65**	**1**	**2**	**5**	**12**	**21**	**31**		**39**	**6.7**	**11**						

DR[illegible] [illegible] 17 w/o CC

			MEDICARE							BLUE CROSS/PRIVATE INSURANCE									
			VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.[illegible]																			
										0-17	0								
										18-34	0								
										35-49	0								
										50-69	0								
										70 +	0								
											0								
2.[illegible]																			
				< 1	< 1	1	2	2	3	0-17	0								
				2	2	4	9	21	21	18-34	167	3.9	6	1	2	3	6	7	8
				< 1	< 1	< 1	2	4	19	35-49	153	4.3	26	1	1	2	5	10	19
					1	[illegible]	2	[illegible]	2	50-69	101	[illegible]	9	1	1	1	5	10	10
					1	[illegible]	9	10	10	70 +	[illegible]	3.0							
SUBTOTAL	[illegible]	[illegible]	17	< 1	< 1	1	2	8	10		434	3.8	14	1	1	3	5	**8**	**10**
GRAND TOTAL	644	3.0	17	< 1	< 1	1	2	8	10		434	3.8	14	1	1	3	5	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W[illegible]																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	77	2.8	4	< 1	1	3	5	5	5	18-34	63	5.8	47						
35-49	51	4.3	12							35-49	25	1.5							
50-69	38	3.0	3							50-69	162	1.1		< 1	< 1	< 1	< 1	< 1	2
70 +	0									70 +	12	2.0							
SUBTOTAL	**167**	**3.3**	**6**	**1**	**1**	**3**	**5**	**5**	**10**		**262**	**2.3**	**15**	**< 1**	**< 1**	**< 1**	**2**	**2**	**6**
GRAND TOTAL	**167**	**3.3**	**6**	**1**	**1**	**3**	**5**	**5**	**10**		**262**	**2.3**	**15**	**< 1**	**< 1**	**< 1**	**2**	**2**	**6**

DRG 48: Other Disorders of the Eye Age 0-17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	128	6.8	33	< 1	2	5	11	16	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	128	**6.8**	**33**	**< 1**	**2**	**5**	**11**	**16**	**17**
0-17	512	2.7	4	< 1	1	2	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	512	**2.7**	**4**	**< 1**	**1**	**2**	**4**	**6**	**7**
	640	**3.5**	**12**	**< 1**	**1**	**2**	**4**	**8**	**11**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	154	5.7	81	1	2	3	5	5	35
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**154**	**5.7**	**81**	**1**	**2**	**3**	**5**	**5**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	424	5.1	51	< 1	1	3	5	8	22
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**424**	**5.1**	**51**	**< 1**	**1**	**3**	**5**	**8**	**22**
GRAND TOTAL	**578**	**5.2**	**59**	**< 1**	**1**	**3**	**5**	**8**	**22**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	77	2.2	2	1	1	2	3	5	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	77	**2.2**	**2**	**1**	**1**	**2**	**3**	**5**	**5**
0-17	219	2.6	5	< 1	1	2	3	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	219	**2.6**	**5**	**< 1**	**1**	**2**	**3**	**7**	**9**
	296	**2.5**	**5**	**< 1**	**1**	**2**	**3**	**5**	**7**

DRG 49: Major Head & Neck Procedures

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	88	6.9	24	2	4	4	10	17	17	0-17	13	4.0							
70-74	51	9.1	45							18-34	0								
75-79	76	7.0	36	1	2	6	9	19	19	35-49	25	7.1	26						
80-84	64	23.9	202							50-69	245	5.5	17	2	3	4	7	11	20
85 +	13	1.0								70 +	0								
SUBTOTAL	**293**	**10.8**	**118**	**2**	**4**	**7**	**17**	**20**	**33**		**283**	**5.6**	**18**	**2**	**3**	**4**	**7**	**11**	**12**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	89	4.8	9	1	2	4	9	9	9	0-17	181	2.1	3	1	1	1	3	5	5
70-74	26	4.0	1							18-34	64	1.8	1						
75-79	90	5.9	10	2	4	5	9	12	12	35-49	90	3.9	6	2	2	2	5	9	9
80-84	26	2.0								50-69	167	4.1	10	1	2	3	4	7	13
85 +	38	7.0	2							70 +	26	5.0	9						
SUBTOTAL	**269**	**5.1**	**9**	**2**	**3**	**5**	**6**	**9**	**10**		**528**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**562**	**8.1**	**74**	**2**	**3**	**5**	**9**	**18**	**20**		**810**	**4.0**	**12**	**1**	**2**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID										NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	13	8.0								0-17	13	14.0							
18-34	0									18-34	0								
35-49	0									35-49	13	3.0							
50-69	0									50-69	12	3.0							
70 +	0									70 +	0								
SUBTOTAL	**13**	**8.0**									**38**	**6.7**	**28**						
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	39	3.7	4							0-17	64	2.0	2						
18-34	0									18-34	0								
35-49	0									35-49	38	1.0							
50-69	0									50-69	12	4.0							
70 +	0									70 +	0								
SUBTOTAL	**39**	**3.7**	**4**								**115**	**1.9**	**2**	**<1**	**1**	**1**	**2**	**5**	**5**
GRAND TOTAL	**52**	**4.8**	**6**								**153**	**3.1**	**13**	**1**	**1**	**1**	**3**	**5**	**14**

DRG 50: Sialoadenectomy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	115	4.0	7	2	2	3	4	10	10	0-17	26	1.5							
70-74	77	4.8	14	1	2	3	7	12	12	18-34	25	2.0	1						
75-79	88	2.0		1	2	2	2	3	3	35-49	25	1.5							
80-84	90	8.0	51	2	2	6	11	24	24	50-69	141	3.5	6	2	2	3	3	4	11
85 +	0									70 +	0								
SUBTOTAL	**371**	**4.7**	**22**	**2**	**2**	**3**	**6**	**11**	**12**		**217**	**2.8**	**5**	**1**	**2**	**2**	**3**	**4**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	499	2.4	1	1	2	2	3	4	5	0-17	179	2.7	4	1	2	2	3	5	9
70-74	228	2.3	1	< 1	2	2	3	4	4	18-34	418	1.9	3	1	1	1	2	3	5
75-79	177	2.4	1	1	2	2	3	4	5	35-49	664	1.9	1	1	1	2	3	3	4
80-84	64	2.6	1							50-69	1010	2.2	2	1	1	2	3	4	5
85 +	39	4.0								70 +	13	3.0							
SUBTOTAL	**1007**	**2.5**	**1**	**1**	**2**	**2**	**3**	**4**	**4**		**2285**	**2.1**	**2**	**1**	**1**	**2**	**3**	**3**	**5**
GRAND TOTAL	**1378**	**3.1**	**8**	**1**	**2**	**2**	**3**	**5**	**7**		**2502**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13	1.0								0-17	0								
18-34	0									18-34	13	2.0							
35-49	0									35-49	38	4.7	15						
50-69	13	2.0								50-69	25	3.5	2						
70 +	0									70 +	12	14.0							
SUBTOTAL	**26**	**1.5**									**88**	**5.3**	**21**	**1**	**2**	**3**	**10**	**14**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	13	3.0								0-17	26	1.0							
18-34	38	1.3								18-34	50	1.5	1						
35-49	50	2.5	4							35-49	100	2.0	2	1	1	2	2	5	5
50-69	13	2.0								50-69	50	1.8	1						
70 +	13	5.0								70 +	0								
SUBTOTAL	**126**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**		**226**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**152**	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**6**		**314**	**2.7**	**9**	**1**	**1**	**2**	**3**	**5**	**10**

DRG 51: Salivary Gland Procedures except Sialoadenectomy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	13	1.0							
70-74	12	9.0								18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	25	5.0	4						
85+	13	1.0								70+	0								
SUBTOTAL	**25**	**4.9**	**17**								**38**	**3.6**	**6**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	64	5.7	58							0-17	39	1.3							
70-74	13	5.0								18-34	25	2.5	2						
75-79	38	1.0								35-49	64	1.6							
80-84	12	2.0								50-69	38	1.7							
85+	0									70+	0								
SUBTOTAL	**127**	**3.9**	**34**	**1**	**1**	**2**	**3**	**5**	**21**		**166**	**1.7**	**1**	**1**	**1**	**2**	**2**	**2**	**4**
GRAND TOTAL	**152**	**4.1**	**31**	**1**	**1**	**2**	**3**	**9**	**21**		**204**	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	13	1.0								0-17	52	1.8	1						
18-34	13	8.0								18-34	13	1.0							
35-49	0									35-49	13	1.0							
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**26**	**4.5**	**13**								**77**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**26**	**4.5**	**13**								**77**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**

DRG 52: Cleft Lip & Palate Repair

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	271	4.9	15	1	2	4	6	11	13
70-74	0									18-34	0								
75-79	0									35-49	13	2.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**284**	**4.7**	**15**	**1**	**2**	**4**	**6**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	26	2.5	2							0-17	3505	2.3	2	1	1	2	3	4	5
70-74	0									18-34	167	1.8	1	1	1	2	2	3	3
75-79	0									35-49	166	1.8	1	1	1	2	2	2	4
80-84	0									50-69	13	3.0							
85 +	0									70 +	0								
SUBTOTAL	**26**	**2.5**	**2**								**3851**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**26**	**2.5**	**2**								**4134**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	103	9.6	58	1	3	7	16	23	23	0-17	116	3.9	5	2	3	3	4	55	99 +
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**103**	**9.6**	**58**	**1**	**3**	**7**	**16**	**23**	**23**		**116**	**3.9**	**5**	**2**	**3**	**3**	**4**	**55**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1625	2.4	2	1	1	2	3	5	5	0-17	1057	2.2	1	1	1	2	3	4	4
18-34	0									18-34	12	2.0							
35-49	12	1.0								35-49	12	1.0							
50-69	0									50-69	13	2.0							
70 +	0									70 +	0								
SUBTOTAL	**1637**	**2.4**	**2**	**1**	**1**	**2**	**3**	**5**	**5**		**1095**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**1740**	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**6**		**1211**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 53: Sinus & Mastoid Procedures Age >17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	179	4.7	16	1	2	3	6	11	15	0-17	0								
70-74	127	4.9	19	1	1	2	9	12	12	18-34	154	7.6	142	1	1	2	5	17	43
75-79	39	28.3	542							35-49	306	4.3	37	1	1	2	4	16	17
80-84	38	3.7	2							50-69	281	3.8	10	1	2	3	5	6	7
85 +	0									70 +	0								
SUBTOTAL	**383**	**7.0**	**119**	**1**	**2**	**3**	**8**	**15**	**25**		**741**	**4.8**	**51**	**1**	**1**	**3**	**5**	**16**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	561	1.9	6	1	1	1	2	3	6	0-17	0								
70-74	231	1.5		1	1	1	2	3	3	18-34	2128	1.6	2	1	1	1	2	3	4
75-79	218	4.7	94	1	1	1	4	9	43	35-49	2803	1.5	1	1	1	1	2	2	3
80-84	64	1.4	1							50-69	2132	1.8	3	1	1	1	2	4	4
85 +	26	5.0	9							70 +	13	1.0							
SUBTOTAL	**1099**	**2.4**	**24**	**1**	**1**	**1**	**2**	**4**	**8**		**7076**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1482**	**3.6**	**52**	**1**	**1**	**1**	**3**	**3**	**12**		**7817**	**1.9**	**8**	**1**	**1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	26	4.5	7							18-34	38	3.0	8						
35-49	26	2.5	2							35-49	64	2.0	2						
50-69	39	6.0	9							50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**90**	**4.6**	**8**	**1**	**2**	**4**	**7**	**10**	**10**		**102**	**2.3**	**5**	**<1**	**1**	**1**	**2**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	329	2.0	3	1	1	1	2	4	7	18-34	279	1.5	3	1	1	1	1	2	2
35-49	77	1.3		1	1	1	2	2	2	35-49	178	1.3		1	1	1	1	2	3
50-69	25	3.5	7							50-69	76	1.2		<1	1	1	1	2	2
70 +	0									70 +	13	1.0							
SUBTOTAL	**432**	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**7**		**546**	**1.4**	**2**	**1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**522**	**2.4**	**5**	**1**	**1**	**1**	**3**	**6**	**7**		**648**	**1.5**	**2**	**1**	**1**	**1**	**1**	**2**	**5**

DRG 54: Sinus & Mastoid Procedures Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	296	4.8	27	1	1	2	7	14	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	296	**4.8**	**27**	**1**	**1**	**2**	**7**	**14**	**15**
0-17	1719	2.1	9	1	1	1	2	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1719	**2.1**	**9**	**1**	**1**	**1**	**2**	**5**	**8**
	2015	**2.5**	**13**	**1**	**1**	**1**	**2**	**6**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	64	11.2	141						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**64**	**11.2**	**141**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	579	2.0	7	1	1	1	1	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**579**	**2.0**	**7**	**1**	**1**	**1**	**1**	**5**	**8**
GRAND TOTAL	**643**	**2.9**	**28**	**1**	**1**	**1**	**2**	**8**	**15**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	4.3	17	1	1	3	7	13	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	90	**4.3**	**17**	**1**	**1**	**3**	**7**	**13**	**13**
0-17	450	1.6	1	1	1	1	2	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	450	**1.6**	**1**	**1**	**1**	**1**	**2**	**4**	**4**
	540	**2.1**	**5**	**1**	**1**	**1**	**2**	**4**	**6**

DRG 55: Miscellaneous Ear, Nose, Mouth & Throat Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	178	3.7	18	< 1	1	1	5	11	15
70-74	89	4.2	22	1	1	2	5	15	15
75-79	38	2.3							
80-84	25	1.5							
85 +	0								
SUBTOTAL	**330**	**3.5**	**16**	**1**	**1**	**2**	**4**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	459	1.4	1	< 1	1	1	2	3	3
70-74	216	1.3	1	1	1	1	1	2	4
75-79	152	1.1		< 1	< 1	1	1	1	2
80-84	76	1.3		1	1	1	2	2	2
85 +	26	1.0							
SUBTOTAL	**930**	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**1260**	**1.9**	**6**	**< 1**	**1**	**1**	**2**	**3**	**6**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	373	8.5	221	1	1	2	13	20	22
18-34	153	2.1	2	1	1	2	3	5	5
35-49	129	1.9	3	< 1	1	1	2	5	7
50-69	141	3.7	22	1	1	2	3	8	17
70 +	0								
	797	**5.4**	**117**	**1**	**1**	**2**	**4**	**17**	**19**
0-17	4087	1.5	3	1	1	1	1	2	4
18-34	2633	1.3	1	1	1	1	1	2	3
35-49	1738	1.3	1	1	1	1	1	2	2
50-69	1306	1.8	4	1	1	1	2	3	4
70 +	0								
	9763	**1.5**	**2**	**1**	**1**	**1**	**1**	**2**	**3**
	10559	**1.7**	**12**	**1**	**1**	**1**	**1**	**2**	**4**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	116	12.4	304	< 1	1	4	9	51	51
18-34	13	6.0							
35-49	25	2.5	2						
50-69	39	3.0	3						
70 +	0								
SUBTOTAL	**192**	**8.8**	**204**	**< 1**	**1**	**4**	**6**	**37**	**51**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1688	1.6	4	1	1	1	1	2	3
18-34	205	1.4	1	1	1	1	2	2	4
35-49	128	1.2		< 1	1	1	1	2	2
50-69	51	1.5	1						
70 +	0								
SUBTOTAL	**2072**	**1.5**	**3**	**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**2265**	**2.1**	**24**	**1**	**1**	**1**	**2**	**3**	**5**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	77	4.0	10	< 1	1	3	6	9	9
18-34	25	4.6	13						
35-49	13	11.0							
50-69	0								
70 +	13	11.0							
	128	**5.5**	**16**	**< 1**	**1**	**6**	**9**	**11**	**11**
0-17	1068	1.6	3	1	1	1	1	2	4
18-34	191	1.1		< 1	1	1	1	1	2
35-49	253	1.4		< 1	1	1	2	3	3
50-69	51	2.0	3						
70 +	0								
	1563	**1.5**	**3**	**1**	**1**	**1**	**1**	**2**	**4**
	1691	**1.8**	**5**	**1**	**1**	**1**	**1**	**3**	**8**

DRG 56: Rhinoplasty

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	39	9.7	30						
70-74	0								
75-79	13	8.0							
80-84	12	1.0							
85 +	13	6.0							
SUBTOTAL	**77**	**7.4**	**25**	**1**	**4**	**8**	**8**	**17**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	75	1.0		1	1	1	1	1	1
70-74	75	2.7	9	< 1	< 1	1	3	9	9
75-79	25	1.5							
80-84	0								
85 +	0								
SUBTOTAL	**175**	**1.8**	**4**	**< 1**	**1**	**1**	**1**	**3**	**9**
GRAND TOTAL	**252**	**3.5**	**17**	**< 1**	**1**	**1**	**6**	**9**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	140	1.5	2	1	1	1	1	3	5
35-49	50	1.0							
50-69	76	2.0	2	< 1	1	1	4	4	4
70 +	0								
	266	**1.6**	**1**	**1**	**1**	**1**	**1**	**4**	**4**
0-17	548	1.3		1	1	1	1	2	3
18-34	2593	1.3	1	< 1	1	1	1	2	3
35-49	1403	1.2		< 1	1	1	1	2	2
50-69	520	1.7	3	1	1	1	2	3	5
70 +	0								
	5064	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**
	5330	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	26	3.0							
35-49	13	1.0							
50-69	13	4.0							
70 +	0								
SUBTOTAL	**52**	**2.8**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	128	1.3		1	1	1	1	2	3
18-34	128	1.1		1	1	1	1	2	2
35-49	26	1.5							
50-69	0								
70 +	0								
SUBTOTAL	**281**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**333**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	13	1.0							
18-34	25	2.5	2						
35-49	13	1.0							
50-69	13	4.0							
70 +	0								
	64	**2.2**	**2**						
0-17	128	1.4	1	< 1	1	1	1	3	3
18-34	419	1.2		< 1	1	1	1	2	3
35-49	151	1.2		< 1	1	1	1	2	2
50-69	25	1.0							
70 +	0								
	724	**1.2**		**< 1**	**1**	**1**	**1**	**2**	**3**
	787	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**

DRG 57: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	64	4.4	12						
70-74	12	24.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**76**	**7.6**	**63**	**2**	**2**	**4**	**11**	**24**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	51	3.3	8						
70-74	64	1.2							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**116**	**2.1**	**5**	**< 1**	**1**	**1**	**2**	**8**	**8**
GRAND TOTAL	**192**	**4.3**	**35**	**1**	**1**	**2**	**4**	**11**	**24**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	291	1.9	1	1	1	2	2	3	4
35-49	64	2.2	1						
50-69	64	4.9	36						
70 +	0								
	418	**2.4**	**8**	**1**	**1**	**2**	**3**	**3**	**5**
0-17	0								
18-34	1128	1.7	2	1	1	1	2	3	4
35-49	445	2.4	3	1	1	2	4	5	6
50-69	139	1.5	1	1	1	1	2	3	3
70 +	13	2.0							
	1724	**1.9**	**2**	**1**	**1**	**1**	**2**	**4**	**5**
	2143	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	50	3.3	3						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**50**	**3.3**	**3**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	114	2.3	2	1	1	2	4	4	4
35-49	12	3.0							
50-69	0								
70 +	13	1.0							
SUBTOTAL	**139**	**2.3**	**2**	**1**	**1**	**2**	**4**	**4**	**4**
GRAND TOTAL	**189**	**2.5**	**2**	**1**	**1**	**3**	**4**	**4**	**6**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	87	2.4	3	1	1	2	3	6	6
35-49	25	2.0	1						
50-69	0								
70 +	0								
	113	**2.4**	**3**	**1**	**1**	**2**	**3**	**6**	**6**
0-17	0								
18-34	276	2.2	1	1	1	2	3	3	4
35-49	51	2.2	1						
50-69	0								
70 +	0								
	327	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
	440	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 58: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	600	2.2	5	1	1	1	2	5	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**600**	**2.2**	**5**	**1**	**1**	**1**	**2**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	8222	1.2	1	< 1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**8222**	**1.2**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**0**										**8822**	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	205	3.6	21	1	1	1	5	9	18	0-17	166	1.9	1	1	1	1	3	4	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**205**	**3.6**	**21**	**1**	**1**	**1**	**5**	**9**	**18**		**166**	**1.9**	**1**	**1**	**1**	**1**	**3**	**4**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3043	1.3	1	1	1	1	1	2	2	0-17	2236	1.2		1	1	1	1	1	2
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**3043**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**2**		**2236**	**1.2**		**1**	**1**	**1**	**1**	**1**	**2**
GRAND TOTAL	**3248**	**1.4**	**3**	**1**	**1**	**1**	**1**	**2**	**4**		**2402**	**1.2**	**1**	**1**	**1**	**1**	**1**	**2**	**3**

DRG 59: Tonsillectomy &/or Adenoidectomy Only, Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	25	4.5								0-17	0								
70-74	13	3.0								18-34	240	1.9	2	1	1	2	2	3	5
75-79	0									35-49	51	1.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**38**	**4.0**	**1**								**291**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**3**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	25	1.0								0-17	0								
70-74	0									18-34	4746	1.1		<1	1	1	1	1	2
75-79	0									35-49	506	1.2		1	1	1	1	2	2
80-84	0									50-69	39	1.0							
85 +	0									70 +	26	1.0							
SUBTOTAL	**25**	**1.0**									**5316**	**1.1**		**<1**	**1**	**1**	**1**	**1**	**2**
GRAND TOTAL	**63**	**2.8**	**3**								**5608**	**1.1**		**<1**	**1**	**1**	**1**	**1**	**2**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	51	1.3							
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**51**	**1.3**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	469	1.7	7	1	1	1	1	2	4	18-34	990	1.1		<1	1	1	1	1	2
35-49	64	1.6	1							35-49	63	1.8	3						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**533**	**1.7**	**6**	**1**	**1**	**1**	**1**	**2**	**4**		**1053**	**1.1**		**<1**	**1**	**1**	**1**	**1**	**2**
GRAND TOTAL	**533**	**1.7**	**6**	**1**	**1**	**1**	**1**	**2**	**4**		**1104**	**1.1**		**<1**	**1**	**1**	**1**	**1**	**2**

DRG 60: Tonsillectomy &/or Adenoidectomy Only, Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	715	2.8	13	1	1	1	2	8	14
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**715**	**2.8**	**13**	**1**	**1**	**1**	**2**	**8**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	21139	1.1		< 1	1	1	1	1	2
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**21139**	**1.1**		**< 1**	**1**	**1**	**1**	**1**	**2**
GRAND TOTAL	**0**										**21854**	**1.1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	386	3.0	14	1	1	2	4	6	9	0-17	255	2.6	9	1	1	1	3	10	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**386**	**3.0**	**14**	**1**	**1**	**2**	**4**	**6**	**9**		**255**	**2.6**	**9**	**1**	**1**	**1**	**3**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5563	1.2	1	1	1	1	1	1	2	0-17	5339	1.0		1	1	1	1	1	1
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**5563**	**1.2**	**1**	**1**	**1**	**1**	**1**	**1**	**2**		**5339**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**5949**	**1.3**	**2**	**1**	**1**	**1**	**1**	**2**	**2**		**5594**	**1.1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**

DRG 61: Myringotomy w/ Tube Insertion Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	13	9.0							
70-74	12	12.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**25**	**10.5**	**2**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	37	1.0							
70-74	0								
75-79	13	1.0							
80-84	0								
85 +	0								
SUBTOTAL	**50**	**1.0**							
GRAND TOTAL	**75**	**4.2**	**21**	**< 1**	**< 1**	**1**	**9**	**12**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	12	1.0							
50-69	13	14.0							
70 +	0								
SUBTOTAL	**25**	**7.6**	**44**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	114	2.3	5	< 1	1	1	2	7	7
35-49	102	1.4		< 1	1	1	2	2	2
50-69	51	2.0	2						
70 +	0								
SUBTOTAL	**267**	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**292**	**2.4**	**9**	**< 1**	**1**	**1**	**2**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	13	2.0							
35-49	25	1.5							
50-69	0								
70 +	0								
SUBTOTAL	**38**	**1.7**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	12	1.0							
35-49	25	3.5	7						
50-69	13	2.0							
70 +	0								
SUBTOTAL	**51**	**2.5**	**4**						
GRAND TOTAL	**89**	**2.2**	**3**	**< 1**	**1**	**2**	**2**	**6**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	25	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**25**	**1.0**							
GRAND TOTAL	**25**	**1.0**							

DRG 62: Myringotomy w/ Tube Insertion Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	116	4.9	28	<1	2	3	5	18	19
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**116**	**4.9**	**28**	**<1**	**2**	**3**	**5**	**18**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1365	2.4	15	<1	<1	1	1	5	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**1365**	**2.4**	**15**	**<1**	**<1**	**1**	**1**	**5**	**9**
GRAND TOTAL	**0**										**1480**	**2.6**	**16**	**<1**	**<1**	**1**	**2**	**6**	**14**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	154	3.3	15	<1	<1	1	6	9	12	0-17	128	1.7	4	<1	<1	1	1	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**154**	**3.3**	**15**	**<1**	**<1**	**1**	**6**	**9**	**12**		**128**	**1.7**	**4**	**<1**	**<1**	**1**	**1**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	871	2.6	12	<1	<1	1	2	7	10	0-17	607	1.6	3	<1	<1	<1	1	2	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**871**	**2.6**	**12**	**<1**	**<1**	**1**	**2**	**7**	**10**		**607**	**1.6**	**3**	**<1**	**<1**	**<1**	**1**	**2**	**6**
GRAND TOTAL	**1025**	**2.7**	**12**	**<1**	**<1**	**1**	**2**	**8**	**12**		**735**	**1.6**	**4**	**<1**	**<1**	**<1**	**1**	**2**	**8**

DRG 63: Other Ear, Nose, Mouth & Throat O.R. Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	218	4.7	18	1	2	3	5	13	14		0-17	204	4.3	14	1	1	4	6	9	15
70-74	51	5.0	9								18-34	537	4.7	28	1	2	3	5	10	11
75-79	64	5.2	23								35-49	217	6.4	42	1	1	7	9	11	28
80-84	37	14.0	71								50-69	152	8.6	95	2	2	6	9	18	37
85 +	64	5.9	26								70 +	13	2.0							
SUBTOTAL	**434**	**5.8**	**29**	**1**	**2**	**4**	**9**	**14**	**16**			**1124**	**5.5**	**39**	**1**	**2**	**3**	**7**	**10**	**15**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	179	4.1	32	1	2	2	4	6	24		0-17	1628	2.8	5	1	1	2	4	6	7
70-74	75	3.5	4	1	2	3	6	6	6		18-34	3109	2.4	3	1	1	2	3	4	5
75-79	50	3.0	1								35-49	1252	2.6	5	1	1	2	3	5	8
80-84	64	4.8	7								50-69	432	3.5	31	1	1	2	3	7	10
85 +	0										70 +	0								
SUBTOTAL	**368**	**3.9**	**18**	**1**	**2**	**3**	**5**	**7**	**8**			**6420**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**802**	**4.9**	**25**	**1**	**2**	**3**	**6**	**12**	**14**			**7544**	**3.1**	**12**	**1**	**1**	**2**	**3**	**6**	**8**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	77	4.3	11	1	2	3	5	11	11		0-17	116	9.0	92	2	3	4	8	28	28
18-34	88	5.4	4	2	3	6	7	8	8		18-34	266	5.8	31	1	2	4	9	11	17
35-49	89	4.5	7	1	2	4	7	9	9		35-49	115	7.7	18	2	4	8	10	15	15
50-69	26	4.0	9								50-69	51	15.0	240						
70 +	13	6.0									70 +	0								
SUBTOTAL	**293**	**4.7**	**7**	**1**	**2**	**5**	**7**	**9**	**11**			**547**	**7.7**	**67**	**1**	**2**	**4**	**10**	**15**	**25**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	412	3.8	18	1	1	2	5	8	11		0-17	437	3.3	10	1	1	2	4	6	10
18-34	305	3.3	7	1	1	2	4	7	10		18-34	867	2.4	3	1	1	2	3	4	6
35-49	102	2.9	1	1	2	3	4	4	4		35-49	227	2.2	1	1	1	2	3	4	4
50-69	0										50-69	76	4.5	28	1	1	2	4	16	16
70 +	0										70 +	0								
SUBTOTAL	**818**	**3.5**	**12**	**1**	**1**	**2**	**4**	**7**	**10**			**1607**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**1111**	**3.8**	**11**	**1**	**2**	**3**	**5**	**8**	**11**			**2154**	**4.0**	**26**	**1**	**1**	**2**	**4**	**9**	**13**

DRG 64: Ear, Nose, Mouth & Throat Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	255	9.7	158	2	4	7	11	14	22	0-17	64	6.4	12						
70-74	164	12.7	458	1	1	2	14	21	83	18-34	0								
75-79	165	13.7	189	< 1	2	13	22	48	99 +	35-49	64	9.3	197						
80-84	140	9.4	19	3	7	9	12	14	18	50-69	306	7.6	38	1	2	5	12	15	20
85 +	52	5.8	8							70 +	12	19.0							
SUBTOTAL	**776**	**10.9**	**197**	**1**	**2**	**8**	**12**	**22**	**48**		**447**	**8.0**	**59**	**1**	**2**	**4**	**13**	**19**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	127	3.3	8	< 1	1	2	5	5	10	0-17	64	8.2	15						
70-74	51	6.8	71							18-34	0								
75-79	51	4.8	44							35-49	64	3.4	19						
80-84	26	2.0								50-69	128	3.4	7	1	1	3	5	8	10
85 +	38	1.3								70 +	0								
SUBTOTAL	**292**	**3.8**	**26**	**< 1**	**1**	**2**	**5**	**10**	**16**		**257**	**4.6**	**16**	**1**	**1**	**3**	**9**	**12**	**12**
GRAND TOTAL	**1069**	**8.9**	**160**	**1**	**1**	**5**	**11**	**21**	**32**		**704**	**6.8**	**46**	**1**	**2**	**4**	**11**	**13**	**20**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	12.3	199							0-17	64	30.4	631						
18-34	13	1.0								18-34	0								
35-49	77	5.2	3	2	4	5	7	7	7	35-49	26	14.0	1						
50-69	39	23.3	289							50-69	38	6.5	59						
70 +	13	19.0								70 +	0								
SUBTOTAL	**180**	**11.3**	**164**	**2**	**2**	**5**	**19**	**32**	**43**		**128**	**20.0**	**449**	**1**	**4**	**14**	**17**	**62**	**64**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	26	7.5	7							0-17	13	11.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	12	11.0								50-69	25	1.5							
70 +	0									70 +	12	3.0							
SUBTOTAL	**38**	**8.6**	**7**								**51**	**4.3**	**16**						
GRAND TOTAL	**218**	**10.8**	**137**	**2**	**3**	**6**	**11**	**32**	**43**		**179**	**15.6**	**376**	**1**	**2**	**13**	**15**	**57**	**64**

DRG 65: Dysequilibrium

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	784	4.0	5	1	2	3	6	7	8
70-74	784	4.0	7	1	2	4	5	6	9
75-79	806	4.2	8	1	2	3	6	8	9
80-84	733	6.8	146	2	3	5	7	10	15
85 +	503	6.0	59	2	3	4	6	9	37
SUBTOTAL	**3610**	**4.9**	**44**	**2**	**2**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	846	3.1	5	1	2	2	4	6	8
70-74	779	3.2	3	1	2	3	4	5	6
75-79	1018	3.3	5	1	2	3	4	6	8
80-84	654	4.2	13	1	2	3	6	8	8
85 +	529	4.0	6	2	3	3	5	7	9
SUBTOTAL	**3825**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**7435**	**4.2**	**25**	**1**	**2**	**3**	**5**	**7**	**9**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	102	4.3	14	1	1	3	9	11	11
18-34	76	2.5	2	1	1	2	3	5	5
35-49	228	3.1	3	1	2	3	3	7	7
50-69	619	3.2	4	1	2	3	4	7	7
70 +	51	4.7	13						
	1076	**3.3**	**5**	**1**	**2**	**3**	**4**	**7**	**7**
0-17	38	2.3	2						
18-34	341	3.4	13	1	1	2	4	8	9
35-49	880	2.5	3	1	1	2	3	4	6
50-69	1538	2.8	5	1	1	2	3	6	7
70 +	151	4.0	24	1	1	2	4	10	18
	2949	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**8**
	4025	**3.0**	**6**	**1**	**1**	**2**	**3**	**6**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	12	4.0							
18-34	26	4.0	1						
35-49	51	7.8	13						
50-69	89	5.3	16	1	2	3	10	12	12
70 +	39	8.3	32						
SUBTOTAL	**217**	**6.2**	**18**	**2**	**3**	**5**	**8**	**13**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	25	3.0	1						
18-34	37	2.3	2						
35-49	51	2.8	4						
50-69	151	3.0	3	2	2	3	3	4	8
70 +	0								
SUBTOTAL	**265**	**2.9**	**3**	**1**	**2**	**2**	**3**	**4**	**6**
GRAND TOTAL	**482**	**4.4**	**12**	**1**	**2**	**3**	**6**	**10**	**13**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	51	3.3	1						
35-49	51	2.5	1						
50-69	139	4.0	6	2	2	4	5	5	11
70 +	13	1.0							
	254	**3.4**	**5**	**1**	**2**	**3**	**4**	**5**	**10**
0-17	39	3.3	1						
18-34	63	2.6	2						
35-49	127	2.6	1	1	2	3	3	4	4
50-69	250	2.9	3	1	2	2	5	6	7
70 +	50	3.5	6						
	528	**2.9**	**3**	**1**	**2**	**2**	**4**	**6**	**6**
	782	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**

DRG 66: Epistaxis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	305	4.0	5	1	2	3	5	7	8	0-17	13	4.0							
70-74	215	5.4	12	1	2	5	7	10	13	18-34	37	6.7	4						
75-79	214	5.2	16	1	2	4	7	13	14	35-49	141	5.2	5	2	3	6	8	8	8
80-84	215	5.0	7	2	4	4	6	9	11	50-69	354	4.1	6	1	2	5	6	7	9
85 +	176	6.5	16	3	3	6	8	9	18	70 +	12	2.0							
SUBTOTAL	**1124**	**5.1**	**11**	**2**	**2**	**4**	**7**	**10**	**12**		**558**	**4.5**	**6**	**1**	**2**	**5**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	177	2.8	3	1	2	2	3	5	7	0-17	12	1.0							
70-74	266	4.2	11	1	2	4	6	6	10	18-34	115	4.1	4	1	3	4	5	7	7
75-79	240	3.9	7	1	1	4	5	9	9	35-49	214	3.1	3	1	2	3	4	6	6
80-84	139	4.1	8	1	2	3	7	9	9	50-69	470	4.0	5	1	2	4	5	7	9
85 +	165	4.2	8	< 1	2	3	6	8	10	70 +	50	4.0	3						
SUBTOTAL	**987**	**3.9**	**8**	**1**	**2**	**3**	**5**	**8**	**9**		**860**	**3.8**	**4**	**1**	**2**	**4**	**5**	**6**	**7**
GRAND TOTAL	**2111**	**4.5**	**10**	**1**	**2**	**4**	**6**	**9**	**10**		**1418**	**4.1**	**5**	**1**	**2**	**4**	**6**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	13	1.0							
18-34	25	3.5								18-34	26	2.0							
35-49	39	5.0	1							35-49	50	4.0	7						
50-69	51	3.5	7							50-69	38	4.7							
70 +	0									70 +	0								
SUBTOTAL	**115**	**4.0**	**4**	**1**	**3**	**4**	**5**	**7**	**7**		**127**	**3.5**	**4**	**1**	**2**	**3**	**5**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	51	2.2	1							0-17	13	1.0							
18-34	50	3.8	4							18-34	37	2.7							
35-49	25	3.5	2							35-49	37	4.0	6						
50-69	12	7.0								50-69	163	3.3	2	2	2	4	4	5	6
70 +	0									70 +	0								
SUBTOTAL	**139**	**3.4**	**4**	**1**	**2**	**3**	**5**	**6**	**7**		**251**	**3.2**	**3**	**1**	**2**	**3**	**4**	**6**	**6**
GRAND TOTAL	**254**	**3.7**	**4**	**1**	**2**	**4**	**5**	**6**	**7**		**377**	**3.3**	**3**	**1**	**2**	**3**	**4**	**5**	**7**

DRG 67: Epiglottitis

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	12	7.0							
70-74	0								
75-79	13	7.0							
80-84	13	10.0							
85 +	0								
SUBTOTAL	38	8.0	2						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	25	2.0	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	25	2.0	1						
GRAND TOTAL	64	5.6	10						

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	7.5	7						
18-34	25	3.0	1						
35-49	25	3.5							
50-69	38	5.0	3						
70 +	0								
	114	4.8	5	2	3	4	5	10	10
0-17	75	3.2	1	2	2	3	4	5	5
18-34	163	2.9	1	2	2	3	4	5	5
35-49	151	3.1	1	2	2	3	4	5	5
50-69	126	3.0	1	2	2	3	4	5	5
70 +	0								
	516	3.0	1	2	2	3	4	5	5
	630	3.3	2	2	2	3	4	5	5

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	13	2.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	13	2.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	38	3.3							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	38	3.3							
GRAND TOTAL	51	3.0	1						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	13	4.0							
50-69	0								
70 +	0								
	13	4.0							
0-17	0								
18-34	50	3.0	1						
35-49	13	1.0							
50-69	25	4.0	1						
70 +	0								
	88	3.0	1	<1	2	3	4	5	5
	101	3.1	1	<1	2	3	4	5	5

DRG 68: Otitis Media & URI Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	607	5.2	11	2	3	4	6	11	12
70-74	418	6.0	16	2	3	5	8	12	13
75-79	176	5.7	15	2	3	5	6	8	18
80-84	264	7.2	15	3	4	7	9	12	14
85 +	203	6.6	28	2	2	5	7	13	23
SUBTOTAL	**1668**	**5.9**	**16**	**2**	**3**	**5**	**8**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1668**	**5.9**	**16**	**2**	**3**	**5**	**8**	**11**	**13**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	974	3.0	4	1	2	3	4	5	6
35-49	455	5.4	19	2	3	4	7	11	14
50-69	404	5.2	8	2	4	5	7	8	9
70 +	12	8.0							
	1845	**4.1**	**10**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1845	**4.1**	**10**	**1**	**2**	**3**	**5**	**8**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	382	4.4	12	1	2	3	6	10	13
35-49	127	5.6	13	2	3	4	8	14	14
50-69	39	4.3	4						
70 +	13	4.0							
SUBTOTAL	**560**	**4.7**	**12**	**2**	**2**	**4**	**7**	**9**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**560**	**4.7**	**12**	**2**	**2**	**4**	**7**	**9**	**13**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	481	4.4	12	2	2	3	5	10	13
35-49	50	5.0	12						
50-69	39	4.7	6						
70 +	25	1.0							
	594	**4.3**	**12**	**2**	**2**	**3**	**5**	**10**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	594	**4.3**	**12**	**2**	**2**	**3**	**5**	**10**	**11**

DRG 69: Otitis Media & URI Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	177	4.3	15	1	2	3	6	8	16
70-74	89	2.4	1	1	1	3	3	4	4
75-79	63	4.4	8						
80-84	64	4.4	10						
85 +	75	6.5	44	2	3	4	6	21	21
SUBTOTAL	**469**	**4.3**	**17**	**1**	**2**	**3**	**5**	**9**	**16**
GRAND TOTAL	**469**	**4.3**	**17**	**1**	**2**	**3**	**5**	**9**	**16**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2055	2.7	6	1	1	2	3	5	7
35-49	759	3.2	4	1	2	3	4	6	8
50-69	432	3.5	4	2	2	3	4	7	8
70 +	26	6.0	26						
	3272	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
	3272	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	355	3.1	3	1	2	3	4	5	8
35-49	76	2.7	1	1	2	3	4	4	4
50-69	38	7.3	59						
70 +	26	5.5							
SUBTOTAL	**495**	**3.5**	**8**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**495**	**3.5**	**8**	**1**	**2**	**3**	**4**	**6**	**8**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1017	2.5	5	1	1	2	3	5	6
35-49	370	2.2	3	1	1	1	3	5	6
50-69	152	5.2	7	3	3	4	6	8	12
70 +	0								
	1538	**2.7**	**5**	**1**	**1**	**2**	**4**	**5**	**7**
	1538	**2.7**	**5**	**1**	**1**	**2**	**4**	**5**	**7**

DRG 70: Otitis Media & URI Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	13	1.0								0-17	2640	3.8	16	1	2	3	4	7	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**13**	**1.0**									**2640**	**3.8**	**16**	**1**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	5750	2.9	4	1	2	3	4	5	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**5750**	**2.9**	**4**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**13**	**1.0**									**8390**	**3.2**	**8**	**1**	**2**	**3**	**4**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	2462	4.4	55	1	2	3	4	7	10	0-17	792	3.2	5	1	2	3	4	5	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**2462**	**4.4**	**55**	**1**	**2**	**3**	**4**	**7**	**10**		**792**	**3.2**	**5**	**1**	**2**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	4112	3.3	6	1	2	3	4	6	8	0-17	1548	3.2	7	1	2	3	4	5	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**4112**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**8**		**1548**	**3.2**	**7**	**1**	**2**	**3**	**4**	**5**	**9**
GRAND TOTAL	**6574**	**3.7**	**25**	**1**	**2**	**3**	**4**	**6**	**9**		**2341**	**3.2**	**6**	**1**	**2**	**3**	**4**	**5**	**8**

DRG 71: Laryngotracheitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	449	2.7	7	1	1	2	3	6	9
70-74	0									18-34	12	2.0							
75-79	0									35-49	0								
80-84	13	9.0								50-69	0								
85 +	13	4.0								70 +	0								
SUBTOTAL	**26**	**6.5**	**7**								**461**	**2.7**	**6**	**1**	**1**	**2**	**3**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	13	2.0								0-17	2509	1.7	1	< 1	1	1	2	3	4
70-74	0									18-34	25	1.5							
75-79	0									35-49	12	5.0							
80-84	13	2.0								50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**26**	**2.0**									**2547**	**1.7**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**52**	**4.3**	**8**								**3008**	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	425	2.9	13	1	1	2	3	6	8	0-17	296	2.5	4	1	1	2	4	6	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**425**	**2.9**	**13**	**1**	**1**	**2**	**3**	**6**	**8**		**296**	**2.5**	**4**	**1**	**1**	**2**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1111	2.2	2	1	1	2	3	3	5	0-17	662	1.7	1	1	1	1	2	3	4
18-34	12	1.0								18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1123**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**5**		**662**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1548**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**6**		**957**	**1.9**	**2**	**1**	**1**	**1**	**2**	**4**	**6**

DRG 72: Nasal Trauma & Deformity

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	12	1.0								0-17	12	2.0							
70-74	38	9.9	63							18-34	89	1.9	3	1	1	1	2	6	6
75-79	0									35-49	51	3.7	5						
80-84	12	1.0								50-69	38	3.3	1						
85 +	25	5.0	1							70 +	0								
SUBTOTAL	**88**	**6.0**	**41**	**1**	**1**	**4**	**6**	**21**	**21**		**190**	**2.7**	**4**	**1**	**1**	**2**	**4**	**6**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	37	3.0	2							0-17	140	1.6	2	< 1	< 1	1	1	4	5
70-74	25	3.9	9							18-34	190	1.6	1	< 1	1	1	2	2	5
75-79	13	3.0								35-49	63	1.8	1						
80-84	25	3.0	4							50-69	13	2.0							
85 +	12	1.0								70 +	13	1.0							
SUBTOTAL	**113**	**3.0**	**4**	**1**	**1**	**3**	**4**	**7**	**7**		**419**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**201**	**4.3**	**22**	**1**	**1**	**3**	**5**	**7**	**21**		**609**	**2.0**	**2**	**< 1**	**1**	**1**	**2**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13	1.0								0-17	13	2.0							
18-34	0									18-34	25	1.0							
35-49	0									35-49	13	5.0							
50-69	0									50-69	0								
70 +	0									70 +	12	3.0							
SUBTOTAL	**13**	**1.0**									**64**	**2.4**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	25	1.0								0-17	51	1.5	1						
18-34	0									18-34	63	1.0							
35-49	13	2.0								35-49	38	1.7	1						
50-69	13	2.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**51**	**1.5**									**151**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**3**	**3**
GRAND TOTAL	**64**	**1.4**									**215**	**1.6**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**5**

DRG 73: Other Ear, Nose, Mouth & Throat Diagnoses Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	243	6.9	19	2	3	7	10	15	16
70-74	114	10.0	141	2	3	4	9	41	41
75-79	126	4.1	4	1	3	4	6	6	7
80-84	164	7.9	34	2	5	6	9	19	21
85+	203	7.6	16	4	4	7	10	13	16
SUBTOTAL	**849**	**7.3**	**38**	**2**	**3**	**6**	**9**	**15**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	265	3.3	9	<1	1	2	4	5	11
70-74	152	5.6	63	1	2	4	5	7	31
75-79	138	3.2	3	1	2	2	5	5	7
80-84	88	4.2	19	<1	1	2	10	12	12
85+	12	4.0							
SUBTOTAL	**656**	**3.9**	**23**	**1**	**1**	**2**	**5**	**7**	**12**
GRAND TOTAL	**1506**	**5.8**	**34**	**1**	**2**	**4**	**7**	**13**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	114	5.7	30	1	3	3	6	20	20
35-49	88	6.0	21	<1	3	5	7	16	16
50-69	254	5.5	32	1	1	4	6	12	23
70+	0								
	456	**5.6**	**30**	**1**	**3**	**4**	**7**	**12**	**20**
0-17	0								
18-34	481	2.8	6	<1	1	2	4	6	10
35-49	442	2.7	3	<1	1	2	4	5	6
50-69	510	2.9	4	1	1	2	5	6	6
70+	0								
	1433	**2.8**	**5**	**<1**	**1**	**2**	**4**	**6**	**6**
	1889	**3.5**	**12**	**1**	**1**	**3**	**5**	**6**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	13	2.0							
35-49	25	2.0	1						
50-69	38	6.4	21						
70+	0								
SUBTOTAL	**76**	**4.2**	**15**	**1**	**1**	**3**	**6**	**12**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	152	2.7	3	<1	1	2	3	5	7
35-49	102	3.5	4	1	1	3	5	6	6
50-69	103	5.4	18	<1	3	4	8	13	13
70+	0								
SUBTOTAL	**357**	**3.7**	**9**	**<1**	**2**	**3**	**4**	**7**	**12**
GRAND TOTAL	**433**	**3.8**	**10**	**1**	**2**	**3**	**5**	**7**	**12**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	38	5.4	23						
35-49	88	5.7	22	3	3	4	5	17	17
50-69	64	4.6	2						
70+	0								
	191	**5.3**	**15**	**2**	**3**	**4**	**5**	**12**	**17**
0-17	0								
18-34	126	2.0	1	<1	1	2	3	4	4
35-49	63	3.4	6						
50-69	88	1.9	1	<1	1	1	3	4	4
70+	0								
	278	**2.3**	**3**	**<1**	**1**	**2**	**3**	**4**	**4**
	468	**3.5**	**10**	**<1**	**1**	**3**	**4**	**7**	**12**

DRG 74: Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	13	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**13**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**13**	**1.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	578	3.0	9	1	1	2	3	6	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	578	**3.0**	**9**	**1**	**1**	**2**	**3**	**6**	**12**
0-17	2219	2.4	5	1	1	1	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2219	**2.4**	**5**	**1**	**1**	**1**	**3**	**5**	**7**
	2798	**2.5**	**6**	**1**	**1**	**2**	**3**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	297	4.1	12	1	1	3	5	9	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**297**	**4.1**	**12**	**1**	**1**	**3**	**5**	**9**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1234	3.2	11	< 1	1	2	5	8	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1234**	**3.2**	**11**	**< 1**	**1**	**2**	**5**	**8**	**12**
GRAND TOTAL	**1531**	**3.4**	**11**	**< 1**	**1**	**2**	**5**	**8**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	205	4.1	11	1	2	3	6	7	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	205	**4.1**	**11**	**1**	**2**	**3**	**6**	**7**	**14**
0-17	875	2.3	6	< 1	1	1	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	875	**2.3**	**6**	**< 1**	**1**	**1**	**3**	**5**	**7**
	1081	**2.6**	**7**	**1**	**1**	**1**	**4**	**6**	**7**

DRG 75: Major Chest Procedures

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1934	14.0	96	7	8	11	16	23	29
70-74	1672	16.9	132	7	9	14	21	34	39
75-79	1121	16.3	99	7	10	14	19	30	34
80-84	293	29.2	360	8	12	25	43	53	53
85 +	51	33.4	115						
SUBTOTAL	**5071**	**16.5**	**139**	**7**	**9**	**13**	**20**	**31**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	499	9.1	20	5	6	7	10	16	22
70-74	266	9.7	18	6	6	8	12	14	16
75-79	293	11.8	38	6	7	10	17	19	20
80-84	38	10.3	1						
85 +	13	14.0							
SUBTOTAL	**1109**	**10.1**	**25**	**6**	**7**	**8**	**12**	**17**	**20**
GRAND TOTAL	**6180**	**15.4**	**124**	**7**	**8**	**12**	**18**	**29**	**35**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	592	14.7	199	4	6	9	21	51	54
18-34	470	14.5	118	5	7	11	19	29	35
35-49	1189	14.7	111	5	8	11	19	29	36
50-69	3030	13.6	71	6	8	11	17	26	32
70 +	128	13.9	61	7	8	9	20	27	30
	5408	**14.1**	**98**	**6**	**8**	**11**	**18**	**29**	**36**
0-17	760	5.2	11	3	3	5	6	8	16
18-34	486	6.8	8	4	5	6	8	11	14
35-49	523	7.9	17	4	5	7	9	12	15
50-69	1010	7.8	12	4	6	7	9	11	15
70 +	25	8.5							
	2805	**6.9**	**13**	**3**	**5**	**6**	**8**	**11**	**14**
	8214	**11.6**	**81**	**4**	**6**	**9**	**14**	**23**	**31**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	77	12.0	82	4	7	8	14	31	31
18-34	90	39.7	663	15	16	30	65	90	90
35-49	90	22.0	269	4	13	20	42	99 +	99 +
50-69	140	19.0	146	6	7	17	28	36	41
70 +	13	15.0							
SUBTOTAL	**411**	**22.8**	**360**	**6**	**9**	**17**	**30**	**58**	**90**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	116	6.7	32	1	4	4	7	19	19
18-34	103	7.0	9	1	6	8	10	10	10
35-49	77	6.3	4	4	4	7	8	9	9
50-69	39	7.3	17						
70 +	0								
SUBTOTAL	**334**	**6.8**	**17**	**2**	**4**	**7**	**9**	**12**	**14**
GRAND TOTAL	**745**	**15.6**	**269**	**4**	**6**	**10**	**22**	**36**	**65**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	205	13.3	170	4	6	9	12	27	58
18-34	153	11.2	40	5	6	9	14	23	24
35-49	153	19.8	154	8	9	17	28	42	43
50-69	329	15.2	107	7	8	11	18	28	34
70 +	38	16.5	119						
	877	**14.9**	**126**	**5**	**8**	**9**	**18**	**28**	**42**
0-17	192	5.9	21	1	3	5	8	13	18
18-34	203	8.5	14	5	6	8	11	14	16
35-49	64	13.4	23						
50-69	151	9.2	35	5	5	7	10	18	25
70 +	0								
	610	**8.4**	**27**	**3**	**5**	**7**	**10**	**16**	**18**
	1488	**12.2**	**95**	**5**	**6**	**9**	**16**	**26**	**32**

DRG 76: Other Resp System O.R. Procedures w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	1961	12.8	109	2	6	11	17	24	35	0-17	335	12.5	104	2	3	11	22	30	31	
70-74	1504	13.7	130	2	5	11	17	27	34	18-34	461	11.2	109	1	3	9	16	28	33	
75-79	1028	16.7	283	2	7	12	18	37	53	35-49	740	9.9	72	1	3	8	14	21	26	
80-84	802	19.1	268	5	9	15	25	37	59	50-69	2356	11.6	140	2	4	8	15	24	35	
85 +	459	20.3	251	6	11	18	29	61	99 +	70 +	127	16.9	221	2	8	11	16	39	51	
SUBTOTAL	**5754**	**15.2**	**186**	**3**	**6**	**12**	**19**	**33**	**46**		**4018**	**11.5**	**125**	**2**	**4**	**8**	**15**	**24**	**34**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**5754**	**15.2**	**186**	**3**	**6**	**12**	**19**	**33**	**46**		**4018**	**11.5**	**125**	**2**	**4**	**8**	**15**	**24**	**34**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	155	12.8	137	1	2	9	22	30	35	0-17	116	16.7	248	1	3	16	25	51	51	
18-34	103	22.3	243	1	18	20	26	99 +	99 +	18-34	103	13.9	97	2	5	9	19	31	31	
35-49	193	14.7	274	3	6	10	16	24	72	35-49	102	13.4	115	1	6	12	29	30	30	
50-69	370	14.7	203	1	5	13	20	31	39	50-69	701	12.3	105	1	5	11	16	24	30	
70 +	39	17.7	59							70 +	51	10.5	53							
SUBTOTAL	**860**	**15.4**	**212**	**1**	**5**	**13**	**21**	**31**	**59**		**1072**	**13.0**	**120**	**1**	**5**	**11**	**18**	**26**	**30**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**860**	**15.4**	**212**	**1**	**5**	**13**	**21**	**31**	**59**		**1072**	**13.0**	**120**	**1**	**5**	**11**	**18**	**26**	**30**	

DRG 77: Other Resp System O.R. Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	371	3.9	12	1	1	2	6	11	11	0-17	244	5.2	32	1	1	3	8	14	24
70-74	267	4.5	28	1	1	2	5	10	17	18-34	217	2.6	4	1	1	2	3	6	9
75-79	179	6.7	51	1	2	5	6	23	23	35-49	358	2.7	8	1	1	1	4	7	8
80-84	128	8.1	51	1	3	7	11	14	26	50-69	611	4.8	34	< 1	1	2	6	13	17
85 +	26	4.0	4							70 +	0								
SUBTOTAL	**971**	**5.1**	**31**	**1**	**1**	**3**	**6**	**11**	**21**		**1430**	**4.0**	**24**	**1**	**1**	**2**	**4**	**9**	**14**
GRAND TOTAL	**971**	**5.1**	**31**	**1**	**1**	**3**	**6**	**11**	**21**		**1430**	**4.0**	**24**	**1**	**1**	**2**	**4**	**9**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	181	2.2	4	1	1	2	2	4	9	0-17	90	2.4	3	1	1	1	5	5	5
18-34	39	8.0	14							18-34	38	8.7	45						
35-49	25	11.3	94							35-49	51	3.5	15						
50-69	51	9.6	76							50-69	126	8.9	74	1	1	7	13	28	29
70 +	0									70 +	13	7.0							
SUBTOTAL	**296**	**5.0**	**38**	**1**	**1**	**2**	**7**	**13**	**21**		**319**	**6.1**	**46**	**1**	**1**	**4**	**7**	**17**	**18**
GRAND TOTAL	**296**	**5.0**	**38**	**1**	**1**	**2**	**7**	**13**	**21**		**319**	**6.1**	**46**	**1**	**1**	**4**	**7**	**17**	**18**

DRG 78: Pulmonary Embolism

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	811	12.9	200	6	7	10	13	17	25	0-17	13	20.0							
70-74	670	11.4	60	7	7	9	12	17	32	18-34	139	10.5	35	6	7	9	13	15	26
75-79	732	12.5	61	7	8	10	14	20	30	35-49	367	8.6	31	1	6	8	10	14	23
80-84	705	13.5	96	7	8	11	15	21	33	50-69	784	10.3	21	6	7	9	12	15	21
85 +	354	12.3	31	7	9	10	14	20	22	70 +	64	19.7	127						
SUBTOTAL	**3273**	**12.6**	**100**	**7**	**8**	**10**	**14**	**20**	**27**		**1367**	**10.4**	**35**	**6**	**7**	**9**	**12**	**18**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	215	7.6	10	3	6	7	10	12	13	0-17	38	6.7	18						
70-74	153	10.2	3	9	9	10	10	11	16	18-34	101	7.4	5	4	6	7	8	12	12
75-79	177	8.2	6	5	7	8	9	10	15	35-49	253	8.8	11	6	7	8	10	12	18
80-84	76	8.7	3	7	7	8	11	11	11	50-69	459	7.7	6	5	6	8	9	12	12
85 +	64	7.8	3							70 +	38	14.0	29						
SUBTOTAL	**685**	**8.5**	**7**	**5**	**7**	**9**	**10**	**11**	**13**		**889**	**8.2**	**11**	**5**	**6**	**8**	**10**	**12**	**13**
GRAND TOTAL	**3958**	**11.9**	**86**	**6**	**8**	**10**	**13**	**17**	**25**		**2256**	**9.5**	**27**	**5**	**7**	**8**	**11**	**15**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	76	12.3	31	5	6	12	18	20	20	18-34	50	11.8	9						
35-49	25	15.1	17							35-49	76	8.0	8	6	6	7	8	14	14
50-69	25	8.9	17							50-69	101	16.3	160	7	9	12	17	48	48
70 +	13	25.0								70 +	51	12.5	4						
SUBTOTAL	**140**	**13.4**	**40**	**5**	**6**	**13**	**19**	**20**	**25**		**279**	**12.5**	**73**	**7**	**8**	**11**	**14**	**16**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	63	6.8	4							18-34	63	7.2	4						
35-49	12	5.0								35-49	25	12.9	9						
50-69	0									50-69	37	8.7	7						
70 +	13	11.0								70 +	0								
SUBTOTAL	**86**	**7.2**	**6**	**3**	**5**	**7**	**9**	**11**	**11**		**125**	**8.8**	**11**	**5**	**7**	**10**	**10**	**12**	**16**
GRAND TOTAL	**228**	**11.0**	**36**	**5**	**6**	**11**	**13**	**20**	**25**		**404**	**11.4**	**57**	**6**	**7**	**10**	**14**	**16**	**18**

DRG 79: Respiratory Infections & Inflammations Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2193	13.7	125	4	7	11	17	27	35
70-74	1670	15.5	128	6	8	12	19	29	38
75-79	2340	14.4	124	6	8	11	18	25	32
80-84	2506	15.5	143	6	8	12	19	31	42
85 +	3603	15.0	115	6	8	13	18	26	37
SUBTOTAL	**12312**	**14.8**	**126**	**6**	**8**	**12**	**18**	**27**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**12312**	**14.8**	**126**	**6**	**8**	**12**	**18**	**27**	**38**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	665	10.3	56	3	6	9	14	16	20
35-49	588	12.8	66	4	7	11	17	28	31
50-69	1144	13.9	80	6	7	12	18	26	32
70 +	202	13.7	55	4	8	13	18	25	28
	2599	**12.7**	**71**	**4**	**6**	**11**	**17**	**25**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2599	**12.7**	**71**	**4**	**6**	**11**	**17**	**25**	**29**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	565	13.5	79	5	7	13	19	27	33
35-49	410	19.4	252	5	8	14	32	46	70
50-69	483	17.2	172	4	8	15	21	42	55
70 +	89	11.1	34	4	7	9	14	23	23
SUBTOTAL	**1547**	**16.1**	**158**	**5**	**7**	**14**	**21**	**37**	**48**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1547**	**16.1**	**158**	**5**	**7**	**14**	**21**	**37**	**48**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	204	16.5	176	3	10	17	20	20	62
35-49	256	16.9	82	8	9	14	24	32	34
50-69	254	9.0	14	5	6	8	12	15	16
70 +	114	11.7	25	6	7	10	14	21	21
	829	**13.7**	**89**	**5**	**8**	**11**	**17**	**23**	**30**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	829	**13.7**	**89**	**5**	**8**	**11**	**17**	**23**	**30**

DRG 80: Respiratory Infections & Inflammations Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85+	0									70+	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	164	8.3	13	3	5	9	11	12	15	0-17	0									
70-74	239	9.7	51	4	4	8	12	23	28	18-34	191	5.7	10	3	3	4	7	9	15
75-79	252	7.9	34	2	4	9	11	13	27	35-49	152	10.7	40	6	7	9	11	14	30
80-84	265	8.8	45	5	5	7	10	12	21	50-69	378	10.2	90	4	5	7	11	23	31
85+	326	10.5	83	4	6	8	12	21	23	70+	63	7.8	10						
SUBTOTAL	**1245**	**9.2**	**50**	**3**	**5**	**8**	**11**	**15**	**23**		**783**	**9.0**	**59**	**3**	**5**	**7**	**10**	**14**	**25**
GRAND TOTAL	**1245**	**9.2**	**50**	**3**	**5**	**8**	**11**	**15**	**23**		**783**	**9.0**	**59**	**3**	**5**	**7**	**10**	**14**	**25**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70+	0									70+	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	243	10.4	28	5	6	10	14	17	24	18-34	115	6.1	7	3	4	5	7	12	12
35-49	115	15.6	141	2	8	13	17	44	44	35-49	76	8.2	13	3	6	8	9	15	15
50-69	76	13.0	29	5	11	11	17	22	22	50-69	90	8.4	12	4	6	8	11	15	15
70+	0									70+	13	6.0							
SUBTOTAL	**435**	**12.2**	**63**	**5**	**7**	**11**	**16**	**22**	**24**		**294**	**7.4**	**11**	**4**	**5**	**7**	**9**	**12**	**15**
GRAND TOTAL	**435**	**12.2**	**63**	**5**	**7**	**11**	**16**	**22**	**24**		**294**	**7.4**	**11**	**4**	**5**	**7**	**9**	**12**	**15**

DRG 81: Respiratory Infections & Inflammations Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	25	14.9	17							0-17	962	11.3	101	3	6	9	14	19	25
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	25	14.9	17								962	11.3	101	3	6	9	14	19	25
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	348	6.9	60	1	2	3	9	16	16
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										348	6.9	60	1	2	3	9	16	16
GRAND TOTAL	25	14.9	17								1310	10.1	94	2	3	8	13	18	25

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	992	11.2	67	4	6	10	14	20	21	0-17	232	9.3	83	2	3	7	11	23	40
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	992	11.2	67	4	6	10	14	20	21		232	9.3	83	2	3	7	11	23	40
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	486	5.6	17	1	3	4	7	12	16	0-17	76	3.9	7	<1	1	5	7	7	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	486	5.6	17	1	3	4	7	12	16		76	3.9	7	<1	1	5	7	7	7
GRAND TOTAL	1478	9.4	58	3	4	8	13	17	20		308	7.9	69	1	3	7	9	14	23

DRG 82: Respiratory Neoplasms

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2832	11.7	113	3	5	9	15	22	29
70-74	2415	12.2	119	3	5	9	16	25	29
75-79	2170	13.9	158	3	6	11	17	27	41
80-84	1474	12.5	135	3	6	8	17	29	44
85 +	724	13.9	164	2	5	11	19	27	42
SUBTOTAL	**9614**	**12.6**	**133**	**3**	**5**	**9**	**16**	**25**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	279	6.9	35	1	2	5	10	14	17
70-74	343	5.7	24	2	2	4	8	12	12
75-79	203	5.3	18	1	2	4	7	14	15
80-84	139	6.5	17	2	3	5	10	12	15
85 +	51	14.2	192						
SUBTOTAL	**1014**	**6.5**	**36**	**1**	**2**	**5**	**9**	**14**	**16**
GRAND TOTAL	**10628**	**12.0**	**127**	**3**	**5**	**9**	**16**	**24**	**34**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	219	3.2	6	1	1	2	5	7	9
18-34	179	6.6	21	1	4	5	8	16	16
35-49	930	11.1	96	2	4	8	16	25	30
50-69	4076	9.5	63	2	4	7	12	19	24
70 +	177	10.5	57	3	4	9	13	26	26
	5580	**9.5**	**67**	**2**	**4**	**7**	**12**	**19**	**26**
0-17	129	3.9	4	1	1	5	5	6	6
18-34	77	1.8	2	1	1	1	2	5	5
35-49	140	3.3	4	1	1	3	5	6	7
50-69	812	4.7	12	1	2	4	6	10	13
70 +	63	5.6	17						
	1220	**4.3**	**11**	**1**	**2**	**4**	**5**	**9**	**13**
	6801	**8.5**	**61**	**2**	**4**	**6**	**11**	**17**	**24**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	39	10.3	111						
18-34	51	12.5	122						
35-49	192	9.1	58	2	3	7	17	20	26
50-69	331	17.1	278	3	7	15	22	27	37
70 +	38	18.2	84						
SUBTOTAL	**651**	**14.0**	**193**	**3**	**4**	**10**	**20**	**26**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	64	3.2	4						
18-34	12	12.0							
35-49	12	1.0							
50-69	52	5.5	10						
70 +	0								
SUBTOTAL	**141**	**4.6**	**13**	**1**	**1**	**4**	**6**	**10**	**12**
GRAND TOTAL	**791**	**12.4**	**174**	**2**	**4**	**9**	**18**	**26**	**31**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	10.4	47						
18-34	39	9.3	50						
35-49	153	11.8	41	3	8	11	16	22	24
50-69	697	10.3	104	3	[illegible]	7	13	21	29
70 +	76	17.1	211	2	4	17	29	42	42
	1029	**11.0**	**100**	**2**	**4**	**8**	**15**	**22**	**29**
0-17	13	8.0							
18-34	0								
35-49	13	12.0							
50-69	0								
70 +	12	9.0							
	38	**9.7**	**3**						
	1067	**10.9**	**97**	**2**	**4**	**8**	**14**	**22**	**29**

DRG 83: Major Chest Trauma w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	328	6.9	21	2	3	6	9	14	18	0-17	51	4.5	4						
70-74	163	14.4	179	2	5	11	17	26	52	18-34	227	4.2	7	1	1	4	6	8	9
75-79	289	8.4	64	2	3	6	12	16	20	35-49	352	5.2	12	1	2	4	7	10	13
80-84	255	11.0	30	4	8	10	14	18	19	50-69	579	6.3	20	2	3	5	9	11	14
85 +	493	10.4	44	5	6	7	17	23	25	70 +	205	6.4	13	3	4	5	7	13	15
SUBTOTAL	**1527**	**9.8**	**59**	**3**	**5**	**7**	**14**	**19**	**25**		**1415**	**5.6**	**15**	**1**	**3**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1527**	**9.8**	**59**	**3**	**5**	**7**	**14**	**19**	**25**		**1415**	**5.6**	**15**	**1**	**3**	**5**	**7**	**10**	**13**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	38	4.0	5						
18-34	50	8.5	47							18-34	113	5.1	18	2	2	4	5	16	16
35-49	51	6.0	7							35-49	125	5.9	25	2	3	4	6	11	20
50-69	63	8.3	47							50-69	151	8.3	27	4	5	8	9	13	23
70 +	0									70 +	51	8.5	1						
SUBTOTAL	**164**	**7.7**	**35**	**2**	**3**	**5**	**10**	**19**	**21**		**478**	**6.6**	**22**	**2**	**3**	**5**	**8**	**12**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**164**	**7.7**	**35**	**2**	**3**	**5**	**10**	**19**	**21**		**478**	**6.6**	**22**	**2**	**3**	**5**	**8**	**12**	**18**

DRG 84: Major Chest Trauma w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	100	2.2		2	2	2	3	3	3
70-74	77	3.1	4	1	2	2	6	6	6
75-79	75	2.8	5	1	1	1	4	7	7
80-84	38	8.6	45						
85 +	190	5.5	6	3	4	5	7	9	11
SUBTOTAL	**480**	**4.3**	**11**	**1**	**2**	**3**	**6**	**9**	**11**
GRAND TOTAL	**480**	**4.3**	**11**	**1**	**2**	**3**	**6**	**9**	**11**

BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	51	1.5	1						
18-34	279	2.9	4	1	1	2	4	6	7
35-49	215	2.7	2	1	2	2	4	5	6
50-69	468	2.9	4	1	1	3	4	6	7
70 +	102	3.6	3	2	2	3	4	8	8
	1115	**2.9**	**3**	**1**	**1**	**2**	**4**	**6**	**7**
	1115	**2.9**	**3**	**1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	39	2.3							
18-34	26	1.0							
35-49	13	6.0							
50-69	12	3.0							
70 +	0								
SUBTOTAL	**90**	**2.6**	3	1	1	2	3	6	6
GRAND TOTAL	**90**	**2.6**	3	1	1	2	3	6	6

NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	12	1.0							
18-34	88	2.6	2	1	1	2	4	5	5
35-49	189	3.4	6	1	2	3	4	8	10
50-69	64	2.0	4						
70 +	13	2.0							
	367	**2.8**	**5**	**1**	**1**	**2**	**3**	**6**	**8**
	367	**2.8**	**5**	**1**	**1**	**2**	**3**	**6**	**8**

DRG 85: Pleural Effusion w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	685	9.1	37	3	5	8	11	16	23
70-74	637	8.5	38	3	4	7	12	18	20
75-79	556	9.2	38	3	5	8	13	17	18
80-84	724	11.5	100	2	4	7	15	22	39
85 +	698	10.2	41	4	5	8	14	20	22
SUBTOTAL	**3300**	**9.8**	**53**	**3**	**5**	**8**	**13**	**19**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3300**	**9.8**	**53**	**3**	**5**	**8**	**13**	**19**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	154	9.8	121	2	4	6	14	43	99 +
18-34	90	7.9	20	3	3	8	10	17	17
35-49	140	5.0	10	2	2	5	8	8	11
50-69	561	8.2	21	3	4	8	12	14	16
70 +	64	16.8	32						
	1010	**8.5**	**41**	**2**	**4**	**7**	**12**	**17**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1010	**8.5**	**41**	**2**	**4**	**7**	**12**	**17**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	64	13.4	27						
18-34	13	1.0							
35-49	52	7.5	7						
50-69	114	8.0	45	1	3	7	10	24	24
70 +	0								
SUBTOTAL	**243**	**8.9**	**39**	**1**	**3**	**8**	**11**	**21**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**243**	**8.9**	**39**	**1**	**3**	**8**	**11**	**21**	**24**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	7.4	11						
18-34	64	4.4	4						
35-49	51	8.8	33						
50-69	115	13.6	125	4	7	8	13	36	36
70 +	76	11.3	28	5	7	8	16	20	20
	369	**9.8**	**63**	**2**	**5**	**7**	**12**	**20**	**31**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	369	**9.8**	**63**	**2**	**5**	**7**	**12**	**20**	**31**

DRG 86: Pleural Effusion w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	114	6.2	30	2	2	3	7	19	19
70-74	102	6.5	28	3	4	5	6	20	20
75-79	64	2.2	1						
80-84	101	7.6	24	4	4	6	8	20	20
85 +	76	7.7	6	4	6	7	10	11	11
SUBTOTAL	**457**	**6.3**	**23**	**2**	**3**	**5**	**7**	**11**	**20**
GRAND TOTAL	**457**	**6.3**	**23**	**2**	**3**	**5**	**7**	**11**	**20**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	26	6.0							
18-34	38	6.0	5						
35-49	89	5.0	17	1	2	3	9	13	13
50-69	190	4.4	12	2	2	3	5	10	14
70 +	12	1.0							
	355	**4.7**	**12**	**1**	**2**	**3**	**6**	**10**	**13**
	355	**4.7**	**12**	**1**	**2**	**3**	**6**	**10**	**13**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	25	7.5							
50-69	38	4.7	15						
70 +	0								
SUBTOTAL	**64**	**5.8**	**11**						
GRAND TOTAL	**64**	**5.8**	**11**						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	12	4.0							
35-49	25	3.5							
50-69	38	2.3	2						
70 +	0								
	75	**3.0**	**1**	**1**	**2**	**4**	**4**	**4**	**4**
	75	**3.0**	**1**	**1**	**2**	**4**	**4**	**4**	**4**

DRG 87: Pulmonary Edema & Respiratory Failure

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1575	8.4	36	3	4	7	11	13	20
70-74	1321	10.1	75	3	5	7	13	19	22
75-79	1330	9.2	59	4	5	7	11	17	21
80-84	631	10.3	27	5	6	9	14	18	22
85+	328	9.0	31	3	5	8	11	20	21
SUBTOTAL	**5184**	**9.3**	**51**	**3**	**5**	**7**	**12**	**17**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	38	3.4	2						
70-74	51	4.7	3						
75-79	25	7.0							
80-84	38	9.7	23						
85+	51	6.2	12						
SUBTOTAL	**202**	**6.1**	**13**	**2**	**3**	**5**	**7**	**12**	**14**
GRAND TOTAL	**5386**	**9.2**	**50**	**3**	**5**	**7**	**11**	**17**	**21**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	5.4	15	1	2	4	8	13	13
18-34	51	5.3	14						
35-49	76	9.1	29	3	4	9	16	16	16
50-69	983	7.4	30	3	4	6	8	12	18
70+	88	6.0	8	3	4	5	7	12	12
	1288	**7.2**	**27**	**3**	**4**	**6**	**8**	**12**	**16**
0-17	13	1.0							
18-34	0								
35-49	25	4.5							
50-69	25	3.9	9						
70+	12	3.0							
	76	**3.5**	**5**	**1**	**1**	**3**	**5**	**7**	**7**
	1364	**6.9**	**27**	**2**	**4**	**6**	**8**	**12**	**16**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	52	9.5	29						
18-34	25	18.7	94						
35-49	51	5.5	9						
50-69	264	6.6	14	3	4	6	8	12	14
70+	0								
SUBTOTAL	**392**	**7.6**	**30**	**3**	**4**	**6**	**10**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	12	3.0							
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**12**	**3.0**							
GRAND TOTAL	**404**	**7.5**	**29**	**3**	**4**	**6**	**10**	**12**	**17**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	12	2.0							
35-49	25	11.6	31						
50-69	149	9.5	40	5	6	8	10	16	27
70+	0								
	187	**9.3**	**40**	**2**	**6**	**8**	**11**	**17**	**27**
0-17	0								
18-34	12	2.0							
35-49	0								
50-69	13	3.0							
70+	13	2.0							
	38	**2.3**							
	225	**8.1**	**40**	**2**	**3**	**6**	**10**	**17**	**27**

DRG 88: Chronic Obstructive Pulmonary Disease

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5963	8.9	71	3	4	7	10	15	23	0-17	90	6.7	11	1	4	8	10	11	11
70-74	4830	8.7	41	3	5	7	10	17	21	18-34	64	11.9	124						
75-79	4363	9.8	49	4	5	8	13	18	24	35-49	407	12.0	129	3	6	8	14	28	40
80-84	2933	9.4	71	3	5	8	11	18	25	50-69	3058	8.0	37	3	4	6	10	14	19
85 +	1619	12.9	181	3	6	9	14	26	38	70 +	280	9.5	23	4	5	9	13	16	18
SUBTOTAL	**19707**	**9.5**	**69**	**3**	**5**	**7**	**11**	**17**	**24**		**3898**	**8.6**	**48**	**3**	**4**	**7**	**10**	**16**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3933	6.1	16	3	4	5	7	10	12	0-17	166	4.2	6	1	2	4	6	8	9
70-74	3100	6.3	15	2	4	5	9	11	14	18-34	128	3.9	3	2	3	4	5	7	7
75-79	2613	6.4	22	3	4	5	8	11	13	35-49	645	6.2	29	2	3	5	8	12	13
80-84	1176	6.3	19	3	4	5	8	10	14	50-69	3104	6.0	14	3	4	6	7	10	12
85 +	592	6.7	15	3	4	6	9	12	13	70 +	316	7.1	24	3	4	6	9	11	18
SUBTOTAL	**11415**	**6.3**	**18**	**3**	**4**	**5**	**8**	**11**	**13**		**4359**	**6.0**	**17**	**2**	**3**	**5**	**7**	**10**	**12**
GRAND TOTAL	**31122**	**8.3**	**53**	**3**	**4**	**7**	**10**	**15**	**20**		**8257**	**7.2**	**33**	**3**	**4**	**6**	**9**	**12**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13	12.0								0-17	0								
18-34	51	24.2	974							18-34	64	10.0	33						
35-49	229	7.7	14	2	4	8	12	13	14	35-49	228	6.2	7	2	4	7	8	9	11
50-69	1164	8.1	44	3	4	7	10	13	16	50-69	508	8.1	31	4	4	7	9	18	23
70 +	51	19.3	828							70 +	127	9.6	53	4	5	6	13	15	29
SUBTOTAL	**1508**	**9.0**	**108**	**3**	**4**	**7**	**10**	**13**	**18**		**928**	**8.0**	**30**	**4**	**5**	**7**	**9**	**15**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	25	4.5	7							0-17	0								
18-34	37	3.0	1							18-34	38	7.7	37						
35-49	201	7.6	20	3	4	6	9	15	19	35-49	176	4.6	5	2	3	4	6	8	8
50-69	1027	6.4	35	2	3	5	7	10	15	50-69	621	6.6	19	2	4	5	8	16	16
70 +	64	5.4	13							70 +	153	7.8	18	3	5	7	11	14	16
SUBTOTAL	**1354**	**6.4**	**31**	**2**	**3**	**5**	**7**	**12**	**15**		**988**	**6.5**	**18**	**2**	**3**	**5**	**8**	**14**	**16**
GRAND TOTAL	**2862**	**7.7**	**73**	**2**	**4**	**6**	**9**	**13**	**16**		**1916**	**7.2**	**24**	**3**	**4**	**6**	**9**	**15**	**17**

DRG 89: Simple Pneumonia & Pleurisy Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	11125	9.0	43	4	5	7	11	16	21
70-74	9803	9.4	47	4	5	8	11	16	22
75-79	12279	10.4	82	4	6	8	12	19	23
80-84	11909	10.6	57	4	6	9	12	19	25
85+	14324	11.6	94	5	6	9	14	20	29
SUBTOTAL	**59440**	**10.3**	**68**	**4**	**6**	**8**	**12**	**18**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**59440**	**10.3**	**68**	**4**	**6**	**8**	**12**	**18**	**24**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2145	6.7	33	2	3	5	8	12	15
35-49	3484	7.3	20	3	4	6	9	13	16
50-69	7734	8.2	25	4	5	7	10	15	17
70+	740	9.9	33	4	6	8	12	20	23
	14103	**7.8**	**26**	**3**	**4**	**7**	**10**	**14**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	14103	**7.8**	**26**	**3**	**4**	**7**	**10**	**14**	**17**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1204	7.9	25	3	4	6	10	14	19
35-49	1438	8.4	25	3	5	7	10	15	16
50-69	1990	8.1	17	4	5	8	10	14	16
70+	408	12.7	98	5	6	10	18	35	44
SUBTOTAL	**5040**	**8.5**	**29**	**3**	**5**	**7**	**10**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5040**	**8.5**	**29**	**3**	**5**	**7**	**10**	**15**	**19**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	963	6.5	23	2	3	6	8	11	18
35-49	975	7.1	19	3	4	6	9	15	16
50-69	1708	9.1	51	4	5	7	10	17	23
70+	457	11.2	100	3	6	10	13	20	27
	4104	**8.2**	**44**	**3**	**4**	**6**	**10**	**16**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	4104	**8.2**	**44**	**3**	**4**	**6**	**10**	**16**	**19**

DRG 90: Simple Pneumonia & Pleurisy Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1717	6.1	9	3	4	5	8	10	12	0-17	0								
70-74	1451	6.4	11	3	4	6	8	10	12	18-34	2868	4.8	5	2	3	4	6	7	9
75-79	1717	7.0	11	4	5	6	9	11	14	35-49	3133	5.1	7	3	3	4	6	9	10
80-84	1560	7.2	19	4	5	6	8	11	13	50-69	2809	5.4	7	3	3	5	7	9	10
85 +	1726	8.1	20	3	5	7	10	14	16	70 +	190	7.3	6	4	5	8	9	11	11
SUBTOTAL	**8171**	**7.0**	**14**	**3**	**4**	**6**	**9**	**11**	**14**		**9001**	**5.1**	**7**	**3**	**3**	**5**	**6**	**9**	**10**
GRAND TOTAL	**8171**	**7.0**	**14**	**3**	**4**	**6**	**9**	**11**	**14**		**9001**	**5.1**	**7**	**3**	**3**	**5**	**6**	**9**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	998	5.2	8	2	3	4	7	9	11	18-34	1072	4.5	7	2	3	4	6	7	9
35-49	557	6.3	22	2	3	5	8	10	11	35-49	755	5.6	11	2	3	5	7	10	13
50-69	281	6.1	8	3	4	5	7	9	10	50-69	441	5.3	7	2	3	4	7	9	11
70 +	12	2.0								70 +	89	8.0	13	3	4	8	11	14	14
SUBTOTAL	**1848**	**5.7**	**13**	**2**	**3**	**5**	**7**	**9**	**11**		**2357**	**5.1**	**9**	**2**	**3**	**4**	**6**	**9**	**11**
GRAND TOTAL	**1848**	**5.7**	**13**	**2**	**3**	**5**	**7**	**9**	**11**		**2357**	**5.1**	**9**	**2**	**3**	**4**	**6**	**9**	**11**

DRG 91: Simple Pneumonia & Pleurisy Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	38	6.7								0-17	5691	4.8	16	2	2	3	6	10	13
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**38**	**6.7**									**5691**	**4.8**	**16**	**2**	**2**	**3**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	12	2.0								0-17	8104	3.5	5	1	2	3	4	6	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**12**	**2.0**									**8104**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**50**	**5.5**	**4**								**13795**	**4.0**	**10**	**2**	**2**	**3**	**5**	**7**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	4986	5.7	29	2	3	4	7	11	15	0-17	2746	4.2	14	1	2	3	5	8	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**4986**	**5.7**	**29**	**2**	**3**	**4**	**7**	**11**	**15**		**2746**	**4.2**	**14**	**1**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5764	3.8	7	1	2	3	5	7	9	0-17	2301	2.9	5	1	2	2	4	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**5764**	**3.8**	**7**	**1**	**2**	**3**	**5**	**7**	**9**		**2301**	**2.9**	**5**	**1**	**2**	**2**	**4**	**5**	**6**
GRAND TOTAL	**10750**	**4.7**	**18**	**2**	**2**	**3**	**6**	**9**	**11**		**5047**	**3.6**	**10**	**1**	**2**	**3**	**4**	**7**	**10**

DRG 92: Interstitial Lung Disease w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	418	10.3	124	4	5	7	11	19	29	0-17	77	4.7	12	1	2	4	11	99 +	99 +
70-74	253	11.3	51	3	6	12	16	25	26	18-34	166	7.6	37	3	4	5	8	20	22
75-79	342	9.1	52	3	4	7	12	21	35	35-49	179	9.4	38	3	5	7	16	18	23
80-84	216	8.4	8	4	6	9	10	12	14	50-69	369	5.0	8	1	3	5	7	9	10
85 +	140	13.5	100	6	6	9	23	26	37	70 +	38	5.0	1						
SUBTOTAL	**1369**	**10.2**	**74**	**4**	**6**	**8**	**12**	**21**	**26**		**829**	**6.5**	**23**	**2**	**3**	**5**	**8**	**16**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1369**	**10.2**	**74**	**4**	**6**	**8**	**12**	**21**	**26**		**829**	**6.5**	**23**	**2**	**3**	**5**	**8**	**16**	**20**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	13.0	150							0-17	39	4.0	9						
18-34	25	11.5								18-34	12	8.0							
35-49	51	8.4	33							35-49	52	14.0	17						
50-69	64	12.4	99							50-69	13	4.0							
70 +	0									70 +	26	7.0	17						
SUBTOTAL	**165**	**11.1**	**74**	**1**	**4**	**9**	**17**	**25**	**28**		**141**	**8.5**	**31**	**3**	**3**	**8**	**11**	**17**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**165**	**11.1**	**74**	**1**	**4**	**9**	**17**	**25**	**28**		**141**	**8.5**	**31**	**3**	**3**	**8**	**11**	**17**	**19**

DRG 93: Interstitial Lung Disease w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	140	7.6	32	3	5	6	8	12	23	0-17	142	3.5	8	1	2	2	5	5	11
70-74	89	6.6	22	1	2	4	11	14	14	18-34	114	3.7	11	< 1	1	3	3	11	11
75-79	89	4.9	11	1	2	4	6	12	12	35-49	26	4.0	1						
80-84	13	16.0								50-69	152	7.1	54	1	2	6	8	10	29
85+	25	11.0	17							70+	13	7.0							
SUBTOTAL	**356**	**7.2**	**27**	**1**	**4**	**6**	**11**	**15**	**16**		**446**	**4.9**	**26**	**1**	**2**	**3**	**7**	**10**	**11**
GRAND TOTAL	**356**	**7.2**	**27**	**1**	**4**	**6**	**11**	**15**	**16**		**446**	**4.9**	**26**	**1**	**2**	**3**	**7**	**10**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	52	4.3								0-17	39	2.7	3						
18-34	0									18-34	26	3.0							
35-49	13	3.0								35-49	26	6.0	4						
50-69	0									50-69	25	7.6	31						
70+	0									70+	12	4.0							
SUBTOTAL	**64**	**4.0**									**128**	**4.5**	**12**	**1**	**2**	**3**	**5**	**11**	**13**
GRAND TOTAL	**64**	**4.0**									**128**	**4.5**	**12**	**1**	**2**	**3**	**5**	**11**	**13**

DRG 94: Pneumothorax w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	379	9.6	126	3	4	6	9	18	39	0-17	141	5.3	19	2	2	4	7	8	17
70-74	253	8.6	51	3	4	6	8	24	25	18-34	573	8.3	49	2	4	6	12	17	27
75-79	202	14.1	182	5	6	8	14	37	55	35-49	255	12.4	408	2	4	6	12	29	81
80-84	238	9.9	35	2	6	9	14	19	24	50-69	522	7.2	20	3	4	5	9	13	17
85+	125	13.9	372	3	5	5	15	69	69	70+	102	11.4	22	8	9	10	12	23	23
SUBTOTAL	**1198**	**10.7**	**131**	**3**	**5**	**7**	**12**	**23**	**37**		**1592**	**8.5**	**97**	**2**	**4**	**6**	**10**	**17**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1198**	**10.7**	**131**	**3**	**5**	**7**	**12**	**23**	**37**		**1592**	**8.5**	**97**	**2**	**4**	**6**	**10**	**17**	**23**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	4.5								0-17	38	3.3	1						
18-34	140	5.5	8	3	3	5	9	10	11	18-34	215	6.2	21	1	3	5	8	16	17
35-49	90	12.6	76	4	5	13	16	31	31	35-49	127	11.7	141	2	3	7	20	36	40
50-69	64	9.6	57							50-69	64	5.8	9						
70+	0									70+	0								
SUBTOTAL	**320**	**8.3**	**46**	**3**	**4**	**5**	**10**	**16**	**24**		**444**	**7.5**	**59**	**2**	**3**	**5**	**9**	**17**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**320**	**8.3**	**46**	**3**	**4**	**5**	**10**	**16**	**24**		**444**	**7.5**	**59**	**2**	**3**	**5**	**9**	**17**	**23**

DRG 95: Pneumothorax w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	101	3.1	2	2	2	2	4	6	6	0-17	344	3.2	2	1	2	3	4	5	6
70-74	26	2.5								18-34	1777	4.9	12	2	3	4	6	9	14
75-79	64	5.2	5							35-49	506	4.6	12	1	3	4	6	9	11
80-84	0									50-69	215	4.5	8	2	3	3	6	9	11
85 +	38	5.0	1							70 +	0								
SUBTOTAL	**229**	**3.9**	**4**	**2**	**2**	**4**	**6**	**6**	**8**		**2843**	**4.6**	**11**	**2**	**3**	**4**	**6**	**9**	**11**
GRAND TOTAL	**229**	**3.9**	**4**	**2**	**2**	**4**	**6**	**6**	**8**		**2843**	**4.6**	**11**	**2**	**3**	**4**	**6**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	77	2.5	2	1	1	2	4	5	5	0-17	128	3.2	6	1	1	2	5	7	8
18-34	357	5.4	11	2	3	5	7	11	11	18-34	910	4.0	6	1	2	3	5	7	9
35-49	25	4.0	1							35-49	176	4.6	14	1	2	4	6	8	15
50-69	38	2.7	3							50-69	38	3.7							
70 +	25	8.1	9							70 +	0								
SUBTOTAL	**523**	**4.8**	**10**	**2**	**2**	**4**	**6**	**8**	**11**		**1252**	**4.0**	**7**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**523**	**4.8**	**10**	**2**	**2**	**4**	**6**	**8**	**11**		**1252**	**4.0**	**7**	**1**	**2**	**3**	**5**	**8**	**9**

DRG 96: Bronchitis & Asthma Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	8029	7.4	42	3	4	6	8	13	16	0-17	0								
70-74	5408	7.5	34	3	4	7	9	12	15	18-34	1462	4.2	8	1	2	4	5	7	9
75-79	5219	8.0	50	3	4	6	9	13	19	35-49	1852	5.7	13	2	3	5	8	11	12
80-84	3776	7.9	44	3	4	6	9	14	18	50-69	4847	6.8	18	3	4	6	9	12	14
85+	3008	8.6	40	4	5	7	11	14	18	70+	314	8.0	21	3	5	7	10	16	17
SUBTOTAL	**25440**	**7.8**	**42**	**3**	**4**	**6**	**9**	**13**	**17**		**8476**	**6.2**	**16**	**2**	**3**	**5**	**8**	**11**	**14**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85+	0									70+	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**25440**	**7.8**	**42**	**3**	**4**	**6**	**9**	**13**	**17**		**8476**	**6.2**	**16**	**2**	**3**	**5**	**8**	**11**	**14**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0								
18-34	1111	4.9	15	1	2	4	6	9	10	18-34	569	4.6	13	2	3	4	5	9	12
35-49	1020	5.9	14	2	3	5	7	9	14	35-49	620	5.6	9	2	3	6	7	9	10
50-69	1461	6.4	17	2	4	5	8	11	15	50-69	1073	5.3	9	2	3	5	7	9	11
70+	51	27.8	1003							70+	101	6.1	13	2	4	5	7	15	15
SUBTOTAL	**3642**	**6.1**	**36**	**2**	**3**	**5**	**8**	**10**	**14**		**2363**	**5.3**	**10**	**2**	**3**	**4**	**7**	**9**	**11**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70+	0									70+	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**3642**	**6.1**	**36**	**2**	**3**	**5**	**8**	**10**	**14**		**2363**	**5.3**	**10**	**2**	**3**	**4**	**7**	**9**	**11**

DRG 97: Bronchitis & Asthma Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2161	5.5	11	2	3	5	7	9	12
70-74	1098	6.5	69	2	4	5	7	10	10
75-79	886	6.4	78	2	4	5	7	9	11
80-84	655	6.6	17	2	4	6	8	11	14
85 +	617	6.1	25	2	4	5	7	9	15
SUBTOTAL	**5416**	**6.0**	**36**	**2**	**4**	**5**	**7**	**10**	**12**
GRAND TOTAL	**5416**	**6.0**	**36**	**2**	**4**	**5**	**7**	**10**	**12**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	4782	3.8	6	1	2	3	5	7	9
35-49	4622	4.3	8	2	3	4	5	7	9
50-69	3026	4.6	7	2	3	4	6	8	10
70 +	63	3.4	1						
	12493	**4.2**	**7**	**2**	**2**	**4**	**5**	**7**	**10**
	12493	**4.2**	**7**	**2**	**2**	**4**	**5**	**7**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	2279	3.6	4	1	2	3	4	6	8
35-49	1434	4.3	6	2	2	4	6	8	9
50-69	984	4.6	10	2	3	4	6	8	9
70 +	25	4.5	2						
SUBTOTAL	**4722**	**4.0**	**6**	**2**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**4722**	**4.0**	**6**	**2**	**2**	**3**	**5**	**7**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2070	3.6	4	1	2	3	5	6	7
35-49	1200	4.4	8	2	2	4	6	8	9
50-69	860	4.8	6	2	3	5	6	8	10
70 +	115	5.6	5	< 1	5	6	7	9	9
	4244	**4.1**	**6**	**2**	**2**	**4**	**5**	**7**	**9**
	4244	**4.1**	**6**	**2**	**2**	**4**	**5**	**7**	**9**

DRG 98: Bronchitis & Asthma Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	13	3.0								0-17	8375	3.6	8	1	2	3	4	7	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**13**	**3.0**									**8375**	**3.6**	**8**	**1**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	25845	2.6	4	1	2	2	3	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**25845**	**2.6**	**4**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**13**	**3.0**									**34220**	**2.9**	**5**	**1**	**2**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	8293	3.6	9	1	2	3	4	7	9	0-17	4868	3.0	6	1	2	3	4	6	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**8293**	**3.6**	**9**	**1**	**2**	**3**	**4**	**7**	**9**		**4868**	**3.0**	**6**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	20844	3.0	4	1	2	3	4	5	7	0-17	10583	2.5	4	1	1	2	3	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**20844**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**7**		**10583**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**29137**	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**15451**	**2.7**	**4**	**1**	**2**	**2**	**3**	**5**	**6**

DRG 99: Respiratory Signs & Symptoms w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1186	5.7	53	2	2	4	7	9	15	0-17	708	4.6	21	1	1	3	6	10	16
70-74	947	5.2	15	1	3	4	7	11	14	18-34	189	2.7	1	1	2	3	3	5	5
75-79	741	5.7	54	1	2	4	8	9	11	35-49	428	3.5	9	1	2	2	4	7	11
80-84	568	8.0	129	3	3	5	9	13	16	50-69	1262	4.7	29	1	2	3	5	9	16
85 +	491	5.8	15	2	2	5	8	12	14	70 +	101	13.1	161	3	4	7	19	41	41
SUBTOTAL	**3933**	**5.9**	**51**	**2**	**2**	**4**	**8**	**11**	**14**		**2687**	**4.6**	**30**	**1**	**2**	**3**	**5**	**9**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3933**	**5.9**	**51**	**2**	**2**	**4**	**8**	**11**	**14**		**2687**	**4.6**	**30**	**1**	**2**	**3**	**5**	**9**	**16**

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	580	7.3	62	1	2	6	9	14	24	0-17	296	8.4	153	2	2	5	8	14	19
18-34	140	4.8	21	1	2	3	6	14	14	18-34	151	3.4	10	1	2	3	4	5	13
35-49	164	5.8	29	2	3	4	6	9	23	35-49	139	3.4	6	2	2	2	4	7	9
50-69	202	4.0	8	1	2	4	5	10	10	50-69	279	3.6	7	2	2	3	4	5	7
70 +	26	2.5	2							70 +	38	6.0	2						
SUBTOTAL	**1112**	**6.1**	**42**	**1**	**2**	**4**	**7**	**12**	**16**		**903**	**5.2**	**60**	**2**	**2**	**3**	**5**	**9**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1112**	**6.1**	**42**	**1**	**2**	**4**	**7**	**12**	**16**		**903**	**5.2**	**60**	**2**	**2**	**3**	**5**	**9**	**14**

DRG 100: Respiratory Signs & Symptoms w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	555	3.0	4	1	2	2	4	5	7
70-74	330	2.7	3	1	1	2	4	5	6
75-79	440	3.5	4	1	2	3	5	7	8
80-84	303	3.7	29	1	2	2	3	5	8
85 +	227	3.2	4	1	2	2	3	7	9
SUBTOTAL	**1856**	**3.2**	**8**	**1**	**2**	**2**	**4**	**6**	**7**
GRAND TOTAL	**1856**	**3.2**	**8**	**1**	**2**	**2**	**4**	**6**	**7**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1589	2.6	5	1	1	2	3	5	7
18-34	465	2.1	2	< 1	1	2	2	5	5
35-49	1435	2.2	2	1	1	2	3	4	5
50-69	1403	2.7	3	1	1	2	3	5	6
70 +	26	4.5							
SUBTOTAL	**4917**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**4917**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1408	3.6	11	1	1	3	4	8	9
18-34	39	2.7	3						
35-49	139	3.7	16	1	1	2	5	6	15
50-69	76	2.2	2	1	1	2	3	4	4
70 +	13	1.0							
SUBTOTAL	**1675**	**3.5**	**11**	**1**	**1**	**2**	**4**	**8**	**9**
GRAND TOTAL	**1675**	**3.5**	**11**	**1**	**1**	**2**	**4**	**8**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	564	2.8	9	1	1	2	3	6	7
18-34	176	2.1	1	1	1	2	3	3	5
35-49	365	2.6	3	1	1	2	4	5	6
50-69	240	2.6	3	1	1	2	3	5	6
70 +	0								
SUBTOTAL	**1344**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1344**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 101: Other Respiratory System Diagnoses w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	938	6.5	29	2	3	5	8	14	16	0-17	1004	8.7	60	1	3	6	13	18	25
70-74	708	6.9	93	1	2	5	8	11	19	18-34	445	4.8	19	1	2	4	6	11	16
75-79	759	9.2	163	2	3	6	12	15	23	35-49	584	5.5	20	1	2	4	8	11	15
80-84	544	8.8	67	2	3	5	13	23	26	50-69	837	5.8	15	2	3	5	8	11	12
85 +	521	7.2	29	2	4	6	8	13	17	70 +	103	4.6	7	2	2	3	7	9	9
SUBTOTAL	**3469**	**7.6**	**79**	**2**	**3**	**5**	**9**	**15**	**21**		**2973**	**6.6**	**34**	**1**	**2**	**5**	**9**	**15**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3469**	**7.6**	**79**	**2**	**3**	**5**	**9**	**15**	**21**		**2973**	**6.6**	**34**	**1**	**2**	**5**	**9**	**15**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	399	4.7	28	1	1	2	5	14	16	0-17	335	9.6	83	1	2	8	14	19	24
18-34	232	9.6	35	2	5	8	13	21	21	18-34	191	5.9	12	2	2	6	8	12	12
35-49	63	3.8	8							35-49	153	5.3	16	1	3	5	7	8	16
50-69	176	7.9	252	2	2	4	6	7	65	50-69	127	7.1	43	3	4	5	5	22	25
70 +	12	15.0								70 +	25	4.5	7						
SUBTOTAL	**883**	**6.7**	**78**	**1**	**2**	**4**	**8**	**15**	**21**		**830**	**7.4**	**49**	**1**	**2**	**5**	**11**	**15**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**883**	**6.7**	**78**	**1**	**2**	**4**	**8**	**15**	**21**		**830**	**7.4**	**49**	**1**	**2**	**5**	**11**	**15**	**19**

DRG 102: Other Respiratory System Diagnoses w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	238	3.6	5	1	2	2	6	7	7
70-74	177	4.1	14	1	1	2	5	9	14
75-79	63	2.6	2						
80-84	165	7.7	53	1	4	5	9	17	27
85 +	113	6.6	37	1	2	3	9	18	18
SUBTOTAL	**757**	**5.0**	**25**	**1**	**2**	**3**	**6**	**9**	**17**
GRAND TOTAL	**757**	**5.0**	**25**	**1**	**2**	**3**	**6**	**9**	**17**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1013	1.8	3	1	1	1	2	3	5
18-34	341	2.4	3	1	1	2	3	4	6
35-49	445	3.1	5	1	1	3	4	6	8
50-69	456	3.5	6	1	2	3	4	8	9
70 +	26	6.0	9						
	2280	**2.5**	**4**	**1**	**1**	**2**	**3**	**6**	**8**
	2280	**2.5**	**4**	**1**	**1**	**2**	**3**	**6**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	628	5.2	163	1	1	2	5	7	9
18-34	114	5.8	23	2	2	3	10	16	16
35-49	63	5.6	1						
50-69	13	6.0							
70 +	0								
SUBTOTAL	**818**	**5.3**	**129**	**1**	**1**	**2**	**6**	**7**	**10**
GRAND TOTAL	**818**	**5.3**	**129**	**1**	**1**	**2**	**6**	**7**	**10**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	449	2.1	3	< 1	1	2	3	4	7
18-34	138	3.1	7	< 1	1	1	5	7	9
35-49	63	2.2	2						
50-69	114	2.1	2	< 1	1	1	4	4	4
70 +	0								
	764	**2.3**	**3**	**< 1**	**1**	**1**	**3**	**5**	**7**
	764	**2.3**	**3**	**< 1**	**1**	**1**	**3**	**5**	**7**

DRG 103: Heart Transplant

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	39	32.3	76						
70-74	0									18-34	13	68.0							
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**52**	**41.3**	**299**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	13	10.0							
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**13**	**10.0**							
GRAND TOTAL	**0**										**64**	**35.0**	**397**						

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	42.5	676							0-17	13	19.0							
18-34	13	22.0								18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**39**	**35.7**	**541**								**13**	**19.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**39**	**35.7**	**541**								**13**	**19.0**							

DRG 104: Cardiac Valve Procedures w/ Cardiac Cath

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	604	20.1	47	12	15	18	24	28	29	0-17	258	17.8	195	7	9	13	28	64	99+
70-74	580	22.9	237	11	13	18	26	41	62	18-34	13	19.0							
75-79	503	25.2	111	14	17	22	32	40	48	35-49	154	19.5	78	7	13	23	25	29	37
80-84	296	29.4	196	17	20	28	34	38	47	50-69	476	22.8	194	10	13	19	29	48	60
85+	13	36.0								70+	51	18.8	37						
SUBTOTAL	1996	23.7	151	12	15	21	28	39	46		952	20.6	169	8	12	18	28	41	64
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	38	23.4	143							0-17	26	10.0	9						
70-74	38	18.4	60							18-34	0								
75-79	39	17.0	62							35-49	12	6.0							
80-84	13	18.0								50-69	64	23.6	94						
85+	0									70+	0								
SUBTOTAL	128	19.4	85	11	12	15	28	37	40		103	18.1	114	6	9	16	29	35	35
GRAND TOTAL	2124	23.4	148	12	15	21	28	39	46		1054	20.4	164	8	12	18	28	37	60

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	16.5	7							0-17	103	32.6	372	6	15	33	46	64	64
18-34	39	30.3	849							18-34	0								
35-49	26	30.0	266							35-49	13	46.0							
50-69	64	22.4	19							50-69	26	15.0	37						
70+	0									70+	0								
SUBTOTAL	155	24.7	286	10	14	19	27	46	71		142	30.6	346	7	9	26	46	50	64
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	13	7.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	0										13	7.0							
GRAND TOTAL	155	24.7	286	10	14	19	27	46	71		155	28.7	360	7	8	25	44	50	64

DRG 105: Cardiac Valve Procedures w/o Cardiac Cath

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	976	13.7	51	8	9	12	16	20	23	0-17	735	12.0	117	5	6	7	15	21	25
70-74	1118	14.3	75	8	9	11	16	31	34	18-34	116	12.1	75	5	8	9	13	35	35
75-79	770	16.1	85	9	11	14	16	25	33	35-49	373	11.8	49	7	8	10	12	17	24
80-84	295	16.1	43	11	12	14	18	27	29	50-69	1503	14.3	114	8	9	11	15	23	41
85 +	90	14.1	38	9	9	12	15	28	28	70 +	76	14.5	38	8	10	12	19	26	26
SUBTOTAL	**3249**	**14.7**	**67**	**8**	**10**	**12**	**16**	**23**	**32**		**2804**	**13.2**	**104**	**6**	**8**	**10**	**15**	**22**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	168	9.6	6	8	8	9	10	14	15	0-17	116	5.4	2	4	4	6	7	7	7
70-74	181	10.4	7	8	8	10	11	13	18	18-34	64	8.0	2						
75-79	39	8.7	1							35-49	155	7.9	2	6	7	8	9	9	10
80-84	13	14.0								50-69	296	9.4	13	8	8	8	11	12	13
85 +	12	7.0								70 +	0								
SUBTOTAL	**412**	**9.9**	**7**	**8**	**8**	**9**	**11**	**14**	**15**		**631**	**8.1**	**9**	**4**	**7**	**8**	**9**	**11**	**12**
GRAND TOTAL	**3661**	**14.2**	**63**	**8**	**9**	**12**	**16**	**23**	**31**		**3435**	**12.3**	**90**	**6**	**8**	**9**	**14**	**21**	**28**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	219	17.9	564	5	7	8	11	59	95	0-17	284	11.3	111	5	7	8	10	15	36
18-34	77	15.3	118	8	9	11	39	99 +	99 +	18-34	64	13.2	64						
35-49	103	12.3	81	7	7	8	12	35	35	35-49	26	23.0	4						
50-69	116	24.1	237	9	11	19	36	57	57	50-69	25	6.5	2						
70 +	13	28.0								70 +	0								
SUBTOTAL	**529**	**18.0**	**336**	**7**	**8**	**10**	**26**	**39**	**59**		**398**	**12.1**	**100**	**5**	**7**	**9**	**11**	**25**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	26	10.0	17							0-17	26	7.0	1						
18-34	26	9.0								18-34	13	9.0							
35-49	13	10.0								35-49	0								
50-69	26	10.5								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**90**	**9.9**	**5**	**6**	**9**	**10**	**11**	**14**	**14**		**39**	**7.7**	**2**						
GRAND TOTAL	**619**	**16.9**	**296**	**6**	**8**	**10**	**15**	**39**	**59**		**437**	**11.7**	**93**	**5**	**7**	**9**	**10**	**25**	**36**

DRG 106: Coronary Bypass w/ Cardiac Cath

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3189	18.1	89	10	12	15	21	29	36	0-17	0								
70-74	2790	18.6	81	10	13	16	23	30	33	18-34	26	10.0	1						
75-79	1981	21.2	98	11	14	19	27	33	40	35-49	924	14.2	45	8	9	12	18	22	29
80-84	618	23.0	149	13	15	19	28	37	45	50-69	4479	15.6	52	9	11	14	18	24	28
85 +	77	28.0	328	7	14	21	52	53	53	70 +	282	18.5	70	12	12	17	22	30	37
SUBTOTAL	**8655**	**19.4**	**98**	**10**	**13**	**17**	**24**	**31**	**37**		**5711**	**15.5**	**52**	**9**	**11**	**14**	**18**	**24**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	386	13.7	14	10	12	13	15	19	21	0-17	0								
70-74	193	14.7	11	10	12	15	17	19	22	18-34	0								
75-79	103	14.1	8	10	11	14	17	18	18	35-49	321	12.9	17	9	10	12	15	18	19
80-84	26	20.5	75							50-69	876	12.7	10	8	11	12	15	17	19
85 +	0									70 +	13	14.0							
SUBTOTAL	**707**	**14.3**	**16**	**10**	**12**	**14**	**16**	**19**	**22**		**1210**	**12.8**	**12**	**9**	**10**	**12**	**15**	**17**	**19**
GRAND TOTAL	**9362**	**19.0**	**94**	**10**	**13**	**16**	**23**	**31**	**36**		**6921**	**15.0**	**46**	**9**	**11**	**13**	**17**	**23**	**27**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	52	9.5	4							35-49	115	12.5	46	7	9	10	12	31	31
50-69	284	18.3	99	12	13	15	18	27	34	50-69	257	17.4	71	9	10	17	24	27	35
70 +	0									70 +	26	17.0	37						
SUBTOTAL	**335**	**17.0**	**95**	**9**	**12**	**14**	**17**	**27**	**34**		**398**	**15.9**	**66**	**8**	**10**	**12**	**23**	**25**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	39	10.7	7							35-49	39	10.7	2						
50-69	26	17.0	1							50-69	64	11.4	6						
70 +	0									70 +	0								
SUBTOTAL	**64**	**13.2**	**14**								**103**	**11.1**	**4**	**8**	**9**	**12**	**13**	**14**	**14**
GRAND TOTAL	**400**	**16.4**	**84**	**9**	**12**	**14**	**17**	**26**	**34**		**501**	**15.0**	**57**	**8**	**9**	**12**	**19**	**25**	**30**

DRG 107: Coronary Bypass w/o Cardiac Cath

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4502	11.9	52	7	8	10	13	19	25	0-17	0								
70-74	3442	12.2	55	7	9	10	13	18	25	18-34	26	8.0	1						
75-79	1692	12.6	25	8	9	11	15	20	24	35-49	1195	8.9	36	6	7	8	9	11	16
80-84	410	12.2	20	8	9	10	15	20	22	50-69	6926	10.1	32	7	8	9	11	14	18
85 +	39	11.7	7							70 +	243	10.2	5	7	9	11	12	14	15
SUBTOTAL	**10085**	**12.1**	**47**	**7**	**8**	**10**	**14**	**19**	**24**		**8390**	**10.0**	**32**	**7**	**7**	**9**	**11**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	823	8.7	4	7	8	8	9	11	12	0-17	0								
70-74	589	9.5	7	7	8	8	11	13	15	18-34	13	7.0							
75-79	321	9.7	5	7	8	9	11	13	13	35-49	449	8.1	3	6	7	8	9	10	12
80-84	77	12.2	38	8	8	9	14	25	25	50-69	1810	8.4	5	6	7	8	9	11	13
85 +	13	13.0								70 +	13	9.0							
SUBTOTAL	**1823**	**9.3**	**7**	**7**	**8**	**9**	**10**	**13**	**14**		**2285**	**8.4**	**4**	**6**	**7**	**8**	**9**	**11**	**12**
GRAND TOTAL	**11908**	**11.7**	**42**	**7**	**8**	**10**	**13**	**18**	**22**		**10675**	**9.6**	**27**	**7**	**7**	**8**	**10**	**13**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	13	9.0							
18-34	0									18-34	25	7.0							
35-49	167	8.6	3	7	7	9	9	11	13	35-49	39	10.3	26						
50-69	554	10.7	20	8	8	9	12	16	17	50-69	232	11.5	27	7	9	10	12	20	29
70 +	52	19.8	141							70 +	0								
SUBTOTAL	**773**	**10.8**	**31**	**7**	**8**	**9**	**11**	**16**	**17**		**309**	**10.9**	**25**	**7**	**8**	**9**	**12**	**17**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	13	6.0								18-34	0								
35-49	39	8.0	1							35-49	39	8.7	3						
50-69	76	9.9	8	8	8	8	12	15	15	50-69	39	8.3							
70 +	0									70 +	13	8.0							
SUBTOTAL	**128**	**8.9**	**6**	**6**	**8**	**8**	**9**	**14**	**15**		**90**	**8.4**	**1**	**7**	**8**	**8**	**9**	**11**	**11**
GRAND TOTAL	**901**	**10.6**	**28**	**7**	**8**	**9**	**11**	**16**	**17**		**399**	**10.3**	**21**	**7**	**8**	**9**	**11**	**13**	**20**

DRG 108: Other Cardiothoracic Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	450	17.7	213	8	9	14	18	34	65	0-17	5183	14.5	153	6	8	11	17	26	37
70-74	283	19.0	118	10	12	18	23	31	34	18-34	245	9.5	96	3	5	8	10	13	49
75-79	167	15.6	30	10	11	15	16	25	29	35-49	334	11.4	88	5	8	9	10	18	35
80-84	52	14.5	38							50-69	502	12.2	33	7	8	10	15	21	24
85 +	0									70 +	13	23.0							
SUBTOTAL	**952**	**17.6**	**145**	**9**	**10**	**14**	**20**	**29**	**43**		**6277**	**14.0**	**139**	**6**	**8**	**10**	**16**	**26**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	39	10.7	4							0-17	1921	6.4	10	2	4	6	8	11	12
70-74	26	8.5								18-34	219	3.3	7	1	1	2	6	8	8
75-79	26	9.0	1							35-49	103	6.1	7	2	4	7	8	10	10
80-84	0									50-69	64	7.6	3						
85 +	0									70 +	0								
SUBTOTAL	**90**	**9.6**	**3**	**8**	**8**	**9**	**11**	**13**	**13**		**2308**	**6.1**	**10**	**2**	**4**	**6**	**8**	**10**	**12**
GRAND TOTAL	**1042**	**16.9**	**138**	**8**	**10**	**13**	**18**	**26**	**36**		**8585**	**11.9**	**116**	**4**	**6**	**9**	**14**	**23**	**32**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	928	13.9	128	5	7	11	18	34	51	0-17	2308	13.1	135	5	7	10	15	26	34
18-34	64	12.6	148							18-34	13	4.0							
35-49	13	51.0								35-49	52	7.8	12						
50-69	38	15.8	100							50-69	39	11.0	5						
70 +	0									70 +	13	23.0							
SUBTOTAL	**1043**	**14.3**	**144**	**5**	**7**	**10**	**19**	**36**	**51**		**2424**	**13.0**	**131**	**4**	**7**	**10**	**15**	**24**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	722	7.1	8	4	5	6	8	11	12	0-17	735	6.7	16	2	4	6	9	13	15
18-34	0									18-34	25	4.0	4						
35-49	26	8.0								35-49	64	3.0	7						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**748**	**7.2**	**8**	**4**	**5**	**7**	**8**	**11**	**12**		**825**	**6.3**	**16**	**2**	**4**	**6**	**8**	**12**	**14**
GRAND TOTAL	**1791**	**11.3**	**99**	**5**	**6**	**8**	**12**	**22**	**40**		**3249**	**11.3**	**110**	**3**	**6**	**9**	**14**	**22**	**28**

DRG 110: Major Cardiovascular Procedures w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2953	14.1	123	7	9	11	15	23	43
70-74	2771	14.4	72	8	9	12	17	25	33
75-79	1798	16.0	156	7	9	12	19	26	35
80-84	791	19.4	178	9	10	15	23	36	55
85 +	345	19.3	125	10	12	15	22	30	41
SUBTOTAL	**8658**	**15.3**	**122**	**7**	**9**	**12**	**17**	**26**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**8658**	**15.3**	**122**	**7**	**9**	**12**	**17**	**26**	**36**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1534	10.1	153	2	4	7	12	21	28
18-34	153	11.8	91	2	5	10	15	24	35
35-49	461	11.4	49	6	7	10	13	15	26
50-69	2757	12.8	60	7	8	10	14	22	29
70 +	167	13.1	68	6	9	10	18	19	36
	5073	**11.8**	**90**	**4**	**7**	**10**	**14**	**21**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5073	**11.8**	**90**	**4**	**7**	**10**	**14**	**21**	**29**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	606	13.1	150	3	6	9	17	33	35
18-34	38	10.0	55						
35-49	52	6.5	2						
50-69	179	15.9	52	9	9	13	22	27	31
70 +	12	26.0							
SUBTOTAL	**887**	**13.3**	**122**	**4**	**7**	**9**	**17**	**27**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**887**	**13.3**	**122**	**4**	**7**	**9**	**17**	**27**	**34**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	748	10.6	66	2	4	8	15	24	30
18-34	26	9.0	1						
35-49	89	9.2	36	1	6	8	11	22	22
50-69	175	11.1	33	6	8	10	12	19	26
70 +	0								
	1038	**10.5**	**56**	**3**	**6**	**8**	**14**	**22**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1038	**10.5**	**56**	**3**	**6**	**8**	**14**	**22**	**27**

DRG 111: Major Cardiovascular Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	533	8.7	8	5	7	8	10	12	12	0-17	1160	4.9	7	2	3	5	6	8	10
70-74	545	8.4	9	5	7	8	10	12	12	18-34	52	3.3	4						
75-79	165	7.4	14	2	4	8	10	12	14	35-49	203	6.2	10	1	3	7	8	10	10
80-84	203	10.8	68	2	7	9	10	21	38	50-69	674	7.7	7	4	6	8	9	11	11
85 +	38	9.0	25							70 +	26	9.0							
SUBTOTAL	**1484**	**8.7**	**19**	**4**	**7**	**8**	**10**	**12**	**14**		**2115**	**5.9**	**9**	**2**	**4**	**6**	**8**	**10**	**11**
GRAND TOTAL	**1484**	**8.7**	**19**	**4**	**7**	**8**	**10**	**12**	**14**		**2115**	**5.9**	**9**	**2**	**4**	**6**	**8**	**10**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	529	5.7	8	2	4	5	8	9	11	0-17	490	5.7	20	2	2	5	7	10	13
18-34	13	7.0								18-34	52	4.0	11						
35-49	12	11.0								35-49	12	6.0							
50-69	63	10.8	4							50-69	100	6.8	3	3	6	7	8	10	10
70 +	0									70 +	12	12.0							
SUBTOTAL	**617**	**6.4**	**10**	**2**	**4**	**6**	**9**	**11**	**12**		**667**	**5.8**	**17**	**2**	**3**	**5**	**7**	**10**	**12**
GRAND TOTAL	**617**	**6.4**	**10**	**2**	**4**	**6**	**9**	**11**	**12**		**667**	**5.8**	**17**	**2**	**3**	**5**	**7**	**10**	**12**

DRG 112: Percutaneous Cardiovascular Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6091	6.8	52	2	3	4	8	13	18	0-17	593	4.2	22	1	2	3	4	9	10
70-74	3807	6.5	37	2	3	4	9	12	18	18-34	271	5.6	21	1	2	4	7	12	13
75-79	2537	8.3	47	2	4	7	11	17	20	35-49	3266	6.0	38	2	2	4	8	12	16
80-84	1080	10.2	47	3	5	9	14	20	25	50-69	9804	5.8	26	2	3	4	8	12	17
85 +	322	12.2	58	4	7	10	17	22	23	70 +	320	7.4	39	2	3	4	13	16	20
SUBTOTAL	**13837**	**7.4**	**49**	**2**	**3**	**5**	**9**	**15**	**20**		**14254**	**5.8**	**29**	**2**	**2**	**4**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3033	4.6	11	2	2	3	6	10	12	0-17	954	3.1	11	1	2	2	3	6	11
70-74	2031	5.2	16	2	2	4	7	11	14	18-34	474	4.2	8	1	2	3	7	8	9
75-79	1106	5.4	14	2	3	4	8	11	12	35-49	3801	4.1	10	1	2	3	5	8	11
80-84	322	5.8	16	2	3	5	8	10	15	50-69	8534	4.4	10	2	2	3	6	9	11
85 +	52	13.5	29							70 +	142	7.0	14	2	3	7	11	11	13
SUBTOTAL	**6544**	**5.1**	**14**	**2**	**2**	**4**	**7**	**11**	**13**		**13905**	**4.3**	**11**	**1**	**2**	**3**	**6**	**9**	**11**
GRAND TOTAL	**20380**	**6.7**	**39**	**2**	**3**	**5**	**9**	**14**	**18**		**28159**	**5.1**	**21**	**2**	**2**	**3**	**7**	**10**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	155	6.7	48	1	1	3	11	16	23	0-17	142	5.5	42	1	2	2	7	10	24
18-34	90	8.7	74	2	3	6	9	29	29	18-34	90	4.6	9	2	2	4	6	11	11
35-49	346	4.5	13	2	2	3	5	10	12	35-49	204	4.9	11	2	3	3	7	8	15
50-69	579	5.8	25	2	2	4	8	10	14	50-69	387	5.8	18	2	3	4	8	12	14
70 +	13	5.0								70 +	52	13.0	35						
SUBTOTAL	**1183**	**5.7**	**29**	**2**	**2**	**4**	**8**	**12**	**16**		**875**	**5.8**	**24**	**2**	**3**	**4**	**8**	**14**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	155	3.6	20	1	2	2	3	4	18	0-17	219	2.8	2	2	2	2	4	5	6
18-34	77	2.0	1	1	1	2	2	4	4	18-34	116	4.0	4	1	2	4	5	8	8
35-49	232	4.9	14	1	2	4	6	12	15	35-49	283	4.4	14	1	2	3	6	9	10
50-69	322	3.8	7	1	2	3	5	8	9	50-69	398	3.8	12	1	1	3	5	10	11
70 +	0									70 +	13	9.0							
SUBTOTAL	**786**	**3.9**	**12**	**1**	**2**	**3**	**5**	**8**	**11**		**1029**	**3.8**	**10**	**1**	**2**	**3**	**5**	**9**	**11**
GRAND TOTAL	**1969**	**5.0**	**23**	**2**	**2**	**3**	**6**	**10**	**14**		**1904**	**4.7**	**17**	**1**	**2**	**3**	**6**	**10**	**15**

DRG 113: Amputation for Circ System Disorders except Upper Limb & Toe

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1592	26.6	374	8	13	22	41	67	99 +	0-17	0								
70-74	1078	29.1	577	7	12	22	37	74	84	18-34	52	25.5	379						
75-79	1079	28.9	458	9	14	24	36	70	87	35-49	12	26.0							
80-84	974	23.2	270	9	12	20	31	59	96	50-69	790	24.1	258	10	13	20	29	40	52
85 +	1346	20.3	300	7	9	14	25	54	68	70 +	38	19.3	12						
SUBTOTAL	**6069**	**25.5**	**403**	**7**	**11**	**20**	**34**	**65**	**82**		**892**	**24.0**	**252**	**10**	**13**	**20**	**29**	**40**	**54**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	38	10.8	69							0-17	0								
70-74	25	27.9	9							18-34	0								
75-79	75	16.9	39	11	11	11	23	26	26	35-49	26	28.0	204						
80-84	12	5.0								50-69	25	16.5	2						
85 +	38	11.0	25							70 +	0								
SUBTOTAL	**189**	**15.2**	**73**	**5**	**7**	**11**	**23**	**26**	**31**		**51**	**22.4**	**137**						
GRAND TOTAL	**6258**	**25.2**	**396**	**7**	**11**	**20**	**33**	**64**	**82**		**942**	**23.9**	**246**	**10**	**14**	**20**	**29**	**40**	**54**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	13	25.0							
35-49	63	24.1	88							35-49	51	16.2	85						
50-69	139	34.3	524	6	17	31	54	58	84	50-69	77	41.6	536	9	27	44	81	99 +	99 +
70 +	12	11.0								70 +	38	16.1	95						
SUBTOTAL	**215**	**29.9**	**408**	**6**	**15**	**26**	**40**	**58**	**84**		**179**	**27.7**	**423**	**9**	**11**	**27**	**44**	**81**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	25	21.5	115							35-49	0								
50-69	12	17.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**37**	**20.0**	**80**								**0**								
GRAND TOTAL	**252**	**28.5**	**371**	**11**	**15**	**24**	**38**	**57**	**61**		**179**	**27.7**	**423**	**9**	**11**	**27**	**44**	**81**	**99 +**

DRG 114: Upper Limb & Toe Amputation for Circ System Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	408	15.9	145	4	6	13	23	27	37	0-17	0								
70-74	217	17.8	165	7	9	13	24	39	52	18-34	0								
75-79	190	11.8	39	4	6	11	18	20	24	35-49	114	11.6	45	6	7	10	13	29	29
80-84	240	20.9	340	5	11	14	25	54	84	50-69	383	12.9	89	3	7	11	14	30	32
85 +	89	7.3	8	2	6	7	9	12	12	70 +	25	4.5	2						
SUBTOTAL	**1144**	**15.9**	**175**	**4**	**7**	**13**	**20**	**28**	**39**		**522**	**12.2**	**78**	**3**	**6**	**10**	**14**	**29**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	52	12.0	25							0-17	0								
70-74	26	5.5	2							18-34	13	1.0							
75-79	0									35-49	0								
80-84	0									50-69	12	7.0							
85 +	0									70 +	0								
SUBTOTAL	**77**	**9.8**	**27**	**4**	**5**	**8**	**15**	**18**	**18**		**25**	**3.9**	**9**						
GRAND TOTAL	**1221**	**15.6**	**168**	**4**	**7**	**12**	**19**	**27**	**39**		**547**	**11.8**	**78**	**3**	**6**	**10**	**14**	**29**	**30**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	13	14.0								18-34	0								
35-49	38	8.0	27							35-49	0								
50-69	141	20.6	313	6	7	14	32	40	65	50-69	77	16.3	38	7	10	18	20	25	25
70 +	0									70 +	0								
SUBTOTAL	**192**	**17.7**	**260**	**5**	**6**	**14**	**21**	**40**	**65**		**77**	**16.3**	**38**	**7**	**10**	**18**	**20**	**25**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	13	9.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**13**	**9.0**									**0**								
GRAND TOTAL	**205**	**17.1**	**248**	**5**	**7**	**14**	**21**	**40**	**65**		**77**	**16.3**	**38**	**7**	**10**	**18**	**20**	**25**	**25**

DRG 115: Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	253	15.4	132	6	8	12	17	28	47
70-74	384	18.8	241	8	9	13	20	42	47
75-79	318	13.8	82	3	7	12	19	23	28
80-84	367	17.9	209	6	10	13	20	40	54
85 +	280	11.2	28	4	6	12	16	17	19
SUBTOTAL	**1601**	**15.7**	**155**	**5**	**9**	**12**	**18**	**28**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	13	9.0							
75-79	0								
80-84	25	10.0	4						
85 +	0								
SUBTOTAL	**38**	**9.7**	**3**						
GRAND TOTAL	**1639**	**15.6**	**152**	**6**	**9**	**12**	**18**	**28**	**42**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	13	10.0							
70 +	25	13.5	2						
	38	**12.3**	**4**						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	12	13.0							
	12	**13.0**							
	51	**12.5**	**3**						

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	13	13.0							
70 +	12	18.0							
SUBTOTAL	**25**	**15.5**	**7**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**25**	**15.5**	**7**						

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	13	24.0							
35-49	12	21.0							
50-69	12	66.0							
70 +	13	31.0							
	51	**35.4**	**325**						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	51	**35.4**	**325**						

DRG 116: Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1252	9.5	74	3	4	7	11	20	24	0-17	219	7.7	79	2	3	6	7	13	41
70-74	1618	8.6	43	3	4	6	11	16	21	18-34	181	6.6	29	2	3	5	7	15	22
75-79	2214	10.2	101	2	4	7	13	18	27	35-49	102	6.7	37	3	4	4	8	22	22
80-84	1944	11.3	111	3	4	8	14	24	36	50-69	729	9.8	116	4	5	7	10	16	40
85 +	2055	11.0	68	3	5	9	14	23	32	70 +	140	7.1	8	4	5	6	10	10	12
SUBTOTAL	**9082**	**10.2**	**83**	**3**	**4**	**7**	**13**	**21**	**28**		**1371**	**8.5**	**84**	**3**	**4**	**6**	**9**	**14**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	740	6.1	32	2	3	5	7	11	12	0-17	128	4.7	5	2	3	6	6	8	8
70-74	856	5.1	16	2	3	4	6	9	10	18-34	89	5.5	10	1	3	6	8	11	11
75-79	933	5.9	16	2	3	4	8	11	14	35-49	52	11.0	19						
80-84	1068	5.9	13	2	3	5	7	11	12	50-69	766	5.5	14	2	3	5	8	10	16
85 +	610	5.8	18	2	3	5	6	10	14	70 +	154	4.3	12	2	3	4	5	6	15
SUBTOTAL	**4207**	**5.8**	**18**	**2**	**3**	**5**	**7**	**10**	**12**		**1188**	**5.5**	**14**	**2**	**3**	**5**	**7**	**10**	**15**
GRAND TOTAL	**13289**	**8.8**	**67**	**3**	**4**	**6**	**11**	**17**	**24**		**2560**	**7.1**	**54**	**2**	**3**	**5**	**8**	**13**	**16**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	9.7	17							0-17	39	6.3	12						
18-34	13	7.0								18-34	26	8.0	1						
35-49	13	10.0								35-49	12	10.0							
50-69	101	6.2	8	2	4	8	8	11	11	50-69	88	7.1	51	1	2	5	10	23	23
70 +	13	10.0								70 +	25	17.4	44						
SUBTOTAL	**179**	**7.5**	**11**	**3**	**5**	**8**	**10**	**11**	**15**		**190**	**8.6**	**44**	**2**	**3**	**7**	**11**	**23**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	52	11.3	52							0-17	0								
18-34	38	6.7	18							18-34	13	4.0							
35-49	25	9.0	4							35-49	0								
50-69	0									50-69	64	3.0	2						
70 +	12	6.0								70 +	51	6.0	10						
SUBTOTAL	**128**	**8.9**	**32**	**2**	**6**	**8**	**11**	**20**	**22**		**128**	**4.3**	**7**	**2**	**2**	**4**	**5**	**9**	**9**
GRAND TOTAL	**306**	**8.1**	**20**	**3**	**5**	**8**	**11**	**13**	**15**		**318**	**6.9**	**34**	**2**	**3**	**5**	**9**	**11**	**23**

DRG 117: Cardiac Pacemaker Revision except Device Replacement

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	76	4.5	4	1	3	6	6	7	7	0-17	51	9.3	60						
70-74	103	11.9	346	1	2	5	10	60	60	18-34	13	2.0							
75-79	140	12.1	192	2	2	5	21	33	44	35-49	26	4.0	1						
80-84	52	10.8	74							50-69	39	15.3	134						
85 +	77	5.8	8	3	3	4	9	10	10	70 +	13	5.0							
SUBTOTAL	**448**	**9.5**	**159**	**2**	**3**	**5**	**10**	**22**	**44**		**141**	**8.9**	**79**	**2**	**2**	**5**	**13**	**20**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	76	2.0	1	1	1	2	3	4	4	0-17	0								
70-74	50	2.3	2							18-34	13	3.0							
75-79	88	3.8	18	1	1	3	3	14	14	35-49	25	4.5							
80-84	64	3.0	3							50-69	77	4.7	31	1	2	2	3	17	17
85 +	12	1.0								70 +	13	1.0							
SUBTOTAL	**292**	**2.8**	**7**	**1**	**1**	**2**	**3**	**4**	**6**		**128**	**4.1**	**20**	**< 1**	**2**	**3**	**4**	**12**	**17**
GRAND TOTAL	**739**	**6.9**	**110**	**1**	**2**	**3**	**6**	**16**	**33**		**270**	**6.6**	**57**	**2**	**2**	**3**	**5**	**17**	**20**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	3.0	4							0-17	13	30.0							
18-34	0									18-34	26	4.5	7						
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**26**	**3.0**	**4**								**39**	**13.0**	**153**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	13	3.0							
35-49	12	2.0								35-49	0								
50-69	38	1.3								50-69	12	2.0							
70 +	0									70 +	0								
SUBTOTAL	**51**	**1.5**									**25**	**2.5**							
GRAND TOTAL	**76**	**2.0**	**2**	**< 1**	**1**	**1**	**2**	**5**	**5**		**64**	**8.8**	**118**						

DRG 118: Cardiac Pacemaker Device Replacement

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	129	3.9	5	2	2	3	5	8	8	0-17	39	2.7							
70-74	168	7.9	124	1	2	4	8	21	42	18-34	39	2.7	1						
75-79	308	3.3	13	1	1	2	3	8	14	35-49	77	5.3	21	1	2	4	8	14	14
80-84	179	4.9	16	1	2	4	6	9	17	50-69	52	7.3	12						
85 +	256	4.2	25	1	2	2	5	12	19	70 +	64	9.7	71						
SUBTOTAL	**1039**	**4.6**	**36**	**1**	**2**	**2**	**5**	**8**	**14**		**270**	**6.0**	**32**	**2**	**2**	**3**	**9**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	153	2.6	5	1	1	1	3	5	8	0-17	0								
70-74	245	1.9	1	1	1	2	3	3	4	18-34	0								
75-79	346	2.6	5	1	1	2	3	7	12	35-49	13	1.0							
80-84	296	2.8	3	1	1	2	4	4	5	50-69	128	2.0	3	1	1	1	2	6	7
85 +	437	2.2	7	1	1	2	2	3	3	70 +	0								
SUBTOTAL	**1476**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**7**		**141**	**1.9**	**3**	**1**	**1**	**1**	**2**	**3**	**7**
GRAND TOTAL	**2515**	**3.3**	**19**	**1**	**1**	**2**	**3**	**7**	**12**		**411**	**4.6**	**25**	**1**	**1**	**2**	**6**	**12**	**14**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	26	5.5	13							18-34	13	2.0							
35-49	0									35-49	0								
50-69	0									50-69	13	3.0							
70 +	0									70 +	12	1.0							
SUBTOTAL	**26**	**5.5**	**13**								**38**	**2.0**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	13	1.0								35-49	0								
50-69	39	4.0	18							50-69	38	3.7	6						
70 +	0									70 +	26	3.0	1						
SUBTOTAL	**52**	**3.3**	**15**								**64**	**3.4**	**4**						
GRAND TOTAL	**77**	**4.0**	**16**	**1**	**1**	**2**	**9**	**10**	**10**		**102**	**2.9**	**3**	**<1**	**2**	**3**	**4**	**7**	**7**

DRG 119: Vein Ligation & Stripping

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	154	12.9	230	1	3	10	15	57	99 +	0-17	26	6.0	17						
70-74	76	8.4	90	1	1	5	11	28	28	18-34	12	3.0							
75-79	39	4.0	9							35-49	128	3.9	18	1	1	2	5	12	13
80-84	25	10.5	7							50-69	139	4.7	14	1	2	3	7	9	13
85 +	25	24.5	357							70 +	0								
SUBTOTAL	**320**	**11.4**	**183**	**1**	**3**	**8**	**14**	**43**	**57**		**306**	**4.4**	**16**	**1**	**1**	**3**	**7**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	306	2.5	4	1	1	2	3	7	7	0-17	26	1.5							
70-74	166	5.1	20	1	3	4	6	8	19	18-34	889	1.5	1	1	1	1	2	3	3
75-79	152	4.6	15	1	2	4	5	12	13	35-49	1654	2.2	5	1	1	1	3	4	5
80-84	25	9.8	84							50-69	1034	2.0	3	1	1	1	2	4	6
85 +	25	2.0	1							70 +	0								
SUBTOTAL	**674**	**3.9**	**16**	**1**	**1**	**3**	**5**	**8**	**13**		**3602**	**2.0**	**4**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**994**	**6.3**	**82**	**1**	**1**	**3**	**8**	**15**	**27**		**3908**	**2.2**	**5**	**1**	**1**	**1**	**2**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13	1.0								0-17	0								
18-34	26	1.5								18-34	0								
35-49	0									35-49	26	7.5	44						
50-69	13	4.0								50-69	12	10.0							
70 +	0									70 +	0								
SUBTOTAL	**52**	**2.0**	**2**								**38**	**8.3**	**31**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	13	1.0								0-17	0								
18-34	115	1.9	2	1	1	1	3	5	5	18-34	89	1.7	2	1	1	1	2	5	5
35-49	64	1.8	1							35-49	88	3.3	20	1	1	1	3	14	14
50-69	37	2.0								50-69	51	3.0	9						
70 +	0									70 +	0								
SUBTOTAL	**229**	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**5**		**228**	**2.6**	**11**	**1**	**1**	**1**	**2**	**8**	**14**
GRAND TOTAL	**281**	**1.9**	**1**	**1**	**1**	**1**	**2**	**3**	**4**		**266**	**3.4**	**18**	**1**	**1**	**1**	**3**	**10**	**14**

DRG 120: Other Circulatory System O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2710	11.1	144	1	3	6	17	30	40
70-74	1199	14.4	277	1	3	9	18	35	46
75-79	1011	14.3	238	1	3	11	21	32	50
80-84	649	17.0	291	2	3	13	26	36	64
85 +	520	20.9	207	5	12	18	28	36	45
SUBTOTAL	**6089**	**13.8**	**215**	**1**	**3**	**9**	**20**	**33**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	203	13.7	181	3	3	10	16	30	56
70-74	128	14.6	331	1	1	8	20	24	65
75-79	103	16.8	78	6	12	16	27	99 +	99 +
80-84	114	13.6	90	1	8	10	21	34	34
85 +	77	11.8	106	1	2	9	20	30	30
SUBTOTAL	**625**	**14.1**	**170**	**2**	**7**	**10**	**21**	**30**	**56**
GRAND TOTAL	**6714**	**13.8**	**211**	**1**	**3**	**9**	**20**	**33**	**45**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	7.7	22						
18-34	205	6.9	102	1	1	5	6	19	42
35-49	332	8.7	47	1	3	7	14	15	24
50-69	754	13.4	245	1	3	8	20	45	66
70 +	26	11.5	2						
	1355	**11.1**	**171**	**1**	**2**	**6**	**15**	**33**	**45**
0-17	64	5.0	31						
18-34	12	4.0							
35-49	38	5.4	10						
50-69	114	14.3	126	< 1	5	9	22	33	33
70 +	13	2.0							
	241	**9.2**	**92**	**1**	**1**	**7**	**15**	**27**	**33**
	1596	**10.8**	**159**	**1**	**2**	**6**	**15**	**28**	**45**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	39	5.7	12						
35-49	102	14.4	178	2	3	7	20	37	37
50-69	230	25.3	476	4	11	22	36	51	95
70 +	26	14.0	67						
SUBTOTAL	**396**	**19.8**	**373**	**3**	**6**	**14**	**29**	**37**	**51**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	12	17.0							
50-69	50	10.9	86						
70 +	0								
SUBTOTAL	**63**	**12.1**	**75**						
GRAND TOTAL	**459**	**18.8**	**339**	**3**	**6**	**13**	**27**	**37**	**51**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	10.5	59						
18-34	25	10.0	51						
35-49	77	12.8	46	3	5	15	19	20	20
50-69	231	14.1	184	1	4	10	17	43	47
70 +	0								
	359	**13.3**	**137**	**1**	**4**	**11**	**18**	**35**	**43**
0-17	39	16.7	270						
18-34	0								
35-49	13	2.0							
50-69	25	5.0	17						
70 +	0								
	76	**10.4**	**182**	**1**	**1**	**5**	**10**	**39**	**39**
	436	**12.8**	**146**	**1**	**3**	**10**	**18**	**35**	**43**

DRG 121: Circulatory Disorders w/ AMI & C.V. Comp Disch Alive

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4789	10.3	29	5	7	9	12	17	23
70-74	5424	11.2	51	5	7	9	13	19	24
75-79	6348	11.3	53	6	7	9	13	20	25
80-84	6291	12.3	79	6	7	10	15	21	26
85 +	5200	12.8	118	5	7	10	15	23	35
SUBTOTAL	**28052**	**11.6**	**67**	**6**	**7**	**9**	**13**	**20**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	275	8.2	6	4	7	9	9	11	11
70-74	139	8.2	11	4	5	9	11	11	14
75-79	126	9.1	9	6	7	9	9	15	15
80-84	25	8.0	4						
85 +	88	8.1	1	7	7	8	9	10	10
SUBTOTAL	**653**	**8.4**	**7**	**5**	**7**	**9**	**10**	**11**	**14**
GRAND TOTAL	**28706**	**11.6**	**66**	**6**	**7**	**9**	**13**	**20**	**25**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	51	5.5	8						
35-49	1202	8.5	9	5	6	9	10	13	14
50-69	4301	9.5	27	5	7	9	11	13	16
70 +	418	11.0	43	6	7	8	12	20	28
	5972	**9.4**	**25**	**5**	**7**	**9**	**11**	**13**	**17**
0-17	0								
18-34	0								
35-49	115	9.0	1	7	9	9	9	11	11
50-69	267	8.3	5	6	7	8	10	11	12
70 +	0								
	381	**8.5**	**4**	**6**	**7**	**9**	**10**	**11**	**12**
	6354	**9.3**	**24**	**5**	**7**	**9**	**11**	**13**	**16**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	12	13.0							
35-49	164	7.4	6	4	5	8	9	11	11
50-69	597	11.2	43	6	7	9	12	22	24
70 +	129	16.3	422	6	7	9	13	46	77
SUBTOTAL	**902**	**11.2**	**96**	**6**	**7**	**9**	**12**	**18**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	12	9.0							
50-69	0								
70 +	0								
SUBTOTAL	**12**	**9.0**							
GRAND TOTAL	**915**	**11.2**	**95**	**6**	**7**	**9**	**12**	**18**	**24**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	328	7.6	7	5	6	8	9	11	12
50-69	848	10.4	88	6	7	9	11	15	15
70 +	320	9.6	20	5	7	9	12	14	18
	1496	**9.6**	**57**	**5**	**7**	**8**	**11**	**14**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	50	11.6	21						
70 +	0								
	50	**11.6**	**21**						
	1546	**9.7**	**56**	**5**	**7**	**8**	**11**	**14**	**15**

DRG 122: Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2482	9.5	49	5	6	8	11	14	20
70-74	1932	9.2	55	5	6	8	11	13	17
75-79	2172	8.8	48	4	6	8	10	13	16
80-84	1325	12.2	162	5	7	9	12	21	34
85 +	1059	11.3	45	6	7	9	14	18	22
SUBTOTAL	**8970**	**9.9**	**68**	**5**	**6**	**8**	**11**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2765	7.4	18	4	6	7	9	10	12
70-74	2361	7.6	8	4	6	7	9	11	13
75-79	1836	7.5	15	4	6	7	9	11	12
80-84	1375	8.1	10	5	6	7	9	12	15
85 +	821	9.0	22	5	6	8	10	16	18
SUBTOTAL	**9158**	**7.7**	**14**	**4**	**6**	**7**	**9**	**11**	**13**
GRAND TOTAL	**18128**	**8.8**	**42**	**4**	**6**	**8**	**10**	**13**	**16**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	25	5.0	1						
35-49	998	7.3	15	3	5	7	9	11	13
50-69	3299	7.8	15	4	6	7	9	11	14
70 +	139	9.2	27	2	7	9	12	17	19
	4461	**7.7**	**15**	**3**	**6**	**7**	**9**	**11**	**13**
0-17	0								
18-34	164	8.1	9	3	7	8	10	12	13
35-49	2399	6.9	8	3	5	7	8	10	11
50-69	6920	7.2	6	4	6	7	9	10	11
70 +	279	8.7	13	4	7	8	10	14	16
	9762	**7.1**	**7**	**4**	**6**	**7**	**9**	**10**	**11**
	14223	**7.3**	**10**	**4**	**6**	**7**	**9**	**10**	**12**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	51	6.0	2						
35-49	191	8.8	6	6	7	9	10	12	15
50-69	192	7.7	12	4	6	7	8	12	17
70 +	25	15.0	1						
SUBTOTAL	**459**	**8.4**	**11**	**5**	**6**	**8**	**10**	**15**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	26	5.0	4						
35-49	165	6.2	10	1	3	7	8	10	11
50-69	304	7.4	6	3	7	8	9	11	11
70 +	0								
SUBTOTAL	**495**	**6.9**	**8**	**3**	**5**	**7**	**9**	**11**	**11**
GRAND TOTAL	**954**	**7.6**	**10**	**3**	**6**	**7**	**9**	**12**	**15**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	50	5.5	8						
35-49	330	7.4	5	4	6	7	9	10	11
50-69	630	8.6	12	5	7	9	10	12	13
70 +	139	9.3	8	7	7	9	11	11	16
	1149	**8.2**	**10**	**5**	**6**	**8**	**10**	**11**	**13**
0-17	0								
18-34	102	7.6	6	4	6	7	8	13	13
35-49	691	7.0	4	4	6	7	8	10	11
50-69	1195	7.0	8	3	5	7	8	11	12
70 +	140	8.4	8	6	6	8	11	11	15
	2128	**7.1**	**7**	**4**	**6**	**7**	**8**	**11**	**11**
	3277	**7.5**	**8**	**4**	**6**	**7**	**9**	**11**	**12**

DRG 124: Circulatory Disorders except AMI, w/ Card Cath & Complex Diag

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6048	5.9	35	1	1	4	9	13	17
70-74	4643	6.0	48	1	1	4	9	14	17
75-79	3424	6.9	49	1	2	5	10	16	18
80-84	1360	8.9	50	1	4	8	11	17	23
85 +	501	8.7	60	1	3	8	11	21	28
SUBTOTAL	**15975**	**6.5**	**45**	**1**	**2**	**5**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2060	3.8	11	1	1	3	5	8	10
70-74	1696	4.0	9	1	2	3	6	8	10
75-79	868	5.0	17	1	2	4	7	9	11
80-84	346	5.9	19	2	3	4	7	11	17
85 +	77	5.3	6	3	3	5	6	10	10
SUBTOTAL	**5047**	**4.2**	**12**	**1**	**2**	**3**	**6**	**8**	**11**
GRAND TOTAL	**21022**	**5.9**	**38**	**1**	**2**	**4**	**8**	**13**	**17**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	774	4.7	26	2	2	2	5	12	18
18-34	181	6.4	41	1	2	4	8	17	24
35-49	1693	4.4	36	1	1	2	5	10	13
50-69	6406	4.2	18	1	1	2	6	10	13
70 +	398	5.4	21	1	1	5	7	11	14
	9452	**4.4**	**23**	**1**	**1**	**2**	**6**	**10**	**13**
0-17	77	5.3	11	1	2	5	9	10	10
18-34	141	1.6	1	1	1	1	2	2	4
35-49	1331	3.4	7	1	1	3	5	7	8
50-69	4117	3.6	9	1	1	3	5	8	10
70 +	51	4.4	12						
	5718	**3.5**	**9**	**1**	**1**	**2**	**5**	**8**	**10**
	15169	**4.1**	**18**	**1**	**1**	**2**	**6**	**9**	**12**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	297	5.5	24	2	2	2	8	10	14
18-34	116	7.7	158	1	2	2	3	42	42
35-49	267	4.1	13	1	1	2	7	9	10
50-69	768	6.8	29	1	2	5	9	14	17
70 +	26	17.0	176						
SUBTOTAL	**1474**	**6.3**	**41**	**1**	**2**	**5**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	77	3.0	5	1	2	2	3	8	8
18-34	90	2.1	2	1	1	1	4	4	4
35-49	180	2.6	3	1	1	2	4	5	7
50-69	204	3.8	11	1	1	2	6	9	10
70 +	13	2.0							
SUBTOTAL	**565**	**3.0**	**6**	**1**	**1**	**2**	**4**	**8**	**9**
GRAND TOTAL	**2039**	**5.4**	**33**	**1**	**1**	**4**	**8**	**11**	**16**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	400	4.2	32	2	2	2	4	8	12
18-34	39	11.3	45						
35-49	114	7.0	12	2	4	7	9	13	13
50-69	345	6.4	21	1	4	6	9	12	14
70 +	25	5.4	13						
	922	**5.7**	**28**	**1**	**2**	**4**	**8**	**12**	**16**
0-17	26	3.0	4						
18-34	0								
35-49	115	4.3	5	<1	3	4	6	7	7
50-69	243	4.8	8	1	2	5	7	9	10
70 +	12	1.0							
	396	**4.5**	**7**	**1**	**1**	**4**	**6**	**9**	**9**
	1318	**5.3**	**22**	**1**	**2**	**4**	**7**	**11**	**13**

DRG 125: Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5455	2.4	6	1	1	1	3	6	8	0-17	2011	1.8	2	1	1	2	2	3	3
70-74	3673	2.8	13	1	1	1	3	6	10	18-34	297	2.7	6	1	1	2	4	5	7
75-79	2171	2.9	7	1	1	2	3	7	9	35-49	1988	2.2	6	1	1	1	2	6	7
80-84	667	4.1	19	1	1	2	6	9	11	50-69	7240	2.3	9	1	1	1	2	6	8
85 +	116	4.0	12	1	1	2	6	11	11	70 +	231	1.9	3	1	1	1	2	5	8
SUBTOTAL	**12082**	**2.7**	**9**	**1**	**1**	**1**	**3**	**7**	**9**		**11767**	**2.2**	**7**	**1**	**1**	**1**	**2**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5303	2.1	5	1	1	1	2	5	6	0-17	2437	1.9	5	< 1	1	1	2	2	3
70-74	3858	2.1	3	1	1	1	2	5	7	18-34	643	1.5	1	1	1	1	2	3	3
75-79	2165	2.3	6	1	1	1	2	5	8	35-49	5894	2.0	3	1	1	1	2	5	6
80-84	563	2.9	12	1	1	2	3	7	9	50-69	13614	1.9	3	1	1	1	2	4	6
85 +	103	2.0	3	1	1	2	2	6	6	70 +	346	2.2	4	1	1	1	2	7	7
SUBTOTAL	**11992**	**2.2**	**5**	**1**	**1**	**1**	**2**	**5**	**7**		**22935**	**1.9**	**4**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**24074**	**2.4**	**7**	**1**	**1**	**1**	**2**	**6**	**8**		**34702**	**2.0**	**5**	**1**	**1**	**1**	**2**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	722	3.2	15	1	1	2	3	5	15	0-17	683	2.7	11	1	2	2	2	4	9
18-34	155	2.8	6	1	1	2	4	5	10	18-34	103	2.3	5	1	1	2	2	8	8
35-49	397	2.9	6	1	1	2	5	7	8	35-49	141	2.6	6	1	1	1	4	7	8
50-69	515	2.6	11	1	1	1	3	8	11	50-69	345	3.4	8	1	1	2	5	7	7
70 +	38	3.7	10							70 +	26	2.5	2						
SUBTOTAL	**1827**	**2.9**	**11**	**1**	**1**	**2**	**3**	**7**	**10**		**1298**	**2.9**	**9**	**1**	**1**	**2**	**3**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1032	1.7	1	< 1	1	2	2	2	4	0-17	838	2.2	3	1	1	2	2	3	5
18-34	141	2.5	6	1	1	1	3	6	9	18-34	115	1.7		1	1	2	2	3	3
35-49	462	2.6	6	1	1	2	3	6	9	35-49	447	2.9	6	1	1	2	5	6	9
50-69	590	2.0	4	1	1	1	2	4	5	50-69	803	3.3	10	1	1	2	4	8	9
70 +	26	1.5								70 +	0								
SUBTOTAL	**2251**	**2.0**	**3**	**1**	**1**	**2**	**2**	**4**	**6**		**2204**	**2.7**	**6**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**4078**	**2.4**	**7**	**1**	**1**	**2**	**2**	**5**	**8**		**3502**	**2.8**	**7**	**1**	**1**	**2**	**3**	**6**	**8**

DRG 126: Acute & Subacute Endocarditis

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	203	26.4	284	8	14	26	34	43	77
70-74	165	24.9	194	8	12	21	32	45	49
75-79	153	30.7	167	13	25	30	42	44	57
80-84	139	34.3	372	14	19	30	44	48	84
85 +	75	31.3	244	10	11	36	46	48	48
SUBTOTAL	**735**	**29.0**	**263**	**10**	**15**	**29**	**40**	**48**	**57**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	51	28.3	85						
70-74	0								
75-79	12	11.0							
80-84	38	19.8	67						
85 +	0								
SUBTOTAL	**101**	**23.0**	**103**	**11**	**15**	**28**	**30**	**41**	**41**
GRAND TOTAL	**836**	**28.2**	**247**	**11**	**15**	**28**	**38**	**46**	**49**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	10.0	98						
18-34	52	13.0	50						
35-49	192	20.3	94	12	14	17	27	31	43
50-69	255	24.3	154	9	14	28	29	38	43
70 +	0								
	563	**20.3**	**142**	**5**	**12**	**18**	**28**	**35**	**43**
0-17	25	4.1	9						
18-34	12	12.0							
35-49	26	14.0	26						
50-69	51	18.7	246						
70 +	0								
	115	**13.7**	**148**	**1**	**5**	**9**	**19**	**39**	**39**
	677	**19.2**	**149**	**4**	**10**	**17**	**28**	**35**	**43**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	26	16.5	219						
18-34	115	29.7	222	3	19	28	41	56	56
35-49	90	34.0	197	15	28	29	42	63	63
50-69	26	28.0							
70 +	0								
SUBTOTAL	**256**	**29.7**	**213**	**5**	**28**	**28**	**36**	**54**	**61**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	13	19.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**13**	**19.0**							
GRAND TOTAL	**269**	**29.2**	**208**	**15**	**19**	**28**	**32**	**43**	**57**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	35.5	31						
18-34	12	3.0							
35-49	39	34.3	164						
50-69	26	29.0	337						
70 +	0								
	103	**29.5**	**255**	**3**	**23**	**30**	**45**	**52**	**52**
0-17	0								
18-34	13	9.0							
35-49	12	8.0							
50-69	0								
70 +	0								
	25	**8.5**							
	128	**25.3**	**274**	**8**	**9**	**28**	**41**	**50**	**52**

DRG 127: Heart Failure & Shock

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	16051	8.6	54	3	4	7	11	17	21	0-17	296	4.8	5	2	3	4	7	7	8
70-74	15512	8.6	50	3	4	7	10	16	21	18-34	232	6.6	15	2	3	6	8	15	15
75-79	18660	8.9	57	3	4	7	11	17	23	35-49	1027	6.5	8	3	4	6	8	10	11
80-84	18572	9.7	82	3	5	7	12	18	25	50-69	7777	7.3	29	3	4	6	9	13	17
85 +	20202	10.4	93	3	5	8	13	20	27	70 +	1224	9.2	67	3	5	8	10	16	22
SUBTOTAL	**88997**	**9.3**	**69**	**3**	**5**	**7**	**11**	**18**	**24**		**10557**	**7.3**	**31**	**3**	**4**	**6**	**9**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1971	5.7	13	2	3	5	8	11	13	0-17	77	5.8	32	1	1	3	12	15	15
70-74	2452	5.8	11	2	3	5	7	10	13	18-34	26	4.5							
75-79	2804	5.8	27	3	3	5	7	9	12	35-49	127	3.5	5	< 1	1	3	5	7	8
80-84	3014	6.1	23	2	3	5	8	10	14	50-69	1480	5.2	10	2	3	4	6	9	12
85 +	3647	6.9	34	2	4	6	8	12	17	70 +	178	6.2	8	3	4	6	9	11	11
SUBTOTAL	**13887**	**6.1**	**23**	**2**	**3**	**5**	**7**	**10**	**14**		**1887**	**5.2**	**10**	**2**	**3**	**4**	**6**	**10**	**12**
GRAND TOTAL	**102884**	**8.9**	**64**	**3**	**4**	**7**	**11**	**17**	**22**		**12444**	**7.0**	**28**	**3**	**4**	**6**	**9**	**12**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	219	4.9	6	2	4	5	5	8	11	0-17	64	3.8	4						
18-34	154	14.6	164	4	4	12	18	27	50	18-34	76	6.5	8	2	4	7	9	10	10
35-49	447	8.9	46	3	5	7	11	15	19	35-49	329	7.2	23	3	4	7	8	12	12
50-69	2748	8.4	48	2	4	7	11	16	20	50-69	1989	7.8	38	3	4	6	9	16	19
70 +	396	8.8	32	4	5	7	11	15	23	70 +	851	10.3	124	3	5	7	14	20	27
SUBTOTAL	**3964**	**8.6**	**50**	**3**	**4**	**6**	**11**	**16**	**20**		**3309**	**8.3**	**59**	**3**	**4**	**6**	**9**	**16**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	52	5.0	10							0-17	13	3.0							
18-34	13	13.0								18-34	0								
35-49	114	5.3	4	3	4	5	6	9	9	35-49	127	4.0	3	2	2	5	5	6	6
50-69	268	5.9	15	2	3	5	8	10	12	50-69	343	5.9	49	2	3	4	6	11	17
70 +	154	6.5	19	2	3	6	9	12	17	70 +	256	6.2	12	1	3	7	9	10	12
SUBTOTAL	**601**	**6.0**	**14**	**2**	**3**	**5**	**8**	**11**	**13**		**738**	**5.6**	**28**	**2**	**3**	**4**	**7**	**9**	**14**
GRAND TOTAL	**4564**	**8.2**	**46**	**3**	**4**	**6**	**11**	**15**	**19**		**4048**	**7.8**	**54**	**3**	**4**	**6**	**9**	**15**	**20**

DRG 128: Deep Vein Thrombophlebitis

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	682	8.4	8	5	7	8	10	11	15	0-17	0								
70-74	416	8.1	7	5	6	7	10	12	13	18-34	39	8.7	15						
75-79	493	11.9	76	5	7	9	16	28	44	35-49	164	11.0	37	5	6	9	18	20	22
80-84	280	9.8	32	4	7	8	13	15	18	50-69	507	9.1	16	5	7	8	11	15	17
85 +	314	10.0	13	6	8	8	12	17	18	70 +	13	20.0							
SUBTOTAL	**2184**	**9.5**	**29**	**5**	**7**	**8**	**11**	**15**	**19**		**723**	**9.7**	**23**	**5**	**7**	**8**	**11**	**18**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	328	7.3	11	3	5	7	9	12	14	0-17	0								
70-74	328	7.4	5	5	6	8	9	11	11	18-34	390	7.1	12	3	4	7	10	10	15
75-79	365	8.9	35	4	6	8	9	16	18	35-49	492	7.1	11	3	5	7	8	11	13
80-84	290	7.4	13	3	5	7	9	12	13	50-69	731	7.6	8	4	6	8	10	11	12
85 +	238	9.7	13	5	7	9	12	13	17	70 +	38	8.0	6						
SUBTOTAL	**1549**	**8.1**	**17**	**4**	**6**	**8**	**9**	**12**	**15**		**1651**	**7.4**	**10**	**3**	**5**	**7**	**9**	**11**	**13**
GRAND TOTAL	**3733**	**8.9**	**24**	**5**	**6**	**8**	**10**	**14**	**18**		**2374**	**8.1**	**15**	**4**	**6**	**8**	**10**	**13**	**16**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	25	13.5								0-17	0								
18-34	25	10.1	9							18-34	76	6.2	12	1	2	7	9	10	10
35-49	0									35-49	76	11.4	20	6	9	10	13	20	20
50-69	126	10.7	46	4	4	12	13	27	27	50-69	103	11.5	38	6	6	11	19	22	22
70 +	13	6.0								70 +	12	6.0							
SUBTOTAL	**189**	**10.6**	**34**	**4**	**6**	**12**	**13**	**15**	**27**		**267**	**9.7**	**30**	**6**	**6**	**9**	**11**	**20**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	13	1.0								0-17	13	11.0							
18-34	75	4.7	4	2	3	5	6	8	8	18-34	25	9.0	38						
35-49	101	6.8	6	2	6	7	8	11	11	35-49	175	6.7	9	4	5	6	8	12	13
50-69	75	10.3	112	3	5	6	9	33	33	50-69	152	7.3	5	5	5	7	9	10	12
70 +	13	15.0								70 +	13	14.0							
SUBTOTAL	**277**	**7.3**	**42**	**2**	**4**	**6**	**8**	**11**	**15**		**378**	**7.5**	**11**	**4**	**5**	**7**	**10**	**12**	**14**
GRAND TOTAL	**466**	**8.6**	**42**	**3**	**5**	**7**	**12**	**15**	**27**		**646**	**8.4**	**20**	**4**	**5**	**7**	**10**	**13**	**20**

DRG 129: Cardiac Arrest, Unexplained

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	50	15.8	32							0-17	0								
70-74	12	12.0								18-34	0								
75-79	50	9.5	29							35-49	13	6.0							
80-84	25	5.6	13							50-69	13	8.0							
85+	38	18.2	84							70+	0								
SUBTOTAL	**175**	**12.8**	**56**	4	7	12	19	22	29		**26**	**7.0**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	13	3.0							
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	12	11.0								50-69	0								
85+	0									70+	0								
SUBTOTAL	**12**	**11.0**									**13**	**3.0**							
GRAND TOTAL	**188**	**12.6**	**52**	4	7	12	19	22	29		**39**	**5.7**	**4**						

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13	20.0								0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**13**	**20.0**									**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**13**	**20.0**									**0**								

DRG 130: Peripheral Vascular Disorders w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3800	8.1	39	2	4	7	10	15	20
70-74	3017	8.4	65	1	4	7	10	16	21
75-79	3122	8.6	57	2	5	7	10	15	19
80-84	2368	10.8	105	3	6	8	12	20	34
85+	1902	10.1	74	2	5	8	12	19	27
SUBTOTAL	**14209**	**9.0**	**65**	**2**	**4**	**7**	**11**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**14209**	**9.0**	**65**	**2**	**4**	**7**	**11**	**17**	**21**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	128	6.7	13	3	4	7	8	13	15
18-34	459	7.2	30	3	5	6	9	12	18
35-49	1096	8.2	35	3	5	7	10	14	18
50-69	3377	7.9	46	2	4	7	10	13	16
70+	166	5.5	12	2	3	6	7	8	15
	5226	**7.8**	**41**	**2**	**4**	**7**	**10**	**13**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	5226	**7.8**	**41**	**2**	**4**	**7**	**10**	**13**	**17**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	52	6.8	10						
18-34	180	8.6	20	4	4	8	13	13	17
35-49	142	7.9	34	2	3	9	11	13	22
50-69	457	8.5	23	2	5	8	11	15	19
70+	75	13.4	26	6	9	14	15	22	22
SUBTOTAL	**905**	**8.7**	**26**	**2**	**5**	**9**	**12**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**905**	**8.7**	**26**	**2**	**5**	**9**	**12**	**15**	**19**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	5.4	48						
18-34	229	9.0	27	4	7	8	10	22	99+
35-49	267	8.3	38	3	4	7	10	14	19
50-69	470	6.9	27	1	3	6	10	14	19
70+	51	7.3	22						
	1081	**7.6**	**32**	**1**	**3**	**7**	**10**	**17**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1081	**7.6**	**32**	**1**	**3**	**7**	**10**	**17**	**19**

DRG 131: Peripheral Vascular Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1767	5.1	12	1	2	5	7	9	11	0-17	115	3.9	7	1	1	5	6	8	8
70-74	1412	5.7	14	1	2	6	8	10	13	18-34	886	5.6	10	1	3	6	7	10	10
75-79	1333	6.3	35	1	2	6	8	10	12	35-49	1615	5.9	28	1	3	6	8	10	11
80-84	875	6.6	27	1	2	6	8	13	17	50-69	2798	5.3	16	1	2	5	7	11	14
85 +	710	7.7	32	1	5	7	10	12	15	70 +	165	6.5	10	2	4	7	9	10	12
SUBTOTAL	**6097**	**6.0**	**22**	**1**	**2**	**6**	**8**	**11**	**13**		**5578**	**5.5**	**18**	**1**	**2**	**5**	**7**	**10**	**12**
GRAND TOTAL	**6097**	**6.0**	**22**	**1**	**2**	**6**	**8**	**11**	**13**		**5578**	**5.5**	**18**	**1**	**2**	**5**	**7**	**10**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	38	10.4	97							0-17	64	2.4	8						
18-34	179	7.3	11	4	5	6	10	12	14	18-34	254	5.0	6	1	3	5	7	8	9
35-49	267	6.8	21	3	4	5	9	11	15	35-49	329	5.9	12	1	2	6	8	11	12
50-69	190	3.9	13	1	1	2	6	11	12	50-69	418	5.4	14	1	2	5	8	10	13
70 +	64	5.0	8							70 +	64	4.0	5						
SUBTOTAL	**739**	**6.2**	**22**	**1**	**3**	**5**	**9**	**12**	**14**		**1129**	**5.2**	**11**	**1**	**2**	**5**	**8**	**9**	**12**
GRAND TOTAL	**739**	**6.2**	**22**	**1**	**3**	**5**	**9**	**12**	**14**		**1129**	**5.2**	**11**	**1**	**2**	**5**	**8**	**9**	**12**

DRG 132: Atherosclerosis w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	395	5.1	25	1	2	3	7	11	20	0-17	26	3.0	1						
70-74	535	4.4	20	1	2	4	5	7	9	18-34	12	4.0							
75-79	482	6.1	92	2	3	5	6	9	12	35-49	88	3.7	3	1	2	4	5	6	6
80-84	407	6.7	40	2	3	5	8	17	22	50-69	721	4.1	11	1	2	4	5	8	10
85 +	370	9.7	185	2	3	6	8	40	40	70 +	25	2.5							
SUBTOTAL	**2190**	**6.2**	**71**	**1**	**3**	**4**	**7**	**11**	**20**		**873**	**4.0**	**9**	**1**	**2**	**4**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2190**	**6.2**	**71**	**1**	**3**	**4**	**7**	**11**	**20**		**873**	**4.0**	**9**	**1**	**2**	**4**	**5**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	13	1.0							
18-34	13	6.0								18-34	0								
35-49	63	3.2	4							35-49	0								
50-69	115	6.1	13	1	3	6	9	11	11	50-69	75	8.8	179	1	2	4	4	38	38
70 +	0									70 +	0								
SUBTOTAL	**191**	**5.2**	**11**	**1**	**2**	**4**	**8**	**11**	**11**		**88**	**7.7**	**160**	**<1**	**1**	**3**	**4**	**38**	**38**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**191**	**5.2**	**11**	**1**	**2**	**4**	**8**	**11**	**11**		**88**	**7.7**	**160**	**<1**	**1**	**3**	**4**	**38**	**38**

DRG 133: Atherosclerosis w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	343	2.7	3	1	1	2	4	5	6
70-74	203	4.0	9	1	1	3	6	7	12
75-79	165	4.1	5	2	2	4	6	6	8
80-84	139	3.9	8	1	2	3	5	7	11
85+	64	4.2	7						
SUBTOTAL	**912**	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**912**	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	0								
35-49	151	2.6	5	1	1	2	3	6	8
50-69	430	2.5	1	<1	2	3	3	4	4
70+	12	3.0							
	594	**2.5**	**2**	**<1**	**1**	**2**	**3**	**4**	**4**
	594	**2.5**	**2**	**<1**	**1**	**2**	**3**	**4**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	13	1.0							
18-34	0								
35-49	75	3.5	7	1	2	3	4	9	9
50-69	89	4.4	2	2	3	5	6	6	6
70+	0								
SUBTOTAL	**177**	**3.8**	**5**	**1**	**2**	**4**	**5**	**6**	**9**
GRAND TOTAL	**177**	**3.8**	**5**	**1**	**2**	**4**	**5**	**6**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	13	1.0							
18-34	0								
35-49	76	4.6	32	<1	<1	2	5	17	17
50-69	63	6.1	47						
70+	13	5.0							
	164	**4.9**	**35**	**<1**	**1**	**3**	**5**	**17**	**19**
	164	**4.9**	**35**	**<1**	**1**	**3**	**5**	**17**	**19**

DRG 134: Hypertension

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	623	6.5	37	2	3	4	8	13	14
70-74	394	6.1	14	2	4	5	8	10	15
75-79	393	6.2	31	2	2	5	8	11	18
80-84	431	5.8	18	2	3	5	6	10	15
85 +	304	8.4	39	3	4	6	12	16	18
SUBTOTAL	**2145**	**6.5**	**29**	**2**	**3**	**5**	**8**	**13**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	341	4.2	9	2	2	3	5	7	9
70-74	366	3.5	6	1	2	3	4	7	7
75-79	406	4.5	9	2	2	4	7	8	9
80-84	279	4.1	10	2	2	3	5	8	9
85 +	177	3.8	3	2	2	4	5	7	7
SUBTOTAL	**1569**	**4.0**	**8**	**2**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**3715**	**5.5**	**22**	**2**	**3**	**4**	**7**	**11**	**15**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	4.4	13						
18-34	89	5.3	23	< 1	< 1	4	10	14	14
35-49	343	4.9	10	2	2	4	7	10	11
50-69	649	5.8	23	2	3	4	7	11	16
70 +	38	8.1	13						
	1184	**5.5**	**19**	**2**	**2**	**4**	**7**	**11**	**13**
0-17	129	3.7	15	< 1	1	2	5	11	12
18-34	254	3.3	8	1	1	3	4	8	11
35-49	753	3.9	9	1	2	3	5	8	9
50-69	1308	3.8	7	1	2	3	5	7	9
70 +	25	2.0	1						
	2469	**3.8**	**8**	**1**	**2**	**3**	**5**	**8**	**9**
	3653	**4.3**	**12**	**1**	**2**	**3**	**6**	**9**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	64	6.4	2						
18-34	25	6.0	17						
35-49	154	5.3	7	2	4	5	6	8	12
50-69	165	5.9	15	2	3	6	7	10	15
70 +	38	6.7	6						
SUBTOTAL	**446**	**5.8**	**10**	**2**	**3**	**6**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	77	2.7	4	1	2	2	2	7	7
18-34	26	6.5							
35-49	151	3.3	2	2	2	3	4	5	6
50-69	191	3.6	6	2	2	3	5	7	11
70 +	0								
SUBTOTAL	**445**	**3.5**	**5**	**2**	**2**	**3**	**5**	**7**	**7**
GRAND TOTAL	**891**	**4.7**	**9**	**2**	**2**	**4**	**7**	**9**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	13	4.0							
18-34	51	5.8	44						
35-49	152	6.7	19	1	3	6	7	13	16
50-69	230	6.5	39	2	4	5	7	9	31
70 +	25	3.0							
	471	**6.3**	**31**	**1**	**3**	**5**	**7**	**13**	**17**
0-17	52	1.0							
18-34	127	3.6	3	2	2	4	5	6	6
35-49	316	4.4	11	1	2	3	6	10	10
50-69	291	3.7	5	2	2	3	4	8	8
70 +	13	5.0							
	799	**3.8**	**7**	**1**	**2**	**3**	**5**	**8**	**9**
	1270	**4.7**	**17**	**1**	**2**	**3**	**6**	**9**	**11**

DRG 135: Cardiac Congenital & Valvular Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	204	5.2	11	1	3	5	6	9	15
70-74	243	7.3	33	1	4	6	8	18	26
75-79	292	9.8	131	2	4	5	11	17	26
80-84	241	10.2	61	3	4	9	14	21	33
85 +	305	11.1	86	2	5	7	18	23	29
SUBTOTAL	**1285**	**9.0**	**74**	**2**	**4**	**6**	**10**	**20**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1285**	**9.0**	**74**	**2**	**4**	**6**	**10**	**20**	**26**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	102	7.6	60	< 1	2	4	7	25	25
35-49	51	9.0	58						
50-69	128	5.2	26	< 1	1	4	5	15	16
70 +	25	5.0	1						
	306	**6.6**	**43**	**1**	**2**	**4**	**8**	**16**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	306	**6.6**	**43**	**1**	**2**	**4**	**8**	**16**	**21**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	38	17.2	199						
35-49	77	19.6	426	1	4	11	40	55	55
50-69	26	5.5	21						
70 +	26	7.0							
SUBTOTAL	**167**	**14.9**	**278**	**< 1**	**4**	**7**	**15**	**40**	**55**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**167**	**14.9**	**278**	**< 1**	**4**	**7**	**15**	**40**	**55**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	52	3.8	1						
50-69	13	14.0							
70 +	0								
	64	**5.8**	**18**						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	64	**5.8**	**18**						

DRG 136: Cardiac Congenital & Valvular Disorders Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	89	4.3	7	< 1	2	4	7	8	8
70-74	26	2.5	2						
75-79	88	3.8	2	< 1	3	4	5	6	6
80-84	87	4.7	23	1	2	3	5	16	16
85 +	51	6.2	3						
SUBTOTAL	**342**	**4.4**	**10**	**< 1**	**2**	**4**	**6**	**8**	**9**
GRAND TOTAL	**342**	**4.4**	**10**	**< 1**	**2**	**4**	**6**	**8**	**9**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	64	2.0	2						
35-49	229	3.2	3	1	2	3	4	6	7
50-69	114	2.3	1	1	2	2	3	4	4
70 +	13	2.0							
	419	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
	419	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	13	6.0							
50-69	38	3.0	2						
70 +	0								
SUBTOTAL	**51**	**3.8**	**3**						
GRAND TOTAL	**51**	**3.8**	**3**						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	13	1.0							
35-49	25	2.5							
50-69	37	3.7							
70 +	12	3.0							
	88	**2.8**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
	88	**2.8**	**1**	**1**	**2**	**3**	**4**	**4**	**4**

DRG 137: Cardiac Congenital & Valvular Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	374	6.1	255	1	1	2	5	9	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	374	6.1	255	1	1	2	5	9	13
0-17	413	2.7	12	< 1	< 1	1	3	8	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	413	2.7	12	< 1	< 1	1	3	8	12
	787	4.3	130	< 1	1	1	3	8	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	245	5.1	81	< 1	1	2	4	16	40
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	245	5.1	81	< 1	1	2	4	16	40
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	335	2.0	4	< 1	< 1	1	2	4	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	335	2.0	4	< 1	< 1	1	2	4	8
GRAND TOTAL	579	3.3	39	< 1	1	1	3	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	245	3.7	17	< 1	1	3	4	11	18
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	245	3.7	17	< 1	1	3	4	11	18
0-17	490	1.7	2	1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	490	1.7	2	1	1	1	2	4	5
	734	2.4	8	1	1	1	3	5	5

DRG 138: Cardiac Arrhythmia & Conduction Disorders w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6475	5.6	31	2	2	4	7	10	13	0-17	322	8.0	155	1	2	4	6	20	31
70-74	6248	6.1	27	2	3	5	8	12	14	18-34	637	3.0	4	1	1	3	4	5	7
75-79	7241	6.8	60	2	3	5	8	13	19	35-49	1550	4.0	8	1	2	3	5	8	10
80-84	5622	7.3	46	2	3	6	9	14	17	50-69	5346	4.9	16	2	2	4	6	9	12
85+	5203	8.2	49	2	4	6	10	16	22	70+	646	5.5	23	1	2	4	7	10	18
SUBTOTAL	**30788**	**6.7**	**44**	**2**	**3**	**5**	**8**	**13**	**18**		**8501**	**4.7**	**20**	**1**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**30788**	**6.7**	**44**	**2**	**3**	**5**	**8**	**13**	**18**		**8501**	**4.7**	**20**	**1**	**2**	**4**	**6**	**9**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	128	2.6	2	1	2	2	3	6	6	0-17	116	4.0	6	1	1	5	6	7	7
18-34	140	3.7	9	1	1	3	5	7	11	18-34	240	2.3	1	1	1	2	3	4	5
35-49	204	5.9	17	2	3	4	9	13	14	35-49	342	5.5	24	1	2	4	7	14	18
50-69	812	6.8	30	2	3	5	9	15	18	50-69	987	5.6	26	2	3	4	6	12	15
70+	127	12.6	199	5	5	9	12	14	54	70+	292	8.2	22	3	5	7	10	17	18
SUBTOTAL	**1411**	**6.5**	**44**	**2**	**3**	**5**	**8**	**13**	**17**		**1978**	**5.5**	**24**	**1**	**2**	**4**	**7**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1411**	**6.5**	**44**	**2**	**3**	**5**	**8**	**13**	**17**		**1978**	**5.5**	**24**	**1**	**2**	**4**	**7**	**12**	**17**

DRG 139: Cardiac Arrhythmia & Conduction Disorders w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3606	3.2	7	1	1	3	4	6	8
70-74	3378	3.6	6	1	2	3	4	7	9
75-79	3362	4.2	12	1	2	3	5	7	9
80-84	2505	4.4	22	1	2	3	5	8	10
85 +	1961	5.2	17	2	3	4	6	10	15
SUBTOTAL	**14812**	**4.0**	**12**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**14812**	**4.0**	**12**	**1**	**2**	**3**	**5**	**7**	**9**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	541	3.6	16	1	1	2	4	8	13
18-34	1026	2.1	3	1	1	2	2	4	5
35-49	2949	2.4	4	1	1	2	3	5	7
50-69	6325	3.0	5	1	1	2	4	6	7
70 +	531	3.5	11	1	1	3	4	6	10
	11372	**2.8**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
	11372	**2.8**	**6**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	257	4.2	18	1	1	4	5	12	16
18-34	140	2.7	8	< 1	1	2	3	4	11
35-49	230	6.8	135	2	2	3	6	13	53
50-69	406	4.6	9	2	2	3	6	9	11
70 +	77	4.5	2	2	3	5	6	6	6
SUBTOTAL	**1111**	**4.7**	**38**	**1**	**2**	**3**	**5**	**9**	**13**
GRAND TOTAL	**1111**	**4.7**	**38**	**1**	**2**	**3**	**5**	**9**	**13**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	206	3.6	14	< 1	1	3	4	6	17
18-34	365	2.6	4	< 1	1	2	3	6	6
35-49	506	2.8	3	1	2	3	3	5	6
50-69	1147	3.0	4	1	2	2	4	6	7
70 +	217	4.8	21	1	2	3	5	10	21
	2440	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**7**
	2440	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 140: Angina Pectoris

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7925	5.1	15	2	3	4	6	9	12
70-74	6961	5.4	19	2	3	4	7	10	12
75-79	6949	5.3	16	2	3	4	7	10	12
80-84	6543	5.6	20	2	3	4	7	10	12
85 +	5397	6.2	20	2	3	5	8	11	15
SUBTOTAL	**33775**	**5.5**	**18**	**2**	**3**	**4**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6972	3.6	5	1	2	3	5	6	8
70-74	6544	3.7	5	1	2	3	5	6	8
75-79	5874	4.0	6	2	2	3	5	7	9
80-84	4617	4.4	8	2	3	4	5	8	9
85 +	3037	4.8	11	2	3	4	6	9	11
SUBTOTAL	**27044**	**4.0**	**7**	**2**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**60819**	**4.8**	**14**	**2**	**3**	**4**	**6**	**9**	**11**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	25	2.5							
35-49	1120	4.2	10	1	2	3	5	9	13
50-69	4677	4.5	12	2	2	4	6	8	11
70 +	403	6.4	41	2	3	4	6	11	23
	6225	**4.6**	**14**	**2**	**2**	**4**	**6**	**8**	**11**
0-17	0								
18-34	139	3.1	5	1	2	2	4	6	9
35-49	3008	2.7	3	1	1	2	3	5	5
50-69	10466	3.4	14	1	2	3	4	6	7
70 +	668	4.3	7	1	3	4	5	8	9
	14282	**3.3**	**11**	**1**	**2**	**3**	**4**	**6**	**7**
	20506	**3.7**	**12**	**1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	39	7.3	15						
35-49	319	4.7	8	2	2	4	6	8	10
50-69	1660	5.7	62	2	2	4	6	10	13
70 +	166	8.6	32	4	5	7	11	11	26
SUBTOTAL	**2183**	**5.8**	**52**	**2**	**3**	**4**	**7**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	37	1.7							
35-49	505	3.5	5	1	2	3	5	6	8
50-69	1122	4.1	5	2	3	4	5	7	8
70 +	231	4.3	4	2	3	4	5	8	9
SUBTOTAL	**1895**	**4.0**	**5**	**2**	**2**	**4**	**5**	**7**	**8**
GRAND TOTAL	**4078**	**4.9**	**31**	**2**	**2**	**4**	**6**	**9**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	25	4.5	7						
35-49	254	4.4	6	2	3	4	6	9	9
50-69	1190	5.5	29	2	3	4	7	9	12
70 +	367	5.9	14	2	4	5	7	9	14
	1836	**5.4**	**23**	**2**	**3**	**5**	**7**	**9**	**11**
0-17	0								
18-34	102	2.5	4	1	1	2	4	7	7
35-49	971	3.5	4	1	2	3	5	6	7
50-69	2565	3.8	7	1	2	3	5	7	8
70 +	444	4.6	13	2	2	3	5	9	14
	4082	**3.8**	**7**	**1**	**2**	**3**	**5**	**7**	**8**
	5918	**4.3**	**12**	**1**	**2**	**4**	**5**	**8**	**9**

DRG 141: Syncope & Collapse w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2564	4.7	10	1	2	4	6	9	10	0-17	127	2.3	3	< 1	1	2	3	6	7
70-74	3046	5.6	26	2	3	4	6	11	17	18-34	267	5.3	62	1	2	2	5	12	17
75-79	3801	6.1	31	2	3	5	7	11	16	35-49	581	3.9	10	1	2	3	5	8	11
80-84	3617	7.0	42	2	3	5	9	13	20	50-69	2090	4.5	12	2	2	4	6	8	11
85 +	4136	8.3	88	2	4	6	10	18	24	70 +	267	7.1	112	2	2	5	8	10	21
SUBTOTAL	**17164**	**6.5**	**44**	**2**	**3**	**5**	**8**	**13**	**19**		**3332**	**4.6**	**24**	**1**	**2**	**3**	**6**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**17164**	**6.5**	**44**	**2**	**3**	**5**	**8**	**13**	**19**		**3332**	**4.6**	**24**	**1**	**2**	**3**	**6**	**8**	**12**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	90	2.6	3	1	1	2	5	5	5	0-17	103	4.4	16	1	1	3	7	12	12
18-34	25	3.5								18-34	128	2.9	2	1	2	3	3	5	5
35-49	140	5.7	31	2	2	4	7	8	22	35-49	254	4.7	20	1	2	3	6	15	17
50-69	279	4.3	5	2	3	4	5	8	9	50-69	417	4.8	12	1	2	3	6	10	12
70 +	128	8.1	37	3	4	5	12	21	23	70 +	243	7.8	28	2	4	5	11	17	18
SUBTOTAL	**662**	**5.0**	**19**	**2**	**2**	**4**	**5**	**9**	**13**		**1144**	**5.2**	**19**	**1**	**2**	**3**	**6**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**662**	**5.0**	**19**	**2**	**2**	**4**	**5**	**9**	**13**		**1144**	**5.2**	**19**	**1**	**2**	**3**	**6**	**12**	**15**

DRG 142: Syncope & Collapse w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1785	3.6	10	1	2	3	5	6	7	0-17	397	2.1	1	1	1	2	3	4	4
70-74	2178	3.8	16	1	2	3	5	7	9	18-34	722	2.7	3	1	1	2	4	5	6
75-79	2343	4.7	31	1	2	4	5	8	10	35-49	1300	2.6	4	1	1	2	3	5	5
80-84	1868	5.0	44	1	2	3	6	9	12	50-69	2818	2.8	5	1	1	2	4	5	6
85+	2110	5.3	78	1	2	3	5	8	14	70+	278	3.2	4	1	2	3	4	6	6
SUBTOTAL	**10284**	**4.5**	**37**	**1**	**2**	**3**	**5**	**7**	**10**		**5515**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**10284**	**4.5**	**37**	**1**	**2**	**3**	**5**	**7**	**10**		**5515**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	115	3.2	5	1	2	2	5	8	8	0-17	102	1.5	1	<1	1	1	2	3	3
18-34	128	4.0	3	2	3	5	5	6	7	18-34	230	2.8	3	1	1	2	4	6	7
35-49	139	3.9	5	2	2	4	5	6	9	35-49	166	3.2	6	1	1	3	4	6	10
50-69	166	5.9	17	2	3	5	7	10	18	50-69	708	3.2	4	1	2	3	4	6	8
70+	64	7.0	44							70+	282	5.2	28	1	2	4	6	11	12
SUBTOTAL	**612**	**4.7**	**13**	**2**	**2**	**4**	**5**	**8**	**10**		**1487**	**3.4**	**9**	**1**	**1**	**3**	**4**	**7**	**9**
GRAND TOTAL	**612**	**4.7**	**13**	**2**	**2**	**4**	**5**	**8**	**10**		**1487**	**3.4**	**9**	**1**	**1**	**3**	**4**	**7**	**9**

DRG 143: Chest Pain

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4243	4.1	10	1	2	3	5	7	10	0-17	26	2.0	1						
70-74	2645	3.9	9	2	2	3	4	7	9	18-34	442	2.7	2	1	1	2	4	5	6
75-79	2294	3.9	7	2	2	3	5	6	8	35-49	3032	3.0	4	1	2	3	4	5	7
80-84	1703	5.2	56	2	2	4	5	9	11	50-69	4360	3.4	16	1	2	3	4	6	7
85 +	1125	5.0	98	1	2	3	5	7	10	70 +	214	3.3	2	2	2	3	4	6	7
SUBTOTAL	**12010**	**4.2**	**24**	**2**	**2**	**3**	**5**	**7**	**10**		**8075**	**3.2**		**1**	**2**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5363	2.9	6	1	2	2	4	5	6	0-17	102	1.5	1	< 1	< 1	1	1	4	4
70-74	3556	3.0	5	1	2	2	4	6	7	18-34	1742	2.4	5	1	1	2	3	4	6
75-79	2760	3.1	4	1	2	3	4	6	8	35-49	11485	2.3	3	1	1	2	3	4	5
80-84	1552	3.0	4	1	2	3	4	5	7	50-69	13893	2.5	2	1	1	2	3	4	5
85 +	1040	2.9	3	1	2	2	3	5	7	70 +	314	3.1	3	1	2	3	4	5	6
SUBTOTAL	**14271**	**3.0**	**5**	**1**	**2**	**2**	**4**	**5**	**7**		**27536**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**26280**	**3.5**	**14**	**1**	**2**	**3**	**4**	**6**	**8**		**35610**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	3.0	2							0-17	0								
18-34	266	3.7	9	1	1	2	6	8	9	18-34	253	2.3	4	1	1	1	3	5	8
35-49	492	2.8	4	< 1	1	2	4	6	7	35-49	832	3.9	6	1	2	3	5	7	10
50-69	883	3.4	6	1	2	3	4	7	8	50-69	1048	4.3	10	2	2	4	5	8	9
70 +	75	5.7	20	2	3	4	6	15	15	70 +	114	3.8	7	< 1	1	4	5	9	9
SUBTOTAL	**1755**	**3.4**	**7**	**1**	**2**	**3**	**4**	**7**	**9**		**2246**	**3.9**	**8**	**1**	**2**	**3**	**5**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	13	1.0								0-17	0								
18-34	265	2.4	3	1	1	2	3	5	6	18-34	758	2.5	3	1	1	2	3	5	6
35-49	1009	2.8	4	1	2	2	4	6	7	35-49	3351	2.5	3	1	1	2	3	4	6
50-69	848	4.1	11	2	2	3	4	8	10	50-69	3139	2.9	4	1	2	2	4	5	6
70 +	39	3.7								70 +	252	4.1	7	2	2	3	6	8	11
SUBTOTAL	**2175**	**3.3**	**7**	**1**	**2**	**3**	**4**	**6**	**8**		**7500**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**3929**	**3.3**	**7**	**1**	**2**	**3**	**4**	**7**	**8**		**9746**	**3.0**	**5**	**1**	**2**	**2**	**4**	**6**	**7**

DRG 144: Other Circulatory System Diagnoses w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4055	7.9	76	1	3	6	9	16	21
70-74	1924	8.1	43	2	4	6	10	16	21
75-79	1705	8.0	40	2	4	6	11	16	22
80-84	1213	7.9	29	2	4	6	10	16	19
85 +	821	13.3	245	2	5	8	12	42	61
SUBTOTAL	**9719**	**8.4**	**74**	**2**	**3**	**6**	**10**	**16**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9719**	**8.4**	**74**	**2**	**3**	**6**	**10**	**16**	**22**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1764	7.9	57	1	3	5	10	17	21
18-34	653	8.2	141	1	2	5	9	15	39
35-49	1148	7.6	45	2	3	6	9	19	21
50-69	2705	7.3	38	2	3	5	9	16	20
70 +	100	4.7	8	1	3	4	7	10	10
	6370	**7.6**	**55**	**1**	**3**	**5**	**9**	**17**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6370	**7.6**	**55**	**1**	**3**	**5**	**9**	**17**	**21**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1018	9.1	72	2	3	7	12	21	31
18-34	308	15.1	146	3	6	12	22	36	36
35-49	318	9.9	60	3	4	8	13	16	31
50-69	395	7.5	49	2	4	5	9	13	30
70 +	51	7.7	5						
SUBTOTAL	**2090**	**9.8**	**81**	**2**	**4**	**7**	**12**	**22**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2090**	**9.8**	**81**	**2**	**4**	**7**	**12**	**22**	**32**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	361	9.4	44	3	5	9	12	20	21
18-34	141	8.6	123	1	1	4	7	31	32
35-49	240	9.8	130	1	4	7	9	19	54
50-69	456	6.7	26	2	3	6	8	13	14
70 +	75	7.0	75	1	2	4	6	26	26
	1273	**8.3**	**66**	**2**	**3**	**7**	**9**	**15**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1273	**8.3**	**66**	**2**	**3**	**7**	**9**	**15**	**29**

DRG 145: Other Circulatory System Diagnoses w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	529	3.7	6	1	2	3	6	7	8
70-74	469	3.9	9	1	2	3	5	7	10
75-79	242	4.2	8	2	2	3	5	11	11
80-84	240	5.1	7	2	3	5	7	10	12
85 +	87	8.7	23	1	3	9	13	15	15
SUBTOTAL	**1567**	**4.3**	**10**	**1**	**2**	**3**	**6**	**8**	**11**
GRAND TOTAL	**1567**	**4.3**	**10**	**1**	**2**	**3**	**6**	**8**	**11**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	654	3.3	8	1	1	2	4	6	9
18-34	517	3.5	10	1	2	2	5	6	10
35-49	885	3.6	10	1	1	3	5	7	10
50-69	1231	3.6	10	1	2	3	5	6	7
70 +	88	4.8	27	1	2	3	4	17	17
	3375	**3.6**	**10**	**1**	**1**	**3**	**5**	**7**	**9**
	3375	**3.6**	**10**	**1**	**1**	**3**	**5**	**7**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	244	3.7	15	< 1	1	2	6	11	15
18-34	102	2.6	4	1	1	1	4	6	6
35-49	38	7.3	23						
50-69	140	8.4	16	3	5	9	13	13	13
70 +	0								
SUBTOTAL	**523**	**5.0**	**19**	**1**	**1**	**3**	**7**	**13**	**13**
GRAND TOTAL	**523**	**5.0**	**19**	**1**	**1**	**3**	**7**	**13**	**13**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	168	2.5	2	< 1	1	2	3	4	5
18-34	164	2.0	1	1	1	2	2	3	4
35-49	252	3.5	7	1	2	3	5	6	11
50-69	241	5.3	8	2	3	5	8	10	11
70 +	13	1.0							
	837	**3.5**	**6**	**1**	**2**	**3**	**5**	**6**	**9**
	837	**3.5**	**6**	**1**	**2**	**3**	**5**	**6**	**9**

DRG 146: Rectal Resection w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	511	12.0	28	8	9	10	12	20	26	0-17	90	6.4	2	5	5	6	7	9	9
70-74	522	14.8	92	8	10	12	13	23	41	18-34	38	16.5	137						
75-79	395	14.1	45	7	10	13	16	25	29	35-49	167	11.2	6	9	10	10	12	16	16
80-84	482	16.3	56	7	10	15	23	26	30	50-69	589	12.8	29	8	9	11	15	20	22
85 +	177	12.7	98	3	8	9	16	20	43	70 +	64	13.2	19						
SUBTOTAL	**2086**	**14.1**	**62**	**7**	**9**	**12**	**17**	**25**	**29**		**949**	**12.1**	**30**	**7**	**9**	**11**	**14**	**20**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2086**	**14.1**	**62**	**7**	**9**	**12**	**17**	**25**	**29**		**949**	**12.1**	**30**	**7**	**9**	**11**	**14**	**20**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	64	9.2	1							0-17	39	23.3	102						
18-34	13	24.0								18-34	38	15.7	25						
35-49	38	11.0	1							35-49	26	12.5	2						
50-69	51	17.9	35							50-69	217	11.8	15	9	9	10	13	17	24
70 +	0									70 +	25	15.1	37						
SUBTOTAL	**167**	**13.4**	**34**	**8**	**10**	**11**	**14**	**24**	**26**		**345**	**13.8**	**39**	**9**	**10**	**11**	**15**	**24**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**167**	**13.4**	**34**	**8**	**10**	**11**	**14**	**24**	**26**		**345**	**13.8**	**39**	**9**	**10**	**11**	**15**	**24**	**26**

DRG 147: Rectal Resection w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	178	8.8	12	3	6	10	12	13	13
70-74	164	8.5	5	7	7	8	10	11	13
75-79	115	10.3	15	7	9	9	10	21	21
80-84	63	11.3	37						
85 +	38	6.0	9						
SUBTOTAL	**558**	**9.1**	**15**	**5**	**7**	**9**	**10**	**13**	**13**
GRAND TOTAL	**558**	**9.1**	**15**	**5**	**7**	**9**	**10**	**13**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	219	7.9	4	5	8	8	9	10	13
18-34	26	10.5	2						
35-49	76	8.5	3	6	7	9	10	11	11
50-69	318	9.7	5	7	8	10	11	13	14
70 +	0								
	639	**9.0**	**5**	**6**	**8**	**9**	**10**	**12**	**13**
	639	**9.0**	**5**	**6**	**8**	**9**	**10**	**12**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	142	8.6	8	6	7	8	11	11	14
18-34	13	13.0							
35-49	25	9.5	2						
50-69	12	9.0							
70 +	0								
SUBTOTAL	**192**	**9.1**	**7**	**6**	**8**	**9**	**11**	**13**	**14**
GRAND TOTAL	**192**	**9.1**	**7**	**6**	**8**	**9**	**11**	**13**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	52	8.3							
18-34	0								
35-49	0								
50-69	25	9.9	17						
70 +	0								
	77	**8.8**	**6**	**6**	**8**	**8**	**9**	**14**	**14**
	77	**8.8**	**6**	**6**	**8**	**8**	**9**	**14**	**14**

DRG 148: Major Small & Large Bowel Procedures w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6836	15.7	119	8	9	12	19	29	38	0-17	1209	15.4	220	5	7	10	22	33	67
70-74	6953	16.1	128	8	9	12	18	31	40	18-34	1658	13.3	103	6	7	10	16	25	30
75-79	6528	17.2	142	8	10	13	20	32	43	35-49	3150	14.0	117	7	8	11	15	23	33
80-84	4961	17.8	101	9	11	15	21	33	41	50-69	8484	13.7	76	7	9	11	16	24	32
85 +	3572	20.3	148	9	12	17	25	34	46	70 +	493	19.0	225	8	11	13	20	41	65
SUBTOTAL	**28850**	**17.1**	**129**	**8**	**10**	**13**	**20**	**32**	**41**		**14994**	**14.0**	**105**	**7**	**9**	**11**	**16**	**25**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**28850**	**17.1**	**129**	**8**	**10**	**13**	**20**	**32**	**41**		**14994**	**14.0**	**105**	**7**	**9**	**11**	**16**	**25**	**33**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	464	17.8	308	4	7	11	24	38	93	0-17	284	22.8	394	6	9	13	46	66	67
18-34	293	16.3	135	7	9	11	19	30	41	18-34	446	10.4	28	6	7	9	11	16	22
35-49	293	17.0	112	8	12	14	18	29	41	35-49	697	11.8	46	6	8	9	16	21	23
50-69	624	18.9	204	8	11	15	21	36	38	50-69	1556	15.2	52	7	10	13	20	24	29
70 +	77	19.8	127	6	11	25	27	38	38	70 +	307	23.9	323	11	15	20	26	39	42
SUBTOTAL	**1751**	**17.9**	**202**	**7**	**9**	**14**	**22**	**37**	**41**		**3291**	**15.3**	**120**	**7**	**9**	**12**	**19**	**26**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1751**	**17.9**	**202**	**7**	**9**	**14**	**22**	**37**	**41**		**3291**	**15.3**	**120**	**7**	**9**	**12**	**19**	**26**	**36**

DRG 149: Major Small & Large Bowel Procedures w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1581	9.1	19	6	7	8	10	12	14
70-74	1431	9.8	20	6	8	9	11	14	18
75-79	1178	9.3	13	6	7	8	10	14	16
80-84	797	11.5	52	7	8	9	13	16	22
85 +	329	11.4	25	6	8	10	14	19	21
SUBTOTAL	**5316**	**9.8**	**24**	**6**	**7**	**9**	**11**	**14**	**17**
GRAND TOTAL	**5316**	**9.8**	**24**	**6**	**7**	**9**	**11**	**14**	**17**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	990	7.1	15	3	5	6	9	11	13
18-34	1260	8.0	18	3	6	8	9	13	14
35-49	1686	8.6	12	5	7	8	10	13	15
50-69	3083	8.9	8	6	7	8	10	13	14
70 +	77	12.4	107	5	7	9	10	35	35
	7096	**8.5**	**13**	**5**	**6**	**8**	**10**	**13**	**14**
	7096	**8.5**	**13**	**5**	**6**	**8**	**10**	**13**	**14**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	413	8.4	57	3	4	6	9	12	25
18-34	280	8.2	22	2	5	8	10	16	16
35-49	115	8.0	7	4	7	8	9	14	14
50-69	113	6.4	8	3	3	7	8	11	11
70 +	25	11.5	2						
SUBTOTAL	**946**	**8.2**	**34**	**3**	**5**	**8**	**10**	**13**	**16**
GRAND TOTAL	**946**	**8.2**	**34**	**3**	**5**	**8**	**10**	**13**	**16**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	348	8.1	31	4	5	6	11	16	22
18-34	226	6.0	6	2	5	6	8	9	10
35-49	213	8.7	9	5	7	8	11	13	16
50-69	289	7.8	7	5	6	8	9	12	13
70 +	51	20.3	273						
	1126	**8.3**	**34**	**4**	**5**	**7**	**10**	**12**	**16**
	1126	**8.3**	**34**	**4**	**5**	**7**	**10**	**12**	**16**

DRG 150: Peritoneal Adhesiolysis w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	879	13.2	96	5	7	9	17	28	38
70-74	910	11.9	59	5	7	11	14	21	29
75-79	1081	17.5	141	7	9	14	22	34	45
80-84	772	15.1	132	6	9	12	17	23	28
85 +	407	17.7	137	8	10	15	21	26	44
SUBTOTAL	**4048**	**14.9**	**116**	**6**	**8**	**12**	**19**	**27**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4048**	**14.9**	**116**	**6**	**8**	**12**	**19**	**27**	**39**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	270	9.8	32	5	5	7	15	16	18
18-34	368	9.1	35	4	5	8	11	19	23
35-49	739	11.3	45	4	6	10	15	23	25
50-69	1070	12.7	37	6	8	12	16	20	22
70 +	51	14.7	266						
	2499	**11.5**	**45**	**4**	**6**	**10**	**15**	**20**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2499	**11.5**	**45**	**4**	**6**	**10**	**15**	**20**	**25**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	103	7.3	15	1	4	7	10	13	13
18-34	39	15.7	256						
35-49	127	16.5	378	6	7	9	18	66	72
50-69	166	12.7	238	4	7	9	10	12	65
70 +	39	12.7	4						
SUBTOTAL	**473**	**12.8**	**219**	**4**	**7**	**9**	**12**	**21**	**65**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**473**	**12.8**	**219**	**4**	**7**	**9**	**12**	**21**	**65**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	9.8	7						
18-34	63	8.6	7						
35-49	152	11.8	97	4	7	8	12	25	39
50-69	153	11.5	23	9	10	11	12	14	25
70 +	51	14.0	8						
	484	**11.3**	**42**	**5**	**8**	**10**	**13**	**17**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	484	**11.3**	**42**	**5**	**8**	**10**	**13**	**17**	**25**

DRG 151: Peritoneal Adhesiolysis w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**		-								**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	497	6.7	8	4	5	6	8	10	12	0-17	205	8.7	25	5	5	7	11	20	21
70-74	253	9.6	13	5	7	10	11	15	17	18-34	784	6.0	23	1	3	4	7	13	18
75-79	128	6.4	13	1	5	6	10	11	12	35-49	1294	6.0	13	2	3	5	8	10	12
80-84	153	8.1	9	4	7	8	9	11	14	50-69	953	7.9	34	1	4	7	10	15	20
85 +	139	10.1	15	6	8	10	13	14	19	70 +	13	3.0							
SUBTOTAL	**1170**	**7.9**	**13**	**4**	**5**	**7**	**10**	**12**	**14**		**3248**	**6.7**	**23**	**2**	**3**	**6**	**8**	**13**	**17**
GRAND TOTAL	**1170**	**7.9**	**13**	**4**	**5**	**7**	**10**	**12**	**14**		**3248**	**6.7**	**23**	**2**	**3**	**6**	**8**	**13**	**17**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	103	7.8	3	6	7	7	9	12	12	0-17	102	5.9	3	3	5	6	7	9	9
18-34	152	9.0	128	3	4	5	9	11	45	18-34	226	4.8	6	1	2	5	7	8	8
35-49	102	4.6	7	2	3	4	6	11	11	35-49	89	6.6	3	4	5	6	9	9	9
50-69	114	8.7	62	3	4	6	9	30	30	50-69	51	7.2	6						
70 +	0									70 +	0								
SUBTOTAL	**471**	**7.7**	**61**	**3**	**4**	**6**	**9**	**11**	**30**		**468**	**5.7**	**5**	**2**	**5**	**6**	**7**	**9**	**9**
GRAND TOTAL	**471**	**7.7**	**61**	**3**	**4**	**6**	**9**	**11**	**30**		**468**	**5.7**	**5**	**2**	**5**	**6**	**7**	**9**	**9**

DRG 152: Minor Small & Large Bowel Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	314	9.4	29	4	6	9	12	20	27
70-74	255	10.3	22	6	7	9	13	20	21
75-79	343	10.2	33	6	7	9	11	15	17
80-84	241	16.2	228	4	9	12	17	55	61
85 +	126	7.5	7	4	6	8	8	10	14
SUBTOTAL	**1279**	**10.9**	**71**	**5**	**7**	**9**	**12**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1279**	**10.9**	**71**	**5**	**7**	**9**	**12**	**17**	**21**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	193	12.9	321	5	6	8	13	19	78
18-34	77	8.8	22	2	4	9	12	16	16
35-49	205	7.8	23	1	3	8	10	17	17
50-69	329	8.2	42	2	5	7	10	24	31
70 +	12	37.0							
	818	**9.7**	**116**	**2**	**5**	**8**	**10**	**17**	**31**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	818	**9.7**	**116**	**2**	**5**	**8**	**10**	**17**	**31**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	155	16.1	271	5	6	10	16	32	65
18-34	13	8.0							
35-49	26	4.0	4						
50-69	13	9.0							
70 +	0								
SUBTOTAL	**206**	**13.6**	**223**	**5**	**6**	**8**	**14**	**32**	**65**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**206**	**13.6**	**223**	**5**	**6**	**8**	**14**	**32**	**65**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	103	9.4	15	5	7	8	11	18	18
18-34	38	7.4	2						
35-49	52	12.5	19						
50-69	51	4.2	12						
70 +	0								
	243	**8.6**	**21**	**2**	**6**	**8**	**10**	**18**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	243	**8.6**	**21**	**2**	**6**	**8**	**10**	**18**	**18**

DRG 153: Minor Small & Large Bowel Procedures w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	215	6.6	7	4	5	6	8	10	14
70-74	178	6.9	5	4	5	6	9	10	12
75-79	139	6.9	7	5	5	7	10	10	10
80-84	89	5.8	9	1	3	8	8	9	9
85 +	37	5.0	2						
SUBTOTAL	**658**	**6.6**	**7**	**4**	**5**	**6**	**8**	**10**	**10**
GRAND TOTAL	**658**	**6.6**	**7**	**4**	**5**	**6**	**8**	**10**	**10**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	335	5.3	5	2	4	5	7	7	9
18-34	167	7.2	21	3	6	7	7	10	21
35-49	305	4.9	7	2	2	5	7	8	10
50-69	471	6.5	7	4	5	6	8	10	11
70 +	0								
	1278	**5.9**	**9**	**2**	**4**	**6**	**7**	**10**	**10**
	1278	**5.9**	**9**	**2**	**4**	**6**	**7**	**10**	**10**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	206	9.1	70	4	5	7	8	15	39
18-34	140	6.4	5	4	5	7	8	9	9
35-49	0								
50-69	26	10.0							
70 +	0								
SUBTOTAL	**373**	**8.2**	**42**	**4**	**6**	**7**	**8**	**13**	**15**
GRAND TOTAL	**373**	**8.2**	**42**	**4**	**6**	**7**	**8**	**13**	**15**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	77	9.0	46	2	5	7	10	23	23
18-34	64	7.4	7						
35-49	64	4.6	4						
50-69	76	6.3	2	5	5	6	8	8	8
70 +	12	9.0							
	295	**7.0**	**17**	**3**	**5**	**6**	**9**	**10**	**10**
	295	**7.0**	**17**	**3**	**5**	**6**	**9**	**10**	**10**

DRG 154: Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2086	18.0	163	7	9	14	23	33	41	0-17	0								
70-74	1477	19.5	226	7	10	15	23	43	53	18-34	166	11.1	18	5	8	11	13	18	19
75-79	1459	18.0	149	7	9	15	23	32	41	35-49	996	14.8	82	7	9	12	17	31	38
80-84	1218	21.9	198	9	12	18	29	39	61	50-69	2332	13.5	59	7	8	11	16	25	30
85 +	725	26.8	271	10	13	22	36	53	58	70 +	203	15.3	52	8	9	14	19	27	31
SUBTOTAL	**6965**	**19.9**	**198**	**8**	**10**	**16**	**25**	**38**	**52**		**3697**	**13.9**	**64**	**7**	**8**	**12**	**17**	**25**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**6965**	**19.9**	**198**	**8**	**10**	**16**	**25**	**38**	**52**		**3697**	**13.9**	**64**	**7**	**8**	**12**	**17**	**25**	**31**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	77	12.5	28	2	10	14	17	17	17	18-34	89	9.0	2	7	8	9	10	11	11
35-49	343	14.3	91	2	7	13	24	33	35	35-49	203	12.7	121	4	7	9	14	33	46
50-69	228	20.8	325	4	8	13	28	56	67	50-69	355	16.0	177	4	10	14	17	23	32
70 +	39	41.7	21							70 +	89	22.5	347	8	8	15	32	63	63
SUBTOTAL	**687**	**17.8**	**202**	**4**	**8**	**13**	**26**	**39**	**56**		**738**	**15.0**	**173**	**6**	**8**	**11**	**16**	**32**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**687**	**17.8**	**202**	**4**	**8**	**13**	**26**	**39**	**56**		**738**	**15.0**	**173**	**6**	**8**	**11**	**16**	**32**	**46**

DRG 155: Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	341	10.6	55	2	6	9	14	19	27	0-17	0								
70-74	189	7.9	9	2	7	8	10	12	13	18-34	330	6.4	4	4	5	6	8	9	9
75-79	164	9.8	20	6	7	8	10	18	20	35-49	491	7.7	12	4	5	7	8	14	16
80-84	165	8.7	17	3	6	8	11	14	16	50-69	560	8.7	22	5	6	7	10	16	19
85 +	152	12.5	53	5	6	11	14	19	31	70 +	50	7.7	1						
SUBTOTAL	**1012**	**9.9**	**36**	**3**	**6**	**9**	**12**	**18**	**19**		**1431**	**7.8**	**14**	**4**	**5**	**7**	**9**	**12**	**17**
GRAND TOTAL	**1012**	**9.9**	**36**	**3**	**6**	**9**	**12**	**18**	**19**		**1431**	**7.8**	**14**	**4**	**5**	**7**	**9**	**12**	**17**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	102	9.0	15	5	7	8	10	18	18	18-34	88	5.6	1	4	4	6	7	7	7
35-49	114	11.9	92	< 1	5	12	15	34	34	35-49	100	7.5	30	< 1	1	6	12	16	16
50-69	13	11.0								50-69	88	7.8	12	4	5	7	10	15	15
70 +	0									70 +	0								
SUBTOTAL	**229**	**10.6**	**54**	**< 1**	**6**	**10**	**12**	**18**	**34**		**276**	**7.0**	**16**	**4**	**4**	**6**	**7**	**14**	**15**
GRAND TOTAL	**229**	**10.6**	**54**	**< 1**	**6**	**10**	**12**	**18**	**34**		**276**	**7.0**	**16**	**4**	**4**	**6**	**7**	**14**	**15**

DRG 156: Stomach, Esophageal & Duodenal Procedures Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	26	28.0	234							0-17	1055	10.1	152	3	3	6	11	22	36
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**26**	**28.0**	**234**								**1055**	**10.1**	**152**	**3**	**3**	**6**	**11**	**22**	**36**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	2404	5.2	74	2	2	3	4	9	15
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**2404**	**5.2**	**74**	**2**	**2**	**3**	**4**	**9**	**15**
GRAND TOTAL	**26**	**28.0**	**234**								**3459**	**6.7**	**103**	**2**	**3**	**3**	**6**	**15**	**20**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	733	13.5	186	3	5	8	17	27	45	0-17	284	19.3	365	3	5	8	31	59	63
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**733**	**13.5**	**186**	**3**	**5**	**8**	**17**	**27**	**45**		**284**	**19.3**	**365**	**3**	**5**	**8**	**31**	**59**	**63**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	898	4.9	30	2	3	3	5	10	11	0-17	913	4.9	19	2	3	3	6	11	15
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**898**	**4.9**	**30**	**2**	**3**	**3**	**5**	**10**	**11**		**913**	**4.9**	**19**	**2**	**3**	**3**	**6**	**11**	**15**
GRAND TOTAL	**1631**	**8.7**	**118**	**2**	**3**	**5**	**10**	**20**	**27**		**1197**	**8.3**	**138**	**2**	**3**	**4**	**8**	**22**	**47**

DRG 157: Anal & Stomal Procedures w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	916	5.2	29	1	2	4	6	11	18
70-74	773	7.0	68	1	2	5	8	14	19
75-79	555	6.8	33	2	3	5	7	16	20
80-84	369	7.9	58	2	3	5	8	23	26
85 +	344	7.5	32	1	3	6	10	15	21
SUBTOTAL	**2957**	**6.6**	**45**	**1**	**3**	**5**	**8**	**14**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2957**	**6.6**	**45**	**1**	**3**	**5**	**8**	**14**	**21**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	348	6.2	22	1	3	5	8	14	16
18-34	691	4.2	33	1	1	2	5	9	14
35-49	1280	4.1	15	1	1	3	5	8	13
50-69	1431	4.3	18	1	2	3	5	8	13
70 +	13	4.0							
	3762	**4.4**	**21**	**1**	**2**	**3**	**5**	**9**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3762	**4.4**	**21**	**1**	**2**	**3**	**5**	**9**	**14**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	116	13.7	560	1	2	5	10	79	79
18-34	153	2.7	5	1	1	2	3	5	9
35-49	128	3.7	9	1	1	3	6	9	11
50-69	115	7.6	45	1	2	7	11	23	23
70 +	0								
SUBTOTAL	**512**	**6.5**	**158**	**1**	**1**	**3**	**7**	**11**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**512**	**6.5**	**158**	**1**	**1**	**3**	**7**	**11**	**21**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	5.4	3						
18-34	101	3.4	8	1	1	2	4	10	10
35-49	127	3.6	4	1	2	3	5	7	8
50-69	151	5.6	40	2	2	3	6	8	25
70 +	0								
	443	**4.5**	**18**	**1**	**2**	**3**	**6**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	443	**4.5**	**18**	**1**	**2**	**3**	**6**	**8**	**10**

DRG 158: Anal & Stomal Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1416	2.2	2	1	1	2	3	5	5
70-74	1084	2.2	3	1	1	2	3	5	6
75-79	853	2.6	5	1	1	2	3	6	8
80-84	254	3.8	21	1	1	2	4	8	18
85 +	241	3.7	12	1	2	3	4	7	17
SUBTOTAL	**3848**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**3848**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	695	4.2	12	1	2	4	5	9	10
18-34	3402	2.0	4	1	1	1	2	4	5
35-49	5282	1.8	2	1	1	1	2	3	5
50-69	3688	2.1	3	1	1	1	2	4	6
70 +	51	2.0	3						
	13118	**2.1**	**4**	**1**	**1**	**1**	**2**	**4**	**5**
	13118	**2.1**	**4**	**1**	**1**	**1**	**2**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	348	3.1	7	1	2	2	4	5	10
18-34	281	2.6	4	1	1	2	3	5	7
35-49	179	2.2	1	1	1	2	3	4	4
50-69	115	2.7	3	1	1	2	4	6	6
70 +	0								
SUBTOTAL	**923**	**2.7**	**5**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**923**	**2.7**	**5**	**1**	**1**	**2**	**4**	**5**	**7**

NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	206	4.8	6	2	3	5	6	8	10
18-34	610	2.7	3	1	1	2	3	6	6
35-49	696	2.3	2	1	1	2	3	5	5
50-69	265	2.0	2	1	1	2	2	4	5
70 +	25	7.5	44						
	1802	**2.7**	**4**	**1**	**1**	**2**	**4**	**6**	**6**
	1802	**2.7**	**4**	**1**	**1**	**2**	**4**	**6**	**6**

DRG 159: Hernia Procedures except Inguinal & Femoral Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1220	4.6	6	2	3	4	6	8	9
70-74	814	6.4	49	2	3	5	8	10	18
75-79	711	6.4	28	2	3	5	8	14	16
80-84	459	8.1	42	1	3	8	10	14	20
85 +	305	8.7	44	3	5	7	10	20	30
SUBTOTAL	**3509**	**6.2**	**30**	**2**	**3**	**5**	**8**	**11**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3509**	**6.2**	**30**	**2**	**3**	**5**	**8**	**11**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	89	3.0	5	1	1	3	5	7	7
35-49	548	5.3	25	2	3	5	6	8	13
50-69	957	5.6	9	2	3	5	8	10	11
70 +	63	11.9	170						
	1658	**5.6**	**22**	**2**	**3**	**5**	**7**	**10**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1658	**5.6**	**22**	**2**	**3**	**5**	**7**	**10**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	38	5.7	11						
35-49	240	4.5	8	1	3	3	6	10	11
50-69	242	6.6	28	2	3	5	8	18	19
70 +	13	5.0							
SUBTOTAL	**533**	**5.6**	**18**	**2**	**3**	**5**	**8**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**533**	**5.6**	**18**	**2**	**3**	**5**	**8**	**10**	**13**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	38	4.3	4						
35-49	113	4.9	4	2	3	5	6	8	8
50-69	215	4.4	5	1	3	4	6	7	9
70 +	38	6.1	21						
	404	**4.7**	**6**	**2**	**3**	**5**	**6**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	404	**4.7**	**6**	**2**	**3**	**5**	**6**	**7**	**9**

DRG 160: Hernia Procedures except Inguinal & Femoral Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1242	3.3	5	1	2	3	4	6	8	0-17	0								
70-74	648	4.0	6	2	2	3	5	7	9	18-34	855	2.4	3	1	1	2	3	5	7
75-79	675	3.6	6	1	2	3	5	7	8	35-49	2513	2.8	5	1	1	2	4	5	6
80-84	331	4.0	4	2	3	3	5	7	8	50-69	2184	3.1	4	1	2	3	4	5	7
85 +	140	5.4	23	2	2	3	6	10	19	70 +	52	4.3	12						
SUBTOTAL	**3035**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**8**		**5603**	**2.9**	**4**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**3035**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**8**		**5603**	**2.9**	**4**	**1**	**1**	**2**	**4**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	153	2.7	2	< 1	2	2	4	4	6	18-34	267	2.1	2	1	1	2	3	4	5
35-49	295	2.5	2	1	1	2	3	4	6	35-49	343	2.8	4	1	1	2	4	5	5
50-69	282	3.2	5	1	2	3	4	5	6	50-69	318	3.1	4	1	1	3	4	5	7
70 +	26	3.0	1							70 +	50	2.0	1						
SUBTOTAL	**756**	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**6**		**978**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**5**
GRAND TOTAL	**756**	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**6**		**978**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**5**

DRG 161: Inguinal & Femoral Hernia Procedures Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1208	3.7	20	1	1	2	4	7	13	0-17	0								
70-74	1370	3.7	13	1	1	3	4	9	10	18-34	153	2.7	3	1	1	2	5	6	6
75-79	1294	4.5	14	1	2	3	6	10	14	35-49	320	2.8	4	1	1	2	4	5	6
80-84	1433	5.1	38	1	2	4	7	9	13	50-69	1159	3.8	14	1	1	2	5	8	14
85 +	964	6.3	41	1	2	5	8	15	18	70 +	217	2.9	4	1	1	2	4	6	7
SUBTOTAL	**6267**	**4.6**	**25**	**1**	**2**	**3**	**6**	**10**	**14**		**1849**	**3.4**	**10**	**1**	**1**	**2**	**4**	**6**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**6267**	**4.6**	**25**	**1**	**2**	**3**	**6**	**10**	**14**		**1849**	**3.4**	**10**	**1**	**1**	**2**	**4**	**6**	**10**

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	25	2.0								18-34	64	2.6	5						
35-49	39	3.3	3							35-49	139	3.7	14	1	1	3	4	5	15
50-69	153	2.6	2	1	1	2	4	4	6	50-69	192	3.3	5	1	2	3	4	5	10
70 +	13	3.0								70 +	76	7.3	138	1	1	3	3	33	33
SUBTOTAL	**230**	**2.7**	**2**	**1**	**1**	**2**	**4**	**5**	**6**		**472**	**4.0**	**31**	**1**	**2**	**3**	**3**	**7**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**230**	**2.7**	**2**	**1**	**1**	**2**	**4**	**5**	**6**		**472**	**4.0**	**31**	**1**	**2**	**3**	**3**	**7**	**15**

DRG 162: Inguinal & Femoral Hernia Procedures Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2490	2.0	2	1	1	1	2	4	5
70-74	1844	2.0	2	1	1	1	3	4	6
75-79	1892	2.6	12	1	1	1	3	5	7
80-84	1197	2.7	4	1	1	2	4	5	6
85 +	687	3.3	11	1	1	2	4	6	11
SUBTOTAL	**8110**	**2.3**	**6**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**8110**	**2.3**	**6**	**1**	**1**	**2**	**3**	**5**	**6**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1664	1.5	1	< 1	1	1	2	3	3
35-49	2667	1.6	1	1	1	1	2	3	4
50-69	4552	1.7	4	1	1	1	2	3	4
70 +	318	2.3	3	1	1	1	3	4	6
	9202	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
	9202	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	89	1.9	1	1	1	1	3	4	4
35-49	141	1.8	1	1	1	1	3	4	4
50-69	179	1.6	1	1	1	1	2	3	4
70 +	39	5.3	23						
SUBTOTAL	**448**	**2.1**	**4**	**1**	**1**	**1**	**3**	**4**	**4**
GRAND TOTAL	**448**	**2.1**	**4**	**1**	**1**	**1**	**3**	**4**	**4**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	499	1.5	1	< 1	1	1	2	3	6
35-49	585	1.6	1	1	1	1	2	3	4
50-69	447	1.8	1	1	1	1	2	3	4
70 +	103	2.5	2	1	1	2	3	6	6
	1633	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
	1633	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 163: Hernia Procedures Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	618	4.1	41	1	1	2	5	10	15
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**618**	**4.1**	**41**	**1**	**1**	**2**	**5**	**10**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	25	1.0								0-17	5053	1.3	1	<1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**25**	**1.0**									**5053**	**1.3**	**1**	**<1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**25**	**1.0**									**5672**	**1.6**	**6**	**<1**	**1**	**1**	**1**	**2**	**4**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	541	5.2	135	1	1	2	2	18	45	0-17	205	3.2	15	1	1	1	4	13	13
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**541**	**5.2**	**135**	**1**	**1**	**2**	**2**	**18**	**45**		**205**	**3.2**	**15**	**1**	**1**	**1**	**4**	**13**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2843	1.5	1	<1	1	1	2	2	4	0-17	1926	1.7	11	<1	<1	1	1	3	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**2843**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**2**	**4**		**1926**	**1.7**	**11**	**<1**	**<1**	**1**	**1**	**3**	**3**
GRAND TOTAL	**3384**	**2.1**	**25**	**<1**	**1**	**1**	**2**	**3**	**4**		**2131**	**1.8**	**11**	**<1**	**1**	**1**	**1**	**3**	**5**

DRG 164: Appendectomy w/ Complicated Principal Diag w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	394	10.8	14	8	8	10	13	16	17
70-74	231	10.1	18	4	7	10	14	17	17
75-79	165	13.0	21	8	9	13	16	20	22
80-84	115	14.0	59	6	7	10	19	27	27
85 +	77	15.5	22	8	11	19	19	21	21
SUBTOTAL	**981**	**11.8**	**25**	**7**	**8**	**11**	**15**	**19**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**981**	**11.8**	**25**	**7**	**8**	**11**	**15**	**19**	**21**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	851	9.9	24	5	7	9	12	16	19
18-34	559	9.7	34	5	7	9	11	15	16
35-49	748	10.2	22	5	7	9	13	17	21
50-69	570	10.8	39	5	7	9	13	17	21
70 +	0								
	2729	**10.1**	**29**	**5**	**7**	**9**	**12**	**16**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2729	**10.1**	**29**	**5**	**7**	**9**	**12**	**16**	**21**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	166	10.9	13	7	8	11	13	16	17
18-34	38	25.9	759						
35-49	51	14.2	36						
50-69	52	19.0	353						
70 +	0								
SUBTOTAL	**307**	**14.7**	**191**	**6**	**7**	**11**	**15**	**22**	**51**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**307**	**14.7**	**191**	**6**	**7**	**11**	**15**	**22**	**51**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	294	12.5	71	4	7	10	16	21	26
18-34	189	9.8	20	6	6	8	12	19	20
35-49	241	8.7	9	5	6	9	11	13	14
50-69	100	8.8	16	5	6	8	10	18	18
70 +	0								
	824	**10.3**	**37**	**5**	**6**	**9**	**12**	**18**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	824	**10.3**	**37**	**5**	**6**	**9**	**12**	**18**	**21**

DRG 165: Appendectomy w/ Complicated Principal Diag w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	203	7.7	9	3	6	8	10	12	13
70-74	165	8.8	9	5	7	9	12	13	13
75-79	88	5.4	1	4	5	5	6	7	7
80-84	13	15.0							
85 +	12	17.0							
SUBTOTAL	**482**	**8.1**	**12**	**4**	**5**	**7**	**10**	**13**	**15**
GRAND TOTAL	**482**	**8.1**	**12**	**4**	**5**	**7**	**10**	**13**	**15**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2013	6.0	8	3	4	6	7	10	11
18-34	1268	6.0	7	3	4	6	8	9	11
35-49	1153	6.6	8	4	5	6	8	9	11
50-69	696	7.0	4	5	5	7	8	10	10
70 +	13	6.0							
	5142	**6.2**	**7**	**3**	**4**	**6**	**8**	**10**	**11**
	5142	**6.2**	**7**	**3**	**4**	**6**	**8**	**10**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	575	6.9	5	4	5	7	8	10	10
18-34	101	5.6	5	2	4	6	8	8	8
35-49	51	9.2	10						
50-69	38	8.4	2						
70 +	0								
SUBTOTAL	**764**	**6.9**	**6**	**4**	**5**	**7**	**8**	**10**	**10**
GRAND TOTAL	**764**	**6.9**	**6**	**4**	**5**	**7**	**8**	**10**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	790	6.7	9	3	4	6	9	10	12
18-34	682	6.3	12	3	4	6	8	10	15
35-49	267	6.5	5	4	5	7	8	9	10
50-69	102	6.2	10	1	5	7	8	11	11
70 +	13	34.0							
	1852	**6.7**	**15**	**3**	**4**	**6**	**9**	**10**	**12**
	1852	**6.7**	**15**	**3**	**4**	**6**	**9**	**10**	**12**

DRG 166: Appendectomy w/o Complicated Principal Diag w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	**TOTAL PATIENTS**	**AVG. STAY**	**VARI-ANCE**	**PERCENTILES**						**TYPE OF PATIENT**	**TOTAL PATIENTS**	**AVG. STAY**	**VARI-ANCE**	**PERCENTILES**					
				10TH	**25TH**	**50TH**	**75TH**	**90TH**	**95TH**					**10TH**	**25TH**	**50TH**	**75TH**	**90TH**	**95TH**
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	165	6.0	6	4	5	5	6	11	12	0-17	888	4.6	19	2	3	3	5	7	10
70-74	76	7.6	15	3	5	6	13	13	13	18-34	903	5.4	15	3	3	4	7	8	15
75-79	76	10.5	28	7	7	8	10	22	22	35-49	482	6.6	49	2	3	4	7	12	30
80-84	63	13.6	32							50-69	292	5.8	4	4	4	5	8	8	10
85 +	38	9.0	1							70 +	13	8.0							
SUBTOTAL	417	8.5	22	4	5	7	10	13	22		2578	5.4	22	2	3	4	6	9	12
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	417	8.5	22	4	5	7	10	13	22		2578	5.4	22	2	3	4	6	9	12

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	**TOTAL PATIENTS**	**AVG. STAY**	**VARI-ANCE**	**PERCENTILES**						**TYPE OF PATIENT**	**TOTAL PATIENTS**	**AVG. STAY**	**VARI-ANCE**	**PERCENTILES**					
				10TH	**25TH**	**50TH**	**75TH**	**90TH**	**95TH**					**10TH**	**25TH**	**50TH**	**75TH**	**90TH**	**95TH**
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	153	6.7	16	3	4	5	6	13	15	0-17	268	4.3	4	2	3	4	5	6	9
18-34	230	8.7	51	3	5	5	10	23	26	18-34	428	5.2	6	3	4	5	6	8	11
35-49	64	6.0	5							35-49	165	6.9	10	4	5	7	8	9	15
50-69	0									50-69	101	5.1	2	4	4	5	6	8	8
70 +	25	7.0	1							70 +	0								
SUBTOTAL	472	7.6	32	3	5	6	8	15	23		962	5.2	6	3	4	5	6	8	10
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	472	7.6	32	3	5	6	8	15	23		962	5.2	6	3	4	5	6	8	10

DRG 167: Appendectomy w/o Complicated Principal Diag w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	215	4.2	6	2	3	4	5	6	12
70-74	151	4.0	1	3	3	4	4	5	7
75-79	63	3.4	5						
80-84	25	5.0							
85 +	0								
SUBTOTAL	**453**	**4.1**	**4**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**453**	**4.1**	**4**	**2**	**3**	**4**	**5**	**6**	**7**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	7155	3.0	2	2	2	3	3	4	5
18-34	8508	3.2	2	2	2	3	4	5	5
35-49	3238	3.8	3	2	3	3	5	6	7
50-69	1166	3.9	3	2	3	4	5	6	7
70 +	0								
	20066	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
	20066	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1801	3.3	2	2	2	3	4	5	6
18-34	1135	3.2	2	2	2	3	4	5	6
35-49	102	3.9	1	3	3	4	4	6	6
50-69	76	4.0	4	< 1	2	4	6	6	6
70 +	0								
SUBTOTAL	**3114**	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**3114**	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**6**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1842	3.1	2	2	2	3	3	5	6
18-34	2941	3.1	2	2	2	3	4	5	6
35-49	568	3.8	2	2	3	3	5	6	7
50-69	127	3.7	3	2	2	3	5	7	7
70 +	0								
	5478	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
	5478	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**6**

DRG 168: Mouth Procedures w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	203	5.3	48	1	1	3	3	15	28	0-17	64	6.4	19						
70-74	115	5.7	83	< 1	1	1	2	29	29	18-34	64	4.4	2						
75-79	39	14.0	77							35-49	51	4.5	9						
80-84	64	3.0	7							50-69	89	3.6	5	< 1	1	3	5	8	8
85 +	38	3.7	4							70 +	0								
SUBTOTAL	**459**	**5.7**	**57**	**1**	**1**	**2**	**6**	**18**	**28**		**269**	**4.6**	**10**	**1**	**2**	**4**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**459**	**5.7**	**57**	**1**	**1**	**2**	**6**	**18**	**28**		**269**	**4.6**	**10**	**1**	**2**	**4**	**6**	**8**	**11**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	51	2.5	1							0-17	13	5.0							
18-34	64	8.4	18							18-34	37	1.7							
35-49	13	13.0								35-49	76	6.6	51	2	2	5	5	22	22
50-69	64	4.0	7							50-69	12	1.0							
70 +	0									70 +	0								
SUBTOTAL	**191**	**5.7**	**18**	**1**	**2**	**4**	**10**	**13**	**14**		**139**	**4.6**	**33**	**< 1**	**2**	**2**	**5**	**5**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**191**	**5.7**	**18**	**1**	**2**	**4**	**10**	**13**	**14**		**139**	**4.6**	**33**	**< 1**	**2**	**2**	**5**	**5**	**22**

DRG 169: Mouth Procedures w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	177	1.6	1	1	1	1	2	3	4
70-74	76	1.5	1	< 1	1	1	2	3	3
75-79	89	2.3	4	< 1	1	1	5	6	6
80-84	102	2.2	9	1	1	1	2	10	10
85 +	38	2.0	1						
SUBTOTAL	**482**	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**482**	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**6**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	733	1.9	3	1	1	1	2	4	5
18-34	448	2.8	5	1	1	2	4	7	9
35-49	279	1.8	2	< 1	1	1	2	4	6
50-69	331	1.6	1	1	1	1	2	2	3
70 +	0								
	1790	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**6**
	1790	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	231	2.1	3	< 1	1	1	3	5	6
18-34	12	4.0							
35-49	12	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**256**	**2.2**	**3**	**< 1**	**1**	**1**	**3**	**5**	**6**
GRAND TOTAL	**256**	**2.2**	**3**	**< 1**	**1**	**1**	**3**	**5**	**6**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	180	2.2	3	< 1	1	1	3	5	5
18-34	64	2.2	1						
35-49	25	3.5	7						
50-69	25	1.5							
70 +	0								
	294	**2.3**	**3**	**1**	**1**	**1**	**3**	**5**	**5**
	294	**2.3**	**3**	**1**	**1**	**1**	**3**	**5**	**5**

DRG 170: Other Digestive System O.R. Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	673	13.1	96	5	6	10	17	25	37	0-17	269	8.5	28	3	5	7	11	18	18
70-74	495	16.4	251	3	5	11	20	58	62	18-34	357	10.6	192	2	3	7	12	29	32
75-79	345	19.4	330	4	8	12	28	40	69	35-49	433	11.8	152	2	5	9	13	39	60
80-84	178	22.3	169	6	9	23	32	42	43	50-69	701	11.6	115	4	6	8	14	24	48
85 +	191	16.6	190	3	4	14	25	35	54	70 +	25	9.9	17						
SUBTOTAL	**1883**	**16.4**	**204**	**4**	**6**	**12**	**21**	**37**	**53**		**1786**	**11.0**	**126**	**3**	**5**	**8**	**12**	**21**	**39**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1883**	**16.4**	**204**	**4**	**6**	**12**	**21**	**37**	**53**		**1786**	**11.0**	**126**	**3**	**5**	**8**	**12**	**21**	**39**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	90	21.0	263	1	6	27	45	99 +	99 +	0-17	77	8.8	20	3	3	11	14	99 +	99 +
18-34	89	9.5	63	2	6	7	9	28	28	18-34	89	7.8	50	1	2	5	11	23	23
35-49	127	20.9	268	7	8	18	35	52	56	35-49	87	9.1	8	4	8	9	10	14	14
50-69	89	21.9	173	5	9	22	37	40	40	50-69	51	9.3	20						
70 +	13	48.0								70 +	0								
SUBTOTAL	**408**	**19.5**	**241**	**5**	**7**	**16**	**35**	**47**	**56**		**305**	**8.7**	**25**	**3**	**5**	**9**	**12**	**15**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**408**	**19.5**	**241**	**5**	**7**	**16**	**35**	**47**	**56**		**305**	**8.7**	**25**	**3**	**5**	**9**	**12**	**15**	**23**

DRG 171: Other Digestive System O.R. Procedures w/o CC

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	153	7.8	26	3	5	6	9	17	19	0-17	423	4.3	5	1	3	4	5	7	8
70-74	63	8.8	42							18-34	759	2.7	4	1	1	2	4	5	7
75-79	50	7.5	14							35-49	443	3.6	6	1	1	4	5	7	8
80-84	64	3.9	8							50-69	292	7.6	43	2	3	7	9	12	15
85 +	25	5.0	4							70 +	0								
SUBTOTAL	**355**	**7.1**	**25**	**2**	**3**	**6**	**8**	**17**	**19**		**1917**	**4.0**	**13**	**1**	**1**	**3**	**5**	**8**	**9**
GRAND TOTAL	**355**	**7.1**	**25**	**2**	**3**	**6**	**8**	**17**	**19**		**1917**	**4.0**	**13**	**1**	**1**	**3**	**5**	**8**	**9**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	192	5.6	10	2	3	5	7	8	15	0-17	116	5.7	17	2	3	5	6	16	16
18-34	217	4.8	10	1	2	5	6	9	13	18-34	240	4.0	13	1	1	4	5	11	15
35-49	51	4.7	11							35-49	151	4.6	17	1	1	3	6	8	16
50-69	0									50-69	25	8.0	51						
70 +	0									70 +	0								
SUBTOTAL	**460**	**5.1**	**10**	**2**	**2**	**5**	**7**	**8**	**13**		**532**	**4.7**	**18**	**1**	**1**	**4**	**6**	**11**	**15**
GRAND TOTAL	**460**	**5.1**	**10**	**2**	**2**	**5**	**7**	**8**	**13**		**532**	**4.7**	**18**	**1**	**1**	**4**	**6**	**11**	**15**

DRG 172: Digestive Malignancy w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1184	10.9	75	3	5	8	14	22	32
70-74	1144	10.8	93	2	4	8	14	25	32
75-79	1165	12.0	149	2	4	9	15	29	37
80-84	1252	13.1	187	3	4	9	16	28	48
85 +	1241	12.5	129	3	5	9	16	26	37
SUBTOTAL	**5985**	**11.9**	**128**	**3**	**4**	**9**	**15**	**25**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5985**	**11.9**	**128**	**3**	**4**	**9**	**15**	**25**	**33**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	17.0	80						
18-34	76	9.8	24	2	7	8	15	16	16
35-49	331	13.7	191	2	4	8	18	41	45
50-69	1313	8.5	51	2	3	7	10	18	25
70 +	102	7.6	29	1	4	8	9	19	19
	1874	**9.6**	**79**	**2**	**4**	**7**	**12**	**22**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1874	**9.6**	**79**	**2**	**4**	**7**	**12**	**22**	**29**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	26	8.5	21						
35-49	180	12.9	76	3	4	10	18	29	29
50-69	243	16.0	465	3	4	7	17	55	91
70 +	39	22.3	143						
SUBTOTAL	**487**	**15.0**	**280**	**3**	**4**	**10**	**18**	**39**	**91**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**487**	**15.0**	**280**	**3**	**4**	**10**	**18**	**39**	**91**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	32.5	250						
18-34	26	13.5	94						
35-49	89	6.2	20	< 1	3	5	7	16	16
50-69	294	14.2	154	4	7	11	15	24	43
70 +	101	13.4	138	2	4	11	20	39	39
	535	**13.6**	**156**	**4**	**5**	**10**	**17**	**24**	**43**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	535	**13.6**	**156**	**4**	**5**	**10**	**17**	**24**	**43**

DRG 173: Digestive Malignancy w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	269	4.7	20	1	1	3	6	11	15	0-17	64	6.0	3						
70-74	242	7.2	37	1	4	5	11	15	20	18-34	12	2.0							
75-79	152	3.6	10	1	1	2	5	6	12	35-49	76	6.8	3	5	5	6	8	10	10
80-84	229	4.3	20	< 1	1	3	7	10	19	50-69	432	4.2	17	< 1	1	2	7	9	15
85 +	228	6.4	36	< 1	2	4	9	12	26	70 +	13	3.0							
SUBTOTAL	**1121**	**5.4**	**27**	**1**	**1**	**4**	**7**	**12**	**15**		**598**	**4.7**	**14**	**< 1**	**1**	**3**	**7**	**9**	**13**
GRAND TOTAL	**1121**	**5.4**	**27**	**1**	**1**	**4**	**7**	**12**	**15**		**598**	**4.7**	**14**	**< 1**	**1**	**3**	**7**	**9**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	13	7.0								0-17	0								
18-34	0									18-34	0								
35-49	38	3.3	4							35-49	38	9.4	37						
50-69	51	6.6	35							50-69	38	3.0	5						
70 +	13	9.0								70 +	0								
SUBTOTAL	**115**	**5.8**	**21**	**< 1**	**1**	**6**	**9**	**15**	**15**		**75**	**6.2**	**31**	**< 1**	**< 1**	**4**	**12**	**15**	**15**
GRAND TOTAL	**115**	**5.8**	**21**	**< 1**	**1**	**6**	**9**	**15**	**15**		**75**	**6.2**	**31**	**< 1**	**< 1**	**4**	**12**	**15**	**15**

DRG 174: G.I. Hemorrhage w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5697	7.1	54	3	4	5	7	13	17
70-74	5236	7.1	30	3	4	6	8	12	18
75-79	6696	7.8	48	3	4	6	9	14	19
80-84	5978	8.3	52	3	4	6	10	15	21
85 +	6907	9.3	90	3	5	7	10	18	25
SUBTOTAL	**30514**	**8.0**	**57**	**3**	**4**	**6**	**9**	**14**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**30514**	**8.0**	**57**	**3**	**4**	**6**	**9**	**14**	**21**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	410	4.0	9	1	2	4	5	8	11
18-34	877	5.0	13	2	3	4	7	8	11
35-49	2286	5.0	12	2	3	4	6	10	11
50-69	5335	5.6	16	2	3	5	7	9	13
70 +	535	7.0	11	4	4	7	9	12	13
	9443	**5.4**	**14**	**2**	**3**	**4**	**7**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	9443	**5.4**	**14**	**2**	**3**	**4**	**7**	**9**	**12**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	167	5.2	32	2	2	3	5	16	20
18-34	604	5.4	46	1	2	2	6	14	19
35-49	651	7.9	44	2	4	5	9	18	26
50-69	698	8.2	153	2	3	6	8	13	24
70 +	166	10.5	44	4	6	8	18	25	99 +
SUBTOTAL	**2286**	**7.3**	**79**	**2**	**3**	**5**	**9**	**17**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2286**	**7.3**	**79**	**2**	**3**	**5**	**9**	**17**	**24**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	128	3.2	3	1	2	3	4	6	7
18-34	637	5.3	26	2	3	4	6	11	12
35-49	740	5.4	12	2	3	5	7	8	14
50-69	1116	5.5	7	3	4	5	7	9	9
70 +	407	8.5	50	3	4	7	10	16	24
	3028	**5.7**	**19**	**2**	**3**	**5**	**7**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3028	**5.7**	**19**	**2**	**3**	**5**	**7**	**10**	**13**

DRG 175: G.I. Hemorrhage w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1213	4.1	4	2	3	4	5	6	8
70-74	1197	4.0	4	2	3	4	5	7	8
75-79	1223	4.4	6	2	3	4	5	8	10
80-84	1011	5.1	10	2	3	5	6	10	11
85 +	1137	5.3	11	2	3	4	6	10	13
SUBTOTAL	**5781**	**4.6**	**7**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**5781**	**4.6**	**7**	**2**	**3**	**4**	**6**	**8**	**10**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	308	2.6	3	1	1	2	4	5	7
18-34	923	3.2	7	1	2	3	4	6	7
35-49	1359	3.8	4	2	2	4	5	6	7
50-69	2468	3.8	4	2	3	3	5	6	7
70 +	139	6.1	21	3	3	5	6	15	16
	5197	**3.7**	**5**	**1**	**2**	**3**	**5**	**6**	**7**
	5197	**3.7**	**5**	**1**	**2**	**3**	**5**	**6**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	256	2.9	2	1	2	3	4	5	6
18-34	214	3.6	2	2	3	3	4	6	7
35-49	115	2.8	3	< 1	2	2	3	7	7
50-69	216	4.9	8	2	3	5	6	7	14
70 +	52	3.8	6						
SUBTOTAL	**852**	**3.6**	**5**	**1**	**2**	**3**	**5**	**7**	**7**
GRAND TOTAL	**852**	**3.6**	**5**	**1**	**2**	**3**	**5**	**7**	**7**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	153	2.8	7	1	2	2	3	3	11
18-34	441	4.4	34	1	2	3	5	7	11
35-49	419	3.5	3	1	2	3	5	6	7
50-69	405	3.4	3	1	2	3	5	6	7
70 +	77	5.2	4	2	4	5	7	8	8
	1495	**3.7**	**13**	**1**	**2**	**3**	**5**	**7**	**7**
	1495	**3.7**	**13**	**1**	**2**	**3**	**5**	**7**	**7**

DRG 176: Complicated Peptic Ulcer

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	291	7.7	20	3	5	7	10	15	17	0-17	52	5.3	6						
70-74	303	9.0	38	3	5	7	11	19	20	18-34	77	4.5	10	1	2	3	7	10	10
75-79	368	8.1	30	3	5	7	10	15	20	35-49	139	8.8	28	4	5	7	12	12	23
80-84	229	12.1	67	4	6	8	16	29	33	50-69	381	7.6	71	3	3	6	9	12	15
85 +	354	11.2	59	5	7	8	12	21	30	70 +	13	5.0							
SUBTOTAL	**1545**	**9.5**	**45**	**3**	**5**	**7**	**12**	**19**	**22**		**661**	**7.2**	**50**	**3**	**4**	**6**	**9**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	202	5.2	40	< 1	2	3	7	10	27	0-17	52	2.5	2						
70-74	63	5.8	13							18-34	75	4.0	3	1	3	4	5	6	6
75-79	190	5.7	7	2	3	7	8	9	9	35-49	151	3.7	5	1	2	3	5	7	7
80-84	88	9.1	27	1	7	9	9	20	20	50-69	242	4.3	10	1	2	3	5	11	11
85 +	127	8.6	10	5	6	9	11	13	13	70 +	25	9.7	75						
SUBTOTAL	**670**	**6.6**	**23**	**1**	**3**	**6**	**9**	**11**	**13**		**546**	**4.1**	**12**	**1**	**2**	**3**	**5**	**8**	**11**
GRAND TOTAL	**2215**	**8.6**	**40**	**3**	**5**	**7**	**10**	**16**	**21**		**1207**	**5.8**	**35**	**1**	**2**	**5**	**7**	**11**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	12	1.0							
18-34	90	5.1	9	2	2	4	9	9	9	18-34	25	5.5	2						
35-49	115	6.8	35	1	3	4	8	19	19	35-49	39	10.0	42						
50-69	63	7.6	8							50-69	51	3.8	1						
70 +	0									70 +	0								
SUBTOTAL	**268**	**6.4**	**20**	**2**	**3**	**5**	**8**	**13**	**16**		**127**	**5.7**	**23**	**< 1**	**3**	**4**	**7**	**15**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	13	5.0							
18-34	13	5.0								18-34	37	5.0	9						
35-49	25	5.1	17							35-49	37	5.0	8						
50-69	0									50-69	25	4.5	2						
70 +	13	10.0								70 +	13	8.0							
SUBTOTAL	**51**	**6.3**	**13**								**126**	**5.2**	**6**	**1**	**3**	**6**	**7**	**8**	**8**
GRAND TOTAL	**319**	**6.4**	**19**	**2**	**3**	**5**	**9**	**13**	**15**		**253**	**5.5**	**15**	**< 1**	**3**	**5**	**7**	**14**	**15**

DRG 177: Uncomplicated Peptic Ulcer w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	668	6.5	20	2	4	5	7	12	16	0-17	0								
70-74	429	6.1	13	3	4	6	7	9	13	18-34	177	5.4	11	1	3	5	9	10	10
75-79	595	7.6	25	3	5	6	10	14	18	35-49	407	6.0	13	3	4	5	7	10	16
80-84	254	8.0	13	3	5	8	11	14	14	50-69	493	5.5	7	2	3	5	8	9	10
85+	279	9.7	106	3	4	7	12	15	16	70+	38	5.6	10						
SUBTOTAL	**2226**	**7.3**	**31**	**3**	**4**	**6**	**9**	**14**	**16**		**1114**	**5.7**	**10**	**2**	**3**	**5**	**8**	**10**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2226**	**7.3**	**31**	**3**	**4**	**6**	**9**	**14**	**16**		**1114**	**5.7**	**10**	**2**	**3**	**5**	**8**	**10**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	13	6.0							
18-34	38	6.7	14							18-34	38	3.7	6						
35-49	89	4.8	5	2	3	4	8	8	8	35-49	38	6.4	17						
50-69	76	10.7	189	4	4	5	6	41	41	50-69	139	4.8	4	2	4	5	5	6	10
70+	26	8.5	7							70+	0								
SUBTOTAL	**229**	**7.5**	**74**	**2**	**4**	**5**	**8**	**11**	**41**		**227**	**5.0**	**7**	**2**	**3**	**5**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**229**	**7.5**	**74**	**2**	**4**	**5**	**8**	**11**	**41**		**227**	**5.0**	**7**	**2**	**3**	**5**	**6**	**10**	**12**

DRG 178: Uncomplicated Peptic Ulcer w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	418	4.9	13	< 1	3	4	6	10	11
70-74	417	4.2	14	1	2	3	5	7	11
75-79	281	6.3	24	3	4	5	6	10	19
80-84	115	7.2	15	3	5	6	9	14	14
85 +	126	5.6	5	4	4	6	7	10	10
SUBTOTAL	**1356**	**5.2**	**16**	**2**	**3**	**4**	**6**	**10**	**13**
GRAND TOTAL	**1356**	**5.2**	**16**	**2**	**3**	**4**	**6**	**10**	**13**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	64	7.2	31						
18-34	480	3.6	4	1	2	3	5	6	8
35-49	785	4.2	14	1	2	3	5	7	9
50-69	645	3.3	4	1	2	3	4	6	7
70 +	0								
	1974	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**9**
	1974	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	39	4.3	8						
18-34	26	3.5	7						
35-49	50	6.1	14						
50-69	26	3.5	2						
70 +	13	3.0							
SUBTOTAL	**153**	**4.5**	**10**	**1**	**2**	**4**	**6**	**8**	**12**
GRAND TOTAL	**153**	**4.5**	**10**	**1**	**2**	**4**	**6**	**8**	**12**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	26	3.0	1						
18-34	150	2.3	2	< 1	1	2	3	4	5
35-49	163	4.5	15	< 1	2	3	7	8	15
50-69	191	3.4	1	2	3	3	4	5	6
70 +	25	3.0							
	555	**3.4**	**6**	**< 1**	**2**	**3**	**4**	**6**	**8**
	555	**3.4**	**6**	**< 1**	**2**	**3**	**4**	**6**	**8**

DRG 179: Inflammatory Bowel Disease

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	622	9.8	99	2	4	7	11	18	21
70-74	546	9.5	64	3	4	8	12	15	17
75-79	267	11.0	60	6	6	7	10	25	29
80-84	215	17.3	55	7	13	17	20	27	36
85 +	166	10.3	17	6	7	9	13	17	17
SUBTOTAL	**1817**	**10.8**	**76**	**4**	**6**	**9**	**13**	**19**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	354	7.0	11	3	5	6	9	12	13
70-74	126	9.5	56	4	6	7	9	28	30
75-79	115	7.1	29	< 1	3	6	10	17	17
80-84	38	12.1	75						
85 +	50	5.5	1						
SUBTOTAL	**683**	**7.6**	**27**	**3**	**5**	**6**	**10**	**13**	**17**
GRAND TOTAL	**2499**	**9.9**	**64**	**3**	**5**	**8**	**13**	**18**	**25**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	411	9.8	89	2	4	6	13	19	27
18-34	1457	8.9	37	3	4	8	11	17	21
35-49	1096	8.0	28	3	4	7	10	16	19
50-69	687	9.4	38	4	5	8	11	17	24
70 +	25	15.0	26						
	3676	**8.9**	**41**	**3**	**4**	**8**	**11**	**17**	**21**
0-17	487	6.8	64	2	3	5	8	14	16
18-34	1699	6.2	20	2	3	5	8	12	17
35-49	902	6.5	27	1	3	5	8	13	19
50-69	458	6.9	16	3	4	6	9	11	15
70 +	0								
	3546	**6.5**	**27**	**2**	**3**	**5**	**8**	**12**	**16**
	7223	**7.7**	**36**	**2**	**4**	**6**	**10**	**14**	**19**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	52	9.3	50						
18-34	75	4.9	14	1	2	4	7	12	12
35-49	167	8.9	15	6	7	8	10	14	18
50-69	25	12.1	9						
70 +	13	20.0							
SUBTOTAL	**332**	**8.7**	**28**	**2**	**5**	**8**	**12**	**18**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	116	6.2	9	3	4	6	7	13	13
18-34	215	8.0	28	3	4	6	10	16	23
35-49	77	8.2	22	3	4	6	10	17	17
50-69	0								
70 +	0								
SUBTOTAL	**407**	**7.5**	**22**	**3**	**4**	**6**	**10**	**14**	**17**
GRAND TOTAL	**739**	**8.1**	**25**	**3**	**4**	**7**	**10**	**16**	**20**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	129	7.9	24	2	5	6	11	16	17
18-34	405	7.8	28	3	3	7	11	16	17
35-49	100	8.5	20	3	6	6	10	17	17
50-69	137	10.2	33	5	6	9	18	19	20
70 +	13	7.0							
	784	**8.3**	**27**	**3**	**4**	**7**	**11**	**17**	**18**
0-17	142	11.6	57	6	7	10	14	19	31
18-34	305	5.4	16	< 1	2	5	6	12	13
35-49	174	7.1	10	4	4	6	9	12	14
50-69	37	6.3	12						
70 +	25	6.0							
	684	**7.2**	**28**	**1**	**4**	**6**	**9**	**13**	**17**
	1468	**7.8**	**28**	**2**	**4**	**6**	**11**	**16**	**18**

DRG 180: G.I. Obstruction w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2418	8.3	105	3	4	5	9	14	21
70-74	1878	8.1	68	3	4	6	9	15	20
75-79	2432	8.3	44	3	4	7	10	15	21
80-84	1967	8.4	57	3	4	6	10	16	22
85 +	2625	8.6	38	3	5	7	11	17	22
SUBTOTAL	**11321**	**8.4**	**62**	**3**	**4**	**6**	**10**	**15**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**11321**	**8.4**	**62**	**3**	**4**	**6**	**10**	**15**	**22**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	346	3.5	4	1	1	4	5	6	7
18-34	153	5.4	16	2	2	4	9	12	13
35-49	674	5.9	22	2	3	5	7	11	19
50-69	1714	7.4	52	2	3	6	9	14	19
70 +	178	9.8	126	3	5	6	10	14	49
	3065	**6.7**	**45**	**2**	**3**	**5**	**7**	**13**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3065	**6.7**	**45**	**2**	**3**	**5**	**7**	**13**	**18**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	167	4.9	9	1	3	4	7	8	12
18-34	165	9.5	105	2	3	4	9	29	35
35-49	165	7.4	31	2	4	6	8	13	23
50-69	318	7.5	41	2	4	6	9	12	15
70 +	90	8.0	17	5	5	7	10	17	17
SUBTOTAL	**905**	**7.4**	**44**	**2**	**4**	**5**	**8**	**12**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**905**	**7.4**	**44**	**2**	**4**	**5**	**8**	**12**	**23**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	167	2.7	2	1	1	2	4	5	5
18-34	63	4.0	13						
35-49	126	5.9	20	2	3	5	8	17	17
50-69	304	8.8	42	3	6	7	11	22	23
70 +	63	7.4	10						
	722	**6.3**	**30**	**1**	**3**	**5**	**7**	**12**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	722	**6.3**	**30**	**1**	**3**	**5**	**7**	**12**	**22**

DRG 181: G.I. Obstruction w/o CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1229	4.2	8	1	2	3	5	8	10
70-74	1013	5.2	11	2	3	5	6	10	12
75-79	935	5.1	9	2	3	4	7	9	11
80-84	864	6.0	13	2	3	5	8	13	13
85 +	750	6.4	22	2	3	5	8	14	15
SUBTOTAL	**4791**	**5.3**	**12**	**2**	**3**	**4**	**7**	**10**	**13**
GRAND TOTAL	**4791**	**5.3**	**12**	**2**	**3**	**4**	**7**	**10**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	742	2.0	3	< 1	1	1	2	4	6
18-34	801	3.4	4	1	2	3	4	6	6
35-49	1575	4.1	5	2	2	4	6	7	8
50-69	2086	4.5	6	2	3	4	6	7	8
70 +	88	5.9	11	1	2	6	9	10	10
	5293	**3.9**	**6**	**1**	**2**	**4**	**5**	**7**	**8**
	5293	**3.9**	**6**	**1**	**2**	**4**	**5**	**7**	**8**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	322	3.2	11	1	1	2	4	7	7
18-34	64	2.2	3						
35-49	241	5.6	17	2	3	4	8	13	17
50-69	243	5.0	15	2	3	4	5	8	20
70 +	64	5.6	8						
SUBTOTAL	**933**	**4.3**	**14**	**1**	**2**	**4**	**5**	**8**	**13**
GRAND TOTAL	**933**	**4.3**	**14**	**1**	**2**	**4**	**5**	**8**	**13**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	283	2.5	3	1	1	2	3	5	6
18-34	191	3.5	3	1	2	4	5	6	6
35-49	176	4.1	13	1	1	3	5	7	15
50-69	279	4.5	5	3	3	4	5	7	8
70 +	13	6.0							
	942	**3.7**	**6**	**1**	**2**	**3**	**5**	**6**	**8**
	942	**3.7**	**6**	**1**	**2**	**3**	**5**	**6**	**8**

DRG 182: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	10753	6.2	33	2	3	5	7	11	16		0-17	0								
70-74	9326	6.8	41	2	3	5	8	12	17		18-34	5906	3.6	11	1	2	3	4	7	9
75-79	9275	6.8	30	2	3	5	8	13	16		35-49	6922	4.8	13	1	2	4	6	10	12
80-84	8265	7.6	68	2	3	6	9	14	20		50-69	9588	5.6	27	2	3	4	7	11	14
85 +	8018	8.6	67	3	4	6	10	16	25		70 +	619	7.1	37	2	3	5	9	14	18
SUBTOTAL	**45637**	**7.1**	**47**	**2**	**3**	**5**	**8**	**13**	**18**			**23035**	**4.9**	**19**	**1**	**2**	**4**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0										0-17	0								
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**45637**	**7.1**	**47**	**2**	**3**	**5**	**8**	**13**	**18**			**23035**	**4.9**	**19**	**1**	**2**	**4**	**6**	**10**	**12**

TYPE OF PATIENT	MEDICAID										NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0										0-17	0								
18-34	1570	5.3	33	1	2	3	6	12	15		18-34	2052	3.8	7	1	2	3	4	7	9
35-49	1470	5.6	15	2	3	4	7	10	15		35-49	1539	4.5	14	1	2	3	5	9	12
50-69	1772	6.9	60	2	3	5	8	11	15		50-69	1767	6.0	29	2	3	4	7	12	16
70 +	216	10.0	156	2	3	6	10	19	56		70 +	406	9.0	118	2	3	6	9	15	23
SUBTOTAL	**5028**	**6.1**	**44**	**2**	**3**	**4**	**7**	**11**	**16**			**5764**	**5.0**	**26**	**1**	**2**	**4**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**5028**	**6.1**	**44**	**2**	**3**	**4**	**7**	**11**	**16**			**5764**	**5.0**	**26**	**1**	**2**	**4**	**6**	**10**	**14**

DRG 183: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4749	3.9	9	1	2	3	5	8	9
70-74	4278	4.3	11	1	2	3	6	8	10
75-79	2929	4.2	11	1	2	3	6	8	10
80-84	2406	4.9	22	1	2	4	6	8	12
85 +	1878	5.1	25	1	2	4	6	9	13
SUBTOTAL	**16239**	**4.3**	**14**	**1**	**2**	**3**	**6**	**8**	**10**
GRAND TOTAL	**16239**	**4.3**	**14**	**1**	**2**	**3**	**6**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	11801	2.7	4	1	1	2	3	5	7
35-49	11376	3.3	6	1	1	3	4	7	8
50-69	11352	3.9	7	1	2	3	5	7	9
70 +	379	4.5	9	1	3	4	5	8	9
	34908	**3.3**	**6**	**1**	**1**	**3**	**4**	**7**	**8**
	34908	**3.3**	**6**	**1**	**1**	**3**	**4**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1960	3.0	10	1	1	2	4	6	7
35-49	1047	3.8	8	1	2	3	5	7	9
50-69	648	4.4	9	1	2	4	6	9	11
70 +	38	3.0	3						
SUBTOTAL	**3694**	**3.5**	**10**	**1**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**3694**	**3.5**	**10**	**1**	**2**	**3**	**4**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	4037	2.4	5	1	1	2	3	4	6
35-49	2289	3.2	6	1	2	2	4	6	9
50-69	1651	3.8	7	1	2	3	5	7	9
70 +	192	4.3	5	2	3	3	6	8	10
	8169	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
	8169	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 184: Esophagitis, Gastroent & Misc Digest Disorders Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	26	3.0	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	26	3.0	1						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	26	3.0	1						

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	9900	3.7	28	1	2	2	4	6	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	9900	3.7	28	1	2	2	4	6	10
0-17	13499	2.4	5	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	13499	2.4	5	1	1	2	3	5	6
	23399	2.9	15	1	1	2	3	5	8

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	5674	4.8	62	1	2	3	5	9	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	5674	4.8	62	1	2	3	5	9	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	7020	3.0	10	1	1	2	3	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	7020	3.0	10	1	1	2	3	6	8
GRAND TOTAL	12694	3.8	34	1	1	2	4	7	11

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	2778	3.5	10	1	2	3	4	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2778	3.5	10	1	2	3	4	8	10
0-17	3943	2.8	10	1	1	2	3	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3943	2.8	10	1	1	2	3	6	7
	6721	3.1	10	1	1	2	4	6	8

DRG 185: Dental & Oral Dis except Extractions & Restorations, Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	229	5.9	18	1	3	5	7	14	17
70-74	126	9.8	94	2	3	5	13	26	30
75-79	38	11.3	22						
80-84	25	4.5	7						
85 +	25	4.1	9						
SUBTOTAL	444	7.3	44	2	3	5	8	16	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	90	3.0	4	1	1	2	5	7	7
70-74	51	5.3	11						
75-79	38	5.7	21						
80-84	38	2.7	2						
85 +	26	6.5							
SUBTOTAL	242	4.2	10	1	2	3	7	9	12
GRAND TOTAL	686	6.2	34	1	2	5	7	13	17

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	319	4.1	6	1	2	4	5	8	9
35-49	243	6.8	60	1	2	5	8	19	34
50-69	229	6.4	24	2	2	4	10	12	20
70 +	0								
	791	5.6	29	2	2	4	7	10	12
0-17	0								
18-34	420	2.3	2	1	1	2	3	4	5
35-49	330	3.3	7	< 1	1	2	5	7	9
50-69	127	4.1	3	2	2	4	6	6	7
70 +	52	4.5	5						
	928	3.0	5	1	1	2	4	6	7
	1718	4.2	18	1	2	3	5	9	10

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	180	3.1	4	1	2	3	4	6	8
35-49	128	4.9	24	1	1	3	10	13	14
50-69	0								
70 +	0								
SUBTOTAL	309	3.9	13	1	2	3	4	10	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	141	4.6	12	1	2	4	6	11	11
35-49	38	2.0							
50-69	13	6.0							
70 +	0								
SUBTOTAL	192	4.2	10	1	2	2	6	11	11
GRAND TOTAL	501	4.0	12	1	2	2	5	11	12

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	191	3.5	2	2	2	3	5	5	6
35-49	64	3.6	5						
50-69	13	5.0							
70 +	13	7.0							
	280	3.7	3	2	2	3	5	6	7
0-17	0								
18-34	448	2.0	2	1	1	2	3	4	5
35-49	76	1.7	1	1	1	2	2	3	3
50-69	25	1.5							
70 +	26	4.5	7						
	575	2.1	2	1	1	2	3	4	5
	855	2.6	3	1	1	2	3	5	6

Northeastern Region, July 1990 - June 1991

DRG 186: Dental & Oral Dis except Extractions & Restorations, Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	526	4.0	26	1	2	3	4	6	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**526**	**4.0**	**26**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	704	1.7	2	<1	1	1	2	3	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**704**	**1.7**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**0**										**1230**	**2.7**	**13**	**<1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	348	4.3	5	1	3	4	6	7	10	0-17	154	2.5	1	2	2	2	3	4	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**348**	**4.3**	**5**	**1**	**3**	**4**	**6**	**7**	**10**		**154**	**2.5**	**1**	**2**	**2**	**2**	**3**	**4**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	411	2.2	1	1	1	2	3	4	4	0-17	437	2.2	2	<1	1	2	3	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**411**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**		**437**	**2.2**	**2**	**<1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**759**	**3.2**	**4**	**1**	**1**	**3**	**4**	**6**	**7**		**591**	**2.3**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**

DRG 187: Dental Extractions & Restorations

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	232	2.6	7	< 1	1	2	3	4	13
70-74	64	1.6	1						
75-79	38	1.0							
80-84	13	2.0							
85 +	12	2.0							
SUBTOTAL	**359**	**2.2**	**5**	**< 1**	**1**	**2**	**2**	**3**	**4**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	204	1.7	1	< 1	< 1	< 1	2	3	5
70-74	39	6.0	3						
75-79	13	5.0							
80-84	13	2.0							
85 +	12	1.0							
SUBTOTAL	**281**	**2.4**	**4**	**< 1**	**< 1**	**1**	**3**	**5**	**6**
GRAND TOTAL	**640**	**2.3**	**5**	**< 1**	**< 1**	**2**	**3**	**5**	**6**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	322	1.4	1	< 1	1	1	1	2	4
18-34	268	3.2	15	1	1	2	3	10	13
35-49	101	3.5	5	1	2	3	5	8	8
50-69	76	2.7	2	< 1	1	3	4	5	5
70 +	13	5.0							
	779	**2.5**	**7**	**< 1**	**1**	**1**	**3**	**5**	**9**
0-17	1034	1.1		< 1	< 1	< 1	1	1	2
18-34	529	1.2	2	< 1	< 1	1	1	1	1
35-49	50	1.5	1						
50-69	38	1.3							
70 +	0								
	1651	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**
	2431	**1.6**	**3**	**< 1**	**< 1**	**1**	**1**	**3**	**4**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	309	1.8	1	< 1	1	2	2	3	3
18-34	193	1.5		1	1	1	2	2	3
35-49	51	2.8	4						
50-69	0								
70 +	0								
SUBTOTAL	**554**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	952	1.1	1	< 1	< 1	< 1	< 1	1	2
18-34	256	1.2		< 1	< 1	< 1	1	2	3
35-49	0								
50-69	13	6.0							
70 +	0								
SUBTOTAL	**1220**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**3**
GRAND TOTAL	**1774**	**1.4**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	181	1.5	1	1	1	1	2	2	5
18-34	26	1.5							
35-49	0								
50-69	0								
70 +	0								
	206	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**5**
0-17	373	1.4	1	< 1	< 1	< 1	1	3	3
18-34	126	1.8	1	< 1	< 1	1	2	3	4
35-49	0								
50-69	0								
70 +	0								
	499	**1.5**	**1**	**< 1**	**< 1**	**< 1**	**2**	**3**	**4**
	705	**1.5**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**

DRG 188: Other Digestive System Diagnoses Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2479	7.7	55	2	3	6	9	15	18	0-17	0								
70-74	2232	7.5	55	2	3	5	8	14	24	18-34	647	4.5	10	2	2	4	5	9	10
75-79	1891	8.3	61	2	4	6	10	15	20	35-49	979	5.6	22	1	3	4	7	12	16
80-84	1675	8.5	89	2	4	6	9	18	26	50-69	1776	6.0	31	1	2	4	8	13	19
85 +	1533	8.9	64	2	4	7	11	15	24	70 +	141	6.9	16	4	4	7	8	18	99 +
SUBTOTAL	**9810**	**8.1**	**63**	**2**	**3**	**6**	**10**	**15**	**23**		**3543**	**5.7**	**25**	**2**	**3**	**4**	**7**	**12**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**9810**	**8.1**	**63**	**2**	**3**	**6**	**10**	**15**	**23**		**3543**	**5.7**	**25**	**2**	**3**	**4**	**7**	**12**	**18**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	231	7.0	48	2	4	5	7	13	33	18-34	215	6.8	55	1	2	3	7	20	23
35-49	191	9.5	33	4	5	8	12	21	23	35-49	165	8.3	45	< 1	2	7	12	16	24
50-69	215	5.0	11	< 1	3	4	6	11	12	50-69	254	6.2	24	1	2	6	9	11	20
70 +	26	30.5	481							70 +	89	7.6	25	3	3	5	13	16	16
SUBTOTAL	**663**	**8.0**	**71**	**2**	**4**	**5**	**9**	**13**	**23**		**723**	**7.0**	**38**	**1**	**2**	**5**	**9**	**17**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**663**	**8.0**	**71**	**2**	**4**	**5**	**9**	**13**	**23**		**723**	**7.0**	**38**	**1**	**2**	**5**	**9**	**17**	**21**

DRG 189: Other Digestive System Diagnoses Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	985	2.6	9	<1	<1	1	3	6	11
70-74	720	3.7	15	<1	1	2	5	8	13
75-79	694	2.8	14	<1	<1	1	3	7	9
80-84	632	3.0	9	<1	1	2	4	7	8
85 +	420	4.3	42	<1	1	2	4	11	14
SUBTOTAL	**3451**	**3.1**	**16**	**<1**	**<1**	**1**	**4**	**7**	**11**
GRAND TOTAL	**3451**	**3.1**	**16**	**<1**	**<1**	**1**	**4**	**7**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1441	2.5	3	1	1	2	3	5	6
35-49	1235	3.1	7	<1	1	2	4	7	8
50-69	1917	2.5	4	<1	<1	2	4	5	7
70 +	26	9.5	44						
	4619	**2.7**	**5**	**<1**	**1**	**2**	**4**	**5**	**7**
	4619	**2.7**	**5**	**<1**	**1**	**2**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	217	2.2	1	1	1	2	3	4	4
35-49	191	3.2	4	<1	1	3	4	7	7
50-69	115	2.1	2	<1	1	2	3	5	5
70 +	0								
SUBTOTAL	**522**	**2.6**	**3**	**1**	**1**	**2**	**4**	**4**	**6**
GRAND TOTAL	**522**	**2.6**	**3**	**1**	**1**	**2**	**4**	**4**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	504	2.8	13	<1	1	1	3	9	14
35-49	252	3.6	25	<1	<1	1	3	13	14
50-69	440	2.6	10	<1	<1	1	3	6	10
70 +	25	1.5							
	1221	**2.9**	**14**	**<1**	**<1**	**1**	**3**	**9**	**14**
	1221	**2.9**	**14**	**<1**	**<1**	**1**	**3**	**9**	**14**

DRG 190: Other Digestive System Diagnoses Age 0-17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	64	3.2	5						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**64**	**3.2**	**5**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**64**	**3.2**	**5**						

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	859	4.9	72	1	1	3	5	10	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	859	**4.9**	**72**	**1**	**1**	**3**	**5**	**10**	**12**
0-17	2714	2.3	15	< 1	1	1	2	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2714	**2.3**	**15**	**< 1**	**1**	**1**	**2**	**5**	**7**
	3573	**2.9**	**30**	**< 1**	**1**	**1**	**3**	**6**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	541	9.3	188	1	2	5	11	18	29
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**541**	**9.3**	**188**	**1**	**2**	**5**	**11**	**18**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1387	3.1	39	< 1	1	1	2	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1387**	**3.1**	**39**	**< 1**	**1**	**1**	**2**	**7**	**8**
GRAND TOTAL	**1928**	**4.9**	**88**	**< 1**	**1**	**2**	**5**	**12**	**17**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	256	7.9	84	1	1	4	11	16	32
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	256	**7.9**	**84**	**1**	**1**	**4**	**11**	**16**	**32**
0-17	1167	2.0	8	< 1	1	1	2	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1167	**2.0**	**8**	**< 1**	**1**	**1**	**2**	**4**	**7**
	1424	**3.1**	**27**	**< 1**	**1**	**1**	**2**	**8**	**14**

DRG 191: Pancreas, Liver & Shunt Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	662	19.6	145	7	12	17	29	38	60	0-17	142	14.4	21	10	12	14	15	17	27
70-74	521	17.5	129	8	10	13	20	33	47	18-34	253	18.0	352	5	10	12	18	60	76
75-79	459	20.3	143	7	12	16	30	35	39	35-49	524	17.7	205	5	9	15	22	39	52
80-84	355	23.6	326	8	15	19	24	53	56	50-69	945	19.4	262	5	9	14	26	44	60
85 +	252	21.5	147	9	12	22	23	46	55	70 +	51	19.5	329						
SUBTOTAL	**2250**	**20.1**	**173**	**8**	**11**	**17**	**26**	**37**	**53**		**1915**	**18.4**	**244**	**5**	**9**	**14**	**23**	**44**	**60**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2250**	**20.1**	**173**	**8**	**11**	**17**	**26**	**37**	**53**		**1915**	**18.4**	**244**	**5**	**9**	**14**	**23**	**44**	**60**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	26	41.5	968						
18-34	52	28.8	539							18-34	140	29.0	751	6	10	13	48	68	88
35-49	76	37.3	600	9	16	35	44	84	84	35-49	88	27.7	637	6	8	15	61	73	73
50-69	76	10.0	42	1	6	10	13	22	22	50-69	164	22.4	391	7	8	15	24	51	67
70 +	13	23.0								70 +	12	23.0							
SUBTOTAL	**217**	**24.9**	**487**	**6**	**8**	**16**	**40**	**61**	**84**		**430**	**26.8**	**599**	**6**	**10**	**15**	**48**	**68**	**73**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**217**	**24.9**	**487**	**6**	**8**	**16**	**40**	**61**	**84**		**430**	**26.8**	**599**	**6**	**10**	**15**	**48**	**68**	**73**

DRG 192: Pancreas, Liver & Shunt Procedures w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	115	8.3	17	1	7	9	11	15	15	0-17	26	11.5	31						
70-74	12	8.0								18-34	64	9.9	28						
75-79	12	17.0								35-49	165	9.6	71	2	5	8	9	16	35
80-84	51	9.5								50-69	204	8.7	24	2	7	8	9	14	24
85 +	0									70 +	0								
SUBTOTAL	**191**	**9.2**	**15**	**3**	**7**	**9**	**11**	**15**	**17**		**459**	**9.3**	**42**	**2**	**6**	**8**	**11**	**17**	**24**
GRAND TOTAL	**191**	**9.2**	**15**	**3**	**7**	**9**	**11**	**15**	**17**		**459**	**9.3**	**42**	**2**	**6**	**8**	**11**	**17**	**24**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	13	9.0							
18-34	39	10.7	18							18-34	13	21.0							
35-49	0									35-49	13	40.0							
50-69	13	13.0								50-69	12	9.0							
70 +	0									70 +	0								
SUBTOTAL	**52**	**11.3**	**14**								**51**	**19.8**	**164**						
GRAND TOTAL	**52**	**11.3**	**14**								**51**	**19.8**	**164**						

DRG 193: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	406	19.4	232	8	11	16	21	31	61
70-74	547	16.8	73	7	10	15	21	27	31
75-79	456	17.9	112	7	9	15	22	32	43
80-84	469	17.2	72	9	12	15	20	29	39
85 +	444	20.1	133	8	12	17	27	35	47
SUBTOTAL	**2322**	**18.2**	**121**	**8**	**11**	**15**	**23**	**31**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2322**	**18.2**	**121**	**8**	**11**	**15**	**23**	**31**	**42**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	8.0	38						
18-34	178	10.8	35	6	7	8	14	23	24
35-49	256	15.1	102	5	7	14	20	33	38
50-69	650	16.1	241	6	8	11	18	27	48
70 +	76	10.2	5	8	8	11	13	13	13
	1225	**14.3**	**163**	**6**	**7**	**10**	**16**	**25**	**40**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1225	**14.3**	**163**	**6**	**7**	**10**	**16**	**25**	**40**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	52	27.5	115						
18-34	38	10.0	19						
35-49	51	16.5	29						
50-69	26	25.5	138						
70 +	0								
SUBTOTAL	**167**	**19.8**	**118**	**8**	**14**	**19**	**21**	**37**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**167**	**19.8**	**118**	**8**	**14**	**19**	**21**	**37**	**45**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	23.7	91						
18-34	51	9.9	14						
35-49	51	17.8	100						
50-69	87	17.9	79	7	11	15	29	33	33
70 +	0								
	228	**17.1**	**89**	**7**	**9**	**15**	**24**	**33**	**35**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	228	**17.1**	**89**	**7**	**9**	**15**	**24**	**33**	**35**

DRG 194: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	51	7.3	16							0-17	77	9.2	9	5	6	9	12	13	13
70-74	116	10.2	36	3	8	9	10	24	24	18-34	90	5.1	28	< 1	1	2	8	16	16
75-79	63	15.2	16							35-49	167	6.9	23	1	3	7	8	15	17
80-84	38	7.6	17							50-69	243	10.3	43	1	7	9	14	21	24
85 +	38	5.2	38							70 +	26	1.0							
SUBTOTAL	**306**	**9.8**	**37**	**2**	**4**	**10**	**14**	**16**	**22**		**604**	**8.1**	**35**	**1**	**2**	**8**	**12**	**15**	**17**
GRAND TOTAL	**306**	**9.8**	**37**	**2**	**4**	**10**	**14**	**16**	**22**		**604**	**8.1**	**35**	**1**	**2**	**8**	**12**	**15**	**17**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	13	8.0								0-17	13	22.0							
18-34	26	9.0	4							18-34	0								
35-49	0									35-49	12	2.0							
50-69	0									50-69	13	10.0							
70 +	0									70 +	0								
SUBTOTAL	**39**	**8.7**	**3**								**38**	**11.4**	**69**						
GRAND TOTAL	**39**	**8.7**	**3**								**38**	**11.4**	**69**						

DRG 195: Total Cholecystectomy w/ C.D.E. w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	583	10.3	18	5	7	10	13	16	17
70-74	696	10.3	18	6	7	10	13	15	18
75-79	721	12.5	46	7	8	11	14	23	29
80-84	443	14.4	47	9	10	12	15	24	35
85 +	442	15.9	37	8	12	15	21	24	25
SUBTOTAL	**2885**	**12.3**	**37**	**6**	**8**	**11**	**15**	**21**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2885**	**12.3**	**37**	**6**	**8**	**11**	**15**	**21**	**25**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	75	8.9	37	5	6	6	8	22	22
18-34	481	7.3	9	4	5	7	9	11	15
35-49	531	8.3	13	4	6	8	9	12	16
50-69	987	9.6	15	6	7	9	11	15	17
70 +	39	14.0	29						
	2113	**8.8**	**16**	**5**	**6**	**8**	**10**	**14**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2113	**8.8**	**16**	**5**	**6**	**8**	**10**	**14**	**17**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	26	12.0	37						
18-34	127	6.9	4	5	5	6	7	11	12
35-49	89	15.8	54	4	12	14	22	29	29
50-69	64	11.5	21						
70 +	12	8.0							
SUBTOTAL	**318**	**10.8**	**37**	**5**	**6**	**9**	**14**	**19**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**318**	**10.8**	**37**	**5**	**6**	**9**	**14**	**19**	**22**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	8.0							
18-34	114	12.4	26	6	10	12	16	22	22
35-49	126	11.7	63	5	7	10	15	16	33
50-69	177	14.1	104	6	6	14	16	22	46
70 +	38	25.8	283						
	468	**13.9**	**99**	**6**	**7**	**11**	**16**	**22**	**46**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	468	**13.9**	**99**	**6**	**7**	**11**	**16**	**22**	**46**

DRG 196: Total Cholecystectomy w/ C.D.E. w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	124	6.4	5	4	5	5	8	10	11	0-17	25	7.0	4							
70-74	115	8.5	6	3	8	9	10	12	12	18-34	177	6.2	5	4	5	6	7	11	11	
75-79	99	11.8	14	3	11	12	13	17	17	35-49	317	7.8	8	4	5	8	9	11	12	
80-84	75	8.3	7	5	5	8	11	12	12	50-69	304	6.7	14	3	5	6	8	10	11	
85 +	12	10.0								70 +	13	9.0								
SUBTOTAL	**426**	**8.7**	**11**	**4**	**5**	**9**	**11**	**12**	**14**		**836**	**7.1**	**10**	**4**	**5**	**7**	**9**	**11**	**11**	
GRAND TOTAL	**426**	**8.7**	**11**	**4**	**5**	**9**	**11**	**12**	**14**		**836**	**7.1**	**10**	**4**	**5**	**7**	**9**	**11**	**11**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	13	9.0								0-17	0									
18-34	76	5.8	5	3	4	6	8	9	9	18-34	51	6.5	7							
35-49	26	9.0	9							35-49	62	5.0	5							
50-69	13	6.0								50-69	88	8.3	15	2	5	8	11	15	15	
70 +	12	5.0								70 +	0									
SUBTOTAL	**140**	**6.7**	**6**	**4**	**5**	**6**	**9**	**9**	**12**		**201**	**6.8**	**12**	**3**	**4**	**6**	**9**	**11**	**15**	
GRAND TOTAL	**140**	**6.7**	**6**	**4**	**5**	**6**	**9**	**9**	**12**		**201**	**6.8**	**12**	**3**	**4**	**6**	**9**	**11**	**15**	

DRG 197: Total Cholecystectomy w/o C.D.E. w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3926	8.6	37	3	5	7	11	15	20	0-17	128	6.0	14	2	3	5	8	13	15
70-74	3307	8.8	47	3	5	7	11	16	22	18-34	1906	5.9	18	2	3	5	7	10	14
75-79	2671	10.5	41	4	6	10	13	19	22	35-49	4045	5.5	15	1	3	5	7	10	12
80-84	1701	12.6	119	5	7	10	14	21	33	50-69	5877	7.0	23	2	4	6	9	12	16
85 +	837	13.0	76	6	8	11	17	21	25	70 +	87	7.4	21	2	3	7	13	13	13
SUBTOTAL	**12442**	**9.9**	**57**	**3**	**5**	**8**	**12**	**18**	**22**		**12043**	**6.3**	**20**	**2**	**3**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**12442**	**9.9**	**57**	**3**	**5**	**8**	**12**	**18**	**22**		**12043**	**6.3**	**20**	**2**	**3**	**5**	**8**	**12**	**15**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	8.3	6							0-17	26	4.5							
18-34	562	5.9	11	2	4	5	8	10	11	18-34	443	6.1	9	3	4	6	8	9	14
35-49	433	6.5	17	2	4	6	9	10	16	35-49	607	9.3	59	4	5	7	11	15	25
50-69	597	7.9	49	2	4	6	8	23	24	50-69	761	7.3	36	2	3	7	9	11	14
70 +	102	8.4	15	2	6	8	9	15	15	70 +	126	10.9	71	4	5	12	13	32	32
SUBTOTAL	**1732**	**6.9**	**27**	**2**	**4**	**6**	**9**	**12**	**18**		**1962**	**7.8**	**41**	**3**	**4**	**7**	**9**	**13**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1732**	**6.9**	**27**	**2**	**4**	**6**	**9**	**12**	**18**		**1962**	**7.8**	**41**	**3**	**4**	**7**	**9**	**13**	**19**

DRG 198: Total Cholecystectomy w/o C.D.E. w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3781	4.1	9	1	2	3	5	7	10	0-17	266	3.1	4	1	1	3	5	5	6
70-74	2111	4.3	8	1	2	4	6	8	10	18-34	10452	2.9	4	1	1	3	4	5	6
75-79	1229	5.2	34	1	2	4	7	10	10	35-49	13953	3.0	7	1	1	2	4	6	7
80-84	509	6.0	12	2	4	6	8	11	12	50-69	12827	3.4	6	1	1	3	5	7	8
85 +	152	7.3	28	3	3	5	12	15	19	70 +	102	3.9	4	2	2	4	6	8	8
SUBTOTAL	**7782**	**4.5**	**14**	**1**	**2**	**4**	**6**	**8**	**10**		**37600**	**3.1**	**6**	**1**	**1**	**3**	**4**	**6**	**7**
GRAND TOTAL	**7782**	**4.5**	**14**	**1**	**2**	**4**	**6**	**8**	**10**		**37600**	**3.1**	**6**	**1**	**1**	**3**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	25	1.0								0-17	62	4.6	5						
18-34	2302	3.7	4	1	2	3	5	6	7	18-34	1901	3.4	5	1	2	3	5	6	8
35-49	951	4.1	5	1	2	4	6	7	8	35-49	1913	3.8	5	1	2	4	5	6	7
50-69	650	5.0	7	2	3	5	6	8	11	50-69	1120	4.0	6	1	2	4	6	7	8
70 +	52	7.8	2							70 +	25	7.1	37						
SUBTOTAL	**3979**	**4.0**	**5**	**1**	**2**	**4**	**5**	**7**	**8**		**5021**	**3.7**	**5**	**1**	**2**	**3**	**5**	**6**	**8**
GRAND TOTAL	**3979**	**4.0**	**5**	**1**	**2**	**4**	**5**	**7**	**8**		**5021**	**3.7**	**5**	**1**	**2**	**3**	**5**	**6**	**8**

DRG 199: Hepatobiliary Diagnostic Procedure for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	153	17.0	170	5	7	9	28	37	40	0-17	13	32.0							
70-74	38	17.5	76							18-34	0								
75-79	76	21.1	704	3	6	11	15	79	79	35-49	25	4.5	7						
80-84	26	15.0	4							50-69	270	13.5	62	6	7	11	17	24	32
85 +	51	19.7	28							70 +	25	17.5	2						
SUBTOTAL	**344**	**18.2**	**246**	**5**	**8**	**13**	**26**	**37**	**40**		**334**	**13.8**	**72**	**5**	**7**	**12**	**18**	**32**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	26	5.0	1							0-17	39	13.3	4						
70-74	64	10.8	36							18-34	0								
75-79	25	15.0	150							35-49	13	5.0							
80-84	25	9.5	2							50-69	51	6.5	7						
85 +	0									70 +	0								
SUBTOTAL	**140**	**10.2**	**52**	**4**	**5**	**8**	**18**	**18**	**27**		**103**	**8.9**	**18**	**2**	**6**	**9**	**12**	**16**	**16**
GRAND TOTAL	**485**	**15.9**	**203**	**4**	**6**	**11**	**19**	**33**	**40**		**437**	**12.7**	**63**	**5**	**7**	**11**	**16**	**24**	**32**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	13	7.0							
50-69	0									50-69	12	29.0							
70 +	0									70 +	12	8.0							
SUBTOTAL	**0**										**38**	**14.6**	**105**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	13	5.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**13**	**5.0**							
GRAND TOTAL	**0**										**51**	**12.1**	**96**						

DRG 200: Hepatobiliary Diagnostic Procedure for Non-malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	64	13.7	44							0-17	64	18.6	263						
70-74	52	13.3	172							18-34	50	14.8	121						
75-79	13	23.0								35-49	13	3.0							
80-84	13	11.0								50-69	64	10.9	67						
85 +	0									70 +	12	15.0							
SUBTOTAL	**141**	**14.1**	**90**	**3**	**5**	**12**	**22**	**23**	**35**		**203**	**14.0**	**150**	**2**	**4**	**11**	**15**	**32**	**49**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	26	9.0	4							0-17	52	8.3	26						
70-74	0									18-34	37	4.7	15						
75-79	13	1.0								35-49	62	4.2	12						
80-84	0									50-69	88	4.4	12	< 1	1	3	9	10	10
85 +	0									70 +	0								
SUBTOTAL	**39**	**6.3**	**17**								**239**	**5.2**	**18**	**< 1**	**1**	**3**	**10**	**11**	**15**
GRAND TOTAL	**180**	**12.5**	**85**	**2**	**5**	**11**	**19**	**23**	**35**		**442**	**9.3**	**98**	**1**	**2**	**6**	**14**	**19**	**32**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13	65.0								0-17	0								
18-34	13	5.0								18-34	12	25.0							
35-49	13	5.0								35-49	0								
50-69	26	15.0	51							50-69	25	16.1	37						
70 +	0									70 +	0								
SUBTOTAL	**64**	**21.0**	**532**								**38**	**19.0**	**43**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	13	27.0								0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	13	2.0								50-69	25	6.0							
70 +	0									70 +	0								
SUBTOTAL	**26**	**14.5**	**163**								**25**	**6.0**							
GRAND TOTAL	**90**	**19.1**	**432**	**2**	**5**	**8**	**27**	**65**	**65**		**63**	**13.8**	**67**						

DRG 201: Other Hepatobiliary or Pancreas O.R. Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	128	10.1	78	4	5	7	21	31	99 +	0-17	155	11.0	370	1	2	4	10	71	99 +
70-74	89	14.9	41	4	10	16	19	25	25	18-34	103	10.5	105	1	2	5	22	29	29
75-79	64	38.2	848							35-49	217	13.3	170	3	3	7	21	38	39
80-84	38	19.3	6							50-69	281	10.9	70	3	5	8	17	20	24
85 +	26	30.0	234							70 +	13	57.0							
SUBTOTAL	**344**	**19.0**	**323**	**4**	**7**	**16**	**25**	**46**	**86**		**768**	**12.3**	**197**	**2**	**3**	**7**	**17**	**36**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	13	1.0								0-17	39	3.3	11						
70-74	0									18-34	52	3.3	15						
75-79	0									35-49	0								
80-84	0									50-69	25	2.0	1						
85 +	0									70 +	0								
SUBTOTAL	**13**	**1.0**									**116**	**3.0**	**11**	**1**	**1**	**1**	**3**	**10**	**10**
GRAND TOTAL	**357**	**18.4**	**322**	**4**	**7**	**15**	**22**	**46**	**86**		**884**	**11.1**	**182**	**1**	**3**	**5**	**15**	**34**	**39**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	2.0								0-17	26	2.0	1						
18-34	0									18-34	26	28.0	26						
35-49	39	7.7	22							35-49	52	23.0	242						
50-69	25	17.9	51							50-69	127	6.4	8	4	4	7	8	11	12
70 +	12	8.0								70 +	0								
SUBTOTAL	**102**	**8.8**	**53**	**2**	**2**	**6**	**11**	**25**	**25**		**230**	**12.1**	**145**	**2**	**4**	**7**	**16**	**33**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	26	1.0							
18-34	0									18-34	0								
35-49	13	1.0								35-49	39	1.0							
50-69	0									50-69	13	1.0							
70 +	0									70 +	0								
SUBTOTAL	**13**	**1.0**									**77**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**115**	**7.9**	**53**	**1**	**2**	**6**	**11**	**25**	**25**		**308**	**9.3**	**132**	**1**	**1**	**5**	**12**	**26**	**33**

DRG 202: Cirrhosis & Alcoholic Hepatitis

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1281	11.1	87	2	6	9	13	20	28	0-17	13	1.0							
70-74	698	11.8	177	4	5	7	13	26	51	18-34	128	13.4	137	2	7	10	16	37	44
75-79	581	10.7	48	5	6	8	13	23	24	35-49	779	9.3	104	3	5	7	11	16	19
80-84	229	14.0	124	4	7	10	16	30	51	50-69	1340	9.8	103	2	4	6	13	18	29
85 +	63	14.5	224							70 +	13	6.0							
SUBTOTAL	**2852**	**11.5**	**108**	**3**	**6**	**9**	**14**	**24**	**30**		**2273**	**9.8**	**105**	**2**	**4**	**7**	**12**	**18**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	89	4.4	24	< 1	1	1	12	12	12	0-17	26	8.0	37						
70-74	51	4.5	17							18-34	26	1.0							
75-79	25	1.0								35-49	152	2.1	4	< 1	1	1	2	4	8
80-84	13	1.0								50-69	243	3.6	25	< 1	1	1	3	13	19
85 +	12	5.0								70 +	0								
SUBTOTAL	**190**	**3.8**	**17**	**1**	**1**	**1**	**5**	**12**	**12**		**447**	**3.2**	**19**	**< 1**	**1**	**1**	**3**	**12**	**14**
GRAND TOTAL	**3042**	**11.0**	**106**	**2**	**5**	**8**	**13**	**23**	**30**		**2720**	**8.7**	**97**	**1**	**3**	**6**	**11**	**17**	**25**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	7.5	21							0-17	0								
18-34	140	8.5	28	3	3	7	12	17	18	18-34	201	6.3	19	1	2	5	8	14	15
35-49	432	8.7	28	4	5	7	11	18	19	35-49	418	10.6	38	4	6	10	13	21	24
50-69	317	15.9	197	2	5	11	21	45	45	50-69	290	10.2	37	4	6	7	13	18	23
70 +	26	9.5	31							70 +	12	4.0							
SUBTOTAL	**941**	**11.1**	**96**	**3**	**5**	**7**	**14**	**21**	**34**		**922**	**9.5**	**36**	**3**	**4**	**8**	**12**	**18**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	39	5.0	1						
35-49	0									35-49	38	3.3	11						
50-69	51	2.0	1							50-69	13	1.0							
70 +	0									70 +	0								
SUBTOTAL	**51**	**2.0**	**1**								**89**	**3.7**	**7**	**< 1**	**1**	**4**	**6**	**8**	**8**
GRAND TOTAL	**992**	**10.6**	**96**	**3**	**4**	**7**	**14**	**21**	**34**		**1011**	**8.9**	**36**	**2**	**4**	**7**	**12**	**17**	**23**

DRG 203: Malignancy of Hepatobiliary System or Pancreas

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	869	11.2	97	2	5	8	15	23	36	0-17	52	24.3	185						
70-74	713	11.2	169	2	4	8	15	23	26	18-34	51	4.8	19						
75-79	826	10.9	102	2	5	9	15	20	23	35-49	280	9.2	123	1	2	6	11	21	40
80-84	651	12.3	199	3	5	8	14	23	46	50-69	1171	9.3	80	1	3	7	13	22	26
85 +	421	11.3	57	5	7	9	12	21	24	70 +	38	22.3	329						
SUBTOTAL	**3480**	**11.4**	**127**	**3**	**5**	**8**	**14**	**22**	**27**		**1591**	**10.0**	**106**	**1**	**3**	**7**	**13**	**24**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	294	6.0	28	1	2	5	8	11	17	0-17	116	3.3	2	1	3	4	4	6	6
70-74	179	5.0	27	1	1	3	6	14	19	18-34	0								
75-79	228	5.9	12	1	3	7	8	12	12	35-49	140	5.2	24	1	1	2	10	13	15
80-84	152	5.3	15	1	2	4	7	10	14	50-69	550	5.5	35	1	1	3	7	13	17
85 +	165	7.1	13	3	4	7	9	10	17	70 +	50	5.8	7						
SUBTOTAL	**1018**	**5.9**	**20**	**1**	**2**	**5**	**8**	**11**	**15**		**856**	**5.1**	**27**	**1**	**1**	**3**	**6**	**13**	**15**
GRAND TOTAL	**4498**	**10.1**	**108**	**2**	**4**	**7**	**12**	**20**	**26**		**2447**	**8.3**	**83**	**1**	**2**	**5**	**11**	**21**	**27**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	52	11.3	67						
18-34	26	4.0	9							18-34	38	14.3	34						
35-49	89	10.9	91	2	6	7	11	33	33	35-49	38	14.1	64						
50-69	77	21.0	192	10	11	16	22	51	51	50-69	215	15.2	230	3	7	13	15	32	69
70 +	38	9.3	17							70 +	51	13.4	130						
SUBTOTAL	**229**	**13.2**	**137**	**2**	**7**	**10**	**16**	**33**	**51**		**394**	**14.3**	**162**	**4**	**7**	**10**	**17**	**25**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	13	4.0							
35-49	0									35-49	13	7.0							
50-69	0									50-69	64	3.4	4						
70 +	0									70 +	25	22.5							
SUBTOTAL	**0**										**115**	**8.1**	**63**	**1**	**4**	**5**	**7**	**23**	**23**
GRAND TOTAL	**229**	**13.2**	**137**	**2**	**7**	**10**	**16**	**33**	**51**		**508**	**12.9**	**146**	**3**	**6**	**9**	**15**	**25**	**31**

DRG 204: Disorders of Pancreas except Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2032	10.0	97	3	5	8	11	19	24	0-17	39	7.7	14						
70-74	837	8.4	39	3	4	7	10	15	18	18-34	816	10.5	87	3	5	8	11	22	30
75-79	643	11.2	125	3	5	8	12	26	36	35-49	1756	9.7	69	3	4	7	12	21	28
80-84	558	9.0	48	4	5	8	12	24	35	50-69	1448	8.8	80	1	4	6	11	17	29
85 +	761	11.9	232	4	5	7	12	18	46	70 +	51	5.8	11						
SUBTOTAL	**4831**	**10.1**	**107**	**3**	**5**	**7**	**11**	**18**	**30**		**4110**	**9.5**	**76**	**2**	**4**	**7**	**11**	**20**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	494	7.0	52	2	4	5	7	14	27	0-17	128	5.2	8	2	3	4	7	10	11
70-74	446	5.8	34	1	3	4	6	14	17	18-34	801	5.7	21	2	3	5	7	10	13
75-79	380	6.2	28	2	3	5	7	12	17	35-49	1405	5.9	20	1	2	5	8	13	16
80-84	164	5.3	8	3	4	4	6	8	13	50-69	1564	5.3	14	1	3	5	7	9	10
85 +	342	4.4	14	< 1	2	3	7	10	11	70 +	25	10.0	26						
SUBTOTAL	**1827**	**5.9**	**32**	**1**	**3**	**5**	**7**	**11**	**15**		**3922**	**5.6**	**18**	**1**	**3**	**5**	**7**	**10**	**14**
GRAND TOTAL	**6658**	**8.9**	**90**	**2**	**4**	**7**	**10**	**17**	**26**		**8033**	**7.6**	**51**	**2**	**3**	**6**	**9**	**15**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13	8.0								0-17	38	3.7	3						
18-34	407	11.2	96	4	5	9	13	23	35	18-34	505	9.5	57	3	5	8	11	20	28
35-49	1069	9.1	49	3	4	7	11	18	24	35-49	858	7.0	19	3	4	5	8	14	16
50-69	254	6.2	13	2	3	5	8	13	13	50-69	380	7.4	10	4	5	6	9	12	14
70 +	0									70 +	39	9.0	25						
SUBTOTAL	**1743**	**9.2**	**57**	**3**	**4**	**7**	**10**	**18**	**25**		**1821**	**7.8**	**29**	**3**	**4**	**6**	**9**	**15**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	12	2.0								0-17	39	13.0	166						
18-34	253	7.2	25	4	5	5	8	20	20	18-34	393	5.5	12	3	3	5	6	9	15
35-49	279	4.8	9	1	2	4	8	8	10	35-49	328	5.3	16	1	3	4	7	11	13
50-69	151	5.4	12	2	2	5	8	10	12	50-69	226	4.8	12	1	2	4	7	11	12
70 +	13	13.0								70 +	0								
SUBTOTAL	**708**	**5.9**	**17**	**2**	**3**	**5**	**8**	**10**	**14**		**986**	**5.6**	**22**	**2**	**3**	**4**	**7**	**11**	**15**
GRAND TOTAL	**2451**	**8.2**	**48**	**3**	**4**	**6**	**10**	**16**	**22**		**2807**	**7.0**	**27**	**3**	**4**	**5**	**8**	**13**	**17**

DRG 205: Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1170	9.9	100	2	4	8	11	19	31	0-17	1056	7.8	102	1	2	4	9	18	23
70-74	496	11.2	93	2	3	9	14	27	35	18-34	372	6.1	25	1	3	4	9	17	19
75-79	636	9.9	71	4	5	9	11	16	21	35-49	753	6.3	21	1	3	5	10	12	14
80-84	303	12.8	70	5	8	11	15	25	27	50-69	749	9.1	68	2	4	6	11	23	29
85 +	140	18.6	73	10	12	18	23	27	37	70 +	50	3.7	5						
SUBTOTAL	**2745**	**10.9**	**91**	**3**	**5**	**9**	**13**	**23**	**31**		**2980**	**7.5**	**63**	**1**	**3**	**5**	**10**	**15**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2745**	**10.9**	**91**	**3**	**5**	**9**	**13**	**23**	**31**		**2980**	**7.5**	**63**	**1**	**3**	**5**	**10**	**15**	**23**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	618	7.2	53	1	2	4	11	16	23	0-17	361	7.7	143	1	2	5	9	16	18
18-34	283	8.7	137	3	4	6	9	11	11	18-34	254	8.9	55	3	4	7	10	19	29
35-49	371	8.0	83	2	3	6	9	21	50	35-49	192	10.9	139	3	4	8	12	16	52
50-69	318	8.2	43	2	4	7	9	17	18	50-69	126	12.4	287	2	4	6	14	61	61
70 +	0									70 +	13	10.0							
SUBTOTAL	**1590**	**7.9**	**73**	**2**	**3**	**6**	**9**	**14**	**23**		**946**	**9.3**	**138**	**2**	**3**	**6**	**10**	**16**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1590**	**7.9**	**73**	**2**	**3**	**6**	**9**	**14**	**23**		**946**	**9.3**	**138**	**2**	**3**	**6**	**10**	**16**	**30**

DRG 206: Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	241	3.8	22	< 1	1	1	5	14	16
70-74	101	7.5	281	1	1	1	2	52	52
75-79	89	5.0	22	1	1	2	10	13	13
80-84	50	5.8	69						
85 +	50	4.0	5						
SUBTOTAL	**531**	**4.9**	**75**	**1**	**1**	**1**	**5**	**13**	**18**
GRAND TOTAL	**531**	**4.9**	**75**	**1**	**1**	**1**	**5**	**13**	**18**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	615	4.0	20	1	1	2	5	10	15
18-34	611	3.1	9	1	1	1	4	8	10
35-49	1201	2.5	7	1	1	1	3	7	9
50-69	610	3.1	11	1	1	1	4	7	9
70 +	38	3.0	5						
	3076	**3.0**	**11**	**1**	**1**	**1**	**4**	**8**	**10**
	3076	**3.0**	**11**	**1**	**1**	**1**	**4**	**8**	**10**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	245	3.1	5	1	1	2	4	8	9
18-34	179	5.8	20	2	2	4	8	14	15
35-49	88	4.0	4	1	1	5	5	7	7
50-69	13	1.0							
70 +	0								
SUBTOTAL	**524**	**4.1**	**12**	**1**	**2**	**4**	**5**	**8**	**13**
GRAND TOTAL	**524**	**4.1**	**12**	**1**	**2**	**4**	**5**	**8**	**13**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	167	4.7	15	1	1	4	7	12	12
18-34	215	6.9	54	1	2	4	8	15	32
35-49	215	3.1	6	< 1	1	2	5	7	9
50-69	89	5.5	14	1	1	5	10	11	11
70 +	0								
	687	**5.0**	**27**	**1**	**1**	**4**	**7**	**11**	**12**
	687	**5.0**	**27**	**1**	**1**	**4**	**7**	**11**	**12**

DRG 207: Disorders of the Biliary Tract w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1601	6.2	22	1	2	5	8	13	15	0-17	257	7.3	42	1	2	5	11	19	23
70-74	1336	7.3	27	2	4	6	10	13	17	18-34	447	4.9	18	1	2	3	7	10	12
75-79	1725	7.8	68	2	4	6	9	14	18	35-49	766	6.6	33	1	3	5	9	12	22
80-84	1229	8.9	51	3	5	7	11	17	20	50-69	1351	5.5	22	1	2	4	8	11	17
85 +	1565	10.4	106	3	5	8	12	19	23	70 +	77	7.3	33	1	4	6	8	19	19
SUBTOTAL	**7456**	**8.1**	**58**	**2**	**4**	**7**	**10**	**15**	**19**		**2898**	**5.9**	**27**	**1**	**2**	**4**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**7456**	**8.1**	**58**	**2**	**4**	**7**	**10**	**15**	**19**		**2898**	**5.9**	**27**	**1**	**2**	**4**	**8**	**12**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13	6.0								0-17	64	7.6	55						
18-34	139	4.9	17	1	2	4	6	8	16	18-34	150	4.3	12	1	1	3	7	7	13
35-49	179	9.2	81	3	3	7	11	20	36	35-49	239	6.6	13	3	4	5	9	11	15
50-69	255	5.4	12	2	3	4	8	12	13	50-69	457	5.6	17	2	3	4	7	12	12
70 +	154	13.2	25	8	9	13	19	20	21	70 +	126	6.6	10	3	4	5	10	11	12
SUBTOTAL	**739**	**7.8**	**42**	**2**	**3**	**6**	**11**	**16**	**20**		**1036**	**5.9**	**18**	**2**	**3**	**5**	**8**	**12**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**739**	**7.8**	**42**	**2**	**3**	**6**	**11**	**16**	**20**		**1036**	**5.9**	**18**	**2**	**3**	**5**	**8**	**12**	**13**

DRG 208: Disorders of the Biliary Tract w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	788	3.4	6	1	2	3	5	7	8	0-17	282	4.1	12	1	1	3	6	10	10
70-74	877	3.4	8	1	1	3	4	7	8	18-34	1406	2.7	4	1	1	2	4	6	7
75-79	584	4.7	11	1	2	4	7	10	11	35-49	1898	2.6	4	1	1	2	3	5	7
80-84	546	4.4	11	1	2	4	6	8	11	50-69	2631	2.8	5	1	1	2	4	6	7
85+	573	6.7	26	2	3	6	9	13	15	70+	101	5.0	12	1	2	4	8	11	11
SUBTOTAL	**3369**	**4.3**	**13**	**1**	**2**	**3**	**6**	**9**	**11**		**6319**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**3369**	**4.3**	**13**	**1**	**2**	**3**	**6**	**9**	**11**		**6319**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	103	5.6	26	1	2	3	12	14	14	0-17	103	4.4	13	2	2	3	6	13	13
18-34	342	3.0	6	1	2	2	3	8	8	18-34	441	3.8	5	1	2	3	5	7	9
35-49	115	2.6	2	1	2	2	4	5	5	35-49	488	2.7	4	1	1	2	4	5	7
50-69	230	3.7	5	1	2	4	5	7	10	50-69	453	4.6	19	1	2	3	6	9	19
70+	39	5.3	23							70+	13	1.0							
SUBTOTAL	**828**	**3.6**	**10**	**1**	**2**	**2**	**4**	**8**	**12**		**1498**	**3.7**	**10**	**1**	**1**	**3**	**5**	**7**	**9**
GRAND TOTAL	**828**	**3.6**	**10**	**1**	**2**	**2**	**4**	**8**	**12**		**1498**	**3.7**	**10**	**1**	**1**	**3**	**5**	**7**	**9**

DRG 209: Major Joint & Limb Reattachment Procedures, Lower Extremity

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6210	12.0	47	7	8	10	13	19	23	0-17	0								
70-74	7192	12.7	51	8	9	11	14	19	26	18-34	102	9.4	4	5	9	9	12	12	12
75-79	6934	13.8	74	8	9	12	16	22	29	35-49	729	9.7	23	6	7	8	10	16	23
80-84	5843	15.5	110	8	10	13	17	25	35	50-69	4928	11.2	35	7	8	10	13	17	21
85 +	5092	18.2	160	8	11	14	22	36	44	70 +	582	11.8	19	7	9	11	14	17	21
SUBTOTAL	**31270**	**14.2**	**88**	**8**	**9**	**12**	**16**	**23**	**31**		**6341**	**11.0**	**32**	**7**	**8**	**9**	**13**	**17**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5130	9.5	12	6	8	9	11	13	15	0-17	52	8.8	4						
70-74	5343	10.4	18	7	8	10	12	15	16	18-34	306	8.6	4	6	7	9	10	11	13
75-79	4629	10.9	23	7	8	10	12	15	17	35-49	1069	8.5	6	5	7	8	10	12	13
80-84	3066	11.9	23	7	9	11	14	17	21	50-69	6736	9.1	8	6	7	9	10	13	14
85 +	1747	12.6	43	7	8	11	14	22	24	70 +	458	11.0	15	7	8	11	13	17	17
SUBTOTAL	**19915**	**10.7**	**21**	**7**	**8**	**10**	**12**	**15**	**18**		**8621**	**9.1**	**8**	**6**	**7**	**9**	**11**	**13**	**15**
GRAND TOTAL	**51186**	**12.9**	**65**	**7**	**9**	**11**	**14**	**20**	**27**		**14962**	**9.9**	**19**	**6**	**7**	**9**	**11**	**15**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	116	11.2	27	6	7	10	16	21	21	18-34	12	6.0							
35-49	90	10.4	23	3	7	9	16	18	18	35-49	151	10.9	17	7	7	8	15	17	19
50-69	367	12.1	46	7	8	10	12	22	27	50-69	633	13.8	38	7	9	13	16	24	24
70 +	64	25.1	332							70 +	140	16.5	36	12	12	15	19	24	31
SUBTOTAL	**637**	**13.0**	**84**	**7**	**8**	**11**	**15**	**22**	**27**		**937**	**13.7**	**37**	**7**	**9**	**13**	**16**	**22**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	153	9.7	8	7	8	10	10	13	16	18-34	12	6.0							
35-49	114	7.8	3	5	6	8	9	11	11	35-49	126	7.5	9	2	6	6	8	12	13
50-69	254	14.7	239	7	8	9	15	30	67	50-69	464	8.8	4	6	8	9	10	12	13
70 +	25	12.5								70 +	101	16.3	60	6	11	14	23	29	29
SUBTOTAL	**546**	**11.7**	**123**	**6**	**7**	**9**	**12**	**16**	**17**		**704**	**9.6**	**21**	**6**	**7**	**9**	**10**	**13**	**20**
GRAND TOTAL	**1183**	**12.4**	**102**	**7**	**8**	**10**	**13**	**18**	**27**		**1641**	**11.9**	**34**	**6**	**8**	**10**	**14**	**20**	**24**

DRG 210: Hip & Femur Procedures except Major Joint Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1814	14.7	79	6	8	13	18	29	37
70-74	2338	16.2	109	8	10	13	20	32	36
75-79	4051	17.6	153	7	10	14	21	35	47
80-84	5269	17.5	165	8	11	14	20	32	51
85 +	8520	18.0	185	7	10	14	21	36	52
SUBTOTAL	**21992**	**17.3**	**159**	**7**	**10**	**14**	**20**	**33**	**48**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**21992**	**17.3**	**159**	**7**	**10**	**14**	**20**	**33**	**48**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	737	10.3	66	3	5	9	12	23	39
35-49	510	15.9	142	4	7	14	18	40	42
50-69	1167	14.1	75	6	8	13	17	27	36
70 +	318	17.2	99	8	11	14	21	28	30
	2731	**13.8**	**94**	**4**	**8**	**12**	**17**	**27**	**39**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2731	**13.8**	**94**	**4**	**8**	**12**	**17**	**27**	**39**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	192	10.2	26	4	6	9	14	18	21
35-49	116	21.2	173	6	14	20	25	53	53
50-69	304	23.3	236	8	10	21	31	49	56
70 +	51	11.6	23						
SUBTOTAL	**663**	**18.2**	**183**	**6**	**9**	**14**	**23**	**33**	**53**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**663**	**18.2**	**183**	**6**	**9**	**14**	**23**	**33**	**53**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	267	13.9	79	5	8	10	22	28	31
35-49	126	10.2	73	3	5	6	16	21	30
50-69	203	12.7	25	8	9	11	15	20	24
70 +	203	22.9	424	7	13	17	25	42	93
	800	**15.3**	**172**	**5**	**8**	**12**	**20**	**28**	**31**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	800	**15.3**	**172**	**5**	**8**	**12**	**20**	**28**	**31**

DRG 211: Hip & Femur Procedures except Major Joint Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	721	9.8	60	4	7	8	11	16	17	0-17	0								
70-74	951	10.8	49	5	7	9	12	18	24	18-34	1238	7.6	51	2	4	6	10	14	17
75-79	1310	12.6	80	6	8	11	14	20	25	35-49	623	6.2	16	2	3	5	8	13	15
80-84	1681	12.0	37	6	8	11	15	18	22	50-69	998	7.6	11	3	6	7	10	12	14
85 +	2224	13.0	47	7	9	11	16	20	25	70 +	216	9.8	25	4	6	10	11	17	24
SUBTOTAL	**6886**	**12.0**	**54**	**6**	**8**	**10**	**14**	**19**	**24**		**3075**	**7.4**	**30**	**3**	**4**	**6**	**10**	**13**	**15**
GRAND TOTAL	**6886**	**12.0**	**54**	**6**	**8**	**10**	**14**	**19**	**24**		**3075**	**7.4**	**30**	**3**	**4**	**6**	**10**	**13**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	256	10.1	137	4	5	7	11	19	44	18-34	277	8.5	92	2	3	6	9	12	14
35-49	25	4.0	4							35-49	127	5.0	6	2	3	4	7	8	9
50-69	76	10.0	12	5	8	11	13	15	15	50-69	189	8.1	21	2	5	7	13	16	17
70 +	25	12.5	75							70 +	177	13.7	60	6	6	13	21	24	30
SUBTOTAL	**383**	**9.9**	**102**	**3**	**5**	**8**	**11**	**19**	**21**		**770**	**9.0**	**61**	**2**	**4**	**7**	**10**	**16**	**23**
GRAND TOTAL	**383**	**9.9**	**102**	**3**	**5**	**8**	**11**	**19**	**21**		**770**	**9.0**	**61**	**2**	**4**	**7**	**10**	**16**	**23**

DRG 212: Hip & Femur Procedures except Major Joint Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	102	10.5	42	3	6	8	20	22	22	0-17	1402	6.8	28	2	4	5	8	14	18
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**102**	**10.5**	**42**	**3**	**6**	**8**	**20**	**22**	**22**		**1402**	**6.8**	**28**	**2**	**4**	**5**	**8**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	4013	5.9	33	1	3	4	7	13	19
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**4013**	**5.9**	**33**	**1**	**3**	**4**	**7**	**13**	**19**
GRAND TOTAL	**102**	**10.5**	**42**	**3**	**6**	**8**	**20**	**22**	**22**		**5415**	**6.2**	**32**	**2**	**3**	**4**	**8**	**13**	**18**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	579	9.1	146	2	4	5	9	19	28	0-17	438	4.4	8	2	3	4	5	7	12
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**579**	**9.1**	**146**	**2**	**4**	**5**	**9**	**19**	**28**		**438**	**4.4**	**8**	**2**	**3**	**4**	**5**	**7**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1852	6.8	44	2	3	4	8	16	24	0-17	1683	5.3	36	1	2	4	6	8	20
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1852**	**6.8**	**44**	**2**	**3**	**4**	**8**	**16**	**24**		**1683**	**5.3**	**36**	**1**	**2**	**4**	**6**	**8**	**20**
GRAND TOTAL	**2431**	**7.3**	**69**	**2**	**3**	**4**	**8**	**19**	**25**		**2121**	**5.1**	**30**	**1**	**2**	**4**	**6**	**8**	**15**

DRG 213: Amputation for Musculoskeletal System & Conn Tissue Disorders

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	241	16.2	158	1	6	15	26	41	45	0-17	39	7.0	51						
70-74	152	15.6	129	6	6	14	21	36	39	18-34	13	22.0							
75-79	115	16.1	301	5	6	10	24	62	99 +	35-49	51	9.8	33						
80-84	64	25.2	196							50-69	202	16.2	156	2	6	15	23	30	52
85 +	101	13.6	24	6	10	13	15	24	24	70 +	0								
SUBTOTAL	**672**	**16.5**	**167**	**5**	**7**	**13**	**23**	**39**	**47**		**304**	**14.2**	**130**	**2**	**5**	**14**	**18**	**25**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	64	10.7	120							0-17	52	3.8	13						
70-74	37	6.3	12							18-34	128	5.4	15	2	2	4	10	12	12
75-79	12	14.0								35-49	38	4.0	5						
80-84	38	8.0	8							50-69	63	4.4	9						
85 +	38	9.6	17							70 +	0								
SUBTOTAL	**190**	**9.3**	**51**	**3**	**4**	**8**	**11**	**15**	**32**		**280**	**4.7**	**13**	**1**	**2**	**3**	**8**	**10**	**11**
GRAND TOTAL	**862**	**14.9**	**151**	**4**	**6**	**11**	**20**	**36**	**45**		**585**	**9.7**	**96**	**2**	**2**	**7**	**14**	**23**	**25**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13	4.0								0-17	0								
18-34	38	24.8	139							18-34	0								
35-49	38	16.4	4							35-49	0								
50-69	26	36.5	44							50-69	13	27.0							
70 +	0									70 +	0								
SUBTOTAL	**115**	**22.3**	**154**	**4**	**15**	**18**	**30**	**43**	**43**		**13**	**27.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	39	3.3	4							0-17	52	4.0	22						
18-34	13	3.0								18-34	13	31.0							
35-49	25	10.4	44							35-49	13	4.0							
50-69	25	7.9	26							50-69	12	13.0							
70 +	0									70 +	0								
SUBTOTAL	**102**	**6.2**	**28**	**1**	**3**	**3**	**6**	**17**	**17**		**90**	**9.1**	**103**	**< 1**	**1**	**4**	**13**	**31**	**31**
GRAND TOTAL	**217**	**14.7**	**159**	**3**	**4**	**14**	**18**	**41**	**43**		**103**	**11.4**	**126**	**< 1**	**1**	**4**	**23**	**31**	**31**

DRG 214: Back & Neck Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2310	10.3	68	4	6	8	13	18	24
70-74	1340	12.3	99	5	6	9	14	27	35
75-79	1279	13.8	104	6	7	11	16	27	41
80-84	572	15.3	139	5	7	12	18	34	44
85 +	230	21.9	489	8	9	15	21	71	87
SUBTOTAL	**5731**	**12.5**	**113**	**5**	**7**	**9**	**15**	**24**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5731**	**12.5**	**113**	**5**	**7**	**9**	**15**	**24**	**36**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1392	11.0	67	6	7	8	12	19	24
18-34	987	10.7	58	4	6	8	12	23	28
35-49	2264	7.4	37	3	4	6	8	14	19
50-69	2670	10.5	139	4	5	7	11	19	37
70 +	128	13.7	117	6	8	10	13	36	43
	7439	**9.7**	**86**	**4**	**5**	**7**	**10**	**17**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	7439	**9.7**	**86**	**4**	**5**	**7**	**10**	**17**	**27**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	270	17.1	318	8	9	11	18	25	29
18-34	139	9.8	49	5	6	7	11	15	30
35-49	242	11.4	158	3	4	7	14	30	56
50-69	103	19.9	523	3	5	11	27	76	76
70 +	12	36.0							
SUBTOTAL	**767**	**14.7**	**261**	**4**	**6**	**10**	**16**	**29**	**56**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**767**	**14.7**	**261**	**4**	**6**	**10**	**16**	**29**	**56**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	309	10.9	27	7	7	9	15	19	22
18-34	229	9.7	32	4	6	8	12	16	28
35-49	203	9.7	133	3	4	6	8	27	48
50-69	163	8.4	22	4	4	6	12	13	20
70 +	13	19.0							
	919	**10.0**	**52**	**4**	**6**	**8**	**12**	**19**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	919	**10.0**	**52**	**4**	**6**	**8**	**12**	**19**	**25**

DRG 215: Back & Neck Procedures w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2372	6.2	13	3	4	6	7	11	13	0-17	1609	7.1	5	4	6	7	8	9	10
70-74	1645	6.8	12	3	4	6	8	12	14	18-34	6316	4.4	8	2	3	4	5	8	9
75-79	1135	8.1	45	3	5	7	9	14	15	35-49	13360	4.4	9	2	3	4	5	7	9
80-84	511	10.3	31	4	7	9	13	19	22	50-69	7883	5.3	12	2	3	4	7	9	11
85+	90	6.3	9	3	4	5	10	11	11	70+	192	7.7	59	3	3	4	7	21	31
SUBTOTAL	**5753**	**7.1**	**22**	**3**	**4**	**6**	**8**	**12**	**15**		**29360**	**4.8**	**10**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**5753**	**7.1**	**22**	**3**	**4**	**6**	**8**	**12**	**15**		**29360**	**4.8**	**10**	**2**	**3**	**4**	**6**	**8**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	271	9.2	15	5	7	8	10	15	16	0-17	438	7.1	4	5	6	7	8	9	10
18-34	800	5.0	13	2	3	4	7	9	13	18-34	1215	5.0	18	2	3	4	6	8	11
35-49	700	5.3	20	2	3	4	5	12	18	35-49	1475	4.3	6	2	2	4	5	7	9
50-69	88	4.2	2	2	3	4	5	7	7	50-69	615	4.5	4	2	3	4	5	7	8
70+	0									70+	12	8.0							
SUBTOTAL	**1860**	**5.7**	**17**	**2**	**3**	**4**	**8**	**11**	**15**		**3756**	**4.9**	**10**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**1860**	**5.7**	**17**	**2**	**3**	**4**	**8**	**11**	**15**		**3756**	**4.9**	**10**	**2**	**3**	**4**	**6**	**8**	**10**

DRG 216: Biopsies of Musculoskeletal System & Connective Tissue

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	346	13.6	151	2	5	10	16	37	45	0-17	141	10.9	81	2	2	8	18	24	28
70-74	215	15.2	107	2	10	13	17	29	42	18-34	26	37.5	163						
75-79	253	24.3	275	5	14	18	33	50	66	35-49	116	9.1	77	1	4	6	6	30	30
80-84	88	26.8	346	11	14	20	54	99 +	99 +	50-69	218	16.8	140	3	7	14	27	34	43
85 +	153	24.2	532	9	11	15	31	59	85	70 +	13	15.0							
SUBTOTAL	**1056**	**19.1**	**270**	**3**	**10**	**14**	**24**	**45**	**58**		**514**	**14.4**	**146**	**2**	**4**	**11**	**23**	**32**	**41**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	151	5.6	32	1	1	2	8	12	20	0-17	593	3.9	14	< 1	1	2	6	9	12
70-74	115	12.2	112	1	8	9	13	37	37	18-34	140	6.7	94	1	1	4	7	9	36
75-79	76	13.1	140	1	3	13	20	35	35	35-49	204	3.3	8	1	1	2	4	10	10
80-84	127	10.1	71	1	2	13	21	21	21	50-69	293	4.8	29	1	1	2	7	14	16
85 +	0									70 +	0								
SUBTOTAL	**468**	**9.7**	**88**	**1**	**2**	**8**	**13**	**21**	**35**		**1230**	**4.3**	**26**	**< 1**	**1**	**2**	**6**	**10**	**14**
GRAND TOTAL	**1524**	**16.2**	**233**	**2**	**6**	**13**	**20**	**37**	**53**		**1744**	**7.3**	**83**	**1**	**1**	**4**	**9**	**19**	**28**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	14.3	39							0-17	26	4.5	13						
18-34	13	4.0								18-34	0								
35-49	39	32.3	116							35-49	13	2.0							
50-69	52	30.3	296							50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**142**	**24.1**	**243**	**7**	**14**	**21**	**33**	**45**	**59**		**39**	**3.7**	**10**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	103	4.9	15	1	1	3	7	12	12	0-17	180	9.1	239	2	2	3	10	12	63
18-34	64	21.7	184							18-34	25	5.9	9						
35-49	0									35-49	13	19.0							
50-69	12	3.0								50-69	26	9.5	7						
70 +	0									70 +	0								
SUBTOTAL	**179**	**10.7**	**141**	**1**	**3**	**7**	**12**	**32**	**43**		**244**	**9.3**	**184**	**2**	**2**	**5**	**11**	**19**	**63**
GRAND TOTAL	**321**	**16.6**	**230**	**1**	**6**	**12**	**22**	**43**	**45**		**283**	**8.5**	**164**	**2**	**2**	**3**	**10**	**12**	**19**

DRG 217: Wnd Debrid & Skn Grft except Hand,for Muscskelet & Conn Tiss Dis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	890	28.0	420	8	13	22	43	59	90	0-17	205	16.8	378	1	3	10	19	51	69
70-74	406	24.2	273	9	13	17	38	51	55	18-34	653	18.9	225	4	7	14	28	41	50
75-79	394	26.7	376	7	14	22	40	57	91	35-49	499	19.9	315	6	8	13	29	52	69
80-84	370	27.9	262	10	15	31	43	70	99 +	50-69	958	22.4	322	5	9	15	32	48	58
85 +	292	30.4	551	7	13	25	59	77	99 +	70 +	64	30.9	571						
SUBTOTAL	**2351**	**27.4**	**381**	**8**	**13**	**22**	**43**	**64**	**91**		**2379**	**20.6**	**311**	**5**	**8**	**14**	**30**	**49**	**58**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	280	12.2	329	2	3	6	12	23	53	0-17	767	5.2	37	1	1	3	7	14	17
70-74	167	6.1	22	2	2	4	8	15	16	18-34	1021	8.8	120	1	2	4	10	21	33
75-79	101	12.5	87	2	7	10	24	99 +	99 +	35-49	471	8.2	103	1	2	4	9	29	44
80-84	26	6.0	4							50-69	571	7.9	106	1	2	3	8	25	29
85 +	38	6.0	2							70 +	50	6.3	19						
SUBTOTAL	**612**	**9.9**	**180**	**2**	**3**	**7**	**10**	**24**	**53**		**2880**	**7.5**	**93**	**1**	**2**	**4**	**9**	**20**	**29**
GRAND TOTAL	**2963**	**23.8**	**390**	**4**	**9**	**18**	**38**	**59**	**77**		**5259**	**13.5**	**234**	**1**	**3**	**8**	**17**	**37**	**50**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	116	22.4	190	1	12	25	28	42	42	0-17	26	12.0	1						
18-34	180	21.9	252	1	10	24	36	59	99 +	18-34	152	18.4	173	5	10	14	31	35	49
35-49	102	31.5	604	6	7	11	57	66	66	35-49	140	25.5	571	7	13	15	22	70	79
50-69	166	31.0	491	7	13	19	47	60	79	50-69	164	21.8	399	2	8	17	39	68	99 +
70 +	0									70 +	13	20.0							
SUBTOTAL	**564**	**26.4**	**392**	**4**	**11**	**25**	**40**	**59**	**66**		**495**	**21.2**	**358**	**5**	**10**	**15**	**25**	**68**	**79**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	141	3.2	11	1	1	2	3	7	12	0-17	411	7.8	66	1	2	5	10	20	24
18-34	116	11.9	103	1	4	9	13	34	34	18-34	469	3.9	10	1	1	3	6	7	9
35-49	13	2.0								35-49	203	4.9	17	1	1	3	6	11	16
50-69	25	7.9	17							50-69	12	4.0							
70 +	0									70 +	0								
SUBTOTAL	**296**	**7.0**	**64**	**1**	**2**	**3**	**10**	**13**	**24**		**1094**	**5.5**	**35**	**1**	**1**	**4**	**7**	**11**	**20**
GRAND TOTAL	**859**	**19.7**	**364**	**1**	**4**	**12**	**34**	**56**	**60**		**1590**	**10.4**	**189**	**1**	**2**	**6**	**13**	**22**	**39**

DRG 218: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1120	9.9	132	4	4	7	11	20	35	0-17	0								
70-74	812	9.7	60	3	5	9	13	21	34	18-34	867	8.8	42	2	4	7	13	16	21
75-79	897	12.7	79	4	6	11	15	23	29	35-49	904	8.9	82	3	4	6	9	20	22
80-84	504	13.5	176	5	6	10	19	24	31	50-69	1409	8.2	48	3	4	6	9	16	23
85 +	279	13.6	83	6	7	10	16	32	34	70 +	256	16.4	64	5	9	16	23	27	29
SUBTOTAL	**3612**	**11.3**	**108**	**4**	**5**	**9**	**14**	**23**	**34**		**3435**	**9.1**	**61**	**3**	**4**	**7**	**12**	**20**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3612**	**11.3**	**108**	**4**	**5**	**9**	**14**	**23**	**34**		**3435**	**9.1**	**61**	**3**	**4**	**7**	**12**	**20**	**24**

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	204	11.2	92	3	4	9	14	24	38	18-34	443	8.8	105	2	2	6	10	14	42
35-49	192	11.0	104	5	6	7	12	22	45	35-49	240	8.7	82	3	4	6	10	12	45
50-69	76	24.6	208	6	7	28	32	47	47	50-69	293	9.8	46	4	5	7	12	18	25
70 +	13	11.0								70 +	76	11.4	19	5	7	12	16	17	17
SUBTOTAL	**486**	**13.2**	**136**	**3**	**5**	**9**	**19**	**32**	**45**		**1053**	**9.2**	**78**	**2**	**4**	**7**	**11**	**16**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**486**	**13.2**	**136**	**3**	**5**	**9**	**19**	**32**	**45**		**1053**	**9.2**	**78**	**2**	**4**	**7**	**11**	**16**	**28**

DRG 219: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1619	4.6	8	2	2	4	6	8	10	0-17	0								
70-74	870	4.9	7	2	3	4	7	9	10	18-34	5878	3.7	7	1	2	3	5	7	9
75-79	520	6.1	18	3	4	5	8	10	16	35-49	5510	4.2	10	1	2	3	5	7	10
80-84	318	10.8	275	3	4	7	9	16	18	50-69	4751	4.9	18	2	3	4	6	9	10
85 +	215	13.1	157	2	4	9	14	34	48	70 +	179	11.9	40	3	9	11	19	20	21
SUBTOTAL	**3542**	**6.0**	**48**	**2**	**3**	**5**	**7**	**10**	**13**		**16318**	**4.3**	**12**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**3542**	**6.0**	**48**	**2**	**3**	**5**	**7**	**10**	**13**		**16318**	**4.3**	**12**	**1**	**2**	**3**	**5**	**8**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	777	4.6	18	2	2	4	5	9	12	18-34	2150	4.1	10	1	2	3	5	8	12
35-49	482	4.9	27	1	3	4	6	7	10	35-49	1414	5.3	24	1	2	4	7	10	13
50-69	188	4.4	6	1	2	4	6	9	9	50-69	742	5.0	8	2	3	5	6	8	12
70 +	51	26.7	1008							70 +	127	9.4	31	2	4	11	15	15	19
SUBTOTAL	**1498**	**5.4**	**69**	**1**	**2**	**4**	**6**	**9**	**12**		**4433**	**4.8**	**16**	**1**	**2**	**4**	**6**	**10**	**12**
GRAND TOTAL	**1498**	**5.4**	**69**	**1**	**2**	**4**	**6**	**9**	**12**		**4433**	**4.8**	**16**	**1**	**2**	**4**	**6**	**10**	**12**

DRG 220: Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	475	5.3	17	1	3	4	7	9	17
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**475**	**5.3**	**17**	**1**	**3**	**4**	**7**	**9**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	5522	2.7	6	1	1	2	3	5	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**5522**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**0**										**5997**	**2.9**	**7**	**1**	**1**	**2**	**3**	**6**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	90	6.5	35	2	2	3	14	17	17	0-17	230	6.8	33	2	2	4	11	18	20
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**90**	**6.5**	**35**	**2**	**2**	**3**	**14**	**17**	**17**		**230**	**6.8**	**33**	**2**	**2**	**4**	**11**	**18**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1235	3.7	37	1	1	2	4	8	11	0-17	1840	3.3	9	1	1	2	4	6	12
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1235**	**3.7**	**37**	**1**	**1**	**2**	**4**	**8**	**11**		**1840**	**3.3**	**9**	**1**	**1**	**2**	**4**	**6**	**12**
GRAND TOTAL	**1324**	**3.9**	**37**	**1**	**1**	**2**	**4**	**8**	**11**		**2070**	**3.7**	**13**	**1**	**1**	**2**	**4**	**9**	**12**

DRG 221: Knee Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	203	7.9	47	2	5	7	8	16	29	0-17	116	5.1	9	1	3	5	7	10	10
70-74	203	12.8	179	3	6	7	16	33	55	18-34	523	4.9	18	2	3	4	5	9	13
75-79	228	16.9	287	4	8	10	16	44	71	35-49	255	5.9	43	1	3	4	6	12	25
80-84	51	7.5	28							50-69	407	7.4	93	1	2	6	9	12	25
85 +	37	20.7	137							70 +	13	16.0							
SUBTOTAL	**723**	**12.7**	**180**	**3**	**5**	**8**	**15**	**37**	**55**		**1313**	**6.0**	**47**	**1**	**3**	**4**	**7**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**723**	**12.7**	**180**	**3**	**5**	**8**	**15**	**37**	**55**		**1313**	**6.0**	**47**	**1**	**3**	**4**	**7**	**12**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13	1.0								0-17	64	2.6	1						
18-34	102	11.9	90	2	3	9	23	29	29	18-34	38	3.6	2						
35-49	64	16.7	128	1	5	25	27	99 +	99 +	35-49	75	7.1	44	< 1	1	5	12	18	18
50-69	51	16.4	100							50-69	12	1.0							
70 +	0									70 +	13	4.0							
SUBTOTAL	**230**	**13.6**	**111**	**1**	**2**	**14**	**27**	**29**	**61**		**203**	**4.5**	**22**	**< 1**	**1**	**3**	**4**	**12**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**230**	**13.6**	**111**	**1**	**2**	**14**	**27**	**29**	**61**		**203**	**4.5**	**22**	**< 1**	**1**	**3**	**4**	**12**	**18**

DRG 222: Knee Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	479	5.0	49	< 1	1	3	5	12	13	0-17	3946	2.5	2	1	1	2	3	4	5	
70-74	290	4.6	37	< 1	< 1	2	7	9	10	18-34	10607	2.6	2	1	2	3	3	4	5	
75-79	216	3.6	7	< 1	1	3	6	7	9	35-49	3692	2.6	8	< 1	1	2	3	4	6	
80-84	153	5.9	29	1	1	4	11	14	16	50-69	1274	2.9	9	< 1	< 1	2	3	7	9	
85 +	26	3.0	4							70 +	102	4.6	23	< 1	2	3	8	16	16	
SUBTOTAL	**1164**	**4.7**	**35**	**< 1**	**1**	**3**	**6**	**10**	**13**		**19620**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	
GRAND TOTAL	**1164**	**4.7**	**35**	**< 1**	**1**	**3**	**6**	**10**	**13**		**19620**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	320	4.4	55	1	1	2	4	9	18	0-17	674	2.8	16	< 1	1	2	3	4	7	
18-34	407	3.1	3	2	2	3	3	6	7	18-34	1444	2.7	5	< 1	1	2	3	5	6	
35-49	100	2.1	1	1	1	2	3	4	4	35-49	492	2.6	4	< 1	< 1	2	3	5	6	
50-69	76	12.0	85	3	6	9	13	31	31	50-69	356	2.0	3	< 1	1	1	3	5	6	
70 +	0									70 +	12	1.0								
SUBTOTAL	**904**	**4.2**	**34**	**1**	**2**	**3**	**4**	**8**	**13**		**2978**	**2.6**	**7**	**< 1**	**1**	**2**	**3**	**5**	**6**	
GRAND TOTAL	**904**	**4.2**	**34**	**1**	**2**	**3**	**4**	**8**	**13**		**2978**	**2.6**	**7**	**< 1**	**1**	**2**	**3**	**5**	**6**	

DRG 223: Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	445	4.5	13	2	2	3	5	11	14
70-74	239	6.1	41	2	3	4	6	15	24
75-79	278	10.6	352	1	2	4	10	18	42
80-84	331	12.1	143	2	3	6	23	28	34
85 +	163	9.4	110	2	5	6	9	18	43
SUBTOTAL	**1456**	**8.2**	**132**	**2**	**2**	**4**	**9**	**18**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	494	3.0	4	1	2	2	4	5	7
70-74	495	2.7	2	1	2	3	3	5	5
75-79	189	2.8	3	1	2	2	4	5	7
80-84	75	2.3	1	1	1	2	3	4	4
85 +	37	3.7	4						
SUBTOTAL	**1291**	**2.8**	**3**	**1**	**2**	**2**	**4**	**5**	**6**
GRAND TOTAL	**2747**	**5.7**	**78**	**1**	**2**	**3**	**5**	**11**	**20**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	2.4	1						
18-34	229	2.9	2	1	2	2	4	5	7
35-49	396	3.7	8	1	2	3	5	7	10
50-69	583	3.9	13	1	2	3	4	7	14
70 +	38	17.3	325						
	1310	**4.0**	**23**	**1**	**2**	**3**	**4**	**7**	**10**
0-17	140	1.7		1	1	2	2	2	3
18-34	875	1.8	1	1	1	2	2	3	4
35-49	1334	2.0	1	1	1	2	2	4	4
50-69	1772	2.5	2	1	1	2	3	4	6
70 +	26	3.5							
	4146	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
	5456	**2.6**	**7**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	13	7.0							
18-34	89	4.7	7	2	3	4	5	11	11
35-49	38	2.6	6						
50-69	38	4.7	15						
70 +	0								
SUBTOTAL	**178**	**4.4**	**9**	**1**	**2**	**4**	**6**	**10**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	38	1.7	1						
18-34	88	2.7	4	< 1	1	2	4	7	7
35-49	51	1.5							
50-69	38	2.3							
70 +	0								
SUBTOTAL	**215**	**2.2**	**2**	**1**	**1**	**2**	**2**	**4**	**7**
GRAND TOTAL	**393**	**3.2**	**7**	**1**	**1**	**2**	**4**	**7**	**10**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	13	14.0							
18-34	114	4.0	7	1	2	3	5	10	10
35-49	125	3.5	7	1	1	3	5	7	10
50-69	37	1.3							
70 +	51	4.5	17						
	341	**4.0**	**12**	**1**	**1**	**3**	**5**	**10**	**11**
0-17	0								
18-34	240	1.9	1	1	1	2	2	3	5
35-49	114	2.0	1	1	1	2	3	3	3
50-69	126	3.1	2	2	2	3	3	7	7
70 +	0								
	480	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**5**
	820	**3.0**	**7**	**1**	**1**	**2**	**3**	**6**	**10**

DRG 224: Shoulder, Elbow or Forearm Proc,exc Major Joint Proc, w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	785	2.5	2	1	2	2	3	5	5	0-17	1882	2.3	2	1	1	2	3	4	5
70-74	519	3.2	4	1	2	3	4	6	7	18-34	2950	2.2	2	1	1	2	3	4	4
75-79	381	2.6	2	1	1	2	3	5	6	35-49	1675	2.4	2	1	1	2	3	4	5
80-84	152	2.9	2	1	2	3	4	5	5	50-69	1728	2.4	2	1	2	2	3	4	5
85 +	102	6.0	11	2	4	5	6	13	13	70 +	115	3.0	4	1	1	2	5	6	6
SUBTOTAL	**1939**	**2.9**	**4**	**1**	**2**	**2**	**4**	**5**	**6**		**8349**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1939**	**2.9**	**4**	**1**	**2**	**2**	**4**	**5**	**6**		**8349**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	318	2.4	2	1	1	2	3	5	5	0-17	584	2.3	2	1	1	2	3	4	6
18-34	278	1.9	1	1	1	2	2	3	3	18-34	707	2.4	3	1	1	2	3	4	5
35-49	89	2.7	2	1	1	3	4	5	5	35-49	303	1.9	3	1	1	1	2	3	5
50-69	38	6.7	10							50-69	202	2.1	1	1	1	2	2	4	5
70 +	13	7.0								70 +	25	2.5	2						
SUBTOTAL	**736**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**		**1821**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**736**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**		**1821**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 225: Foot Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	418	8.3	90	1	3	6	10	17	25	0-17	271	3.1	2	2	2	3	4	5	6
70-74	254	6.0	38	1	1	3	9	11	24	18-34	152	2.6	6	< 1	< 1	1	4	7	8
75-79	152	9.0	38	2	3	7	14	18	19	35-49	241	5.7	25	1	2	3	8	11	22
80-84	114	8.3	91	1	2	3	12	32	32	50-69	471	8.3	63	1	2	6	13	22	29
85 +	64	22.9	407							70 +	0								
SUBTOTAL	**1002**	**8.7**	**104**	**1**	**2**	**6**	**12**	**18**	**27**		**1135**	**5.7**	**38**	**1**	**2**	**4**	**7**	**13**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	856	2.3	4	< 1	< 1	1	3	5	7	0-17	2210	2.2	4	1	1	2	3	4	5
70-74	491	2.6	4	< 1	1	2	3	6	7	18-34	2469	1.8	3	< 1	< 1	1	2	3	6
75-79	429	2.5	4	< 1	1	2	4	6	6	35-49	3217	1.8	3	< 1	< 1	1	2	3	6
80-84	137	6.0	65	< 1	< 1	1	7	19	25	50-69	2968	2.2	7	< 1	< 1	1	3	4	5
85 +	113	5.3	17	< 1	2	4	7	14	14	70 +	50	2.0	2						
SUBTOTAL	**2025**	**2.8**	**10**	**< 1**	**< 1**	**2**	**3**	**6**	**7**		**10914**	**2.0**	**4**	**< 1**	**< 1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**3027**	**4.8**	**49**	**< 1**	**1**	**2**	**6**	**11**	**17**		**12049**	**2.4**	**9**	**< 1**	**< 1**	**1**	**3**	**4**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	77	4.2	17	1	1	3	4	13	13	0-17	52	1.5							
18-34	13	2.0								18-34	50	6.6	73						
35-49	63	14.2	254							35-49	25	12.0	67						
50-69	50	24.0	294							50-69	63	3.6	2						
70 +	0									70 +	0								
SUBTOTAL	**203**	**12.0**	**222**	**1**	**2**	**4**	**16**	**44**	**47**		**189**	**4.9**	**40**	**1**	**1**	**2**	**5**	**20**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	962	2.3	2	1	1	2	3	4	4	0-17	1029	2.5	4	1	1	2	3	4	7
18-34	449	1.4	1	< 1	< 1	< 1	1	3	5	18-34	368	3.5	8	1	2	2	4	10	10
35-49	324	1.7	7	< 1	< 1	< 1	1	2	4	35-49	389	2.1	2	< 1	1	1	3	4	6
50-69	324	1.3	1	< 1	< 1	< 1	< 1	2	3	50-69	229	2.3	6	< 1	1	1	2	7	10
70 +	25	1.0								70 +	0								
SUBTOTAL	**2085**	**1.8**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**4**		**2015**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**2288**	**2.7**	**30**	**< 1**	**< 1**	**1**	**2**	**4**	**7**		**2204**	**2.8**	**9**	**1**	**1**	**2**	**3**	**5**	**9**

DRG 226: Soft Tissue Procedures w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	409	6.8	75	1	2	4	6	15	36
70-74	241	10.5	176	1	3	7	14	22	61
75-79	139	21.0	957	1	2	5	41	62	97
80-84	164	5.6	41	2	3	3	5	11	26
85+	77	4.7	6	2	2	4	7	8	8
SUBTOTAL	**1031**	**9.2**	**232**	**1**	**3**	**4**	**8**	**17**	**40**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1031**	**9.2**	**232**	**1**	**3**	**4**	**8**	**17**	**40**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	915	3.7	14	1	2	3	4	5	15
18-34	269	5.2	10	2	2	5	7	8	11
35-49	294	6.1	33	1	2	5	8	11	17
50-69	471	6.9	118	1	2	4	7	12	26
70+	50	6.5	18						
	2001	**5.1**	**43**	**1**	**2**	**3**	**6**	**10**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	2001	**5.1**	**43**	**1**	**2**	**3**	**6**	**10**	**15**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	490	3.7	13	1	2	3	4	5	13
18-34	116	6.1	42	2	3	4	5	24	24
35-49	64	6.7	42						
50-69	50	9.3	10						
70+	0								
SUBTOTAL	**719**	**4.7**	**23**	**2**	**2**	**3**	**4**	**11**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**719**	**4.7**	**23**	**2**	**2**	**3**	**4**	**11**	**19**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	206	6.4	90	1	1	3	6	28	33
18-34	90	5.9	21	1	2	4	10	14	14
35-49	102	12.7	158	<1	2	14	20	40	40
50-69	76	3.8	3	<1	3	4	5	6	6
70+	38	2.3	2						
	513	**6.9**	**81**	**1**	**2**	**3**	**8**	**20**	**32**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	513	**6.9**	**81**	**1**	**2**	**3**	**8**	**20**	**32**

DRG 227: Soft Tissue Procedures w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	966	4.3	25	1	2	3	5	9	13
70-74	543	4.0	21	1	1	3	4	9	11
75-79	442	3.3	6	< 1	1	3	4	6	10
80-84	139	3.2	4	1	1	3	5	5	7
85 +	39	1.7	1						
SUBTOTAL	**2129**	**3.9**	**19**	**1**	**1**	**3**	**5**	**8**	**10**
GRAND TOTAL	**2129**	**3.9**	**19**	**1**	**1**	**3**	**5**	**8**	**10**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	3029	2.3	3	1	1	2	3	4	6
18-34	2453	2.2	2	< 1	1	2	3	4	5
35-49	3074	2.4	4	1	1	2	3	5	6
50-69	2270	2.7	4	< 1	1	2	3	6	7
70 +	90	4.0	7	1	1	3	6	9	9
	10915	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	10915	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1403	2.7	15	< 1	1	2	3	5	5
18-34	383	4.9	29	1	1	3	6	16	18
35-49	88	2.3	3	< 1	< 1	2	3	6	6
50-69	87	2.4	3	< 1	< 1	1	4	5	5
70 +	12	1.0							
SUBTOTAL	**1973**	**3.1**	**17**	**< 1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**1973**	**3.1**	**17**	**< 1**	**1**	**2**	**3**	**5**	**7**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	863	2.5	6	< 1	1	2	3	5	6
18-34	541	2.2	2	1	1	2	3	4	5
35-49	419	2.8	5	1	1	2	3	5	8
50-69	202	2.1	1	1	1	2	3	4	5
70 +	0								
	2024	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	2024	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

DHG 228: Major Thumb or Joint Proc,or Oth Hand or Wrist Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	242	2.6	3	1	1	2	4	5	6	0-17	77	5.4	49	1	1	2	5	21	21
70-74	103	12.5	402	1	1	2	19	62	62	18-34	141	5.0	13	< 1	1	4	9	11	11
75-79	114	2.2	3	< 1	1	1	3	5	5	35-49	115	4.7	47	1	1	1	5	23	23
80-84	38	11.1	151							50-69	191	3.0	6	1	1	2	4	8	9
85 +	25	5.5	13							70 +	13	1.0							
SUBTOTAL	**522**	**5.2**	**110**	**1**	**1**	**2**	**5**	**9**	**24**		**537**	**4.2**	**24**	**1**	**1**	**2**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	292	3.0	21	1	1	2	3	4	4	0-17	232	1.6	1	1	1	1	2	3	4
70-74	126	1.7		1	1	2	2	2	2	18-34	293	2.2	5	< 1	1	1	2	6	6
75-79	88	2.6	4	1	1	2	3	7	7	35-49	296	1.8	2	1	1	1	2	3	4
80-84	25	3.5								50-69	500	1.7	1	1	1	2	2	3	3
85 +	0									70 +	0								
SUBTOTAL	**531**	**2.6**	**12**	**1**	**1**	**2**	**3**	**4**	**4**		**1320**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1053**	**3.9**	**62**	**1**	**1**	**2**	**3**	**5**	**9**		**1856**	**2.5**	**9**	**1**	**1**	**1**	**3**	**5**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	64	4.8	19							0-17	64	4.0	9						
18-34	64	3.2	3							18-34	114	2.8	4	< 1	1	2	5	6	6
35-49	39	2.0	2							35-49	0								
50-69	13	2.0								50-69	51	2.5	4						
70 +	0									70 +	0								
SUBTOTAL	**180**	**3.4**	**9**	**1**	**1**	**2**	**4**	**9**	**11**		**230**	**3.1**	**6**	**< 1**	**1**	**2**	**5**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	77	1.2		< 1	< 1	1	1	2	2	0-17	13	1.0							
18-34	63	1.6	1							18-34	51	4.7	17						
35-49	38	2.3	1							35-49	38	1.7							
50-69	25	2.0	1							50-69	76	1.5		1	1	1	2	2	2
70 +	0									70 +	0								
SUBTOTAL	**203**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**		**178**	**2.4**	**7**	**1**	**1**	**1**	**2**	**6**	**11**
GRAND TOTAL	**383**	**2.5**	**6**	**1**	**1**	**2**	**3**	**6**	**9**		**408**	**2.8**	**6**	**< 1**	**1**	**2**	**4**	**6**	**9**

DRG 229: Hand or Wrist Proc, except Major Joint Proc, w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	470	2.0	2	< 1	1	2	2	4	5
70-74	215	1.2		< 1	1	1	1	2	2
75-79	141	1.6	1	1	1	1	2	2	4
80-84	63	5.9	23						
85 +	52	1.3							
SUBTOTAL	**940**	**2.0**	**4**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**940**	**2.0**	**4**	**< 1**	**1**	**1**	**2**	**4**	**5**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1701	1.3	1	< 1	1	1	1	2	3
18-34	1706	1.8	2	< 1	1	1	2	3	5
35-49	1196	1.8	2	< 1	1	1	2	3	4
50-69	930	1.5	1	< 1	1	1	2	2	4
70 +	26	1.0							
	5559	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**
	5559	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	746	2.0	7	< 1	< 1	1	2	3	7
18-34	306	2.9	19	1	1	2	3	3	4
35-49	116	2.9	5	1	1	2	3	8	8
50-69	13	2.0							
70 +	0								
SUBTOTAL	**1181**	**2.3**	**10**	**< 1**	**1**	**1**	**2**	**3**	**7**
GRAND TOTAL	**1181**	**2.3**	**10**	**< 1**	**1**	**1**	**2**	**3**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	757	1.5	2	< 1	1	1	1	2	2
18-34	937	2.0	3	< 1	1	1	2	5	6
35-49	266	2.1	3	< 1	1	2	2	4	5
50-69	101	1.1		< 1	< 1	1	1	2	2
70 +	0								
	2062	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**3**	**5**
	2062	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**3**	**5**

DRG 230: Local Excision & Removal of Int Fix Devices of Hip & Femur

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	76	21.7	805	1	2	16	21	82	82
70-74	50	18.6	525						
75-79	88	10.6	174	1	1	5	11	41	41
80-84	50	6.3	3						
85 +	75	11.8	44	4	4	12	15	23	23
SUBTOTAL	**340**	**13.9**	**339**	**1**	**4**	**7**	**15**	**41**	**57**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	102	7.3	84	1	2	3	10	30	30
70-74	102	2.9	1	1	2	3	4	5	5
75-79	88	2.6	4	1	1	2	4	7	7
80-84	64	2.0							
85 +	100	3.6	4	1	2	3	4	8	8
SUBTOTAL	**457**	**3.8**	**24**	**1**	**2**	**3**	**4**	**7**	**10**
GRAND TOTAL	**796**	**8.1**	**183**	**1**	**2**	**4**	**8**	**16**	**30**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	206	4.0	65	< 1	1	2	3	4	35
18-34	89	4.0	26	1	1	2	4	16	16
35-49	77	4.5	6	2	2	3	6	9	9
50-69	127	5.6	28	2	2	3	7	16	17
70 +	12	2.0							
	512	**4.4**	**39**	**1**	**1**	**2**	**4**	**14**	**17**
0-17	1476	2.3	15	1	1	1	2	4	6
18-34	778	1.9	2	1	1	1	2	4	4
35-49	369	2.3	3	1	1	2	3	6	6
50 69	114	2.1	1	1	1	2	3	3	3
70 +	0								
	2737	**2.2**	**9**	**1**	**1**	**1**	**2**	**4**	**5**
	3249	**2.5**	**15**	**1**	**1**	**2**	**3**	**4**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	64	1.8	1						
18-34	25	1.5							
35-49	13	2.0							
50-69	12	8.0							
70 +	0								
SUBTOTAL	**115**	**2.4**	**4**	**< 1**	**1**	**2**	**2**	**8**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	502	3.8	53	1	1	2	4	5	17
18-34	128	1.5		1	1	1	2	2	2
35-49	38	3.7	1						
50-69	0								
70 +	0								
SUBTOTAL	**669**	**3.3**	**41**	**1**	**1**	**2**	**3**	**5**	**13**
GRAND TOTAL	**783**	**3.2**	**35**	**1**	**1**	**2**	**3**	**5**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	1.1		1	1	1	1	2	2
18-34	13	2.[illegible]							
35-49	12	1.0							
50-69	0								
70 +	0								
	116	**3.6**	**48**	**1**	**1**	**1**	**1**	**23**	**23**
0-17	424	2.1	7	< 1	1	1	2	4	6
18-34	242	1.3		1	1	1	1	2	3
35-49	37	2.0	1						
50-69	0								
70 +	13	1.0							
	716	**1.8**	**4**	**< 1**	**1**	**1**	**2**	**3**	**5**
	832	**2.0**	**11**	**< 1**	**1**	**1**	**2**	**3**	**5**

DRG 231: Local Excision & Removal of Int Fix Devices except Hip & Femur

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	382	8.4	96	1	3	5	9	20	33
70-74	115	17.7	245	1	3	17	26	48	48
75-79	140	24.2	272	5	5	22	43	49	50
80-84	114	8.4	46	1	3	8	10	21	21
85 +	76	5.4	22	1	3	3	6	15	15
SUBTOTAL	**826**	**12.1**	**174**	**2**	**3**	**6**	**17**	**33**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	586	2.8	6	1	1	2	3	6	7
70-74	380	4.7	67	< 1	2	3	4	6	21
75-79	166	2.9	11	< 1	1	1	2	6	13
80-84	115	4.7	14	< 1	2	3	6	12	12
85 +	52	6.3	17						
SUBTOTAL	**1298**	**3.7**	**27**	**< 1**	**1**	**2**	**4**	**7**	**12**
GRAND TOTAL	**2125**	**6.9**	**101**	**1**	**2**	**3**	**6**	**18**	**28**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	322	7.6	114	1	1	4	7	15	31
18-34	330	4.0	10	1	2	3	6	8	11
35-49	293	3.7	10	1	2	2	5	6	11
50-69	408	7.7	44	1	2	8	12	17	17
70 +	13	8.0							
	1366	**5.9**	**48**	**1**	**2**	**3**	**8**	**14**	**17**
0-17	2426	2.5	9	< 1	1	1	2	6	10
18-34	2761	2.1	3	< 1	1	2	2	4	5
35-49	2263	2.3	6	< 1	1	1	3	4	7
50-69	1653	2.5	9	1	1	2	3	5	6
70 +	12	2.0							
	9116	**2.3**	**7**	**< 1**	**1**	**2**	**3**	**5**	**6**
	10482	**2.8**	**13**	**< 1**	**1**	**2**	**3**	**6**	**9**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	103	8.8	169	1	1	4	8	42	42
18-34	64	4.3	34						
35-49	90	15.5	298	2	3	4	33	49	49
50-69	38	9.6	71						
70 +	0								
SUBTOTAL	**294**	**10.0**	**182**	**1**	**1**	**3**	**14**	**33**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	682	3.0	13	< 1	1	2	3	5	9
18-34	459	2.1	2	1	1	2	3	4	5
35-49	127	2.7	5	< 1	1	2	5	6	7
50-69	102	2.4	2	< 1	1	2	4	4	4
70 +	0								
SUBTOTAL	**1370**	**2.6**	**8**	**< 1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1664**	**3.9**	**46**	**< 1**	**1**	**2**	**4**	**7**	**14**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	142	10.9	144	2	3	7	13	16	46
18-34	76	5.3	26	1	2	3	7	16	16
35-49	64	4.6	4						
50-69	52	3.5	15						
70 +	0								
	333	**7.3**	**80**	**1**	**2**	**6**	**8**	**16**	**16**
0-17	836	3.0	17	< 1	1	1	2	10	12
18-34	546	2.3	4	< 1	1	2	3	5	6
35-49	317	5.1	43	< 1	1	3	5	21	22
50-69	139	1.9	2	1	1	1	3	3	6
70 +	0								
	1837	**3.1**	**17**	**< 1**	**1**	**1**	**3**	**7**	**12**
	2170	**3.7**	**29**	**< 1**	**1**	**2**	**4**	**10**	**14**

DRG 232: Arthroscopy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	38	9.4	72							0-17	64	3.0	13						
70-74	0									18-34	0								
75-79	13	7.0								35-49	52	9.0	75						
80-84	13	28.0								50-69	13	15.0							
85 +	0									70 +	0								
SUBTOTAL	**64**	**12.7**	**103**								**128**	**6.6**	**52**	**< 1**	**1**	**2**	**10**	**20**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	37	6.0	33							0-17	308	2.1	5	< 1	< 1	1	2	7	8
70-74	13	3.0								18-34	597	2.0	5	< 1	1	1	2	3	5
75-79	25	1.5								35-49	371	2.0	7	< 1	1	1	2	3	10
80-84	0									50-69	255	2.2	3	< 1	1	1	3	6	6
85 +	0									70 +	0								
SUBTOTAL	**75**	**4.0**	**20**	**1**	**2**	**2**	**3**	**14**	**14**		**1531**	**2.0**	**5**	**< 1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**139**	**8.0**	**77**	**2**	**2**	**3**	**14**	**21**	**28**		**1659**	**2.4**	**10**	**< 1**	**1**	**1**	**2**	**6**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	12	1.0							
70 +	0									70 +	0								
SUBTOTAL	**0**										**12**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	26	1.0								0-17	64	1.4							
18-34	25	1.5								18-34	89	1.9	2	< 1	< 1	1	3	5	5
35-49	39	4.7	3							35-49	26	1.0							
50-69	0									50-69	13	1.0							
70 +	0									70 +	13	2.0							
SUBTOTAL	**90**	**2.7**	**4**	**< 1**	**< 1**	**2**	**4**	**7**	**7**		**205**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**90**	**2.7**	**4**	**< 1**	**< 1**	**2**	**4**	**7**	**7**		**217**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**5**

DRG 233: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	241	13.4	106	4	6	10	21	33	94
70-74	191	9.9	64	2	4	6	13	26	27
75-79	127	8.6	17	4	5	9	12	14	15
80-84	153	23.2	119	12	15	22	30	31	51
85 +	165	13.8	93	4	7	12	18	29	37
SUBTOTAL	**877**	**13.7**	**106**	**4**	**6**	**11**	**20**	**29**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**877**	**13.7**	**106**	**4**	**6**	**11**	**20**	**29**	**37**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	464	6.5	11	3	4	6	9	12	12
18-34	295	12.0	228	2	3	7	19	30	33
35-49	293	9.9	230	1	3	5	10	12	49
50-69	228	10.3	112	1	3	7	16	26	43
70 +	38	34.0	430						
	1318	**9.9**	**159**	**2**	**4**	**6**	**10**	**20**	**37**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1318	**9.9**	**159**	**2**	**4**	**6**	**10**	**20**	**37**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	193	5.6	8	1	3	6	8	9	10
18-34	52	12.3	81						
35-49	0								
50-69	25	9.1	17						
70 +	0								
SUBTOTAL	**270**	**7.2**	**30**	**2**	**4**	**6**	**8**	**13**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**270**	**7.2**	**30**	**2**	**4**	**6**	**8**	**13**	**14**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	103	4.3	3	1	3	4	6	7	7
18-34	26	4.5							
35-49	37	15.7	74						
50-69	88	14.2	172	2	7	10	14	45	45
70 +	12	12.0							
	267	**9.5**	**94**	**2**	**4**	**6**	**12**	**19**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	267	**9.5**	**94**	**2**	**4**	**6**	**12**	**19**	**24**

DRG 234: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	190	3.5	6	1	1	3	5	7	9
70-74	188	5.9	23	1	1	4	7	15	16
75-79	127	13.5	303	3	3	6	20	57	61
80-84	177	6.8	42	2	2	5	7	13	27
85 +	76	3.7	12	1	1	1	6	10	10
SUBTOTAL	**758**	**6.6**	**60**	**1**	**2**	**4**	**7**	**13**	**20**
GRAND TOTAL	**758**	**6.6**	**60**	**1**	**2**	**4**	**7**	**13**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1721	3.4	6	1	2	3	4	6	8
18-34	1210	3.1	8	1	1	2	4	7	9
35-49	698	3.5	38	1	1	2	3	6	11
50-69	529	3.5	9	1	2	2	4	8	8
70 +	0								
	4158	**3.3**	**12**	**1**	**1**	**2**	**4**	**7**	**9**
	4158	**3.3**	**12**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	606	4.1	5	1	2	4	5	7	8
18-34	152	2.7	1	2	2	2	3	3	5
35-49	25	1.5							
50-69	12	3.0							
70 +	0								
SUBTOTAL	**795**	**3.7**	**5**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**795**	**3.7**	**5**	**1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	411	4.2	5	2	3	4	6	7	8
18-34	190	5.6	101	1	1	3	5	11	42
35-49	101	2.7	3	1	1	2	3	7	7
50-69	76	3.5	9	1	2	2	3	10	10
70 +	0								
	778	**4.3**	**29**	**1**	**2**	**3**	**5**	**8**	**9**
	778	**4.3**	**29**	**1**	**2**	**3**	**5**	**8**	**9**

DRG 235: Fractures of Femur

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	152	19.1	420	5	8	11	23	72	99+	0-17	166	11.1	172	1	2	7	14	24	49
70-74	89	37.4	1049	7	10	63	82	99+	99+	18-34	0								
75-79	251	21.5	295	7	10	18	28	58	82	35-49	12	5.0							
80-84	202	25.2	721	2	5	17	32	69	93	50-69	51	9.0	7						
85+	329	10.2	51	3	5	9	16	19	35	70+	12	11.0							
SUBTOTAL	**1023**	**19.6**	**447**	**4**	**6**	**12**	**26**	**69**	**93**		**242**	**10.3**	**121**	**1**	**3**	**7**	**12**	**24**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	38	5.0	9							0-17	1285	8.7	98	1	2	3	16	22	24
70-74	25	7.5								18-34	25	4.5	7						
75-79	89	8.4	47	2	2	5	17	20	20	35-49	13	14.0							
80-84	75	9.4	56	4	4	5	10	25	25	50-69	64	12.7	272						
85+	151	11.2	116	3	4	10	14	17	43	70+	0								
SUBTOTAL	**379**	**9.3**	**73**	**2**	**4**	**7**	**10**	**20**	**25**		**1387**	**8.8**	**104**	**1**	**2**	**4**	**16**	**23**	**29**
GRAND TOTAL	**1402**	**16.8**	**366**	**3**	**5**	**10**	**20**	**64**	**85**		**1629**	**9.1**	**107**	**1**	**2**	**4**	**14**	**23**	**29**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	141	13.4	54	3	6	14	19	23	24	0-17	26	12.5							
18-34	0									18-34	12	15.0							
35-49	0									35-49	12	75.0							
50-69	25	9.1	26							50-69	0								
70+	0									70+	0								
SUBTOTAL	**166**	**12.8**	**52**	**3**	**6**	**14**	**18**	**23**	**24**		**51**	**28.4**	**720**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	526	10.5	93	2	3	7	17	22	24	0-17	819	7.6	68	1	2	3	13	22	23
18-34	0									18-34	26	3.5	2						
35-49	12	1.0								35-49	0								
50-69	25	8.5	32							50-69	12	7.0							
70+	0									70+	13	11.0							
SUBTOTAL	**564**	**10.2**	**90**	**1**	**3**	**7**	**17**	**22**	**23**		**870**	**7.6**	**65**	**1**	**2**	**3**	**11**	**22**	**23**
GRAND TOTAL	**730**	**10.8**	**83**	**1**	**3**	**8**	**17**	**22**	**24**		**920**	**8.7**	**123**	**1**	**2**	**3**	**13**	**22**	**23**

DRG 236: Fractures of Hip & Pelvis

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	439	14.4	166	4	6	9	22	32	65	0-17	139	12.7	209	4	5	8	17	18	55
70-74	733	17.3	287	5	8	14	18	35	61	18-34	140	13.0	183	5	5	6	20	31	47
75-79	1170	17.4	183	6	9	13	20	33	62	35-49	203	13.3	222	2	5	7	15	47	54
80-84	1326	16.8	183	5	8	13	23	34	58	50-69	430	13.5	137	5	6	9	15	26	52
85 +	2251	15.7	169	4	7	13	20	30	39	70 +	229	15.4	49	7	10	14	20	26	31
SUBTOTAL	**5919**	**16.4**	**190**	**5**	**8**	**13**	**21**	**32**	**47**		**1141**	**13.7**	**149**	**4**	**6**	**10**	**17**	**27**	**47**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	203	8.5	27	4	6	7	9	18	22	0-17	407	5.0	45	1	2	3	5	10	21
70-74	303	7.4	24	3	4	6	10	14	18	18-34	481	8.3	86	1	3	5	8	25	34
75-79	381	10.9	36	4	6	10	14	22	23	35-49	353	7.2	14	2	5	6	9	13	15
80-84	723	10.4	39	3	6	9	14	21	26	50-69	317	6.6	10	3	5	6	8	10	13
85 +	873	9.6	98	3	5	8	11	17	19	70 +	114	8.8	44	2	5	6	12	25	25
SUBTOTAL	**2483**	**9.7**	**57**	**3**	**5**	**8**	**12**	**18**	**23**		**1671**	**7.0**	**45**	**1**	**3**	**5**	**8**	**13**	**21**
GRAND TOTAL	**8402**	**14.4**	**160**	**4**	**7**	**11**	**18**	**28**	**39**		**2812**	**9.7**	**98**	**2**	**4**	**6**	**12**	**21**	**31**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13	4.0								0-17	51	10.0	8						
18-34	64	29.3	663							18-34	113	7.4	34	2	4	6	7	23	23
35-49	25	15.8	126							35-49	25	11.5	94						
50-69	63	7.8	6							50-69	76	14.5	111	2	5	15	27	29	29
70 +	26	13.5	59							70 +	63	23.2	743						
SUBTOTAL	**191**	**16.6**	**338**	**4**	**6**	**9**	**21**	**34**	**77**		**328**	**12.8**	**218**	**2**	**6**	**7**	**14**	**27**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	64	2.6	2							0-17	39	3.7	3						
18-34	38	17.6	196							18-34	152	9.9	121	3	4	6	9	22	42
35-49	0									35-49	100	5.5	9	2	3	5	8	11	11
50-69	0									50-69	25	12.6	44						
70 +	13	13.0								70 +	26	10.5	13						
SUBTOTAL	**115**	**8.7**	**113**	**1**	**2**	**5**	**13**	**37**	**99 +**		**343**	**8.1**	**68**	**2**	**4**	**6**	**8**	**19**	**22**
GRAND TOTAL	**306**	**13.6**	**268**	**2**	**5**	**9**	**15**	**37**	**77**		**670**	**10.4**	**147**	**2**	**4**	**6**	**11**	**22**	**29**

DRG 237: Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	13	2.0								0-17	38	5.0	6						
70-74	38	5.6	3							18-34	51	3.5	4						
75-79	0									35-49	25	3.0							
80-84	26	10.5	13							50-69	26	3.0	1						
85 +	50	4.5								70 +	0								
SUBTOTAL	**127**	**5.8**	**10**	**3**	**4**	**5**	**7**	**13**	**14**		**139**	**3.7**	**4**	**2**	**2**	**3**	**5**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	38	2.3	2							0-17	140	5.8	12	2	2	6	8	10	13
70-74	25	7.5	13							18-34	141	5.7	17	4	4	4	6	6	18
75-79	38	3.0	3							35-49	76	3.0	3	1	1	4	5	5	5
80-84	38	4.3	2							50-69	64	3.2	3						
85 +	37	6.7	4							70 +	12	3.0							
SUBTOTAL	**176**	**4.5**	**8**	**1**	**3**	**4**	**6**	**9**	**11**		**433**	**4.8**	**12**	**1**	**2**	**4**	**6**	**8**	**13**
GRAND TOTAL	**303**	**5.1**	**9**	**2**	**3**	**4**	**6**	**9**	**11**		**573**	**4.5**	**10**	**1**	**2**	**4**	**6**	**8**	**10**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	26	2.5	2						
18-34	0									18-34	25	4.0	4						
35-49	13	64.0								35-49	0								
50-69	0									50-69	13	4.0							
70 +	0									70 +	0								
SUBTOTAL	**13**	**64.0**									**64**	**3.4**	**3**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	26	3.5	7							0-17	12	5.0							
18-34	26	2.5								18-34	38	4.4	2						
35-49	0									35-49	25	3.5							
50-69	0									50-69	25	7.5	2						
70 +	0									70 +	0								
SUBTOTAL	**52**	**3.0**	**4**								**100**	**5.0**	**4**	**3**	**3**	**4**	**6**	**9**	**9**
GRAND TOTAL	**64**	**15.2**	**608**								**164**	**4.4**	**4**	**2**	**3**	**4**	**6**	**6**	**9**

DRG 238: Osteomyelitis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	406	17.2	151	4	9	14	27	32	47	0-17	140	11.2	24	7	8	10	13	17	23
70-74	188	14.7	260	4	6	10	12	52	57	18-34	64	15.4	68						
75-79	152	14.5	104	6	10	12	16	23	44	35-49	127	14.7	216	4	6	7	13	44	44
80-84	177	19.8	125	7	10	20	30	35	39	50-69	292	15.5	62	8	9	15	19	24	34
85 +	165	23.5	219	9	11	14	39	48	49	70 +	0								
SUBTOTAL	**1088**	**17.8**	**178**	**5**	**9**	**13**	**24**	**39**	**48**		**623**	**14.3**	**88**	**6**	**8**	**11**	**16**	**31**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	50	10.3	11							0-17	408	8.1	59	2	3	6	10	13	28
70-74	25	14.6	44							18-34	25	9.7	75						
75-79	50	8.3	11							35-49	51	3.8	2						
80-84	0									50-69	128	12.9	159	3	6	11	13	41	49
85 +	13	2.0								70 +	0								
SUBTOTAL	**138**	**9.6**	**27**	**4**	**7**	**8**	**13**	**16**	**21**		**612**	**8.8**	**81**	**2**	**3**	**7**	**11**	**18**	**28**
GRAND TOTAL	**1226**	**16.8**	**167**	**5**	**8**	**12**	**22**	**39**	**48**		**1235**	**11.6**	**92**	**3**	**6**	**9**	**13**	**24**	**34**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	64	20.0	143							0-17	116	11.5	38	2	8	11	14	24	24
18-34	64	17.4	110							18-34	25	20.0	84						
35-49	115	23.3	271	5	9	15	43	49	49	35-49	64	24.8	183						
50-69	39	26.0	131							50-69	51	24.7	570						
70 +	0									70 +	26	29.0	1						
SUBTOTAL	**282**	**21.6**	**193**	**7**	**10**	**16**	**34**	**43**	**44**		**281**	**19.3**	**211**	**8**	**9**	**16**	**28**	**39**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	90	10.0	39	2	3	10	14	21	21	0-17	206	8.9	30	3	5	8	12	17	23
18-34	12	13.0								18-34	25	10.6	21						
35-49	26	30.5	163							35-49	25	14.1	37						
50-69	38	4.3	4							50-69	25	11.6	31						
70 +	0									70 +	0								
SUBTOTAL	**166**	**12.1**	**116**	**2**	**4**	**10**	**14**	**21**	**43**		**282**	**9.8**	**32**	**4**	**6**	**8**	**15**	**17**	**20**
GRAND TOTAL	**448**	**18.1**	**185**	**3**	**7**	**14**	**28**	**43**	**44**		**563**	**14.5**	**144**	**5**	**7**	**10**	**17**	**29**	**39**

DRG 239: Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	1586	12.5	110	3	5	10	18	25	35		0-17	438	6.2	26	1	3	5	8	14	17
70-74	1786	13.9	144	4	6	10	17	26	35		18-34	205	8.7	68	1	3	6	11	25	27
75-79	1972	14.0	209	4	6	10	18	28	40		35-49	471	10.9	104	3	4	8	14	28	51
80-84	1951	15.7	180	5	7	12	19	32	42		50-69	1708	12.2	101	3	5	9	18	25	32
85 +	1571	12.5	82	4	7	10	16	25	31		70 +	115	14.3	110	2	7	12	19	38	38
SUBTOTAL	**8867**	**13.8**	**151**	**4**	**6**	**10**	**17**	**29**	**38**			**2937**	**10.9**	**93**	**2**	**4**	**7**	**15**	**25**	**30**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	342	7.1	36	2	4	5	8	17	22		0-17	864	4.1	9	1	2	4	5	7	9
70-74	631	9.9	95	2	4	7	13	17	19		18-34	206	2.3	3	1	1	2	4	5	6
75-79	900	8.9	56	3	4	7	11	17	19		35-49	268	4.7	15	1	2	4	6	7	15
80-84	761	10.9	86	3	5	8	14	23	27		50-69	626	6.5	43	1	2	5	8	18	22
85 +	850	10.6	38	4	7	9	14	18	22		70 +	25	11.0	84						
SUBTOTAL	**3483**	**9.8**	**64**	**3**	**5**	**8**	**13**	**18**	**24**			**1989**	**4.9**	**23**	**1**	**2**	**4**	**5**	**10**	**17**
GRAND TOTAL	**12350**	**12.7**	**130**	**3**	**6**	**9**	**16**	**25**	**35**			**4926**	**8.5**	**74**	**2**	**3**	**5**	**11**	**21**	**26**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	90	5.3	3	4	4	5	6	9	9		0-17	129	3.8	5	1	2	3	5	7	9
18-34	51	13.4	231								18-34	0								
35-49	25	3.5	2								35-49	26	4.0							
50-69	139	10.5	56	2	2	11	17	18	23		50-69	253	10.6	76	2	3	8	15	18	37
70 +	0										70 +	139	11.5	91	3	6	9	27	34	99 +
SUBTOTAL	**305**	**8.9**	**75**	**2**	**4**	**5**	**11**	**18**	**23**			**546**	**8.9**	**70**	**2**	**3**	**6**	**11**	**23**	**34**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	361	4.1	22	1	2	3	5	6	7		0-17	270	3.3	6	1	2	3	4	5	6
18-34	193	5.1	64	1	2	3	5	6	35		18-34	103	3.9	3	1	2	5	5	6	6
35-49	25	8.5	2								35-49	26	4.0	1						
50-69	13	3.0									50-69	88	6.9	18	2	3	6	12	14	14
70 +	13	10.0									70 +	0								
SUBTOTAL	**604**	**4.7**	**35**	**1**	**2**	**4**	**5**	**7**	**10**			**487**	**4.1**	**9**	**1**	**2**	**3**	**5**	**7**	**13**
GRAND TOTAL	**909**	**6.1**	**52**	**2**	**2**	**4**	**6**	**15**	**23**			**1033**	**6.7**	**47**	**2**	**3**	**4**	**8**	**15**	**23**

DRG 240: Connective Tissue Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1047	11.4	180	2	5	8	14	24	32
70-74	585	12.8	139	4	5	8	13	33	36
75-79	441	9.0	42	3	5	7	11	17	21
80-84	328	12.1	75	4	5	10	14	25	27
85 +	201	13.3	101	4	5	10	24	28	38
SUBTOTAL	**2602**	**11.5**	**130**	**3**	**5**	**8**	**13**	**24**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2602**	**11.5**	**130**	**3**	**5**	**8**	**13**	**24**	**34**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	425	4.4	10	1	2	4	6	9	9
18-34	256	6.1	42	1	1	4	7	13	24
35-49	499	7.9	42	1		6	12	19	22
50-69	408	10.1	85	4	5	7	12	18	20
70 +	25	6.6	21						
	1613	**7.2**	**48**	**1**	**3**	**6**	**9**	**15**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1613	**7.2**	**48**	**1**	**3**	**6**	**9**	**15**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	271	5.4	12	1	2	5	8	11	12
18-34	103	5.9	19	1	3	4	8	15	15
35-49	128	5.8	13	1	2	9	9	10	10
50-69	126	10.7	318	1	2	3	10	19	63
70 +	12	10.0							
SUBTOTAL	**640**	**6.7**	**77**	**1**	**2**	**5**	**9**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**640**	**6.7**	**77**	**1**	**2**	**5**	**9**	**11**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	206	6.7	41	1	2	5	9	20	20
18-34	116	8.0	23	< 1	4	9	10	18	18
35-49	64	14.6	164						
50-69	89	14.4	39	5	6	15	19	23	23
70 +	13	15.0							
	488	**9.7**	**64**	**1**	**3**	**8**	**17**	**21**	**36**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	488	**9.7**	**64**	**1**	**3**	**8**	**17**	**21**	**36**

DRG 241: Connective Tissue Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	306	7.3	60	2	2	5	8	16	28	0-17	1791	2.7	6	1	1	2	4	5	8
70-74	190	5.6	10	1	4	5	7	11	13	18-34	548	3.5	10	1	1	2	5	9	10
75-79	101	6.4	17	1	3	5	9	15	15	35-49	511	5.0	28	1	2	3	5	11	19
80-84	176	7.9	56	2	3	4	10	19	29	50-69	280	9.2	42	2	5	8	9	23	23
85 +	64	6.0	5							70 +	0								
SUBTOTAL	**836**	**6.8**	**39**	**2**	**3**	**5**	**8**	**13**	**19**		**3131**	**3.8**	**17**	**1**	**1**	**2**	**5**	**9**	**11**
GRAND TOTAL	**836**	**6.8**	**39**	**2**	**3**	**5**	**8**	**13**	**19**		**3131**	**3.8**	**17**	**1**	**1**	**2**	**5**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	554	3.7	27	1	1	2	4	6	9	0-17	706	3.7	19	1	1	3	4	7	11
18-34	321	4.0	13	1	2	2	4	9	10	18-34	102	5.8	12	2	3	5	5	14	14
35-49	75	5.0	3	3	4	4	7	8	8	35-49	51	9.1	18						
50-69	39	9.3	23							50-69	76	6.0	13	3	3	5	8	13	13
70 +	0									70 +	25	5.0							
SUBTOTAL	**990**	**4.1**	**22**	**1**	**2**	**3**	**5**	**8**	**10**		**961**	**4.4**	**19**	**1**	**2**	**3**	**5**	**10**	**13**
GRAND TOTAL	**990**	**4.1**	**22**	**1**	**2**	**3**	**5**	**8**	**10**		**961**	**4.4**	**19**	**1**	**2**	**3**	**5**	**10**	**13**

DRG 242: Septic Arthritis

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	77	26.3	178	7	11	28	36	44	44	0-17	64	12.6	41						
70-74	76	16.6	150	4	7	17	24	39	39	18-34	51	5.8	3						
75-79	51	18.1	269							35-49	25	3.0	1						
80-84	77	35.1	407	10	17	42	47	69	69	50-69	64	16.8	184						
85 +	75	18.0	90	5	9	18	25	32	32	70 +	0								
SUBTOTAL	**356**	**23.2**	**265**	**5**	**9**	**23**	**36**	**44**	**47**		**203**	**11.0**	**97**	**3**	**5**	**7**	**16**	**22**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	12	3.0								0-17	269	6.9	23	2	4	6	8	13	14
70-74	25	7.5								18-34	77	4.7	5	2	3	4	6	9	9
75-79	51	10.8	102							35-49	64	4.0	7						
80-84	38	10.4	39							50-69	25	12.5	13						
85 +	38	7.0	33							70 +	0								
SUBTOTAL	**165**	**8.7**	**53**	**3**	**4**	**6**	**8**	**19**	**28**		**436**	**6.4**	**21**	**2**	**3**	**6**	**8**	**13**	**16**
GRAND TOTAL	**521**	**18.6**	**242**	**4**	**6**	**14**	**28**	**43**	**45**		**639**	**7.9**	**49**	**2**	**4**	**6**	**9**	**16**	**22**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13	10.0								0-17	51	7.5	10						
18-34	12	3.0								18-34	51	12.0	19						
35-49	25	29.2	356							35-49	76	11.9	16	5	8	14	15	16	16
50-69	0									50-69	25	11.0	51						
70 +	0									70 +	0								
SUBTOTAL	**51**	**17.9**	**311**								**203**	**10.7**	**23**	**4**	**7**	**12**	**15**	**18**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	128	10.2	10	5	8	10	14	15	15	0-17	129	8.2	28	2	5	7	10	17	21
18-34	39	18.3	167							18-34	39	7.7	11						
35-49	0									35-49	12	16.0							
50-69	26	3.0	4							50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**192**	**10.9**	**60**	**4**	**5**	**10**	**14**	**16**	**35**		**180**	**8.6**	**26**	**4**	**5**	**7**	**12**	**16**	**21**
GRAND TOTAL	**243**	**12.3**	**120**	**3**	**5**	**10**	**14**	**35**	**40**		**383**	**9.7**	**26**	**4**	**5**	**9**	**14**	**17**	**18**

DRG 243: Medical Back Problems

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2003	7.9	50	2	3	6	10	17	26
70-74	1745	9.1	54	2	4	8	12	18	20
75-79	2061	9.8	63	3	4	9	12	19	27
80-84	1821	11.3	176	3	5	7	13	28	53
85 +	2137	12.2	115	4	6	9	14	23	33
SUBTOTAL	**9767**	**10.1**	**94**	**3**	**4**	**8**	**12**	**20**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2726	4.9	32	1	1	3	7	11	13
70-74	2216	6.2	83	1	1	4	7	13	18
75-79	1774	6.2	29	1	2	5	9	13	16
80-84	1491	6.3	23	1	3	5	9	12	16
85 +	1009	8.4	84	1	4	7	8	15	22
SUBTOTAL	**9215**	**6.1**	**49**	**1**	**2**	**4**	**8**	**12**	**16**
GRAND TOTAL	**18981**	**8.1**	**76**	**1**	**3**	**6**	**10**	**16**	**23**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	204	4.3	10	1	1	4	7	9	11
18-34	989	5.6	29	1	3	4	6	11	13
35-49	1173	6.7	35	2	3	6	9	12	21
50-69	1962	6.6	31	1	3	5	8	13	19
70 +	239	16.5	290	2	3	13	20	59	60
	4567	**6.8**	**50**	**1**	**3**	**5**	**8**	**13**	**21**
0-17	740	2.4	4	< 1	1	1	3	6	7
18-34	4512	3.8	15	1	1	3	5	8	10
35-49	7186	3.8	12	1	1	3	5	8	11
50-69	6373	4.2	16	1	1	3	6	8	11
70 +	382	5.5	17	1	3	4	7	10	16
	19193	**3.9**	**14**	**1**	**1**	**3**	**5**	**8**	**10**
	23760	**4.5**	**22**	**1**	**1**	**3**	**6**	**9**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	90	5.1	17	2	3	4	5	15	15
18-34	166	7.0	67	1	1	4	6	17	31
35-49	140	11.0	346	3	3	4	10	15	68
50-69	164	16.7	424	1	3	8	17	46	69
70 +	0								
SUBTOTAL	**561**	**10.5**	**252**	**1**	**3**	**4**	**10**	**31**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	180	2.9	7	< 1	< 1	2	4	6	10
18-34	708	4.7	30	1	2	3	5	10	19
35-49	581	4.3	29	1	1	2	5	9	17
50-69	291	7.0	22	2	2	5	11	13	15
70 +	64	8.4	29						
SUBTOTAL	**1825**	**4.9**	**28**	**1**	**1**	**3**	**6**	**11**	**16**
GRAND TOTAL	**2386**	**6.2**	**86**	**1**	**2**	**3**	**6**	**13**	**19**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	89	5.0	9	2	3	4	9	10	10
18-34	465	4.8	22	1	2	3	7	10	15
35-49	239	6.6	29	1	2	6	9	13	18
50-69	251	7.2	27	2	3	6	11	16	17
70 +	63	9.3	64						
	1107	**6.0**	**27**	**1**	**2**	**4**	**9**	**13**	**17**
0-17	398	3.0	9	1	1	2	4	5	9
18-34	1471	2.9	6	1	1	2	4	6	8
35-49	1423	4.3	61	1	1	2	5	8	10
50-69	906	3.9	18	1	1	2	5	9	12
70 +	138	6.4	24	1	2	6	10	13	15
	4336	**3.7**	**28**	**1**	**1**	**2**	**4**	**8**	**10**
	5443	**4.1**	**29**	**1**	**1**	**2**	**5**	**9**	**12**

DRG 244: Bone Diseases & Specific Arthropathies w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	453	9.2	40	3	5	9	12	14	17	0-17	25	2.0	1						
70-74	641	6.9	17	1	3	7	10	12	14	18-34	26	5.0	1						
75-79	555	8.4	39	1	5	8	11	16	20	35-49	63	7.6	13						
80-84	723	9.3	82	2	4	7	11	21	24	50-69	351	7.7	26	2	5	7	10	12	22
85 +	698	11.8	145	2	5	11	14	23	54	70 +	25	8.5	32						
SUBTOTAL	**3069**	**9.2**	**71**	**2**	**4**	**8**	**11**	**15**	**23**		**490**	**7.3**	**24**	**2**	**3**	**6**	**10**	**14**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3069**	**9.2**	**71**	**2**	**4**	**8**	**11**	**15**	**23**		**490**	**7.3**	**24**	**2**	**3**	**6**	**10**	**14**	**22**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	90	6.0	18	2	2	5	12	12	12	0-17	0								
18-34	51	4.0	1							18-34	12	2.0							
35-49	13	25.0								35-49	26	4.0	4						
50-69	25	10.3	75							50-69	51	6.3	16						
70 +	0									70 +	25	5.9	9						
SUBTOTAL	**179**	**7.4**	**47**	**2**	**2**	**4**	**12**	**19**	**25**		**115**	**5.2**	**12**	**2**	**3**	**4**	**6**	**13**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**179**	**7.4**	**47**	**2**	**2**	**4**	**12**	**19**	**25**		**115**	**5.2**	**12**	**2**	**3**	**4**	**6**	**13**	**13**

DRG 245: Bone Diseases & Specific Arthropathies w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	342	4.7	16	< 1	2	4	6	11	11	0-17	217	2.5	4	< 1	1	1	3	6	7
70-74	200	6.0	76	< 1	2	3	5	11	38	18-34	76	2.8	1	1	2	3	4	4	4
75-79	291	4.4	16	1	1	3	6	9	12	35-49	140	3.7	8	1	1	3	5	8	10
80-84	264	4.9	13	1	2	4	7	10	10	50-69	403	4.8	11	1	1	4	7	9	12
85 +	215	5.3	16	1	2	4	7	13	15	70 +	38	3.7	15						
SUBTOTAL	**1311**	**5.0**	**25**	**1**	**2**	**4**	**6**	**10**	**13**		**873**	**3.8**	**9**	**< 1**	**1**	**3**	**6**	**9**	**9**
GRAND TOTAL	**1311**	**5.0**	**25**	**1**	**2**	**4**	**6**	**10**	**13**		**873**	**3.8**	**9**	**< 1**	**1**	**3**	**6**	**9**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	230	4.4	8	1	2	4	7	8	11	0-17	141	3.3	4	1	1	2	5	6	7
18-34	12	6.0								18-34	38	2.3							
35-49	12	1.0								35-49	25	2.0							
50-69	25	3.5	7							50-69	25	1.0							
70 +	0									70 +	0								
SUBTOTAL	**280**	**4.3**	**8**	**1**	**2**	**4**	**6**	**7**	**8**		**230**	**2.7**	**3**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**280**	**4.3**	**8**	**1**	**2**	**4**	**6**	**7**	**8**		**230**	**2.7**	**3**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 246: Non-specific Arthropathies

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	38	7.0	2							0-17	0								
70-74	39	5.7	12							18-34	13	11.0							
75-79	38	11.8	138							35-49	38	3.7	2						
80-84	63	5.6	4							50-69	13	8.0							
85 +	63	20.4	319	4	8	19	52	99 +	99 +	70 +	12	3.0							
SUBTOTAL	**240**	**10.7**	**145**	**3**	**4**	**8**	**10**	**28**	**52**		**76**	**5.5**	**10**	**2**	**3**	**5**	**8**	**11**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	64	3.4	1						
70-74	50	5.3	2							18-34	50	5.0	11						
75-79	13	10.0								35-49	39	6.0	6						
80-84	64	9.8	26							50-69	76	5.6	10	1	3	5	7	11	11
85 +	75	3.8	5	2	2	3	5	8	8	70 +	13	2.0							
SUBTOTAL	**201**	**6.5**	**18**	**2**	**3**	**6**	**9**	**12**	**18**		**242**	**4.8**	**8**	**2**	**2**	**4**	**7**	**9**	**10**
GRAND TOTAL	**441**	**8.8**	**91**	**2**	**4**	**7**	**9**	**28**	**52**		**319**	**5.0**	**9**	**2**	**3**	**4**	**7**	**10**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	13	4.0							
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	12	1.0							
SUBTOTAL	**0**										**25**	**2.5**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	26	3.0	1							0-17	13	3.0							
18-34	13	4.0								18-34	52	6.3	1						
35-49	13	5.0								35-49	12	1.0							
50-69	0									50-69	13	3.0							
70 +	0									70 +	0								
SUBTOTAL	**52**	**3.8**	**1**								**90**	**4.6**	**5**	**1**	**3**	**5**	**7**	**7**	**7**
GRAND TOTAL	**52**	**3.8**	**1**								**115**	**4.1**	**5**	**1**	**3**	**4**	**6**	**7**	**7**

DRG 247: Signs & Symptoms of Musculoskeletal System & Conn Tissue

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	292	5.8	23	1	2	4	8	14	15
70-74	139	5.9	18	2	2	6	8	10	16
75-79	226	7.4	43	2	3	5	9	24	25
80-84	115	8.6	64	3	4	7	8	30	30
85 +	50	5.3	27						
SUBTOTAL	**822**	**6.6**	**35**	**2**	**3**	**5**	**8**	**14**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	178	2.9	5	1	1	2	4	6	8
70-74	191	4.5	11	1	2	3	7	8	13
75-79	203	2.9	7	1	1	2	2	6	12
80-84	141	4.8	7	2	3	4	8	8	10
85 +	202	7.1	100	1	1	3	8	12	43
SUBTOTAL	**914**	**4.5**	**30**	**1**	**2**	**3**	**6**	**8**	**12**
GRAND TOTAL	**1736**	**5.5**	**34**	**1**	**2**	**4**	**7**	**12**	**15**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	2.3	2						
18-34	89	3.4	8	1	1	2	4	10	10
35-49	139	4.1	5	2	2	4	6	6	9
50-69	267	5.1	16	1	2	4	8	9	13
70 +	0								
	533	**4.4**	**11**	**1**	**2**	**4**	**6**	**9**	**10**
0-17	296	4.6	31	< 1	1	2	7	14	17
18-34	331	2.8	8	1	1	2	3	6	7
35-49	419	3.6	14	1	1	2	4	7	15
50-69	507	3.1	6	1	1	2	4	7	9
70 +	13	3.0							
	1567	**3.4**	**14**	**1**	**1**	**2**	**4**	**8**	**10**
	2100	**3.7**	**13**	**1**	**1**	**2**	**4**	**8**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	77	6.5	13	1	4	7	10	10	10
18-34	51	5.5	10						
35-49	114	6.1	29	1	2	5	6	19	19
50-69	115	10.6	366	2	3	3	6	64	64
70 +	0								
SUBTOTAL	**358**	**7.6**	**135**	**1**	**3**	**4**	**8**	**11**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	103	2.6	8	1	1	2	2	10	10
18-34	76	2.7	3	< 1	1	2	5	5	5
35-49	64	1.4							
50-69	50	4.0	2						
70 +	0								
SUBTOTAL	**293**	**2.6**	**5**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**651**	**5.3**	**82**	**1**	**2**	**3**	**6**	**10**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	1.5							
18-34	0								
35-49	25	3.5	2						
50-69	38	7.7	26						
70 +	0								
	88	**4.7**	**19**	**1**	**1**	**2**	**9**	**13**	**13**
0-17	142	2.8	10	< 1	1	1	3	9	10
18-34	176	4.0	15	1	2	2	4	8	15
35-49	89	3.6	10	1	1	2	8	9	9
50-69	62	1.8	1						
70 +	12	3.0							
	481	**3.3**	**11**	**1**	**1**	**2**	**4**	**9**	**10**
	569	**3.5**	**12**	**1**	**1**	**2**	**4**	**9**	**10**

DRG 248: Tendonitis, Myositis & Bursitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	215	6.8	23	1	3	6	9	13	20	0-17	64	3.2	1						
70-74	113	9.8	41	2	6	7	13	22	22	18-34	204	6.1	48	1	2	4	6	19	27
75-79	140	6.8	18	3	3	6	10	14	14	35-49	203	4.6	10	1	3	4	5	10	13
80-84	64	6.4	21							50-69	179	8.3	17	4	5	8	9	14	18
85 +	99	11.5	79	2	5	8	18	27	27	70 +	0								
SUBTOTAL	**632**	**8.1**	**37**	**2**	**3**	**7**	**10**	**14**	**22**		**651**	**5.9**	**26**	**1**	**3**	**4**	**8**	**13**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	114	5.1	28	1	2	4	5	19	19	0-17	573	2.6	3	1	1	2	3	6	6
70-74	90	3.9	9	1	1	3	6	10	10	18-34	304	3.9	14	1	1	3	5	9	12
75-79	76	11.6	160	2	5	6	13	39	39	35-49	477	3.5	7	1	2	3	4	6	7
80-84	101	13.6	345	1	2	6	16	59	59	50-69	471	3.9	13	1	2	3	4	7	14
85 +	50	7.0	9							70 +	12	3.0							
SUBTOTAL	**431**	**8.2**	**134**	**1**	**2**	**5**	**8**	**19**	**39**		**1836**	**3.4**	**9**	**1**	**1**	**3**	**4**	**7**	**8**
GRAND TOTAL	**1063**	**8.1**	**76**	**1**	**3**	**6**	**9**	**19**	**25**		**2487**	**4.1**	**14**	**1**	**2**	**3**	**5**	**8**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	64	5.4	15							0-17	26	4.0	1						
18-34	52	8.5	7							18-34	51	2.2							
35-49	25	6.0	1							35-49	38	4.4	4						
50-69	64	2.8	5							50-69	25	2.0	1						
70 +	0									70 +	13	10.0							
SUBTOTAL	**204**	**5.5**	**13**	**1**	**2**	**4**	**9**	**11**	**11**		**153**	**3.7**	**6**	**2**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	231	2.8	4	1	1	2	3	7	8	0-17	257	3.1	13	< 1	1	1	3	9	12
18-34	76	5.7	23	1	4	4	5	16	16	18-34	75	2.7	4	< 1	1	2	5	6	6
35-49	26	12.0	51							35-49	25	3.0	1						
50-69	64	2.8	5							50-69	88	3.1	5	1	1	3	4	8	8
70 +	0									70 +	12	1.0							
SUBTOTAL	**396**	**3.9**	**16**	**1**	**2**	**3**	**4**	**7**	**16**		**459**	**2.9**	**9**	**< 1**	**1**	**1**	**3**	**8**	**10**
GRAND TOTAL	**601**	**4.5**	**16**	**1**	**2**	**3**	**7**	**10**	**11**		**611**	**3.1**	**9**	**< 1**	**1**	**2**	**4**	**8**	**10**

DRG 249: Aftercare, Musculoskeletal System & Connective Tissue

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	269	9.0	75	1	3	8	13	15	18	0-17	154	3.7	23	1	1	2	4	4	19
70-74	165	13.0	231	3	5	7	10	27	59	18-34	0								
75-79	128	10.0	229	1	2	5	9	41	54	35-49	25	2.5							
80-84	139	18.6	176	2	8	15	29	34	45	50-69	139	13.2	63	4	8	11	17	26	27
85 +	114	21.6	455	3	10	12	23	77	77	70 +	13	1.0							
SUBTOTAL	**815**	**13.4**	**222**	**1**	**4**	**9**	**15**	**34**	**45**		**332**	**7.5**	**61**	**1**	**2**	**4**	**11**	**19**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	241	5.2	19	1	2	4	8	10	19	0-17	670	1.9	3	< 1	< 1	< 1	2	4	4
70-74	254	4.2	7	1	2	4	5	8	8	18-34	227	3.5	13	1	2	3	3	6	17
75-79	291	7.1	68	< 1	1	4	10	13	30	35-49	128	4.7	23	< 1	1	4	5	14	16
80-84	127	3.4	8	1	1	1	5	8	9	50-69	215	3.0	5	< 1	1	2	4	7	8
85 +	64	7.8	57							70 +	0								
SUBTOTAL	**977**	**5.4**	**34**	**1**	**2**	**4**	**7**	**10**	**19**		**1241**	**2.7**	**8**	**< 1**	**< 1**	**1**	**3**	**5**	**8**
GRAND TOTAL	**1793**	**9.1**	**135**	**1**	**2**	**5**	**10**	**22**	**32**		**1573**	**3.7**	**23**	**< 1**	**< 1**	**2**	**4**	**8**	**16**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	52	2.0	1							0-17	77	2.5	2	< 1	1	2	4	5	5
18-34	25	37.7	1349							18-34	13	2.0							
35-49	25	5.0	4							35-49	25	6.4	13						
50-69	0									50-69	38	8.0	25						
70 +	0									70 +	199	10.9	43	4	8	9	12	24	24
SUBTOTAL	**102**	**11.6**	**556**	**< 1**	**1**	**3**	**4**	**73**	**73**		**353**	**8.1**	**41**	**1**	**2**	**8**	**10**	**22**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	348	2.4	5	< 1	< 1	1	3	6	6	0-17	90	1.3		< 1	< 1	< 1	2	2	2
18-34	38	1.7	1							18-34	38	1.0							
35-49	38	3.0	3							35-49	0								
50-69	25	2.5	2							50-69	25	4.0							
70 +	0									70 +	25	15.0	26						
SUBTOTAL	**449**	**2.4**	**4**	**< 1**	**< 1**	**1**	**3**	**6**	**6**		**178**	**3.5**	**26**	**< 1**	**< 1**	**1**	**4**	**10**	**20**
GRAND TOTAL	**551**	**4.1**	**118**	**< 1**	**< 1**	**1**	**3**	**6**	**7**		**530**	**6.6**	**41**	**< 1**	**1**	**4**	**10**	**13**	**22**

DRG 250: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	163	5.9	22	1	2	5	9	13	17
70-74	64	10.1	50						
75-79	100	10.9	31	2	8	9	17	19	19
80-84	139	6.9	28	2	3	5	11	14	19
85+	267	13.0	349	2	4	7	11	17	56
SUBTOTAL	**733**	**9.7**	**154**	**2**	**3**	**7**	**11**	**19**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**733**	**9.7**	**154**	**2**	**3**	**7**	**11**	**19**	**23**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	164	2.8	2	1	2	2	3	5	7
35-49	179	2.3	3	1	1	1	4	5	5
50-69	100	3.0	7	1	1	2	3	9	9
70+	64	7.2	22						
	507	**3.2**	**8**	**1**	**1**	**2**	**5**	**6**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	507	**3.2**	**8**	**1**	**1**	**2**	**5**	**6**	**9**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	38	2.3							
35-49	0								
50-69	13	5.0							
70+	0								
SUBTOTAL	**51**	**3.0**	**2**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**51**	**3.0**	**2**						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	127	3.4	5	<1	1	3	6	7	7
35-49	76	3.7	10	1	1	2	8	8	8
50-69	13	1.0							
70+	0								
	216	**3.3**	**7**	**1**	**1**	**2**	**6**	**8**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	216	**3.3**	**7**	**1**	**1**	**2**	**6**	**8**	**8**

DRG 251: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	63	2.4	1							0-17	0								
70-74	127	4.6	21	1	2	4	4	5	18	18-34	557	2.3	5	< 1	1	2	3	4	4
75-79	189	3.4	14	1	1	2	4	12	13	35-49	480	2.3	3	1	1	2	3	4	6
80-84	88	6.9	43	1	1	7	9	21	21	50-69	342	2.8	5	1	1	2	3	8	8
85 +	216	9.8	104	1	3	7	11	19	45	70 +	25	4.0	4						
SUBTOTAL	**684**	**6.0**	**54**	**1**	**1**	**3**	**8**	**14**	**19**		**1404**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**684**	**6.0**	**54**	**1**	**1**	**3**	**8**	**14**	**19**		**1404**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	52	2.5	1							18-34	328	2.4	5	1	1	1	3	4	9
35-49	26	36.5	1311							35-49	128	2.4	3	1	1	2	3	6	6
50-69	13	3.0								50-69	38	2.7	2						
70 +	0									70 +	0								
SUBTOTAL	**90**	**12.3**	**602**	**1**	**1**	**3**	**3**	**72**	**72**		**493**	**2.4**	**4**	**1**	**1**	**1**	**3**	**5**	**8**
GRAND TOTAL	**90**	**12.3**	**602**	**1**	**1**	**3**	**3**	**72**	**72**		**493**	**2.4**	**4**	**1**	**1**	**1**	**3**	**5**	**8**

DRG 252: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	153	2.4	3	1	1	2	3	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**153**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	2543	1.3	1	1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**2543**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**0**										**2696**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	76	4.5	10	< 1	1	5	8	9	9	0-17	26	2.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**76**	**4.5**	**10**	**< 1**	**1**	**5**	**8**	**9**	**9**		**26**	**2.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	588	1.7	2	1	1	1	2	3	4	0-17	969	1.3		< 1	1	1	1	2	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**588**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**		**969**	**1.3**		**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**664**	**2.0**	**4**	**1**	**1**	**1**	**2**	**4**	**8**		**995**	**1.3**		**< 1**	**1**	**1**	**1**	**2**	**3**

DRG 253: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	646	8.7	49	2	3	7	12	17	22	0-17	0								
70-74	644	11.3	103	3	5	8	14	22	36	18-34	534	5.2	35	1	2	3	5	15	18
75-79	756	9.5	62	3	4	8	12	24	35	35-49	457	4.7	10	1	2	4	7	8	9
80-84	783	11.3	109	3	5	8	15	22	25	50-69	545	7.7	67	1	4	7	9	13	16
85 +	1213	15.3	322	3	5	9	20	37	78	70 +	167	14.4	187	5	5	11	13	28	55
SUBTOTAL	**4042**	**11.7**	**160**	**3**	**4**	**8**	**14**	**26**	**36**		**1702**	**6.7**	**61**	**1**	**2**	**4**	**8**	**13**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4042**	**11.7**	**160**	**3**	**4**	**8**	**14**	**26**	**36**		**1702**	**6.7**	**61**	**1**	**2**	**4**	**8**	**13**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	64	2.6	1							18-34	290	4.3	39	1	1	2	3	12	21
35-49	102	11.9	233	1	3	6	25	47	47	35-49	240	4.7	21	< 1	2	3	6	13	18
50-69	153	9.0	71	1	2	8	16	19	28	50-69	152	5.6	55	1	1	3	6	8	29
70 +	12	28.0								70 +	26	4.5	13						
SUBTOTAL	**331**	**9.4**	**128**	**1**	**2**	**4**	**15**	**28**	**28**		**708**	**4.7**	**35**	**1**	**1**	**2**	**5**	**12**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**331**	**9.4**	**128**	**1**	**2**	**4**	**15**	**28**	**28**		**708**	**4.7**	**35**	**1**	**1**	**2**	**5**	**12**	**21**

DRG 254: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	504	3.9	15	1	1	3	4	10	14	0-17	0								
70-74	570	5.7	44	1	2	4	7	10	12	18-34	1564	2.7	5	1	1	2	3	6	7
75-79	493	5.8	40	1	2	3	7	15	20	35-49	1365	2.9	4	1	1	2	4	6	7
80-84	655	8.2	93	2	3	6	9	14	21	50-69	1140	4.3	17	1	1	3	6	10	14
85 +	707	6.9	37	1	3	5	8	15	21	70 +	126	13.3	468	2	2	4	14	21	76
SUBTOTAL	**2929**	**6.2**	**49**	**1**	**2**	**4**	**8**	**13**	**19**		**4195**	**3.5**	**25**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**2929**	**6.2**	**49**	**1**	**2**	**4**	**8**	**13**	**19**		**4195**	**3.5**	**25**	**1**	**1**	**2**	**4**	**7**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	127	4.5	15	1	1	4	6	13	14	18-34	822	2.9	7	1	1	2	4	6	9
35-49	115	7.2	14	1	5	6	10	15	15	35-49	430	3.3	12	1	1	2	4	7	12
50-69	26	3.0								50-69	329	3.5	13	1	1	2	5	8	9
70 +	39	4.3	7							70 +	13	1.0							
SUBTOTAL	**306**	**5.4**	**15**	**1**	**3**	**5**	**7**	**10**	**14**		**1594**	**3.1**	**9**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**306**	**5.4**	**15**	**1**	**3**	**5**	**7**	**10**	**14**		**1594**	**3.1**	**9**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 255: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	26	26.5	624						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**26**	**26.5**	**624**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**26**	**26.5**	**624**						

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	241	3.9	15	1	1	3	4	9	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	241	**3.9**	**15**	**1**	**1**	**3**	**4**	**9**	**14**
0-17	3175	2.2	5	1	1	1	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3175	**2.2**	**5**	**1**	**1**	**1**	**3**	**4**	**5**
	3416	**2.3**	**6**	**1**	**1**	**1**	**3**	**4**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	128	3.4	4	1	2	3	6	7	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**128**	**3.4**	**4**	**1**	**2**	**3**	**6**	**7**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1048	2.1	2	1	1	1	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1048**	**2.1**	**2**	**1**	**1**	**1**	**3**	**4**	**5**
GRAND TOTAL	**1176**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**6**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	219	3.1	4	1	1	3	4	7	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	219	**3.1**	**4**	**1**	**1**	**3**	**4**	**7**	**7**
0-17	1637	2.3	4	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1637	**2.3**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	1856	**2.4**	**4**	**1**	**1**	**2**	**3**	**6**	**6**

DRG 256: Other Musculoskeletal System & Connective Tissue Diagnoses

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	368	6.6	30	1	3	4	7	17	18	0-17	270	4.7	28	1	2	3	6	8	11
70-74	202	6.1	24	1	3	5	7	14	19	18-34	101	4.9	14	< 1	2	4	6	13	13
75-79	254	5.3	47	2	2	3	4	14	28	35-49	177	4.6	43	1	1	2	4	19	22
80-84	126	9.2	62	3	3	8	10	26	20	50-69	329	10.6	347	1	3	4	10	26	34
85 +	203	12.4	104	2	4	5	20	29	30	70 +	25	6.1	26						
SUBTOTAL	**1153**	**7.5**	**55**	**2**	**3**	**4**	**9**	**20**	**26**		**903**	**6.9**	**153**	**1**	**2**	**3**	**7**	**14**	**25**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	239	3.7	9	1	2	2	5	9	11	0-17	1336	3.1	40	< 1	< 1	1	2	5	11
70-74	176	2.2	2	< 1	1	2	3	5	5	18-34	341	2.5	4	< 1	1	2	4	5	6
75-79	152	3.6	5	2	2	3	5	7	8	35-49	620	3.5	15	< 1	1	2	4	7	11
80-84	139	3.9	2	2	3	4	5	5	7	50-69	505	2.2	3	< 1	1	2	2	4	6
85 +	89	4.8	7	3	3	4	5	11	11	70 +	38	2.0	1						
SUBTOTAL	**796**	**3.5**	**6**	**1**	**2**	**3**	**5**	**6**	**8**		**2840**	**2.9**	**23**	**< 1**	**1**	**1**	**3**	**5**	**10**
GRAND TOTAL	**1949**	**5.9**	**39**	**1**	**2**	**4**	**6**	**14**	**20**		**3743**	**3.9**	**57**	**< 1**	**1**	**2**	**4**	**8**	**13**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	90	2.0	2	< 1	< 1	1	4	4	4	0-17	64	10.6	144						
18-34	64	4.0	6							18-34	64	4.6	11						
35-49	38	13.3	25							35-49	89	7.3	15	3	4	5	11	13	13
50-69	127	6.5	12	3	3	6	10	10	12	50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**319**	**5.5**	**21**	**< 1**	**2**	**4**	**8**	**12**	**14**		**218**	**7.5**	**57**	**1**	**3**	**5**	**11**	**13**	**33**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	824	3.7	45	< 1	1	1	3	10	16	0-17	631	2.1	16	< 1	< 1	1	2	3	4
18-34	190	3.4	11	< 1	< 1	1	6	8	12	18-34	179	3.3	29	1	1	2	3	5	22
35-49	38	3.0	1							35-49	89	1.7	1	< 1	1	1	3	3	3
50-69	50	2.8	2							50-69	163	3.4	3	2	2	3	4	4	9
70 +	13	3.0								70 +	0								
SUBTOTAL	**1115**	**3.6**	**36**	**< 1**	**1**	**1**	**3**	**9**	**15**		**1062**	**2.5**	**15**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**1433**	**4.0**	**33**	**< 1**	**1**	**1**	**4**	**10**	**15**		**1280**	**3.3**	**26**	**< 1**	**1**	**1**	**3**	**8**	**13**

DRG 257: Total Mastectomy for Malignancy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1521	6.1	27	2	4	5	7	9	14
70-74	1296	5.0	4	3	4	5	6	8	9
75-79	1167	6.6	44	3	4	5	8	10	12
80-84	911	6.2	11	3	4	5	7	10	13
85 +	546	6.9	33	2	4	6	7	12	16
SUBTOTAL	**5442**	**6.1**	**24**	**3**	**4**	**5**	**7**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5442**	**6.1**	**24**	**3**	**4**	**5**	**7**	**9**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	115	5.5	9	1	4	5	7	11	11
35-49	1567	4.4	4	2	3	4	6	7	8
50-69	2131	4.8	6	2	3	4	6	7	8
70 +	88	6.0	4	3	4	6	8	9	9
	3901	**4.7**	**5**	**2**	**3**	**4**	**6**	**7**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3901	**4.7**	**5**	**2**	**3**	**4**	**6**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	12	3.0							
35-49	77	4.8	1	3	4	5	6	6	6
50-69	191	6.6	9	2	4	7	10	10	11
70 +	13	22.0							
SUBTOTAL	**293**	**6.7**	**18**	**3**	**4**	**6**	**9**	**10**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**293**	**6.7**	**18**	**3**	**4**	**6**	**9**	**10**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	50	5.0	1						
35-49	226	5.4	12	2	3	4	7	8	17
50-69	416	5.1	7	3	4	5	6	7	10
70 +	90	6.1		5	6	6	7	7	7
	782	**5.3**	**7**	**3**	**4**	**5**	**6**	**7**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	782	**5.3**	**7**	**3**	**4**	**5**	**6**	**7**	**8**

DRG 258: Total Mastectomy for Malignancy w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1640	4.2	4	2	3	4	5	6	8	0-17	0								
70-74	1551	4.7	4	2	3	5	6	7	9	18-34	177	3.8	1	3	3	4	5	5	5
75-79	1340	4.5	6	2	3	4	5	7	8	35-49	1892	3.6	3	2	2	4	5	6	6
80-84	759	4.6	6	2	3	4	6	8	9	50-69	3468	3.8	3	2	3	4	5	6	7
85 +	330	5.1	6	3	3	4	6	8	10	70 +	101	5.3	8	3	3	5	6	12	12
SUBTOTAL	**5621**	**4.5**	**5**	**2**	**3**	**4**	**5**	**7**	**9**		**5638**	**3.8**	**3**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**5621**	**4.5**	**5**	**2**	**3**	**4**	**5**	**7**	**9**		**5638**	**3.8**	**3**	**2**	**3**	**4**	**5**	**6**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	38	3.7							
35-49	114	3.2	5	1	1	3	4	8	8	35-49	327	3.6	2	2	2	4	5	5	6
50-69	127	5.7	5	4	4	5	8	9	9	50-69	415	4.0	3	1	3	4	5	7	7
70 +	13	5.0								70 +	37	4.3	2						
SUBTOTAL	**253**	**4.6**	**6**	**1**	**3**	**4**	**6**	**8**	**9**		**817**	**3.8**	**3**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**253**	**4.6**	**6**	**1**	**3**	**4**	**6**	**8**	**9**		**817**	**3.8**	**3**	**2**	**3**	**4**	**5**	**6**	**7**

DRG 259: Subtotal Mastectomy for Malignancy w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	432	5.0	30	1	2	3	6	8	19	0-17	0								
70-74	306	4.4	19	1	2	3	5	8	17	18-34	76	1.8	2	1	1	1	3	4	4
75-79	254	5.7	81	< 1	2	3	6	11	35	35-49	524	3.2	13	1	1	2	4	5	7
80-84	230	4.8	10	1	2	5	6	9	14	50-69	703	3.1	14	1	2	2	3	5	7
85 +	191	4.8	15	1	1	3	8	11	13	70 +	13	9.0							
SUBTOTAL	**1413**	**4.9**	**32**	**1**	**2**	**3**	**6**	**9**	**15**		**1316**	**3.2**	**13**	**1**	**1**	**2**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1413**	**4.9**	**32**	**1**	**2**	**3**	**6**	**9**	**15**		**1316**	**3.2**	**13**	**1**	**1**	**2**	**4**	**5**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	12	8.0								35-49	38	3.3							
50-69	64	5.4	12							50-69	203	3.4	5	< 1	2	3	4	5	10
70 +	0									70 +	13	1.0							
SUBTOTAL	**76**	**5.8**	**11**	**2**	**3**	**5**	**8**	**12**	**12**		**254**	**3.3**	**4**	**1**	**2**	**3**	**4**	**5**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**76**	**5.8**	**11**	**2**	**3**	**5**	**8**	**12**	**12**		**254**	**3.3**	**4**	**1**	**2**	**3**	**4**	**5**	**9**

DRG 260: Subtotal Mastectomy for Malignancy w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	702	2.4	2	1	1	2	4	5	5	0-17	0								
70-74	646	2.4	2	1	1	2	3	4	5	18-34	115	2.0	3	< 1	1	1	2	6	6
75-79	420	3.2	7	1	2	2	4	6	8	35-49	1159	2.2	2	1	1	2	3	4	4
80-84	190	2.2	5	< 1	1	1	2	7	8	50-69	1641	2.2	2	1	1	2	3	4	5
85 +	63	2.4	5							70 +	25	1.5							
SUBTOTAL	**2022**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**		**2940**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**2022**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**		**2940**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	13	1.0								0-17	0								
18-34	12	3.0								18-34	38	4.7	3						
35-49	51	3.8	4							35-49	150	2.9	3	< 1	1	2	4	5	7
50-69	38	2.6	6							50-69	152	2.5	1	< 1	2	2	3	4	4
70 +	0									70 +	13	4.0							
SUBTOTAL	**115**	**3.0**	**4**	**1**	**1**	**3**	**3**	**7**	**7**		**354**	**3.0**	**2**	**< 1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**115**	**3.0**	**4**	**1**	**1**	**3**	**3**	**7**	**7**		**354**	**3.0**	**2**	**< 1**	**2**	**3**	**4**	**5**	**7**

DRG 261: Breast Proc for Non-malignancy except Biopsy & Local Excision

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	39	2.0	1						
70-74	64	2.0	2						
75-79	12	1.0							
80-84	0								
85 +	0								
SUBTOTAL	**115**	**1.9**	**1**	**<1**	**1**	**1**	**3**	**4**	**4**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	293	2.6	2	<1	1	2	4	5	5
70-74	128	2.2	2	1	1	2	3	5	6
75-79	63	3.2	4						
80-84	25	8.1	51						
85 +	12	1.0							
SUBTOTAL	**522**	**2.8**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**637**	**2.6**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	2.0	1						
18-34	205	3.1	2	2	2	3	4	5	6
35-49	345	3.7	5	1	2	3	5	8	8
50-69	141	3.2	4	1	2	3	4	5	8
70 +	0								
	730	**3.4**	**4**	**1**	**2**	**3**	**5**	**6**	**8**
0-17	681	1.7	1	1	1	1	2	3	3
18-34	3197	2.0	1	1	1	2	2	3	3
35-49	2561	2.1	2	1	1	2	2	3	4
50-69	1637	2.0	2	1	1	2	2	4	4
70 +	0								
	8076	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
	8806	**2.1**	**2**	**1**	**1**	**2**	**2**	**3**	**5**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	13	3.0							
35-49	38	2.7	2						
50-69	13	14.0							
70 +	0								
SUBTOTAL	**64**	**5.0**	**22**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	39	1.7							
18-34	255	1.8		1	1	2	2	2	3
35-49	64	1.8							
50-69	39	2.3	1						
70 +	12	1.0							
SUBTOTAL	**409**	**1.8**		**1**	**1**	**2**	**2**	**2**	**3**
GRAND TOTAL	**473**	**2.2**	**4**	**1**	**1**	**2**	**2**	**3**	**4**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	13	3.0							
18-34	26	2.0	1						
35-49	25	6.5	21						
50-69	25	4.6	13						
70 +	0								
	89	**4.1**	**13**	**<1**	**1**	**3**	**8**	**11**	**11**
0-17	76	1.7		1	1	2	2	2	2
18-34	372	1.7	1	1	1	1	2	3	3
35-49	306	1.9	3	<1	1	1	2	4	4
50-69	128	3.0	4	1	1	3	4	6	6
70 +	0								
	882	**1.9**	**2**	**<1**	**1**	**1**	**2**	**4**	**4**
	971	**2.1**	**3**	**<1**	**1**	**1**	**3**	**4**	**6**

DRG 262: Breast Biopsy & Local Excision for Non-malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	114	2.0	6	1	1	1	1	9	9	0-17	0								
70-74	89	3.5	14	1	1	1	9	10	10	18-34	0								
75-79	76	2.7	4	< 1	< 1	2	3	7	7	35-49	88	1.1		< 1	< 1	< 1	1	2	2
80-84	25	1.5								50-69	89	3.3	8	1	1	2	7	8	8
85 +	26	2.0								70 +	0								
SUBTOTAL	**330**	**2.5**	**7**	**1**	**1**	**1**	**2**	**9**	**9**		**177**	**2.2**	**5**	**< 1**	**< 1**	**1**	**2**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	280	1.4	1	< 1	< 1	1	1	3	3	0-17	64	1.0							
70-74	89	1.0		< 1	< 1	1	1	1	1	18-34	100	1.1		< 1	< 1	< 1	< 1	2	2
75-79	114	1.2		< 1	< 1	1	1	2	2	35-49	690	1.4	2	< 1	< 1	< 1	1	2	4
80-84	76	1.5	1	< 1	1	1	2	3	3	50-69	481	1.4	1	< 1	< 1	1	1	3	4
85 +	26	2.0								70 +	0								
SUBTOTAL	**586**	**1.3**		**< 1**	**< 1**	**1**	**1**	**2**	**3**		**1335**	**1.4**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**
GRAND TOTAL	**916**	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**3**	**7**		**1512**	**1.5**	**2**	**< 1**	**< 1**	**< 1**	**1**	**3**	**4**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	26	11.5	75							35-49	37	2.0	2						
50-69	0									50-69	26	3.0	1						
70 +	0									70 +	0								
SUBTOTAL	**26**	**11.5**	**75**								**63**	**2.4**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	13	1.0								0-17	13	1.0							
18-34	76	3.4	6	< 1	< 1	3	5	8	8	18-34	101	1.6	2	< 1	< 1	< 1	1	5	5
35-49	38	3.4	4							35-49	278	1.3	1	< 1	< 1	< 1	1	2	3
50-69	25	1.0								50-69	50	1.8	2						
70 +	0									70 +	13	1.0							
SUBTOTAL	**152**	**2.8**	**5**	**< 1**	**< 1**	**2**	**5**	**6**	**8**		**454**	**1.4**	**1**	**< 1**	**< 1**	**< 1**	**1**	**3**	**4**
GRAND TOTAL	**178**	**4.0**	**24**	**< 1**	**< 1**	**3**	**5**	**8**	**20**		**517**	**1.5**	**1**	**< 1**	**< 1**	**< 1**	**1**	**4**	**4**

DRG 263: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1600	23.0	306	6	11	18	40	61	99 +	0-17	90	31.6	358	6	12	26	52	60	60
70-74	721	20.6	205	7	11	17	25	48	58	18-34	218	23.3	227	8	10	22	37	60	98
75-79	852	21.3	288	7	9	17	30	47	73	35-49	577	20.4	353	6	9	13	23	46	57
80-84	709	20.7	261	7	10	16	29	67	99 +	50-69	813	15.6	122	4	6	13	23	33	36
85 +	1054	21.2	256	6	10	17	31	59	84	70 +	38	17.8	74						
SUBTOTAL	**4937**	**21.7**	**272**	**6**	**10**	**17**	**31**	**54**	**77**		**1736**	**19.0**	**239**	**5**	**8**	**14**	**25**	**42**	**52**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4937**	**21.7**	**272**	**6**	**10**	**17**	**31**	**54**	**77**		**1736**	**19.0**	**239**	**5**	**8**	**14**	**25**	**42**	**52**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	8.0	2							0-17	25	37.6	21						
18-34	167	30.1	258	11	18	29	47	99 +	99 +	18-34	77	14.1	67	5	6	8	21	26	26
35-49	141	24.6	205	9	15	22	29	48	55	35-49	38	16.2	126						
50-69	165	17.4	170	6	8	14	18	35	49	50-69	127	26.8	404	9	13	18	32	71	73
70 +	25	10.9	26							70 +	12	3.0							
SUBTOTAL	**536**	**22.2**	**235**	**6**	**10**	**18**	**35**	**55**	**99 +**		**280**	**21.8**	**290**	**5**	**8**	**17**	**31**	**42**	**53**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**536**	**22.2**	**235**	**6**	**10**	**18**	**35**	**55**	**99 +**		**280**	**21.8**	**290**	**5**	**8**	**17**	**31**	**42**	**53**

DRG 264: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	256	10.9	96	2	4	7	15	23	35	0-17	103	14.4	156	1	5	8	28	37	37
70-74	164	7.5	34	2	3	7	8	14	23	18-34	280	8.6	44	3	4	7	12	17	17
75-79	138	14.2	88	9	10	12	15	16	42	35-49	190	11.2	145	2	2	6	14	33	40
80-84	114	12.9	36	4	10	12	18	22	22	50-69	255	10.6	28	3	7	12	14	15	21
85 +	176	12.4	77	6	7	12	14	25	37	70 +	13	9.0							
SUBTOTAL	**848**	**11.4**	**75**	**3**	**5**	**9**	**14**	**23**	**35**		**841**	**10.5**	**78**	**2**	**4**	**8**	**14**	**22**	**30**
GRAND TOTAL	**848**	**11.4**	**75**	**3**	**5**	**9**	**14**	**23**	**35**		**841**	**10.5**	**78**	**2**	**4**	**8**	**14**	**22**	**30**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	26	2.0	1							0-17	26	3.5							
18-34	114	8.8	33	3	4	7	12	19	19	18-34	139	5.8	26	2	3	4	6	8	21
35-49	64	10.4	21							35-49	39	6.0	6						
50-69	25	14.6	31							50-69	37	4.3	12						
70 +	0									70 +	13	2.0							
SUBTOTAL	**229**	**9.1**	**35**	**3**	**4**	**9**	**12**	**19**	**20**		**254**	**5.2**	**18**	**2**	**3**	**4**	**6**	**9**	**9**
GRAND TOTAL	**229**	**9.1**	**35**	**3**	**4**	**9**	**12**	**19**	**20**		**254**	**5.2**	**18**	**2**	**3**	**4**	**6**	**9**	**9**

DRG 265: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	320	12.2	260	< 1	3	8	19	26	33
70-74	180	9.0	180	1	1	4	5	27	48
75-79	316	13.5	157	1	4	9	22	40	43
80-84	295	12.7	288	1	2	4	13	37	55
85 +	218	9.0	55	2	3	8	11	23	30
SUBTOTAL	**1328**	**11.7**	**200**	**1**	**2**	**7**	**13**	**33**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1328**	**11.7**	**200**	**1**	**2**	**7**	**13**	**33**	**43**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	141	6.1	44	1	1	3	10	14	23
18-34	190	3.9	7	1	2	3	5	8	11
35-49	421	7.2	41	1	3	7	9	13	20
50-69	461	11.5	139	3	5	8	17	22	37
70 +	0								
	1213	**8.2**	**81**	**1**	**3**	**6**	**9**	**17**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1213	**8.2**	**81**	**1**	**3**	**6**	**9**	**17**	**23**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	76	8.2	38	1	2	10	11	19	19
18-34	64	3.4	11						
35-49	39	19.7	199						
50-69	52	6.3	22						
70 +	0								
SUBTOTAL	**231**	**8.4**	**82**	**1**	**2**	**6**	**11**	**21**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**231**	**8.4**	**82**	**1**	**2**	**6**	**11**	**21**	**36**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	4.8	4						
18-34	77	9.4	154	1	2	5	10	36	36
35-49	38	8.6	92						
50-69	89	8.3	40	3	4	7	9	23	23
70 +	13	1.0							
	267	**7.6**	**75**	**1**	**3**	**4**	**8**	**22**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	267	**7.6**	**75**	**1**	**3**	**4**	**8**	**22**	**25**

DRG 266: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	320	5.1	37	< 1	1	3	5	13	23	0-17	883	2.9	6	1	1	2	3	8	8
70-74	293	3.2	5	1	1	2	5	7	8	18-34	919	3.3	7	1	1	2	4	7	9
75-79	256	5.2	16	1	2	4	7	9	13	35-49	881	3.9	12	1	1	3	6	8	10
80-84	254	3.1	10	1	1	2	4	8	12	50-69	1061	3.6	8	1	1	2	5	8	9
85 +	203	4.4	14	< 1	1	3	8	10	11	70 +	13	1.0							
SUBTOTAL	**1327**	**4.2**	**18**	**1**	**1**	**3**	**6**	**9**	**13**		**3757**	**3.4**	**8**	**1**	**1**	**2**	**5**	**8**	**9**
GRAND TOTAL	**1327**	**4.2**	**18**	**1**	**1**	**3**	**6**	**9**	**13**		**3757**	**3.4**	**8**	**1**	**1**	**2**	**5**	**8**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	232	5.1	8	1	3	6	7	8	13	0-17	360	4.5	22	1	1	3	6	12	13
18-34	217	6.1	62	1	2	2	4	19	29	18-34	382	3.4	7	1	1	2	4	8	9
35-49	51	4.5	7							35-49	76	4.5	8	1	3	4	5	10	10
50-69	38	2.7	6							50-69	102	3.8	9	< 1	1	5	7	9	9
70 +	0									70 +	0								
SUBTOTAL	**537**	**5.3**	**30**	**1**	**2**	**4**	**6**	**8**	**18**		**919**	**4.0**	**14**	**1**	**1**	**3**	**5**	**9**	**12**
GRAND TOTAL	**537**	**5.3**	**30**	**1**	**2**	**4**	**6**	**8**	**18**		**919**	**4.0**	**14**	**1**	**1**	**3**	**5**	**9**	**12**

DRG 267: Perianal & Pilonidal Procedures

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	51	2.2	1							0-17	26	1.0							
70-74	12	1.0								18-34	64	10.4	368						
75-79	13	9.0								35-49	13	1.0							
80-84	0									50-69	38	8.2	49						
85 +	25	23.5	527							70 +	0								
SUBTOTAL	**101**	**8.2**	**209**	**1**	**1**	**2**	**6**	**46**	**46**		**140**	**7.2**	**194**	**1**	**1**	**1**	**5**	**18**	**49**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	38	1.7	1							0-17	331	1.6	1	1	1	1	2	3	5
70-74	0									18-34	1479	1.7	2	< 1	1	1	2	3	4
75-79	25	1.0								35-49	306	1.1		1	1	1	1	2	2
80-84	0									50-69	128	1.8	1	1	1	2	2	3	4
85 +	0									70 +	0								
SUBTOTAL	**64**	**1.4**	**1**								**2244**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**164**	**5.6**	**139**	**1**	**1**	**1**	**3**	**9**	**46**		**2384**	**2.0**	**15**	**1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	25	4.0							
35-49	0									35-49	13	1.0							
50-69	0									50-69	12	3.0							
70 +	0									70 +	0								
SUBTOTAL	**0**										**50**	**3.0**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	63	3.2	1							0-17	52	2.8	2						
18-34	179	2.1	2	1	1	1	3	4	5	18-34	367	1.9	5	< 1	< 1	1	2	5	6
35-49	64	3.4	15							35-49	51	1.5	1						
50-69	0									50-69	13	2.0							
70 +	0									70 +	0								
SUBTOTAL	**306**	**2.6**	**5**	**1**	**1**	**2**	**4**	**4**	**5**		**482**	**2.0**	**4**	**< 1**	**< 1**	**1**	**2**	**5**	**6**
GRAND TOTAL	**306**	**2.6**	**5**	**1**	**1**	**2**	**4**	**4**	**5**		**532**	**2.1**	**4**	**< 1**	**1**	**1**	**2**	**4**	**5**

DRG 268: Skin, Subcutaneous Tissue & Breast Plastic Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	13	2.0								0-17	52	2.5	1						
70-74	38	13.0	52							18-34	103	2.5	3	1	1	2	4	5	5
75-79	39	4.3	12							35-49	25	1.0							
80-84	52	2.0	2							50-69	128	3.2	15	1	1	2	4	11	14
85 +	26	8.0	1							70 +	0								
SUBTOTAL	**167**	**6.0**	**34**	**1**	**2**	**3**	**9**	**17**	**19**		**308**	**2.7**	**- 8**	**1**	**1**	**2**	**3**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	166	1.9	3	< 1	1	1	2	5	6	0-17	232	1.6	2	< 1	1	1	2	5	5
70-74	103	2.6	16	< 1	1	1	2	13	13	18-34	266	1.6	1	1	1	1	2	3	4
75-79	77	2.5	5	1	1	2	3	7	7	35-49	334	2.0	2	1	1	1	3	3	4
80-84	77	2.5	3	1	1	2	3	6	6	50-69	678	1.5	1	1	1	1	2	2	4
85 +	76	3.7	10	1	1	2	7	9	9	70 +	13	2.0							
SUBTOTAL	**499**	**2.5**	**7**	**1**	**1**	**1**	**2**	**7**	**9**		**1525**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**666**	**3.4**	**16**	**1**	**1**	**2**	**4**	**9**	**13**		**1833**	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13	3.0								0-17	26	1.0							
18-34	13	2.0								18-34	25	3.0	1						
35-49	13	19.0								35-49	25	1.5							
50-69	0									50-69	38	1.3							
70 +	0									70 +	0								
SUBTOTAL	**39**	**8.0**	**62**								**115**	**1.7**	**1**	**< 1**	**1**	**1**	**2**	**4**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	103	2.0	4	< 1	1	1	2	7	7	0-17	51	3.5	9						
18-34	25	2.0	1							18-34	51	2.5	1						
35-49	0									35-49	153	1.6	1	1	1	1	2	3	4
50-69	52	2.3	5							50-69	592	1.3		1	1	1	1	2	2
70 +	0									70 +	77	1.2		1	1	1	1	2	2
SUBTOTAL	**180**	**2.1**	**4**	**1**	**1**	**1**	**2**	**6**	**7**		**924**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**218**	**3.1**	**19**	**1**	**1**	**1**	**3**	**7**	**19**		**1038**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 269: Other Skin, Subcut Tiss & Breast Proc w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	815	10.1	60	2	5	8	14	23	27	0-17	218	5.8	29	1	2	4	6	12	21
70-74	471	10.7	197	1	3	6	12	30	73	18-34	179	8.1	69	2	3	5	9	22	31
75-79	379	13.0	139	3	6	9	17	33	39	35-49	423	6.2	26	2	2	3	10	12	15
80-84	189	8.7	76	< 1	2	6	15	33	99 +	50-69	693	8.0	40	2	2	7	11	18	18
85 +	370	12.1	90	2	3	9	18	28	30	70 +	38	23.0	43						
SUBTOTAL	**2225**	**10.9**	**110**	**2**	**4**	**8**	**16**	**27**	**33**		**1551**	**7.6**	**45**	**2**	**2**	**5**	**11**	**17**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2225**	**10.9**	**110**	**2**	**4**	**8**	**16**	**27**	**33**		**1551**	**7.6**	**45**	**2**	**2**	**5**	**11**	**17**	**20**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	52	3.5	4							0-17	52	5.5	14						
18-34	102	13.1	159	2	5	8	16	44	44	18-34	268	7.3	66	1	2	4	9	15	20
35-49	128	11.6	87	2	7	10	12	32	36	35-49	128	9.2	33	1	4	9	13	17	18
50-69	52	27.0	825	6	12	14	99 +	99 +	99 +	50-69	114	8.1	39	1	3	6	14	17	17
70 +	0									70 +	12	9.0							
SUBTOTAL	**333**	**13.2**	**253**	**2**	**5**	**9**	**15**	**76**	**99 +**		**574**	**7.7**	**48**	**1**	**3**	**6**	**11**	**17**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**333**	**13.2**	**253**	**2**	**5**	**9**	**15**	**76**	**99 +**		**574**	**7.7**	**48**	**1**	**3**	**6**	**11**	**17**	**17**

DRG 270: Other Skin, Subcut Tiss & Breast Proc w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	723	3.9	10	< 1	2	3	5	9	12
70-74	367	2.5	4	< 1	< 1	2	3	5	8
75-79	407	3.7	10	1	1	3	5	6	13
80-84	165	3.3	8	1	1	1	5	8	9
85 +	128	4.2	18	1	1	3	5	12	13
SUBTOTAL	**1789**	**3.5**	**9**	**< 1**	**1**	**3**	**5**	**8**	**11**
GRAND TOTAL	**1789**	**3.5**	**9**	**< 1**	**1**	**3**	**5**	**8**	**11**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1424	2.1	6	< 1	< 1	1	2	5	6
18-34	942	2.4	6	< 1	1	2	3	5	7
35-49	1494	3.0	13	< 1	1	2	4	7	9
50-69	1721	2.5	5	1	1	2	3	4	6
70 +	0								
	5581	**2.5**	**8**	**< 1**	**1**	**1**	**3**	**5**	**8**
	5581	**2.5**	**8**	**< 1**	**1**	**1**	**3**	**5**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	642	3.2	10	< 1	1	2	4	8	10
18-34	192	3.5	11	1	1	2	6	8	12
35-49	103	3.6	6	1	1	4	4	9	9
50-69	38	2.7	6						
70 +	12	2.0							
SUBTOTAL	**987**	**3.3**	**10**	**< 1**	**1**	**2**	**4**	**8**	**10**
GRAND TOTAL	**987**	**3.3**	**10**	**< 1**	**1**	**2**	**4**	**8**	**10**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	526	2.4	4	< 1	< 1	2	3	5	6
18-34	443	2.9	10	< 1	< 1	2	3	6	11
35-49	215	2.2	3	< 1	< 1	1	3	4	7
50-69	228	2.6	6	< 1	1	1	4	5	11
70 +	0								
	1412	**2.6**	**6**	**< 1**	**< 1**	**1**	**3**	**5**	**7**
	1412	**2.6**	**6**	**< 1**	**< 1**	**1**	**3**	**5**	**7**

DRG 271: Skin Ulcers

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	671	11.1	87	4	5	8	14	23	29
70-74	392	12.3	83	5	7	9	15	25	48
75-79	532	14.8	193	5	8	11	17	28	45
80-84	554	13.9	99	2	7	14	20	31	47
85 +	696	16.1	184	4	7	12	20	33	47
SUBTOTAL	**2845**	**13.7**	**136**	**4**	**7**	**11**	**17**	**27**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	99	9.1	14	5	6	8	15	15	15
70-74	25	5.5	2						
75-79	101	10.3	85	2	7	8	12	33	33
80-84	114	7.8	16	3	5	7	9	17	17
85 +	176	13.6	91	7	8	10	14	33	36
SUBTOTAL	**516**	**10.4**	**61**	**4**	**7**	**8**	**12**	**18**	**33**
GRAND TOTAL	**3361**	**13.2**	**126**	**4**	**7**	**10**	**16**	**26**	**40**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	25	7.9	9						
18-34	114	14.2	261	5	5	6	18	57	57
35-49	140	9.4	43	4	5	8	11	15	27
50-69	365	12.7	172	2	5	8	14	35	36
70 +	88	10.9	91	2	5	9	10	33	33
	734	**11.9**	**148**	**4**	**5**	**8**	**13**	**27**	**36**
0-17	39	5.0	6						
18-34	0								
35-49	12	16.0							
50-69	25	7.5	44						
70 +	0								
	76	**7.6**	**32**	**< 1**	**2**	**5**	**14**	**16**	**16**
	810	**11.5**	**139**	**2**	**5**	**8**	**14**	**23**	**35**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	39	12.3	85						
18-34	26	7.5	2						
35-49	64	23.1	257						
50-69	152	12.9	140	4	7	9	13	19	49
70 +	0								
SUBTOTAL	**281**	**14.6**	**169**	**4**	**7**	**10**	**18**	**25**	**49**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	39	3.7	6						
18-34	12	11.0							
35-49	26	3.5							
50-69	13	43.0							
70 +	12	8.0							
SUBTOTAL	**102**	**10.0**	**168**	**< 1**	**3**	**4**	**8**	**43**	**43**
GRAND TOTAL	**383**	**13.4**	**172**	**3**	**5**	**9**	**15**	**31**	**49**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	13	1.0							
18-34	64	9.2	43						
35-49	38	14.0	44						
50-69	51	9.8	8						
70 +	25	6.1	26						
	191	**9.3**	**39**	**1**	**4**	**10**	**12**	**19**	**23**
0-17	0								
18-34	51	18.7	374						
35-49	0								
50-69	37	6.7	17						
70 +	0								
	88	**13.6**	**256**	**1**	**3**	**9**	**12**	**51**	**51**
	279	**10.7**	**111**	**1**	**4**	**10**	**12**	**19**	**23**

DRG 272: Major Skin Disorders w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	383	8.4	27	2	4	8	11	16	21	0-17	322	6.0	28	2	3	5	7	9	9
70-74	405	7.5	16	2	4	7	12	13	15	18-34	141	8.6	15	4	5	9	12	14	14
75-79	354	9.2	40	3	4	8	12	22	23	35-49	205	7.1	17	2	4	7	11	14	14
80-84	264	12.0	91	3	5	10	17	23	34	50-69	254	8.4	40	2	4	7	10	22	23
85 +	279	16.3	118	7	9	13	21	28	42	70 +	12	8.0							
SUBTOTAL	**1685**	**10.2**	**61**	**3**	**5**	**8**	**13**	**21**	**24**		**935**	**7.3**	**28**	**2**	**4**	**6**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1685**	**10.2**	**61**	**3**	**5**	**8**	**13**	**21**	**24**		**935**	**7.3**	**28**	**2**	**4**	**6**	**9**	**14**	**18**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	77	6.7	33	2	3	5	6	19	19	0-17	64	7.0	17						
18-34	64	7.8	30							18-34	38	10.7	4						
35-49	51	3.8	3							35-49	51	12.5	61						
50-69	13	17.0								50-69	13	8.0							
70 +	0									70 +	13	6.0							
SUBTOTAL	**205**	**7.0**	**31**	**2**	**3**	**5**	**13**	**17**	**19**		**179**	**9.4**	**30**	**4**	**5**	**8**	**13**	**15**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**205**	**7.0**	**31**	**2**	**3**	**5**	**13**	**17**	**19**		**179**	**9.4**	**30**	**4**	**5**	**8**	**13**	**15**	**24**

DRG 273: Major Skin Disorders w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	192	8.8	32	3	4	6	14	17	22
70-74	77	8.2	25	3	5	8	10	18	18
75-79	76	7.0	22	2	3	7	11	15	15
80-84	64	5.0	13						
85 +	89	5.5	19	< 1	3	3	10	14	14
SUBTOTAL	**498**	**7.4**	**27**	**3**	**3**	**5**	**11**	**15**	**18**
GRAND TOTAL	**498**	**7.4**	**27**	**3**	**3**	**5**	**11**	**15**	**18**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	307	4.4	9	2	2	4	6	7	11
18-34	154	7.5	34	2	2	7	13	16	20
35-49	282	7.6	23	2	4	7	10	16	16
50-69	359	8.9	44	1	3	8	15	19	19
70 +	13	3.0							
	1115	**7.1**	**31**	**2**	**3**	**6**	**10**	**16**	**18**
	1115	**7.1**	**31**	**2**	**3**	**6**	**10**	**16**	**18**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	77	6.9	24	1	4	5	13	14	14
18-34	39	13.0	9						
35-49	39	13.7	61						
50-69	13	16.0							
70 +	0								
SUBTOTAL	**167**	**10.6**	**39**	**3**	**4**	**13**	**16**	**17**	**21**
GRAND TOTAL	**167**	**10.6**	**39**	**3**	**4**	**13**	**16**	**17**	**21**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	77	3.5	1	2	2	4	4	5	5
18-34	12	6.0							
35-49	38	6.7	12						
50-69	63	9.2	27						
70 +	13	4.0							
	203	**6.1**	**17**	**2**	**3**	**4**	**8**	**15**	**15**
	203	**6.1**	**17**	**2**	**3**	**4**	**8**	**15**	**15**

DRG 274: Malignant Breast Disorders w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	164	12.3	227	2	6	7	10	27	59
70-74	139	14.2	85	5	6	12	21	27	33
75-79	190	16.6	189	4	5	14	20	29	58
80-84	264	9.3	53	2	5	7	15	18	23
85 +	101	13.0	198	1	2	8	29	42	42
SUBTOTAL	**858**	**12.7**	**146**	**2**	**5**	**8**	**18**	**29**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**858**	**12.7**	**146**	**2**	**5**	**8**	**18**	**29**	**33**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	152	5.8	17	1	2	6	8	12	15
50-69	365	10.3	171	2	2	6	13	25	27
70 +	0								
	517	**9.0**	**130**	**2**	**2**	**6**	**9**	**20**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	517	**9.0**	**130**	**2**	**2**	**6**	**9**	**20**	**25**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	89	9.4	3	8	8	9	10	13	13
70 +	0								
SUBTOTAL	**89**	**9.4**	**3**	**8**	**8**	**9**	**10**	**13**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**89**	**9.4**	**3**	**8**	**8**	**9**	**10**	**13**	**13**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	12	8.0							
35-49	0								
50-69	76	9.7	53	4	5	7	11	25	25
70 +	0								
	89	**9.5**	**46**	**4**	**5**	**7**	**11**	**25**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	89	**9.5**	**46**	**4**	**5**	**7**	**11**	**25**	**25**

DRG 275: Malignant Breast Disorders w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	51	1.0							
70-74	13	1.0							
75-79	63	9.7	118						
80-84	0								
85 +	0								
SUBTOTAL	**127**	**5.3**	**77**	**< 1**	**< 1**	**1**	**5**	**8**	**31**
GRAND TOTAL	**127**	**5.3**	**77**	**< 1**	**< 1**	**1**	**5**	**8**	**31**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	76	2.1	3	< 1	< 1	< 1	4	5	5
50-69	138	4.6	7	3	3	4	5	6	12
70 +	12	7.0							
	226	**3.9**	**7**	**< 1**	**1**	**4**	**5**	**7**	**12**
	226	**3.9**	**7**	**< 1**	**1**	**4**	**5**	**7**	**12**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	12	5.0							
50-69	0								
70 +	0								
SUBTOTAL	**12**	**5.0**							
GRAND TOTAL	**12**	**5.0**							

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	0								

DRG 276: Non-maligant Breast Disorders

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	64	5.8	9						
70-74	0								
75-79	38	3.6	10						
80-84	39	7.3	17						
85 +	39	3.7	3						
SUBTOTAL	**179**	**5.2**	**12**	**1**	**2**	**6**	**8**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	25	6.6	31						
70-74	63	1.6	1						
75-79	0								
80-84	38	2.7	3						
85 +	12	3.0							
SUBTOTAL	**139**	**2.9**	**10**	**< 1**	**1**	**1**	**4**	**5**	**12**
GRAND TOTAL	**317**	**4.2**	**12**	**1**	**1**	**3**	**7**	**9**	**12**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	12	4.0							
35-49	38	3.4	2						
50-69	51	4.0	10						
70 +	0								
	101	**3.8**	**6**	**< 1**	**2**	**4**	**6**	**8**	**8**
0-17	77	4.0	1	3	3	3	5	6	6
18-34	329	3.5	5	1	2	3	5	7	7
35-49	178	3.0	2	1	2	3	4	5	6
50-69	178	3.1	15	< 1	< 1	1	3	8	15
70 +	0								
	761	**3.4**	**6**	**< 1**	**1**	**3**	**5**	**6**	**8**
	863	**3.4**	**6**	**< 1**	**1**	**3**	**5**	**6**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	51	3.5	5						
35-49	26	5.5							
50-69	0								
70 +	0								
SUBTOTAL	**77**	**4.2**	**5**	**1**	**2**	**5**	**6**	**7**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	77	3.8	5	1	2	4	5	8	8
18-34	90	4.0	5	1	2	5	5	8	8
35-49	25	4.5	2						
50-69	38	5.3	4						
70 +	0								
SUBTOTAL	**231**	**4.2**	**5**	**1**	**2**	**4**	**5**	**8**	**8**
GRAND TOTAL	**308**	**4.2**	**5**	**1**	**2**	**5**	**6**	**8**	**8**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	13	3.0							
18-34	0								
35-49	25	6.5	13						
50-69	25	2.0	1						
70 +	0								
	63	**4.0**	**10**						
0-17	26	1.5							
18-34	64	2.6	1						
35-49	52	4.0	7						
50-69	0								
70 +	13	6.0							
	154	**3.2**	**4**	**1**	**1**	**2**	**5**	**6**	**7**
	217	**3.4**	**6**	**< 1**	**2**	**3**	**4**	**7**	**10**

DRG 277: Cellulitis Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4183	8.9	63	3	5	7	10	15	22	0-17	0								
70-74	2948	9.3	47	3	5	8	11	17	20	18-34	853	7.0	24	2	3	6	9	13	18
75-79	2697	9.4	60	4	5	8	11	17	22	35-49	1792	6.8	19	2	4	6	8	12	16
80-84	2074	10.9	106	4	6	8	12	20	24	50-69	3352	7.9	37	3	5	6	9	14	17
85+	2702	11.0	80	4	6	8	13	21	25	70+	254	11.9	248	4	5	7	11	26	65
SUBTOTAL	**14604**	**9.7**	**69**	**4**	**5**	**8**	**11**	**18**	**23**		**6251**	**7.6**	**40**	**3**	**4**	**6**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	14604	9.7	69	4	5	8	11	18	23		6251	7.6	40	3	4	6	9	13	17

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	767	7.9	55	2	3	6	9	21	28	18-34	510	6.4	17	2	4	5	9	13	16
35-49	1151	9.1	48	4	5	7	12	17	20	35-49	572	8.1	35	3	3	7	10	15	20
50-69	877	9.4	23	3	5	10	13	16	17	50-69	685	10.2	38	4	5	9	13	20	23
70+	115	12.5	144	5	6	7	13	45	45	70+	128	11.0	22	6	6	10	15	19	20
SUBTOTAL	**2909**	**9.0**	**47**	**3**	**5**	**7**	**11**	**17**	**22**		**1895**	**8.6**	**33**	**3**	**4**	**7**	**11**	**17**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2909**	**9.0**	47	3	5	7	11	17	22		**1895**	**8.6**	33	3	4	7	11	17	20

DRG 278: Cellulitis Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1622	5.6	10	3	4	5	7	9	11	0-17	0								
70-74	1277	6.4	12	3	4	6	8	11	14	18-34	2836	4.0	7	2	2	3	5	7	8
75-79	1015	6.8	18	3	4	6	8	13	16	35-49	3438	5.0	16	2	3	4	6	9	12
80-84	810	6.6	14	3	4	6	8	10	12	50-69	3055	5.8	19	2	3	5	7	10	13
85 +	987	8.0	29	3	4	7	9	14	22	70 +	76	3.3	2	1	2	4	4	5	5
SUBTOTAL	**5711**	**6.6**	**16**	**3**	**4**	**6**	**8**	**11**	**15**		**9404**	**5.0**	**15**	**2**	**3**	**4**	**6**	**9**	**12**
GRAND TOTAL	**5711**	**6.6**	**16**	**3**	**4**	**6**	**8**	**11**	**15**		**9404**	**5.0**	**15**	**2**	**3**	**4**	**6**	**9**	**12**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	699	4.3	7	2	3	4	5	8	10	18-34	1252	3.7	5	2	2	3	5	7	9
35-49	535	5.8	11	3	4	5	7	11	12	35-49	1010	5.3	16	2	3	4	7	11	12
50-69	421	6.3	19	2	4	5	8	12	16	50-69	595	5.4	8	2	3	5	7	11	11
70 +	25	6.6	13							70 +	64	8.5	18						
SUBTOTAL	**1680**	**5.3**	**12**	**2**	**3**	**4**	**6**	**10**	**12**		**2920**	**4.7**	**11**	**2**	**2**	**4**	**6**	**9**	**11**
GRAND TOTAL	**1680**	**5.3**	**12**	**2**	**3**	**4**	**6**	**10**	**12**		**2920**	**4.7**	**11**	**2**	**2**	**4**	**6**	**9**	**11**

DRG 279: Cellulitis Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	925	5.2	18	2	3	4	6	10	13
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**925**	**5.2**	**18**	**2**	**3**	**4**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	3124	3.5	6	1	2	3	4	6	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**3124**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**0**										**4048**	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	527	7.0	28	2	4	5	8	14	18	0-17	411	5.7	14	2	3	5	8	11	15
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**527**	**7.0**	**28**	**2**	**4**	**5**	**8**	**14**	**18**		**411**	**5.7**	**14**	**2**	**3**	**5**	**8**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2657	3.8	6	2	2	3	5	7	8	0-17	1591	3.2	4	1	2	3	4	5	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2657**	**3.8**	**6**	**2**	**2**	**3**	**5**	**7**	**8**		**1591**	**3.2**	**4**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**3185**	**4.3**	**11**	**2**	**2**	**3**	**5**	**8**	**10**		**2002**	**3.7**	**7**	**1**	**2**	**3**	**4**	**7**	**9**

DRG 280: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	404	5.4	31	1	2	4	7	11	14
70-74	329	6.9	24	3	4	6	9	12	14
75-79	493	9.5	182	2	2	7	12	16	22
80-84	591	7.5	61	2	3	5	10	14	22
85+	1136	10.3	143	3	4	7	12	22	29
SUBTOTAL	**2953**	**8.5**	**108**	**2**	**3**	**6**	**10**	**16**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2953**	**8.5**	**108**	**2**	**3**	**6**	**10**	**16**	**25**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	559	2.6	3	1	1	2	3	6	7
35-49	330	3.4	6	1	1	2	6	7	8
50-69	446	4.4	17	1	2	3	6	9	13
70+	115	3.9	6	1	2	3	5	8	8
	1450	**3.4**	**9**	**1**	**1**	**2**	**4**	**7**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1450	**3.4**	**9**	**1**	**1**	**2**	**4**	**7**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	141	3.3	11	<1	1	2	4	7	12
35-49	176	4.3	10	1	2	3	7	9	11
50-69	89	3.7	4	1	2	4	4	8	8
70+	0								
SUBTOTAL	**406**	**3.8**	**9**	**1**	**1**	**3**	**4**	**8**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**406**	**3.8**	**9**	**1**	**1**	**3**	**4**	**8**	**11**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	710	3.0	11	<1	1	2	3	5	11
35-49	189	3.3	8	1	1	2	6	8	9
50-69	88	8.0	29	2	3	5	13	16	16
70+	50	8.3	15						
	1038	**3.7**	**15**	**1**	**1**	**2**	**5**	**11**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1038	**3.7**	**15**	**1**	**1**	**2**	**5**	**11**	**13**

DRG 281: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	290	3.2	5	1	2	3	4	5	9	0-17	0								
70-74	226	4.4	17	1	2	3	5	9	19	18-34	1754	2.2	3	<1	1	2	3	4	6
75-79	279	5.2	24	1	2	4	5	12	14	35-49	737	2.1	2	1	1	2	3	4	4
80-84	289	4.6	17	1	2	3	6	10	13	50-69	735	2.6	4	1	1	2	3	5	8
85 +	541	6.0	21	2	3	4	7	13	15	70 +	101	2.2	1	1	1	2	3	4	4
SUBTOTAL	**1625**	**4.9**	**18**	**1**	**2**	**4**	**6**	**11**	**14**		**3327**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**1625**	**4.9**	**18**	**1**	**2**	**4**	**6**	**11**	**14**		**3327**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	498	2.2	1	<1	1	2	3	4	5	18-34	1604	2.1	3	<1	1	1	2	4	6
35-49	38	3.0	3							35-49	356	2.2	3	1	1	2	2	6	6
50-69	26	4.5	13							50-69	126	2.8	4	1	2	2	3	5	8
70 +	25	8.0	4							70 +	39	6.0	25						
SUBTOTAL	**587**	**2.6**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**		**2125**	**2.2**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**587**	**2.6**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**		**2125**	**2.2**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**

DRG 282: Trauma to the Skin, Subcut Tiss & Breast Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	12	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	12	3.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	12	3.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	279	1.6	1	1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	279	1.6	1	1	1	1	2	3	4
0-17	1465	2.0	3	1	1	1	2	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1465	2.0	3	1	1	1	2	4	6
	1744	2.0	2	1	1	1	2	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	180	2.4	6	<1	1	2	3	5	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	180	2.4	6	<1	1	2	3	5	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	909	1.8	2	<1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	909	1.8	2	<1	1	1	2	3	4
GRAND TOTAL	1089	1.9	3	<1	1	1	2	3	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	244	3.9	14	1	1	3	6	12	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	244	3.9	14	1	1	3	6	12	13
0-17	898	1.9	3	<1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	898	1.9	3	<1	1	1	2	4	5
	1142	2.3	6	<1	1	1	3	5	8

DRG 283: Minor Skin Disorders w/ CC

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	331	11.3	132	3	4	7	14	28	39	0-17	373	5.6	21	1	2	4	6	14	15
70-74	332	6.3	31	2	3	5	7	13	22	18-34	307	6.7	27	3	3	4	8	17	18
75-79	231	7.0	21	1	4	6	9	13	20	35-49	358	6.6	31	1	3	5	8	16	23
80-84	191	10.3	136	2	2	4	14	35	40	50-69	267	9.6	88	3	4	6	11	18	25
85 +	202	7.5	28	3	3	6	12	18	18	70 +	13	6.0							
SUBTOTAL	**1286**	**8.5**	**75**	**2**	**3**	**5**	**10**	**18**	**23**		**1318**	**7.0**	**40**	**1**	**3**	**5**	**9**	**16**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1286**	**8.5**	**75**	**2**	**3**	**5**	**10**	**18**	**23**		**1318**	**7.0**	**40**	**1**	**3**	**5**	**9**	**16**	**20**

TYPE OF PATIENT	MEDICAID										NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	181	7.0	61	2	3	4	6	24	27	0-17	116	9.3	87	2	4	7	10	34	34
18-34	116	6.1	28	< 1	< 1	6	8	18	18	18-34	102	9.5	93	1	2	6	16	30	30
35-49	127	9.8	110	1	4	7	8	35	37	35-49	51	10.8	191						
50-69	25	8.5	2							50-69	51	5.1	28						
70 +	25	27.5	575							70 +	0								
SUBTOTAL	**473**	**8.7**	**110**	**< 1**	**3**	**5**	**8**	**24**	**37**		**320**	**8.9**	**98**	**1**	**2**	**5**	**11**	**30**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**473**	**8.7**	**110**	**< 1**	**3**	**5**	**8**	**24**	**37**		**320**	**8.9**	**98**	**1**	**2**	**5**	**11**	**30**	**34**

DRG 284: Minor Skin Disorders w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	178	4.1	7	1	2	3	6	9	9	0-17	921	3.3	9	< 1	1	2	4	7	9
70-74	115	5.7	52	< 1	1	2	6	24	24	18-34	393	2.7	3	1	1	2	3	5	6
75-79	89	4.6	11	< 1	1	4	7	10	10	35-49	406	4.1	11	1	2	3	6	9	12
80-84	152	3.5	4	1	1	3	5	6	8	50-69	521	3.4	9	< 1	1	3	5	6	9
85 +	64	11.3	128							70 +	26	4.5	7						
SUBTOTAL	**598**	**5.1**	**33**	**1**	**2**	**3**	**6**	**10**	**19**		**2267**	**3.4**	**8**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**598**	**5.1**	**33**	**1**	**2**	**3**	**6**	**10**	**19**		**2267**	**3.4**	**8**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	488	2.8	5	1	1	2	3	8	9	0-17	296	2.5	2	< 1	1	2	4	4	5
18-34	76	3.5	13	< 1	1	1	8	9	9	18-34	76	2.3	1	1	1	3	3	4	4
35-49	13	3.0								35-49	126	3.7	30	< 1	1	2	3	3	20
50-69	0									50-69	76	3.0	6	< 1	1	3	3	8	8
70 +	0									70 +	13	4.0							
SUBTOTAL	**577**	**2.9**	**6**	**1**	**1**	**2**	**3**	**8**	**9**		**586**	**2.8**	**9**	**< 1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**577**	**2.9**	**6**	**1**	**1**	**2**	**3**	**8**	**9**		**586**	**2.8**	**9**	**< 1**	**1**	**2**	**3**	**4**	**6**

DRG 285: Amputat of Lower Limb for Endocrine, Nutrit,& Metabol Disorders

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	370	24.3	439	6	10	19	44	71	99 +	0-17	0								
70-74	256	25.2	207	7	16	24	34	47	56	18-34	13	28.0							
75-79	102	28.1	454	12	12	14	32	65	65	35-49	115	12.8	84	1	6	13	15	33	33
80-84	89	26.5	163	10	11	30	46	99 +	99 +	50-69	242	17.6	144	2	8	19	23	36	47
85 +	25	14.0	17							70 +	26	24.5	219						
SUBTOTAL	**843**	**25.0**	**332**	**7**	**11**	**22**	**36**	**61**	**83**		**395**	**17.0**	**139**	**3**	**8**	**15**	**23**	**33**	**39**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	38	17.7	122						
80-84	12	12.0								50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**12**	**12.0**									**38**	**17.7**	**122**						
GRAND TOTAL	**855**	**24.8**	**330**	**8**	**11**	**21**	**36**	**60**	**83**		**434**	**17.1**	**137**	**3**	**8**	**13**	**23**	**33**	**39**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	39	32.7	362							35-49	39	35.3	262						
50-69	115	35.7	433	8	17	40	47	74	74	50-69	38	19.9	149						
70 +	0									70 +	0								
SUBTOTAL	**153**	**34.9**	**415**	**10**	**17**	**40**	**55**	**56**	**74**		**77**	**27.7**	**264**	**3**	**19**	**28**	**30**	**57**	**57**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**153**	**34.9**	**415**	**10**	**17**	**40**	**55**	**56**	**74**		**77**	**27.7**	**264**	**3**	**19**	**28**	**30**	**57**	**57**

DRG 286: Adrenal & Pituitary Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	52	11.5	15						
70-74	64	15.7	35						
75-79	52	11.0	7						
80-84	0								
85 +	12	6.0							
SUBTOTAL	**180**	**12.5**	**26**	**8**	**9**	**12**	**14**	**19**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	51	5.3							
70-74	52	6.0	2						
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**103**	**5.6**	**1**	**5**	**5**	**5**	**6**	**8**	**8**
GRAND TOTAL	**282**	**10.0**	**28**	**5**	**6**	**9**	**13**	**18**	**19**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	116	8.6	12	5	6	6	11	16	16
18-34	77	11.8	114	3	6	8	10	35	35
35-49	52	14.0	17						
50-69	231	12.2	33	8	9	10	14	20	30
70 +	0								
	476	**11.5**	**42**	**6**	**8**	**9**	**13**	**20**	**30**
0-17	77	7.7	4	6	6	7	10	11	11
18-34	102	6.9	6	4	5	6	7	12	12
35-49	129	7.6	4	5	6	7	9	11	11
50-69	141	7.6	20	4	4	8	8	8	20
70 +	0								
	449	**7.4**	**10**	**4**	**6**	**7**	**8**	**11**	**12**
	925	**9.5**	**30**	**5**	**6**	**8**	**11**	**16**	**20**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	52	22.3	45						
18-34	13	9.0							
35-49	0								
50-69	26	9.5	2						
70 +	0								
SUBTOTAL	**90**	**16.7**	**68**	**8**	**9**	**11**	**26**	**28**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	13	11.0							
18-34	0								
35-49	13	8.0							
50-69	26	7.0	1						
70 +	0								
SUBTOTAL	**52**	**8.3**	**3**						
GRAND TOTAL	**142**	**13.6**	**61**	**8**	**8**	**11**	**24**	**26**	**28**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	8.8	11						
18-34	13	11.0							
35-49	25	12.0	4						
50-69	13	11.0							
70 +	0								
	102	**10.1**	**9**	**5**	**7**	**10**	**11**	**14**	**14**
0-17	26	9.0	9						
18-34	13	6.0							
35-49	0								
50-69	26	12.5							
70 +	0								
	64	**9.8**	**10**						
	167	**10.0**	**9**	**6**	**7**	**11**	**12**	**14**	**14**

DRG 287: Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	484	14.1	108	4	6	11	18	29	37
70-74	217	17.0	158	7	7	12	22	24	59
75-79	167	15.1	66	4	8	16	22	30	99 +
80-84	153	25.1	572	8	9	21	38	39	95
85 +	165	25.1	587	8	11	17	74	99 +	99 +
SUBTOTAL	**1186**	**17.7**	**258**	**5**	**8**	**13**	**23**	**38**	**83**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	12	7.0							
70-74	25	15.0	9						
75-79	0								
80-84	12	2.0							
85 +	12	4.0							
SUBTOTAL	**62**	**8.6**	**34**						
GRAND TOTAL	**1249**	**17.3**	**251**	**5**	**8**	**12**	**22**	**37**	**77**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	51	9.3	12						
35-49	166	16.0	167	4	8	11	18	41	43
50-69	609	14.2	115	3	6	11	19	33	37
70 +	0								
	826	**14.2**	**121**	**4**	**6**	**11**	**19**	**33**	**39**
0-17	0								
18-34	0								
35-49	12	13.0							
50-69	13	2.0							
70 +	0								
	25	**7.4**	**31**						
	851	**14.0**	**119**	**3**	**6**	**11**	**19**	**33**	**39**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	26	18.0	9						
35-49	51	21.3	437						
50-69	76	15.2	39	3	14	16	21	22	22
70 +	0								
SUBTOTAL	**153**	**17.7**	**171**	**3**	**14**	**15**	**21**	**22**	**56**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**153**	**17.7**	**171**	**3**	**14**	**15**	**21**	**22**	**56**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	26	25.0	459						
35-49	13	15.0							
50-69	192	19.1	188	5	7	15	28	40	47
70 +	0								
	230	**19.5**	**211**	**4**	**7**	**15**	**28**	**46**	**47**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	230	**19.5**	**211**	**4**	**7**	**15**	**28**	**46**	**47**

DRG 288: O.R. Procedures for Obesity

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	26	6.0	1							0-17	0								
70-74	0									18-34	50	5.2	1						
75-79	12	34.0								35-49	102	8.8	57	2	5	7	8	28	28
80-84	0									50-69	39	10.7	8						
85 +	0									70 +	0								
SUBTOTAL	**38**	**15.1**	**177**								**191**	**8.2**	**36**	**4**	**5**	**7**	**8**	**14**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	12	3.0								0-17	52	4.0	4						
70-74	0									18-34	231	4.5	21	1	2	3	5	7	22
75-79	0									35-49	305	3.6	5	1	2	3	5	7	7
80-84	12	3.0								50-69	89	2.6	2	1	1	2	4	5	5
85 +	0									70 +	0								
SUBTOTAL	**25**	**3.0**									**676**	**3.8**	**10**	**1**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**63**	**10.3**	**142**								**867**	**4.8**	**19**	**1**	**2**	**4**	**6**	**8**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	38	7.4	2							18-34	0								
35-49	26	6.0	1							35-49	13	4.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**64**	**6.8**	**2**								**13**	**4.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	64	4.4	4							18-34	64	2.0	2						
35-49	38	4.0	8							35-49	90	2.0	1	1	1	2	3	4	4
50-69	25	3.5	2							50-69	38	2.3	1						
70 +	0									70 +	0								
SUBTOTAL	**128**	**4.1**	**5**	**2**	**2**	**3**	**5**	**8**	**8**		**193**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**191**	**5.0**	**6**	**2**	**3**	**5**	**7**	**8**	**9**		**206**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**

DRG 289: Parathyroid Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	101	4.0	15	1	1	3	4	14	14	0-17	26	10.0	26						
70-74	116	7.8	101	2	3	4	6	35	35	18-34	25	6.0	4						
75-79	115	16.6	891	2	2	4	9	98	98	35-49	64	7.2	127						
80-84	39	5.3	17							50-69	90	9.3	281	1	2	2	5	50	50
85 +	0									70 +	0								
SUBTOTAL	**370**	**9.2**	**338**	**2**	**2**	**3**	**6**	**24**	**35**		**205**	**8.3**	**167**	**1**	**2**	**3**	**5**	**30**	**50**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	193	3.7	6	2	2	3	4	8	10	0-17	0								
70-74	270	3.4	3	2	2	3	4	5	7	18-34	115	2.9	1	2	2	2	4	5	5
75-79	76	2.8	2	1	2	2	4	5	5	35-49	269	2.6	1	1	2	3	3	4	4
80-84	13	1.0								50-69	499	2.4	1	1	2	2	3	5	5
85 +	0									70 +	13	2.0							
SUBTOTAL	**553**	**3.4**	**4**	**2**	**2**	**3**	**4**	**6**	**8**		**896**	**2.5**	**1**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**923**	**5.7**	**146**	**2**	**2**	**3**	**4**	**9**	**14**		**1101**	**3.6**	**37**	**1**	**2**	**2**	**3**	**5**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	26	8.0	17							18-34	0								
35-49	0									35-49	12	5.0							
50-69	13	5.0								50-69	26	3.5							
70 +	0									70 +	0								
SUBTOTAL	**39**	**7.0**	**13**								**38**	**4.0**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	26	4.5	7							18-34	0								
35-49	13	2.0								35-49	25	3.0							
50-69	13	3.0								50-69	12	2.0							
70 +	0									70 +	0								
SUBTOTAL	**52**	**3.5**	**4**								**38**	**2.7**							
GRAND TOTAL	**90**	**5.0**	**11**	**2**	**2**	**4**	**7**	**12**	**12**		**76**	**3.3**	**1**	**2**	**3**	**3**	**4**	**5**	**5**

DRG 290: Thyroid Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	241	6.9	38	2	3	6	8	17	27	0-17	13	5.0							
70-74	180	7.5	38	2	3	6	12	15	23	18-34	154	3.3	4	1	2	3	5	6	8
75-79	89	7.4	36	2	3	6	9	21	21	35-49	280	3.4	4	2	2	3	4	7	7
80-84	38	2.7								50-69	461	4.6	15	2	2	3	6	11	15
85 +	51	13.8	134							70 +	0								
SUBTOTAL	**599**	**7.5**	**48**	**2**	**3**	**6**	**9**	**17**	**23**		**909**	**4.0**	**10**	**2**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	537	2.8	3	1	2	2	3	4	4	0-17	192	1.7	1	1	1	1	2	4	4
70-74	357	2.5	1	1	2	2	3	4	5	18-34	1330	2.3	2	1	2	2	3	4	4
75-79	178	3.0	5	1	2	3	3	4	10	35-49	2552	2.2	1	1	2	2	3	3	4
80-84	76	2.8	1	2	2	3	3	5	5	50-69	1802	2.5	2	1	2	2	3	4	5
85 +	13	8.0								70 +	12	2.0							
SUBTOTAL	**1162**	**2.8**	**3**	**1**	**2**	**2**	**3**	**4**	**5**		**5889**	**2.3**	**2**	**1**	**2**	**2**	**3**	**4**	**4**
GRAND TOTAL	**1761**	**4.4**	**23**	**2**	**2**	**3**	**4**	**9**	**13**		**6798**	**2.6**	**3**	**1**	**2**	**2**	**3**	**4**	**5**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	26	10.5	59						
18-34	25	6.4	13							18-34	26	3.0	1						
35-49	12	3.0								35-49	25	2.5							
50-69	25	5.0	1							50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**63**	**5.2**	**7**								**76**	**5.4**	**33**	**2**	**2**	**3**	**4**	**18**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	76	2.0		1	2	2	2	3	3	0-17	38	1.7							
18-34	64	2.2	1							18-34	152	1.5	1	1	1	1	2	3	3
35-49	64	2.4								35-49	276	1.9	1	1	1	2	2	3	3
50-69	102	3.0	1	2	2	3	4	4	4	50-69	151	2.1	1	1	1	2	3	3	4
70 +	0									70 +	0								
SUBTOTAL	**307**	**2.5**	**1**	**2**	**2**	**2**	**3**	**4**	**4**		**617**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
GRAND TOTAL	**369**	**2.9**	**3**	**2**	**2**	**3**	**3**	**4**	**6**		**694**	**2.2**	**6**	**1**	**1**	**2**	**3**	**3**	**4**

DRG 291: Thyroglossal Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	26	2.5	2						
70-74	13	2.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**39**	**2.3**	**2**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	38	1.3							
75-79	0								
80-84	12	2.0							
85 +	0								
SUBTOTAL	**50**	**1.5**							
GRAND TOTAL	**89**	**1.9**	**1**	**< 1**	**1**	**2**	**2**	**4**	**4**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	1.3							
18-34	26	1.5							
35-49	0								
50-69	0								
70 +	0								
	64	**1.4**							
0-17	565	1.2		1	1	1	1	2	2
18-34	178	1.5	1	1	1	1	2	3	3
35-49	89	2.3	4	1	1	1	3	7	7
50-69	115	1.7		1	1	2	2	2	2
70 +	0								
	947	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**
	1011	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	12	2.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**12**	**2.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	129	1.4		1	1	1	2	3	3
18-34	25	1.5							
35-49	13	3.0							
50-69	0								
70 +	0								
SUBTOTAL	**167**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**180**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	12	1.0							
35-49	0								
50-69	0								
70 +	0								
	12	**1.0**							
0-17	102	1.1		< 1	1	1	1	2	2
18-34	25	1.0							
35-49	25	1.5							
50-69	0								
70 +	0								
	152	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**
	164	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**

DRG 292: Other Endocrine, Nutrit & Metab O.R. Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	269	15.9	226	2	7	11	23	32	34	0-17	64	8.2	48						
70-74	115	13.0	133	2	2	19	33	99 +	99 +	18-34	12	8.0							
75-79	203	19.2	170	7	10	15	30	53	99 +	35-49	77	9.5	59	4	5	6	10	26	26
80-84	128	28.4	624	12	14	16	27	78	81	50-69	179	13.4	74	2	9	15	20	27	28
85 +	88	23.2	751	3	9	21	87	99 +	99 +	70 +	13	25.0							
SUBTOTAL	**803**	**19.1**	**342**	**3**	**7**	**15**	**30**	**81**	**99 +**		**346**	**11.8**	**72**	**2**	**5**	**9**	**20**	**26**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**803**	**19.1**	**342**	**3**	**7**	**15**	**30**	**81**	**99 +**		**346**	**11.8**	**72**	**2**	**5**	**9**	**20**	**26**	**27**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	29.0	104							0-17	26	10.0	4						
18-34	52	25.0	262							18-34	0								
35-49	0									35-49	0								
50-69	26	25.0	204							50-69	38	15.9	107						
70 +	13	46.0								70 +	13	3.0							
SUBTOTAL	**116**	**28.2**	**224**	**11**	**14**	**22**	**39**	**52**	**52**		**76**	**11.7**	**76**	**3**	**6**	**8**	**12**	**30**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**116**	**28.2**	**224**	**11**	**14**	**22**	**39**	**52**	**52**		**76**	**11.7**	**76**	**3**	**6**	**8**	**12**	**30**	**30**

DRG 293: Other Endocrine, Nutrit & Metab O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	50	9.1	48						
70-74	0								
75-79	13	11.0							
80-84	0								
85+	0								
SUBTOTAL	**63**	**9.5**	**38**						
GRAND TOTAL	**63**	**9.5**	**38**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	39	3.0	3						
18-34	51	4.3	17						
35-49	39	11.0	70						
50-69	25	13.5	2						
70+	0								
	154	**7.2**	**42**	**1**	**2**	**4**	**11**	**15**	**22**
	154	**7.2**	**42**	**1**	**2**	**4**	**11**	**15**	**22**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	13	13.0							
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**13**	**13.0**							
GRAND TOTAL	**13**	**13.0**							

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	52	3.3	5						
18-34	422	1.4	4	<1	<1	<1	<1	<1	13
35-49	0								
50-69	37	1.0							
70+	0								
	511	**1.5**	**4**	**<1**	**<1**	**<1**	**<1**	**2**	**7**
	511	**1.5**	**4**	**<1**	**<1**	**<1**	**<1**	**2**	**7**

DRG 294: Diabetes Age >35

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3034	8.5	45	3	4	7	10	15	23
70-74	1913	9.5	72	3	5	7	11	17	26
75-79	1826	9.5	50	3	5	8	12	18	24
80-84	1280	9.7	59	4	6	8	11	17	19
85 +	1011	12.1	148	4	6	8	13	26	46
SUBTOTAL	**9065**	**9.5**	**66**	**3**	**5**	**7**	**11**	**18**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1550	6.7	19	3	4	6	8	12	15
70-74	809	6.0	12	2	4	5	8	10	13
75-79	843	7.1	77	2	3	6	7	11	17
80-84	493	7.3	17	3	4	7	9	15	17
85 +	276	5.9	8	3	4	5	8	9	11
SUBTOTAL	**3971**	**6.6**	**29**	**3**	**4**	**6**	**8**	**12**	**15**
GRAND TOTAL	**13036**	**8.6**	**57**	**3**	**4**	**7**	**10**	**15**	**21**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	1599	6.5	76	2	3	5	7	10	15
50-69	2384	8.0	37	3	4	6	10	15	19
70 +	152	10.8	113	4	6	7	9	17	44
	4135	**7.5**	**55**	**3**	**4**	**6**	**8**	**14**	**18**
0-17	0								
18-34	0								
35-49	1440	4.3	6	2	2	4	5	8	9
50-69	2105	5.0	7	2	3	5	6	8	10
70 +	89	4.7	5	2	2	5	7	7	7
	3634	**4.7**	**7**	**2**	**3**	**4**	**6**	**8**	**9**
	7769	**6.2**	**35**	**2**	**3**	**5**	**7**	**10**	**15**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	636	8.0	51	2	3	6	10	15	20
50-69	905	8.4	45	3	4	7	10	16	26
70 +	76	13.2	27	5	8	15	17	20	20
SUBTOTAL	**1617**	**8.5**	**48**	**3**	**4**	**7**	**10**	**17**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	381	5.7	13	2	3	5	7	11	12
50-69	446	6.8	30	3	3	5	9	11	20
70 +	0								
SUBTOTAL	**827**	**6.3**	**23**	**2**	**3**	**5**	**8**	**11**	**14**
GRAND TOTAL	**2444**	**7.7**	**40**	**3**	**4**	**6**	**9**	**14**	**20**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	585	7.1	21	3	4	6	9	14	17
50-69	865	6.9	25	3	4	6	8	10	14
70 +	63	14.8	162						
	1513	**7.3**	**31**	**3**	**4**	**6**	**9**	**13**	**16**
0-17	0								
18-34	0								
35-49	505	4.8	12	1	2	4	7	10	14
50-69	329	5.8	30	2	3	5	7	8	9
70 +	25	8.9	9						
	859	**5.3**	**20**	**2**	**2**	**4**	**7**	**9**	**12**
	2372	**6.6**	**28**	**2**	**3**	**5**	**8**	**12**	**15**

DRG 295: Diabetes Age 0-35

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	89	8.0	53	2	3	4	10	24	24	0-17	1320	5.2	47	1	2	5	7	8	8
70-74	0									18-34	1543	5.2	15	2	2	4	7	10	12
75-79	0									35-49	13	6.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**89**	**8.0**	**53**	**2**	**3**	**4**	**10**	**24**	**24**		**2875**	**5.2**	**29**	**1**	**2**	**4**	**7**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	50	3.3	1							0-17	3739	4.5	6	1	3	4	6	7	9
70-74	0									18-34	1801	4.3	7	2	3	4	5	7	9
75-79	0									35-49	63	3.6	2						
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**50**	**3.3**	**1**								**5602**	**4.4**	**7**	**2**	**3**	**4**	**6**	**7**	**9**
GRAND TOTAL	**139**	**6.3**	**40**	**2**	**3**	**3**	**10**	**10**	**24**		**8477**	**4.7**	**14**	**2**	**3**	**4**	**6**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	463	5.6	13	1	3	5	8	11	14	0-17	501	5.2	6	1	3	6	7	8	9
18-34	637	5.7	10	3	3	5	8	11	12	18-34	824	5.7	37	2	3	5	6	10	19
35-49	63	7.6	27							35-49	25	8.5	2						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1163**	**5.8**	**13**	**2**	**3**	**5**	**8**	**11**	**14**		**1349**	**5.6**	**25**	**2**	**3**	**5**	**7**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1322	4.7	10	1	3	4	6	8	10	0-17	1000	4.5	6	2	3	5	6	7	7
18-34	774	5.2	17	1	3	4	6	9	15	18-34	880	3.8	5	1	2	3	5	7	8
35-49	101	5.7	33	2	2	3	6	20	20	35-49	25	6.5							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2198**	**4.9**	**14**	**1**	**3**	**4**	**6**	**9**	**11**		**1905**	**4.2**	**6**	**1**	**3**	**4**	**6**	**7**	**7**
GRAND TOTAL	**3360**	**5.2**	**13**	**1**	**3**	**4**	**7**	**10**	**12**		**3254**	**4.8**	**14**	**2**	**3**	**4**	**6**	**7**	**8**

DRG 296: Nutritional & Misc Metabolic Disorders Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5857	8.4	84	2	3	6	10	16	26	0-17	0								
70-74	4998	10.2	105	2	4	7	12	25	32	18-34	2189	10.4	107	2	3	9	14	21	26
75-79	6232	10.2	102	3	4	7	12	21	31	35-49	1930	6.2	32	2	3	5	8	12	15
80-84	6001	10.9	132	3	5	8	12	20	28	50-69	3663	7.5	65	2	3	5	9	15	20
85 +	7853	12.7	155	4	5	9	16	28	42	70 +	326	7.4	32	3	3	6	9	17	20
SUBTOTAL	**30941**	**10.6**	**121**	**3**	**4**	**7**	**13**	**23**	**34**		**8109**	**8.0**	**69**	**2**	**3**	**6**	**10**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**30941**	**10.6**	**121**	**3**	**4**	**7**	**13**	**23**	**34**		**8109**	**8.0**	**69**	**2**	**3**	**6**	**10**	**16**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	853	9.7	123	1	3	5	13	24	37	18-34	459	9.4	135	1	2	7	14	25	65
35-49	715	7.4	44	1	3	7	9	14	19	35-49	467	6.0	12	2	4	5	8	11	12
50-69	938	8.3	79	2	3	6	9	17	32	50-69	761	9.7	133	2	4	7	11	17	34
70 +	227	20.2	546	5	7	7	23	63	91	70 +	292	9.4	23	4	6	9	12	15	17
SUBTOTAL	**2733**	**9.5**	**133**	**2**	**3**	**6**	**10**	**21**	**37**		**1978**	**8.7**	**91**	**2**	**4**	**7**	**11**	**16**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2733**	**9.5**	**133**	**2**	**3**	**6**	**10**	**21**	**37**		**1978**	**8.7**	**91**	**2**	**4**	**7**	**11**	**16**	**25**

DRG 297: Nutritional & Misc Metabolic Disorders Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1352	5.7	37	1	3	4	6	13	16	0-17	0								
70-74	1251	5.2	28	2	2	4	6	10	12	18-34	2881	7.5	49	1	2	4	12	17	21
75-79	1679	5.9	18	2	3	4	7	10	15	35-49	1267	5.2	22	1	2	3	8	14	15
80-84	1778	6.0	26	2	3	5	7	11	14	50-69	1352	4.2	16	1	2	3	5	8	10
85 +	2350	7.6	52	2	4	6	9	15	18	70 +	128	4.0	1	2	3	4	4	6	6
SUBTOTAL	**8410**	**6.3**	**34**	**2**	**3**	**4**	**8**	**12**	**16**		**5628**	**6.1**	**36**	**1**	**2**	**4**	**9**	**14**	**18**
GRAND TOTAL	**8410**	**6.3**	**34**	**2**	**3**	**4**	**8**	**12**	**16**		**5628**	**6.1**	**36**	**1**	**2**	**4**	**9**	**14**	**18**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	574	10.5	55	2	3	10	16	22	24	18-34	583	5.8	29	1	2	4	11	14	15
35-49	203	5.5	23	1	3	3	7	16	20	35-49	266	6.1	39	1	2	3	7	17	20
50-69	240	3.6	4	2	2	3	4	6	8	50-69	278	3.1	6	1	2	2	4	6	7
70 +	39	7.0	13							70 +	64	4.2	4						
SUBTOTAL	**1056**	**7.9**	**46**	**2**	**3**	**4**	**14**	**16**	**22**		**1191**	**5.2**	**26**	**1**	**2**	**3**	**6**	**13**	**16**
GRAND TOTAL	**1056**	**7.9**	**46**	**2**	**3**	**4**	**14**	**16**	**22**		**1191**	**5.2**	**26**	**1**	**2**	**3**	**6**	**13**	**16**

DRG 298: Nutritional & Misc Metabolic Disorders Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	90	5.7	16	1	1	5	9	13	13	0-17	3971	8.7	91	2	2	5	12	21	26
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**90**	**5.7**	**16**	**1**	**1**	**5**	**9**	**13**	**13**		**3971**	**8.7**	**91**	**2**	**2**	**5**	**12**	**21**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	13	3.0								0-17	10883	4.8	36	1	2	2	5	13	16
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**13**	**3.0**									**10883**	**4.8**	**36**	**1**	**2**	**2**	**5**	**13**	**16**
GRAND TOTAL	**103**	**5.3**	**15**	**1**	**2**	**4**	**7**	**13**	**13**		**14854**	**5.8**	**54**	**1**	**2**	**3**	**7**	**14**	**20**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	2919	8.5	101	2	2	5	11	19	32	0-17	1376	7.5	70	1	2	4	11	20	24
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2919**	**8.5**	**101**	**2**	**2**	**5**	**11**	**19**	**32**		**1376**	**7.5**	**70**	**1**	**2**	**4**	**11**	**20**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6862	5.2	46	1	2	3	6	13	17	0-17	3478	3.4	13	1	1	2	3	8	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**6862**	**5.2**	**46**	**1**	**2**	**3**	**6**	**13**	**17**		**3478**	**3.4**	**13**	**1**	**1**	**2**	**3**	**8**	**11**
GRAND TOTAL	**9781**	**6.2**	**65**	**1**	**2**	**3**	**7**	**14**	**21**		**4854**	**4.5**	**32**	**1**	**1**	**2**	**5**	**11**	**15**

DRG 299: Inborn Errors of Metabolism

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	127	6.6	40	2	2	3	9	17	20
70-74	0								
75-79	13	3.0							
80-84	0								
85+	0								
SUBTOTAL	**140**	**6.3**	**37**	**2**	**2**	**3**	**9**	**17**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	140	6.9	31	1	1	6	12	15	18
70-74	12	1.0							
75-79	0								
80-84	0								
85+	13	1.0							
SUBTOTAL	**165**	**6.0**	**30**	**1**	**1**	**4**	**8**	**15**	**18**
GRAND TOTAL	**305**	**6.1**	**33**	**1**	**2**	**4**	**8**	**17**	**18**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	374	6.9	56	1	2	4	9	22	22
18-34	103	4.1	8	1	2	3	6	9	9
35-49	38	3.7	4						
50-69	64	1.6	1						
70+	0								
	579	**5.6**	**41**	**1**	**1**	**3**	**7**	**15**	**22**
0-17	540	4.2	19	1	1	2	5	11	14
18-34	115	1.8	1	<1	1	1	2	4	4
35-49	89	1.0		<1	1	1	1	1	1
50-69	102	2.4	4	<1	1	2	3	7	7
70+	0								
	846	**3.3**	**14**	**1**	**1**	**2**	**4**	**7**	**12**
	1425	**4.2**	**26**	**1**	**1**	**2**	**5**	**10**	**16**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	232	9.2	136	1	2	6	12	53	99+
18-34	77	5.5	12	2	2	5	7	12	12
35-49	13	5.0							
50-69	0								
70+	0								
SUBTOTAL	**322**	**8.1**	**104**	**2**	**2**	**6**	**9**	**20**	**53**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	206	4.5	12	1	2	3	6	10	12
18-34	26	2.0							
35-49	13	5.0							
50-69	0								
70+	0								
SUBTOTAL	**245**	**4.3**	**11**	**1**	**2**	**3**	**6**	**10**	**12**
GRAND TOTAL	**567**	**6.5**	**67**	**1**	**2**	**5**	**8**	**12**	**20**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	77	3.8	22	<1	1	2	4	14	14
18-34	26	4.5	13						
35-49	0								
50-69	0								
70+	0								
	103	**4.0**	**20**	**<1**	**1**	**2**	**6**	**14**	**14**
0-17	450	2.7	16	1	1	1	3	6	11
18-34	154	2.0	4	1	1	1	2	3	8
35-49	12	1.0							
50-69	25	1.0							
70+	0								
	641	**2.5**	**12**	**1**	**1**	**1**	**2**	**5**	**9**
	745	**2.7**	**14**	**1**	**1**	**1**	**2**	**8**	**11**

DRG 300: Endocrine Disorders w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	320	8.1	28	4	5	6	9	15	22	0-17	503	6.2	41	1	3	5	7	14	17
70-74	380	11.7	61	5	6	8	16	22	25	18-34	166	4.0	9	2	2	2	6	8	10
75-79	458	14.3	88	6	7	12	18	29	33	35-49	191	6.0	21	2	2	4	9	11	18
80-84	407	20.4	441	5	6	13	26	63	69	50-69	522	7.5	36	2	3	5	9	17	20
85 +	320	14.2	105	5	6	11	21	34	37	70 +	64	10.2	17						
SUBTOTAL	**1884**	**14.0**	**167**	**5**	**6**	**9**	**18**	**30**	**37**		**1445**	**6.6**	**33**	**2**	**3**	**5**	**8**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1884**	**14.0**	**167**	**5**	**6**	**9**	**18**	**30**	**37**		**1445**	**6.6**	**33**	**2**	**3**	**5**	**8**	**14**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	90	7.7	138	1	1	3	6	36	36	0-17	180	5.7	49	1	1	4	7	13	28
18-34	77	4.0	14	1	2	3	4	12	12	18-34	38	5.3	4						
35-49	38	4.0	3							35-49	38	5.3	7						
50-69	77	12.4	34	7	8	9	20	21	21	50-69	102	9.9	22	3	6	10	14	18	18
70 +	0									70 +	25	24.5	7						
SUBTOTAL	**282**	**7.5**	**69**	**1**	**2**	**5**	**9**	**20**	**21**		**384**	**8.0**	**53**	**1**	**3**	**5**	**10**	**19**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**282**	**7.5**	**69**	**1**	**2**	**5**	**9**	**20**	**21**		**384**	**8.0**	**53**	**1**	**3**	**5**	**10**	**19**	**27**

DRG 301: Endocrine Disorders w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	139	5.4	12	1	3	4	9	10	12
70-74	76	10.7	103	1	2	9	24	25	25
75-79	190	6.0	12	2	3	6	8	10	15
80-84	50	7.8	4						
85 +	64	7.6	37						
SUBTOTAL	**519**	**6.9**	**31**	**1**	**3**	**6**	**9**	**12**	**19**
GRAND TOTAL	**519**	**6.9**	**31**	**1**	**3**	**6**	**9**	**12**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1250	1.8	1	1	1	2	2	2	3
18-34	280	3.2	4	2	2	2	3	6	8
35-49	343	3.6	6	1	2	3	5	7	8
50-69	395	3.9	6	1	2	4	6	7	9
70 +	0								
	2269	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
	2269	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	334	4.4	26	1	2	2	4	8	18
18-34	90	3.4	4	1	2	2	6	6	6
35-49	25	14.5	138						
50-69	37	6.3	17						
70 +	13	3.0							
SUBTOTAL	**500**	**4.8**	**31**	**1**	**2**	**3**	**5**	**10**	**21**
GRAND TOTAL	**500**	**4.8**	**31**	**1**	**2**	**3**	**5**	**10**	**21**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1018	1.7	6	1	1	1	1	2	7
18-34	165	1.8	3	1	1	1	1	5	6
35-49	77	3.3	3	1	2	4	4	6	6
50-69	102	3.1	4	< 1	1	3	5	6	6
70 +	0								
	1362	**1.9**	**5**	**1**	**1**	**1**	**2**	**5**	**6**
	1362	**1.9**	**5**	**1**	**1**	**1**	**2**	**5**	**6**

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	812	20.2	82	12	13	18	24	32	36
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**812**	**20.2**	**82**	**12**	**13**	**18**	**24**	**32**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	77	14.0	15	10	10	13	19	19	19
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**77**	**14.0**	**15**	**10**	**10**	**13**	**19**	**19**	**19**
GRAND TOTAL	**890**	**19.7**	**79**	**12**	**13**	**17**	**24**	**32**	**36**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	155	22.1	142	11	13	17	27	45	46
18-34	90	14.3	72	7	7	10	24	30	30
35-49	77	17.2	14	13	14	16	19	24	24
50-69	39	16.0	21						
70 +	0								
	361	**18.4**	**95**	**8**	**12**	**16**	**24**	**30**	**45**
0-17	77	18.2	14	11	17	18	22	22	22
18-34	39	13.0	1						
35-49	13	14.0							
50-69	13	14.0							
70 +	0								
	142	**16.0**	**14**	**12**	**13**	**14**	**19**	**22**	**22**
	503	**17.7**	**73**	**9**	**13**	**15**	**22**	**29**	**45**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	77	27.2	305	11	13	22	31	63	63
18-34	13	6.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**90**	**24.1**	**316**	**6**	**11**	**22**	**31**	**63**	**63**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**90**	**24.1**	**316**	**6**	**11**	**22**	**31**	**63**	**63**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	13	19.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	13	**19.0**							
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	13	**19.0**							

DRG 303: Kidney, Ureter & Major Bladder Procedures for Neoplasm

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1044	15.7	130	7	9	13	17	25	43	0-17	103	16.8	259	8	8	9	17	57	57
70-74	776	13.0	41	7	9	12	16	20	22	18-34	0								
75-79	662	16.5	137	6	9	13	19	34	43	35-49	244	10.7	59	5	6	8	12	21	37
80-84	407	16.5	119	9	10	12	23	31	37	50-69	1300	12.0	53	6	8	10	14	21	28
85 +	128	18.1	85	10	10	19	21	35	39	70 +	140	12.4	10	9	9	12	16	16	18
SUBTOTAL	**3018**	**15.4**	**108**	**7**	**9**	**12**	**18**	**27**	**38**		**1786**	**12.1**	**64**	**6**	**8**	**10**	**14**	**21**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	242	11.8	91	6	7	8	11	23	35	0-17	116	9.4	21	5	7	9	10	21	21
70-74	178	10.2	18	6	7	9	12	16	21	18-34	26	8.5	2						
75-79	229	9.2	24	2	7	8	12	18	20	35-49	180	7.5	3	5	6	7	9	10	11
80-84	64	8.0	2							50-69	662	8.5	11	5	6	8	10	13	15
85 +	25	6.5	2							70 +	12	12.0							
SUBTOTAL	**738**	**10.1**	**44**	**5**	**7**	**8**	**12**	**18**	**21**		**996**	**8.5**	**11**	**5**	**6**	**8**	**10**	**13**	**15**
GRAND TOTAL	**3755**	**14.3**	**99**	**6**	**9**	**12**	**17**	**24**	**37**		**2782**	**10.8**	**48**	**6**	**7**	**9**	**12**	**18**	**23**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	52	8.5	4							0-17	39	13.0	70						
18-34	26	17.0	67							18-34	0								
35-49	0									35-49	76	14.2	36	7	9	12	21	23	23
50-69	64	11.0	25	5	6	13	17	99 +	99 +	50-69	178	15.5	180	7	9	11	12	46	49
70 +	0									70 +	0								
SUBTOTAL	**142**	**11.2**	**33**	**6**	**7**	**10**	**16**	**25**	**99 +**		**293**	**14.8**	**128**	**7**	**9**	**11**	**16**	**24**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	26	5.5	13							0-17	52	8.8	9						
18-34	0									18-34	0								
35-49	13	9.0								35-49	39	10.0	3						
50-69	26	2.0								50-69	38	7.3	4						
70 +	0									70 +	0								
SUBTOTAL	**64**	**4.8**	**12**								**128**	**8.7**	**6**	**5**	**6**	**10**	**10**	**12**	**12**
GRAND TOTAL	**206**	**9.2**	**35**	**2**	**6**	**9**	**11**	**25**	**99 +**		**421**	**13.0**	**99**	**6**	**8**	**10**	**12**	**23**	**46**

DRG 304: Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1331	12.7	114	3	6	10	17	22	35	0-17	1894	7.3	29	3	4	6	9	15	21
70-74	762	12.2	67	4	6	10	15	24	28	18-34	561	8.6	44	2	4	7	11	18	22
75-79	546	12.0	121	2	4	8	16	28	35	35-49	804	10.3	54	3	5	9	13	20	26
80-84	165	14.4	54	5	11	13	17	28	28	50-69	818	12.6	109	3	6	9	15	29	35
85 +	216	15.9	146	4	8	14	16	41	47	70 +	13	7.0							
SUBTOTAL	**3021**	**12.8**	**103**	**3**	**6**	**10**	**16**	**27**	**35**		**4091**	**9.1**	**56**	**3**	**4**	**7**	**11**	**19**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3021**	**12.8**	**103**	**3**	**6**	**10**	**16**	**27**	**35**		**4091**	**9.1**	**56**	**3**	**4**	**7**	**11**	**19**	**26**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	413	8.2	28	4	5	7	9	16	21	0-17	361	9.1	62	3	4	6	12	28	31
18-34	154	8.9	10	5	7	9	11	12	17	18-34	154	9.6	23	5	7	9	11	17	20
35-49	90	27.4	276	7	12	27	37	58	58	35-49	102	8.0	6	4	7	9	10	12	12
50-69	115	20.0	167	3	9	18	30	42	42	50-69	139	12.3	51	6	7	11	13	19	31
70 +	26	27.5	481							70 +	13	27.0							
SUBTOTAL	**797**	**12.8**	**139**	**5**	**6**	**8**	**15**	**30**	**37**		**769**	**9.9**	**50**	**4**	**5**	**8**	**12**	**21**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**797**	**12.8**	**139**	**5**	**6**	**8**	**15**	**30**	**37**		**769**	**9.9**	**50**	**4**	**5**	**8**	**12**	**21**	**29**

DRG 305: Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	446	7.7	87	1	3	6	9	12	19	0-17	4031	5.3	10	2	4	5	7	8	10
70-74	204	5.8	10	2	4	5	8	9	13	18-34	792	6.4	22	2	4	5	7	10	11
75-79	128	6.5	14	3	4	5	7	10	16	35-49	968	5.5	8	2	3	5	7	9	10
80-84	13	7.0								50-69	942	4.6	9	1	2	4	7	8	10
85 +	38	4.3	9							70 +	0								
SUBTOTAL	**830**	**6.9**	**53**	**1**	**4**	**6**	**8**	**12**	**15**		**6733**	**5.4**	**11**	**2**	**3**	**5**	**7**	**9**	**10**
GRAND TOTAL	**830**	**6.9**	**53**	**1**	**4**	**6**	**8**	**12**	**15**		**6733**	**5.4**	**11**	**2**	**3**	**5**	**7**	**9**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1134	5.2	14	2	3	5	6	8	10	0-17	1610	5.5	18	2	4	5	6	9	12
18-34	218	7.3	25	1	4	7	9	16	18	18-34	191	4.8	5	1	3	5	7	7	8
35-49	50	3.2	2							35-49	152	4.9	5	3	3	5	6	8	9
50-69	64	10.4	138							50-69	63	7.6	32						
70 +	13	4.0								70 +	0								
SUBTOTAL	**1480**	**5.6**	**23**	**2**	**3**	**5**	**7**	**9**	**13**		**2016**	**5.4**	**17**	**2**	**3**	**5**	**6**	**9**	**12**
GRAND TOTAL	**1480**	**5.6**	**23**	**2**	**3**	**5**	**7**	**9**	**13**		**2016**	**5.4**	**17**	**2**	**3**	**5**	**6**	**9**	**12**

DRG 306: Prostatectomy w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	598	7.3	20	3	4	6	9	13	17
70-74	737	8.3	46	3	5	6	10	12	17
75-79	838	9.7	44	3	5	8	12	17	23
80-84	571	9.3	48	3	4	7	13	17	18
85 +	329	13.6	81	3	7	12	21	24	24
SUBTOTAL	**3073**	**9.3**	**48**	**3**	**5**	**7**	**12**	**17**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3073**	**9.3**	**48**	**3**	**5**	**7**	**12**	**17**	**23**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	12	2.0							
50-69	485	8.2	78	3	4	5	7	15	39
70 +	63	6.8	29						
	560	**7.9**	**72**	**3**	**4**	**5**	**7**	**15**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	560	**7.9**	**72**	**3**	**4**	**5**	**7**	**15**	**20**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	25	26.9	481						
70 +	26	13.0	17						
SUBTOTAL	**51**	**19.9**	**291**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**51**	**19.9**	**291**						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	50	11.8	23						
70 +	13	5.0							
	63	**10.4**	**26**						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	63	**10.4**	**26**						

DRG 307: Prostatectomy w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	459	4.8	9	2	3	5	5	6	11	0-17	0								
70-74	510	6.0	16	2	4	5	8	10	16	18-34	0								
75-79	418	5.1	6	3	3	5	6	9	10	35-49	25	2.5							
80-84	178	5.0	4	3	4	4	5	7	11	50-69	725	4.4	6	2	4	4	5	6	7
85 +	102	9.0	29	2	5	8	15	17	17	70 +	25	7.1	9						
SUBTOTAL	**1666**	**5.5**	**12**	**3**	**4**	**5**	**6**	**10**	**14**		**776**	**4.4**	**6**	**2**	**3**	**4**	**5**	**6**	**9**
GRAND TOTAL	**1666**	**5.5**	**12**	**3**	**4**	**5**	**6**	**10**	**14**		**776**	**4.4**	**6**	**2**	**3**	**4**	**5**	**6**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	25	3.5								50-69	51	7.6	55						
70 +	26	3.5								70 +	0								
SUBTOTAL	**51**	**3.5**									**51**	**7.6**	**55**						
GRAND TOTAL	**51**	**3.5**									**51**	**7.6**	**55**						

DRG 308: Minor Bladder Procedures w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	509	10.4	37	3	6	9	13	21	24
70-74	317	9.0	48	2	4	9	12	15	21
75-79	483	12.6	245	2	4	9	15	27	43
80-84	330	13.3	160	1	4	8	21	39	42
85 +	266	11.3	113	2	4	10	16	22	51
SUBTOTAL	**1905**	**11.4**	**126**	**2**	**4**	**9**	**14**	**22**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1905**	**11.4**	**126**	**2**	**4**	**9**	**14**	**22**	**33**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	232	6.3	22	1	3	4	10	14	15
18-34	90	6.1	43	2	3	4	5	22	22
35-49	141	7.3	10	4	5	8	9	9	14
50-69	294	8.3	49	2	3	6	11	21	25
70 +	0								
	757	**7.2**	**34**	**1**	**3**	**6**	**10**	**14**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	757	**7.2**	**34**	**1**	**3**	**6**	**10**	**14**	**22**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	193	11.5	57	3	5	9	16	23	29
18-34	103	12.4	38	5	7	12	16	24	24
35-49	13	13.0							
50-69	26	5.0							
70 +	0								
SUBTOTAL	**335**	**11.3**	**48**	**4**	**5**	**11**	**14**	**23**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**335**	**11.3**	**48**	**4**	**5**	**11**	**14**	**23**	**24**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	103	6.4	42	2	2	3	8	21	21
18-34	13	2.0							
35-49	0								
50-69	51	6.3	16						
70 +	0								
	167	**6.0**	**32**	**2**	**2**	**3**	**7**	**13**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	167	**6.0**	**32**	**2**	**2**	**3**	**7**	**13**	**21**

DRG 309: Minor Bladder Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	320	7.2	248	1	2	4	6	9	9	0-17	206	6.6	46	1	2	4	8	23	23
70-74	294	4.6	37	1	2	3	4	8	10	18-34	51	4.0	7						
75-79	177	4.8	11	1	2	3	7	11	12	35-49	127	5.7	4	2	5	5	7	8	9
80-84	64	2.0	2							50-69	356	4.9	14	1	2	4	7	9	11
85+	101	5.2	16	1	2	3	8	13	13	70+	25	1.5							
SUBTOTAL	**955**	**5.4**	**100**	**1**	**2**	**3**	**6**	**9**	**12**		**765**	**5.3**	**21**	**1**	**2**	**4**	**7**	**9**	**18**
GRAND TOTAL	**955**	**5.4**	**100**	**1**	**2**	**3**	**6**	**9**	**12**		**765**	**5.3**	**21**	**1**	**2**	**4**	**7**	**9**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	64	2.4	1							0-17	90	3.3	5	1	1	3	5	8	8
18-34	26	3.5	2							18-34	13	32.0							
35-49	0									35-49	51	1.7							
50-69	13	2.0								50-69	25	5.0	4						
70+	0									70+	0								
SUBTOTAL	**103**	**2.6**	**1**	**<1**	**2**	**2**	**3**	**5**	**5**		**179**	**5.2**	**61**	**1**	**2**	**2**	**5**	**8**	**32**
GRAND TOTAL	**103**	**2.6**	**1**	**<1**	**2**	**2**	**3**	**5**	**5**		**179**	**5.2**	**61**	**1**	**2**	**2**	**5**	**8**	**32**

DRG 310: Transurethral Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2013	4.5	15	1	2	3	6	9	14
70-74	1901	4.6	20	1	2	3	5	9	13
75-79	1947	5.0	32	1	2	3	6	8	15
80-84	1540	6.7	55	1	2	4	8	16	26
85 +	1396	7.8	77	1	2	5	9	17	24
SUBTOTAL	**8797**	**5.5**	**38**	**1**	**2**	**4**	**6**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**8797**	**5.5**	**38**	**1**	**2**	**4**	**6**	**12**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	14.3	264						
18-34	369	5.2	11	1	3	5	7	9	10
35-49	852	3.8	7	1	2	3	6	7	9
50-69	1855	3.8	19	1	2	3	4	7	9
70 +	114	4.4	12	1	2	3	6	12	12
	3230	**4.1**	**19**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3230	**4.1**	**19**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	90	7.0	57	2	3	4	6	25	25
35-49	12	4.0							
50-69	38	4.4	12						
70 +	39	8.3	10						
SUBTOTAL	**180**	**6.5**	**35**	**2**	**3**	**4**	**9**	**11**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**180**	**6.5**	**35**	**2**	**3**	**4**	**9**	**11**	**25**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	13	2.0							
18-34	152	3.2	3	1	2	3	4	6	6
35-49	151	4.0	3	1	3	4	5	6	6
50-69	494	2.9	6	1	1	2	4	7	9
70 +	89	10.1	152	1	1	2	14	37	37
	899	**3.8**	**23**	**1**	**1**	**3**	**5**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	899	**3.8**	**23**	**1**	**1**	**3**	**5**	**7**	**9**

DRG 311: Transurethral Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2020	2.4	3	1	1	2	3	5	6	0-17	115	3.7	2	1	3	4	4	6	6
70-74	1792	2.6	3	1	1	2	3	5	7	18-34	1242	3.0	4	1	1	3	4	6	7
75-79	1453	2.8	4	1	1	2	4	5	7	35-49	2311	2.6	4	1	1	2	3	5	7
80-84	943	3.7	24	1	2	3	4	6	9	50-69	3358	2.5	3	1	1	2	3	5	6
85 +	951	3.5	11	1	1	3	5	6	8	70 +	192	3.9	8	2	2	3	6	8	11
SUBTOTAL	**7169**	**2.8**	**7**	**1**	**1**	**2**	**4**	**5**	**7**		**7217**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**7169**	**2.8**	**7**	**1**	**1**	**2**	**4**	**5**	**7**		**7217**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	26	4.5	2							0-17	13	1.0							
18-34	127	2.9	4	1	1	2	4	6	7	18-34	190	2.9	4	1	1	3	5	6	7
35-49	90	1.1		1	1	1	1	2	2	35-49	350	2.2	2	< 1	1	2	3	4	4
50-69	38	2.0	1							50-69	542	2.9	9	1	1	2	3	7	8
70 +	77	3.2	4	1	1	4	5	6	6	70 +	102	3.0	2	1	2	3	4	5	5
SUBTOTAL	**357**	**2.5**	**4**	**1**	**1**	**2**	**4**	**6**	**6**		**1197**	**2.7**	**5**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**357**	**2.5**	**4**	**1**	**1**	**2**	**4**	**6**	**6**		**1197**	**2.7**	**5**	**1**	**1**	**2**	**3**	**6**	**7**

DRG 312: Urethral Procedures, Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	152	5.5	23	2	3	4	5	12	19	0-17	0								
70-74	128	2.9	3	1	1	3	4	5	6	18-34	13	18.0							
75-79	191	3.9	26	1	1	2	4	14	19	35-49	102	5.4	18	1	2	5	7	15	15
80-84	76	15.3	596	1	4	6	7	70	70	50-69	128	5.0	11	1	2	5	7	10	11
85+	77	4.3	8	1	2	4	8	8	8	70+	25	4.5							
SUBTOTAL	**624**	**5.5**	**101**	**1**	**2**	**3**	**5**	**9**	**19**		**268**	**5.7**	**20**	**1**	**2**	**5**	**7**	**11**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**624**	**5.5**	**101**	**1**	**2**	**3**	**5**	**9**	**19**		**268**	**5.7**	**20**	**1**	**2**	**5**	**7**	**11**	**16**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	13	9.0							
35-49	0									35-49	25	1.5							
50-69	13	7.0								50-69	38	4.7	15						
70+	0									70+	0								
SUBTOTAL	**13**	**7.0**									**76**	**4.4**	**14**	**1**	**1**	**3**	**9**	**10**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**13**	**7.0**									**76**	**4.4**	**14**	**1**	**1**	**3**	**9**	**10**	**10**

DRG 313: Urethral Procedures, Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	89	2.6	4	1	1	2	3	7	7
70-74	115	3.1	2	1	2	3	4	6	6
75-79	166	2.8	3	1	1	3	4	5	6
80-84	127	3.2	9	1	1	2	3	8	10
85 +	13	4.0							
SUBTOTAL	**511**	**3.0**	**4**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**511**	**3.0**	**4**	**1**	**1**	**2**	**4**	**6**	**7**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	268	2.5	7	1	1	2	3	3	5
35-49	280	2.8	5	1	1	2	3	6	8
50-69	215	1.8	1	< 1	1	2	2	3	4
70 +	0								
	763	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**7**
	763	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	26	3.5	2						
50-69	13	1.0							
70 +	0								
SUBTOTAL	**39**	**2.7**	**3**						
GRAND TOTAL	**39**	**2.7**	**3**						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	89	3.4	9	< 1	1	2	4	10	10
35-49	50	3.7	2						
50-69	38	1.3							
70 +	0								
	177	**3.1**	**6**	**< 1**	**1**	**2**	**4**	**6**	**10**
	177	**3.1**	**6**	**< 1**	**1**	**2**	**4**	**6**	**10**

DRG 314: Urethral Procedures, Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	13	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**13**	**2.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**13**	**2.0**							

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	77	5.7	26	1	2	3	10	15	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	77	**5.7**	**26**	**1**	**2**	**3**	**10**	**15**	**15**
0-17	283	1.5	1	< 1	< 1	1	1	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	283	**1.5**	**1**	**< 1**	**< 1**	**1**	**1**	**3**	**4**
	361	**2.4**	**9**	**< 1**	**< 1**	**1**	**3**	**4**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	13	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**13**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	64	2.8	3						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**64**	**2.8**	**3**						
GRAND TOTAL	**77**	**2.5**	**3**	**< 1**	**1**	**2**	**5**	**5**	**5**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	13	2.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	13	**2.0**							
0-17	180	1.9	5	< 1	< 1	1	1	4	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	180	**1.9**	**5**	**< 1**	**< 1**	**1**	**1**	**4**	**9**
	192	**1.9**	**4**	**< 1**	**< 1**	**1**	**2**	**4**	**9**

DRG 315: Other Kidney & Urinary Tract O.R. Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1666	11.6	199	1	3	6	15	35	51	0-17	181	14.0	516	2	2	6	11	29	91
70-74	677	11.7	357	1	2	5	12	28	93	18-34	295	8.3	44	2	4	6	10	21	22
75-79	512	16.3	152	2	8	14	23	31	43	35-49	578	9.0	83	1	2	6	13	22	36
80-84	372	23.6	336	1	11	19	34	50	66	50-69	939	8.0	63	1	2	4	11	21	25
85 +	203	24.0	633	2	3	18	31	82	99 +	70 +	0								
SUBTOTAL	**3430**	**14.3**	**284**	**1**	**3**	**9**	**19**	**39**	**55**		**1992**	**8.9**	**109**	**1**	**2**	**5**	**11**	**22**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	923	4.0	36	1	1	2	4	8	12	0-17	129	4.7	15	1	2	3	9	11	12
70-74	282	4.7	22	1	1	3	6	10	12	18-34	230	3.4	9	1	1	2	4	9	10
75-79	332	2.6	3	1	1	2	4	5	6	35-49	321	3.5	9	1	1	2	4	9	11
80-84	102	5.2	31	1	1	1	9	15	15	50-69	475	3.1	14	1	1	2	3	6	13
85 +	39	6.3	48							70 +	25	5.5	7						
SUBTOTAL	**1677**	**4.0**	**28**	**1**	**1**	**2**	**5**	**8**	**13**		**1180**	**3.5**	**12**	**1**	**1**	**2**	**4**	**9**	**11**
GRAND TOTAL	**5107**	**10.9**	**223**	**1**	**2**	**5**	**15**	**32**	**46**		**3173**	**6.9**	**80**	**1**	**2**	**4**	**9**	**18**	**23**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	77	13.3	232	1	2	7	18	44	44	0-17	26	10.5	31						
18-34	180	14.8	191	2	4	11	23	25	56	18-34	141	5.3	12	2	2	5	7	11	12
35-49	193	17.4	157	4	6	15	27	28	52	35-49	116	15.0	206	2	4	9	23	43	43
50-69	219	20.7	307	1	7	16	29	49	67	50-69	167	11.3	85	1	1	11	17	26	28
70 +	13	87.0								70 +	26	35.5	313						
SUBTOTAL	**682**	**18.6**	**316**	**2**	**5**	**15**	**24**	**44**	**56**		**476**	**11.7**	**147**	**1**	**3**	**7**	**16**	**28**	**43**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	13	15.0								0-17	13	7.0							
18-34	90	2.6	4	1	1	1	4	6	6	18-34	51	3.0	3						
35-49	90	3.4	7	1	1	3	6	8	8	35-49	64	10.2	52						
50-69	103	7.0	29	1	3	6	13	16	16	50-69	63	1.6	1						
70 +	0									70 +	0								
SUBTOTAL	**295**	**4.9**	**21**	**1**	**1**	**4**	**6**	**15**	**15**		**191**	**5.2**	**32**	**1**	**1**	**3**	**7**	**14**	**20**
GRAND TOTAL	**977**	**14.5**	**266**	**1**	**3**	**8**	**20**	**33**	**52**		**667**	**9.9**	**123**	**1**	**2**	**5**	**14**	**23**	**35**

DRG 316: Renal Failure

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1642	8.9	61	2	3	7	10	21	24
70-74	1137	10.8	98	2	4	7	13	23	32
75-79	862	14.2	93	4	7	12	19	28	35
80-84	950	11.6	95	3	6	9	14	24	37
85+	976	13.4	117	4	7	9	17	28	46
SUBTOTAL	**5567**	**11.4**	**93**	**3**	**5**	**8**	**14**	**24**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	334	4.9	29	< 1	1	2	7	16	17
70-74	178	6.0	11	2	4	5	8	11	14
75-79	139	7.5	37	3	3	5	10	16	22
80-84	127	9.7	254	1	2	3	13	14	56
85+	101	10.5	98	3	4	7	12	35	35
SUBTOTAL	**879**	**6.9**	**71**	**1**	**2**	**4**	**8**	**16**	**18**
GRAND TOTAL	**6446**	**10.7**	**92**	**2**	**4**	**8**	**14**	**24**	**32**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	232	7.8	99	1	2	4	5	31	36
18-34	165	7.3	17	3	4	6	8	15	16
35-49	521	7.6	46	2	4	5	8	18	24
50-69	879	10.2	103	2	4	8	12	21	26
70+	102	9.0	75	2	4	6	10	28	28
	1900	**8.9**	**80**	**2**	**4**	**6**	**11**	**20**	**26**
0-17	103	2.4	4	1	1	2	3	7	7
18-34	89	3.3	5	< 1	1	3	4	8	8
35-49	116	5.0	45	1	2	2	3	23	23
50-69	231	5.5	20	1	2	4	9	13	14
70+	12	5.0							
	551	**4.5**	**21**	**1**	**1**	**2**	**6**	**10**	**13**
	2450	**7.9**	**70**	**1**	**3**	**5**	**10**	**18**	**24**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	64	3.4	2						
18-34	192	8.4	37	3	3	7	12	19	24
35-49	256	12.4	199	2	3	6	19	29	51
50-69	155	9.8	53	2	5	8	12	20	27
70+	25	14.5	7						
SUBTOTAL	**692**	**9.9**	**103**	**2**	**3**	**7**	**13**	**22**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	90	5.6	22	< 1	1	4	12	12	12
18-34	51	3.2	4						
35-49	51	8.1	99						
50-69	26	1.5							
70+	0								
SUBTOTAL	**218**	**5.1**	**38**	**< 1**	**1**	**3**	**6**	**12**	**25**
GRAND TOTAL	**910**	**8.8**	**92**	**1**	**3**	**6**	**12**	**21**	**27**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	25	4.4	13						
18-34	64	9.2	23						
35-49	116	8.6	10	3	7	9	11	13	13
50-69	256	9.8	52	2	5	7	16	23	25
70+	51	10.3	32						
	513	**9.2**	**37**	**3**	**5**	**8**	**13**	**18**	**25**
0-17	39	1.7							
18-34	25	6.0							
35-49	25	3.5							
50-69	38	4.3	7						
70+	0								
	127	**3.7**	**5**	**1**	**2**	**3**	**6**	**6**	**8**
	640	**8.1**	**35**	**2**	**4**	**7**	**11**	**18**	**24**

DRG 317: Admit for Renal Dialysis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	154	1.6	2	< 1	< 1	< 1	2	2	6	0-17	26	1.0							
70-74	167	1.4	2	< 1	< 1	< 1	1	1	6	18-34	77	1.5	1	< 1	< 1	< 1	1	4	4
75-79	193	1.3	1	< 1	< 1	< 1	< 1	1	5	35-49	193	1.4	1	< 1	< 1	< 1	< 1	3	5
80-84	0									50-69	309	1.2		< 1	< 1	< 1	1	1	3
85 +	52	2.5	1							70 +	0								
SUBTOTAL	**566**	**1.5**	**2**	**< 1**	**< 1**	**< 1**	**1**	**3**	**5**		**606**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**3**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	39	1.0							
70-74	0									18-34	13	4.0							
75-79	0									35-49	26	1.0							
80-84	0									50-69	142	1.0		< 1	< 1	< 1	< 1	< 1	< 1
85 +	0									70 +	0								
SUBTOTAL	**0**										**219**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**	**4**
GRAND TOTAL	**566**	**1.5**	**2**	**< 1**	**< 1**	**< 1**	**1**	**3**	**5**		**825**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	348	1.0		< 1	< 1	< 1	1	1	1	18-34	0								
35-49	400	1.0		< 1	< 1	< 1	< 1	< 1	< 1	35-49	0								
50-69	670	1.3	4	< 1	< 1	< 1	< 1	< 1	< 1	50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1418**	**1.2**	**2**	**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**		**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	77	1.0		< 1	< 1	< 1	< 1	< 1	< 1	50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**77**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**< 1**		**0**								
GRAND TOTAL	**1496**	**1.2**	**2**	**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**		**0**								

DRG 318: Kidney & Urinary Tract Neoplasms w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	255	8.2	51	1	3	7	11	16	28	0-17	77	4.3	1	3	4	4	5	6	6
70-74	227	12.2	199	3	5	8	10	31	61	18-34	13	5.0							
75-79	241	10.5	57	1	4	10	14	24	25	35-49	51	5.0	5						
80-84	292	11.2	65	3	3	9	17	23	26	50-69	319	7.8	55	2	2	5	13	20	24
85 +	330	12.9	117	3	4	12	19	29	31	70 +	13	4.0							
SUBTOTAL	**1345**	**11.1**	**99**	**3**	**4**	**8**	**13**	**25**	**31**		**473**	**6.8**	**40**	**2**	**3**	**5**	**6**	**18**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1345**	**11.1**	**99**	**3**	**4**	**8**	**13**	**25**	**31**		**473**	**6.8**	**40**	**2**	**3**	**5**	**6**	**18**	**24**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	77	5.2	7	1	5	5	5	10	10
18-34	0									18-34	0								
35-49	13	1.0								35-49	12	15.0							
50-69	51	9.2	16							50-69	37	5.7	14						
70 +	0									70 +	0								
SUBTOTAL	**64**	**7.6**	**24**								**127**	**6.3**	**17**	**1**	**5**	**5**	**10**	**10**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**64**	**7.6**	**24**								**127**	**6.3**	**17**	**1**	**5**	**5**	**10**	**10**	**15**

DRG 319: Kidney & Urinary Tract Neoplasms w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	51	2.0	2							0-17	64	1.6	1						
70-74	13	2.0								18-34	0								
75-79	76	1.3		< 1	< 1	< 1	2	2	2	35-49	51	3.5	11						
80-84	12	18.0								50-69	88	2.1	2	< 1	1	2	3	5	5
85 +	12	12.0								70 +	0								
SUBTOTAL	**165**	**3.7**	**25**	**< 1**	**1**	**2**	**2**	**12**	**18**		**203**	**2.3**	**5**	**< 1**	**< 1**	**1**	**3**	**5**	**9**
GRAND TOTAL	**165**	**3.7**	**25**	**< 1**	**1**	**2**	**2**	**12**	**18**		**203**	**2.3**	**5**	**< 1**	**< 1**	**1**	**3**	**5**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	64	1.6	1						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	25	4.9	17						
70 +	0									70 +	0								
SUBTOTAL	**0**										**90**	**2.5**	**8**	**1**	**1**	**1**	**4**	**9**	**9**
GRAND TOTAL	**0**										**90**	**2.5**	**8**	**1**	**1**	**1**	**4**	**9**	**9**

DRG 320: Kidney & Urinary Tract Infections Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3916	8.1	46	3	4	7	9	15	17	0-17	0								
70-74	3441	8.8	46	3	5	7	11	16	21	18-34	1737	4.8	7	2	3	4	6	9	10
75-79	4546	9.7	81	3	5	7	11	17	24	35-49	1589	6.0	18	2	3	5	7	11	16
80-84	4303	10.5	85	4	5	8	12	19	27	50-69	2389	7.4	58	3	4	6	9	12	15
85 +	6528	10.7	71	4	6	9	13	20	26	70 +	242	10.1	49	2	5	7	16	23	23
SUBTOTAL	**22735**	**9.7**	**69**	**3**	**5**	**8**	**12**	**17**	**24**		**5957**	**6.4**	**34**	**2**	**3**	**5**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**22735**	**9.7**	**69**	**3**	**5**	**8**	**12**	**17**	**24**		**5957**	**6.4**	**34**	**2**	**3**	**5**	**7**	**11**	**15**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	737	5.5	12	2	3	5	7	11	14	18-34	623	6.2	16	2	3	5	7	12	15
35-49	497	6.7	13	2	4	6	8	12	16	35-49	403	6.3	14	2	4	5	8	12	19
50-69	723	9.3	141	3	5	7	9	14	20	50-69	504	6.8	16	4	5	6	7	11	20
70 +	180	28.4	562	7	12	19	30	67	91	70 +	154	19.5	273	7	8	14	27	32	67
SUBTOTAL	**2138**	**9.0**	**139**	**2**	**4**	**6**	**9**	**15**	**21**		**1684**	**7.6**	**53**	**3**	**4**	**6**	**8**	**15**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2138**	**9.0**	**139**	**2**	**4**	**6**	**9**	**15**	**21**		**1684**	**7.6**	**53**	**3**	**4**	**6**	**8**	**15**	**20**

DRG 321: Kidney & Urinary Tract Infections Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1265	5.0	10	3	3	5	6	8	10
70-74	907	6.7	32	2	4	5	7	11	21
75-79	1126	6.6	34	2	4	6	7	9	14
80-84	1100	6.1	12	3	4	6	7	10	14
85+	1086	6.5	20	3	4	5	8	10	16
SUBTOTAL	**5485**	**6.1**	**21**	**3**	**4**	**5**	**7**	**9**	**14**
GRAND TOTAL	**5485**	**6.1**	**21**	**3**	**4**	**5**	**7**	**9**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	3749	3.9	4	2	3	4	5	6	8
35-49	1897	4.3	12	2	3	4	5	7	9
50-69	1988	4.9	8	2	3	4	6	8	10
70+	114	6.8	18	3	4	5	7	16	16
	7747	**4.3**	**7**	**2**	**3**	**4**	**5**	**7**	**8**
	7747	**4.3**	**7**	**2**	**3**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1481	4.3	5	2	3	4	5	7	9
35-49	256	6.5	24	2	3	5	8	10	19
50-69	217	5.1	4	3	4	4	6	8	9
70+	90	9.4	22	2	4	10	15	15	15
SUBTOTAL	**2044**	**4.9**	**10**	**2**	**3**	**4**	**6**	**9**	**10**
GRAND TOTAL	**2044**	**4.9**	**10**	**2**	**3**	**4**	**6**	**9**	**10**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	1390	3.9	4	1	2	4	5	7	8
35-49	481	4.9	13	3	3	4	6	7	17
50-69	367	5.4	8	3	4	5	6	8	13
70+	50	8.1	50						
	2288	**4.5**	**8**	**2**	**3**	**4**	**5**	**7**	**9**
	2288	**4.5**	**8**	**2**	**3**	**4**	**5**	**7**	**9**

DRG 322: Kidney & Urinary Tract Infections Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	52	6.8	19							0-17	1589	5.2	13	2	3	4	7	9	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**52**	**6.8**	**19**								**1589**	**5.2**	**13**	**2**	**3**	**4**	**7**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	4519	4.1	5	2	3	4	5	7	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**4519**	**4.1**	**5**	**2**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**52**	**6.8**	**19**								**6107**	**4.4**	**7**	**2**	**3**	**4**	**5**	**8**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1131	5.7	14	2	3	5	7	10	13	0-17	589	5.4	21	3	3	5	6	8	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**1131**	**5.7**	**14**	**2**	**3**	**5**	**7**	**10**	**13**		**589**	**5.4**	**21**	**3**	**3**	**5**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2694	4.9	12	2	3	4	6	8	11	0-17	1834	4.3	5	2	3	4	6	7	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**2694**	**4.9**	**12**	**2**	**3**	**4**	**6**	**8**	**11**		**1834**	**4.3**	**5**	**2**	**3**	**4**	**6**	**7**	**8**
GRAND TOTAL	**3825**	**5.1**	**12**	**2**	**3**	**4**	**6**	**9**	**11**		**2423**	**4.6**	**9**	**2**	**3**	**4**	**6**	**7**	**8**

DRG 323: Urinary Stones w/ CC, &/or ESW Lithotripsy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1504	4.3	21	1	2	3	6	9	11
70-74	861	3.9	7	1	2	3	5	8	10
75-79	723	5.7	25	1	2	4	7	11	21
80-84	709	7.3	99	1	2	5	9	14	19
85 +	379	6.4	59	2	3	5	7	9	12
SUBTOTAL	**4177**	**5.2**	**37**	**1**	**2**	**4**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	140	1.5	1	1	1	1	2	3	4
70-74	51	1.6	1						
75-79	12	2.0							
80-84	25	3.5	7						
85 +	13	2.0							
SUBTOTAL	**242**	**1.8**	**2**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**4419**	**5.0**	**35**	**1**	**2**	**3**	**6**	**10**	**13**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	268	3.1	4	1	2	3	4	5	7
18-34	1698	3.1	5	1	2	2	4	6	9
35-49	2589	3.2	7	1	1	2	4	6	8
50-69	2487	3.4	6	1	2	3	4	7	7
70 +	89	7.1	24	2	3	5	14	15	15
	7131	**3.3**	**7**	**1**	**2**	**3**	**4**	**6**	**8**
0-17	13	1.0							
18-34	75	2.3	1	< 1	1	3	3	4	4
35-49	229	2.0	4	1	1	1	2	5	9
50-69	127	1.6	1	< 1	1	1	2	4	4
70 +	0								
	445	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
	7576	**3.2**	**6**	**1**	**1**	**2**	**4**	**6**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	51	7.1	26						
18-34	291	4.9	20	1	2	4	7	8	13
35-49	203	4.5	13	1	2	3	7	11	13
50-69	190	5.9	61	1	2	3	7	11	33
70 +	0								
SUBTOTAL	**735**	**5.2**	**30**	**1**	**2**	**4**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	25	2.5	2						
35-49	13	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**38**	**2.0**	**2**						
GRAND TOTAL	**773**	**5.0**	**29**	**1**	**2**	**3**	**6**	**11**	**14**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	2.8	2						
18-34	326	3.2	17	1	1	2	3	6	7
35-49	544	2.9	4	1	1	2	4	6	7
50-69	291	3.8	10	< 1	2	3	5	7	11
70 +	12	4.0							
	1225	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**7**
0-17	0								
18-34	25	2.5	2						
35-49	0								
50-69	12	3.0							
70 +	0								
	38	**2.6**	**2**						
	1263	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 324: Urinary Stones w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1605	2.7	5	1	1	2	3	5	7	0-17	407	2.0	1	1	1	2	3	4	4
70-74	935	2.7	5	1	1	2	3	6	7	18-34	5207	2.1	3	1	1	2	3	4	5
75-79	584	2.2	4	1	1	2	2	4	6	35-49	8494	2.0	2	1	1	1	3	4	5
80-84	241	4.3	20	1	2	3	5	6	22	50-69	6024	2.2	3	1	1	2	3	4	5
85+	128	5.2	29	1	2	3	5	16	17	70+	102	3.1	7	1	1	2	4	9	9
SUBTOTAL	**3493**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**7**		**20234**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**3493**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**7**		**20234**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	51	2.3	1							0-17	167	1.8	1	1	1	2	2	3	5
18-34	570	2.4	3	1	1	2	3	5	5	18-34	1501	2.1	2	1	1	2	3	4	5
35-49	279	2.6	3	1	1	2	3	5	5	35-49	1385	2.3	3	1	1	2	3	4	5
50-69	139	4.0	12	1	2	3	4	6	14	50-69	743	2.3	4	1	1	2	3	5	7
70+	26	4.5								70+	38	4.6	4						
SUBTOTAL	**1065**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**		**3834**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1065**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**		**3834**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 325: Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	419	3.9	11	1	1	3	5	8	11	0-17	0								
70-74	279	7.1	39	1	3	4	10	17	19	18-34	140	2.9	2	2	2	3	4	5	5
75-79	430	5.6	13	2	3	5	7	9	15	35-49	229	6.5	67	1	1	3	7	17	34
80-84	340	9.0	67	2	3	7	12	18	22	50-69	329	3.9	10	1	2	3	5	8	12
85 +	356	4.2	4	2	2	4	6	7	7	70 +	25	2.0	1						
SUBTOTAL	**1824**	**5.8**	**28**	**1**	**2**	**4**	**7**	**12**	**17**		**724**	**4.5**	**28**	**1**	**2**	**3**	**5**	**12**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1824**	**5.8**	**28**	**1**	**2**	**4**	**7**	**12**	**17**		**724**	**4.5**	**28**	**1**	**2**	**3**	**5**	**12**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	77	3.0	2	< 1	2	2	5	5	5	18-34	51	5.3	10						
35-49	26	8.0	9							35-49	25	7.0							
50-69	89	4.2	11	< 1	1	4	9	9	9	50-69	75	2.9	3	< 1	1	3	3	6	6
70 +	39	6.3	6							70 +	25	8.0	1						
SUBTOTAL	**230**	**4.6**	**10**	**< 1**	**2**	**4**	**8**	**9**	**11**		**177**	**4.9**	**8**	**1**	**3**	**6**	**7**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**230**	**4.6**	**10**	**< 1**	**2**	**4**	**8**	**9**	**11**		**177**	**4.9**	**8**	**1**	**3**	**6**	**7**	**9**	**10**

DRG 326: Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	267	2.7	2	1	1	2	4	4	5
70-74	164	3.7	6	<1	1	3	6	7	8
75-79	240	2.6	2	1	2	2	3	5	6
80-84	113	4.4	16	1	2	4	5	15	15
85+	163	3.8	5	1	2	4	5	7	8
SUBTOTAL	**948**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**7**
GRAND TOTAL	**948**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**7**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	180	2.9	6	1	1	2	5	5	10
35-49	217	2.4	5	1	1	1	3	7	9
50-69	342	2.8	6	1	1	2	4	6	9
70+	26	9.0	17						
	765	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**9**
	765	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	39	3.0	3						
35-49	13	6.0							
50-69	13	2.0							
70+	0								
SUBTOTAL	**64**	**3.4**	**3**						
GRAND TOTAL	**64**	**3.4**	**3**						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	141	2.7	5	<1	1	2	4	7	7
35-49	25	1.5							
50-69	88	3.4	1	<1	3	4	4	5	5
70+	13	6.0							
	267	**3.0**	**4**	**<1**	**1**	**2**	**4**	**6**	**7**
	267	**3.0**	**4**	**<1**	**1**	**2**	**4**	**6**	**7**

DRG 327: Kidney & Urinary Tract Signs & Symptoms Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	39	3.0	5							0-17	155	2.2	3	1	1	2	2	4	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	39	3.0	5								155	2.2	3	1	1	2	2	4	7
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	346	2.2	5	<1	1	1	2	5	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										346	2.2	5	<1	1	1	2	5	7
GRAND TOTAL	39	3.0	5								501	2.2	4	<1	1	1	2	5	7

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	90	1.7		1	1	2	2	3	3	0-17	90	2.4	1	1	2	2	3	4	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	90	1.7		1	1	2	2	3	3		90	2.4	1	1	2	2	3	4	4
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	181	2.6	1	<1	2	2	4	4	4	0-17	245	1.7	3	<1	<1	1	1	3	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	181	2.6	1	<1	2	2	4	4	4		245	1.7	3	<1	<1	1	1	3	9
GRAND TOTAL	270	2.3	1	1	1	2	3	4	4		334	1.9	3	<1	1	1	2	3	4

DRG 328: Urethral Stricture Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	64	4.0	5							0-17	0								
70-74	90	11.6	190	<1	1	3	28	37	37	18-34	0								
75-79	89	5.0	20	1	2	4	7	15	15	35-49	25	3.0	4						
80-84	139	3.7	12	1	1	2	6	8	12	50-69	25	5.5							
85+	26	4.5								70+	0								
SUBTOTAL	**408**	**5.8**	**60**	**1**	**2**	**4**	**7**	**12**	**28**		**50**	**4.2**	**4**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**408**	**5.8**	**60**	**1**	**2**	**4**	**7**	**12**	**28**		**50**	**4.2**	**4**						

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	13	5.0								18-34	0								
35-49	0									35-49	13	1.0							
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**13**	**5.0**									**13**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**13**	**5.0**									**13**	**1.0**							

DRG 329: Urethral Stricture Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	25	1.0								0-17	0								
70-74	0									18-34	13	2.0							
75-79	25	2.5	2							35-49	51	2.5	4						
80-84	25	1.0								50-69	26	1.5							
85+	0									70+	0								
SUBTOTAL	**75**	**1.5**	**1**	**<1**	**1**	**1**	**1**	**4**	**4**		**89**	**2.2**	**3**	**1**	**1**	**2**	**2**	**6**	**6**
GRAND TOTAL	**75**	**1.5**	**1**	**<1**	**1**	**1**	**1**	**4**	**4**		**89**	**2.2**	**3**	**1**	**1**	**2**	**2**	**6**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	26	2.5								18-34	0								
35-49	0									35-49	0								
50-69	13	2.0								50-69	0								
70+	0									70+	0								
SUBTOTAL	**39**	**2.3**									**0**								
GRAND TOTAL	**39**	**2.3**									**0**								

DRG 330: Urethral Stricture Age 0-17

	MEDICARE									
				PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs										
AGE GROUP										
0-69 (YRS.)	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTAL	0									
2.PATIENTS W/OUT CCs										
AGE GROUP										
0-69	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTAL	0									
GRAND TOTAL	0									

	BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	3.7	10						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	38	3.7	10						
0-17	77	3.2	16	< 1	< 1	1	3	12	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	77	3.2	16	< 1	< 1	1	3	12	12
	116	3.3	14	< 1	< 1	1	3	12	12

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	13	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	13	1.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	52	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	52	1.0							
GRAND TOTAL	64	1.0							

	NO INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	13	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	13	1.0							
	13	1.0							

DRG 331: Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1957	7.3	61	1	2	5	10	17	21
70-74	878	6.5	34	1	3	5	7	18	21
75-79	1043	6.8	43	1	3	5	9	14	15
80-84	751	7.0	30	2	3	6	10	16	19
85 +	683	10.6	73	3	5	9	13	19	31
SUBTOTAL	**5312**	**7.5**	**52**	**2**	**3**	**5**	**10**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5312**	**7.5**	**52**	**2**	**3**	**5**	**10**	**16**	**21**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	739	4.1	17	1	2	3	5	10	12
35-49	653	5.7	38	1	2	4	7	12	22
50-69	1010	4.3	15	1	2	3	5	9	12
70 +	116	5.5	18	2	3	3	6	14	15
	2518	**4.7**	**22**	**1**	**2**	**3**	**6**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2518	**4.7**	**22**	**1**	**2**	**3**	**6**	**10**	**13**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	243	7.5	54	1	2	4	12	21	26
35-49	128	8.8	25	5	6	8	9	18	23
50-69	205	8.0	15	3	5	9	11	13	15
70 +	51	6.7	23						
SUBTOTAL	**627**	**7.9**	**33**	**1**	**4**	**6**	**11**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**627**	**7.9**	**33**	**1**	**4**	**6**	**11**	**15**	**21**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	229	5.1	12	1	2	4	9	11	12
35-49	215	9.0	84	1	3	5	11	30	31
50-69	241	7.7	39	1	2	6	12	19	21
70 +	63	32.3	1262						
	748	**9.3**	**196**	**1**	**3**	**5**	**10**	**19**	**31**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	748	**9.3**	**196**	**1**	**3**	**5**	**10**	**19**	**31**

DRG 332: Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	651	3.5	7	1	1	2	5	7	8
70-74	397	2.7	6	< 1	1	2	3	6	12
75-79	331	2.9	7	1	1	3	4	6	7
80-84	165	7.8	110	1	2	3	6	22	38
85 +	64	1.6							
SUBTOTAL	**1608**	**3.5**	**19**	**1**	**1**	**2**	**4**	**7**	**12**
GRAND TOTAL	**1608**	**3.5**	**19**	**1**	**1**	**2**	**4**	**7**	**12**

	BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	896	2.5	3	1	1	2	4	5	6
35-49	703	2.7	10	1	1	2	3	6	6
50-69	888	2.8	5	1	1	2	4	6	8
70 +	38	2.3	2						
	2525	**2.7**	**5**	**1**	**1**	**2**	**4**	**6**	**6**
	2525	**2.7**	**5**	**1**	**1**	**2**	**4**	**6**	**6**

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	179	2.5	5	1	1	2	3	5	9
35-49	76	5.7	18	1	1	5	9	12	12
50-69	64	9.7	56						
70 +	25	7.4	13						
SUBTOTAL	**345**	**4.9**	**25**	**1**	**1**	**3**	**9**	**12**	**12**
GRAND TOTAL	**345**	**4.9**	**25**	**1**	**1**	**3**	**9**	**12**	**12**

	NO INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	294	2.4	2	1	1	2	3	4	6
35-49	165	3.1	5	1	2	2	4	5	10
50-69	76	4.0	8	< 1	2	3	4	10	10
70 +	0								
	535	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**7**
	535	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**7**

DRG 333: Other Kidney & Urinary Tract Diagnoses Age 0-17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	206	6.4	9	2	4	7	9	10	11
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**206**	**6.4**	**9**	**2**	**4**	**7**	**9**	**10**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	39	15.7	330						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**39**	**15.7**	**330**						
GRAND TOTAL	**245**	**7.9**	**70**	**2**	**4**	**7**	**10**	**11**	**41**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1016	5.5	79	1	2	4	6	10	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1016	**5.5**	**79**	**1**	**2**	**4**	**6**	**10**	**13**
0-17	1396	3.1	5	< 1	1	2	5	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1396	**3.1**	**5**	**< 1**	**1**	**2**	**5**	**7**	**8**
	2412	**4.1**	**38**	**1**	**2**	**3**	**5**	**8**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	528	7.3	29	2	4	6	9	15	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**528**	**7.3**	**29**	**2**	**4**	**6**	**9**	**15**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	707	3.2	10	1	1	2	4	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**707**	**3.2**	**10**	**1**	**1**	**2**	**4**	**5**	**8**
GRAND TOTAL	**1235**	**5.0**	**22**	**1**	**2**	**4**	**7**	**10**	**15**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	309	4.1	13	1	2	3	5	7	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	309	**4.1**	**13**	**1**	**2**	**3**	**5**	**7**	**14**
0-17	449	3.3	10	< 1	2	2	4	7	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	449	**3.3**	**10**	**< 1**	**2**	**2**	**4**	**7**	**13**
	758	**3.6**	**11**	**1**	**2**	**2**	**4**	**7**	**14**

DRG 334: Major Male Pelvic Procedures w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1071	10.8	17	7	8	10	13	16	19	0-17	39	8.0	19						
70-74	855	10.3	18	6	7	9	12	15	17	18-34	13	15.0							
75-79	471	13.8	144	7	9	10	15	23	28	35-49	76	8.6	3	7	7	7	10	11	11
80-84	178	11.7	8	9	10	11	13	17	17	50-69	918	11.4	27	7	8	10	14	15	19
85+	63	10.0	18							70+	102	11.8	30	7	8	10	14	25	25
SUBTOTAL	**2637**	**11.2**	**41**	**7**	**8**	**10**	**13**	**16**	**19**		**1148**	**11.1**	**26**	**7**	**8**	**10**	**14**	**15**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2637**	**11.2**	**41**	**7**	**8**	**10**	**13**	**16**	**19**		**1148**	**11.1**	**26**	**7**	**8**	**10**	**14**	**15**	**19**

	MEDICAID										NO INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	38	11.0	5							50-69	154	13.9	71	8	9	12	15	16	40
70+	0									70+	38	7.3							
SUBTOTAL	**38**	**11.0**	**5**								**192**	**12.6**	**64**	**7**	**8**	**10**	**15**	**16**	**40**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**38**	**11.0**	**5**								**192**	**12.6**	**64**	**7**	**8**	**10**	**15**	**16**	**40**

DRG 335: Major Male Pelvic Procedures w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	775	9.2	8	6	7	8	11	14	14
70-74	561	8.5	4	6	7	8	10	11	12
75-79	164	8.8	5	7	8	9	9	10	15
80-84	102	9.6	3	8	8	9	10	13	13
85 +	25	7.0	4						
SUBTOTAL	**1627**	**8.9**	**6**	**6**	**8**	**8**	**10**	**13**	**14**
GRAND TOTAL	**1627**	**8.9**	**6**	**6**	**8**	**8**	**10**	**13**	**14**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	39	5.0	13						
18-34	26	5.5	13						
35-49	51	7.3	3						
50-69	1056	9.1	10	7	7	8	10	12	15
70 +	12	9.0							
	1184	**8.8**	**11**	**6**	**7**	**8**	**10**	**12**	**15**
	1184	**8.8**	**11**	**6**	**7**	**8**	**10**	**12**	**15**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	13	4.0							
18-34	0								
35-49	0								
50-69	13	8.0							
70 +	0								
SUBTOTAL	**26**	**6.0**	**4**						
GRAND TOTAL	**26**	**6.0**	**4**						

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	26	1.5							
18-34	39	5.3	6						
35-49	0								
50-69	127	8.0		7	8	8	8	9	9
70 +	13	13.0							
	204	**7.0**	**9**	**2**	**7**	**8**	**8**	**9**	**13**
	204	**7.0**	**9**	**2**	**7**	**8**	**8**	**9**	**13**

DRG 336: Transurethral Prostatectomy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4100	5.6	18	3	3	5	6	9	11	0-17	0								
70-74	5149	6.1	30	3	4	5	7	10	14	18-34	12	23.0							
75-79	5281	6.9	42	3	4	5	7	13	18	35-49	76	8.7	54	4	4	5	11	24	24
80-84	3393	8.5	71	3	4	6	9	16	23	50-69	2714	6.2	15	3	3	5	8	11	14
85 +	1999	9.3	72	3	5	6	11	17	28	70 +	482	7.1	37	3	3	5	8	16	26
SUBTOTAL	**19921**	**6.9**	**43**	**3**	**4**	**5**	**8**	**12**	**17**		**3284**	**6.4**	**20**	**3**	**3**	**5**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**19921**	**6.9**	**43**	**3**	**4**	**5**	**8**	**12**	**17**		**3284**	**6.4**	**20**	**3**	**3**	**5**	**8**	**12**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	217	6.8	15	3	4	5	8	14	15	50-69	719	4.8	6	2	3	5	5	8	10
70 +	64	10.8	158							70 +	330	5.3	8	3	4	5	6	9	9
SUBTOTAL	**281**	**7.7**	**50**	**3**	**4**	**5**	**8**	**14**	**15**		**1050**	**4.9**	**7**	**3**	**3**	**5**	**5**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**281**	**7.7**	**50**	**3**	**4**	**5**	**8**	**14**	**15**		**1050**	**4.9**	**7**	**3**	**3**	**5**	**5**	**8**	**9**

DRG 337: Transurethral Prostatectomy w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5117	4.1	3	3	3	4	5	6	7	0-17	0								
70-74	5615	4.3	3	3	3	4	5	6	7	18-34	12	1.0							
75-79	4351	4.4	5	3	3	4	5	7	8	35-49	127	2.9	2	1	2	3	4	5	6
80-84	2157	4.8	7	3	3	4	5	8	8	50-69	6633	4.1	3	3	3	4	5	6	7
85+	887	5.8	11	3	4	5	7	10	13	70+	520	4.2	1	3	3	4	5	6	6
SUBTOTAL	**18127**	**4.4**	**4**	**3**	**3**	**4**	**5**	**7**	**8**		**7293**	**4.1**	**3**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**18127**	**4.4**	**4**	**3**	**3**	**4**	**5**	**7**	**8**		**7293**	**4.1**	**3**	**2**	**3**	**4**	**5**	**6**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	13	12.0							
50-69	178	5.9	7	3	4	6	8	9	12	50-69	655	4.0	3	3	3	4	4	5	7
70+	103	4.4	1	3	4	4	5	6	6	70+	228	5.0	9	3	3	4	5	9	15
SUBTOTAL	**281**	**5.4**	**5**	**3**	**4**	**5**	**6**	**8**	**9**		**897**	**4.4**	**6**	**3**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**281**	**5.4**	**5**	**3**	**4**	**5**	**6**	**8**	**9**		**897**	**4.4**	**6**	**3**	**3**	**4**	**5**	**7**	**9**

DRG 338: Testes Procedures, for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	256	4.8	20	1	2	3	6	14	15	0-17	13	15.0							
70-74	293	4.9	87	1	1	1	6	9	12	18-34	51	6.5	72						
75-79	329	4.7	49	1	1	2	4	12	24	35-49	25	14.6	13						
80-84	320	2.9	9	1	1	2	3	9	10	50-69	127	7.0	141	1	1	2	6	35	41
85 +	215	15.9	394	1	3	9	17	38	85	70 +	13	4.0							
SUBTOTAL	**1412**	**6.1**	**112**	**1**	**1**	**2**	**6**	**14**	**24**		**229**	**8.0**	**105**	**1**	**1**	**3**	**11**	**21**	**41**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	140	1.6		1	1	1	2	2	3	0-17	38	10.1	50						
70-74	166	1.3		1	1	1	2	2	2	18-34	343	2.0	3	1	1	1	2	5	7
75-79	303	2.3	4	1	1	2	2	4	7	35-49	217	2.0	1	1	1	2	3	3	4
80-84	242	1.4	1	< 1	1	1	2	3	4	50-69	154	1.7		< 1	1	2	2	2	3
85 +	102	1.6	1	1	1	1	2	4	4	70 +	38	5.0	13						
SUBTOTAL	**953**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**		**791**	**2.5**	**8**	**1**	**1**	**2**	**3**	**4**	**7**
GRAND TOTAL	**2365**	**4.3**	**72**	**1**	**1**	**2**	**3**	**10**	**16**		**1020**	**3.7**	**35**	**1**	**1**	**2**	**3**	**11**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	38	7.1	14						
35-49	13	16.0								35-49	0								
50-69	0									50-69	75	7.4	55	< 1	1	5	10	21	21
70 +	0									70 +	12	1.0							
SUBTOTAL	**13**	**16.0**									**126**	**6.7**	**41**	**< 1**	**1**	**8**	**10**	**20**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	39	5.3	12							0-17	13	1.0							
18-34	39	2.3								18-34	113	2.0	3	1	1	1	2	7	7
35-49	0									35-49	51	1.3							
50-69	13	2.0								50-69	12	1.0							
70 +	0									70 +	12	1.0							
SUBTOTAL	**90**	**3.6**	**7**	**2**	**2**	**2**	**4**	**10**	**10**		**202**	**1.6**	**2**	**1**	**1**	**1**	**2**	**2**	**7**
GRAND TOTAL	**103**	**5.1**	**24**	**2**	**2**	**3**	**7**	**16**	**16**		**328**	**3.6**	**23**	**1**	**1**	**1**	**2**	**10**	**11**

DRG 339: Testes Procedures, Non-malignancy Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	151	2.9	8	1	1	2	4	7	10	0-17	0								
70-74	64	5.2	39							18-34	103	2.5	4	<1	1	2	3	7	7
75-79	115	2.6	3	1	1	2	3	7	7	35-49	26	8.0							
80-84	51	4.2	15							50-69	127	2.9	8	1	1	2	3	9	11
85+	13	3.0								70+	0								
SUBTOTAL	**393**	**3.4**	**13**	**1**	**1**	**2**	**4**	**7**	**11**		**256**	**3.3**	**8**	**1**	**1**	**2**	**3**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	191	2.3	5	1	1	2	2	4	10	0-17	0								
70-74	166	2.1	2	1	1	2	3	4	5	18-34	1072	1.5	1	<1	1	1	2	2	3
75-79	115	3.2	32	1	1	1	2	19	19	35-49	895	1.5	4	<1	1	1	1	2	3
80-84	64	1.8								50-69	599	2.0	4	1	1	1	2	3	6
85+	25	3.5	7							70+	12	5.0							
SUBTOTAL	**561**	**2.4**	**9**	**1**	**1**	**2**	**2**	**4**	**6**		**2578**	**1.6**	**2**	**<1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**954**	**2.8**	**11**	**1**	**1**	**2**	**3**	**6**	**10**		**2834**	**1.8**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	13	1.0								18-34	0								
35-49	25	6.0	1							35-49	13	1.0							
50-69	0									50-69	38	1.3							
70+	0									70+	0								
SUBTOTAL	**38**	**4.3**	**6**								**51**	**1.2**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	77	2.0	2	1	1	1	4	4	4	18-34	319	1.8	2	1	1	1	2	3	5
35-49	0									35-49	139	1.6	1	<1	1	1	2	3	3
50-69	25	1.5								50-69	175	1.6		<1	1	1	2	2	3
70+	0									70+	13	1.0							
SUBTOTAL	**103**	**1.9**	**2**	**1**	**1**	**1**	**3**	**4**	**4**		**647**	**1.7**	**1**	**<1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**141**	**2.5**	**4**	**1**	**1**	**1**	**4**	**5**	**7**		**697**	**1.7**	**1**	**<1**	**1**	**1**	**2**	**3**	**3**

DRG 340: Testes Procedures, Non-malignancy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	13	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**13**	**2.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**13**	**2.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	219	2.7	6	1	1	2	3	6	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	219	**2.7**	**6**	**1**	**1**	**2**	**3**	**6**	**11**
0-17	2812	1.2		<1	1	1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2812	**1.2**		**<1**	**1**	**1**	**1**	**2**	**2**
	3031	**1.3**	**1**	**<1**	**1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	116	2.7	5	<1	1	1	4	7	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**116**	**2.7**	**5**	**<1**	**1**	**1**	**4**	**7**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	887	1.5	2	<1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**887**	**1.5**	**2**	**<1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**1002**	**1.6**	**2**	**<1**	**1**	**1**	**2**	**3**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	1.3							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	38	**1.3**							
0-17	1037	1.1		<1	1	1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1037	**1.1**		**<1**	**1**	**1**	**1**	**2**	**2**
	1075	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**2**

DRG 341: Penis Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	280	5.7	20	1	2	4	8	14	14	0-17	283	6.0	24	1	2	4	10	12	13
70-74	192	6.8	18	3	4	5	8	16	18	18-34	38	8.6	23						
75-79	125	9.1	22	4	7	8	11	16	20	35-49	51	8.8	66						
80-84	178	7.7	77	3	3	5	7	14	37	50-69	267	4.2	20	1	2	2	5	8	14
85 +	52	11.8	34							70 +	39	5.3	2						
SUBTOTAL	**826**	**7.3**	**36**	**2**	**3**	**6**	**8**	**15**	**18**		**678**	**5.6**	**26**	**1**	**2**	**4**	**8**	**12**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	444	3.7	10	1	2	3	4	5	9	0-17	2238	2.8	9	< 1	1	1	3	8	9
70-74	256	4.5	7	2	3	4	6	8	11	18-34	154	3.7	5	1	2	4	7	7	7
75-79	230	3.7	2	2	3	4	5	6	7	35-49	243	4.8	63	2	2	3	4	5	38
80-84	88	4.9	6	2	3	4	8	9	9	50-69	727	3.3	6	1	2	3	4	6	8
85 +	63	7.8	20							70 +	38	3.0	1						
SUBTOTAL	**1081**	**4.2**	**9**	**2**	**3**	**3**	**5**	**7**	**9**		**3400**	**3.1**	**12**	**< 1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**1908**	**5.5**	**23**	**2**	**3**	**4**	**7**	**11**	**15**		**4078**	**3.5**	**16**	**1**	**1**	**2**	**4**	**8**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	77	2.5	2	1	1	2	4	4	4	0-17	52	1.3							
18-34	13	15.0								18-34	0								
35-49	12	13.0								35-49	12	2.0							
50-69	0									50-69	63	2.4	1						
70 +	0									70 +	0								
SUBTOTAL	**103**	**5.3**	**26**	**1**	**1**	**3**	**4**	**15**	**15**		**127**	**1.9**	**1**	**1**	**1**	**2**	**3**	**3**	**3**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	670	3.2	13	< 1	1	2	4	7	9	0-17	747	2.8	8	< 1	1	1	3	8	9
18-34	13	3.0								18-34	0								
35-49	38	2.7								35-49	63	6.7	41						
50-69	0									50-69	76	4.3	3	3	3	4	4	8	8
70 +	0									70 +	13	3.0							
SUBTOTAL	**721**	**3.2**	**12**	**< 1**	**1**	**2**	**3**	**7**	**9**		**899**	**3.2**	**11**	**< 1**	**1**	**2**	**4**	**8**	**9**
GRAND TOTAL	**823**	**3.5**	**14**	**< 1**	**1**	**2**	**4**	**9**	**9**		**1026**	**3.0**	**10**	**1**	**1**	**2**	**3**	**8**	**9**

DRG 342: Circumcision Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	26	1.5							
70-74	26	2.0							
75-79	12	4.0							
80-84	0								
85 +	12	3.0							
SUBTOTAL	**76**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**4**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	51	1.5							
70-74	38	1.0							
75-79	12	4.0							
80-84	12	1.0							
85 +	0								
SUBTOTAL	**114**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**4**	**4**
GRAND TOTAL	**191**	**1.9**	**1**	**1**	**1**	**2**	**2**	**4**	**4**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	13	1.0							
35-49	0								
50-69	26	2.0							
70 +	0								
SUBTOTAL	**39**	**1.7**							
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	39	1.0							
35-49	26	1.0							
50-69	37	1.0							
70 +	0								
SUBTOTAL	**102**	**1.0**		**<1**	**<1**	**<1**	**1**	**1**	**1**
GRAND TOTAL	**140**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**2**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	12	1.0							
35-49	0								
50-69	12	1.0							
70 +	13	1.0							
SUBTOTAL	**38**	**1.0**							
GRAND TOTAL	**38**	**1.0**							

DRG 343: Circumcision Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	64	1.2							
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**64**	**1.2**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	347	1.2	1	<1	<1	<1	1	1	1
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**347**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**1**
GRAND TOTAL	**0**										**411**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13	1.0								0-17	39	1.3							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**13**	**1.0**									**39**	**1.3**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	400	1.0		<1	<1	<1	<1	1	1	0-17	219	1.5	4	<1	<1	<1	<1	1	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**400**	**1.0**		**<1**	**<1**	**<1**	**<1**	**1**	**1**		**219**	**1.5**	**4**	**<1**	**<1**	**<1**	**<1**	**1**	**9**
GRAND TOTAL	**413**	**1.0**		**<1**	**<1**	**<1**	**<1**	**1**	**1**		**257**	**1.5**	**3**	**<1**	**<1**	**<1**	**1**	**2**	**6**

DRG 344: Other Male Reproductive System O.R. Procedures for Malignancy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	64	3.8	2							0-17	0								
70-74	139	6.3	2	5	5	6	8	8	8	18-34	13	12.0							
75-79	101	8.0	30	1	4	5	9	19	19	35-49	13	5.0							
80-84	51	8.8	37							50-69	190	11.2	56	4	5	9	16	26	29
85 +	13	9.0								70 +	26	5.5	13						
SUBTOTAL	**366**	**6.8**	**17**	**3**	**4**	**6**	**8**	**13**	**19**		**242**	**10.3**	**50**	**3**	**5**	**9**	**14**	**21**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	190	3.5	4	1	2	3	6	6	7	0-17	0								
70-74	141	3.9	6	1	1	4	5	6	9	18-34	25	5.5							
75-79	76	2.5	3	1	1	1	5	5	5	35-49	12	6.0							
80-84	0									50-69	216	3.5	4	< 1	1	4	5	6	6
85 +	0									70 +	38	1.3							
SUBTOTAL	**408**	**3.5**	**5**	**1**	**1**	**3**	**5**	**6**	**7**		**292**	**3.5**	**4**	**1**	**1**	**4**	**6**	**6**	**6**
GRAND TOTAL	**774**	**5.0**	**13**	**1**	**3**	**5**	**6**	**9**	**9**		**534**	**6.6**	**37**	**1**	**3**	**5**	**9**	**14**	**16**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	13	7.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	12	16.0							
70 +	13	5.0								70 +	0								
SUBTOTAL	**13**	**5.0**									**25**	**11.4**	**21**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	13	7.0							
18-34	0									18-34	12	9.0							
35-49	0									35-49	0								
50-69	0									50-69	25	3.0							
70 +	0									70 +	13	10.0							
SUBTOTAL	**0**										**64**	**6.4**	**9**						
GRAND TOTAL	**13**	**5.0**									**89**	**7.8**	**17**	**3**	**3**	**7**	**10**	**16**	**16**

DRG 345: Other Male Reproductive System O.R. Proc except for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	25	3.0	1						
70-74	102	3.4	3	< 1	2	3	4	7	7
75-79	77	5.0	10	2	2	2	9	9	9
80-84	64	13.6	371						
85 +	52	7.0	28						
SUBTOTAL	**319**	**6.3**	**96**	**2**	**2**	**4**	**7**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	90	1.7	1	< 1	< 1	1	3	4	4
70-74	51	5.0	14						
75-79	51	2.3	3						
80-84	38	7.2	31						
85 +	25	2.0							
SUBTOTAL	**255**	**3.3**	**12**	**< 1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**574**	**5.0**	**61**	**1**	**2**	**2**	**5**	**10**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	13	3.0							
50-69	26	2.0							
70 +	13	9.0							
	52	**4.0**	**9**						
0-17	0								
18-34	13	5.0							
35-49	76	3.7	26	< 1	1	2	2	15	15
50-69	192	3.1	4	1	1	3	4	5	9
70 +	25	2.0	1						
	307	**3.2**	**10**	**1**	**1**	**3**	**4**	**5**	**9**
	358	**3.3**	**10**	**1**	**1**	**3**	**4**	**9**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	13	2.0							
50-69	13	1.0							
70 +	0								
	26	**1.5**							
	26	**1.5**							

DRG 346: Malignancy, Male Reproductive System, w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	290	8.4	66	1	3	6	10	22	23
70-74	281	5.6	16	1	2	5	7	12	13
75-79	238	9.1	63	2	4	6	13	21	29
80-84	215	9.3	40	2	5	9	12	14	29
85 +	305	12.6	177	3	5	8	13	22	42
SUBTOTAL	**1330**	**9.0**	**82**	**2**	**4**	**7**	**12**	**18**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1330**	**9.0**	**82**	**2**	**4**	**7**	**12**	**18**	**23**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	13	30.0							
18-34	12	12.0							
35-49	0								
50-69	254	6.0	25	1	2	4	9	13	19
70 +	12	29.0							
	291	**8.3**	**66**	**1**	**2**	**6**	**12**	**20**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	291	**8.3**	**66**	**1**	**2**	**6**	**12**	**20**	**29**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	13	8.0							
18-34	0								
35-49	0								
50-69	13	13.0							
70 +	0								
SUBTOTAL	**26**	**10.5**	**7**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**26**	**10.5**	**7**						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	2.8	9						
18-34	25	5.5							
35-49	0								
50-69	13	22.0							
70 +	0								
	89	**6.3**	**49**	**1**	**1**	**5**	**8**	**22**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	89	**6.3**	**49**	**1**	**1**	**5**	**8**	**22**	**22**

DRG 347: Malignancy, Male Reproductive System, w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	141	2.7	10	< 1	1	1	4	5	12
70-74	51	1.8							
75-79	101	3.8	11	< 1	1	4	5	11	11
80-84	25	4.0							
85 +	12	1.0							
SUBTOTAL	**331**	**2.9**	**9**	**< 1**	**1**	**2**	**4**	**6**	**11**
GRAND TOTAL	**331**	**2.9**	**9**	**< 1**	**1**	**2**	**4**	**6**	**11**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	25	2.5	2						
35-49	0								
50-69	64	1.0							
70 +	13	1.0							
	102	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**4**	**4**
	102	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**4**	**4**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	26	1.0							
SUBTOTAL	**26**	**1.0**							
GRAND TOTAL	**26**	**1.0**							

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	13	2.0							
18-34	0								
35-49	0								
50-69	0								
70 +	13	2.0							
	26	**2.0**							
	26	**2.0**							

DRG 348: Benign Prostatic Hypertrophy w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	204	3.2	5	1	1	3	4	7	8
70-74	227	6.4	36	1	2	5	10	19	23
75-79	242	7.0	94	1	1	4	8	16	44
80-84	102	5.5	18	1	1	4	8	13	13
85 +	139	6.3	14	2	3	5	11	11	13
SUBTOTAL	**913**	**5.7**	**41**	**1**	**2**	**4**	**8**	**11**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**913**	**5.7**	**41**	**1**	**2**	**4**	**8**	**11**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	231	4.5	10	< 1	2	4	7	10	12
70 +	25	2.0	1						
	256	**4.3**	**9**	**< 1**	**1**	**3**	**7**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	256	**4.3**	**9**	**< 1**	**1**	**3**	**7**	**9**	**11**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	26	5.0	9						
70 +	13	7.0							
SUBTOTAL	**39**	**5.7**	**7**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**39**	**5.7**	**7**						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	25	5.5	2						
70 +	39	2.0	1						
	64	**3.4**	**4**						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	64	**3.4**	**4**						

DRG 349: Benign Prostatic Hypertrophy w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	267	2.9	5	1	1	2	3	6	7
70-74	114	2.0	2	1	1	2	2	5	5
75-79	153	2.7	4	1	1	2	3	6	7
80-84	26	3.0							
85 +	51	1.7							
SUBTOTAL	**611**	**2.6**	**3**	**1**	**1**	**2**	**3**	**6**	**6**
GRAND TOTAL	**611**	**2.6**	**3**	**1**	**1**	**2**	**3**	**6**	**6**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	13	2.0							
50-69	192	2.7	5	1	1	2	4	4	10
70 +	0								
	205	**2.7**	**5**	**1**	**1**	**2**	**4**	**4**	**10**
	205	**2.7**	**5**	**1**	**1**	**2**	**4**	**4**	**10**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	12	4.0							
50-69	13	4.0							
70 +	13	1.0							
SUBTOTAL	**38**	**3.0**	**2**						
GRAND TOTAL	**38**	**3.0**	**2**						

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	13	1.0							
70 +	0								
	13	**1.0**							
	13	**1.0**							

DRG 350: Inflammation of the Male Reproductive System

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	344	7.6	62	2	4	6	8	13	14	0-17	38	2.0							
70-74	163	5.4	5	2	4	5	7	8	10	18-34	128	4.7	4	2	3	6	6	6	8
75-79	140	5.9	5	4	4	5	7	7	12	35-49	216	4.8	9	2	3	3	8	9	11
80-84	63	8.0	13							50-69	434	6.9	18	3	4	5	9	13	16
85 +	113	9.1	12	5	7	8	11	17	17	70 +	25	5.0	9						
SUBTOTAL	**824**	**7.1**	**32**	**3**	**5**	**6**	**8**	**11**	**14**		**841**	**5.7**	**14**	**2**	**3**	**5**	**8**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	241	5.1	4	3	3	5	6	8	11	0-17	216	3.0	4	1	2	2	4	6	7
70-74	102	3.3	2	1	2	3	5	5	5	18-34	482	3.4	3	1	2	3	4	6	7
75-79	38	4.0	2							35-49	458	3.9	4	1	2	4	5	6	8
80-84	13	9.0								50-69	558	4.6	5	2	3	4	5	7	8
85 +	12	7.0								70 +	0								
SUBTOTAL	**406**	**4.7**	**4**	**3**	**3**	**4**	**6**	**7**	**9**		**1714**	**3.9**	**4**	**1**	**2**	**4**	**5**	**6**	**7**
GRAND TOTAL	**1230**	**6.3**	**24**	**3**	**4**	**5**	**7**	**10**	**13**		**2555**	**4.5**	**8**	**2**	**3**	**4**	**6**	**8**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	64	11.4	70							18-34	51	5.7	15						
35-49	76	7.3	7	3	5	8	10	10	10	35-49	51	6.4	23						
50-69	75	3.5	4	1	2	3	4	7	7	50-69	64	6.6	11						
70 +	0									70 +	37	6.3	3						
SUBTOTAL	**216**	**7.2**	**34**	**2**	**4**	**5**	**9**	**12**	**27**		**202**	**6.3**	**14**	**2**	**2**	**6**	**8**	**12**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	103	2.0	1	1	1	2	3	4	4	0-17	77	4.7	23	1	2	3	5	15	15
18-34	51	4.2	2							18-34	205	6.0	67	1	2	4	6	10	36
35-49	39	5.0	1							35-49	87	2.7	1	2	2	2	4	4	4
50-69	26	6.5	7							50-69	76	3.1	2	1	2	2	5	5	5
70 +	0									70 +	0								
SUBTOTAL	**218**	**3.6**	**4**	**1**	**2**	**3**	**5**	**6**	**9**		**446**	**4.6**	**37**	**1**	**2**	**3**	**5**	**7**	**15**
GRAND TOTAL	**435**	**5.4**	**23**	**1**	**3**	**4**	**7**	**10**	**12**		**648**	**5.1**	**30**	**2**	**2**	**4**	**6**	**10**	**13**

DRG 351: Sterilization, Male

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	137	1.0		<1	<1	<1	<1	<1	<1
75-79	0									35-49	124	1.0		<1	<1	<1	<1	<1	<1
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**261**	**1.0**		**<1**	**<1**	**<1**	**<1**	**<1**	**<1**
GRAND TOTAL	**0**										**261**	**1.0**		**<1**	**<1**	**<1**	**<1**	**<1**	**<1**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	124	1.0		<1	<1	<1	<1	<1	<1
35-49	0									35-49	37	1.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**162**	**1.0**		**<1**	**<1**	**<1**	**<1**	**<1**	**<1**
GRAND TOTAL	**0**										**162**	**1.0**		**<1**	**<1**	**<1**	**<1**	**<1**	**<1**

DRG 352: Other Male Reproductive System Diagnoses

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	26	4.0	9						
70-74	63	3.6	6						
75-79	13	4.0							
80-84	13	22.0							
85 +	25	3.5	2						
SUBTOTAL	**139**	**5.4**	**33**	**2**	**2**	**4**	**7**	**8**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	50	1.3							
70-74	51	1.8	1						
75-79	12	1.0							
80-84	13	8.0							
85 +	12	4.0							
SUBTOTAL	**139**	**2.3**	**4**	**1**	**1**	**1**	**3**	**4**	**8**
GRAND TOTAL	**278**	**3.9**	**21**	**1**	**1**	**2**	**4**	**8**	**8**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	4.3	23						
18-34	0								
35-49	13	3.0							
50-69	51	3.0	6						
70 +	0								
	102	**3.5**	**12**	**<1**	**<1**	**2**	**3**	**11**	**11**
0-17	293	1.4	1	<1	1	1	2	2	3
18-34	202	2.4	21	<1	1	1	1	3	20
35-49	139	2.7	10	1	1	1	2	8	10
50-69	213	1.2		1	1	1	1	2	3
70 +	0								
	847	**1.8**	**7**	**<1**	**1**	**1**	**2**	**3**	**4**
	949	**2.0**	**8**	**<1**	**1**	**1**	**2**	**3**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	39	2.3	2						
18-34	13	7.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**52**	**3.5**	**5**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	103	1.1		<1	<1	1	1	2	2
18-34	0								
35-49	13	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**116**	**1.1**		**<1**	**<1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**167**	**1.8**	**3**	**<1**	**1**	**1**	**2**	**4**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	26	3.0	1						
35-49	0								
50-69	13	2.0							
70 +	0								
	39	**2.7**	**1**						
0-17	51	1.8	2						
18-34	13	2.0							
35-49	38	2.3	1						
50-69	0								
70 +	0								
	102	**2.0**	**1**	**<1**	**<1**	**2**	**3**	**4**	**4**
	141	**2.2**	**1**	**<1**	**1**	**2**	**3**	**4**	**4**

DRG 353: Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	77	13.0	114	5	7	9	13	36	36	0-17	0									
70-74	115	9.5	6	7	8	9	10	15	15	18-34	64	7.4	4							
75-79	90	14.1	72	5	7	11	24	29	29	35-49	206	9.3	19	5	5	9	12	13	22	
80-84	103	18.9	275	7	10	14	20	99 +	99 +	50-69	205	9.3	12	6	7	8	12	15	17	
85 +	89	24.8	185	11	15	21	29	55	55	70 +	0									
SUBTOTAL	**475**	**15.9**	**156**	**7**	**8**	**11**	**20**	**36**	**61**		**475**	**9.0**	**15**	**5**	**6**	**8**	**11**	**13**	**17**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	26	5.5								0-17	0									
70-74	26	8.5	7							18-34	77	7.5	2	5	7	7	8	10	10	
75-79	13	11.0								35-49	116	8.2	9	5	6	6	10	14	14	
80-84	39	9.0	1							50-69	128	7.1	8	4	5	7	8	12	13	
85 +	0									70 +	0									
SUBTOTAL	**103**	**8.3**	**5**	**5**	**6**	**8**	**10**	**11**	**11**		**321**	**7.6**	**7**	**5**	**6**	**7**	**9**	**12**	**13**	
GRAND TOTAL	**578**	**14.5**	**138**	**6**	**8**	**10**	**19**	**29**	**55**		**797**	**8.5**	**12**	**5**	**6**	**8**	**11**	**13**	**14**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	26	16.0	51							18-34	26	14.5								
35-49	39	8.0	8							35-49	0									
50-69	26	25.0	4							50-69	26	14.0	17							
70 +	0									70 +	0									
SUBTOTAL	**90**	**15.1**	**69**	**6**	**6**	**12**	**23**	**27**	**27**		**52**	**14.3**	**8**							
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	13	14.0								
50-69	13	3.0								50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**13**	**3.0**									**13**	**14.0**								
GRAND TOTAL	**103**	**13.6**	**77**	**3**	**6**	**10**	**23**	**27**	**27**		**64**	**14.2**	**7**							

DRG 354: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	688	7.3	7	5	5	7	9	11	13
70-74	447	9.4	30	5	5	8	11	15	24
75-79	410	8.3	12	5	6	8	9	14	17
80-84	205	9.5	10	5	7	9	13	15	99+
85+	139	12.5	94	4	5	8	16	30	32
SUBTOTAL	**1889**	**8.7**	**22**	**5**	**6**	**7**	**10**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1889**	**8.7**	**22**	**5**	**6**	**7**	**10**	**14**	**17**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	141	6.2	4	4	5	6	7	8	11
35-49	663	6.2	7	4	5	6	7	9	11
50-69	1010	7.7	13	4	5	7	9	13	14
70+	51	10.5	15						
	1866	**7.1**	**11**	**4**	**5**	**6**	**8**	**12**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1866	**7.1**	**11**	**4**	**5**	**6**	**8**	**12**	**14**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	13	13.0							
18-34	51	6.5	3						
35-49	89	6.0	1	4	5	6	7	8	8
50-69	64	9.4	15						
70+	13	8.0							
SUBTOTAL	**231**	**7.6**	**9**	**5**	**6**	**7**	**8**	**17**	**99+**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**231**	**7.6**	**9**	**5**	**6**	**7**	**8**	**17**	**99+**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	13	14.0							
18-34	38	5.0							
35-49	101	8.2	6	5	7	8	10	13	13
50-69	165	7.6	17	5	6	6	7	9	21
70+	0								
	317	**7.7**	**13**	**5**	**5**	**6**	**9**	**13**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	317	**7.7**	**13**	**5**	**5**	**6**	**9**	**13**	**14**

DRG 355: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	382	4.9	2	3	4	5	6	7	7	0-17	0								
70-74	305	5.7	2	4	5	6	6	7	8	18-34	331	4.0	3	2	3	4	5	6	6
75-79	291	5.3	4	3	4	5	6	7	7	35-49	1234	4.6	2	3	4	4	5	7	8
80-84	127	6.8	4	4	6	7	7	11	12	50-69	1504	5.4	3	4	4	5	6	7	9
85 +	89	6.7	5	4	4	7	9	10	10	70 +	51	6.3	1						
SUBTOTAL	**1195**	**5.6**	**3**	**4**	**4**	**5**	**6**	**7**	**9**		**3121**	**4.9**	**3**	**3**	**4**	**5**	**6**	**7**	**8**
GRAND TOTAL	**1195**	**5.6**	**3**	**4**	**4**	**5**	**6**	**7**	**9**		**3121**	**4.9**	**3**	**3**	**4**	**5**	**6**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	138	4.9	2	3	4	5	7	7	7	18-34	37	4.3	2						
35-49	64	4.0	1							35-49	76	4.0	1	3	3	4	5	6	6
50-69	50	5.8	4							50-69	151	4.8	1	3	4	5	6	6	7
70 +	0									70 +	0								
SUBTOTAL	**251**	**4.9**	**3**	**3**	**4**	**4**	**6**	**7**	**7**		**264**	**4.5**	**2**	**3**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**251**	**4.9**	**3**	**3**	**4**	**4**	**6**	**7**	**7**		**264**	**4.5**	**2**	**3**	**3**	**4**	**5**	**6**	**7**

DRG 356: Female Reproductive System Reconstructive Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	542	5.8	21	3	3	5	7	8	13
70-74	328	6.6	14	3	4	5	8	13	14
75-79	365	5.6	16	2	3	5	7	9	11
80-84	126	6.2	16	2	4	6	6	16	16
85 +	100	5.2	3	3	3	5	6	9	9
SUBTOTAL	**1461**	**5.9**	**17**	**2**	**3**	**5**	**7**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	973	4.5	4	2	3	4	5	7	9
70-74	871	4.1	3	2	3	4	5	6	6
75-79	656	4.4	4	2	3	4	6	7	9
80-84	291	4.6	3	2	4	5	6	7	8
85 +	101	3.0	1	2	2	3	3	5	5
SUBTOTAL	**2892**	**4.3**	**4**	**2**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**4353**	**4.9**	**8**	**2**	**3**	**4**	**6**	**8**	**9**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	38	4.0	2						
35-49	291	4.7	3	3	3	4	5	7	7
50-69	647	5.6	7	3	4	5	7	9	12
70 +	13	3.0							
	989	**5.3**	**6**	**3**	**3**	**5**	**6**	**9**	**11**
0-17	26	7.0	1						
18-34	278	3.3	2	2	2	3	4	5	6
35-49	1848	3.7	3	2	3	4	5	6	6
50-69	2665	3.9	3	2	3	4	5	6	7
70 +	26	6.5	2						
	4843	**3.8**	**3**	**2**	**3**	**4**	**5**	**6**	**7**
	5832	**4.1**	**4**	**2**	**3**	**4**	**5**	**6**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	39	8.7	4						
35-49	26	4.0	9						
50-69	76	7.1	9	3	5	6	9	12	12
70 +	0								
SUBTOTAL	**141**	**7.0**	**10**	**3**	**5**	**7**	**9**	**11**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	101	4.0	2	2	3	4	5	6	6
35-49	127	5.8	6	2	5	5	8	9	10
50-69	100	3.3	1	2	2	3	4	6	6
70 +	0								
SUBTOTAL	**329**	**4.5**	**4**	**2**	**3**	**4**	**5**	**8**	**8**
GRAND TOTAL	**470**	**5.2**	**7**	**2**	**3**	**5**	**7**	**9**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	75	4.0	2	2	3	4	5	6	6
50-69	87	5.3	2	4	4	5	6	8	8
70 +	12	5.0							
	175	**4.7**	**2**	**3**	**4**	**5**	**5**	**6**	**8**
0-17	0								
18-34	12	2.0							
35-49	150	3.8	1	3	3	4	5	5	5
50-69	313	3.5	2	2	3	3	5	5	5
70 +	25	2.0							
	500	**3.5**	**2**	**2**	**3**	**3**	**5**	**5**	**5**
	675	**3.8**	**2**	**2**	**3**	**4**	**5**	**5**	**6**

DRG 357: Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	434	13.4	43	7	8	11	18	23	27	0-17	0								
70-74	369	15.7	134	8	9	12	17	31	40	18-34	153	6.9	8	4	5	6	10	10	14
75-79	152	19.0	187	7	8	18	26	28	57	35-49	370	8.9	15	5	6	8	11	14	15
80-84	140	13.9	74	6	8	12	16	17	38	50-69	891	12.2	80	6	8	9	14	20	24
85 +	64	17.4	13							70 +	26	18.5	59						
SUBTOTAL	**1158**	**15.1**	**96**	**7**	**9**	**12**	**18**	**27**	**32**		**1440**	**10.9**	**60**	**5**	**7**	**9**	**13**	**16**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	51	9.1	29							0-17	0								
70-74	64	6.8	6							18-34	203	5.1	3	3	4	5	6	9	9
75-79	25	9.6	21							35-49	395	6.2	10	3	4	5	8	10	12
80-84	75	6.7	6	4	5	6	9	11	11	50-69	306	6.2	4	4	5	6	7	10	10
85 +	13	8.0								70 +	0								
SUBTOTAL	**228**	**7.6**	**14**	**4**	**5**	**8**	**9**	**14**	**18**		**905**	**5.9**	**7**	**4**	**4**	**5**	**7**	**9**	**10**
GRAND TOTAL	**1386**	**13.9**	**90**	**6**	**8**	**11**	**17**	**24**	**30**		**2345**	**9.0**	**45**	**4**	**5**	**7**	**10**	**15**	**20**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	8.0	6							0-17	13	7.0							
18-34	13	7.0								18-34	38	7.4	3						
35-49	26	15.0	1							35-49	115	10.1	24	5	7	10	18	19	99 +
50-69	64	11.0	60							50-69	89	12.2	57	5	5	8	21	25	25
70 +	13	17.0								70 +	0								
SUBTOTAL	**154**	**11.1**	**36**	**5**	**7**	**9**	**15**	**17**	**26**		**256**	**10.3**	**34**	**5**	**7**	**8**	**14**	**21**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	13	13.0							
18-34	0									18-34	63	3.6							
35-49	0									35-49	12	3.0							
50-69	0									50-69	37	5.0	1						
70 +	0									70 +	0								
SUBTOTAL	**0**										**126**	**4.9**	**8**	**3**	**3**	**4**	**5**	**13**	**13**
GRAND TOTAL	**154**	**11.1**	**36**	**5**	**7**	**9**	**15**	**17**	**26**		**381**	**8.5**	**32**	**4**	**5**	**7**	**11**	**19**	**25**

DRG 358: Uterine & Adnexa Proc for Non-malignancy w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	1676	7.3	33	4	4	5	7	11	23		0-17	114	4.5	3	3	4	4	4	9	9	
70-74	1050	7.1	18	4	4	5	8	13	17		18-34	3865	5.1	7	3	4	5	6	8	9	
75-79	823	6.7	7	4	5	6	8	10	12		35-49	14553	5.6	7	4	4	5	6	8	10	
80-84	256	8.3	27	4	5	7	9	14	22		50-69	3249	6.4	10	4	4	6	7	10	13	
85 +	113	12.5	73	4	5	8	17	28	28		70 +	39	7.3	2							
SUBTOTAL	**3917**	**7.3**	**25**	**4**	**5**	**6**	**8**	**13**	**18**			**21819**	**5.6**	**7**	**3**	**4**	**5**	**6**	**8**	**10**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	0										0-17	0									
70-74	0										18-34	0									
75-79	0										35-49	0									
80-84	0										50-69	0									
85 +	0										70 +	0									
SUBTOTAL	**0**											**0**									
GRAND TOTAL	**3917**	**7.3**	**25**	**4**	**5**	**6**	**8**	**13**	**18**			**21819**	**5.6**	**7**	**3**	**4**	**5**	**6**	**8**	**10**	

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	64	12.2	87								0-17	39	5.0	3							
18-34	837	5.6	7	3	4	5	7	9	10		18-34	822	5.6	9	3	4	5	6	8	10	
35-49	788	6.2	7	3	4	6	7	10	12		35-49	2330	6.0	9	4	4	5	7	9	11	
50-69	218	8.0	20	4	5	7	10	12	23		50-69	556	6.2	9	4	5	5	7	8	10	
70 +	13	9.0									70 +	13	6.0								
SUBTOTAL	**1920**	**6.4**	**13**	**3**	**4**	**6**	**7**	**10**	**12**			**3760**	**5.9**	**9**	**4**	**4**	**5**	**6**	**9**	**11**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	0										0-17	0									
18-34	0										18-34	0									
35-49	0										35-49	0									
50-69	0										50-69	0									
70 +	0										70 +	0									
SUBTOTAL	**0**											**0**									
GRAND TOTAL	**1920**	**6.4**	**13**	**3**	**4**	**6**	**7**	**10**	**12**			**3760**	**5.9**	**9**	**4**	**4**	**5**	**6**	**9**	**11**	

DRG 359: Uterine & Adnexa Proc for Non-malignancy w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2204	4.8	2	3	4	5	6	7	7	0-17	736	3.6	4	2	3	3	4	5	7
70-74	1455	5.1	5	3	4	5	6	7	8	18-34	17655	3.6	2	1	3	4	4	5	6
75-79	1009	5.3	4	4	4	5	6	7	8	35-49	35628	4.2	2	3	3	4	5	6	6
80-84	279	5.4	2	4	4	5	6	7	8	50-69	9574	4.7	2	3	4	4	5	6	7
85 +	75	6.8	22	3	4	5	7	17	17	70 +	152	4.7	3	3	3	4	6	7	7
SUBTOTAL	**5022**	**5.1**	**4**	**3**	**4**	**5**	**6**	**7**	**8**		**63746**	**4.1**	**2**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**5022**	**5.1**	**4**	**3**	**4**	**5**	**6**	**7**	**8**		**63746**	**4.1**	**2**	**2**	**3**	**4**	**5**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	205	4.6	6	2	2	4	6	9	10	0-17	176	4.1	5	1	3	4	5	5	10
18-34	2219	4.0	4	2	3	4	5	6	8	18-34	2382	4.0	5	2	3	4	5	6	7
35-49	1535	4.8	16	3	3	4	5	6	7	35-49	3102	4.2	3	3	3	4	5	6	6
50-69	215	6.4	18	3	4	5	7	11	21	50-69	775	4.5	2	3	4	4	5	6	7
70 +	13	5.0								70 +	25	2.5	2						
SUBTOTAL	**4188**	**4.5**	**10**	**2**	**3**	**4**	**5**	**7**	**8**		**6461**	**4.2**	**4**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**4188**	**4.5**	**10**	**2**	**3**	**4**	**5**	**7**	**8**		**6461**	**4.2**	**4**	**2**	**3**	**4**	**5**	**6**	**7**

DRG 360: Vagina, Cervix & Vulva Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	215	6.4	15	2	4	5	8	12	16	0-17	142	8.4	75	1	1	6	12	24	26
70-74	179	8.9	74	2	3	7	12	17	34	18-34	115	5.0	16	1	1	5	6	13	13
75-79	165	10.9	389	3	4	5	8	10	78	35-49	166	5.5	32	1	2	3	6	16	20
80-84	153	9.3	63	3	4	7	12	18	30	50-69	229	5.8	18	2	2	4	8	14	15
85 +	101	9.8	58	< 1	3	10	14	26	26	70 +	0								
SUBTOTAL	**813**	**8.9**	**120**	**2**	**4**	**6**	**10**	**17**	**26**		**651**	**6.1**	**35**	**1**	**2**	**4**	**8**	**14**	**20**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	267	3.6	3	2	2	3	4	6	7	0-17	256	2.5	3	< 1	1	1	4	5	6
70-74	265	3.0	2	1	2	3	4	5	5	18-34	807	1.6	2	< 1	1	1	1	3	4
75-79	177	3.6	3	1	2	4	5	6	6	35-49	728	2.4	2	1	1	2	3	4	5
80-84	114	4.4	5	2	3	4	5	9	9	50-69	597	3.2	4	1	2	3	4	5	6
85 +	64	2.8	5							70 +	25	4.5							
SUBTOTAL	**887**	**3.5**	**4**	**1**	**2**	**3**	**5**	**6**	**7**		**2414**	**2.3**	**3**	**< 1**	**1**	**2**	**3**	**5**	**5**
GRAND TOTAL	**1700**	**6.1**	**67**	**1**	**3**	**4**	**7**	**12**	**17**		**3065**	**3.2**	**12**	**1**	**1**	**2**	**4**	**6**	**10**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	25	2.5	2							0-17	13	8.0							
18-34	64	2.8	4							18-34	63	2.8	3						
35-49	103	8.0	212	1	1	3	5	46	46	35-49	25	3.5							
50-69	25	2.5								50-69	12	4.0							
70 +	0									70 +	0								
SUBTOTAL	**217**	**5.2**	**108**	**1**	**1**	**3**	**4**	**6**	**46**		**113**	**3.7**	**5**	**1**	**3**	**3**	**4**	**8**	**8**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	155	3.1	7	1	1	2	5	5	10	0-17	52	3.0	5						
18-34	180	2.3	5	1	1	1	3	4	9	18-34	241	1.0		< 1	< 1	1	1	1	1
35-49	102	2.9	3	< 1	2	3	4	6	6	35-49	229	3.6	17	< 1	1	3	4	7	19
50-69	64	1.8	1							50-69	89	3.0	12	< 1	< 1	1	3	11	11
70 +	0									70 +	0								
SUBTOTAL	**501**	**2.6**	**5**	**1**	**1**	**2**	**4**	**5**	**9**		**610**	**2.4**	**10**	**< 1**	**< 1**	**1**	**3**	**5**	**7**
GRAND TOTAL	**718**	**3.4**	**37**	**1**	**1**	**2**	**4**	**6**	**9**		**724**	**2.6**	**9**	**< 1**	**< 1**	**1**	**3**	**6**	**8**

DRG 361: Laparoscopy & Incisional Tubal Interruption

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	63	9.1	51							0-17	12	8.0								
70-74	0									18-34	330	3.9	10	1	1	3	6	9	9	
75-79	13	1.0								35-49	191	3.4	14	1	1	2	5	7	15	
80-84	0									50-69	13	1.0								
85 +	0									70 +	0									
SUBTOTAL	**75**	**7.7**	**51**	**< 1**	**1**	**6**	**13**	**19**	**19**		**546**	**3.7**	**11**	**1**	**1**	**3**	**6**	**8**	**9**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	38	1.0								0-17	215	2.4	2	1	1	2	3	5	5	
70-74	0									18-34	2375	2.1	2	< 1	1	1	3	4	5	
75-79	0									35-49	1850	2.0	2	< 1	1	1	2	4	6	
80-84	0									50-69	52	1.8	1							
85 +	12	1.0								70 +	0									
SUBTOTAL	**51**	**1.0**									**4492**	**2.0**	**2**	**< 1**	**1**	**1**	**3**	**4**	**5**	
GRAND TOTAL	**126**	**5.0**	**41**	**< 1**	**< 1**	**< 1**	**11**	**19**	**19**		**5037**	**2.2**	**4**	**< 1**	**1**	**1**	**3**	**5**	**6**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	38	2.3	4							0-17	0									
18-34	165	3.7	7	1	1	3	6	7	9	18-34	153	2.6	2	1	1	3	4	4	6	
35-49	13	3.0								35-49	25	3.5	7							
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**216**	**3.4**	**6**	**1**	**1**	**3**	**5**	**7**	**9**		**178**	**2.7**	**3**	**1**	**1**	**3**	**4**	**6**	**6**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	51	5.0	13							0-17	38	2.6	6							
18-34	645	2.0	2	< 1	1	1	2	5	6	18-34	849	1.8	2	< 1	1	1	2	4	5	
35-49	164	3.0	7	< 1	2	2	3	7	11	35-49	508	1.6	2	< 1	1	1	2	3	3	
50-69	0									50-69	0									
70 +	12	4.0								70 +	0									
SUBTOTAL	**872**	**2.4**	**4**	**< 1**	**1**	**2**	**2**	**5**	**7**		**1395**	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**	
GRAND TOTAL	**1089**	**2.6**	**5**	**< 1**	**1**	**2**	**3**	**6**	**7**		**1573**	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**4**	**6**	

DRG 362: Endoscopic Tubal Interruption

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	12	2.0							
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**12**	**2.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	124	1.2		<1	<1	<1	1	2	3
75-79	0									35-49	63	1.2							
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**187**	**1.2**		**<1**	**<1**	**<1**	**1**	**2**	**3**
GRAND TOTAL	**0**										**199**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	51	1.8	1							18-34	75	1.5	1	<1	<1	<1	<1	4	4
35-49	12	1.0								35-49	50	1.0							
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**64**	**1.6**	**1**								**125**	**1.3**	**1**	**<1**	**<1**	**<1**	**<1**	**4**	**4**
GRAND TOTAL	**64**	**1.6**	**1**								**125**	**1.3**	**1**	**<1**	**<1**	**<1**	**<1**	**4**	**4**

DRG 363: D&C, Conization & Radio-implant, for Malignancy

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	244	5.2	24	1	3	3	4	16	17
70-74	256	6.1	67	1	2	3	5	17	30
75-79	153	5.9	30	3	3	3	8	11	22
80-84	115	12.3	196	2	4	9	11	50	50
85+	114	5.9	13	3	4	4	7	15	15
SUBTOTAL	**881**	**6.6**	**63**	**2**	**3**	**3**	**8**	**16**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	255	2.5	2	1	1	2	4	4	5
70-74	281	2.6	5	1	2	2	3	4	4
75-79	153	2.6	2	1	2	2	4	4	5
80-84	128	3.8	6	2	3	3	4	9	11
85+	51	2.5							
SUBTOTAL	**869**	**2.7**	**4**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1750**	**4.7**	**37**	**1**	**2**	**3**	**4**	**11**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	52	3.3							
35-49	140	2.7	2	1	1	3	4	5	5
50-69	89	4.1	13	2	2	3	4	13	13
70+	0								
	281	**3.3**	**6**	**1**	**2**	**3**	**4**	**5**	**5**
0-17	0								
18-34	166	1.2		<1	<1	1	1	2	2
35-49	398	2.3	1	1	1	2	3	3	4
50-69	359	2.6	2	1	1	3	4	5	5
70+	26	2.0	1						
	949	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	1229	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	39	2.0	2						
35-49	26	5.0	9						
50-69	116	6.1	22	2	3	4	7	18	18
70+	0								
SUBTOTAL	**181**	**5.1**	**19**	**1**	**2**	**4**	**7**	**9**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	128	2.1	1	1	1	2	3	4	4
35-49	128	2.3	2	<1	1	2	3	5	5
50-69	77	2.8	1	1	3	3	3	4	4
70+	0								
SUBTOTAL	**333**	**2.4**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**513**	**3.3**	**9**	**1**	**2**	**3**	**4**	**7**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	25	3.5							
50-69	63	2.2	1						
70+	0								
	88	**2.6**	**1**	**1**	**2**	**3**	**3**	**4**	**4**
0-17	0								
18-34	50	1.0							
35-49	76	1.8	1	1	1	2	3	3	3
50-69	38	1.0							
70+	12	1.0							
	176	**1.4**	**1**	**<1**	**1**	**1**	**1**	**3**	**3**
	264	**1.8**	**1**	**1**	**1**	**1**	**3**	**3**	**4**

DRG 364: D&C, Conization except for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	205	2.8	8	1	1	2	3	9	10
70-74	50	3.2	5						
75-79	64	4.4	13						
80-84	64	1.6							
85 +	37	6.7	7						
SUBTOTAL	**419**	**3.3**	**9**	**1**	**1**	**2**	**4**	**9**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	140	1.7	2	< 1	< 1	1	2	3	6
70-74	89	1.1		< 1	< 1	1	1	2	2
75-79	51	2.3	1						
80-84	90	2.0	3	< 1	1	1	2	6	6
85 +	39	6.3	48						
SUBTOTAL	**408**	**2.2**	**8**	**<1**	**<1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**827**	**2.7**	**9**	**<1**	**1**	**2**	**3**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	165	1.7	1	1	1	1	2	3	4
35-49	523	1.9	2	< 1	1	1	2	4	5
50-69	240	2.8	7	< 1	1	1	4	8	9
70 +	0								
	928	**2.1**	**3**	**<1**	**1**	**1**	**3**	**4**	**7**
0-17	38	1.7	1						
18-34	510	1.5	1	< 1	1	1	2	3	4
35-49	1314	1.2		< 1	< 1	1	1	2	2
50-69	610	1.1		< 1	< 1	< 1	1	1	2
70 +	13	1.0							
	2484	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**
	3411	**1.5**	**1**	**<1**	**<1**	**1**	**1**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	63	1.8	1						
35-49	115	5.5	57	< 1	1	3	5	26	26
50-69	26	2.5							
70 +	0								
SUBTOTAL	**204**	**4.0**	**35**	**1**	**1**	**2**	**3**	**7**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	63	1.4	1						
35-49	102	1.5		< 1	1	1	2	3	3
50-69	51	1.3							
70 +	0								
SUBTOTAL	**216**	**1.4**		**<1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**420**	**2.6**	**19**	**1**	**1**	**1**	**3**	**3**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	64	2.2	3						
35-49	191	2.1	3	< 1	1	1	3	5	6
50-69	25	5.1	17						
70 +	0								
	279	**2.4**	**5**	**1**	**1**	**1**	**3**	**5**	**6**
0-17	0								
18-34	164	1.4		< 1	< 1	1	2	2	3
35-49	226	1.7	3	< 1	< 1	1	2	5	7
50-69	139	1.0		< 1	< 1	< 1	1	1	1
70 +	0								
	530	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**
	809	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**5**	**5**

DRG 365: Other Female Reproductive System O.R. Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	241	13.6	106	4	9	12	17	24	38
70-74	89	9.3	22	3	4	9	12	18	18
75-79	63	18.7	179						
80-84	25	14.0	67						
85 +	13	12.0							
SUBTOTAL	**431**	**13.4**	**101**	**4**	**8**	**11**	**17**	**24**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	102	5.1	6	2	4	5	6	10	10
70-74	13	3.0							
75-79	13	4.0							
80-84	25	5.0							
85 +	0								
SUBTOTAL	**152**	**4.8**	**4**	**3**	**4**	**4**	**6**	**7**	**10**
GRAND TOTAL	**503**	**11.2**	**90**	**4**	**5**	**10**	**12**	**22**	**25**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	13	2.0							
18-34	115	6.6	20	1	5	5	7	18	18
35-49	203	8.2	43	3	4	6	10	17	26
50-69	179	11.9	52	5	7	10	18	23	26
70 +	26	6.5	21						
	535	**8.9**	**45**	**2**	**4**	**6**	**11**	**18**	**23**
0-17	38	10.1	101						
18-34	331	3.8	2	2	3	4	5	6	6
35-49	419	5.5	26	3	3	4	6	8	12
50-69	267	4.2	3	2	3	3	6	7	7
70 +	0								
	1055	**4.8**	**17**	**2**	**3**	**4**	**6**	**7**	**8**
	1590	**6.2**	**30**	**2**	**3**	**4**	**7**	**12**	**18**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	13	11.0							
18-34	64	8.0	16						
35-49	51	8.2	6						
50-69	13	38.0							
70 +	0								
SUBTOTAL	**140**	**11.1**	**84**	**6**	**6**	**9**	**12**	**12**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	13	10.0							
18-34	89	5.3	8	2	2	5	8	9	9
35-49	52	5.3	4						
50-69	39	4.7	4						
70 +	0								
SUBTOTAL	**192**	**5.5**	**7**	**2**	**3**	**6**	**8**	**9**	**10**
GRAND TOTAL	**333**	**7.9**	**47**	**2**	**4**	**7**	**9**	**12**	**12**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	13	10.0							
18-34	38	6.3	3						
35-49	25	5.5	2						
50-69	13	40.0							
70 +	0								
	89	**11.5**	**143**	**4**	**4**	**7**	**10**	**40**	**40**
0-17	51	3.5	3						
18-34	38	4.3	6						
35-49	63	2.6	2						
50-69	38	5.3	3						
70 +	0								
	191	**3.7**	**4**	**1**	**2**	**3**	**6**	**7**	**7**
	280	**6.2**	**61**	**1**	**3**	**5**	**7**	**8**	**10**

DRG 366: Malignancy, Female Reproductive System w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	242	8.6	55	1	3	5	15	24	25	0-17	13	1.0							
70-74	266	8.4	75	1	3	4	16	27	28	18-34	0								
75-79	166	14.7	264	2	2	4	28	36	53	35-49	203	8.2	31	4	4	8	11	20	20
80-84	141	17.0	138	4	6	15	21	31	44	50-69	256	7.1	32	2	3	5	9	19	21
85 +	115	12.7	64	1	6	11	16	26	26	70 +	13	23.0							
SUBTOTAL	**930**	**11.4**	**123**	**1**	**3**	**7**	**17**	**28**	**36**		**484**	**7.8**	**37**	**2**	**4**	**5**	**10**	**20**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**930**	**11.4**	**123**	**1**	**3**	**7**	**17**	**28**	**36**		**484**	**7.8**	**37**	**2**	**4**	**5**	**10**	**20**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	10.0	67							0-17	13	5.0							
18-34	13	6.0								18-34	0								
35-49	38	7.6	17							35-49	26	1.5							
50-69	39	13.3	56							50-69	25	5.5							
70 +	13	29.0								70 +	0								
SUBTOTAL	**128**	**11.8**	**74**	**2**	**5**	**11**	**18**	**27**	**29**		**64**	**3.8**	**4**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**128**	**11.8**	**74**	**2**	**5**	**11**	**18**	**27**	**29**		**64**	**3.8**	**4**						

DRG 367: Malignancy, Female Reproductive System w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	12	3.0							
70-74	25	1.5							
75-79	25	1.0							
80-84	0								
85 +	64	3.4	3						
SUBTOTAL	**127**	**2.5**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**127**	**2.5**	**3**	**1**	**1**	**2**	**4**	**5**	**6**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	13	1.0							
35-49	127	2.4	2	< 1	1	2	4	5	5
50-69	115	3.0	10	< 1	1	2	3	12	12
70 +	0								
	255	**2.6**	**6**	**< 1**	**1**	**2**	**3**	**4**	**5**
	255	**2.6**	**6**	**< 1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	64	2.6	2						
18-34	12	2.0							
35-49	0								
50-69	0								
70 +	13	1.0							
SUBTOTAL	**90**	**2.3**	**2**	**1**	**1**	**2**	**4**	**4**	**4**
GRAND TOTAL	**90**	**2.3**	**2**	**1**	**1**	**2**	**4**	**4**	**4**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	13	1.0							
50-69	26	1.5							
70 +	0								
	39	**1.3**							
	39	**1.3**							

DRG 368: Infections, Female Reproductive System

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	64	7.5	34						
70-74	12	9.0							
75-79	25	12.0							
80-84	0								
85 +	13	13.0							
SUBTOTAL	**114**	**9.3**	**24**	**1**	**6**	**11**	**12**	**17**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	102	5.0	2	3	3	5	6	7	7
70-74	12	2.0							
75-79	13	2.0							
80-84	13	5.0							
85 +	37	5.7	3						
SUBTOTAL	**177**	**4.7**	**3**	**2**	**3**	**5**	**6**	**7**	**8**
GRAND TOTAL	**291**	**6.5**	**16**	**2**	**3**	**5**	**9**	**12**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	103	4.1	3	2	3	4	6	7	7
18-34	459	5.0	8	3	3	5	5	10	13
35-49	279	8.6	65	2	4	5	11	18	25
50-69	13	17.0							
70 +	0								
	854	**6.3**	**31**	**2**	**3**	**5**	**6**	**13**	**17**
0-17	561	4.2	5	2	3	4	5	7	7
18-34	2665	4.3	6	2	3	4	5	7	10
35-49	607	5.2	10	2	3	4	6	11	12
50-69	64	4.8	1						
70 +	12	2.0							
	3908	**4.4**	**7**	**2**	**3**	**4**	**5**	**8**	**10**
	4763	**4.7**	**12**	**2**	**3**	**4**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	192	4.1	5	2	3	4	5	5	11
18-34	383	6.0	6	3	4	6	7	10	12
35-49	102	5.6	9	2	3	6	7	12	12
50-69	13	19.0							
70 +	0								
SUBTOTAL	**690**	**5.7**	**10**	**3**	**3**	**5**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	781	4.6	5	2	3	4	5	8	9
18-34	1555	4.2	4	2	3	4	5	6	7
35-49	166	4.9	7	2	3	4	7	9	10
50-69	13	6.0							
70 +	0								
SUBTOTAL	**2515**	**4.4**	**4**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**3205**	**4.7**	**6**	**2**	**3**	**4**	**6**	**8**	**10**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	115	4.8	14	2	3	4	4	15	15
18-34	240	5.1	9	1	4	5	6	9	15
35-49	89	10.1	11	6	7	9	13	16	16
50-69	13	3.0							
70 +	12	4.0							
	470	**5.9**	**14**	**2**	**4**	**5**	**7**	**13**	**15**
0-17	514	4.7	8	3	3	4	5	7	13
18-34	1393	3.9	5	2	3	3	5	6	7
35-49	175	5.0	7	2	3	4	6	10	11
50-69	50	4.8	1						
70 +	0								
	2131	**4.2**	**6**	**2**	**3**	**4**	**5**	**6**	**9**
	2602	**4.5**	**8**	**2**	**3**	**4**	**5**	**7**	**10**

DRG 369: Menstrual & Other Female Reproductive System Disorders

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	152	3.6	12	1	1	2	5	10	11
70-74	38	3.3	4						
75-79	38	8.7	17						
80-84	26	8.5	21						
85 +	64	8.0	12						
SUBTOTAL	**318**	**5.5**	**18**	**1**	**2**	**4**	**8**	**13**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	114	3.0	4	< 1	1	4	4	6	6
70-74	25	3.5	2						
75-79	12	3.0							
80-84	51	4.7	15						
85 +	12	1.0							
SUBTOTAL	**215**	**3.3**	**7**	**< 1**	**1**	**3**	**5**	**7**	**10**
GRAND TOTAL	**532**	**4.6**	**14**	**1**	**1**	**4**	**6**	**10**	**13**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	2.1	1	< 1	1	2	3	4	4
18-34	341	3.7	10	1	2	3	4	7	8
35-49	481	2.7	7	1	1	2	4	5	7
50-69	138	3.6	3	1	2	4	5	6	6
70 +	0								
	1050	**3.1**	**7**	**1**	**1**	**3**	**4**	**5**	**7**
0-17	801	1.9	1	1	1	2	2	3	4
18-34	3106	2.2	3	1	1	2	3	4	4
35-49	1480	2.9	4	1	1	3	4	5	7
50-69	213	2.7	1	1	2	3	3	4	5
70 +	0								
	5600	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	6650	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	52	4.8	1						
18-34	216	3.5	7	2	2	2	4	6	13
35-49	77	2.2	2	< 1	1	2	3	5	5
50-69	26	1.5							
70 +	0								
SUBTOTAL	**370**	**3.3**	**6**	**1**	**2**	**2**	**4**	**6**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	256	2.0	1	< 1	1	2	3	3	3
18-34	544	2.2	2	1	1	2	3	4	5
35-49	128	3.5	7	1	1	2	6	8	8
50-69	51	2.5	4						
70 +	0								
SUBTOTAL	**978**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**1348**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	3.3	2						
18-34	154	2.7	2	1	2	2	4	4	6
35-49	102	3.9	5	< 1	2	3	6	8	8
50-69	25	6.6	31						
70 +	0								
	320	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
0-17	358	1.8	2	1	1	1	2	3	4
18-34	795	2.1	3	< 1	1	2	3	3	5
35-49	319	2.0	2	< 1	< 1	2	2	3	5
50-69	88	3.1	20	< 1	< 1	1	3	14	14
70 +	0								
	1560	**2.1**	**3**	**< 1**	**1**	**1**	**3**	**3**	**5**
	1880	**2.3**	**4**	**< 1**	**1**	**2**	**3**	**4**	**6**

DRG 370: Cesarean Section w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	141	7.9	36	4	4	5	10	14	24	0-17	315	7.2	11	4	5	7	8	11	11
70-74	0									18-34	22060	6.1	22	4	4	5	6	9	12
75-79	0									35-49	5686	7.7	89	4	4	5	6	11	18
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**141**	**7.9**	**36**	**4**	**4**	**5**	**10**	**14**	**24**		**28062**	**6.5**	**36**	**4**	**4**	**5**	**6**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**141**	**7.9**	**36**	**4**	**4**	**5**	**10**	**14**	**24**		**28062**	**6.5**	**36**	**4**	**4**	**5**	**6**	**9**	**13**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	599	7.1	9	4	5	6	9	12	13	0-17	191	5.7	2	4	4	6	7	8	8
18-34	8009	6.7	41	4	4	5	7	10	14	18-34	6549	5.4	8	4	4	5	6	8	10
35-49	740	6.3	9	4	5	6	7	11	15	35-49	1050	5.6	6	4	4	5	6	8	10
50-69	0									50-69	12	7.0							
70 +	0									70 +	0								
SUBTOTAL	**9348**	**6.7**	**37**	**4**	**4**	**5**	**7**	**10**	**14**		**7802**	**5.4**	**8**	**4**	**4**	**5**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**9348**	**6.7**	**37**	**4**	**4**	**5**	**7**	**10**	**14**		**7802**	**5.4**	**8**	**4**	**4**	**5**	**6**	**8**	**10**

DRG 371: Cesarean Section w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	213	5.6	33	3	3	4	5	12	27	0-17	607	4.5	2	3	4	4	5	6	7
70-74	0									18-34	82866	4.5	4	3	4	4	5	6	6
75-79	0									35-49	19476	4.8	7	3	4	5	5	6	6
80-84	0									50-69	13	5.0							
85 +	0									70 +	0								
SUBTOTAL	**213**	**5.6**	**33**	**3**	**3**	**4**	**5**	**12**	**27**		**102961**	**4.6**	**5**	**3**	**4**	**4**	**5**	**6**	**6**
GRAND TOTAL	**213**	**5.6**	**33**	**3**	**3**	**4**	**5**	**12**	**27**		**102961**	**4.6**	**5**	**3**	**4**	**4**	**5**	**6**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	745	4.5	5	3	3	4	5	6	8	0-17	138	4.0	1	3	3	4	5	5	6
18-34	18363	4.6	4	3	4	4	5	6	7	18-34	11750	4.3	1	3	4	4	5	5	6
35-49	1310	4.8	1	4	4	5	5	6	6	35-49	2322	4.5	5	3	4	4	5	5	6
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**20418**	**4.6**	**4**	**3**	**4**	**4**	**5**	**6**	**7**		**14210**	**4.3**	**2**	**3**	**4**	**4**	**5**	**5**	**6**
GRAND TOTAL	**20418**	**4.6**	**4**	**3**	**4**	**4**	**5**	**6**	**7**		**14210**	**4.3**	**2**	**3**	**4**	**4**	**5**	**5**	**6**

DRG 372: Vaginal Delivery w/ Complicating Diagnoses

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	38	7.3	10						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	38	7.3	10						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	89	2.4	1	1	1	2	4	4	4
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	89	2.4	1	1	1	2	4	4	4
GRAND TOTAL	128	3.9	9	1	2	3	4	10	10

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	268	3.4	6	2	2	3	4	4	6
18-34	10929	3.6	10	2	2	3	4	5	8
35-49	2178	3.9	19	2	2	3	4	5	7
50-69	0								
70 +	0								
	13375	3.6	12	2	2	3	4	5	8
0-17	381	2.7	2	1	2	3	3	4	7
18-34	16762	3.0	9	2	2	3	3	4	5
35-49	2620	3.2	5	2	2	3	3	5	6
50-69	0								
70 +	0								
	19763	3.0	9	2	2	3	3	4	5
	33138	3.3	10	2	2	3	3	5	6

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	485	3.9	6	2	2	3	5	8	11
18-34	3656	3.6	9	2	2	3	4	6	8
35-49	281	5.5	33	2	3	4	6	10	10
50-69	0								
70 +	0								
SUBTOTAL	4422	3.8	10	2	2	3	4	7	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	762	3.8	6	2	3	3	4	7	8
18-34	5494	2.8	4	2	2	2	3	4	5
35-49	254	4.1	21	2	2	3	4	14	19
50-69	0								
70 +	0								
SUBTOTAL	6510	3.0	5	2	2	3	3	5	6
GRAND TOTAL	10932	3.3	7	2	2	3	4	5	7

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	179	3.6	5	2	2	3	4	7	10
18-34	1735	3.3	4	2	2	3	3	5	7
35-49	191	2.5	1	2	2	2	3	4	4
50-69	0								
70 +	0								
	2104	3.3	4	2	2	3	3	5	7
0-17	88	2.9	1	2	2	3	4	4	4
18-34	3057	2.9	5	2	2	2	3	4	5
35-49	278	3.4	21	2	2	2	3	4	4
50-69	0								
70 +	0								
	3423	2.9	6	2	2	2	3	4	5
	5527	3.1	5	2	2	3	3	5	7

DRG 373: Vaginal Delivery w/o Complicating Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	154	4.4	25	1	2	2	7	9	19
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**154**	**4.4**	**25**	**1**	**2**	**2**	**7**	**9**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	507	2.6	5	1	2	2	3	3	4
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**507**	**2.6**	**5**	**1**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**661**	**3.0**	**10**	**1**	**2**	**2**	**3**	**4**	**9**

BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	585	3.6	24	2	2	3	3	4	6
18-34	15781	3.0	8	2	2	3	3	4	5
35-49	2563	2.9	4	2	2	3	3	4	5
50-69	0								
70 +	0								
	18929	**3.0**	**8**	**2**	**2**	**3**	**3**	**4**	**5**
0-17	3951	2.4	1	2	2	2	3	3	4
18-34	281685	2.4	1	2	2	2	3	3	3
35-49	45130	2.4	1	2	2	2	3	3	4
50-69	26	3.5							
70 +	0								
	330791	**2.4**	**1**	**2**	**2**	**2**	**3**	**3**	**4**
	349720	**2.4**	**2**	**2**	**2**	**2**	**3**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	944	2.7	1	2	2	3	3	4	4
18-34	9117	2.9	7	2	2	2	3	4	5
35-49	395	3.5	11	2	2	3	3	6	9
50-69	0								
70 +	0								
SUBTOTAL	**10456**	**2.9**	**7**	**2**	**2**	**2**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6709	2.5	4	2	2	2	3	3	4
18-34	80234	2.3	1	1	2	2	3	3	3
35-49	3861	2.3	2	2	2	2	3	3	3
50-69	13	3.0							
70 +	0								
SUBTOTAL	**90816**	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**101272**	**2.4**	**2**	**1**	**2**	**2**	**3**	**3**	**4**

NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	303	2.6	1	2	2	2	3	4	5
18-34	5426	2.7	6	2	2	2	3	4	4
35-49	509	4.4	104	2	2	3	3	5	8
50-69	0								
70 +	0								
	6238	**2.9**	**14**	**2**	**2**	**2**	**3**	**4**	**5**
0-17	1604	2.4	1	1	2	2	3	3	4
18-34	52613	2.2	1	1	2	2	3	3	3
35-49	6338	2.2	1	1	2	2	3	3	3
50-69	13	2.0							
70 +	0								
	60568	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**3**
	06806	**2.3**	**2**	**1**	**2**	**2**	**3**	**3**	**3**

DRG 374: Vaginal Delivery w/ Sterilization &/or D&C

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	26	18.0	204							0-17	26	11.0	37						
70-74	0									18-34	1231	3.7	9	2	2	3	4	5	7
75-79	0									35-49	398	4.4	17	3	3	3	4	5	9
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**26**	**18.0**	**204**								**1654**	**4.0**	**12**	**2**	**3**	**3**	**4**	**5**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	25	3.5								0-17	0								
70-74	0									18-34	10581	2.6	1	2	2	3	3	4	4
75-79	0									35-49	2519	2.8	1	2	2	3	3	4	4
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**25**	**3.5**									**13100**	**2.7**	**1**	**2**	**2**	**3**	**3**	**4**	**4**
GRAND TOTAL	**51**	**10.8**	**155**								**14754**	**2.8**	**2**	**2**	**2**	**3**	**3**	**4**	**4**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	1211	3.5	4	2	3	3	4	5	9	18-34	469	3.4	6	2	2	3	3	5	6
35-49	114	3.6	2	2	3	3	4	6	6	35-49	127	3.5		3	3	3	4	5	5
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1325**	**3.5**	**4**	**2**	**3**	**3**	**4**	**5**	**8**		**596**	**3.5**	**5**	**2**	**3**	**3**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	13	1.0								0-17	0								
18-34	6374	2.7	1	2	2	3	3	4	4	18-34	2219	2.7	1	2	2	3	3	3	4
35-49	669	2.9	1	2	2	3	3	4	5	35-49	671	2.8		2	2	3	3	4	4
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**7056**	**2.7**	**1**	**2**	**2**	**3**	**3**	**4**	**4**		**2890**	**2.7**	**1**	**2**	**2**	**3**	**3**	**3**	**4**
GRAND TOTAL	**8382**	**2.8**	**2**	**2**	**2**	**3**	**3**	**4**	**5**		**3486**	**2.8**	**2**	**2**	**2**	**3**	**3**	**4**	**4**

DRG 375: Vaginal Delivery w/ O.R. Proc except Steril &/or D&C

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	25	4.5	2						
35-49	12	2.0							
50-69	0								
70 +	0								
	38	**3.7**	**3**						
0-17	0								
18-34	164	2.8	2	1	2	2	4	4	6
35-49	13	1.0							
50-69	0								
70 +	0								
	177	**2.6**	**2**	**1**	**2**	**2**	**4**	**4**	**6**
	215	**2.8**	**2**	**1**	**2**	**2**	**4**	**6**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	64	4.4	4						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**64**	**4.4**	**4**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	38	2.3	1						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**38**	**2.3**	**1**						
GRAND TOTAL	**102**	**3.6**	**4**	**1**	**2**	**4**	**5**	**6**	**6**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	38	6.8	28						
35-49	0								
50-69	0								
70 +	0								
	38	**6.8**	**28**						
0-17	0								
18-34	64	4.0	6						
35-49	0								
50-69	0								
70 +	0								
	64	**4.0**	**6**						
	101	**5.0**	**16**	**1**	**2**	**3**	**8**	**14**	**14**

DRG 376: Postpartum & Post Abortion Diagnoses w/o O.R. Procedure

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	12	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**12**	**3.0**							
GRAND TOTAL	**12**	**3.0**							

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	2.3	1						
18-34	808	3.7	10	1	2	3	4	6	8
35-49	51	3.0	2						
50-69	0								
70 +	0								
	910	**3.6**	**9**	**1**	**2**	**3**	**4**	**6**	**8**
0-17	76	2.7	2	1	2	3	3	5	5
18-34	2339	3.3	10	1	2	3	4	5	8
35-49	432	3.4	5	1	2	3	4	6	9
50-69	0								
70 +	0								
	2847	**3.3**	**9**	**1**	**2**	**3**	**4**	**6**	**8**
	3757	**3.4**	**9**	**1**	**2**	**3**	**4**	**6**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	77	3.3	1	2	3	3	4	5	5
18-34	396	4.1	5	2	2	4	6	7	10
35-49	12	4.0							
50-69	0								
70 +	0								
SUBTOTAL	**485**	**4.0**	**4**	**2**	**3**	**4**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	141	3.0	2	1	2	3	4	4	5
18-34	1056	3.7	16	1	2	3	4	6	10
35-49	51	2.5	1						
50-69	0								
70 +	0								
SUBTOTAL	**1249**	**3.6**	**14**	**1**	**2**	**3**	**4**	**6**	**10**
GRAND TOTAL	**1734**	**3.7**	**11**	**1**	**2**	**3**	**4**	**6**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	394	4.8	76	1	2	3	5	7	8
35-49	13	5.0							
50-69	0								
70 +	0								
	407	**4.8**	**73**	**1**	**2**	**3**	**5**	**7**	**8**
0-17	63	2.8	1						
18-34	454	2.7	3	1	1	2	3	4	6
35-49	63	2.8	1						
50-69	0								
70 +	0								
	580	**2.7**	**3**	**1**	**1**	**3**	**4**	**4**	**6**
	987	**3.6**	**33**	**1**	**2**	**3**	**4**	**5**	**8**

DRG 377: Postpartum & Post Abortion Diagnoses w/ O.R. Procedure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	431	3.8	12	1	2	3	4	8	12
75-79	0									35-49	114	4.2	15	<1	2	3	5	14	14
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**545**	**3.9**	**13**	**1**	**2**	**3**	**5**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	12	1.0							
70-74	0									18-34	618	2.1	2	<1	1	1	3	4	5
75-79	0									35-49	90	2.0	1	<1	1	2	3	4	4
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**720**	**2.1**	**2**	**<1**	**1**	**1**	**3**	**4**	**5**
GRAND TOTAL	**0**										**1265**	**2.8**	**8**	**<1**	**1**	**2**	**4**	**5**	**7**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13	3.0								0-17	13	2.0							
18-34	279	3.5	8	1	2	3	5	5	10	18-34	76	3.6	4	2	2	2	5	7	7
35-49	38	2.7	6							35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**330**	**3.4**	**7**	**1**	**1**	**3**	**5**	**6**	**10**		**89**	**3.4**	**3**	**2**	**2**	**2**	**5**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	51	2.3	1							0-17	0								
18-34	394	3.2	8	1	1	2	5	7	9	18-34	228	1.8	1	1	1	1	3	3	4
35-49	25	1.0								35-49	25	1.0							
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**470**	**3.0**	**8**	**1**	**1**	**2**	**4**	**7**	**9**		**254**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**800**	**3.2**	**7**	**1**	**1**	**2**	**4**	**6**	**9**		**343**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 378: Ectopic Pregnancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	12	3.0								0-17	25	3.5							
70-74	0									18-34	1601	4.2	3	2	3	4	5	6	7
75-79	0									35-49	563	4.2	3	2	3	4	5	5	7
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**12**	**3.0**									**2189**	**4.2**	**3**	**2**	**3**	**4**	**5**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	12	3.0								0-17	88	3.6	1	2	3	3	5	5	5
70-74	0									18-34	4778	2.9	2	1	2	3	4	5	5
75-79	0									35-49	1641	3.0	3	1	1	3	4	5	5
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**12**	**3.0**									**6507**	**2.9**	**2**	**1**	**2**	**3**	**4**	**5**	**5**
GRAND TOTAL	**25**	**3.0**									**8696**	**3.3**	**3**	**1**	**2**	**3**	**4**	**5**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	12	5.0								0-17	12	4.0							
18-34	548	4.4	3	3	4	4	5	7	7	18-34	825	4.8	4	3	4	4	6	7	9
35-49	76	4.7	2	3	3	5	5	7	7	35-49	115	5.5	5	2	4	5	7	9	9
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**637**	**4.4**	**2**	**3**	**4**	**4**	**5**	**7**	**7**		**953**	**4.9**	**4**	**3**	**4**	**4**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	25	3.0	4							0-17	64	1.4							
18-34	1308	3.5	2	1	2	4	4	5	6	18-34	1798	3.2	2	1	2	4	4	5	5
35-49	25	4.0								35-49	280	2.8	2	1	1	3	4	4	4
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1359**	**3.6**	**2**	**1**	**2**	**4**	**4**	**5**	**6**		**2142**	**3.1**	**2**	**1**	**2**	**3**	**4**	**5**	**5**
GRAND TOTAL	**1995**	**3.8**	**2**	**1**	**3**	**4**	**5**	**5**	**7**		**3094**	**3.6**	**4**	**1**	**2**	**4**	**5**	**6**	**7**

DRG 379: Threatened Abortion

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	51	3.3	8						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**51**	**3.3**	**8**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	139	1.5	1	1	1	1	1	3	4
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**139**	**1.5**	**1**	**1**	**1**	**1**	**1**	**3**	**4**
GRAND TOTAL	**190**	**1.9**	**4**	**1**	**1**	**1**	**3**	**4**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	77	3.3	10	1	1	1	4	10	10
18-34	3379	4.9	31	1	2	3	6	12	16
35-49	590	7.1	67	1	2	5	9	16	18
50-69	0								
70 +	0								
	4046	**5.2**	**37**	**1**	**2**	**3**	**6**	**12**	**17**
0-17	497	2.9	12	< 1	< 1	2	3	7	12
18-34	13776	3.0	28	< 1	1	1	3	6	10
35-49	2264	3.5	38	< 1	1	2	4	8	11
50-69	0								
70 +	0								
	16537	**3.1**	**29**	**< 1**	**1**	**1**	**3**	**6**	**10**
	20583	**3.5**	**31**	**< 1**	**1**	**2**	**3**	**7**	**12**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	385	1.7	2	< 1	< 1	1	2	4	4
18-34	2188	3.5	20	< 1	1	2	4	8	12
35-49	116	2.0	1	< 1	1	1	3	4	4
50-69	0								
70 +	0								
SUBTOTAL	**2689**	**3.2**	**17**	**< 1**	**1**	**2**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	855	1.8	3	< 1	< 1	1	2	3	5
18-34	6915	2.0	5	< 1	< 1	1	2	4	6
35-49	331	1.8	2	< 1	1	1	2	3	5
50-69	0								
70 +	0								
SUBTOTAL	**8102**	**2.0**	**5**	**< 1**	**< 1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**10791**	**2.3**	**5**	**< 1**	**< 1**	**1**	**2**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	77	3.7	22	< 1	1	2	3	14	14
18-34	1189	4.2	36	< 1	1	2	5	9	13
35-49	141	6.7	51	1	2	3	13	15	24
50-69	0								
70 +	0								
	1408	**4.4**	**37**	**< 1**	**1**	**2**	**5**	**12**	**14**
0-17	178	1.9	1	< 1	1	1	2	3	5
18-34	4227	2.3	8	< 1	1	1	3	5	6
35-49	343	1.9	2	< 1	1	1	3	4	5
50-69	0								
70 +	0								
	4748	**2.2**	**7**	**< 1**	**1**	**1**	**3**	**5**	**6**
	6156	**2.7**	**15**	**< 1**	**1**	**1**	**3**	**6**	**8**

DRG 380: Abortion w/o D&C

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	13	5.0								0-17	13	4.0							
70-74	0									18-34	255	3.0	10	1	1	2	3	5	6
75-79	0									35-49	76	2.8	4	1	1	3	5	5	5
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**13**	**5.0**									**344**	**3.0**	**8**	**1**	**1**	**2**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	25	1.5								0-17	116	1.2		1	1	1	1	2	2
70-74	0									18-34	2013	1.4	1	< 1	1	1	2	2	3
75-79	0									35-49	537	1.3	1	< 1	1	1	1	2	2
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**25**	**1.5**									**2665**	**1.4**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**38**	**2.7**	**3**								**3010**	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	2.7	3							0-17	26	3.0	4						
18-34	102	4.9	22	1	1	2	10	14	14	18-34	155	3.2	8	1	1	2	4	9	9
35-49	25	3.0	4							35-49	51	2.0	3						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**166**	**4.1**	**16**	**1**	**1**	**2**	**5**	**10**	**14**		**231**	**2.9**	**6**	**< 1**	**1**	**2**	**4**	**9**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	335	1.3		1	1	1	2	2	3	0-17	141	1.5		1	1	1	2	2	3
18-34	676	1.9	2	1	1	1	2	3	6	18-34	841	1.7	1	< 1	1	1	2	4	4
35-49	128	1.6	1	< 1	< 1	1	2	4	4	35-49	242	1.4		< 1	1	1	2	3	3
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1140**	**1.7**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**		**1224**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1306**	**2.0**	**4**	**< 1**	**1**	**1**	**2**	**4**	**6**		**1455**	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**

DRG 381: Abortion w/ D&C, Aspiration Curettage or Hysterotomy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	13	2.0								0-17	25	1.5							
70-74	0									18-34	828	2.2	6	1	1	1	2	4	6
75-79	0									35-49	422	2.5	8	1	1	2	2	4	11
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**13**	**2.0**									**1275**	**2.3**	**6**	**1**	**1**	**1**	**2**	**4**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	64	1.2								0-17	227	1.2	1	< 1	1	1	1	2	4
70-74	0									18-34	10438	1.1		< 1	< 1	1	1	1	2
75-79	0									35-49	4478	1.2		< 1	< 1	1	1	1	2
80-84	0									50-69	12	1.0							
85 +	0									70 +	0								
SUBTOTAL	**64**	**1.2**									**15156**	**1.1**		**< 1**	**< 1**	**1**	**1**	**1**	**2**
GRAND TOTAL	**77**	**1.3**		**< 1**	**1**	**1**	**2**	**2**	**2**		**16431**	**1.2**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**2**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13	1.0								0-17	63	2.6	3						
18-34	448	2.2	3	1	1	2	3	4	5	18-34	397	2.0	5	1	1	1	3	3	4
35-49	77	1.8		1	1	2	2	3	3	35-49	191	2.4	4	< 1	< 1	2	3	5	8
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**538**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**4**		**651**	**2.2**	**4**	**< 1**	**1**	**1**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	886	1.0		< 1	< 1	< 1	1	1	1	0-17	216	1.5	1	< 1	< 1	1	1	3	4
18-34	3054	1.3	1	< 1	< 1	1	1	2	3	18-34	5066	1.3	1	< 1	< 1	1	1	2	3
35-49	513	1.3	1	< 1	< 1	1	1	2	2	35-49	1479	1.2		< 1	1	1	1	2	3
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**4453**	**1.2**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**		**6761**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**4991**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**		**7411**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

DRG 382: False Labor

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	26	1.0								0-17	103	1.2		< 1	< 1	< 1	< 1	3	3
70-74	0									18-34	613	1.7	3	< 1	< 1	1	1	4	8
75-79	0									35-49	89	2.0	1	< 1	< 1	2	3	3	3
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**26**	**1.0**									**805**	**1.7**	**3**	**< 1**	**< 1**	**1**	**1**	**3**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	64	1.0								0-17	357	1.0		< 1	< 1	< 1	1	1	1
70-74	0									18-34	9687	1.2	1	< 1	< 1	< 1	1	1	2
75-79	0									35-49	1305	1.3	2	< 1	< 1	< 1	< 1	1	1
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**64**	**1.0**									**11349**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**
GRAND TOTAL	**90**	**1.0**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**		**12154**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	129	1.0		< 1	< 1	< 1	< 1	< 1	< 1	0-17	12	1.0							
18-34	576	1.3	1	< 1	< 1	1	1	2	3	18-34	102	2.0	4	< 1	< 1	< 1	1	7	7
35-49	13	1.0								35-49	12	1.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**718**	**1.2**		**< 1**	**< 1**	**< 1**	**1**	**2**	**3**		**127**	**1.8**	**3**	**< 1**	**< 1**	**< 1**	**1**	**3**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	716	1.1		< 1	< 1	< 1	1	1	2	0-17	165	1.0		< 1	< 1	< 1	< 1	< 1	1
18-34	6289	1.1	1	< 1	< 1	< 1	1	1	1	18-34	2135	1.1		< 1	< 1	< 1	1	1	1
35-49	192	1.0		< 1	< 1	< 1	1	1	1	35-49	214	1.0		< 1	< 1	< 1	1	1	1
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**7198**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**		**2515**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**
GRAND TOTAL	**7915**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**		**2642**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**

DRG 383: Other Antepartum Diagnoses w/ Medical Complications

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	193	7.2	251	< 1	2	3	5	7	66	0-17	500	3.4	7	< 1	< 1	3	5	7	8
70-74	0									18-34	7891	3.8	22	< 1	1	3	5	7	10
75-79	0									35-49	1103	4.1	14	1	2	3	4	10	12
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**193**	**7.2**	**251**	**< 1**	**2**	**3**	**5**	**7**	**66**		**9493**	**3.8**	**20**	**< 1**	**1**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	64	5.2	27							0-17	572	2.9	41	< 1	1	1	3	5	5
70-74	0									18-34	14885	2.9	11	< 1	1	2	4	6	7
75-79	0									35-49	2059	3.3	17	< 1	1	2	4	7	9
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**64**	**5.2**	**27**								**17516**	**2.9**	**13**	**< 1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**257**	**6.7**	**196**	**< 1**	**2**	**3**	**5**	**12**	**45**		**27010**	**3.2**	**16**	**< 1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	718	2.3	4	< 1	< 1	1	3	6	6	0-17	178	2.6	3	< 1	1	2	3	5	6
18-34	5801	3.4	20	< 1	< 1	2	4	7	10	18-34	2399	3.5	10	< 1	1	3	4	6	9
35-49	230	5.4	60	< 1	1	2	6	25	27	35-49	393	4.0	11	< 1	2	3	5	6	10
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**6749**	**3.4**	**20**	**< 1**	**< 1**	**2**	**4**	**7**	**9**		**2970**	**3.5**	**10**	**< 1**	**1**	**3**	**5**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	779	2.1	5	< 1	< 1	1	2	4	6	0-17	178	2.7	3	1	1	2	4	4	7
18-34	8179	2.3	6	< 1	< 1	1	3	5	6	18-34	3437	2.8	7	< 1	1	2	3	5	6
35-49	563	2.8	4	< 1	1	3	4	5	6	35-49	407	4.1	17	< 1	1	3	6	9	12
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**9520**	**2.3**	**6**	**< 1**	**< 1**	**1**	**3**	**5**	**6**		**4021**	**2.9**	**8**	**< 1**	**1**	**2**	**4**	**5**	**8**
GRAND TOTAL	**16269**	**2.7**	**12**	**< 1**	**< 1**	**2**	**3**	**5**	**7**		**6991**	**3.2**	**9**	**< 1**	**1**	**2**	**4**	**6**	**8**

DRG 384: Other Antepartum Diagnoses w/o Medical Complications

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	25	3.0	4							0-17	26	1.0							
70-74	0									18-34	916	4.6	61	< 1	1	2	5	11	16
75-79	0									35-49	268	7.4	91	1	1	4	6	25	27
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	25	3.0	4								1210	5.1	68	< 1	1	2	5	13	25
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	51	4.0	28							0-17	192	1.4		< 1	< 1	< 1	2	2	3
70-74	0									18-34	11548	1.9	7	< 1	< 1	1	2	4	6
75-79	0									35-49	2484	1.8	2	< 1	< 1	1	2	3	4
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	51	4.0	28								14224	1.9	6	< 1	< 1	1	2	4	5
GRAND TOTAL	76	3.7	20	< 1	< 1	1	5	13	13		15434	2.2	12	< 1	< 1	1	2	4	6

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	25	2.5								0-17	13	2.0							
18-34	536	2.5	7	< 1	< 1	2	3	4	9	18-34	317	2.6	6	< 1	< 1	2	3	5	5
35-49	0									35-49	25	4.0	1						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	562	2.5	6	< 1	< 1	2	3	4	9		355	2.7	6	< 1	< 1	2	3	5	5
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	409	2.3	7	< 1	< 1	1	2	4	11	0-17	102	2.6	7	< 1	< 1	1	4	9	9
18-34	4182	1.9	9	< 1	< 1	1	2	3	5	18-34	2604	1.8	5	< 1	< 1	1	2	3	4
35-49	216	1.8	2	< 1	1	1	3	4	6	35-49	416	2.0	5	< 1	1	1	2	3	6
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	4808	1.9	8	< 1	< 1	1	2	3	5		3121	1.8	5	< 1	< 1	1	2	3	4
GRAND TOTAL	5370	2.0	8	< 1	< 1	1	2	4	5		3476	1.9	5	< 1	< 1	1	2	3	5

DRG 386: Extreme Immaturity or Respiratory Distress Syndrome, Neonate

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	464	79.0	173	71	78	99 +	99 +	99 +	99 +
1000-1499	1288	56.4	291	36	45	56	68	85	95
1500-1749	760	37.3	146	23	30	36	44	52	57
1750-2499	1583	22.3	227	10	12	18	29	41	62
2500 +	1504	11.2	85	4	5	10	13	18	29
	5599	**33.9**	**652**	**8**	**12**	**33**	**62**	**97**	**99 +**
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	26	32.0	650						
2500 +	13	1.0							
	39	**21.7**	**647**						
	5638	**33.8**	**653**	**7**	**12**	**33**	**62**	**97**	**99 +**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	271	75.9	279	65	79	98	99 +	99 +	99 +
1000-1499	542	57.7	322	42	48	64	97	99 +	99 +
1500-1749	180	36.7	248	22	26	36	52	75	99 +
1750-2499	398	21.8	111	7	14	22	31	35	38
2500 +	231	11.0	88	4	6	8	10	32	39
SUBTOTAL	**1622**	**42.9**	**734**	**9**	**26**	**51**	**91**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	13	37.0							
1500-1749	0								
1750-2499	0								
2500 +	26	11.5	59						
SUBTOTAL	**39**	**20.0**	**187**						
GRAND TOTAL	**1661**	**42.4**	**733**	**8**	**26**	**50**	**88**	**99 +**	**99 +**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	64	62.8	424	26	68	88	99 +	99 +	99 +
1000-1499	168	58.1	318	39	49	55	61	90	96
1500-1749	129	34.2	26	28	30	33	39	41	42
1750-2499	282	15.0	53	4	10	17	19	23	24
2500 +	421	6.2	20	< 1	2	6	9	12	13
	1065	**23.5**	**534**	**2**	**6**	**17**	**39**	**71**	**96**
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	13	9.0							
	13	**9.0**							
	1077	**23.4**	**530**	**2**	**6**	**17**	**39**	**71**	**96**

DRG 387: Prematurity w/ Major Problems

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	26	72.0	126						
1000-1499	670	45.7	205	28	36	45	55	69	76
1500-1749	476	30.3	245	12	19	28	42	58	67
1750-2499	3892	14.4	115	5	7	13	19	26	33
2500 +	2368	7.7	46	3	[illegible]	6	9	14	20
	7432	**16.3**	**236**	**4**	**6**	**11**	**21**	**41**	**54**
1-999	0								
1000-1499	39	32.0	300						
1500-1749	64	25.0	82						
1750-2499	537	11.2	74	2	5	8	15	23	29
2500 +	433	8.0	116	2	3	4	7	18	38
	1073	**11.5**	**130**	**2**	**4**	**7**	**15**	**29**	**38**
	8506	**15.7**	**225**	**4**	**6**	**10**	**20**	**38**	**50**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	13	81.0							
1000-1499	297	43.9	236	27	35	41	56	99 +	99 +
1500-1749	334	30.1	186	14	21	30	34	49	56
1750-2499	1336	15.7	100	5	8	15	20	31	36
2500 +	818	10.4	152	2	4	6	9	29	41
SUBTOTAL	**2797**	**19.2**	**264**	**4**	**7**	**15**	**29**	**43**	**56**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	26	30.0	126						
1500-1749	13	14.0							
1750-2499	296	14.5	35	7	10	15	20	23	25
2500 +	141	12.3	132	3	4	7	18	34	35
SUBTOTAL	**475**	**14.7**	**82**	**4**	**8**	**14**	**19**	**25**	**35**
GRAND TOTAL	**3272**	**18.5**	**240**	**4**	**7**	**15**	**27**	**41**	**56**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	64	46.6	155						
1500-1749	103	25.1	102	10	18	25	28	46	46
1750-2499	835	12.8	89	3	6	11	18	25	27
2500 +	574	6.1	29	2	3	5	7	10	11
	1576	**12.5**	**144**	**3**	**4**	**8**	**17**	**27**	**37**
1-999	0								
1000-1499	0								
1500-1749	39	24.7	333						
1750-2499	116	7.0	20	1	3	7	9	16	16
2500 +	64	5.6	7						
	219	**9.7**	**119**	**1**	**5**	**7**	**9**	**19**	**49**
	1795	**12.2**	**141**	**3**	**5**	**8**	**16**	**27**	**38**

DRG 388: Prematurity w/o Major Problems

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	13	69.0							
1500-1749	0								
1750-2499	90	11.1	19	6	6	12	15	17	17
2500 +	38	8.7	6						
	141	**15.8**	**302**	**6**	**7**	**12**	**15**	**17**	**69**
1-999	0								
1000-1499	39	32.7	6						
1500-1749	115	19.4	50	11	15	17	20	37	37
1750-2499	3041	5.9	25	2	3	4	8	13	15
2500 +	3853	3.3	4	2	2	3	4	5	6
	7047	**4.8**	**23**	**2**	**2**	**3**	**5**	**10**	**14**
	7188	**5.1**	**31**	**2**	**2**	**3**	**5**	**10**	**15**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	12	4.0							
SUBTOTAL	**12**	**4.0**							
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	13	21.0							
1500-1749	102	22.4	143	7	15	18	39	42	42
1750-2499	1453	6.4	27	2	3	5	8	14	18
2500 +	940	3.3	5	2	2	2	4	5	9
SUBTOTAL	**2509**	**6.0**	**39**	**2**	**2**	**4**	**7**	**13**	**18**
GRAND TOTAL	**2521**	**6.0**	**38**	**2**	**2**	**4**	**7**	**13**	**18**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	52	7.3	40						
2500 +	0								
	52	**7.3**	**40**						
1-999	0								
1000-1499	12	17.0							
1500-1749	51	13.3	27						
1750-2499	1451	5.9	28	2	2	4	8	12	15
2500 +	1152	4.0	10	2	2	3	5	7	10
	2666	**5.2**	**23**	**2**	**2**	**3**	**7**	**11**	**14**
	2718	**5.3**	**23**	**2**	**2**	**3**	**7**	**11**	**15**

DRG 389: Full Term Neonate w/ Major Problems

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	13	63.0							
1000-1499	0									1000-1499	77	34.7	442	9	15	30	58	66	66
1500-1749	0									1500-1749	77	26.0	71	19	20	24	25	44	44
1750-2499	0									1750-2499	976	8.1	49	2	4	6	11	17	21
2500 +	0									2500 +	21194	5.4	38	2	3	4	6	10	13
SUBTOTAL	**0**										**22338**	**5.7**	**47**	**2**	**3**	**4**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	0									1750-2499	243	4.3	5	1	2	4	6	8	9
2500 +	0									2500 +	5720	3.8	13	1	2	3	4	6	9
SUBTOTAL	**0**										**5963**	**3.8**	**13**	**1**	**2**	**3**	**5**	**6**	**9**
GRAND TOTAL	**0**										**28301**	**5.3**	**40**	**2**	**2**	**4**	**6**	**9**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	0								
1000-1499	39	32.0	101							1000-1499	0								
1500-1749	13	12.0								1500-1749	0								
1750-2499	514	10.5	111	3	4	6	14	20	31	1750-2499	231	14.1	380	3	5	9	14	22	90
2500 +	5731	6.0	45	2	3	4	7	11	19	2500 +	6088	4.6	13	2	3	4	5	8	11
SUBTOTAL	**6297**	**6.5**	**56**	**2**	**3**	**4**	**7**	**13**	**24**		**6319**	**4.9**	**30**	**2**	**3**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	13	42.0							
1500-1749	26	15.0								1500-1749	13	3.0							
1750-2499	219	6.9	46	2	3	4	6	17	27	1750-2499	89	7.6	26	3	4	5	12	18	18
2500 +	2705	5.7	49	2	2	3	5	12	22	2500 +	1873	3.9	15	1	2	3	4	6	8
SUBTOTAL	**2950**	**5.9**	**49**	**2**	**2**	**4**	**6**	**14**	**22**		**1988**	**4.3**	**26**	**2**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**9247**	**6.3**	**54**	**2**	**2**	**4**	**7**	**13**	**23**		**8307**	**4.8**	**29**	**2**	**2**	**4**	**5**	**8**	**12**

DRG 390: Neonate w/ Other Significant Problems

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	25	3.5	2						
SUBTOTAL	**25**	**3.5**	**2**						
GRAND TOTAL	**25**	**3.5**	**2**						

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	13	44.0							
1500-1749	0								
1750-2499	64	6.6	11						
2500 +	1232	4.8	19	2	2	4	5	10	13
	1308	**5.3**	**33**	**2**	**2**	**4**	**6**	**10**	**13**
1-999	0								
1000-1499	13	7.0							
1500-1749	13	15.0							
1750-2499	2552	4.5	26	2	2	3	5	7	13
2500 +	46472	3.1	3	2	2	3	4	5	5
	49050	**3.1**	**4**	**2**	**2**	**3**	**4**	**5**	**6**
	50358	**3.2**	**5**	**2**	**2**	**3**	**4**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	281	7.8	77	2	2	4	12	15	18
SUBTOTAL	**281**	**7.8**	**77**	**2**	**2**	**4**	**12**	**15**	**18**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	1402	4.4	22	2	2	3	4	8	16
2500 +	14757	3.2	10	2	2	3	4	5	7
SUBTOTAL	**16159**	**3.3**	**11**	**2**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**16440**	**3.4**	**12**	**2**	**2**	**3**	**4**	**6**	**8**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	232	4.8	10	2	2	4	5	11	14
	232	**4.8**	**10**	**2**	**2**	**4**	**5**	**11**	**14**
1-999	0								
1000-1499	0								
1500-1749	13	14.0							
1750-2499	1062	4.1	10	2	2	3	5	7	9
2500 +	15981	3.2	4	2	2	3	4	5	7
	17056	**3.3**	**5**	**2**	**2**	**3**	**4**	**5**	**7**
	17287	**3.3**	**5**	**2**	**2**	**3**	**4**	**5**	**7**

DRG 391: Normal Newborn

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	0									1750-2499	0								
2500 +	0									2500 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	25	3.0	1							1750-2499	3225	3.0	3	2	2	3	4	5	5
2500 +	240	2.5	1	1	2	2	3	5	5	2500 +	282276	2.6	1	2	2	2	3	4	5
SUBTOTAL	**265**	**2.6**	**1**	**1**	**2**	**2**	**3**	**4**	**5**		**285500**	**2.6**	**1**	**2**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**265**	**2.6**	**1**	**1**	**2**	**2**	**3**	**4**	**5**		**285500**	**2.6**	**1**	**2**	**2**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	0									1750-2499	0								
2500 +	0									2500 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	12	25.0								1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	1476	3.0	6	1	2	2	3	5	6	1750-2499	1290	2.9	2	2	2	3	3	5	6
2500 +	73495	2.5	2	1	2	2	3	4	5	2500 +	105045	2.7	2	2	2	2	3	4	5
SUBTOTAL	**74983**	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**5**		**106334**	**2.7**	**2**	**2**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**74983**	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**5**		**106334**	**2.7**	**2**	**2**	**2**	**2**	**3**	**4**	**5**

DRG 392: Splenectomy Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	139	12.5	60	6	7	10	14	27	29
70-74	51	17.1	26						
75-79	51	12.2	4						
80-84	25	21.5	190						
85 +	38	46.4	557						
SUBTOTAL	**304**	**18.2**	**236**	**7**	**9**	**13**	**23**	**35**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	37	6.7	15						
70-74	38	6.3	1						
75-79	13	8.0							
80-84	0								
85 +	13	8.0							
SUBTOTAL	**101**	**6.9**	**6**	**4**	**5**	**7**	**8**	**12**	**12**
GRAND TOTAL	**405**	**15.4**	**202**	**6**	**7**	**10**	**18**	**29**	**36**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	190	10.6	41	6	6	7	14	22	27
35-49	228	10.9	34	6	7	8	13	21	28
50-69	217	10.1	18	6	7	8	11	15	22
70 +	25	11.5							
	660	**10.6**	**30**	**6**	**7**	**8**	**13**	**17**	**22**
0-17	0								
18-34	102	5.3	2	4	5	5	5	9	9
35-49	101	5.9	3	4	4	5	7	9	9
50-69	90	7.4	8	2	7	8	8	12	12
70 +	12	13.0							
	305	**6.4**	**7**	**4**	**5**	**6**	**8**	**9**	**12**
	965	**9.2**	**26**	**5**	**6**	**8**	**11**	**15**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	52	15.5	76						
35-49	38	8.3							
50-69	0								
70 +	0								
SUBTOTAL	**89**	**12.5**	**56**	**8**	**8**	**8**	**17**	**29**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	39	6.0	1						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**39**	**6.0**	**1**						
GRAND TOTAL	**128**	**10.5**	**48**	**5**	**7**	**8**	**9**	**24**	**29**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	101	11.2	51	6	7	10	12	29	29
35-49	37	7.0	2						
50-69	50	12.8	6						
70 +	13	19.0							
	202	**11.3**	**35**	**6**	**7**	**10**	**15**	**19**	**29**
0-17	0								
18-34	64	6.2	7						
35-49	13	7.0							
50-69	0								
70 +	0								
	76	**6.3**	**6**	**3**	**4**	**7**	**8**	**10**	**10**
	278	**9.9**	**32**	**6**	**6**	**9**	**12**	**15**	**19**

DRG 393: Splenectomy Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	139	9.4	14	6	6	9	12	14	17
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**139**	**9.4**	**14**	**6**	**6**	**9**	**12**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	257	5.6	2	4	4	5	6	8	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**257**	**5.6**	**2**	**4**	**4**	**5**	**6**	**8**	**9**
GRAND TOTAL	**0**										**396**	**7.0**	**10**	**4**	**5**	**6**	**8**	**11**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	38	4.7	1							0-17	25	5.9	9						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**38**	**4.7**	**1**								**25**	**5.9**	**9**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	38	5.0	1							0-17	51	5.2	5						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**38**	**5.0**	**1**								**51**	**5.2**	**5**						
GRAND TOTAL	**76**	**4.8**	**1**	**4**	**4**	**5**	**6**	**6**	**6**		**76**	**5.5**	**7**	**3**	**3**	**4**	**9**	**9**	**9**

DRG 394: Other O.R. Procedures of the Blood And Blood Forming Organs

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	128	13.5	213	<1	1	9	26	40	42	0-17	128	9.3	52	1	2	9	14	21	26
70-74	38	4.3	2							18-34	90	5.3	29	1	1	4	8	17	17
75-79	38	4.7	8							35-49	88	6.8	13	1	5	7	8	14	14
80-84	0									50-69	179	10.7	140	2	2	7	9	33	42
85 +	0									70 +	13	9.0							
SUBTOTAL	**204**	**10.1**	**154**	**1**	**2**	**6**	**9**	**42**	**99 +**		**499**	**8.6**	**75**	**1**	**2**	**7**	**9**	**17**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	51	1.3								0-17	616	4.1	12	1	1	3	6	11	12
70-74	64	4.0	7							18-34	332	3.9	14	1	1	2	6	9	11
75-79	64	7.1	55							35-49	219	2.7	11	1	1	1	2	9	13
80-84	12	1.0								50-69	267	4.2	7	1	2	4	6	7	8
85 +	13	1.0								70 +	25	1.0							
SUBTOTAL	**203**	**3.9**	**25**	**1**	**1**	**2**	**4**	**9**	**21**		**1460**	**3.8**	**11**	**1**	**1**	**2**	**6**	**9**	**12**
GRAND TOTAL	**408**	**7.0**	**99**	**1**	**1**	**3**	**8**	**26**	**42**		**1959**	**5.0**	**32**	**1**	**1**	**3**	**7**	**11**	**14**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	103	30.9	301	3	12	40	45	47	47	0-17	77	10.2	46	<1	5	9	16	21	21
18-34	0									18-34	0								
35-49	13	47.0								35-49	39	9.3	18						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**116**	**32.7**	**293**	**3**	**18**	**41**	**46**	**47**	**47**		**116**	**9.9**	**37**	**<1**	**5**	**8**	**15**	**21**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	359	4.8	25	1	1	2	7	11	15	0-17	180	3.2	6	1	1	3	6	7	8
18-34	51	7.0	53							18-34	125	2.3	3	<1	1	2	2	7	7
35-49	13	7.0								35-49	13	3.0							
50-69	13	4.0								50-69	0								
70 +	0									70 +	12	1.0							
SUBTOTAL	**436**	**5.1**	**27**	**1**	**1**	**3**	**7**	**11**	**19**		**331**	**2.8**	**5**	**<1**	**1**	**2**	**3**	**7**	**7**
GRAND TOTAL	**552**	**10.9**	**209**	**1**	**2**	**5**	**11**	**41**	**46**		**447**	**4.6**	**23**	**<1**	**1**	**3**	**7**	**11**	**16**

DRG 395: Red Blood Cell Disorders Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2447	5.7	27	1	2	4	8	13	16	0-17	0								
70-74	2120	6.3	35	1	2	4	8	14	19	18-34	602	9.4	139	1	2	7	10	20	25
75-79	2284	6.4	47	1	2	4	8	14	18	35-49	764	7.0	43	1	2	4	10	19	22
80-84	1636	6.5	30	1	2	5	10	15	20	50-69	2058	6.4	44	1	2	4	8	15	20
85 +	2377	7.9	96	2	3	5	10	15	20	70 +	114	6.5	28	1	3	4	10	17	17
SUBTOTAL	**10865**	**6.6**	**49**	**1**	**2**	**5**	**9**	**14**	**18**		**3538**	**7.1**	**60**	**1**	**2**	**5**	**9**	**16**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1022	5.3	17	1	2	4	8	11	13	0-17	0								
70-74	561	5.4	29	1	2	3	9	11	14	18-34	539	5.2	30	1	2	4	7	8	20
75-79	708	5.4	14	1	2	5	8	11	13	35-49	545	3.4	6	1	2	3	4	6	8
80-84	800	4.0	11	1	1	3	6	7	11	50-69	518	3.2	5	1	1	3	4	6	6
85 +	809	6.3	26	1	2	6	8	12	15	70 +	50	4.3	10						
SUBTOTAL	**3900**	**5.3**	**19**	**1**	**2**	**4**	**8**	**11**	**13**		**1651**	**4.0**	**14**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**14765**	**6.2**	**42**	**1**	**2**	**5**	**8**	**13**	**17**		**5189**	**6.1**	**48**	**1**	**2**	**4**	**7**	**14**	**20**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	448	6.8	19	1	3	6	10	13	16	18-34	267	9.6	82	2	3	7	14	21	32
35-49	215	7.7	34	4	5	6	8	14	28	35-49	269	7.6	57	3	4	6	6	11	29
50-69	396	6.6	53	2	3	5	7	12	22	50-69	357	5.0	17	1	2	4	8	10	16
70 +	101	6.2	38	1	2	5	8	99 +	99 +	70 +	102	14.6	264	2	8	9	18	55	55
SUBTOTAL	**1160**	**6.8**	**35**	**2**	**3**	**6**	**8**	**13**	**21**		**996**	**7.9**	**79**	**1**	**3**	**5**	**9**	**17**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	866	5.2	14	1	2	4	8	10	12	18-34	684	5.7	37	2	2	4	6	11	15
35-49	166	6.5	23	2	2	6	8	14	18	35-49	295	5.6	19	1	2	5	7	12	16
50-69	76	5.2	3	3	4	5	7	8	8	50-69	266	3.8	9	1	1	3	6	7	9
70 +	0									70 +	26	3.5							
SUBTOTAL	**1109**	**5.4**	**15**	**1**	**3**	**4**	**8**	**10**	**12**		**1270**	**5.2**	**27**	**1**	**2**	**4**	**6**	**10**	**14**
GRAND TOTAL	**2269**	**6.1**	**26**	**2**	**3**	**5**	**8**	**12**	**15**		**2266**	**6.4**	**51**	**1**	**2**	**4**	**8**	**14**	**18**

DRG 396: Red Blood Cell Disorders Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	13	1.0								0-17	1238	5.7	41	1	1	4	7	13	19
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**13**	**1.0**									**1238**	**5.7**	**41**	**1**	**1**	**4**	**7**	**13**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	2186	3.3	6	1	1	3	4	7	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**2186**	**3.3**	**6**	**1**	**1**	**3**	**4**	**7**	**9**
GRAND TOTAL	**13**	**1.0**									**3424**	**4.2**	**20**	**1**	**1**	**3**	**5**	**9**	**11**

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1185	5.7	18	2	3	5	7	11	14	0-17	426	5.0	9	1	3	5	6	8	12
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1185**	**5.7**	**18**	**2**	**3**	**5**	**7**	**11**	**14**		**426**	**5.0**	**9**	**1**	**3**	**5**	**6**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3595	3.7	6	1	2	3	5	7	9	0-17	1405	3.9	6	1	2	3	5	8	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**3595**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**9**		**1405**	**3.9**	**6**	**1**	**2**	**3**	**5**	**8**	**8**
GRAND TOTAL	**4780**	**4.2**	**10**	**1**	**2**	**3**	**5**	**8**	**10**		**1831**	**4.1**	**7**	**1**	**2**	**3**	**6**	**8**	**8**

DRG 397: Coagulation Disorders

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	421	7.8	43	2	4	6	9	17	22
70-74	447	10.9	129	1	3	6	18	32	43
75-79	455	15.4	352	3	5	9	15	41	76
80-84	293	6.7	8	4	4	7	8	10	11
85 +	253	11.1	95	3	5	8	13	29	34
SUBTOTAL	**1870**	**10.7**	**150**	**2**	**4**	**6**	**12**	**25**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	153	7.0	31	2	3	4	9	16	20
70-74	126	5.6	5	2	4	6	8	8	8
75-79	163	4.1	4	1	3	4	6	7	7
80-84	51	6.0	6						
85 +	63	3.6	3						
SUBTOTAL	**555**	**5.4**	**13**	**2**	**3**	**5**	**7**	**8**	**10**
GRAND TOTAL	**2425**	**9.4**	**123**	**2**	**4**	**6**	**10**	**23**	**32**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	669	3.2	20	< 1	1	1	3	8	11
18-34	193	3.1	2	1	2	3	5	5	6
35-49	334	6.0	20	2	3	5	7	9	12
50-69	394	6.2	31	< 1	2	5	8	14	21
70 +	12	7.0							
	1602	**4.5**	**22**	**< 1**	**1**	**3**	**6**	**9**	**13**
0-17	1823	2.8	9	1	1	2	3	5	8
18-34	280	3.2	6	1	1	2	5	7	8
35-49	167	3.4	3	2	2	3	4	6	8
50-69	269	5.3	13	2	3	3	7	12	12
70 +	13	8.0							
	2551	**3.2**	**9**	**1**	**1**	**2**	**4**	**7**	**10**
	4153	**3.7**	**15**	**1**	**1**	**2**	**5**	**8**	**11**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	270	4.6	18	1	2	3	7	9	10
18-34	154	16.1	426	4	5	7	15	26	80
35-49	103	6.0	18	1	3	5	8	15	15
50-69	51	8.8	20						
70 +	13	23.0							
SUBTOTAL	**591**	**8.6**	**151**	**1**	**3**	**5**	**10**	**19**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	862	3.5	10	1	2	3	4	6	9
18-34	128	5.8	29	2	2	4	7	17	21
35-49	38	3.4	3						
50-69	13	7.0							
70 +	0								
SUBTOTAL	**1042**	**3.8**	**13**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**1632**	**5.5**	**68**	**1**	**2**	**3**	**6**	**11**	**19**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	373	2.9	7	1	1	2	3	8	9
18-34	89	5.2	17	2	3	4	6	15	15
35-49	88	6.9	62	1	1	4	8	25	25
50-69	114	8.2	32	3	5	6	9	23	23
70 +	13	14.0							
	678	**4.8**	**26**	**1**	**1**	**3**	**6**	**10**	**15**
0-17	605	3.2	6	1	2	2	4	6	9
18-34	90	2.3	2	1	1	2	3	5	5
35-49	64	2.8	1						
50-69	62	3.6	6						
70 +	0								
	820	**3.1**	**5**	**1**	**2**	**2**	**4**	**6**	**7**
	1498	**3.9**	**15**	**1**	**2**	**3**	**5**	**8**	**11**

DRG 398: Reticuloendothelial & Immunity Disorders w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1042	7.7	47	2	4	6	9	15	18
70-74	586	8.4	34	3	4	7	11	16	18
75-79	432	9.4	60	2	4	8	12	16	32
80-84	420	8.9	69	2	4	7	11	21	45
85 +	151	10.0	24	4	6	9	14	16	18
SUBTOTAL	**2631**	**8.5**	**49**	**2**	**4**	**7**	**11**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2631**	**8.5**	**49**	**2**	**4**	**7**	**11**	**16**	**21**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	2407	7.3	34	2	3	6	10	15	18
18-34	749	6.9	44	< 1	2	6	8	14	24
35-49	741	5.3	7	2	4	5	7	9	11
50-69	1272	7.5	26	3	4	7	9	13	17
70 +	88	8.0	10	5	5	9	9	14	14
	5258	**7.0**	**29**	**2**	**4**	**6**	**9**	**13**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5258	**7.0**	**29**	**2**	**4**	**6**	**9**	**13**	**17**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	721	7.2	31	2	3	7	11	14	15
18-34	89	5.4	6	2	3	5	8	9	9
35-49	64	19.5	472						
50-69	128	6.4	5	3	4	6	9	9	9
70 +	0								
SUBTOTAL	**1002**	**7.7**	**63**	**2**	**3**	**7**	**9**	**14**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1002**	**7.7**	**63**	**2**	**3**	**7**	**9**	**14**	**15**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	825	8.2	38	1	4	7	12	16	19
18-34	89	3.7	2	2	2	4	5	6	6
35-49	77	8.0	8	6	6	7	8	14	14
50-69	113	6.2	12	1	5	6	6	15	15
70 +	0								
	1104	**7.6**	**32**	**2**	**4**	**6**	**10**	**15**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1104	**7.6**	**32**	**2**	**4**	**6**	**10**	**15**	**19**

DRG 399: Reticuloendothelial & Immunity Disorders w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	114	5.4	40	< 1	2	3	6	22	22
70-74	63	2.2	6						
75-79	64	4.6	2						
80-84	12	3.0							
85 +	25	8.5	7						
SUBTOTAL	**278**	**4.7**	**22**	**< 1**	**1**	**4**	**6**	**7**	**11**
GRAND TOTAL	**278**	**4.7**	**22**	**< 1**	**1**	**4**	**6**	**7**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1575	4.7	7	2	3	4	6	8	9
18-34	255	3.6	7	1	1	4	5	5	8
35-49	177	4.3	3	2	3	4	5	7	8
50-69	292	5.6	20	1	2	4	8	12	15
70 +	0								
	2299	**4.7**	**9**	**2**	**3**	**4**	**6**	**8**	**11**
	2299	**4.7**	**9**	**2**	**3**	**4**	**6**	**8**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	808	4.6	12	2	2	4	5	7	9
18-34	102	5.4	9	1	3	6	8	10	10
35-49	52	8.5	5						
50-69	0								
70 +	0								
SUBTOTAL	**961**	**4.9**	**12**	**2**	**2**	**4**	**7**	**8**	**10**
GRAND TOTAL	**961**	**4.9**	**12**	**2**	**2**	**4**	**7**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	565	5.5	14	1	2	5	8	11	12
18-34	229	4.4	10	< 1	1	3	7	10	12
35-49	89	2.7	3	< 1	< 1	3	4	5	5
50-69	25	4.0	9						
70 +	0								
	908	**4.9**	**12**	**1**	**2**	**4**	**7**	**10**	**12**
	908	**4.9**	**12**	**1**	**2**	**4**	**7**	**10**	**12**

DRG 400: Lymphoma & Leukemia w/ Major O.R. Procedure

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	369	15.1	219	1	5	11	19	37	47
70-74	384	17.4	106	5	9	16	26	31	43
75-79	291	17.6	424	5	6	8	16	65	67
80-84	128	19.1	388	5	8	9	18	60	64
85 +	89	14.6	29	7	8	17	19	21	21
SUBTOTAL	**1262**	**16.7**	**237**	**5**	**7**	**12**	**20**	**37**	**64**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	204	5.7	10	2	3	5	8	9	14
70-74	141	7.3	71	1	2	5	8	13	32
75-79	141	8.5	21	3	7	8	10	12	20
80-84	100	10.2	57	1	1	11	14	23	23
85 +	26	9.5	44						
SUBTOTAL	**613**	**7.6**	**38**	**2**	**3**	**6**	**9**	**16**	**20**
GRAND TOTAL	**1876**	**13.8**	**190**	**3**	**5**	**9**	**17**	**30**	**47**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	116	26.4	781	4	6	11	51	86	86
18-34	90	10.1	17	6	6	8	15	17	17
35-49	243	20.3	507	3	6	9	38	57	88
50-69	548	11.6	147	1	4	9	14	26	33
70 +	0								
	997	**15.3**	**326**	**2**	**5**	**9**	**17**	**47**	**70**
0-17	116	6.8	15	1	5	6	9	15	15
18-34	166	4.8	5	2	3	5	6	7	9
35-49	216	7.4	23	1	5	6	10	12	21
50-69	666	5.4	16	2	2	4	8	11	12
70 +	0								
	1163	**5.8**	**16**	**2**	**2**	**5**	**8**	**11**	**12**
	2160	**10.2**	**181**	**2**	**3**	**6**	**11**	**21**	**39**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	39	7.0	14						
18-34	52	25.0	659						
35-49	13	8.0							
50-69	51	15.2	25						
70 +	13	18.0							
SUBTOTAL	**167**	**16.0**	**261**	**6**	**8**	**11**	**16**	**22**	**69**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	39	6.7	21						
18-34	38	4.0	5						
35-49	13	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**90**	**4.7**	**15**	**< 1**	**1**	**3**	**7**	**12**	**12**
GRAND TOTAL	**257**	**12.0**	**203**	**1**	**3**	**9**	**12**	**18**	**50**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	9.5							
18-34	25	6.5							
35-49	76	12.3	41	4	9	12	12	25	25
50-69	101	24.0	344	8	9	15	36	63	63
70 +	0								
	228	**16.5**	**212**	**6**	**8**	**11**	**18**	**37**	**63**
0-17	0								
18-34	38	8.6	36						
35-49	76	10.4	48	2	2	17	17	17	17
50-69	38	3.6	3						
70 +	0								
	152	**8.3**	**41**	**2**	**2**	**5**	**17**	**17**	**17**
	380	**13.2**	**160**	**3**	**6**	**10**	**17**	**25**	**37**

DRG 401: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	421	14.5	179	2	4	15	20	54	99 +
70-74	216	16.4	69	3	8	19	24	26	28
75-79	256	20.2	240	1	7	19	25	42	54
80-84	333	14.9	122	3	6	13	20	32	39
85 +	191	27.1	641	2	10	20	34	79	90
SUBTOTAL	**1417**	**17.6**	**240**	**2**	**7**	**16**	**24**	**37**	**55**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1417**	**17.6**	**240**	**2**	**7**	**16**	**24**	**37**	**55**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	9.9	63						
18-34	76	8.9	43	2	3	6	17	18	18
35-49	154	9.9	59	1	2	8	15	23	26
50-69	320	13.3	161	2	5	9	21	30	41
70 +	39	10.3	2						
	653	**11.5**	**107**	**2**	**4**	**9**	**17**	**24**	**30**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	653	**11.5**	**107**	**2**	**4**	**9**	**17**	**24**	**30**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	13	28.0							
18-34	39	18.7	336						
35-49	38	18.7	153						
50-69	38	18.5	58						
70 +	0								
SUBTOTAL	**128**	**19.6**	**169**	**4**	**8**	**21**	**28**	**41**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**128**	**19.6**	**169**	**4**	**8**	**21**	**28**	**41**	**44**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	26	15.5	2						
35-49	25	18.8	190						
50-69	77	8.4	64	1	3	4	19	20	20
70 +	0								
	128	**11.9**	**95**	**2**	**3**	**14**	**19**	**28**	**32**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	128	**11.9**	**95**	**2**	**3**	**14**	**19**	**28**	**32**

DRG 402: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	279	7.1	64	1	3	5	9	12	17	0-17	129	6.2	24	<1	2	5	9	13	17
70-74	192	5.0	38	<1	1	1	7	15	23	18-34	128	4.1	16	1	1	2	8	11	11
75-79	204	5.0	16	1	1	5	8	11	12	35-49	320	2.8	8	1	1	1	4	7	10
80-84	100	5.2	34	<1	1	2	7	19	19	50-69	576	4.4	20	1	1	3	6	10	11
85+	89	6.2	20	1	2	6	11	13	13	70+	0								
SUBTOTAL	**865**	**5.8**	**40**	**1**	**1**	**4**	**8**	**12**	**17**		**1152**	**4.1**	**18**	**1**	**1**	**2**	**6**	**10**	**11**
GRAND TOTAL	**865**	**5.8**	**40**	**1**	**1**	**4**	**8**	**12**	**17**		**1152**	**4.1**	**18**	**1**	**1**	**2**	**6**	**10**	**11**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	39	2.3	2							0-17	38	5.0	14						
18-34	0									18-34	50	5.5	21						
35-49	13	14.0								35-49	13	2.0							
50-69	0									50-69	102	6.4	39	2	2	4	11	21	21
70+	13	2.0								70+	13	2.0							
SUBTOTAL	**64**	**4.6**	**23**								**215**	**5.4**	**28**	**<1**	**2**	**4**	**9**	**11**	**21**
GRAND TOTAL	**64**	**4.6**	**23**								**215**	**5.4**	**28**	**<1**	**2**	**4**	**9**	**11**	**21**

DRG 403: Lymphoma & Non-acute Leukemia w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1171	14.5	144	3	5	11	18	36	42
70-74	1272	14.5	244	4	6	9	15	37	44
75-79	1235	12.9	193	2	5	8	15	37	42
80-84	675	11.1	110	2	5	9	13	24	32
85 +	610	12.9	155	3	4	9	16	27	40
SUBTOTAL	**4963**	**13.4**	**180**	**3**	**5**	**9**	**16**	**32**	**41**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4963**	**13.4**	**180**	**3**	**5**	**9**	**16**	**32**	**41**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	297	12.0	225	1	3	6	13	33	35
18-34	218	6.8	23	2	3	5	10	16	18
35-49	448	5.7	16	2	3	4	8	11	15
50-69	1149	13.7	217	2	5	10	17	30	46
70 +	51	10.8	39						
	2163	**11.1**	**164**	**2**	**4**	**8**	**12**	**21**	**36**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2163	**11.1**	**164**	**2**	**4**	**8**	**12**	**21**	**36**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	26	17.5	219						
18-34	52	16.3	212						
35-49	128	13.9	65	5	6	13	21	26	26
50-69	88	7.3	15	2	3	6	11	13	13
70 +	0								
SUBTOTAL	**293**	**12.6**	**102**	**3**	**4**	**10**	**21**	**26**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**293**	**12.6**	**102**	**3**	**4**	**10**	**21**	**26**	**32**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	4.7	4						
18-34	51	6.5	42						
35-49	180	9.0	73	1	2	7	12	23	28
50-69	177	12.7	223	2	5	7	16	25	61
70 +	76	6.8	15	2	4	5	9	14	14
	522	**9.4**	**114**	**2**	**3**	**7**	**11**	**21**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	522	**9.4**	**114**	**2**	**3**	**7**	**11**	**21**	**26**

DRG 404: Lymphoma & Non-acute Leukemia w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	381	4.3	11	< 1	1	4	7	10	10	0-17	206	3.1	6	1	1	2	5	6	10
70-74	343	5.8	26	< 1	3	4	8	10	17	18-34	242	2.8	8	< 1	1	2	4	6	13
75-79	292	6.5	35	< 1	2	4	8	13	18	35-49	307	3.6	6	< 1	1	3	6	7	8
80-84	191	6.1	24	< 1	2	5	8	14	18	50-69	459	3.7	10	< 1	2	3	4	7	13
85 +	128	7.8	16	3	5	7	10	15	17	70 +	25	6.5							
SUBTOTAL	**1335**	**5.8**	**23**	**< 1**	**2**	**5**	**8**	**11**	**17**		**1239**	**3.5**	**8**	**< 1**	**1**	**3**	**5**	**7**	**9**
GRAND TOTAL	**1335**	**5.8**	**23**	**< 1**	**2**	**5**	**8**	**11**	**17**		**1239**	**3.5**	**8**	**< 1**	**1**	**3**	**5**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	39	1.7	1							0-17	116	5.0	31	1	2	3	3	19	19
18-34	64	4.6	4							18-34	51	6.1	22						
35-49	38	4.7	4							35-49	25	4.1	9						
50-69	25	3.0	4							50-69	75	3.7	26	< 1	< 1	1	2	15	15
70 +	0									70 +	52	5.3	10						
SUBTOTAL	**167**	**3.7**	**5**	**1**	**2**	**3**	**5**	**7**	**8**		**319**	**4.8**	**24**	**< 1**	**2**	**2**	**7**	**12**	**15**
GRAND TOTAL	**167**	**3.7**	**5**	**1**	**2**	**3**	**5**	**7**	**8**		**319**	**4.8**	**24**	**< 1**	**2**	**2**	**7**	**12**	**15**

DRG 405: Acute Leukemia w/o Major O.R. Procedure Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	1393	18.1	258	4	6	13	27	47	55
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1393**	**18.1**	**258**	**4**	**6**	**13**	**27**	**47**	**55**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1135	5.8	40	1	2	4	6	14	22
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1135**	**5.8**	**40**	**1**	**2**	**4**	**6**	**14**	**22**
GRAND TOTAL	**0**										**2527**	**12.6**	**198**	**1**	**3**	**7**	**17**	**33**	**48**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	284	18.4	256	1	4	15	34	45	45	0-17	322	18.1	132	6	7	15	28	32	32
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**284**	**18.4**	**256**	**1**	**4**	**15**	**34**	**45**	**45**		**322**	**18.1**	**132**	**6**	**7**	**15**	**28**	**32**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	335	6.6	47	1	4	5	6	15	19	0-17	374	4.9	6	1	3	5	6	9	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**335**	**6.6**	**47**	**1**	**4**	**5**	**6**	**15**	**19**		**374**	**4.9**	**6**	**1**	**3**	**5**	**6**	**9**	**9**
GRAND TOTAL	**619**	**12.0**	**177**	**1**	**4**	**6**	**18**	**42**	**45**		**696**	**11.0**	**108**	**3**	**4**	**6**	**13**	**29**	**32**

DRG 406: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R.Proc w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	320	14.4	56	6	9	13	19	23	26
70-74	203	15.1	41	6	8	15	21	25	25
75-79	76	9.4	33	5	5	6	14	20	20
80-84	102	19.7	201	6	8	16	41	45	45
85 +	64	14.4	8						
SUBTOTAL	**766**	**14.8**	**71**	**6**	**8**	**14**	**19**	**24**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**766**	**14.8**	**71**	**6**	**8**	**14**	**19**	**24**	**34**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	17.8	149						
18-34	13	7.0							
35-49	204	15.9	197	3	7	9	21	46	48
50-69	320	19.3	163	6	10	16	26	32	38
70 +	39	30.0	550						
	628	**18.5**	**205**	**5**	**7**	**14**	**26**	**38**	**48**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	628	**18.5**	**205**	**5**	**7**	**14**	**26**	**38**	**48**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	13	3.0							
18-34	0								
35-49	26	23.0	17						
50-69	38	25.5	118						
70 +	0								
SUBTOTAL	**76**	**20.9**	**130**	**3**	**15**	**20**	**27**	**40**	**40**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**76**	**20.9**	**130**	**3**	**15**	**20**	**27**	**40**	**40**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	25	9.0	4						
35-49	51	9.9	68						
50-69	76	13.5	34	8	8	11	21	22	22
70 +	13	6.0							
	165	**11.1**	**43**	**6**	**7**	**8**	**12**	**22**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	165	**11.1**	**43**	**6**	**7**	**8**	**12**	**22**	**24**

DRG 407: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R.Proc w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	64	9.5	71							0-17	39	5.0	1						
70-74	38	6.7	9							18-34	26	4.5	13						
75-79	26	3.5								35-49	64	6.6	16						
80-84	26	5.5	13							50-69	178	7.6	28	2	4	6	10	15	20
85+	0									70+	0								
SUBTOTAL	**153**	**7.1**	**38**	**2**	**3**	**4**	**9**	**10**	**25**		**306**	**6.8**	**22**	**2**	**4**	**5**	**9**	**14**	**15**
GRAND TOTAL	**153**	**7.1**	**38**	**2**	**3**	**4**	**9**	**10**	**25**		**306**	**6.8**	**22**	**2**	**4**	**5**	**9**	**14**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	13	8.0								0-17	0								
18-34	0									18-34	0								
35-49	12	18.0								35-49	0								
50-69	0									50-69	51	11.1	90						
70+	0									70+	0								
SUBTOTAL	**25**	**12.9**	**26**								**51**	**11.1**	**90**						
GRAND TOTAL	**25**	**12.9**	**26**								**51**	**11.1**	**90**						

DRG 408: Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R.Proc

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	204	11.1	181	1	4	6	15	19	58
70-74	153	7.1	8	3	5	6	10	10	11
75-79	103	9.8	35	2	4	9	15	18	18
80-84	38	11.9	52						
85 +	39	11.0	1						
SUBTOTAL	**537**	**9.7**	**84**	**3**	**5**	**6**	**12**	**18**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	192	4.0	5	1	2	4	5	8	9
70-74	64	2.0	1						
75-79	115	5.9	14	< 1	3	6	8	13	13
80-84	77	4.2	11	1	1	4	8	9	9
85 +	26	2.5							
SUBTOTAL	**475**	**4.1**	**9**	**1**	**2**	**3**	**6**	**9**	**9**
GRAND TOTAL	**1012**	**7.1**	**57**	**1**	**3**	**5**	**9**	**14**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	116	5.3	14	1	3	4	9	12	12
18-34	52	4.8	6						
35-49	178	8.2	40	2	5	5	11	20	21
50-69	267	14.0	266	3	5	7	11	37	42
70 +	0								
	612	**9.9**	**145**	**1**	**3**	**6**	**9**	**23**	**37**
0-17	39	1.7	1						
18-34	26	2.5							
35-49	166	4.8	14	1	2	3	5	10	14
50-69	332	3.5	8	1	2	3	4	6	10
70 +	25	2.5	2						
	588	**3.7**	**9**	**1**	**2**	**3**	**4**	**9**	**10**
	1200	**6.8**	**88**	**1**	**2**	**4**	**7**	**14**	**23**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	13	7.0							
18-34	26	11.5	94						
35-49	0								
50-69	52	24.5	602						
70 +	13	48.0							
SUBTOTAL	**103**	**22.0**	**466**	**2**	**2**	**14**	**41**	**60**	**60**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	26	5.0	4						
18-34	0								
35-49	13	9.0							
50-69	0								
70 +	13	6.0							
SUBTOTAL	**52**	**6.3**	**5**						
GRAND TOTAL	**155**	**16.8**	**367**	**2**	**3**	**7**	**27**	**48**	**60**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	5.7	15						
18-34	13	8.0							
35-49	26	6.0	1						
50-69	51	26.6	230						
70 +	0								
	128	**14.3**	**196**	**3**	**5**	**7**	**17**	**41**	**43**
0-17	39	10.7	192						
18-34	0								
35-49	25	1.5							
50-69	25	6.0	4						
70 +	0								
	89	**6.7**	**98**	**< 1**	**1**	**2**	**8**	**30**	**30**
	218	**11.2**	**169**	**1**	**3**	**7**	**11**	**39**	**43**

DRG 409: Radiotherapy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1061	8.2	94	4	5	5	6	11	25	0-17	193	7.1	76	1	3	4	6	24	33
70-74	937	7.4	24	5	5	5	9	13	18	18-34	77	3.5	4	1	2	3	5	6	6
75-79	690	7.8	30	4	5	5	9	16	21	35-49	512	5.3	14	2	4	5	5	8	10
80-84	487	9.5	84	5	5	5	12	21	36	50-69	1141	6.8	39	4	5	5	6	11	16
85 +	294	11.1	132	4	5	6	12	23	33	70 +	102	6.2	5	4	5	5	6	11	11
SUBTOTAL	**3469**	**8.3**	**65**	**4**	**5**	**5**	**8**	**16**	**23**		**2026**	**6.3**	**34**	**2**	**4**	**5**	**6**	**11**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	129	7.2	12	5	5	5	10	14	16	0-17	26	4.0	1						
70-74	90	5.0	2	2	4	6	6	6	6	18-34	90	2.7	2	1	2	2	4	5	5
75-79	64	4.8								35-49	180	3.2	4	1	2	3	6	6	6
80-84	116	6.1	6	5	5	5	6	13	13	50-69	206	3.8	3	1	3	4	5	6	6
85 +	26	4.5								70 +	89	5.3		5	5	5	5	7	7
SUBTOTAL	**425**	**5.9**	**7**	**4**	**5**	**5**	**6**	**10**	**13**		**590**	**3.7**	**3**	**1**	**2**	**3**	**5**	**6**	**6**
GRAND TOTAL	**3894**	**8.0**	**60**	**4**	**5**	**5**	**7**	**16**	**21**		**2615**	**5.7**	**28**	**2**	**4**	**5**	**6**	**8**	**14**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13	1.0								0-17	0								
18-34	26	3.0	1							18-34	12	3.0							
35-49	192	4.8	4	2	4	5	5	7	11	35-49	39	5.0							
50-69	192	6.7	36	4	5	5	5	8	29	50-69	39	13.0	131						
70 +	26	6.0								70 +	13	33.0							
SUBTOTAL	**449**	**5.5**	**19**	**2**	**4**	**5**	**5**	**7**	**11**		**103**	**11.3**	**133**	**3**	**5**	**5**	**29**	**33**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	39	4.3	4							18-34	0								
35-49	39	5.0								35-49	39	2.7	2						
50-69	103	5.8	8	3	4	5	6	13	13	50-69	0								
70 +	13	3.0								70 +	0								
SUBTOTAL	**193**	**5.1**	**6**	**3**	**3**	**5**	**5**	**7**	**13**		**39**	**2.7**	**2**						
GRAND TOTAL	**643**	**5.4**	**15**	**3**	**4**	**5**	**5**	**7**	**11**		**141**	**8.9**	**112**	**3**	**3**	**5**	**5**	**29**	**33**

DRG 410: Chemotherapy w/o Acute Leukemia As Secondary Diagnosis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	11526	3.6	7	1	2	3	5	6	7	0-17	4229	3.7	17	1	2	3	5	6	6
70-74	7713	3.8	12	1	2	3	5	6	7	18-34	2575	3.3	5	1	2	3	5	6	7
75-79	4683	4.4	37	2	2	3	5	7	8	35-49	8203	4.1	15	1	2	4	5	6	8
80-84	1480	3.7	8	1	2	3	5	6	11	50-69	22167	3.4	7	1	2	3	5	6	7
85 +	471	3.0	2	1	2	3	4	5	6	70 +	883	5.1	102	1	2	3	5	6	8
SUBTOTAL	**25873**	**3.8**	**14**	**1**	**2**	**3**	**5**	**6**	**7**		**38058**	**3.6**	**12**	**1**	**2**	**3**	**5**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3026	2.6	3	1	1	2	4	5	6	0-17	2837	3.3	3	1	2	3	5	5	6
70-74	1560	2.8	3	1	1	2	4	5	6	18-34	1181	2.9	3	1	1	2	4	5	5
75-79	690	2.8	3	1	2	2	4	5	6	35-49	3129	2.5	2	1	1	2	4	5	5
80-84	331	3.4	4	1	2	3	5	6	7	50-69	5226	2.5	3	1	1	2	4	5	6
85 +	51	5.8	14							70 +	141	3.4	5	1	1	3	5	6	7
SUBTOTAL	**5658**	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**6**		**12514**	**2.7**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**31531**	**3.6**	**12**	**1**	**2**	**3**	**5**	**6**	**7**		**50571**	**3.4**	**10**	**1**	**2**	**3**	**5**	**6**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1302	3.9	5	1	2	4	6	6	7	0-17	838	3.2	4	1	2	2	4	6	8
18-34	1041	4.1	7	1	2	4	6	8	9	18-34	442	4.3	80	1	1	2	4	5	6
35-49	1351	4.0	4	2	3	4	5	6	7	35-49	587	3.9	6	1	2	4	5	6	7
50-69	2089	4.0	10	1	2	4	5	6	7	50-69	1176	4.4	64	1	2	2	4	6	21
70 +	64	4.6	2							70 +	52	3.0	1						
SUBTOTAL	**5847**	**4.0**	**7**	**1**	**2**	**4**	**5**	**6**	**7**		**3095**	**3.9**	**38**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1070	3.8	3	2	2	4	5	6	6	0-17	632	3.5	2	1	2	4	5	6	6
18-34	270	3.0	3	1	1	2	5	5	6	18-34	114	2.8	2	1	1	3	4	5	5
35-49	515	2.6	3	1	1	2	4	5	6	35-49	322	2.0	2	1	1	1	2	5	5
50-69	423	3.4	3	1	2	3	5	5	6	50-69	175	2.2	3	1	1	2	2	5	7
70 +	64	5.0	2							70 +	0								
SUBTOTAL	**2342**	**3.4**	**3**	**1**	**2**	**3**	**5**	**5**	**6**		**1243**	**2.9**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**8190**	**3.8**	**6**	**1**	**2**	**4**	**5**	**6**	**7**		**4338**	**3.6**	**28**	**1**	**2**	**2**	**4**	**6**	**7**

DRG 411: History of Malignancy w/o Endoscopy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	39	11.3	219						
70-74	26	4.5	2							18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	26	2.5							
85+	0									70+	0								
SUBTOTAL	**26**	**4.5**	**2**								**64**	**7.8**	**149**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	52	2.5	3							0-17	13	1.0							
70-74	0									18-34	26	2.0							
75-79	13	1.0								35-49	13	3.0							
80-84	0									50-69	77	3.0	6	<1	1	2	4	8	8
85+	0									70+	0								
SUBTOTAL	**64**	**2.2**	**3**								**129**	**2.6**	**4**	**<1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**90**	**2.9**	**4**	**1**	**1**	**3**	**5**	**6**	**6**		**193**	**4.3**	**58**	**1**	**1**	**2**	**3**	**8**	**32**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13	1.0								0-17	0								
18-34	0									18-34	12	1.0							
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**13**	**1.0**									**12**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	26	1.5								0-17	0								
18-34	0									18-34	0								
35-49	13	1.0								35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**39**	**1.3**									**0**								
GRAND TOTAL	**52**	**1.3**									**12**	**1.0**							

DRG 412: History of Malignancy w/ Endoscopy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	26	1.5							
70-74	0								
75-79	0								
80-84	26	1.5							
85+	0								
SUBTOTAL	**52**	**1.5**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	25	1.0							
70-74	51	1.0							
75-79	38	1.0							
80-84	12	1.0							
85+	25	1.0							
SUBTOTAL	**151**	**1.0**		<1	<1	1	1	1	1
GRAND TOTAL	**203**	**1.1**		<1	<1	1	1	2	2

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	0								
35-49	13	1.0							
50-69	39	2.3	1						
70+	0								
SUBTOTAL	**52**	**2.0**	**1**						
GRAND TOTAL	**52**	**2.0**	**1**						

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	13	1.0							
70+	12	1.0							
SUBTOTAL	**25**	**1.0**							
GRAND TOTAL	**25**	**1.0**							

DRG 413: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	419	13.4	120	3	6	10	17	26	43
70-74	369	14.7	132	3	7	10	21	31	34
75-79	202	9.8	49	3	4	9	14	20	28
80-84	215	13.8	83	4	7	11	17	32	34
85 +	139	18.7	350	3	8	10	31	69	99 +
SUBTOTAL	**1345**	**13.8**	**135**	**3**	**6**	**10**	**20**	**28**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1345**	**13.8**	**135**	**3**	**6**	**10**	**20**	**28**	**34**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	103	7.0	116	1	2	3	5	35	35
18-34	26	11.0	67						
35-49	128	16.0	523	2	4	8	12	70	82
50-69	384	10.1	78	2	5	9	13	17	25
70 +	38	11.7	158						
	678	**10.9**	**178**	**2**	**3**	**6**	**13**	**25**	**35**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	678	**10.9**	**178**	**2**	**3**	**6**	**13**	**25**	**35**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	13	12.0							
18-34	13	19.0							
35-49	51	10.2	3						
50-69	64	10.0	60						
70 +	0								
SUBTOTAL	**141**	**11.1**	**35**	**6**	**6**	**12**	**12**	**19**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**141**	**11.1**	**35**	**6**	**6**	**12**	**12**	**19**	**24**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	7.0	4						
18-34	13	8.0							
35-49	13	13.0							
50-69	64	15.2	20						
70 +	0								
	116	**12.3**	**25**	**5**	**9**	**11**	**13**	**21**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	116	**12.3**	**25**	**5**	**9**	**11**	**13**	**21**	**22**

DRG 414: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	75	4.0	2	2	2	4	5	6	6	0-17	129	2.9	4	< 1	1	2	4	6	7
70-74	52	4.0	7							18-34	12	5.0							
75-79	26	3.0	4							35-49	114	4.3	13	< 1	1	3	9	10	10
80-84	63	2.6	3							50-69	191	7.5	54	1	3	5	9	20	28
85 +	26	10.0	67							70 +	0								
SUBTOTAL	242	4.2	15	1	2	2	6	7	18		446	5.3	32	1	2	3	7	10	20
GRAND TOTAL	242	4.2	15	1	2	2	6	7	18		446	5.3	32	1	2	3	7	10	20

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	52	2.8	4							0-17	77	4.3	4	2	2	4	6	7	7
18-34	13	1.0								18-34	0								
35-49	0									35-49	26	4.5	7						
50-69	12	3.0								50-69	12	6.0							
70 +	0									70 +	13	21.0							
SUBTOTAL	77	2.5	3	< 1	1	1	3	6	6		128	6.2	29	2	2	6	7	15	21
GRAND TOTAL	77	2.5	3	< 1	1	1	3	6	6		128	6.2	29	2	2	6	7	15	21

DRG 415: O.R. Procedure for Infectious & Parasitic Diseases

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1351	20.4	234	7	12	16	28	38	50
70-74	889	20.8	172	7	12	18	25	42	49
75-79	812	23.3	304	6	10	21	34	52	93
80-84	796	26.4	315	9	13	25	39	72	99 +
85 +	482	29.1	289	13	18	25	41	59	89
SUBTOTAL	**4330**	**23.1**	**264**	**8**	**12**	**18**	**30**	**50**	**70**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	256	13.2	125	4	5	11	17	23	45
70-74	191	11.8	75	5	6	10	14	25	36
75-79	64	14.4	85						
80-84	88	11.7	22	8	8	9	16	21	21
85 +	26	11.5	21						
SUBTOTAL	**625**	**12.6**	**87**	**4**	**6**	**10**	**16**	**25**	**30**
GRAND TOTAL	**4955**	**21.8**	**254**	**7**	**11**	**17**	**29**	**48**	**61**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	332	16.0	185	4	6	12	21	43	48
18-34	293	10.4	62	4	6	8	11	26	28
35-49	472	16.4	146	5	7	12	21	40	41
50-69	1133	19.7	254	4	9	16	26	39	48
70 +	38	9.7	4						
	2268	**17.1**	**203**	**4**	**7**	**13**	**22**	**38**	**46**
0-17	306	6.3	18	2	3	5	9	13	14
18-34	277	7.1	20	3	4	5	8	15	15
35-49	417	8.4	80	2	4	6	10	14	27
50-69	457	11.7	125	2	4	9	14	21	41
70 +	13	18.0							
	1470	**8.8**	**74**	**2**	**4**	**6**	**12**	**15**	**21**
	3738	**13.9**	**169**	**3**	**5**	**10**	**17**	**31**	**41**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	168	15.8	89	5	8	16	21	33	34
18-34	116	17.2	145	4	6	21	40	99 +	99 +
35-49	179	28.4	288	11	15	24	40	42	76
50-69	140	30.9	418	14	17	26	60	66	99 +
70 +	13	35.0							
SUBTOTAL	**615**	**23.6**	**276**	**6**	**13**	**21**	**35**	**62**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	116	5.6	19	< 1	2	5	7	16	16
18-34	89	8.9	11	4	7	8	11	15	15
35-49	39	12.3	110						
50-69	77	17.3	95	3	9	17	25	32	32
70 +	0								
SUBTOTAL	**321**	**10.1**	**67**	**2**	**5**	**7**	**15**	**25**	**27**
GRAND TOTAL	**936**	**19.0**	**245**	**4**	**7**	**16**	**27**	**42**	**76**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	30.0	408						
18-34	12	8.0							
35-49	126	13.5	30	8	8	11	18	24	24
50-69	76	13.8	107	3	7	11	35	99 +	99 +
70 +	0								
	279	**17.2**	**186**	**7**	**8**	**11**	**24**	**49**	**54**
0-17	64	8.1	19						
18-34	151	6.1	7	3	4	6	8	9	12
35-49	64	6.6	18						
50-69	12	22.0							
70 +	0								
	290	**7.3**	**22**	**3**	**4**	**6**	**10**	**13**	**13**
	569	**12.1**	**127**	**3**	**6**	**8**	**13**	**33**	**49**

DRG 416: Septicemia Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3409	11.9	80	5	7	10	14	20	28
70-74	3098	12.1	79	5	7	10	14	21	26
75-79	3441	13.5	102	6	7	11	16	23	31
80-84	3453	14.5	153	5	7	11	17	30	38
85 +	4302	14.1	133	5	8	11	16	26	39
SUBTOTAL	**17703**	**13.3**	**112**	**5**	**7**	**10**	**15**	**25**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	87	9.4	12	5	6	9	11	16	16
70-74	176	8.8	24	4	5	8	11	16	19
75-79	164	10.9	63	4	7	9	11	17	35
80-84	177	9.4	27	3	6	9	13	17	19
85 +	139	6.9	19	3	3	5	10	14	15
SUBTOTAL	**744**	**9.1**	**32**	**3**	**3**	**8**	**11**	**16**	**19**
GRAND TOTAL	**18448**	**13.1**	**109**	**5**	**7**	**10**	**15**	**24**	**33**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	639	9.7	48	3	6	8	13	17	25
35-49	1017	9.7	68	4	5	8	10	18	25
50-69	2525	11.3	64	4	7	9	13	21	29
70 +	240	10.5	33	6	7	9	11	23	26
	4421	**10.7**	**62**	**4**	**6**	**8**	**13**	**19**	**28**
0-17	0								
18-34	252	6.1	7	3	5	5	7	9	12
35-49	265	6.0	15	2	3	6	6	12	14
50-69	178	5.8	5	3	4	6	7	8	10
70 +	26	8.0	4						
	720	**6.1**	**9**	**2**	**4**	**6**	**7**	**10**	**13**
	5141	**10.0**	**57**	**4**	**6**	**8**	**12**	**19**	**25**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	395	11.2	149	4	6	8	11	13	54
35-49	419	14.8	101	6	8	10	19	35	36
50-69	493	16.2	223	6	8	11	16	34	46
70 +	76	31.5	836	7	8	24	84	99 +	99 +
SUBTOTAL	**1384**	**15.2**	**217**	**6**	**7**	**10**	**16**	**36**	**54**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	12	6.0							
35-49	0								
50-69	25	12.5	59						
70 +	38	4.3	2						
SUBTOTAL	**75**	**7.3**	**34**	**3**	**4**	**5**	**6**	**20**	**20**
GRAND TOTAL	**1459**	**14.8**	**211**	**5**	**7**	**10**	**16**	**35**	**54**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	151	7.2	15	3	4	6	9	14	15
35-49	228	10.9	45	3	6	9	13	22	28
50-69	380	11.8	63	6	8	9	12	19	24
70 +	127	21.5	450	8	9	12	55	69	99 +
	886	**12.2**	**122**	**4**	**7**	**9**	**13**	**20**	**47**
0-17	0								
18-34	38	5.0	5						
35-49	38	6.7	10						
50-69	25	6.0	1						
70 +	0								
	101	**5.9**	**6**	**2**	**5**	**6**	**7**	**11**	**11**
	986	**11.5**	**114**	**4**	**6**	**9**	**13**	**20**	**47**

DRG 417: Septicemia Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	25	33.8	356							0-17	1475	7.5	39	2	3	7	9	13	19
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	25	33.8	356								1475	7.5	39	2	3	7	9	13	19
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	2238	4.4	12	2	2	3	5	10	12
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										2238	4.4	12	2	2	3	5	10	12
GRAND TOTAL	25	33.8	356								3713	5.6	25	2	3	3	8	11	14

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	988	8.6	105	2	3	6	11	13	27	0-17	540	8.9	54	2	3	8	13	15	25
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	988	8.6	105	2	3	6	11	13	27		540	8.9	54	2	3	8	13	15	25
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2016	4.4	8	2	3	3	5	8	10	0-17	940	4.0	9	2	2	3	4	10	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	2016	4.4	8	2	3	3	5	8	10		940	4.0	9	2	2	3	4	10	10
GRAND TOTAL	3004	5.8	44	2	3	4	7	11	12		1480	5.8	31	2	2	3	9	13	15

DRG 418: Postoperative & Post-traumatic Infections

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	674	11.6	150	4	5	7	13	26	32	0-17	245	4.8	8	2	2	5	7	10	12
70-74	394	12.4	129	5	7	8	12	33	35	18-34	204	5.1	6	2	3	5	7	9	10
75-79	293	9.7	28	4	5	8	13	16	17	35-49	436	7.1	31	3	3	5	11	14	16
80-84	203	13.7	217	4	5	7	12	36	59	50-69	626	9.3	124	3	4	6	10	14	29
85 +	166	8.9	10	5	7	8	12	13	14	70 +	26	8.5	2						
SUBTOTAL	**1730**	**11.5**	**121**	**4**	**5**	**8**	**13**	**25**	**34**		**1536**	**7.4**	**65**	**2**	**3**	**5**	**9**	**13**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	550	7.4	25	3	4	7	8	12	18	0-17	536	4.9	13	1	3	4	6	9	13
70-74	355	8.6	21	3	4	9	11	16	16	18-34	674	4.7	14	2	2	4	6	10	12
75-79	178	10.7	42	3	7	8	16	19	26	35-49	762	5.6	18	2	3	5	6	11	16
80-84	191	8.0	9	4	6	7	10	13	14	50-69	878	5.0	6	2	3	5	7	8	9
85 +	128	11.6	73	4	6	10	12	29	35	70 +	0								
SUBTOTAL	**1402**	**8.6**	**30**	**3**	**5**	**7**	**10**	**16**	**19**		**2852**	**5.1**	**12**	**2**	**3**	**4**	**6**	**9**	**12**
GRAND TOTAL	**3132**	**10.2**	**82**	**4**	**5**	**8**	**12**	**18**	**28**		**4388**	**5.9**	**32**	**2**	**3**	**4**	**7**	**11**	**14**

TYPE OF PATIENT	MEDICAID										NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	128	7.9	29	4	4	7	10	17	22	0-17	116	4.7	5	1	4	5	6	9	9
18-34	64	4.6	10							18-34	229	8.8	45	2	3	7	13	21	26
35-49	64	9.0	19							35-49	76	6.3	11	3	4	5	7	13	13
50-69	115	9.0	33	3	5	8	8	23	23	50-69	127	12.7	62	5	7	11	18	29	31
70 +	0									70 +	0								
SUBTOTAL	**372**	**7.9**	**28**	**3**	**4**	**7**	**10**	**14**	**22**		**548**	**8.5**	**43**	**3**	**4**	**6**	**13**	**18**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	282	6.1	12	2	3	6	8	10	11	0-17	281	5.9	14	2	3	5	8	9	14
18-34	230	5.4	16	2	3	4	6	15	16	18-34	307	4.2	2	2	3	4	5	6	6
35-49	115	5.8	6	2	4	5	8	10	10	35-49	178	5.4	6	2	4	5	7	8	11
50-69	89	10.7	26	4	7	10	16	20	20	50-69	114	5.8	14	2	3	4	7	13	13
70 +	0									70 +	13	6.0							
SUBTOTAL	**716**	**6.4**	**17**	**2**	**3**	**6**	**8**	**11**	**16**		**893**	**5.2**	**9**	**2**	**3**	**5**	**6**	**9**	**11**
GRAND TOTAL	**1088**	**6.9**	**21**	**2**	**4**	**6**	**8**	**14**	**16**		**1441**	**6.4**	**24**	**2**	**3**	**5**	**7**	**13**	**16**

DRG 419: Fever of Unknown Origin Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1069	7.1	30	2	3	5	9	15	17	0-17	0								
70-74	896	7.6	28	2	4	6	10	15	21	18-34	500	5.6	10	2	3	5	7	10	12
75-79	836	7.9	43	3	4	6	9	15	18	35-49	675	5.7	13	2	3	5	8	11	13
80-84	631	10.8	70	3	5	8	14	25	35	50-69	1016	8.3	39	3	4	7	10	16	18
85+	732	9.4	218	3	3	6	9	16	22	70+	64	7.7	23						
SUBTOTAL	**4163**	**8.3**	**73**	**3**	**4**	**6**	**10**	**16**	**22**		**2254**	**6.9**	**26**	**3**	**4**	**5**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4163**	**8.3**	**73**	**3**	**4**	**6**	**10**	**16**	**22**		**2254**	**6.9**	**26**	**3**	**4**	**5**	**9**	**13**	**16**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	205	5.1	11	2	3	3	8	11	13	18-34	51	6.8	2						
35-49	64	5.6	9							35-49	64	10.2	13						
50-69	88	9.1	79	1	3	5	15	28	28	50-69	125	6.5	16	2	4	6	8	11	16
70+	38	10.6	21							70+	12	4.0							
SUBTOTAL	**395**	**6.6**	**31**	**2**	**3**	**5**	**9**	**13**	**17**		**252**	**7.4**	**14**	**3**	**5**	**7**	**8**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**395**	**6.6**	**31**	**2**	**3**	**5**	**9**	**13**	**17**		**252**	**7.4**	**14**	**3**	**5**	**7**	**8**	**13**	**16**

DRG 420: Fever of Unknown Origin Age >17 w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	240	4.9	18	2	2	4	5	11	17	0-17	0								
70-74	164	8.1	35	3	5	6	10	13	25	18-34	433	4.7	10	1	2	3	6	10	12
75-79	152	5.8	28	1	3	4	10	11	20	35-49	341	3.9	4	2	2	3	5	8	8
80-84	87	8.9	87	3	3	5	9	31	31	50-69	341	5.4	14	2	4	5	6	10	10
85 +	164	7.6	4	6	6	7	8	11	12	70 +	0								
SUBTOTAL	**807**	**6.7**	**30**	**2**	**3**	**5**	**7**	**12**	**19**		**1115**	**4.7**	**10**	**2**	**2**	**4**	**6**	**8**	**10**
GRAND TOTAL	**807**	**6.7**	**30**	**2**	**3**	**5**	**7**	**12**	**19**		**1115**	**4.7**	**10**	**2**	**2**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	115	5.6	7	2	3	5	8	10	10	18-34	100	3.4	5	1	2	3	5	8	8
35-49	51	6.3	8							35-49	63	2.8	2						
50-69	64	4.2	1							50-69	50	8.6	17						
70 +	12	2.0								70 +	50	7.0	18						
SUBTOTAL	**243**	**5.2**	**6**	**2**	**3**	**4**	**7**	**10**	**11**		**263**	**4.9**	**14**	**2**	**2**	**3**	**7**	**9**	**14**
GRAND TOTAL	**243**	**5.2**	**6**	**2**	**3**	**4**	**7**	**10**	**11**		**263**	**4.9**	**14**	**2**	**2**	**3**	**7**	**9**	**14**

DRG 421: Viral Illness Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	481	5.4	14	1	2	5	7	9	15
70-74	328	5.2	10	2	3	4	6	10	13
75-79	330	5.1	11	2	3	4	5	10	13
80-84	215	7.1	26	2	5	5	8	15	21
85+	277	7.1	12	3	4	6	10	11	13
SUBTOTAL	**1630**	**5.8**	**15**	**2**	**3**	**5**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	153	3.7	4	2	2	3	5	7	8
70-74	126	6.7	21	2	3	4	10	12	17
75-79	126	5.2	17	2	3	4	6	16	16
80-84	102	4.3	3	2	3	4	7	7	7
85+	63	7.0	20						
SUBTOTAL	**570**	**5.2**	**14**	**2**	**3**	**4**	**7**	**11**	**12**
GRAND TOTAL	**2200**	**5.6**	**14**	**2**	**3**	**5**	**7**	**11**	**14**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1241	4.4	14	2	2	3	5	8	10
35-49	557	5.3	18	2	3	4	8	11	12
50-69	597	5.1	19	2	3	4	6	11	12
70+	0								
	2395	**4.8**	**16**	**2**	**2**	**4**	**6**	**9**	**12**
0-17	0								
18-34	1483	3.1	3	1	2	3	4	5	7
35-49	705	3.2	3	1	2	3	4	6	7
50-69	508	4.4	12	1	2	3	6	8	13
70+	12	2.0							
	2708	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
	5103	**4.0**	**11**	**1**	**2**	**3**	**5**	**8**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	217	4.9	5	2	3	4	6	8	10
35-49	76	8.2	27	3	4	8	11	18	18
50-69	75	7.2	17	2	2	7	11	13	13
70+	0								
SUBTOTAL	**368**	**6.1**	**14**	**2**	**3**	**5**	**8**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	381	3.7	4	2	2	4	5	6	7
35-49	64	3.6	2						
50-69	38	4.7	10						
70+	0								
SUBTOTAL	**482**	**3.8**	**4**	**2**	**2**	**4**	**5**	**7**	**9**
GRAND TOTAL	**850**	**4.8**	**10**	**2**	**2**	**4**	**6**	**9**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	316	4.3	8	2	2	4	5	7	9
35-49	127	4.0	7	1	2	3	6	9	10
50-69	102	7.2	15	4	4	6	7	16	16
70+	25	9.5	13						
	569	**5.0**	**11**	**2**	**3**	**4**	**6**	**10**	**13**
0-17	0								
18-34	418	3.2	6	1	1	2	5	6	7
35-49	126	3.1	2	1	2	3	4	6	6
50-69	115	2.9	3	1	1	3	4	6	6
70+	0								
	660	**3.1**	**5**	**1**	**1**	**3**	**5**	**6**	**6**
	1229	**4.0**	**9**	**1**	**2**	**3**	**5**	**7**	**10**

DRG 422: Viral Illness & Fever of Unknown Origin Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	52	5.3	2							0-17	5983	3.9	13	1	2	3	5	7	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	52	5.3	2								5983	3.9	13	1	2	3	5	7	10
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	12	3.0								0-17	10057	2.7	2	1	2	3	3	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	12	3.0									10057	2.7	2	1	2	3	3	4	5
GRAND TOTAL	64	4.8	2								16040	3.2	6	1	2	3	4	5	7

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	3546	4.2	19	2	2	3	4	7	10	0-17	2148	3.6	9	1	2	3	4	7	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	3546	4.2	19	2	2	3	4	7	10		2148	3.6	9	1	2	3	4	7	10
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5708	3.2	5	2	2	3	4	5	6	0-17	3760	2.8	2	1	2	3	3	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	5708	3.2	5	2	2	3	4	5	6		3760	2.8	2	1	2	3	3	4	5
GRAND TOTAL	9255	3.6	11	2	2	3	4	5	8		5908	3.1	4	1	2	3	4	5	7

DRG 423: Other Infectious & Parasitic Diseases Diagnoses

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	381	14.2	149	3	7	12	15	30	32
70-74	217	14.1	81	5	7	12	17	31	36
75-79	190	13.3	84	5	5	11	17	22	40
80-84	177	18.6	241	6	7	13	20	50	56
85 +	63	17.2	419						
SUBTOTAL	**1028**	**15.0**	**158**	**4**	**7**	**12**	**17**	**31**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	13	16.0							
70-74	25	9.5	32						
75-79	25	11.5	59						
80-84	25	7.5	32						
85 +	26	10.0							
SUBTOTAL	**113**	**10.4**	**32**	**2**	**4**	**10**	**15**	**19**	**19**
GRAND TOTAL	**1142**	**14.5**	**147**	**4**	**6**	**12**	**17**	**30**	**40**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	384	10.2	121	2	3	7	12	29	41
18-34	331	7.3	68	2	3	5	8	15	16
35-49	268	6.5	25	2	3	4	8	13	16
50-69	230	13.7	180	2	5	11	17	37	56
70 +	13	5.0							
	1226	**9.2**	**102**	**2**	**3**	**6**	**11**	**17**	**37**
0-17	384	5.8	38	< 1	2	4	7	17	24
18-34	395	4.9	9	2	2	5	6	10	12
35-49	445	3.7	6	1	2	3	6	8	8
50-69	140	5.7	14	2	3	4	11	11	12
70 +	0								
	1364	**4.8**	**17**	**1**	**2**	**4**	**6**	**10**	**12**
	2590	**6.9**	**62**	**2**	**3**	**5**	**8**	**13**	**19**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	294	9.3	63	3	4	6	14	17	24
18-34	77	16.5	197	2	8	9	19	45	45
35-49	76	12.7	25	6	8	13	15	21	21
50-69	26	19.0	176						
70 +	0								
SUBTOTAL	**473**	**11.5**	**94**	**3**	**4**	**9**	**15**	**24**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	219	7.4	28	3	3	4	11	15	19
18-34	51	3.2							
35-49	13	3.0							
50-69	51	3.7	1						
70 +	0								
SUBTOTAL	**334**	**6.0**	**22**	**3**	**3**	**4**	**6**	**15**	**15**
GRAND TOTAL	**807**	**9.3**	**72**	**3**	**3**	**6**	**14**	**19**	**24**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	115	5.8	15	2	3	5	6	14	14
18-34	141	20.4	644	7	7	12	17	36	96
35-49	51	8.2	16						
50-69	26	29.0	4						
70 +	0								
	333	**14.2**	**343**	**3**	**5**	**8**	**14**	**31**	**36**
0-17	180	3.7	9	1	2	3	4	10	11
18-34	128	6.6	38	1	3	5	8	19	23
35-49	88	5.7	20	2	3	4	7	16	16
50-69	38	2.0							
70 +	0								
	433	**4.8**	**21**	**1**	**2**	**3**	**6**	**10**	**16**
	766	**8.9**	**182**	**2**	**3**	**5**	**10**	**17**	**28**

DRG 424: O.R. Procedure w/ Principal Diagnoses of Mental Illness

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	230	28.7	249	7	18	28	36	57	63	0-17	0								
70-74	140	51.5	935	16	17	56	84	96	98	18-34	51	11.5	56						
75-79	114	34.3	304	14	20	41	62	99 +	99 +	35-49	89	21.9	43	10	18	21	29	31	31
80-84	165	26.0	355	8	17	23	30	76	99 +	50-69	63	14.6	67						
85 +	90	46.1	602	10	34	48	78	99 +	99 +	70 +	0								
SUBTOTAL	**739**	**35.4**	**549**	**10**	**19**	**30**	**56**	**84**	**99 +**		**203**	**17.0**	**73**	**5**	**9**	**18**	**24**	**29**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	38	31.0	309							0-17	25	31.0	845						
70-74	103	23.7	558	1	4	11	44	71	71	18-34	25	1.0							
75-79	51	35.1	517							35-49	112	17.3	118	3	10	16	19	39	39
80-84	12	25.0								50-69	140	23.2	195	4	6	28	36	40	43
85 +	64	34.6	1055							70 +	0								
SUBTOTAL	**268**	**29.5**	**627**	**2**	**10**	**25**	**51**	**71**	**94**		**303**	**19.8**	**249**	**1**	**6**	**17**	**31**	**40**	**43**
GRAND TOTAL	**1008**	**33.9**	**576**	**8**	**17**	**29**	**55**	**84**	**99 +**		**506**	**18.7**	**180**	**3**	**8**	**17**	**29**	**39**	**43**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	25	4.0							
18-34	38	10.2	111							18-34	50	10.5	24						
35-49	38	42.2	1229							35-49	0								
50-69	25	16.5	7							50-69	26	65.0	504						
70 +	13	16.0								70 +	0								
SUBTOTAL	**114**	**22.9**	**631**	**2**	**4**	**16**	**25**	**86**	**86**		**101**	**22.8**	**762**	**3**	**4**	**13**	**43**	**87**	**87**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	25	6.1	26							18-34	25	12.5	75						
35-49	25	21.9	9							35-49	0								
50-69	25	33.5	625							50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**75**	**20.4**	**339**	**1**	**9**	**15**	**25**	**58**	**58**		**25**	**12.5**	**75**						
GRAND TOTAL	**189**	**21.9**	**514**	**2**	**4**	**16**	**25**	**58**	**86**		**126**	**20.8**	**641**	**4**	**4**	**11**	**21**	**87**	**87**

DRG 425: Acute Adjust React & Disturbances of Psychosocial Dysfunction

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	670	8.4	71	1	2	5	12	19	33	0-17	102	3.5	7	< 1	2	3	4	10	10
70-74	228	10.2	205	1	3	5	11	24	63	18-34	202	6.0	22	1	2	5	7	14	19
75-79	291	7.5	39	1	2	6	11	16	23	35-49	291	7.7	78	1	2	4	8	19	31
80-84	416	10.0	69	3	5	8	13	17	20	50-69	343	7.2	61	2	2	5	8	16	31
85 +	362	12.3	200	2	4	8	18	22	27	70 +	25	11.1	26						
SUBTOTAL	**1966**	**9.5**	**107**	**1**	**3**	**6**	**13**	**21**	**28**		**963**	**6.8**	**53**	**1**	**2**	**4**	**7**	**16**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	482	9.5	207	1	2	3	10	28	32	0-17	334	15.0	397	1	2	6	24	58	62
70-74	238	11.6	284	< 1	2	6	20	28	60	18-34	666	5.2	38	1	1	3	6	11	17
75-79	352	5.9	21	2	2	5	7	15	15	35-49	680	8.1	73	1	2	4	13	20	26
80-84	215	7.3	67	1	2	4	10	22	32	50-69	555	4.6	30	1	2	3	5	10	12
85 +	126	7.9	54	2	3	6	7	20	24	70 +	13	7.0							
SUBTOTAL	**1412**	**8.5**	**142**	**1**	**2**	**4**	**8**	**21**	**28**		**2248**	**7.4**	**112**	**1**	**2**	**3**	**8**	**17**	**31**
GRAND TOTAL	**3378**	**9.1**	**122**	**1**	**3**	**5**	**11**	**21**	**28**		**3210**	**7.2**	**94**	**1**	**2**	**4**	**8**	**17**	**31**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	64	6.0	23							0-17	26	4.5	7						
18-34	101	7.4	27	1	3	7	14	99 +	99 +	18-34	76	3.2	4	1	2	3	3	7	7
35-49	102	8.7	70	2	2	6	10	28	28	35-49	75	4.8	11	1	2	4	8	10	10
50-69	75	3.9	8	< 1	1	3	6	9	9	50-69	101	6.3	29	2	3	4	7	19	19
70 +	38	33.0	1443							70 +	0								
SUBTOTAL	**381**	**9.4**	**238**	**2**	**2**	**6**	**12**	**15**	**87**		**278**	**4.9**	**17**	**2**	**2**	**4**	**7**	**10**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	295	18.4	339	1	2	10	29	38	61	0-17	217	4.6	32	1	2	2	4	15	23
18-34	391	8.4	51	2	3	6	12	19	24	18-34	327	5.2	24	1	1	4	6	10	19
35-49	266	10.5	175	3	3	5	11	19	37	35-49	251	4.0	13	1	2	3	6	9	14
50-69	76	5.4	30	2	2	3	6	17	17	50-69	51	5.0	10						
70 +	12	8.0								70 +	26	4.0	4						
SUBTOTAL	**1040**	**11.5**	**182**	**1**	**3**	**6**	**16**	**27**	**36**		**872**	**4.7**	**22**	**1**	**2**	**3**	**6**	**10**	**15**
GRAND TOTAL	**1421**	**11.0**	**197**	**1**	**3**	**6**	**14**	**27**	**38**		**1150**	**4.7**	**20**	**1**	**2**	**3**	**6**	**10**	**15**

DRG 426: Depressive Neuroses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	758	10.5	71	2	4	7	15	21	31	0-17	191	15.0	192	1	8	12	18	42	51
70-74	215	11.9	37	3	7	13	15	21	24	18-34	796	7.4	29	2	4	6	11	14	15
75-79	204	12.1	95	2	4	8	14	28	32	35-49	826	10.7	91	2	5	8	14	20	25
80-84	151	16.1	156	3	9	12	18	41	42	50-69	341	10.5	124	2	3	9	11	20	22
85 +	89	15.6	63	4	7	16	22	28	28	70 +	0								
SUBTOTAL	**1417**	**11.8**	**82**	**3**	**5**	**10**	**15**	**24**	**32**		**2154**	**9.8**	**87**	**2**	**4**	**8**	**13**	**18**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	847	10.0	75	2	4	8	14	19	27	0-17	815	15.1	263	2	4	10	19	42	55
70-74	279	12.5	128	3	3	8	18	33	35	18-34	2137	7.9	45	1	3	6	11	15	18
75-79	128	19.0	218	2	3	20	28	47	51	35-49	1988	8.9	98	1	4	6	11	17	25
80-84	152	11.0	74	2	5	7	19	20	31	50-69	546	12.1	111	2	4	10	16	27	37
85 +	100	16.4	130	3	7	16	22	40	40	70 +	13	1.0							
SUBTOTAL	**1507**	**11.8**	**108**	**2**	**4**	**9**	**16**	**27**	**35**		**5500**	**9.7**	**109**	**1**	**3**	**7**	**13**	**19**	**29**
GRAND TOTAL	**2924**	**11.8**	**95**	**2**	**4**	**9**	**16**	**25**	**33**		**7654**	**9.8**	**103**	**2**	**3**	**7**	**13**	**18**	**27**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	64	14.7	82							0-17	38	34.0	611						
18-34	902	9.6	50	2	4	8	12	20	27	18-34	951	7.9	77	1	2	4	10	19	29
35-49	547	12.8	192	3	5	9	15	24	36	35-49	341	6.7	31	1	2	6	10	18	18
50-69	128	12.5	81	4	7	12	16	30	34	50-69	38	12.4	14						
70 +	13	85.0								70 +	0								
SUBTOTAL	**1653**	**11.7**	**145**	**3**	**5**	**9**	**14**	**24**	**29**		**1368**	**8.4**	**98**	**1**	**2**	**5**	**10**	**19**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	654	19.1	281	5	7	15	25	56	62	0-17	392	14.6	327	1	3	7	21	34	60
18-34	1535	9.5	92	2	4	7	12	19	23	18-34	1634	6.6	48	1	2	4	9	16	21
35-49	661	13.3	288	2	5	8	15	26	41	35-49	380	6.7	41	1	2	4	9	16	20
50-69	179	11.6	69	3	5	8	21	22	26	50-69	227	9.9	71	1	2	10	13	22	35
70 +	0									70 +	0								
SUBTOTAL	**3028**	**12.5**	**188**	**2**	**5**	**8**	**15**	**25**	**41**		**2633**	**8.1**	**99**	**1**	**2**	**5**	**10**	**19**	**26**
GRAND TOTAL	**4682**	**12.2**	**173**	**2**	**5**	**8**	**15**	**25**	**36**		**4001**	**8.2**	**99**	**1**	**2**	**5**	**10**	**19**	**27**

DRG 427: Neuroses except Depressive

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	279	10.5	53	2	5	10	14	24	30
70-74	38	7.7	18						
75-79	75	6.3	7	3	4	7	8	11	11
80-84	0								
85 +	13	8.0							
SUBTOTAL	**405**	**9.4**	**42**	**2**	**5**	**8**	**13**	**19**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	643	13.6	270	3	4	8	14	33	41
70-74	76	25.0	572	10	11	13	27	76	76
75-79	101	12.6	44	< 1	12	15	18	21	21
80-84	0								
85 +	88	18.0	422	1	2	7	43	55	55
SUBTOTAL	**908**	**14.9**	**295**	**2**	**4**	**10**	**15**	**34**	**55**
GRAND TOTAL	**1312**	**13.2**	**223**	**2**	**5**	**9**	**14**	**31**	**43**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	116	17.4	340	3	6	9	20	65	65
18-34	343	10.1	205	2	4	7	9	16	28
35-49	456	8.9	36	2	4	7	14	19	20
50-69	77	10.2	73	1	3	9	13	27	27
70 +	0								
	992	**10.4**	**139**	**2**	**4**	**7**	**13**	**20**	**27**
0-17	1022	15.4	273	2	4	9	22	33	55
18-34	1266	11.4	130	2	3	8	14	29	39
35-49	1049	8.9	93	1	2	7	12	20	28
50-69	176	7.9	56	1	3	3	11	20	27
70 +	0								
	3513	**11.7**	**164**	**1**	**3**	**7**	**14**	**27**	**38**
	4505	**11.4**	**159**	**2**	**3**	**7**	**14**	**26**	**37**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	115	21.8	202	4	14	20	28	54	54
18-34	518	9.7	93	2	3	8	11	15	37
35-49	102	6.6	24	2	3	7	8	18	18
50-69	51	14.0	229						
70 +	0								
SUBTOTAL	**786**	**11.3**	**130**	**2**	**4**	**8**	**14**	**28**	**41**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	743	22.4	438	4	6	13	35	62	81
18-34	910	10.6	141	1	4	7	12	27	35
35-49	201	10.6	207	2	3	5	9	41	54
50-69	51	5.7	29						
70 +	0								
SUBTOTAL	**1905**	**15.1**	**296**	**2**	**4**	**8**	**21**	**43**	**57**
GRAND TOTAL	**2690**	**14.0**	**250**	**2**	**4**	**8**	**16**	**41**	**54**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	7.0	14						
18-34	392	7.0	71	< 1	1	4	8	17	30
35-49	62	4.2	8						
50-69	25	12.5	94						
70 +	0								
	517	**7.0**	**62**	**1**	**2**	**4**	**8**	**17**	**27**
0-17	267	12.7	240	2	3	6	16	24	53
18-34	519	6.8	37	2	3	5	9	14	22
35-49	203	10.8	343	2	2	6	9	15	80
50-69	38	4.3	23						
70 +	0								
	1028	**9.1**	**157**	**2**	**3**	**6**	**10**	**16**	**29**
	1545	**8.4**	**126**	**1**	**2**	**5**	**9**	**16**	**28**

DRG 428: Disorders of Personality & Impulse Control

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	312	7.6	33	2	3	6	11	14	16
70-74	25	17.0	17						
75-79	25	9.6	31						
80-84	0								
85 +	0								
SUBTOTAL	362	8.4	37	2	4	6	13	16	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	464	15.8	350	2	4	7	22	46	78
70-74	26	33.0	67						
75-79	38	10.7	12						
80-84	12	34.0							
85 +	0								
SUBTOTAL	540	16.7	327	3	4	10	25	41	75
GRAND TOTAL	903	13.3	227	2	4	7	16	34	46

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	360	41.1	465	6	25	46	55	59	71
18-34	344	20.9	405	4	5	11	39	57	59
35-49	126	13.5	79	4	8	9	21	23	32
50-69	50	9.2	5						
70 +	0								
	880	27.5	499	4	8	21	47	58	59
0-17	499	22.3	290	3	7	19	31	55	57
18-34	720	13.1	205	3	4	8	15	33	50
35-49	378	13.2	139	2	5	10	19	31	34
50-69	76	7.8	22	1	4	8	12	15	15
70 +	0								
	1673	15.6	227	3	5	11	20	41	52
	2553	19.7	352	3	5	13	29	52	57

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	39	52.0	1300						
18-34	479	10.8	82	2	4	9	16	19	20
35-49	188	10.4	43	3	4	11	14	16	27
50-69	13	19.0							
70 +	0								
SUBTOTAL	719	13.0	222	2	4	10	16	20	52
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	114	20.0	338	3	3	26	36	91	99 +
18-34	666	9.9	88	2	4	7	13	28	33
35-49	138	12.6	274	2	3	4	10	45	48
50-69	50	6.0	4						
70 +	0								
SUBTOTAL	968	11.3	151	2	4	7	13	33	48
GRAND TOTAL	1687	12.0	182	2	4	8	16	30	48

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	38.5	13						
18-34	276	5.7	20	2	2	5	8	10	11
35-49	37	11.3	4						
50-69	0								
70 +	0								
	339	8.9	93	2	3	5	10	21	35
0-17	63	18.9	208						
18-34	315	8.9	51	1	3	6	13	17	19
35-49	88	5.8	21	< 1	1	5	12	13	13
50-69	12	7.0							
70 +	0								
	479	9.6	79	1	3	6	13	21	31
	817	9.3	85	1	3	6	12	21	31

DRG 429: Organic Disturbances & Mental Retardation

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	662	21.8	603	3	7	13	27	85	99	0-17	77	9.0	94	2	3	7	8	30	30
70-74	709	19.3	226	7	9	16	28	44	91	18-34	52	29.8	1090						
75-79	1406	20.2	291	6	9	17	28	62	99 +	35-49	128	13.2	190	1	3	7	17	36	42
80-84	1458	21.0	359	4	9	17	26	56	92	50-69	268	16.3	384	4	6	12	18	25	46
85 +	1572	20.3	358	4	8	15	27	62	86	70 +	64	18.6	268						
SUBTOTAL	**5808**	**20.5**	**354**	**5**	**8**	**16**	**27**	**56**	**94**		**589**	**16.1**	**375**	**3**	**4**	**8**	**18**	**40**	**50**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	458	14.2	177	3	6	11	17	38	68	0-17	90	9.4	69	< 1	1	4	20	21	21
70-74	607	17.8	189	3	8	17	25	37	48	18-34	75	10.6	55	< 1	5	8	17	23	23
75-79	911	18.7	378	3	6	14	28	34	92	35-49	90	23.2	182	6	8	21	40	44	44
80-84	1074	17.7	221	4	6	15	24	35	62	50-69	127	9.6	89	1	4	6	13	20	33
85 +	917	16.5	179	4	6	14	23	33	53	70 +	38	16.2	156						
SUBTOTAL	**3968**	**17.3**	**239**	**4**	**6**	**14**	**24**	**34**	**63**		**420**	**13.2**	**134**	**1**	**4**	**8**	**20**	**32**	**40**
GRAND TOTAL	**9776**	**19.2**	**310**	**4**	**7**	**15**	**26**	**48**	**80**		**1009**	**14.9**	**277**	**2**	**4**	**8**	**20**	**36**	**44**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	9.0	17							0-17	0								
18-34	179	14.0	85	3	4	14	21	22	36	18-34	64	7.3	26						
35-49	64	16.2	164							35-49	13	9.0							
50-69	140	11.9	42	5	7	13	19	23	99 +	50-69	102	23.0	440	4	6	27	38	99 +	99 +
70 +	12	62.0								70 +	26	45.0	1065						
SUBTOTAL	**421**	**14.8**	**146**	**4**	**6**	**13**	**21**	**32**	**62**		**204**	**20.0**	**498**	**4**	**5**	**13**	**28**	**77**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	128	8.9	85	1	2	4	18	25	26	0-17	13	2.0							
18-34	89	15.7	354	1	5	8	21	59	59	18-34	12	16.0							
35-49	25	8.5	7							35-49	64	5.0	18						
50-69	38	17.5	137							50-69	26	17.0	17						
70 +	13	8.0								70 +	88	10.1	136	1	3	4	14	37	37
SUBTOTAL	**294**	**12.0**	**175**	**2**	**3**	**8**	**18**	**26**	**34**		**203**	**9.2**	**86**	**1**	**3**	**4**	**13**	**21**	**37**
GRAND TOTAL	**715**	**13.6**	**160**	**2**	**5**	**9**	**19**	**32**	**59**		**408**	**14.6**	**321**	**2**	**4**	**9**	**16**	**38**	**77**

DRG 430: Psychoses

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6060	17.6	213	4	8	14	22	37	48
70-74	2125	23.4	270	5	11	22	30	44	59
75-79	2471	21.6	265	4	10	19	30	46	64
80-84	1841	25.3	258	6	14	23	37	55	63
85 +	1136	21.7	203	6	10	21	32	49	99 +
SUBTOTAL	**13633**	**20.6**	**245**	**4**	**9**	**18**	**28**	**43**	**58**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	11332	18.6	213	4	8	15	25	38	51
70-74	2559	21.0	179	6	12	20	27	36	46
75-79	2704	23.0	195	6	14	21	31	41	49
80-84	1352	24.2	335	6	14	20	29	53	60
85 +	948	22.1	297	4	13	18	30	43	68
SUBTOTAL	**18896**	**20.1**	**223**	**5**	**9**	**17**	**27**	**39**	**52**
GRAND TOTAL	**32529**	**20.3**	**232**	**4**	**9**	**18**	**27**	**41**	**55**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	217	13.8	226	1	3	10	22	57	99 +
18-34	1574	15.7	212	3	7	12	20	28	47
35-49	2699	15.3	201	3	6	11	19	29	45
50-69	2300	18.3	134	5	10	17	23	34	42
70 +	116	30.2	261	4	23	32	39	61	61
	6906	**16.6**	**188**	**3**	**7**	**14**	**21**	**31**	**45**
0-17	1139	18.4	237	4	8	14	24	37	49
18-34	7794	14.8	154	3	6	12	20	30	40
35-49	8562	15.2	132	4	7	13	21	29	37
50-69	4911	16.8	126	4	9	15	23	30	37
70 +	166	18.2	233	5	10	17	21	22	66
	22571	**15.6**	**145**	**3**	**7**	**13**	**21**	**30**	**38**
	29477	**15.8**	**155**	**3**	**7**	**13**	**21**	**30**	**40**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	167	27.0	378	2	10	29	41	47	67
18-34	2071	14.9	170	3	7	11	18	31	44
35-49	1663	15.5	149	4	7	12	22	32	44
50-69	813	17.4	178	4	8	15	23	42	48
70 +	25	19.3	204						
SUBTOTAL	**4740**	**16.0**	**177**	**3**	**7**	**12**	**22**	**35**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	979	24.1	275	4	13	24	36	55	89
18-34	5486	16.0	194	4	7	12	20	36	46
35-49	4405	17.3	175	4	8	14	24	32	42
50-69	1596	18.9	184	5	10	16	25	43	52
70 +	75	13.3	147	3	6	7	20	37	37
SUBTOTAL	**12542**	**17.4**	**197**	**4**	**7**	**14**	**23**	**37**	**51**
GRAND TOTAL	**17283**	**17.0**	**191**	**4**	**7**	**14**	**23**	**36**	**49**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	20.3	40						
18-34	938	12.8	98	4	6	10	15	30	34
35-49	732	14.9	211	1	4	10	21	38	62
50-69	403	15.6	219	2	5	10	25	32	41
70 +	51	20.5	70						
	2164	**14.4**	**160**	**2**	**5**	**10**	**21**	**33**	**38**
0-17	294	15.4	244	2	4	11	20	27	46
18-34	2710	13.5	142	2	5	11	18	27	34
35-49	2018	15.4	224	3	6	12	19	28	50
50-69	1045	16.9	173	3	8	13	23	38	45
70 +	62	18.2	20						
	6130	**14.8**	**179**	**3**	**6**	**12**	**20**	**29**	**44**
	8294	**14.7**	**174**	**3**	**6**	**11**	**20**	**30**	**41**

DRG 431: Childhood Mental Disorders

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	13	3.0								0-17	128	7.2	70	1	2	3	10	23	29
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	12	8.0								50-69	0								
85 +	13	2.0								70 +	0								
SUBTOTAL	**38**	**4.3**	**7**								**128**	**7.2**	**70**	**1**	**2**	**3**	**10**	**23**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	25	12.5	21							0-17	1324	23.0	646	1	3	14	33	63	86
70-74	0									18-34	63	11.7	103						
75-79	13	5.0								35-49	0								
80-84	0									50-69	12	6.0							
85 +	0									70 +	0								
SUBTOTAL	**38**	**9.9**	**27**								**1400**	**22.3**	**624**	**1**	**4**	**12**	**31**	**63**	**86**
GRAND TOTAL	**76**	**7.1**	**25**	**2**	**3**	**5**	**8**	**17**	**17**		**1528**	**21.1**	**595**	**1**	**3**	**10**	**29**	**63**	**86**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	103	34.9	542	14	26	27	44	99 +	99 +	0-17	0								
18-34	25	1.5								18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**128**	**28.3**	**612**	**2**	**14**	**26**	**44**	**92**	**99 +**		**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1530	38.3	653	8	19	40	68	99 +	99 +	0-17	358	22.5	445	1	6	17	43	70	99 +
18-34	75	13.2	180	3	5	7	16	41	41	18-34	13	1.0							
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1605**	**37.1**	**659**	**6**	**18**	**38**	**65**	**99 +**	**99 +**		**371**	**21.7**	**445**	**1**	**5**	**17**	**43**	**69**	**99 +**
GRAND TOTAL	**1734**	**36.5**	**660**	**6**	**18**	**36**	**65**	**99 +**	**99 +**		**371**	**21.7**	**445**	**1**	**5**	**17**	**43**	**69**	**99 +**

DRG 432: Other Mental Disorder Diagnoses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	25	11.8	104							0-17	102	23.1	401	3	6	26	44	57	57
70-74	13	2.0								18-34	103	8.0	69	1	2	4	13	26	26
75-79	13	12.0								35-49	38	5.0	19						
80-84	12	4.0								50-69	38	9.4	30						
85+	0									70+	0								
SUBTOTAL	**64**	**8.3**	**60**								**281**	**13.3**	**233**	**2**	**2**	**10**	**15**	**28**	**50**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	26	2.0								0-17	282	16.4	221	1	3	16	26	39	43
70-74	0									18-34	151	11.3	169	2	2	6	15	38	39
75-79	0									35-49	25	6.6	31						
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**26**	**2.0**									**458**	**14.2**	**202**	**1**	**3**	**8**	**22**	**39**	**43**
GRAND TOTAL	**89**	**6.5**	**51**	**2**	**2**	**2**	**12**	**22**	**22**		**739**	**13.8**	**213**	**1**	**2**	**8**	**22**	**39**	**50**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13	16.0								0-17	26	40.0	26						
18-34	0									18-34	26	27.0	234						
35-49	12	4.0								35-49	13	2.0							
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**25**	**10.1**	**37**								**64**	**27.2**	**297**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	90	28.0	379	1	7	26	52	55	55	0-17	39	28.7	92						
18-34	39	20.7	97							18-34	12	1.0							
35-49	0									35-49	12	1.0							
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**129**	**25.8**	**305**	**4**	**11**	**22**	**36**	**53**	**55**		**64**	**17.8**	**241**						
GRAND TOTAL	**154**	**23.2**	**294**	**4**	**11**	**19**	**35**	**52**	**55**		**128**	**22.6**	**289**	**1**	**2**	**23**	**42**	**44**	**45**

DRG 434: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2351	8.9	86	2	4	5	11	19	26	0-17	75	3.6	22	1	1	2	2	14	14
70-74	659	10.3	76	3	4	10	13	18	27	18-34	759	5.9	14	1	3	5	7	11	13
75-79	496	10.4	82	3	5	8	12	31	42	35-49	1986	7.1	17	3	4	7	9	12	14
80-84	316	8.9	79	3	3	6	7	23	27	50-69	1648	8.1	44	2	4	6	10	16	21
85 +	139	10.8	180	3	3	5	14	16	50	70 +	25	7.1	17						
SUBTOTAL	**3961**	**9.4**	**87**	**3**	**4**	**6**	**11**	**20**	**27**		**4493**	**7.2**	**27**	**2**	**4**	**6**	**9**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3961**	**9.4**	**87**	**3**	**4**	**6**	**11**	**20**	**27**		**4493**	**7.2**	**27**	**2**	**4**	**6**	**9**	**14**	**17**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	38	2.3	4							0-17	38	1.0							
18-34	3456	6.5	16	3	5	5	7	12	14	18-34	877	6.1	22	2	3	6	7	10	14
35-49	5661	6.0	9	4	5	5	7	8	10	35-49	1431	5.9	23	2	3	5	7	10	14
50-69	1351	7.6	34	4	5	5	8	14	22	50-69	441	6.2	44	1	3	4	7	10	25
70 +	0									70 +	25	2.0							
SUBTOTAL	**10506**	**6.4**	**15**	**3**	**5**	**5**	**7**	**10**	**14**		**2812**	**5.9**	**26**	**1**	**3**	**5**	**7**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**10506**	**6.4**	**15**	**3**	**5**	**5**	**7**	**10**	**14**		**2812**	**5.9**	**26**	**1**	**3**	**5**	**7**	**10**	**14**

DRG 435: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2082	7.1	60	2	4	5	7	14	21
70-74	429	6.8	23	2	4	5	8	13	18
75-79	241	6.1	32	2	4	5	5	12	22
80-84	214	9.2	38	2	5	7	12	20	24
85 +	113	6.2	25	1	3	4	8	18	18
SUBTOTAL	**3079**	**7.1**	**50**	**2**	**4**	**5**	**7**	**14**	**20**
GRAND TOTAL	**3079**	**7.1**	**50**	**2**	**4**	**5**	**7**	**14**	**20**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	364	1.7	2	< 1	1	1	2	3	5
18-34	7515	5.9	11	3	4	5	7	10	14
35-49	9864	5.9	10	3	5	5	7	10	14
50-69	3500	5.8	10	3	5	5	6	8	14
70 +	25	4.5							
	21268	**5.8**	**11**	**3**	**5**	**5**	**7**	**10**	**14**
	21268	**5.8**	**11**	**3**	**5**	**5**	**7**	**10**	**14**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	164	4.1	8	1	1	5	7	9	99 +
18-34	14518	5.6	16	3	5	5	6	7	11
35-49	15661	5.5	6	4	5	5	6	7	8
50-69	3666	5.4	5	4	5	5	5	7	9
70 +	75	5.0		4	5	5	5	6	6
SUBTOTAL	**34083**	**5.5**	**10**	**4**	**5**	**5**	**6**	**7**	**9**
GRAND TOTAL	**34083**	**5.5**	**10**	**4**	**5**	**5**	**6**	**7**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	190	2.8	10	< 1	1	2	3	6	13
18-34	3588	4.7	11	1	2	4	7	8	12
35-49	2647	5.0	10	2	3	5	6	8	10
50-69	717	4.6	14	1	2	3	5	11	13
70 +	12	3.0							
	7155	**4.8**	**11**	**1**	**2**	**4**	**7**	**8**	**11**
	7155	**4.8**	**11**	**1**	**2**	**4**	**7**	**8**	**11**

DRG 436: Alc/Drug Dependence w/ Rehabilitation Therapy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	102	20.4	52	5	21	23	27	28	28	0-17	12	14.0							
70-74	12	5.0								18-34	75	20.8	191	7	14	14	27	48	48
75-79	0									35-49	38	18.9	138						
80-84	0									50-69	51	15.5	16						
85 +	0									70 +	12	18.0							
SUBTOTAL	**115**	**18.8**	**69**	**5**	**13**	**22**	**24**	**28**	**28**		**189**	**18.3**	**113**	**7**	**13**		**24**	**30**	**48**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	51	18.9	80							0-17	25	20.0	9						
70-74	0									18-34	436	14.7	63	3	10	14	22	28	28
75-79	0									35-49	423	16.3	61	5	13	14	21	28	30
80-84	0									50-69	100	12.5	39	2	8	14	18	23	23
85 +	0									70 +	0								
SUBTOTAL	**51**	**18.9**	**80**								**984**	**15.3**	**60**	**4**	**11**	**14**	**21**	**28**	**28**
GRAND TOTAL	**166**	**18.8**	**72**	**5**	**13**	**22**	**24**	**28**	**28**		**1174**	**15.8**	**69**	**5**	**12**	**14**	**21**	**28**	**29**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	203	21.1	64	7	17	23	28	28	33	18-34	0								
35-49	281	22.2	91	9	14	24	27	29	32	35-49	13	17.0							
50-69	129	22.4	27	13	21	23	27	28	28	50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**613**	**21.9**	**69**	**9**	**17**	**23**	**27**	**28**	**32**		**13**	**17.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	50	15.3	30							0-17	0								
18-34	2616	21.9	58	10	15	24	28	28	29	18-34	402	13.3	106	2	4	9	26	28	28
35-49	1535	21.2	71	6	21	24	28	28	28	35-49	152	17.1	49	10	11	13	24	25	27
50-69	268	21.0	34	14	21	22	24	28	28	50-69	13	37.0							
70 +	0									70 +	0								
SUBTOTAL	**4468**	**21.5**	**61**	**9**	**17**	**24**	**28**	**28**	**29**		**567**	**14.8**	**102**	**3**	**5**	**13**	**25**	**28**	**28**
GRAND TOTAL	**5082**	**21.6**	**62**	**9**	**17**	**24**	**28**	**28**	**29**		**580**	**14.9**	**100**	**3**	**5**	**13**	**25**	**28**	**28**

DRG 437: Alc/Drug Dependence, Combined Rehab & Detox Therapy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	225	16.4	65	3	10	18	22	28	30	0-17	0								
70-74	25	13.0	84							18-34	137	16.3	31	12	14	16	19	24	27
75-79	0									35-49	149	13.8	34	6	12	14	14	19	28
80-84	0									50-69	138	11.2	19	6	7	11	14	16	20
85 +	0									70 +	12	17.0							
SUBTOTAL	**250**	**16.1**	**68**	**4**	**10**	**18**	**22**	**28**	**30**		**437**	**13.9**	**32**	**6**	**10**	**14**	**17**	**20**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	211	12.4	27	4	11	14	17	18	18	0-17	25	17.0	67						
70-74	25	10.0	17							18-34	672	14.9	54	4	12	14	18	28	28
75-79	0									35-49	648	12.9	50	5	7	14	16	22	28
80-84	0									50-69	262	12.0	53	5	5	14	17	28	28
85 +	0									70 +	0								
SUBTOTAL	**236**	**12.2**	**27**	**4**	**6**	**14**	**17**	**18**	**18**		**1607**	**13.6**	**54**	**4**	**7**	**14**	**17**	**28**	**28**
GRAND TOTAL	**486**	**14.2**	**51**	**4**	**10**	**14**	**18**	**22**	**28**		**2044**	**13.7**	**49**	**5**	**8**	**14**	**17**	**27**	**28**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	202	18.9	67	6	14	21	26	28	31	18-34	124	9.9	38	3	4	10	17	17	17
35-49	265	19.8	88	6	14	27	28	28	29	35-49	62	5.0	1						
50-69	76	23.0	87	10	15	28	33	34	34	50-69	25	6.0	1						
70 +	0									70 +	0								
SUBTOTAL	**543**	**19.9**	**81**	**6**	**14**	**21**	**28**	**29**	**31**		**211**	**8.0**	**28**	**3**	**4**	**6**	**10**	**17**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	1623	21.3	78	7	15	26	28	29	30	18-34	524	9.1	40	3	4	7	14	18	20
35-49	740	21.4	77	7	15	25	28	30	32	35-49	261	10.6	56	3	5	7	15	20	26
50-69	89	14.9	93	5	6	13	28	29	29	50-69	50	7.5	32						
70 +	0									70 +	0								
SUBTOTAL	**2452**	**21.1**	**79**	**6**	**14**	**25**	**28**	**29**	**30**		**835**	**9.5**	**45**	**3**	**4**	**7**	**14**	**18**	**20**
GRAND TOTAL	**2994**	**20.9**	**80**	**6**	**14**	**25**	**28**	**29**	**31**		**1046**	**9.2**	**42**	**3**	**4**	**6**	**14**	**17**	**20**

DRG 439: Skin Grafts for Injuries

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	38	22.3	48						
70-74	26	42.5	59						
75-79	37	10.0	3						
80-84	0								
85 +	51	15.2	82						
SUBTOTAL	**152**	**20.4**	**169**	**8**	**10**	**17**	**29**	**35**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	39	1.7							
70-74	25	2.0							
75-79	12	1.0							
80-84	0								
85 +	0								
SUBTOTAL	**76**	**1.7**		**1**	**1**	**2**	**2**	**2**	**2**
GRAND TOTAL	**228**	**14.1**	**190**	**1**	**2**	**10**	**25**	**35**	**50**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	25.0	504						
18-34	25	21.2	319						
35-49	25	14.8	190						
50-69	13	12.0							
70 +	0								
	89	**19.1**	**305**	**1**	**3**	**12**	**39**	**47**	**47**
0-17	76	3.4	4	1	1	5	5	6	6
18-34	76	7.9	48	1	1	11	11	20	20
35-49	39	2.7							
50-69	77	7.2	34	1	3	4	13	17	17
70 +	0								
	268	**5.7**	**29**	**1**	**2**	**3**	**6**	**13**	**17**
	358	**9.0**	**132**	**1**	**2**	**4**	**12**	**28**	**39**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	13	11.0							
50-69	0								
70 +	0								
SUBTOTAL	**13**	**11.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	102	1.5	1	1	1	1	2	3	3
18-34	0								
35-49	12	10.0							
50-69	0								
70 +	0								
SUBTOTAL	**114**	**2.4**	**8**	**1**	**1**	**1**	**2**	**10**	**10**
GRAND TOTAL	**127**	**3.3**	**14**	**1**	**1**	**1**	**3**	**11**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	13	1.0							
	13	**1.0**							
0-17	13	3.0							
18-34	25	7.1	26						
35-49	13	4.0							
50-69	0								
70 +	0								
	51	**5.3**	**16**						
	64	**4.4**	**16**						

DRG 440: Wound Debridements for Injuries

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	139	19.5	432	6	7	19	26	80	99 +
70-74	166	17.8	202	2	5	18	27	35	47
75-79	89	32.0	334	3	7	38	44	57	57
80-84	64	24.6	386						
85 +	88	18.3	219	5	8	15	26	51	51
SUBTOTAL	**546**	**21.4**	**330**	**4**	**7**	**18**	**35**	**51**	**58**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	88	5.7	16	1	1	7	9	11	11
70-74	88	5.0	13	2	2	3	10	11	11
75-79	13	8.0							
80-84	64	2.0	1						
85 +	13	10.0							
SUBTOTAL	**266**	**4.9**	**14**	**1**	**2**	**3**	**9**	**10**	**11**
GRAND TOTAL	**812**	**16.0**	**287**	**2**	**4**	**9**	**26**	**44**	**57**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	166	13.4	96	3	7	9	21	25	36
18-34	128	9.4	48	2	3	9	16	20	20
35-49	89	24.5	795	2	4	19	23	90	90
50-69	180	12.2	65	2	5	13	21	22	25
70 +	0								
	563	**13.9**	**208**	**2**	**5**	**11**	**20**	**24**	**25**
0-17	382	4.5	13	1	2	3	7	10	11
18-34	356	5.4	41	1	1	3	7	11	19
35-49	178	5.6	29	< 1	1	4	9	15	18
50-69	268	5.8	34	2	2	4	6	11	15
70 +	0								
	1185	**5.2**	**29**	**1**	**2**	**3**	**7**	**11**	**16**
	1748	**8.0**	**103**	**1**	**2**	**4**	**10**	**20**	**24**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	39	18.0	91						
18-34	51	16.7	27						
35-49	12	3.0							
50-69	25	14.5	190						
70 +	0								
SUBTOTAL	**127**	**15.3**	**92**	**3**	**8**	**16**	**21**	**30**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	154	6.5	45	1	1	5	10	16	23
18-34	103	10.0	39	1	4	10	14	21	21
35-49	13	5.0							
50-69	39	16.3	99						
70 +	0								
SUBTOTAL	**309**	**8.8**	**58**	**1**	**4**	**6**	**15**	**21**	**23**
GRAND TOTAL	**436**	**10.7**	**77**	**1**	**4**	**8**	**17**	**23**	**28**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	19.8	372						
18-34	77	6.7	27	1	2	8	11	15	15
35-49	51	10.1	40						
50-69	12	1.0							
70 +	0								
	192	**10.8**	**155**	**1**	**2**	**5**	**16**	**30**	**46**
0-17	88	3.3	9	1	1	3	4	10	10
18-34	215	3.8	8	1	2	4	4	7	13
35-49	51	13.7	268						
50-69	26	8.5	44						
70 +	0								
	380	**5.3**	**57**	**1**	**1**	**3**	**5**	**12**	**15**
	571	**7.1**	**96**	**1**	**2**	**3**	**8**	**16**	**30**

DRG 441: Hand Procedures for Injuries

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	26	3.5	7							0-17	13	7.0							
70-74	0									18-34	0								
75-79	0									35-49	38	8.1	63						
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**26**	**3.5**	**7**								**51**	**7.8**	**47**						
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	50	1.0								0-17	167	2.8	6	1	1	2	3	7	9
70-74	51	2.3	3							18-34	190	1.7	1	1	1	1	2	3	4
75-79	25	1.5								35-49	151	3.0	11	1	1	2	4	5	13
80-84	13	2.0								50-69	103	1.6	1	1	1	1	3	3	3
85 +	0									70 +	12	2.0							
SUBTOTAL	**139**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**5**		**623**	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**7**
GRAND TOTAL	**164**	**1.9**	**3**	**1**	**1**	**1**	**2**	**5**	**6**		**674**	**2.7**	**10**	**1**	**1**	**2**	**3**	**5**	**9**

TYPE OF PATIENT	MEDICAID										NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	12	2.0							
35-49	13	4.0								35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**13**	**4.0**									**12**	**2.0**							
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	38	4.7	15							0-17	52	1.5	1						
18-34	13	1.0								18-34	101	2.4	4	1	1	1	4	6	6
35-49	12	1.0								35-49	64	3.0	8						
50-69	0									50-69	38	1.7							
70 +	0									70 +	0								
SUBTOTAL	**63**	**3.2**	**12**								**254**	**2.3**	**4**	**1**	**1**	**1**	**4**	**6**	**7**
GRAND TOTAL	**76**	**3.4**	**10**	**1**	**1**	**2**	**4**	**10**	**10**		**267**	**2.2**	**4**	**1**	**1**	**1**	**3**	**4**	**7**

DRG 442: Other O.R. Procedures for Injuries w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	825	9.5	96	1	2	7	13	23	25	0-17	475	5.3	50	< 1	1	2	8	18	33
70-74	472	9.4	72	2	3	6	13	25	31	18-34	652	7.3	118	1	2	5	9	12	17
75-79	382	12.5	129	2	5	8	16	36	40	35-49	627	7.1	64	1	2	4	11	19	26
80-84	291	10.2	160	2	2	8	12	18	21	50-69	624	8.6	92	1	2	5	11	24	30
85 +	139	16.8	232	4	6	11	30	54	99 +	70 +	76	12.3	147	1	3	3	28	30	30
SUBTOTAL	**2109**	**10.6**	**118**	**1**	**3**	**7**	**14**	**25**	**33**		**2454**	**7.3**	**87**	**1**	**2**	**4**	**9**	**17**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2109**	**10.6**	**118**	**1**	**3**	**7**	**14**	**25**	**33**		**2454**	**7.3**	**87**	**1**	**2**	**4**	**9**	**17**	**30**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	128	5.4	32	1	2	3	6	16	21	0-17	90	4.9	26	< 1	1	3	10	15	15
18-34	139	5.6	67	1	1	2	7	8	30	18-34	140	4.7	10	1	1	4	9	9	10
35-49	89	6.7	54	1	1	2	17	19	19	35-49	115	14.4	337	1	4	6	7	49	49
50-69	64	12.0	67							50-69	64	10.0	61						
70 +	0									70 +	0								
SUBTOTAL	**421**	**6.8**	**58**	**1**	**1**	**3**	**8**	**19**	**23**		**408**	**8.3**	**130**	**1**	**2**	**5**	**9**	**16**	**48**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**421**	**6.8**	**58**	**1**	**1**	**3**	**8**	**19**	**23**		**408**	**8.3**	**130**	**1**	**2**	**5**	**9**	**16**	**48**

DRG 443: Other O.R. Procedures for Injuries w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	381	4.0	14	1	1	2	6	10	12
70-74	242	4.8	59	1	1	2	5	11	35
75-79	269	2.3	3	1	1	2	3	4	4
80-84	116	3.7	20	1	1	2	2	13	13
85 +	64	4.0	8						
SUBTOTAL	**1071**	**3.7**	**22**	**1**	**1**	**2**	**4**	**9**	**11**
GRAND TOTAL	**1071**	**3.7**	**22**	**1**	**1**	**2**	**4**	**9**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1303	2.2	5	1	1	1	2	5	8
18-34	2101	2.0	6	1	1	1	2	3	7
35-49	1376	2.2	6	1	1	1	2	5	8
50-69	1033	3.7	19	1	1	2	4	8	12
70 +	38	1.3							
	5851	**2.4**	**8**	**1**	**1**	**1**	**3**	**6**	**8**
	5851	**2.4**	**8**	**1**	**1**	**1**	**3**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	255	2.2	10	< 1	1	1	2	3	13
18-34	281	2.7	2	1	1	3	4	5	5
35-49	165	2.4	4	1	1	2	2	7	7
50-69	26	2.0							
70 +	13	8.0							
SUBTOTAL	**740**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**740**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	281	1.6	1	< 1	1	1	2	3	4
18-34	581	2.7	7	1	1	2	4	6	7
35-49	254	2.5	3	1	1	2	4	5	7
50-69	179	2.9	15	1	1	1	3	5	16
70 +	38	1.0							
	1334	**2.4**	**6**	**1**	**1**	**1**	**3**	**5**	**7**
	1334	**2.4**	**6**	**1**	**1**	**1**	**3**	**5**	**7**

DRG 444: Traumatic Injury Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	241	6.4	76	2	2	5	6	8	42	0-17	0								
70-74	102	8.7	33	1	2	11	16	17	17	18-34	305	4.1	12	1	1	3	5	8	9
75-79	52	11.0	29							35-49	255	4.4	10	2	2	4	5	9	13
80-84	125	6.1	34	1	2	4	10	13	20	50-69	178	5.6	10	2	3	5	6	10	14
85+	227	12.2	50	4	7	11	15	26	29	70+	38	7.1	13						
SUBTOTAL	**747**	**8.7**	**59**	**2**	**4**	**6**	**11**	**20**	**26**		**775**	**4.7**	**11**	**1**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**747**	**8.7**	**59**	**2**	**4**	**6**	**11**	**20**	**26**		**775**	**4.7**	**11**	**1**	**2**	**4**	**6**	**9**	**12**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	89	5.0	8	1	3	5	7	10	10	18-34	204	4.6	9	1	2	3	6	9	12
35-49	76	5.9	6	2	3	7	8	8	8	35-49	89	5.3	10	2	2	4	9	11	11
50-69	13	4.0								50-69	102	6.3	18	1	3	6	11	14	14
70+	0									70+	13	13.0							
SUBTOTAL	**178**	**5.3**	**7**	**2**	**3**	**6**	**7**	**8**	**10**		**408**	**5.4**	**14**	**2**	**2**	**4**	**8**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**178**	**5.3**	**7**	**2**	**3**	**6**	**7**	**8**	**10**		**408**	**5.4**	**14**	**2**	**2**	**4**	**8**	**11**	**13**

DRG 445: Traumatic Injury Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	102	4.5	5	1	3	5	7	8	8	0-17	0								
70-74	139	3.7	5	2	2	3	5	7	9	18-34	903	2.7	5	1	1	2	3	6	8
75-79	101	3.9	1	2	3	4	5	5	5	35-49	507	3.3	4	1	2	3	4	7	8
80-84	151	4.4	7	1	2	4	6	8	10	50-69	343	4.4	15	1	2	3	6	8	8
85 +	127	12.5	432	1	2	4	12	60	73	70 +	64	5.4	15						
SUBTOTAL	**620**	**5.9**	**104**	**1**	**2**	**4**	**5**	**10**	**12**		**1818**	**3.3**	**8**	**1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**620**	**5.9**	**104**	**1**	**2**	**4**	**5**	**10**	**12**		**1818**	**3.3**	**8**	**1**	**1**	**2**	**4**	**7**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	254	2.7	5	1	1	2	4	8	9	18-34	775	2.9	4	1	1	2	4	6	7
35-49	102	4.7	9	1	2	5	8	10	10	35-49	166	3.3	5	1	2	3	5	5	9
50-69	13	2.0								50-69	102	5.0	9	1	3	4	8	9	9
70 +	0									70 +	39	4.7	4						
SUBTOTAL	**368**	**3.2**	**7**	**1**	**1**	**2**	**4**	**8**	**9**		**1081**	**3.2**	**5**	**1**	**1**	**3**	**5**	**6**	**8**
GRAND TOTAL	**368**	**3.2**	**7**	**1**	**1**	**2**	**4**	**8**	**9**		**1081**	**3.2**	**5**	**1**	**1**	**3**	**5**	**6**	**8**

DRG 446: Traumatic Injury Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	230	4.2	8	2	2	3	6	10	12
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**230**	**4.2**	**8**	**2**	**2**	**3**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	789	2.6	4	1	1	2	3	5	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**789**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**0**										**1019**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**8**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	116	3.7	18	1	1	2	3	15	15	0-17	180	4.8	23	2	2	3	5	7	21
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**116**	**3.7**	**18**	**1**	**1**	**2**	**3**	**15**	**15**		**180**	**4.8**	**23**	**2**	**2**	**3**	**5**	**7**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	526	2.8	4	1	1	2	4	6	6	0-17	565	2.7	6	<1	1	2	3	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**526**	**2.8**	**4**	**1**	**1**	**2**	**4**	**6**	**6**		**565**	**2.7**	**6**	**<1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**642**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**7**		**745**	**3.2**	**11**	**<1**	**1**	**2**	**4**	**6**	**12**

DRG 447: Allergic Reactions Age >17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES											PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	125	2.1	1	1	1	2	3	3	4	0-17	0								
70-74	127	3.8	4	2	3	4	4	4	9	18-34	38	2.7	2						
75-79	63	4.9	19							35-49	77	4.0	5	1	2	4	7	7	7
80-84	51	5.2	22							50-69	89	3.0	4	1	1	2	5	7	7
85+	50	2.5	3							70+	0								
SUBTOTAL	**416**	**3.5**	**9**	**1**	**2**	**3**	**4**	**5**	**13**		**204**	**3.3**	**4**	**1**	**2**	**3**	**5**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	164	3.1	10	1	1	2	3	7	12	0-17	0								
70-74	51	2.0	2							18-34	253	2.0	2	<1	1	2	3	4	4
75-79	51	4.5	11							35-49	326	2.5	4	1	1	2	2	6	7
80-84	38	7.6	36							50-69	128	3.7	16	<1	2	2	4	12	15
85+	25	5.1	9							70+	0								
SUBTOTAL	**328**	**3.8**	**14**	**1**	**1**	**2**	**4**	**10**	**12**		**707**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**744**	**3.6**	**11**	**1**	**2**	**2**	**4**	**8**	**12**		**911**	**2.7**	**5**	**1**	**1**	**2**	**3**	**6**	**7**

	MEDICAID										NO INSURANCE										
				PERCENTILES											PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	13	6.0								18-34	0								
35-49	51	4.7	7							35-49	63	2.4	1						
50-69	51	5.8	52							50-69	37	6.0	2						
70+	0									70+	12	3.0							
SUBTOTAL	**115**	**5.4**	**26**	**<1**	**2**	**4**	**6**	**18**	**18**		**113**	**3.7**	**4**	**1**	**3**	**3**	**4**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	38	2.3								18-34	89	2.2	1	1	1	2	3	4	4
35-49	13	1.0								35-49	88	2.1	1	<1	1	2	3	4	4
50-69	12	8.0								50-69	38	1.3							
70+	0									70+	0								
SUBTOTAL	**63**	**3.2**	**6**								**215**	**2.0**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**178**	**4.6**	**20**	**1**	**2**	**3**	**6**	**8**	**18**		**327**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**7**

DRG 448: Allergic Reactions Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	154	2.3	2	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	154	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**6**
0-17	307	1.7	1	1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	307	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
	461	**1.9**	**2**	**1**	**1**	**1**	**3**	**4**	**5**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	12	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**12**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	76	1.7	1	1	1	1	2	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**76**	**1.7**	**1**	**1**	**1**	**1**	**2**	**4**	**4**
GRAND TOTAL	**89**	**1.6**	**1**	**1**	**1**	**1**	**2**	**4**	**4**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	77	1.8	1	1	1	2	2	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	77	**1.8**	**1**	**1**	**1**	**2**	**2**	**4**	**4**
	77	**1.8**	**1**	**1**	**1**	**2**	**2**	**4**	**4**

DRG 449: Poisoning & Toxic Effects of Drugs Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1769	5.5	34	1	2	4	6	11	19	0-17	0								
70-74	645	7.3	36	2	3	5	10	17	19	18-34	1526	4.7	49	1	1	2	5	10	17
75-79	617	5.7	22	2	3	4	7	12	18	35-49	1168	4.0	13	1	2	3	5	8	12
80-84	426	8.7	51	2	3	7	13	22	28	50-69	1098	7.9	79	1	2	5	9	19	30
85 +	694	8.7	160	2	3	5	10	18	21	70 +	12	14.0							
SUBTOTAL	**4151**	**6.7**	**57**	**1**	**2**	**4**	**8**	**16**	**20**		**3806**	**5.5**	**49**	**1**	**1**	**3**	**6**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4151**	**6.7**	**57**	**1**	**2**	**4**	**8**	**16**	**20**		**3806**	**5.5**	**49**	**1**	**1**	**3**	**6**	**12**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	1414	3.7	26	1	1	2	4	9	12	18-34	1505	4.0	59	1	1	2	4	8	13
35-49	950	4.6	34	1	2	3	5	10	14	35-49	797	3.2	6	1	1	2	4	6	8
50-69	465	6.5	43	1	3	4	8	13	25	50-69	265	4.4	17	1	1	3	6	11	14
70 +	25	6.9	17							70 +	39	9.3	2						
SUBTOTAL	**2854**	**4.5**	**32**	**1**	**1**	**3**	**5**	**10**	**13**		**2606**	**3.9**	**39**	**1**	**1**	**2**	**4**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2854**	**4.5**	**32**	**1**	**1**	**3**	**5**	**10**	**13**		**2606**	**3.9**	**39**	**1**	**1**	**2**	**4**	**8**	**11**

DRG 450: Poisoning & Toxic Effects of Drugs Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	792	4.2	71	1	1	2	4	9	11	0-17	0								
70-74	228	4.7	20	1	1	3	6	13	18	18-34	2880	3.1	52	1	1	2	3	5	7
75-79	151	2.4	1	1	1	2	4	4	4	35-49	1762	3.9	53	1	1	2	3	6	17
80-84	138	4.0	12	1	2	3	4	6	14	50-69	934	3.9	46	1	1	2	3	9	16
85 +	190	5.7	55	1	1	3	6	10	31	70 +	13	1.0							
SUBTOTAL	**1499**	**4.3**	**49**	**1**	**1**	**2**	**4**	**9**	**14**		**5588**	**3.5**	**51**	**1**	**1**	**2**	**3**	**6**	**12**
GRAND TOTAL	**1499**	**4.3**	**49**	**1**	**1**	**2**	**4**	**9**	**14**		**5588**	**3.5**	**51**	**1**	**1**	**2**	**3**	**6**	**12**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	1534	3.2	22	1	1	2	3	7	12	18-34	2348	2.5	17	< 1	1	1	2	5	8
35-49	639	4.4	63	1	1	2	4	9	19	35-49	667	2.7	22	1	1	2	3	4	8
50-69	162	5.7	87	1	1	2	5	9	37	50-69	163	4.8	90	< 1	1	2	3	5	37
70 +	0									70 +	38	5.0	5						
SUBTOTAL	**2335**	**3.7**	**38**	**1**	**1**	**2**	**3**	**8**	**13**		**3217**	**2.7**	**22**	**< 1**	**1**	**1**	**2**	**5**	**8**
GRAND TOTAL	**2335**	**3.7**	**38**	**1**	**1**	**2**	**3**	**8**	**13**		**3217**	**2.7**	**22**	**< 1**	**1**	**1**	**2**	**5**	**8**

DRG 451: Poisoning & Toxic Effects of Drugs Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	12	2.0								0-17	831	2.6	9	1	1	1	2	5	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	12	2.0									831	2.6	9	1	1	1	2	5	8
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	3914	2.5	19	<1	1	1	2	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	0										3914	2.5	19	<1	1	1	2	5	6
GRAND TOTAL	12	2.0									4744	2.5	17	<1	1	1	2	5	6

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	578	3.5	19	1	1	2	4	6	9	0-17	472	3.1	14	1	1	2	3	5	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	578	3.5	19	1	1	2	4	6	9		472	3.1	14	1	1	2	3	5	9
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3583	3.4	10	1	1	2	5	6	9	0-17	2210	2.5	7	1	1	1	4	6	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	3583	3.4	10	1	1	2	5	6	9		2210	2.5	7	1	1	1	4	6	7
GRAND TOTAL	4161	3.4	12	1	1	2	5	6	9		2683	2.6	8	1	1	1	3	6	7

DRG 452: Complications of Treatment w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1633	5.9	30	1	2	4	8	12	15
70-74	931	5.0	18	1	2	4	7	10	13
75-79	572	5.9	34	1	2	3	8	13	16
80-84	383	6.5	68	2	3	5	6	10	14
85 +	431	7.8	106	2	2	6	8	14	29
SUBTOTAL	**3950**	**6.0**	**40**	**1**	**2**	**4**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3950**	**6.0**	**40**	**1**	**2**	**4**	**8**	**12**	**15**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	580	3.7	13	1	1	2	5	11	11
18-34	512	4.4	16	1	2	3	6	10	14
35-49	534	4.1	16	1	2	3	5	7	8
50-69	879	5.6	74	1	1	2	7	10	18
70 +	39	4.3	8						
	2543	**4.6**	**36**	**1**	**1**	**2**	**6**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2543	**4.6**	**36**	**1**	**1**	**2**	**6**	**9**	**12**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	270	3.9	11	1	1	2	6	9	9
18-34	217	7.8	44	2	4	4	9	19	25
35-49	127	11.1	128	1	2	9	10	33	33
50-69	90	6.9	35	1	2	3	12	17	17
70 +	25	14.0	4						
SUBTOTAL	**729**	**7.0**	**52**	**1**	**2**	**4**	**9**	**16**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**729**	**7.0**	**52**	**1**	**2**	**4**	**9**	**16**	**25**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	142	4.3	16	1	1	3	5	10	14
18-34	64	3.6	11						
35-49	166	3.5	4	1	2	4	5	6	6
50-69	90	5.4	7	2	3	5	6	11	11
70 +	76	2.7	4	1	1	2	5	6	6
	538	**3.9**	**9**	**1**	**2**	**3**	**5**	**6**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	538	**3.9**	**9**	**1**	**2**	**3**	**5**	**6**	**10**

DRG 453: Complications of Treatment w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	498	3.6	10	1	1	2	5	8	13	0-17	688	2.0	13	1	1	1	2	3	4
70-74	419	3.9	16	1	1	3	4	10	13	18-34	1081	2.6	7	1	1	2	3	5	7
75-79	393	4.3	14	1	1	3	5	10	12	35-49	866	2.5	3	1	1	2	3	5	7
80-84	214	3.7	14	1	1	3	4	7	17	50-69	934	3.1	7	1	1	2	3	6	9
85 +	153	4.0	11	1	1	3	5	9	12	70 +	13	11.0							
SUBTOTAL	**1677**	**3.9**	**13**	**1**	**1**	**3**	**5**	**9**	**12**		**3582**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**1677**	**3.9**	**13**	**1**	**1**	**3**	**5**	**9**	**12**		**3582**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	244	2.3	4	< 1	1	2	3	4	9	0-17	231	2.6	7	< 1	1	1	3	6	11
18-34	230	2.8	4	1	1	2	4	7	7	18-34	153	2.5	2	1	2	2	3	4	6
35-49	64	3.0	3							35-49	166	2.8	4	1	1	2	3	5	8
50-69	115	4.5	42	1	2	2	3	23	23	50-69	64	4.2	4						
70 +	26	4.0	1							70 +	13	4.0							
SUBTOTAL	**678**	**3.0**	**11**	**1**	**1**	**2**	**4**	**5**	**7**		**626**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**678**	**3.0**	**11**	**1**	**1**	**2**	**4**	**5**	**7**		**626**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 454: Other Injury, Poisoning & Toxic Effect Diag w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	114	6.8	38	1	2	5	9	22	22
70-74	127	5.4	14	1	1	6	8	8	13
75-79	113	8.4	55	2	3	6	9	24	24
80-84	88	6.7	58	1	2	4	10	24	24
85 +	101	9.1	47	< 1	3	9	17	21	21
SUBTOTAL	**543**	**7.2**	**42**	**1**	**2**	**5**	**9**	**19**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**543**	**7.2**	**42**	**1**	**2**	**5**	**9**	**19**	**22**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	334	2.4	10	1	1	1	2	5	12
18-34	163	1.8	2	1	1	1	2	4	5
35-49	139	5.0	28	1	1	2	10	12	17
50-69	89	8.6	115	1	3	6	7	34	34
70 +	13	1.0							
	738	**3.5**	**29**	**1**	**1**	**2**	**3**	**10**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	738	**3.5**	**29**	**1**	**1**	**2**	**3**	**10**	**14**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	309	3.3	12	1	1	2	4	11	12
18-34	116	9.9	121	< 1	< 1	6	15	36	36
35-49	13	5.0							
50-69	25	14.6	44						
70 +	0								
SUBTOTAL	**463**	**5.6**	**53**	**< 1**	**1**	**3**	**7**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**463**	**5.6**	**53**	**< 1**	**1**	**3**	**7**	**15**	**21**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	321	7.2	341	< 1	1	2	2	13	44
18-34	140	2.9	13	< 1	< 1	2	3	4	14
35-49	51	3.7	18						
50-69	0								
70 +	0								
	512	**5.7**	**223**	**< 1**	**1**	**2**	**2**	**13**	**42**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	512	**5.7**	**223**	**< 1**	**1**	**2**	**2**	**13**	**42**

DRG 455: Other Injury, Poisoning & Toxic Effect Diag w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	63	2.0								0-17	562	1.7	3	1	1	1	2	2	7
70-74	12	4.0								18-34	917	1.4		<1	1	1	2	2	3
75-79	76	3.4	7	1	2	2	3	9	9	35-49	283	1.7	1	1	1	1	2	3	4
80-84	50	2.5	1							50-69	142	2.5	5	1	1	2	2	3	9
85+	38	8.5	60							70+	141	3.4	5	2	2	2	5	6	9
SUBTOTAL	**239**	**3.7**	**17**	**1**	**2**	**2**	**4**	**9**	**19**		**2045**	**1.8**	**2**	**<1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**239**	**3.7**	**17**	**1**	**2**	**2**	**4**	**9**	**19**		**2045**	**1.8**	**2**	**<1**	**1**	**1**	**2**	**3**	**5**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	651	3.8	61	<1	1	1	3	6	11	0-17	476	1.6	2	<1	1	1	2	3	5
18-34	320	1.3	1	<1	<1	<1	1	2	3	18-34	190	1.3		1	1	1	1	2	3
35-49	13	1.0								35-49	38	2.0							
50-69	0									50-69	26	1.5							
70+	0									70+	38	1.7							
SUBTOTAL	**985**	**2.9**	**42**	**<1**	**<1**	**1**	**3**	**5**	**9**		**768**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**985**	**2.9**	**42**	**<1**	**<1**	**1**	**3**	**5**	**9**		**768**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**3**	**5**

DRG 457: Extensive Burns w/o O.R. Procedure

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	13	1.0							
70 +	0								
SUBTOTAL	**13**	**1.0**							
GRAND TOTAL	**13**	**1.0**							

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	13	25.0							
50-69	0								
70 +	0								
SUBTOTAL	**13**	**25.0**							
2.PATIENTS W/OUT CCs									
0-17	13	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**13**	**1.0**							
GRAND TOTAL	**26**	**13.0**	**150**						

DRG 458: Non-extensive Burns w/ Skin Graft

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	75	28.8	468	10	14	28	74	99 +	99 +	0-17	77	11.8	65	3	4	11	15	27	27
70-74	26	21.0	337							18-34	90	16.7	97	6	8	11	27	34	34
75-79	0									35-49	51	27.3	754						
80-84	13	16.0								50-69	77	26.0	410	10	10	11	54	55	55
85 +	13	19.0								70 +	0								
SUBTOTAL	**127**	**24.9**	**367**	**10**	**15**	**19**	**56**	**99 +**	**99 +**		**295**	**19.7**	**319**	**4**	**8**	**11**	**27**	**54**	**55**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	26	24.5	13							0-17	179	8.9	25	1	6	10	13	15	18
70-74	25	12.8	84							18-34	128	11.8	77	1	5	8	18	26	29
75-79	0									35-49	76	10.8	8	6	9	11	13	15	15
80-84	12	8.0								50-69	64	11.6	31						
85 +	0									70 +	0								
SUBTOTAL	**64**	**16.6**	**84**								**447**	**10.5**	**39**	**2**	**6**	**10**	**14**	**18**	**21**
GRAND TOTAL	**191**	**22.2**	**287**	**4**	**14**	**21**	**32**	**99 +**	**99 +**		**742**	**14.1**	**171**	**2**	**7**	**11**	**17**	**29**	**42**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	51	16.0	42							0-17	13	2.0							
18-34	38	13.0	5							18-34	13	38.0							
35-49	52	23.8	102							35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**141**	**18.0**	**74**	**10**	**11**	**15**	**24**	**26**	**40**		**26**	**20.0**	**337**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	115	10.7	50	2	7	8	16	25	25	0-17	26	11.5	2						
18-34	13	4.0								18-34	63	12.4	37						
35-49	25	6.6	21							35-49	13	18.0							
50-69	13	8.0								50-69	13	6.0							
70 +	0									70 +	0								
SUBTOTAL	**166**	**9.4**	**43**	**2**	**5**	**8**	**11**	**19**	**25**		**115**	**12.1**	**29**	**4**	**7**	**13**	**17**	**20**	**20**
GRAND TOTAL	**307**	**13.3**	**75**	**4**	**8**	**11**	**16**	**25**	**26**		**140**	**13.5**	**93**	**4**	**6**	**13**	**18**	**20**	**38**

DRG 459: Non-extensive Burns w/ Wound Debridement or Other O.R. Proc

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	25	16.0	1							0-17	13	8.0							
70-74	0									18-34	0								
75-79	0									35-49	26	2.5	2						
80-84	0									50-69	13	6.0							
85+	0									70+	0								
SUBTOTAL	**25**	**16.0**	**1**								**52**	**4.8**	**7**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	12	2.0								0-17	77	4.3	10	2	2	[illegible]	5	11	11
70-74	13	2.0								18-34	38	5.6	4						
75-79	0									35-49	25	7.5	21						
80-84	0									50-69	25	14.1	51						
85+	0									70+	0								
SUBTOTAL	**25**	**2.0**									**165**	**6.6**	**28**	**2**	**3**	**5**	**8**	**12**	**21**
GRAND TOTAL	**50**	**8.9**	**50**								**217**	**6.2**	**23**	**2**	**3**	**5**	**8**	**12**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	25	11.9	17							18-34	13	19.0							
35-49	0									35-49	0								
50-69	25	34.0	731							50-69	25	36.0	51						
70+	0									70+	0								
SUBTOTAL	**51**	**23.0**	**490**								**38**	**30.2**	**100**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	26	8.5	59							0-17	25	7.5							
18-34	0									18-34	38	5.0	1						
35-49	12	13.0								35-49	37	5.0	2						
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**38**	**10.0**	**44**								**101**	**5.6**	**2**	**3**	**5**	**6**	**7**	**8**	**8**
GRAND TOTAL	**89**	**17.4**	**337**	**1**	**7**	**13**	**16**	**60**	**60**		**139**	**12.3**	**149**	**4**	**5**	**6**	**19**	**29**	**43**

DRG 460: Non-extensive Burns w/o O.R. Procedure

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH		
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	114	8.4	84	2	3	4	6	31	31	0-17	25	10.1	67								
70-74	38	6.6	10							18-34	51	4.8	10								
75-79	164	13.8	91	5	8	12	14	28	36	35-49	26	4.5	7								
80-84	51	23.6	683							50-69	90	5.4	18	1	3	4	6	15	15		
85 +	38	6.0	8							70 +	0										
SUBTOTAL	**405**	**12.1**	**175**	**3**	**4**	**9**	**13**	**28**	**36**		**192**	**5.7**	**23**	**2**	**2**	**4**	**7**	**15**	**18**		
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	25	8.0	1							0-17	674	3.3	9	1	1	2	4	8	10		
70-74	0									18-34	280	4.7	19	1	1	3	6	12	13		
75-79	26	6.5	7							35-49	179	6.0	32	1	1	4	10	13	20		
80-84	25	4.0								50-69	76	4.8	22	< 1	2	3	5	15	15		
85 +	26	8.5	2							70 +	0										
SUBTOTAL	**102**	**6.8**	**5**	**4**	**4**	**7**	**9**	**10**	**10**		**1209**	**4.1**	**16**	**1**	**1**	**3**	**5**	**10**	**13**		
GRAND TOTAL	**506**	**11.1**	**145**	**4**	**4**	**8**	**12**	**25**	**32**		**1401**	**4.3**	**18**	**1**	**1**	**3**	**6**	**10**	**15**		

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH		
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	52	9.8	102							0-17	26	8.0	51								
18-34	13	30.0								18-34	12	1.0									
35-49	52	9.5	11							35-49	38	9.7	1								
50-69	39	5.7	1							50-69	39	6.0	3								
70 +	0									70 +	25	7.5	32								
SUBTOTAL	**155**	**10.3**	**76**	**4**	**5**	**6**	**12**	**27**	**30**		**140**	**7.2**	**21**	**1**	**2**	**8**	**11**	**13**	**15**		
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	754	3.8	8	1	1	3	5	8	9	0-17	602	3.7	9	1	2	3	5	7	11		
18-34	63	2.0	1							18-34	164	4.4	11	1	2	4	5	9	13		
35-49	52	3.3	1							35-49	51	5.1	28								
50-69	13	4.0								50-69	38	8.7	92								
70 +	0									70 +	0										
SUBTOTAL	**881**	**3.7**	**7**	**1**	**2**	**3**	**5**	**8**	**9**		**855**	**4.2**	**15**	**1**	**2**	**3**	**5**	**9**	**13**		
GRAND TOTAL	**1036**	**4.7**	**23**	**1**	**2**	**3**	**5**	**9**	**12**		**995**	**4.6**	**17**	**1**	**2**	**3**	**6**	**11**	**14**		

DRG 461: O.R. Proc w/ Diagnoses of Other Contact w/ Health Services

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	332	16.7	477	1	2	12	42	99 +	99 +	0-17	116	3.9	6	2	2	4	9	99 +	99 +
70-74	267	15.8	466	1	2	9	22	36	46	18-34	140	6.1	91	1	1	4	8	99 +	99 +
75-79	191	12.7	293	1	2	2	24	31	62	35-49	203	17.7	467	1	4	6	29	63	71
80-84	165	14.1	271	1	1	3	30	41	45	50-69	381	8.4	124	1	1	2	17	28	43
85 +	115	25.1	1059	1	2	10	28	90	90	70 +	0								
SUBTOTAL	**1070**	**16.3**	**482**	**1**	**2**	**6**	**29**	**62**	**96**		**839**	**9.7**	**208**	**1**	**1**	**4**	**18**	**43**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	370	2.8	42	1	1	1	2	4	5	0-17	417	1.5	3	1	1	1	1	2	6
70-74	203	1.5	1	1	1	1	1	3	5	18-34	429	4.4	258	1	1	1	1	4	11
75-79	266	3.8	43	< 1	1	1	1	15	21	35-49	580	2.4	4	1	1	1	3	5	6
80-84	180	1.4		1	1	1	2	2	3	50-69	468	3.5	36	1	1	1	3	9	12
85 +	38	1.0								70 +	13	1.0							
SUBTOTAL	**1056**	**2.5**	**27**	**1**	**1**	**1**	**2**	**3**	**5**		**1906**	**2.9**	**70**	**1**	**1**	**1**	**2**	**5**	**8**
GRAND TOTAL	**2126**	**9.4**	**303**	**1**	**1**	**2**	**11**	**37**	**62**		**2745**	**5.0**	**121**	**1**	**1**	**1**	**4**	**12**	**35**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	103	4.9	25	1	2	3	6	17	17	0-17	26	20.0	37						
18-34	64	32.1	671	1	2	50	63	99 +	99 +	18-34	51	6.8	90						
35-49	25	40.3	1349							35-49	63	4.4	4						
50-69	26	8.0	51							50-69	75	11.8	128	1	1	10	33	99 +	99 +
70 +	0									70 +	12	12.0							
SUBTOTAL	**218**	**17.3**	**572**	**1**	**2**	**5**	**44**	**77**	**99 +**		**227**	**9.6**	**91**	**1**	**2**	**7**	**19**	**33**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	180	2.2	5	1	1	1	3	3	10	0-17	102	2.5	5	1	1	2	2	7	7
18-34	180	2.1	2	< 1	1	2	2	4	6	18-34	256	5.2	17	1	1	3	10	10	10
35-49	51	9.6	136							35-49	116	1.2		< 1	1	1	2	61	99 +
50-69	76	14.3	808	< 1	1	2	3	77	77	50-69	39	1.0							
70 +	12	2.0								70 +	12	2.0							
SUBTOTAL	**499**	**4.8**	**160**	**1**	**1**	**1**	**3**	**7**	**29**		**525**	**3.4**	**12**	**1**	**1**	**2**	**5**	**10**	**10**
GRAND TOTAL	**717**	**6.6**	**318**	**1**	**1**	**2**	**5**	**44**	**77**		**752**	**5.3**	**44**	**1**	**1**	**2**	**10**	**14**	**26**

DRG 462: Rehabilitation

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2377	25.5	361	8	12	20	35	53	73	0-17	168	36.5	506	10	15	41	66	99 +	99 +
70-74	2030	26.9	367	8	13	22	36	61	72	18-34	785	27.5	391	10	19	25	31	80	99 +
75-79	1987	25.3	221	9	14	21	34	46	57	35-49	1084	23.1	155	7	16	22	28	38	54
80-84	1800	25.2	229	9	14	22	35	48	52	50-69	1250	24.0	274	6	13	21	36	57	99 +
85 +	1774	22.9	150	9	14	21	28	40	53	70 +	152	23.0	182	10	16	22	30	58	99 +
SUBTOTAL	**9967**	**25.2**	**274**	**8**	**14**	**21**	**34**	**50**	**62**		**3438**	**25.1**	**280**	**7**	**15**	**23**	**32**	**58**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	678	20.3	162	8	11	18	23	41	51	0-17	77	21.1	322	2	4	31	39	45	45
70-74	664	19.0	142	6	9	16	24	36	46	18-34	398	20.2	262	6	8	17	26	47	60
75-79	664	18.3	129	6	13	17	21	43	49	35-49	321	26.2	620	5	9	20	30	90	99
80-84	651	22.2	271	7	11	16	26	42	57	50-69	949	19.0	215	6	9	15	24	44	53
85 +	319	20.8	210	4	12	15	30	42	49	70 +	77	21.9	86	8	13	20	29	34	34
SUBTOTAL	**2977**	**20.0**	**181**	**7**	**11**	**17**	**24**	**42**	**49**		**1822**	**20.8**	**302**	**6**	**9**	**15**	**26**	**47**	**60**
GRAND TOTAL	**12944**	**24.0**	**258**	**8**	**13**	**20**	**32**	**49**	**59**		**5260**	**23.6**	**292**	**6**	**12**	**21**	**30**	**56**	**80**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	90	29.9	283	11	14	22	51	51	51	0-17	13	53.0							
18-34	761	27.5	182	13	25	28	28	49	92	18-34	251	28.0	437	8	14	28	42	99 +	99 +
35-49	690	29.0	199	16	26	28	30	49	89	35-49	101	19.2	384	1	5	15	29	99 +	99 +
50-69	407	27.3	360	9	18	27	30	59	88	50-69	215	21.8	282	5	9	21	29	35	74
70 +	64	22.7	76							70 +	139	19.1	192	7	8	16	25	40	49
SUBTOTAL	**2012**	**27.9**	**226**	**13**	**22**	**28**	**29**	**51**	**88**		**719**	**23.7**	**357**	**5**	**9**	**23**	**34**	**73**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	26	8.0	17							0-17	39	2.7	1						
18-34	154	31.7	439	11	14	28	54	99 +	99 +	18-34	89	30.6	853	7	8	17	44	95	95
35-49	64	37.6	690							35-49	51	16.2	37						
50-69	179	24.9	188	11	12	19	39	43	48	50-69	76	37.5	517	4	26	28	51	76	76
70 +	39	27.3	22							70 +	51	15.1	53						
SUBTOTAL	**462**	**28.2**	**360**	**11**	**12**	**28**	**45**	**82**	**99 +**		**306**	**23.8**	**528**	**4**	**7**	**17**	**28**	**76**	**95**
GRAND TOTAL	**2474**	**28.0**	**251**	**12**	**19**	**28**	**31**	**55**	**90**		**1025**	**23.7**	**407**	**5**	**8**	**22**	**33**	**74**	**99 +**

DRG 463: Signs & Symptoms w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	393	10.5	264	1	1	3	9	28	61	0-17	270	6.4	59	2	3	4	6	9	27
70-74	368	7.1	34	2	3	6	9	12	21	18-34	39	3.3	7						
75-79	354	7.4	32	2	4	6	10	17	17	35-49	204	6.5	21	3	4	5	7	15	20
80-84	276	10.3	138	3	4	6	11	19	32	50-69	215	6.0	66	1	2	4	7	8	37
85 +	302	9.3	34	1	4	9	13	18	19	70 +	25	5.0	1						
SUBTOTAL	**1693**	**8.9**	**106**	**1**	**3**	**6**	**10**	**19**	**28**		**753**	**6.1**	**46**	**1**	**2**	**4**	**7**	**9**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1693**	**8.9**	**106**	**1**	**3**	**6**	**10**	**19**	**28**		**753**	**6.1**	**46**	**1**	**2**	**4**	**7**	**9**	**26**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	181	5.8	29	2	3	4	7	13	22	0-17	155	2.9	6	1	1	2	4	5	10
18-34	51	24.9	1261							18-34	0								
35-49	89	8.3	9	4	6	8	12	12	12	35-49	12	5.0							
50-69	116	10.7	105	1	3	6	14	33	33	50-69	89	9.0	48	1	2	7	18	20	20
70 +	0									70 +	0								
SUBTOTAL	**436**	**9.8**	**219**	**2**	**3**	**6**	**11**	**22**	**33**		**256**	**5.1**	**28**	**1**	**1**	**3**	**6**	**17**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**436**	**9.8**	**219**	**2**	**3**	**6**	**11**	**22**	**33**		**256**	**5.1**	**28**	**1**	**1**	**3**	**6**	**17**	**19**

DRG 464: Signs & Symptoms w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	139	2.8	5	1	1	2	4	4	9	0-17	153	4.3	47	1	1	1	3	13	24
70-74	115	2.9	5	1	1	2	3	8	8	18-34	102	3.4	2	< 1	3	4	4	6	6
75-79	126	2.9	6	1	1	2	3	8	9	35-49	153	2.4	5	< 1	1	1	5	6	7
80-84	126	5.5	14	1	2	4	8	13	13	50-69	289	3.3	8	1	2	2	4	9	10
85 +	63	4.6	4							70 +	0								
SUBTOTAL	**569**	**3.7**	**8**	**1**	**1**	**3**	**5**	**8**	**9**		**697**	**3.4**	**15**	**1**	**1**	**2**	**4**	**7**	**11**
GRAND TOTAL	**569**	**3.7**	**8**	**1**	**1**	**3**	**5**	**8**	**9**		**697**	**3.4**	**15**	**1**	**1**	**2**	**4**	**7**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	89	2.9	3	1	1	3	4	6	6	0-17	52	2.0	1						
18-34	26	2.0								18-34	0								
35-49	0									35-49	38	2.0	2						
50-69	12	3.0								50-69	25	3.0	1						
70 +	0									70 +	0								
SUBTOTAL	**128**	**2.7**	**2**	**1**	**2**	**2**	**3**	**5**	**6**		**115**	**2.2**	**2**	**< 1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**128**	**2.7**	**2**	**1**	**2**	**2**	**3**	**5**	**6**		**115**	**2.2**	**2**	**< 1**	**1**	**2**	**3**	**4**	**4**

DRG 465: Aftercare w/ History of Malignancy As Secondary Diagnosis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	12	1.0								0-17	39	4.0	13						
70-74	13	2.0								18-34	0								
75-79	51	2.2								35-49	13	1.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**76**	**2.0**		1	2	2	2	3	3		**52**	**3.3**	11						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	38	1.0								0-17	13	1.0							
70-74	13	1.0								18-34	0								
75-79	13	1.0								35-49	0								
80-84	13	1.0								50-69	38	1.0							
85 +	0									70 +	0								
SUBTOTAL	**76**	**1.0**		<1	1	1	1	1	1		**51**	**1.0**							
GRAND TOTAL	**153**	**1.5**		1	1	1	2	2	3		**103**	**2.1**	7	1	1	1	2	9	9

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	12	13.0							
70 +	0									70 +	0								
SUBTOTAL	**0**										**12**	**13.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**0**										**12**	**13.0**							

DRG 466: Aftercare w/o History of Malignancy As Secondary Diagnosis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	167	1.1		1	1	1	1	1	2	0-17	502	2.6	20	<1	1	1	2	4	9
70-74	102	2.7	7	1	1	1	3	9	9	18-34	25	6.4	31						
75-79	115	6.1	73	1	1	2	7	29	29	35-49	76	2.5	2	1	1	2	3	5	5
80-84	64	2.2	1							50-69	164	2.1	7	1	1	1	2	11	99+
85+	37	1.0								70+	0								
SUBTOTAL	**485**	**2.8**	**23**	**1**	**1**	**1**	**2**	**7**	**9**		**767**	**2.6**	**17**	**1**	**1**	**1**	**2**	**5**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	101	2.4	2	<1	1	1	4	4	4	0-17	244	3.6	22	<1	1	1	4	14	15
70-74	64	1.6	1							18-34	115	2.1	2	1	1	2	2	6	6
75-79	64	1.2								35-49	89	1.1		<1	<1	1	1	2	2
80-84	13	1.0								50-69	140	2.2	8	1	1	1	2	2	11
85+	0									70+	0								
SUBTOTAL	**242**	**1.8**	**2**	**1**	**1**	**1**	**3**	**4**	**4**		**587**	**2.6**	**12**	**<1**	**1**	**1**	**2**	**6**	**11**
GRAND TOTAL	**727**	**2.4**	**16**	**1**	**1**	**1**	**2**	**4**	**7**		**1354**	**2.6**	**15**	**1**	**1**	**1**	**2**	**6**	**11**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	218	7.0	144	1	2	2	3	30	46	0-17	116	2.9	5	1	1	2	3	7	7
18-34	13	1.0								18-34	0								
35-49	26	4.0	4							35-49	0								
50-69	26	1.0								50-69	126	15.1	244	1	1	5	21	24	53
70+	0									70+	63	14.4	75						
SUBTOTAL	**283**	**5.9**	**116**	**1**	**1**	**2**	**3**	**14**	**30**		**304**	**10.3**	**151**	**1**	**1**	**5**	**17**	**24**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	154	1.3	1	<1	1	1	1	2	4	0-17	38	2.0	2						
18-34	52	1.8								18-34	38	3.7	15						
35-49	0									35-49	0								
50-69	26	1.0								50-69	13	1.0							
70+	0									70+	12	8.0							
SUBTOTAL	**232**	**1.4**	**1**	**<1**	**1**	**1**	**2**	**2**	**4**		**101**	**3.3**	**10**	**<1**	**1**	**1**	**5**	**9**	**9**
GRAND TOTAL	**514**	**3.9**	**69**	**<1**	**1**	**1**	**2**	**5**	**14**		**406**	**8.6**	**125**	**1**	**1**	**3**	**10**	**21**	**29**

DRG 471: Bilateral or Multiple Major Joint Procs of Lower Extremity

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	167	17.3	71	7	14	16	19	26	40
70-74	268	17.8	169	6	9	11	24	33	49
75-79	176	22.5	163	13	17	18	23	30	65
80-84	178	22.8	378	11	12	16	23	84	99 +
85 +	89	37.9	635	6	22	32	58	88	88
SUBTOTAL	877	21.7	272	7	12	17	24	47	65
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	103	17.2	27	8	15	17	18	28	28
70-74	139	12.0	22	7	8	11	16	16	22
75-79	64	12.9	21						
80-84	38	14.0	33						
85 +	0								
SUBTOTAL	343	14.0	29	7	9	14	18	22	22
GRAND TOTAL	1221	19.5	216	7	11	16	22	38	56

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	12	17.0							
35-49	12	24.0							
50-69	166	17.5	61	8	13	15	23	33	99 +
70 +	13	7.0							
	203	17.2	59	8	13	16	23	33	99 +
0-17	26	17.0							
18-34	0								
35-49	13	14.0							
50-69	141	14.2	28	7	7	14	19	19	23
70 +	13	18.0							
	193	14.8	22	7	12	16	18	19	23
	396	16.1	42	7	12	16	19	24	33

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	13	15.0							
SUBTOTAL	13	15.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	13	15.0							

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	51	17.8	162						
70 +	0								
	51	17.8	162						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	51	17.8	162						

DRG 472: Extensive Burns w/ O.R. Procedure

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	13	4.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**13**	**4.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**13**	**4.0**							

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	26	43.5	624						
35-49	0								
50-69	0								
70 +	0								
	26	**43.5**	**624**						
0-17	0								
18-34	13	15.0							
35-49	0								
50-69	0								
70 +	0								
	13	**15.0**							
	39	**34.0**	**596**						

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	13	22.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**13**	**22.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**13**	**22.0**							

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	0								

DRG 473: Acute Leukemia w/o Major O.R. Procedure Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	217	31.0	334	5	20	31	45	58	73
70-74	394	28.3	849	2	5	13	40	87	92
75-79	153	20.5	220	7	11	16	30	33	57
80-84	100	11.1	136	3	4	6	10	41	41
85 +	51	12.5	58						
SUBTOTAL	**915**	**24.9**	**545**	**3**	**7**	**19**	**34**	**57**	**87**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	13	4.0							
70-74	25	3.5	7						
75-79	63	10.5	156						
80-84	0								
85 +	0								
SUBTOTAL	**101**	**8.0**	**110**	**< 1**	**4**	**4**	**5**	**35**	**35**
GRAND TOTAL	**1016**	**23.2**	**527**	**3**	**6**	**14**	**33**	**54**	**73**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	167	32.5	425	7	17	32	41	56	82
35-49	116	20.6	189	2	8	20	30	46	46
50-69	218	27.0	248	6	12	31	38	40	65
70 +	12	28.0							
	513	**27.4**	**304**	**6**	**16**	**30**	**38**	**47**	**63**
0-17	0								
18-34	103	3.4	11	< 1	1	2	5	10	10
35-49	77	11.5	203	1	1	1	26	36	36
50-69	76	12.8	210	1	1	7	23	40	40
70 +	0								
	256	**8.6**	**146**	**1**	**1**	**2**	**10**	**33**	**38**
	770	**21.1**	**329**	**1**	**4**	**20**	**34**	**41**	**54**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	25	46.3	1665						
50-69	39	33.7	390						
70 +	0								
SUBTOTAL	**64**	**38.6**	**914**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**64**	**38.6**	**914**						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	64	14.0	160						
35-49	26	30.0	4						
50-69	0								
70 +	13	5.0							
	103	**16.9**	**167**	**3**	**5**	**12**	**30**	**38**	**38**
0-17	0								
18-34	13	7.0							
35-49	13	7.0							
50-69	0								
70 +	0								
	26	**7.0**							
	129	**14.9**	**149**	**4**	**5**	**9**	**28**	**35**	**38**

DRG 475: Respiratory System Diagnosis with Ventilator Support

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2040	16.7	179	6	8	13	21	32	43
70-74	1672	18.7	177	7	10	15	23	37	50
75-79	1328	17.9	157	6	9	14	25	32	36
80-84	1206	19.3	235	7	9	14	26	38	58
85 +	888	19.5	161	8	10	17	24	41	62
SUBTOTAL	**7133**	**18.2**	**183**	**6**	**9**	**14**	**23**	**36**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	38	5.9	13						
70-74	12	12.0							
75-79	50	8.7	5						
80-84	51	10.5	9						
85 +	12	7.0							
SUBTOTAL	**164**	**8.7**	**11**	**4**	**6**	**9**	**12**	**12**	**14**
GRAND TOTAL	**7297**	**18.0**	**181**	**6**	**9**	**14**	**22**	**36**	**47**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	786	13.8	119	3	6	10	21	35	42
18-34	204	14.7	226	3	5	11	16	44	60
35-49	367	15.6	251	3	5	11	19	34	35
50-69	1282	14.8	99	5	8	12	18	28	34
70 +	153	17.1	59	9	11	17	23	26	34
	2792	**14.7**	**132**	**4**	**7**	**12**	**19**	**32**	**38**
0-17	206	8.1	20	3	5	7	11	15	19
18-34	37	5.0	1						
35-49	90	5.7	21	1	2	5	7	16	16
50-69	38	11.3							
70 +	0								
	372	**7.6**	**19**	**3**	**4**	**6**	**11**	**15**	**16**
	3164	**13.9**	**124**	**4**	**6**	**11**	**18**	**29**	**38**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	696	16.5	244	2	5	12	21	41	60
18-34	218	11.9	85	4	5	7	18	30	32
35-49	256	16.3	266	6	8	12	17	41	68
50-69	511	16.6	253	4	10	13	17	34	69
70 +	77	9.5	30	4	4	8	14	19	19
SUBTOTAL	**1757**	**15.6**	**224**	**4**	**7**	**12**	**18**	**36**	**57**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	142	11.0	38	5	5	10	18	20	20
18-34	13	5.0							
35-49	26	4.0	1						
50-69	0								
70 +	0								
SUBTOTAL	**181**	**9.6**	**37**	**3**	**5**	**7**	**15**	**20**	**20**
GRAND TOTAL	**1938**	**15.1**	**210**	**4**	**6**	**12**	**18**	**31**	**56**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	154	12.1	101	4	4	11	22	29	31
18-34	101	16.9	101	3	6	19	26	34	34
35-49	215	15.0	163	2	4	13	23	26	52
50-69	331	16.4	74	5	9	16	23	31	32
70 +	51	17.0	69						
	853	**15.4**	**107**	**4**	**6**	**13**	**23**	**29**	**32**
0-17	52	5.8	19						
18-34	0								
35-49	13	5.0							
50-69	38	14.7	92						
70 +	0								
	103	**9.0**	**62**	**2**	**3**	**5**	**13**	**26**	**26**
	955	**14.7**	**106**	**3**	**5**	**13**	**23**	**27**	**32**

DRG 478: Other Vascular Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8516	9.5	110	1	3	6	12	22	29	0-17	838	4.4	24	1	2	2	5	12	15
70-74	5051	11.2	129	2	4	8	14	23	36	18-34	322	7.5	69	1	2	3	11	24	26
75-79	3942	13.1	154	2	5	10	17	29	36	35-49	765	9.1	91	2	3	7	11	18	42
80-84	2678	13.5	151	3	6	10	18	29	37	50-69	4087	10.1	94	2	5	8	13	20	28
85 +	1681	13.2	180	2	5	10	17	25	33	70 +	266	17.7	200	3	7	14	23	34	48
SUBTOTAL	**21867**	**11.3**	**136**	**2**	**4**	**8**	**14**	**25**	**34**		**6278**	**9.4**	**94**	**2**	**3**	**7**	**12**	**20**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**21867**	**11.3**	**136**	**2**	**4**	**8**	**14**	**25**	**34**		**6278**	**9.4**	**94**	**2**	**3**	**7**	**12**	**20**	**28**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	271	11.3	169	2	2	7	13	21	31	0-17	387	5.5	12	2	3	5	9	11	15
18-34	103	7.3	115	2	2	3	6	35	35	18-34	77	3.3	8	1	1	2	5	9	9
35-49	281	10.4	368	1	1	4	8	14	43	35-49	178	8.7	36	3	4	7	13	17	23
50-69	816	10.0	88	1	4	7	13	26	29	50-69	484	10.1	73	2	5	7	14	24	31
70 +	116	17.5	103	4	7	20	23	34	34	70 +	64	12.8	61						
SUBTOTAL	**1587**	**10.7**	**158**	**1**	**3**	**7**	**13**	**28**	**35**		**1190**	**8.1**	**49**	**2**	**4**	**6**	**10**	**17**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1587**	**10.7**	**158**	**1**	**3**	**7**	**13**	**28**	**35**		**1190**	**8.1**	**49**	**2**	**4**	**6**	**10**	**17**	**24**

DRG 479: Other Vascular Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1321	5.3	10	1	2	5	8	10	10	0-17	374	2.7	3	1	2	2	3	6	7
70-74	953	6.2	14	1	3	6	9	10	13	18-34	103	4.4	28	1	1	3	7	17	17
75-79	1165	6.2	23	1	2	5	9	13	16	35-49	612	4.6	10	1	2	4	6	8	11
80-84	406	7.2	46	2	4	6	8	12	26	50-69	2277	5.1	17	1	2	4	6	10	15
85 +	215	9.3	20	2	6	9	13	15	17	70 +	89	3.4	3	1	2	3	5	6	6
SUBTOTAL	**4060**	**6.2**	**20**	**1**	**3**	**6**	**8**	**11**	**14**		**3454**	**4.7**	**15**	**1**	**2**	**4**	**6**	**9**	**14**
GRAND TOTAL	**4060**	**6.2**	**20**	**1**	**3**	**6**	**8**	**11**	**14**		**3454**	**4.7**	**15**	**1**	**2**	**4**	**6**	**9**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	39	7.3	26							0-17	257	3.4	16	1	2	2	2	12	14
18-34	39	4.3	1							18-34	63	3.8	5						
35-49	25	3.0	1							35-49	25	3.0	4						
50-69	178	5.7	14	1	2	5	10	11	11	50-69	139	6.9	24	2	3	6	11	12	18
70 +	0									70 +	12	11.0							
SUBTOTAL	**280**	**5.5**	**14**	**1**	**2**	**5**	**9**	**11**	**11**		**497**	**4.6**	**19**	**1**	**2**	**2**	**7**	**12**	**15**
GRAND TOTAL	**280**	**5.5**	**14**	**1**	**2**	**5**	**9**	**11**	**11**		**497**	**4.6**	**19**	**1**	**2**	**2**	**7**	**12**	**15**

DRG 480: Liver Transplant

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	374	36.2	595	16	19	28	55	99	99 +
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**374**	**36.2**	**595**	**16**	**19**	**28**	**55**	**99**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	39	14.7	15						
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**39**	**14.7**	**15**						
GRAND TOTAL	**0**										**413**	**34.2**	**580**	**13**	**18**	**26**	**55**	**99**	**99 +**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	129	44.2	742	16	25	43	86	99 +	99 +	0-17	155	41.5	132	29	32	40	59	99 +	99 +
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**129**	**44.2**	**742**	**16**	**25**	**43**	**86**	**99 +**	**99 +**		**155**	**41.5**	**132**	**29**	**32**	**40**	**59**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	39	22.7	85							0-17	13	14.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**39**	**22.7**	**85**								**13**	**14.0**							
GRAND TOTAL	**168**	**39.2**	**672**	**11**	**20**	**34**	**78**	**99 +**	**99 +**		**168**	**39.4**	**176**	**26**	**32**	**40**	**59**	**99 +**	**99 +**

DRG 481: Bone Marrow Transplant

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	13	42.0								0-17	387	40.2	180	27	32	40	45	57	68
70-74	0									18-34	90	45.7	316	31	31	42	56	84	84
75-79	0									35-49	64	50.2	231						
80-84	0									50-69	13	63.0							
85 +	0									70 +	0								
SUBTOTAL	**13**	**42.0**									**554**	**42.8**	**225**	**30**	**33**	**41**	**50**	**63**	**75**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	13	3.0								35-49	13	52.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**13**	**3.0**									**13**	**52.0**							
GRAND TOTAL	**26**	**22.5**	**396**								**567**	**43.0**	**221**	**30**	**33**	**41**	**51**	**63**	**75**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	52	47.8	80							0-17	116	45.8	168	31	33	46	53	72	72
18-34	13	34.0								18-34	0								
35-49	13	29.0								35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**77**	**42.3**	**114**	**29**	**34**	**47**	**58**	**99 +**	**99 +**		**116**	**45.8**	**168**	**31**	**33**	**46**	**53**	**72**	**72**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	26	18.5	319						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**26**	**18.5**	**319**						
GRAND TOTAL	**77**	**42.3**	**114**	**29**	**34**	**47**	**58**	**99 +**	**99 +**		**142**	**40.8**	**304**	**31**	**32**	**40**	**53**	**58**	**72**

DRG 482: Tracheostomy w/ Mouth, Larynx or Pharynx Disorder

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	590	20.6	145	9	12	18	25	37	43
70-74	360	23.3	260	10	13	16	29	48	65
75-79	193	18.5	169	4	12	14	23	36	56
80-84	76	26.6	825	7	8	14	27	88	88
85 +	76	22.3	127	10	17	18	27	45	45
SUBTOTAL	**1295**	**21.5**	**223**	**9**	**12**	**17**	**27**	**38**	**53**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	216	14.9	73	3	11	13	18	24	40
70-74	128	17.7	170	8	11	12	17	32	52
75-79	13	14.0							
80-84	26	15.0	17						
85 +	0								
SUBTOTAL	**384**	**15.8**	**101**	**8**	**11**	**13**	**18**	**24**	**40**
GRAND TOTAL	**1679**	**20.2**	**201**	**9**	**11**	**16**	**24**	**38**	**48**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	142	16.1	143	6	6	11	24	29	45
18-34	26	13.0	1						
35-49	192	19.2	163	4	10	16	29	40	42
50-69	653	19.3	100	9	12	18	24	30	42
70 +	64	16.8	115						
	1077	**18.5**	**117**	**7**	**11**	**16**	**24**	**36**	**42**
0-17	52	13.0	24						
18-34	26	10.0	1						
35-49	128	11.1	20	7	8	10	11	20	22
50-69	269	10.9	13	7	9	11	14	15	16
70 +	26	10.5	2						
	500	**11.1**	**15**	**7**	**9**	**11**	**14**	**16**	**20**
	1577	**16.2**	**97**	**7**	**9**	**13**	**21**	**29**	**37**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	90	22.4	634	8	9	14	20	83	83
18-34	13	21.0							
35-49	77	21.7	58	6	21	24	26	30	30
50-69	142	17.2	82	8	10	14	28	34	99 +
70 +	13	24.0							
SUBTOTAL	**335**	**20.0**	**223**	**8**	**10**	**20**	**26**	**34**	**83**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	64	20.2	86						
18-34	13	9.0							
35-49	38	9.3	4						
50-69	0								
70 +	0								
SUBTOTAL	**116**	**15.4**	**79**	**4**	**9**	**12**	**23**	**30**	**30**
GRAND TOTAL	**450**	**18.8**	**190**	**7**	**9**	**16**	**26**	**30**	**83**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	23.8	642						
18-34	0								
35-49	51	10.8	10						
50-69	128	19.9	188	7	10	15	28	43	50
70 +	13	72.0							
	244	**21.5**	**396**	**3**	**8**	**14**	**28**	**66**	**72**
0-17	51	10.3	20						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	51	**10.3**	**20**						
	295	**19.6**	**349**	**6**	**7**	**14**	**24**	**50**	**66**

DRG 483: Tracheostomy except for Mouth, Larynx or Pharynx Disorder

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	934	49.7	713	16	37	63	98	99 +	99 +
70-74	421	56.8	584	35	55	94	99 +	99 +	99 +
75-79	548	53.3	571	18	47	66	99	99 +	99 +
80-84	319	49.2	512	33	46	79	99 +	99 +	99 +
85 +	178	47.0	442	22	35	56	70	99 +	99 +
SUBTOTAL	**2401**	**51.5**	**619**	**20**	**42**	**69**	**99 +**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	52	20.0	164						
70-74	0								
75-79	13	14.0							
80-84	26	7.0							
85 +	0								
SUBTOTAL	**90**	**15.4**	**126**	**6**	**7**	**9**	**30**	**35**	**35**
GRAND TOTAL	**2491**	**50.2**	**647**	**17**	**41**	**68**	**99 +**	**99 +**	**99 +**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	245	46.9	480	30	44	71	99 +	99 +	99 +
18-34	680	45.2	709	14	22	40	70	88	97
35-49	411	46.7	528	20	36	55	99 +	99 +	99 +
50-69	781	51.8	558	25	37	62	83	99 +	99 +
70 +	154	61.7	618	32	45	77	86	99 +	99 +
	2271	**49.1**	**612**	**18**	**33**	**57**	**88**	**99 +**	**99 +**
0-17	64	33.7	497						
18-34	51	3.0	2						
35-49	0								
50-69	39	8.0	9						
70 +	0								
	154	**17.0**	**410**	**3**	**4**	**9**	**14**	**56**	**64**
	2425	**47.0**	**660**	**15**	**31**	**55**	**86**	**99 +**	**99 +**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	181	37.9	663	12	26	74	99 +	99 +	99 +
18-34	141	56.3	503	35	45	79	99 +	99 +	99 +
35-49	155	53.5	259	35	47	58	93	99 +	99 +
50-69	102	56.2	532	34	42	88	99 +	99 +	99 +
70 +	26	63.5	138	52	75	99 +	99 +	99 +	99 +
SUBTOTAL	**604**	**50.4**	**546**	**28**	**44**	**75**	**99 +**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	13	53.0							
18-34	13	10.0							
35-49	26	40.5	968						
50-69	13	12.0							
70 +	0								
SUBTOTAL	**64**	**31.2**	**676**						
GRAND TOTAL	**669**	**48.5**	**589**	**24**	**40**	**73**	**99 +**	**99 +**	**99 +**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	77	37.7	704	8	19	65	99 +	99 +	99 +
18-34	77	39.3	643	8	22	41	56	84	84
35-49	90	36.8	449	13	17	29	64	72	72
50-69	115	50.1	628	24	29	60	91	99 +	99 +
70 +	26	52.0	1133						
	384	**42.5**	**668**	**9**	**24**	**56**	**84**	**99 +**	**99 +**
0-17	13	22.0							
18-34	26	12.5	44						
35-49	0								
50-69	0								
70 +	0								
	39	**15.7**	**50**						
	423	**40.0**	**671**	**9**	**22**	**52**	**84**	**99 +**	**99 +**

DRG 484: Craniotomy for Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	13	20.0							
85+	13	41.0							
SUBTOTAL	26	30.5	115						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	26	30.5	115						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	11.5	13						
18-34	26	26.5	94						
35-49	13	18.0							
50-69	13	25.0							
70+	0								
	77	19.8	78	8	15	17	25	36	36
0-17	13	9.0							
18-34	0								
35-49	0								
50-69	0								
70+	0								
	13	9.0							
	90	18.3	81	8	9	17	25	36	36

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	13	12.0							
18-34	25	28.8	356						
35-49	13	9.0							
50-69	0								
70+	0								
SUBTOTAL	51	19.6	260	9	10	47	99+	99+	99+
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	51	19.6	260	9	10	47	99+	99+	99+

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	38	32.7	106						
35-49	0								
50-69	0								
70+	0								
	38	32.7	106						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	38	32.7	106						

DRG 485: Limb Reattachment, Hip And Femur Proc for Multiple Significant Trauma

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	25	10.1	17						
70-74	13	8.0							
75-79	88	14.3	32	5	10	14	18	24	24
80-84	139	16.3	42	10	11	14	24	26	28
85 +	114	15.7	20	11	13	15	17	26	26
SUBTOTAL	**380**	**15.0**	**34**	**9**	**11**	**14**	**18**	**25**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	12	47.0							
85 +	0								
SUBTOTAL	**12**	**47.0**							
GRAND TOTAL	**392**	**16.0**	**64**	**9**	**11**	**14**	**18**	**26**	**28**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	115	14.9	52	5	10	14	18	28	28
18-34	625	17.4	126	10	11	14	21	32	54
35-49	308	22.8	187	9	11	21	30	49	57
50-69	139	24.2	324	11	13	21	25	33	76
70 +	52	32.5	143						
	1239	**19.9**	**173**	**9**	**11**	**16**	**25**	**40**	**57**
0-17	0								
18-34	26	45.5	1386						
35-49	0								
50-69	0								
70 +	0								
	26	**45.5**	**1386**						
	1265	**20.5**	**209**	**9**	**11**	**16**	**25**	**43**	**63**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	39	9.3	23						
18-34	38	26.0	150						
35-49	26	14.5	31						
50-69	0								
70 +	0								
SUBTOTAL	**103**	**16.8**	**126**	**5**	**8**	**13**	**20**	**42**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**103**	**16.8**	**126**	**5**	**8**	**13**	**20**	**42**	**42**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	116	15.8	93	9	11	14	15	42	42
18-34	177	21.9	224	9	10	17	28	38	62
35-49	75	27.1	182	9	11	30	40	43	43
50-69	0								
70 +	26	20.0	26						
	394	**21.0**	**179**	**9**	**11**	**15**	**28**	**40**	**43**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	394	**21.0**	**179**	**9**	**11**	**15**	**28**	**40**	**43**

DRG 486: Other O.R. Procedures for Multiple Significant Trauma

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	38	10.3	17							0-17	447	13.2	75	5	8	11	17	20	27
70-74	51	22.7	100							18-34	1149	17.8	200	6	8	13	23	37	50
75-79	26	26.0	1							35-49	357	18.2	174	7	10	14	18	41	50
80-84	25	23.5	163							50-69	166	23.3	172	11	13	17	38	50	99 +
85 +	0									70 +	51	22.1	113						
SUBTOTAL	**139**	**20.1**	**107**	**11**	**11**	**15**	**30**	**35**	**36**		**2170**	**17.4**	**173**	**6**	**9**	**13**	**20**	**37**	**50**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	13	9.0								0-17	0								
70-74	0									18-34	39	12.0	27						
75-79	0									35-49	12	7.0							
80-84	13	3.0								50-69	26	17.5	31						
85 +	0									70 +	0								
SUBTOTAL	**26**	**6.0**	**9**								**77**	**13.0**	**37**	**7**	**7**	**12**	**19**	**23**	**23**
GRAND TOTAL	**165**	**17.9**	**118**	**5**	**11**	**14**	**27**	**35**	**36**		**2247**	**17.3**	**169**	**6**	**9**	**13**	**20**	**37**	**50**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	77	19.8	116	6	6	22	29	34	34	0-17	155	16.2	155	6	6	13	23	26	48
18-34	204	37.6	1131	9	13	18	71	99	99 +	18-34	559	16.1	136	5	8	12	23	31	36
35-49	77	33.2	262	6	25	33	45	56	56	35-49	90	20.8	310	1	10	13	32	58	58
50-69	13	62.0								50-69	63	18.7	71						
70 +	0									70 +	13	18.0							
SUBTOTAL	**372**	**33.9**	**774**	**6**	**13**	**25**	**53**	**96**	**99**		**879**	**16.8**	**152**	**5**	**8**	**13**	**24**	**32**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	13	13.0								0-17	0								
18-34	12	10.0								18-34	13	4.0							
35-49	0									35-49	51	18.0	42						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**25**	**11.5**	**2**								**64**	**15.2**	**66**						
GRAND TOTAL	**397**	**32.4**	**755**	**7**	**12**	**24**	**49**	**96**	**99**		**943**	**16.7**	**147**	**5**	**8**	**13**	**23**	**31**	**36**

DRG 487: Other Multiple Significant Trauma

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	64	9.8	13						
70-74	126	9.2	72	3	4	5	9	22	29
75-79	102	29.3	288	1	19	22	39	59	59
80-84	88	9.9	37	1	4	11	14	20	20
85 +	63	13.0	45						
SUBTOTAL	**442**	**14.6**	**168**	**3**	**5**	**10**	**20**	**35**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	12	10.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**12**	**10.0**							
GRAND TOTAL	**455**	**14.5**	**164**	**3**	**5**	**10**	**20**	**35**	**43**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	370	8.6	38	3	5	7	10	21	22
18-34	573	10.0	42	3	5	9	13	20	23
35-49	370	9.9	65	2	6	9	12	17	46
50-69	190	12.5	363	4	5	7	8	22	81
70 +	77	20.6	242	3	7	16	36	46	46
	1579	**10.5**	**101**	**3**	**5**	**8**	**12**	**20**	**27**
0-17	76	8.0	48	1	3	6	10	22	22
18-34	25	7.0	4						
35-49	13	6.0							
50-69	13	10.0							
70 +	0								
	127	**7.8**	**31**	**2**	**5**	**6**	**10**	**20**	**22**
	1706	**10.3**	**96**	**3**	**5**	**8**	**12**	**20**	**27**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	153	11.6	36	3	8	11	16	20	22
18-34	89	11.8	83	2	3	10	20	29	29
35-49	13	3.0							
50-69	25	38.1	1033						
70 +	0								
SUBTOTAL	**280**	**13.7**	**199**	**3**	**6**	**10**	**18**	**22**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	26	8.0	9						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**26**	**8.0**	**9**						
GRAND TOTAL	**306**	**13.2**	**185**	**3**	**6**	**10**	**18**	**22**	**29**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	295	8.6	42	2	3	7	13	20	20
18-34	306	7.5	52	1	3	5	10	16	16
35-49	51	7.2	17						
50-69	38	14.4	39						
70 +	0								
	690	**8.4**	**47**	**1**	**3**	**7**	**13**	**18**	**22**
0-17	39	16.0	39						
18-34	25	14.2	150						
35-49	0								
50-69	0								
70 +	0								
	64	**15.3**	**82**						
	754	**9.0**	**54**	**1**	**3**	**7**	**14**	**20**	**23**

DRG 488: HIV w/ Extensive O.R. Procedure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	77	23.0	212	8	15	18	26	53	53	0-17	0								
70-74	13	92.0								18-34	476	21.0	325	7	9	17	26	58	92
75-79	0									35-49	606	21.4	201	7	12	20	25	37	50
80-84	0									50-69	219	30.5	649	7	13	19	52	80	99+
85+	0									70+	0								
SUBTOTAL	**90**	**32.9**	**771**	**8**	**15**	**20**	**53**	**92**	**92**		**1301**	**22.8**	**333**	**7**	**11**	**18**	**27**	**52**	**79**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**90**	**32.9**	**771**	**8**	**15**	**20**	**53**	**92**	**92**		**1301**	**22.8**	**333**	**7**	**11**	**18**	**27**	**52**	**79**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	7.5								0-17	0								
18-34	283	26.6	589	9	14	21	43	95	99+	18-34	167	27.1	546	2	8	24	38	66	80
35-49	258	29.6	358	11	16	24	39	52	74	35-49	116	28.4	355	9	15	24	57	81	99+
50-69	13	21.0								50-69	39	31.3	169						
70+	0									70+	0								
SUBTOTAL	**580**	**27.0**	**467**	**8**	**15**	**22**	**40**	**92**	**99+**		**322**	**28.1**	**431**	**5**	**12**	**26**	**39**	**66**	**80**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	12	50.0							
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**12**	**50.0**							
GRAND TOTAL	**580**	**27.0**	**467**	**8**	**15**	**22**	**40**	**92**	**99+**		**334**	**28.9**	**432**	**5**	**12**	**26**	**49**	**66**	**80**

DRG 489: HIV w/ Major Related Condition

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1105	16.9	188	5	8	14	21	42	53
70-74	38	8.3	15						
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**1143**	**16.6**	**185**	**5**	**8**	**12**	**20**	**41**	**53**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1143**	**16.6**	**185**	**5**	**8**	**12**	**20**	**41**	**53**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	219	10.1	24	4	7	11	12	19	20
18-34	2293	14.3	125	4	6	12	18	30	42
35-49	4030	15.8	146	4	8	14	21	28	38
50-69	772	17.8	188	7	10	14	21	39	44
70+	0								
	7314	**15.4**	**142**	**4**	**7**	**13**	**20**	**29**	**41**
0-17	0								
18-34	13	5.0							
35-49	0								
50-69	12	1.0							
70+	0								
	25	**3.0**	**4**						
	7340	**15.3**	**142**	**4**	**7**	**13**	**20**	**28**	**41**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	734	14.8	235	3	5	10	19	31	47
18-34	2917	16.7	223	5	7	13	21	31	43
35-49	2946	20.6	337	5	9	16	26	56	84
50-69	386	20.5	293	5	10	14	33	51	70
70+	0								
SUBTOTAL	**6984**	**18.3**	**281**	**4**	**8**	**14**	**23**	**43**	**64**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	13	17.0							
18-34	25	3.0							
35-49	13	14.0							
50-69	0								
70+	0								
SUBTOTAL	**51**	**9.4**	**41**						
GRAND TOTAL	**7035**	**18.3**	**280**	**4**	**8**	**14**	**23**	**41**	**64**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	129	16.9	213	2	3	13	34	38	40
18-34	704	15.6	181	4	8	12	21	33	61
35-49	796	16.6	128	5	8	13	22	31	39
50-69	219	17.6	121	7	8	14	28	46	99+
70+	0								
	1847	**16.3**	**153**	**5**	**8**	**13**	**23**	**33**	**42**
0-17	0								
18-34	13	38.0							
35-49	0								
50-69	0								
70+	0								
	13	**38.0**							
	1860	**16.5**	**155**	**5**	**8**	**13**	**23**	**34**	**42**

DRG 490: HIV w/ or w/o Other Related Condition

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	244	12.5	227	3	4	9	13	31	69	0-17	129	10.1	93	2	3	6	14	27	34
70-74	39	6.0	2							18-34	721	7.2	37	1	3	6	11	16	19
75-79	0									35-49	1338	10.5	125	2	3	7	13	25	30
80-84	0									50-69	244	9.9	70	2	4	8	10	32	33
85+	0									70+	0								
SUBTOTAL	**283**	**11.7**	**202**	**3**	**4**	**8**	**12**	**19**	**31**		**2432**	**9.4**	**94**	**1**	**3**	**7**	**11**	**22**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	13	4.0							
75-79	0									35-49	39	10.7	6						
80-84	0									50-69	12	2.0							
85+	0									70+	0								
SUBTOTAL	**0**										**64**	**7.6**	**18**						
GRAND TOTAL	**283**	**11.7**	**202**	**3**	**4**	**8**	**12**	**19**	**31**		**2496**	**9.4**	**92**	**2**	**3**	**7**	**11**	**22**	**29**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	682	6.7	56	1	2	4	9	14	24	0-17	206	6.1	63	1	2	4	6	19	32
18-34	1078	8.5	83	2	3	6	10	18	31	18-34	154	16.2	506	1	2	6	27	35	80
35-49	757	10.9	201	1	3	7	15	24	44	35-49	306	13.7	178	3	4	10	21	33	49
50-69	116	26.1	567	12	13	16	22	89	89	50-69	76	11.8	116	3	3	11	16	33	33
70+	0									70+	0								
SUBTOTAL	**2633**	**9.5**	**146**	**1**	**3**	**6**	**12**	**20**	**37**		**742**	**11.9**	**221**	**2**	**3**	**5**	**16**	**33**	**49**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	103	1.0		<1	1	1	1	1	1	0-17	64	1.2							
18-34	25	3.0								18-34	0								
35-49	13	4.0								35-49	52	11.8	17						
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**140**	**1.6**	**1**	**<1**	**1**	**1**	**3**	**3**	**4**		**116**	**5.9**	**35**	**1**	**1**	**2**	**13**	**16**	**16**
GRAND TOTAL	**2774**	**9.1**	**142**	**1**	**3**	**5**	**11**	**20**	**37**		**857**	**11.1**	**200**	**1**	**2**	**5**	**13**	**32**	**35**

DRG 491: Major Joint And Limb Reattachment Procedures, Upper Extremity

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	152	9.8	47	3	4	8	11	22	25
70-74	127	6.5	4	3	5	6	8	10	10
75-79	127	8.5	10	4	6	8	11	14	15
80-84	51	8.2	11						
85 +	50	9.2	8						
SUBTOTAL	**507**	**8.4**	**21**	**4**	**5**	**7**	**10**	**14**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	307	4.6	7	2	3	4	6	7	8
70-74	128	4.6	5	2	3	5	5	9	9
75-79	114	5.5	4	2	5	5	6	9	9
80-84	88	6.0	6	3	4	5	9	10	10
85 +	26	7.0							
SUBTOTAL	**662**	**5.0**	**6**	**2**	**3**	**4**	**7**	**8**	**9**
GRAND TOTAL	**1169**	**6.5**	**15**	**3**	**4**	**6**	**8**	**11**	**14**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	13	4.0							
35-49	26	15.0	1						
50-69	90	9.3	31	4	6	7	11	22	22
70 +	0								
	128	**9.9**	**31**	**4**	**6**	**8**	**14**	**20**	**22**
0-17	12	2.0							
18-34	116	2.9	3	1	2	2	3	7	7
35-49	116	4.7	9	1	2	4	7	9	9
50-69	293	5.1	6	2	3	4	7	8	9
70 +	25	6.0							
	562	**4.5**	**7**	**2**	**2**	**4**	**6**	**8**	**9**
	691	**5.5**	**15**	**2**	**3**	**4**	**7**	**9**	**14**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	13	4.0							
70 +	0								
SUBTOTAL	**13**	**4.0**							
GRAND TOTAL	**13**	**4.0**							

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	12	3.0							
50-69	0								
70 +	0								
	12	**3.0**							
0-17	0								
18-34	13	1.0							
35-49	13	8.0							
50-69	13	2.0							
70 +	0								
	39	**3.7**	**10**						
	51	**3.5**	**7**						

DRG 492: Chemotherapy w/ Acute Leukemia As Secondary Diagnosis

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	270	10.4	89	4	5	6	18	23	29	0-17	2230	3.2	11	2	2	2	3	4	8
70-74	89	12.8	251	3	4	6	15	50	50	18-34	580	5.7	74	1	2	4	6	8	9
75-79	26	5.0								35-49	90	4.7	18	1	2	2	7	14	14
80-84	13	38.0								50-69	307	8.8	86	1	4	6	9	30	30
85 +	0									70 +	13	5.0							
SUBTOTAL	**398**	**11.5**	**143**	**4**	**5**	**6**	**18**	**29**	**38**		**3221**	**4.2**	**33**	**2**	**2**	**2**	**4**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**398**	**11.5**	**143**	**4**	**5**	**6**	**18**	**29**	**38**		**3221**	**4.2**	**33**	**2**	**2**	**2**	**4**	**7**	**11**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	683	3.6	30	2	2	2	4	5	5	0-17	297	4.0	23	2	2	2	3	7	7
18-34	26	20.5	7							18-34	0								
35-49	0									35-49	26	13.5	94						
50-69	39	4.7	2							50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**748**	**4.3**	**37**	**2**	**2**	**3**	**4**	**5**	**18**		**322**	**4.7**	**35**	**2**	**2**	**3**	**4**	**7**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**748**	**4.3**	**37**	**2**	**2**	**3**	**4**	**5**	**18**		**322**	**4.7**	**35**	**2**	**2**	**3**	**4**	**7**	**23**

Appendices

Appendix 1

1990-91 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

HOSPITAL CATEGORY	UNIVERSE TOTAL[2]	LOS BY DRG SAMPLE	%
Region			
Northeastern	759	91	12.0
North Central	1,554	311	20.0
Southern	2,020	176	8.7
Western	1,003	233	23.2
Total	5,336	811	15.2
Location[3]			
Urban	2,811	491	17.5
Rural	2,525	320	12.7
Teaching Intensity[4]			
High/Medium	975	219	22.5
Low	4,361	592	13.6

---

[1] Hospitals with average stay less than 30 days

[2] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association

[3] Urban hospitals are those with a metropolitan statistical area designation on the AHA Annual Survey of Hospitals. Hospitals without a metropolitan statistical area designation represent rural hospitals.

[4] The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.

Appendix 2

STATE INCLUSIONS BY REGION

Northeast

Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central

Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South

Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West

Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

Appendix 3

DIAGNOSIS RELATED GROUPS

DRG	Description
1	Craniotomy Age >17 except for Trauma
2	Craniotomy for Trauma Age > 17
3	Craniotomy Age 0-17
4	Spinal Procedures
5	Extracranial Vascular Procedures
6	Carpal Tunnel Release
7	Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC
8	Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC
9	Spinal Disorders & Injuries
10	Nervous System Neoplasms w/ CC
11	Nervous System Neoplasms w/o CC
12	Degenerative Nervous System Disorders
13	Multiple Sclerosis & Cerebellar Ataxia
14	Specific Cerebrovascular Disorders except TIA
15	Transient Ischemic Attack & Precerebral Occlusions
16	Nonspecific Cerebrovascular Disorders w/ CC
17	Nonspecific Cerebrovascular Disorders w/o CC
18	Cranial & Peripheral Nerve Disorders w/ CC
19	Cranial & Peripheral Nerve Disorders w/o CC
20	Nervous System Infection except Viral Meningitis
21	Viral Meningitis
22	Hypertensive Encephalopathy
23	Nontraumatic Stupor & Coma
24	Seizure & Headache Age >17 w/ CC
25	Seizure & Headache Age >17 w/o CC
26	Seizure & Headache Age 0-17
27	Traumatic Stupor & Coma, Coma >1 Hr
28	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC
29	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC
30	Traumatic Stupor & Coma, Coma <1 Hr Age 0-17
31	Concussion Age >17 w/ CC
32	Concussion Age >17 w/o CC
33	Concussion Age 0-17
34	Other Disorders of Nervous System w/ CC
35	Other Disorders of Nervous System w/o CC
36	Retinal Procedures
37	Orbital Procedures
38	Primary Iris Procedures
39	Lens Procedures with or without Vitrectomy
40	Extraocular Procedures except Orbit Age > 17
41	Extraocular Procedures except Orbit Age 0-17
42	Intraocular Procedures except Retina, Iris & Lens
43	Hyphema
44	Acute Major Eye Infections
45	Neurological Eye Disorders
46	Other Disorders of the Eye Age >17 w/ CC
47	Other Disorders of the Eye Age >17 w/o CC
48	Other Disorders of the Eye Age 0-17
49	Major Head & Neck Procedures
50	Sialoadenectomy
51	Salivary Gland Procedures except Sialoadenectomy
52	Cleft Lip & Palate Repair

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
53	Sinus & Mastoid Procedures Age > 17
54	Sinus & Mastoid Procedures Age 0-17
55	Miscellaneous Ear, Nose, Mouth & Throat Procedures
56	Rhinoplasty
57	T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17
58	T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17
59	Tonsillectomy &/or Adenoidectomy Only, Age > 17
60	Tonsillectomy &/or Adenoidectomy Only, Age 0-17
61	Myringotomy w/ Tube Insertion Age > 17
62	Myringotomy w/ Tube Insertion Age 0-17
63	Other Ear, Nose, Mouth & Throat O.R. Procedures
64	Ear, Nose, Mouth & Throat Malignancy
65	Dysequilibrium
66	Epistaxis
67	Epiglottitis
68	Otitis Media & URI Age >17 w/ CC
69	Otitis Media & URI Age >17 w/o CC
70	Otitis Media & URI Age 0-17
71	Laryngotracheitis
72	Nasal Trauma & Deformity
73	Other Ear, Nose, Mouth & Throat Diagnoses Age > 17
74	Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17
75	Major Chest Procedures
76	Other Resp System O.R. Procedures w/ CC
77	Other Resp System O.R. Procedures w/o CC
78	Pulmonary Embolism
79	Respiratory Infections & Inflammations Age >17 w/ CC
80	Respiratory Infections & Inflammations Age >17 w/o CC
81	Respiratory Infections & Inflammations Age 0-17
82	Respiratory Neoplasms
83	Major Chest Trauma w/ CC
84	Major Chest Trauma w/o CC
85	Pleural Effusion w/ CC
86	Pleural Effusion w/o CC
87	Pulmonary Edema & Respiratory Failure
88	Chronic Obstructive Pulmonary Disease
89	Simple Pneumonia & Pleurisy Age >17 w/ CC
90	Simple Pneumonia & Pleurisy Age >17 w/o CC
91	Simple Pneumonia & Pleurisy Age 0-17
92	Interstitial Lung Disease w/ CC
93	Interstitial Lung Disease w/o CC
94	Pneumothorax w/ CC
95	Pneumothorax w/o CC
96	Bronchitis & Asthma Age >17 w/ CC
97	Bronchitis & Asthma Age >17 w/o CC
98	Bronchitis & Asthma Age 0-17
99	Respiratory Signs & Symptoms w/ CC
100	Respiratory Signs & Symptoms w/o CC
101	Other Respiratory System Diagnoses w/ CC
102	Other Respiratory System Diagnoses w/o CC
103	Heart Transplant
104	Cardiac Valve Procedures w/ Cardiac Cath
105	Cardiac Valve Procedures w/o Cardiac Cath
106	Coronary Bypass w/ Cardiac Cath
107	Coronary Bypass w/o Cardiac Cath
108	Other Cardiothoracic Procedures

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
109	No Longer Valid (Table Excluded)
110	Major Cardiovascular Procedures w/ CC
111	Major Cardiovascular Procedures w/o CC
112	Percutaneous Cardiovascular Procedures
113	Amputation for Circ System Disorders except Upper Limb & Toe
114	Upper Limb & Toe Amputation for Circ System Disorders
115	Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock
116	Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock
117	Cardiac Pacemaker Revision except Device Replacement
118	Cardiac Pacemaker Device Replacement
119	Vein Ligation & Stripping
120	Other Circulatory System O.R. Procedures
121	Circulatory Disorders w/ AMI & C.V. Comp Disch Alive
122	Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive
123	Circulatory Disorders w/ AMI, Expired (Table Excluded)
124	Circulatory Disorders except AMI, w/ Card Cath & Complex Diag
125	Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag
126	Acute & Subacute Endocarditis
127	Heart Failure & Shock
128	Deep Vein Thrombophlebitis
129	Cardiac Arrest, Unexplained
130	Peripheral Vascular Disorders w/ CC
131	Peripheral Vascular Disorders w/o CC
132	Atherosclerosis w/ CC
133	Atherosclerosis w/o CC
134	Hypertension
135	Cardiac Congenital & Valvular Disorders Age >17 w/ CC
136	Cardiac Congenital & Valvular Disorders Age >17 w/o CC
137	Cardiac Congenital & Valvular Disorders Age 0-17
138	Cardiac Arrhythmia & Conduction Disorders w/ CC
139	Cardiac Arrhythmia & Conduction Disorders w/o CC
140	Angina Pectoris
141	Syncope & Collapse w/ CC
142	Syncope & Collapse w/o CC
143	Chest Pain
144	Other Circulatory System Diagnoses w/ CC
145	Other Circulatory System Diagnoses w/o CC
146	Rectal Resection w/ CC
147	Rectal Resection w/o CC
148	Major Small & Large Bowel Procedures w/ CC
149	Major Small & Large Bowel Procedures w/o CC
150	Peritoneal Adhesiolysis w/ CC
151	Peritoneal Adhesiolysis w/o CC
152	Minor Small & Large Bowel Procedures w/ CC
153	Minor Small & Large Bowel Procedures w/o CC
154	Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC
155	Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC
156	Stomach, Esophageal & Duodenal Procedures Age 0-17
157	Anal & Stomal Procedures w/ CC
158	Anal & Stomal Procedures w/o CC
159	Hernia Procedures except Inguinal & Femoral Age >17 w/ CC
160	Hernia Procedures except Inguinal & Femoral Age >17 w/o CC
161	Inguinal & Femoral Hernia Procedures Age >17 w/ CC
162	Inguinal & Femoral Hernia Procedures Age >17 w/o CC
163	Hernia Procedures Age 0-17
164	Appendectomy w/ Complicated Principal Diag w/ CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
165	Appendectomy w/ Complicated Principal Diag w/o CC
166	Appendectomy w/o Complicated Principal Diag w/ CC
167	Appendectomy w/o Complicated Principal Diag w/o CC
168	Mouth Procedures w/ CC
169	Mouth Procedures w/o CC
170	Other Digestive System O.R. Procedures w/ CC
171	Other Digestive System O.R. Procedures w/o CC
172	Digestive Malignancy w/ CC
173	Digestive Malignancy w/o CC
174	G.I. Hemorrhage w/ CC
175	G.I. Hemorrhage w/o CC
176	Complicated Peptic Ulcer
177	Uncomplicated Peptic Ulcer w/ CC
178	Uncomplicated Peptic Ulcer w/o CC
179	Inflammatory Bowel Disease
180	G.I. Obstruction w/ CC
181	G.I. Obstruction w/o CC
182	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/ CC
183	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/o CC
184	Esophagitis, Gastroent & Misc Digest Disorders Age 0-17
185	Dental & Oral Dis except Extractions & Restorations, Age >17
186	Dental & Oral Dis except Extractions & Restorations, Age 0-17
187	Dental Extractions & Restorations
188	Other Digestive System Diagnoses Age >17 w/ CC
189	Other Digestive System Diagnoses Age >17 w/o CC
190	Other Digestive System Diagnoses Age 0-17
191	Pancreas, Liver & Shunt Procedures w/ CC
192	Pancreas, Liver & Shunt Procedures w/o CC
193	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC
194	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC
195	Total Cholecystectomy w/ C.D.E. w/ CC
196	Total Cholecystectomy w/ C.D.E. w/o CC
197	Total Cholecystectomy w/o C.D.E. w/ CC
198	Total Cholecystectomy w/o C.D.E. w/o CC
199	Hepatobiliary Diagnostic Procedure for Malignancy
200	Hepatobiliary Diagnostic Procedure for Non-malignancy
201	Other Hepatobiliary or Pancreas O.R. Procedures
202	Cirrhosis & Alcoholic Hepatitis
203	Malignancy of Hepatobiliary System or Pancreas
204	Disorders of Pancreas except Malignancy
205	Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC
206	Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC
207	Disorders of the Biliary Tract w/ CC
208	Disorders of the Biliary Tract w/o CC
209	Major Joint & Limb Reattachment Procedures, Lower Extremity
210	Hip & Femur Procedures except Major Joint Age >17 w/ CC
211	Hip & Femur Procedures except Major Joint Age >17 w/o CC
212	Hip & Femur Procedures except Major Joint Age 0-17
213	Amputation for Musculoskeletal System & Conn Tissue Disorders
214	Back & Neck Procedures w/ CC
215	Back & Neck Procedures w/o CC
216	Biopsies of Musculoskeletal System & Connective Tissue
217	Wnd Debrid & Skn Grft except Hand, for Muscskelet & Conn Tiss Dis
218	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC
219	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC
220	Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
221	Knee Procedures w/ CC
222	Knee Procedures w/o CC
223	Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC
224	Shoulder, Elbow or Forearm Proc, exc Major Joint Proc, w/o CC
225	Foot Procedures
226	Soft Tissue Procedures w/ CC
227	Soft Tissue Procedures w/o CC
228	Major Thumb or Joint Proc, or Oth Hand or Wrist Proc w/ CC
229	Hand or Wrist Proc, except Major Joint Proc, w/o CC
230	Local Excision & Removal of Int Fix Devices of Hip & Femur
231	Local Excision & Removal of Int Fix Devices except Hip & Femur
232	Arthroscopy
233	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC
234	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC
235	Fractures of Femur
236	Fractures of Hip & Pelvis
237	Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh
238	Osteomyelitis
239	Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy
240	Connective Tissue Disorders w/ CC
241	Connective Tissue Disorders w/o CC
242	Septic Arthritis
243	Medical Back Problems
244	Bone Diseases & Specific Arthropathies w/ CC
245	Bone Diseases & Specific Arthropathies w/o CC
246	Non-specific Arthropathies
247	Signs & Symptoms of Musculoskeletal System & Conn Tissue
248	Tendonitis, Myositis & Bursitis
249	Aftercare, Musculoskeletal System & Connective Tissue
250	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC
251	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC
252	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17
253	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/ CC
254	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/o CC
255	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17
256	Other Musculoskeletal System & Connective Tissue Diagnoses
257	Total Mastectomy for Malignancy w/ CC
258	Total Mastectomy for Malignancy w/o CC
259	Subtotal Mastectomy for Malignancy w/ CC
260	Subtotal Mastectomy for Malignancy w/o CC
261	Breast Proc for Non-malignancy except Biopsy & Local Excision
262	Breast Biopsy & Local Excision for Non-malignancy
263	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC
264	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC
265	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC
266	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC
267	Perianal & Pilonidal Procedures
268	Skin, Subcutaneous Tissue & Breast Plastic Procedures
269	Other Skin, Subcut Tiss & Breast Proc w/ CC
270	Other Skin, Subcut Tiss & Breast Proc w/o CC
271	Skin Ulcers
272	Major Skin Disorders w/ CC
273	Major Skin Disorders w/o CC
274	Malignant Breast Disorders w/ CC
275	Malignant Breast Disorders w/o CC
276	Non-malignant Breast Disorders

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
277	Cellulitis Age >17 w/ CC
278	Cellulitis Age >17 w/o CC
279	Cellulitis Age 0-17
280	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC
281	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC
282	Trauma to the Skin, Subcut Tiss & Breast Age 0-17
283	Minor Skin Disorders w/ CC
284	Minor Skin Disorders w/o CC
285	Amputat of Lower Limb for Endocrine, Nutrit & Metabol Disorders
286	Adrenal & Pituitary Procedures
287	Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders
288	O.R. Procedures for Obesity
289	Parathyroid Procedures
290	Thyroid Procedures
291	Thyroglossal Procedures
292	Other Endocrine, Nutrit & Metab O.R. Proc w/ CC
293	Other Endocrine, Nutrit & Metab O.R. Proc w/o CC
294	Diabetes Age > 35
295	Diabetes Age 0-35
296	Nutritional & Misc Metabolic Disorders Age >17 w/ CC
297	Nutritional & Misc Metabolic Disorders Age >17 w/o CC
298	Nutritional & Misc Metabolic Disorders Age 0-17
299	Inborn Errors of Metabolism
300	Endocrine Disorders w/ CC
301	Endocrine Disorders w/o CC
302	Kidney Transplant
303	Kidney, Ureter & Major Bladder Procedures for Neoplasm
304	Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC
305	Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC
306	Prostatectomy w/ CC
307	Prostatectomy w/o CC
308	Minor Bladder Procedures w/ CC
309	Minor Bladder Procedures w/o CC
310	Transurethral Procedures w/ CC
311	Transurethral Procedures w/o CC
312	Urethral Procedures Age >17 w/ CC
313	Urethral Procedures Age >17 w/o CC
314	Urethral Procedures Age 0-17
315	Other Kidney & Urinary Tract O.R. Procedures
316	Renal Failure
317	Admit for Renal Dialysis
318	Kidney & Urinary Tract Neoplasms w/ CC
319	Kidney & Urinary Tract Neoplasms w/o CC
320	Kidney & Urinary Tract Infections Age >17 w/ CC
321	Kidney & Urinary Tract Infections Age >17 w/o CC
322	Kidney & Urinary Tract Infections Age 0-17
323	Urinary Stones w/ CC, &/or ESW Lithotripsy
324	Urinary Stones w/o CC
325	Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC
326	Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC
327	Kidney & Urinary Tract Signs & Symptoms Age 0-17
328	Urethral Stricture Age >17 w/ CC
329	Urethral Stricture Age >17 w/o CC
330	Urethral Stricture Age 0-17
331	Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC
332	Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
333	Other Kidney & Urinary Tract Diagnoses Age 0-17
334	Major Male Pelvic Procedures w/ CC
335	Major Male Pelvic Procedures w/o CC
336	Transurethral Prostatectomy w/ CC
337	Transurethral Prostatectomy w/o CC
338	Testes Procedures, for Malignancy
339	Testes Procedures, Non-malignancy Age > 17
340	Testes Procedures, Non-malignancy Age 0-17
341	Penis Procedures
342	Circumcision Age > 17
343	Circumcision Age 0-17
344	Other Male Reproductive System O.R. Procedures for Malignancy
345	Other Male Reproductive System O.R. Proc except for Malignancy
346	Malignancy, Male Reproductive System, w/ CC
347	Malignancy, Male Reproductive System, w/o CC
348	Benign Prostatic Hypertrophy w/ CC
349	Benign Prostatic Hypertrophy w/o CC
350	Inflammation of the Male Reproductive System
351	Sterilization, Male
352	Other Male Reproductive System Diagnoses
353	Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy
354	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC
355	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC
356	Female Reproductive System Reconstructive Procedures
357	Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy
358	Uterine & Adnexa Proc for Non-malignancy w/ CC
359	Uterine & Adnexa Proc for Non-malignancy w/o CC
360	Vagina, Cervix & Vulva Procedures
361	Laparoscopy & Incisional Tubal Interruption
362	Endoscopic Tubal Interruption
363	D&C, Conization & Radio-implant, for Malignancy
364	D&C, Conization except for Malignancy
365	Other Female Reproductive System O.R. Procedures
366	Malignancy, Female Reproductive System w/ CC
367	Malignancy, Female Reproductive System w/o CC
368	Infections, Female Reproductive System
369	Menstrual & Other Female Reproductive System Disorders
370	Cesarean Section w/ CC
371	Cesarean Section w/o CC
372	Vaginal Delivery w/ Complicating Diagnoses
373	Vaginal Delivery w/o Complicating Diagnoses
374	Vaginal Delivery w/ Sterilization &/or D&C
375	Vaginal Delivery w/ O.R. Proc except Steril &/or D&C
376	Postpartum & Post Abortion Diagnoses w/o O.R. Procedure
377	Postpartum & Post Abortion Diagnoses w/ O.R. Procedure
378	Ectopic Pregnancy
379	Threatened Abortion
380	Abortion w/o D&C
381	Abortion w/ D&C, Aspiration Curettage or Hysterotomy
382	False Labor
383	Other Antepartum Diagnoses w/ Medical Complications
384	Other Antepartum Diagnoses w/o Medical Complications
385	Neonates, Died or Transferred to Another Acute Care Facility (Table Excluded)
386	Extreme Immaturity or Respiratory Distress Syndrome, Neonate
387	Prematurity w/ Major Problems

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
388	Prematurity w/o Major Problems
389	Full Term Neonate w/ Major Problems
390	Neonate w/ Other Significant Problems
391	Normal Newborn
392	Splenectomy Age > 17
393	Splenectomy Age 0-17
394	Other O.R. Procedures of the Blood And Blood Forming Organs
395	Red Blood Cell Disorders Age > 17
396	Red Blood Cell Disorders Age 0-17
397	Coagulation Disorders
398	Reticuloendothelial & Immunity Disorders w/ CC
399	Reticuloendothelial & Immunity Disorders w/o CC
400	Lymphoma & Leukemia w/ Major O.R. Procedure
401	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC
402	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC
403	Lymphoma & Non-acute Leukemia w/ CC
404	Lymphoma & Non-acute Leukemia w/o CC
405	Acute Leukemia w/o Major O.R. Procedure Age 0-17
406	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/ CC
407	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/o CC
408	Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R. Proc
409	Radiotherapy
410	Chemotherapy Without Acute Leukemia as Secondary Diagnosis
411	History of Malignancy w/o Endoscopy
412	History of Malignancy w/ Endoscopy
413	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC
414	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC
415	O.R. Procedure for Infectious & Parasitic Diseases
416	Septicemia Age > 17
417	Septicemia Age 0-17
418	Postoperative & Post-traumatic Infections
419	Fever of Unknown Origin Age >17 w/ CC
420	Fever of Unknown Origin Age >17 w/o CC
421	Viral Illness Age > 17
422	Viral Illness & Fever of Unknown Origin Age 0-17
423	Other Infectious & Parasitic Diseases Diagnoses
424	O.R. Procedure w/ Principal Diagnoses of Mental Illness
425	Acute Adjust React & Disturbances of Psychosocial Dysfunction
426	Depressive Neuroses
427	Neuroses except Depressive
428	Disorders of Personality & Impulse Control
429	Organic Disturbances & Mental Retardation
430	Psychoses
431	Childhood Mental Disorders
432	Other Mental Disorder Diagnoses
433	Alcohol/Drug Abuse or Dependence, Left AMA (Table Excluded)
434	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC
435	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC
436	Alc/Drug Dependence w/ Rehabilitation Therapy
437	Alc/Drug Dependence, Combined Rehab & Detox Therapy
438	No Longer Valid (Table Excluded)
439	Skin Grafts for Injuries
440	Wound Debridements for Injuries
441	Hand Procedures for Injuries
442	Other O.R. Procedures for Injuries w/ CC
443	Other O.R. Procedures for Injuries w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
444	Traumatic Injury Age >17 w/ CC
445	Traumatic Injury Age >17 w/o CC
446	Traumatic Injury Age 0-17
447	Allergic Reactions Age >17
448	Allergic Reactions Age 0-17
449	Poisoning & Toxic Effects of Drugs Age >17 w/ CC
450	Poisoning & Toxic Effects of Drugs Age >17 w/o CC
451	Poisoning & Toxic Effects of Drugs Age 0-17
452	Complications of Treatment w/ CC
453	Complications of Treatment w/o CC
454	Other Injury, Poisoning & Toxic Effect Diag w/ CC
455	Other Injury, Poisoning & Toxic Effect Diag w/o CC
456	Burns, Transferred to Another Acute Care Facility (Table Excluded)
457	Extensive Burns w/o O.R. Procedure
458	Non-extensive Burns w/ Skin Graft
459	Non-extensive Burns w/ Wound Debridement or Other O.R. Proc
460	Non-extensive Burns w/o O.R. Procedure
461	O.R. Proc w/ Diagnoses of Other Contact w/ Health Services
462	Rehabilitation
463	Signs & Symptoms w/ CC
464	Signs & Symptoms w/o CC
465	Aftercare w/ History of Malignancy As Secondary Diagnosis
466	Aftercare w/o History of Malignancy As Secondary Diagnosis
467	Other Factors Influencing Health Status (Table Excluded)
468	Extensive O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
469	Principal Diagnosis Invalid As Discharge Diagnosis (Table Excluded)
470	Ungroupable (Table Excluded)
471	Bilateral or Multiple Major Joint Procs of Lower Extremity
472	Extensive Burns w/ O.R. Procedure
473	Acute Leukemia w/o Major O.R. Procedure Age > 17
474	No Longer Valid (Table Excluded)
475	Respiratory System Diagnosis with Ventilator Support
476	Prostatic O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
477	Non-extensive O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
478	Other Vascular Procedures w/ CC
479	Other Vascular Procedures w/o CC
480	Liver Transplant
481	Bone Marrow Transplant
482	Tracheostomy w/ Mouth, Larynx or Pharynx Disorder
483	Tracheostomy Except for Mouth, Larynx or Pharynx Disorder
484	Craniotomy for Multiple Significant Trauma
485	Limb Reattach., Hip and Femur Procs for Multi Sign Trauma
486	Other O.R. Procedures for Multiple Significant Trauma
487	Other Multiple Significant Trauma
488	HIV w/ Extensive O.R. Procedure
489	HIV w/ Major Related Condition
490	HIV w/ or w/o Other Related Condition
491	Major Joint and Limb Reattachment Procedures, Upper Extremity
492	Chemotherapy with Acute Leukemia as Secondary Diagnosis

B4465-5.3-U

LOS

LENGTH OF STAY

Length of Stay
by DRG and Payment Source
North Central Region, 1990-91

LOS

LENGTH OF STAY

BY DRG AND PAYMENT SOURCE

North Central Region, 1990-91

Healthcare Knowledge Resources
Ann Arbor, Michigan
January, 1992

LENGTH OF STAY BY DRG AND PAYMENT SOURCE

This volume is one of five books in the Length of Stay by DRG and Payment Source series:

Length of Stay by DRG and Payment Source, United States, 1990-91
ISSN 1043-9285

Length of Stay by DRG and Payment Source, Northeastern Region, 1990-91
ISSN 1043-9307

Length of Stay by DRG and Payment Source, North Central Region, 1990-91
ISSN 1043-9323

Length of Stay by DRG and Payment Source, Southern Region, 1990-91
ISSN 1043-9293

Length of Stay by DRG and Payment Source, Western Region, 1990-91
ISSN 1043-9315

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period July 1, 1990 through June 30, 1991. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assumes any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1992 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any other form, or by any other means, or stored in a database or retrieval system, without prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi

Source of the Data
Data Quality
Hospital Characteristics
Projecting to the Universe

Organization of the Tables x

Diagnosis Related Groups
Expected Principal Payment Source
Presence or Absence of Complications and Comorbidities (CCs)
Patient Age and/or Birth Weight

Explanation of the Statistics xii

Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables xiii

Length of Stay Tables 1

Appendix 1: 1990-91 Hospital Characteristics 482

Appendix 2: State Inclusions By Region 483

Appendix 3: Diagnosis Related Groups 484

ACKNOWLEDGEMENTS

1990-91 LENGTH OF STAY BY DRG AND PAYMENT SOURCE SERIES

PROJECT TEAM

Jennifer Goewey, Publication Specialist, Normative Products
Carol Dingeldey, Publication Specialist, Normative Products
Linda Vanek, Manager, Normative Products

Information Services
Ed Morrissey, Senior Programmer Analyst
Jan Sweet, Electronic Publishing Analyst

Additionally, the following individuals made valuable contributions to the development of this publication:

Joyce Beach, Helen Garcia, Nancy Ramirez, and Donna Witkowski.

Also, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official vendor and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Length of Stay data have been available from CPHA since 1963. This book is one volume in a set of five books presenting statistics on hospital stay during 1990-91 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the series.

The *Length of Stay by DRG and Payment Source* series has been designed as a companion to the standard reference, *Length of Stay by Diagnosis and Operation*, to provide length of stay data by another patient classification system. *Length of Stay by DRG and Payment Source* is designed to assist the healthcare professional in utilization review and other cost containment and evaluation activities.

Notable differences between the *Length of Stay by DRG and Payment Source* series and the *Length of Stay by Diagnosis and Operation* series are primarily with the data source. Data used for the *Length of Stay by DRG and Payment Source* series have been projected to the universe of short-term, general, nonfederal hospitals based on patient records from 811 hospitals. A detailed description of the projection methodology is given on page viii. It is important to keep in mind that the numbers and calculations in *Length of Stay by DRG and Payment Source* represent projections rather than actual numbers.

The *Length of Stay by DRG and Payment Source* series is enhanced by providing length of stay data by the following four principal payment sources: Medicare, Medicaid, Blue Cross/Private Insurance, and No Insurance. This allows for comparison of length of stay by clinical condition and patient age among the major healthcare reimbursement systems.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. In addition to *Length of Stay by DRG and Payment Source*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay*, *Length of Stay by Diagnosis and Operation* and *Hospital Inpatient Charges*. Each series is developed annually for the United States. The Length of Stay series are also available for the Northeastern, North Central, Southern, and Western regions. Pediatric Length of Stay (19 years and under) and Geriatric Length of Stay (65 years and over) are produced in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape and diskette, provide a valuable perspective for utilization review and quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the *Length of Stay by DRG and Payment Source* tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the *Length of Stay by DRG and Payment Source* series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the *Length of Stay by DRG and Payment Source* series are from short-term, general, nonfederal, hospitals in the United States with discharge data for the period July 1, 1990 - June 30, 1991. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal – Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Ohio Hospital Association, Oregon Association of Hospitals, Vermont Hospital Association, and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay books are displayed in Appendix 1.

---

[1] American Hospital Association Guide to the Health Care Field, 1990.

Projecting to the Universe

To make the *LOS by DRG and Payment Source* sample reflect the activity of U.S. short-term general, nonfederal hospitals the following steps are taken:

Step 1 - Stratification

First, the hospitals are stratified by factors known to affect inpatient utilization. The two factors used are teaching intensity and geographical region:

A. **Teaching Intensity** is determined by a weighted index measuring program intensity created by Phillip and Hai[1]. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by the Joint Commission on Accreditation of Healthcare Organizations (JCAHO)
- Cancer Program approved by the American College of Surgeons (CANC)
- Residency approved by Accreditation Council for Graduate Medical Education (ACGME)
- Medical School Affiliation reported by the American Medical Association (MSA)
- Hospital-controlled professional nursing school, reported by the National League for Nursing (NURS)
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges (COTH)

Based on this index, hospitals are classified by one of three teaching status groups:

- Low Teaching Intensity Hospitals
- Medium Teaching Intensity Hospitals
- High Teaching Intensity Hospitals

The statistical formula is:

$$Ip = 9.9\,(JCAHO) + 14.0(CANC) + 28.0(ACGME) + 14.7(MSA) + 13.3(NURS) + 20.1(COTH)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

For the *Length of Stay by DRG and Payment Source* series the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution (low teaching intensity)
Ip value 25.0+	Teaching Institution (medium/high teaching intensity)

---

[1] Phillip P. J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

B. **Census Division** places the 50 states and the District of Columbia into nine geographical areas defined by the U.S. Department of Commerce, Bureau of the Census. These nine divisions and their corresponding regions are:

Region	Division
Northeast	New England Mid Atlantic
North Central	East North Central West North Central
South	South Atlantic East South Central West South Central
West	Mountain Pacific

A list of the states included in each region is provided in Appendix 2.

Step 2 - Projection

A matrix is constructed which identifies the number of actual discharges from hospitals by teaching intensity (nonteaching and teaching) and geographical region (Northeast, North Central, South, West). A projection factor is calculated for each cell within the matrix. This factor is calculated as follows:

$$\text{Projection Factor} = \frac{\text{Total discharges from the universe}}{\text{Number of actual discharges in LOS DRG sample}}$$

Each projection factor is multiplied by the number of actual discharges in a particular cell. The resulting numbers represent estimated patient discharges, the sum of which approximates total July 1990 through June 1991 discharges from the U.S. short-term, general, nonfederal hospital universe.

ORGANIZATION OF THE TABLES

The data are stratified by DRG, principal payment source, presence or absence of complications and comorbidities (CCs), and by age ranges.

Diagnosis Related Groups (DRGs)

There are 492 DRGs in the *1990-91 LOS by DRG and Payment Source* series. These DRGs are based on the eighth revision (version 9), effective October 1, 1991. Appendix 3 provides a list of all DRGs for the eighth revision.

Some DRGs have been excluded because they include invalid, ungroupable, or inappropriate categories for examining length of stay. The excluded DRGs are:

DRG Number	English Description
109	(No longer valid)
123	Circulatory Disorders w/AMI, Expired
385	Neonates, Died or Transferred to Another Acute Care Facility
433	Alcohol/Drug Abuse or Dependence, Left Against Medical Advice
438	(No longer valid)
456	Burns, Transferred to Another Acute Care Facility
467	Other Factors Influencing Health Status
468	Extensive Operating Room Procedure Unrelated to Principal Diagnosis
469	Principal Diagnosis Invalid as Discharge Diagnosis
470	Ungroupable
474	(No longer valid)
476	Prostatic Operating Room Procedure Unrelated to Principal Diagnosis
477	Non-extensive Operating Room Procedure Unrelated to Principal Diagnosis

Expected Principal Payment Source

For each DRG, there are four tables corresponding to one of four expected principal payment sources:

1. Medicare
2. Blue Cross/Blue Shield and Private Insurance
3. Medicaid
4. No Insurance

The 'No Insurance' category represents a collapsing of the following payment categories from the PAS abstract: 'Self Pay', 'Other', and 'No Charge'. These three payment categories have not been used consistently by all hospitals contributing data, and therefore this category should be interpreted with some caution.

Presence or Absence of Complications and Comorbidities (CCs)

To determine the presence of complications or comorbidities (CCs), a patient's secondary diagnoses are compared to those specific ICD-9-CM diagnosis codes defined by the Health Care Financing Administration (HCFA) as CCs.

HCFA definitions are:

- A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.
- A comorbidity is a pre-existing condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

Determination of the existence of CCs corresponds to the DRG version effective October 1, 1991.

Patient Age and/or Birth Weight

Patient discharges in the Medicare payment source category are in one of the following age groups, recorded in years:

0 - 69
70 - 74
75 - 79
80 - 84
85+

The other three payment source age groups are collapsed as follows:

0 - 17
18 - 34
35 - 49
50 - 69
70+

For DRGs 386 - 391, which classify neonates, the age range is replaced by a birth weight range, recorded in grams. The categories are as follows:

1 - 999
1000 - 1499
1500 - 1749
1750 - 2499
2500 +

All discharge records for newborns and neonates with an unrecorded birth weight have been excluded.

EXPLANATION OF THE STATISTICS

The statistics are displayed by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included. Since the *LOS by DRG and Payment Source* series is drawn from patient discharges from 811 hospitals and then projected to the universe of U.S. hospitals, *the numbers and calculations represent projections rather than actual numbers.* One actual patient discharge represents multiple projected patients; the average projection factor is 7.2. If the total number of patients listed is based on five or fewer *actual* discharges, the percentile distribution columns are left blank.

Total Number of Patients

This number represents the total number of projected patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for all projected patients and then dividing by the total number of projected patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the projected patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of projected patients is determined by arranging the projected patient stays from low to high. Counting up from the lowest stay to the point where half of the projected patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total projected patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, and 95th percentiles of stay are displayed in days. If, for example, the 25th percentile for a group of projected patients is four, it means 25 percent of the projected patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients. (If a line of data consists solely of stays of 99+ days, the discharges in that line will be excluded from all portions of the table.)

Subtotal and Grand Total

The subtotal represents the total projected patients in one of the two complication and comorbidity groups, within each payment source. The grand total represents the total number of projected patients in each payment source category. In cases where a total is off by one patient, it is the result of rounding the projections.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay regional or national volumes:

Step 1: Consult Appendix 3 at the back of the book for the particular DRG to be reviewed.

Step 2: Find the corresponding table in the book. The DRG number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

- Payment Source
- Complication/Comorbidity Status
- Age Group

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

A sample table with descriptions of table elements is provided on the next page.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Length of Stay by DRG and Payment Source

Sample Table

DRG number and title

Payment source

DRG 1: Craniotomy Age >17 except for Trauma

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/CCs									
AGE GROUP									
0-69 (YRS.)	5407	17.2	192	5	8	13	22	36	50
70-74	3740	18.2	228	6	9	14	22	36	53
75-79	2849	17.4	175	6	8	14	22	35	49
80-84	1833	19.5	222	7	10	15	24	37	49
85 +	956	18.9	137	8	10	16	24	36	44
SUBTOTAL	**14784**	**17.9**	**199**	**6**	**9**	**14**	**22**	**36**	**49**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2864	9.5	43	3	5	8	12	17	22
70-74	1883	8.7	36	3	5	7	11	16	18
75-79	1471	11.3	90	4	6	9	13	20	30
80-84	819	8.6	20	4	5	8	12	15	16
85 +	363	11.5	62	4	6	10	15	23	25
SUBTOTAL	**7401**	**9.6**	**50**	**4**	**5**	**8**	**12**	**17**	**22**
GRAND TOTAL	22185	15.1	164	5	7	12	19	30	42

Presence or absence of Complications/ Comorbidities

Length of stay (in days) by percentile

Patient age group
(Note: Age groups for Medicare differ from those for Medicaid, Blue Cross/Private Insurance, and No Insurance)

Total number of projected patients

DRG Length of Stay Tables

All DRGS

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	457841	8.7	72	2	4	6	10	17	24	0-17	151532	6.5	92	1	2	4	7	14	24
70-74	325092	8.8	65	2	4	7	11	17	23	18-34	173315	5.7	48	2	2	4	6	11	18
75-79	314132	9.0	65	3	4	7	11	17	24	35-49	206231	6.7	51	2	3	5	8	13	19
80-84	250390	9.3	63	3	4	7	11	18	23	50-69	369624	7.6	59	2	3	6	9	15	21
85 +	242436	9.3	57	3	5	7	12	18	23	70 +	29420	8.7	74	2	4	6	11	17	25
SUBTOTAL	**1589891**	**9.0**	**66**	**2**	**4**	**7**	**11**	**18**	**24**		**930122**	**6.9**	**62**	**2**	**3**	**5**	**8**	**14**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	240051	6.3	50	1	2	4	7	13	20	0-17	684374	3.3	24	1	2	2	3	5	8
70-74	153458	5.4	26	1	2	4	7	10	13	18-34	767174	3.3	15	1	2	2	4	5	8
75-79	127002	5.7	28	1	3	4	7	11	15	35-49	451899	4.2	21	1	2	3	5	8	12
80-84	85226	6.0	28	2	3	5	8	11	15	50-69	377995	4.4	17	1	2	3	5	8	11
85 +	68834	6.2	26	2	3	5	8	12	15	70 +	13365	5.3	26	1	2	4	7	10	14
SUBTOTAL	**674570**	**5.9**	**35**	**1**	**3**	**4**	**7**	**11**	**16**		**2294807**	**3.7**	**20**	**1**	**2**	**2**	**4**	**7**	**10**
GRAND TOTAL	**2264461**	**8.1**	**59**	**2**	**3**	**6**	**10**	**16**	**22**		**3224928**	**4.6**	**34**	**1**	**2**	**3**	**5**	**9**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	99783	7.5	128	2	2	4	7	17	31	0-17	48816	6.2	84	1	2	3	6	14	23
18-34	125817	6.0	54	2	2	4	7	13	19	18-34	76424	5.4	41	1	2	4	6	11	16
35-49	66730	8.2	82	2	3	5	10	18	26	35-49	58374	6.6	53	1	3	4	8	13	20
50-69	67208	8.8	76	2	4	6	11	18	25	50-69	74017	7.4	54	2	3	5	9	15	21
70 +	5006	10.1	87	3	5	8	12	21	30	70 +	25565	8.4	75	2	3	6	10	17	24
SUBTOTAL	**364544**	**7.4**	**85**	**2**	**3**	**4**	**8**	**16**	**24**		**283195**	**6.6**	**58**	**1**	**2**	**4**	**8**	**14**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	389345	3.4	24	1	2	2	3	5	9	0-17	246349	2.9	13	1	2	2	3	5	7
18-34	336837	3.7	23	1	2	2	4	6	11	18-34	263845	3.3	15	1	2	2	3	5	9
35-49	64366	6.0	51	1	2	4	7	14	21	35-49	110734	4.1	20	1	2	3	4	8	12
50-69	29309	6.2	44	1	3	4	7	13	19	50-69	70800	4.3	19	1	2	3	5	8	11
70 +	1944	7.3	52	2	3	5	9	16	24	70 +	13933	5.4	49	1	2	4	7	10	14
SUBTOTAL	**821802**	**3.8**	**27**	**1**	**2**	**2**	**4**	**7**	**11**		**705661**	**3.4**	**17**	**1**	**2**	**2**	**4**	**6**	**9**
GRAND TOTAL	**1186346**	**4.9**	**47**	**1**	**2**	**3**	**5**	**10**	**16**		**988856**	**4.3**	**31**	**1**	**2**	**3**	**5**	**9**	**13**

DRG 1: Craniotomy Age >17 except for Trauma

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1467	18.2	205	5	8	14	23	36	52
70-74	918	16.9	141	6	9	14	22	31	42
75-79	698	17.9	159	7	10	15	23	32	46
80-84	382	19.9	197	7	10	15	23	42	49
85 +	233	18.0	94	9	12	15	24	35	41
SUBTOTAL	**3698**	**18.0**	**173**	**6**	**9**	**14**	**22**	**35**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	707	9.5	40	3	5	8	12	19	24
70-74	526	8.9	49	4	6	7	11	14	17
75-79	376	9.5	29	4	5	8	13	16	19
80-84	208	8.2	19	4	5	6	11	15	19
85 +	100	10.0	18	6	7	9	13	18	20
SUBTOTAL	**1916**	**9.2**	**37**	**4**	**5**	**8**	**12**	**17**	**20**
GRAND TOTAL	**5615**	**15.0**	**144**	**5**	**7**	**12**	**19**	**30**	**40**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	830	13.2	178	4	5	8	16	29	40
35-49	1145	16.2	203	5	7	11	20	39	49
50-69	1926	15.9	141	5	8	13	21	31	41
70 +	95	11.3	35	4	6	11	13	19	27
	3997	**15.3**	**166**	**4**	**7**	**11**	**20**	**32**	**45**
0-17	0								
18-34	1149	10.1	64	3	4	7	13	22	29
35-49	1212	8.9	39	3	5	7	11	16	22
50-69	1450	8.1	28	3	5	7	10	13	19
70 +	79	8.6	42	1	5	8	10	23	24
	3890	**8.9**	**43**	**3**	**5**	**7**	**11**	**18**	**22**
	7887	**12.2**	**115**	**4**	**6**	**9**	**15**	**26**	**33**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	329	12.4	118	3	4	9	18	30	41
35-49	188	19.1	263	5	7	15	27	50	99 +
50-69	246	17.1	111	6	11	14	22	35	53
70 +	5	39.0							
SUBTOTAL	**768**	**15.7**	**162**	**4**	**7**	**13**	**22**	**37**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	348	10.3	89	3	4	6	15	27	32
35-49	141	12.1	58	4	6	10	17	27	28
50-69	58	9.8	34	4	6	8	12	13	26
70 +	10	8.0	18						
SUBTOTAL	**558**	**10.7**	**74**	**3**	**4**	**7**	**15**	**26**	**29**
GRAND TOTAL	**1326**	**13.6**	**131**	**3**	**5**	**10**	**19**	**30**	**39**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	164	13.3	136	4	5	10	14	28	39
35-49	273	14.6	111	4	7	11	17	32	40
50-69	350	15.9	153	6	9	12	18	43	49
70 +	64	16.4	160	2	9	10	20	26	50
	850	**15.0**	**137**	**4**	**8**	**11**	**18**	**35**	**44**
0-17	0								
18-34	279	8.8	45	3	5	6	11	18	26
35-49	258	9.5	35	3	5	8	11	19	22
50-69	201	8.7	43	4	5	7	11	15	22
70 +	33	11.6	49	7	7	8	13	26	26
	770	**9.1**	**41**	**3**	**5**	**7**	**11**	**18**	**25**
	1620	**12.2**	**100**	**4**	**6**	**9**	**15**	**26**	**36**

DRG 2: Craniotomy for Trauma Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	145	16.8	101	7	9	14	22	32	33
70-74	73	16.6	96	5	9	14	25	29	39
75-79	101	19.4	279	6	8	12	24	42	58
80-84	122	16.7	79	8	10	14	22	27	34
85 +	131	21.0	139	9	13	18	25	42	46
SUBTOTAL	**572**	**18.2**	**138**	**7**	**10**	**15**	**24**	**33**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	70	7.1	17	3	5	6	8	16	16
70-74	60	7.6	13	4	5	6	10	13	16
75-79	91	11.7	44	5	6	9	15	23	25
80-84	63	8.4	26	5	5	6	9	14	22
85 +	53	13.1	44	5	9	11	18	24	26
SUBTOTAL	**337**	**9.6**	**34**	**5**	**5**	**8**	**12**	**19**	**23**
GRAND TOTAL	**909**	**15.0**	**117**	**5**	**7**	**11**	**20**	**29**	**39**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	223	20.7	323	7	10	16	24	41	81
35-49	122	18.7	236	7	7	12	20	41	47
50-69	169	18.7	194	7	9	16	23	44	67
70 +	27	22.8	267						
	541	**19.7**	**260**	**7**	**9**	**16**	**24**	**44**	**67**
0-17	0								
18-34	180	9.1	129	2	4	7	10	16	19
35-49	64	6.5	9	3	4	8	9	10	10
50-69	90	10.3	74	4	5	7	10	25	33
70 +	31	8.3	47	3	3	7	8	23	23
	366	**8.9**	**88**	**3**	**4**	**7**	**9**	**16**	**25**
	907	**15.3**	**219**	**4**	**7**	**10**	**18**	**36**	**50**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	159	18.6	184	4	9	14	26	40	40
35-49	63	19.5	104	9	10	17	26	35	39
50-69	42	18.0	204	7	8	15	22	90	99 +
70 +	5	9.0							
SUBTOTAL	**269**	**18.5**	**166**	**6**	**9**	**15**	**26**	**39**	**53**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	89	9.8	34	2	6	8	11	22	22
35-49	62	9.3	41	4	5	10	10	12	28
50-69	0								
70 +	6	16.0							
SUBTOTAL	**157**	**9.8**	**37**	**3**	**5**	**8**	**11**	**16**	**22**
GRAND TOTAL	**426**	**15.3**	**136**	**4**	**8**	**11**	**22**	**31**	**40**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	148	16.9	159	4	7	12	27	39	47
35-49	73	14.9	243	5	9	10	20	68	99 +
50-69	37	14.7	75	5	6	14	17	33	33
70 +	10	15.5	2						
	268	**16.0**	**164**	**4**	**8**	**12**	**21**	**37**	**68**
0-17	0								
18-34	154	5.9	9	3	4	5	7	11	12
35-49	63	8.8	41	4	4	6	9	21	23
50-69	10	6.5	22						
70 +	5	9.0							
	232	**6.8**	**20**	**3**	**4**	**5**	**8**	**12**	**13**
	500	**11.7**	**118**	**4**	**5**	**9**	**14**	**28**	**39**

DRG 3: Craniotomy Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	2294	10.6	157	2	3	6	13	27	37
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**2294**	**10.6**	**157**	**2**	**3**	**6**	**13**	**27**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	3543	5.5	41	1	2	3	6	12	18
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**3543**	**5.5**	**41**	**1**	**2**	**3**	**6**	**12**	**18**
GRAND TOTAL	**0**										**5836**	**7.5**	**93**	**1**	**2**	**4**	**8**	**18**	**27**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1105	12.7	204	2	3	7	17	32	45	0-17	476	10.8	118	2	4	7	14	27	39
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**1105**	**12.7**	**204**	**2**	**3**	**7**	**17**	**32**	**45**		**476**	**10.8**	**118**	**2**	**4**	**7**	**14**	**27**	**39**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1565	5.8	38	1	2	4	7	14	20	0-17	958	5.1	28	1	2	3	6	11	15
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**1565**	**5.8**	**38**	**1**	**2**	**4**	**7**	**14**	**20**		**958**	**5.1**	**28**	**1**	**2**	**3**	**6**	**11**	**15**
GRAND TOTAL	**2670**	**8.7**	**118**	**2**	**3**	**5**	**11**	**21**	**31**		**1434**	**7.0**	**65**	**1**	**2**	**4**	**8**	**16**	**23**

DRG 4: Spinal Procedures

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	254	15.4	153	3	6	14	20	28	41
70-74	200	14.2	88	5	9	13	19	22	26
75-79	110	11.6	98	1	6	7	15	27	38
80-84	59	15.5	68	6	8	12	26	27	27
85 +	38	18.0	119	4	10	16	26	40	40
SUBTOTAL	**661**	**14.5**	**117**	**4**	**7**	**12**	**19**	**27**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	206	6.6	38	2	3	5	8	13	28
70-74	88	9.9	179	2	4	5	7	22	59
75-79	108	6.2	14	2	3	6	8	9	14
80-84	21	9.0	5						
85 +	5	18.0							
SUBTOTAL	**428**	**7.4**	**62**	**2**	**4**	**5**	**8**	**15**	**19**
GRAND TOTAL	**1089**	**11.7**	**107**	**3**	**5**	**8**	**16**	**26**	**28**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	300	11.8	126	4	6	8	11	19	43
18-34	250	12.2	183	3	4	8	17	25	56
35-49	253	11.5	206	2	3	7	13	25	29
50-69	344	16.3	363	3	5	12	17	37	71
70 +	16	10.9	53						
	1164	**13.2**	**228**	**3**	**5**	**9**	**15**	**26**	**43**
0-17	711	7.5	16	3	5	7	9	10	13
18-34	422	5.3	26	2	2	3	6	12	15
35-49	830	4.2	9	2	2	3	5	8	11
50-69	600	5.4	30	2	2	4	6	11	15
70 +	0								
	2562	**5.6**	**20**	**2**	**3**	**4**	**8**	**10**	**13**
	3726	**7.9**	**98**	**2**	**3**	**5**	**9**	**15**	**23**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	47	11.3	52	6	7	8	9	25	26
18-34	73	12.8	162	2	5	9	13	30	50
35-49	47	24.7	292	1	9	32	42	43	44
50-69	68	21.5	322	4	7	16	44	57	99 +
70 +	0								
SUBTOTAL	**235**	**17.4**	**240**	**4**	**7**	**10**	**30**	**44**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	197	7.8	25	3	4	6	9	16	20
18-34	110	8.8	102	2	3	5	8	17	29
35-49	52	9.8	105	3	4	6	10	22	39
50-69	31	13.1	64	6	7	11	22	26	26
70 +	0								
SUBTOTAL	**391**	**8.8**	**62**	**3**	**4**	**6**	**10**	**17**	**26**
GRAND TOTAL	**626**	**12.0**	**146**	**3**	**4**	**8**	**13**	**32**	**44**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	9.4	31	5	6	8	9	19	23
18-34	31	13.2	104	2	7	11	13	34	34
35-49	59	12.6	207	2	4	5	18	23	53
50-69	79	18.0	206	4	6	14	24	48	48
70 +	0								
	221	**13.9**	**161**	**3**	**6**	**9**	**18**	**32**	**48**
0-17	131	6.0	7	2	4	6	7	9	11
18-34	69	10.2	95	2	2	8	17	24	33
35-49	126	5.1	14	2	3	3	6	12	14
50-69	63	4.6	7	2	3	4	6	7	11
70 +	5	7.0							
	394	**6.2**	**28**	**2**	**3**	**4**	**7**	**12**	**17**
	616	**9.0**	**89**	**2**	**3**	**6**	**11**	**18**	**29**

DRG 5: Extracranial Vascular Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2258	6.9	26	3	4	5	8	14	16	0-17	5	3.0							
70-74	2197	8.2	56	3	4	6	10	16	21	18-34	11	5.6	13						
75-79	1955	8.5	40	3	4	6	11	17	22	35-49	145	10.7	177	3	4	5	11	27	30
80-84	969	9.4	48	3	4	7	12	21	24	50-69	1720	7.4	67	3	4	5	9	15	20
85 +	274	7.7	19	3	4	6	10	14	15	70 +	141	6.9	24	3	3	5	10	11	17
SUBTOTAL	**7653**	**8.0**	**41**	**3**	**4**	**6**	**10**	**16**	**21**		**2022**	**7.6**	**72**	**3**	**4**	**5**	**9**	**15**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2525	4.6	8	2	3	4	5	8	10	0-17	16	2.0	1						
70-74	2465	4.6	8	2	3	4	5	7	9	18-34	31	1.7	1	1	1	2	2	3	3
75-79	1814	4.8	8	2	3	4	5	8	11	35-49	271	4.4	8	2	3	3	5	8	10
80-84	744	5.1	8	3	3	4	6	8	12	50-69	2917	4.3	5	2	3	4	5	7	9
85 +	226	6.7	17	3	4	5	8	16	16	70 +	171	4.7	5	3	3	4	5	7	10
SUBTOTAL	**7776**	**4.8**	**9**	**2**	**3**	**4**	**5**	**8**	**11**		**3406**	**4.3**	**6**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**15428**	**6.4**	**28**	**3**	**3**	**5**	**7**	**13**	**17**		**5428**	**5.5**	**33**	**2**	**3**	**4**	**6**	**10**	**13**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	6	7.0							
18-34	10	1.0								18-34	16	7.0	37						
35-49	21	6.3	12							35-49	21	3.3	1						
50-69	187	9.4	38	3	4	8	15	19	22	50-69	235	6.8	15	3	4	6	10	12	14
70 +	11	4.9	4							70 +	117	7.5	10	4	5	6	11	12	13
SUBTOTAL	**228**	**8.5**	**36**	**3**	**4**	**7**	**12**	**17**	**20**		**394**	**6.8**	**15**	**3**	**4**	**6**	**10**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5	25.0								0-17	10	4.0	4						
18-34	16	2.7								18-34	26	1.4	1						
35-49	22	3.8	2							35-49	52	3.6	13	1	2	3	3	7	14
50-69	155	4.8	7	3	3	4	5	8	9	50-69	367	4.3	7	2	3	4	5	7	10
70 +	5	6.0								70 +	113	5.4	17	2	4	4	5	12	19
SUBTOTAL	**202**	**5.1**	**16**	**2**	**3**	**4**	**5**	**8**	**11**		**568**	**4.3**	**10**	**2**	**3**	**4**	**5**	**7**	**11**
GRAND TOTAL	**431**	**6.9**	**30**	**3**	**3**	**4**	**9**	**15**	**19**		**962**	**5.3**	**13**	**2**	**3**	**4**	**6**	**11**	**13**

North Central Region, July 1990 - June 1991

DRG 6: Carpal Tunnel Release

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	32	1.3		1	1	1	2	2	2	0-17	0								
70-74	6	1.0								18-34	5	2.0							
75-79	0									35-49	6	4.0							
80-84	6	6.0								50-69	43	2.6	1	1	2	2	3	5	5
85 +	6	7.0								70 +	0								
SUBTOTAL	**49**	**2.5**	**5**	**1**	**1**	**1**	**3**	**7**	**7**		**54**	**2.7**	**1**	**2**	**2**	**3**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	1.3								0-17	5	5.0							
70-74	23	1.0								18-34	28	1.4							
75-79	16	3.4	3							35-49	121	1.5		< 1	1	1	2	2	3
80-84	0									50-69	83	1.3		< 1	1	1	2	2	2
85 +	5	5.0								70 +	6	1.0							
SUBTOTAL	**60**	**2.1**	**3**	**< 1**	**< 1**	**1**	**4**	**5**	**5**		**242**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**108**	**2.3**	**4**	**< 1**	**< 1**	**1**	**4**	**6**	**7**		**295**	**1.7**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	5	1.0							
50-69	6	6.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**6**	**6.0**									**5**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	5	1.0								18-34	5	2.0							
35-49	5	1.0								35-49	26	1.0							
50-69	0									50-69	11	2.0							
70 +	6	1.0								70 +	0								
SUBTOTAL	**16**	**1.0**									**42**	**1.4**		**1**	**1**	**1**	**2**	**2**	**2**
GRAND TOTAL	**22**	**2.3**	**5**								**47**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**

DRG 7: Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	433	12.6	159	2	5	9	16	22	33	0-17	132	11.1	123	1	1	6	20	27	31
70-74	294	13.9	172	2	5	11	17	28	44	18-34	229	9.2	175	1	2	5	9	21	32
75-79	230	14.0	233	2	5	9	17	28	41	35-49	278	8.5	51	2	3	7	11	18	21
80-84	199	13.9	89	3	8	11	19	29	35	50-69	397	9.5	66	1	4	7	12	22	28
85+	112	20.4	214	9	10	17	24	43	58	70+	16	27.7	327						
SUBTOTAL	**1268**	**14.0**	**173**	**2**	**6**	**10**	**17**	**28**	**44**		**1051**	**9.6**	**102**	**1**	**3**	**7**	**12**	**22**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1268**	**14.0**	**173**	**2**	**6**	**10**	**17**	**28**	**44**		**1051**	**9.6**	**102**	**1**	**3**	**7**	**12**	**22**	**30**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	79	5.0	21	1	2	3	7	13	15	0-17	42	9.3	164	1	2	6	8	42	42
18-34	110	8.9	127	1	2	4	14	27	47	18-34	123	6.7	93	2	2	3	7	15	30
35-49	47	12.7	166	2	3	10	11	40	42	35-49	57	5.4	17	2	3	4	10	11	14
50-69	42	10.7	43	1	9	13	14	84	99+	50-69	58	10.1	177	2	3	7	11	11	51
70+	0									70+	21	9.0	23						
SUBTOTAL	**277**	**8.7**	**97**	**1**	**2**	**4**	**13**	**25**	**47**		**301**	**7.6**	**102**	**2**	**2**	**4**	**8**	**14**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**277**	**8.7**	**97**	**1**	**2**	**4**	**13**	**25**	**47**		**301**	**7.6**	**102**	**2**	**2**	**4**	**8**	**14**	**42**

DRG 8: Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	263	3.9	10	1	1	3	6	8	9	0-17	694	3.4	13	1	1	2	4	8	11
70-74	120	4.0	15	1	1	2	6	10	13	18-34	604	2.8	4	1	1	2	4	6	8
75-79	110	2.3	3	<1	1	2	3	5	6	35-49	677	3.4	33	1	1	2	4	7	8
80-84	41	6.0	46	1	1	4	6	22	22	50-69	596	3.9	16	1	1	3	6	8	12
85+	21	2.0	2							70+	16	8.2	31						
SUBTOTAL	**556**	**3.7**	**13**	**1**	**1**	**2**	**5**	**8**	**10**		**2588**	**3.4**	**17**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**556**	**3.7**	**13**	**1**	**1**	**2**	**5**	**8**	**10**		**2588**	**3.4**	**17**	**1**	**1**	**2**	**4**	**7**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	305	3.7	9	1	2	3	4	7	9	0-17	146	1.9	2	1	1	1	2	5	6
18-34	247	3.7	22	<1	1	2	4	8	17	18-34	197	1.9	2	1	1	1	2	5	5
35-49	64	3.2	5	1	1	3	5	6	7	35-49	126	2.4	4	1	1	2	3	4	7
50-69	57	4.6	11	1	2	3	7	10	10	50-69	92	2.3	4	1	1	2	3	6	7
70+	0									70+	6	9.0							
SUBTOTAL	**673**	**3.7**	**14**	**1**	**2**	**3**	**5**	**7**	**10**		**566**	**2.2**	**3**	**1**	**1**	**1**	**3**	**5**	**6**
GRAND TOTAL	**673**	**3.7**	**14**	**1**	**2**	**3**	**5**	**7**	**10**		**566**	**2.2**	**3**	**1**	**1**	**1**	**3**	**5**	**6**

DRG 9: Spinal Disorders & Injuries

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	48	15.7	97	4	9	14	18	32	33
70-74	68	12.0	65	4	4	12	18	28	99 +
75-79	27	9.2	43						
80-84	32	15.1	134	5	6	17	18	37	37
85 +	26	7.1	23						
SUBTOTAL	**201**	**12.3**	**83**	**3**	**5**	**10**	**18**	**30**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	33	5.2	5	1	5	5	6	8	8
70-74	16	11.4	57						
75-79	11	3.6	2						
80-84	42	6.9	11	4	5	6	7	15	15
85 +	26	5.4	17						
SUBTOTAL	**129**	**6.4**	**20**	**2**	**4**	**5**	**6**	**13**	**15**
GRAND TOTAL	**330**	**10.0**	**66**	**2**	**4**	**6**	**17**	**21**	**31**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	42	10.6	79	< 1	2	4	19	22	22
18-34	42	7.5	19	4	4	9	39 +	99 +	99 +
35-49	65	10.1	76	3	4	9	33	99 +	99 +
50-69	64	21.5	622	3	5	9	34	86	99 +
70 +	0								
	213	**13.1**	**259**	**2**	**4**	**9**	**33**	**99 +**	**99 +**
0-17	123	5.9	92	1	1	2	6	14	32
18-34	140	4.0	11	1	1	3	5	9	11
35-49	92	5.2	14	2	2	4	7	12	13
50-69	44	3.8	4	1	2	4	5	8	8
70 +	0								
	398	**4.8**	**36**	**1**	**2**	**3**	**6**	**10**	**13**
	612	**7.7**	**129**	**1**	**2**	**4**	**9**	**33**	**99 +**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	5.1	9	1	3	4	8	10	10
18-34	22	16.0	227	2	5	39	99 +	99 +	99 +
35-49	21	25.1	181						
50-69	21	15.8	219						
70 +	0								
SUBTOTAL	**95**	**14.4**	**193**	**2**	**4**	**10**	**39**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	5.7	4						
18-34	10	10.0	90						
35-49	16	7.5	30						
50-69	5	6.0							
70 +	0								
SUBTOTAL	**47**	**7.3**	**32**	**< 1**	**3**	**7**	**8**	**18**	**19**
GRAND TOTAL	**143**	**12.0**	**150**	**1**	**4**	**8**	**24**	**87**	**99 +**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	2.4	2						
18-34	22	6.3	54						
35-49	16	18.3	471						
50-69	21	15.5	430						
70 +	5	6.0							
	74	**10.8**	**263**	**1**	**3**	**4**	**6**	**48**	**51**
0-17	16	2.4	1						
18-34	54	4.8	52	1	1	2	3	10	26
35-49	38	5.8	25	< 1	1	3	11	14	14
50-69	5	1.0							
70 +	0								
	114	**4.6**	**35**	**1**	**1**	**2**	**3**	**12**	**14**
	188	**7.1**	**133**	**1**	**1**	**3**	**5**	**19**	**48**

DRG 10: Nervous System Neoplasms w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1513	9.6	45	3	5	8	13	19	23
70-74	822	9.9	61	3	4	8	14	20	25
75-79	678	10.4	92	3	4	8	14	22	26
80-84	429	9.1	34	4	5	7	11	17	20
85 +	303	10.3	100	2	4	8	12	21	32
SUBTOTAL	**3745**	**9.8**	**61**	**3**	**5**	**8**	**13**	**19**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3745**	**9.8**	**61**	**3**	**5**	**8**	**13**	**19**	**25**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	129	3.9	33	1	2	2	4	5	7
18-34	227	8.9	162	2	3	5	9	18	30
35-49	631	8.1	93	2	3	5	8	16	29
50-69	1765	8.1	56	2	3	6	10	17	23
70 +	60	15.3	188	4	5	11	23	30	51
	2813	**8.1**	**76**	**2**	**3**	**5**	**9**	**17**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2813	**8.1**	**76**	**2**	**3**	**5**	**9**	**17**	**26**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	73	9.5	176	1	2	5	7	28	51
18-34	37	7.8	37	< 1	1	7	14	18	18
35-49	179	8.8	72	3	4	7	11	14	21
50-69	326	11.3	95	4	6	8	14	22	26
70 +	5	30.0							
SUBTOTAL	**619**	**10.3**	**98**	**2**	**5**	**7**	**13**	**20**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**619**	**10.3**	**98**	**2**	**5**	**7**	**13**	**20**	**28**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	41	5.0	28	1	2	2	6	18	18
18-34	26	2.6	1						
35-49	133	7.4	33	2	3	5	10	16	16
50-69	321	9.3	67	2	3	7	12	20	23
70 +	49	10.5	36	4	5	9	15	20	20
	571	**8.3**	**54**	**2**	**3**	**6**	**11**	**18**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	571	**8.3**	**54**	**2**	**3**	**6**	**11**	**18**	**22**

DRG 11: Nervous System Neoplasms w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	242	5.1	13	1	2	4	7	9	11	0-17	327	3.4	17	1	1	2	4	7	10
70-74	218	6.6	29	2	2	4	10	14	19	18-34	173	3.4	10	1	1	3	4	5	9
75-79	119	5.4	14	2	3	4	7	9	11	35-49	350	4.6	13	1	2	4	7	9	10
80-84	95	7.9	42	1	4	6	10	18	25	50-69	479	4.8	18	1	2	4	6	11	13
85 +	67	6.6	8	3	4	7	7	8	14	70 +	11	5.8	18						
SUBTOTAL	**741**	**6.1**	**22**	**2**	**3**	**5**	**8**	**12**	**17**		**1340**	**4.2**	**16**	**1**	**2**	**3**	**5**	**9**	**11**
GRAND TOTAL	**741**	**6.1**	**22**	**2**	**3**	**5**	**8**	**12**	**17**		**1340**	**4.2**	**16**	**1**	**2**	**3**	**5**	**9**	**11**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	109	6.5	143	2	2	4	5	9	17	0-17	93	2.2	1	< 1	1	2	3	4	5
18-34	41	4.8	29	1	1	1	7	17	17	18-34	37	2.2	2	1	1	2	3	5	5
35-49	54	4.4	8	2	3	4	5	12	12	35-49	60	6.4	85	1	2	2	6	18	34
50-69	21	8.1	35							50-69	91	5.4	20	1	2	4	6	11	17
70 +	0									70 +	11	5.8	18						
SUBTOTAL	**225**	**5.8**	**80**	**1**	**2**	**4**	**5**	**11**	**16**		**292**	**4.2**	**28**	**1**	**1**	**2**	**5**	**10**	**11**
GRAND TOTAL	**225**	**5.8**	**80**	**1**	**2**	**4**	**5**	**11**	**16**		**292**	**4.2**	**28**	**1**	**1**	**2**	**5**	**10**	**11**

DRG 12: Degenerative Nervous System Disorders

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	562	10.3	65	3	5	8	12	23	29	0-17	89	7.5	113	1	2	4	8	12	48
70-74	580	10.0	45	4	6	9	11	18	25	18-34	42	6.0	13	2	3	4	10	11	11
75-79	819	10.2	82	3	5	7	13	21	27	35-49	155	8.0	23	2	4	8	12	15	16
80-84	637	11.0	110	3	5	8	14	24	32	50-69	378	12.3	121	2	4	9	17	30	38
85 +	448	10.7	231	3	5	6	11	17	23	70 +	44	7.5	57	2	2	4	11	21	21
SUBTOTAL	**3047**	**10.4**	**100**	**3**	**5**	**8**	**12**	**21**	**27**		**708**	**10.1**	**94**	**2**	**4**	**8**	**13**	**22**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	458	7.0	38	1	3	5	9	13	17	0-17	213	5.3	51	1	2	3	5	14	15
70-74	401	7.9	53	1	4	6	9	15	23	18-34	124	3.8	8	1	1	3	5	6	11
75-79	490	8.2	49	2	4	6	10	17	21	35-49	176	5.0	13	1	3	4	6	9	12
80-84	397	8.5	61	3	4	7	11	14	20	50-69	333	5.7	17	2	3	5	7	10	13
85 +	226	9.7	107	3	4	6	11	20	31	70 +	21	5.2	19						
SUBTOTAL	**1972**	**8.1**	**57**	**2**	**4**	**6**	**10**	**15**	**21**		**868**	**5.2**	**24**	**1**	**2**	**4**	**6**	**11**	**14**
GRAND TOTAL	**5019**	**9.5**	**84**	**3**	**4**	**7**	**11**	**19**	**26**		**1576**	**7.4**	**61**	**1**	**3**	**5**	**9**	**15**	**22**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	58	5.9	25	1	2	4	10	12	17	0-17	47	5.4	22	1	2	2	9	13	13
18-34	53	8.6	34	3	4	8	12	18	20	18-34	21	11.0	87						
35-49	84	14.6	525	1	4	8	11	33	98	35-49	37	7.5	17	< 1	2	9	11	12	12
50-69	94	18.8	298	4	6	9	30	48	58	50-69	64	8.6	37	3	5	6	13	16	23
70 +	5	2.0								70 +	71	11.0	37	5	6	12	19	99 +	99 +
SUBTOTAL	**294**	**12.9**	**281**	**2**	**4**	**8**	**15**	**33**	**47**		**240**	**8.7**	**39**	**2**	**5**	**7**	**14**	**20**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	109	4.0	12	1	2	3	4	7	13	0-17	63	3.5	30	1	1	2	2	6	21
18-34	58	6.9	28	1	1	7	12	13	15	18-34	38	6.0	23	1	1	3	11	12	12
35-49	59	8.2	55	2	3	7	9	12	30	35-49	48	5.9	39	1	1	4	9	18	21
50-69	49	6.6	14	2	3	6	9	12	14	50-69	155	3.2	11	1	1	2	4	9	11
70 +	0									70 +	72	6.4	19	2	3	5	8	14	16
SUBTOTAL	**274**	**6.0**	**27**	**1**	**2**	**4**	**8**	**13**	**14**		**376**	**4.5**	**22**	**1**	**1**	**2**	**6**	**11**	**14**
GRAND TOTAL	**568**	**9.6**	**170**	**1**	**3**	**6**	**11**	**17**	**33**		**615**	**6.1**	**33**	**1**	**2**	**4**	**9**	**16**	**20**

DRG 13: Multiple Sclerosis & Cerebellar Ataxia

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	726	9.5	45	4	5	8	11	16	22	0-17	21	5.4	16						
70-74	53	10.0	17	5	8	10	12	18	18	18-34	203	13.7	296	3	4	6	14	42	52
75-79	22	6.8	21							35-49	684	8.8	58	3	4	7	10	16	23
80-84	48	8.4	45	1	4	7	10	25	25	50-69	327	9.2	23	4	5	8	11	16	18
85+	11	5.0	4							70+	5	3.0							
SUBTOTAL	**860**	**9.3**	**43**	**4**	**5**	**8**	**11**	**16**	**22**		**1241**	**9.6**	**90**	**3**	**5**	**7**	**11**	**17**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	623	6.9	14	3	4	6	9	11	13	0-17	89	3.3	5	1	2	2	5	7	9
70-74	22	8.9	16							18-34	798	5.9	19	2	3	5	7	11	14
75-79	28	4.3	4							35-49	1386	5.8	9	2	4	5	7	10	12
80-84	0									50-69	457	6.5	11	3	4	6	8	11	13
85+	5	10.0								70+	0								
SUBTOTAL	**677**	**6.9**	**14**	**3**	**4**	**6**	**9**	**11**	**13**		**2730**	**5.8**	**12**	**2**	**4**	**5**	**7**	**10**	**13**
GRAND TOTAL	**1537**	**8.2**	**32**	**3**	**5**	**7**	**10**	**14**	**18**		**3971**	**7.0**	**40**	**2**	**4**	**5**	**8**	**12**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	1.0								0-17	10	6.0	28						
18-34	112	9.3	32	4	6	7	12	14	22	18-34	69	11.5	168	3	5	7	12	19	54
35-49	111	10.2	35	3	7	9	12	19	20	35-49	110	8.7	17	4	5	9	10	13	13
50-69	21	6.5	30							50-69	27	7.7	7						
70+	0									70+	11	6.0	10						
SUBTOTAL	**254**	**9.1**	**35**	**3**	**6**	**8**	**12**	**17**	**22**		**227**	**9.2**	**64**	**3**	**5**	**9**	**11**	**13**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	26	4.0	3							0-17	36	4.0	4	1	2	4	6	7	7
18-34	255	7.1	23	3	4	6	9	11	15	18-34	196	6.1	12	2	4	5	8	11	14
35-49	203	8.6	89	4	5	7	8	13	20	35-49	283	6.6	9	4	4	6	9	10	13
50-69	26	4.6	9							50-69	54	4.9	7	2	3	5	6	10	10
70+	0									70+	0								
SUBTOTAL	**510**	**7.4**	**49**	**3**	**4**	**6**	**8**	**11**	**15**		**569**	**6.1**	**10**	**2**	**4**	**5**	**8**	**10**	**13**
GRAND TOTAL	**764**	**8.0**	**45**	**3**	**4**	**7**	**10**	**13**	**19**		**797**	**7.0**	**27**	**3**	**4**	**6**	**9**	**12**	**14**

DRG 14: Specific Cerebrovascular Disorders except TIA

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8172	10.1	72	3	5	8	12	19	24	0-17	47	5.1	15	< 1	1	5	8	12	12
70-74	9037	10.5	59	4	6	8	13	20	25	18-34	232	9.2	84	2	4	7	11	17	41
75-79	10722	10.6	68	4	6	8	13	19	26	35-49	1108	10.0	84	3	5	8	12	20	26
80-84	10361	10.9	71	4	6	9	14	20	26	50-69	5678	10.4	112	3	5	7	12	20	28
85 +	10458	10.8	69	4	6	8	13	21	28	70 +	964	9.5	52	3	5	7	11	20	29
SUBTOTAL	**48750**	**10.6**	**68**	**4**	**6**	**8**	**13**	**20**	**26**		**8028**	**10.2**	**99**	**3**	**5**	**7**	**12**	**20**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3985	6.7	30	2	4	5	8	11	16	0-17	47	3.8	3	2	2	3	5	7	7
70-74	3916	7.0	34	3	4	6	9	12	14	18-34	214	5.5	19	1	2	4	7	12	14
75-79	4180	7.2	25	3	4	6	9	13	16	35-49	1143	6.7	28	2	3	5	8	13	16
80-84	3494	7.8	37	3	4	6	9	13	17	50-69	3976	6.3	21	2	3	5	8	12	14
85 +	3318	7.7	23	3	5	7	10	14	17	70 +	371	7.9	51	2	3	5	8	17	28
SUBTOTAL	**18893**	**7.3**	**30**	**3**	**4**	**6**	**9**	**13**	**16**		**5751**	**6.4**	**24**	**2**	**3**	**5**	**8**	**12**	**15**
GRAND TOTAL	**67643**	**9.7**	**60**	**3**	**5**	**8**	**12**	**18**	**23**		**13779**	**8.6**	**71**	**2**	**4**	**6**	**10**	**16**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	16.2	46	7	12	16	17	29	29	0-17	11	3.9	10						
18-34	175	11.7	73	3	6	9	15	22	33	18-34	97	5.1	20	1	2	3	7	10	16
35-49	443	11.2	58	4	6	9	15	20	27	35-49	423	10.6	86	3	6	8	12	18	32
50-69	1336	11.1	80	4	6	9	14	21	29	50-69	1455	10.6	105	3	5	8	12	24	32
70 +	172	10.5	86	4	6	7	12	19	46	70 +	1002	10.5	122	3	5	7	13	20	27
SUBTOTAL	**2157**	**11.2**	**76**	**4**	**6**	**9**	**14**	**21**	**30**		**2987**	**10.4**	**106**	**3**	**5**	**7**	**12**	**20**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	6.2	12	2	4	5	9	12	12	0-17	16	3.0	2						
18-34	100	6.8	14	2	4	6	9	12	14	18-34	91	7.6	30	2	3	5	11	18	19
35-49	155	8.8	95	3	5	6	9	13	18	35-49	352	5.7	14	2	3	5	7	12	13
50-69	473	7.5	39	2	3	6	9	15	20	50-69	879	7.0	50	2	3	6	8	13	17
70 +	54	6.2	10	2	4	6	9	10	10	70 +	465	7.4	43	2	3	6	9	14	24
SUBTOTAL	**813**	**7.6**	**44**	**2**	**4**	**6**	**9**	**14**	**18**		**1803**	**6.8**	**40**	**2**	**3**	**5**	**8**	**13**	**18**
GRAND TOTAL	**2969**	**10.2**	**69**	**3**	**5**	**8**	**12**	**20**	**26**		**4790**	**9.0**	**84**	**2**	**4**	**7**	**10**	**18**	**26**

DRG 15: Transient Ischemic Attack & Precerebral Occlusions

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3758	5.3	15	2	3	4	7	10	13	0-17	5	4.0							
70-74	3716	5.3	15	2	3	4	7	9	11	18-34	70	4.0	13	2	2	3	3	11	14
75-79	4644	5.7	18	2	3	5	7	10	13	35-49	496	4.6	13	1	2	4	6	8	11
80-84	4088	5.7	17	2	3	5	7	10	13	50-69	2769	4.6	12	2	2	4	6	8	10
85 +	4332	6.0	18	2	3	5	7	11	14	70 +	349	4.7	19	2	2	3	5	9	11
SUBTOTAL	**20538**	**5.6**	**17**	**2**	**3**	**5**	**7**	**10**	**13**		**3691**	**4.6**	**13**	**2**	**2**	**4**	[illegible]	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2819	3.8	7	1	2	3	5	7	9	0-17	6	2.0							
70-74	3138	4.0	7	2	2	3	5	8	9	18-34	226	3.7	13	1	2	2	4	9	11
75-79	2976	3.9	7	1	2	3	5	7	9	35-49	914	3.4	6	1	2	3	4	6	8
80-84	2329	4.1	7	2	2	4	5	8	10	50-69	3499	3.3	5	1	2	3	4	6	8
85 +	2285	4.5	18	2	3	4	5	8	9	70 +	232	2.9	4	1	2	2	4	6	6
SUBTOTAL	**13547**	**4.1**	**9**	**1**	**2**	**3**	**5**	**7**	**9**		**4877**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**34086**	**5.0**	**14**	**2**	**3**	**4**	**6**	**9**	**12**		**8567**	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	48	4.4	7	2	3	4	5	38	99 +	18-34	10	4.5	2						
35-49	136	4.6	8	1	2	4	6	8	10	35-49	129	4.5	11	1	2	4	6	8	9
50-69	584	5.4	22	2	3	4	6	10	16	50-69	533	4.3	10	1	2	4	5	8	11
70 +	54	7.2	18	3	5	7	8	18	18	70 +	326	5.7	31	2	3	4	6	10	19
SUBTOTAL	**822**	**5.4**	**19**	**2**	**3**	**4**	**6**	**10**	**16**		**998**	**4.8**	**17**	**1**	**3**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	43	2.9	2	1	2	3	3	6	6	18-34	58	3.2	2	1	2	3	5	5	5
35-49	140	4.4	10	1	2	3	6	8	10	35-49	274	3.8	7	1	2	3	5	6	8
50-69	384	4.0	6	2	2	3	5	7	9	50-69	542	3.3	4	1	2	3	4	6	7
70 +	31	4.5	5	2	2	4	6	8	8	70 +	312	3.8	29	1	2	3	4	6	7
SUBTOTAL	**598**	**4.0**	**7**	**2**	**2**	**3**	**5**	**7**	**9**		**1185**	**3.5**	**11**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**1420**	**4.8**	**14**	**2**	**3**	**4**	**6**	**8**	**11**		**2183**	**4.1**	**14**	**1**	**2**	**3**	**5**	**7**	**10**

DRG 16: Nonspecific Cerebrovascular Disorders w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	410	8.2	58	2	4	6	11	16	21	0-17	88	5.8	28	1	2	3	7	15	19
70-74	357	8.1	28	2	4	6	11	17	19	18-34	27	5.3	4						
75-79	456	7.7	26	3	4	7	10	15	18	35-49	65	7.9	18	3	4	7	13	14	15
80-84	479	7.6	24	3	4	6	10	14	17	50-69	246	6.1	18	2	3	5	7	10	13
85 +	508	8.9	42	3	4	7	11	16	25	70 +	26	4.5	8						
SUBTOTAL	**2210**	**8.1**	**36**	**3**	**4**	**6**	**11**	**16**	**19**		**452**	**6.2**	**19**	**2**	**3**	**5**	**8**	**13**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2210**	**8.1**	**36**	**3**	**4**	**6**	**11**	**16**	**19**		**452**	**6.2**	**19**	**2**	**3**	**5**	**8**	**13**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	6.3	13	2	4	5	10	12	12	0-17	16	2.7	1						
18-34	10	8.5	14							18-34	16	5.3	14						
35-49	43	5.3	4	1	5	6	7	8	8	35-49	37	8.6	94	2	2	4	12	30	30
50-69	79	10.1	52	2	4	10	15	18	28	50-69	59	5.3	7	2	3	5	8	8	10
70 +	0									70 +	28	6.2	1						
SUBTOTAL	**164**	**8.0**	**34**	**2**	**4**	**6**	**12**	**15**	**18**		**156**	**6.0**	**29**	**2**	**3**	**5**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**164**	**8.0**	**34**	**2**	**4**	**6**	**12**	**15**	**18**		**156**	**6.0**	**29**	**2**	**3**	**5**	**7**	**10**	**12**

DRG 17: Nonspecific Cerebrovascular Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	123	4.8	16	1	2	4	6	10	14	0-17	157	3.4	5	1	2	3	5	6	7
70-74	136	6.1	17	1	3	6	8	12	12	18-34	49	4.3	5	2	3	3	5	8	8
75-79	159	4.8	14	1	2	4	7	9	9	35-49	107	4.0	7	1	1	4	6	8	9
80-84	137	5.6	9	2	4	5	6	11	12	50-69	204	3.5	5	1	1	3	6	7	8
85 +	211	5.9	15	2	3	4	8	11	14	70 +	5	1.0							
SUBTOTAL	**764**	**5.5**	**14**	**2**	**3**	**4**	**7**	**10**	**14**		**523**	**3.6**	**6**	**1**	**1**	**3**	**6**	**7**	**8**
GRAND TOTAL	**764**	**5.5**	**14**	**2**	**3**	**4**	**7**	**10**	**14**		**523**	**3.6**	**6**	**1**	**1**	**3**	**6**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	41	4.3	3	2	3	4	6	7	7	0-17	41	5.8	18	2	3	3	10	13	13
18-34	27	5.1	17							18-34	16	2.3							
35-49	5	3.0								35-49	43	2.1	1	1	1	2	2	4	4
50-69	33	5.6	11	2	3	5	6	12	12	50-69	43	5.1	7	2	3	4	6	11	11
70 +	6	8.0								70 +	6	7.0							
SUBTOTAL	**112**	**5.0**	**9**	**2**	**3**	**5**	**6**	**9**	**12**		**149**	**4.2**	**10**	**1**	**2**	**3**	**5**	**10**	**11**
GRAND TOTAL	**112**	**5.0**	**9**	**2**	**3**	**5**	**6**	**9**	**12**		**149**	**4.2**	**10**	**1**	**2**	**3**	**5**	**10**	**11**

DRG 18: Cranial & Peripheral Nerve Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1408	7.1	37	2	3	5	9	14	20	0-17	42	5.0	48	1	1	3	3	23	23
70-74	652	7.4	25	2	4	6	9	13	16	18-34	243	6.1	44	1	2	5	7	11	15
75-79	630	8.2	41	3	4	7	10	15	22	35-49	446	5.6	30	1	2	4	7	12	17
80-84	380	7.5	30	3	4	6	9	14	21	50-69	675	6.6	64	1	2	5	8	12	16
85 +	251	8.8	24	3	5	9	12	16	16	70 +	43	7.5	65	1	2	5	7	28	28
SUBTOTAL	**3321**	**7.5**	**34**	**2**	**4**	**6**	**9**	**14**	**19**		**1448**	**6.2**	**50**	**1**	**2**	**4**	**7**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3321**	**7.5**	**34**	**2**	**4**	**6**	**9**	**14**	**19**		**1448**	**6.2**	**50**	**1**	**2**	**4**	**7**	**12**	**17**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	4.5	7							0-17	5	11.0							
18-34	270	6.8	30	2	3	5	8	14	18	18-34	80	6.4	27	1	2	5	10	11	20
35-49	255	6.0	21	2	3	5	7	12	14	35-49	143	6.3	34	1	2	5	8	18	19
50-69	170	6.1	13	2	3	5	8	10	15	50-69	163	6.6	34	2	3	4	8	19	20
70 +	5	5.0								70 +	21	5.9	27						
SUBTOTAL	**710**	**6.3**	**22**	**2**	**3**	**5**	**8**	**12**	**16**		**413**	**6.5**	**32**	**1**	**2**	**5**	**9**	**18**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**710**	**6.3**	**22**	**2**	**3**	**5**	**8**	**12**	**16**		**413**	**6.5**	**32**	**1**	**2**	**5**	**9**	**18**	**20**

DRG 19: Cranial & Peripheral Nerve Disorders w/o CC

	MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	731	5.3	18	1	2	4	7	11	13
70-74	377	6.3	34	2	2	5	9	12	14
75-79	400	5.5	17	1	2	4	8	12	13
80-84	184	5.7	20	2	2	4	7	11	18
85 +	94	6.2	37	1	3	4	6	17	24
SUBTOTAL	**1786**	**5.6**	**22**	**1**	**2**	**4**	**8**	**11**	**14**
GRAND TOTAL	**1786**	**5.6**	**22**	**1**	**2**	**4**	**8**	**11**	**14**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	132	2.7	6	1	1	2	3	6	6
18-34	558	2.9	4	1	1	2	4	6	7
35-49	950	3.9	10	1	1	3	5	8	10
50-69	1319	3.6	10	1	1	3	5	7	9
70 +	44	4.2	24	< 1	1	2	5	16	16
	3002	**3.6**	**9**	**1**	**1**	**3**	**5**	**7**	**9**
	3002	**3.6**	**9**	**1**	**1**	**3**	**5**	**7**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	72	4.1	8	2	3	4	4	6	13
18-34	186	4.2	8	1	2	3	7	8	11
35-49	166	4.1	5	1	2	4	5	8	9
50-69	101	5.5	23	2	2	4	7	12	17
70 +	16	4.7	2						
SUBTOTAL	**542**	**4.4**	**10**	**1**	**2**	**4**	**5**	**8**	**10**
GRAND TOTAL	**542**	**4.4**	**10**	**1**	**2**	**4**	**5**	**8**	**10**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	27	3.8	4						
18-34	221	3.5	8	1	2	3	4	7	11
35-49	167	4.1	11	1	1	4	6	9	12
50-69	218	3.5	11	1	1	2	4	9	10
70 +	26	2.9	4						
	659	**3.6**	**10**	**1**	**1**	**3**	**5**	**8**	**11**
	659	**3.6**	**10**	**1**	**1**	**3**	**5**	**8**	**11**

DRG 20: Nervous System Infection except Viral Meningitis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	292	14.6	170	5	7	11	18	27	43	0-17	847	8.2	37	2	3	8	11	14	17
70-74	219	16.2	186	3	7	13	20	34	42	18-34	193	13.3	203	3	4	11	15	30	38
75-79	269	14.2	110	4	7	13	18	29	47	35-49	165	9.8	45	3	5	9	12	16	17
80-84	134	13.7	106	2	5	11	22	30	32	50-69	316	16.5	254	4	7	12	21	32	46
85 +	93	10.6	32	4	7	8	14	19	23	70 +	16	17.6	18						
SUBTOTAL	**1008**	**14.3**	**138**	**4**	**7**	**12**	**19**	**28**	**37**		**1537**	**10.8**	**115**	**2**	**4**	**10**	**13**	**20**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	203	9.5	66	3	3	6	14	23	29	0-17	1242	7.1	28	2	3	6	10	13	15
70-74	80	6.5	30	1	3	5	8	12	23	18-34	560	5.7	19	2	3	5	7	12	16
75-79	70	5.7	17	2	2	4	9	10	16	35-49	480	7.4	30	2	3	6	11	14	17
80-84	76	7.3	28	3	4	6	9	13	23	50-69	222	7.5	33	1	3	6	11	15	17
85 +	11	5.0	1							70 +	16	3.7	3						
SUBTOTAL	**441**	**7.9**	**46**	**2**	**3**	**6**	**9**	**18**	**23**		**2521**	**6.9**	**27**	**2**	**3**	**5**	**10**	**13**	**16**
GRAND TOTAL	**1449**	**12.4**	**119**	**3**	**5**	**9**	**17**	**26**	**33**		**4057**	**8.4**	**64**	**2**	**3**	**7**	**11**	**15**	**21**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	505	10.5	29	3	7	10	13	16	21	0-17	408	11.0	116	3	7	10	11	17	27
18-34	101	14.8	432	3	4	8	17	31	68	18-34	107	10.6	23	4	8	11	12	17	23
35-49	47	14.8	92	5	8	11	21	31	32	35-49	69	16.5	409	6	7	10	16	25	84
50-69	11	23.5	171							50-69	81	15.6	144	4	6	13	20	42	43
70 +	0									70 +	27	19.7	123						
SUBTOTAL	**664**	**11.7**	**101**	**3**	**7**	**10**	**14**	**20**	**29**		**691**	**12.4**	**140**	**3**	**7**	**10**	**14**	**21**	**39**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	818	8.2	16	2	4	10	10	12	15	0-17	438	8.1	25	2	4	9	10	12	14
18-34	85	9.0	133	2	2	5	7	38	40	18-34	97	8.1	53	2	3	4	13	19	24
35-49	32	12.2	361	3	3	4	6	55	55	35-49	74	10.9	162	2	4	5	12	23	50
50-69	10	14.0	10							50-69	44	8.6	11	4	6	8	11	14	14
70 +	0									70 +	0								
SUBTOTAL	**946**	**8.4**	**39**	**2**	**4**	**9**	**10**	**12**	**15**		**654**	**8.4**	**44**	**2**	**4**	**8**	**10**	**14**	**18**
GRAND TOTAL	**1610**	**9.8**	**67**	**3**	**5**	**10**	**11**	**15**	**21**		**1344**	**10.5**	**97**	**3**	**5**	**10**	**12**	**17**	**26**

DRG 21: Viral Meningitis

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	57	6.3	13	3	3	5	9	11	14
70-74	37	12.6	61	3	4	11	20	24	24
75-79	10	9.5							
80-84	5	1.0							
85 +	0								
SUBTOTAL	**110**	**8.5**	**38**	**3**	**4**	**8**	**11**	**19**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	32	6.0	5	4	4	5	9	9	9
70-74	10	11.0	1						
75-79	10	4.5							
80-84	0								
85 +	0								
SUBTOTAL	**53**	**6.7**	**8**	**4**	**4**	**5**	**9**	**11**	**12**
GRAND TOTAL	**162**	**7.9**	**29**	**3**	**4**	**6**	**10**	**14**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	972	3.6	6	1	2	3	4	6	10
18-34	655	4.0	7	2	2	3	5	8	10
35-49	214	6.4	31	2	3	5	7	13	22
50-69	70	7.5	14	2	5	8	10	12	15
70 +	0								
	1911	**4.2**	**11**	**2**	**2**	**3**	**5**	**8**	**10**
0-17	4022	3.2	4	2	2	3	4	5	7
18-34	2666	3.3	4	1	2	3	4	6	7
35-49	715	3.7	9	2	2	3	4	6	9
50-69	152	4.4	7	2	2	4	6	8	9
70 +	5	2.0							
	7560	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
	9471	**3.5**	**6**	**2**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	667	4.5	23	2	2	3	5	8	10
18-34	138	3.5	9	1	2	2	3	9	10
35-49	27	6.6	13						
50-69	5	6.0							
70 +	10	8.5	47						
SUBTOTAL	**847**	**4.5**	**21**	**2**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2076	3.4	3	2	2	3	4	5	8
18-34	523	3.3	4	1	2	3	4	7	8
35-49	43	4.8	12	2	2	4	6	13	13
50-69	0								
70 +	0								
SUBTOTAL	**2642**	**3.4**	**4**	**2**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**3489**	**3.7**	**8**	**2**	**2**	**3**	**4**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	413	3.0	3	1	2	3	4	5	6
18-34	220	3.4	5	2	2	3	4	5	6
35-49	48	5.0	10	1	3	4	6	11	12
50-69	16	8.0	22						
70 +	11	8.2	46						
	707	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
0-17	1585	2.9	3	1	2	3	3	4	6
18-34	808	3.3	3	1	2	3	4	6	7
35-49	241	3.6	5	2	2	3	4	6	6
50-69	28	5.2	8						
70 +	0								
	2662	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
	3369	**3.2**	**4**	**1**	**2**	**3**	**4**	**5**	**7**

DRG 22: Hypertensive Encephalopathy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	499	6.1	14	2	3	5	8	12	16	0-17	5	14.0								
70-74	292	7.6	71	2	3	5	9	17	25	18-34	11	2.5								
75-79	285	7.0	35	2	3	5	9	13	19	35-49	186	4.6	4	2	3	5	6	7	8	
80-84	166	6.8	31	2	3	5	8	12	22	50-69	358	5.9	38	2	3	5	6	8	15	
85 +	210	6.7	96	2	3	4	7	9	14	70 +	21	3.3	2							
SUBTOTAL	**1452**	**6.8**	**44**	**2**	**3**	**5**	**8**	**13**	**17**		**581**	**5.4**	**27**	**2**	**3**	**4**	**6**	**8**	**10**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	258	4.3	5	2	3	4	6	7	9	0-17	0									
70-74	139	3.5	4	2	2	3	4	6	7	18-34	39	2.7	1	2	2	2	3	5	5	
75-79	104	5.5	14	2	3	4	7	9	18	35-49	233	3.4	4	1	2	3	4	7	8	
80-84	127	4.6	5	2	3	4	6	7	9	50-69	288	2.9	3	2	2	2	3	5	7	
85 +	83	3.6	2	2	2	3	4	6	7	70 +	11	3.5								
SUBTOTAL	**710**	**4.3**	**6**	**2**	**3**	**4**	**6**	**7**	**9**		**570**	**3.1**	**3**	**1**	**2**	**3**	**4**	**6**	**7**	
GRAND TOTAL	**2161**	**5.9**	**33**	**2**	**3**	**4**	**7**	**11**	**16**		**1151**	**4.3**	**16**	**2**	**2**	**3**	**5**	**7**	**8**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	5	10.0								0-17	0									
18-34	91	3.9	5	2	2	3	5	8	9	18-34	59	5.7	19	3	3	5	7	14	18	
35-49	75	4.5	9	2	2	4	5	7	14	35-49	77	6.7	20	1	4	6	8	10	19	
50-69	131	6.1	39	2	2	4	7	14	18	50-69	87	7.5	26	2	5	6	10	13	23	
70 +	5	2.0								70 +	5	17.0								
SUBTOTAL	**307**	**5.0**	**22**	**2**	**2**	**4**	**6**	**9**	**14**		**229**	**7.0**	**24**	**2**	**3**	**6**	**8**	**13**	**18**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	16	4.6	3							18-34	26	3.4	2							
35-49	49	3.8	2	2	2	4	4	6	7	35-49	65	3.3	5	2	2	3	4	4	10	
50-69	21	5.1	9							50-69	72	4.2	5	2	3	4	6	7	9	
70 +	0									70 +	10	3.0	1							
SUBTOTAL	**86**	**4.2**	**4**	**2**	**3**	**4**	**5**	**7**	**10**		**174**	**3.7**	**4**	**2**	**2**	**3**	**4**	**7**	**9**	
GRAND TOTAL	**393**	**4.9**	**18**	**2**	**2**	**4**	**5**	**8**	**14**		**402**	**5.6**	**18**	**2**	**3**	**5**	**7**	**10**	**17**	

DRG 23: Nontraumatic Stupor & Coma

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	141	6.5	20	3	4	5	8	14	14	0-17	59	2.5	12	<1	1	1	2	5	13
70-74	92	7.3	11	3	5	7	8	14	15	18-34	38	2.0	1	<1	<1	1	3	4	4
75-79	64	6.3	11	3	4	5	9	11	13	35-49	65	6.1	25	2	2	4	7	9	21
80-84	80	7.1	14	3	5	6	10	12	14	50-69	92	4.7	9	1	3	3	7	9	10
85+	76	9.4	101	2	3	6	9	23	38	70+	21	5.0	35						
SUBTOTAL	**453**	**7.2**	**30**	**3**	**4**	**5**	**9**	**14**	**15**		**275**	**4.2**	**16**	**<1**	**1**	**3**	**6**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	11	4.4	7							0-17	63	2.6	7	1	1	2	2	4	11
70-74	22	3.0	4							18-34	39	3.1	3	1	2	2	5	6	6
75-79	38	4.7	14	1	1	5	6	12	12	35-49	38	3.7	3	1	3	3	5	7	7
80-84	22	2.7	2							50-69	22	3.5	1						
85+	21	1.2								70+	6	7.0							
SUBTOTAL	**113**	**3.3**	**8**	**1**	**1**	**2**	**5**	**6**	**11**		**168**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**566**	**6.5**	**28**	**2**	**3**	**5**	**8**	**12**	**14**		**443**	**3.8**	**12**	**1**	**1**	**3**	**5**	**8**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	3.6	15							0-17	16	17.7	174						
18-34	38	6.9	83	<1	1	4	8	29	29	18-34	11	1.0							
35-49	28	3.4	4							35-49	28	2.8	1						
50-69	16	2.9	3							50-69	21	9.2	109						
70+	5	1.0								70+	11	7.2	28						
SUBTOTAL	**103**	**4.5**	**38**	**<1**	**1**	**3**	**5**	**8**	**16**		**86**	**7.4**	**92**	**<1**	**2**	**3**	**5**	**27**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	3.3								0-17	10	1.0							
18-34	5	5.0								18-34	16	3.0	1						
35-49	0									35-49	11	2.5							
50-69	11	4.0								50-69	11	4.4	2						
70+	0									70+	5	2.0							
SUBTOTAL	**32**	**3.8**		**3**	**3**	**4**	**4**	**5**	**5**		**54**	**2.7**	**2**	**1**	**2**	**3**	**3**	**5**	**6**
GRAND TOTAL	**135**	**4.4**	**29**	**1**	**1**	**3**	**5**	**8**	**9**		**139**	**5.6**	**62**	**1**	**2**	**3**	**5**	**20**	**27**

DRG 24: Seizure & Headache Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5025	6.5	37	2	3	5	8	13	18	0-17	0								
70-74	2158	6.8	31	2	3	5	8	13	17	18-34	2234	4.5	15	1	2	3	6	9	11
75-79	2162	7.1	42	2	3	5	9	14	20	35-49	3230	5.7	23	2	3	4	7	11	14
80-84	1563	7.0	38	2	3	5	8	15	19	50-69	2952	5.8	27	2	3	4	7	12	15
85 +	1272	7.5	38	2	4	5	9	16	20	70 +	190	7.1	39	2	3	5	9	15	26
SUBTOTAL	**12181**	**6.8**	**37**	**2**	**3**	**5**	**8**	**14**	**19**		**8606**	**5.5**	**23**	**2**	**2**	**4**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**12181**	**6.8**	**37**	**2**	**3**	**5**	**8**	**14**	**19**		**8606**	**5.5**	**23**	**2**	**2**	**4**	**7**	**11**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	1341	5.3	30	1	2	4	6	11	15	18-34	808	4.1	21	1	2	3	4	8	12
35-49	1368	5.4	21	2	3	4	7	11	12	35-49	882	3.9	10	1	2	3	5	7	9
50-69	970	7.1	37	2	3	5	8	16	19	50-69	628	4.8	16	2	2	3	6	10	13
70 +	50	8.8	18	4	7	7	10	18	18	70 +	136	4.0	6	1	2	3	6	7	10
SUBTOTAL	**3730**	**5.9**	**29**	**2**	**3**	**4**	**7**	**12**	**17**		**2455**	**4.2**	**15**	**1**	**2**	**3**	**5**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3730**	**5.9**	**29**	**2**	**3**	**4**	**7**	**12**	**17**		**2455**	**4.2**	**15**	**1**	**2**	**3**	**5**	**8**	**12**

DRG 25: Seizure & Headache Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3027	4.4	15	1	2	3	5	8	14	0-17	0								
70-74	1125	4.0	8	1	2	3	5	7	9	18-34	6224	3.7	13	1	2	3	4	8	11
75-79	835	4.0	5	2	2	3	5	7	8	35-49	5303	3.7	12	1	2	3	5	7	10
80-84	531	4.7	27	1	2	4	6	7	10	50-69	2929	3.7	9	1	2	3	5	7	9
85 +	490	4.7	14	2	2	4	6	8	9	70 +	87	4.0	3	1	2	4	6	6	7
SUBTOTAL	**6009**	**4.3**	**13**	**2**	**2**	**3**	**5**	**8**	**10**		**14543**	**3.7**	**12**	**1**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**6009**	**4.3**	**13**	**2**	**2**	**3**	**5**	**8**	**10**		**14543**	**3.7**	**12**	**1**	**2**	**3**	**5**	**7**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	2474	3.6	11	1	2	3	4	7	9	18-34	2039	2.8	6	1	1	2	3	5	8
35-49	1103	4.1	16	1	2	3	5	9	13	35-49	1160	2.9	4	1	2	2	4	5	7
50-69	462	3.5	6	1	2	3	4	5	6	50-69	518	3.2	9	1	1	2	4	6	8
70 +	16	7.0	2							70 +	54	4.7	8	2	3	4	6	8	12
SUBTOTAL	**4055**	**3.7**	**12**	**1**	**2**	**3**	**4**	**7**	**10**		**3771**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**4055**	**3.7**	**12**	**1**	**2**	**3**	**4**	**7**	**10**		**3771**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 26: Seizure & Headache Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	16	16.3	197							0-17	2181	3.8	22	1	2	2	4	8	12
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**16**	**16.3**	**197**								**2181**	**3.8**	**22**	**1**	**2**	**2**	**4**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	11	1.5								0-17	10328	2.7	8	1	1	2	3	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**11**	**1.5**									**10328**	**2.7**	**8**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**27**	**10.1**	**167**								**12509**	**2.9**	**11**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1966	4.4	28	1	2	3	5	8	12	0-17	771	3.9	19	1	2	3	4	8	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1966**	**4.4**	**28**	**1**	**2**	**3**	**5**	**8**	**12**		**771**	**3.9**	**19**	**1**	**2**	**3**	**4**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6761	3.0	7	1	2	2	4	5	7	0-17	3241	2.6	7	1	1	2	3	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**6761**	**3.0**	**7**	**1**	**2**	**2**	**4**	**5**	**7**		**3241**	**2.6**	**7**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**8727**	**3.3**	**12**	**1**	**2**	**3**	**4**	**6**	**8**		**4012**	**2.8**	**9**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 27: Traumatic Stupor & Coma, Coma >1 Hr

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	58	11.6	156	2	4	8	12	45	99 +	0-17	179	8.5	55	1	3	6	12	18	28
70-74	38	14.0	118	4	5	11	15	39	39	18-34	222	9.8	98	1	3	6	17	23	29
75-79	45	13.1	55	4	6	11	21	24	24	35-49	89	10.5	56	2	6	9	15	21	30
80-84	39	9.7	46	2	4	5	17	18	18	50-69	133	9.2	52	2	3	8	12	20	22
85 +	37	9.0	27	3	5	9	13	19	19	70 +	16	18.0	338						
SUBTOTAL	**217**	**11.5**	**88**	**3**	**5**	**9**	**17**	**24**	**39**		**639**	**9.6**	**78**	**2**	**3**	**7**	**13**	**21**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	48	6.1	38	1	2	3	9	21	21	0-17	387	3.9	21	1	1	2	4	11	14
70-74	23	7.5	8							18-34	393	6.8	93	1	2	3	7	16	22
75-79	6	1.0								35-49	68	4.2	21	1	1	2	6	8	18
80-84	6	10.0								50-69	91	3.1	5	1	2	2	3	7	10
85 +	16	4.8	12							70 +	16	4.7	7						
SUBTOTAL	**99**	**6.1**	**25**	**< 1**	**2**	**5**	**9**	**11**	**21**		**955**	**5.1**	**51**	**1**	**1**	**2**	**6**	**12**	**16**
GRAND TOTAL	**316**	**9.8**	**75**	**2**	**4**	**8**	**13**	**21**	**27**		**1593**	**6.9**	**66**	**1**	**2**	**4**	**9**	**17**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	54	11.3	167	2	3	4	13	29	44	0-17	38	8.8	58	2	2	8	13	25	25
18-34	88	12.4	261	1	3	6	10	48	56	18-34	187	7.8	113	1	2	3	9	29	37
35-49	47	8.6	78	1	2	3	16	23	23	35-49	54	11.4	173	2	2	3	18	34	39
50-69	21	17.7	87							50-69	33	7.9	49	< 1	1	6	14	18	18
70 +	0									70 +	11	4.4	13						
SUBTOTAL	**211**	**11.8**	**182**	**1**	**3**	**5**	**18**	**27**	**45**		**322**	**8.4**	**108**	**1**	**2**	**3**	**11**	**25**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	83	4.1	17	1	1	2	7	9	16	0-17	151	5.2	42	1	2	3	5	13	17
18-34	95	7.5	52	1	2	6	10	23	24	18-34	201	3.9	11	1	1	2	6	9	11
35-49	0									35-49	64	3.3	4	< 1	2	3	5	6	8
50-69	0									50-69	31	3.8	11	< 1	2	3	3	11	11
70 +	0									70 +	6	9.0							
SUBTOTAL	**178**	**6.0**	**38**	**1**	**2**	**3**	**8**	**16**	**23**		**454**	**4.3**	**21**	**1**	**1**	**3**	**6**	**9**	**12**
GRAND TOTAL	**389**	**9.1**	**125**	**1**	**2**	**4**	**11**	**23**	**28**		**776**	**6.0**	**61**	**1**	**2**	**3**	**8**	**14**	**25**

North Central Region, July 1990 - June 1991

DRG 28: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	300	8.7	54	2	3	6	12	17	25	0-17	0								
70-74	272	8.7	71	1	4	7	11	16	26	18-34	862	3.9	14	1	1	3	5	9	12
75-79	334	8.4	40	2	4	7	12	15	20	35-49	375	5.5	34	1	2	3	7	13	18
80-84	263	8.8	52	2	3	6	12	20	25	50-69	446	7.2	89	1	2	4	9	17	23
85 +	461	7.7	46	2	3	5	9	14	19	70 +	153	10.4	56	2	4	9	17	22	23
SUBTOTAL	**1630**	**8.4**	**51**	**2**	**3**	**6**	**11**	**17**	**25**		**1835**	**5.6**	**44**	**1**	**2**	**3**	**7**	**14**	**19**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1630**	**8.4**	**51**	**2**	**3**	**6**	**11**	**17**	**25**		**1835**	**5.6**	**44**	**1**	**2**	**3**	**7**	**14**	**19**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0								
18-34	383	5.6	126	1	1	3	6	11	14	18-34	513	3.6	17	1	1	2	4	8	12
35-49	218	5.5	47	1	1	3	6	16	18	35-49	301	3.4	7	1	1	3	5	7	10
50-69	48	6.3	33	1	2	5	7	20	20	50-69	103	4.5	6	1	3	4	7	8	9
70 +	0									70 +	33	11.2	39	7	7	8	13	24	24
SUBTOTAL	**649**	**5.6**	**92**	**1**	**1**	**3**	**6**	**11**	**17**		**951**	**3.9**	**15**	**1**	**1**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**649**	**5.6**	**92**	**1**	**1**	**3**	**6**	**11**	**17**		**951**	**3.9**	**15**	**1**	**1**	**3**	**5**	**8**	**11**

DRG 29: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	0										0-17	0									
70-74	0										18-34	0									
75-79	0										35-49	0									
80-84	0										50-69	0									
85+	0										70+	0									
SUBTOTAL	**0**											**0**									
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	153	3.4	6	1	2	3	4	6	7	0-17	0									
70-74	191	5.5	35	1	2	3	8	12	24	18-34	1523	2.9	11	1	1	2	3	6	9
75-79	162	3.9	9	1	2	3	6	9	10	35-49	799	3.5	13	1	1	2	4	7	8
80-84	148	4.4	13	1	2	4	6	9	13	50-69	501	4.6	54	1	2	3	6	8	12
85+	224	4.9	14	1	2	4	7	10	11	70+	65	3.1	3	1	1	3	4	5	7
SUBTOTAL	**877**	**4.5**	**17**	**1**	**2**	**3**	**6**	**10**	**11**		**2887**	**3.4**	**19**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**877**	**4.5**	**17**	**1**	**2**	**3**	**6**	**10**	**11**		**2887**	**3.4**	**19**	**1**	**1**	**2**	**4**	**7**	**9**

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	0										0-17	0									
18-34	0										18-34	0									
35-49	0										35-49	0									
50-69	0										50-69	0									
70+	0										70+	0									
SUBTOTAL	**0**											**0**									
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	0										0-17	0									
18-34	339	3.2	8	1	1	2	4	7	8	18-34	775	2.8	5	1	1	2	4	6	7
35-49	86	3.2	4	1	2	3	4	7	9	35-49	263	3.7	10	1	1	2	5	10	11
50-69	48	4.4	21	1	2	2	4	13	15	50-69	102	3.6	8	1	2	2	5	9	10
70+	5	1.0								70+	48	4.4	7	1	3	4	5	9	10
SUBTOTAL	**478**	**3.3**	**9**	**1**	**1**	**2**	**4**	**7**	**9**		**1188**	**3.1**	**7**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**478**	**3.3**	**9**	**1**	**1**	**2**	**4**	**7**	**9**		**1188**	**3.1**	**7**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 30: Traumatic Stupor & Coma, Coma < 1 Hr Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	571	3.5	23	1	1	2	4	8	13
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**571**	**3.5**	**23**	**1**	**1**	**2**	**4**	**8**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5	5.0								0-17	4940	1.9	3	1	1	1	2	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**5**	**5.0**									**4940**	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**5**	**5.0**									**5511**	**2.1**	**5**	**1**	**1**	**1**	**2**	**4**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	384	3.7	12	1	1	2	4	10	13	0-17	302	3.2	13	1	1	2	3	7	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**384**	**3.7**	**12**	**1**	**1**	**2**	**4**	**10**	**13**		**302**	**3.2**	**13**	**1**	**1**	**2**	**3**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2324	2.1	3	1	1	1	2	4	6	0-17	1746	1.8	3	<1	1	1	2	3	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2324**	**2.1**	**3**	**1**	**1**	**1**	**2**	**4**	**6**		**1746**	**1.8**	**3**	**<1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**2708**	**2.3**	**5**	**1**	**1**	**1**	**3**	**5**	**7**		**2047**	**2.0**	**4**	**1**	**1**	**1**	**2**	**4**	**6**

DRG 31: Concussion Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	164	4.8	17	2	2	4	6	10	11	0-17	0								
70-74	115	4.9	9	2	3	4	6	8	9	18-34	513	2.6	5	< 1	1	2	3	5	8
75-79	145	4.8	19	1	2	3	6	12	16	35-49	277	3.1	6	1	1	2	4	6	8
80-84	176	5.8	15	2	3	5	9	11	15	50-69	213	4.7	13	1	2	4	6	10	12
85 +	260	6.5	24	1	3	5	8	14	15	70 +	73	5.3	17	1	2	5	7	10	15
SUBTOTAL	**860**	**5.5**	**19**	**2**	**3**	**4**	**7**	**11**	**15**		**1076**	**3.3**	**8**	**1**	**1**	**2**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**860**	**5.5**	**19**	**2**	**3**	**4**	**7**	**11**	**15**		**1076**	**3.3**	**8**	**1**	**1**	**2**	**4**	**7**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	179	3.1	14	1	1	2	3	6	13	18-34	332	2.7	13	1	1	2	3	5	8
35-49	54	6.8	98	1	1	2	5	21	33	35-49	104	2.0	2	< 1	1	1	2	4	6
50-69	22	4.8	10							50-69	45	3.2	2	1	2	3	4	6	6
70 +	11	6.0	18							70 +	5	4.0							
SUBTOTAL	**266**	**4.1**	**33**	**1**	**1**	**2**	**3**	**10**	**18**		**486**	**2.6**	**9**	**1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**266**	**4.1**	**33**	**1**	**1**	**2**	**3**	**10**	**18**		**486**	**2.6**	**9**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 32: Concussion Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	163	2.7	4	1	1	2	4	6	7	0-17	0								
70-74	116	2.6	2	1	2	2	4	5	6	18-34	1688	1.9	2	1	1	1	2	3	5
75-79	164	3.0	4	1	2	2	4	5	6	35-49	682	2.6	12	1	1	2	3	4	5
80-84	104	3.2	4	1	1	3	4	6	8	50-69	518	2.2	2	1	1	2	3	4	5
85 +	60	3.3	5	1	2	2	4	4	10	70 +	120	3.7	12	1	1	3	5	8	13
SUBTOTAL	**606**	**2.9**	4	1	2	2	4	5	7		**3007**	**2.2**	5	1	1	2	3	4	5
GRAND TOTAL	**606**	**2.9**	4	1	2	2	4	5	7		**3007**	**2.2**	5	1	1	2	3	4	5

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	246	1.7	1	1	1	1	2	3	3	18-34	806	1.8	1	≤ 1	1	1	2	4	4
35-49	66	2.3	8	1	1	1	2	4	11	35-49	212	2.8	3	< 1	1	2	4	6	6
50-69	6	2.0								50-69	144	2.0	1	1	1	2	3	3	3
70 +	0									70 +	22	3.8	4						
SUBTOTAL	**318**	**1.8**	2	1	1	1	2	3	4		**1184**	**2.0**	2	1	1	2	3	4	5
GRAND TOTAL	**318**	**1.8**	2	1	1	1	2	3	4		**1184**	**2.0**	2	1	1	2	3	4	5

DRG 33: Concussion Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	346	2.1	3	1	1	2	2	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**346**	**2.1**	**3**	**1**	**1**	**2**	**2**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	2953	1.4	1	1	1	1	2	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**2953**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**0**										**3299**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	117	2.9	9	1	1	2	3	7	11	0-17	74	2.4	3	1	1	2	4	4	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**117**	**2.9**	**9**	**1**	**1**	**2**	**3**	**7**	**11**		**74**	**2.4**	**3**	**1**	**1**	**2**	**4**	**4**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	701	1.7	2	1	1	1	2	2	4	0-17	829	1.5	2	< 1	1	1	2	2	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**701**	**1.7**	**2**	**1**	**1**	**1**	**2**	**2**	**4**		**829**	**1.5**	**2**	**< 1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**818**	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**6**		**903**	**1.5**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**

DRG 34: Other Disorders of Nervous System w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	929	6.9	36	2	3	5	9	14	18
70-74	443	7.6	36	2	4	5	10	16	22
75-79	480	6.6	22	2	4	5	8	14	16
80-84	395	9.2	53	3	4	7	12	18	21
85 +	253	7.1	27	2	4	5	9	15	19
SUBTOTAL	**2500**	**7.4**	**36**	**2**	**3**	**6**	**9**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2500**	**7.4**	**36**	**2**	**3**	**6**	**9**	**15**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	584	4.6	60	1	1	2	6	9	13
18-34	267	6.3	94	1	2	3	7	14	39
35-49	372	6.0	47	1	2	4	8	14	30
50-69	582	9.1	87	3	4	6	13	20	32
70 +	21	6.3	8						
	1825	**6.6**	**74**	**1**	**2**	**4**	**7**	**15**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1825	**6.6**	**74**	**1**	**2**	**4**	**7**	**15**	**27**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	399	8.1	147	1	2	4	10	29	73
18-34	163	5.0	30	1	1	3	5	13	16
35-49	143	7.8	45	2	3	7	10	19	31
50-69	101	8.0	32	3	4	6	9	17	22
70 +	11	6.0	4						
SUBTOTAL	**817**	**7.4**	**91**	**1**	**2**	**5**	**9**	**19**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**817**	**7.4**	**91**	**1**	**2**	**5**	**9**	**19**	**31**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	135	4.3	12	1	1	3	6	10	11
18-34	112	4.3	24	1	2	2	4	9	17
35-49	102	4.7	23	1	2	3	6	9	22
50-69	92	7.2	38	2	3	6	[illegible]	18	25
70 +	44	6.1	28	2	2	3	7	16	16
	486	**5.1**	**25**	**1**	**2**	**3**	**6**	**11**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	486	**5.1**	**25**	**1**	**2**	**3**	**6**	**11**	**17**

DRG 35: Other Disorders of Nervous System w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	297	5.4	19	2	2	4	8	13	15	0-17	967	3.9	26	1	1	2	4	10	16
70-74	179	5.2	12	2	3	4	6	9	12	18-34	417	4.0	100	1	1	2	4	6	9
75-79	202	5.1	8	1	3	5	7	9	10	35-49	513	3.3	6	1	2	3	4	7	8
80-84	141	5.9	20	2	3	5	7	10	16	50-69	445	4.1	12	1	2	3	5	9	10
85 +	113	5.7	21	1	3	5	7	9	10	70 +	22	3.0	4						
SUBTOTAL	**933**	**5.4**	**16**	**2**	**3**	**4**	**7**	**10**	**13**		**2365**	**3.8**	**32**	**1**	**1**	**2**	**4**	**7**	**11**
GRAND TOTAL	**933**	**5.4**	**16**	**2**	**3**	**4**	**7**	**10**	**13**		**2365**	**3.8**	**32**	**1**	**1**	**2**	**4**	**7**	**11**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	607	4.2	55	1	1	2	4	8	14	0-17	193	4.7	68	1	1	2	4	10	25
18-34	169	4.8	19	2	2	3	6	9	13	18-34	154	3.0	4	1	2	2	4	7	7
35-49	100	4.4	31	1	1	3	5	10	18	35-49	118	3.3	6	1	1	3	5	7	8
50-69	47	3.0	5	< 1	1	2	4	7	7	50-69	69	3.9	29	1	1	2	4	6	22
70 +	0									70 +	16	4.3	4						
SUBTOTAL	**924**	**4.3**	**43**	**1**	**1**	**2**	**4**	**8**	**13**		**550**	**3.8**	**30**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**924**	**4.3**	**43**	**1**	**1**	**2**	**4**	**8**	**13**		**550**	**3.8**	**30**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 36: Retinal Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	676	2.7	3	1	2	2	3	5	6
70-74	353	2.5	3	1	2	2	3	4	6
75-79	292	3.3	4	1	2	3	4	7	8
80-84	226	2.4	3	1	1	2	3	4	6
85 +	79	3.3	5	2	2	3	3	6	11
SUBTOTAL	**1626**	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1134	2.0	2	1	1	2	2	3	4
70-74	891	2.0	1	1	1	2	2	3	4
75-79	690	2.0	2	1	1	2	2	3	4
80-84	353	2.1	2	1	1	2	3	3	4
85 +	163	1.8	1	1	1	2	2	3	3
SUBTOTAL	**3231**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**4857**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	88	6.0	61	1	2	2	4	21	26
16-34	136	2.5	6	1	1	2	3	4	4
35-49	258	2.2	1	1	1	2	3	4	5
50-69	484	1.9	1	1	1	2	2	3	4
70 +	16	3.0	3						
	981	**2.4**	**9**	**1**	**1**	**2**	**3**	**4**	**5**
0-17	451	1.8	1	1	1	1	2	4	5
18-34	563	1.7	1	1	1	1	2	3	4
35-49	927	1.8	2	1	1	1	2	3	4
50-69	1856	1.8	1	1	1	2	2	3	4
70 +	63	1.8		1	1	2	2	3	3
	3861	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
	4842	**1.9**	**3**	**1**	**1**	**2**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	26	1.4							
18-34	78	2.0	2	1	1	2	2	2	7
35-49	109	2.1	1	1	2	2	2	3	4
50-69	115	2.4	2	1	2	2	3	4	5
70 +	0								
SUBTOTAL	**328**	**2.2**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	254	1.7	1	1	1	2	2	2	4
18-34	203	2.3	1	1	2	2	3	3	4
35-49	146	2.3	1	1	2	2	3	3	4
50-69	114	2.2	1	1	1	2	3	3	4
70 +	10	2.5							
SUBTOTAL	**728**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**1056**	**2.1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	21	2.5	1						
18-34	88	2.9	3	1	2	2	4	5	7
35-49	41	1.9	2	1	1	2	2	5	5
50-69	79	2.3	2	1	1	2	3	5	6
70 +	5	4.0							
	235	**2.5**	**2**	**1**	**1**	**2**	**4**	**5**	**5**
0-17	156	1.8	2	1	1	1	2	4	5
18-34	216	1.8	3	1	1	1	2	3	3
35-49	159	1.6	1	< 1	1	1	2	3	3
50-69	291	1.9	2	1	1	1	2	4	5
70 +	44	1.2		1	1	1	1	2	2
	866	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
	1100	**1.9**	**2**	**1**	**1**	**1**	**2**	**4**	**5**

DRG 37: Orbital Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	122	3.0	4	1	2	3	3	5	8	0-17	52	5.2	9	2	2	4	7	10	11
70-74	47	1.4		1	1	1	2	2	2	18-34	133	6.0	22	1	2	4	9	13	15
75-79	43	9.3	59	2	3	6	13	26	26	35-49	106	5.0	23	1	2	3	7	10	15
80-84	38	4.1	17	1	2	2	4	14	14	50-69	63	2.5	3	1	1	2	3	5	6
85 +	58	5.0	28	1	1	3	6	12	18	70 +	6	5.0							
SUBTOTAL	308	4.2	22	1	2	2	4	11	14		359	5.0	18	1	2	4	6	11	13
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	127	2.9	4	1	1	2	4	6	7	0-17	319	3.6	9	1	1	2	6	8	10
70-74	110	2.2	1	1	1	2	3	4	5	18-34	202	2.5	3	1	1	2	3	5	6
75-79	63	3.7	6	1	1	3	5	7	8	35-49	209	2.6	4	1	1	2	4	5	7
80-84	59	2.7	5	1	1	2	4	6	8	50-69	89	2.8	4	1	2	2	3	7	9
85 +	47	4.1	7	1	2	2	7	8	8	70 +	5	3.0							
SUBTOTAL	407	2.9	4	1	1	2	4	7	7		825	3.0	6	1	1	2	4	7	8
GRAND TOTAL	715	3.5	12	1	1	2	4	7	9		1164	3.6	10	1	1	2	5	8	10

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	42	13.5	48	1	9	12	17	26	26	0-17	5	8.0							
18-34	67	5.3	15	1	3	4	6	10	14	18-34	100	4.3	8	1	2	4	6	6	13
35-49	37	5.4	12	1	3	5	8	13	13	35-49	53	8.6	47	1	3	5	15	18	23
50-69	11	6.3	33							50-69	11	2.0	1						
70 +	0									70 +	11	1.5							
SUBTOTAL	157	7.6	37	1	3	6	12	16	17		179	5.4	23	1	2	4	6	13	15
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	115	5.8	51	1	1	2	7	14	15	0-17	94	3.4	6	1	1	2	5	7	9
18-34	172	3.1	6	1	1	2	5	6	8	18-34	148	3.8	8	1	1	4	6	8	9
35-49	37	1.7		1	1	2	2	3	3	35-49	100	3.1	5	1	1	2	5	7	7
50-69	10	7.0	40							50-69	21	3.3	3						
70 +	0									70 +	11	2.0							
SUBTOTAL	334	4.0	24	1	1	2	5	9	13		374	3.4	6	1	1	3	5	7	8
GRAND TOTAL	491	5.1	30	1	1	3	6	13	16		553	4.0	13	1	1	3	5	8	11

North Central Region, July 1990 - June 1991

DRG 38: Primary Iris Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	21	1.5								0-17	0								
70-74	21	4.6	9							18-34	5	5.0							
75-79	11	2.0	1							35-49	0								
80-84	11	2.0								50-69	0								
85 +	16	3.3								70 +	0								
SUBTOTAL	81	2.8	4	1	1	2	4	4	9		5	5.0							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	65	1.8	1	1	1	2	2	3	3	0-17	26	1.4							
70-74	6	4.0								18-34	0								
75-79	42	2.0	3	1	1	2	2	5	6	35-49	10	2.0	1						
80-84	16	2.1	2							50-69	48	2.2	1	1	1	2	3	4	4
85 +	22	3.3	1							70 +	0								
SUBTOTAL	151	2.2	2	1	1	2	3	4	5		84	1.9	1	1	1	2	3	3	4
GRAND TOTAL	232	2.4	3	1	1	2	3	4	5		89	2.1	1	1	1	2	3	4	5

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	5	3.0								18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	5	3.0									0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	6	6.0							
50-69	0									50-69	5	2.0							
70 +	0									70 +	0								
SUBTOTAL	0										11	4.1	4						
GRAND TOTAL	5	3.0									11	4.1	4						

DRG 39: Lens Procedures with or without Vitrectomy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	134	2.5	14	1	1	2	2	3	4	0-17	10	18.5	339						
70-74	125	1.9	4	< 1	< 1	1	2	4	5	18-34	5	1.0							
75-79	212	2.1	6	< 1	< 1	1	2	4	7	35-49	32	1.0		< 1	1	1	1	1	1
80-84	223	1.4	1	< 1	< 1	1	1	3	3	50-69	86	2.0	5	1	1	1	2	2	10
85 +	143	1.2		< 1	< 1	1	1	2	2	70 +	0								
SUBTOTAL	**838**	**1.8**	**5**	**< 1**	**< 1**	**1**	**2**	**3**	**4**		**134**	**3.0**	**47**	**1**	**1**	**1**	**2**	**2**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	290	1.5	2	< 1	< 1	< 1	1	2	7	0-17	83	1.2		1	1	1	1	2	2
70-74	291	1.2		< 1	< 1	< 1	1	2	2	18-34	37	1.6		1	1	2	2	2	2
75-79	413	1.5	2	< 1	< 1	1	2	2	3	35-49	81	1.3		< 1	< 1	1	1	2	3
80-84	338	1.1		< 1	< 1	1	1	1	2	50-69	149	1.1		< 1	< 1	< 1	< 1	1	2
85 +	293	1.3	1	< 1	< 1	1	1	2	2	70 +	53	1.8	1	< 1	1	1	3	3	4
SUBTOTAL	**1625**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**		**404**	**1.3**		**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**2462**	**1.5**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**3**		**538**	**1.7**	**13**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5	1.0								0-17	0								
18-34	0									18-34	0								
35-49	10	5.0	10							35-49	11	1.0							
50-69	27	2.4	1							50-69	22	1.5	1						
70 +	0									70 +	17	1.0							
SUBTOTAL	**42**	**2.8**	**5**	**1**	**1**	**2**	**3**	**8**	**8**		**50**	**1.2**		**< 1**	**1**	**1**	**1**	**3**	**3**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	1.7	1	1	1	1	2	3	3	0-17	69	1.5	3	1	1	1	1	2	7
18-34	26	2.2	1							18-34	5	6.0							
35-49	0									35-49	5	3.0							
50-69	16	1.6	1							50-69	22	1.5							
70 +	0									70 +	23	1.0							
SUBTOTAL	**73**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**4**		**124**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**6**
GRAND TOTAL	**116**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**		**173**	**1.5**	**2**	**1**	**1**	**1**	**1**	**3**	**6**

DRG 40: Extraocular Procedures except Orbit Age >17

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	64	5.0	14	2	2	3	9	11	12	0-17	0								
70-74	26	3.4	2							18-34	70	3.6	7	1	1	3	6	7	10
75-79	53	3.9	9	< 1	1	4	6	7	11	35-49	43	3.7	12	1	2	2	3	12	12
80-84	38	4.4	7	1	1	5	6	9	9	50-69	73	5.0	15	1	1	5	8	11	12
85 +	32	5.3	29	1	1	5	6	16	16	70 +	6	1.0							
SUBTOTAL	**213**	**4.5**	**13**	**1**	**2**	**4**	**6**	**11**	**12**		**191**	**4.1**	**12**	**1**	**1**	**3**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	125	2.9	4	1	1	2	4	6	7	0-17	0								
70-74	84	2.2	2	1	1	2	3	4	6	18-34	111	2.1	2	1	1	1	3	4	4
75-79	117	3.6	12	1	1	2	5	10	11	35-49	105	2.7	3	1	1	2	4	4	6
80-84	48	7.4	48	< 1	2	5	11	19	23	50-69	127	2.4	5	1	1	1	3	7	8
85 +	32	2.3	1	< 1	1	2	3	4	4	70 +	6	1.0							
SUBTOTAL	**406**	**3.4**	**13**	**1**	**1**	**2**	**4**	**8**	**11**		**348**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**619**	**3.8**	**13**	**1**	**1**	**2**	**5**	**9**	**11**		**539**	**3.0**	**7**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID										NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	48	3.5	4	1	2	3	4	7	8	18-34	94	2.2	2	1	1	2	3	5	5
35-49	10	2.5	2							35-49	26	5.3	15						
50-69	16	2.6	3							50-69	10	1.5							
70 +	0									70 +	5	10.0							
SUBTOTAL	**75**	**3.2**	**4**	**1**	**1**	**3**	**4**	**5**	**8**		**136**	**3.0**	**8**	**1**	**1**	**2**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	63	1.7	1	< 1	1	1	2	3	5	18-34	133	1.2		< 1	1	1	1	2	2
35-49	21	5.0	8							35-49	54	1.6	1	< 1	1	1	2	3	4
50-69	16	1.0								50-69	66	1.3	1	1	1	1	1	2	4
70 +	0									70 +	17	2.3	4						
SUBTOTAL	**101**	**2.3**	**5**	**< 1**	**1**	**1**	**3**	**5**	**7**		**270**	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**3**	**4**
GRAND TOTAL	**175**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**8**		**407**	**1.9**	**4**	**< 1**	**1**	**1**	**2**	**4**	**5**

DRG 41: Extraocular Procedures except Orbit Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	58	2.2	3	1	1	2	2	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**58**	**2.2**	**3**	**1**	**1**	**2**	**2**	**4**	**7**
2.PATIENTS W/OUT CCs									
0-17	477	1.4	1	1	1	1	1	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**477**	**1.4**	**1**	**1**	**1**	**1**	**1**	**3**	**4**
GRAND TOTAL	**534**	**1.5**	**1**	**1**	**1**	**1**	**1**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	47	3.5	11	<1	1	2	6	9	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**47**	**3.5**	**11**	**<1**	**1**	**2**	**6**	**9**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	245	2.0	3	1	1	1	2	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**245**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**293**	**2.2**	**5**	**1**	**1**	**1**	**2**	**6**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	10	8.5	47						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**10**	**8.5**	**47**						
2.PATIENTS W/OUT CCs									
0-17	163	2.1	4	<1	1	1	2	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**163**	**2.1**	**4**	**<1**	**1**	**1**	**2**	**5**	**7**
GRAND TOTAL	**173**	**2.5**	**8**	**<1**	**1**	**1**	**2**	**6**	**8**

DRG 42: Intraocular Procedures except Retina, Iris & Lens

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	465	3.8	26	1	1	2	4	8	11
70-74	310	3.2	7	1	2	2	4	7	8
75-79	356	3.1	8	1	1	2	4	6	9
80-84	311	3.6	15	1	2	2	4	7	15
85 +	211	3.4	10	1	2	2	3	9	11
SUBTOTAL	**1653**	**3.5**	**14**	**1**	**1**	**2**	**4**	**7**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	818	2.3	4	1	1	2	3	5	6
70-74	809	2.1	2	1	1	2	2	4	5
75-79	681	2.5	9	1	1	2	3	4	6
80-84	641	2.2	3	1	1	2	3	4	5
85 +	393	1.9	2	1	1	2	2	4	5
SUBTOTAL	**3342**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**4995**	**2.7**	**8**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	3.6	15	1	1	2	4	9	14
18-34	95	2.9	8	1	1	2	4	6	11
35-49	162	2.4	4	1	1	1	3	6	8
50-69	301	2.1	2	1	1	2	2	4	5
70 +	21	1.8	1						
	632	**2.4**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
0-17	404	3.2	6	1	1	3	4	6	9
18-34	313	2.6	9	1	1	2	3	4	6
35-49	379	2.2	3	1	1	2	2	5	5
50-69	573	1.8	2	1	1	1	2	3	5
70 +	54	2.3	5	1	1	1	3	8	8
	1723	**2.4**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
	2355	**2.4**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	21	3.0	9						
18-34	52	3.0	6	1	2	2	3	6	10
35-49	41	2.4	2	1	1	2	4	4	4
50-69	73	3.6	3	2	2	3	5	6	8
70 +	10	4.9							
SUBTOTAL	**197**	**3.2**	**4**	**1**	**2**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	235	3.8	9	1	1	3	5	8	11
18-34	189	2.4	3	1	1	2	3	4	7
35-49	99	2.1	1	1	1	2	3	3	4
50-69	79	2.2	2	1	1	2	2	5	6
70 +	5	1.0							
SUBTOTAL	**608**	**2.8**	**6**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**805**	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	32.7	2144						
18-34	26	4.8	7						
35-49	47	3.9	8	1	1	4	5	9	10
50-69	42	1.7	1	1	1	1	2	4	4
70 +	17	1.0							
	147	**6.1**	**302**	**1**	**1**	**2**	**5**	**8**	**10**
0-17	189	3.0	4	1	1	3	5	6	6
18-34	115	3.2	5	1	1	2	5	7	7
35-49	73	2.6	3	1	1	2	3	5	7
50-69	104	2.1	1	1	1	2	3	3	4
70 +	70	1.9	2	1	1	1	3	4	5
	552	**2.7**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
	699	**3.4**	**68**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 43: Hyphema

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	38	3.0	1	2	2	3	4	5	5
70-74	6	3.0								18-34	27	3.2	2						
75-79	0									35-49	0								
80-84	6	6.0								50-69	11	4.0	1						
85 +	10	12.5	122							70 +	0								
SUBTOTAL	**22**	**8.3**	**73**								**76**	**3.2**	**1**	**2**	**2**	**3**	**4**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	465	4.0	3	2	3	4	5	6	6
70-74	11	3.5								18-34	119	3.5	3	1	2	3	5	5	7
75-79	0									35-49	71	3.1	2	1	2	3	4	5	6
80-84	0									50-69	16	5.3	2						
85 +	0									70 +	0								
SUBTOTAL	**11**	**3.5**									**670**	**3.9**	**3**	**2**	**3**	**4**	**5**	**6**	**6**
GRAND TOTAL	**32**	**6.7**	**54**	**2**	**3**	**4**	**6**	**23**	**23**		**746**	**3.8**	**3**	**2**	**3**	**4**	**5**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	3.6	2							0-17	11	2.0	1						
18-34	5	6.0								18-34	16	2.9	3						
35-49	5	3.0								35-49	6	7.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**37**	**3.8**	**2**	**2**	**2**	**4**	**5**	**6**	**6**		**32**	**3.3**	**5**	**<1**	**1**	**3**	**5**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	148	4.8	7	2	3	4	6	7	8	0-17	161	3.8	4	1	3	4	5	6	7
18-34	42	2.9	2	1	2	2	4	6	6	18-34	48	3.6	4	1	2	4	5	6	6
35-49	6	1.0								35-49	6	4.0							
50-69	5	3.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**201**	**4.2**	**6**	**1**	**2**	**4**	**6**	**7**	**8**		**215**	**3.8**	**4**	**1**	**2**	**4**	**5**	**6**	**6**
GRAND TOTAL	**238**	**4.2**	**6**	**2**	**2**	**4**	**6**	**7**	**7**		**247**	**3.7**	**4**	**1**	**2**	**4**	**5**	**6**	**7**

DRG 44: Acute Major Eye Infections

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	53	6.3	24	1	3	4	8	14	17	0-17	266	4.2	5	2	3	4	5	7	10
70-74	10	9.0								18-34	27	3.6	1						
75-79	44	7.2	19	3	5	6	12	16	16	35-49	10	2.0							
80-84	49	8.5	15	4	5	8	11	14	14	50-69	11	8.0	4						
85 +	32	6.3	13	2	4	6	10	12	12	70 +	0								
SUBTOTAL	**188**	**7.2**	**18**	**3**	**4**	**6**	**10**	**14**	**16**		**315**	**4.2**	**5**	**2**	**2**	**4**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	80	5.3	2	4	4	5	6	7	8	0-17	1469	3.3	4	2	2	3	4	5	7
70-74	64	5.1	3	3	4	5	7	7	8	18-34	167	3.7	2	2	3	3	5	6	6
75-79	48	6.2	17	2	4	5	7	16	16	35-49	96	3.4	5	1	1	3	5	6	8
80-84	73	5.6	9	3	3	5	7	10	13	50-69	85	5.1	8	2	3	4	6	10	11
85 +	54	7.6	38	3	4	6	7	24	24	70 +	0								
SUBTOTAL	**319**	**5.8**	**13**	**3**	**4**	**5**	**7**	**9**	**13**		**1817**	**3.4**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**508**	**6.4**	**15**	**3**	**4**	**5**	**7**	**12**	**14**		**2132**	**3.6**	**4**	**2**	**2**	**3**	**4**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	134	3.8	2	2	2	3	5	6	6	0-17	95	4.3	3	2	3	4	5	7	8
18-34	22	8.3	12							18-34	22	3.9	17						
35-49	5	2.0								35-49	5	5.0							
50-69	21	5.0	2							50-69	5	4.0							
70 +	5	5.0								70 +	0								
SUBTOTAL	**187**	**4.4**	**6**	**2**	**3**	**5**	**6**	**7**	**7**		**127**	**4.3**	**5**	**2**	**3**	**4**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1091	3.6	4	2	2	3	4	6	7	0-17	519	3.2	3	2	2	3	4	5	7
18-34	53	3.5	5	1	2	2	4	7	8	18-34	86	3.4	2	2	2	3	4	6	6
35-49	10	8.5	14							35-49	26	5.9	8						
50-69	0									50-69	16	4.6	6						
70 +	5	7.0								70 +	5	5.0							
SUBTOTAL	**1159**	**3.6**	**4**	**2**	**2**	**3**	**4**	**6**	**7**		**653**	**3.4**	**4**	**2**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**1346**	**3.7**	**4**	**2**	**2**	**3**	**5**	**6**	**7**		**780**	**3.6**	**4**	**2**	**2**	**3**	**4**	**6**	**8**

DRG 45: Neurological Eye Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	161	4.6	5	2	2	5	6	7	8	0-17	21	4.0	13						
70-74	139	5.2	18	1	3	4	6	12	14	18-34	59	3.7	4	1	2	4	5	7	8
75-79	124	4.2	7	2	2	3	6	7	9	35-49	65	4.1	6	2	2	3	5	8	10
80-84	65	6.0	22	2	3	5	7	10	19	50-69	124	4.7	9	1	2	5	7	9	10
85 +	38	6.0	18	1	2	7	9	13	13	70 +	11	4.0	1						
SUBTOTAL	**527**	**4.9**	**12**	**2**	**2**	**4**	**7**	**9**	**12**		**279**	**4.3**	**7**	**1**	**2**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	146	3.1	4	1	2	2	4	6	8	0-17	57	2.4	2	1	1	2	3	4	6
70-74	75	3.1	6	1	1	3	4	4	11	18-34	94	3.4	2	1	3	4	5	5	6
75-79	47	4.4	15	1	1	4	5	13	14	35-49	143	3.7	5	1	2	3	6	7	8
80-84	26	5.8	1							50-69	237	3.6	7	1	2	3	4	8	8
85 +	11	6.0	10							70 +	5	2.0							
SUBTOTAL	**305**	**3.7**	**7**	**1**	**2**	**3**	**4**	**7**	**9**		**537**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**833**	**4.5**	**11**	**1**	**2**	**4**	**6**	**8**	**11**		**816**	**3.7**	**6**	**1**	**2**	**3**	**5**	**8**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5	2.0								0-17	5	1.0							
18-34	31	8.5	41	1	4	8	9	21	21	18-34	22	3.5	1						
35-49	27	6.0	3							35-49	11	3.0							
50-69	16	3.3	5							50-69	32	7.2	25	1	4	5	12	15	15
70 +	0									70 +	6	6.0							
SUBTOTAL	**79**	**6.2**	**23**	**1**	**3**	**6**	**8**	**9**	**21**		**76**	**5.0**	**15**	**1**	**3**	**4**	**6**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	2.7	2	1	1	2	4	5	5	0-17	52	3.0	3	1	2	2	5	6	6
18-34	10	6.0	1							18-34	43	3.8	4	< 1	3	4	5	8	8
35-49	22	4.5	6							35-49	37	5.2	6	3	3	4	7	10	10
50-69	16	4.0	3							50-69	59	2.8	2	1	2	3	4	4	5
70 +	0									70 +	6	1.0							
SUBTOTAL	**79**	**3.9**	**4**	**1**	**2**	**4**	**5**	**7**	**8**		**196**	**3.5**	**4**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**157**	**5.0**	**15**	**1**	**2**	**4**	**7**	**8**	**9**		**272**	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**10**

DRG 46: Other Disorders of the Eye Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	212	6.9	76	1	2	3	11	15	25	0-17	0									
70-74	189	7.4	36	3	4	6	9	14	23	18-34	110	4.8	23	<1	1	2	7	13	14	
75-79	101	5.8	9	1	4	5	8	10	11	35-49	160	8.0	48	2	3	6	11	16	18	
80-84	97	6.8	36	1	2	5	7	20	22	50-69	98	3.8	6	1	2	3	6	7	9	
85 +	70	6.0	12	1	4	6	9	10	13	70 +	10	4.5	2							
SUBTOTAL	**670**	**6.8**	**42**	**1**	**3**	**5**	**9**	**14**	**21**		**378**	**5.9**	**32**	**1**	**2**	**4**	**7**	**14**	**16**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**670**	**6.8**	**42**	**1**	**3**	**5**	**9**	**14**	**21**		**378**	**5.9**	**32**	**1**	**2**	**4**	**7**	**14**	**16**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	69	7.7	81	1	2	3	9	25	29	18-34	75	5.4	42	2	2	3	5	19	23	
35-49	81	6.2	61	1	2	3	6	14	32	35-49	48	5.5	12	1	2	5	8	12	12	
50-69	47	4.4	27	1	2	2	5	18	18	50-69	38	4.1	4	2	3	3	6	8	8	
70 +	5	6.0								70 +	27	5.3	17							
SUBTOTAL	**202**	**6.3**	**59**	**1**	**2**	**3**	**6**	**18**	**27**		**188**	**5.2**	**23**	**2**	**2**	**3**	**6**	**12**	**19**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**202**	**6.3**	**59**	**1**	**2**	**3**	**6**	**18**	**27**		**188**	**5.2**	**23**	**2**	**2**	**3**	**6**	**12**	**19**	

DRG 47: Other Disorders of the Eye Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	157	4.2	16	1	1	3	5	8	15	0-17	0								
70-74	102	3.2	5	1	1	3	4	5	10	18-34	171	2.7	2	1	2	2	4	4	6
75-79	108	4.6	17	2	2	3	6	10	18	35-49	171	3.8	14	1	1	3	5	7	7
80-84	66	4.3	30	1	2	3	4	6	22	50-69	165	3.6	11	1	1	3	4	9	9
85+	74	4.1	6	2	2	3	6	8	9	70+	10	5.0	1						
SUBTOTAL	**507**	**4.1**	**14**	**1**	**2**	**3**	**5**	**8**	**12**		**517**	**3.4**	**9**	**1**	**1**	**3**	**4**	**6**	**8**
GRAND TOTAL	**507**	**4.1**	**14**	**1**	**2**	**3**	**5**	**8**	**12**		**517**	**3.4**	**9**	**1**	**1**	**3**	**4**	**6**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	52	3.0	3	<1	1	3	5	5	5	18-34	85	4.3	8	1	1	4	7	8	9
35-49	22	3.6	11							35-49	53	3.1	5	<1	1	2	4	7	7
50-69	27	2.4	2							50-69	27	4.8	9						
70+	0									70+	16	3.7	3						
SUBTOTAL	**101**	**2.9**	**4**	**<1**	**1**	**2**	**5**	**5**	**9**		**180**	**3.9**	**7**	**1**	**1**	**3**	**6**	**8**	**9**
GRAND TOTAL	**101**	**2.9**	**4**	**<1**	**1**	**2**	**5**	**5**	**9**		**180**	**3.9**	**7**	**1**	**1**	**3**	**6**	**8**	**9**

DRG 48: Other Disorders of the Eye Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	196	3.3	6	1	1	3	4	6	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										196	3.3	6	1	1	3	4	6	8
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	555	2.7	6	1	1	2	3	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										555	2.7	6	1	1	2	3	5	6
GRAND TOTAL	0										751	2.9	6	1	1	2	4	5	6

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	85	2.0	1	1	1	2	2	4	5	0-17	36	3.4	6	<1	1	2	6	7	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	85	2.0	1	1	1	2	2	4	5		36	3.4	6	<1	1	2	6	7	7
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	557	3.1	3	1	2	3	4	5	8	0-17	262	2.9	4	1	2	2	3	5	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	557	3.1	3	1	2	3	4	5	8		262	2.9	4	1	2	2	3	5	7
GRAND TOTAL	641	2.9	3	1	2	2	3	5	7		299	3.0	4	1	2	2	4	6	7

DRG 49: Major Head & Neck Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	163	8.5	49	3	4	7	10	15	18	0-17	31	9.0	33	1	2	10	14	16	16
70-74	73	9.5	108	2	4	5	10	33	35	18-34	10	20.5	421						
75-79	80	7.2	26	3	4	5	11	13	22	35-49	79	7.3	17	3	4	6	10	14	15
80-84	68	9.4	36	2	4	9	14	17	21	50-69	264	7.8	32	2	3	6	11	16	21
85 +	37	6.6	11	1	5	6	8	13	13	70 +	5	31.0							
SUBTOTAL	**421**	**8.4**	**50**	**2**	**4**	**6**	**11**	**15**	**21**		**390**	**8.5**	**49**	**2**	**4**	**6**	**11**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	131	4.7	24	1	2	2	6	14	14	0-17	217	2.4	3	1	1	2	3	3	6
70-74	69	3.0	2	1	2	3	4	4	7	18-34	105	3.0	4	1	1	3	4	6	7
75-79	69	5.4	17	2	3	4	7	9	17	35-49	138	2.7	3	1	2	2	3	5	7
80-84	21	4.3	8							50-69	258	3.6	7	1	2	3	5	6	8
85 +	16	3.4	1							70 +	0								
SUBTOTAL	**305**	**4.4**	**16**	**1**	**2**	**3**	**5**	**12**	**14**		**719**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**726**	**6.7**	**40**	**2**	**3**	**4**	**9**	**14**	**17**		**1108**	**4.9**	**27**	**1**	**2**	**3**	**6**	**11**	**16**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5	10.0								0-17	5	3.0							
18-34	0									18-34	10	9.0	10						
35-49	43	13.0	31	5	8	12	18	23	23	35-49	16	5.7	6						
50-69	63	7.1	11	4	5	7	9	15	99 +	50-69	38	7.4	25	2	4	6	10	18	18
70 +	0									70 +	0								
SUBTOTAL	**111**	**9.5**	**26**	**5**	**5**	**8**	**13**	**19**	**23**		**69**	**6.9**	**18**	**3**	**4**	**6**	**9**	**12**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	2.3	2							0-17	31	2.3	2	1	1	2	4	4	4
18-34	37	2.3	3	1	1	1	5	5	5	18-34	26	2.6	2						
35-49	10	6.5	22							35-49	21	3.6	11						
50-69	21	10.5	32							50-69	42	2.6	4	1	1	2	2	7	7
70 +	6	8.0								70 +	6	1.0							
SUBTOTAL	**89**	**5.1**	**23**	**1**	**1**	**4**	**6**	**16**	**16**		**126**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**201**	**7.5**	**30**	**1**	**4**	**7**	**11**	**16**	**20**		**195**	**4.1**	**13**	**1**	**2**	**3**	**5**	**9**	**11**

DRG 50: Sialoadenectomy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	173	2.3	2	1	1	2	3	4	5	0-17	11	1.5							
70-74	85	4.1	23	1	1	3	4	8	21	18-34	42	1.9	1	1	1	2	2	4	4
75-79	113	3.7	13	1	2	2	4	8	13	35-49	47	1.9		1	2	2	2	3	3
80-84	49	2.9	2	1	2	3	4	5	6	50-69	98	2.1	2	1	1	2	2	3	8
85+	37	6.7	17	3	3	6	8	16	16	70+	16	2.0	1						
SUBTOTAL	**457**	**3.4**	**11**	**1**	**1**	**2**	**4**	**7**	**8**		**215**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	387	1.8	1	1	1	2	2	3	3	0-17	100	2.4	11	1	1	1	2	4	10
70-74	316	1.7	2	1	1	1	2	3	4	18-34	358	1.6	1	1	1	1	2	3	3
75-79	153	2.3	4	1	1	2	2	5	6	35-49	799	1.6	1	1	1	1	2	3	3
80-84	91	2.8	14	1	1	1	2	9	15	50-69	934	1.7	1	1	1	2	2	3	3
85+	26	2.4	8							70+	16	1.6							
SUBTOTAL	**974**	**2.0**	**3**	**1**	**1**	**2**	**2**	**3**	**5**		**2208**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**1430**	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**7**		**2422**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	1.0								0-17	0								
18-34	5	1.0								18-34	16	2.4	2						
35-49	11	2.5								35-49	16	2.0	2						
50-69	11	2.5								50-69	37	2.3		2	2	2	2	4	4
70+	0									70+	6	1.0							
SUBTOTAL	**38**	**1.9**	**1**	**1**	**1**	**2**	**3**	**3**	**3**		**75**	**2.1**	**1**	**1**	**1**	**2**	**2**	**4**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	54	1.9	1	1	1	2	2	3	4	0-17	26	3.0	13						
18-34	85	1.9	1	1	1	2	3	3	3	18-34	118	1.9	1	1	1	2	2	2	4
35-49	37	3.1	5	1	1	2	6	7	7	35-49	118	1.7	2	1	1	1	2	2	6
50-69	21	2.5	2							50-69	166	1.7	1	1	1	2	2	3	3
70+	0									70+	22	2.5							
SUBTOTAL	**197**	**2.2**	**2**	**1**	**1**	**2**	**2**	**4**	**6**		**450**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**234**	**2.2**	**2**	**1**	**1**	**2**	**2**	**3**	**5**		**525**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**

DRG 51: Salivary Gland Procedures except Sialoadenectomy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	21	3.0	6						
70-74	10	1.5							
75-79	17	3.3	2						
80-84	5	9.0							
85 +	5	3.0							
SUBTOTAL	**58**	**3.4**	**6**	**1**	**2**	**2**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	43	2.4	1	1	1	2	3	5	5
70-74	5	2.0							
75-79	27	1.2							
80-84	6	1.0							
85 +	0								
SUBTOTAL	**80**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**5**
GRAND TOTAL	**139**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	1.7	1						
35-49	16	1.3							
50-69	16	3.1	9						
70 +	0								
	48	**2.0**	**4**	**1**	**1**	**1**	**2**	**7**	**7**
0-17	47	1.2		< 1	1	1	1	3	3
18-34	43	1.2		< 1	< 1	1	1	3	3
35-49	70	1.6		1	1	2	2	2	3
50-69	130	1.6	2	< 1	1	1	2	2	2
70 +	0								
	290	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**
	338	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**3**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	5	3.0							
18-34	0								
35-49	6	2.0							
50-69	0								
70 +	0								
SUBTOTAL	**11**	**2.5**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	1.0							
18-34	5	5.0							
35-49	0								
50-69	10	1.0							
70 +	0								
SUBTOTAL	**26**	**1.8**	**3**						
GRAND TOTAL	**37**	**2.0**	**2**	**1**	**1**	**1**	**3**	**5**	**5**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	16	1.3							
35-49	0								
50-69	16	1.0							
70 +	0								
	32	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**
	32	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**

DRG 52: Cleft Lip & Palate Repair

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	16	3.0	1							0-17	145	3.0	3	1	2	2	3	6	6
70-74	10	2.0								18-34	10	3.0							
75-79	0									35-49	16	2.7	2						
80-84	0									50-69	32	1.8	1	1	1	2	2	3	3
85 +	0									70 +	0								
SUBTOTAL	**26**	**2.6**	**1**								**203**	**2.8**	**2**	**1**	**2**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	37	3.6	3	1	2	4	6	6	6	0-17	2667	2.0	1	1	1	2	2	3	4
70-74	5	2.0								18-34	121	1.7	1	1	1	1	2	3	4
75-79	5	2.0								35-49	213	1.7	1	1	1	2	2	3	3
80-84	0									50-69	147	2.0	1	1	1	2	2	3	3
85 +	0									70 +	0								
SUBTOTAL	**47**	**3.2**	**3**	**1**	**2**	**2**	**4**	**6**	**6**		**3149**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**73**	**3.0**	**2**	**2**	**2**	**2**	**4**	**6**	**6**		**3352**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	62	5.7	32	1	3	4	6	8	23	0-17	16	5.0	14						
18-34	10	21.5	80							18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**72**	**7.9**	**69**	**1**	**3**	**5**	**8**	**23**	**30**		**16**	**5.0**	**14**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1329	2.2	2	1	1	2	3	4	5	0-17	638	2.3	5	1	1	2	3	4	4
18-34	42	1.8		1	1	2	2	3	3	18-34	27	1.2							
35-49	5	2.0								35-49	70	1.9	1	1	1	2	2	3	3
50-69	5	3.0								50-69	10	1.0							
70 +	0									70 +	0								
SUBTOTAL	**1381**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**745**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**1453**	**2.5**	**7**	**1**	**1**	**2**	**3**	**5**	**6**		**760**	**2.2**	**5**	**1**	**1**	**2**	**3**	**4**	**4**

DRG 53: Sinus & Mastoid Procedures Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	242	5.1	43	1	1	3	6	13	18	0-17	0								
70-74	101	6.5	37	1	1	4	9	17	20	18-34	182	3.6	9	1	1	2	5	9	11
75-79	70	5.2	49	1	1	2	4	13	25	35-49	176	3.3	12	1	1	2	3	8	13
80-84	43	3.9	7	2	2	2	6	9	9	50-69	269	4.1	33	1	1	1	5	12	14
85 +	16	4.3	11							70 +	10	4.5	14						
SUBTOTAL	472	5.3	38	1	1	3	6	13	18		637	3.7	20	1	1	2	5	9	13
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	463	1.8	2	1	1	1	2	3	4	0-17	0								
70-74	258	2.1	18	1	1	1	2	3	4	18-34	1481	1.7	2	1	1	1	2	3	5
75-79	139	2.0	2	1	1	1	3	4	5	35-49	1592	1.8	5	1	1	1	2	3	5
80-84	75	1.9	2	1	1	1	2	4	5	50-69	1181	1.7	3	1	1	1	2	3	5
85 +	38	3.2	16	1	1	2	3	13	13	70 +	16	1.7							
SUBTOTAL	971	2.0	7	1	1	1	2	3	4		4269	1.7	4	1	1	1	2	3	5
GRAND TOTAL	1444	3.0	20	1	1	1	3	6	11		4906	2.0	6	1	1	1	2	4	6

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	69	10.3	170	1	2	6	9	25	47	18-34	38	5.0	8	2	3	4	6	11	11
35-49	11	1.0								35-49	49	1.9	2	1	1	1	2	5	5
50-69	37	7.1	12	2	3	8	10	12	12	50-69	38	2.3	2	1	1	2	3	5	5
70 +	0									70 +	0								
SUBTOTAL	117	8.4	111	1	2	6	9	22	25		125	3.0	6	1	1	2	4	6	7
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	169	1.6	2	1	1	1	1	3	5	18-34	493	1.6	4	1	1	1	1	2	5
35-49	70	1.6		1	1	2	2	2	3	35-49	524	1.5	3	1	1	1	1	2	3
50-69	37	2.7	4	1	1	2	4	7	7	50-69	285	1.9	8	1	1	1	1	3	7
70 +	0									70 +	16	1.0							
SUBTOTAL	275	1.7	2	1	1	1	2	3	5		1318	1.6	5	1	1	1	1	2	4
GRAND TOTAL	391	3.7	44	1	1	1	3	8	12		1443	1.8	5	1	1	1	2	3	5

DRG 54: Sinus & Mastoid Procedures Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	220	3.4	10	1	1	2	5	8	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**220**	**3.4**	**10**	**1**	**1**	**2**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1422	1.6	4	1	1	1	1	3	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1422**	**1.6**	**4**	**1**	**1**	**1**	**1**	**3**	**6**
GRAND TOTAL	**0**										**1642**	**1.9**	**5**	**1**	**1**	**1**	**1**	**4**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	52	1.8	1	< 1	1	1	2	4	4	0-17	52	5.9	67	1	1	2	4	21	24
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**52**	**1.8**	**1**	**< 1**	**1**	**1**	**2**	**4**	**4**		**52**	**5.9**	**67**	**1**	**1**	**2**	**4**	**21**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	316	1.9	5	1	1	1	2	3	6	0-17	321	1.4	1	1	1	1	1	2	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**316**	**1.9**	**5**	**1**	**1**	**1**	**2**	**3**	**6**		**321**	**1.4**	**1**	**1**	**1**	**1**	**1**	**2**	**4**
GRAND TOTAL	**368**	**1.9**	**5**	**1**	**1**	**1**	**2**	**4**	**6**		**373**	**2.0**	**13**	**1**	**1**	**1**	**1**	**3**	**6**

DRG 55: Miscellaneous Ear, Nose, Mouth & Throat Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	139	3.9	27	1	1	2	3	8	19
70-74	69	4.4	15	1	2	3	5	8	16
75-79	48	2.3	3	1	1	2	2	7	7
80-84	16	5.3	24						
85 +	21	10.4	120						
SUBTOTAL	**293**	**4.3**	**30**	**1**	**1**	**2**	**5**	**8**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	327	1.5	1	1	1	1	2	3	4
70-74	204	1.7	2	1	1	1	2	4	5
75-79	79	1.9	3	1	1	1	2	3	8
80-84	26	1.6	2						
85 +	11	2.0							
SUBTOTAL	**647**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**941**	**2.5**	**12**	**1**	**1**	**1**	**2**	**5**	**8**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	152	6.0	87	1	1	3	6	14	28
18-34	114	4.6	9	1	2	4	6	9	10
35-49	101	4.0	10	1	1	3	6	11	11
50-69	153	4.1	45	1	1	2	3	8	19
70 +	0								
	520	**4.7**	**43**	**1**	**1**	**3**	**6**	**10**	**12**
0-17	1473	2.3	11	1	1	1	2	5	9
18-34	1032	1.5	2	1	1	1	2	3	4
35-49	942	1.4	1	1	1	1	1	2	3
50-69	791	1.5	2	1	1	1	1	3	3
70 +	5	1.0							
	4243	**1.8**	**5**	**1**	**1**	**1**	**2**	**3**	**5**
	4763	**2.1**	**10**	**1**	**1**	**1**	**2**	**4**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	114	16.8	163	3	7	10	25	34	41
18-34	42	3.0	4	1	1	2	5	6	6
35-49	16	7.7	59						
50-69	5	13.0							
70 +	0								
SUBTOTAL	**177**	**12.6**	**146**	**1**	**3**	**7**	**20**	**32**	**41**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	581	3.0	10	1	1	2	4	7	11
18-34	137	1.9	3	1	1	1	2	4	5
35-49	38	1.3		1	1	1	2	2	2
50-69	32	1.5	1	1	1	1	2	3	3
70 +	0								
SUBTOTAL	**788**	**2.7**	**8**	**1**	**1**	**1**	**3**	**7**	**9**
GRAND TOTAL	**966**	**4.5**	**48**	**1**	**1**	**2**	**5**	**11**	**18**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	41	8.1	143	1	2	4	6	39	39
18-34	49	5.0	6	1	4	5	6	8	10
35-49	33	2.4	4	1	1	1	4	6	6
50-69	32	2.7	6	1	1	1	5	7	7
70 +	5	1.0							
	161	**4.7**	**45**	**1**	**1**	**4**	**6**	**7**	**10**
0-17	418	2.6	13	1	1	1	2	6	12
18-34	350	1.4	1	1	1	1	1	2	2
35-49	363	1.1		1	1	1	1	2	2
50-69	225	1.4	1	1	1	1	1	2	3
70 +	22	2.7	6						
	1378	**1.7**	**5**	**1**	**1**	**1**	**1**	**3**	**4**
	1539	**2.0**	**10**	**1**	**1**	**1**	**2**	**4**	**6**

DRG 56: Rhinoplasty

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	37	3.0	6	1	1	2	5	8	8	0-17	27	2.8	5						
70-74	22	6.5	16							18-34	80	2.9	2	1	2	3	4	4	6
75-79	21	3.5	7							35-49	70	3.5	9	1	1	3	5	7	11
80-84	38	4.6	12	1	1	3	8	10	10	50-69	32	6.0	25	1	1	5	12	12	12
85 +	5	8.0								70 +	0								
SUBTOTAL	**123**	**4.4**	**11**	**1**	**1**	**3**	**6**	**9**	**10**		**209**	**3.6**	**9**	**1**	**1**	**3**	**4**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	102	2.2	4	1	1	1	2	5	7	0-17	370	1.6	2	1	1	1	2	3	4
70-74	38	2.4	3	1	1	1	4	5	5	18-34	792	1.4	1	1	1	1	1	2	3
75-79	26	1.0								35-49	644	1.3	1	1	1	1	1	2	3
80-84	16	6.4	19							50-69	209	2.0	18	1	1	1	1	3	6
85 +	11	2.5								70 +	10	1.0							
SUBTOTAL	**193**	**2.5**	**6**	**1**	**1**	**1**	**4**	**5**	**9**		**2026**	**1.5**	**3**	**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**316**	**3.2**	**9**	**1**	**1**	**2**	**5**	**8**	**10**		**2235**	**1.7**	**4**	**1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID										NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	2.0	1							0-17	0								
18-34	10	1.0								18-34	0								
35-49	5	1.0								35-49	6	2.0							
50-69	11	3.5	2							50-69	16	4.3	6						
70 +	0									70 +	11	1.5							
SUBTOTAL	**42**	**2.0**	**2**	**1**	**1**	**2**	**3**	**5**	**5**		**33**	**3.0**	**5**	**1**	**1**	**2**	**6**	**6**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	63	1.7	1	< 1	1	1	3	3	3	0-17	38	1.1		1	1	1	1	2	2
18-34	117	1.5	1	1	1	1	1	2	4	18-34	221	1.1		1	1	1	1	2	2
35-49	52	1.4		1	1	1	2	2	2	35-49	156	1.5	1	1	1	1	1	4	4
50-69	16	2.3	2							50-69	85	1.2		1	1	1	1	2	2
70 +	0									70 +	6	1.0							
SUBTOTAL	**247**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**4**		**505**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**290**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**4**		**538**	**1.4**	**1**	**1**	**1**	**1**	**1**	**2**	**4**

DRG 57: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	47	5.4	23	1	2	4	7	16	17	0-17	0								
70-74	16	5.2	7							18-34	173	3.2	9	1	2	2	3	6	9
75-79	26	6.7	19							35-49	136	3.6	6	1	2	3	5	7	8
80-84	16	4.5	18							50-69	42	4.2	19	1	1	2	5	14	14
85 +	5	19.0								70 +	11	2.6	2						
SUBTOTAL	**111**	**6.2**	**26**	**2**	**2**	**4**	**9**	**12**	**17**		**362**	**3.5**	**9**	**1**	**2**	**2**	**4**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	102	2.5	4	1	1	2	3	4	7	0-17	0								
70-74	16	1.0								18-34	835	2.2	2	1	1	2	3	3	4
75-79	6	2.0								35-49	469	2.3	1	1	1	2	3	4	5
80-84	6	3.0								50-69	191	2.5	3	1	1	2	4	4	6
85 +	6	2.0								70 +	0								
SUBTOTAL	**136**	**2.3**	**3**	**1**	**1**	**2**	**3**	**3**	**6**		**1495**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**247**	**4.0**	**17**	**1**	**1**	**3**	**4**	**10**	**12**		**1856**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	43	6.5	67	1	2	4	6	28	28	18-34	88	2.9	3	1	2	2	4	4	8
35-49	16	2.3								35-49	16	1.7							
50-69	5	14.0								50-69	37	9.8	85	1	2	9	13	29	29
70 +	0									70 +	0								
SUBTOTAL	**64**	**6.1**	**54**	**2**	**2**	**3**	**6**	**14**	**28**		**141**	**4.6**	**34**	**1**	**2**	**2**	**4**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	142	2.6	2	1	2	2	3	4	4	18-34	468	1.7	1	1	1	1	2	3	3
35-49	21	2.3	1							35-49	182	2.2	3	1	1	2	3	5	6
50-69	5	6.0								50-69	42	1.9	1	1	1	2	3	4	4
70 +	0									70 +	0								
SUBTOTAL	**169**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**6**		**692**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**233**	**3.6**	**19**	**1**	**2**	**3**	**3**	**6**	**9**		**833**	**2.3**	**8**	**1**	**1**	**2**	**2**	**4**	**6**

DRG 58: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	413	2.4	5	1	1	2	3	5	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**413**	**2.4**	**5**	**1**	**1**	**2**	**3**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10	1.0								0-17	2858	1.6	6	1	1	1	1	3	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**10**	**1.0**									**2858**	**1.6**	**6**	**1**	**1**	**1**	**1**	**3**	**4**
GRAND TOTAL	**10**	**1.0**									**3272**	**1.7**	**6**	**1**	**1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	111	3.8	30	1	1	2	3	4	18	0-17	117	3.6	34	1	1	2	3	8	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**111**	**3.8**	**30**	**1**	**1**	**2**	**3**	**4**	**18**		**117**	**3.6**	**34**	**1**	**1**	**2**	**3**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	724	1.6	2	1	1	1	2	3	4	0-17	1303	1.3	1	1	1	1	1	2	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**724**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**4**		**1303**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**835**	**1.9**	**6**	**1**	**1**	**1**	**2**	**4**	**5**		**1421**	**1.5**	**4**	**1**	**1**	**1**	**1**	**2**	**3**

DRG 59: Tonsillectomy &/or Adenoidectomy Only, Age >17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	6	4.0								18-34	134	2.7	8	1	1	1	3	5	10
75-79	0									35-49	17	1.0							
80-84	0									50-69	5	2.0							
85 +	11	11.0	27							70 +	0								
SUBTOTAL	**17**	**8.7**	**29**								**156**	**2.5**	**7**	**1**	**1**	**1**	**3**	**5**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	22	1.5	1							0-17	0								
70-74	6	1.0								18-34	2182	1.2		1	1	1	1	2	2
75-79	10	1.5								35-49	261	1.3	1	1	1	1	1	2	3
80-84	0									50-69	52	1.1		1	1	1	1	2	2
85 +	6	1.0								70 +	6	1.0							
SUBTOTAL	**43**	**1.4**	**1**	**1**	**1**	**1**	**2**	**3**	**3**		**2500**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**60**	**3.4**	**19**	**1**	**1**	**1**	**4**	**10**	**16**		**2657**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	22	2.5	1							18-34	64	2.1	4	1	1	1	2	4	8
35-49	0									35-49	5	3.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**22**	**2.5**	**1**								**69**	**2.1**	**4**	**1**	**1**	**1**	**3**	**4**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	177	1.4	1	1	1	1	1	2	3	18-34	986	1.1		1	1	1	1	1	2
35-49	22	1.3								35-49	125	1.0		1	1	1	1	1	1
50-69	0									50-69	10	1.0							
70 +	0									70 +	0								
SUBTOTAL	**199**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**		**1121**	**1.1**		**1**	**1**	**1**	**1**	**1**	**2**
GRAND TOTAL	**220**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**4**		**1190**	**1.1**		**1**	**1**	**1**	**1**	**1**	**2**

DRG 60: Tonsillectomy &/or Adenoidectomy Only, Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	503	2.7	7	1	1	2	3	6	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**503**	**2.7**	**7**	**1**	**1**	**2**	**3**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	7986	1.1		1	1	1	1	1	2
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**7986**	**1.1**		**1**	**1**	**1**	**1**	**1**	**2**
GRAND TOTAL	**0**										**8489**	**1.2**	**1**	**1**	**1**	**1**	**1**	**2**	**2**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	166	4.6	21	1	1	3	6	10	16	0-17	110	2.2	5	1	1	1	3	4	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**166**	**4.6**	**21**	**1**	**1**	**3**	**6**	**10**	**16**		**110**	**2.2**	**5**	**1**	**1**	**1**	**3**	**4**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1663	1.3	2	1	1	1	1	2	2	0-17	3878	1.1		1	1	1	1	1	1
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1663**	**1.3**	**2**	**1**	**1**	**1**	**1**	**2**	**2**		**3878**	**1.1**		**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**1829**	**1.6**	**5**	**1**	**1**	**1**	**1**	**2**	**4**		**3988**	**1.1**		**1**	**1**	**1**	**1**	**1**	**1**

DRG 61: Myringotomy w/ Tube Insertion Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	47	3.4	15	1	1	2	2	11	12	0-17	0								
70-74	16	1.0								18-34	16	5.7	29						
75-79	16	1.0								35-49	21	1.0							
80-84	32	5.5	21	1	1	4	8	14	14	50-69	11	3.1	4						
85 +	0									70 +	0								
SUBTOTAL	**110**	**3.3**	**15**	**1**	**1**	**1**	**4**	**9**	**12**		**47**	**3.0**	**14**	**1**	**1**	**1**	**3**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	89	1.8	3	1	1	1	1	5	7	0-17	0								
70-74	52	4.6	107	1	1	1	1	34	34	18-34	100	2.1	13	< 1	1	1	1	3	10
75-79	31	2.2	3	1	1	1	4	5	5	35-49	167	2.1	15	1	1	1	1	2	11
80-84	11	5.1	4							50-69	188	1.7	8	1	1	1	1	2	4
85 +	5	1.0								70 +	0								
SUBTOTAL	**189**	**2.8**	**33**	**1**	**1**	**1**	**2**	**5**	**7**		**456**	**1.9**	**12**	**1**	**1**	**1**	**1**	**3**	**6**
GRAND TOTAL	**299**	**3.0**	**26**	**1**	**1**	**1**	**2**	**7**	**12**		**503**	**2.0**	**12**	**1**	**1**	**1**	**1**	**3**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	5	4.0								18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	11	1.5							
70 +	0									70 +	5	2.0							
SUBTOTAL	**5**	**4.0**									**16**	**1.6**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	21	1.0								18-34	31	2.1	5	1	1	1	1	7	7
35-49	0									35-49	31	1.0		1	1	1	1	1	1
50-69	11	1.0								50-69	47	1.0		1	1	1	1	1	1
70 +	0									70 +	0								
SUBTOTAL	**32**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**		**109**	**1.3**	**2**	**1**	**1**	**1**	**1**	**1**	**7**
GRAND TOTAL	**37**	**1.4**	**1**	**1**	**1**	**1**	**1**	**4**	**4**		**125**	**1.4**	**2**	**1**	**1**	**1**	**1**	**2**	**3**

DRG 62: Myringotomy w/ Tube Insertion Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	146	6.4	95	< 1	1	4	6	11	29
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**146**	**6.4**	**95**	**< 1**	**1**	**4**	**6**	**11**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	815	2.3	8	< 1	1	1	3	5	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**815**	**2.3**	**8**	**< 1**	**1**	**1**	**3**	**5**	**8**
GRAND TOTAL	**0**										**960**	**2.9**	**24**	**< 1**	**1**	**1**	**3**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	63	4.2	19	1	1	2	7	15	99 +	0-17	16	9.7	75						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**63**	**4.2**	**19**	**1**	**1**	**2**	**7**	**15**	**99 +**		**16**	**9.7**	**75**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	310	4.2	24	1	1	1	6	10	14	0-17	168	1.9	3	1	1	1	2	4	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**310**	**4.2**	**24**	**1**	**1**	**1**	**6**	**10**	**14**		**168**	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**374**	**4.2**	**23**	**1**	**1**	**1**	**6**	**10**	**18**		**184**	**2.6**	**13**	**1**	**1**	**1**	**3**	**7**	**8**

DRG 63: Other Ear, Nose, Mouth & Throat O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	220	6.6	52	1	2	5	8	13	23
70-74	129	6.8	37	2	3	5	9	15	19
75-79	112	7.6	72	2	2	5	8	20	33
80-84	91	10.2	31	3	7	10	13	19	22
85 +	81	7.0	59	1	2	4	8	22	28
SUBTOTAL	**634**	**7.4**	**51**	**1**	**2**	**5**	**9**	**17**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	293	3.4	8	1	1	3	4	6	10
70-74	96	3.1	12	1	1	2	3	6	13
75-79	80	3.2	3	1	2	3	4	5	9
80-84	42	2.1	2	1	1	2	3	5	5
85 +	54	2.7	4	1	2	2	3	8	8
SUBTOTAL	**566**	**3.1**	**7**	**1**	**1**	**3**	**4**	**6**	**9**
GRAND TOTAL	**1200**	**5.4**	**35**	**1**	**2**	**3**	**7**	**12**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	233	5.0	45	1	2	3	5	10	21
18-34	687	3.8	8	1	2	3	5	8	9
35-49	430	4.0	6	2	2	3	5	8	9
50-69	383	5.2	19	1	2	4	6	11	12
70 +	38	7.2	60	2	3	5	6	26	26
	1771	**4.4**	**16**	**1**	**2**	**3**	**5**	**9**	**11**
0-17	2512	2.3	2	1	1	2	3	4	4
18-34	4816	2.2	2	1	1	2	3	3	4
35-49	2168	2.2	2	1	1	2	3	4	5
50-69	846	2.5	3	1	1	2	3	5	6
70 +	28	3.0	1						
	10370	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	12141	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	41	9.9	94	3	3	4	14	32	32
18-34	227	5.6	42	1	2	5	6	8	15
35-49	106	4.9	13	1	1	4	9	10	10
50-69	16	9.3	5						
70 +	5	3.0							
SUBTOTAL	**395**	**6.0**	**40**	**1**	**2**	**5**	**8**	**10**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	283	3.6	9	1	2	3	4	6	12
18-34	445	3.1	8	1	1	2	4	6	7
35-49	107	3.3	3	1	2	3	4	5	6
50-69	42	2.5	1	1	1	2	3	4	4
70 +	0								
SUBTOTAL	**876**	**3.3**	**7**	**1**	**2**	**2**	**4**	**6**	**7**
GRAND TOTAL	**1272**	**4.1**	**19**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	6.1	21	2	2	6	8	16	16
18-34	504	4.6	11	1	2	4	6	10	11
35-49	211	6.3	27	1	3	5	9	13	20
50-69	32	6.4	26	1	2	6	9	16	16
70 +	22	2.7	3						
	807	**5.1**	**16**	**1**	**2**	**4**	**7**	**10**	**13**
0-17	447	2.3	2	1	1	2	3	4	5
18-34	1263	2.4	2	1	1	2	3	4	6
35-49	531	2.5	3	1	1	2	3	5	7
50-69	126	3.8	10	1	2	3	5	8	11
70 +	5	2.0							
	2372	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
	3179	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 64: Ear, Nose, Mouth & Throat Malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	229	14.3	243	2	4	10	23	29	35	0-17	16	8.7	37						
70-74	107	13.9	332	2	2	9	17	29	41	18-34	5	16.0							
75-79	85	11.6	120	1	4	8	11	33	37	35-49	70	5.7	26	1	1	3	9	12	18
80-84	38	7.3	12	3	4	8	10	12	12	50-69	155	8.2	69	1	3	5	11	20	29
85 +	32	3.6	6	2	2	2	5	8	8	70 +	21	4.5							
SUBTOTAL	**491**	**12.5**	**216**	**2**	**4**	**8**	**17**	**29**	**34**		**266**	**7.4**	**52**	**1**	**3**	**5**	**11**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	99	3.4	9	< 1	1	2	6	8	10	0-17	0								
70-74	37	3.6	3	2	2	3	5	6	6	18-34	0								
75-79	16	5.4	2							35-49	58	3.1	4	< 1	2	2	5	6	7
80-84	21	4.1	9							50-69	95	2.4	4	< 1	1	1	4	7	7
85 +	16	6.5	21							70 +	5	3.0							
SUBTOTAL	**189**	**3.9**	**9**	**1**	**1**	**3**	**6**	**8**	**11**		**159**	**2.7**	**4**	**< 1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**680**	**10.1**	**173**	**1**	**2**	**6**	**12**	**24**	**31**		**425**	**5.7**	**39**	**1**	**2**	**4**	**7**	**12**	**17**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	5	1.0								18-34	0								
35-49	69	11.2	88	2	6	7	12	23	34	35-49	5	3.0							
50-69	115	9.3	41	1	5	8	11	17	19	50-69	80	10.7	200	2	5	6	12	15	60
70 +	0									70 +	22	12.0	135						
SUBTOTAL	**189**	**9.8**	**60**	**1**	**5**	**8**	**12**	**23**	**28**		**108**	**10.6**	**179**	**2**	**4**	**6**	**11**	**31**	**60**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10	2.0								0-17	0								
18-34	5	8.0								18-34	0								
35-49	0									35-49	26	2.0	2						
50-69	47	4.5	12	1	2	4	6	11	12	50-69	27	2.8	2						
70 +	0									70 +	16	5.4	9						
SUBTOTAL	**63**	**4.4**	**11**	**1**	**2**	**2**	**6**	**8**	**12**		**70**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**9**
GRAND TOTAL	**251**	**8.4**	**53**	**1**	**2**	**7**	**11**	**19**	**23**		**178**	**7.7**	**123**	**1**	**2**	**5**	**8**	**14**	**31**

DRG 65: Dysequilibrium

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1012	4.5	14	2	2	4	5	9	11	0-17	41	4.0	15	1	2	3	4	14	14
70-74	1034	4.4	12	2	2	3	6	8	12	18-34	175	3.3	5	1	2	3	4	6	9
75-79	1134	4.3	7	2	2	4	6	8	9	35-49	334	2.6	2	1	1	2	4	5	6
80-84	826	4.5	13	2	2	3	5	9	11	50-69	1048	3.3	4	1	2	3	4	6	7
85 +	565	5.0	34	1	2	4	6	9	11	70 +	64	5.1	7	3	4	4	6	10	10
SUBTOTAL	**4571**	**4.5**	**14**	**2**	**2**	**3**	**6**	**8**	**11**		**1662**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1115	3.0	3	1	2	3	4	5	6	0-17	74	3.6	5	1	1	3	5	8	8
70-74	965	3.1	4	1	2	3	4	6	7	18-34	380	2.4	3	1	1	2	3	5	5
75-79	716	3.1	3	1	2	3	4	6	7	35-49	1162	2.8	4	1	2	2	3	5	7
80-84	663	3.5	6	2	2	3	4	6	9	50-69	1946	2.8	3	1	2	2	4	5	6
85 +	467	3.6	4	1	2	3	5	7	7	70 +	58	2.4	2	1	2	2	3	3	6
SUBTOTAL	**3926**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**		**3621**	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**8497**	**3.9**	**10**	**1**	**2**	**3**	**5**	**7**	**9**		**5283**	**2.9**	**4**	**1**	**2**	**2**	**4**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5	1.0								0-17	6	5.0							
18-34	43	6.2	27	1	3	5	9	18	18	18-34	49	4.1	18	1	2	2	4	15	15
35-49	65	4.7	22	1	1	3	6	7	18	35-49	50	2.7	2	1	2	2	4	5	5
50-69	107	6.9	153	1	3	4	5	10	58	50-69	109	3.9	6	1	2	3	5	8	11
70 +	6	7.0								70 +	83	3.6	12	1	2	3	4	6	16
SUBTOTAL	**226**	**6.0**	**85**	**1**	**2**	**4**	**7**	**10**	**18**		**297**	**3.6**	**9**	**1**	**2**	**3**	**4**	**6**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	38	2.7	2	1	2	2	3	6	6	0-17	10	1.0							
18-34	70	2.5	1	1	2	3	3	4	4	18-34	66	1.8	1	< 1	1	1	3	4	4
35-49	65	2.4	1	1	2	2	3	4	5	35-49	155	2.4	3	1	1	2	3	6	7
50-69	104	2.5	2	1	1	2	3	4	6	50-69	304	2.3	2	1	1	2	3	5	5
70 +	5	4.0								70 +	127	2.9	5	1	1	3	4	4	7
SUBTOTAL	**282**	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**5**		**662**	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**509**	**4.1**	**42**	**1**	**2**	**3**	**4**	**7**	**10**		**959**	**2.7**	**5**	**1**	**1**	**2**	**4**	**5**	**7**

DRG 66: Epistaxis

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	385	5.4	15	2	3	5	7	8	12	0-17	47	3.0	5	1	1	2	5	7	7
70-74	222	4.7	7	2	3	4	6	7	8	18-34	22	3.7	3						
75-79	193	5.3	15	2	3	4	8	9	11	35-49	92	4.5	5	2	3	4	5	7	11
80-84	190	4.3	13	1	2	3	5	10	12	50-69	316	4.5	9	1	3	4	6	8	10
85 +	173	5.6	20	2	3	4	6	14	17	70 +	16	5.3							
SUBTOTAL	**1163**	**5.1**	**14**	**2**	**3**	**4**	**6**	**9**	**12**		**493**	**4.3**	**7**	**1**	**3**	**4**	**6**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	228	3.7	3	1	3	4	5	6	6	0-17	47	1.8	2	< 1	< 1	1	2	4	4
70-74	162	3.0	3	1	2	3	4	6	7	18-34	119	2.1	2	1	1	2	3	3	5
75-79	157	3.5	6	1	2	3	4	6	10	35-49	206	3.0	2	1	2	3	4	5	6
80-84	94	2.3	3	< 1	1	2	3	4	7	50-69	532	3.1	4	1	1	3	4	6	7
85 +	59	2.6	3	< 1	1	2	4	6	6	70 +	16	2.0	1						
SUBTOTAL	**700**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**6**		**921**	**2.9**	**3**	**1**	**1**	**3**	**4**	**5**	**6**
GRAND TOTAL	**1863**	**4.4**	**11**	**1**	**2**	**4**	**5**	**8**	**10**		**1414**	**3.4**	**5**	**1**	**2**	**3**	**5**	**6**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	2.5	2							0-17	5	5.0							
18-34	54	3.9	6	1	1	4	6	7	9	18-34	16	3.4	2						
35-49	23	4.0	3							35-49	21	5.3	7						
50-69	69	4.8	4	3	4	4	6	7	9	50-69	76	4.9	5	2	4	5	6	8	9
70 +	0									70 +	23	2.8	1						
SUBTOTAL	**156**	**4.2**	**5**	**1**	**3**	**4**	**6**	**7**	**9**		**141**	**4.4**	**5**	**1**	**3**	**4**	**6**	**8**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	2.0	2							0-17	0								
18-34	11	2.5								18-34	27	3.4	3						
35-49	22	3.0	1							35-49	59	3.6	4	1	2	4	5	6	7
50-69	10	4.0	1							50-69	143	2.9	3	< 1	2	2	5	5	6
70 +	0									70 +	6	1.0							
SUBTOTAL	**59**	**2.8**	**1**	**1**	**2**	**3**	**4**	**4**	**5**		**234**	**3.1**	**3**	**1**	**2**	**3**	**5**	**6**	**6**
GRAND TOTAL	**215**	**3.8**	**4**	**1**	**2**	**4**	**5**	**6**	**7**		**375**	**3.6**	**4**	**1**	**2**	**4**	**5**	**6**	**7**

DRG 67: Epiglottitis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	31	5.3	3	2	5	5	7	7	7	0-17	64	4.6	3	2	3	5	6	7	7
70-74	10	7.0	1							18-34	17	4.7	2						
75-79	5	6.0								35-49	11	4.9	10						
80-84	0									50-69	60	5.9	18	1	2	6	9	12	15
85 +	6	10.0								70 +	0								
SUBTOTAL	**53**	**6.2**	**4**	**4**	**5**	**6**	**7**	**10**	**10**		**151**	**5.1**	**9**	**2**	**3**	**5**	**6**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	11	3.0								0-17	140	4.4	4	2	3	4	6	7	9
70-74	5	3.0								18-34	83	2.6	3	1	1	3	3	4	7
75-79	0									35-49	114	3.1	2	1	2	3	4	5	7
80-84	0									50-69	32	2.7	3	1	1	2	5	5	5
85 +	0									70 +	0								
SUBTOTAL	**16**	**3.0**									**369**	**3.4**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**69**	**5.5**	**5**	**3**	**3**	**6**	**7**	**8**	**10**		**521**	**3.9**	**6**	**1**	**2**	**4**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	27	6.0	7							0-17	21	6.0	2						
18-34	6	6.0								18-34	16	1.6							
35-49	0									35-49	5	2.0							
50-69	0									50-69	6	3.0							
70 +	0									70 +	0								
SUBTOTAL	**32**	**6.0**	**6**	**2**	**5**	**6**	**7**	**10**	**10**		**47**	**3.7**	**5**	**1**	**2**	**3**	**6**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	47	4.9	2	3	4	5	6	8	8	0-17	47	3.8	2	1	2	5	5	5	5
18-34	37	3.0	3	1	2	2	5	6	6	18-34	76	2.2	1	1	1	2	3	4	4
35-49	11	4.1	4							35-49	76	2.5	2	< 1	1	2	3	5	6
50-69	5	2.0								50-69	11	1.5							
70 +	0									70 +	0								
SUBTOTAL	**101**	**4.0**	**4**	**2**	**2**	**4**	**6**	**6**	**8**		**209**	**2.6**	**2**	**1**	**1**	**2**	**4**	**5**	**5**
GRAND TOTAL	**133**	**4.5**	**5**	**2**	**2**	**5**	**6**	**7**	**8**		**257**	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**6**

DRG 68: Otitis Media & URI Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	747	5.4	13	2	3	5	7	10	12
70-74	423	5.4	25	1	3	4	7	10	12
75-79	356	6.2	25	3	4	5	7	10	18
80-84	219	5.0	5	2	3	5	6	8	10
85 +	195	7.1	29	1	3	6	11	13	18
SUBTOTAL	1941	5.7	19	2	3	5	7	10	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1941	5.7	19	2	3	5	7	10	13

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1629	3.6	7	2	2	3	4	6	8
35-49	847	3.8	6	1	2	3	4	7	9
50-69	753	4.6	11	2	3	4	6	8	12
70 +	55	5.2	13	1	2	3	8	11	11
	3283	3.9	8	2	2	3	5	7	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3283	3.9	8	2	2	3	5	7	9

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	578	3.9	6	2	2	3	5	7	9
35-49	146	4.1	3	2	3	4	5	7	7
50-69	114	6.0	24	3	3	4	6	13	21
70 +	11	3.0							
SUBTOTAL	849	4.2	8	2	2	3	5	7	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	849	4.2	8	2	2	3	5	7	9

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	519	2.9	4	1	2	2	4	4	6
35-49	102	3.6	8	1	2	3	4	6	11
50-69	125	4.5	14	1	2	4	5	11	14
70 +	16	5.3	3						
	763	3.3	7	1	2	3	4	5	7
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	763	3.3	7	1	2	3	4	5	7

DRG 69: Otitis Media & URI Age >17 w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	203	4.4	9	2	3	4	5	9	10	0-17	0								
70-74	145	3.1	3	1	1	3	4	6	7	18-34	2258	2.9	2	1	2	3	4	5	6
75-79	134	4.2	6	1	3	4	6	7	7	35-49	1102	3.5	6	1	2	3	4	6	7
80-84	72	5.0	3	3	4	5	6	8	8	50-69	681	3.5	3	2	2	3	4	6	7
85 +	77	5.9	9	2	4	6	9	10	11	70 +	27	4.2	7						
SUBTOTAL	**631**	**4.3**	**7**	**1**	**3**	**4**	**6**	**8**	**9**		**4068**	**3.2**	**4**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**631**	**4.3**	**7**	**1**	**3**	**4**	**6**	**8**	**9**		**4068**	**3.2**	**4**	**1**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	690	3.1	3	1	2	3	4	5	7	18-34	820	2.9	8	1	2	2	3	4	5
35-49	148	3.7	7	1	2	3	4	9	11	35-49	240	3.2	6	1	2	3	4	5	7
50-69	59	3.9	8	2	2	3	4	9	12	50-69	125	3.5	5	2	2	3	4	7	9
70 +	21	3.7	2							70 +	17	4.0	1						
SUBTOTAL	**918**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**		**1202**	**3.1**	**7**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**918**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**		**1202**	**3.1**	**7**	**1**	**2**	**3**	**4**	**5**	**7**

DRG 70: Otitis Media & URI Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10	2.5								0-17	4387	3.0	6	1	2	3	4	5	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**10**	**2.5**									**4387**	**3.0**	**6**	**1**	**2**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	2.0								0-17	7153	2.7	3	1	2	2	3	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**16**	**2.0**									**7153**	**2.7**	**3**	**1**	**2**	**2**	**3**	**4**	**6**
GRAND TOTAL	**26**	**2.2**									**11540**	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	3204	3.2	10	1	2	3	4	5	7	0-17	1256	3.6	19	1	2	3	4	6	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**3204**	**3.2**	**10**	**1**	**2**	**3**	**4**	**5**	**7**		**1256**	**3.6**	**19**	**1**	**2**	**3**	**4**	**6**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5788	2.8	3	1	2	3	3	4	6	0-17	2398	2.5	2	1	1	2	3	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**5788**	**2.8**	**3**	**1**	**2**	**3**	**3**	**4**	**6**		**2398**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**8992**	**2.9**	**6**	**1**	**2**	**3**	**3**	**5**	**6**		**3654**	**2.8**	**8**	**1**	**2**	**2**	**3**	**5**	**6**

DRG 71: Laryngotracheitis

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	460	2.6	4	1	1	2	3	5	5
70-74	0									18-34	11	3.1	4						
75-79	5	4.0								35-49	5	8.0							
80-84	0									50-69	11	2.5							
85 +	0									70 +	0								
SUBTOTAL	**5**	**4.0**									**488**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	11	3.5								0-17	3979	1.8	1	1	1	1	2	3	4
70-74	6	2.0								18-34	6	2.0							
75-79	6	3.0								35-49	11	2.5							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**23**	**3.0**	**1**								**3996**	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**28**	**3.2**	**1**								**4483**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	209	3.3	6	1	2	3	4	7	9	0-17	153	2.2	2	1	1	2	2	4	6
18-34	0									18-34	0								
35-49	5	4.0								35-49	6	4.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**215**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**8**		**158**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1741	2.2	2	1	1	2	3	4	5	0-17	1379	1.8	2	<1	1	1	2	3	4
18-34	5	3.0								18-34	5	2.0							
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1746**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**1384**	**1.8**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1961**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**1542**	**1.8**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**

DRG 72: Nasal Trauma & Deformity

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	17	3.0	5							0-17	26	2.0	2						
70-74	17	3.0	2							18-34	58	2.7	4	<1	1	2	5	6	6
75-79	0									35-49	16	4.8	12						
80-84	33	3.3	9	1	1	2	5	9	9	50-69	22	4.3	6						
85+	11	2.0								70+	11	3.5	2						
SUBTOTAL	**78**	**3.0**	**5**	**1**	**2**	**2**	**5**	**6**	**9**		**134**	**3.1**	**5**	**1**	**1**	**2**	**5**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	11	2.5								0-17	61	1.4		<1	<1	1	2	3	3
70-74	6	4.0								18-34	114	1.9	1	1	1	2	2	3	4
75-79	16	1.0								35-49	55	2.8	4	1	2	2	3	6	7
80-84	11	7.5								50-69	17	3.7	3						
85+	38	2.6	2	<1	1	2	4	5	5	70+	17	1.7	1						
SUBTOTAL	**83**	**3.0**	**5**	**1**	**1**	**2**	**4**	**7**	**8**		**264**	**2.1**	**2**	**<1**	**1**	**2**	**2**	**3**	**6**
GRAND TOTAL	**160**	**3.0**	**5**	**1**	**1**	**2**	**4**	**7**	**8**		**398**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	5	7.0							
18-34	21	2.5	1							18-34	43	3.0	8	1	1	2	5	9	9
35-49	11	1.5								35-49	16	2.0	1						
50-69	0									50-69	16	4.7	4						
70+	0									70+	0								
SUBTOTAL	**32**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**		**80**	**3.4**	**7**	**1**	**1**	**2**	**6**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	11	1.0								0-17	31	1.2		<1	1	1	1	2	2
18-34	16	3.6	2							18-34	21	1.7	2						
35-49	6	2.0								35-49	11	1.0							
50-69	0									50-69	5	1.0							
70+	0									70+	16	1.7	1						
SUBTOTAL	**32**	**2.5**	**2**	**<1**	**<1**	**2**	**4**	**5**	**5**		**85**	**1.4**	**1**	**<1**	**1**	**1**	**1**	**3**	**4**
GRAND TOTAL	**64**	**2.3**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**		**165**	**2.4**	**5**	**1**	**1**	**1**	**3**	**6**	**7**

DRG 73: Other Ear, Nose, Mouth & Throat Diagnoses Age >17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	314	5.5	11	1	3	5	8	10	11	0-17	0								
70-74	188	6.5	82	1	2	4	6	13	25	18-34	118	3.3	4	1	2	3	4	7	7
75-79	208	5.6	18	1	2	5	7	12	13	35-49	179	3.7	4	1	2	4	5	6	7
80-84	164	7.3	25	2	4	7	9	14	15	50-69	248	4.5	11	1	2	3	6	11	11
85 +	174	6.9	43	2	2	4	7	17	19	70 +	16	5.3							
SUBTOTAL	**1049**	**6.2**	**33**	**2**	**3**	**5**	**8**	**12**	**15**		**562**	**4.0**	**7**	**1**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	204	4.6	18	1	2	3	6	9	16	0-17	0								
70-74	158	3.5	5	1	2	3	4	5	7	18-34	378	2.8	2	1	2	3	4	4	5
75-79	101	5.1	18	1	2	4	7	13	16	35-49	380	3.0	3	1	2	3	4	5	7
80-84	65	4.2	6	1	2	4	7	7	8	50-69	403	3.1	5	1	1	3	4	6	7
85 +	54	6.9	37	1	1	5	13	16	18	70 +	11	5.0	1						
SUBTOTAL	**583**	**4.6**	**16**	**1**	**2**	**3**	**5**	**10**	**14**		**1172**	**3.0**	**3**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**1632**	**5.6**	**28**	**1**	**2**	**4**	**7**	**11**	**15**		**1734**	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	86	3.8	6	1	2	3	5	7	11	18-34	91	4.5	10	1	3	4	5	11	11
35-49	60	4.7	7	2	2	5	6	6	12	35-49	33	5.5	20	< 1	2	5	11	12	12
50-69	41	10.6	117	2	4	6	15	33	33	50-69	38	7.2	85	1	1	2	10	28	28
70 +	0									70 +	23	5.5	8						
SUBTOTAL	**187**	**5.6**	**38**	**2**	**2**	**4**	**6**	**11**	**24**		**185**	**5.4**	**28**	**1**	**2**	**4**	**7**	**11**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	128	3.6	7	1	2	3	5	6	8	18-34	213	2.7	2	1	2	2	3	5	5
35-49	43	3.3	3	1	2	4	4	7	7	35-49	92	3.2	3	1	2	4	4	5	6
50-69	37	2.2	2	1	1	1	3	5	5	50-69	75	2.6	3	1	2	2	3	3	8
70 +	26	5.4	15							70 +	33	2.8	9	1	1	2	3	9	9
SUBTOTAL	**235**	**3.5**	**7**	**1**	**2**	**3**	**5**	**7**	**8**		**413**	**2.8**	**3**	**1**	**2**	**2**	**4**	**5**	**5**
GRAND TOTAL	**422**	**4.4**	**22**	**1**	**2**	**3**	**5**	**7**	**12**		**598**	**3.6**	**12**	**1**	**2**	**3**	**4**	**7**	**10**

DRG 74: Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5	9.0								0-17	284	4.5	13	1	2	3	5	11	15
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**5**	**9.0**									**284**	**4.5**	**13**	**1**	**2**	**3**	**5**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1831	2.6	4	1	1	2	3	5	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1831**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**5**	**9.0**									**2116**	**2.8**	**6**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	278	5.4	68	1	2	4	6	8	11	0-17	110	3.2	10	1	1	2	4	8	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**278**	**5.4**	**68**	**1**	**2**	**4**	**6**	**8**	**11**		**110**	**3.2**	**10**	**1**	**1**	**2**	**4**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1224	2.8	7	1	1	2	3	6	8	0-17	525	2.7	5	1	1	2	3	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1224**	**2.8**	**7**	**1**	**1**	**2**	**3**	**6**	**8**		**525**	**2.7**	**5**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**1503**	**3.3**	**19**	**1**	**1**	**2**	**4**	**7**	**8**		**635**	**2.8**	**6**	**1**	**1**	**2**	**3**	**6**	**8**

DRG 75: Major Chest Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2583	13.6	110	6	7	10	17	25	35	0-17	254	12.3	127	4	6	9	17	37	99 +
70-74	1811	14.3	138	6	8	10	17	25	32	18-34	355	13.7	119	5	7	12	18	26	36
75-79	1180	13.1	55	7	8	11	15	23	29	35-49	1096	11.5	52	5	6	9	16	21	27
80-84	370	12.5	57	6	8	10	15	19	32	50-69	3452	11.5	61	5	7	9	13	21	26
85 +	97	15.5	67	8	9	12	23	27	35	70 +	121	15.4	64	7	9	13	22	27	28
SUBTOTAL	6041	13.7	104	6	8	10	16	25	32		5278	11.8	67	5	7	9	15	22	28
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	629	8.4	22	5	6	7	9	13	20	0-17	695	5.2	11	3	4	5	6	8	12
70-74	426	8.0	17	5	6	7	9	11	12	18-34	542	7.5	30	4	4	6	8	12	17
75-79	193	7.1	6	4	5	7	8	11	13	35-49	741	7.2	28	3	5	6	8	12	17
80-84	94	12.1	122	5	7	9	14	21	46	50-69	1446	7.6	17	4	5	7	8	12	15
85 +	16	7.7	7							70 +	47	8.4	9	4	7	8	10	13	14
SUBTOTAL	1358	8.4	26	5	6	7	9	11	17		3471	7.0	21	4	5	6	8	12	15
GRAND TOTAL	7399	12.7	94	6	7	10	15	23	30		8749	9.9	54	4	6	8	12	19	24

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	124	21.4	456	6	8	11	24	58	67	0-17	63	21.3	605	3	4	5	25	49	87
18-34	190	15.4	173	5	8	11	18	31	59	18-34	261	10.9	53	4	7	10	12	16	23
35-49	168	14.5	120	6	3	10	19	26	46	35-49	248	11.0	79	5	5	8	13	21	30
50-69	254	14.7	145	7	7	11	17	30	36	50-69	684	10.2	49	5	6	8	11	19	26
70 +	11	26.4	462							70 +	147	10.8	47	5	6	8	14	20	24
SUBTOTAL	746	16.1	209	6	7	11	20	32	46		1404	11.0	54	5	6	8	13	21	26
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	166	8.0	96	2	4	5	8	14	43	0-17	100	6.0	14	3	4	5	8	9	14
18-34	133	8.2	14	5	6	7	9	12	15	18-34	167	8.3	30	3	4	6	11	14	22
35-49	85	10.9	73	3	4	8	16	24	35	35-49	166	6.9	6	4	5	7	8	11	12
50-69	100	7.7	14	3	5	7	10	15	16	50-69	254	6.5	14	3	5	5	8	10	10
70 +	0									70 +	43	6.6	4	5	5	5	7	11	11
SUBTOTAL	484	8.5	53	3	5	7	9	15	21		730	7.0	16	4	5	6	8	11	14
GRAND TOTAL	1230	13.1	162	4	6	9	15	25	42		2134	9.6	65	4	5	7	11	18	23

DRG 76: Other Resp System O.R. Procedures w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2471	13.3	125	2	7	11	17	26	33
70-74	1908	12.6	82	3	6	11	16	25	30
75-79	1470	14.2	104	4	8	12	18	25	32
80-84	925	16.0	135	5	8	13	24	29	34
85 +	592	18.6	161	6	9	16	23	35	47
SUBTOTAL	**7366**	**14.0**	**117**	**3**	**7**	**12**	**18**	**27**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7366**	**14.0**	**117**	**3**	**7**	**12**	**18**	**27**	**34**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	141	13.8	414	2	3	8	15	28	73
18-34	245	9.2	75	1	4	7	11	18	27
35-49	801	10.0	48	1	5	9	14	20	22
50-69	2319	10.7	67	2	5	9	14	21	26
70 +	131	11.8	35	5	8	11	14	19	24
	3638	**10.6**	**76**	**2**	**5**	**9**	**14**	**21**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3638	**10.6**	**76**	**2**	**5**	**9**	**14**	**21**	**26**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	104	12.5	181	2	5	9	15	40	66
18-34	138	12.0	50	2	5	12	18	21	22
35-49	167	15.9	116	5	7	13	23	26	31
50-69	465	12.2	72	4	6	11	15	22	31
70 +	22	12.5	80						
SUBTOTAL	**896**	**12.9**	**91**	**3**	**6**	**11**	**16**	**25**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**896**	**12.9**	**91**	**3**	**6**	**11**	**16**	**25**	**31**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	41	8.4	50	1	2	7	14	20	20
18-34	54	11.5	92	1	4	11	14	33	35
35-49	178	10.5	99	1	3	8	15	23	28
50-69	380	11.3	67	2	5	10	16	23	26
70 +	97	11.8	48	4	7	10	17	23	24
	751	**11.0**	**73**	**1**	**5**	**9**	**16**	**23**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	751	**11.0**	**73**	**1**	**5**	**9**	**16**	**23**	**27**

DRG 77: Other Resp System O.R. Procedures w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	279	6.4	87	1	2	4	8	12	15
70-74	218	5.3	29	1	1	3	8	15	18
75-79	131	8.7	21	3	6	9	12	15	16
80-84	82	8.6	49	1	3	5	14	17	24
85 +	32	8.1	35	1	4	6	16	16	16
SUBTOTAL	**741**	**6.8**	**53**	**1**	**2**	**5**	**9**	**15**	**17**
GRAND TOTAL	**741**	**6.8**	**53**	**1**	**2**	**5**	**9**	**15**	**17**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	219	4.3	17	1	1	3	6	10	13
18-34	213	3.9	10	1	1	3	6	8	10
35-49	425	4.9	25	1	1	3	7	12	14
50-69	594	5.0	18	1	2	3	8	11	13
70 +	16	5.3	12						
	1467	**4.7**	**19**	**1**	**1**	**3**	**7**	**11**	**13**
	1467	**4.7**	**19**	**1**	**1**	**3**	**7**	**11**	**13**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	83	3.9	12	1	1	3	4	10	12
18-34	32	9.2	60	1	3	8	12	24	24
35-49	37	5.6	28	1	1	5	6	17	17
50-69	53	4.7	6	2	3	4	7	8	9
70 +	0								
SUBTOTAL	**206**	**5.2**	**24**	**1**	**2**	**4**	**7**	**12**	**17**
GRAND TOTAL	**206**	**5.2**	**24**	**1**	**2**	**4**	**7**	**12**	**17**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	26	1.8	1						
18-34	58	4.3	11	1	1	2	7	9	10
35-49	50	4.4	13	< 1	1	4	4	12	12
50-69	101	6.7	28	1	3	6	8	15	22
70 +	38	8.2	26	1	3	7	14	16	16
	273	**5.5**	**22**	**1**	**1**	**4**	**8**	**14**	**15**
	273	**5.5**	**22**	**1**	**1**	**4**	**8**	**14**	**15**

DRG 78: Pulmonary Embolism

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1370	10.6	24	6	8	10	12	16	19	0-17	16	11.7	47						
70-74	1035	10.0	20	5	7	9	12	15	18	18-34	178	9.1	9	6	7	8	11	13	14
75-79	1002	11.0	33	7	8	10	12	18	21	35-49	570	10.1	21	6	8	9	12	15	19
80-84	765	10.8	31	6	7	10	12	17	22	50-69	1318	10.0	27	6	7	9	11	16	21
85 +	614	12.5	40	7	9	11	14	21	26	70 +	85	9.1	11	5	7	10	11	15	16
SUBTOTAL	4787	10.8	29	6	8	10	12	17	20		2166	10.0	24	6	7	9	11	15	20
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	282	7.8	9	4	5	7	10	11	14	0-17	16	9.7	10						
70-74	291	9.5	14	6	7	8	11	16	17	18-34	208	6.5	6	3	5	7	8	10	10
75-79	207	7.7	9	5	6	7	9	11	12	35-49	329	7.0	4	4	6	7	8	10	11
80-84	141	9.0	13	5	7	8	10	16	18	50-69	460	7.8	7	5	6	8	9	11	12
85 +	102	9.2	19	5	6	8	11	14	20	70 +	32	6.9	3	5	6	7	7	10	10
SUBTOTAL	1023	8.6	13	5	6	8	10	13	17		1045	7.3	6	4	6	7	9	10	11
GRAND TOTAL	5810	10.4	26	6	7	9	12	16	19		3211	9.1	20	5	7	8	10	14	16

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	111	11.0	30	4	7	10	16	19	19	18-34	60	8.6	4	6	6	9	10	11	12
35-49	63	9.3	21	4	6	10	13	14	18	35-49	117	9.2	30	5	7	8	10	14	24
50-69	120	12.3	15	7	10	12	15	18	19	50-69	244	9.2	26	4	6	8	11	14	22
70 +	21	11.7	11							70 +	81	11.0	32	5	5	10	15	20	21
SUBTOTAL	316	11.2	22	5	7	11	15	18	19		501	9.4	26	5	6	8	11	15	20
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	11	5.1	10							0-17	5	8.0							
18-34	61	6.9	3	5	5	7	9	9	9	18-34	81	6.2	10	3	4	6	7	12	14
35-49	43	7.2	10	1	5	8	9	12	12	35-49	99	6.7	12	1	5	7	8	11	14
50-69	33	7.7	9	2	6	8	9	12	12	50-69	119	6.5	3	4	5	7	7	9	9
70 +	0									70 +	37	6.3	14	1	4	6	7	14	14
SUBTOTAL	147	7.1	7	3	5	8	9	9	12		342	6.5	9	3	5	7	7	10	13
GRAND TOTAL	464	9.9	21	4	6	9	13	17	18		843	8.2	21	4	6	7	10	14	16

DRG 79: Respiratory Infections & Inflammations Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4309	12.3	94	4	6	10	16	23	29
70-74	3557	12.6	90	4	7	10	15	23	30
75-79	3709	12.1	80	5	7	10	14	22	29
80-84	3921	12.2	76	5	7	10	15	23	29
85 +	5021	12.1	68	5	7	10	15	22	28
SUBTOTAL	**20517**	**12.2**	**81**	**5**	**7**	**10**	**15**	**22**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**20517**	**12.2**	**81**	**5**	**7**	**10**	**15**	**22**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	805	9.0	53	3	5	7	11	15	18
35-49	786	9.4	49	4	5	7	12	15	19
50-69	1947	11.8	94	4	6	9	14	21	29
70 +	312	10.3	48	3	6	8	14	21	24
	3850	**10.6**	**74**	**4**	**5**	**8**	**13**	**19**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3850	**10.6**	**74**	**4**	**5**	**8**	**13**	**19**	**25**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	591	10.7	101	4	5	8	12	19	25
35-49	497	13.3	97	4	6	10	18	30	37
50-69	660	11.9	41	6	8	11	15	22	24
70 +	93	15.4	122	7	9	12	21	51	73
SUBTOTAL	**1841**	**12.1**	**81**	**4**	**6**	**10**	**15**	**24**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1841**	**12.1**	**81**	**4**	**6**	**10**	**15**	**24**	**29**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	259	9.8	44	3	5	7	13	21	21
35-49	266	10.1	52	4	5	9	12	20	28
50-69	391	11.8	47	4	7	10	17	22	24
70 +	218	10.9	62	5	6	9	12	24	28
	1134	**10.8**	**51**	**4**	**5**	**9**	**13**	**21**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1134	**10.8**	**51**	**4**	**5**	**9**	**13**	**21**	**24**

DRG 80: Respiratory Infections & Inflammations Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	411	7.7	24	3	5	7	9	12	15
70-74	305	8.2	31	3	4	7	11	15	21
75-79	365	8.3	46	3	4	6	11	16	19
80-84	381	8.0	21	3	5	7	10	14	20
85 +	407	8.5	39	4	5	7	10	14	17
SUBTOTAL	**1868**	**8.1**	**32**	**3**	**5**	**7**	**10**	**14**	**18**
GRAND TOTAL	**1868**	**8.1**	**32**	**3**	**5**	**7**	**10**	**14**	**18**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	423	6.1	23	2	3	5	7	11	15
35-49	342	6.5	10	3	4	6	9	11	13
50-69	488	7.7	18	3	5	7	9	12	15
70 +	37	8.4	32	3	4	8	10	21	21
	1290	**6.9**	**19**	**3**	**4**	**6**	**9**	**12**	**14**
	1290	**6.9**	**19**	**3**	**4**	**6**	**9**	**12**	**14**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	124	5.6	16	2	3	4	7	11	15
35-49	130	9.1	30	4	5	8	10	15	15
50-69	80	6.2	14	2	3	5	9	13	13
70 +	17	5.0	5						
SUBTOTAL	**350**	**7.0**	**23**	**3**	**4**	**6**	**9**	**13**	**15**
GRAND TOTAL	**350**	**7.0**	**23**	**3**	**4**	**6**	**9**	**13**	**15**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	212	5.2	6	3	3	5	7	8	10
35-49	79	6.0	5	3	4	6	8	9	9
50-69	83	6.8	14	3	4	6	9	14	16
70 +	33	6.6	12	3	3	4	9	12	12
	408	**5.8**	**8**	**3**	**4**	**5**	**7**	**9**	**12**
	408	**5.8**	**8**	**3**	**4**	**5**	**7**	**9**	**12**

DRG 81: Respiratory Infections & Inflammations Age 0-17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5	4.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**5**	**4.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	11	5.6	13						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**11**	**5.6**	**13**						
GRAND TOTAL	**16**	**5.1**	**9**						

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	980	9.4	40	3	4	8	13	17	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	980	**9.4**	**40**	**3**	**4**	**8**	**13**	**17**	**21**
0-17	632	4.8	12	1	2	4	6	9	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	632	**4.8**	**12**	**1**	**2**	**4**	**6**	**9**	**12**
	1612	**7.6**	**34**	**2**	**3**	**6**	**10**	**15**	**18**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	757	9.6	59	3	5	7	12	18	22
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**757**	**9.6**	**59**	**3**	**5**	**7**	**12**	**18**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	468	5.7	16	2	3	4	7	12	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**468**	**5.7**	**16**	**2**	**3**	**4**	**7**	**12**	**14**
GRAND TOTAL	**1225**	**8.1**	**46**	**2**	**4**	**6**	**11**	**15**	**20**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	268	7.6	51	2	4	6	10	14	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	268	**7.6**	**51**	**2**	**4**	**6**	**10**	**14**	**17**
0-17	159	4.6	22	< 1	2	3	5	9	18
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	159	**4.6**	**22**	**< 1**	**2**	**3**	**5**	**9**	**18**
	428	**6.5**	**42**	**2**	**3**	**5**	**9**	**14**	**17**

DRG 82: Respiratory Neoplasms

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3347	9.9	68	3	5	8	13	19	23	0-17	26	5.6	17						
70-74	2837	9.9	49	3	5	8	13	18	22	18-34	64	10.6	46	5	6	9	10	24	26
75-79	1985	10.2	70	3	5	8	13	18	24	35-49	757	7.9	49	2	3	6	10	17	22
80-84	1113	9.7	47	3	5	8	12	19	22	50-69	4014	9.1	60	2	4	7	11	18	23
85 +	830	9.0	40	3	4	8	11	18	21	70 +	229	8.5	33	2	4	8	11	17	19
SUBTOTAL	**10112**	**9.9**	**59**	**3**	**5**	**8**	**13**	**18**	**23**		**5090**	**8.9**	**57**	**2**	**4**	**7**	**11**	**18**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	384	6.4	28	2	3	5	8	13	18	0-17	52	2.2	1	1	2	2	3	4	4
70-74	254	6.4	21	1	3	5	9	14	16	18-34	42	3.5	6	1	2	2	4	9	9
75-79	199	5.9	18	1	3	5	8	11	14	35-49	171	4.2	8	1	2	4	6	8	11
80-84	91	7.9	30	2	4	7	11	18	20	50-69	687	5.5	20	2	3	4	6	11	16
85 +	146	8.4	63	1	3	7	10	27	28	70 +	21	3.8	6						
SUBTOTAL	**1073**	**6.7**	**30**	**1**	**3**	**5**	**8**	**13**	**18**		**973**	**5.0**	**17**	**1**	**2**	**4**	**6**	**10**	**13**
GRAND TOTAL	**11185**	**9.6**	**57**	**3**	**5**	**8**	**12**	**18**	**23**		**6063**	**8.3**	**53**	**2**	**4**	**6**	**10**	**17**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	21	8.3	41							0-17	5	5.0							
18-34	58	6.8	25	1	2	6	10	15	17	18-34	10	7.0	1						
35-49	295	8.9	58	2	3	6	12	19	28	35-49	187	8.9	34	3	4	6	13	18	21
50-69	677	9.9	63	3	4	8	12	19	27	50-69	605	8.2	41	2	5	7	10	18	23
70 +	11	14.5	133							70 +	185	8.3	29	3	3	7	11	17	20
SUBTOTAL	**1062**	**9.5**	**61**	**2**	**4**	**7**	**12**	**19**	**26**		**992**	**8.3**	**37**	**3**	**4**	**7**	**10**	**17**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	5	3.0							
18-34	10	7.0	4							18-34	5	4.0							
35-49	37	5.7	10	1	2	7	8	10	10	35-49	32	9.6	56	2	5	7	11	25	25
50-69	74	5.1	14	1	2	4	8	9	14	50-69	108	6.5	14	3	4	6	9	13	14
70 +	0									70 +	6	7.0							
SUBTOTAL	**121**	**5.4**	**12**	**1**	**2**	**5**	**8**	**9**	**12**		**156**	**7.0**	**23**	**2**	**4**	**6**	**8**	**13**	**14**
GRAND TOTAL	**1183**	**9.0**	**57**	**2**	**4**	**7**	**12**	**18**	**26**		**1148**	**8.2**	**35**	**3**	**4**	**6**	**10**	**17**	**20**

DRG 83: Major Chest Trauma w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	369	6.5	31	2	3	5	8	12	13
70-74	287	6.5	18	2	3	5	10	12	15
75-79	364	6.8	17	2	4	6	9	12	18
80-84	375	7.7	24	3	5	6	9	17	19
85 +	446	7.3	24	3	3	6	10	15	17
SUBTOTAL	**1841**	**7.0**	**23**	**2**	**4**	**6**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1841**	**7.0**	**23**	**2**	**4**	**6**	**9**	**13**	**17**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	44	3.2	2	1	2	3	4	6	6
18-34	238	4.0	12	1	2	3	5	6	9
35-49	443	4.9	10	2	3	4	6	8	12
50-69	740	5.8	16	2	3	5	8	11	14
70 +	319	7.0	16	2	4	6	9	11	13
	1784	**5.5**	**14**	**2**	**3**	**5**	**7**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1784	**5.5**	**14**	**2**	**3**	**5**	**7**	**10**	**13**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	3.0							
18-34	101	5.4	37	2	3	4	5	10	29
35-49	58	7.5	26	1	4	6	10	15	18
50-69	87	7.3	85	2	3	5	8	12	42
70 +	5	4.0							
SUBTOTAL	**258**	**6.5**	**50**	**2**	**3**	**5**	**7**	**12**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**258**	**6.5**	**50**	**2**	**3**	**5**	**7**	**12**	**18**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	3.0	3						
18-34	136	3.9	9	1	2	3	5	8	11
35-49	111	3.9	5	1	2	4	5	6	7
50-69	106	5.2	15	2	3	3	7	12	13
70 +	43	12.0	72	4	5	10	11	28	28
	413	**5.0**	**22**	**1**	**2**	**4**	**6**	**11**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	413	**5.0**	**22**	**1**	**2**	**4**	**6**	**11**	**12**

DRG 84: Major Chest Trauma w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	107	3.3	3	2	2	3	5	6	7	0-17	49	2.0	5	<1	1	1	2	6	8
70-74	119	3.3	5	1	2	3	4	5	7	18-34	287	2.3	1	1	1	2	3	4	4
75-79	77	3.7	3	1	3	3	5	6	8	35-49	371	2.6	3	1	1	2	3	5	7
80-84	55	4.4	4	2	3	4	6	8	8	50-69	496	2.8	4	1	1	2	4	5	6
85+	147	4.7	8	1	2	4	7	9	9	70+	245	3.9	7	2	2	4	5	6	8
SUBTOTAL	**506**	**3.9**	**5**	**1**	**2**	**3**	**5**	**7**	**8**		**1438**	**2.8**	**4**	**1**	**2**	**2**	**4**	**5**	**6**
GRAND TOTAL	**506**	**3.9**	**5**	**1**	**2**	**3**	**5**	**7**	**8**		**1438**	**2.8**	**4**	**1**	**2**	**2**	**4**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	11	2.0							
18-34	16	2.4	4							18-34	145	2.2	3	1	1	2	3	4	5
35-49	27	3.5	4							35-49	93	2.6	3	<1	1	2	3	5	7
50-69	16	3.6	4							50-69	60	3.8	2	1	2	4	5	5	6
70+	0									70+	49	3.6	5	1	2	3	5	7	7
SUBTOTAL	**60**	**3.2**	**4**	**1**	**1**	**3**	**5**	**6**	**7**		**358**	**2.7**	**3**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**60**	**3.2**	**4**	**1**	**1**	**3**	**5**	**6**	**7**		**358**	**2.7**	**3**	**1**	**1**	**2**	**4**	**5**	**7**

DRG 85: Pleural Effusion w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	956	8.5	43	3	4	7	11	16	21
70-74	716	9.7	61	3	4	7	12	20	23
75-79	754	8.6	35	3	4	7	11	17	20
80-84	592	8.9	37	3	5	7	11	18	22
85 +	551	10.3	54	3	5	9	13	18	24
SUBTOTAL	**3568**	**9.1**	**46**	**3**	**4**	**7**	**12**	**18**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3568**	**9.1**	**46**	**3**	**4**	**7**	**12**	**18**	**22**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	7.3	35	4	4	5	6	15	23
18-34	103	6.4	13	2	3	5	9	12	13
35-49	288	6.8	17	2	4	6	8	12	18
50-69	607	8.5	44	2	4	7	11	16	23
70 +	48	11.6	41	3	7	10	16	21	22
	1104	**7.9**	**35**	**2**	**4**	**6**	**10**	**15**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1104	**7.9**	**35**	**2**	**4**	**6**	**10**	**15**	**19**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	11	5.0	1						
18-34	75	5.6	27	1	1	4	10	13	18
35-49	70	7.9	53	1	3	5	12	13	29
50-69	160	9.4	57	3	4	7	12	21	23
70 +	10	8.5	7						
SUBTOTAL	**325**	**8.0**	**48**	**1**	**4**	**6**	**11**	**17**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**325**	**8.0**	**48**	**1**	**4**	**6**	**11**	**17**	**22**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	8.0	28						
18-34	26	8.0	18						
35-49	64	10.6	73	1	2	9	12	22	29
50-69	103	5.9	23	1	2	5	7	15	16
70 +	32	5.5	2	4	4	5	7	8	8
	236	**7.4**	**37**	**1**	**3**	**6**	**9**	**16**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	236	**7.4**	**37**	**1**	**3**	**6**	**9**	**16**	**21**

DRG 86: Pleural Effusion w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	113	4.8	3	3	3	5	6	7	8
70-74	118	5.2	17	2	3	4	7	9	10
75-79	77	5.1	11	2	3	4	6	8	15
80-84	69	6.8	15	2	3	7	9	11	15
85 +	60	7.3	61	2	3	4	8	20	30
SUBTOTAL	**437**	**5.6**	**19**	**2**	**3**	**5**	**7**	**9**	**11**
GRAND TOTAL	**437**	**5.6**	**19**	**2**	**3**	**5**	**7**	**9**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	10	6.5	14						
18-34	38	4.8	10	2	2	4	5	12	12
35-49	90	5.1	15	1	3	4	5	13	15
50-69	213	4.4	7	1	3	4	6	8	9
70 +	11	7.3	22						
	363	**4.8**	**10**	**2**	**3**	**4**	**6**	**10**	**12**
	363	**4.8**	**10**	**2**	**3**	**4**	**6**	**10**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	3.0	4						
18-34	48	5.5	15	1	2	4	10	11	11
35-49	11	1.5							
50-69	26	4.0	1						
70 +	0								
SUBTOTAL	**96**	**4.4**	**10**	**1**	**2**	**3**	**6**	**11**	**11**
GRAND TOTAL	**96**	**4.4**	**10**	**1**	**2**	**3**	**6**	**11**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	5	1.0							
18-34	11	3.5							
35-49	27	5.8	4						
50-69	37	4.1	14	1	2	3	4	13	13
70 +	6	4.0							
	86	**4.4**	**9**	**1**	**3**	**4**	**4**	**9**	**13**
	85	**4.4**	**9**	**1**	**3**	**4**	**4**	**9**	**13**

DRG 87: Pulmonary Edema & Respiratory Failure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3576	8.0	33	3	4	7	10	14	19	0-17	59	7.1	36	2	3	4	10	18	22
70-74	2376	8.3	38	3	4	7	10	16	19	18-34	144	6.3	14	3	4	5	8	13	13
75-79	2017	8.8	33	4	5	7	11	16	20	35-49	343	8.4	23	4	5	7	11	14	16
80-84	1222	9.6	52	4	6	8	11	18	22	50-69	1816	8.3	43	3	5	7	10	14	19
85 +	952	9.0	42	3	5	8	11	17	20	70 +	81	13.4	202	2	4	8	21	28	57
SUBTOTAL	**10143**	**8.5**	**38**	**3**	**5**	**7**	**10**	**16**	**20**		**2443**	**8.3**	**45**	**3**	**4**	**7**	**10**	**14**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	186	7.0	21	2	5	6	8	11	12	0-17	54	3.1	3	2	2	3	3	7	7
70-74	125	6.6	9	3	5	6	8	10	10	18-34	33	3.2	3	1	2	3	5	6	6
75-79	107	6.2	22	2	3	5	7	13	17	35-49	65	4.5	14	1	2	3	6	7	15
80-84	66	6.5	10	3	4	7	9	11	12	50-69	121	4.9	6	2	3	5	6	8	10
85 +	78	7.7	109	2	3	5	8	9	44	70 +	5	2.0							
SUBTOTAL	**562**	**6.8**	**30**	**2**	**4**	**6**	**8**	**11**	**13**		**278**	**4.2**	**8**	**1**	**2**	**3**	**6**	**7**	**8**
GRAND TOTAL	**10705**	**8.4**	**38**	**3**	**5**	**7**	**10**	**15**	**20**		**2722**	**7.9**	**42**	**3**	**4**	**6**	**10**	**14**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	53	9.6	147	1	4	6	8	21	45	0-17	73	7.0	37	1	2	4	15	17	99 +
18-34	71	8.8	51	3	3	6	10	20	23	18-34	22	6.4	7						
35-49	209	10.3	83	3	5	7	12	23	26	35-49	85	6.7	31	2	3	5	9	15	21
50-69	648	8.1	27	3	4	7	10	14	19	50-69	422	7.2	18	3	4	6	9	14	16
70 +	16	8.3	2							70 +	95	6.2	27	2	4	5	7	12	24
SUBTOTAL	**997**	**8.7**	**47**	**3**	**5**	**7**	**10**	**18**	**22**		**697**	**6.9**	**22**	**2**	**4**	**5**	**9**	**15**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	2.0	1							0-17	5	12.0							
18-34	16	4.9	8							18-34	11	4.5	13						
35-49	11	5.0	10							35-49	0								
50-69	22	4.0	2							50-69	38	4.7	3	2	3	5	6	8	8
70 +	0									70 +	11	2.0	1						
SUBTOTAL	**65**	**3.9**	**6**	**2**	**3**	**3**	**6**	**8**	**9**		**65**	**4.8**	**10**	**1**	**2**	**4**	**6**	**8**	**12**
GRAND TOTAL	**1063**	**8.4**	**46**	**3**	**4**	**6**	**10**	**16**	**22**		**762**	**6.7**	**22**	**2**	**4**	**5**	**8**	**14**	**16**

DRG 88: Chronic Obstructive Pulmonary Disease

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	7396	7.9	39	3	4	6	10	14	18	0-17	105	5.6	12	2	3	5	8	11	13
70-74	5101	7.9	29	3	4	7	10	14	19	18-34	140	6.1	11	2	4	5	8	11	12
75-79	4117	7.5	28	3	4	6	9	13	16	35-49	571	5.5	7	3	3	5	7	10	11
80-84	2380	7.8	38	3	4	6	9	14	18	50-69	3349	6.7	20	3	4	6	8	11	14
85 +	1614	8.2	24	3	5	7	11	15	17	70 +	301	6.4	19	3	3	5	8	12	14
SUBTOTAL	**20608**	**7.8**	**33**	**3**	**4**	**6**	**10**	**14**	**18**		**4466**	**6.5**	**18**	**3**	**4**	**5**	**8**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5465	5.9	14	2	3	5	7	10	12	0-17	75	3.4	4	1	2	3	4	7	7
70-74	3366	6.0	17	2	4	5	7	10	13	18-34	170	4.6	7	2	3	4	6	7	11
75-79	2187	6.1	16	3	4	5	8	10	13	35-49	961	4.7	8	2	3	4	6	8	10
80-84	1225	5.9	15	2	3	5	7	10	12	50-69	3836	5.2	9	2	3	5	7	9	11
85 +	536	6.1	12	2	4	5	8	11	13	70 +	243	4.6	5	1	3	4	6	8	9
SUBTOTAL	**12778**	**6.0**	**15**	**2**	**4**	**5**	**7**	**10**	**12**		**5286**	**5.0**	**8**	**2**	**3**	**4**	**6**	**9**	**11**
GRAND TOTAL	**33387**	**7.1**	**27**	**3**	**4**	**6**	**9**	**12**	**16**		**9752**	**5.7**	**13**	**2**	**3**	**5**	**7**	**10**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	47	8.7	52	2	4	4	13	23	25	0-17	21	7.6	18						
18-34	107	7.1	19	1	4	6	10	13	15	18-34	38	6.0	12	< 1	2	6	8	12	12
35-49	329	6.7	21	3	4	5	8	11	18	35-49	207	6.0	23	2	3	4	7	12	14
50-69	1277	7.4	28	3	4	6	9	14	18	50-69	973	6.6	26	2	4	6	8	11	15
70 +	63	7.1	18	2	4	8	10	11	16	70 +	255	6.3	23	2	3	5	8	10	21
SUBTOTAL	**1823**	**7.2**	**27**	**3**	**4**	**6**	**9**	**14**	**18**		**1494**	**6.5**	**24**	**2**	**3**	**6**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	33	3.4	10	1	2	2	3	10	10	0-17	33	4.0	12	1	2	2	8	10	10
18-34	130	3.4	3	2	2	3	4	6	6	18-34	60	3.2	2	1	2	4	4	5	5
35-49	387	4.8	10	1	2	4	6	9	11	35-49	227	4.6	10	1	2	4	6	8	10
50-69	980	5.3	12	3	3	4	6	9	11	50-69	752	4.3	6	2	3	4	5	7	8
70 +	38	3.7	6	1	1	4	6	8	8	70 +	177	4.9	8	2	3	4	6	9	10
SUBTOTAL	**1568**	**4.9**	**11**	**2**	**3**	**4**	**6**	**9**	**11**		**1249**	**4.4**	**7**	**2**	**3**	**4**	**6**	**7**	**10**
GRAND TOTAL	**3391**	**6.2**	**21**	**2**	**3**	**5**	**8**	**11**	**15**		**2743**	**5.5**	**17**	**2**	**3**	**5**	**7**	**10**	**12**

DRG 89: Simple Pneumonia & Pleurisy Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16051	8.3	33	3	5	7	10	15	18
70-74	12606	8.3	28	4	5	7	10	15	18
75-79	14463	8.7	29	4	5	7	11	15	19
80-84	13085	9.0	31	4	5	8	11	15	19
85 +	17208	9.5	33	4	6	8	12	16	20
SUBTOTAL	**73414**	**8.8**	**31**	**4**	**5**	**7**	**11**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**73414**	**8.8**	**31**	**4**	**5**	**7**	**11**	**15**	**19**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	3788	5.5	20	2	3	5	7	9	11
35-49	5114	6.4	15	3	4	6	8	11	13
50-69	11178	7.5	23	3	4	6	9	13	16
70 +	1258	7.7	40	3	4	6	9	14	20
	21339	**6.9**	**22**	**3**	**4**	**6**	**8**	**12**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	21339	**6.9**	**22**	**3**	**4**	**6**	**8**	**12**	**15**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1872	6.5	18	3	4	5	8	11	14
35-49	1913	7.9	43	3	4	6	10	14	18
50-69	2283	8.1	28	3	5	7	10	14	17
70 +	321	8.5	18	4	5	8	10	14	19
SUBTOTAL	**6389**	**7.6**	**30**	**3**	**4**	**6**	**10**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6389**	**7.6**	**30**	**3**	**4**	**6**	**10**	**13**	**17**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1199	5.2	10	2	3	5	6	8	11
35-49	1481	6.3	18	3	4	5	8	11	14
50-69	2192	7.1	20	3	4	6	9	12	16
70 +	1278	7.5	28	3	4	6	10	14	18
	6150	**6.6**	**20**	**3**	**4**	**6**	**8**	**12**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6150	**6.6**	**20**	**3**	**4**	**6**	**8**	**12**	**14**

DRG 90: Simple Pneumonia & Pleurisy Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2751	5.6	11	3	4	5	7	9	11
70-74	2266	6.1	14	3	4	5	7	10	13
75-79	1979	6.3	12	3	4	5	8	11	13
80-84	1844	6.5	13	3	4	6	8	11	13
85 +	2308	6.8	16	3	4	6	8	12	13
SUBTOTAL	**11147**	**6.2**	**13**	**3**	**4**	**5**	**8**	**10**	**13**
GRAND TOTAL	**11147**	**6.2**	**13**	**3**	**4**	**5**	**8**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	6608	4.3	5	2	3	4	5	7	8
35-49	6882	4.7	6	2	3	4	6	8	9
50-69	4968	5.1	7	2	3	5	7	9	10
70 +	239	4.8	4	2	3	5	7	8	8
	18697	**4.7**	**6**	**2**	**3**	**4**	**6**	**8**	**9**
	18697	**4.7**	**6**	**2**	**3**	**4**	**6**	**8**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1849	4.6	7	2	3	4	6	7	9
35-49	781	5.5	8	3	3	5	7	10	12
50-69	425	5.4	6	3	3	5	7	8	10
70 +	38	5.6	2	4	5	6	8	99 +	99 +
SUBTOTAL	**3093**	**5.0**	**7**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**3093**	**5.0**	**7**	**2**	**3**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1830	4.4	6	2	3	4	6	8	9
35-49	1235	4.5	6	2	3	4	6	8	9
50-69	952	4.5	7	2	3	4	6	8	9
70 +	190	4.7	5	2	3	4	6	8	9
	4208	**4.5**	**6**	**2**	**3**	**4**	**6**	**8**	**9**
	4208	**4.5**	**6**	**2**	**3**	**4**	**6**	**8**	**9**

DRG 91: Simple Pneumonia & Pleurisy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	86	7.9	51	3	3	6	10	12	32
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**86**	**7.9**	**51**	**3**	**3**	**6**	**10**	**12**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	32	4.6	8	2	3	3	7	10	10
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**32**	**4.6**	**8**	**2**	**3**	**3**	**7**	**10**	**10**
GRAND TOTAL	**119**	**7.0**	**42**	**3**	**3**	**6**	**8**	**12**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10507	4.2	8	2	3	3	5	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	10507	**4.2**	**8**	**2**	**3**	**3**	**5**	**7**	**10**
0-17	22233	3.4	4	2	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	22233	**3.4**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
	32740	**3.7**	**5**	**2**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	7627	4.7	13	2	3	4	6	9	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**7627**	**4.7**	**13**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15846	3.6	4	2	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**15846**	**3.6**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**23473**	**4.0**	**7**	**2**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3047	4.1	10	1	2	3	5	8	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3047	**4.1**	**10**	**1**	**2**	**3**	**5**	**8**	**11**
0-17	6342	3.2	3	1	2	3	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6342	**3.2**	**3**	**1**	**2**	**3**	**4**	**5**	**7**
	9368	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**8**

DRG 92: Interstitial Lung Disease w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	391	8.4	32	3	5	7	10	15	18
70-74	324	7.9	54	3	4	6	9	12	21
75-79	307	7.9	25	2	4	7	11	16	19
80-84	238	9.1	23	4	5	8	13	16	18
85 +	265	8.8	47	3	5	7	10	17	21
SUBTOTAL	**1525**	**8.4**	**37**	**3**	**5**	**7**	**10**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1525**	**8.4**	**37**	**3**	**5**	**7**	**10**	**15**	**19**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	112	5.6	12	3	3	5	6	9	11
18-34	122	5.4	7	2	3	6	7	8	9
35-49	170	9.5	57	3	4	8	10	17	26
50-69	276	8.1	32	3	4	6	10	17	20
70 +	27	5.4	2						
	708	**7.5**	**32**	**3**	**4**	**6**	**9**	**15**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	708	**7.5**	**32**	**3**	**4**	**6**	**9**	**15**	**19**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	86	6.9	51	2	3	5	6	22	28
18-34	79	6.8	12	3	4	8	9	11	15
35-49	132	8.4	66	2	3	5	12	16	24
50-69	82	5.8	12	2	3	5	7	12	14
70 +	11	7.6	2						
SUBTOTAL	**390**	**7.2**	**39**	**2**	**3**	**5**	**9**	**14**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**390**	**7.2**	**39**	**2**	**3**	**5**	**9**	**14**	**22**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	57	4.7	12	2	2	3	8	11	11
35-49	59	5.6	8	2	3	5	7	10	11
50-69	85	7.0	19	3	4	6	9	12	21
70 +	55	8.7	30	6	6	7	9	21	23
	257	**6.6**	**19**	**2**	**3**	**6**	**9**	**11**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	257	**6.6**	**19**	**2**	**3**	**6**	**9**	**11**	**13**

DRG 93: Interstitial Lung Disease w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	104	5.1	8	2	3	5	6	9	11	0-17	179	4.2	6	2	2	4	5	7	9
70-74	69	5.9	17	2	2	5	7	10	16	18-34	86	4.0	3	2	3	4	5	6	7
75-79	53	6.7	27	3	3	3	8	16	16	35-49	130	4.5	6	1	3	4	6	8	9
80-84	41	4.6	6	1	3	4	6	9	9	50-69	139	5.7	18	1	3	5	7	11	14
85 +	60	6.6	17	4	4	5	7	8	19	70 +	0								
SUBTOTAL	**326**	**5.7**	**15**	**2**	**3**	**5**	**7**	**10**	**16**		**534**	**4.6**	**9**	**2**	**3**	**4**	**6**	**8**	**9**
GRAND TOTAL	**326**	**5.7**	**15**	**2**	**3**	**5**	**7**	**10**	**16**		**534**	**4.6**	**9**	**2**	**3**	**4**	**6**	**8**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	102	3.2	4	1	2	3	4	6	9	0-17	27	3.2	3						
18-34	27	4.2	5							18-34	27	3.4	6						
35-49	17	3.0	1							35-49	38	4.5	12	1	1	4	6	12	12
50-69	10	3.0	1							50-69	32	8.2	11	1	8	9	11	11	11
70 +	0									70 +	5	6.0							
SUBTOTAL	**157**	**3.4**	**3**	**1**	**2**	**3**	**4**	**6**	**8**		**129**	**5.0**	**12**	**1**	**2**	**5**	**7**	**11**	**11**
GRAND TOTAL	**157**	**3.4**	**3**	**1**	**2**	**3**	**4**	**6**	**8**		**129**	**5.0**	**12**	**1**	**2**	**5**	**7**	**11**	**11**

DRG 94: Pneumothorax w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	747	8.1	33	3	4	6	10	16	20	0-17	139	5.7	38	2	3	4	7	9	11
70-74	478	7.7	24	2	4	7	10	13	17	18-34	614	5.9	20	2	3	5	7	11	13
75-79	414	7.3	17	3	4	7	10	14	16	35-49	558	6.7	25	2	3	6	9	11	15
80-84	319	9.1	42	3	4	7	12	19	21	50-69	792	7.2	39	2	4	5	9	15	18
85+	243	8.7	34	3	4	7	13	15	17	70+	75	10.3	40	3	5	11	13	16	28
SUBTOTAL	**2202**	**8.1**	**30**	**3**	**4**	**7**	**11**	**15**	**19**		**2178**	**6.7**	**31**	**2**	**3**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2202**	**8.1**	**30**	**3**	**4**	**7**	**11**	**15**	**19**		**2178**	**6.7**	**31**	**2**	**3**	**5**	**8**	**12**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	8.1	6	5	7	7	9	13	13	0-17	31	4.6	4	2	3	4	6	8	8
18-34	303	5.8	11	2	3	5	8	11	13	18-34	415	6.1	34	2	3	4	7	10	14
35-49	194	6.5	12	3	4	6	7	12	14	35-49	185	5.9	29	2	3	5	7	10	13
50-69	113	8.3	33	3	4	6	10	19	19	50-69	189	7.4	45	2	4	6	9	14	20
70+	0									70+	33	4.3	3	2	2	5	6	6	6
SUBTOTAL	**642**	**6.6**	**16**	**3**	**4**	**6**	**8**	**12**	**14**		**854**	**6.2**	**33**	**2**	**3**	**5**	**7**	**10**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**642**	**6.6**	**16**	**3**	**4**	**6**	**8**	**12**	**14**		**854**	**6.2**	**33**	**2**	**3**	**5**	**7**	**10**	**15**

DRG 95: Pneumothorax w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	172	6.4	26	2	4	5	7	15	15	0-17	465	4.0	9	1	2	3	5	7	10
70-74	82	4.9	9	2	3	4	6	11	13	18-34	1681	4.2	7	2	2	4	5	8	9
75-79	64	5.2	31	2	3	4	5	8	23	35-49	671	4.1	9	1	2	4	5	7	10
80-84	27	3.8	5							50-69	338	5.3	13	2	3	4	6	11	13
85 +	65	6.2	35	2	2	5	6	11	24	70 +	21	4.6	7						
SUBTOTAL	**410**	**5.7**	**24**	**2**	**3**	**4**	**6**	**12**	**15**		**3177**	**4.3**	**9**	**2**	**2**	**4**	**5**	**8**	**10**
GRAND TOTAL	**410**	**5.7**	**24**	**2**	**3**	**4**	**6**	**12**	**15**		**3177**	**4.3**	**9**	**2**	**2**	**4**	**5**	**8**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	59	4.0	14	1	2	3	5	6	15	0-17	160	3.9	4	2	2	3	5	7	9
18-34	585	4.5	7	2	3	4	5	9	10	18-34	799	4.0	6	2	3	4	5	7	9
35-49	124	4.2	7	1	2	4	5	9	9	35-49	297	4.5	8	2	3	4	6	8	11
50-69	38	5.6	3	3	4	5	7	8	8	50-69	63	3.5	2	2	2	3	5	5	6
70 +	5	10.0								70 +	16	8.2	17						
SUBTOTAL	**811**	**4.5**	**7**	**2**	**3**	**4**	**5**	**9**	**10**		**1335**	**4.1**	**6**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**811**	**4.5**	**7**	**2**	**3**	**4**	**5**	**9**	**10**		**1335**	**4.1**	**6**	**2**	**3**	**4**	**5**	**7**	**9**

DRG 96: Bronchitis & Asthma Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	13042	6.7	20	3	4	6	8	12	15
70-74	8183	6.9	21	3	4	6	8	12	14
75-79	7280	6.9	20	3	4	6	8	12	15
80-84	5019	7.0	24	3	4	6	8	12	15
85 +	3762	7.1	20	3	4	6	9	13	16
SUBTOTAL	**37285**	**6.9**	**21**	**3**	**4**	**6**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**37285**	**6.9**	**21**	**3**	**4**	**6**	**8**	**12**	**15**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2269	4.8	18	2	3	4	6	9	12
35-49	3741	5.5	16	2	3	4	7	10	12
50-69	8393	5.8	14	3	4	5	7	10	12
70 +	569	6.4	16	2	4	6	8	11	13
	14972	**5.6**	**15**	**2**	**3**	**5**	**7**	**10**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	14972	**5.6**	**15**	**2**	**3**	**5**	**7**	**10**	**12**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1780	4.7	17	2	3	3	5	8	11
35-49	2204	5.1	11	2	3	4	7	9	11
50-69	2491	6.3	17	3	4	5	8	11	14
70 +	89	6.5	12	2	4	6	9	10	16
SUBTOTAL	**6564**	**5.5**	**16**	**2**	**3**	**4**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6564**	**5.5**	**16**	**2**	**3**	**4**	**7**	**10**	**13**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	774	4.4	20	2	2	3	5	8	11
35-49	1010	4.3	5	2	3	4	5	8	9
50-69	1434	5.7	17	2	3	5	7	10	12
70 +	306	5.8	10	3	3	5	7	10	13
	3524	**5.0**	**14**	**2**	**3**	**4**	**6**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3524	**5.0**	**14**	**2**	**3**	**4**	**6**	**9**	**11**

DRG 97: Bronchitis & Asthma Age >17 w/o CC

	MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3272	4.8	8	2	3	4	6	8	10
70-74	1342	4.8	7	2	3	4	6	8	10
75-79	1291	5.1	9	2	3	5	6	9	11
80-84	675	5.0	6	2	3	5	6	8	9
85 +	668	5.2	11	2	3	4	6	8	10
SUBTOTAL	**7247**	**4.9**	**8**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**7247**	**4.9**	**8**	**2**	**3**	**4**	**6**	**8**	**10**

	BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	6600	3.4	4	1	2	3	4	6	7
35-49	6864	3.9	5	2	2	3	5	7	8
50-69	4971	4.4	6	2	3	4	5	8	9
70 +	66	4.1	4	2	3	3	4	7	9
	18501	**3.9**	**5**	**2**	**2**	**3**	**5**	**7**	**8**
	18501	**3.9**	**5**	**2**	**2**	**3**	**5**	**7**	**8**

	MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	3713	3.3	3	1	2	3	4	6	7
35-49	2352	4.2	8	2	2	3	5	8	9
50-69	844	4.9	12	2	3	4	6	9	11
70 +	38	4.7	7	2	2	3	7	9	9
SUBTOTAL	**6947**	**3.8**	**6**	**2**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**6947**	**3.8**	**6**	**2**	**2**	**3**	**5**	**7**	**8**

	NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2477	3.0	3	1	2	3	4	5	6
35-49	1850	3.5	4	1	2	3	5	6	7
50-69	812	4.2	6	1	2	4	5	8	9
70 +	115	3.5	8	1	2	3	4	5	6
	5254	**3.4**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
	5254	**3.4**	**4**	**1**	**2**	**3**	**4**	**6**	**7**

DRG 98: Bronchitis & Asthma Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	21	6.8	4							0-17	9601	3.6	10	1	2	3	4	6	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**21**	**6.8**	**4**								**9601**	**3.6**	**10**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	74	4.0	7	2	2	3	5	6	12	0-17	39849	2.7	3	1	2	2	3	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**74**	**4.0**	**7**	**2**	**2**	**3**	**5**	**6**	**12**		**39849**	**2.7**	**3**	**1**	**2**	**2**	**3**	**4**	**6**
GRAND TOTAL	**95**	**4.6**	**7**	**2**	**3**	**4**	**6**	**10**	**11**		**49450**	**2.9**	**5**	**1**	**2**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	7978	4.2	10	2	2	3	5	8	10	0-17	3794	3.4	7	1	2	3	4	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**7978**	**4.2**	**10**	**2**	**2**	**3**	**5**	**8**	**10**		**3794**	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	35096	3.0	3	1	2	3	4	5	6	0-17	17283	2.5	3	1	2	2	3	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**35096**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**		**17283**	**2.5**	**3**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**43074**	**3.2**	**5**	**1**	**2**	**3**	**4**	**5**	**7**		**21077**	**2.6**	**4**	**1**	**2**	**2**	**3**	**4**	**5**

DRG 99: Respiratory Signs & Symptoms w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2938	5.1	15	2	3	4	7	9	13	0-17	911	5.3	24	1	2	4	7	12	15
70-74	1825	5.8	24	2	3	4	8	11	15	18-34	398	5.1	34	1	1	3	5	12	21
75-79	1735	5.2	18	2	3	4	6	10	13	35-49	1068	3.4	8	1	2	3	4	6	9
80-84	952	5.5	26	2	2	4	6	11	16	50-69	2196	4.7	15	1	2	4	6	9	12
85 +	631	6.2	36	2	3	4	8	13	18	70 +	153	6.6	22	2	3	5	10	15	15
SUBTOTAL	**8081**	**5.4**	**21**	**2**	**3**	**4**	**7**	**11**	**14**		**4725**	**4.6**	**17**	**1**	**2**	**3**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**8081**	**5.4**	**21**	**2**	**3**	**4**	**7**	**11**	**14**		**4725**	**4.6**	**17**	**1**	**2**	**3**	**6**	**10**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	971	5.4	39	1	2	4	6	11	17	0-17	226	4.7	51	1	2	3	4	8	11
18-34	208	5.7	38	1	2	4	7	10	18	18-34	131	3.1	21	1	1	2	3	5	5
35-49	425	3.8	19	1	2	3	4	6	11	35-49	237	2.5	2	1	1	2	3	5	6
50-69	636	4.7	19	2	2	4	6	8	13	50-69	404	3.0	5	1	2	2	4	5	6
70 +	11	7.5								70 +	158	3.7	7	1	2	3	5	6	11
SUBTOTAL	**2251**	**4.9**	**30**	**1**	**2**	**3**	**5**	**10**	**13**		**1156**	**3.3**	**16**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2251**	**4.9**	**30**	**1**	**2**	**3**	**5**	**10**	**13**		**1156**	**3.3**	**16**	**1**	**2**	**3**	**4**	**6**	**7**

DRG 100: Respiratory Signs & Symptoms w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1220	2.7	3	1	2	2	3	5	6	0-17	1992	2.8	7	1	1	2	3	5	7
70-74	585	3.3	6	1	2	3	4	6	7	18-34	742	2.2	2	1	1	2	3	4	5
75-79	585	3.3	7	1	2	3	4	6	8	35-49	2809	2.3	3	1	1	2	3	4	5
80-84	316	2.9	3	1	2	3	4	4	7	50-69	2812	2.4	3	1	1	2	3	4	6
85 +	206	3.3	4	1	1	3	5	6	8	70 +	77	2.2	1	1	1	2	3	4	4
SUBTOTAL	**2912**	**3.0**	**4**	**1**	**2**	**2**	**4**	**6**	**7**		**8432**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**2912**	**3.0**	**4**	**1**	**2**	**2**	**4**	**6**	**7**		**8432**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2484	3.2	9	1	2	3	4	6	7	0-17	722	2.8	7	1	1	2	3	5	6
18-34	253	2.3	2	1	1	2	3	4	5	18-34	284	1.7	1	1	1	2	2	3	3
35-49	410	2.8	4	1	1	2	3	5	7	35-49	710	1.9	1	1	1	2	2	3	4
50-69	246	3.2	4	1	2	3	4	6	8	50-69	581	2.1	2	< 1	1	2	3	4	4
70 +	21	4.0	3							70 +	74	2.4	1	1	2	2	3	4	4
SUBTOTAL	**3414**	**3.1**	**7**	**1**	**2**	**2**	**4**	**6**	**7**		**2372**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**3414**	**3.1**	**7**	**1**	**2**	**2**	**4**	**6**	**7**		**2372**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 101: Other Respiratory System Diagnoses w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1259	6.4	31	1	3	5	8	12	16
70-74	901	6.4	28	2	3	5	9	11	14
75-79	723	6.1	16	1	3	5	9	12	14
80-84	584	7.5	29	2	3	6	10	15	19
85 +	587	6.7	29	2	3	5	7	13	17
SUBTOTAL	**4053**	**6.6**	**27**	**2**	**3**	**5**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4053**	**6.6**	**27**	**2**	**3**	**5**	**9**	**13**	**16**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	602	4.5	17	1	2	3	5	13	14
18-34	469	5.6	40	1	2	4	7	14	21
35-49	731	4.8	19	1	2	4	6	9	11
50-69	1317	5.4	15	1	3	4	7	10	13
70 +	187	6.1	29	2	3	5	7	11	20
	3307	**5.2**	**21**	**1**	**2**	**4**	**7**	**10**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3307	**5.2**	**21**	**1**	**2**	**4**	**7**	**10**	**14**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	357	5.8	31	1	2	4	9	14	14
18-34	301	5.5	19	1	2	4	7	13	14
35-49	161	6.6	88	1	3	4	8	9	12
50-69	191	6.0	19	1	3	5	9	12	16
70 +	11	5.5	2						
SUBTOTAL	**1022**	**5.9**	**34**	**1**	**2**	**4**	**8**	**13**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1022**	**5.9**	**34**	**1**	**2**	**4**	**8**	**13**	**14**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	4.5	28	1	1	2	4	14	15
18-34	204	3.9	19	1	1	2	5	10	13
35-49	244	4.0	10	1	2	3	5	8	9
50-69	215	4.6	9	1	2	4	6	8	11
70 +	60	7.2	46	2	2	5	11	13	25
	833	**4.4**	**17**	**1**	**2**	**3**	**6**	**9**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	833	**4.4**	**17**	**1**	**2**	**3**	**6**	**9**	**13**

DRG 102: Other Respiratory System Diagnoses w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	200	3.7	9	1	2	3	5	8	9
70-74	166	4.2	16	1	2	2	7	9	11
75-79	175	3.8	8	1	2	3	5	8	10
80-84	118	5.2	42	2	2	3	6	10	23
85 +	139	4.1	6	2	2	4	5	8	10
SUBTOTAL	**798**	**4.1**	**15**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**798**	**4.1**	**15**	**1**	**2**	**3**	**5**	**8**	**10**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1170	2.5	10	1	1	1	3	5	6
18-34	430	2.3	3	1	1	2	3	5	6
35-49	591	2.6	4	1	1	2	3	4	7
50-69	600	3.0	7	1	1	2	4	6	8
70 +	38	4.2	6	2	2	3	7	8	8
	2828	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**6**
	2828	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	796	3.1	13	1	1	2	4	6	8
18-34	150	2.3	4	1	1	2	3	7	7
35-49	99	3.4	5	1	1	3	6	7	8
50-69	60	4.3	11	1	2	3	6	10	11
70 +	0								
SUBTOTAL	**1105**	**3.1**	**11**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**1105**	**3.1**	**11**	**1**	**1**	**2**	**4**	**6**	**8**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	252	2.2	2	1	1	2	3	4	6
18-34	244	2.7	3	< 1	1	2	4	6	7
35-49	153	2.8	5	1	1	2	4	6	6
50-69	120	2.9	9	1	1	2	3	6	10
70 +	32	3.9	17	1	2	2	4	13	13
	800	**2.7**	**5**	**1**	**1**	**2**	**3**	**6**	**7**
	800	**2.7**	**5**	**1**	**1**	**2**	**3**	**6**	**7**

DRG 103: Heart Transplant

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	36	20.4	355	8	10	13	21	65	65
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**36**	**20.4**	**355**	**8**	**10**	**13**	**21**	**65**	**65**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	12.5	7						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**10**	**12.5**	**7**						
GRAND TOTAL	**47**	**18.7**	**287**	**8**	**10**	**13**	**15**	**65**	**65**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	36.4	90	22	30	41	48	99 +	99 +
18-34	5	24.0							
35-49	36	23.4	188	9	12	17	32	51	51
50-69	93	24.2	248	9	13	16	39	56	87
70 +	0								
	160	**26.0**	**220**	**10**	**13**	**24**	**39**	**51**	**99 +**
0-17	5	21.0							
18-34	0								
35-49	0								
50-69	16	25.3	440						
70 +	0								
	21	**24.3**	**328**						
	181	**25.8**	**231**	**10**	**13**	**22**	**39**	**54**	**99 +**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	23.5	173						
35-49	5	14.0							
50-69	0								
70 +	0								
SUBTOTAL	**16**	**20.3**	**133**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	5	13.0							
50-69	0								
70 +	0								
SUBTOTAL	**5**	**13.0**							
GRAND TOTAL	**21**	**18.5**	**108**						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	10	18.0	4						
70 +	0								
	10	**18.0**	**4**						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	10	**18.0**	**4**						

DRG 104: Cardiac Valve Procedures w/ Cardiac Cath

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	692	20.7	175	9	12	17	26	37	51	0-17	72	13.9	152	4	6	10	16	25	52
70-74	586	20.8	123	10	13	18	25	34	39	18-34	31	12.7	74	6	8	10	12	31	31
75-79	518	20.4	110	10	13	18	25	32	42	35-49	185	14.5	45	8	8	13	18	23	32
80-84	273	21.8	98	12	14	19	27	36	44	50-69	758	18.4	122	8	12	16	22	32	38
85 +	26	19.0	26							70 +	73	23.6	144	10	13	21	31	43	50
SUBTOTAL	**2095**	**20.8**	**133**	**10**	**13**	**18**	**26**	**35**	**44**		**1119**	**17.7**	**117**	**8**	**10**	**15**	**21**	**32**	**38**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	73	14.6	20	8	12	15	16	18	27	0-17	26	6.6	38						
70-74	53	14.7	28	8	10	15	20	23	23	18-34	5	18.0							
75-79	36	18.7	45	7	17	18	22	31	31	35-49	36	12.3	17	8	9	10	18	18	18
80-84	16	16.7	24							50-69	94	13.3	31	8	9	11	16	24	25
85 +	5	9.0								70 +	0								
SUBTOTAL	**183**	**15.4**	**30**	**8**	**12**	**15**	**19**	**22**	**27**		**162**	**12.2**	**34**	**6**	**9**	**11**	**17**	**18**	**24**
GRAND TOTAL	**2278**	**20.4**	**126**	**10**	**13**	**17**	**25**	**34**	**41**		**1281**	**17.0**	**110**	**8**	**10**	**15**	**20**	**31**	**37**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	28.6	337							0-17	0								
18-34	16	15.0	31							18-34	16	28.6	263						
35-49	21	19.3	41							35-49	27	10.9	4						
50-69	83	17.3	109	9	13	15	19	53	99 +	50-69	170	16.6	154	8	10	13	17	26	37
70 +	5	9.0								70 +	32	21.2	70	13	14	19	24	37	37
SUBTOTAL	**150**	**19.0**	**147**	**9**	**12**	**15**	**22**	**45**	**57**		**245**	**17.3**	**147**	**8**	**10**	**14**	**20**	**37**	**38**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	17.3	52							0-17	5	6.0							
18-34	10	14.5								18-34	0								
35-49	0									35-49	6	7.0							
50-69	10	11.0	4							50-69	10	9.5							
70 +	0									70 +	5	13.0							
SUBTOTAL	**36**	**14.7**	**30**	**9**	**9**	**14**	**17**	**26**	**26**		**26**	**9.0**	**6**						
GRAND TOTAL	**187**	**18.2**	**127**	**9**	**12**	**15**	**20**	**42**	**57**		**271**	**16.5**	**140**	**8**	**9**	**13**	**18**	**37**	**38**

DRG 105: Cardiac Valve Procedures w/o Cardiac Cath

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	937	15.2	107	8	9	11	17	26	35	0-17	455	12.2	81	5	6	8	14	23	35
70-74	771	12.9	35	8	9	11	14	21	24	18-34	104	11.2	73	6	7	9	10	21	42
75-79	655	14.8	72	8	10	13	17	24	35	35-49	299	13.0	144	7	8	9	11	21	44
80-84	242	16.6	138	9	10	13	17	33	45	50-69	1069	11.6	36	7	8	9	13	20	25
85 +	69	22.3	203	11	12	17	24	47	57	70 +	41	13.8	18	8	11	13	15	21	21
SUBTOTAL	**2673**	**14.7**	**86**	**8**	**9**	**12**	**16**	**24**	**35**		**1969**	**12.0**	**65**	**7**	**8**	**9**	**13**	**21**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	111	9.6	7	7	8	8	10	14	15	0-17	259	7.7	13	5	6	6	8	11	17
70-74	120	10.2	4	8	9	10	11	13	14	18-34	63	6.9	1	6	6	7	8	8	9
75-79	59	9.5	3	7	8	9	11	11	13	35-49	78	7.0	1	5	6	7	8	8	8
80-84	26	11.4	26							50-69	247	9.3	9	7	8	9	11	12	13
85 +	0									70 +	5	22.0							
SUBTOTAL	**315**	**10.0**	**7**	**7**	**8**	**9**	**11**	**13**	**15**		**652**	**8.3**	**11**	**5**	**6**	**8**	**9**	**12**	**15**
GRAND TOTAL	**2989**	**14.2**	**80**	**8**	**9**	**11**	**16**	**23**	**33**		**2621**	**11.0**	**54**	**6**	**7**	**9**	**12**	**20**	**24**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	176	11.5	46	6	7	9	14	23	26	0-17	78	10.4	23	6	6	10	13	18	21
18-34	73	12.9	31	8	9	10	17	19	28	18-34	53	9.4	7	6	8	9	11	15	15
35-49	73	16.2	96	9	10	12	16	29	46	35-49	179	14.2	121	7	8	11	16	20	26
50-69	141	14.5	74	8	10	12	17	24	25	50-69	243	13.7	96	8	8	9	13	34	40
70 +	0									70 +	54	12.7	25	9	9	11	12	23	23
SUBTOTAL	**463**	**13.4**	**63**	**7**	**9**	**11**	**16**	**24**	**28**		**606**	**13.0**	**82**	**7**	**8**	**10**	**14**	**21**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	83	10.0	135	6	6	6	7	14	54	0-17	41	6.4	2	5	6	6	7	9	9
18-34	47	8.3	9	5	7	8	8	14	16	18-34	27	7.5	2						
35-49	16	8.7	3							35-49	32	9.6	2	8	8	9	11	12	12
50-69	10	9.5	2							50-69	27	9.7	12						
70 +	0									70 +	21	10.2	3						
SUBTOTAL	**156**	**9.3**	**75**	**6**	**6**	**7**	**8**	**11**	**16**		**148**	**8.4**	**6**	**6**	**6**	**8**	**9**	**12**	**13**
GRAND TOTAL	**619**	**12.4**	**69**	**6**	**8**	**10**	**15**	**20**	**26**		**755**	**12.1**	**71**	**6**	**8**	**9**	**13**	**19**	**23**

DRG 106: Coronary Bypass w/ Cardiac Cath

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3795	15.1	58	8	10	13	18	24	31	0-17	0								
70-74	3146	15.8	74	9	11	14	18	25	31	18-34	59	11.0	28	6	8	9	16	18	23
75-79	2250	17.2	75	10	12	15	21	27	36	35-49	1204	11.9	34	7	8	10	14	18	24
80-84	724	17.8	67	10	13	16	21	27	30	50-69	5343	13.0	40	8	9	11	15	20	24
85 +	169	24.1	290	13	14	19	25	40	60	70 +	211	18.7	135	10	12	15	22	34	56
SUBTOTAL	**10085**	**16.1**	**73**	**9**	**11**	**14**	**19**	**26**	**32**		**6818**	**13.0**	**43**	**8**	**9**	**11**	**15**	**20**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	916	11.7	18	8	9	11	14	17	20	0-17	0								
70-74	632	12.5	21	8	10	12	14	16	21	18-34	16	11.7	10						
75-79	327	13.4	15	9	11	13	15	19	22	35-49	637	9.8	8	7	8	9	11	14	15
80-84	78	15.3	21	11	12	14	18	22	27	50-69	2103	10.8	12	7	8	10	13	15	17
85 +	10	12.5	2							70 +	47	14.1	56	8	8	12	17	30	33
SUBTOTAL	**1963**	**12.4**	**19**	**8**	**9**	**12**	**14**	**18**	**20**		**2803**	**10.6**	**12**	**7**	**8**	**10**	**12**	**15**	**17**
GRAND TOTAL	**12048**	**15.5**	**66**	**9**	**10**	**14**	**18**	**24**	**31**		**9620**	**12.3**	**35**	**7**	**9**	**11**	**14**	**18**	**23**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	5	9.0								18-34	11	11.5							
35-49	146	14.5	100	7	9	12	15	28	29	35-49	271	10.6	18	6	7	10	13	15	19
50-69	385	16.0	54	9	11	13	22	27	30	50-69	1114	12.0	25	8	9	11	14	18	22
70 +	16	20.2	19			-				70 +	289	14.5	54	8	9	12	17	25	34
SUBTOTAL	**552**	**15.7**	**66**	**8**	**10**	**12**	**20**	**27**	**29**		**1685**	**12.2**	**30**	**7**	**9**	**11**	**14**	**18**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	5	15.0							
35-49	22	14.3	12							35-49	127	9.9	9	6	7	9	12	14	15
50-69	74	14.3	21	10	11	13	19	21	24	50-69	234	11.0	8	8	9	11	13	15	15
70 +	21	14.5	11							70 +	37	12.6	29	7	8	9	17	22	22
SUBTOTAL	**117**	**14.4**	**17**	**10**	**11**	**14**	**17**	**19**	**21**		**403**	**10.9**	**11**	**7**	**9**	**10**	**13**	**15**	**17**
GRAND TOTAL	**669**	**15.4**	**58**	**9**	**11**	**13**	**19**	**26**	**29**		**2088**	**12.0**	**27**	**7**	**9**	**11**	**14**	**18**	**22**

DRG 107: Coronary Bypass w/o Cardiac Cath

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4009	10.8	35	7	8	9	12	17	21	0-17	0								
70-74	3175	11.9	61	7	8	10	12	18	25	18-34	31	9.3	15	4	7	8	12	16	16
75-79	1733	13.0	71	8	9	10	14	21	29	35-49	1117	8.5	19	6	7	8	9	11	13
80-84	370	15.9	171	8	9	12	15	28	43	50-69	5797	9.4	18	6	7	8	10	13	17
85 +	63	15.5	20	10	12	14	16	22	23	70 +	183	11.8	82	7	8	9	11	19	36
SUBTOTAL	**9350**	**11.8**	**57**	**7**	**8**	**10**	**13**	**18**	**24**		**7128**	**9.3**	**20**	**6**	**7**	**8**	**10**	**13**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1004	9.0	13	6	7	8	9	12	17	0-17	0								
70-74	670	9.2	12	6	7	8	10	12	16	18-34	10	6.5							
75-79	405	9.8	13	7	8	9	11	14	17	35-49	713	7.5	3	5	6	7	8	10	11
80-84	69	9.4	7	7	8	9	10	12	17	50-69	2055	8.0	6	6	7	8	9	10	12
85 +	0									70 +	26	7.8	1						
SUBTOTAL	**2146**	**9.2**	**12**	**7**	**7**	**8**	**10**	**12**	**16**		**2804**	**7.8**	**5**	**6**	**7**	**8**	**8**	**10**	**12**
GRAND TOTAL	**11498**	**11.3**	**50**	**7**	**8**	**9**	**12**	**17**	**22**		**9932**	**8.9**	**16**	**6**	**7**	**8**	**9**	**12**	**15**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	10	8.0	1							18-34	5	8.0							
35-49	151	9.7	17	6	7	8	11	18	18	35-49	287	8.0	7	6	7	7	9	10	11
50-69	480	11.4	44	7	8	9	13	17	24	50-69	1352	9.7	22	7	7	8	10	14	18
70 +	6	9.0								70 +	259	10.8	24	7	8	9	11	16	20
SUBTOTAL	**647**	**10.9**	**38**	**7**	**8**	**9**	**12**	**17**	**22**		**1904**	**9.6**	**21**	**7**	**7**	**8**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	5	8.0								18-34	0								
35-49	27	8.4	4							35-49	99	7.4	2	5	7	7	9	9	10
50-69	90	7.4	2	5	7	7	8	9	9	50-69	348	8.1	11	6	7	8	8	10	11
70 +	10	8.5	2							70 +	22	9.0	1						
SUBTOTAL	**132**	**7.7**	**2**	**6**	**7**	**7**	**8**	**9**	**10**		**469**	**8.0**	**8**	**6**	**7**	**8**	**9**	**10**	**11**
GRAND TOTAL	**779**	**10.3**	**33**	**7**	**7**	**9**	**11**	**16**	**21**		**2373**	**9.3**	**19**	**6**	**7**	**8**	**9**	**13**	**17**

DRG 108: Other Cardiothoracic Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	587	15.1	81	7	9	13	18	26	35
70-74	418	15.3	133	8	10	11	17	26	28
75-79	286	14.7	44	8	11	12	17	24	29
80-84	88	16.8	79	9	10	15	21	29	42
85 +	0								
SUBTOTAL	**1380**	**15.2**	**89**	**8**	**9**	**12**	**18**	**26**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	63	12.8	62	7	8	9	13	25	33
70-74	59	10.0	8	7	8	9	11	15	16
75-79	37	11.9	17	8	8	9	17	18	18
80-84	0								
85 +	5	8.0							
SUBTOTAL	**164**	**11.4**	**32**	**8**	**8**	**9**	**13**	**17**	**25**
GRAND TOTAL	**1544**	**14.8**	**84**	**8**	**9**	**12**	**18**	**25**	**31**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1350	12.8	112	5	7	9	15	25	34
18-34	130	7.5	9	5	6	7	9	10	11
35-49	120	9.5	16	6	7	9	11	12	17
50-69	697	11.7	39	7	8	10	13	17	24
70 +	79	16.1	70	8	9	13	22	31	36
	2377	**12.1**	**81**	**6**	**7**	**9**	**14**	**21**	**30**
0-17	1283	6.9	10	4	5	6	8	11	13
18-34	110	6.1	8	2	5	6	7	9	11
35-49	126	7.5	8	5	6	7	9	11	11
50-69	183	9.8	23	6	7	8	11	15	26
70 +	0								
	1701	**7.2**	**12**	**4**	**5**	**6**	**8**	**11**	**14**
	4078	**10.1**	**58**	**5**	**6**	**8**	**11**	**18**	**24**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	673	13.8	152	6	7	11	14	25	42
18-34	36	15.4	82	5	7	13	28	29	29
35-49	42	14.5	52	7	8	11	19	28	28
50-69	42	9.4	10	7	7	8	10	17	17
70 +	5	25.0							
SUBTOTAL	**798**	**13.7**	**137**	**6**	**7**	**11**	**16**	**26**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	631	8.3	30	5	6	7	8	12	19
18-34	31	7.3	15	2	6	7	7	15	15
35-49	5	6.0							
50-69	10	8.0							
70 +	0								
SUBTOTAL	**678**	**8.2**	**29**	**5**	**6**	**7**	**8**	**12**	**19**
GRAND TOTAL	**1475**	**11.2**	**95**	**5**	**6**	**8**	**13**	**20**	**29**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	435	13.6	195	5	6	8	16	32	50
18-34	52	10.5	86	5	6	7	12	22	37
35-49	37	11.5	39	6	8	9	13	26	26
50-69	132	10.7	14	7	8	9	14	14	19
70 +	38	9.4	11	6	6	9	11	16	16
	693	**12.4**	**136**	**5**	**6**	**8**	**14**	**25**	**41**
0-17	264	7.6	124	4	5	6	7	9	14
18-34	10	6.5							
35-49	26	6.4							
50-69	5	14.0							
70 +	6	11.0							
	311	**7.7**	**106**	**4**	**5**	**6**	**7**	**10**	**14**
	1004	**11.0**	**131**	**5**	**6**	**7**	**12**	**20**	**33**

DRG 110: Major Cardiovascular Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3309	13.0	86	7	8	10	14	22	29	0-17	636	11.2	145	4	6	7	12	23	36
70-74	2840	14.2	116	7	9	11	16	26	36	18-34	122	11.3	83	5	6	8	13	21	32
75-79	2045	14.5	104	7	9	11	16	25	32	35-49	567	11.2	119	5	6	8	12	20	25
80-84	1061	15.2	96	7	9	12	19	28	35	50-69	3357	11.9	72	6	8	9	13	19	28
85 +	369	15.6	57	8	11	14	20	24	25	70 +	177	11.1	54	5	7	9	14	20	31
SUBTOTAL	**9624**	**14.0**	**99**	**7**	**9**	**11**	**16**	**24**	**32**		**4860**	**11.7**	**87**	**5**	**7**	**9**	**13**	**20**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**9624**	**14.0**	**99**	**7**	**9**	**11**	**16**	**24**	**32**		**4860**	**11.7**	**87**	**5**	**7**	**9**	**13**	**20**	**28**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	336	10.7	86	4	6	8	13	27	37	0-17	191	9.4	44	5	6	6	11	17	22
18-34	31	14.0	154	6	7	9	12	41	41	18-34	38	20.1	136	6	10	17	32	99 +	99 +
35-49	117	11.2	30	6	8	11	12	17	18	35-49	127	9.1	28	4	6	8	9	19	20
50-69	299	15.4	177	7	9	12	16	32	47	50-69	610	11.4	51	6	7	9	13	19	29
70 +	27	9.1	11							70 +	188	10.9	23	7	8	10	12	17	23
SUBTOTAL	**810**	**12.6**	**116**	**5**	**7**	**10**	**14**	**22**	**38**		**1155**	**11.0**	**49**	**5**	**7**	**9**	**13**	**19**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**810**	**12.6**	**116**	**5**	**7**	**10**	**14**	**22**	**38**		**1155**	**11.0**	**49**	**5**	**7**	**9**	**13**	**19**	**27**

DRG 111: Major Cardiovascular Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	719	8.8	19	5	7	8	10	13	15	0-17	936	5.3	11	2	3	5	6	9	12
70-74	516	9.1	27	5	6	8	10	15	17	18-34	36	4.1	5	1	1	5	6	6	6
75-79	391	10.6	41	6	8	10	12	16	22	35-49	297	6.5	6	3	5	7	8	10	11
80-84	176	10.1	12	6	8	9	11	15	18	50-69	1512	7.9	14	5	6	8	9	11	12
85 +	43	8.4	9	4	5	9	11	13	13	70 +	27	7.3	11						
SUBTOTAL	**1845**	**9.4**	**25**	**5**	**7**	**8**	**11**	**14**	**17**		**2808**	**6.9**	**14**	**3**	**5**	**7**	**8**	**10**	**12**
GRAND TOTAL	**1845**	**9.4**	**25**	**5**	**7**	**8**	**11**	**14**	**17**		**2808**	**6.9**	**14**	**3**	**5**	**7**	**8**	**10**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	388	6.4	69	3	3	5	6	9	15	0-17	253	4.9	9	2	3	4	6	10	11
18-34	21	5.3	5							18-34	21	5.8	1						
35-49	0									35-49	47	7.8	9	3	5	9	10	11	12
50-69	48	7.0	32	3	4	6	7	22	22	50-69	227	7.2	9	3	6	7	9	11	12
70 +	0									70 +	27	8.4	3						
SUBTOTAL	**457**	**6.4**	**62**	**3**	**3**	**5**	**7**	**9**	**15**		**575**	**6.2**	**10**	**3**	**4**	**6**	**8**	**10**	**12**
GRAND TOTAL	**457**	**6.4**	**62**	**3**	**3**	**5**	**7**	**9**	**15**		**575**	**6.2**	**10**	**3**	**4**	**6**	**8**	**10**	**12**

DRG 112: Percutaneous Cardiovascular Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6431	5.3	28	1	2	4	7	11	14	0-17	103	4.3	16	1	1	2	6	8	13
-70-74	4469	5.8	32	1	2	4	8	12	16	18-34	230	5.1	23	1	2	4	8	10	11
75-79	2710	6.3	26	1	2	5	9	13	17	35-49	3019	4.6	23	1	2	3	6	9	11
80-84	1231	7.6	41	2	3	6	10	16	20	50-69	10131	4.4	16	1	2	3	6	10	12
85 +	377	9.6	49	2	5	8	12	18	27	70 +	325	5.7	26	2	2	3	9	12	14
SUBTOTAL	**15219**	**5.9**	**31**	**1**	**2**	**4**	**8**	**12**	**16**		**13809**	**4.5**	**18**	**1**	**2**	**3**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4648	3.7	10	1	2	3	5	8	10	0-17	636	1.9	2	1	1	1	3	4	5
70-74	3466	4.0	10	1	2	3	5	8	10	18-34	505	2.7	3	1	1	2	3	5	6
75-79	1841	4.2	12	1	2	3	6	9	11	35-49	4728	3.7	7	1	2	3	5	8	9
80-84	792	4.6	13	1	2	3	6	9	11	50-69	11160	3.6	7	1	2	3	5	7	9
85 +	138	5.8	12	2	3	6	8	11	12	70 +	168	4.3	8	2	2	4	6	9	11
SUBTOTAL	**10885**	**4.0**	**10**	**1**	**2**	**3**	**5**	**8**	**10**		**17198**	**3.5**	**7**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**26104**	**5.1**	**23**	**1**	**2**	**3**	**7**	**11**	**14**		**31007**	**4.0**	**12**	**1**	**2**	**3**	**6**	**8**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	3.6	19							0-17	16	4.3	7						
18-34	31	8.2	39	3	4	5	10	21	21	18-34	41	3.6	10	1	1	1	6	10	10
35-49	318	5.4	22	1	2	3	7	13	16	35-49	891	4.3	15	1	2	3	6	8	11
50-69	744	5.8	27	1	2	4	8	11	14	50-69	2082	4.5	14	1	2	3	6	9	12
70 +	22	7.3	28							70 +	233	6.8	24	2	2	7	10	13	18
SUBTOTAL	**1140**	**5.7**	**26**	**1**	**2**	**4**	**8**	**12**	**16**		**3263**	**4.6**	**15**	**1**	**2**	**3**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	109	2.5	6	1	1	2	2	5	9	0-17	47	2.3	4	< 1	1	2	2	6	7
18-34	90	3.2	5	1	1	3	4	6	10	18-34	89	3.4	7	< 1	1	2	4	7	11
35-49	273	4.5	11	1	2	3	7	9	12	35-49	1144	3.9	6	1	2	3	6	7	8
50-69	440	3.6	8	1	2	2	5	7	10	50-69	2121	3.8	7	1	2	3	5	7	9
70 +	11	5.9	10							70 +	202	4.1	6	1	2	3	6	7	9
SUBTOTAL	**921**	**3.7**	**9**	**1**	**2**	**3**	**5**	**8**	**10**		**3603**	**3.8**	**7**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**2062**	**4.8**	**19**	**1**	**2**	**3**	**7**	**10**	**13**		**6866**	**4.2**	**11**	**1**	**2**	**3**	**6**	**8**	**10**

DRG 113: Amputation for Circ System Disorders except Upper Limb & Toe

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1856	19.9	217	7	10	16	27	37	49
70-74	1217	19.1	164	7	11	16	24	39	48
75-79	1186	18.3	161	6	10	14	24	33	43
80-84	1161	16.4	133	6	9	14	21	29	39
85 +	1583	13.2	100	5	7	10	17	24	30
SUBTOTAL	**7003**	**17.4**	**164**	**6**	**9**	**14**	**22**	**33**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	69	12.6	51	7	8	9	14	23	31
70-74	47	13.6	56	2	11	12	17	26	26
75-79	75	14.2	39	9	10	14	15	23	29
80-84	32	11.0	34	2	5	14	16	18	18
85 +	118	10.9	83	3	5	8	13	22	32
SUBTOTAL	**342**	**12.3**	**60**	**4**	**7**	**11**	**15**	**23**	**29**
GRAND TOTAL	**7345**	**17.2**	**161**	**6**	**9**	**14**	**22**	**32**	**43**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	197	16.2	161	6	7	13	20	27	47
50-69	813	20.2	150	7	11	17	27	37	47
70 +	59	15.1	[illegible]	5	6	10	18	39	53
	1069	**19.2**	**157**	**6**	**10**	**16**	**26**	**36**	**47**
0-17	0								
18-34	0								
35-49	21	12.0	18						
50-69	69	12.1	29	6	8	12	15	20	21
70 +	0								
	89	**12.1**	**26**	**6**	**8**	**12**	**15**	**20**	**21**
	1158	**18.6**	**150**	**6**	**9**	**15**	**25**	**35**	**44**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	16	21.9	55						
35-49	122	21.7	299	4	7	16	32	48	53
50-69	275	21.4	255	6	11	15	29	47	61
70 +	11	17.8	46						
SUBTOTAL	**423**	**21.4**	**254**	**5**	**10**	**15**	**32**	**47**	**61**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	38	12.3	17	6	9	12	15	20	20
70 +	0								
SUBTOTAL	**38**	**12.3**	**17**	**6**	**9**	**12**	**15**	**20**	**20**
GRAND TOTAL	**461**	**20.7**	**241**	**6**	**10**	**15**	**31**	**46**	**54**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	11	20.9	200						
35-49	41	18.9	196	5	7	12	30	46	46
50-69	181	17.0	239	5	7	12	23	30	36
70 +	54	17.0	185	5	6	11	26	41	42
	288	**17.4**	**220**	**5**	**7**	**12**	**24**	**35**	**42**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	288	**17.4**	**220**	**5**	**7**	**12**	**24**	**35**	**42**

DRG 114: Upper Limb & Toe Amputation for Circ System Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	731	10.0	57	2	4	8	14	20	24	0-17	0								
70-74	310	13.1	133	3	6	11	16	31	45	18-34	0								
75-79	292	12.2	78	3	5	10	16	22	31	35-49	158	9.9	44	3	5	9	13	19	24
80-84	190	11.8	98	2	6	10	13	17	43	50-69	492	13.7	112	4	7	10	17	27	34
85 +	181	11.4	97	4	6	9	13	20	31	70 +	27	10.1	10						
SUBTOTAL	**1704**	**11.3**	**85**	**3**	**5**	**10**	**14**	**21**	**31**		**677**	**12.7**	**95**	**4**	**6**	**10**	**16**	**24**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	43	3.6	5	1	2	2	4	7	7	0-17	10	1.5							
70-74	21	5.2	4							18-34	5	23.0							
75-79	10	6.5	14							35-49	21	10.0	33						
80-84	33	8.7	6	6	7	8	10	13	13	50-69	49	5.8	17	1	3	4	9	12	13
85 +	32	8.3	18	3	4	8	12	15	15	70 +	0								
SUBTOTAL	**139**	**6.3**	**13**	**2**	**3**	**6**	**8**	**12**	**13**		**86**	**7.4**	**40**	**1**	**2**	**5**	**11**	**18**	**23**
GRAND TOTAL	**1844**	**10.9**	**81**	**3**	**5**	**9**	**14**	**20**	**30**		**763**	**12.1**	**91**	**3**	**6**	**9**	**16**	**23**	**31**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	21	18.7	394							18-34	16	14.3	24						
35-49	48	10.8	127	1	3	8	16	30	39	35-49	32	13.4	12	8	10	14	16	18	18
50-69	117	10.9	35	5	7	9	13	21	23	50-69	112	10.7	64	3	4	9	14	24	27
70 +	6	1.0								70 +	22	6.6	24						
SUBTOTAL	**192**	**11.5**	**104**	**3**	**5**	**8**	**14**	**23**	**39**		**182**	**11.0**	**51**	**3**	**5**	**10**	**16**	**19**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	5	1.0								35-49	22	11.8	144						
50-69	16	7.6	12							50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**21**	**6.0**	**17**								**22**	**11.8**	**144**						
GRAND TOTAL	**213**	**10.9**	**98**	**2**	**4**	**8**	**13**	**21**	**24**		**204**	**11.1**	**60**	**2**	**5**	**9**	**16**	**23**	**28**

DRG 115: Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	157	15.7	211	7	9	11	20	26	44	0-17	0								
70-74	263	14.8	117	7	9	11	16	27	32	18-34	0								
75-79	441	13.8	79	5	8	11	18	23	30	35-49	5	9.0							
80-84	345	12.6	61	4	8	12	16	22	28	50-69	105	18.0	151	7	10	14	27	33	42
85 +	356	12.2	58	4	8	10	16	23	27	70 +	33	15.2	42	9	10	12	20	27	27
SUBTOTAL	**1563**	**13.5**	**91**	**5**	**8**	**11**	**17**	**23**	**30**		**143**	**17.0**	**124**	**7**	**10**	**13**	**22**	**32**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	21	8.5	19							0-17	0								
70-74	11	16.7	40							18-34	11	9.6	2						
75-79	27	8.3	47							35-49	0								
80-84	28	6.8	7							50-69	16	11.3	5						
85 +	23	9.3	32							70 +	0								
SUBTOTAL	**109**	**9.0**	**34**	**2**	**5**	**9**	**12**	**16**	**21**		**26**	**10.6**	**4**						
GRAND TOTAL	**1672**	**13.2**	**89**	**5**	**8**	**11**	**16**	**23**	**28**		**170**	**16.0**	**111**	**8**	**10**	**12**	**20**	**30**	**34**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	5	18.0								35-49	0								
50-69	16	16.7	59							50-69	16	7.3	16						
70 +	5	8.0								70 +	38	12.2	31	3	8	14	16	21	21
SUBTOTAL	**26**	**15.2**	**48**								**54**	**10.8**	**31**	**3**	**8**	**11**	**14**	**21**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	10	11.5							
70 +	0									70 +	0								
SUBTOTAL	**0**										**10**	**11.5**							
GRAND TOTAL	**26**	**15.2**	**48**								**64**	**10.9**	**26**	**3**	**9**	**11**	**14**	**16**	**21**

DRG 116: Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1241	7.4	59	2	3	6	10	13	19	0-17	52	3.5	7	2	2	2	4	7	11
70-74	1797	7.6	47	2	4	6	9	14	17	18-34	58	4.5	8	2	2	3	8	9	9
75-79	2171	7.7	42	2	4	6	9	15	19	35-49	132	5.2	13	1	3	4	8	10	11
80-84	2199	8.3	32	3	4	7	11	14	19	50-69	804	6.8	23	2	4	6	9	12	16
85 +	2107	8.6	35	3	5	7	11	16	22	70 +	165	8.8	59	2	4	6	11	20	27
SUBTOTAL	**9515**	**8.0**	**42**	**2**	**4**	**6**	**10**	**15**	**19**		**1210**	**6.7**	**27**	**2**	**3**	**5**	**9**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	741	4.4	10	1	2	4	6	8	9	0-17	62	3.6	3	1	2	3	5	6	7
70-74	872	4.7	14	2	2	4	6	9	10	18-34	101	3.1	3	1	2	3	5	6	6
75-79	1186	4.8	11	1	2	4	6	9	12	35-49	159	3.2	4	1	2	3	4	6	6
80-84	1021	4.2	8	1	2	4	5	8	10	50-69	609	4.5	14	1	2	4	6	8	10
85 +	858	5.5	16	2	3	4	7	11	15	70 +	116	4.9	13	2	2	4	6	9	14
SUBTOTAL	**4678**	**4.7**	**12**	**1**	**2**	**4**	**6**	**9**	**11**		**1047**	**4.1**	**11**	**1**	**2**	**3**	**6**	**7**	**9**
GRAND TOTAL	**14193**	**6.9**	**34**	**2**	**3**	**5**	**9**	**13**	**17**		**2257**	**5.5**	**21**	**1**	**2**	**4**	**7**	**11**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	14.3	90							0-17	10	6.0	1						
18-34	32	5.8	9	1	4	5	9	10	10	18-34	5	11.0							
35-49	31	6.4	12	2	3	7	10	11	11	35-49	26	7.2	31						
50-69	80	14.1	116	4	7	11	19	29	46	50-69	132	4.9	20	1	3	3	6	9	9
70 +	32	9.7	30	4	5	7	17	17	17	70 +	146	3.2	6	1	1	3	5	7	8
SUBTOTAL	**191**	**10.7**	**77**	**3**	**5**	**8**	**15**	**20**	**29**		**319**	**4.5**	**15**	**1**	**2**	**3**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	21	3.0	3							0-17	16	2.0							
18-34	10	3.0								18-34	16	7.5	23						
35-49	11	7.2	28							35-49	27	2.8	5						
50-69	64	4.7	5	2	2	4	7	8	8	50-69	134	3.0	4	1	1	3	4	6	8
70 +	0									70 +	102	2.6	3	1	1	2	4	5	6
SUBTOTAL	**106**	**4.4**	**7**	**2**	**2**	**4**	**6**	**8**	**12**		**294**	**3.1**	**6**	**1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**297**	**8.5**	**61**	**2**	**4**	**6**	**11**	**17**	**24**		**614**	**3.8**	**11**	**1**	**2**	**3**	**5**	**8**	**9**

DRG 117: Cardiac Pacemaker Revision except Device Replacement

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	- PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	69	8.6	47	2	3	5	17	18	19	0-17	31	3.0	3	1	1	3	5	5	5
70-74	96	4.4	17	1	2	3	5	9	15	18-34	16	4.0	5						
75-79	107	10.1	129	3	3	7	10	14	39	35-49	26	2.8	4						
80-84	81	6.3	25	2	3	4	8	13	20	50-69	63	4.4	7	2	2	3	6	8	10
85 +	111	5.9	19	1	3	5	9	12	13	70 +	5	3.0							
SUBTOTAL	**464**	**7.0**	**53**	**1**	**3**	**5**	**9**	**15**	**18**		**141**	**3.7**	**5**	**1**	**2**	**3**	**5**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	70	2.8	3	1	2	2	4	5	7	0-17	41	4.9	18	1	2	3	7	14	14
70-74	108	4.9	23	1	2	3	7	12	14	18-34	16	2.3	2						
75-79	171	4.3	45	1	2	2	4	7	23	35-49	26	4.9	7						
80-84	43	3.9	5	1	2	3	7	8	8	50-69	48	6.6	181	1	2	2	2	33	45
85 +	59	3.6	13	1	1	3	4	9	14	70 +	0								
SUBTOTAL	**452**	**4.1**	**26**	**1**	**2**	**3**	**4**	**7**	**13**		**132**	**5.2**	**74**	**1**	**2**	**2**	**4**	**9**	**14**
GRAND TOTAL	**916**	**5.6**	**42**	**1**	**2**	**3**	**7**	**13**	**18**		**273**	**4.4**	**39**	**1**	**2**	**3**	**5**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	11	3.5								0-17	0								
18-34	5	10.0								18-34	0								
35-49	5	14.0								35-49	5	1.0							
50-69	10	9.5	7							50-69	26	4.7	27						
70 +	0									70 +	6	5.0							
SUBTOTAL	**31**	**8.3**	**17**	**3**	**4**	**7**	**12**	**14**	**14**		**37**	**4.3**	**21**	**1**	**1**	**3**	**5**	**15**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5	6.0								0-17	5	2.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	5	3.0								50-69	16	1.7	1						
70 +	0									70 +	16	5.9	5						
SUBTOTAL	**10**	**4.5**	**2**								**37**	**3.6**	**7**	**1**	**1**	**3**	**7**	**8**	**8**
GRAND TOTAL	**42**	**7.3**	**16**	**3**	**3**	**6**	**11**	**14**	**14**		**74**	**3.9**	**14**	**1**	**1**	**3**	**5**	**8**	**15**

DRG 118: Cardiac Pacemaker Device Replacement

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	102	3.4	5	1	1	3	5	7	8
70-74	183	3.6	22	1	1	2	4	6	10
75-79	188	3.8	16	1	1	2	5	11	11
80-84	221	5.2	33	1	1	4	6	10	17
85 +	260	4.5	19	1	2	3	6	13	15
SUBTOTAL	**954**	**4.2**	**21**	**1**	**1**	**3**	**5**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	127	1.5	1	1	1	1	2	3	4
70-74	133	1.8	2	< 1	1	1	2	3	3
75-79	167	2.1	5	< 1	1	1	2	5	7
80-84	201	2.3	3	1	1	1	3	6	7
85 +	182	2.8	9	1	1	2	3	7	11
SUBTOTAL	**809**	**2.2**	**5**	**1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**1763**	**3.3**	**14**	**1**	**1**	**2**	**4**	**7**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	41	3.6	5	1	2	3	5	8	8
18-34	22	2.8	4						
35-49	5	1.0							
50-69	85	3.9	11	1	1	3	6	7	14
70 +	27	2.4	2						
	181	**3.4**	**7**	**1**	**1**	**2**	**5**	**6**	**8**
0-17	72	3.1	7	1	1	2	3	8	10
18-34	21	3.3	1						
35-49	37	1.1		1	1	1	1	2	2
50-69	139	2.8	6	1	1	2	3	8	8
70 +	22	2.3	3						
	291	**2.7**	**5**	**1**	**1**	**2**	**3**	**7**	**8**
	472	**2.9**	**6**	**1**	**1**	**2**	**4**	**7**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	5	5.0							
50-69	11	3.1	4						
70 +	0								
SUBTOTAL	**16**	**3.7**	**4**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	21	4.3	16						
18-34	0								
35-49	0								
50-69	10	1.5							
70 +	0								
SUBTOTAL	**31**	**3.3**	**13**	**1**	**1**	**2**	**3**	**11**	**11**
GRAND TOTAL	**47**	**3.5**	**9**	**1**	**1**	**2**	**5**	**10**	**11**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	5	1.0							
18-34	0								
35-49	5	1.0							
50-69	16	2.4	2						
70 +	16	2.8	6						
	43	**2.2**	**3**	**1**	**1**	**1**	**4**	**6**	**6**
0-17	0								
18-34	11	1.0							
35-49	5	1.0							
50-69	10	1.0							
70 +	5	1.0							
	31	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**
	74	**1.7**	**2**	**1**	**1**	**1**	**1**	**4**	**6**

DRG 119: Vein Ligation & Stripping

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	96	8.1	119	1	1	4	10	18	46	0-17	10	8.5	2						
70-74	65	5.6	26	1	2	3	9	12	18	18-34	38	6.8	84	1	1	2	11	27	27
75-79	66	7.3	59	2	3	5	8	16	29	35-49	118	3.7	18	1	1	2	4	12	15
80-84	43	6.5	23	1	3	5	10	16	16	50-69	196	4.7	24	1	1	3	6	11	18
85 +	38	16.2	361	2	6	9	14	60	60	70 +	0								
SUBTOTAL	**308**	**8.2**	**111**	**1**	**2**	**5**	**10**	**17**	**29**		**362**	**4.7**	**29**	**1**	**1**	**3**	**6**	**11**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	201	2.2	4	1	1	2	3	4	7	0-17	11	1.5							
70-74	108	2.6	5	1	1	2	3	5	11	18-34	459	1.6	1	1	1	1	2	2	3
75-79	64	2.2	2	1	1	2	3	5	5	35-49	1004	1.7	2	1	1	1	2	3	3
80-84	28	6.0	17							50-69	681	1.7	2	1	1	1	2	3	3
85 +	11	2.0								70 +	11	2.5							
SUBTOTAL	**411**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**8**		**2165**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**719**	**5.0**	**58**	**1**	**1**	**2**	**5**	**11**	**16**		**2527**	**2.1**	**7**	**1**	**1**	**1**	**2**	**3**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5	8.0								0-17	10	20.0	71						
18-34	5	6.0								18-34	6	1.0							
35-49	16	3.6	1							35-49	43	1.4		< 1	1	1	2	2	2
50-69	11	8.8	46							50-69	26	3.6	6						
70 +	6	11.0								70 +	0								
SUBTOTAL	**43**	**6.7**	**19**	**2**	**3**	**6**	**11**	**15**	**15**		**85**	**4.3**	**45**	**1**	**1**	**2**	**4**	**12**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	11	10.2	62							0-17	0								
18-34	27	1.2								18-34	144	1.3		1	1	1	1	2	2
35-49	50	2.3	3	1	1	1	3	6	6	35-49	307	1.3		1	1	1	1	2	3
50-69	16	5.0	9							50-69	248	1.6	2	1	1	1	2	4	5
70 +	0									70 +	0								
SUBTOTAL	**104**	**3.3**	**16**	**1**	**1**	**2**	**4**	**9**	**12**		**699**	**1.4**	**1**	**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**147**	**4.3**	**19**	**1**	**1**	**3**	**6**	**11**	**15**		**784**	**1.7**	**7**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 120: Other Circulatory System O.R. Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2443	9.5	110	1	3	6	13	20	29	0-17	41	11.3	49	1	6	11	15	24	24
70-74	1029	11.8	117	1	4	9	17	27	36	18-34	148	6.3	42	1	2	4	8	16	21
75-79	806	14.3	136	2	6	12	20	28	41	35-49	315	9.6	71	1	3	9	12	19	26
80-84	414	14.4	209	1	5	11	19	26	40	50-69	944	13.0	158	2	5	9	17	27	38
85 +	402	19.1	154	5	10	18	24	37	44	70 +	32	12.7	157	2	3	6	21	37	37
SUBTOTAL	**5094**	**11.9**	**135**	**1**	**3**	**9**	**17**	**25**	**36**		**1482**	**11.5**	**129**	**2**	**4**	**9**	**15**	**25**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	235	8.8	76	1	2	5	13	25	27	0-17	43	2.5	4	1	1	2	3	7	7
70-74	145	12.1	173	2	3	5	18	33	38	18-34	38	4.2	20	1	2	3	4	15	15
75-79	85	9.7	25	4	5	10	13	16	21	35-49	58	5.8	22	2	2	4	7	8	19
80-84	70	11.7	55	3	8	10	13	23	30	50-69	122	6.8	23	1	3	6	9	15	15
85 +	75	8.7	71	2	2	5	13	23	26	70 +	0								
SUBTOTAL	**611**	**10.0**	**90**	**1**	**2**	**8**	**13**	**25**	**29**		**261**	**5.5**	**21**	**1**	**2**	**4**	**7**	**14**	**15**
GRAND TOTAL	**5705**	**11.7**	**131**	**1**	**3**	**9**	**17**	**25**	**34**		**1743**	**10.6**	**118**	**1**	**3**	**8**	**14**	**24**	**29**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5	7.0								0-17	5	28.0							
18-34	135	10.7	138	1	2	7	14	26	29	18-34	16	8.0	2						
35-49	176	15.1	318	1	4	11	18	33	71	35-49	101	11.7	182	2	4	8	14	18	39
50-69	250	15.0	222	2	5	11	18	36	44	50-69	188	12.6	78	4	5	9	17	25	33
70 +	10	6.0	10							70 +	53	16.1	185	1	8	12	21	37	46
SUBTOTAL	**577**	**13.8**	**230**	**2**	**3**	**9**	**17**	**31**	**44**		**364**	**12.9**	**123**	**3**	**5**	**10**	**16**	**28**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10	6.0	10							0-17	11	3.6	7						
18-34	16	10.0	9							18-34	5	1.0							
35-49	21	13.8	68							35-49	11	13.3	33						
50-69	21	14.1	115							50-69	38	9.4	89	1	2	5	20	26	26
70 +	6	33.0								70 +	0								
SUBTOTAL	**75**	**13.4**	**93**	**5**	**7**	**10**	**14**	**32**	**33**		**64**	**8.4**	**71**	**1**	**2**	**6**	**19**	**20**	**26**
GRAND TOTAL	**652**	**13.7**	**214**	**2**	**4**	**9**	**17**	**32**	**37**		**428**	**12.2**	**118**	**2**	**5**	**9**	**17**	**26**	**33**

DRG 121: Circulatory Disorders w/ AMI & C.V. Comp Disch Alive

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5219	9.8	42	5	6	8	11	16	21
70-74	4981	10.2	33	5	7	9	12	17	21
75-79	5603	10.3	41	5	7	9	12	17	24
80-84	4902	10.5	32	5	7	9	13	18	21
85 +	4626	10.2	32	5	7	9	12	17	22
SUBTOTAL	**25330**	**10.2**	**36**	**5**	**7**	**9**	**12**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	176	6.4	9	2	4	7	9	10	11
70-74	111	6.0	5	3	5	6	7	8	10
75-79	75	6.9	4	5	5	7	9	9	10
80-84	99	7.8	6	5	6	7	10	11	14
85 +	77	7.2	5	5	6	7	9	10	13
SUBTOTAL	**537**	**6.8**	**7**	**3**	**5**	**7**	**9**	**10**	**11**
GRAND TOTAL	**25867**	**10.1**	**36**	**5**	**7**	**9**	**12**	**17**	**21**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	70	6.4	7	2	5	7	8	10	10
35-49	1023	7.7	15	3	6	7	9	11	14
50-69	4184	8.9	22	5	6	8	10	14	18
70 +	436	9.2	29	5	6	8	10	15	18
	5713	**8.7**	**22**	**4**	**6**	**8**	**10**	**14**	**17**
0-17	0								
18-34	0								
35-49	49	6.4	13	< 1	5	6	7	14	14
50-69	222	6.9	8	4	6	7	8	10	12
70 +	11	8.4	13						
	281	**6.9**	**9**	**3**	**5**	**7**	**8**	**11**	**13**
	5995	**8.6**	**21**	**4**	**6**	**8**	**10**	**14**	**17**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	37	6.4	7	2	4	7	9	10	10
35-49	155	8.0	21	3	5	7	10	14	18
50-69	508	9.8	41	4	6	9	11	16	26
70 +	48	10.8	42	4	6	9	13	23	23
SUBTOTAL	**748**	**9.3**	**36**	**4**	**6**	**8**	**11**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	5	5.0							
35-49	0								
50-69	16	5.9	15						
70 +	5	6.0							
SUBTOTAL	**27**	**5.7**	**9**						
GRAND TOTAL	**774**	**9.2**	**36**	**3**	**6**	**8**	**11**	**14**	**21**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	11	7.0	1						
35-49	199	7.3	8	4	6	7	9	12	13
50-69	1084	9.3	37	4	6	8	10	15	21
70 +	498	9.5	36	5	6	8	11	14	23
	1792	**9.1**	**34**	**4**	**6**	**8**	**10**	**14**	**21**
0-17	0								
18-34	0								
35-49	26	7.6	3						
50-69	99	6.7	4	4	5	7	8	10	10
70 +	22	8.2	21						
	146	**7.0**	**7**	**4**	**6**	**7**	**9**	**10**	**10**
	1939	**9.0**	**32**	**4**	**6**	**8**	**10**	**14**	**20**

DRG 122: Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2892	7.3	11	4	5	7	9	11	13
70-74	2026	8.0	18	4	6	7	10	12	15
75-79	2019	8.1	16	4	6	8	10	13	15
80-84	1666	8.3	15	4	6	8	10	13	15
85 +	1081	9.3	23	5	6	8	11	15	18
SUBTOTAL	**9685**	**8.0**	**16**	**4**	**6**	**7**	**10**	**13**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2884	6.8	8	3	5	7	8	10	12
70-74	2403	6.8	8	4	5	7	8	10	11
75-79	1938	7.2	10	4	5	7	9	11	12
80-84	1513	7.4	10	4	6	7	9	10	13
85 +	957	7.2	9	3	5	7	9	11	12
SUBTOTAL	**9695**	**7.0**	**9**	**4**	**5**	**7**	**9**	**10**	**12**
GRAND TOTAL	**19380**	**7.5**	**13**	**4**	**5**	**7**	**9**	**11**	**14**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	80	6.8	4	5	5	6	9	9	11
35-49	952	6.2	10	2	4	6	8	10	11
50-69	3240	7.1	12	3	5	7	9	11	13
70 +	129	7.8	61	2	4	6	9	13	15
	4401	**6.9**	**13**	**3**	**5**	**7**	**9**	**11**	**13**
0-17	6	5.0							
18-34	251	5.3	7	2	3	5	8	9	10
35-49	3211	6.2	7	3	5	6	8	9	10
50-69	6226	6.4	7	3	5	6	8	10	11
70 +	146	6.5	7	2	6	7	8	9	10
	9839	**6.3**	**7**	**3**	**5**	**6**	**8**	**9**	**11**
	14240	**6.5**	**9**	**3**	**5**	**6**	**8**	**10**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	44	6.8	4	5	5	6	8	11	11
35-49	222	7.2	12	4	5	7	9	12	13
50-69	400	8.8	16	5	6	8	10	16	17
70 +	22	8.5	1						
SUBTOTAL	**688**	**8.1**	**14**	**4**	**6**	**7**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	49	7.8	25	3	5	7	8	17	21
35-49	236	7.1	7	5	6	7	8	10	11
50-69	330	6.5	5	4	5	6	8	10	10
70 +	6	7.0							
SUBTOTAL	**621**	**6.8**	**8**	**4**	**5**	**6**	**8**	**10**	**11**
GRAND TOTAL	**1309**	**7.5**	**12**	**4**	**5**	**7**	**9**	**11**	**14**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	65	6.3	5	4	5	6	8	10	10
35-49	320	6.7	6	3	5	6	8	9	12
50-69	805	7.2	13	4	5	7	8	11	12
70 +	137	6.7	6	4	5	7	7	9	12
	1327	**7.0**	**10**	**4**	**5**	**7**	**8**	**10**	**12**
0-17	0								
18-34	44	6.1	5	2	4	7	8	8	8
35-49	822	5.8	6	2	4	6	7	8	9
50-69	1317	6.1	7	3	5	6	7	9	11
70 +	243	6.8	7	3	5	7	8	11	11
	2427	**6.0**	**7**	**3**	**4**	**6**	**7**	**9**	**10**
	3754	**6.4**	**8**	**3**	**5**	**6**	**8**	**9**	**11**

DRG 124: Circulatory Disorders except AMI, w/ Card Cath & Complex Diag

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6376	6.4	27	1	3	5	8	12	16	0-17	212	5.9	98	1	1	2	7	13	16
70-74	4447	6.4	31	1	3	5	8	13	16	18-34	189	6.4	48	1	2	5	8	13	15
75-79	3118	7.0	29	1	3	6	9	13	16	35-49	1822	4.8	15	1	2	4	6	9	11
80-84	1315	7.3	24	2	4	7	10	13	18	50-69	5917	5.6	24	1	2	5	7	11	14
85 +	337	9.7	49	1	5	8	13	20	24	70 +	313	7.0	22	1	4	7	9	14	17
SUBTOTAL	**15594**	**6.7**	**29**	**1**	**3**	**6**	**9**	**13**	**16**		**8454**	**5.5**	**25**	**1**	**2**	**5**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3023	4.3	9	1	2	4	6	8	10	0-17	52	5.9	56	1	1	2	7	17	26
70-74	2028	4.4	10	1	2	4	6	8	10	18-34	121	2.8	4	1	1	2	4	6	6
75-79	1309	5.2	10	1	3	5	7	9	12	35-49	1814	3.5	4	1	2	3	5	6	7
80-84	531	6.2	14	2	3	6	8	12	14	50-69	4867	3.9	7	1	2	4	5	7	8
85 +	106	5.7	11	3	3	5	8	12	13	70 +	107	4.4	4	2	3	4	6	8	9
SUBTOTAL	**6997**	**4.7**	**10**	**1**	**2**	**4**	**6**	**8**	**10**		**6961**	**3.8**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**22591**	**6.0**	**24**	**1**	**3**	**5**	**8**	**12**	**15**		**15415**	**4.8**	**17**	**1**	**2**	**4**	**6**	**9**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	78	5.7	40	1	2	3	5	19	23	0-17	31	5.5	7	2	4	5	8	10	10
18-34	73	5.8	18	1	2	5	8	11	15	18-34	58	5.4	16	1	2	5	8	12	13
35-49	381	6.5	33	2	3	5	9	11	13	35-49	453	5.6	27	1	2	4	7	11	14
50-69	806	6.3	22	1	3	5	8	13	16	50-69	1203	5.6	42	1	2	4	7	9	13
70 +	27	6.3	8							70 +	248	7.8	68	2	3	5	9	16	31
SUBTOTAL	**1364**	**6.3**	**26**	**1**	**3**	**5**	**8**	**12**	**15**		**1993**	**5.8**	**41**	**1**	**2**	**4**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10	1.5								0-17	21	7.0	23						
18-34	10	3.0	4							18-34	27	4.7	13						
35-49	195	4.7	8	1	3	4	6	9	11	35-49	374	3.1	4	1	1	2	4	7	7
50-69	347	4.7	12	1	1	4	7	9	10	50-69	1025	3.8	6	1	2	3	5	7	9
70 +	10	5.5	2							70 +	140	5.2	8	1	3	5	8	9	9
SUBTOTAL	**574**	**4.7**	**11**	**1**	**2**	**4**	**7**	**9**	**10**		**1587**	**3.8**	**6**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**1938**	**5.8**	**22**	**1**	**3**	**5**	**8**	**11**	**14**		**3581**	**4.9**	**27**	**1**	**2**	**4**	**6**	**9**	**11**

DRG 125: Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3559	3.5	14	1	1	2	5	7	9
70-74	2272	3.5	17	1	1	2	5	8	11
75-79	1406	3.8	22	1	1	2	5	9	11
80-84	448	4.1	22	1	1	2	5	10	14
85 +	96	5.4	11	1	3	6	7	10	14
SUBTOTAL	**7781**	**3.6**	**17**	**1**	**1**	**2**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4117	2.5	5	1	1	2	3	5	7
70-74	2520	2.8	7	1	1	2	4	6	7
75-79	1377	3.1	11	1	1	2	4	6	9
80-84	423	3.3	8	1	1	2	4	7	9
85 +	79	3.6	7	1	2	3	4	9	10
SUBTOTAL	**8516**	**2.7**	**7**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**16297**	**3.2**	**12**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	807	1.6	3	< 1	1	1	2	2	3
18-34	163	3.3	8	< 1	1	2	6	8	8
35-49	1483	3.1	7	1	1	2	4	6	8
50-69	4565	2.9	8	1	1	2	4	7	9
70 +	152	2.9	6	1	1	2	4	8	8
	7170	**2.8**	**7**	**1**	**1**	**2**	**4**	**6**	**8**
0-17	1547	1.5	1	< 1	1	1	2	2	3
18-34	433	2.5	7	1	1	1	3	5	6
35-49	4545	2.5	3	1	1	2	3	5	6
50-69	9358	2.4	4	1	1	2	3	5	6
70 +	132	2.7	4	1	1	2	4	6	6
	16014	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	23184	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	269	2.1	5	< 1	1	1	2	3	5
18-34	68	4.7	23	1	2	3	6	9	19
35-49	334	3.9	8	1	2	3	5	8	9
50-69	661	4.9	36	1	2	3	6	10	13
70 +	26	8.0	51						
SUBTOTAL	**1357**	**4.1**	**24**	**1**	**1**	**3**	**5**	**8**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	497	1.9	7	< 1	1	1	2	2	4
18-34	126	2.8	6	1	1	2	3	5	6
35-49	462	2.9	5	1	1	2	4	6	7
50-69	726	2.7	8	1	1	1	3	6	9
70 +	21	2.8	7						
SUBTOTAL	**1831**	**2.6**	**7**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**3188**	**3.2**	**15**	**1**	**1**	**2**	**4**	**7**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	1.5		< 1	< 1	1	2	2	3
18-34	47	4.0	5	< 1	2	4	6	8	8
35-49	448	3.5	10	1	2	3	4	7	11
50-69	1008	3.6	17	1	1	2	5	8	9
70 +	128	2.9	6	1	1	2	4	8	8
	1688	**3.5**	**14**	**1**	**1**	**2**	**4**	**7**	**9**
0-17	109	1.1		< 1	< 1	1	1	1	2
18-34	120	1.8	2	1	1	1	3	4	5
35-49	1146	2.5	4	1	1	2	3	4	6
50-69	1568	2.6	4	1	1	2	3	5	7
70 +	186	2.6	6	< 1	1	2	3	5	10
	3128	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	4816	**2.8**	**8**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 126: Acute & Subacute Endocarditis

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	211	17.7	113	7	10	16	19	36	43
70-74	82	19.3	102	8	11	18	27	36	40
75-79	129	21.3	201	5	8	18	31	43	45
80-84	60	21.1	50	13	14	20	26	32	34
85 +	96	27.2	197	8	16	24	40	49	53
SUBTOTAL	**578**	**20.7**	**148**	**7**	**11**	**17**	**29**	**40**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	11	23.5	62						
70-74	16	22.3	396						
75-79	11	12.6	89						
80-84	11	31.5	200						
85 +	6	15.0							
SUBTOTAL	**55**	**21.8**	**220**	**5**	**10**	**17**	**31**	**48**	**49**
GRAND TOTAL	**634**	**20.8**	**154**	**7**	**11**	**17**	**30**	**40**	**45**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	25.6	49	16	19	30	31	35	35
18-34	64	11.4	47	4	6	11	19	21	23
35-49	103	18.1	118	7	10	15	21	37	42
50-69	133	19.3	198	7	11	14	17	43	46
70 +	5	8.0							
	338	**17.9**	**143**	**7**	**10**	**15**	**21**	**36**	**42**
0-17	11	9.7	70						
18-34	6	21.0							
35-49	38	7.4	15	1	5	7	11	13	13
50-69	43	12.0	23	6	7	15	17	18	18
70 +	0								
	97	**10.5**	**34**	**2**	**6**	**10**	**16**	**18**	**21**
	435	**16.2**	**128**	**6**	**8**	**14**	**19**	**32**	**42**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	47	31.1	513	3	16	20	52	65	67
18-34	37	22.2	163	13	14	16	31	50	50
35-49	115	32.1	303	5	26	31	43	50	56
50-69	16	21.3	5						
70 +	0								
SUBTOTAL	**215**	**29.4**	**319**	**6**	**16**	**28**	**43**	**52**	**57**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	11	5.6	2						
35-49	11	27.8	299						
50-69	0								
70 +	0								
SUBTOTAL	**22**	**16.7**	**273**						
GRAND TOTAL	**236**	**28.2**	**327**	**5**	**14**	**28**	**43**	**52**	**57**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	38	24.3	258	3	14	16	45	48	48
35-49	121	25.5	232	4	7	28	39	44	47
50-69	38	15.5	51	8	9	17	18	29	29
70 +	11	24.7	54						
	207	**23.5**	**207**	**4**	**9**	**21**	**38**	**45**	**47**
0-17	5	6.0							
18-34	0								
35-49	11	7.7	33						
50-69	5	7.0							
70 +	6	7.0							
	27	**7.1**	**13**						
	234	**21.6**	**212**	**4**	**7**	**18**	**30**	**44**	**47**

DRG 127: Heart Failure & Shock

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	26409	7.4	33	3	4	6	9	14	18
70-74	21836	7.6	30	3	4	6	9	14	18
75-79	23713	7.7	30	3	4	6	9	14	18
80-84	22343	8.0	36	3	4	7	10	15	18
85 +	24524	8.3	34	3	5	7	10	15	19
SUBTOTAL	**118825**	**7.8**	**33**	**3**	**4**	**6**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3405	5.4	15	2	3	4	6	9	12
70-74	3142	5.2	10	2	3	4	7	9	11
75-79	3934	5.2	11	2	3	5	6	9	11
80-84	3697	5.6	15	2	3	5	7	10	13
85 +	4471	5.7	14	2	3	5	7	10	13
SUBTOTAL	**18649**	**5.4**	**13**	**2**	**3**	**5**	**7**	**9**	**12**
GRAND TOTAL	**137474**	**7.5**	**31**	**3**	**4**	**6**	**9**	**14**	**17**

	BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	198	5.2	27	2	2	4	6	10	11
18-34	238	5.7	16	2	3	5	7	9	11
35-49	1836	6.0	18	2	3	5	7	11	14
50-69	11606	7.0	27	3	4	6	9	12	17
70 +	2142	6.6	25	2	4	5	8	12	15
	16021	**6.8**	**25**	**2**	**4**	**5**	**8**	**12**	**16**
0-17	57	4.4	11	2	2	3	5	10	12
18-34	33	5.5	2	4	5	5	6	8	8
35-49	464	4.7	6	2	3	4	6	7	8
50-69	2126	4.5	9	2	3	4	6	8	10
70 +	277	4.2	7	2	2	4	5	8	9
	2958	**4.5**	**8**	**2**	**3**	**4**	**6**	**8**	**10**
	18978	**6.4**	**23**	**2**	**3**	**5**	**8**	**12**	**15**

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	213	5.6	19	1	2	4	8	10	14
18-34	449	6.5	29	2	3	4	7	14	19
35-49	1465	6.6	21	3	4	5	8	13	16
50-69	4307	7.0	23	3	4	6	9	13	17
70 +	377	8.6	27	3	5	8	11	16	19
SUBTOTAL	**6810**	**6.9**	**23**	**2**	**4**	**6**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	57	4.3	5	2	2	5	5	5	10
18-34	63	3.6	5	2	2	3	5	5	10
35-49	150	4.4	3	2	3	4	6	8	8
50-69	687	4.9	11	2	3	4	6	9	12
70 +	49	5.8	7	2	4	5	7	10	11
SUBTOTAL	**1007**	**4.8**	**9**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**7817**	**6.6**	**22**	**2**	**4**	**5**	**8**	**13**	**16**

	NO INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	5.0	12	1	2	4	8	10	11
18-34	166	5.1	13	2	3	4	6	11	14
35-49	578	6.2	23	2	3	5	7	14	18
50-69	2645	6.4	24	2	3	5	8	12	15
70 +	1589	6.3	24	2	3	5	8	12	16
	5035	**6.3**	**24**	**2**	**3**	**5**	**8**	**12**	**16**
0-17	10	3.5	2						
18-34	10	3.0	4						
35-49	165	3.5	2	2	2	3	5	5	7
50-69	515	4.3	12	1	2	4	5	7	9
70 +	334	5.6	33	2	2	4	7	9	19
	1035	**4.6**	**18**	**2**	**2**	**4**	**5**	**7**	**9**
	6070	**6.0**	**23**	**2**	**3**	**5**	**7**	**11**	**15**

DRG 128: Deep Vein Thrombophlebitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1030	8.2	22	4	5	8	10	13	17	0-17	5	8.0							
70-74	655	9.4	23	5	6	8	11	16	19	18-34	92	7.2	13	2	5	7	9	11	16
75-79	593	8.7	16	4	6	8	11	14	16	35-49	457	8.0	22	3	5	7	10	13	17
80-84	526	8.6	14	4	6	8	11	14	15	50-69	909	8.7	17	5	6	8	10	13	16
85 +	466	8.4	17	4	6	8	10	14	15	70 +	92	8.5	7	6	6	8	11	12	13
SUBTOTAL	**3269**	**8.6**	**19**	**4**	**6**	**8**	**10**	**14**	**16**		**1555**	**8.4**	**18**	**4**	**6**	**8**	**10**	**13**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	738	7.3	11	4	5	7	8	11	13	0-17	33	5.3	3	3	4	6	7	8	8
70-74	573	7.2	7	4	6	7	8	10	12	18-34	275	6.1	11	2	4	6	7	10	12
75-79	444	7.2	13	4	5	7	9	11	13	35-49	817	6.2	8	3	4	6	8	10	11
80-84	236	7.1	6	4	6	7	8	10	13	50-69	1187	6.5	8	3	5	6	8	10	11
85 +	191	7.0	11	2	4	7	10	10	11	70 +	60	6.0	10	3	3	5	9	11	12
SUBTOTAL	**2182**	**7.2**	**10**	**4**	**5**	**7**	**8**	**11**	**12**		**2372**	**6.3**	**8**	**3**	**4**	**6**	**8**	**10**	**11**
GRAND TOTAL	**5451**	**8.1**	**16**	**4**	**6**	**7**	**10**	**13**	**15**		**3927**	**7.1**	**13**	**3**	**5**	**7**	**9**	**11**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5	3.0								0-17	0								
18-34	54	6.1	2	4	5	6	7	8	8	18-34	34	7.8	17	2	6	7	12	14	14
35-49	83	6.2	9	3	5	6	7	10	14	35-49	77	7.8	16	4	5	6	10	16	16
50-69	87	8.3	16	4	6	8	9	15	20	50-69	114	7.6	12	4	5	7	9	13	16
70 +	6	8.0								70 +	60	7.5	18	3	5	7	9	11	19
SUBTOTAL	**234**	**6.9**	**11**	**3**	**5**	**6**	**8**	**10**	**14**		**284**	**7.6**	**15**	**3**	**5**	**7**	**10**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	6.7	26							0-17	6	11.0							
18-34	136	5.9	9	1	5	6	7	9	10	18-34	88	5.6	11	2	3	5	7	8	16
35-49	110	5.9	8	3	3	6	7	11	12	35-49	154	5.6	9	1	4	5	7	10	10
50-69	88	5.3	3	3	4	5	6	7	10	50-69	176	6.1	6	3	4	6	8	9	10
70 +	0									70 +	66	6.2	12	2	4	6	8	9	14
SUBTOTAL	**350**	**5.8**	**8**	**2**	**4**	**6**	**7**	**10**	**11**		**489**	**5.9**	**9**	**2**	**4**	**6**	**7**	**10**	**11**
GRAND TOTAL	**583**	**6.2**	**10**	**3**	**4**	**6**	**7**	**10**	**13**		**774**	**6.5**	**12**	**3**	**4**	**6**	**8**	**11**	**14**

DRG 129: Cardiac Arrest, Unexplained

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	87	10.4	57	3	5	8	14	21	32	0-17	5	14.0							
70-74	49	8.1	39	1	3	6	14	19	19	18-34	6	20.0							
75-79	28	11.3	129							35-49	0								
80-84	22	8.7	60							50-69	43	14.4	148	<1	6	10	29	37	37
85+	44	7.1	12	2	4	7	10	11	11	70+	6	7.0							
SUBTOTAL	**230**	**9.2**	**54**	**1**	**3**	**7**	**13**	**19**	**21**		**60**	**14.2**	**115**	**3**	**7**	**10**	**20**	**32**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5	36.0								0-17	0								
70-74	11	1.5								18-34	11	2.5	2						
75-79	5	4.0								35-49	6	2.0							
80-84	5	5.0								50-69	5	1.0							
85+	6	1.0								70+	0								
SUBTOTAL	**32**	**7.9**	**157**	**<1**	**1**	**2**	**5**	**36**	**36**		**22**	**2.0**	**2**						
GRAND TOTAL	**262**	**9.1**	**67**	**1**	**3**	**7**	**13**	**20**	**30**		**82**	**10.9**	**114**	**<1**	**2**	**7**	**16**	**29**	**37**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	1.5								0-17	0								
18-34	0									18-34	6	22.0							
35-49	5	4.0								35-49	5	1.0							
50-69	16	30.7	478							50-69	16	10.5	15						
70+	0									70+	17	5.0	15						
SUBTOTAL	**31**	**16.7**	**442**	**<1**	**2**	**4**	**35**	**53**	**53**		**44**	**8.7**	**48**	**1**	**3**	**6**	**12**	**22**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	6	5.0								35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**6**	**5.0**									**0**								
GRAND TOTAL	**37**	**14.9**	**392**	**<1**	**2**	**4**	**35**	**53**	**53**		**44**	**8.7**	**48**	**1**	**3**	**6**	**12**	**22**	**22**

DRG 130: Peripheral Vascular Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4433	7.9	32	2	5	7	10	13	18
70-74	3383	8.0	28	2	5	7	10	14	18
75-79	3090	7.9	27	2	5	7	10	14	16
80-84	2604	8.8	39	3	5	7	11	16	19
85 +	2464	8.7	32	3	5	8	11	16	19
SUBTOTAL	**15974**	**8.2**	**31**	**2**	**5**	**7**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**15974**	**8.2**	**31**	**2**	**5**	**7**	**10**	**14**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	42	4.4	8	< 1	2	3	6	9	9
18-34	587	8.3	23	4	5	7	9	15	21
35-49	1552	7.7	20	3	5	7	9	13	16
50-69	4231	7.4	25	2	4	7	9	12	16
70 +	318	7.4	26	2	4	6	9	14	21
	6730	**7.5**	**23**	**2**	**5**	**7**	**9**	**13**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6730	**7.5**	**23**	**2**	**5**	**7**	**9**	**13**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	11.2	85	1	2	10	15	28	28
18-34	333	7.7	22	3	5	7	10	12	13
35-49	478	8.2	32	2	4	7	10	16	20
50-69	500	8.1	36	2	5	7	9	15	20
70 +	48	15.0	395	4	5	7	10	67	67
SUBTOTAL	**1389**	**8.3**	**46**	**2**	**5**	**7**	**10**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1389**	**8.3**	**46**	**2**	**5**	**7**	**10**	**15**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	17.0	28						
18-34	183	7.0	9	2	5	7	8	12	13
35-49	389	7.4	15	2	5	8	9	12	14
50-69	748	7.1	21	2	4	6	9	13	15
70 +	265	7.1	25	2	3	6	9	15	17
	1595	**7.2**	**19**	**2**	**4**	**7**	**9**	**13**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1595	**7.2**	**19**	**2**	**4**	**7**	**9**	**13**	**15**

DRG 131: Peripheral Vascular Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2234	5.7	12	1	3	6	7	10	12	0-17	165	5.3	16	1	2	5	8	11	13
70-74	1759	5.7	12	1	3	6	7	10	11	18-34	1132	6.3	9	2	5	6	8	10	11
75-79	1476	6.4	33	1	3	6	8	11	13	35-49	2314	6.0	13	1	4	6	8	10	12
80-84	855	6.4	14	1	4	6	8	11	13	50-69	3484	5.5	12	1	3	5	7	9	11
85 +	747	6.4	14	1	3	6	9	11	13	70 +	154	5.3	12	1	3	5	7	11	12
SUBTOTAL	**7071**	**6.0**	**17**	**1**	**3**	**6**	**8**	**10**	**12**		**7248**	**5.8**	**12**	**1**	**3**	**6**	**7**	**10**	**12**
GRAND TOTAL	**7071**	**6.0**	**17**	**1**	**3**	**6**	**8**	**10**	**12**		**7248**	**5.8**	**12**	**1**	**3**	**6**	**7**	**10**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	72	4.9	18	2	2	3	4	13	14	0-17	53	4.9	12	1	2	4	9	10	10
18-34	378	6.8	17	2	4	7	8	11	15	18-34	469	5.2	7	2	3	5	7	8	10
35-49	391	6.4	13	2	4	6	8	10	12	35-49	646	6.0	10	2	4	6	8	10	11
50-69	281	6.1	22	1	1	6	8	13	15	50-69	631	5.1	7	1	3	5	7	8	9
70 +	0									70 +	206	6.5	21	1	4	5	8	11	16
SUBTOTAL	**1123**	**6.4**	**17**	**1**	**3**	**6**	**8**	**11**	**14**		**2005**	**5.5**	**10**	**1**	**4**	**5**	**7**	**9**	**11**
GRAND TOTAL	**1123**	**6.4**	**17**	**1**	**3**	**6**	**8**	**11**	**14**		**2005**	**5.5**	**10**	**1**	**4**	**5**	**7**	**9**	**11**

DRG 132: Atherosclerosis w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	917	4.4	11	1	2	3	6	8	11	0-17	11	8.4	13						
70-74	531	5.4	22	2	3	4	6	10	19	18-34	10	5.0	18						
75-79	508	5.2	17	2	2	4	6	11	14	35-49	188	3.9	7	1	1	3	6	8	9
80-84	477	6.0	29	2	3	4	7	13	17	50-69	762	4.6	20	1	2	3	6	9	14
85 +	400	5.4	12	2	3	5	7	10	12	70 +	64	3.2	3	2	2	3	5	6	7
SUBTOTAL	**2833**	**5.2**	**18**	**2**	**3**	**4**	**6**	**10**	**13**		**1035**	**4.5**	**17**	**1**	**2**	**3**	**6**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2833**	**5.2**	**18**	**2**	**3**	**4**	**6**	**10**	**13**		**1035**	**4.5**	**17**	**1**	**2**	**3**	**6**	**9**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	22	4.0	3							18-34	11	2.0							
35-49	63	3.7	4	1	2	3	5	7	7	35-49	113	4.0	8	1	2	3	5	9	10
50-69	221	4.3	10	1	2	3	5	9	11	50-69	250	5.4	30	1	2	3	7	11	18
70 +	6	9.0								70 +	100	5.2	11	2	2	4	7	10	11
SUBTOTAL	**312**	**4.3**	**9**	**1**	**2**	**4**	**5**	**9**	**11**		**474**	**5.0**	**20**	**1**	**2**	**3**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**312**	**4.3**	**9**	**1**	**2**	**4**	**5**	**9**	**11**		**474**	**5.0**	**20**	**1**	**2**	**3**	**7**	**10**	**12**

DRG 133: Atherosclerosis w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	252	3.7	12	< 1	1	3	4	9	11
70-74	269	3.1	5	< 1	1	2	5	6	7
75-79	157	4.2	14	1	1	3	5	12	14
80-84	116	4.6	27	1	2	3	5	8	19
85 +	115	3.8	4	2	3	3	5	6	8
SUBTOTAL	**909**	**3.7**	**11**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**909**	**3.7**	**11**	**1**	**2**	**3**	**5**	**7**	**9**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	21	1.5							
35-49	256	2.9	3	1	1	3	4	6	7
50-69	670	3.1	4	< 1	1	3	4	6	7
70 +	16	2.9	3						
	964	**3.0**	**4**	**1**	**1**	**3**	**4**	**6**	**7**
	964	**3.0**	**4**	**1**	**1**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	5	1.0							
18-34	0								
35-49	63	1.9	2	< 1	1	1	3	4	6
50-69	101	3.2	3	1	2	3	5	6	6
70 +	6	41.0							
SUBTOTAL	**175**	**3.9**	**49**	**< 1**	**1**	**3**	**4**	**6**	**41**
GRAND TOTAL	**175**	**3.9**	**49**	**< 1**	**1**	**3**	**4**	**6**	**41**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	5	2.0							
35-49	86	2.9	3	1	2	3	3	6	8
50-69	176	3.0	7	1	1	2	3	7	9
70 +	16	3.0	1						
	283	**3.0**	**6**	**1**	**1**	**2**	**3**	**7**	**9**
	283	**3.0**	**6**	**1**	**1**	**2**	**3**	**7**	**9**

DRG 134: Hypertension

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1026	5.6	19	2	3	4	7	13	14	0-17	52	6.1	12	3	4	5	8	11	15
70-74	613	5.0	11	2	2	4	7	9	11	18-34	142	4.0	6	2	2	3	5	8	8
75-79	759	5.8	20	2	3	5	7	11	13	35-49	762	4.4	10	2	2	4	6	8	10
80-84	421	5.2	17	2	3	4	6	11	14	50-69	1206	4.1	7	2	2	3	5	8	10
85 +	463	6.6	23	2	3	5	8	12	14	70 +	72	5.3	13	2	2	4	7	10	13
SUBTOTAL	**3282**	**5.6**	**18**	**2**	**3**	**4**	**7**	**11**	**14**		**2234**	**4.3**	**8**	**2**	**2**	**4**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	847	3.7	6	2	2	3	4	7	8	0-17	136	2.2	2	1	1	2	3	4	4
70-74	564	3.3	5	1	2	2	5	6	7	18-34	239	3.1	4	1	1	3	4	6	7
75-79	491	4.1	23	1	2	4	5	7	7	35-49	1164	3.2	4	1	2	3	4	5	7
80-84	357	4.1	8	1	3	3	5	7	10	50-69	1486	3.3	4	1	2	3	4	6	8
85 +	230	3.9	4	2	2	4	5	6	6	70 +	22	4.5	3						
SUBTOTAL	**2488**	**3.7**	**9**	**1**	**2**	**3**	**5**	**6**	**8**		**3045**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**5770**	**4.8**	**15**	**2**	**2**	**4**	**6**	**9**	**12**		**5279**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	21	4.3	9							0-17	21	3.5	3						
18-34	95	5.7	12	2	3	5	7	11	15	18-34	43	4.1	6	1	2	3	5	8	8
35-49	364	4.9	16	2	2	4	6	9	13	35-49	240	4.6	13	2	2	4	6	8	13
50-69	406	4.9	10	2	3	4	7	9	9	50-69	269	3.9	7	1	2	3	5	7	9
70 +	5	2.0								70 +	65	3.9	6	1	2	4	6	9	99 +
SUBTOTAL	**890**	**5.0**	**13**	**2**	**3**	**4**	**7**	**9**	**11**		**638**	**4.2**	**9**	**1**	**2**	**4**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	47	2.9	3	1	2	2	4	6	6	0-17	31	1.8	2	1	1	1	3	4	4
18-34	86	3.4	7	1	2	3	4	5	13	18-34	102	2.5	3	1	1	2	3	6	7
35-49	323	3.4	9	1	2	3	4	7	7	35-49	392	3.3	5	1	2	3	4	7	9
50-69	290	4.2	6	1	2	3	6	7	9	50-69	244	3.6	27	1	2	2	4	5	8
70 +	16	4.0	3							70 +	78	3.7	6	2	2	3	4	8	10
SUBTOTAL	**762**	**3.7**	**8**	**1**	**2**	**3**	**5**	**7**	**8**		**847**	**3.3**	**11**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**1652**	**4.4**	**11**	**1**	**2**	**3**	**6**	**8**	**9**		**1485**	**3.7**	**10**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 135: Cardiac Congenital & Valvular Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	218	6.2	67	1	3	4	7	10	17	0-17.	0								
70-74	178	10.0	179	2	3	6	10	16	56	18-34	37	3.2	1	1	3	3	4	5	5
75-79	204	6.2	50	1	2	4	7	15	29	35-49	151	5.9	60	2	2	3	5	11	22
80-84	155	9.8	150	2	3	5	10	20	28	50-69	225	6.6	40	2	2	4	9	14	18
85 +	303	6.4	17	2	4	6	7	12	13	70 +	32	6.4	15	1	2	7	9	12	12
SUBTOTAL	**1058**	**7.4**	**83**	**2**	**3**	**5**	**8**	**15**	**20**		**446**	**6.0**	**42**	**2**	**2**	**4**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1058**	**7.4**	**83**	**2**	**3**	**5**	**8**	**15**	**20**		**446**	**6.0**	**42**	**2**	**2**	**4**	**8**	**12**	**17**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	105	6.6	89	1	2	3	6	11	22	18-34	38	2.7	3	1	1	3	3	6	6
35-49	59	8.4	62	2	3	6	8	20	28	35-49	37	5.7	42	2	2	2	7	21	21
50-69	22	3.0	2							50-69	54	7.6	50	< 1	3	4	14	16	24
70 +	0									70 +	33	5.5	30	1	1	3	8	16	16
SUBTOTAL	**185**	**6.7**	**72**	**1**	**2**	**4**	**7**	**15**	**28**		**162**	**5.6**	**36**	**1**	**2**	**3**	**6**	**15**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**185**	**6.7**	**72**	**1**	**2**	**4**	**7**	**15**	**28**		**162**	**5.6**	**36**	**1**	**2**	**3**	**6**	**15**	**21**

DRG 136: Cardiac Congenital & Valvular Disorders Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	80	3.3	8	< 1	1	2	4	9	9	0-17	0								
70-74	70	4.3	18	1	2	3	5	7	17	18-34	229	3.0	6	1	2	2	4	5	8
75-79	63	2.8	1	1	2	3	4	4	5	35-49	306	2.7	4	1	1	2	3	5	6
80-84	27	3.0	1							50-69	176	2.7	3	1	2	2	3	5	5
85 +	70	5.7	17	3	3	4	6	11	18	70 +	0								
SUBTOTAL	311	3.9	11	1	2	3	5	7	11		711	2.8	4	1-	2	2	3	5	6
GRAND TOTAL	311	3.9	11	1	2	3	5	7	11		711	2.8	4	1	2	2	3	5	6

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	33	2.5	3	1	1	2	3	6	6	18-34	59	1.9	1	1	1	2	3	3	3
35-49	48	3.0	3	1	2	3	4	6	7	35-49	75	2.6	2	1	2	2	3	4	6
50-69	32	3.7	4	< 1	2	4	5	7	7	50-69	43	2.1	2	< 1	1	2	2	6	6
70 +	0									70 +	11	3.0							
SUBTOTAL	113	3.0	4	1	1	3	4	6	7		187	2.3	2	1	1	2	3	4	6
GRAND TOTAL	113	3.0	4	1	1	3	4	6	7		187	2.3	2	1	1	2	3	4	6

DRG 137: Cardiac Congenital & Valvular Disorders Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	259	5.0	40	1	1	3	5	10	20
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										259	5.0	40	1	1	3	5	10	20
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	322	2.7	12	< 1	1	1	3	5	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										322	2.7	12	< 1	1	1	3	5	8
GRAND TOTAL	0										581	3.7	26	< 1	1	2	4	8	17

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	228	5.1	36	1	2	3	5	13	15	0-17	83	3.3	23	< 1	< 1	2	3	5	21
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	228	5.1	36	1	2	3	5	13	15		83	3.3	23	< 1	< 1	2	3	5	21
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	265	2.7	4	1	1	2	4	5	7	0-17	103	3.6	15	< 1	1	2	5	7	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	265	2.7	4	1	1	2	4	5	7		103	3.6	15	< 1	1	2	5	7	11
GRAND TOTAL	492	3.8	20	1	1	2	4	8	13		187	3.4	18	< 1	1	2	4	7	17

DRG 138: Cardiac Arrhythmia & Conduction Disorders w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	9104	5.3	22	2	3	4	6	10	13
70-74	8618	5.5	19	2	3	4	7	10	13
75-79	8612	5.7	18	2	3	5	7	11	14
80-84	7408	6.1	24	2	3	5	7	11	15
85 +	6230	6.6	28	2	3	5	8	12	16
SUBTOTAL	**39972**	**5.8**	**22**	**2**	**3**	**5**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**39972**	**5.8**	**22**	**2**	**3**	**5**	**7**	**11**	**14**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	229	4.4	9	1	2	4	6	7	9
18-34	647	3.0	5	1	1	2	4	6	8
35-49	1956	3.4	18	1	2	3	4	6	7
50-69	6463	4.4	11	1	2	4	5	8	10
70 +	663	5.1	24	2	2	5	6	9	10
	9959	**4.1**	**13**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	9959	**4.1**	**13**	**1**	**2**	**3**	**5**	**8**	**10**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	88	5.9	42	1	2	4	6	15	26
18-34	284	3.5	9	1	2	3	4	7	10
35-49	423	4.0	4	2	2	4	5	7	7
50-69	1129	5.6	22	2	3	4	7	11	16
70 +	119	7.2	44	2	2	4	8	15	24
SUBTOTAL	**2043**	**5.1**	**19**	**1**	**2**	**4**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2043**	**5.1**	**19**	**1**	**2**	**4**	**6**	**10**	**14**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	4.3	18	1	2	3	4	8	17
18-34	216	3.1	6	1	1	2	4	6	9
35-49	440	3.8	13	1	2	3	4	7	9
50-69	1268	4.0	11	1	2	3	5	9	10
70 +	712	5.3	24	2	2	4	6	11	13
	2697	**4.3**	**15**	**1**	**2**	**3**	**5**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2697	**4.3**	**15**	**1**	**2**	**3**	**5**	**9**	**12**

DRG 139: Cardiac Arrhythmia & Conduction Disorders w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4631	3.3	5	1	2	3	4	6	7	0-17	644	3.0	8	1	1	2	4	5	7
70-74	4289	3.4	7	1	2	3	4	6	8	18-34	1554	2.1	2	1	1	2	3	3	4
75-79	4129	3.6	7	1	2	3	5	6	8	35-49	3663	2.4	3	1	1	2	3	4	5
80-84	2695	4.1	7	2	2	3	5	7	9	50-69	7324	2.9	4	1	2	2	4	5	7
85 +	2374	4.7	10	2	2	4	6	8	10	70 +	412	3.5	8	1	1	3	4	7	9
SUBTOTAL	**18118**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**8**		**13596**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**18118**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**8**		**13596**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	257	2.8	5	1	1	2	3	6	9	0-17	223	2.7	7	< 1	1	2	3	5	9
18-34	307	2.6	3	1	1	2	3	5	7	18-34	559	2.0	2	1	1	2	3	3	4
35-49	298	2.7	3	1	1	2	3	5	6	35-49	685	2.1	3	1	1	2	2	3	5
50-69	415	3.7	7	1	2	3	4	6	8	50-69	1263	2.4	2	1	1	2	3	5	5
70 +	60	3.0	4	1	1	3	4	5	8	70 +	452	2.9	5	1	1	2	4	6	7
SUBTOTAL	**1336**	**3.0**	**5**	**1**	**1**	**3**	**4**	**6**	**8**		**3183**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**1336**	**3.0**	**5**	**1**	**1**	**3**	**4**	**6**	**8**		**3183**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 140: Angina Pectoris

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	14116	4.6	11	2	3	4	6	8	10	0-17	5	1.0							
70-74	9613	5.0	14	2	3	4	6	9	12	18-34	173	2.9	2	2	2	3	4	4	6
75-79	9888	5.0	14	2	3	4	6	9	12	35-49	2638	3.4	5	1	2	3	4	6	7
80-84	8481	5.3	14	2	3	4	6	9	12	50-69	8330	4.0	7	2	2	3	5	7	8
85 +	7504	5.3	13	2	3	4	7	10	12	70 +	728	4.4	14	2	2	4	5	8	10
SUBTOTAL	**49602**	**5.0**	**13**	**2**	**3**	**4**	**6**	**9**	**11**		**11874**	**3.9**	**7**	**2**	**2**	**3**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10537	3.4	4	1	2	3	4	6	7	0-17	6	2.0							
70-74	7550	3.5	4	1	2	3	4	6	7	18-34	454	2.4	4	1	1	2	3	4	5
75-79	7231	3.8	6	2	2	3	5	6	8	35-49	6528	2.7	3	1	2	2	3	5	5
80-84	5444	3.8	5	2	2	3	5	7	8	50-69	14472	3.0	3	1	2	3	4	5	6
85 +	3891	3.9	5	2	2	3	5	7	8	70 +	555	3.3	12	1	2	3	4	5	6
SUBTOTAL	**34653**	**3.6**	**5**	**2**	**2**	**3**	**5**	**6**	**7**		**22014**	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**84255**	**4.4**	**10**	**2**	**2**	**4**	**5**	**8**	**10**		**33888**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	6	3.0							
18-34	138	4.0	7	2	2	3	5	7	11	18-34	70	3.7	4	1	2	3	5	7	7
35-49	1189	4.1	7	2	2	3	5	7	10	35-49	651	3.6	9	1	2	3	5	6	7
50-69	2633	4.6	13	2	2	4	5	8	11	50-69	1615	3.6	5	1	2	3	4	6	8
70 +	178	5.0	7	2	3	4	7	9	10	70 +	754	4.3	9	2	2	3	5	8	10
SUBTOTAL	**4137**	**4.5**	**11**	**2**	**2**	**4**	**5**	**8**	**10**		**3096**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	136	2.8	2	1	2	2	4	4	5	18-34	154	2.5	2	1	1	2	3	4	4
35-49	1176	3.4	5	1	2	3	4	6	7	35-49	1534	2.8	3	1	2	2	4	5	6
50-69	1667	3.6	4	1	2	3	4	6	8	50-69	2467	2.9	3	1	2	3	4	5	6
70 +	130	4.0	5	2	2	4	5	6	6	70 +	629	3.0	4	1	2	3	4	5	7
SUBTOTAL	**3109**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**4765**	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**7246**	**4.0**	**8**	**2**	**2**	**3**	**5**	**7**	**9**		**7881**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

DRG 141: Syncope & Collapse w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3258	4.7	27	2	2	4	6	8	11	0-17	196	3.0	6	1	2	2	3	5	11
70-74	3348	4.8	11	2	3	4	6	9	11	18-34	522	3.0	7	1	2	3	3	5	7
75-79	4137	5.1	16	2	3	4	6	9	12	35-49	936	3.4	8	1	2	3	4	6	8
80-84	4015	5.3	18	2	3	4	6	9	13	50-69	2533	3.5	6	1	2	3	4	6	8
85 +	4056	5.8	18	2	3	5	7	10	14	70 +	335	4.3	7	2	2	4	6	8	10
SUBTOTAL	**18814**	**5.2**	**18**	**2**	**3**	**4**	**6**	**9**	**12**		**4522**	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**18814**	**5.2**	**18**	**2**	**3**	**4**	**6**	**9**	**12**		**4522**	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**8**

	MEDICAID									NO INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	71	2.7	2	1	2	2	3	4	6	0-17	43	3.3	3	1	2	3	5	6	6
18-34	195	3.1	6	1	2	3	4	6	6	18-34	132	3.4	10	1	2	3	3	9	10
35-49	325	3.1	3	1	2	3	4	6	7	35-49	247	3.7	8	1	2	3	4	7	11
50-69	454	5.6	26	2	3	4	7	9	18	50-69	537	3.5	6	1	2	3	5	6	7
70 +	38	4.3	9	2	2	4	4	11	11	70 +	336	4.7	26	2	2	3	5	9	12
SUBTOTAL	**1083**	**4.2**	**15**	**1**	**2**	**3**	**5**	**8**	**10**		**1295**	**3.8**	**12**	**1**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1083**	**4.2**	**15**	**1**	**2**	**3**	**5**	**8**	**10**		**1295**	**3.8**	**12**	**1**	**2**	**3**	**5**	**7**	**10**

DRG 142: Syncope & Collapse w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1972	3.3	5	1	2	3	4	6	7	0-17	612	2.3	2	1	1	2	3	4	5
70-74	1940	3.4	5	1	2	3	4	6	8	18-34	972	2.5	2	1	1	2	3	4	5
75-79	2079	3.5	5	1	2	3	4	6	8	35-49	1829	2.6	3	1	1	2	4	5	6
80-84	1817	3.7	5	1	2	3	5	6	8	50-69	3080	2.7	3	1	1	2	3	5	5
85 +	1732	3.8	6	1	2	3	5	7	8	70 +	172	3.7	5	1	2	3	5	6	9
SUBTOTAL	**9540**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**8**		**6666**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**9540**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**8**		**6666**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	133	2.7	6	1	1	2	3	4	5	0-17	134	1.8	1	1	1	2	2	3	3
18-34	213	2.7	2	1	2	2	4	5	5	18-34	391	2.3	5	1	1	2	3	4	6
35-49	255	3.1	5	1	2	2	4	5	7	35-49	379	2.5	3	1	1	2	3	4	8
50-69	210	3.1	3	1	2	3	4	5	6	50-69	678	2.6	3	1	1	2	3	5	6
70 +	27	2.6	2							70 +	254	2.8	4	1	1	2	3	6	8
SUBTOTAL	**838**	**2.9**	**4**	**1**	**2**	**2**	**4**	**5**	**6**		**1837**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**838**	**2.9**	**4**	**1**	**2**	**2**	**4**	**5**	**6**		**1837**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 143: Chest Pain

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4896	3.6	6	1	2	3	5	6	8
70-74	2742	3.6	6	1	2	3	4	7	8
75-79	2303	3.8	7	1	2	3	5	7	9
80-84	1648	4.3	11	2	2	3	5	8	9
85 +	1093	4.3	17	2	2	3	5	7	11
SUBTOTAL	**12680**	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	5285	2.6	3	1	1	2	3	5	6
70-74	2929	2.6	2	1	2	2	3	5	5
75-79	2128	2.9	4	1	2	2	4	5	6
80-84	1238	3.0	3	1	2	2	4	5	6
85 +	709	2.9	3	1	2	3	4	5	7
SUBTOTAL	**12289**	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**24969**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	58	1.9	1	1	1	2	2	3	4
18-34	768	2.3	2	1	1	2	3	4	6
35-49	3823	2.7	4	1	2	2	3	4	6
50-69	5317	3.0	3	1	2	3	4	5	7
70 +	203	3.3	13	1	2	2	3	7	10
	10170	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**6**
0-17	101	1.8	1	1	1	2	2	3	4
18-34	2787	1.9	1	1	1	2	2	4	4
35-49	13087	2.2	2	1	1	2	3	4	5
50-69	13348	2.3	2	1	1	2	3	4	5
70 +	177	2.8	3	1	2	2	3	4	8
	29500	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	39669	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	3.7	2						
18-34	507	2.8	4	1	2	2	3	5	6
35-49	1064	3.2	6	1	2	3	4	6	8
50-69	1339	3.7	8	1	2	3	4	7	9
70 +	26	6.6	8						
SUBTOTAL	**2952**	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	38	3.1	3	< 1	1	3	5	6	6
18-34	742	2.4	2	1	1	2	3	4	5
35-49	1524	2.7	2	1	2	2	3	4	5
50-69	902	3.0	3	1	2	3	4	5	6
70 +	47	4.0	9	2	3	3	3	10	12
SUBTOTAL	**3254**	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**6206**	**3.0**	**5**	**1**	**2**	**3**	**4**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	2.0							
18-34	452	2.2	4	1	1	2	3	3	4
35-49	1146	2.5	3	1	1	2	3	5	6
50-69	1332	3.1	7	1	2	2	4	6	8
70 +	320	2.9	3	1	2	2	3	6	7
	3256	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
0-17	63	2.1	2	1	1	2	2	4	6
18-34	939	1.9	1	1	1	2	2	4	4
35-49	3323	1.9	1	1	1	2	2	3	4
50-69	3158	2.2	2	1	1	2	3	4	5
70 +	330	2.1	2	1	1	2	3	4	4
	7813	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	11069	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 144: Other Circulatory System Diagnoses w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4510	6.7	39	1	3	5	8	14	18
70-74	2340	7.3	40	2	4	6	9	13	17
75-79	1931	7.3	36	2	4	6	9	14	18
80-84	1235	8.4	56	2	4	6	10	17	22
85 +	886	6.7	24	2	3	5	8	13	16
SUBTOTAL	**10902**	**7.1**	**40**	**2**	**3**	**5**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10902**	**7.1**	**40**	**2**	**3**	**5**	**9**	**14**	**18**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	603	6.3	31	2	3	4	8	13	17
18-34	636	6.2	28	2	3	4	8	13	18
35-49	1184	5.9	35	2	3	4	7	11	14
50-69	3087	6.4	39	2	3	5	8	13	16
70 +	245	6.3	19	2	3	5	9	13	14
	5755	**6.3**	**35**	**2**	**3**	**5**	**8**	**13**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5755	**6.3**	**35**	**2**	**3**	**5**	**8**	**13**	**16**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	509	9.5	67	1	3	8	12	20	25
18-34	461	7.8	44	2	3	6	10	16	23
35-49	483	7.9	77	2	4	5	9	15	22
50-69	679	8.1	63	2	4	6	9	15	20
70 +	32	9.2	68	2	3	7	10	26	26
SUBTOTAL	**2165**	**8.3**	**63**	**2**	**4**	**6**	**10**	**16**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2165**	**8.3**	**63**	**2**	**4**	**6**	**10**	**16**	**24**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	203	6.7	41	< 1	2	5	10	13	19
18-34	150	5.1	42	1	2	4	6	8	9
35-49	401	5.0	11	2	3	5	6	8	10
50-69	593	6.0	34	1	2	4	8	12	16
70 +	125	4.4	10	1	1	4	6	9	11
	1472	**5.6**	**28**	**1**	**2**	**4**	**7**	**10**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1472	**5.6**	**28**	**1**	**2**	**4**	**7**	**10**	**14**

DRG 145: Other Circulatory System Diagnoses w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	680	4.6	34	1	2	4	6	7	12	0-17	377	3.5	9	1	2	3	5	6	11
70-74	488	3.7	7	1	2	3	5	7	8	18-34	559	2.9	4	1	1	2	4	5	6
75-79	362	4.6	25	1	2	4	6	8	10	35-49	1132	3.2	6	1	2	2	4	6	9
80-84	239	5.1	13	1	2	4	7	11	13	50-69	1453	3.1	6	1	1	2	4	6	8
85+	153	5.0	10	1	3	4	7	10	11	70+	80	3.6	8	1	1	3	5	9	10
SUBTOTAL	**1921**	**4.5**	**21**	**1**	**2**	**3**	**6**	**8**	**11**		**3601**	**3.2**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**1921**	**4.5**	**21**	**1**	**2**	**3**	**6**	**8**	**11**		**3601**	**3.2**	**6**	**1**	**1**	**2**	**4**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	197	4.5	11	1	2	4	7	10	11	0-17	94	4.8	68	<1	1	2	4	6	33
18-34	86	4.0	7	1	2	3	5	9	11	18-34	226	2.3	2	1	1	2	2	5	6
35-49	155	3.7	5	1	2	3	5	7	7	35-49	241	2.6	5	1	1	2	3	4	6
50-69	155	4.8	7	2	3	4	6	9	9	50-69	271	3.5	11	1	1	3	4	9	9
70+	0									70+	33	4.5	6	1	2	5	7	7	7
SUBTOTAL	**593**	**4.3**	**8**	**1**	**2**	**3**	**6**	**8**	**10**		**866**	**3.1**	**13**	**1**	**1**	**2**	**4**	**6**	**9**
GRAND TOTAL	**593**	**4.3**	**8**	**1**	**2**	**3**	**6**	**8**	**10**		**866**	**3.1**	**13**	**1**	**1**	**2**	**4**	**6**	**9**

DRG 146: Rectal Resection w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	492	12.1	35	7	9	11	14	19	25	0-17	31	12.0	23	7	9	10	15	21	21
70-74	512	12.5	45	7	8	10	14	22	27	18-34	42	7.9	1	6	7	8	9	10	10
75-79	410	12.8	42	7	9	11	14	21	31	35-49	107	9.1	20	4	7	9	9	17	19
80-84	232	13.1	46	9	10	11	15	19	21	50-69	720	10.8	27	7	8	10	12	17	20
85 +	198	16.5	116	9	11	12	19	31	45	70 +	21	9.5	16						
SUBTOTAL	**1845**	**13.0**	**51**	**7**	**9**	**11**	**14**	**21**	**28**		**920**	**10.5**	**26**	**6**	**8**	**9**	**12**	**16**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1845**	**13.0**	**51**	**7**	**9**	**11**	**14**	**21**	**28**		**920**	**10.5**	**26**	**6**	**8**	**9**	**12**	**16**	**20**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	21	6.0	4							0-17	16	10.3	7						
18-34	10	9.5	2							18-34	5	9.0							
35-49	22	18.8	236							35-49	27	10.9	14						
50-69	21	16.7	32							50-69	108	10.1	7	7	8	10	11	13	14
70 +	0									70 +	22	12.4	13						
SUBTOTAL	**74**	**13.3**	**107**	**5**	**8**	**11**	**15**	**26**	**44**		**177**	**10.5**	**9**	**8**	**9**	**9**	**11**	**16**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**74**	**13.3**	**107**	**5**	**8**	**11**	**15**	**26**	**44**		**177**	**10.5**	**9**	**8**	**9**	**9**	**11**	**16**	**18**

DRG 147: Rectal Resection w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	128	9.0	11	5	7	8	10	12	12
70-74	136	10.1	8	6	9	10	12	13	16
75-79	58	9.7	11	8	8	9	13	14	14
80-84	43	11.3	5	8	10	11	13	15	15
85 +	22	9.5	29						
SUBTOTAL	**387**	**9.8**	**11**	**6**	**8**	**9**	**11**	**13**	**16**
GRAND TOTAL	**387**	**9.8**	**11**	**6**	**8**	**9**	**11**	**13**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	233	6.9	7	5	6	7	8	10	11
18-34	21	6.3	10						
35-49	107	7.0	5	5	6	6	9	10	11
50-69	385	8.5	8	6	7	8	9	12	13
70 +	10	6.0	1						
	756	**7.7**	**8**	**5**	**6**	**7**	**9**	**11**	**13**
	756	**7.7**	**8**	**5**	**6**	**7**	**9**	**11**	**13**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	62	8.8	14	5	6	7	11	13	18
18-34	16	8.3							
35-49	5	8.0							
50-69	11	7.6	7						
70 +	0								
SUBTOTAL	**94**	**8.6**	**10**	**5**	**7**	**8**	**10**	**13**	**17**
GRAND TOTAL	**94**	**8.6**	**10**	**5**	**7**	**8**	**10**	**13**	**17**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	41	7.0	5	5	6	6	8	12	12
18-34	0								
35-49	10	6.5	2						
50-69	65	8.9	8	7	8	9	11	11	12
70 +	11	9.5							
	127	**8.1**	**7**	**5**	**6**	**8**	**10**	**11**	**12**
	127	**8.1**	**7**	**5**	**6**	**8**	**10**	**11**	**12**

DRG 148: Major Small & Large Bowel Procedures w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	7455	13.9	85	7	8	11	16	24	33	0-17	719	11.3	84	4	6	9	14	20	31
70-74	7314	14.2	88	7	9	11	16	25	32	18-34	1642	12.5	82	5	7	10	15	25	32
75-79	7072	14.9	94	7	9	12	17	25	33	35-49	3778	11.9	73	6	8	9	14	21	27
80-84	5279	16.2	107	8	10	13	19	27	36	50-69	8595	12.8	77	7	8	10	15	22	29
85 +	3964	16.9	96	8	10	14	20	28	36	70 +	522	16.1	103	7	9	13	18	30	37
SUBTOTAL	**31084**	**15.0**	**94**	**7**	**9**	**12**	**18**	**26**	**34**		**15255**	**12.6**	**79**	**6**	**8**	**10**	**14**	**22**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**31084**	**15.0**	**94**	**7**	**9**	**12**	**18**	**26**	**34**		**15255**	**12.6**	**79**	**6**	**8**	**10**	**14**	**22**	**29**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	287	14.3	170	5	6	10	16	36	60	0-17	172	11.2	68	5	6	9	12	21	32
18-34	599	12.1	69	6	7	9	14	21	29	18-34	620	11.0	34	5	7	9	13	19	24
35-49	405	13.6	132	6	8	11	15	27	29	35-49	938	11.2	44	6	7	9	12	20	26
50-69	693	14.9	115	7	8	12	17	28	41	50-69	1891	12.4	60	6	8	10	14	22	28
70 +	55	24.0	348	9	10	15	42	42	67	70 +	637	13.3	69	7	8	10	16	24	28
SUBTOTAL	**2039**	**13.9**	**122**	**6**	**8**	**11**	**16**	**27**	**42**		**4258**	**12.0**	**55**	**6**	**8**	**10**	**14**	**22**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2039**	**13.9**	**122**	**6**	**8**	**11**	**16**	**27**	**42**		**4258**	**12.0**	**55**	**6**	**8**	**10**	**14**	**22**	**27**

DRG 149: Major Small & Large Bowel Procedures w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1706	8.6	14	5	7	8	10	13	15
70-74	1426	8.9	14	6	7	8	10	13	15
75-79	1067	9.4	16	6	7	9	11	14	17
80-84	765	10.2	20	6	7	9	12	16	19
85 +	429	10.7	97	5	7	9	11	14	21
SUBTOTAL	**5392**	**9.2**	**22**	**6**	**7**	**8**	**10**	**13**	**16**
GRAND TOTAL	**5392**	**9.2**	**22**	**6**	**7**	**8**	**10**	**13**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1130	6.6	14	3	4	6	8	12	14
18-34	1166	6.5	14	2	4	6	8	10	13
35-49	2149	7.4	11	4	5	7	9	12	13
50-69	3392	8.2	12	5	7	8	9	11	13
70 +	114	9.0	13	6	7	8	10	12	14
	7950	**7.5**	**13**	**4**	**6**	**7**	**9**	**12**	**13**
	7950	**7.5**	**13**	**4**	**6**	**7**	**9**	**12**	**13**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	543	7.2	18	3	5	7	9	11	15
18-34	298	6.8	20	2	3	7	8	13	17
35-49	69	8.4	7	6	7	8	9	10	16
50-69	96	10.4	15	7	8	9	11	18	19
70 +	0								
SUBTOTAL	**1007**	**7.4**	**18**	**2**	**5**	**7**	**9**	**12**	**18**
GRAND TOTAL	**1007**	**7.4**	**18**	**2**	**5**	**7**	**9**	**12**	**18**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	334	7.2	60	2	3	6	7	11	17
18-34	432	6.6	12	2	5	7	8	11	14
35-49	471	7.8	14	4	6	7	10	12	14
50-69	621	8.6	18	5	6	8	9	14	17
70 +	225	9.1	15	6	7	8	10	12	18
	2084	**7.8**	**23**	**3**	**6**	**7**	**9**	**12**	**16**
	2084	**7.8**	**23**	**3**	**6**	**7**	**9**	**12**	**16**

DRG 150: Peritoneal Adhesiolysis w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1443	12.2	86	5	7	10	14	21	30	0-17	207	11.0	62	5	7	9	12	25	30
70-74	1107	12.8	59	5	8	11	15	22	26	18-34	410	9.6	52	3	5	8	13	18	24
75-79	969	15.2	119	6	8	12	18	27	33	35-49	1002	11.0	88	3	6	8	13	21	31
80-84	830	13.7	38	7	10	13	16	20	27	50-69	1472	11.5	56	5	7	9	14	21	27
85 +	617	16.7	77	7	11	15	20	29	33	70 +	75	16.8	221	3	7	14	23	27	61
SUBTOTAL	**4966**	**13.7**	**80**	**6**	**8**	**12**	**17**	**23**	**30**		**3166**	**11.2**	**71**	**4**	**6**	**9**	**13**	**21**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4966**	**13.7**	**80**	**6**	**8**	**12**	**17**	**23**	**30**		**3166**	**11.2**	**71**	**4**	**6**	**9**	**13**	**21**	**28**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	89	16.2	133	5	7	12	24	36	43	0-17	73	9.3	20	5	6	7	13	16	19
18-34	183	8.8	28	3	4	8	11	16	21	18-34	134	7.6	14	3	5	7	9	13	13
35-49	171	12.9	106	5	7	10	14	24	29	35-49	193	10.7	72	4	5	9	12	20	22
50-69	202	15.0	80	6	8	14	20	24	34	50-69	269	12.7	86	5	7	10	16	26	32
70 +	0									70 +	54	11.3	39	3	7	10	18	20	21
SUBTOTAL	**645**	**12.9**	**87**	**4**	**7**	**10**	**16**	**24**	**30**		**724**	**10.8**	**62**	**4**	**6**	**8**	**13**	**20**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**645**	**12.9**	**87**	**4**	**7**	**10**	**16**	**24**	**30**		**724**	**10.8**	**62**	**4**	**6**	**8**	**13**	**20**	**22**

DRG 151: Peritoneal Adhesiolysis w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	436	6.5	11	3	4	6	9	11	11
70-74	350	7.0	13	3	4	6	9	11	14
75-79	229	8.4	18	3	6	8	10	14	17
80-84	135	9.3	33	4	6	8	11	14	23
85 +	103	9.0	10	5	6	9	11	14	15
SUBTOTAL	**1253**	**7.5**	**16**	**3**	**5**	**7**	**10**	**12**	**15**
GRAND TOTAL	**1253**	**7.5**	**16**	**3**	**5**	**7**	**10**	**12**	**15**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	274	6.5	16	3	4	6	7	10	13
18-34	768	5.2	9	2	3	4	7	9	11
35-49	1343	5.9	11	2	4	5	8	11	12
50-69	1119	6.5	16	2	3	6	9	12	14
70 +	10	5.5							
	3515	**6.0**	**13**	**2**	**3**	**5**	**8**	**11**	**13**
	3515	**6.0**	**13**	**2**	**3**	**5**	**8**	**11**	**13**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	115	6.9	10	3	5	6	8	11	11
18-34	170	5.2	10	2	3	4	6	11	12
35-49	165	6.6	15	3	4	5	9	12	13
50-69	87	7.0	18	3	4	6	9	13	18
70 +	0								
SUBTOTAL	**537**	**6.3**	**13**	**3**	**4**	**5**	**8**	**12**	**13**
GRAND TOTAL	**537**	**6.3**	**13**	**3**	**4**	**5**	**8**	**12**	**13**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	69	6.9	16	3	4	6	10	11	17
18-34	221	6.3	14	2	3	5	9	12	13
35-49	302	6.5	12	3	4	6	8	11	14
50-69	136	7.0	12	2	4	7	9	12	12
70 +	16	6.1	14						
	743	**6.5**	**13**	**2**	**4**	**6**	**9**	**12**	**13**
	743	**6.5**	**13**	**2**	**4**	**6**	**9**	**12**	**13**

DRG 152: Minor Small & Large Bowel Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	263	10.3	100	5	6	8	10	17	22	0-17	83	9.4	41	2	6	7	12	19	27
70-74	192	9.7	52	3	5	8	11	17	29	18-34	70	9.4	74	5	5	7	8	18	36
75-79	188	11.6	40	6	8	9	15	21	27	35-49	194	8.8	17	5	6	8	10	16	17
80-84	103	9.0	49	3	5	8	11	31	99+	50-69	297	7.5	9	4	6	7	9	12	13
85+	140	11.3	31	5	8	9	16	19	21	70+	21	10.4	38						
SUBTOTAL	**886**	**10.4**	**60**	**4**	**6**	**8**	**12**	**19**	**27**		**665**	**8.4**	**24**	**4**	**6**	**7**	**10**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**886**	**10.4**	**60**	**4**	**6**	**8**	**12**	**19**	**27**		**665**	**8.4**	**24**	**4**	**6**	**7**	**10**	**14**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	41	8.4	10	4	6	8	10	15	15	0-17	26	6.4	1						
18-34	42	9.9	43	3	4	7	10	22	22	18-34	26	7.0	2						
35-49	42	13.1	101	6	9	9	12	39	39	35-49	47	7.5	11	4	6	7	8	14	15
50-69	76	9.9	78	3	4	7	9	23	35	50-69	59	7.9	42	1	1	7	12	15	23
70+	6	12.0								70+	27	9.6	3						
SUBTOTAL	**207**	**10.3**	**61**	**3**	**6**	**8**	**11**	**19**	**26**		**186**	**7.7**	**18**	**3**	**6**	**7**	**9**	**13**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**207**	**10.3**	**61**	**3**	**6**	**8**	**11**	**19**	**26**		**186**	**7.7**	**18**	**3**	**6**	**7**	**9**	**13**	**15**

DRG 153: Minor Small & Large Bowel Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	141	7.4	33	4	5	6	7	10	10	0-17	332	5.8	12	2	4	6	7	9	11
70-74	194	6.7	5	4	5	6	8	10	11	18-34	297	5.1	4	3	4	5	6	8	9
75-79	137	7.2	7	4	5	7	8	11	12	35-49	323	6.5	8	3	5	7	8	9	10
80-84	54	7.6	5	5	5	7	9	11	12	50-69	314	6.8	10	2	5	7	8	10	14
85 +	27	8.0	3							70 +	22	7.7	1						
SUBTOTAL	**552**	**7.2**	**12**	**4**	**5**	**7**	**8**	**10**	**12**		**1288**	**6.1**	**9**	**3**	**4**	**6**	**7**	**9**	**11**
GRAND TOTAL	**552**	**7.2**	**12**	**4**	**5**	**7**	**8**	**10**	**12**		**1288**	**6.1**	**9**	**3**	**4**	**6**	**7**	**9**	**11**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	192	5.5	7	1	4	6	7	10	10	0-17	78	6.7	2	5	6	6	8	9	10
18-34	111	5.9	9	2	4	6	8	9	11	18-34	86	4.5	7	1	3	4	7	8	10
35-49	42	6.0	7	3	4	6	8	11	11	35-49	107	4.6	5	2	4	4	5	9	9
50-69	31	7.1	3	5	5	7	9	9	9	50-69	54	5.4	6	3	4	5	7	9	10
70 +	0									70 +	5	7.0							
SUBTOTAL	**377**	**5.8**	**7**	**2**	**4**	**6**	**7**	**9**	**11**		**329**	**5.3**	**6**	**2**	**4**	**5**	**7**	**8**	**10**
GRAND TOTAL	**377**	**5.8**	**7**	**2**	**4**	**6**	**7**	**9**	**11**		**329**	**5.3**	**6**	**2**	**4**	**5**	**7**	**8**	**10**

DRG 154: Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2313	16.3	128	7	9	13	21	30	39	0-17	0								
70-74	1711	16.6	110	7	9	14	22	31	39	18-34	461	11.5	102	5	7	9	13	21	25
75-79	1562	17.6	141	6	9	14	22	34	41	35-49	1340	12.5	91	6	7	9	15	23	31
80-84	1100	18.6	148	8	11	15	24	33	40	50-69	2509	15.0	131	7	8	11	17	30	38
85 +	863	19.6	141	8	11	17	26	37	47	70 +	127	17.6	313	6	10	14	18	23	42
SUBTOTAL	**7550**	**17.4**	**132**	**7**	**10**	**14**	**22**	**32**	**41**		**4437**	**13.9**	**123**	**6**	**8**	**10**	**16**	**25**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**7550**	**17.4**	**132**	**7**	**10**	**14**	**22**	**32**	**41**		**4437**	**13.9**	**123**	**6**	**8**	**10**	**16**	**25**	**36**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	237	11.1	48	5	7	8	16	21	25	18-34	239	11.7	105	5	7	9	11	21	26
35-49	407	16.2	190	6	8	11	19	31	50	35-49	378	13.0	71	5	7	10	18	25	31
50-69	351	14.1	100	5	8	12	17	25	38	50-69	461	15.0	140	6	8	11	19	32	37
70 +	22	31.2	193							70 +	142	20.3	108	9	12	16	28	35	41
SUBTOTAL	**1017**	**14.6**	**135**	**5**	**7**	**11**	**18**	**26**	**38**		**1221**	**14.3**	**114**	**6**	**8**	**10**	**18**	**28**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1017**	**14.6**	**135**	**5**	**7**	**11**	**18**	**26**	**38**		**1221**	**14.3**	**114**	**6**	**8**	**10**	**18**	**28**	**34**

DRG 155: Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85+	0									70+	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	376	7.6	34	3	5	6	9	12	15	0-17	0									
70-74	274	8.5	75	3	5	7	9	13	23	18-34	383	6.6	11	4	5	6	7	10	14
75-79	248	9.0	29	3	6	8	11	17	18	35-49	932	6.8	9	3	5	6	8	10	12
80-84	162	9.2	25	4	6	8	11	16	18	50-69	971	7.6	15	4	5	7	8	12	17
85+	155	10.3	29	3	6	10	14	19	20	70+	11	14.0	54						
SUBTOTAL	**1215**	**8.6**	**41**	**3**	**5**	**7**	**10**	**15**	**19**		**2297**	**7.2**	**13**	**4**	**5**	**6**	**8**	**11**	**15**
GRAND TOTAL	**1215**	**8.6**	**41**	**3**	**5**	**7**	**10**	**15**	**19**		**2297**	**7.2**	**13**	**4**	**5**	**6**	**8**	**11**	**15**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70+	0									70+	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	107	6.7	5	4	5	7	7	9	11	18-34	123	6.9	9	2	5	7	10	10	12
35-49	129	6.9	9	3	6	7	8	12	13	35-49	224	6.9	11	5	5	6	8	10	10
50-69	64	7.9	20	3	5	8	9	12	20	50-69	178	7.9	15	4	5	7	10	14	17
70+	0									70+	17	5.7	2						
SUBTOTAL	**301**	**7.1**	**10**	**3**	**5**	**7**	**8**	**11**	**14**		**542**	**7.2**	**12**	**4**	**5**	**6**	**8**	**11**	**13**
GRAND TOTAL	**301**	**7.1**	**10**	**3**	**5**	**7**	**8**	**11**	**14**		**542**	**7.2**	**12**	**4**	**5**	**6**	**8**	**11**	**13**

DRG 156: Stomach, Esophageal & Duodenal Procedures Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	1010	9.4	118	2	3	6	11	21	26
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1010**	**9.4**	**118**	**2**	**3**	**6**	**11**	**21**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	3.0								0-17	2000	4.0	20	2	2	3	4	7	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**3.0**									**2000**	**4.0**	**20**	**2**	**2**	**3**	**4**	**7**	**10**
GRAND TOTAL	**6**	**3.0**									**3010**	**5.8**	**59**	**2**	**2**	**3**	**6**	**11**	**19**

	MEDICAID										NO INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	639	12.6	167	3	4	8	17	34	48	0-17	310	8.7	99	2	3	5	11	18	25
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**639**	**12.6**	**167**	**3**	**4**	**8**	**17**	**34**	**48**		**310**	**8.7**	**99**	**2**	**3**	**5**	**11**	**18**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1161	5.1	23	2	2	3	6	10	17	0-17	579	3.6	12	2	2	3	4	5	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1161**	**5.1**	**23**	**2**	**2**	**3**	**6**	**10**	**17**		**579**	**3.6**	**12**	**2**	**2**	**3**	**4**	**5**	**9**
GRAND TOTAL	**1799**	**7.7**	**87**	**2**	**3**	**4**	**9**	**18**	**31**		**889**	**5.4**	**48**	**2**	**2**	**3**	**5**	**11**	**16**

DRG 157: Anal & Stomal Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1111	5.9	74	1	2	4	7	11	15
70-74	512	5.2	12	2	3	4	6	10	12
75-79	507	6.4	25	2	3	5	9	12	16
80-84	384	8.2	74	2	3	6	11	14	19
85 +	302	7.2	33	2	3	5	10	16	20
SUBTOTAL	**2816**	**6.3**	**50**	**2**	**2**	**4**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2816**	**6.3**	**50**	**2**	**2**	**4**	**8**	**12**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	173	5.9	19	1	3	5	6	12	16
18-34	389	4.0	11	1	2	3	5	9	10
35-49	964	3.8	10	1	2	3	4	7	10
50-69	1004	4.9	19	1	2	3	6	9	13
70 +	38	5.8	56	1	1	2	7	23	23
	2569	**4.4**	**16**	**1**	**2**	**3**	**5**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2569	**4.4**	**16**	**1**	**2**	**3**	**5**	**9**	**12**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	79	6.2	25	1	2	5	9	14	19
18-34	112	5.0	18	2	2	4	5	7	17
35-49	161	6.4	80	1	2	3	6	9	30
50-69	108	6.8	28	2	3	5	9	13	24
70 +	5	3.0							
SUBTOTAL	**465**	**6.1**	**43**	**2**	**2**	**4**	**7**	**13**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**465**	**6.1**	**43**	**2**	**2**	**4**	**7**	**13**	**19**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	27	5.7	8						
18-34	165	4.1	9	1	1	3	6	8	12
35-49	178	3.6	8	1	2	3	4	7	11
50-69	263	5.8	27	1	2	5	7	14	15
70 +	27	2.4							
	660	**4.6**	**16**	**1**	**2**	**3**	**6**	**9**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	660	**4.6**	**16**	**1**	**2**	**3**	**6**	**9**	**13**

DRG 158: Anal & Stomal Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1093	2.8	4	1	1	2	3	5	7	0-17	459	3.5	9	1	1	3	5	6	7
70-74	618	2.6	3	1	1	2	3	5	7	18-34	1886	2.4	3	1	1	2	3	4	5
75-79	408	2.8	5	1	1	2	4	6	8	35-49	3780	2.4	3	1	1	2	3	4	6
80-84	281	3.4	7	1	2	3	4	7	8	50-69	2797	2.4	3	1	1	2	3	4	5
85 +	147	4.0	14	1	1	3	6	9	9	70 +	59	3.1	2	2	2	3	3	6	7
SUBTOTAL	**2546**	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**7**		**8981**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**2546**	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**7**		**8981**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	188	5.5	15	1	2	5	7	12	14	0-17	115	2.8	7	1	1	2	4	5	9
18-34	379	2.5	2	1	1	2	3	4	6	18-34	588	2.6	4	1	1	2	3	5	6
35-49	247	2.9	3	1	2	2	4	6	7	35-49	905	2.2	2	1	1	2	3	4	5
50-69	117	2.8	4	1	2	2	3	5	9	50-69	504	2.3	2	1	1	2	3	4	5
70 +	0									70 +	49	1.4		1	1	1	2	3	3
SUBTOTAL	**932**	**3.2**	**7**	**1**	**2**	**2**	**4**	**7**	**8**		**2162**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**932**	**3.2**	**7**	**1**	**2**	**2**	**4**	**7**	**8**		**2162**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 159: Hernia Procedures except Inguinal & Femoral Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1204	5.4	16	2	3	5	7	10	13	0-17	0								
70-74	1020	5.8	32	2	3	5	7	10	14	18-34	109	3.6	3	2	3	3	5	5	9
75-79	647	5.6	13	2	3	5	7	10	13	35-49	528	4.3	11	1	2	4	5	8	11
80-84	299	8.3	43	2	4	7	10	18	19	50-69	1085	4.9	15	2	3	4	6	8	10
85 +	241	7.5	40	2	4	7	10	12	16	70 +	60	5.9	17	2	3	4	10	12	14
SUBTOTAL	**3411**	**6.0**	**25**	**2**	**3**	**5**	**7**	**11**	**15**		**1783**	**4.6**	**13**	**2**	**2**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3411**	**6.0**	**25**	**2**	**3**	**5**	**7**	**11**	**15**		**1783**	**4.6**	**13**	**2**	**2**	**4**	**6**	**8**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	37	4.3	3	2	3	4	6	7	7	18-34	22	5.0	2						
35-49	128	4.6	7	1	3	4	6	7	8	35-49	87	4.3	6	1	2	4	5	8	9
50-69	168	6.4	57	2	3	5	8	9	10	50-69	276	5.2	29	1	2	4	6	11	16
70 +	11	6.5	13							70 +	50	4.6	7	1	3	3	7	8	9
SUBTOTAL	**344**	**5.5**	**32**	**2**	**3**	**4**	**7**	**9**	**10**		**435**	**4.9**	**21**	**1**	**3**	**4**	**6**	**8**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**344**	**5.5**	**32**	**2**	**3**	**4**	**7**	**9**	**10**		**435**	**4.9**	**21**	**1**	**3**	**4**	**6**	**8**	**15**

DRG 160: Hernia Procedures except Inguinal & Femoral Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1319	3.1	4	1	2	3	4	6	7
70-74	690	3.2	3	1	2	3	4	6	7
75-79	519	3.5	5	1	2	3	4	6	7
80-84	322	3.7	6	1	2	3	5	7	7
85 +	76	3.3	3	2	2	3	4	6	8
SUBTOTAL	**2926**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**2926**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**7**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	498	2.4	3	1	1	2	3	5	6
35-49	1977	2.7	2	1	1	2	4	5	6
50-69	2392	2.8	3	1	1	2	4	5	6
70 +	49	3.2	3	1	2	3	4	6	7
	4915	**2.7**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
	4915	**2.7**	**3**	**1**	**1**	**2**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	253	2.4	2	< 1	1	2	3	5	5
35-49	284	2.9	4	1	2	2	4	5	8
50-69	191	3.8	3	2	3	3	5	6	7
70 +	11	4.0	1						
SUBTOTAL	**738**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**738**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	141	2.9	4	1	2	2	4	6	6
35-49	416	2.5	2	1	2	2	3	5	5
50-69	438	2.6	2	1	1	2	3	5	6
70 +	55	2.5	2	1	1	2	3	5	5
	1050	**2.6**	**2**	**1**	**2**	**2**	**3**	**5**	**6**
	1050	**2.6**	**2**	**1**	**2**	**2**	**3**	**5**	**6**

DRG 161: Inguinal & Femoral Hernia Procedures Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	940	3.8	13	1	2	3	4	8	12	0-17	0								
70-74	817	3.9	15	1	2	3	5	8	12	18-34	109	2.4	3	1	1	2	3	5	6
75-79	1054	5.2	23	1	2	4	7	11	15	35-49	194	2.9	7	1	1	2	3	7	11
80-84	802	4.6	11	1	2	4	6	9	11	50-69	941	3.5	14	1	1	3	4	6	8
85+	645	6.8	38	2	3	5	8	15	19	70+	90	6.5	31	1	2	5	9	16	20
SUBTOTAL	**4257**	**4.8**	**20**	**1**	**2**	**3**	**6**	**10**	**13**		**1335**	**3.5**	**14**	**1**	**1**	**2**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4257**	**4.8**	**20**	**1**	**2**	**3**	**6**	**10**	**13**		**1335**	**3.5**	**14**	**1**	**1**	**2**	**4**	**7**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	26	4.6	6							18-34	10	1.0							
35-49	43	4.0	3	2	3	4	5	8	8	35-49	31	1.2		1	1	1	1	2	2
50-69	65	6.5	28	2	3	4	8	12	21	50-69	178	2.8	4	1	1	2	3	5	8
70+	26	6.9	17							70+	71	4.1	21	1	1	2	5	10	17
SUBTOTAL	**161**	**5.6**	**17**	**2**	**3**	**4**	**7**	**12**	**13**		**290**	**2.9**	**9**	**1**	**1**	**2**	**3**	**5**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**161**	**5.6**	**17**	**2**	**3**	**4**	**7**	**12**	**13**		**290**	**2.9**	**9**	**1**	**1**	**2**	**3**	**5**	**10**

DRG 162: Inguinal & Femoral Hernia Procedures Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1156	1.9	2	1	1	1	2	3	5	0-17	0								
70-74	994	2.2	3	1	1	2	3	4	5	18-34	669	1.6	1	1	1	1	2	3	3
75-79	991	2.1	3	1	1	1	3	4	5	35-49	1298	1.6	1	1	1	1	2	3	4
80-84	606	2.8	13	1	1	2	3	5	6	50-69	2498	1.9	2	1	1	1	2	4	5
85 +	357	3.1	5	1	1	2	5	7	8	70 +	108	2.3	2	1	1	2	4	5	6
SUBTOTAL	**4104**	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**5**		**4573**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**4104**	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**5**		**4573**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	83	1.8	2	1	1	1	2	5	5	18-34	244	1.3	1	1	1	1	1	2	3
35-49	76	1.6		1	1	2	2	2	3	35-49	319	1.4	1	1	1	1	2	2	2
50-69	58	1.9	3	1	1	1	2	3	7	50-69	398	1.5	1	1	1	1	2	2	4
70 +	22	4.1	29							70 +	125	2.2	3	1	1	1	2	6	6
SUBTOTAL	**240**	**2.0**	**4**	**1**	**1**	**1**	**2**	**3**	**5**		**1087**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**4**
GRAND TOTAL	**240**	**2.0**	**4**	**1**	**1**	**1**	**2**	**3**	**5**		**1087**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**4**

DRG 163: Hernia Procedures Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10	1.0							
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**10**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10**	**1.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	365	2.7	8	1	1	1	3	7	9
18-34	0								
35-49	0								
50-69	0								
70+	0								
	365	**2.7**	**8**	**1**	**1**	**1**	**3**	**7**	**9**
0-17	2312	1.3	1	1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70+	0								
	2312	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**
	2677	**1.5**	**2**	**1**	**1**	**1**	**1**	**2**	**4**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	287	3.8	33	1	1	2	4	8	12
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**287**	**3.8**	**33**	**1**	**1**	**2**	**4**	**8**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1514	1.6	2	1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**1514**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1801**	**2.0**	**7**	**1**	**1**	**1**	**2**	**4**	**6**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	109	2.8	11	1	1	1	2	10	10
18-34	0								
35-49	0								
50-69	0								
70+	0								
	109	**2.8**	**11**	**1**	**1**	**1**	**2**	**10**	**10**
0-17	753	1.3	1	1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70+	0								
	753	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**
	862	**1.5**	**2**	**1**	**1**	**1**	**1**	**2**	**4**

DRG 164: Appendectomy w/ Complicated Principal Diag w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	436	10.4	25	6	7	9	13	17	19	0-17	756	9.1	19	5	6	8	10	16	18
70-74	206	11.5	48	6	7	9	13	23	27	18-34	451	7.7	14	4	5	7	9	12	14
75-79	142	10.9	50	6	7	8	12	18	29	35-49	668	8.5	19	5	6	8	9	13	16
80-84	87	13.7	79	5	8	10	17	33	36	50-69	573	9.8	30	5	7	9	11	15	21
85 +	99	13.1	68	7	8	10	15	32	34	70 +	26	7.9	6						
SUBTOTAL	**969**	**11.3**	**44**	**6**	**7**	**9**	**13**	**18**	**27**		**2473**	**8.8**	**21**	**5**	**6**	**8**	**10**	**15**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**969**	**11.3**	**44**	**6**	**7**	**9**	**13**	**18**	**27**		**2473**	**8.8**	**21**	**5**	**6**	**8**	**10**	**15**	**18**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	256	9.3	12	6	7	9	11	14	17	0-17	235	8.6	21	4	5	7	12	15	16
18-34	113	9.6	35	4	7	8	11	16	27	18-34	228	7.5	15	3	5	7	9	11	13
35-49	63	7.7	9	5	5	7	9	13	13	35-49	157	7.9	11	4	6	8	9	14	14
50-69	32	10.2	41	5	6	8	11	24	24	50-69	125	7.8	6	5	7	7	9	10	13
70 +	0									70 +	11	9.5							
SUBTOTAL	**465**	**9.2**	**20**	**5**	**7**	**8**	**11**	**14**	**18**		**756**	**8.0**	**14**	**4**	**5**	**7**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**465**	**9.2**	**20**	**5**	**7**	**8**	**11**	**14**	**18**		**756**	**8.0**	**14**	**4**	**5**	**7**	**9**	**13**	**16**

DRG 165: Appendectomy w/ Complicated Principal Diag w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	287	6.6	9	3	5	7	8	10	13
70-74	77	5.9	10	3	4	5	7	10	13
75-79	65	9.4	29	5	5	7	11	20	20
80-84	16	8.5	10						
85 +	22	8.2	7						
SUBTOTAL	**466**	**7.0**	**13**	**3**	**5**	**7**	**9**	**11**	**13**
GRAND TOTAL	**466**	**7.0**	**13**	**3**	**5**	**7**	**9**	**11**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2522	5.8	7	3	4	6	7	9	10
18-34	1797	5.3	5	3	3	5	7	8	10
35-49	1178	5.9	9	3	4	6	7	9	12
50-69	770	6.4	8	3	4	6	8	10	11
70 +	11	4.0	1						
	6279	**5.8**	**7**	**3**	**4**	**6**	**7**	**9**	**10**
	6279	**5.8**	**7**	**3**	**4**	**6**	**7**	**9**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	635	6.4	12	3	4	6	8	10	12
18-34	252	5.7	5	3	4	5	8	8	9
35-49	98	6.9	9	2	5	7	8	12	14
50-69	33	8.7	35	3	4	9	13	19	19
70 +	0								
SUBTOTAL	**1018**	**6.4**	**11**	**3**	**4**	**6**	**8**	**10**	**12**
GRAND TOTAL	**1018**	**6.4**	**11**	**3**	**4**	**6**	**8**	**10**	**12**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	804	5.8	9	3	4	5	7	9	10
18-34	707	5.6	7	3	4	5	7	8	10
35-49	392	5.6	5	3	4	5	7	9	9
50-69	222	5.8	11	3	4	5	7	9	11
70 +	5	11.0							
	2129	**5.7**	**8**	**3**	**4**	**5**	**7**	**9**	**10**
	2129	**5.7**	**8**	**3**	**4**	**5**	**7**	**9**	**10**

DRG 166: Appendectomy w/o Complicated Principal Diag w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	280	7.4	84	3	4	5	7	11	17	0-17	903	4.8	11	2	3	4	5	9	11
70-74	131	5.4	6	3	4	4	7	8	10	18-34	1198	4.1	7	2	3	4	5	7	8
75-79	98	7.9	25	3	5	7	9	19	22	35-49	707	5.7	17	2	3	4	7	11	14
80-84	49	9.0	41	3	4	7	11	24	24	50-69	498	5.5	11	3	4	5	7	9	11
85 +	64	9.7	22	5	6	8	13	17	19	70 +	27	7.1	8						
SUBTOTAL	**621**	**7.5**	**50**	**3**	**4**	**6**	**8**	**12**	**19**		**3333**	**4.8**	**11**	**2**	**3**	**4**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**621**	**7.5**	**50**	**3**	**4**	**6**	**8**	**12**	**19**		**3333**	**4.8**	**11**	**2**	**3**	**4**	**5**	**9**	**11**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	213	5.3	9	3	3	5	6	9	14	0-17	236	4.5	8	2	3	4	5	8	10
18-34	337	6.0	17	3	3	6	8	10	11	18-34	453	4.0	6	2	3	3	5	7	9
35-49	109	6.0	7	3	4	6	7	10	11	35-49	216	4.7	6	2	3	4	6	8	10
50-69	22	4.5	1							50-69	99	5.4	7	2	4	4	7	9	12
70 +	6	6.0								70 +	6	4.0							
SUBTOTAL	**686**	**5.7**	**12**	**3**	**3**	**5**	**7**	**9**	**10**		**1010**	**4.4**	**7**	**2**	**3**	**4**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**686**	**5.7**	**12**	**3**	**3**	**5**	**7**	**9**	**10**		**1010**	**4.4**	**7**	**2**	**3**	**4**	**5**	**8**	**10**

DRG 167: Appendectomy w/o Complicated Principal Diag w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	267	3.5	2	2	3	3	4	5	6	0-17	10049	2.8	2	2	2	3	3	4	5
70-74	142	4.1	2	3	3	4	5	6	6	18-34	10881	2.9	2	2	2	3	3	4	5
75-79	27	4.2	1							35-49	3862	3.3	3	2	2	3	4	5	6
80-84	43	3.7	1	2	3	4	5	5	5	50-69	1369	3.6	3	2	3	3	4	6	7
85+	0									70+	27	4.2	3						
SUBTOTAL	**479**	**3.7**	**2**	**2**	**3**	**4**	**4**	**6**	**6**		**26187**	**2.9**	**2**	**2**	**2**	**3**	**3**	**4**	**5**
GRAND TOTAL	**479**	**3.7**	**2**	**2**	**3**	**4**	**4**	**6**	**6**		**26187**	**2.9**	**2**	**2**	**2**	**3**	**3**	**4**	**5**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1838	3.1	2	2	2	3	4	5	6	0-17	2820	2.7	1	2	2	2	3	4	5
18-34	1864	3.2	2	2	2	3	4	5	6	18-34	4505	2.7	2	1	2	2	3	4	5
35-49	256	3.8	3	2	3	3	4	6	7	35-49	1122	2.9	1	2	2	3	3	5	5
50-69	38	3.0	1	2	2	3	4	5	5	50-69	232	3.5	2	2	2	3	4	6	6
70+	6	2.0								70+	5	3.0							
SUBTOTAL	**4003**	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**6**		**8684**	**2.7**	**2**	**2**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**4003**	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**6**		**8684**	**2.7**	**2**	**2**	**2**	**2**	**3**	**4**	**5**

DRG 168: Mouth Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	196	5.8	49	1	2	4	7	10	25	0-17	101	2.8	3	1	1	2	4	5	6
70-74	108	5.3	46	1	2	2	7	11	31	18-34	87	4.2	5	2	2	4	5	7	10
75-79	64	2.4	2	1	1	2	4	4	6	35-49	86	4.0	20	1	2	3	4	15	16
80-84	74	6.4	25	2	4	5	7	10	22	50-69	182	4.1	12	1	2	2	6	9	11
85 +	32	9.3	90	1	3	6	13	28	28	70 +	21	3.8	5						
SUBTOTAL	**475**	**5.6**	**43**	**1**	**2**	**4**	**7**	**10**	**22**		**478**	**3.8**	**10**	**1**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**475**	**5.6**	**43**	**1**	**2**	**4**	**7**	**10**	**22**		**478**	**3.8**	**10**	**1**	**2**	**3**	**5**	**7**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	48	3.3	2	2	2	3	5	5	5	0-17	16	6.3	16						
18-34	76	4.5	5	2	3	3	7	8	8	18-34	70	5.4	9	1	3	6	8	10	10
35-49	37	3.8	6	1	2	4	4	9	9	35-49	16	8.1	47						
50-69	31	15.0	48	8	9	12	21	27	27	50-69	26	9.5	79						
70 +	0									70 +	5	2.0							
SUBTOTAL	**192**	**5.8**	**28**	**2**	**3**	**4**	**7**	**12**	**20**		**133**	**6.5**	**31**	**1**	**2**	**6**	**9**	**10**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**192**	**5.8**	**28**	**2**	**3**	**4**	**7**	**12**	**20**		**133**	**6.5**	**31**	**1**	**2**	**6**	**9**	**10**	**17**

DRG 169: Mouth Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	122	1.8	1	1	1	1	2	3	4	0-17	537	1.9	2	1	1	2	2	3	4
70-74	133	2.4	3	1	1	2	2	5	6	18-34	237	2.4	3	1	1	2	3	5	7
75-79	57	2.9	3	1	1	2	4	5	7	35-49	268	2.1	2	1	1	2	3	5	5
80-84	21	3.7	6							50-69	292	2.4	5	1	1	2	3	5	8
85 +	54	2.7	9	1	1	1	3	11	11	70 +	5	1.0							
SUBTOTAL	**387**	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**7**		**1340**	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**387**	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**7**		**1340**	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	152	2.6	6	1	1	2	3	5	9	0-17	228	2.5	5	1	1	2	3	5	8
18-34	99	4.5	14	1	2	3	8	11	12	18-34	108	2.4	4	1	1	2	3	6	8
35-49	26	6.3	25							35-49	54	2.5	3	1	1	2	3	6	6
50-69	37	1.6	1	1	1	1	2	3	3	50-69	49	2.1	1	1	1	2	3	4	4
70 +	5	6.0								70 +	0								
SUBTOTAL	**319**	**3.4**	**11**	**1**	**1**	**2**	**4**	**9**	**12**		**438**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**319**	**3.4**	**11**	**1**	**1**	**2**	**4**	**9**	**12**		**438**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 170: Other Digestive System O.R. Procedures w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	932	15.6	167	4	7	12	21	28	43
70-74	576	15.3	144	6	7	12	18	32	39
75-79	385	18.0	227	6	9	12	21	42	55
80-84	292	13.7	57	6	8	11	19	27	32
85 +	213	16.1	92	5	8	13	22	30	37
SUBTOTAL	**2399**	**15.7**	**152**	**5**	**8**	**12**	**20**	**31**	**41**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2399**	**15.7**	**152**	**5**	**8**	**12**	**20**	**31**	**41**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	179	11.4	161	3	4	8	13	21	53
18-34	256	10.2	77	3	4	7	12	21	25
35-49	420	9.4	60	3	5	7	11	18	28
50-69	767	10.9	86	3	6	8	13	21	27
70 +	27	10.7	42						
	1649	**10.5**	**86**	**3**	**5**	**8**	**12**	**21**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1649	**10.5**	**86**	**3**	**5**	**8**	**12**	**21**	**27**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	73	18.7	744	2	5	6	12	67	94
18-34	113	7.0	36	2	4	6	7	15	20
35-49	129	13.1	83	4	6	10	18	29	30
50-69	122	18.1	189	5	8	13	33	39	47
70 +	5	20.0							
SUBTOTAL	**442**	**14.0**	**228**	**2**	**5**	**9**	**18**	**34**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**442**	**14.0**	**228**	**2**	**5**	**9**	**18**	**34**	**39**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	14.8	40	7	9	15	26	99 +	99 +
18-34	146	6.2	22	1	3	6	7	15	16
35-49	127	9.6	73	3	4	6	13	21	29
50-69	122	11.3	49	4	7	10	13	23	27
70 +	11	3.4	2						
	438	**9.2**	**52**	**2**	**4**	**7**	**13**	**21**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	438	**9.2**	**52**	**2**	**4**	**7**	**13**	**21**	**27**

DRG 171: Other Digestive System O.R. Procedures w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	109	6.8	33	1	3	5	12	15	23
70-74	75	6.2	19	2	3	6	8	9	19
75-79	70	8.3	67	1	3	5	9	20	28
80-84	38	6.5	12	1	5	6	10	12	12
85+	50	8.6	63	3	4	6	7	22	29
SUBTOTAL	**342**	**7.2**	**39**	**1**	**3**	**5**	**9**	**16**	**20**
GRAND TOTAL	**342**	**7.2**	**39**	**1**	**3**	**5**	**9**	**16**	**20**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	494	4.3	10	1	2	3	6	8	11
18-34	703	4.4	34	1	2	3	5	8	10
35-49	443	5.1	12	2	3	4	6	9	11
50-69	336	6.1	17	2	3	5	9	12	13
70+	0								
	1976	**4.8**	**21**	**1**	**2**	**4**	**6**	**9**	**12**
	1976	**4.8**	**21**	**1**	**2**	**4**	**6**	**9**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	183	5.9	26	2	3	4	7	14	18
18-34	221	3.6	5	1	2	3	5	7	8
35-49	74	6.9	30	3	4	5	9	12	23
50-69	11	14.8	18						
70+	0								
SUBTOTAL	**488**	**5.2**	**21**	**2**	**2**	**4**	**6**	**10**	**17**
GRAND TOTAL	**488**	**5.2**	**21**	**2**	**2**	**4**	**6**	**10**	**17**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	150	4.0	6	1	2	3	5	8	10
18-34	244	3.6	6	1	2	3	5	6	7
35-49	108	5.7	7	2	3	6	8	10	10
50-69	80	8.3	67	1	3	5	11	24	31
70+	5	7.0							
	588	**4.7**	**17**	**1**	**2**	**4**	**6**	**9**	**11**
	588	**4.7**	**17**	**1**	**2**	**4**	**6**	**9**	**11**

DRG 172: Digestive Malignancy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1158	9.8	82	2	4	7	13	20	25	0-17	21	7.3	20						
70-74	1002	10.9	113	3	5	8	13	23	33	18-34	38	6.0	13	2	2	5	10	10	10
75-79	1057	11.0	105	3	5	8	14	22	34	35-49	317	8.4	162	1	3	5	9	15	17
80-84	791	9.2	49	3	4	7	12	19	24	50-69	1232	8.9	59	2	4	7	12	18	22
85 +	896	10.9	93	3	5	8	14	21	31	70 +	86	11.9	308	2	3	6	12	30	75
SUBTOTAL	**4904**	**10.4**	**90**	**3**	**4**	**8**	**13**	**21**	**31**		**1693**	**8.9**	**90**	**2**	**3**	**6**	**11**	**17**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4904**	**10.4**	**90**	**3**	**4**	**8**	**13**	**21**	**31**		**1693**	**8.9**	**90**	**2**	**3**	**6**	**11**	**17**	**26**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	15.0	43							0-17	5	21.0							
18-34	10	10.5	7							18-34	5	31.0							
35-49	75	11.6	250	2	3	6	14	18	66	35-49	73	6.3	33	1	1	5	8	17	19
50-69	257	10.8	89	3	5	7	12	26	35	50-69	324	7.7	42	2	3	6	10	18	20
70 +	21	11.6	6							70 +	175	10.8	170	3	4	7	12	22	35
SUBTOTAL	**380**	**11.2**	**112**	**3**	**5**	**8**	**14**	**22**	**35**		**583**	**8.7**	**86**	**2**	**3**	**6**	**11**	**19**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**380**	**11.2**	**112**	**3**	**5**	**8**	**14**	**22**	**35**		**583**	**8.7**	**86**	**2**	**3**	**6**	**11**	**19**	**26**

DRG 173: Digestive Malignancy w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	138	4.8	17	1	2	4	6	9	12	0-17	26	1.4							
70-74	117	5.3	21	1	2	4	7	12	15	18-34	32	5.2	16	1	2	3	9	12	12
75-79	167	6.4	37	< 1	2	4	10	15	21	35-49	60	6.6	18	2	2	6	9	13	14
80-84	131	4.9	10	2	2	5	7	9	11	50-69	302	5.1	29	1	2	4	6	9	11
85 +	101	5.1	14	1	3	4	6	10	15	70 +	5	1.0							
SUBTOTAL	**654**	**5.4**	**21**	**1**	**2**	**4**	**7**	**12**	**15**		**425**	**5.0**	**25**	**1**	**2**	**4**	**7**	**9**	**13**
GRAND TOTAL	**654**	**5.4**	**21**	**1**	**2**	**4**	**7**	**12**	**15**		**425**	**5.0**	**25**	**1**	**2**	**4**	**7**	**9**	**13**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	5	1.0								18-34	0								
35-49	27	5.5	39							35-49	11	5.0	1						
50-69	37	6.7	11	1	5	6	10	11	11	50-69	48	3.1	2	1	2	3	4	5	6
70 +	6	7.0								70 +	22	1.8	1						
SUBTOTAL	**75**	**5.9**	**21**	**1**	**2**	**5**	**9**	**11**	**18**		**81**	**3.0**	**3**	**1**	**2**	**3**	**4**	**6**	**6**
GRAND TOTAL	**75**	**5.9**	**21**	**1**	**2**	**5**	**9**	**11**	**18**		**81**	**3.0**	**3**	**1**	**2**	**3**	**4**	**6**	**6**

DRG 174: G.I. Hemorrhage w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7789	6.5	25	2	4	5	8	12	16
70-74	6675	6.4	21	3	4	5	8	11	15
75-79	7200	6.7	25	3	4	5	8	12	16
80-84	6545	7.1	28	3	4	6	9	12	16
85 +	7836	7.4	25	3	4	6	9	14	18
SUBTOTAL	**36045**	**6.8**	**25**	**3**	**4**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**36045**	**6.8**	**25**	**3**	**4**	**5**	**8**	**12**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	262	3.7	5	1	2	3	5	7	9
18-34	1128	4.3	26	2	3	3	5	7	9
35-49	3278	4.6	11	2	3	4	5	8	10
50-69	6692	5.0	14	2	3	4	6	9	11
70 +	632	6.4	45	2	3	5	8	13	20
	11992	**4.9**	**16**	**2**	**3**	**4**	**6**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	11992	**4.9**	**16**	**2**	**3**	**4**	**6**	**8**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	158	4.9	9	2	3	4	6	8	13
18-34	626	6.1	45	2	3	4	6	11	19
35-49	1237	6.3	25	3	3	5	7	11	16
50-69	854	6.3	37	2	3	5	7	10	12
70 +	141	6.2	13	2	3	6	8	12	13
SUBTOTAL	**3017**	**6.2**	**31**	**2**	**3**	**5**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3017**	**6.2**	**31**	2	3	5	7	11	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	2.8	3	1	2	2	4	5	6
18-34	543	3.7	5	2	2	3	4	7	9
35-49	1104	4.6	11	2	3	4	6	9	11
50-69	1663	4.7	9	2	3	4	6	9	11
70 +	634	6.6	31	2	3	5	7	14	19
	3995	**4.8**	**13**	**2**	**3**	**4**	**6**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3995	**4.8**	**13**	2	3	4	6	9	12

DRG 175: G.I. Hemorrhage w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1368	3.6	3	2	2	3	4	6	8	0-17	514	2.3	2	1	1	2	3	4	5
70-74	1212	4.1	6	2	3	4	5	7	8	18-34	934	2.7	3	1	2	2	3	5	6
75-79	1181	4.1	7	2	3	3	5	7	9	35-49	1610	3.4	4	1	2	3	4	6	7
80-84	1008	4.5	8	2	3	4	6	9	10	50-69	2459	3.8	4	2	2	3	5	6	8
85 +	1068	4.6	7	2	3	4	6	8	10	70 +	136	4.1	2	2	3	4	5	6	7
SUBTOTAL	**5837**	**4.2**	**6**	**2**	**3**	**4**	**5**	**7**	**9**		**5653**	**3.4**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**5837**	**4.2**	**6**	**2**	**3**	**4**	**5**	**7**	**9**		**5653**	**3.4**	**4**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	260	2.5	2	1	1	2	4	4	6	0-17	148	1.9	1	1	1	2	2	3	3
18-34	304	3.6	13	1	2	3	4	6	8	18-34	377	2.8	2	1	2	3	4	5	6
35-49	233	3.4	2	2	2	3	4	6	7	35-49	433	2.7	2	1	2	2	3	4	5
50-69	118	5.2	11	2	3	4	6	9	13	50-69	592	3.2	3	2	2	3	4	6	7
70 +	6	8.0								70 +	109	7.4	376	1	2	3	4	6	90
SUBTOTAL	**921**	**3.5**	**8**	**1**	**2**	**3**	**4**	**6**	**7**		**1660**	**3.1**	**28**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**921**	**3.5**	**8**	**1**	**2**	**3**	**4**	**6**	**7**		**1660**	**3.1**	**28**	**1**	**2**	**3**	**4**	**5**	**6**

DRG 176: Complicated Peptic Ulcer

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	548	8.9	35	4	5	7	11	18	23	0-17	0								
70-74	301	7.6	49	3	4	6	8	11	21	18-34	91	6.9	61	2	3	5	6	21	33
75-79	453	8.0	26	3	4	7	12	15	19	35-49	266	6.4	41	2	3	4	8	12	15
80-84	316	7.3	22	3	4	6	9	14	18	50-69	452	6.6	29	2	3	5	7	14	21
85 +	368	7.8	43	3	4	6	9	12	19	70 +	48	6.4	25	2	3	6	7	19	19
SUBTOTAL	**1986**	**8.1**	**35**	**3**	**4**	**7**	**9**	**15**	**20**		**857**	**6.5**	**36**	**2**	**3**	**5**	**7**	**13**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	206	5.5	11	2	3	4	8	11	14	0-17	16	8.7	14						
70-74	134	4.0	3	2	2	4	5	7	7	18-34	54	5.1	15	1	3	4	6	14	14
75-79	82	4.6	4	2	2	5	6	7	8	35-49	319	4.3	6	2	2	4	5	8	9
80-84	76	5.6	25	2	2	4	8	16	17	50-69	224	4.0	6	1	2	4	5	8	9
85 +	60	5.1	10	2	3	3	8	10	12	70 +	6	5.0							
SUBTOTAL	**556**	**5.0**	**10**	**2**	**3**	**4**	**6**	**8**	**12**		**618**	**4.4**	**7**	**2**	**2**	**4**	**5**	**9**	**10**
GRAND TOTAL	**2542**	**7.4**	**31**	**3**	**4**	**6**	**9**	**14**	**18**		**1475**	**5.6**	**25**	**2**	**3**	**4**	**6**	**10**	**15**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5	3.0								0-17	10	5.0	4						
18-34	79	6.9	53	2	3	4	8	15	30	18-34	22	4.1	4						
35-49	54	8.9	115	1	3	6	10	14	40	35-49	48	4.8	6	2	3	4	5	10	10
50-69	70	10.8	107	3	4	7	11	21	41	50-69	60	6.4	9	3	3	6	10	11	11
70 +	6	6.0								70 +	27	7.1	25						
SUBTOTAL	**213**	**8.6**	**86**	**2**	**3**	**5**	**10**	**20**	**30**		**167**	**5.7**	**10**	**3**	**3**	**5**	**7**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	37	10.7	348	1	2	4	6	56	56	0-17	16	2.4	2						
18-34	32	2.6	3	1	2	2	3	6	6	18-34	42	3.4	2	< 1	3	3	5	6	6
35-49	64	4.2	10	2	2	3	5	5	14	35-49	32	3.2	2	2	2	3	4	5	5
50-69	16	3.4								50-69	54	5.5	13	3	4	5	5	6	16
70 +	5	9.0								70 +	11	12.5	46						
SUBTOTAL	**155**	**5.5**	**95**	**2**	**2**	**3**	**5**	**7**	**14**		**156**	**4.6**	**15**	**2**	**3**	**4**	**5**	**6**	**16**
GRAND TOTAL	**368**	**7.3**	**92**	**2**	**3**	**4**	**7**	**15**	**30**		**324**	**5.1**	**13**	**2**	**3**	**4**	**6**	**10**	**16**

DRG 177: Uncomplicated Peptic Ulcer w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1047	5.7	19	2	3	5	7	10	13
70-74	660	5.8	18	2	3	5	7	10	12
75-79	697	6.3	19	3	4	5	8	11	14
80-84	502	7.7	28	3	5	7	9	12	15
85 +	404	6.4	14	3	4	6	8	10	17
SUBTOTAL	**3309**	**6.2**	**20**	**2**	**4**	**5**	**8**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3309**	**6.2**	**20**	**2**	**4**	**5**	**8**	**10**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	3.0	2	2	2	3	4	5	6
18-34	262	3.8	3	2	3	4	4	6	7
35-49	574	4.5	8	2	3	4	6	8	8
50-69	1085	4.7	12	2	3	4	6	9	11
70 +	55	5.3	8	3	4	5	6	13	13
	2040	**4.5**	**9**	**2**	**3**	**4**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2040	**4.5**	**9**	**2**	**3**	**4**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	2.5	2						
18-34	148	4.5	10	2	3	3	5	9	11
35-49	197	4.9	14	2	3	4	6	9	13
50-69	164	5.1	9	2	3	5	7	8	9
70 +	11	6.6	7						
SUBTOTAL	**529**	**4.8**	**11**	**2**	**3**	**4**	**6**	**9**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**529**	**4.8**	**11**	**2**	**3**	**4**	**6**	**9**	**10**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	4.3	3						
18-34	99	4.6	6	2	2	5	7	8	9
35-49	143	4.2	6	2	3	4	6	9	9
50-69	140	4.8	4	2	3	4	6	8	8
70 +	70	5.3	8	2	3	5	6	10	11
	467	**4.6**	**6**	**2**	**3**	**4**	**6**	**8**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	467	**4.6**	**6**	**2**	**3**	**4**	**6**	**8**	**9**

DRG 178: Uncomplicated Peptic Ulcer w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	623	4.2	3	2	3	4	5	6	7
70-74	387	3.8	4	1	2	4	5	7	7
75-79	257	4.2	5	2	3	4	5	7	8
80-84	212	5.3	8	3	3	5	6	9	13
85 +	114	5.1	9	2	3	4	7	9	10
SUBTOTAL	**1593**	**4.3**	**5**	**2**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**1593**	**4.3**	**5**	**2**	**3**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	121	3.0	3	1	2	3	4	5	6
18-34	600	3.2	5	1	2	3	4	6	7
35-49	1183	3.6	5	2	2	3	5	6	8
50-69	1092	3.6	4	2	2	3	5	6	8
70 +	32	3.5	3	2	2	3	6	6	6
	3028	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
	3028	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	44	2.9	2	1	1	3	4	5	5
18-34	221	3.2	4	2	2	3	4	5	7
35-49	208	4.4	18	2	2	3	5	7	16
50-69	98	3.5	6	1	2	3	4	8	11
70 +	16	3.9	3						
SUBTOTAL	**587**	**3.7**	**9**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**587**	**3.7**	**9**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	16	2.7	1						
18-34	258	3.2	2	1	2	3	4	5	6
35-49	247	3.3	3	1	2	3	4	6	6
50-69	201	3.3	4	2	2	3	4	6	6
70 +	22	3.4	5						
	744	**3.3**	**3**	**1**	**2**	**3**	**4**	**6**	**6**
	744	**3.3**	**3**	**1**	**2**	**3**	**4**	**6**	**6**

DRG 179: Inflammatory Bowel Disease

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	641	8.5	49	3	4	7	9	17	22
70-74	308	8.2	36	2	4	6	11	15	25
75-79	256	10.4	48	4	6	9	15	20	26
80-84	205	8.5	33	4	5	7	10	14	17
85 +	114	8.5	31	3	5	8	10	19	23
SUBTOTAL	**1526**	**8.8**	**43**	**3**	**5**	**7**	**10**	**17**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	244	6.6	14	3	3	6	9	13	14
70-74	54	5.8	14	< 1	2	4	8	13	13
75-79	54	12.3	30	6	9	11	15	21	22
80-84	43	6.0	6	3	4	6	9	10	10
85 +	55	7.3	18	1	5	7	9	9	18
SUBTOTAL	**449**	**7.2**	**19**	**3**	**4**	**6**	**9**	**13**	**16**
GRAND TOTAL	**1975**	**8.4**	**38**	**3**	**4**	**7**	**10**	**16**	**21**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	320	10.1	84	2	5	7	12	23	26
18-34	1178	7.5	33	2	4	6	9	15	18
35-49	1139	7.1	25	3	4	6	9	13	17
50-69	743	7.6	31	3	4	6	9	15	20
70 +	22	8.2	30						
	3402	**7.6**	**35**	**3**	**4**	**6**	**9**	**15**	**19**
0-17	480	6.4	20	2	3	5	8	13	17
18-34	1102	6.0	16	2	3	5	8	10	14
35-49	838	5.5	14	2	3	4	7	10	12
50-69	317	5.2	13	1	3	4	7	10	12
70 +	5	4.0							
	2744	**5.8**	**16**	**2**	**3**	**5**	**8**	**11**	**14**
	6146	**6.8**	**27**	**2**	**3**	**5**	**9**	**13**	**17**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	22	10.3	42						
18-34	261	8.9	47	3	5	6	10	21	21
35-49	149	7.4	19	3	4	6	8	14	14
50-69	48	10.2	36	2	5	9	15	18	19
70 +	0								
SUBTOTAL	**480**	**8.6**	**38**	**3**	**5**	**6**	**11**	**18**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	94	6.2	39	1	2	5	8	13	25
18-34	250	5.9	19	2	3	5	7	10	15
35-49	49	8.5	30	2	4	9	13	18	18
50-69	22	2.8	4						
70 +	6	4.0							
SUBTOTAL	**420**	**6.1**	**25**	**2**	**3**	**5**	**8**	**13**	**18**
GRAND TOTAL	**901**	**7.4**	**33**	**2**	**3**	**6**	**9**	**15**	**21**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	6.2	18	2	2	4	8	13	15
18-34	403	8.7	42	2	4	7	12	17	23
35-49	212	6.5	28	2	3	4	9	12	19
50-69	65	7.4	42	1	4	6	8	10	27
70 +	10	7.0	10						
	753	**7.7**	**37**	**2**	**3**	**6**	**10**	**15**	**19**
0-17	69	4.2	5	2	2	4	5	8	9
18-34	320	5.8	19	2	3	5	7	9	10
35-49	168	6.0	17	2	3	4	8	13	15
50-69	66	6.5	13	3	4	6	10	12	14
70 +	0								
	622	**5.7**	**17**	**2**	**3**	**5**	**8**	**10**	**14**
	1376	**6.8**	**29**	**2**	**3**	**5**	**9**	**14**	**18**

DRG 180: G.I. Obstruction w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3572	6.8	43	2	3	5	8	13	16	0-17	287	4.7	32	1	2	3	5	10	21
70-74	2994	7.2	32	3	4	6	9	13	18	18-34	385	5.3	22	2	2	3	7	12	14
75-79	3240	7.9	41	3	4	6	9	15	20	35-49	976	5.6	23	2	3	4	7	11	12
80-84	2917	7.3	28	2	4	6	9	13	16	50-69	2272	5.9	22	2	3	5	7	11	15
85 +	3177	8.0	46	3	4	6	10	14	19	70 +	201	9.4	69	3	4	6	12	19	33
SUBTOTAL	**15899**	**7.4**	**39**	**3**	**4**	**6**	**9**	**14**	**18**		**4120**	**5.9**	**26**	**2**	**3**	**5**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**15899**	**7.4**	**39**	**3**	**4**	**6**	**9**	**14**	**18**		**4120**	**5.9**	**26**	**2**	**3**	**5**	**7**	**11**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	139	4.5	21	1	1	3	6	10	13	0-17	120	4.0	29	1	2	2	5	6	6
18-34	237	6.2	25	2	3	4	8	11	14	18-34	128	6.1	31	2	3	5	8	11	11
35-49	425	6.9	58	2	4	5	7	12	21	35-49	251	5.0	15	2	3	4	6	10	14
50-69	509	7.8	66	2	3	5	8	17	21	50-69	403	6.3	35	1	3	5	8	12	15
70 +	59	6.9	23	2	3	5	9	15	18	70 +	233	6.4	27	2	3	5	10	13	13
SUBTOTAL	**1370**	**6.9**	**51**	**2**	**3**	**5**	**8**	**13**	**19**		**1136**	**5.8**	**28**	**1**	**3**	**4**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1370**	**6.9**	**51**	**2**	**3**	**5**	**8**	**13**	**19**		**1136**	**5.8**	**28**	**1**	**3**	**4**	**7**	**11**	**14**

DRG 181: G.I. Obstruction w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1532	4.3	8	2	2	4	5	8	9	0-17	784	2.4	4	1	1	2	3	5	7
70-74	1109	4.3	8	2	3	4	5	7	8	18-34	858	3.3	4	1	2	3	4	6	7
75-79	1307	4.5	14	2	3	4	6	7	9	35-49	1574	3.8	7	1	2	3	5	7	9
80-84	876	5.0	10	2	3	4	6	9	10	50-69	2343	4.0	6	2	2	4	5	7	8
85 +	760	5.7	19	2	3	5	7	11	13	70 +	85	4.2	16	1	2	3	5	8	17
SUBTOTAL	**5583**	**4.6**	**11**	**2**	**3**	**4**	**6**	**8**	**10**		**5644**	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**5583**	**4.6**	**11**	**2**	**3**	**4**	**6**	**8**	**10**		**5644**	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	410	2.4	3	1	1	2	3	4	6	0-17	198	2.2	2	1	1	2	3	4	5
18-34	287	4.2	7	1	2	4	6	8	10	18-34	404	3.2	5	1	2	3	4	6	8
35-49	301	4.2	10	2	2	3	5	6	10	35-49	348	3.5	6	1	2	3	4	7	8
50-69	201	4.7	9	1	2	5	7	9	11	50-69	594	3.7	7	1	2	3	4	7	9
70 +	16	2.3								70 +	77	2.6	2	1	1	2	3	5	6
SUBTOTAL	**1216**	**3.6**	**8**	**1**	**2**	**3**	**5**	**7**	**9**		**1622**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**1216**	**3.6**	**8**	**1**	**2**	**3**	**5**	**7**	**9**		**1622**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**8**

DRG 182: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	15030	5.6	24	2	3	4	7	10	13	0-17	0								
70-74	10781	5.7	18	2	3	5	7	10	13	18-34	7858	3.4	8	1	2	3	4	6	8
75-79	11184	6.1	24	2	3	5	7	11	15	35-49	9552	4.1	12	1	2	3	5	8	10
80-84	9152	6.3	28	2	3	5	8	12	15	50-69	13263	4.8	18	2	3	4	8	9	11
85 +	9068	6.7	25	2	4	5	8	13	16	70 +	914	5.4	20	2	3	4	6	11	15
SUBTOTAL	**55215**	**6.0**	**24**	**2**	**3**	**5**	**7**	**11**	**14**		**31587**	**4.3**	**14**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**55215**	**6.0**	**24**	**2**	**3**	**5**	**7**	**11**	**14**		**31587**	**4.3**	**14**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	3274	3.9	19	1	2	3	5	7	10	18-34	2629	3.1	12	1	2	2	4	6	7
35-49	2607	4.6	12	2	3	4	6	8	10	35-49	2428	3.9	9	1	2	3	5	7	9
50-69	2205	5.7	27	2	3	5	7	10	13	50-69	2185	4.6	19	1	2	3	5	8	11
70 +	185	6.5	29	2	4	5	7	12	23	70 +	737	5.0	11	2	3	4	6	10	12
SUBTOTAL	**8270**	**4.7**	**20**	**1**	**2**	**4**	**6**	**9**	**11**		**7979**	**3.9**	**13**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**8270**	**4.7**	**20**	**1**	**2**	**4**	**6**	**9**	**11**		**7979**	**3.9**	**13**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 183: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6258	3.8	8	1	2	3	5	7	9	0-17	0								
70-74	4005	3.9	8	1	2	3	5	7	9	18-34	12659	2.6	4	1	1	2	3	5	6
75-79	3425	4.2	16	1	2	3	5	7	9	35-49	13726	3.2	5	1	2	3	4	6	7
80-84	2300	4.4	8	1	2	4	6	8	10	50-69	12446	3.4	6	1	2	3	4	6	8
85 +	1799	4.6	11	1	2	4	6	8	11	70 +	320	3.4	7	1	2	3	4	7	9
SUBTOTAL	17787	4.1	10	1	2	3	5	8	9		39151	3.1	5	1	2	2	4	6	7
GRAND TOTAL	17787	4.1	10	1	2	3	5	8	9		39151	3.1	5	1	2	2	4	6	7

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	3346	2.9	8	1	1	2	3	5	7	18-34	4351	2.4	4	1	1	2	3	4	6
35-49	1711	3.6	7	1	2	3	5	7	9	35-49	2959	2.9	4	1	1	2	4	6	7
50-69	819	3.9	7	1	2	3	5	7	8	50-69	1888	3.2	4	1	2	3	4	6	7
70 +	54	3.3	3	1	2	3	5	7	7	70 +	344	3.5	9	1	2	3	4	7	11
SUBTOTAL	5930	3.3	8	1	2	3	4	6	8		9542	2.7	4	1	1	2	4	5	6
GRAND TOTAL	5930	3.3	8	1	2	3	4	6	8		9542	2.7	4	1	1	2	4	5	6

DRG 184: Esophagitis, Gastroent & Misc Digest Disorders Age 0-17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	68	4.1	6	2	2	4	5	7	9
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**68**	**4.1**	**6**	**2**	**2**	**4**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	42	2.1	2	1	1	2	3	5	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**42**	**2.1**	**2**	**1**	**1**	**2**	**3**	**5**	**5**
GRAND TOTAL	**110**	**3.3**	**5**	**1**	**2**	**2**	**5**	**7**	**7**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	14727	2.8	9	1	2	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	14727	**2.8**	**9**	**1**	**2**	**2**	**3**	**5**	**6**
0-17	16206	2.3	4	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	16206	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
	30933	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**6**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8951	3.6	17	1	2	3	4	6	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**8951**	**3.6**	**17**	**1**	**2**	**3**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	9695	2.8	10	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**9695**	**2.8**	**10**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**18646**	**3.2**	**13**	**1**	**2**	**2**	**4**	**5**	**7**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	3863	2.9	8	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3863	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**7**
0-17	4687	2.3	3	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4687	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	8550	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 185: Dental & Oral Dis except Extractions & Restorations, Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	176	6.0	22	1	3	5	7	14	16	0-17	0								
70-74	142	7.9	34	2	4	6	12	15	22	18-34	346	3.1	6	1	2	2	4	6	8
75-79	136	7.2	67	2	3	6	8	10	13	35-49	189	5.5	16	1	2	5	8	11	15
80-84	98	8.4	34	2	3	8	12	17	22	50-69	295	6.5	18	2	3	6	8	13	15
85 +	55	3.8	6	<1	2	3	6	7	8	70 +	27	7.1	21						
SUBTOTAL	608	6.9	37	2	3	6	8	13	17		659	4.9	15	1	2	4	7	10	13
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	85	2.8	2	1	2	3	4	4	6	0-17	0								
70-74	55	3.3	2	2	2	3	5	6	5	18-34	687	2.8	5	1	1	2	4	6	7
75-79	59	4.5	6	2	3	4	6	8	9	35-49	259	3.2	4	1	2	3	4	5	6
80-84	16	4.5	12							50-69	162	4.0	27	1	1	3	4	7	10
85 +	5	9.0								70 +	33	4.7	15	<1	1	3	6	11	11
SUBTOTAL	220	3.7	5	2	2	3	5	6	9		1141	3.1	8	1	1	2	4	6	8
GRAND TOTAL	828	6.1	30	2	2	5	8	12	16		2000	3.9	12	1	2	3	5	8	11

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	224	4.3	25	1	2	3	5	7	9	18-34	230	3.2	5	1	2	3	4	6	7
35-49	26	2.4	1							35-49	166	3.3	5	1	2	3	5	6	5
50-69	42	7.4	19	2	2	8	10	13	13	50-69	82	4.1	10	2	2	3	5	10	13
70 +	0									70 +	11	13.7	22						
SUBTOTAL	293	4.6	23	1	2	3	6	10	12		488	3.6	8	1	2	3	5	6	10
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	309	2.8	4	1	1	2	4	6	6	18-34	519	2.3	3	1	1	2	3	4	6
35-49	64	3.2	6	1	1	2	5	6	9	35-49	145	3.2	12	1	1	2	4	6	6
50-69	22	3.9	15							50-69	48	2.6	4	1	2	2	2	7	8
70 +	0									70 +	0								
SUBTOTAL	395	3.0	5	1	1	2	4	6	7		713	2.5	5	1	1	2	3	5	6
GRAND TOTAL	687	3.6	14	1	1	3	4	7	10	-	1201	3.0	7	1	1	2	4	6	7

DRG 186: Dental & Oral Dis except Extractions & Restorations, Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5	4.0								0-17	572	3.7	6	1	2	3	4	6	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**5**	**4.0**									**572**	**3.7**	**6**	**1**	**2**	**3**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	882	2.2	4	1	1	2	3	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**882**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**5**	**4.0**									**1453**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	465	4.2	6	2	2	3	5	9	9	0-17	164	2.6	2	1	1	2	4	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**465**	**4.2**	**6**	**2**	**2**	**3**	**5**	**9**	**9**		**164**	**2.6**	**2**	**1**	**1**	**2**	**4**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	567	2.8	4	1	1	2	3	5	7	0-17	325	1.8	1	1	1	1	2	3	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**567**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**7**		**325**	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1032**	**3.4**	**6**	**1**	**2**	**3**	**4**	**7**	**9**		**489**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 187: Dental Extractions & Restorations

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	58	6.1	42	1	2	4	7	14	23	0-17	93	1.9	2	1	1	1	2	4	5
70-74	42	2.2	3	1	1	2	2	7	7	18-34	127	3.8	13	1	1	3	5	10	11
75-79	32	6.9	30	1	2	5	13	15	15	35-49	31	2.7	3	1	2	2	3	6	6
80-84	22	4.8	7							50-69	33	3.4	13	< 1	1	2	3	11	11
85 +	11	5.2	18							70 +	0								
SUBTOTAL	**165**	**5.1**	**26**	**1**	**1**	**2**	**7**	**13**	**15**		**285**	**3.0**	**9**	**1**	**1**	**2**	**4**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	43	4.1	13	1	1	2	8	10	10	0-17	153	1.9	1	1	1	1	3	4	4
70-74	11	3.5	7							18-34	75	2.7	3	1	2	2	3	4	8
75-79	5	1.0								35-49	38	2.0	1	1	1	2	3	3	3
80-84	5	2.0								50-69	49	2.4	4	1	1	2	2	6	7
85 +	27	2.2	4							70 +	0								
SUBTOTAL	**92**	**3.2**	**9**	**1**	**1**	**2**	**6**	**9**	**10**		**314**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**256**	**4.4**	**21**	**1**	**1**	**2**	**7**	**10**	**14**		**599**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	63	4.3	19	1	2	3	4	5	18	0-17	5	16.0							
18-34	74	4.8	13	1	2	4	8	10	12	18-34	16	3.7	10						
35-49	42	2.9	5	1	1	2	5	7	7	35-49	10	5.0	1						
50-69	21	4.5	10							50-69	10	5.0	1						
70 +	0									70 +	0								
SUBTOTAL	**199**	**4.2**	**13**	**1**	**1**	**3**	**5**	**9**	**11**		**41**	**5.9**	**20**	**1**	**3**	**5**	**7**	**16**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	78	3.3	4	1	2	3	5	6	7	0-17	36	1.4	1	1	1	1	2	3	3
18-34	63	2.8	5	1	1	2	2	6	9	18-34	55	2.7	1	1	2	3	3	5	5
35-49	0									35-49	32	2.0	1	1	1	2	2	4	4
50-69	11	2.0	1							50-69	6	1.0							
70 +	0									70 +	0								
SUBTOTAL	**151**	**3.0**	**4**	**1**	**2**	**2**	**4**	**6**	**7**		**129**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**351**	**3.7**	**10**	**1**	**1**	**3**	**5**	**8**	**10**		**170**	**3.0**	**8**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 188: Other Digestive System Diagnoses Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2720	6.8	35	2	3	5	8	13	17	0-17	0								
70-74	1825	7.1	39	2	3	5	9	14	19	18-34	785	4.7	22	1	2	3	6	9	13
75-79	1987	7.0	31	2	3	6	9	14	18	35-49	1268	5.8	29	1	2	4	7	12	16
80-84	1420	7.4	27	2	4	6	10	15	18	50-69	1889	6.8	68	1	3	5	8	14	19
85 +	1566	8.1	40	3	4	6	10	15	21	70 +	269	5.4	16	1	3	5	7	10	11
SUBTOTAL	**9518**	**7.2**	**35**	**2**	**3**	**6**	**9**	**14**	**19**		**4211**	**6.0**	**45**	**1**	**2**	**4**	**7**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**9518**	**7.2**	**35**	**2**	**3**	**6**	**9**	**14**	**19**		**4211**	**6.0**	**45**	**1**	**2**	**4**	**7**	**12**	**16**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	483	5.8	56	2	2	3	7	12	16	18-34	182	5.3	11	2	3	5	7	10	13
35-49	370	6.0	19	2	3	6	8	11	12	35-49	320	6.7	23	2	3	5	10	14	17
50-69	317	7.7	26	2	4	6	10	14	19	50-69	343	6.4	43	2	2	4	8	13	18
70 +	60	6.1	10	2	3	5	9	10	12	70 +	171	8.2	154	1	2	3	10	22	35
SUBTOTAL	**1230**	**6.4**	**35**	**2**	**3**	**5**	**9**	**12**	**16**		**1016**	**6.6**	**50**	**1**	**3**	**4**	**8**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1230**	**6.4**	**35**	**2**	**3**	**5**	**9**	**12**	**16**		**1016**	**6.6**	**50**	**1**	**3**	**4**	**8**	**14**	**17**

DRG 189: Other Digestive System Diagnoses Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	601	3.8	21	1	1	2	5	7	12	0-17	0								
70-74	405	4.0	11	1	1	4	5	9	11	18-34	1207	2.8	5	1	1	2	4	6	7
75-79	416	3.8	12	1	1	3	5	9	13	35-49	1194	3.6	12	1	1	3	4	8	9
80-84	326	3.4	5	< 1	1	3	5	7	7	50-69	1201	3.4	12	< 1	1	2	4	7	9
85 +	296	3.6	8	1	1	3	5	8	9	70 +	80	4.4	19	1	1	3	6	13	15
SUBTOTAL	**2044**	**3.7**	**13**	**1**	**1**	**3**	**5**	**8**	**10**		**3683**	**3.3**	**10**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**2044**	**3.7**	**13**	**1**	**1**	**3**	**5**	**8**	**10**		**3683**	**3.3**	**10**	**1**	**1**	**2**	**4**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	470	2.8	5	1	1	2	3	6	7	18-34	505	2.7	7	1	1	2	3	6	9
35-49	203	3.9	8	1	2	4	5	7	8	35-49	263	3.3	7	1	1	2	5	6	7
50-69	98	3.0	4	1	2	3	4	4	10	50-69	166	3.0	4	1	1	2	4	6	7
70 +	5	9.0								70 +	33	3.4	3	1	2	4	5	6	6
SUBTOTAL	**776**	**3.1**	**6**	**1**	**1**	**2**	**4**	**7**	**8**		**967**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**776**	**3.1**	**6**	**1**	**1**	**2**	**4**	**7**	**8**		**967**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 190: Other Digestive System Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	83	3.6	4	2	2	3	5	8	99+
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	83	3.6	4	2	2	3	5	8	99+
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	11	2.0	1						
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	11	2.0	1						
GRAND TOTAL	94	3.4	4	1	2	3	5	8	58

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	759	3.8	46	1	1	2	4	8	11
18-34	0								
35-49	0								
50-69	0								
70+	0								
	759	3.8	46	1	1	2	4	8	11
0-17	2809	1.9	4	1	1	1	2	3	5
18-34	0								
35-49	0								
50-69	0								
70+	0								
	2809	1.9	4	1	1	1	2	3	5
	3568	2.3	13	1	1	1	2	4	6

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	504	6.1	46	1	2	4	7	16	20
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	504	6.1	46	1	2	4	7	16	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1424	2.1	4	<1	1	2	2	4	6
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	1424	2.1	4	<1	1	2	2	4	6
GRAND TOTAL	1928	3.2	18	<1	1	2	3	7	10

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	184	6.2	239	1	1	3	5	10	13
18-34	0								
35-49	0								
50-69	0								
70+	0								
	184	6.2	239	1	1	3	5	10	13
0-17	852	1.7	3	<1	1	1	2	3	5
18-34	0								
35-49	0								
50-69	0								
70+	0								
	852	1.7	3	<1	1	1	2	3	5
	1037	2.5	47	<1	1	1	2	4	7

DRG 191: Pancreas, Liver & Shunt Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	788	19.5	234	6	9	15	25	37	52
70-74	574	18.7	195	7	10	14	27	39	56
75-79	413	16.5	145	5	8	12	21	32	47
80-84	219	21.9	154	10	14	17	27	38	53
85 +	143	15.8	72	8	9	15	18	31	33
SUBTOTAL	**2137**	**18.7**	**190**	**6**	**9**	**15**	**24**	**37**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2137**	**18.7**	**190**	**6**	**9**	**15**	**24**	**37**	**50**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	14.1	49	6	8	11	20	25	26
18-34	308	12.7	186	5	7	9	13	16	39
35-49	484	16.8	171	5	8	12	23	40	50
50-69	798	16.0	148	6	8	12	20	29	39
70 +	28	13.6	60						
	1666	**15.6**	**159**	**6**	**8**	**11**	**19**	**31**	**41**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1666	**15.6**	**159**	**6**	**8**	**11**	**19**	**31**	**41**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	11.5	56						
18-34	214	16.0	187	4	6	11	21	35	43
35-49	126	21.6	221	6	12	19	26	53	62
50-69	138	23.9	443	9	11	15	28	44	75
70 +	5	13.0							
SUBTOTAL	**499**	**19.4**	**273**	**5**	**8**	**15**	**25**	**43**	**62**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**499**	**19.4**	**273**	**5**	**8**	**15**	**25**	**43**	**62**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	11.0	12						
18-34	148	17.5	340	4	6	10	22	47	54
35-49	174	15.5	89	5	9	14	20	23	41
50-69	182	13.3	118	5	7	9	16	37	46
70 +	69	17.2	101	9	10	12	22	33	39
	600	**15.3**	**161**	**5**	**8**	**11**	**19**	**34**	**45**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	600	**15.3**	**161**	**5**	**8**	**11**	**19**	**34**	**45**

DRG 192: Pancreas, Liver & Shunt Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	101	9.7	29	4	4	8	15	17	19	0-17	52	7.7	17	2	4	7	10	13	16
70-74	74	9.6	7	7	8	9	13	13	13	18-34	95	6.6	6	4	5	6	8	9	13
75-79	75	10.0	46	4	7	8	11	15	31	35-49	193	8.4	23	3	5	7	12	15	16
80-84	16	9.3	5							50-69	247	7.4	28	1	4	6	10	17	18
85 +	11	6.7	40							70 +	0								
SUBTOTAL	**276**	**9.6**	**27**	**4**	**7**	**8**	**13**	**15**	**18**		**587**	**7.6**	**22**	**3**	**4**	**7**	**10**	**15**	**17**
GRAND TOTAL	**276**	**9.6**	**27**	**4**	**7**	**8**	**13**	**15**	**18**		**587**	**7.6**	**22**	**3**	**4**	**7**	**10**	**15**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	26	13.8	62							0-17	5	4.0							
18-34	27	10.5	200							18-34	75	7.1	23	2	4	7	7	17	18
35-49	27	9.3	15							35-49	31	5.9	11	1	3	5	9	10	10
50-69	5	22.0								50-69	47	4.9	8	2	3	4	6	10	10
70 +	0									70 +	0								
SUBTOTAL	**85**	**11.8**	**96**	**2**	**4**	**8**	**17**	**24**	**39**		**159**	**6.1**	**16**	**2**	**3**	**5**	**8**	**10**	**17**
GRAND TOTAL	**85**	**11.8**	**96**	**2**	**4**	**8**	**17**	**24**	**39**		**159**	**6.1**	**16**	**2**	**3**	**5**	**8**	**10**	**17**

DRG 193: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	658	15.3	118	6	8	12	20	27	34
70-74	594	15.5	130	6	9	13	19	29	36
75-79	614	15.5	123	7	9	12	21	27	33
80-84	509	16.1	111	7	10	13	20	29	33
85+	396	16.3	95	9	10	14	19	22	36
SUBTOTAL	**2772**	**15.7**	**117**	**7**	**9**	**13**	**20**	**27**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2772**	**15.7**	**117**	**7**	**9**	**13**	**20**	**27**	**34**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	25.6	358						
18-34	102	7.3	29	3	5	6	9	12	19
35-49	244	11.0	67	4	6	8	16	20	28
50-69	683	12.3	74	5	6	10	16	23	26
70+	38	12.2	47	5	6	11	19	25	25
	1092	**11.8**	**80**	**5**	**6**	**9**	**16**	**22**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1092	**11.8**	**80**	**5**	**6**	**9**	**16**	**22**	**26**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	21	19.3	25						
18-34	42	8.7	17	3	3	9	12	15	15
35-49	48	12.7	38	6	7	12	17	23	25
50-69	44	13.6	49	6	7	12	21	26	26
70+	22	17.1	60						
SUBTOTAL	**178**	**13.3**	**47**	**6**	**8**	**12**	**17**	**25**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**178**	**13.3**	**47**	**6**	**8**	**12**	**17**	**25**	**26**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	23.5	2						
18-34	76	7.6	22	2	4	8	10	10	21
35-49	64	10.5	45	4	6	10	13	15	29
50-69	150	13.7	102	5	8	10	17	23	26
70+	38	16.6	74	7	9	13	26	30	30
	338	**12.4**	**79**	**4**	**7**	**10**	**16**	**24**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	338	**12.4**	**79**	**4**	**7**	**10**	**16**	**24**	**26**

DRG 194: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	97	9.5	40	3	6	8	12	23	26
70-74	102	8.3	20	1	5	8	12	14	18
75-79	124	12.0	76	5	7	9	14	22	34
80-84	49	10.9	32	4	6	11	14	19	23
85 +	75	10.4	14	4	9	10	12	15	17
SUBTOTAL	**447**	**10.2**	**42**	**4**	**6**	**9**	**13**	**17**	**23**
GRAND TOTAL	**447**	**10.2**	**42**	**4**	**6**	**9**	**13**	**17**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	41	11.0	91	2	5	8	13	34	34
18-34	81	5.9	9	3	3	5	8	11	12
35-49	119	7.5	15	4	5	7	8	14	16
50-69	156	8.3	20	2	6	8	10	13	15
70 +	5	17.0							
	403	**8.0**	**26**	**3**	**5**	**8**	**10**	**13**	**17**
	403	**8.0**	**26**	**3**	**5**	**8**	**10**	**13**	**17**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	58	11.2	38	6	6	9	17	25	99 +
18-34	38	5.0	6	1	3	5	8	8	8
35-49	22	10.9	15						
50-69	16	9.3	17						
70 +	0								
SUBTOTAL	**134**	**9.1**	**29**	**4**	**6**	**8**	**13**	**19**	**25**
GRAND TOTAL	**134**	**9.1**	**29**	**4**	**6**	**8**	**13**	**19**	**25**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	21	9.3	6						
18-34	10	7.5	2						
35-49	22	2.8	1						
50-69	33	5.8	4	4	5	5	6	10	10
70 +	5	6.0							
	91	**6.1**	**8**	**3**	**4**	**6**	**8**	**11**	**12**
	91	**6.1**	**8**	**3**	**4**	**6**	**8**	**11**	**12**

DRG 195: Total Cholecystectomy w/ C.D.E. w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	921	10.4	36	5	6	9	12	18	24	0-17	27	6.5	6						
70-74	954	10.9	49	6	7	9	13	17	20	18-34	688	6.7	6	4	5	6	8	10	12
75-79	970	10.7	28	6	7	10	13	16	19	35-49	779	7.3	15	4	5	6	9	12	15
80-84	662	12.0	35	7	8	11	14	20	24	50-69	958	8.3	20	4	5	7	10	13	15
85 +	564	13.1	36	7	8	12	15	22	26	70 +	70	9.5	20	6	7	9	11	14	21
SUBTOTAL	**4072**	**11.2**	**38**	**6**	**7**	**10**	**13**	**18**	**23**		**2521**	**7.6**	**15**	**4**	**5**	**7**	**9**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4072**	**11.2**	**38**	**6**	**7**	**10**	**13**	**18**	**23**		**2521**	**7.6**	**15**	**4**	**5**	**7**	**9**	**12**	**14**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	9.5	22							0-17	5	10.0							
18-34	360	7.1	9	3	5	7	9	12	13	18-34	245	6.9	7	4	5	6	8	11	12
35-49	108	9.6	39	4	5	8	13	24	26	35-49	223	7.3	9	4	5	7	9	12	14
50-69	113	12.4	41	5	7	10	18	23	23	50-69	222	7.9	21	4	5	7	10	12	17
70 +	6	14.0								70 +	66	8.5	13	4	6	9	11	14	15
SUBTOTAL	**598**	**8.7**	**25**	**4**	**5**	**8**	**11**	**15**	**21**		**761**	**7.5**	**12**	**4**	**5**	**7**	**9**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**598**	**8.7**	**25**	**4**	**5**	**8**	**11**	**15**	**21**		**761**	**7.5**	**12**	**4**	**5**	**7**	**9**	**12**	**14**

DRG 196: Total Cholecystectomy w/ C.D.E. w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	206	6.5	9	4	5	6	7	11	13	0-17	16	4.4	3						
70-74	135	8.1	51	4	4	7	9	12	20	18-34	331	6.2	8	3	5	6	7	9	11
75-79	87	9.0	10	5	6	9	11	14	15	35-49	342	6.1	6	3	4	6	8	9	11
80-84	69	8.1	8	5	6	7	11	11	12	50-69	338	6.6	12	3	4	6	8	10	13
85 +	33	8.8	8	5	7	8	10	14	14	70 +	22	11.6	32						
SUBTOTAL	**530**	**7.7**	**20**	**4**	**5**	**7**	**10**	**12**	**14**		**1048**	**6.4**	**10**	**3**	**5**	**6**	**8**	**10**	**12**
GRAND TOTAL	**530**	**7.7**	**20**	**4**	**5**	**7**	**10**	**12**	**14**		**1048**	**6.4**	**10**	**3**	**5**	**6**	**8**	**10**	**12**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	11	5.5								0-17	0								
18-34	179	6.6	7	4	5	6	7	9	9	18-34	103	5.7	7	3	4	5	6	8	15
35-49	32	5.4	4	2	4	6	6	8	8	35-49	80	5.7	4	4	4	5	7	8	11
50-69	0									50-69	107	5.8	7	3	4	5	7	11	11
70 +	0									70 +	16	9.9	20						
SUBTOTAL	**223**	**6.4**	**6**	**4**	**5**	**6**	**7**	**8**	**9**		**306**	**6.0**	**8**	**3**	**4**	**5**	**7**	**11**	**11**
GRAND TOTAL	**223**	**6.4**	**6**	**4**	**5**	**6**	**7**	**8**	**9**		**306**	**6.0**	**8**	**3**	**4**	**5**	**7**	**11**	**11**

DRG 197: Total Cholecystectomy w/o C.D.E. w/ CC

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5825	7.2	27	2	4	6	9	13	17
70-74	3805	7.4	25	2	4	6	10	13	16
75-79	3217	9.0	40	3	5	7	11	16	21
80-84	1938	9.8	30	4	6	9	12	16	19
85 +	1172	11.0	45	5	7	10	13	20	24
SUBTOTAL	**15957**	**8.2**	**32**	**3**	**4**	**7**	**10**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**15957**	**8.2**	**32**	**3**	**4**	**7**	**10**	**15**	**19**

	BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	6.3	9						
18-34	2284	4.9	11	2	3	4	6	9	10
35-49	4484	5.5	18	1	3	5	7	10	13
50-69	6805	6.3	23	2	3	5	8	11	15
70 +	228	8.8	49	4	6	7	10	13	28
	13828	**5.9**	**20**	**2**	**3**	**5**	**7**	**11**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	13828	**5.9**	**20**	**2**	**3**	**5**	**7**	**11**	**13**

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	42	6.9	16	2	4	6	11	15	15
18-34	1198	6.2	20	2	4	5	8	11	16
35-49	576	6.1	14	2	3	5	8	10	14
50-69	672	7.4	24	3	4	6	9	13	17
70 +	49	6.3	38	1	3	4	8	22	22
SUBTOTAL	**2538**	**6.5**	**20**	**2**	**4**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2538**	**6.5**	**20**	**2**	**4**	**5**	**8**	**12**	**15**

	NO INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	27	5.8	5						
18-34	832	5.2	16	1	3	5	6	9	12
35-49	994	5.0	10	1	3	4	7	10	11
50-69	1293	6.8	45	2	3	5	8	12	16
70 +	238	7.0	25	3	3	6	9	14	15
	3383	**5.9**	**27**	**1**	**3**	**5**	**7**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3383	**5.9**	**27**	**1**	**3**	**5**	**7**	**11**	**14**

DRG 198: Total Cholecystectomy w/o C.D.E. w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	5413	3.6	7	1	1	3	5	7	8
70-74	3320	3.8	8	1	1	3	5	7	9
75-79	1966	4.4	12	1	2	4	6	8	11
80-84	904	5.1	14	1	2	4	7	10	12
85 +	364	5.4	20	1	2	4	8	10	15
SUBTOTAL	**11966**	**3.9**	**9**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**11966**	**3.9**	**9**	**1**	**2**	**3**	**5**	**8**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	319	3.5	4	1	2	3	5	6	7
18-34	12376	2.8	4	1	1	3	4	5	6
35-49	17691	2.8	4	1	1	2	4	5	7
50-69	15555	3.1	5	1	1	3	4	6	7
70 +	157	4.6	9	1	2	4	6	8	10
	46098	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**7**
	46098	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	200	3.6	4	1	2	3	4	7	7
18-34	4881	3.2	4	1	2	3	4	6	7
35-49	1613	3.8	5	1	2	4	5	7	8
50-69	532	4.5	11	1	2	4	5	10	13
70 +	22	6.9	17						
SUBTOTAL	**7248**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**7248**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	66	2.7	2	1	2	3	3	3	7
18-34	3602	2.8	3	1	1	3	4	5	6
35-49	4101	3.0	4	1	1	3	4	6	7
50-69	2632	3.0	4	1	1	3	4	5	7
70 +	232	3.3	5	1	1	3	4	5	7
	10632	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**7**
	10632	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**7**

DRG 199: Hepatobiliary Diagnostic Procedure for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	143	14.5	140	3	7	10	19	34	34	0-17	5	9.0							
70-74	129	14.4	79	6	8	14	17	28	29	18-34	6	5.0							
75-79	161	11.7	38	5	8	10	15	21	26	35-49	106	10.2	50	3	4	8	14	17	23
80-84	71	12.2	32	7	8	10	16	21	21	50-69	242	9.7	63	4	5	7	12	20	22
85 +	17	14.7	65							70 +	6	16.0							
SUBTOTAL	**522**	**13.3**	**77**	**5**	**8**	**11**	**17**	**25**	**28**		**364**	**9.9**	**57**	**4**	**5**	**8**	**12**	**20**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	47	11.1	66	5	6	7	13	30	32	0-17	5	9.0							
70-74	21	16.3	354							18-34	0								
75-79	16	5.3	15							35-49	21	9.6	10						
80-84	10	14.5	2							50-69	63	8.1	36	2	3	6	11	16	22
85 +	11	8.5	22							70 +	0								
SUBTOTAL	**106**	**11.3**	**112**	**4**	**5**	**7**	**13**	**16**	**36**		**90**	**8.5**	**28**	**2**	**5**	**7**	**12**	**16**	**22**
GRAND TOTAL	**628**	**13.0**	**84**	**4**	**7**	**10**	**16**	**24**	**30**		**454**	**9.6**	**52**	**4**	**5**	**8**	**12**	**17**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5	12.0								0-17	0								
18-34	5	30.0								18-34	0								
35-49	10	15.0	54							35-49	5	8.0							
50-69	0									50-69	22	7.6	33						
70 +	6	14.0								70 +	27	6.1	8						
SUBTOTAL	**26**	**17.1**	**63**								**54**	**6.9**	**18**	**3**	**4**	**5**	**8**	**17**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5	5.0								0-17	10	11.5	2						
18-34	0									18-34	0								
35-49	6	12.0								35-49	0								
50-69	0									50-69	33	7.4	35	1	3	6	9	19	19
70 +	0									70 +	0								
SUBTOTAL	**11**	**8.6**	**13**								**43**	**8.4**	**30**	**1**	**4**	**8**	**11**	**19**	**19**
GRAND TOTAL	**37**	**14.7**	**63**	**5**	**8**	**12**	**22**	**30**	**30**		**98**	**7.5**	**24**	**3**	**4**	**6**	**10**	**17**	**19**

DRG 200: Hepatobiliary Diagnostic Procedure for Non-malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	91	13.7	119	2	6	13	17	29	45	0-17	37	20.1	115	11	11	17	31	41	41
70-74	91	14.4	109	5	7	10	20	31	41	18-34	48	7.0	16	2	5	6	10	13	15
75-79	48	17.8	174	5	8	12	25	41	41	35-49	80	11.2	84	1	4	11	14	29	31
80-84	27	12.5	28	7	9	11	22	99+	99+	50-69	103	11.6	72	2	4	11	17	26	26
85+	0									70+	0								
SUBTOTAL	**257**	**14.6**	**118**	**3**	**7**	**11**	**20**	**39**	**41**		**268**	**11.8**	**84**	**2**	**5**	**11**	**17**	**26**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	32	10.8	93	2	4	7	14	30	30	0-17	21	4.0	5						
70-74	26	6.4	10							18-34	54	3.8	4	1	3	4	5	7	7
75-79	6	7.0								35-49	88	4.3	8	1	2	4	7	8	11
80-84	11	10.0	40							50-69	76	5.3	17	1	2	5	8	9	16
85+	5	8.0								70+	0								
SUBTOTAL	**81**	**8.8**	**49**	**3**	**4**	**7**	**11**	**16**	**30**		**238**	**4.5**	**10**	**1**	**2**	**4**	**7**	**8**	**10**
GRAND TOTAL	**338**	**13.2**	**107**	**3**	**6**	**9**	**17**	**30**	**41**		**506**	**8.4**	**63**	**1**	**3**	**5**	**11**	**17**	**26**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5	8.0								0-17	10	4.5	7						
18-34	16	10.0	31							18-34	53	8.3	40	1	3	8	16	17	18
35-49	48	14.2	154	1	3	11	28	32	35	35-49	31	4.4	10	1	2	4	8	9	9
50-69	22	6.5	1							50-69	16	9.7	65						
70+	0									70+	5	19.0							
SUBTOTAL	**91**	**11.3**	**98**	**2**	**4**	**8**	**16**	**28**	**34**		**116**	**7.6**	**40**	**1**	**2**	**7**	**9**	**18**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	26	7.2	33							0-17	16	7.0	5						
18-34	26	5.9	9							18-34	26	2.0	1						
35-49	5	11.0								35-49	16	5.9	22						
50-69	0									50-69	6	3.0							
70+	0									70+	0								
SUBTOTAL	**57**	**7.0**	**21**	**2**	**3**	**6**	**11**	**13**	**15**		**63**	**4.3**	**12**	**1**	**1**	**3**	**5**	**9**	**12**
GRAND TOTAL	**148**	**9.6**	**72**	**2**	**4**	**7**	**12**	**28**	**28**		**179**	**6.4**	**32**	**1**	**2**	**4**	**9**	**17**	**19**

DRG 201: Other Hepatobiliary or Pancreas O.R. Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	311	12.0	124	3	6	7	15	25	40	0-17	57	3.0	12	1	1	1	3	9	11
70-74	86	9.6	42	4	5	10	11	18	29	18-34	26	3.3	10						
75-79	103	15.8	232	3	4	13	21	26	41	35-49	162	7.8	32	3	4	6	9	20	20
80-84	32	22.3	170	5	10	16	32	40	40	50-69	238	11.2	104	3	5	8	13	24	35
85 +	16	20.8	59							70 +	11	9.5							
SUBTOTAL	**549**	**13.2**	**142**	**4**	**5**	**9**	**17**	**28**	**34**		**494**	**8.7**	**71**	**1**	**3**	**7**	**10**	**20**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	11	10.6	13							0-17	16	3.3	3						
70-74	0									18-34	5	1.0							
75-79	6	6.0								35-49	10	9.5	47						
80-84	0									50-69	5	6.0							
85 +	0									70 +	0								
SUBTOTAL	**16**	**9.1**	**14**								**36**	**5.1**	**23**	**1**	**1**	**4**	**6**	**16**	**16**
GRAND TOTAL	**565**	**13.1**	**139**	**4**	**6**	**9**	**17**	**28**	**34**		**530**	**8.5**	**68**	**1**	**3**	**6**	**10**	**20**	**24**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5	1.0								0-17	0								
18-34	47	6.9	21	3	4	5	7	18	18	18-34	31	8.0	35	1	3	9	14	17	17
35-49	160	10.2	29	3	7	9	13	16	23	35-49	63	10.1	263	3	4	5	7	12	63
50-69	85	9.3	42	3	5	7	13	22	25	50-69	60	14.8	292	3	4	8	15	45	55
70 +	5	5.0								70 +	16	18.2	182						
SUBTOTAL	**303**	**9.2**	**33**	**3**	**5**	**8**	**13**	**16**	**22**		**171**	**12.1**	**231**	**3**	**4**	**6**	**13**	**36**	**55**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5	11.0								0-17	0								
18-34	0									18-34	0								
35-49	5	10.0								35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**10**	**10.5**									**0**								
GRAND TOTAL	**313**	**9.2**	**32**	**3**	**5**	**8**	**13**	**16**	**22**		**171**	**12.1**	**231**	**3**	**4**	**6**	**13**	**36**	**55**

DRG 202: Cirrhosis & Alcoholic Hepatitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1333	9.8	84	3	4	7	11	23	29
70-74	537	9.1	64	3	4	7	11	19	24
75-79	288	8.4	23	3	4	8	11	16	17
80-84	229	10.5	71	4	6	8	14	18	23
85 +	92	12.6	65	3	7	10	20	23	26
SUBTOTAL	**2479**	**9.6**	**71**	**3**	**4**	**7**	**11**	**20**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	54	7.4	43	< 1	2	4	10	21	21
70-74	32	7.7	21	3	5	6	9	17	17
75-79	6	1.0							
80-84	11	5.0	1						
85 +	10	17.0	10						
SUBTOTAL	**113**	**7.8**	**38**	**1**	**3**	**6**	**10**	**18**	**21**
GRAND TOTAL	**2592**	**9.6**	**70**	**3**	**4**	**7**	**11**	**20**	**26**

BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	36	3.6	23	1	1	1	3	15	15
18-34	259	7.7	70	2	3	5	10	15	20
35-49	940	7.5	31	2	4	6	10	14	18
50-69	1398	9.1	70	2	4	7	11	17	24
70 +	33	4.2	11	1	2	4	4	11	11
	2666	**8.3**	**56**	**2**	**4**	**6**	**10**	**16**	**20**
0-17	16	2.0	2						
18-34	16	9.2	98						
35-49	108	4.8	12	1	1	4	8	10	11
50-69	140	5.9	40	1	1	3	7	15	19
70 +	5	5.0							
	285	**5.4**	**31**	**1**	**1**	**4**	**7**	**11**	**19**
	2951	**8.0**	**54**	**2**	**4**	**6**	**10**	**16**	**20**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	11.0	31						
18-34	342	7.8	41	2	4	6	9	15	20
35-49	925	8.7	43	3	4	6	12	17	23
50-69	543	9.1	68	3	4	7	11	19	23
70 +	0								
SUBTOTAL	**1825**	**8.6**	**50**	**3**	**4**	**6**	**11**	**17**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	5	4.0							
18-34	22	4.3	6						
35-49	31	9.4	48	1	5	5	17	20	20
50-69	11	6.9	4						
70 +	0								
SUBTOTAL	**70**	**7.0**	**30**	**1**	**4**	**5**	**9**	**17**	**20**
GRAND TOTAL	**1895**	**8.6**	**50**	**3**	**4**	**6**	**11**	**17**	**23**

NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	5	5.0							
18-34	177	6.5	27	2	4	6	7	9	24
35-49	554	7.9	33	2	4	6	10	15	20
50-69	397	6.8	35	3	3	5	8	14	17
70 +	21	6.1	12						
	1154	**7.3**	**33**	**2**	**4**	**6**	**9**	**14**	**17**
0-17	5	1.0							
18-34	22	6.0	19						
35-49	55	7.3	35	1	2	6	13	14	18
50-69	11	3.6	2						
70 +	0								
	93	**6.2**	**28**	**1**	**2**	**4**	**11**	**14**	**17**
	1247	**7.2**	**32**	**2**	**4**	**5**	**9**	**14**	**17**

DRG 203: Malignancy of Hepatobiliary System or Pancreas

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	998	9.9	69	3	5	8	11	18	26	0-17	21	5.8	12							
70-74	966	9.4	70	2	5	8	11	16	21	18-34	47	13.0	183	2	3	6	26	38	39	
75-79	740	10.9	72	3	5	9	14	20	26	35-49	259	8.6	36	3	4	7	12	19	20	
80-84	581	10.8	103	3	6	9	13	20	21	50-69	1004	9.2	51	3	4	8	12	19	22	
85 +	521	10.4	67	3	4	9	12	18	29	70 +	54	7.0	9	4	5	6	9	10	12	
SUBTOTAL	**3806**	**10.2**	**75**	**3**	**5**	**8**	**12**	**18**	**23**		**1385**	**9.1**	**51**	**3**	**4**	**7**	**12**	**19**	**23**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	188	7.3	35	2	2	6	10	15	20	0-17	21	5.8	4							
70-74	166	9.1	81	2	4	6	11	20	28	18-34	6	1.0								
75-79	145	7.0	19	2	3	5	10	14	15	35-49	101	4.6	11	1	2	3	7	10	11	
80-84	117	6.1	22	2	3	5	6	13	18	50-69	301	5.0	15	1	2	4	7	10	13	
85 +	125	7.1	16	2	4	7	9	13	15	70 +	21	4.5	5							
SUBTOTAL	**742**	**7.4**	**38**	**2**	**3**	**6**	**10**	**16**	**19**		**449**	**4.9**	**13**	**1**	**2**	**4**	**7**	**10**	**12**	
GRAND TOTAL	**4548**	**9.7**	**70**	**3**	**5**	**8**	**12**	**18**	**22**		**1835**	**8.1**	**45**	**2**	**3**	**6**	**10**	**17**	**22**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	16	3.3	1							
18-34	21	4.0	2							18-34	11	1.5								
35-49	118	11.1	93	3	4	9	14	20	24	35-49	97	11.7	87	1	4	8	16	28	30	
50-69	186	8.8	38	3	5	7	11	19	21	50-69	288	7.9	44	2	3	6	11	16	20	
70 +	22	6.0	2							70 +	83	12.9	79	4	7	10	19	23	38	
SUBTOTAL	**347**	**9.1**	**56**	**3**	**4**	**7**	**11**	**20**	**21**		**494**	**9.2**	**62**	**2**	**4**	**7**	**13**	**19**	**27**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	5	21.0								0-17	5	2.0								
18-34	16	5.0	5							18-34	0									
35-49	0									35-49	26	3.6	15							
50-69	31	6.9	10	2	4	8	10	10	10	50-69	74	4.9	7	1	2	5	7	8	10	
70 +	5	3.0								70 +	11	3.0	1							
SUBTOTAL	**57**	**7.3**	**27**	**2**	**3**	**8**	**10**	**10**	**21**		**117**	**4.3**	**9**	**1**	**2**	**4**	**6**	**8**	**10**	
GRAND TOTAL	**405**	**8.9**	**52**	**3**	**4**	**7**	**10**	**20**	**21**		**610**	**8.3**	**56**	**2**	**3**	**6**	**11**	**18**	**25**	

DRG 204: Disorders of Pancreas except Malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2577	8.3	45	3	4	7	9	16	22	0-17	32	15.8	179	3	5	7	23	41	41
70-74	1216	9.1	47	3	4	7	12	16	21	18-34	1249	7.7	44	3	4	6	8	16	22
75-79	1116	8.8	35	3	5	7	10	17	21	35-49	3007	7.6	54	3	4	6	9	14	19
80-84	717	9.6	63	4	5	7	13	18	18	50-69	2402	8.2	43	3	4	7	10	15	21
85 +	823	9.8	55	4	5	8	12	19	23	70 +	109	8.8	53	3	4	7	12	16	17
SUBTOTAL	**6448**	**8.9**	**47**	**3**	**5**	**7**	**11**	**17**	**22**		**6798**	**7.9**	**49**	**3**	**4**	**6**	**9**	**15**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	842	4.9	11	2	3	4	6	8	9	0-17	111	3.8	4	2	2	3	5	6	8
70-74	447	5.7	15	3	3	5	7	10	11	18-34	1251	4.4	6	2	3	4	5	7	9
75-79	391	5.8	8	3	3	5	8	10	12	35-49	1786	5.1	12	2	3	4	6	9	11
80-84	236	6.7	63	2	3	6	8	9	13	50-69	1587	5.0	17	2	3	4	6	8	10
85 +	224	6.2	19	3	3	4	8	11	14	70 +	39	4.6	14	1	2	3	6	13	13
SUBTOTAL	**2139**	**5.6**	**18**	**2**	**3**	**5**	**7**	**9**	**11**		**4774**	**4.9**	**12**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**8588**	**8.1**	**42**	**3**	**4**	**6**	**10**	**15**	**20**		**11573**	**6.6**	**36**	**2**	**3**	**5**	**8**	**12**	**17**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	44	6.4	7	3	4	5	9	11	11	0-17	11	7.5							
18-34	1285	6.8	23	2	4	6	9	13	16	18-34	1093	7.1	35	3	4	5	7	14	18
35-49	2210	7.2	35	3	4	6	8	14	20	35-49	1269	6.9	45	2	4	5	8	12	15
50-69	602	7.7	33	3	4	6	9	13	23	50-69	452	7.2	25	3	4	6	8	12	15
70 +	26	11.9	57							70 +	85	9.1	21	4	6	8	10	17	18
SUBTOTAL	**4167**	**7.2**	**31**	**3**	**4**	**6**	**8**	**14**	**19**		**2910**	**7.1**	**37**	**3**	**4**	**6**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	53	7.0	30	2	3	4	14	15	15	0-17	26	7.0	9						
18-34	585	5.6	14	2	3	5	7	10	13	18-34	588	4.4	6	1	3	4	6	8	9
35-49	483	5.2	10	2	3	5	7	9	10	35-49	504	4.9	8	2	3	4	6	8	11
50-69	108	4.9	7	3	3	5	6	8	12	50-69	295	4.8	7	2	3	4	6	9	10
70 +	11	9.1	4							70 +	31	6.3	7	5	5	5	6	12	12
SUBTOTAL	**1239**	**5.5**	**12**	**2**	**3**	**5**	**7**	**10**	**13**		**1444**	**4.8**	**7**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**5406**	**6.8**	**27**	**2**	**4**	**5**	**8**	**13**	**17**		**4354**	**6.3**	**29**	**2**	**3**	**5**	**7**	**11**	**15**

DRG 205: Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1411	8.4	42	3	4	7	11	16	20
70-74	771	9.2	67	3	4	6	10	20	28
75-79	528	9.0	34	3	5	7	11	18	22
80-84	271	8.8	42	3	4	6	12	18	22
85 +	185	10.8	96	3	5	8	13	19	30
SUBTOTAL	**3167**	**8.9**	**50**	**3**	**4**	**7**	**11**	**18**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3167**	**8.9**	**50**	**3**	**4**	**7**	**11**	**18**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	251	5.7	86	1	2	3	5	10	21
18-34	345	6.2	46	2	3	5	6	12	19
35-49	722	7.4	43	2	3	6	9	13	16
50-69	1105	9.1	68	2	4	6	11	21	28
70 +	44	4.7	8	2	3	4	6	10	10
	2467	**7.8**	**60**	**2**	**3**	**5**	**9**	**15**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2467	**7.8**	**60**	**2**	**3**	**5**	**9**	**15**	**22**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	227	7.6	125	2	3	5	7	11	22
18-34	450	6.1	25	2	3	5	7	11	17
35-49	382	7.1	30	2	3	5	10	13	18
50-69	413	9.5	32	4	5	7	14	19	22
70 +	16	9.3	4						
SUBTOTAL	**1489**	**7.6**	**45**	**2**	**4**	**6**	**10**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1489**	**7.6**	**45**	**2**	**4**	**6**	**10**	**15**	**19**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	128	4.6	13	2	2	3	6	10	11
18-34	296	5.2	19	2	2	3	6	12	16
35-49	258	5.4	21	1	2	4	6	14	15
50-69	300	6.6	29	2	3	5	8	15	21
70 +	59	6.6	21	2	3	4	11	11	16
	1041	**5.6**	**22**	**1**	**2**	**4**	**7**	**12**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1041	**5.6**	**22**	**1**	**2**	**4**	**7**	**12**	**16**

DRG 206: Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	257	5.6	35	1	3	4	6	13	21
70-74	70	4.3	10	1	3	3	6	8	12
75-79	59	5.8	14	2	3	5	8	12	13
80-84	86	5.6	13	1	3	5	7	10	15
85 +	59	6.6	10	2	3	7	9	11	11
SUBTOTAL	**531**	**5.6**	**23**	**1**	**3**	**4**	**7**	**11**	**14**
GRAND TOTAL	**531**	**5.6**	**23**	**1**	**3**	**4**	**7**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	546	3.4	6	1	1	3	5	6	8
18-34	477	4.5	9	1	2	4	6	9	11
35-49	517	4.0	11	1	1	3	5	8	10
50-69	419	4.7	10	1	2	4	6	9	12
70 +	16	3.0	1						
	1975	**4.1**	**9**	**1**	**2**	**3**	**5**	**8**	**10**
	1975	**4.1**	**9**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	260	4.3	68	1	2	3	5	6	10
18-34	266	5.1	7	2	3	5	6	8	8
35-49	117	4.8	12	1	3	5	5	7	14
50-69	31	4.6	9	1	1	6	8	8	8
70 +	0								
SUBTOTAL	**675**	**4.7**	**31**	**1**	**2**	**4**	**6**	**8**	**9**
GRAND TOTAL	**675**	**4.7**	**31**	**1**	**2**	**4**	**6**	**8**	**9**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	204	3.0	5	1	1	2	3	7	8
18-34	305	3.9	5	1	2	4	6	7	7
35-49	165	5.2	37	1	2	4	6	10	21
50-69	91	4.5	31	1	1	2	6	10	23
70 +	6	2.0							
	771	**4.0**	**15**	**1**	**2**	**3**	**5**	**7**	**10**
	771	**4.0**	**15**	**1**	**2**	**3**	**5**	**7**	**10**

DRG 207: Disorders of the Biliary Tract w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1675	6.2	23	2	3	5	8	13	17
70-74	1290	6.6	27	2	3	5	9	12	16
75-79	1280	7.3	51	2	3	6	9	12	19
80-84	1199	6.9	24	3	4	6	9	11	17
85 +	1556	8.1	58	3	4	6	10	15	19
SUBTOTAL	**7000**	**7.0**	**37**	**2**	**3**	**6**	**9**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7000**	**7.0**	**37**	**2**	**3**	**6**	**9**	**13**	**18**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	5.5	69	1	1	3	4	10	15
18-34	473	4.2	9	1	2	3	5	9	10
35-49	826	4.5	11	1	2	3	6	9	12
50-69	1726	5.3	21	1	2	4	6	10	13
70 +	120	6.9	10	2	4	8	9	11	12
	3255	**5.0**	**18**	**1**	**2**	**4**	**6**	**10**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3255	**5.0**	**18**	**1**	**2**	**4**	**6**	**10**	**12**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	48	6.0	15	1	3	7	9	12	13
18-34	316	5.1	19	1	2	4	8	10	13
35-49	213	5.3	16	1	3	4	7	12	15
50-69	276	6.0	13	2	3	6	8	11	13
70 +	43	6.9	6	3	6	6	9	11	11
SUBTOTAL	**896**	**5.6**	**16**	**1**	**3**	**5**	**8**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**896**	**5.6**	**16**	**1**	**3**	**5**	**8**	**11**	**13**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	195	3.4	5	1	2	3	4	6	9
35-49	124	5.7	70	1	2	4	6	8	8
50-69	305	4.8	17	1	2	3	6	9	16
70 +	116	5.5	11	1	3	5	7	9	10
	740	**4.7**	**22**	**1**	**2**	**3**	**6**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	740	**4.7**	**22**	**1**	**2**	**3**	**6**	**8**	**11**

DRG 208: Disorders of the Biliary Tract w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1059	3.3	7	1	2	3	4	6	7
70-74	711	3.7	9	1	2	3	4	6	11
75-79	582	3.9	7	1	2	3	5	7	10
80-84	413	4.6	10	1	2	4	6	9	11
85 +	378	5.7	13	2	3	5	7	10	12
SUBTOTAL	**3142**	**4.0**	**9**	**1**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**3142**	**4.0**	**9**	**1**	**2**	**3**	**5**	**7**	**10**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	189	4.9	25	1	2	2	6	14	18
18-34	1647	2.5	4	1	1	2	3	4	6
35-49	2323	2.8	4	1	1	2	4	5	6
50-69	2491	2.8	4	1	1	2	4	5	6
70 +	59	4.2	7	1	2	3	6	8	10
	6709	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**
	6709	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	85	4.1	17	1	1	3	4	11	17
18-34	786	2.6	3	1	1	2	3	5	6
35-49	263	3.5	5	1	2	3	4	6	7
50-69	137	3.1	3	1	2	3	4	6	6
70 +	11	4.0	1						
SUBTOTAL	**1283**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**1283**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**7**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	32	2.3	2	< 1	< 1	1	4	4	4
18-34	514	2.4	4	1	1	2	3	4	5
35-49	408	2.5	3	1	1	2	3	4	6
50-69	433	2.6	4	1	1	2	3	5	6
70 +	65	5.5	12	2	2	6	9	12	99 +
	1452	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
	1452	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 209: Major Joint & Limb Reattachment Procedures, Lower Extremity

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8203	10.5	42	6	7	9	11	15	20	0-17	6	6.0							
70-74	8322	10.7	34	6	8	9	12	16	19	18-34	138	7.8	6	5	6	8	9	12	12
75-79	8943	11.0	25	7	8	10	13	16	20	35-49	782	9.2	20	6	7	8	10	13	19
80-84	6957	11.7	35	7	8	10	13	18	23	50-69	5783	9.5	23	6	7	8	10	14	18
85 +	5987	11.9	47	6	8	10	14	18	24	70 +	912	10.0	23	5	7	9	12	15	18
SUBTOTAL	**38412**	**11.1**	**36**	**6**	**8**	**10**	**13**	**17**	**21**		**7620**	**9.5**	**22**	**6**	**7**	**8**	**11**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	9089	8.4	6	6	7	8	10	12	13	0-17	22	2.0	1						
70-74	9212	8.7	7	6	7	8	10	12	14	18-34	333	6.4	6	3	5	7	8	9	10
75-79	6999	9.1	10	6	7	9	11	13	15	35-49	1696	7.0	5	4	5	7	8	9	11
80-84	4319	9.5	10	6	7	9	11	13	15	50-69	9102	7.8	7	5	6	8	9	11	12
85 +	2685	9.9	14	6	7	9	12	14	15	70 +	694	9.1	10	5	7	9	10	13	16
SUBTOTAL	**32303**	**8.9**	**9**	**6**	**7**	**9**	**10**	**12**	**14**		**11846**	**7.7**	**8**	**5**	**6**	**7**	**9**	**11**	**12**
GRAND TOTAL	**70715**	**10.1**	**25**	**6**	**7**	**9**	**11**	**15**	**18**		**19466**	**8.4**	**14**	**5**	**6**	**8**	**9**	**12**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	5	5.0							
18-34	94	11.1	109	6	7	8	10	15	47	18-34	47	8.1	11	4	6	7	10	14	15
35-49	165	11.7	77	6	8	10	11	20	23	35-49	201	9.5	46	4	5	7	11	19	25
50-69	434	9.9	11	6	8	10	12	15	16	50-69	1242	9.6	34	6	7	8	10	15	18
70 +	130	12.5	55	7	8	11	14	18	21	70 +	742	9.1	17	6	7	8	10	14	19
SUBTOTAL	**823**	**10.8**	**43**	**6**	**8**	**10**	**12**	**15**	**18**		**2237**	**9.4**	**29**	**5**	**7**	**8**	**10**	**15**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	4.1	5							0-17	10	4.0							
18-34	113	7.6	9	4	5	7	9	12	13	18-34	65	6.6	4	3	6	8	8	8	9
35-49	202	8.3	3	6	7	8	9	11	12	35-49	297	7.6	8	5	6	7	9	12	14
50-69	413	9.1	9	5	7	9	11	12	13	50-69	1595	7.7	6	5	6	7	9	11	12
70 +	61	10.5	7	7	8	10	13	14	14	70 +	588	7.5	3	6	6	7	8	10	11
SUBTOTAL	**805**	**8.7**	**8**	**5**	**7**	**8**	**10**	**12**	**13**		**2555**	**7.6**	**6**	**5**	**6**	**7**	**9**	**10**	**12**
GRAND TOTAL	**1627**	**9.7**	**27**	**6**	**7**	**9**	**11**	**14**	**15**		**4793**	**8.4**	**17**	**5**	**6**	**8**	**9**	**12**	**15**

DRG 210: Hip & Femur Procedures except Major Joint Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2436	12.3	63	6	8	10	14	20	27
70-74	2628	13.0	71	6	8	11	15	22	28
75-79	4278	12.3	46	7	8	11	14	19	24
80-84	5593	11.9	45	6	8	10	14	19	24
85 +	9911	11.9	46	6	8	10	14	19	24
SUBTOTAL	**24847**	**12.1**	**50**	**6**	**8**	**10**	**14**	**19**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**24847**	**12.1**	**50**	**6**	**8**	**10**	**14**	**19**	**25**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	768	11.1	94	4	6	9	13	18	23
35-49	591	13.7	148	5	7	9	16	26	37
50-69	1417	12.9	117	5	7	10	14	22	33
70 +	563	11.9	45	5	7	11	14	19	24
	3338	**12.4**	**106**	**5**	**7**	**9**	**14**	**22**	**30**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3338	**12.4**	**106**	**5**	**7**	**9**	**14**	**22**	**30**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	260	13.6	105	5	7	10	17	27	33
35-49	211	11.4	81	5	6	9	12	22	40
50-69	288	12.6	67	5	8	11	14	26	39
70 +	87	11.9	37	7	7	10	13	21	31
SUBTOTAL	**846**	**12.5**	**80**	**5**	**7**	**10**	**15**	**26**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**846**	**12.5**	**80**	**5**	**7**	**10**	**15**	**26**	**33**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	216	10.4	38	5	7	8	12	19	22
35-49	145	13.4	58	7	9	12	15	20	27
50-69	341	11.6	74	6	7	9	12	17	25
70 +	547	9.9	25	5	7	8	12	16	19
	1249	**10.8**	**46**	**6**	**7**	**9**	**12**	**17**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1249	**10.8**	**46**	**6**	**7**	**9**	**12**	**17**	**22**

DRG 211: Hip & Femur Procedures except Major Joint Age >17 w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	960	9.5	41	4	6	8	11	15	19	0-17	0								
70-74	1051	9.2	20	5	7	8	11	14	16	18-34	1002	7.0	45	2	3	6	9	12	16
75-79	1304	9.5	16	5	7	9	11	13	17	35-49	830	7.0	20	3	4	6	9	12	16
80-84	1852	9.5	17	5	7	9	11	14	16	50-69	1223	7.5	17	3	5	7	9	12	13
85 +	2594	9.6	23	5	7	9	11	14	16	70 +	216	9.3	20	5	6	9	11	14	18
SUBTOTAL	**7761**	**9.5**	**22**	**5**	**7**	**9**	**11**	**14**	**17**		**3270**	**7.3**	**27**	**3**	**4**	**7**	**9**	**12**	**14**
GRAND TOTAL	**7761**	**9.5**	**22**	**5**	**7**	**9**	**11**	**14**	**17**		**3270**	**7.3**	**27**	**3**	**4**	**7**	**9**	**12**	**14**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	150	7.1	12	3	5	6	10	14	14	18-34	431	7.1	19	3	4	6	8	13	15
35-49	81	7.1	17	2	4	7	10	12	17	35-49	209	6.6	5	3	5	7	7	10	10
50-69	108	10.0	28	4	6	9	13	17	25	50-69	262	8.0	53	3	5	6	9	13	14
70 +	21	12.8	36							70 +	249	7.3	6	5	6	7	9	10	12
SUBTOTAL	**361**	**8.3**	**22**	**4**	**5**	**7**	**11**	**16**	**17**		**1151**	**7.3**	**21**	**4**	**5**	**7**	**8**	**11**	**13**
GRAND TOTAL	**361**	**8.3**	**22**	**4**	**5**	**7**	**11**	**16**	**17**		**1151**	**7.3**	**21**	**4**	**5**	**7**	**8**	**11**	**13**

DRG 212: Hip & Femur Procedures except Major Joint Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10	5.0	10						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**10**	**5.0**	**10**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	16.0	40						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**10**	**16.0**	**40**						
GRAND TOTAL	**21**	**10.5**	**55**						

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	743	7.3	59	2	3	5	9	16	22
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	743	**7.3**	**59**	**2**	**3**	**5**	**9**	**16**	**22**
0-17	3649	5.6	44	1	2	3	6	13	19
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3649	**5.6**	**44**	**1**	**2**	**3**	**6**	**13**	**19**
	4392	**5.9**	**47**	**1**	**2**	**3**	**6**	**13**	**19**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	325	8.2	75	2	3	5	8	23	32
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**325**	**8.2**	**75**	**2**	**3**	**5**	**8**	**23**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1097	7.3	91	1	2	4	8	19	23
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1097**	**7.3**	**91**	**1**	**2**	**4**	**8**	**19**	**23**
GRAND TOTAL	**1421**	**7.5**	**87**	**2**	**2**	**4**	**8**	**19**	**25**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	177	10.3	103	2	4	7	12	29	31
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	177	**10.3**	**103**	**2**	**4**	**7**	**12**	**29**	**31**
0-17	876	5.8	45	1	2	4	7	13	20
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	876	**5.8**	**45**	**1**	**2**	**4**	**7**	**13**	**20**
	1053	**6.6**	**58**	**1**	**2**	**4**	**7**	**15**	**27**

DRG 213: Amputation for Musculoskeletal System & Conn Tissue Disorders

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	387	14.8	193	3	6	9	20	33	39
70-74	188	10.8	74	3	6	8	14	22	35
75-79	155	13.1	72	5	7	12	16	29	35
80-84	98	11.5	73	2	5	9	17	23	35
85 +	140	10.5	46	5	6	9	13	21	23
SUBTOTAL	**968**	**12.8**	**120**	**3**	**6**	**9**	**17**	**25**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	84	5.5	16	2	3	4	7	17	99 +
70-74	54	7.1	22	1	3	4	10	15	15
75-79	11	2.9	4						
80-84	16	7.0	6						
85 +	26	7.0	1						
SUBTOTAL	**190**	**6.1**	**15**	**2**	**3**	**5**	**8**	**13**	**17**
GRAND TOTAL	**1159**	**11.7**	**109**	**3**	**5**	**8**	**15**	**25**	**35**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	5	17.0							
18-34	0								
35-49	92	7.7	21	1	4	7	11	16	17
50-69	139	10.4	38	3	5	10	17	19	20
70 +	10	17.5	7						
	246	**9.8**	**35**	**3**	**5**	**8**	**16**	**18**	**20**
0-17	31	3.0	4	1	2	2	3	7	7
18-34	52	5.2	21	1	2	4	4	13	17
35-49	41	4.3	8	1	2	4	6	9	9
50-69	59	12.1	167	2	3	9	14	30	45
70 +	0								
	183	**6.8**	**75**	**1**	**2**	**4**	**9**	**14**	**30**
	429	**8.6**	**54**	**1**	**3**	**7**	**12**	**17**	**20**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	42	11.9	17	6	7	13	15	16	16
35-49	21	12.0	22						
50-69	48	11.0	126	2	5	7	12	40	40
70 +	5	13.0							
SUBTOTAL	**117**	**11.6**	**61**	**5**	**7**	**9**	**15**	**16**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	52	4.3	19	2	2	2	4	16	16
18-34	27	9.0	50						
35-49	16	6.9	9						
50-69	11	6.0	1						
70 +	5	11.0							
SUBTOTAL	**112**	**6.3**	**27**	**2**	**2**	**4**	**9**	**13**	**16**
GRAND TOTAL	**228**	**9.0**	**51**	**2**	**3**	**7**	**13**	**16**	**20**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	21.0							
35-49	10	25.0	18						
50-69	27	6.8	3						
70 +	22	6.3	28						
	65	**10.7**	**69**	**3**	**5**	**7**	**15**	**21**	**29**
0-17	10	4.0	1						
18-34	11	2.0	1						
35-49	11	6.5	2						
50-69	21	11.5	72						
70 +	0								
	53	**7.0**	**43**	**<1**	**3**	**5**	**8**	**18**	**22**
	118	**9.1**	**60**	**2**	**3**	**5**	**15**	**21**	**22**

DRG 214: Back & Neck Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4044	9.7	72	4	5	7	11	18	25
70-74	3132	9.4	46	4	5	8	12	17	21
75-79	2184	10.2	41	4	6	8	13	19	23
80-84	973	10.7	37	5	6	9	14	19	22
85 +	343	14.9	93	7	8	11	20	25	34
SUBTOTAL	**10676**	**10.0**	**56**	**4**	**5**	**8**	**12**	**18**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10676**	**10.0**	**56**	**4**	**5**	**8**	**12**	**18**	**24**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	783	9.6	43	6	7	8	10	14	24
18-34	1522	7.4	27	3	4	6	9	13	18
35-49	3743	6.9	35	3	4	5	8	13	16
50-69	4976	8.0	39	3	4	6	9	15	19
70 +	204	9.4	67	4	5	7	10	16	24
	11227	**7.7**	**38**	**3**	**4**	**6**	**9**	**14**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	11227	**7.7**	**38**	**3**	**4**	**6**	**9**	**14**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	186	13.3	94	5	7	9	16	26	32
18-34	326	8.3	40	3	4	6	11	18	19
35-49	501	9.0	65	3	5	7	10	17	25
50-69	305	8.8	46	3	6	7	10	14	20
70 +	10	6.5	2						
SUBTOTAL	**1329**	**9.4**	**61**	**3**	**5**	**7**	**11**	**18**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1329**	**9.4**	**61**	**3**	**5**	**7**	**11**	**18**	**25**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	155	9.6	30	6	7	8	11	13	20
18-34	400	7.5	35	3	4	6	9	13	15
35-49	532	8.1	47	3	4	6	9	18	23
50-69	749	8.6	49	3	5	7	10	17	21
70 +	135	10.6	76	5	6	7	11	17	30
	1972	**8.4**	**46**	**3**	**5**	**6**	**10**	**16**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1972	**8.4**	**46**	**3**	**5**	**6**	**10**	**16**	**21**

DRG 215: Back & Neck Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4910	5.5	12	3	3	5	7	9	12
70-74	3132	5.9	14	3	4	5	7	10	13
75-79	2509	6.6	19	3	4	6	8	11	15
80-84	856	7.6	29	4	4	7	9	12	17
85 +	207	8.4	20	3	4	7	11	14	16
SUBTOTAL	**11614**	**6.1**	**16**	**3**	**4**	**5**	**7**	**10**	**13**
GRAND TOTAL	**11614**	**6.1**	**16**	**3**	**4**	**5**	**7**	**10**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1572	7.1	15	3	5	6	8	11	15
18-34	9406	3.9	6	2	2	3	4	7	9
35-49	22016	3.9	6	2	2	3	5	7	8
50-69	14925	4.5	8	2	3	4	5	7	10
70 +	229	6.3	17	3	4	5	7	12	12
	48149	**4.2**	**7**	**2**	**3**	**4**	**5**	**7**	**9**
	48149	**4.2**	**7**	**2**	**3**	**4**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	228	8.1	17	4	5	7	9	14	18
18-34	1240	4.5	9	2	3	4	5	8	10
35-49	1132	4.2	6	2	3	4	5	7	9
50-69	461	6.3	27	3	4	5	7	11	13
70 +	0								
SUBTOTAL	**3062**	**4.9**	**12**	**2**	**3**	**4**	**6**	**9**	**11**
GRAND TOTAL	**3062**	**4.9**	**12**	**2**	**3**	**4**	**6**	**9**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	291	7.0	10	3	5	7	9	11	13
18-34	1934	4.4	12	2	3	3	5	8	11
35-49	3731	3.8	5	2	3	3	5	6	8
50-69	2024	4.8	9	2	3	4	6	8	11
70 +	140	6.7	15	4	5	6	7	9	13
	8120	**4.4**	**8**	**2**	**3**	**4**	**5**	**7**	**10**
	8120	**4.4**	**8**	**2**	**3**	**4**	**5**	**7**	**10**

DRG 216: Biopsies of Musculoskeletal System & Connective Tissue

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	354	16.0	230	3	5	11	20	38	44	0-17	88	10.2	69	1	3	9	12	26	28
70-74	254	17.4	246	5	7	14	20	34	43	18-34	21	6.0	19						
75-79	255	17.7	271	4	8	14	23	42	43	35-49	138	13.2	233	3	3	9	16	24	43
80-84	223	16.6	161	4	8	13	24	29	38	50-69	281	13.5	192	2	5	10	16	25	50
85 +	87	10.5	20	6	7	10	12	14	24	70 +	11	12.6	13						
SUBTOTAL	**1173**	**16.4**	**216**	**4**	**7**	**12**	**21**	**34**	**43**		**538**	**12.6**	**175**	**2**	**4**	**9**	**16**	**25**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	165	7.7	40	1	2	7	10	16	23	0-17	297	5.1	30	1	1	3	7	12	15
70-74	85	7.6	91	1	1	3	10	27	32	18-34	79	3.9	8	1	1	2	6	9	9
75-79	117	9.7	63	2	4	6	14	18	20	35-49	176	4.9	13	1	2	4	7	9	13
80-84	70	5.9	25	1	2	4	7	13	18	50-69	215	4.8	21	1	1	4	6	13	17
85 +	55	8.3	20	1	6	7	13	14	14	70 +	6	2.0							
SUBTOTAL	**492**	**8.0**	**51**	**1**	**2**	**6**	**12**	**18**	**23**		**773**	**4.8**	**21**	**1**	**1**	**3**	**6**	**11**	**14**
GRAND TOTAL	**1665**	**13.9**	**182**	**3**	**5**	**10**	**17**	**30**	**42**		**1311**	**8.0**	**99**	**1**	**2**	**5**	**11**	**17**	**25**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	31.7	304							0-17	16	6.7	12						
18-34	11	7.0	1							18-34	5	26.0							
35-49	26	19.3	170							35-49	16	31.0	1128						
50-69	32	9.0	13	4	7	8	13	14	14	50-69	80	15.2	104	6	7	14	19	27	44
70 +	0									70 +	11	12.3	54						
SUBTOTAL	**85**	**16.2**	**190**	**4**	**7**	**13**	**19**	**42**	**56**		**128**	**16.3**	**248**	**5**	**7**	**11**	**19**	**27**	**44**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	68	8.2	81	2	2	5	9	24	31	0-17	94	7.0	68	1	1	3	8	22	26
18-34	21	2.8	1							18-34	58	6.8	152	1	1	2	6	9	45
35-49	11	12.9	121							35-49	31	15.2	377	1	1	9	14	57	57
50-69	10	7.5								50-69	43	3.2	11	1	1	1	6	10	10
70 +	0									70 +	11	7.3	40						
SUBTOTAL	**110**	**7.5**	**68**	**2**	**2**	**4**	**9**	**23**	**25**		**237**	**7.4**	**127**	**1**	**1**	**2**	**9**	**21**	**27**
GRAND TOTAL	**195**	**11.3**	**139**	**2**	**3**	**7**	**14**	**24**	**39**		**365**	**10.5**	**187**	**1**	**2**	**6**	**14**	**22**	**44**

DRG 217: Wnd Debrid & Skn Grft except Hand,for Muscskelet & Conn Tiss Dis

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1085	22.3	353	5	9	16	33	55	69
70-74	651	20.1	180	5	10	17	28	42	45
75-79	386	24.2	300	7	10	20	39	52	65
80-84	312	22.1	252	6	9	19	32	49	61
85 +	351	22.6	304	6	10	19	31	49	65
SUBTOTAL	**2785**	**22.1**	**289**	**6**	**10**	**18**	**32**	**48**	**60**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	334	11.1	159	2	3	7	14	22	32
70-74	183	9.8	74	2	4	7	13	22	31
75-79	139	10.2	69	2	4	8	14	23	30
80-84	112	7.5	26	1	4	7	10	14	15
85 +	33	14.7	105	3	8	10	18	35	35
SUBTOTAL	**802**	**10.3**	**105**	**2**	**4**	**8**	**13**	**22**	**31**
GRAND TOTAL	**3587**	**19.5**	**272**	**4**	**7**	**14**	**28**	**44**	**57**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	286	12.9	135	4	6	9	14	29	48
18-34	660	11.8	92	3	5	9	15	24	35
35-49	660	17.2	203	4	7	13	23	39	52
50-69	707	20.6	317	5	8	15	28	47	60
70 +	108	21.3	182	5	9	20	32	39	53
	2421	**16.4**	**211**	**4**	**7**	**12**	**21**	**37**	**51**
0-17	889	5.9	45	1	2	3	7	16	22
18-34	1049	7.0	47	2	3	5	9	14	20
35-49	758	8.0	77	1	2	6	10	17	22
50-69	555	7.3	88	1	2	5	9	17	20
70 +	39	13.4	195	2	5	7	21	44	44
	3290	**7.0**	**63**	**1**	**2**	**4**	**9**	**16**	**21**
	5710	**11.0**	**147**	**2**	**3**	**7**	**14**	**26**	**37**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	63	19.4	356	2	6	12	28	46	64
18-34	280	14.0	135	4	7	11	18	32	44
35-49	244	22.4	525	4	8	16	27	78	90
50-69	156	18.2	135	7	10	17	26	39	47
70 +	11	14.7	70						
SUBTOTAL	**754**	**18.1**	**290**	**4**	**8**	**13**	**23**	**42**	**64**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	368	6.0	31	1	2	4	8	13	15
18-34	349	10.0	206	2	3	6	11	17	32
35-49	137	11.5	358	1	2	6	10	46	49
50-69	33	6.4	19	2	3	7	9	14	14
70 +	6	2.0							
SUBTOTAL	**893**	**8.4**	**154**	**1**	**2**	**5**	**9**	**15**	**25**
GRAND TOTAL	**1647**	**12.8**	**239**	**2**	**4**	**8**	**16**	**30**	**46**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	10.6	80	3	6	8	10	27	32
18-34	335	14.5	141	4	6	10	20	28	43
35-49	150	18.4	217	3	7	15	21	43	57
50-69	180	18.6	267	5	7	13	24	41	55
70 +	54	20.7	225	6	7	19	22	33	59
	783	**16.3**	**192**	**4**	**7**	**12**	**21**	**36**	**44**
0-17	329	6.5	71	1	2	4	7	14	17
18-34	572	6.9	54	1	2	5	8	15	23
35-49	224	5.9	27	1	2	4	8	15	18
50-69	124	4.2	25	1	1	2	4	13	17
70 +	21	19.1	266						
	1270	**6.6**	**58**	**1**	**2**	**4**	**8**	**15**	**18**
	2052	**10.3**	**131**	**1**	**3**	**6**	**13**	**23**	**34**

DRG 218: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC

	MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1250	8.5	67	3	4	7	10	16	19
70-74	898	8.1	42	3	4	6	9	14	18
75-79	830	7.9	28	3	4	7	10	14	19
80-84	540	10.3	91	3	5	7	11	21	27
85+	497	9.1	28	4	5	8	12	17	18
SUBTOTAL	**4015**	**8.6**	**52**	**3**	**4**	**7**	**10**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4015**	**8.6**	**52**	**3**	**4**	**7**	**10**	**16**	**21**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1039	6.8	40	2	3	5	8	15	19
35-49	1037	6.3	35	2	3	5	8	12	14
50-69	1568	7.8	40	3	4	6	10	15	19
70+	238	8.5	42	4	4	7	11	14	17
	3882	**7.2**	**39**	**2**	**3**	**5**	**9**	**14**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	3882	**7.2**	**39**	**2**	**3**	**5**	**9**	**14**	**18**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	342	6.5	17	3	4	6	8	10	16
35-49	294	7.5	41	3	4	6	8	16	27
50-69	145	7.6	64	2	3	7	8	12	17
70+	6	2.0							
SUBTOTAL	**787**	**7.1**	**35**	**2**	**4**	**6**	**8**	**11**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**787**	**7.1**	**35**	**2**	**4**	**6**	**8**	**11**	**18**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	494	7.7	56	2	3	5	10	15	23
35-49	433	6.9	34	3	4	5	9	13	19
50-69	422	7.3	31	3	4	5	9	16	20
70+	110	7.6	20	4	5	6	11	13	21
	1459	**7.4**	**40**	**3**	**4**	**5**	**9**	**14**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1459	**7.4**	**40**	**3**	**4**	**5**	**9**	**14**	**20**

DRG 219: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	1904	4.4	7	2	3	4	5	8	9	0-17	0									
70-74	1199	4.7	8	2	3	4	6	8	10	18-34	5916	3.2	5	1	2	3	4	6	7	
75-79	839	5.2	9	2	3	5	6	8	11	35-49	6135	3.7	6	1	2	3	4	6	8	
80-84	449	5.9	15	3	3	5	7	10	12	50-69	5321	3.9	5	2	2	3	5	7	8	
85 +	242	5.8	11	3	4	5	7	11	12	70 +	236	5.7	13	2	3	5	7	9	12	
SUBTOTAL	**4633**	**4.8**	**9**	**2**	**3**	**4**	**6**	**9**	**10**		**17608**	**3.6**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	
GRAND TOTAL	**4633**	**4.8**	**9**	**2**	**3**	**4**	**6**	**9**	**10**		**17608**	**3.6**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	1442	4.1	15	1	2	3	5	7	9	18-34	2708	3.4	6	1	2	3	4	6	7	
35-49	695	4.3	8	2	3	4	5	7	10	35-49	1724	3.4	5	1	2	3	4	6	8	
50-69	246	3.7	3	1	3	4	5	6	7	50-69	1088	3.6	3	2	2	3	4	6	7	
70 +	5	1.0								70 +	136	6.2	15	3	4	6	7	10	13	
SUBTOTAL	**2388**	**4.1**	**12**	**1**	**2**	**3**	**5**	**7**	**9**		**5656**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	
GRAND TOTAL	**2388**	**4.1**	**12**	**1**	**2**	**3**	**5**	**7**	**9**		**5656**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	

DRG 220: Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	404	5.7	57	1	2	4	6	12	18
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**404**	**5.7**	**57**	**1**	**2**	**4**	**6**	**12**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	5750	2.8	12	1	1	2	3	5	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**5750**	**2.8**	**12**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**0**										**6154**	**3.0**	**16**	**1**	**1**	**2**	**3**	**5**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	158	4.5	10	2	2	3	8	9	10	0-17	128	3.6	13	1	1	3	4	7	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**158**	**4.5**	**10**	**2**	**2**	**3**	**8**	**9**	**10**		**128**	**3.6**	**13**	**1**	**1**	**3**	**4**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1314	3.6	25	1	1	2	3	7	12	0-17	1707	2.5	8	1	1	2	3	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1314**	**3.6**	**25**	**1**	**1**	**2**	**3**	**7**	**12**		**1707**	**2.5**	**8**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1473**	**3.7**	**24**	**1**	**1**	**2**	**3**	**8**	**12**		**1835**	**2.6**	**8**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 221: Knee Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	389	8.5	56	2	3	7	12	21	26	0-17	215	5.2	42	1	2	3	5	13	21
70-74	272	10.1	64	3	5	8	12	18	20	18-34	521	4.5	9	2	3	4	5	8	10
75-79	232	13.3	156	4	6	8	19	27	34	35-49	302	7.6	122	2	2	5	9	15	18
80-84	134	10.7	73	3	5	9	12	20	21	50-69	482	7.3	42	1	3	6	9	14	25
85 +	93	12.8	68	4	6	11	18	26	27	70 +	48	10.9	17	5	8	10	12	18	18
SUBTOTAL	**1120**	**10.5**	**85**	**2**	**4**	**8**	**14**	**22**	**27**		**1567**	**6.3**	**48**	**2**	**3**	**4**	**8**	**13**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1120**	**10.5**	**85**	**2**	**4**	**8**	**14**	**22**	**27**		**1567**	**6.3**	**48**	**2**	**3**	**4**	**8**	**13**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	22	3.8	7							0-17	32	4.5	5	2	2	5	6	8	8
18-34	70	8.3	95	3	3	5	7	12	41	18-34	167	5.0	14	2	2	4	7	12	14
35-49	53	9.7	64	3	4	5	16	20	28	35-49	91	3.7	7	1	2	3	5	8	11
50-69	38	11.2	23	4	9	10	13	21	21	50-69	75	10.0	162	3	4	7	10	12	53
70 +	0									70 +	28	7.4							
SUBTOTAL	**183**	**8.8**	**64**	**3**	**4**	**5**	**11**	**18**	**28**		**393**	**5.8**	**44**	**2**	**2**	**4**	**7**	**11**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**183**	**8.8**	**64**	**3**	**4**	**5**	**11**	**18**	**28**		**393**	**5.8**	**44**	**2**	**2**	**4**	**7**	**11**	**12**

DRG 222: Knee Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	697	5.1	15	2	2	4	7	10	12	0-17	3921	2.6	3	1	2	2	3	4	5
70-74	400	5.6	19	1	2	4	7	10	13	18-34	8715	2.6	2	1	2	2	3	4	5
75-79	173	5.5	12	2	3	5	7	11	12	35-49	2756	3.0	4	1	2	3	4	5	7
80-84	158	5.7	19	2	3	4	7	10	15	50-69	1549	4.5	13	1	2	3	6	8	10
85+	33	4.9	4	3	4	4	6	9	9	70+	61	6.9	14	2	3	8	10	12	12
SUBTOTAL	**1461**	**5.4**	**16**	**1**	**3**	**4**	**7**	**10**	**13**		**17001**	**2.8**	**4**	**1**	**2**	**2**	**3**	**4**	**6**
GRAND TOTAL	**1461**	**5.4**	**16**	**1**	**3**	**4**	**7**	**10**	**13**		**17001**	**2.8**	**4**	**1**	**2**	**2**	**3**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	342	4.5	26	1	2	2	4	14	17	0-17	659	2.9	4	1	2	2	3	4	6
18-34	484	3.1	4	1	2	3	4	5	6	18-34	2286	2.7	4	2	2	2	3	4	5
35-49	119	4.0	7	2	3	3	4	9	10	35-49	727	2.8	3	1	2	2	3	4	5
50-69	57	3.7	5	1	1	4	4	8	9	50-69	261	3.7	5	1	2	3	5	7	8
70+	0									70+	27	6.2	1						
SUBTOTAL	**1002**	**3.7**	**12**	**1**	**2**	**3**	**4**	**7**	**12**		**3961**	**2.8**	**4**	**1**	**2**	**2**	**3**	**4**	**6**
GRAND TOTAL	**1002**	**3.7**	**12**	**1**	**2**	**3**	**4**	**7**	**12**		**3961**	**2.8**	**4**	**1**	**2**	**2**	**3**	**4**	**6**

DRG 223: Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	691	4.3	15	2	2	3	4	8	13	0-17	82	5.4	32	1	2	4	8	11	24
70-74	557	5.1	35	2	2	3	5	9	15	18-34	324	3.9	10	1	2	3	4	8	9
75-79	315	4.6	11	1	2	4	6	9	13	35-49	429	3.9	14	1	2	2	5	8	11
80-84	219	5.5	19	2	3	4	7	14	17	50-69	711	4.1	19	2	2	3	4	8	12
85 +	137	6.2	33	2	3	5	8	12	12	70 +	85	5.6	21	1	2	4	9	12	15
SUBTOTAL	**1918**	**4.8**	**22**	**2**	**2**	**3**	**5**	**10**	**14**		**1631**	**4.2**	**17**	**1**	**2**	**3**	**4**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1157	2.5	2	1	2	2	3	4	5	0-17	178	2.5	5	1	1	2	2	7	8
70-74	635	2.8	3	1	2	2	3	5	5	18-34	837	1.7		1	1	2	2	3	3
75-79	308	2.7	1	1	2	3	3	4	5	35-49	1863	1.9	1	1	1	2	2	3	4
80-84	89	3.7	4	2	2	3	5	7	8	50-69	2651	2.2	1	1	2	2	3	4	4
85 +	32	4.8	8	2	3	3	8	9	9	70 +	76	3.5	2	2	3	3	4	6	6
SUBTOTAL	**2221**	**2.7**	**3**	**1**	**2**	**2**	**3**	**4**	**5**		**5606**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**4139**	**3.7**	**13**	**1**	**2**	**3**	**4**	**6**	**10**		**7237**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	21	26.0	1249							0-17	26	11.6	97						
18-34	54	3.8	4	2	2	3	5	8	8	18-34	177	4.0	8	1	2	3	5	10	10
35-49	75	4.0	5	1	2	4	5	7	9	35-49	80	2.7	2	1	2	2	4	4	7
50-69	53	4.1	18	1	1	2	6	10	15	50-69	123	3.8	15	1	2	3	4	6	12
70 +	0									70 +	38	3.6	12	1	2	2	4	12	12
SUBTOTAL	**202**	**6.2**	**175**	**1**	**2**	**3**	**6**	**8**	**15**		**444**	**4.1**	**18**	**1**	**2**	**3**	**4**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	1.6								0-17	80	5.3	21	1	2	2	10	13	13
18-34	69	2.8	2	1	2	2	4	4	6	18-34	162	1.9	2	1	1	2	2	3	4
35-49	76	2.0	1	1	1	2	3	3	4	35-49	275	1.9	1	1	1	2	2	3	3
50-69	33	2.8	3	1	1	3	4	6	6	50-69	494	2.4	1	1	2	2	3	3	4
70 +	0									70 +	22	2.5	1						
SUBTOTAL	**194**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**1033**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**396**	**4.3**	**94**	**1**	**2**	**2**	**4**	**7**	**9**		**1476**	**2.9**	**8**	**1**	**2**	**2**	**3**	**5**	**8**

DRG 224: Shoulder, Elbow or Forearm Proc,exc Major Joint Proc, w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0										0-17	0								
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	1016	2.6	2	1	2	2	3	5	5		0-17	1938	2.0	1	1	1	2	3	3	4
70-74	679	2.4	2	1	2	2	3	4	5		18-34	2753	2.1	3	1	1	2	2	3	4
75-79	389	3.2	4	1	2	3	4	7	8		35-49	1685	2.3	2	1	1	2	3	4	5
80-84	232	2.6	2	1	2	2	3	4	5		50-69	2226	2.5	5	1	1	2	3	4	5
85 +	133	4.0	8	2	2	3	5	8	11		70 +	64	3.1	3	2	2	2	4	6	7
SUBTOTAL	**2448**	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**6**			**8667**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**2448**	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**6**			**8667**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	237	2.6	7	1	1	2	3	4	5		0-17	544	2.1	4	1	1	2	2	3	5
18-34	411	2.6	3	1	2	2	3	4	5		18-34	962	2.0	1	1	1	2	2	3	4
35-49	155	2.9	3	1	2	2	4	7	7		35-49	483	2.0	1	1	1	2	2	4	5
50-69	70	2.8	3	1	2	2	3	4	8		50-69	457	2.3	2	1	1	2	3	4	5
70 +	11	5.8	18								70 +	77	2.5	1	1	1	3	3	4	4
SUBTOTAL	**882**	**2.7**	**4**	**1**	**2**	**2**	**3**	**4**	**6**			**2523**	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**4**
GRAND TOTAL	**882**	**2.7**	**4**	**1**	**2**	**2**	**3**	**4**	**6**			**2523**	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**4**

DRG 225: Foot Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	387	7.1	65	1	2	4	10	15	27	0-17	152	3.3	5	1	2	3	4	7	8
70-74	195	8.2	44	2	3	7	11	16	24	18-34	123	4.9	15	2	2	3	8	9	13
75-79	111	8.7	72	1	2	5	13	20	33	35-49	300	5.4	28	1	2	3	8	15	17
80-84	82	6.6	32	1	2	6	9	16	21	50-69	404	6.1	55	1	2	3	8	14	16
85 +	49	6.9	23	1	2	7	8	15	15	70 +	16	5.8	38						
SUBTOTAL	825	7.5	56	1	2	5	10	16	24		995	5.3	35	1	2	3	7	11	16
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	864	3.0	20	1	1	2	3	6	7	0-17	1728	2.2	5	1	1	2	2	4	4
70-74	494	3.4	32	1	1	2	3	7	8	18-34	1529	2.3	4	1	1	2	3	4	6
75-79	274	3.6	7	1	2	3	5	7	10	35-49	1777	2.2	3	1	1	2	3	4	4
80-84	123	4.2	16	1	2	2	4	11	15	50-69	2187	2.3	4	1	1	2	3	4	5
85 +	38	5.2	34	1	1	3	6	19	19	70 +	43	6.5	31	2	2	3	8	18	18
SUBTOTAL	1791	3.3	22	1	1	2	4	7	8		7264	2.3	4	1	1	2	3	4	5
GRAND TOTAL	2616	4.6	36	1	2	3	5	10	14		8260	2.6	9	1	1	2	3	4	7

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PEPCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	88	3.9	8	1	2	3	4	10	11	0-17	21	4.0	3						
18-34	59	5.4	32	1	2	3	9	15	18	18-34	48	7.9	20	1	5	9	11	14	15
35-49	81	7.1	29	1	3	5	10	17	19	35-49	91	6.0	37	2	2	4	7	14	25
50-69	16	9.5	50							50-69	75	8.8	36	2	3	9	12	16	23
70 +	0									70 +	6	2.0							
SUBTOTAL	245	5.7	26	1	2	4	8	15	18		241	7.0	32	2	2	6	10	14	16
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	530	2.4	9	1	1	2	2	4	5	0-17	426	2.3	4	1	1	2	3	4	5
18-34	208	4.0	13	1	2	3	4	10	13	18-34	444	2.7	8	1	1	2	3	5	8
35-49	49	3.5	7	1	2	3	4	9	9	35-49	345	2.4	4	1	1	2	3	4	5
50-69	63	4.7	18	2	2	4	5	11	16	50-69	330	2.3	2	1	1	2	3	4	5
70 +	5	23.0								70 +	55	2.2	2	1	1	2	4	4	4
SUBTOTAL	855	3.2	14	1	1	2	3	7	11		1599	2.4	5	1	1	2	3	4	6
GRAND TOTAL	1100	3.7	17	1	1	2	4	9	14		1840	3.0	11	1	1	2	3	6	10

DRG 226: Soft Tissue Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	561	7.9	65	2	3	5	10	19	22	0-17	427	3.8	16	1	2	2	4	9	14
70-74	331	6.3	19	2	3	5	8	13	16	18-34	275	4.9	21	1	1	4	7	10	15
75-79	226	11.2	178	2	3	7	13	28	40	35-49	263	4.9	11	1	2	4	6	8	12
80-84	162	8.1	36	2	4	7	10	18	20	50-69	448	7.1	50	1	2	5	9	17	19
85 +	129	11.5	81	5	6	9	14	17	34	70 +	6	3.0							
SUBTOTAL	**1409**	**8.4**	**73**	**2**	**3**	**6**	**11**	**17**	**22**		**1419**	**5.2**	**28**	**1**	**2**	**4**	**7**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1409**	**8.4**	**73**	**2**	**3**	**6**	**11**	**17**	**22**		**1419**	**5.2**	**28**	**1**	**2**	**4**	**7**	**12**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	250	3.7	11	1	2	3	4	9	11	0-17	68	3.6	24	1	1	2	3	6	20
18-34	169	5.0	34	1	2	3	5	10	21	18-34	58	4.0	14	2	2	2	5	6	15
35-49	64	5.0	9	2	3	4	7	8	12	35-49	64	6.7	47	1	2	3	9	13	25
50-69	38	4.5	14	1	1	3	9	11	11	50-69	96	4.5	15	1	2	3	6	8	14
70 +	6	48.0								70 +	16	3.6	3						
SUBTOTAL	**526**	**4.8**	**39**	**1**	**2**	**3**	**5**	**10**	**15**		**303**	**4.6**	**24**	**1**	**2**	**2**	**6**	**11**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**526**	**4.8**	**39**	**1**	**2**	**3**	**5**	**10**	**15**		**303**	**4.6**	**24**	**1**	**2**	**2**	**6**	**11**	**17**

DRG 227: Soft Tissue Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	864	3.0	6	1	2	3	4	5	7
70-74	420	3.5	12	1	1	2	5	8	12
75-79	322	3.6	16	1	2	2	4	7	9
80-84	113	3.5	8	1	2	3	3	6	10
85 +	98	4.7	10	2	2	4	6	11	13
SUBTOTAL	**1817**	**3.4**	**10**	**1**	**2**	**2**	**4**	**7**	**9**
GRAND TOTAL	**1817**	**3.4**	**10**	**1**	**2**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	2157	2.5	12	1	1	2	3	4	7
18-34	1823	2.5	5	1	1	2	3	4	6
35-49	2445	2.4	5	1	1	2	3	4	6
50-69	1815	2.6	5	1	1	2	3	5	6
70 +	49	3.8	5	2	2	2	6	7	7
SUBTOTAL	**8289**	**2.5**	**7**	**1**	**1**	**2**	**3**	**4**	**7**
GRAND TOTAL	**8289**	**2.5**	**7**	**1**	**1**	**2**	**3**	**4**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	750	2.3	7	1	1	1	2	4	6
18-34	295	2.9	5	1	1	2	4	7	9
35-49	122	4.0	10	1	1	3	6	8	11
50-69	64	3.2	7	1	1	1	6	6	9
70 +	0								
SUBTOTAL	**1231**	**2.7**	**8**	**1**	**1**	**2**	**3**	**6**	**9**
GRAND TOTAL	**1231**	**2.7**	**8**	**1**	**1**	**2**	**3**	**6**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
0-17	483	2.4	9	1	1	2	2	4	5
18-34	682	2.0	2	1	1	2	3	4	4
35-49	619	2.2	3	1	1	2	2	4	7
50-69	347	2.4	4	1	1	2	3	4	6
70 +	33	3.2	15	1	1	2	2	12	12
SUBTOTAL	**2164**	**2.2**	**4**	**1**	**1**	**2**	**2**	**4**	**6**
GRAND TOTAL	**2164**	**2.2**	**4**	**1**	**1**	**2**	**2**	**4**	**6**

DRG 228: Major Thumb or Joint Proc,or Oth Hand or Wrist Proc w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	138	2.6	5	1	1	2	3	5	5	0-17	37	5.2	11	1	1	6	7	11	11
70-74	95	2.9	4	1	1	3	4	6	8	18-34	124	2.7	2	1	1	2	4	4	6
75-79	54	3.5	4	1	2	3	4	7	7	35-49	90	5.0	14	1	2	3	6	12	12
80-84	27	9.6	47							50-69	143	4.9	35	1	1	3	6	9	14
85 +	6	10.0								70 +	0								
SUBTOTAL	**319**	**3.5**	**12**	**1**	**1**	**2**	**4**	**7**	**10**		**393**	**4.3**	**19**	**1**	**1**	**3**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	313	2.2	4	1	1	2	3	4	5	0-17	43	3.4	34	1	1	1	2	19	19
70-74	185	2.5	3	1	2	2	3	4	6	18-34	111	3.1	8	1	1	2	4	8	10
75-79	100	3.2	14	1	2	2	3	5	12	35-49	356	2.7	5	1	1	2	3	5	6
80-84	11	5.4	13							50-69	538	2.0	1	1	1	2	2	4	5
85 +	11	2.0	1							70 +	0								
SUBTOTAL	**620**	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**7**		**1048**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**940**	**2.9**	**8**	**1**	**1**	**2**	**3**	**6**	**9**		**1441**	**2.9**	**9**	**1**	**1**	**2**	**3**	**6**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5	2.0								0-17	26	2.0	1						
18-34	53	4.4	27	1	1	3	5	11	19	18-34	122	4.2	21	1	1	2	5	13	15
35-49	5	9.0								35-49	47	3.3	11	1	1	2	5	10	11
50-69	27	3.3	8							50-69	32	4.1	16	2	2	3	3	13	13
70 +	5	3.0								70 +	0								
SUBTOTAL	**95**	**4.1**	**19**	**1**	**2**	**2**	**5**	**9**	**16**		**227**	**3.8**	**16**	**1**	**1**	**2**	**5**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	1.5	1	1	1	1	2	3	3	0-17	37	3.0	11	1	1	2	3	11	11
18-34	38	4.2	5	1	2	4	6	8	8	18-34	58	2.4	3	<1	1	2	3	5	7
35-49	22	3.8	2							35-49	70	1.5		1	1	1	2	2	3
50-69	22	1.7								50-69	100	2.1	1	1	1	2	3	3	5
70 +	6	2.0								70 +	0								
SUBTOTAL	**118**	**2.8**	**4**	**1**	**1**	**2**	**4**	**6**	**6**		**264**	**2.1**	**3**	**1**	**1**	**2**	**2**	**3**	**5**
GRAND TOTAL	**213**	**3.4**	**11**	**1**	**1**	**2**	**4**	**7**	**9**		**491**	**2.9**	**10**	**1**	**1**	**2**	**3**	**6**	**11**

DRG 229: Hand or Wrist Proc, except Major Joint Proc, w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	316	1.9	1	1	1	2	2	4	4	0-17	662	1.8	3	1	1	1	2	3	5
70-74	135	2.4	3	1	1	2	3	6	6	18-34	1101	2.0	2	1	1	1	2	4	5
75-79	54	2.3	5	1	1	1	3	8	8	35-49	716	2.2	5	1	1	2	3	4	5
80-84	48	3.4	14	< 1	1	2	5	10	13	50-69	644	2.1	3	1	1	1	2	4	6
85 +	32	1.9	2	1	1	1	2	5	5	70 +	11	3.4	2						
SUBTOTAL	**585**	**2.2**	**3**	**1**	**1**	**2**	**2**	**5**	**6**		**3134**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**585**	**2.2**	**3**	**1**	**1**	**2**	**2**	**5**	**6**		**3134**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	260	1.9	2	< 1	1	1	2	4	5	0-17	239	2.0	3	1	1	1	2	3	5
18-34	286	2.1	3	< 1	1	2	2	4	4	18-34	614	2.2	4	< 1	1	2	2	5	6
35-49	64	2.2	3	1	1	1	3	5	5	35-49	260	2.7	6	1	1	2	3	6	9
50-69	21	1.5								50-69	133	2.5	6	1	1	2	3	7	10
70 +	0									70 +	6	1.0							
SUBTOTAL	**632**	**2.0**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**		**1252**	**2.3**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**632**	**2.0**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**		**1252**	**2.3**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 230: Local Excision & Removal of Int Fix Devices of Hip & Femur

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	90	10.0	202	1	2	4	9	43	49
70-74	54	7.1	29	2	2	5	10	19	19
75-79	96	12.2	216	2	4	6	15	33	53
80-84	64	10.6	68	3	4	7	17	22	28
85 +	54	9.6	81	2	3	7	11	18	33
SUBTOTAL	**358**	**10.2**	**139**	**2**	**2**	**6**	**12**	**21**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	116	3.4	13	1	1	2	4	8	8
70-74	72	3.9	5	1	2	3	6	6	9
75-79	112	5.2	39	1	2	3	6	9	13
80-84	74	4.9	20	1	2	3	8	10	17
85 +	64	5.3	7	2	3	5	8	9	9
SUBTOTAL	**439**	**4.5**	**19**	**1**	**2**	**3**	**6**	**9**	**10**
GRAND TOTAL	**797**	**7.0**	**81**	**1**	**2**	**4**	**8**	**17**	**22**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	88	3.3	18	1	1	2	3	11	17
18-34	38	8.9	97	1	1	4	11	31	31
35-49	42	6.2	105	1	2	2	3	33	33
50-69	64	4.9	26	2	2	2	7	8	20
70 +	6	5.0							
	237	**5.1**	**50**	**1**	**2**	**2**	**4**	**11**	**20**
0-17	764	2.6	20	1	1	1	2	3	10
18-34	652	1.8	2	1	1	1	2	3	4
35-49	250	2.4	5	1	1	2	3	4	6
50-69	178	2.8	11	1	1	2	3	5	6
70 +	21	3.7	6						
	1865	**2.3**	**11**	**1**	**1**	**1**	**2**	**4**	**7**
	2102	**2.6**	**16**	**1**	**1**	**1**	**2**	**5**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	79	3.5	37	1	1	2	3	4	26
18-34	42	2.3	1	1	2	3	3	3	3
35-49	32	19.9	337	2	5	7	44	46	46
50-69	16	9.7	39						
70 +	0								
SUBTOTAL	**168**	**6.9**	**127**	**1**	**1**	**3**	**4**	**18**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	219	8.3	119	1	1	2	18	26	32
18-34	74	3.2	12	1	2	2	3	8	14
35-49	26	3.6	1						
50-69	0								
70 +	0								
SUBTOTAL	**319**	**6.7**	**90**	**1**	**1**	**2**	**4**	**24**	**28**
GRAND TOTAL	**487**	**6.8**	**102**	**1**	**1**	**2**	**4**	**24**	**28**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	1.0							
18-34	22	2.0	1						
35-49	22	3.3	1						
50-69	0								
70 +	0								
	54	**2.3**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
0-17	143	4.8	54	1	1	2	3	20	23
18-34	127	3.9	18	1	1	2	4	12	15
35-49	48	2.0	1	1	1	2	2	4	4
50-69	32	3.0	6	1	2	2	3	8	8
70 +	5	1.0							
	355	**3.9**	**30**	**1**	**1**	**2**	**3**	**12**	**17**
	409	**3.7**	**26**	**1**	**1**	**2**	**3**	**8**	**17**

DRG 231: Local Excision & Removal of Int Fix Devices except Hip & Femur

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	435	7.9	111	1	2	4	10	16	25		0-17	162	7.5	37	1	2	4	13	17	20
70-74	223	9.1	68	2	3	6	13	21	24		18-34	322	4.0	11	1	2	3	5	8	9
75-79	114	8.7	88	3	4	6	7	19	23		35-49	393	5.9	36	1	2	4	8	11	19
80-84	132	9.1	34	3	5	8	12	16	16		50-69	400	7.0	77	2	3	4	8	15	17
85 +	75	13.4	44	4	9	13	20	22	24		70 +	49	5.6	15	2	3	3	9	12	12
SUBTOTAL	**979**	**8.8**	**85**	**2**	**3**	**6**	**12**	**20**	**25**			**1326**	**5.9**	**43**	**1**	**2**	**4**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	690	4.5	31	1	2	3	5	10	15		0-17	1444	2.8	15	1	1	2	3	6	9
70-74	391	4.4	41	1	2	2	3	9	21		18-34	2126	2.1	2	1	1	2	3	4	5
75-79	274	4.0	14	1	2	3	5	9	15		35-49	1889	2.6	4	1	1	2	3	5	6
80-84	77	4.0	21	1	1	2	7	8	18		50-69	1663	2.9	12	1	1	2	3	6	8
85 +	64	4.6	8	1	2	4	7	8	10		70 +	38	6.4	16	1	3	6	9	13	13
SUBTOTAL	**1497**	**4.4**	**29**	**1**	**2**	**3**	**4**	**10**	**16**			**7159**	**2.6**	**8**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**2476**	**6.1**	**56**	**1**	**2**	**3**	**7**	**15**	**21**			**8485**	**3.1**	**15**	**1**	**1**	**2**	**3**	**6**	**9**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	68	9.9	104	2	3	7	9	22	39		0-17	52	9.3	75	2	4	7	12	20	33
18-34	91	7.5	87	1	3	6	9	14	41		18-34	101	4.0	9	1	2	3	5	7	14
35-49	47	9.2	34	3	5	8	14	18	19		35-49	97	7.5	35	2	4	5	10	21	21
50-69	64	8.4	47	1	4	7	10	13	27		50-69	76	5.6	43	1	2	3	7	9	27
70 +	0										70 +	26	11.9	220						
SUBTOTAL	**270**	**8.6**	**72**	**1**	**3**	**7**	**9**	**17**	**27**			**352**	**6.7**	**54**	**1**	**2**	**4**	**7**	**14**	**21**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	294	5.3	67	1	1	2	5	12	30		0-17	314	3.9	21	1	1	2	4	13	14
18-34	418	3.4	20	1	1	2	4	6	8		18-34	520	2.5	5	1	1	2	3	5	6
35-49	243	2.9	4	1	1	2	4	6	7		35-49	475	2.3	4	1	1	2	3	4	7
50-69	101	3.5	12	1	1	3	4	8	11		50-69	310	3.0	6	1	1	2	3	7	10
70 +	0										70 +	22	3.3	9						
SUBTOTAL	**1056**	**3.8**	**30**	**1**	**1**	**2**	**4**	**8**	**11**			**1642**	**2.8**	**8**	**1**	**1**	**2**	**3**	**6**	**9**
GRAND TOTAL	**1327**	**4.8**	**42**	**1**	**1**	**2**	**5**	**10**	**16**			**1994**	**3.5**	**19**	**1**	**1**	**2**	**4**	**8**	**11**

DRG 232: Arthroscopy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	11	14.3	33							0-17	6	1.0							
70-74	11	13.3	40							18-34	16	10.5	135						
75-79	11	12.5	158							35-49	16	8.6	34						
80-84	11	14.1	99							50-69	16	4.3	5						
85 +	0									70 +	0								
SUBTOTAL	**43**	**13.5**	**77**	**1**	**5**	**9**	**20**	**25**	**25**		**54**	**7.2**	**61**	**1**	**1**	**4**	**11**	**26**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	59	3.1	5	1	2	2	4	5	9	0-17	162	4.3	35	1	1	2	5	9	10
70-74	21	4.7	5							18-34	389	2.5	8	1	1	2	2	4	8
75-79	11	2.0	1							35-49	167	2.8	20	1	1	1	2	7	12
80-84	0									50-69	117	2.5	3	1	1	2	3	5	5
85 +	0									70 +	0								
SUBTOTAL	**92**	**3.3**	**5**	**1**	**2**	**3**	**4**	**8**	**9**		**834**	**2.9**	**15**	**1**	**1**	**2**	**3**	**5**	**9**
GRAND TOTAL	**135**	**6.6**	**51**	**1**	**2**	**4**	**8**	**20**	**24**		**888**	**3.2**	**19**	**1**	**1**	**2**	**3**	**7**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	11	5.9	10							0-17	5	16.0							
18-34	0									18-34	6	1.0							
35-49	0									35-49	0								
50-69	5	10.0								50-69	0								
70 +	0									70 +	6	8.0							
SUBTOTAL	**16**	**7.2**	**10**								**16**	**8.1**	**39**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	37	6.1	39	1	1	2	13	17	17	0-17	42	4.4	50	< 1	1	2	3	23	23
18-34	42	2.5	3	1	2	2	2	7	7	18-34	59	2.9	7	< 1	1	2	4	8	9
35-49	11	1.0								35-49	37	1.7	1	1	1	2	2	3	3
50-69	0									50-69	21	3.0	2						
70 +	0									70 +	0								
SUBTOTAL	**90**	**3.8**	**21**	**1**	**1**	**2**	**2**	**13**	**17**		**159**	**3.0**	**17**	**< 1**	**1**	**2**	**3**	**7**	**9**
GRAND TOTAL	**106**	**4.3**	**21**	**1**	**1**	**2**	**7**	**13**	**14**		**175**	**3.5**	**21**	**< 1**	**1**	**2**	**4**	**8**	**16**

DRG 233: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	289	11.9	108	2	4	8	17	31	35
70-74	192	9.2	64	2	4	7	11	17	30
75-79	204	13.3	79	3	6	14	18	25	31
80-84	153	12.2	104	3	7	9	15	23	31
85 +	178	11.9	73	3	6	11	15	21	33
SUBTOTAL	**1016**	**11.7**	**89**	**3**	**5**	**9**	**15**	**23**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1016**	**11.7**	**89**	**3**	**5**	**9**	**15**	**23**	**32**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	308	6.3	15	3	4	5	8	10	15
18-34	362	8.6	77	2	3	6	9	20	27
35-49	223	10.1	95	2	3	8	13	20	28
50-69	363	11.2	115	2	4	7	15	26	30
70 +	58	13.0	51	4	5	14	19	24	26
	1315	**9.2**	**79**	**2**	**4**	**6**	**11**	**20**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1315	**9.2**	**79**	**2**	**4**	**6**	**11**	**20**	**27**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	93	8.1	42	3	5	6	9	13	30
18-34	117	7.7	41	2	3	7	8	16	17
35-49	32	6.2	2	5	5	6	8	8	8
50-69	48	13.0	95	2	7	12	19	30	35
70 +	0								
SUBTOTAL	**290**	**8.5**	**50**	**3**	**4**	**7**	**10**	**17**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**290**	**8.5**	**50**	**3**	**4**	**7**	**10**	**17**	**30**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	99	5.8	10	2	3	6	8	10	12
18-34	116	7.4	51	2	3	4	11	17	24
35-49	53	10.6	33	3	5	11	16	19	19
50-69	80	7.4	17	2	4	7	11	14	15
70 +	11	7.0							
	359	**7.4**	**30**	**2**	**3**	**6**	**10**	**15**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	359	**7.4**	**30**	**2**	**3**	**6**	**10**	**15**	**18**

DRG 234: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	231	5.4	25	1	2	4	7	11	14
70-74	112	4.9	12	2	2	4	6	8	9
75-79	154	6.3	13	1	3	7	8	11	13
80-84	114	5.3	8	2	4	5	7	9	10
85 +	43	7.4	17	2	3	9	12	12	12
SUBTOTAL	**653**	**5.6**	**17**	**1**	**2**	**5**	**7**	**11**	**13**
GRAND TOTAL	**653**	**5.6**	**17**	**1**	**2**	**5**	**7**	**11**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1373	3.8	8	1	2	3	5	7	8
18-34	999	3.4	17	1	1	2	4	7	9
35-49	808	3.8	24	1	1	2	4	9	13
50-69	619	3.7	12	1	1	2	5	8	11
70 +	43	4.7	7	1	2	4	7	9	9
	3842	**3.7**	**14**	**1**	**2**	**3**	**5**	**7**	**9**
	3842	**3.7**	**14**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	363	3.9	5	2	3	3	5	6	7
18-34	149	6.5	49	1	2	4	7	16	19
35-49	111	4.4	7	1	3	4	5	7	8
50-69	41	5.3	11	<1	2	5	7	11	11
70 +	0								
SUBTOTAL	**665**	**4.6**	**16**	**1**	**3**	**4**	**5**	**8**	**11**
GRAND TOTAL	**665**	**4.6**	**16**	**1**	**3**	**4**	**5**	**8**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	323	4.3	13	2	2	3	5	7	15
18-34	456	3.2	7	1	1	2	4	7	9
35-49	208	3.6	17	1	2	2	4	9	14
50-69	107	4.5	17	1	2	3	5	10	12
70 +	27	4.0	5						
	1121	**3.7**	**12**	**1**	**2**	**3**	**4**	**7**	**10**
	1121	**3.7**	**12**	**1**	**2**	**3**	**4**	**7**	**10**

DRG 235: Fractures of Femur

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	134	13.0	292	3	4	7	12	35	50	0-17	216	13.1	149	1	3	9	21	29	39
70-74	86	17.6	271	2	4	12	25	45	59	18-34	42	5.6	14	< 1	1	5	7	13	13
75-79	152	7.8	40	2	4	7	9	21	23	35-49	32	13.7	201	1	5	7	21	42	42
80-84	167	16.8	370	3	4	9	25	41	72	50-69	65	19.7	382	4	7	11	31	58	59
85 +	356	9.7	81	2	4	7	11	20	24	70 +	21	10.5	48						
SUBTOTAL	**896**	**12.0**	**189**	**2**	**4**	**7**	**13**	**27**	**42**		**376**	**13.3**	**186**	**1**	**3**	**9**	**21**	**31**	**44**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	92	12.4	465	2	2	4	15	36	90	0-17	1609	11.6	111	1	2	8	20	26	31
70-74	42	6.3	30	1	3	4	7	19	19	18-34	75	9.7	211	2	2	6	10	12	59
75-79	65	4.7	6	2	3	4	8	8	9	35-49	21	7.7	14						
80-84	168	7.4	43	3	4	6	8	14	29	50-69	49	5.8	13	1	3	4	8	13	13
85 +	174	6.2	34	2	3	5	6	11	23	70 +	10	5.0	1						
SUBTOTAL	**542**	**7.5**	**112**	**2**	**3**	**5**	**8**	**15**	**26**		**1765**	**11.2**	**112**	**1**	**2**	**7**	**19**	**26**	**30**
GRAND TOTAL	**1438**	**10.3**	**165**	**2**	**4**	**6**	**11**	**23**	**35**		**2141**	**11.6**	**126**	**1**	**2**	**8**	**19**	**27**	**31**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	112	15.0	118	1	5	16	20	27	27	0-17	117	13.9	118	1	2	11	24	28	30
18-34	11	20.5	376							18-34	31	6.9	42	2	3	5	6	21	21
35-49	16	23.9	830							35-49	0								
50-69	11	14.5	145							50-69	22	9.7	62						
70 +	0									70 +	16	7.9	9						
SUBTOTAL	**151**	**16.3**	**217**	**1**	**4**	**16**	**25**	**39**	**43**		**187**	**11.7**	**97**	**2**	**4**	**8**	**21**	**26**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	934	11.8	100	1	3	8	20	24	28	0-17	640	9.9	109	1	2	4	19	23	26
18-34	32	3.5	6	1	2	2	7	7	7	18-34	37	8.8	146	2	2	4	7	38	38
35-49	16	2.6								35-49	22	2.3	3						
50-69	0									50-69	27	13.2	192						
70 +	0									70 +	22	3.0	5						
SUBTOTAL	**982**	**11.3**	**99**	**1**	**2**	**7**	**20**	**24**	**28**		**748**	**9.6**	**111**	**1**	**2**	**4**	**18**	**23**	**29**
GRAND TOTAL	**1132**	**12.0**	**117**	**1**	**3**	**7**	**20**	**26**	**28**		**935**	**10.0**	**108**	**1**	**2**	**5**	**19**	**24**	**29**

DRG 236: Fractures of Hip & Pelvis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	629	9.1	49	3	5	8	11	15	19	0-17	151	9.0	91	2	4	6	10	27	35
70-74	670	8.6	53	3	5	7	10	15	22	18-34	314	7.4	47	2	3	6	9	16	21
75-79	862	9.8	62	4	5	8	11	18	28	35-49	211	9.2	70	3	4	7	12	15	20
80-84	1185	9.4	55	4	5	8	11	16	23	50-69	368	12.3	147	2	5	9	15	27	43
85 +	2235	8.7	49	3	5	7	11	16	21	70 +	141	13.9	327	3	5	9	13	25	46
SUBTOTAL	**5581**	**9.0**	**53**	**3**	**5**	**7**	**11**	**16**	**21**		**1185**	**10.2**	**126**	**2**	**4**	**7**	**12**	**21**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	291	5.4	8	2	3	6	7	9	10	0-17	439	5.7	45	1	2	3	6	16	22
70-74	395	6.3	16	2	4	6	7	10	15	18-34	368	5.5	45	1	2	3	6	10	17
75-79	566	6.7	19	2	4	6	8	11	15	35-49	184	5.8	27	2	2	4	9	11	13
80-84	711	7.0	37	2	4	6	8	13	16	50-69	354	7.0	43	2	3	5	8	14	22
85 +	1143	6.4	17	2	4	6	8	12	15	70 +	153	6.8	20	2	4	6	9	15	17
SUBTOTAL	**3106**	**6.5**	**21**	**2**	**4**	**6**	**8**	**12**	**15**		**1497**	**6.1**	**40**	**1**	**2**	**4**	**7**	**13**	**21**
GRAND TOTAL	**8687**	**8.1**	**43**	**3**	**4**	**7**	**10**	**15**	**19**		**2681**	**7.9**	**82**	**2**	**3**	**5**	**10**	**16**	**24**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	19.1	602	2	3	8	19	72	72	0-17	32	6.5	40	< 1	2	4	7	20	20
18-34	85	10.4	139	3	3	7	15	24	49	18-34	99	8.0	34	2	4	6	9	19	20
35-49	43	9.9	100	1	4	6	13	33	33	35-49	38	6.6	27	1	2	4	11	16	16
50-69	44	14.4	173	1	4	7	23	39	39	50-69	120	10.3	57	3	7	9	10	16	30
70 +	28	6.8	4							70 +	160	22.4	468	4	6	14	36	62	65
SUBTOTAL	**232**	**11.8**	**194**	**3**	**3**	**8**	**15**	**31**	**39**		**449**	**13.5**	**238**	**3**	**5**	**8**	**16**	**35**	**54**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	155	3.7	18	1	2	2	4	6	17	0-17	108	9.3	116	1	2	3	15	30	33
18-34	48	5.5	3	3	5	5	7	8	8	18-34	196	6.0	46	2	3	4	6	10	20
35-49	37	3.7	1	2	3	4	5	5	5	35-49	33	4.6	3	3	3	4	7	7	7
50-69	38	5.5	6	3	3	5	7	10	10	50-69	76	6.9	20	< 1	4	7	10	11	18
70 +	6	1.0								70 +	150	13.6	462	3	4	6	12	25	82
SUBTOTAL	**284**	**4.2**	**12**	**1**	**2**	**3**	**5**	**7**	**10**		**563**	**8.7**	**174**	**1**	**3**	**5**	**7**	**20**	**27**
GRAND TOTAL	**515**	**7.6**	**108**	**1**	**3**	**5**	**8**	**17**	**31**		**1012**	**10.8**	**208**	**2**	**4**	**6**	**11**	**23**	**39**

DRG 237: Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	22	3.2	2							0-17	26	4.6	1						
70-74	27	4.0	4							18-34	50	5.8	5	3	4	5	7	10	11
75-79	45	4.9	3	2	3	5	7	7	7	35-49	27	7.7	66						
80-84	76	5.9	9	3	4	5	7	12	12	50-69	21	2.5	1						
85 +	95	6.7	19	3	3	5	11	15	16	70 +	10	2.0	1						
SUBTOTAL	**264**	**5.6**	**12**	**2**	**3**	**5**	**7**	**12**	**12**		**134**	**5.2**	**19**	**2**	**3**	**4**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	6.7	1							0-17	129	2.4	6	1	1	2	2	7	8
70-74	54	4.8	11	2	2	4	5	8	13	18-34	97	4.3	8	2	3	3	5	6	14
75-79	48	5.2	14	1	2	4	8	11	12	35-49	43	4.4	11	1	2	3	6	11	11
80-84	33	4.1	2	2	4	4	5	6	6	50-69	48	3.5	5	1	1	3	6	6	6
85 +	80	4.0	5	1	1	4	6	7	8	70 +	6	8.0							
SUBTOTAL	**232**	**4.6**	**8**	**1**	**2**	**4**	**6**	**8**	**9**		**323**	**3.5**	**8**	**1**	**1**	**2**	**5**	**8**	**9**
GRAND TOTAL	**496**	**5.1**	**10**	**2**	**3**	**5**	**7**	**9**	**12**		**457**	**4.0**	**12**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	10.0	28							0-17	0								
18-34	11	10.5	2							18-34	11	5.5	2						
35-49	0									35-49	0								
50-69	5	4.0								50-69	0								
70 +	0									70 +	6	7.0							
SUBTOTAL	**27**	**9.1**	**17**								**17**	**6.0**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	43	5.9	25	1	3	4	14	14	14	0-17	53	3.8	7	1	2	3	4	8	10
18-34	11	3.5								18-34	33	2.9	3	1	2	2	4	6	6
35-49	6	1.0								35-49	17	2.0	2						
50-69	0									50-69	11	3.5							
70 +	0									70 +	6	4.0							
SUBTOTAL	**60**	**5.0**	**21**	**1**	**2**	**3**	**5**	**14**	**14**		**119**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**86**	**6.2**	**23**	**1**	**3**	**4**	**12**	**14**	**15**		**136**	**3.6**	**5**	**1**	**2**	**4**	**4**	**7**	**7**

DRG 238: Osteomyelitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	523	15.1	126	5	7	12	20	32	37	0-17	111	11.6	47	3	8	10	13	24	25
70-74	230	14.8	125	4	9	11	20	30	44	18-34	54	12.3	123	2	3	9	14	33	34
75-79	214	18.1	247	5	7	13	21	45	57	35-49	216	12.4	160	3	5	7	14	28	46
80-84	125	17.3	131	4	8	15	24	34	38	50-69	377	11.5	56	4	7	9	15	21	25
85 +	119	21.3	451	5	8	13	24	56	57	70 +	32	32.3	451	8	14	28	49	70	70
SUBTOTAL	**1210**	**16.4**	**183**	**5**	**7**	**13**	**21**	**34**	**45**		**790**	**12.7**	**120**	**4**	**6**	**9**	**15**	**27**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	103	13.1	113	4	4	9	19	31	42	0-17	381	9.9	61	3	4	7	14	21	31
70-74	48	14.8	182	2	6	8	21	38	46	18-34	98	9.3	145	2	4	6	8	25	53
75-79	67	12.7	26	6	9	11	17	18	24	35-49	81	9.0	65	3	4	8	10	15	37
80-84	61	8.8	30	3	5	6	13	16	21	50-69	153	8.1	17	3	4	9	11	14	15
85 +	37	11.5	27	4	8	10	18	20	20	70 +	5	8.0							
SUBTOTAL	**315**	**12.3**	**82**	**4**	**6**	**10**	**17**	**24**	**31**		**718**	**9.3**	**63**	**3**	**4**	**7**	**11**	**18**	**25**
GRAND TOTAL	**1525**	**15.5**	**165**	**4**	**7**	**12**	**20**	**32**	**44**		**1507**	**11.1**	**95**	**3**	**5**	**8**	**14**	**22**	**31**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	37	17.9	19	10	16	17	21	25	25	0-17	37	9.5	39	4	4	9	12	23	23
18-34	89	20.7	352	5	9	12	23	44	74	18-34	26	9.3	49						
35-49	84	16.5	207	3	8	12	16	42	55	35-49	79	11.2	120	3	3	9	14	18	46
50-69	70	15.0	70	6	11	14	18	22	37	50-69	60	7.5	10	4	5	8	9	10	15
70 +	11	9.5	2							70 +	0								
SUBTOTAL	**291**	**17.3**	**192**	**6**	**8**	**14**	**21**	**42**	**44**		**202**	**9.6**	**65**	**3**	**4**	**8**	**12**	**18**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	141	13.7	58	3	7	13	19	27	28	0-17	131	9.4	50	2	3	9	14	19	25
18-34	59	12.7	109	7	7	7	15	16	44	18-34	22	7.8	19						
35-49	27	18.0	357							35-49	37	13.5	54	3	8	12	20	26	26
50-69	16	7.1	26							50-69	10	11.0	40						
70 +	0									70 +	11	5.5	2						
SUBTOTAL	**244**	**13.5**	**105**	**3**	**7**	**13**	**17**	**27**	**29**		**211**	**9.8**	**48**	**2**	**4**	**8**	**14**	**19**	**26**
GRAND TOTAL	**536**	**15.6**	**156**	**4**	**7**	**13**	**18**	**29**	**44**		**414**	**9.7**	**56**	**3**	**4**	**8**	**14**	**19**	**25**

DRG 239: Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2039	10.6	68	3	5	8	13	21	27
70-74	1820	10.5	65	3	5	8	14	19	26
75-79	2092	9.4	48	3	5	8	12	18	24
80-84	1576	9.4	43	3	5	8	12	18	22
85 +	1543	8.9	51	3	5	7	11	16	20
SUBTOTAL	**9070**	**9.8**	**56**	**3**	**5**	**8**	**12**	**18**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	621	6.2	22	2	3	5	7	12	15
70-74	593	6.7	22	2	4	6	8	13	14
75-79	894	6.9	18	3	4	6	9	12	17
80-84	891	6.6	10	3	4	6	8	10	12
85 +	961	6.7	16	3	4	6	8	12	14
SUBTOTAL	**3959**	**6.7**	**17**	**2**	**4**	**6**	**8**	**12**	**14**
GRAND TOTAL	**13029**	**8.8**	**46**	**3**	**4**	**7**	**11**	**17**	**21**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	198	8.8	97	2	3	5	9	21	35
18-34	101	11.0	100	3	4	8	13	28	36
35-49	449	9.4	57	2	4	7	13	19	26
50-69	1857	10.7	88	3	5	8	13	21	28
70 +	88	9.2	34	2	6	9	13	17	22
	2693	**10.3**	**82**	**3**	**4**	**8**	**13**	**21**	**28**
0-17	256	4.4	25	1	1	3	5	7	15
18-34	37	4.1	8	1	1	3	8	8	8
35-49	148	6.1	26	1	3	4	9	14	18
50-69	512	5.7	17	1	3	5	8	11	13
70 +	70	6.4	10	2	4	7	8	11	12
	1024	**5.4**	**20**	**1**	**2**	**4**	**7**	**12**	**14**
	3716	**9.0**	**70**	**2**	**4**	**7**	**12**	**20**	**25**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	63	6.4	15	1	2	8	9	11	13
18-34	58	6.9	34	2	2	5	12	17	18
35-49	123	7.4	42	1	2	7	10	13	20
50-69	210	8.4	43	2	4	6	12	20	21
70 +	22	15.0	190						
SUBTOTAL	**476**	**8.0**	**47**	**2**	**3**	**6**	**11**	**18**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	83	7.8	100	2	2	5	8	26	39
18-34	16	3.7	4						
35-49	38	9.2	85	< 1	2	6	21	26	26
50-69	48	12.5	64	3	6	11	17	27	27
70 +	10	7.0							
SUBTOTAL	**195**	**8.9**	**80**	**2**	**3**	**6**	**10**	**26**	**27**
GRAND TOTAL	**671**	**8.3**	**57**	**2**	**3**	**6**	**11**	**19**	**26**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	62	5.9	11	2	3	6	8	9	13
18-34	10	2.5	2						
35-49	84	9.2	50	2	3	7	13	23	25
50-69	327	9.6	51	4	5	7	15	20	22
70 +	204	7.4	25	2	4	7	9	12	18
	688	**8.4**	**41**	**2**	**4**	**7**	**10**	**18**	**21**
0-17	83	3.6	3	1	2	3	5	6	7
18-34	16	7.7	32						
35-49	58	5.9	7	3	4	6	7	11	12
50-69	96	7.0	41	2	3	5	8	19	26
70 +	110	4.8	10	2	3	4	6	10	15
	362	**5.4**	**19**	**2**	**3**	**4**	**6**	**10**	**15**
	1050	**7.4**	**35**	**2**	**4**	**6**	**9**	**16**	**20**

DRG 240: Connective Tissue Disorders w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	925	9.0	52	3	5	7	11	19	25
70-74	448	7.4	22	2	4	6	9	13	18
75-79	403	8.7	33	3	4	8	11	15	18
80-84	231	10.0	174	3	4	6	12	16	27
85 +	153	7.4	22	3	4	5	10	16	17
SUBTOTAL	**2160**	**8.6**	**54**	**3**	**4**	**7**	**11**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2160**	**8.6**	**54**	**3**	**4**	**7**	**11**	**16**	**21**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	323	5.4	3[illegible]	1	2	4	7	9	15
18-34	335	6.9	30	2	4	6	8	13	17
35-49	651	7.6	44	2	3	6	10	14	18
50-69	746	7.8	55	2	3	6	10	14	21
70 +	21	11.3	101						
	2076	**7.3**	**46**	**2**	**3**	**6**	**9**	**14**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2076	**7.3**	**46**	**2**	**3**	**6**	**9**	**14**	**20**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	162	5.8	15	2	2	5	8	10	13
18-34	269	6.8	46	2	2	5	7	18	25
35-49	163	8.5	78	2	3	6	12	16	22
50-69	100	12.9	127	4	6	9	14	33	41
70 +	16	4.3	12						
SUBTOTAL	**710**	**7.7**	**62**	**2**	**3**	**6**	**9**	**17**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**710**	**7.7**	**62**	**2**	**3**	**6**	**9**	**17**	**25**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	5.4	37	2	2	2	5	10	24
18-34	111	7.9	49	1	3	6	9	15	26
35-49	90	7.2	24	2	3	6	10	16	19
50-69	91	13.4	63	4	7	10	20	23	30
70 +	6	3.0							
	361	**8.6**	**52**	**2**	**3**	**6**	**11**	**20**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	361	**8.6**	**52**	**2**	**3**	**6**	**11**	**20**	**24**

DRG 241: Connective Tissue Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	338	5.4	17	2	3	4	7	11	14
70-74	177	6.1	26	1	4	5	7	10	15
75-79	190	5.5	10	2	3	5	7	10	13
80-84	114	6.5	27	2	3	5	9	12	14
85 +	59	5.7	4	4	4	6	7	9	9
SUBTOTAL	**878**	**5.7**	**18**	**2**	**3**	**4**	**7**	**11**	**14**
GRAND TOTAL	**878**	**5.7**	**18**	**2**	**3**	**4**	**7**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1187	4.1	20	1	2	3	5	7	9
18-34	387	5.3	31	1	2	3	7	11	15
35-49	414	4.8	34	2	2	3	6	9	11
50-69	482	4.3	13	1	2	3	6	9	12
70 +	22	5.0	2						
	2492	**4.5**	**23**	**1**	**2**	**3**	**5**	**9**	**11**
	2492	**4.5**	**23**	**1**	**2**	**3**	**5**	**9**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	354	5.2	39	1	2	4	6	9	12
18-34	225	4.0	13	1	2	2	5	8	14
35-49	68	4.1	5	2	2	4	5	6	10
50-69	26	5.4	19						
70 +	0								
SUBTOTAL	**673**	**4.7**	**26**	**1**	**2**	**4**	**6**	**9**	**12**
GRAND TOTAL	**673**	**4.7**	**26**	**1**	**2**	**4**	**6**	**9**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	334	4.1	9	1	2	3	5	9	10
18-34	117	2.9	4	1	1	2	4	6	6
35-49	123	3.1	4	1	2	3	4	7	8
50-69	65	9.5	244	1	2	3	5	35	50
70 +	5	4.0							
	643	**4.2**	**34**	**1**	**2**	**3**	**5**	**7**	**10**
	643	**4.2**	**34**	**1**	**2**	**3**	**5**	**7**	**10**

DRG 242: Septic Arthritis

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	123	14.7	129	4	8	10	21	32	41
70-74	76	10.9	59	5	6	9	12	22	34
75-79	98	9.9	34	5	6	7	12	22	23
80-84	70	10.0	14	5	7	11	13	15	15
85 +	32	20.4	192	4	8	11	33	41	41
SUBTOTAL	**399**	**12.4**	**86**	**5**	**6**	**10**	**15**	**24**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	76	8.5	62	3	4	6	9	15	35
70-74	44	6.5	14	1	3	8	10	10	10
75-79	64	14.3	274	3	4	8	13	22	66
80-84	43	7.8	34	3	5	6	8	23	23
85 +	32	5.7	5	1	6	6	7	8	8
SUBTOTAL	**259**	**9.1**	**103**	**3**	**4**	**7**	**9**	**15**	**23**
GRAND TOTAL	**658**	**11.1**	**95**	**4**	**6**	**8**	**12**	**22**	**33**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	4.2	9	1	1	4	6	9	9
18-34	33	3.9	4	1	2	4	5	7	7
35-49	80	12.0	124	4	5	8	14	37	41
50-69	92	7.2	39	2	3	6	9	18	25
70 +	0								
	235	**8.0**	**69**	**2**	**3**	**6**	**9**	**16**	**27**
0-17	262	8.1	55	2	4	6	10	15	21
18-34	145	5.2	11	1	2	5	8	10	11
35-49	173	5.3	8	2	3	5	6	10	11
50-69	119	7.3	31	2	3	6	9	15	20
70 +	16	8.3	18						
	715	**6.7**	**31**	**2**	**3**	**6**	**9**	**13**	**15**
	950	**7.0**	**41**	**2**	**3**	**6**	**9**	**13**	**18**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	43	13.2	79	1	7	14	17	32	32
18-34	26	13.7	288						
35-49	11	4.9	4						
50-69	16	6.1	6						
70 +	0								
SUBTOTAL	**96**	**11.2**	**125**	**3**	**4**	**9**	**14**	**32**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	117	11.0	54	3	4	9	18	21	23
18-34	63	9.9	113	3	4	7	9	17	43
35-49	17	4.7	7						
50-69	0								
70 +	6	5.0							
SUBTOTAL	**203**	**10.0**	**70**	**3**	**4**	**7**	**14**	**21**	**24**
GRAND TOTAL	**299**	**10.4**	**88**	**3**	**4**	**7**	**14**	**21**	**32**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	9.7	4						
18-34	22	10.4	51						
35-49	16	6.8	24						
50-69	11	38.0	582						
70 +	5	31.0							
	70	**15.2**	**236**	**5**	**6**	**10**	**16**	**31**	**62**
0-17	141	6.4	12	3	3	6	9	11	13
18-34	58	5.1	12	2	2	4	7	7	14
35-49	53	6.2	12	2	2	6	10	10	11
50-69	11	3.5							
70 +	5	5.0							
	268	**5.9**	**12**	**2**	**3**	**6**	**8**	**10**	**13**
	338	**7.8**	**72**	**2**	**3**	**6**	**9**	**13**	**16**

DRG 243: Medical Back Problems

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2981	6.4	23	2	3	5	8	13	16	0-17	350	4.3	13	1	2	3	5	9	12
70-74	2215	7.3	28	2	4	6	9	14	17	18-34	1277	5.1	17	1	3	4	6	9	11
75-79	2367	7.2	25	2	4	6	9	14	16	35-49	1893	5.6	19	1	3	4	7	10	14
80-84	2395	7.8	33	3	4	6	10	15	19	50-69	2827	6.1	21	2	3	5	8	12	15
85 +	2573	7.8	26	3	4	7	10	14	17	70 +	326	8.9	37	2	4	7	13	16	20
SUBTOTAL	**12531**	**7.3**	**27**	**2**	**4**	**6**	**9**	**14**	**17**		**6673**	**5.8**	**21**	**1**	**3**	**5**	**8**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3940	4.7	15	1	2	4	6	9	12	0-17	1087	2.7	5	1	1	2	3	6	7
70-74	2639	4.8	13	1	2	4	7	9	12	18-34	6144	3.6	8	1	2	3	5	7	9
75-79	2325	5.0	13	1	2	4	7	9	11	35-49	11172	4.0	12	1	2	3	5	8	10
80-84	1873	5.7	14	2	3	5	7	10	13	50-69	8086	4.0	11	1	1	3	5	8	10
85 +	1641	5.9	17	2	3	5	7	11	13	70 +	280	4.9	11	1	2	5	7	10	11
SUBTOTAL	**12417**	**5.1**	**15**	**1**	**2**	**4**	**7**	**10**	**12**		**26768**	**3.9**	**10**	**1**	**1**	**3**	**5**	**8**	**10**
GRAND TOTAL	**24948**	**6.2**	**22**	**1**	**3**	**5**	**8**	**12**	**15**		**33441**	**4.3**	**13**	**1**	**2**	**3**	**6**	**9**	**11**

	MEDICAID									NO INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	60	4.1	6	1	2	4	6	8	9	0-17	65	5.6	34	< 1	1	3	9	15	19
18-34	377	5.1	10	1	2	5	7	10	11	18-34	501	4.4	15	1	2	4	5	8	10
35-49	390	4.8	8	1	3	5	6	8	11	35-49	481	4.3	22	1	1	3	5	7	11
50-69	378	5.9	24	1	2	5	8	11	15	50-69	402	5.4	32	1	2	4	6	10	18
70 +	10	11.0	18							70 +	223	6.2	37	1	3	5	7	12	16
SUBTOTAL	**1215**	**5.3**	**14**	**1**	**2**	**5**	**7**	**10**	**12**		**1673**	**4.9**	**25**	**1**	**2**	**4**	**6**	**9**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	130	3.0	8	1	1	2	4	6	6	0-17	210	3.3	10	1	1	2	4	6	8
18-34	1178	3.9	8	1	2	3	5	7	10	18-34	1895	3.6	9	1	1	3	5	7	9
35-49	1225	4.2	10	1	2	3	6	9	11	35-49	1964	3.7	10	1	1	3	5	8	10
50-69	357	5.1	19	1	1	4	8	11	11	50-69	1280	3.5	9	1	1	3	4	7	10
70 +	43	5.0	7	2	3	4	8	9	9	70 +	246	4.1	16	1	1	2	6	10	12
SUBTOTAL	**2933**	**4.2**	**10**	**1**	**2**	**3**	**6**	**9**	**11**		**5595**	**3.7**	**10**	**1**	**1**	**3**	**5**	**8**	**10**
GRAND TOTAL	**4149**	**4.5**	**12**	**1**	**2**	**4**	**6**	**9**	**11**		**7268**	**3.9**	**13**	**1**	**1**	**3**	**5**	**8**	**10**

DRG 244: Bone Diseases & Specific Arthropathies w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	565	5.7	20	2	3	5	7	10	15
70-74	428	8.1	73	2	3	6	11	16	23
75-79	519	6.7	36	1	3	4	8	15	18
80-84	516	6.0	18	2	3	5	7	12	15
85 +	547	8.2	99	2	4	5	9	15	19
SUBTOTAL	**2575**	**6.9**	**49**	**2**	**3**	**5**	**8**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2575**	**6.9**	**49**	**2**	**3**	**5**	**8**	**14**	**17**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	36	7.4	59	1	2	3	16	22	22
18-34	54	6.6	38	1	2	4	9	13	22
35-49	96	3.7	3	1	2	4	5	6	7
50-69	350	5.3	20	1	3	4	7	9	14
70 +	32	5.6	3	2	5	6	7	7	7
	568	**5.3**	**21**	**1**	**2**	**4**	**7**	**9**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	568	**5.3**	**21**	**1**	**2**	**4**	**7**	**9**	**16**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	57	9.7	80	2	2	6	15	26	27
18-34	69	8.8	17	4	6	9	12	14	16
35-49	16	6.5	12						
50-69	98	4.1	7	1	3	3	6	8	10
70 +	6	6.0							
SUBTOTAL	**245**	**6.9**	**33**	**2**	**3**	**6**	**9**	**14**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**245**	**6.9**	**33**	**2**	**3**	**6**	**9**	**14**	**16**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	7.7	18						
18-34	5	6.0							
35-49	38	3.3	2	2	2	3	4	6	6
50-69	38	3.2	2	2	2	3	4	6	6
70 +	44	17.1	504	1	3	6	40	66	66
	151	**8.2**	**185**	**2**	**3**	**4**	**6**	**15**	**40**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	151	**8.2**	**185**	**2**	**3**	**4**	**6**	**15**	**40**

DRG 245: Bone Diseases & Specific Arthropathies w/o CC

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	358	4.3	13	1	2	3	5	8	11	0-17	290	5.0	15	1	2	4	7	10	11
70-74	264	4.4	9	1	2	4	6	8	11	18-34	103	3.1	2	1	2	3	4	6	7
75-79	264	3.8	5	1	2	4	5	7	7	35-49	193	4.0	17	1	2	3	5	8	13
80-84	302	4.9	20	1	2	4	6	10	17	50-69	424	4.1	15	< 1	2	3	6	8	9
85 +	211	5.1	20	1	2	4	6	10	12	70 +	22	5.0	8						
SUBTOTAL	**1400**	**4.5**	**13**	**1**	**2**	**4**	**6**	**8**	**11**		**1033**	**4.2**	**14**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**1400**	**4.5**	**13**	**1**	**2**	**4**	**6**	**8**	**11**		**1033**	**4.2**	**14**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	137	4.8	12	1	2	4	5	10	13	0-17	95	5.7	14	1	3	6	8	10	15
18-34	37	2.6	3	< 1	< 1	2	5	5	5	18-34	37	3.4	15	1	2	2	2	13	13
35-49	48	4.3	13	< 1	2	2	7	10	10	35-49	32	2.2	2	< 1	1	2	3	5	5
50-69	80	4.3	3	2	3	5	5	7	7	50-69	108	3.3	5	1	1	2	5	6	8
70 +	5	4.0								70 +	43	6.5	36	1	2	5	11	19	19
SUBTOTAL	**307**	**4.3**	**9**	**1**	**2**	**4**	**5**	**10**	**10**		**316**	**4.4**	**15**	**1**	**2**	**3**	**6**	**10**	**13**
GRAND TOTAL	**307**	**4.3**	**9**	**1**	**2**	**4**	**5**	**10**	**10**		**316**	**4.4**	**15**	**1**	**2**	**3**	**6**	**10**	**13**

DRG 246: Non-specific Arthropathies

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	59	5.6	18	2	3	4	7	13	15	0-17	21	3.3	2						
70-74	53	5.7	21	1	2	4	12	12	13	18-34	21	6.4	11						
75-79	49	4.3	6	2	3	4	4	8	11	35-49	49	6.3	13	2	4	6	8	14	14
80-84	54	5.6	16	1	2	5	9	10	14	50-69	64	6.1	36	2	3	4	6	17	21
85 +	66	8.1	18	3	4	8	13	14	15	70 +	0								
SUBTOTAL	**281**	**6.0**	**17**	**2**	**3**	**4**	**9**	**13**	**14**		**155**	**5.8**	**21**	**2**	**3**	**4**	**8**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	2.3								0-17	73	3.9	4	1	2	4	5	7	8
70-74	43	3.3	4	2	2	2	4	8	8	18-34	59	3.5	4	1	1	3	6	6	6
75-79	61	6.1	10	2	3	6	8	11	12	35-49	38	3.4	1	2	2	3	5	5	5
80-84	48	3.4	6	1	1	3	5	8	8	50-69	65	4.3	21	1	2	2	5	9	18
85 +	33	4.5	6	2	3	4	6	9	9	70 +	0								
SUBTOTAL	**201**	**4.3**	**8**	**2**	**2**	**3**	**6**	**8**	**11**		**234**	**3.8**	**8**	**1**	**2**	**3**	**5**	**6**	**8**
GRAND TOTAL	**482**	**5.3**	**14**	**2**	**2**	**4**	**7**	**12**	**14**		**389**	**4.6**	**15**	**1**	**2**	**4**	**5**	**8**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5	4.0								0-17	0								
18-34	5	4.0								18-34	6	5.0							
35-49	16	10.4	34							35-49	11	2.5							
50-69	16	2.4								50-69	6	3.0							
70 +	0									70 +	0								
SUBTOTAL	**42**	**5.8**	**26**	**2**	**3**	**4**	**11**	**17**	**17**		**23**	**3.3**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	37	2.7	4	1	1	2	4	7	7	0-17	37	2.6	2	1	1	2	4	5	5
18-34	10	4.0	1							18-34	37	4.7	12	2	2	3	10	10	10
35-49	10	4.5	7							35-49	6	1.0							
50-69	22	5.0	3							50-69	38	3.4	1	2	3	3	4	6	6
70 +	0									70 +	0								
SUBTOTAL	**79**	**3.7**	**5**	**1**	**2**	**3**	**6**	**7**	**7**		**117**	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**10**
GRAND TOTAL	**122**	**4.4**	**13**	**1**	**2**	**3**	**6**	**7**	**11**		**139**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**10**

DRG 247: Signs & Symptoms of Musculoskeletal System & Conn Tissue

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	403	4.3	10	1	2	3	6	8	11	0-17	63	4.3	13	2	2	3	4	11	13
70-74	244	5.1	14	2	3	4	6	8	13	18-34	109	3.5	6	1	1	3	5	6	8
75-79	236	5.3	17	1	2	4	7	12	13	35-49	231	5.3	22	1	2	4	6	12	14
80-84	162	6.1	28	2	3	4	8	15	17	50-69	336	4.0	7	1	2	3	5	8	9
85 +	200	6.1	28	2	3	5	7	15	17	70 +	16	10.9	45						
SUBTOTAL	**1245**	**5.2**	**18**	**2**	**2**	**4**	**7**	**10**	**15**		**755**	**4.5**	**14**	**1**	**2**	**3**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	363	3.2	10	1	1	2	4	7	13	0-17	326	2.5	5	1	1	2	3	4	7
70-74	312	4.0	13	1	2	3	5	9	11	18-34	569	3.3	13	1	1	2	4	6	8
75-79	297	3.9	12	1	1	3	5	10	12	35-49	849	2.8	7	1	1	2	4	6	7
80-84	174	4.1	8	1	2	4	5	8	11	50-69	812	3.1	10	1	1	2	4	6	8
85 +	151	4.3	11	1	2	3	6	8	11	70 +	27	3.9	8						
SUBTOTAL	**1298**	**3.8**	**11**	**1**	**2**	**3**	**5**	**8**	**11**		**2583**	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**2543**	**4.5**	**15**	**1**	**2**	**3**	**6**	**9**	**13**		**3338**	**3.3**	**11**	**1**	**1**	**2**	**4**	**6**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	5.0	9	1	2	5	8	9	9	0-17	16	2.3							
18-34	92	4.8	22	1	2	3	7	13	17	18-34	43	3.5	3	1	2	3	5	6	6
35-49	59	5.0	8	1	3	4	7	8	11	35-49	76	3.1	6	1	1	2	4	7	9
50-69	54	4.4	4	2	3	4	5	7	9	50-69	76	2.8	5	1	1	2	3	4	10
70 +	6	6.0								70 +	32	4.1	9	1	2	3	5	10	10
SUBTOTAL	**242**	**4.8**	**12**	**1**	**2**	**4**	**6**	**9**	**11**		**242**	**3.1**	**5**	**1**	**2**	**2**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	153	3.0	4	< 1	1	3	4	6	6	0-17	105	2.6	5	1	1	2	4	5	8
18-34	125	3.3	4	1	2	3	4	6	7	18-34	147	2.7	6	1	1	2	4	7	7
35-49	141	2.9	3	< 1	2	2	4	6	6	35-49	193	3.0	5	1	1	2	4	5	7
50-69	47	5.1	56	< 1	1	3	3	22	26	50-69	189	3.7	14	1	1	2	5	9	14
70 +	0									70 +	39	3.0	2	1	2	3	4	5	5
SUBTOTAL	**467**	**3.3**	**9**	**1**	**1**	**3**	**4**	**6**	**6**		**674**	**3.1**	**7**	**1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**709**	**3.8**	**11**	**1**	**2**	**3**	**4**	**7**	**10**		**916**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**9**

DRG 248: Tendonitis, Myositis & Bursitis

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	276	6.9	20	3	4	6	9	13	16	0-17	90	4.5	11	1	2	3	7	9	13
70-74	96	6.1	33	2	3	5	6	11	27	18-34	98	4.0	3	2	2	4	5	7	8
75-79	129	7.8	23	3	4	7	10	13	14	35-49	276	4.8	22	1	2	3	7	10	18
80-84	173	7.1	37	2	3	6	8	12	26	50-69	303	4.8	13	1	2	4	6	9	11
85 +	98	6.4	8	3	4	6	9	11	11	70 +	6	4.0							
SUBTOTAL	**772**	**6.9**	**24**	**3**	**3**	**6**	**9**	**12**	**15**		**772**	**4.6**	**15**	**1**	**2**	**4**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	225	4.3	8	1	2	4	6	8	10	0-17	691	2.7	4	1	1	2	3	5	7
70-74	129	3.6	5	1	2	3	5	7	8	18-34	302	3.3	4	1	2	3	4	5	9
75-79	120	3.6	7	1	2	3	5	6	10	35-49	636	2.9	5	1	2	2	4	6	6
80-84	86	5.4	13	2	3	5	7	9	17	50-69	589	3.2	7	1	1	2	4	7	8
85 +	70	5.6	14	1	3	5	7	9	15	70 +	11	3.5							
SUBTOTAL	**630**	**4.3**	**9**	**1**	**2**	**4**	**6**	**8**	**10**		**2229**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**1401**	**5.7**	**19**	**2**	**3**	**5**	**7**	**11**	**13**		**3001**	**3.4**	**8**	**1**	**2**	**3**	**4**	**7**	**8**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	69	2.8	2	1	2	3	3	4	6	0-17	16	4.4	1						
18-34	43	3.9	3	2	2	3	6	7	7	18-34	55	4.0	5	1	2	3	5	7	8
35-49	47	5.3	5	2	4	5	7	9	10	35-49	59	4.9	14	1	3	4	5	12	14
50-69	22	4.9	17							50-69	33	6.6	45	< 1	2	5	9	20	20
70 +	0									70 +	16	6.7	10						
SUBTOTAL	**180**	**4.0**	**6**	**2**	**2**	**3**	**5**	**7**	**10**		**179**	**5.1**	**16**	**1**	**3**	**4**	**5**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	148	3.2	3	1	1	3	5	6	6	0-17	162	3.5	5	1	2	3	4	8	9
18-34	48	2.7	3	1	1	2	3	6	6	18-34	120	2.8	3	1	1	2	4	4	6
35-49	16	2.0	2							35-49	172	2.6	2	1	2	2	3	5	6
50-69	38	4.0	9	1	2	3	8	9	9	50-69	113	3.1	7	1	1	2	5	7	8
70 +	0									70 +	11	3.0	1						
SUBTOTAL	**251**	**3.1**	**4**	**1**	**1**	**3**	**5**	**6**	**6**		**578**	**3.0**	**4**	**1**	**2**	**2**	**4**	**6**	**8**
GRAND TOTAL	**432**	**3.5**	**5**	**1**	**2**	**3**	**5**	**6**	**7**		**757**	**3.5**	**8**	**1**	**2**	**3**	**4**	**7**	**9**

DRG 249: Aftercare, Musculoskeletal System & Connective Tissue

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	246	7.9	73	1	3	5	10	18	28	0-17	58	6.6	39	1	1	4	10	13	22
70-74	178	7.8	52	2	2	5	9	14	30	18-34	42	4.6	9	1	1	4	7	9	9
75-79	152	8.0	46	2	3	6	10	26	28	35-49	38	10.0	204	< 1	1	4	8	43	43
80-84	187	6.9	56	2	3	5	8	12	32	50-69	146	5.6	26	1	2	4	7	11	18
85 +	128	9.0	89	3	4	6	9	23	28	70 +	6	2.0							
SUBTOTAL	**890**	**7.8**	**63**	**2**	**3**	**5**	**9**	**18**	**28**		**288**	**6.2**	**51**	**1**	**2**	**4**	**7**	**11**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	311	5.9	66	1	2	3	8	11	21	0-17	235	3.2	17	1	1	2	3	5	13
70-74	343	4.8	18	1	2	4	6	10	13	18-34	85	4.4	26	1	1	3	4	14	19
75-79	202	5.4	45	1	2	3	5	12	21	35-49	133	2.5	3	1	1	2	3	5	6
80-84	217	4.3	11	1	2	4	6	9	10	50-69	358	3.8	19	1	1	2	5	8	12
85 +	135	5.8	23	2	3	4	8	14	15	70 +	49	3.2	5	< 1	1	2	5	8	8
SUBTOTAL	**1210**	**5.2**	**34**	**1**	**2**	**3**	**6**	**11**	**14**		**861**	**3.5**	**16**	**1**	**1**	**2**	**4**	**8**	**13**
GRAND TOTAL	**2100**	**6.3**	**48**	**1**	**2**	**4**	**8**	**12**	**21**		**1149**	**4.1**	**26**	**1**	**1**	**2**	**5**	**9**	**14**

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	41	8.0	129	1	2	4	7	37	37	0-17	11	5.7	22						
18-34	26	5.8	4							18-34	5	5.0							
35-49	16	3.8	10							35-49	16	7.0	77						
50-69	28	5.6	6							50-69	54	7.3	74	2	2	4	8	31	31
70 +	0									70 +	45	11.6	106	1	3	13	16	54	99 +
SUBTOTAL	**111**	**6.3**	**53**	**1**	**2**	**5**	**8**	**9**	**9**		**130**	**8.5**	**82**	**1**	**2**	**5**	**14**	**31**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	120	7.0	101	1	2	3	6	16	36	0-17	16	3.0	2						
18-34	27	7.6	56							18-34	26	7.0	42						
35-49	21	4.0	9							35-49	16	2.3	2						
50-69	21	8.3	31							50-69	87	4.8	29	1	2	3	6	9	23
70 +	0									70 +	68	6.4	16	2	4	6	8	9	17
SUBTOTAL	**188**	**6.9**	**77**	**1**	**2**	**3**	**7**	**16**	**36**		**213**	**5.3**	**24**	**1**	**2**	**4**	**7**	**9**	**18**
GRAND TOTAL	**299**	**6.6**	**68**	**1**	**2**	**4**	**8**	**14**	**30**		**343**	**6.5**	**48**	**1**	**2**	**4**	**8**	**17**	**23**

DRG 250: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	231	4.3	12	1	2	3	6	9	9
70-74	98	5.7	67	1	2	3	6	9	37
75-79	137	6.3	13	1	3	7	9	12	12
80-84	169	5.5	21	2	3	4	6	12	17
85 +	247	5.4	13	2	3	4	7	11	13
SUBTOTAL	**881**	**5.3**	**21**	**2**	**2**	**4**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**881**	**5.3**	**21**	**2**	**2**	**4**	**7**	**10**	**13**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	173	2.9	4	1	1	2	3	6	8
35-49	113	4.5	42	1	2	3	5	6	6
50-69	190	3.1	5	1	2	3	4	6	9
70 +	32	2.9	2	1	2	3	3	5	5
	508	**3.3**	**13**	**1**	**2**	**2**	**4**	**6**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	508	**3.3**	**13**	**1**	**2**	**2**	**4**	**6**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	54	3.6	4	1	2	3	6	6	7
35-49	33	5.4	5	1	4	6	7	8	8
50-69	16	3.3							
70 +	6	2.0							
SUBTOTAL	**109**	**4.0**	**5**	**1**	**2**	**4**	**6**	**7**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**109**	**4.0**	**5**	**1**	**2**	**4**	**6**	**7**	**8**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	75	6.0	93	1	2	3	5	10	40
35-49	66	3.8	14	< 1	1	2	6	6	14
50-69	54	5.2	18	1	2	4	8	13	13
70 +	33	3.5	2	1	3	4	4	5	5
	228	**4.8**	**40**	**1**	**1**	**3**	**5**	**11**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	228	**4.8**	**40**	**1**	**1**	**3**	**5**	**11**	**13**

DRG 251: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	221	2.3	2	1	1	2	3	4	5
70-74	206	2.1	3	< 1	1	2	3	4	6
75-79	157	2.3	3	1	1	2	3	4	7
80-84	167	3.7	12	1	1	2	6	8	13
85 +	238	3.4	5	1	2	3	4	7	8
SUBTOTAL	**988**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**988**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	545	2.3	2	1	1	2	3	4	6
35-49	648	3.0	33	1	1	2	3	4	8
50-69	475	2.4	3	1	1	2	3	4	7
70 +	31	4.3	14	1	2	3	5	12	12
	1699	**2.6**	**15**	**1**	**1**	**2**	**3**	**4**	**7**
	1699	**2.6**	**15**	**1**	**1**	**2**	**3**	**4**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	182	2.4	2	1	1	2	3	5	6
35-49	59	3.4	9	1	1	3	3	9	11
50-69	11	5.9	10						
70 +	0								
SUBTOTAL	**252**	**2.8**	**4**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**252**	**2.8**	**4**	**1**	**1**	**2**	**3**	**6**	**7**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	409	2.0	2	1	1	2	3	3	5
35-49	167	1.9	1	1	1	2	3	3	4
50-69	97	2.7	3	1	1	2	4	5	7
70 +	38	4.9	81	1	1	1	2	27	27
	711	**2.2**	**6**	**1**	**1**	**2**	**3**	**4**	**5**
	711	**2.2**	**6**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 252: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5	7.0								0-17	87	1.8	1	1	1	1	2	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**5**	**7.0**									**87**	**1.8**	**1**	**1**	**1**	**1**	**2**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	2395	1.4	3	< 1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**2395**	**1.4**	**3**	**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**5**	**7.0**									**2482**	**1.4**	**3**	**< 1**	**1**	**1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	47	2.1	1	< 1	1	2	3	4	4	0-17	54	2.7	8	< 1	1	1	4	6	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**47**	**2.1**	**1**	**< 1**	**1**	**2**	**3**	**4**	**4**		**54**	**2.7**	**8**	**< 1**	**1**	**1**	**4**	**6**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	692	1.7	2	< 1	1	1	2	3	4	0-17	793	1.3		1	1	1	1	2	2
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**692**	**1.7**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**		**793**	**1.3**		**1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**739**	**1.7**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**		**847**	**1.4**	**1**	**1**	**1**	**1**	**1**	**2**	**3**

DRG 253: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	803	7.1	52	2	3	5	8	14	19	0-17	0								
70-74	568	5.5	17	2	3	4	8	11	14	18-34	485	4.2	34	1	2	3	5	7	9
75-79	710	7.2	34	2	4	6	9	13	17	35-49	489	5.0	17	1	2	4	6	10	13
80-84	681	6.1	18	2	3	5	7	11	14	50-69	561	5.5	39	1	2	4	7	12	15
85 +	1016	7.2	47	2	3	6	8	14	20	70 +	228	6.5	26	2	3	5	9	13	15
SUBTOTAL	**3779**	**6.7**	**36**	**2**	**3**	**5**	**8**	**13**	**18**		**1763**	**5.1**	**30**	**1**	**2**	**4**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	3779	6.7	36	2	3	5	8	13	18		1763	5.1	30	1	2	4	6	10	13

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	186	4.4	11	1	1	4	7	8	12	18-34	290	3.4	9	1	1	3	4	7	9
35-49	142	4.8	14	1	2	4	6	9	11	35-49	203	3.0	5	1	1	2	4	7	9
50-69	135	7.0	29	3	3	5	8	14	15	50-69	190	4.8	23	1	2	3	6	10	17
70 +	16	5.6	10							70 +	104	7.8	41	1	3	6	9	22	24
SUBTOTAL	**479**	**5.3**	**18**	**1**	**3**	**5**	**7**	**10**	**14**		**786**	**4.2**	**18**	**1**	**2**	**3**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	479	5.3	18	1	3	5	7	10	14		786	4.2	18	1	2	3	5	9	11

DRG 254: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/o CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	671	3.4	7	1	2	3	4	6	9
70-74	462	4.4	14	1	2	4	6	8	9
75-79	639	4.4	23	1	2	3	5	8	10
80-84	503	4.2	7	1	2	3	5	8	11
85 +	734	4.7	11	1	2	4	6	9	12
SUBTOTAL	**3010**	**4.2**	**13**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**3010**	**4.2**	**13**	**1**	**2**	**3**	**5**	**8**	**10**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1478	2.6	15	1	1	2	3	4	5
35-49	1145	2.8	8	1	1	2	3	5	7
50-69	1236	3.2	9	1	2	2	4	6	8
70 +	216	5.0	18	1	1	4	7	11	15
	4075	**3.0**	**11**	**1**	**1**	**2**	**3**	**5**	**8**
	4075	**3.0**	**11**	**1**	**1**	**2**	**3**	**5**	**8**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	484	3.0	11	<1	1	2	3	6	8
35-49	180	3.2	6	1	1	3	4	6	7
50-69	75	4.8	4	2	4	5	6	8	9
70 +	6	1.0							
SUBTOTAL	**745**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**745**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**8**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	922	2.7	3	1	1	2	4	5	7
35-49	491	2.7	3	1	2	2	3	4	5
50-69	277	2.6	2	1	1	2	4	5	5
70 +	140	8.6	357	1	2	3	5	22	26
	1831	**3.2**	**33**	**1**	**1**	**2**	**4**	**5**	**7**
	1831	**3.2**	**33**	**1**	**1**	**2**	**4**	**5**	**7**

DRG 255: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	226	3.4	9	1	1	2	4	7	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**226**	**3.4**	**9**	**1**	**1**	**2**	**4**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5	7.0								0-17	2880	2.0	4	1	1	1	2	3	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**5**	**7.0**									**2880**	**2.0**	**4**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**5**	**7.0**									**3106**	**2.1**	**5**	**1**	**1**	**1**	**2**	**4**	**5**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	95	3.5	7	1	2	2	6	8	9	0-17	94	4.2	9	1	2	3	6	9	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**95**	**3.5**	**7**	**1**	**2**	**2**	**6**	**8**	**9**		**94**	**4.2**	**9**	**1**	**2**	**3**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1133	2.7	13	1	1	2	3	4	9	0-17	1121	2.2	7	1	1	1	2	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1133**	**2.7**	**13**	**1**	**1**	**2**	**3**	**4**	**9**		**1121**	**2.2**	**7**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**1228**	**2.8**	**13**	**1**	**1**	**2**	**3**	**5**	**9**		**1216**	**2.4**	**8**	**1**	**1**	**2**	**2**	**5**	**7**

DRG 256: Other Musculoskeletal System & Connective Tissue Diagnoses

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	558	5.6	16	2	2	4	8	12	14
70-74	306	4.3	10	2	2	3	6	8	9
75-79	220	5.5	25	1	2	4	8	12	14
80-84	168	5.5	20	2	3	4	6	12	18
85 +	178	5.5	24	2	3	4	7	8	21
SUBTOTAL	**1429**	**5.3**	**18**	**2**	**2**	**4**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	408	3.7	11	1	2	3	4	8	11
70-74	192	3.4	5	2	2	3	4	6	7
75-79	235	4.5	21	1	2	4	5	8	11
80-84	117	3.5	10	1	1	2	5	8	9
85 +	76	6.4	10	3	4	6	8	11	13
SUBTOTAL	**1027**	**4.0**	**13**	**1**	**2**	**3**	**5**	**8**	**11**
GRAND TOTAL	**2457**	**4.7**	**16**	**1**	**2**	**3**	**6**	**10**	**13**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	96	3.9	28	1	1	3	4	7	24
18-34	150	3.4	3	1	2	3	4	6	8
35-49	257	3.9	8	2	2	3	6	9	11
50-69	411	4.9	20	2	2	3	6	11	15
70 +	32	5.3	10	2	3	3	7	11	11
	947	**4.3**	**15**	**1**	**2**	**3**	**5**	**9**	**12**
0-17	613	3.3	12	1	1	2	4	8	12
18-34	421	2.6	6	1	1	2	3	5	6
35-49	851	2.8	5	1	1	2	4	5	7
50-69	624	2.9	3	1	1	2	4	5	7
70 +	6	10.0							
	2515	**2.9**	**7**	**1**	**1**	**2**	**3**	**5**	**8**
	3462	**3.3**	**9**	**1**	**1**	**2**	**4**	**7**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	79	3.8	23	< 1	1	2	3	8	20
18-34	58	2.8	2	2	2	2	4	5	6
35-49	158	5.4	82	1	2	3	5	8	24
50-69	180	7.1	151	1	2	4	8	14	20
70 +	0								
SUBTOTAL	**475**	**5.5**	**91**	**1**	**2**	**3**	**6**	**9**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	304	3.8	26	1	1	2	4	11	16
18-34	202	2.3	2	1	1	2	3	4	5
35-49	185	2.8	2	1	2	2	4	5	6
50-69	77	3.1	4	1	2	3	4	6	7
70 +	0								
SUBTOTAL	**768**	**3.1**	**12**	**1**	**1**	**2**	**3**	**6**	**11**
GRAND TOTAL	**1243**	**4.0**	**43**	**1**	**1**	**2**	**4**	**8**	**14**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	36	4.9	38	< 1	< 1	1	6	19	19
18-34	86	3.0	6	1	1	2	3	6	11
35-49	49	2.1	1	< 1	1	2	2	5	5
50-69	50	4.1	18	1	2	3	4	10	16
70 +	16	2.4	2						
	238	**3.3**	**13**	**1**	**1**	**2**	**4**	**6**	**11**
0-17	185	3.2	19	< 1	1	1	3	8	13
18-34	158	2.8	21	< 1	1	1	3	4	8
35-49	181	2.6	5	< 1	1	2	3	5	8
50-69	153	2.9	5	1	1	2	3	7	8
70 +	16	3.7	2						
	693	**2.9**	**12**	**< 1**	**1**	**2**	**3**	**6**	**8**
	931	**3.0**	**12**	**1**	**1**	**2**	**3**	**6**	**10**

DRG 257: Total Mastectomy for Malignancy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2013	4.3	6	2	3	4	5	7	9	0-17	0								
70-74	2080	4.7	13	2	3	4	5	7	10	18-34	279	3.6	2	2	3	3	4	5	5
75-79	1503	4.7	15	2	3	4	5	7	9	35-49	1669	3.5	4	2	2	3	4	5	6
80-84	1024	5.4	17	2	3	4	6	9	12	50-69	2766	3.9	4	2	3	3	4	6	7
85 +	575	4.8	7	3	3	4	5	8	10	70 +	114	3.6	2	2	3	3	4	6	7
SUBTOTAL	**7194**	**4.7**	**12**	**2**	**3**	**4**	**5**	**7**	**10**		**4828**	**3.7**	**4**	**2**	**3**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	7194	4.7	12	2	3	4	5	7	10		4828	3.7	4	2	3	3	4	5	7

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	38	7.7	77	1	4	5	6	28	28	18-34	77	3.0	2	2	2	3	3	4	7
35-49	150	3.9	3	2	3	3	5	6	7	35-49	443	3.4	10	2	2	3	4	5	7
50-69	220	5.9	15	3	3	5	6	14	15	50-69	594	3.3	3	2	2	3	4	5	6
70 +	27	6.1	19							70 +	161	3.1	2	2	2	3	4	6	7
SUBTOTAL	**434**	**5.4**	**18**	**2**	**3**	**4**	**6**	**10**	**14**		**1274**	**3.3**	**5**	**2**	**2**	**3**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	434	5.4	18	2	3	4	6	10	14		1274	3.3	5	2	2	3	4	5	6

DRG 258: Total Mastectomy for Malignancy w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2176	3.4	3	2	2	3	4	5	6
70-74	2228	3.4	2	2	2	3	4	5	6
75-79	1725	3.5	2	2	3	3	4	5	6
80-84	815	3.8	2	2	3	4	4	6	7
85 +	526	3.7	4	2	3	3	5	6	6
SUBTOTAL	**7470**	**3.5**	**2**	**2**	**3**	**3**	**4**	**5**	**6**
GRAND TOTAL	**7470**	**3.5**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	6	4.0							
18-34	183	3.1	1	2	2	3	4	5	6
35-49	2844	3.3	2	2	2	3	4	5	6
50-69	4493	3.2	2	2	2	3	4	5	6
70 +	96	3.2	1	2	2	3	4	4	5
	7622	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
	7622	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	33	5.1	8	3	3	4	8	10	10
35-49	156	3.4	1	2	3	3	4	5	5
50-69	202	3.1	1	2	2	3	4	5	5
70 +	6	5.0							
SUBTOTAL	**396**	**3.4**	**2**	**2**	**3**	**3**	**4**	**5**	**5**
GRAND TOTAL	**396**	**3.4**	**2**	**2**	**3**	**3**	**4**	**5**	**5**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	63	2.8	1	2	2	2	3	5	5
35-49	786	2.7	1	2	2	3	3	4	5
50-69	798	2.7	1	2	2	2	3	4	5
70 +	194	2.9	3	2	2	3	3	4	5
	1841	**2.7**	**1**	**2**	**2**	**3**	**3**	**4**	**5**
	1841	**2.7**	**1**	**2**	**2**	**3**	**3**	**4**	**5**

DRG 259: Subtotal Mastectomy for Malignancy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	287	4.0	15	1	2	2	4	11	13	0-17	0								
70-74	200	4.7	25	2	2	3	5	12	19	18-34	27	1.8	1						
75-79	124	7.6	79	2	3	4	9	16	29	35-49	365	2.6	4	1	2	2	3	4	5
80-84	126	5.4	87	2	2	3	4	10	16	50-69	505	3.5	7	2	2	3	4	6	11
85 +	98	5.0	19	1	2	3	5	11	17	70 +	27	2.4	1						
SUBTOTAL	**834**	**5.0**	**39**	**2**	**2**	**3**	**5**	**11**	**16**		**924**	**3.1**	**6**	**1**	**2**	**2**	**3**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**834**	**5.0**	**39**	**2**	**2**	**3**	**5**	**11**	**16**		**924**	**3.1**	**6**	**1**	**2**	**2**	**3**	**5**	**8**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	5	3.0								18-34	10	2.5	2						
35-49	21	3.0								35-49	81	2.5	1	1	2	2	3	4	6
50-69	37	5.1	32	1	1	3	5	18	18	50-69	80	5.1	27	1	2	2	6	15	17
70 +	6	3.0								70 +	11	3.5							
SUBTOTAL	**69**	**4.1**	**18**	**1**	**3**	**3**	**3**	**5**	**18**		**182**	**3.7**	**14**	**1**	**2**	**2**	**4**	**6**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**69**	**4.1**	**18**	**1**	**3**	**3**	**3**	**5**	**18**		**182**	**3.7**	**14**	**1**	**2**	**2**	**4**	**6**	**15**

DRG 260: Subtotal Mastectomy for Malignancy w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	521	2.2	1	1	2	2	3	4	4	0-17	6	1.0							
70-74	344	2.3	2	1	1	2	3	3	4	18-34	96	2.2	1	1	2	2	3	3	4
75-79	221	2.8	2	1	2	3	3	4	5	35-49	703	2.2	1	1	1	2	3	4	4
80-84	102	2.4	1	1	2	2	3	4	4	50-69	1096	2.2	2	1	2	2	3	3	4
85 +	32	3.4	11	1	1	2	7	9	9	70 +	21	2.0	2						
SUBTOTAL	**1221**	**2.4**	**2**	**1**	**2**	**2**	**3**	**4**	**4**		**1922**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**1221**	**2.4**	**2**	**1**	**2**	**2**	**3**	**4**	**4**		**1922**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	5	6.0								18-34	26	2.2	1						
35-49	48	2.2	1	1	2	2	3	4	4	35-49	172	1.9	1	1	1	2	2	3	4
50-69	38	2.2	1	< 1	1	2	3	3	3	50-69	205	1.8	1	1	1	2	2	3	3
70 +	0									70 +	76	2.4	1	2	2	2	3	3	4
SUBTOTAL	**91**	**2.4**	**2**	**1**	**2**	**2**	**3**	**4**	**6**		**479**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
GRAND TOTAL	**91**	**2.4**	**2**	**1**	**2**	**2**	**3**	**4**	**6**		**479**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**

DRG 261: Breast Proc for Non-malignancy except Biopsy & Local Excision

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	113	3.3	3	2	2	2	5	6	7	0-17	16	3.0	1						
70-74	22	2.0	1							18-34	203	2.9	3	1	2	2	4	5	6
75-79	21	3.0	2							35-49	291	3.5	9	1	2	3	4	6	9
80-84	0									50-69	186	3.1	3	2	2	3	4	6	7
85 +	22	4.6	16							70 +	5	1.0							
SUBTOTAL	**178**	**3.3**	**5**	**1**	**2**	**2**	**4**	**6**	**7**		**701**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	366	2.5	3	1	1	2	3	4	6	0-17	402	1.8	1	1	1	2	2	3	4
70-74	112	2.1	2	1	1	2	3	4	4	18-34	2006	1.9	1	1	1	2	2	3	4
75-79	49	2.1	1	< 1	1	2	3	4	4	35-49	2320	2.3	2	1	1	2	3	4	5
80-84	22	3.0	1							50-69	1513	2.1	1	1	1	2	3	4	4
85 +	5	2.0								70 +	5	3.0							
SUBTOTAL	**553**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**6246**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**731**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**		**6948**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	5	1.0							
18-34	41	2.6	2	1	1	2	4	5	5	18-34	58	2.0	1	1	1	2	3	4	4
35-49	32	2.2	1	1	1	2	3	4	4	35-49	22	4.2	3						
50-69	0									50-69	28	1.4							
70 +	0									70 +	0								
SUBTOTAL	**73**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**112**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	73	1.8	1	1	1	2	2	3	4	0-17	85	1.4		1	1	1	2	2	2
18-34	283	2.1	2	1	1	2	2	3	4	18-34	506	1.7	1	1	1	1	2	3	4
35-49	148	2.0	1	1	1	2	2	3	3	35-49	456	1.9	1	1	1	2	2	3	4
50-69	26	3.6	2							50-69	267	2.0	1	1	1	2	3	4	4
70 +	0									70 +	11	3.0	1						
SUBTOTAL	**530**	**2.1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**		**1325**	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**603**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**5**		**1437**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

DRG 262: Breast Biopsy & Local Excision for Non-malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	49	5.0	39	1	1	2	3	18	18	0-17	0								
70-74	16	3.6	4							18-34	6	2.0							
75-79	27	1.4								35-49	48	3.8	11	1	2	3	3	11	11
80-84	10	2.0	1							50-69	33	5.0	6	2	4	4	5	10	10
85 +	5	2.0								70 +	0								
SUBTOTAL	**108**	**3.4**	**21**	**<1**	**1**	**2**	**3**	**13**	**18**		**86**	**4.2**	**9**	**1**	**2**	**3**	**5**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	87	2.2	7	<1	<1	1	3	7	10	0-17	6	1.0							
70-74	38	3.3	5	<1	<1	3	5	7	7	18-34	43	2.3	2	<1	<1	1	3	5	5
75-79	5	1.0								35-49	138	1.9	2	<1	<1	1	2	4	4
80-84	6	7.0								50-69	92	2.5	4	<1	<1	1	3	7	7
85 +	0									70 +	0								
SUBTOTAL	**136**	**2.7**	**7**	**<1**	**<1**	**1**	**3**	**7**	**7**		**279**	**2.2**	**3**	**<1**	**<1**	**1**	**3**	**4**	**7**
GRAND TOTAL	**244**	**3.0**	**13**	**<1**	**1**	**1**	**3**	**7**	**10**		**365**	**2.6**	**5**	**<1**	**<1**	**2**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	5	1.0								18-34	11	9.0	1						
35-49	11	4.1	10							35-49	21	4.3	4						
50-69	11	4.5	7							50-69	6	3.0							
70 +	0									70 +	5	1.0							
SUBTOTAL	**27**	**3.7**	**8**								**42**	**4.9**	**9**	**1**	**3**	**5**	**8**	**10**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	3.7	2							0-17	0								
18-34	27	2.4	3							18-34	5	1.0							
35-49	11	3.6	2							35-49	27	3.9	11						
50-69	5	4.0								50-69	26	2.4	3						
70 +	0									70 +	6	1.0							
SUBTOTAL	**59**	**3.1**	**3**	**1**	**2**	**2**	**5**	**5**	**6**		**64**	**2.8**	**7**	**1**	**1**	**1**	**4**	**5**	**10**
GRAND TOTAL	**86**	**3.3**	**5**	**1**	**2**	**2**	**5**	**7**	**7**		**107**	**3.6**	**9**	**1**	**1**	**3**	**5**	**8**	**10**

DRG 263: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1793	20.5	278	5	9	15	28	46	63	0-17	58	10.5	65	4	4	6	16	17	29
70-74	959	19.2	243	6	9	14	23	41	51	18-34	185	20.0	271	5	9	12	31	43	62
75-79	977	17.6	165	5	9	14	23	36	47	35-49	565	15.2	126	4	7	12	19	33	37
80-84	909	20.3	226	6	10	15	28	42	57	50-69	769	16.7	186	3	6	13	23	37	42
85 +	1148	16.8	175	5	8	14	22	34	45	70 +	48	13.4	212	2	5	7	14	39	52
SUBTOTAL	**5787**	**19.1**	**226**	**5**	**9**	**15**	**25**	**41**	**55**		**1625**	**16.2**	**175**	**4**	**7**	**12**	**22**	**37**	**43**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**5787**	**19.1**	**226**	**5**	**9**	**15**	**25**	**41**	**55**		**1625**	**16.2**	**175**	**4**	**7**	**12**	**22**	**37**	**43**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	78	18.0	173	1	5	14	34	35	41	0-17	16	10.1	18						
18-34	233	24.7	368	8	10	19	35	55	92	18-34	155	14.2	167	4	5	9	21	38	40
35-49	305	20.9	293	5	8	14	32	48	73	35-49	199	15.6	263	4	6	11	19	35	43
50-69	310	19.7	290	5	8	15	22	39	57	50-69	211	13.5	111	5	7	10	16	23	39
70 +	22	15.4	14							70 +	32	10.3	81	2	2	12	13	27	27
SUBTOTAL	**948**	**21.1**	**298**	**5**	**9**	**16**	**29**	**48**	**72**		**612**	**14.1**	**172**	**4**	**6**	**10**	**17**	**27**	**40**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**948**	**21.1**	**298**	**5**	**9**	**16**	**29**	**48**	**72**		**612**	**14.1**	**172**	**4**	**6**	**10**	**17**	**27**	**40**

DRG 264: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	401	11.0	86	2	5	8	14	25	28	0-17	112	7.4	37	1	2	7	9	13	21
70-74	217	9.2	37	1	5	8	13	17	20	18-34	288	8.6	45	2	4	6	11	18	22
75-79	219	10.9	62	3	5	8	14	20	31	35-49	334	6.9	21	2	3	6	9	13	17
80-84	123	13.6	83	3	5	13	18	27	28	50-69	328	8.2	34	3	4	6	11	15	19
85 +	143	12.0	137	3	4	7	15	29	32	70 +	21	16.6	67						
SUBTOTAL	**1104**	**11.1**	**79**	**3**	**5**	**8**	**14**	**24**	**29**		**1084**	**8.0**	**35**	**2**	**4**	**6**	**10**	**17**	**21**
GRAND TOTAL	**1104**	**11.1**	**79**	**3**	**5**	**8**	**14**	**24**	**29**		**1084**	**8.0**	**35**	**2**	**4**	**6**	**10**	**17**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	63	7.5	79	2	3	4	8	13	35	0-17	43	9.4	89	4	4	5	6	32	32
18-34	181	11.7	79	3	6	8	17	22	32	18-34	91	5.9	28	1	3	5	6	13	22
35-49	63	10.6	40	4	7	9	12	17	26	35-49	75	7.2	16	1	5	7	11	12	12
50-69	47	10.4	74	1	3	10	13	30	30	50-69	98	11.4	41	3	7	11	16	22	23
70 +	10	10.0								70 +	11	10.4	7						
SUBTOTAL	**366**	**10.6**	**71**	**3**	**4**	**8**	**13**	**20**	**30**		**317**	**8.5**	**42**	**2**	**4**	**6**	**12**	**17**	**22**
GRAND TOTAL	**366**	**10.6**	**71**	**3**	**4**	**8**	**13**	**20**	**30**		**317**	**8.5**	**42**	**2**	**4**	**6**	**12**	**17**	**22**

DRG 265: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	275	7.9	48	1	3	7	9	22	27
70-74	150	8.7	45	3	5	6	10	19	26
75-79	149	8.2	57	1	3	7	10	14	27
80-84	181	8.2	39	2	3	6	11	21	21
85 +	117	10.1	113	1	2	6	14	25	25
SUBTOTAL	872	8.4	56	2	3	6	11	21	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	872	8.4	56	2	3	6	11	21	25

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	151	4.3	20	1	1	3	5	8	14
18-34	297	5.4	67	1	2	3	6	10	14
35-49	261	9.3	142	2	3	6	9	20	41
50-69	389	9.9	189	1	4	6	9	19	43
70 +	21	9.5	95						
	1119	7.8	126	1	3	5	8	15	24
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1119	7.8	126	1	3	5	8	15	24

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	52	11.6	151	2	4	7	15	32	42
18-34	128	8.6	133	2	2	4	7	15	38
35-49	48	10.1	60	3	4	8	13	24	29
50-69	16	3.6	1						
70 +	0								
SUBTOTAL	244	9.2	117	2	3	5	12	25	38
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	244	9.2	117	2	3	5	12	25	38

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	28	5.5	12						
18-34	146	7.4	132	2	2	4	5	14	42
35-49	80	7.3	59	2	3	5	7	21	31
50-69	70	8.0	28	3	6	6	8	13	23
70 +	11	24.0	582						
	335	7.9	104	2	3	5	8	15	31
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	335	7.9	104	2	3	5	8	15	31

DRG 266: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	341	4.5	15	1	2	3	6	9	14	0-17	871	3.2	21	1	1	2	3	7	11
70-74	165	3.4	8	1	1	2	5	7	9	18-34	841	4.5	24	1	2	3	5	9	14
75-79	165	4.9	31	1	1	3	5	12	16	35-49	889	3.8	11	1	2	3	5	7	8
80-84	102	4.1	21	1	1	2	6	10	15	50-69	630	4.4	11	1	2	4	6	9	10
85 +	113	5.1	22	1	2	4	6	8	15	70 +	16	7.5	74						
SUBTOTAL	**886**	**4.4**	**19**	**1**	**1**	**3**	**6**	**9**	**14**		**3249**	**4.0**	**17**	**1**	**1**	**3**	**5**	**8**	**11**
GRAND TOTAL	**886**	**4.4**	**19**	**1**	**1**	**3**	**6**	**9**	**14**		**3249**	**4.0**	**17**	**1**	**1**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	439	5.0	29	1	2	3	7	11	17	0-17	265	3.6	13	1	1	2	5	7	9
18-34	238	4.5	39	1	1	3	5	9	12	18-34	473	3.2	8	1	1	2	4	8	9
35-49	68	6.5	84	1	2	5	6	9	37	35-49	231	3.3	7	1	1	2	5	7	9
50-69	26	2.8	5							50-69	125	2.8	5	1	1	2	3	5	8
70 +	0									70 +	22	2.0	3						
SUBTOTAL	**772**	**4.9**	**37**	**1**	**2**	**3**	**6**	**10**	**17**		**1116**	**3.3**	**8**	**1**	**1**	**2**	**5**	**7**	**9**
GRAND TOTAL	**772**	**4.9**	**37**	**1**	**2**	**3**	**6**	**10**	**17**		**1116**	**3.3**	**8**	**1**	**1**	**2**	**5**	**7**	**9**

DRG 267: Perianal & Pilonidal Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	11	1.0								0-17	16	2.3							
70-74	6	11.0								18-34	31	2.3	3	1	1	1	4	5	5
75-79	0									35-49	21	3.3	2						
80-84	16	8.2	36							50-69	0								
85 +	0									70 +	0								
SUBTOTAL	32	6.3	33	< 1	1	2	11	16	16		69	2.6	2	1	1	2	4	5	5
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	2.0	1							0-17	175	1.5	1	1	1	1	2	3	3
70-74	21	3.5	1							18-34	531	1.6	1	1	1	1	2	3	3
75-79	0									35-49	124	2.0	3	1	1	1	2	5	6
80-84	0									50-69	31	1.7	1	1	1	1	3	3	3
85 +	0									70 +	0								
SUBTOTAL	37	2.9	1	1	2	3	4	4	4		861	1.7	1	1	1	1	2	3	4
GRAND TOTAL	70	4.4	19	1	2	3	4	11	16		930	1.7	1	1	1	1	2	3	4

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	10	2.0								18-34	11	8.2	62						
35-49	0									35-49	16	1.0							
50-69	10	4.0	1							50-69	11	1.5							
70 +	0									70 +	0								
SUBTOTAL	21	3.0	2								38	3.2	26	1	1	1	2	16	16
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	32	2.5	1	1	2	2	4	4	4	0-17	42	1.6		1	1	1	2	3	3
18-34	59	1.8	1	1	1	2	2	4	4	18-34	148	1.9	1	1	1	2	2	4	4
35-49	6	1.0								35-49	42	2.0	4	< 1	1	1	2	7	7
50-69	5	4.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	102	2.1	1	1	1	2	3	4	4		233	1.8	2	1	1	1	2	3	4
GRAND TOTAL	123	2.2	1	1	1	2	3	4	4		272	2.0	5	1	1	1	2	3	5

DRG 268: Skin, Subcutaneous Tissue & Breast Plastic Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	27	9.5	279							0-17	59	2.4	1	< 1	2	2	3	4	5
70-74	10	2.0	1							18-34	92	2.6	6	1	1	2	3	6	10
75-79	16	3.9	8							35-49	43	3.8	7	1	2	3	6	9	9
80-84	0									50-69	61	5.1	42	< 1	1	2	3	18	19
85 +	23	8.8	35							70 +	5	2.0							
SUBTOTAL	**76**	**7.1**	**117**	**1**	**2**	**3**	**8**	**15**	**43**		**260**	**3.3**	**15**	**1**	**1**	**2**	**3**	**6**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	47	4.2	12	1	2	3	5	11	11	0-17	88	1.8	2	< 1	1	1	2	5	6
70-74	42	2.0	2	< 1	1	1	3	5	5	18-34	139	2.0	1	1	1	2	3	4	4
75-79	32	2.5		2	2	2	3	3	3	35-49	112	2.0	1	1	1	2	3	3	3
80-84	10	4.5	7							50-69	118	3.6	26	1	1	1	3	10	17
85 +	21	2.5	2							70 +	5	2.0							
SUBTOTAL	**153**	**3.0**	**6**	**1**	**1**	**2**	**3**	**7**	**9**		**463**	**2.4**	**8**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**228**	**4.4**	**46**	**1**	**1**	**2**	**3**	**10**	**14**		**723**	**2.7**	**11**	**1**	**1**	**2**	**3**	**5**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5	1.0								0-17	6	8.0							
18-34	32	2.3	1	< 1	1	2	3	4	4	18-34	58	1.5		< 1	< 1	1	2	2	3
35-49	10	4.0	10							35-49	43	3.5	8	< 1	1	2	6	8	8
50-69	16	5.4	10							50-69	76	3.2	6	1	1	3	4	5	10
70 +	0									70 +	5	5.0							
SUBTOTAL	**63**	**3.3**	**7**	**1**	**1**	**3**	**6**	**7**	**8**		**187**	**2.9**	**6**	**< 1**	**1**	**2**	**4**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	57	2.0	1	1	1	2	3	3	3	0-17	47	2.0	3	< 1	1	1	2	6	7
18-34	36	2.9	3	1	1	3	5	5	5	18-34	50	1.5	1	< 1	< 1	1	1	4	4
35-49	10	3.5	7							35-49	119	1.3		1	1	1	2	2	2
50-69	5	2.0								50-69	172	1.3	1	1	1	1	1	2	4
70 +	0									70 +	16	1.0							
SUBTOTAL	**109**	**2.4**	**2**	**1**	**1**	**2**	**3**	**5**	**5**		**405**	**1.4**	**1**	**1**	**1**	**1**	**1**	**2**	**4**
GRAND TOTAL	**173**	**2.7**	**4**	**1**	**1**	**2**	**3**	**6**	**7**		**592**	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**6**

DRG 269: Other Skin, Subcut Tiss & Breast Proc w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	759	12.6	137	2	5	9	16	28	36	0-17	158	6.0	28	1	2	5	9	13	14
70-74	495	11.2	102	2	4	8	15	24	34	18-34	264	5.2	25	1	2	4	6	9	11
75-79	453	11.8	103	3	4	9	16	23	34	35-49	538	7.2	51	1	3	6	9	13	22
80-84	338	11.7	79	2	6	9	18	22	32	50-69	678	8.3	57	2	3	6	10	19	25
85 +	330	11.5	80	3	5	8	16	22	33	70 +	38	6.4	23	2	3	5	8	17	17
SUBTOTAL	**2376**	**11.9**	**107**	**2**	**5**	**9**	**16**	**24**	**34**		**1676**	**7.2**	**48**	**2**	**3**	**5**	**9**	**16**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2376**	**11.9**	**107**	**2**	**5**	**9**	**16**	**24**	**34**		**1676**	**7.2**	**48**	**2**	**3**	**5**	**9**	**16**	**22**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	79	6.2	10	1	4	6	8	10	13	0-17	58	3.8	9	1	1	3	7	9	9
18-34	291	7.9	80	2	3	5	8	14	35	18-34	186	5.5	24	1	2	4	7	13	16
35-49	143	9.0	146	1	3	4	8	26	41	35-49	154	6.7	37	2	2	4	9	17	19
50-69	150	9.9	76	3	4	6	14	25	25	50-69	156	9.5	76	1	3	7	14	20	34
70 +	5	20.0								70 +	38	11.9	57	5	5	8	15	27	27
SUBTOTAL	**669**	**8.5**	**87**	**2**	**3**	**6**	**8**	**19**	**26**		**592**	**7.1**	**46**	**1**	**2**	**5**	**10**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**669**	**8.5**	**87**	**2**	**3**	**6**	**8**	**19**	**26**		**592**	**7.1**	**46**	**1**	**2**	**5**	**10**	**16**	**21**

DRG 270: Other Skin, Subcut Tiss & Breast Proc w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	489	3.3	11	1	1	2	3	7	10	0-17	828	3.0	7	1	1	2	4	7	9
70-74	236	3.5	12	1	1	2	4	8	12	18-34	688	3.0	6	1	1	2	4	6	7
75-79	199	3.2	5	1	2	3	4	6	10	35-49	827	2.8	5	1	1	2	3	6	7
80-84	102	4.8	25	1	1	3	7	15	15	50-69	1014	3.0	15	1	1	2	3	5	9
85 +	38	3.5	4	1	2	3	6	7	7	70 +	31	1.5		1	1	1	2	2	2
SUBTOTAL	**1064**	**3.5**	**12**	**1**	**1**	**2**	**4**	**8**	**12**		**3388**	**2.9**	**9**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**1064**	**3.5**	**12**	**1**	**1**	**2**	**4**	**8**	**12**		**3388**	**2.9**	**9**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	404	4.2	30	1	2	3	5	7	10	0-17	316	2.9	5	1	1	2	4	5	7
18-34	303	3.3	5	1	1	3	5	6	7	18-34	442	4.0	13	1	1	3	6	8	12
35-49	75	7.0	73	1	2	6	6	16	35	35-49	331	3.6	26	1	1	2	4	7	11
50-69	85	4.5	13	1	2	4	6	9	15	50-69	161	2.3	5	1	1	2	3	5	6
70 +	0									70 +	16	1.7							
SUBTOTAL	**868**	**4.1**	**24**	**1**	**2**	**3**	**5**	**7**	**10**		**1267**	**3.4**	**14**	**1**	**1**	**2**	**4**	**7**	**11**
GRAND TOTAL	**868**	**4.1**	**24**	**1**	**2**	**3**	**5**	**7**	**10**		**1267**	**3.4**	**14**	**1**	**1**	**2**	**4**	**7**	**11**

DRG 271: Skin Ulcers

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	920	12.6	161	3	6	9	15	25	39		0-17	42	7.0	26	2	3	6	7	19	19
70-74	543	11.0	61	4	7	9	14	19	24		18-34	70	10.5	51	3	6	11	11	21	28
75-79	526	10.6	68	3	6	8	14	21	29		35-49	213	9.7	98	3	4	7	13	16	37
80-84	612	11.6	114	3	5	9	15	21	31		50-69	326	9.7	39	4	5	8	12	18	22
85 +	839	12.1	96	4	6	10	15	21	31		70 +	21	27.7	468						
SUBTOTAL	**3440**	**11.8**	**107**	**4**	**6**	**9**	**14**	**22**	**30**			**673**	**10.2**	**81**	**3**	**5**	**8**	**12**	**19**	**28**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	134	12.0	185	3	4	7	10	32	35		0-17	16	11.3	148						
70-74	105	11.2	131	3	3	8	12	24	38		18-34	43	3.5	3	1	2	3	5	6	6
75-79	81	8.8	68	2	4	5	9	26	28		35-49	54	9.5	41	2	5	7	14	19	23
80-84	85	9.1	56	2	4	8	10	25	29		50-69	38	4.4	6	< 1	2	5	7	8	8
85 +	204	9.4	38	4	6	8	11	14	22		70 +	11	3.6	7						
SUBTOTAL	**610**	**10.2**	**94**	**3**	**4**	**7**	**11**	**24**	**32**			**160**	**6.5**	**39**	**1**	**3**	**5**	**7**	**14**	**23**
GRAND TOTAL	**4050**	**11.5**	**106**	**3**	**6**	**9**	**14**	**22**	**30**			**833**	**9.5**	**75**	**3**	**4**	**7**	**11**	**18**	**28**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	16	15.3	171								0-17	5	5.0							
18-34	155	9.8	130	3	5	8	11	15	18		18-34	27	6.3	17						
35-49	133	13.4	69	4	8	12	20	25	28		35-49	90	12.2	220	2	5	8	12	31	65
50-69	148	13.2	141	2	5	8	16	33	41		50-69	69	12.2	228	3	4	8	12	26	60
70 +	22	20.1	130								70 +	50	10.0	43	6	6	8	27	99 +	99 +
SUBTOTAL	**473**	**12.5**	**122**	**4**	**5**	**9**	**15**	**31**	**34**			**241**	**10.9**	**161**	**2**	**5**	**8**	**12**	**31**	**65**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	16	9.3	40								0-17	5	10.0							
18-34	10	7.0	40								18-34	21	7.2	13						
35-49	27	6.8	12								35-49	16	11.3	40						
50-69	21	7.6	26								50-69	10	9.0	1						
70 +	0										70 +	16	14.3	97						
SUBTOTAL	**74**	**7.6**	**26**	**1**	**5**	**5**	**13**	**14**	**18**			**68**	**10.3**	**41**	**4**	**5**	**10**	**12**	**19**	**27**
GRAND TOTAL	**546**	**11.9**	**112**	**3**	**5**	**8**	**14**	**25**	**33**			**309**	**10.8**	**135**	**3**	**5**	**8**	**12**	**27**	**62**

DRG 272: Major Skin Disorders w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	596	12.2	72	4	6	10	15	22	27	0-17	279	5.0	19	1	3	4	6	11	17
70-74	367	9.4	42	3	5	7	14	18	22	18-34	132	8.6	42	2	3	8	12	20	23
75-79	274	10.4	43	4	6	9	14	19	22	35-49	309	12.0	115	3	5	8	15	21	41
80-84	302	11.1	57	4	6	9	14	23	29	50-69	435	12.2	80	4	7	9	16	21	31
85 +	241	9.5	67	3	5	7	12	19	22	70 +	38	7.5	13	2	3	9	10	12	12
SUBTOTAL	**1781**	**10.8**	**59**	**4**	**5**	**9**	**14**	**20**	**25**		**1193**	**9.9**	**77**	**2**	**4**	**7**	**14**	**20**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1781**	**10.8**	**59**	**4**	**5**	**9**	**14**	**20**	**25**		**1193**	**9.9**	**77**	**2**	**4**	**7**	**14**	**20**	**24**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	127	6.8	28	2	4	6	8	12	12	0-17	83	4.3	8	1	2	3	6	9	11
18-34	99	10.8	36	3	5	10	15	21	23	18-34	32	6.2	4	3	4	7	7	9	9
35-49	90	18.5	61	9	13	17	22	28	42	35-49	27	5.9	13						
50-69	94	11.5	29	4	8	12	15	16	23	50-69	47	6.7	17	2	3	5	10	14	15
70 +	0									70 +	28	3.7	6						
SUBTOTAL	**410**	**11.4**	**55**	**3**	**6**	**10**	**15**	**22**	**25**		**217**	**5.3**	**11**	**1**	**3**	**5**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**410**	**11.4**	**55**	**3**	**6**	**10**	**15**	**22**	**25**		**217**	**5.3**	**11**	**1**	**3**	**5**	**7**	**10**	**12**

DRG 273: Major Skin Disorders w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	208	10.7	37	2	6	10	16	20	23
70-74	174	7.5	33	1	3	6	10	18	20
75-79	111	4.7	7	1	3	4	7	7	9
80-84	103	7.4	41	1	3	4	13	21	22
85 +	54	9.3	141	2	5	6	8	12	45
SUBTOTAL	**651**	**8.2**	**44**	**2**	**4**	**6**	**11**	**17**	**21**
GRAND TOTAL	**651**	**8.2**	**44**	**2**	**4**	**6**	**11**	**17**	**21**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	480	4.0	16	1	2	3	4	8	14
18-34	181	7.4	28	2	3	6	10	14	23
35-49	309	11.9	74	2	4	11	18	24	28
50-69	406	10.4	75	2	3	8	15	22	30
70 +	0								
	1377	**8.1**	**59**	**2**	**2**	**5**	**12**	**19**	**23**
	1377	**8.1**	**59**	**2**	**2**	**5**	**12**	**19**	**23**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	212	3.9	20	1	2	3	4	7	8
18-34	89	11.5	67	2	5	9	16	23	31
35-49	52	12.9	20	8	10	12	15	21	21
50-69	31	14.0	58	5	7	12	23	25	25
70 +	0								
SUBTOTAL	**385**	**7.7**	**52**	**1**	**2**	**5**	**10**	**19**	**23**
GRAND TOTAL	**385**	**7.7**	**52**	**1**	**2**	**5**	**10**	**19**	**23**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	162	3.7	11	1	2	2	4	6	13
18-34	42	5.6	10	2	3	4	8	12	12
35-49	38	5.1	18	1	3	3	6	15	15
50-69	37	6.6	8	3	4	6	10	11	11
70 +	11	3.0	1						
	290	**4.5**	**12**	**1**	**2**	**4**	**6**	**10**	**13**
	290	**4.5**	**12**	**1**	**2**	**4**	**6**	**10**	**13**

DRG 274: Malignant Breast Disorders w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	114	11.3	127	3	3	7	17	38	42	0-17	0								
70-74	92	11.0	84	3	5	10	13	25	40	18-34	5	8.0							
75-79	107	10.1	154	1	4	6	11	19	58	35-49	91	5.6	48	1	2	3	7	12	29
80-84	71	8.5	25	3	4	9	13	15	17	50-69	225	11.0	124	2	4	7	14	24	41
85 +	55	8.7	37	1	5	7	11	19	20	70 +	0								
SUBTOTAL	**439**	**10.2**	**97**	**2**	**4**	**8**	**13**	**18**	**38**		**321**	**9.4**	**106**	**1**	**3**	**7**	**12**	**22**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**439**	**10.2**	**97**	**2**	**4**	**8**	**13**	**18**	**38**		**321**	**9.4**	**106**	**1**	**3**	**7**	**12**	**22**	**37**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	5	3.0								18-34	5	5.0							
35-49	52	13.4	169	2	3	6	21	35	37	35-49	26	9.4	15						
50-69	16	6.1	3							50-69	65	7.9	38	2	3	5	11	19	20
70 +	0									70 +	28	7.1	18						
SUBTOTAL	**73**	**11.0**	**134**	**3**	**3**	**5**	**20**	**34**	**37**		**124**	**7.9**	**27**	**2**	**3**	**6**	**12**	**14**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**73**	**11.0**	**134**	**3**	**3**	**5**	**20**	**34**	**37**		**124**	**7.9**	**27**	**2**	**3**	**6**	**12**	**14**	**19**

DRG 275: Malignant Breast Disorders w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	26	3.2	1						
70-74	38	3.7	15	< 1	< 1	3	3	13	13
75-79	21	3.2	9						
80-84	22	6.2	16						
85 +	6	9.0							
SUBTOTAL	**112**	**4.2**	**12**	**< 1**	**2**	**3**	**4**	**9**	**13**
GRAND TOTAL	**112**	**4.2**	**12**	**< 1**	**2**	**3**	**4**	**9**	**13**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	64	2.4	4	1	1	2	3	4	8
50-69	120	2.5	1	1	2	3	3	4	5
70 +	0								
	184	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	184	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	6	3.0							
50-69	16	6.3	32						
70 +	0								
SUBTOTAL	**22**	**5.4**	**26**						
GRAND TOTAL	**22**	**5.4**	**26**						

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	16	2.0	1						
50-69	21	4.8	4						
70 +	0								
	37	**3.5**	**4**	**1**	**2**	**3**	**6**	**7**	**7**
	37	**3.5**	**4**	**1**	**2**	**3**	**6**	**7**	**7**

DRG 276: Non-maligant Breast Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	44	10.0	44	4	6	7	17	24	24	0-17	11	2.0							
70-74	5	7.0								18-34	44	3.1	4	< 1	1	2	4	7	7
75-79	16	7.3	2							35-49	33	6.3	5	3	4	6	9	9	9
80-84	5	3.0								50-69	54	7.0	26	4	4	6	8	10	21
85 +	11	6.7	40							70 +	0								
SUBTOTAL	**80**	**8.4**	**33**	**3**	**6**	**7**	**9**	**17**	**24**		**142**	**5.3**	**16**	**2**	**2**	**4**	**7**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	60	4.9	4	2	3	5	6	8	8	0-17	75	3.3	4	1	2	3	4	7	7
70-74	43	5.5	6	< 1	3	7	7	8	8	18-34	146	3.4	4	2	2	3	4	6	7
75-79	16	6.7								35-49	131	3.4	4	< 1	2	3	5	6	6
80-84	10	6.0	1							50-69	101	4.9	6	2	3	5	7	8	9
85 +	10	8.0	40							70 +	0								
SUBTOTAL	**139**	**5.6**	**7**	**2**	**4**	**6**	**7**	**8**	**8**		**452**	**3.7**	**5**	**1**	**2**	**3**	**5**	**7**	**7**
GRAND TOTAL	**219**	**6.6**	**18**	**2**	**4**	**6**	**7**	**12**	**17**		**594**	**4.1**	**8**	**1**	**2**	**4**	**6**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	11	4.4	2							18-34	11	3.5							
35-49	10	2.5	2							35-49	5	3.0							
50-69	11	8.9	10							50-69	16	3.6	1						
70 +	0									70 +	0								
SUBTOTAL	**32**	**5.3**	**12**	**1**	**3**	**5**	**6**	**12**	**12**		**32**	**3.5**	**1**	**3**	**3**	**3**	**4**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	21	4.8	7							0-17	10	3.0	1						
18-34	71	2.8	2	1	2	3	4	4	6	18-34	59	3.0	2	1	2	3	4	6	6
35-49	22	3.0	2							35-49	22	4.2	17						
50-69	6	5.0								50-69	10	7.0							
70 +	0									70 +	0								
SUBTOTAL	**120**	**3.3**	**3**	**1**	**2**	**3**	**4**	**6**	**6**		**101**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**152**	**3.7**	**6**	**1**	**2**	**3**	**5**	**6**	**8**		**133**	**3.6**	**5**	**1**	**2**	**3**	**4**	**7**	**7**

DRG 277: Cellulitis Age >17 w/ CC

	MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs										
AGE GROUP										
0-69 (YRS.)	5075	8.0	29	3	4	7	10	14	18	
70-74	2599	8.0	35	3	5	7	9	14	18	
75-79	2642	8.4	30	4	5	7	10	15	20	
80-84	2305	8.8	47	3	5	7	11	16	21	
85+	2774	8.7	31	4	5	7	11	16	20	
SUBTOTAL	**15395**	**8.3**	**33**	**3**	**5**	**7**	**10**	**15**	**19**	
2.PATIENTS W/OUT CCs										
AGE GROUP										
0-69	0									
70-74	0									
75-79	0									
80-84	0									
85+	0									
SUBTOTAL	**0**									
GRAND TOTAL	**15395**	**8.3**	**33**	**3**	**5**	**7**	**10**	**15**	**19**	

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1059	5.3	11	2	3	4	6	10	11
35-49	2165	6.1	17	2	3	5	7	12	14
50-69	3764	7.4	36	3	4	6	9	13	17
70+	262	8.2	34	3	4	7	10	13	18
	7250	**6.7**	**27**	**3**	**4**	**5**	**8**	**13**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	7250	**6.7**	**27**	**3**	**4**	**5**	**8**	**13**	**16**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	733	6.2	20	2	4	5	8	11	17
35-49	1015	7.5	25	2	4	6	10	15	16
50-69	795	8.1	36	3	4	7	10	14	18
70+	71	7.0	13	3	5	7	8	8	18
SUBTOTAL	**2614**	**7.3**	**27**	**3**	**4**	**6**	**9**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2614**	**7.3**	**27**	**3**	**4**	**6**	**9**	**14**	**17**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	575	6.2	33	2	3	5	7	11	13
35-49	792	6.3	30	2	3	5	7	12	16
50-69	848	7.5	60	3	4	6	8	14	22
70+	162	8.5	20	4	6	7	10	14	19
	2377	**6.8**	**41**	**2**	**3**	**5**	**8**	**12**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	2377	**6.8**	**41**	**2**	**3**	**5**	**8**	**12**	**17**

DRG 278: Cellulitis Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2007	5.8	12	2	3	5	7	11	13
70-74	1162	6.0	11	3	3	5	8	10	13
75-79	1044	5.8	10	3	4	5	7	10	12
80-84	941	6.3	17	3	4	5	8	12	13
85 +	912	6.9	25	3	4	6	8	11	14
SUBTOTAL	**6066**	**6.1**	**14**	**3**	**4**	**5**	**7**	**10**	**13**
GRAND TOTAL	**6066**	**6.1**	**14**	**3**	**4**	**5**	**7**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	3023	4.1	8	2	2	3	5	7	9
35-49	3881	4.6	11	2	3	4	5	8	10
50-69	3659	4.9	8	2	3	4	6	8	10
70 +	87	5.4	7	2	3	5	7	10	11
	10651	**4.6**	**9**	**2**	**3**	**4**	**6**	**8**	**10**
	10651	**4.6**	**9**	**2**	**3**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1060	4.0	7	2	2	3	5	7	8
35-49	561	5.5	17	2	3	5	6	10	14
50-69	320	5.9	15	3	4	5	8	10	15
70 +	23	7.5	3						
SUBTOTAL	**1964**	**4.8**	**12**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**1964**	**4.8**	**12**	**2**	**3**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1431	3.8	6	2	2	3	5	7	9
35-49	981	4.6	8	2	3	4	6	8	10
50-69	693	4.6	8	2	3	4	6	8	10
70 +	113	4.9	6	2	3	5	6	9	10
	3219	**4.3**	**7**	**2**	**3**	**4**	**5**	**8**	**10**
	3219	**4.3**	**7**	**2**	**3**	**4**	**5**	**8**	**10**

DRG 279: Cellulitis Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	16	4.1	3							0-17	685	4.5	10	2	2	3	6	9	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**16**	**4.1**	**3**								**685**	**4.5**	**10**	**2**	**2**	**3**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	26	5.6	5							0-17	3681	3.4	4	2	2	3	4	6	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**26**	**5.6**	**5**								**3681**	**3.4**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**43**	**5.0**	**5**	**2**	**4**	**5**	**7**	**9**	**9**		**4366**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	616	5.2	16	2	3	4	6	9	15	0-17	300	3.8	4	2	2	4	4	6	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**616**	**5.2**	**16**	**2**	**3**	**4**	**6**	**9**	**15**		**300**	**3.8**	**4**	**2**	**2**	**4**	**4**	**6**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2525	3.6	5	1	2	3	4	6	8	0-17	1542	3.5	8	1	2	3	4	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2525**	**3.6**	**5**	**1**	**2**	**3**	**4**	**6**	**8**		**1542**	**3.5**	**8**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**3141**	**3.9**	**8**	**2**	**2**	**3**	**5**	**7**	**9**		**1842**	**3.6**	**7**	**2**	**2**	**3**	**4**	**6**	**8**

DRG 280: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	572	5.1	23	1	3	4	6	9	11	0-17	0								
70-74	382	5.2	17	1	3	4	7	12	12	18-34	1030	2.7	11	1	1	2	3	5	8
75-79	475	5.9	13	2	3	5	8	11	14	35-49	729	3.1	5	1	1	2	4	6	8
80-84	724	5.6	16	2	3	5	7	9	14	50-69	616	4.1	11	1	2	3	6	9	12
85 +	1090	5.8	20	2	3	5	7	11	14	70 +	305	4.4	17	1	2	3	6	8	11
SUBTOTAL	3244	5.6	18	2	3	5	7	10	13		2679	3.3	11	1	1	2	4	7	9
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	3244	5.6	18	2	3	5	7	10	13		2679	3.3	11	1	1	2	4	7	9

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	523	3.2	7	1	1	2	4	7	9	18-34	952	2.2	3	<1	1	1	3	5	6
35-49	205	3.4	5	1	2	3	5	7	8	35-49	391	3.3	10	<1	1	2	4	9	9
50-69	81	6.4	28	1	2	5	10	13	19	50-69	124	3.4	11	1	1	2	4	8	13
70 +	0									70 +	76	4.7	20	1	2	3	7	10	18
SUBTOTAL	809	3.6	10	1	1	3	5	8	10		1544	2.7	7	<1	1	2	3	5	8
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	809	3.6	10	1	1	3	5	8	10		1544	2.7	7	<1	1	2	3	5	8

DRG 281: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	367	3.4	5	1	2	2	5	7	9
70-74	294	3.4	10	1	2	3	4	7	10
75-79	331	4.1	10	1	2	3	5	7	8
80-84	363	4.0	11	1	2	3	5	8	9
85 +	534	4.5	10	2	2	4	6	8	10
SUBTOTAL	**1889**	**4.0**	**9**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**1889**	**4.0**	**9**	**1**	**2**	**3**	**5**	**8**	**9**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1953	2.1	2	1	1	2	3	4	5
35-49	1169	2.2	3	1	1	2	3	4	6
50-69	839	2.4	3	1	1	2	3	5	6
70 +	247	2.3	4	1	1	2	3	4	8
	4209	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	4209	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	842	2.3	6	1	1	2	3	4	6
35-49	268	1.9	2	< 1	1	1	2	4	5
50-69	75	2.2	2	1	1	2	2	4	6
70 +	0								
SUBTOTAL	**1186**	**2.2**	**5**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1186**	**2.2**	**5**	**1**	**1**	**2**	**3**	**4**	**5**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1755	1.8	1	< 1	1	1	2	3	4
35-49	408	2.1	2	< 1	1	2	3	4	6
50-69	290	2.2	4	1	1	2	3	5	6
70 +	82	2.5	4	< 1	1	2	3	5	8
	2534	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**
	2534	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**

DRG 282: Trauma to the Skin, Subcut Tiss & Breast Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	495	2.3	3	1	1	2	3	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**495**	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1848	1.8	3	1	1	1	2	3	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1848**	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**0**										**2343**	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**5**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	252	2.7	3	1	2	2	3	6	7	0-17	180	2.5	6	1	1	2	3	4	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**252**	**2.7**	**3**	**1**	**2**	**2**	**3**	**6**	**7**		**180**	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1250	2.1	4	<1	1	1	2	4	7	0-17	916	1.8	1	<1	1	1	2	3	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1250**	**2.1**	**4**	**<1**	**1**	**1**	**2**	**4**	**7**		**916**	**1.8**	**1**	**<1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1503**	**2.2**	**4**	**<1**	**1**	**2**	**3**	**4**	**7**		**1096**	**1.9**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**

DRG 283: Minor Skin Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	463	6.7	26	2	3	5	8	14	16
70-74	267	5.4	17	2	3	4	7	9	14
75-79	179	5.6	12	2	3	5	7	10	13
80-84	200	6.0	12	2	3	5	7	10	14
85 +	232	6.3	13	2	4	5	8	11	14
SUBTOTAL	**1342**	**6.1**	**18**	**2**	**3**	**5**	**8**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1342**	**6.1**	**18**	**2**	**3**	**5**	**8**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	258	6.0	112	1	2	3	5	10	13
18-34	247	4.3	9	1	2	4	6	9	10
35-49	257	6.0	17	2	3	5	8	13	14
50-69	402	6.1	23	2	3	5	7	14	17
70 +	43	6.2	46	1	2	4	7	23	23
	1206	**5.7**	**39**	**1**	**3**	**4**	**7**	**10**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1206	**5.7**	**39**	**1**	**3**	**4**	**7**	**10**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	185	4.3	9	2	2	3	6	8	10
18-34	91	6.2	16	1	3	6	8	13	15
35-49	74	7.4	21	2	5	6	11	14	17
50-69	79	6.5	16	2	4	5	9	13	15
70 +	11	1.0							
SUBTOTAL	**440**	**5.5**	**15**	**2**	**2**	**5**	**8**	**12**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**440**	**5.5**	**15**	**2**	**2**	**5**	**8**	**12**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	79	4.0	10	1	2	3	5	7	14
18-34	69	3.7	5	2	2	3	4	6	10
35-49	86	5.7	12	2	3	5	6	11	15
50-69	76	7.3	82	2	3	4	6	21	36
70 +	32	5.1	4	2	4	5	7	8	8
	343	**5.2**	**27**	**2**	**2**	**4**	**6**	**9**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	343	**5.2**	**27**	**2**	**2**	**4**	**6**	**9**	**14**

DRG 284: Minor Skin Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	177	4.7	11	1	2	4	7	7	10	0-17	685	2.8	6	1	1	2	3	5	6
70-74	173	4.2	14	1	2	3	5	10	15	18-34	609	3.0	5	1	1	2	4	6	7
75-79	108	4.3	9	1	2	3	6	9	10	35-49	624	3.3	7	1	1	2	4	7	8
80-84	108	5.0	7	2	2	5	6	9	10	50-69	435	3.6	6	1	2	3	4	6	8
85+	75	4.6	6	1	3	4	7	7	10	70+	28	3.2	9						
SUBTOTAL	**640**	**4.5**	**10**	**1**	**2**	**4**	**7**	**9**	**10**		**2380**	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**640**	**4.5**	**10**	**1**	**2**	**4**	**7**	**9**	**10**		**2380**	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	521	3.1	4	1	2	2	4	6	8	0-17	299	2.6	4	1	1	2	3	6	7
18-34	184	4.4	13	<1	2	3	7	10	12	18-34	183	3.4	11	1	1	2	4	6	10
35-49	98	5.8	34	1	2	4	7	15	22	35-49	127	4.3	14	1	2	2	6	7	13
50-69	48	4.5	8	1	2	3	7	8	8	50-69	102	4.5	9	1	2	4	6	9	10
70+	11	1.5								70+	5	2.0							
SUBTOTAL	**861**	**3.8**	**10**	**1**	**2**	**3**	**5**	**8**	**10**		**717**	**3.4**	**9**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**861**	**3.8**	**10**	**1**	**2**	**3**	**5**	**8**	**10**		**717**	**3.4**	**9**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 285: Amputat of Lower Limb for Endocrine, Nutrit,& Metabol Disorders

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	366	19.7	307	5	9	15	25	42	70	0-17	0									
70-74	181	19.7	119	7	11	20	27	36	50	18-34	11	12.2	62							
75-79	141	18.2	219	4	7	13	23	48	49	35-49	107	13.4	57	5	7	13	19	27	29	
80-84	54	12.8	72	5	6	10	16	29	29	50-69	288	15.1	168	6	8	11	17	25	41	
85 +	58	18.7	64	11	13	18	23	31	34	70 +	6	7.0								
SUBTOTAL	**800**	**18.9**	**218**	**5**	**9**	**15**	**24**	**36**	**49**		**411**	**14.4**	**136**	**5**	**7**	**11**	**17**	**25**	**33**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	26	7.5	15							0-17	5	1.0								
70-74	16	11.0	3							18-34	0									
75-79	16	14.4	80							35-49	10	8.0	4							
80-84	0									50-69	16	17.3	87							
85 +	16	15.3	352							70 +	0									
SUBTOTAL	**75**	**11.4**	**106**	**4**	**4**	**9**	**14**	**25**	**42**		**32**	**11.6**	**85**	**1**	**6**	**10**	**15**	**29**	**29**	
GRAND TOTAL	**876**	**18.3**	**213**	**5**	**9**	**15**	**24**	**36**	**48**		**443**	**14.2**	**132**	**5**	**7**	**11**	**16**	**25**	**33**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	37	19.7	246	7	9	16	22	56	56	35-49	53	13.9	65	5	8	11	21	29	29	
50-69	86	19.5	58	10	12	18	23	33	35	50-69	79	21.7	126	11	14	18	27	41	49	
70 +	0									70 +	21	11.2	34							
SUBTOTAL	**123**	**19.6**	**113**	**9**	**12**	**18**	**23**	**33**	**35**		**153**	**17.6**	**111**	**5**	**11**	**15**	**21**	**35**	**41**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	5	4.0								
35-49	0									35-49	11	13.8	18							
50-69	11	11.0								50-69	5	1.0								
70 +	0									70 +	0									
SUBTOTAL	**11**	**11.0**									**21**	**8.3**	**43**							
GRAND TOTAL	**134**	**18.9**	**109**	**9**	**11**	**17**	**22**	**33**	**35**		**174**	**16.5**	**111**	**5**	**10**	**15**	**20**	**29**	**41**	

DRG 286: Adrenal & Pituitary Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	96	13.1	186	5	6	8	14	49	50
70-74	47	9.7	32	4	5	8	14	21	22
75-79	63	21.4	160	6	7	23	28	35	45
80-84	27	8.2	3						
85 +	16	14.5	27						
SUBTOTAL	**249**	**14.1**	**141**	**5**	**6**	**9**	**16**	**33**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	59	6.2	3	3	5	6	8	8	9
70-74	10	8.5							
75-79	16	7.0	1						
80-84	5	5.0							
85 +	0								
SUBTOTAL	**90**	**6.6**	**3**	**4**	**5**	**7**	**8**	**9**	**9**
GRAND TOTAL	**339**	**12.1**	**115**	**5**	**6**	**8**	**14**	**28**	**35**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	18.2	614	6	8	10	11	87	87
18-34	79	7.1	5	5	6	7	8	11	13
35-49	73	8.2	11	6	6	8	8	13	18
50-69	157	12.1	88	5	7	10	12	26	39
70 +	11	10.0							
	366	**11.0**	**130**	**5**	**6**	**8**	**10**	**17**	**30**
0-17	78	5.7	11	3	4	5	6	7	17
18-34	115	6.4	20	4	5	5	6	8	8
35-49	147	6.9	33	4	4	5	7	11	15
50-69	127	5.4	2	3	4	6	6	8	8
70 +	0								
	466	**6.2**	**18**	**4**	**5**	**5**	**6**	**8**	**11**
	833	**8.3**	**73**	**4**	**5**	**6**	**8**	**12**	**17**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	21	8.8	29						
18-34	32	5.5	2	3	5	6	6	7	7
35-49	26	9.0	12						
50-69	22	12.6	23						
70 +	5	46.0							
SUBTOTAL	**106**	**10.4**	**85**	**3**	**6**	**7**	**12**	**18**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	31	5.9	2	4	4	6	7	8	8
35-49	0								
50-69	6	5.0							
70 +	0								
SUBTOTAL	**37**	**5.7**	**2**	**4**	**4**	**6**	**7**	**8**	**8**
GRAND TOTAL	**143**	**9.2**	**68**	**4**	**6**	**6**	**12**	**17**	**20**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	5	7.0							
18-34	27	9.7	60						
35-49	38	7.9	5	5	6	8	9	12	12
50-69	37	6.6	1	5	6	7	7	8	8
70 +	5	13.0							
	111	**8.1**	**18**	**5**	**6**	**7**	**8**	**12**	**13**
0-17	5	4.0							
18-34	37	9.6	90	3	4	6	11	32	32
35-49	31	6.3	9	3	4	5	8	12	12
50-69	21	6.3	1						
70 +	0								
	94	**7.5**	**41**	**3**	**4**	**6**	**7**	**12**	**27**
	205	**7.8**	**29**	**4**	**5**	**7**	**8**	**12**	**16**

DRG 287: Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	561	12.5	89	3	7	10	15	30	34
70-74	259	20.6	229	6	9	17	26	44	51
75-79	175	14.7	127	5	7	14	19	21	49
80-84	136	14.2	177	2	6	13	16	27	28
85 +	125	15.4	215	4	4	11	24	30	47
SUBTOTAL	**1256**	**15.0**	**154**	**4**	**7**	**11**	**19**	**32**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	26	5.0	3						
70-74	6	14.0							
75-79	11	8.1	10						
80-84	0								
85 +	0								
SUBTOTAL	**42**	**7.0**	**14**	**2**	**5**	**6**	**11**	**14**	**14**
GRAND TOTAL	**1298**	**14.7**	**151**	**4**	**7**	**11**	**19**	**31**	**42**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	5	11.0							
18-34	59	7.6	18	3	4	7	11	14	14
35-49	193	12.7	87	3	7	10	17	27	31
50-69	485	12.6	135	3	5	9	16	24	43
70 +	32	16.8	134	6	7	12	24	38	38
	774	**12.4**	**115**	**3**	**6**	**9**	**15**	**26**	**32**
0-17	5	6.0							
18-34	5	3.0							
35-49	22	6.8	19						
50-69	42	8.5	28	2	3	7	12	17	17
70 +	0								
	75	**7.4**	**24**	**3**	**4**	**5**	**12**	**15**	**17**
	849	**12.0**	**109**	**3**	**5**	**9**	**15**	**25**	**31**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	47	23.6	363	7	10	14	42	58	62
35-49	86	11.1	41	3	6	9	16	21	24
50-69	91	15.3	251	5	5	11	16	30	67
70 +	0								
SUBTOTAL	**225**	**15.4**	**214**	**5**	**6**	**11**	**17**	**30**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	5	3.0							
35-49	11	19.0	89						
50-69	0								
70 +	0								
SUBTOTAL	**16**	**14.0**	**118**						
GRAND TOTAL	**241**	**15.3**	**207**	**5**	**6**	**11**	**17**	**30**	**44**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	10.5	2						
35-49	85	16.6	301	1	5	8	22	56	58
50-69	70	12.6	72	6	8	10	14	21	38
70 +	6	21.0							
	171	**14.7**	**184**	**4**	**7**	**10**	**17**	**30**	**56**
0-17	0								
18-34	0								
35-49	0								
50-69	27	9.6	98						
70 +	0								
	27	**9.6**	**98**						
	197	**14.0**	**175**	**1**	**6**	**10**	**17**	**30**	**50**

DRG 288: O.R. Procedures for Obesity

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16	7.3	11						
70-74	0								
75-79	0								
80-84	6	23.0							
85 +	0								
SUBTOTAL	**22**	**11.4**	**58**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	37	4.6	7	1	2	4	6	9	9
70-74	10	5.5	7						
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**47**	**4.8**	**7**	**1**	**3**	**4**	**6**	**9**	**9**
GRAND TOTAL	**69**	**6.9**	**32**	**2**	**4**	**5**	**8**	**12**	**23**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	3.0	1						
18-34	122	6.9	7	5	5	6	8	12	12
35-49	306	6.4	11	3	4	6	7	10	14
50-69	99	7.6	30	2	4	6	10	18	20
70 +	0								
	537	**6.7**	**14**	**3**	**5**	**6**	**7**	**12**	**14**
0-17	16	4.0	2						
18-34	381	4.3	2	3	3	4	5	6	7
35-49	582	4.1	5	2	3	4	5	7	7
50-69	171	4.3	3	2	3	4	5	7	8
70 +	0								
	1150	**4.2**	**4**	**2**	**3**	**4**	**5**	**6**	**7**
	1687	**5.0**	**8**	**2**	**3**	**5**	**6**	**7**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	5	16.0							
18-34	32	6.0	5	3	4	6	8	9	9
35-49	58	11.4	231	5	5	6	8	43	57
50-69	11	6.5	2						
70 +	0								
SUBTOTAL	**106**	**9.5**	**135**	**4**	**5**	**7**	**8**	**15**	**57**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	1.5							
18-34	151	4.6	7	3	3	3	6	7	7
35-49	60	4.5	2	3	3	4	6	6	7
50-69	5	6.0							
70 +	0								
SUBTOTAL	**226**	**4.4**	**6**	**3**	**3**	**3**	**6**	**6**	**7**
GRAND TOTAL	**333**	**6.0**	**52**	**3**	**3**	**5**	**6**	**8**	**15**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	27	10.4	152						
35-49	26	5.0	3						
50-69	6	6.0							
70 +	0								
	59	**7.6**	**76**	**3**	**4**	**5**	**7**	**7**	**35**
0-17	10	5.5							
18-34	58	2.9	3	< 1	1	3	4	6	6
35-49	109	2.0	2	1	1	1	2	4	7
50-69	38	2.1	1	1	1	2	3	4	4
70 +	0								
	216	**2.4**	**3**	**1**	**1**	**2**	**3**	**6**	**6**
	274	**3.5**	**23**	**1**	**1**	**2**	**5**	**6**	**7**

DRG 289: Parathyroid Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	122	4.9	19	2	2	3	6	11	11
70-74	90	10.3	92	2	3	4	17	30	31
75-79	53	11.8	142	3	4	5	18	33	34
80-84	21	7.1	42						
85 +	16	24.3	21						
SUBTOTAL	**302**	**8.9**	**85**	**2**	**3**	**4**	**13**	**24**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	143	2.7	1	2	2	2	3	5	5
70-74	133	2.7	6	1	2	2	3	3	5
75-79	111	2.9	3	1	2	2	3	5	8
80-84	75	3.1	1	2	2	3	4	4	5
85 +	10	3.0	1						
SUBTOTAL	**473**	**2.8**	**3**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**774**	**5.2**	**44**	**2**	**2**	**3**	**4**	**13**	**19**

BLUE CROSS/ VATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	21	7.2	32						
35-49	69	5.4	19	2	3	3	5	13	16
50-69	100	5.2	30	2	2	3	4	18	19
70 +	5	3.0							
	195	**5.4**	**26**	**2**	**2**	**3**	**5**	**16**	**18**
0-17	21	4.3	7						
18-34	43	3.7	4	2	2	2	5	7	7
35-49	227	2.6	4	1	2	2	3	4	6
50-69	500	2.5	1	1	2	2	3	3	4
70 +	6	2.0							
	796	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**5**
	992	**3.2**	**8**	**1**	**2**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	10	2.5							
50-69	10	22.5	465						
70 +	0								
SUBTOTAL	**21**	**12.5**	**326**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	22	3.3	2						
50-69	26	2.8	3						
70 +	0								
SUBTOTAL	**48**	**3.0**	**3**	**1**	**2**	**3**	**4**	**6**	**6**
GRAND TOTAL	**69**	**5.9**	**116**	**1**	**2**	**3**	**4**	**6**	**43**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	11	4.4	13						
35-49	6	1.0							
50-69	31	8.8	61	2	2	5	16	22	22
70 +	10	10.5	47						
	58	**7.5**	**51**	**1**	**2**	**4**	**16**	**17**	**22**
0-17	0								
18-34	47	3.1	4	1	2	2	3	7	8
35-49	32	2.3		2	2	2	3	3	3
50-69	91	2.7	7	1	2	2	3	3	13
70 +	11	2.0							
	181	**2.7**	**5**	**1**	**2**	**2**	**3**	**3**	**8**
	239	**3.9**	**20**	**1**	**2**	**2**	**3**	**8**	**16**

DRG 290: Thyroid Procedures

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	272	3.3	5	1	2	3	4	6	6
70-74	192	5.2	59	2	2	3	4	9	31
75-79	135	4.0	6	2	2	3	5	8	9
80-84	38	3.2	1	2	2	3	4	5	5
85 +	38	5.9	33	2	2	3	6	19	19
SUBTOTAL	**673**	**4.1**	**23**	**2**	**2**	**3**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	822	2.4	1	1	2	2	3	4	5
70-74	430	2.3	1	1	2	2	3	4	4
75-79	339	2.6	2	1	2	2	3	5	6
80-84	113	2.6	1	2	2	2	3	4	4
85 +	22	5.3	28						
SUBTOTAL	**1726**	**2.4**	**2**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**2399**	**2.9**	**8**	**1**	**2**	**2**	**3**	**5**	**6**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	5.0	13	2	2	4	7	12	12
18-34	276	3.2	10	1	2	2	3	5	8
35-49	394	3.2	8	1	2	2	3	6	9
50-69	447	3.2	3	1	2	3	4	6	7
70 +	5	2.0							
	1154	**3.3**	**7**	**1**	**2**	**3**	**4**	**6**	**8**
0-17	205	2.1	1	1	1	2	2	3	4
18-34	1622	2.0	1	1	1	2	2	3	4
35-49	3013	2.0	1	1	1	2	2	3	3
50-69	2020	2.0	1	1	1	2	2	3	4
70 +	32	2.5	1	1	2	2	3	4	4
	6892	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
	8045	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**4**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	5	7.0							
18-34	26	4.5	4						
35-49	44	4.6	5	2	3	4	6	9	9
50-69	43	4.1	10	1	2	3	4	12	12
70 +	0								
SUBTOTAL	**118**	**4.5**	**7**	**2**	**3**	**4**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	21	2.8	1						
18-34	292	2.5	1	1	2	2	3	4	4
35-49	181	2.4	1	1	2	2	3	4	5
50-69	81	2.7	1	2	2	3	3	3	6
70 +	5	3.0							
SUBTOTAL	**580**	**2.5**	**1**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**698**	**2.8**	**3**	**1**	**2**	**3**	**3**	**5**	**6**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	1.5							
18-34	54	2.9	3	1	2	3	3	4	8
35-49	80	2.9	2	2	2	3	3	4	8
50-69	117	2.5	2	1	2	2	3	5	5
70 +	11	2.0							
	272	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**7**
0-17	31	1.8		1	1	2	2	3	3
18-34	355	2.0	2	1	1	2	2	3	3
35-49	571	1.8	1	1	1	2	2	3	3
50-69	392	2.0	1	1	1	2	2	4	4
70 +	27	1.6							
	1376	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
	1648	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

DRG 291: Thyroglossal Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	10	1.0							
80-84	0									50-69	5	7.0							
85 +	0									70 +	0								
SUBTOTAL	**0**										**16**	**3.0**	**9**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	33	1.5	1	1	1	1	2	3	3	0-17	296	1.2		1	1	1	1	2	2
70-74	0									18-34	134	1.5		1	1	1	2	2	2
75-79	11	1.5								35-49	97	1.4		1	1	1	2	2	2
80-84	0									50-69	58	1.6		1	1	1	2	3	3
85 +	0									70 +	0								
SUBTOTAL	**44**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**		**586**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**
GRAND TOTAL	**44**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**		**601**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**2**

	MEDICAID										NO INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	74	1.3		1	1	1	2	2	2	0-17	106	1.2		1	1	1	1	2	2
18-34	11	1.5								18-34	26	1.0							
35-49	6	2.0								35-49	22	1.2							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**90**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**		**154**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**90**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**		**154**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**

DRG 292: Other Endocrine, Nutrit & Metab O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	361	13.9	128	3	7	11	18	35	39	0-17	16	20.7	61						
70-74	146	14.8	44	6	9	15	19	23	25	18-34	80	14.9	362	3	6	11	14	27	83
75-79	135	17.7	64	6	13	18	22	29	33	35-49	85	11.4	211	2	3	7	14	19	64
80-84	75	22.7	177	9	13	19	29	44	53	50-69	198	12.7	165	2	4	9	16	42	55
85 +	43	10.9	19	4	8	10	15	19	19	70 +	6	12.0							
SUBTOTAL	**761**	**15.4**	**107**	**5**	**8**	**13**	**20**	**29**	**36**		**384**	**13.2**	**212**	**3**	**4**	**10**	**16**	**39**	**64**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**761**	**15.4**	**107**	**5**	**8**	**13**	**20**	**29**	**36**		**384**	**13.2**	**212**	**3**	**4**	**10**	**16**	**39**	**64**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	31.8	683							0-17	5	36.0							
18-34	53	12.0	48	4	7	11	19	23	24	18-34	11	16.3	22						
35-49	60	10.8	47	3	5	7	19	19	20	35-49	38	23.0	242	7	12	18	27	58	58
50-69	74	16.0	66	6	10	14	23	28	29	50-69	44	17.1	154	2	8	14	20	46	46
70 +	0									70 +	10	19.0	1						
SUBTOTAL	**213**	**15.5**	**170**	**4**	**6**	**12**	**21**	**28**	**43**		**108**	**20.2**	**168**	**7**	**12**	**18**	**22**	**36**	**47**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**213**	**15.5**	**170**	**4**	**6**	**12**	**21**	**28**	**43**		**108**	**20.2**	**168**	**7**	**12**	**18**	**22**	**36**	**47**

DRG 293: Other Endocrine, Nutrit & Metab O.R. Proc w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	33	6.5	10	2	3	7	10	10	10	0-17	63	7.4	78	1	3	4	7	10	35
70-74	11	5.6	2							18-34	6	3.0							
75-79	16	6.1	5							35-49	53	5.9	52	1	2	3	8	10	26
80-84	11	7.0	1							50-69	28	9.9	75						
85 +	0									70 +	0								
SUBTOTAL	**71**	**6.3**	**6**	**3**	**4**	**7**	**8**	**10**	**10**		**149**	**7.2**	**67**	**1**	**2**	**4**	**8**	**24**	**26**
GRAND TOTAL	**71**	**6.3**	**6**	**3**	**4**	**7**	**8**	**10**	**10**		**149**	**7.2**	**67**	**1**	**2**	**4**	**8**	**24**	**26**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	36	3.4	12	1	1	2	5	11	11	0-17	16	1.3							
18-34	11	3.0	1							18-34	21	3.0							
35-49	11	5.9	4							35-49	21	2.2	1						
50-69	11	2.5								50-69	21	4.2	6						
70 +	0									70 +	0								
SUBTOTAL	**69**	**3.6**	**8**	**1**	**2**	**3**	**4**	**8**	**11**		**79**	**2.8**	**3**	**1**	**2**	**3**	**3**	**5**	**8**
GRAND TOTAL	**69**	**3.6**	**8**	**1**	**2**	**3**	**4**	**8**	**11**		**79**	**2.8**	**3**	**1**	**2**	**3**	**3**	**5**	**8**

DRG 294: Diabetes Age >35

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4601	7.2	28	3	4	6	9	13	17	0-17	0								
70-74	2896	7.6	35	3	4	6	9	13	17	18-34	0								
75-79	2317	8.0	42	3	4	6	9	15	20	35-49	2706	5.5	18	2	3	5	7	9	12
80-84	1789	8.4	44	3	5	7	10	16	19	50-69	3617	6.4	22	3	4	5	8	11	14
85 +	1158	9.4	65	3	5	7	11	18	21	70 +	202	7.4	21	3	5	6	8	15	18
SUBTOTAL	**12761**	**7.8**	**38**	**3**	**4**	**6**	**9**	**14**	**18**		**6525**	**6.0**	**20**	**2**	**3**	**5**	**7**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2235	5.3	13	2	3	5	6	9	11	0-17	0								
70-74	1331	5.3	8	2	3	5	7	9	11	18-34	0								
75-79	1020	5.4	9	2	3	5	7	9	10	35-49	2576	4.2	9	2	3	4	5	7	8
80-84	734	5.6	7	3	4	5	7	9	10	50-69	3033	4.6	6	2	3	4	6	8	9
85 +	353	6.9	24	3	4	5	8	14	17	70 +	115	4.8	9	2	2	4	6	10	12
SUBTOTAL	**5673**	**5.5**	**11**	**2**	**3**	**5**	**7**	**9**	**11**		**5724**	**4.4**	**7**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**18435**	**7.1**	**31**	**3**	**4**	**6**	**8**	**13**	**17**		**12249**	**5.3**	**15**	**2**	**3**	**4**	**6**	**9**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	1518	6.0	21	2	3	5	7	11	14	35-49	1044	5.0	19	2	3	4	6	8	12
50-69	1344	6.8	20	2	4	6	9	13	16	50-69	873	6.8	36	2	3	5	8	13	17
70 +	49	6.8	10	2	4	8	10	10	10	70 +	138	9.9	216	2	4	6	9	15	32
SUBTOTAL	**2911**	**6.4**	**21**	**2**	**3**	**5**	**8**	**11**	**15**		**2056**	**6.1**	**41**	**2**	**3**	**5**	**7**	**10**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	770	5.4	12	2	3	4	7	9	12	35-49	732	3.8	7	1	2	3	5	7	9
50-69	645	5.2	11	2	3	5	7	9	11	50-69	633	4.2	5	2	3	4	5	7	8
70 +	21	7.2	5							70 +	66	4.6	10	2	3	4	6	9	12
SUBTOTAL	**1436**	**5.3**	**11**	**2**	**3**	**5**	**7**	**9**	**12**		**1431**	**4.0**	**7**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**4346**	**6.0**	**18**	**2**	**3**	**5**	**8**	**11**	**14**		**3487**	**5.2**	**28**	**2**	**3**	**4**	**6**	**9**	**13**

DRG 295: Diabetes Age 0-35

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	638	6.0	27	2	3	5	7	11	16
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**638**	**6.0**	**27**	**2**	**3**	**5**	**7**	**11**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	272	5.4	17	1	3	4	7	12	14
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**272**	**5.4**	**17**	**1**	**3**	**4**	**7**	**12**	**14**
GRAND TOTAL	**909**	**5.8**	**24**	**2**	**3**	**5**	**7**	**11**	**16**

BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1561	4.1	9	1	2	3	5	7	9
18-34	2427	4.5	13	2	2	4	5	8	11
35-49	184	5.5	22	2	3	4	6	10	21
50-69	0								
70 +	0								
	4172	**4.4**	**12**	**2**	**2**	**4**	**5**	**8**	**10**
0-17	4096	3.9	4	2	2	4	5	6	8
18-34	2861	3.5	4	1	2	3	4	6	7
35-49	183	4.5	10	2	3	4	6	7	8
50-69	0								
70 +	0								
	7140	**3.8**	**5**	**1**	**2**	**3**	**5**	**6**	**8**
	11312	**4.0**	**7**	**1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	579	4.4	11	1	2	4	5	9	10
18-34	1777	5.1	22	2	3	4	6	8	11
35-49	101	5.5	20	2	3	4	7	10	16
50-69	0								
70 +	0								
SUBTOTAL	**2456**	**5.0**	**19**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1437	4.1	8	1	2	3	5	7	10
18-34	1583	4.5	11	2	2	4	5	8	11
35-49	32	6.2	6	2	4	7	8	9	9
50-69	0								
70 +	0								
SUBTOTAL	**3052**	**4.3**	**10**	**2**	**2**	**4**	**5**	**8**	**10**
GRAND TOTAL	**5508**	**4.6**	**14**	**2**	**2**	**4**	**6**	**8**	**11**

NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	469	4.2	12	1	2	3	5	8	10
18-34	1237	4.1	10	1	2	3	6	7	8
35-49	129	5.6	25	1	3	5	7	9	10
50-69	0								
70 +	0								
	1835	**4.2**	**11**	**1**	**2**	**3**	**6**	**7**	**9**
0-17	1153	3.6	5	1	2	3	5	6	7
18-34	1448	3.4	4	1	2	3	4	6	7
35-49	69	3.2	3	1	2	3	4	6	6
50-69	0								
70 +	0								
	2670	**3.4**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
	4505	**3.8**	**7**	**1**	**2**	**3**	**5**	**7**	**8**

DRG 296: Nutritional & Misc Metabolic Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	11040	7.0	44	2	3	5	9	14	19
70-74	7587	7.5	43	2	4	6	9	14	19
75-79	8809	7.8	49	3	4	6	9	15	21
80-84	8446	7.9	41	3	4	6	10	15	19
85+	10451	8.4	45	3	4	7	10	16	20
SUBTOTAL	46341	7.7	45	2	4	6	9	15	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	46341	7.7	45	2	4	6	9	15	19

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	1900	6.2	45	1	2	4	8	15	18
35-49	2560	5.3	20	2	2	4	7	11	14
50-69	6025	7.1	42	2	3	5	9	15	19
70+	786	6.6	35	2	3	5	8	13	17
SUBTOTAL	11271	6.5	38	2	3	5	8	14	18
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	11271	6.5	38	2	3	5	8	14	18

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1054	6.8	75	1	2	4	8	14	18
35-49	1290	5.8	35	2	3	4	7	12	16
50-69	1957	7.6	40	2	3	6	10	15	20
70+	172	14.6	253	3	4	9	19	28	43
SUBTOTAL	4473	7.2	57	2	3	5	9	14	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	4473	7.2	57	2	3	5	9	14	20

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	667	5.4	27	1	2	3	6	12	16
35-49	685	5.7	33	2	2	4	7	11	18
50-69	1310	6.0	25	2	3	4	7	12	19
70+	624	6.6	26	2	4	5	8	12	15
SUBTOTAL	3286	5.9	27	2	3	4	7	12	17
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	3286	5.9	27	2	3	4	7	12	17

DRG 297: Nutritional & Misc Metabolic Disorders Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2373	4.6	13	1	2	4	6	9	12	0-17	0								
70-74	2002	4.4	9	2	2	4	5	8	10	18-34	2797	3.8	17	1	2	2	4	8	12
75-79	2314	5.0	12	2	3	4	6	10	13	35-49	1974	3.3	5	1	2	3	4	5	8
80-84	2281	5.4	17	2	3	4	7	10	13	50-69	2179	3.5	5	1	2	3	4	6	8
85 +	2701	5.4	16	2	3	5	7	9	12	70 +	155	3.2	3	1	2	2	5	6	6
SUBTOTAL	**11671**	**5.0**	**14**	**2**	**3**	**4**	**6**	**9**	**12**		**7106**	**3.5**	**10**	**1**	**2**	**3**	**4**	**6**	**9**
GRAND TOTAL	**11671**	**5.0**	**14**	**2**	**3**	**4**	**6**	**9**	**12**		**7106**	**3.5**	**10**	**1**	**2**	**3**	**4**	**6**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	681	4.4	21	1	2	2	5	11	14	18-34	736	3.0	12	1	1	2	3	5	8
35-49	392	3.6	6	1	2	3	5	7	8	35-49	500	2.9	4	1	2	2	4	5	7
50-69	439	4.5	7	2	3	4	6	7	9	50-69	447	3.5	9	1	2	3	4	5	7
70 +	48	5.1	4	2	3	5	6	8	9	70 +	226	5.6	109	1	2	3	5	9	12
SUBTOTAL	**1560**	**4.2**	**13**	**1**	**2**	**3**	**5**	**8**	**12**		**1909**	**3.4**	**21**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**1560**	**4.2**	**13**	**1**	**2**	**3**	**5**	**8**	**12**		**1909**	**3.4**	**21**	**1**	**2**	**3**	**4**	**6**	**8**

DRG 298: Nutritional & Misc Metabolic Disorders Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	89	5.9	26	1	1	5	9	15	17	0-17	3099	5.7	63	1	2	3	6	13	21
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**89**	**5.9**	**26**	**1**	**1**	**5**	**9**	**15**	**17**		**3099**	**5.7**	**63**	**1**	**2**	**3**	**6**	**13**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	3.0								0-17	12937	2.9	8	1	1	2	3	5	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**16**	**3.0**									**12937**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**105**	**5.5**	**23**	**1**	**2**	**3**	**8**	**14**	**16**		**16036**	**3.4**	**20**	**1**	**2**	**2**	**3**	**6**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	2934	6.5	70	2	2	4	8	14	18	0-17	1012	6.1	65	1	2	3	7	13	22
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2934**	**6.5**	**70**	**2**	**2**	**4**	**8**	**14**	**18**		**1012**	**6.1**	**65**	**1**	**2**	**3**	**7**	**13**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	9288	4.0	16	1	2	3	4	8	12	0-17	3609	2.7	7	1	1	2	3	5	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**9288**	**4.0**	**16**	**1**	**2**	**3**	**4**	**8**	**12**		**3609**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**12222**	**4.6**	**30**	**1**	**2**	**3**	**5**	**10**	**14**		**4622**	**3.5**	**22**	**1**	**1**	**2**	**3**	**7**	**10**

DRG 299: Inborn Errors of Metabolism

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	59	10.4	42	5	5	9	15	20	24	0-17	135	7.2	60	1	2	3	11	19	24
70-74	6	11.0								18-34	48	5.9	15	2	3	4	8	13	14
75-79	11	8.2	28							35-49	108	7.3	30	2	4	6	14	16	19
80-84	10	4.5								50-69	53	4.3	8	1	2	3	7	8	10
85 +	11	5.5	13							70 +	0								
SUBTOTAL	**97**	**9.0**	**35**	**3**	**5**	**7**	**11**	**19**	**23**		**344**	**6.6**	**38**	**1**	**2**	**4**	**8**	**16**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	105	3.0	14	1	1	1	4	5	13	0-17	249	3.0	9	1	1	2	4	6	11
70-74	11	5.7	22							18-34	81	4.5	19	1	1	3	5	11	17
75-79	11	1.5								35-49	64	5.8	34	2	3	4	5	13	23
80-84	0									50-69	21	4.5	3						
85 +	0									70 +	0								
SUBTOTAL	**127**	**3.1**	**14**	**1**	**1**	**1**	**4**	**10**	**13**		**415**	**3.8**	**16**	**1**	**1**	**2**	**4**	**7**	**13**
GRAND TOTAL	**224**	**5.7**	**31**	**1**	**1**	**4**	**9**	**13**	**17**		**759**	**5.1**	**28**	**1**	**2**	**3**	**6**	**13**	**17**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	98	6.8	31	2	3	5	11	18	54	0-17	43	3.5	8	1	1	3	6	9	9
18-34	11	10.5	99							18-34	63	8.2	44	2	2	6	10	16	24
35-49	22	8.2	5							35-49	11	5.0	4						
50-69	10	2.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**141**	**7.0**	**32**	**2**	**2**	**5**	**11**	**20**	**23**		**117**	**6.2**	**32**	**1**	**2**	**3**	**9**	**14**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	83	2.8	6	1	1	2	3	7	10	0-17	119	3.0	3	1	1	3	4	6	6
18-34	6	7.0								18-34	115	6.7	79	2	3	4	6	14	16
35-49	16	3.7	3							35-49	31	7.0	19	3	4	5	13	13	13
50-69	11	7.9	10							50-69	10	3.5							
70 +	0									70 +	0								
SUBTOTAL	**115**	**3.6**	**8**	**1**	**1**	**3**	**5**	**7**	**10**		**275**	**5.0**	**40**	**1**	**3**	**4**	**5**	**8**	**14**
GRAND TOTAL	**256**	**5.5**	**24**	**1**	**2**	**4**	**8**	**12**	**20**		**392**	**5.4**	**37**	**1**	**2**	**4**	**6**	**13**	**16**

DRG 300: Endocrine Disorders w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	667	7.7	26	3	4	6	10	14	18
70-74	390	9.0	52	3	4	7	11	18	24
75-79	430	10.5	95	3	5	8	13	20	22
80-84	300	10.1	108	3	5	7	11	16	30
85 +	307	10.6	55	4	7	9	13	20	26
SUBTOTAL	2094	9.3	62	3	5	7	11	17	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2094	9.3	62	3	5	7	11	17	22

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	198	6.3	38	1	2	4	8	14	19
18-34	218	4.4	8	2	2	3	7	8	8
35-49	317	6.6	48	2	3	4	9	13	15
50-69	478	7.0	38	2	3	6	8	14	17
70 +	53	8.3	19	4	6	8	10	14	19
	1266	6.4	36	2	3	5	8	13	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1266	6.4	36	2	3	5	8	13	16

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	121	5.6	45	1	2	3	8	10	13
18-34	100	7.2	58	2	2	5	8	22	28
35-49	74	5.6	8	2	3	7	7	10	10
50-69	123	9.2	38	3	5	7	14	16	17
70 +	16	5.3	14						
SUBTOTAL	433	7.0	41	2	3	5	9	14	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	433	7.0	41	2	3	5	9	14	17

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	3.2	8	1	1	2	4	6	12
18-34	127	3.9	8	1	2	3	6	7	7
35-49	118	6.5	33	2	2	5	9	12	18
50-69	130	9.9	251	2	4	6	8	16	20
70 +	33	6.7	11	3	3	5	10	11	11
	486	6.2	85	1	2	4	7	12	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	486	6.2	85	1	2	4	7	12	16

DRG 301: Endocrine Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	219	3.7	5	1	2	3	5	7	8	0-17	324	2.9	8	1	2	2	3	5	6
70-74	117	6.6	26	2	2	6	8	12	17	18-34	281	3.5	9	1	2	3	4	7	12
75-79	54	6.1	14	2	2	6	8	10	14	35-49	401	2.9	5	1	2	2	3	4	7
80-84	64	5.1	10	1	2	6	8	10	10	50-69	334	3.6	7	1	2	3	5	7	9
85+	54	4.5	8	2	2	4	5	10	10	70+	11	6.7	40						
SUBTOTAL	**508**	**4.9**	**13**	**1**	**2**	**4**	**7**	**9**	**10**		**1351**	**3.2**	**8**	**1**	**2**	**2**	**4**	**6**	**9**
GRAND TOTAL	**508**	**4.9**	**13**	**1**	**2**	**4**	**7**	**9**	**10**		**1351**	**3.2**	**8**	**1**	**2**	**2**	**4**	**6**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	219	3.5	13	1	1	2	4	10	12	0-17	191	2.4	8	1	1	1	2	6	12
18-34	85	4.0	6	1	2	3	5	8	11	18-34	122	4.8	14	1	2	4	6	10	13
35-49	37	2.9	1	2	2	2	4	5	5	35-49	80	4.6	14	2	2	4	6	9	16
50-69	47	4.7	8	2	3	4	5	10	11	50-69	117	4.6	12	2	2	3	5	9	13
70+	0									70+	10	5.0	18						
SUBTOTAL	**388**	**3.7**	**10**	**1**	**2**	**3**	**4**	**8**	**11**		**521**	**3.8**	**13**	**1**	**1**	**2**	**5**	**9**	**12**
GRAND TOTAL	**388**	**3.7**	**10**	**1**	**2**	**3**	**4**	**8**	**11**		**521**	**3.8**	**13**	**1**	**1**	**2**	**5**	**9**	**12**

DRG 302: Kidney Transplant

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	962	16.6	106	8	10	14	20	27	34	0-17	67	20.0	189	10	12	17	21	26	64
70-74	0									18-34	114	13.0	31	8	10	11	15	21	21
75-79	0									35-49	114	15.2	60	8	9	12	21	24	24
80-84	0									50-69	67	15.8	74	9	10	12	21	23	40
85 +	0									70 +	0								
SUBTOTAL	**962**	**16.6**	**106**	**8**	**10**	**14**	**20**	**27**	**34**		**362**	**15.5**	**82**	**8**	**10**	**13**	**20**	**23**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	119	11.1	26	7	8	10	15	19	19	0-17	57	11.4	17	8	8	10	14	17	19
70-74	0									18-34	16	11.0	1						
75-79	0									35-49	26	8.0	7						
80-84	0									50-69	10	8.0	4						
85 +	0									70 +	0								
SUBTOTAL	**119**	**11.1**	**26**	**7**	**8**	**10**	**15**	**19**	**19**		**109**	**10.2**	**13**	**6**	**8**	**10**	**12**	**14**	**18**
GRAND TOTAL	**1081**	**16.0**	**100**	**8**	**10**	**13**	**19**	**26**	**33**		**471**	**14.3**	**71**	**7**	**9**	**12**	**17**	**22**	**26**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	25.0	116							0-17	0								
18-34	31	13.8	78	6	8	9	19	31	31	18-34	16	12.7	12						
35-49	16	8.7	4							35-49	31	19.3	251	9	12	13	14	54	54
50-69	16	13.3	1							50-69	16	12.7	5						
70 +	0									70 +	0								
SUBTOTAL	**78**	**14.9**	**83**	**6**	**9**	**12**	**19**	**31**	**39**		**62**	**16.0**	**139**	**9**	**11**	**14**	**15**	**15**	**54**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5	15.0								0-17	0								
18-34	10	13.0	10							18-34	0								
35-49	0									35-49	16	10.3	24						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**16**	**13.7**	**7**								**16**	**10.3**	**24**						
GRAND TOTAL	**93**	**14.7**	**71**	**6**	**10**	**13**	**16**	**31**	**38**		**78**	**14.9**	**120**	**7**	**9**	**13**	**15**	**17**	**54**

DRG 303: Kidney, Ureter & Major Bladder Procedures for Neoplasm

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1119	12.4	53	6	8	10	15	22	27
70-74	810	11.8	47	6	8	10	14	19	27
75-79	813	14.1	87	6	8	11	16	26	35
80-84	503	14.5	104	7	9	11	16	25	36
85 +	157	14.4	30	8	9	14	20	23	23
SUBTOTAL	**3402**	**13.1**	**67**	**6**	**8**	**11**	**15**	**22**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	304	8.7	14	6	7	8	9	12	20
70-74	304	10.0	56	5	7	8	12	14	16
75-79	191	8.7	14	5	7	8	10	12	18
80-84	108	9.5	14	5	8	9	10	14	22
85 +	53	10.0	23	6	7	9	11	18	21
SUBTOTAL	**959**	**9.3**	**28**	**5**	**7**	**8**	**10**	**14**	**18**
GRAND TOTAL	**4361**	**12.2**	**61**	**6**	**8**	**10**	**14**	**21**	**27**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	67	10.0	17	5	6	11	14	16	16
18-34	32	12.4	36	7	8	11	13	25	25
35-49	319	10.0	30	5	7	9	12	15	18
50-69	1133	10.4	42	5	7	9	12	16	25
70 +	69	15.5	210	5	6	11	19	22	61
	1620	**10.6**	**46**	**5**	**7**	**9**	**12**	**16**	**24**
0-17	109	8.0	5	6	7	8	10	11	11
18-34	54	6.4	13	3	4	5	7	15	16
35-49	277	7.1	12	5	5	6	8	10	12
50-69	650	7.5	9	5	5	7	9	12	14
70 +	26	8.8	6						
	1116	**7.4**	**9**	**5**	**5**	**7**	**9**	**11**	**12**
	2736	**9.3**	**34**	**5**	**6**	**8**	**11**	**14**	**18**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	21	16.0	12						
18-34	22	9.2	11						
35-49	42	13.1	111	6	6	9	13	40	40
50-69	69	15.9	46	10	10	15	20	23	33
70 +	5	17.0							
SUBTOTAL	**159**	**14.3**	**58**	**6**	**9**	**13**	**17**	**21**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	31	13.5	56	8	8	8	18	28	28
18-34	0								
35-49	6	6.0							
50-69	10	7.5							
70 +	6	7.0							
SUBTOTAL	**53**	**10.8**	**44**	**6**	**7**	**8**	**11**	**20**	**28**
GRAND TOTAL	**211**	**13.4**	**56**	**6**	**8**	**11**	**17**	**21**	**28**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	21	6.8	1						
18-34	16	6.7	2						
35-49	70	10.2	100	4	6	7	11	12	44
50-69	213	11.4	36	5	7	10	14	18	21
70 +	65	13.3	40	6	8	12	17	23	27
	385	**11.0**	**48**	**5**	**7**	**9**	**13**	**18**	**27**
0-17	52	8.5	52	4	5	6	9	17	29
18-34	6	6.0							
35-49	59	10.7	64	5	6	8	11	14	35
50-69	129	7.8	8	5	6	7	9	11	12
70 +	27	5.8	6						
	273	**8.3**	**30**	**5**	**6**	**7**	**9**	**11**	**16**
	658	**9.9**	**42**	**5**	**6**	**8**	**12**	**16**	**23**

DRG 304: Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1390	12.0	93	4	6	9	15	23	28
70-74	676	11.6	81	4	6	8	13	22	36
75-79	502	12.4	52	4	7	11	16	24	27
80-84	384	16.2	217	5	7	11	19	34	51
85 +	124	14.0	58	4	8	13	20	23	29
SUBTOTAL	**3076**	**12.6**	**100**	**4**	**6**	**10**	**15**	**24**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3076**	**12.6**	**100**	**4**	**6**	**10**	**15**	**24**	**29**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	853	7.9	86	3	4	5	8	15	20
18-34	632	8.3	42	3	5	7	10	14	19
35-49	676	8.2	43	2	4	7	9	15	20
50-69	1012	9.6	58	3	5	8	12	19	25
70 +	69	11.6	78	3	3	6	18	25	27
	3242	**8.7**	**60**	**3**	**4**	**7**	**10**	**17**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3242	**8.7**	**60**	**3**	**4**	**7**	**10**	**17**	**24**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	301	9.3	62	3	5	6	12	19	25
18-34	238	10.7	44	4	6	8	15	21	23
35-49	144	12.8	94	4	6	9	20	25	33
50-69	87	12.2	77	2	8	11	16	23	38
70 +	0								
SUBTOTAL	**771**	**10.7**	**66**	**4**	**5**	**8**	**14**	**22**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**771**	**10.7**	**66**	**4**	**5**	**8**	**14**	**22**	**25**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	303	6.3	19	3	4	5	7	11	18
18-34	206	8.3	30	3	6	8	9	12	20
35-49	219	10.9	175	3	5	7	12	23	27
50-69	219	9.9	32	5	7	9	11	18	24
70 +	44	9.5	21	2	6	10	13	17	17
	991	**8.7**	**61**	**3**	**5**	**7**	**10**	**17**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	991	**8.7**	**61**	**3**	**5**	**7**	**10**	**17**	**23**

DRG 305: Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	527	6.4	22	2	3	6	8	12	15
70-74	220	5.7	19	1	3	5	7	10	14
75-79	134	5.3	7	2	3	5	7	8	10
80-84	75	10.8	145	2	4	6	13	21	50
85 +	22	9.4	21						
SUBTOTAL	**978**	**6.5**	**31**	**2**	**3**	**5**	**8**	**12**	**15**
GRAND TOTAL	**978**	**6.5**	**31**	**2**	**3**	**5**	**8**	**12**	**15**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2855	4.5	6	2	3	4	6	8	9
18-34	857	5.0	7	1	3	5	6	8	10
35-49	1071	5.0	16	1	3	5	7	8	10
50-69	865	4.9	10	2	3	4	6	8	11
70 +	6	4.0							
	5655	**4.7**	**8**	**2**	**3**	**4**	**6**	**8**	**9**
	5655	**4.7**	**8**	**2**	**3**	**4**	**6**	**8**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	634	5.9	14	3	4	5	7	10	13
18-34	159	6.8	9	3	5	6	8	12	14
35-49	95	6.5	10	2	5	6	8	11	15
50-69	75	6.8	51	3	4	5	6	9	31
70 +	0								
SUBTOTAL	**964**	**6.2**	**16**	**3**	**4**	**5**	**7**	**11**	**14**
GRAND TOTAL	**964**	**6.2**	**16**	**3**	**4**	**5**	**7**	**11**	**14**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	605	5.3	19	2	3	4	6	10	11
18-34	351	5.1	4	2	4	5	6	8	8
35-49	299	5.5	7	2	4	5	7	9	10
50-69	187	5.5	11	2	3	4	8	9	12
70 +	38	4.3	19	< 1	1	2	7	14	14
	1479	**5.3**	**12**	**2**	**3**	**5**	**7**	**9**	**10**
	1479	**5.3**	**12**	**2**	**3**	**5**	**7**	**9**	**10**

DRG 306: Prostatectomy w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	482	7.3	25	3	4	6	10	13	16
70-74	565	8.7	53	3	3	7	13	17	22
75-79	648	8.9	59	3	3	6	12	17	24
80-84	590	8.2	45	3	4	6	11	15	22
85 +	375	11.7	58	4	6	10	14	24	30
SUBTOTAL	**2661**	**8.8**	**50**	**3**	**4**	**7**	**12**	**17**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2661**	**8.8**	**50**	**3**	**4**	**7**	**12**	**17**	**23**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	32	3.0	3	1	2	3	4	6	6
50-69	305	7.2	32	3	3	5	10	14	16
70 +	54	7.5	25	2	4	7	9	19	19
	392	**6.9**	**30**	**2**	**3**	**5**	**9**	**14**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	392	**6.9**	**30**	**2**	**3**	**5**	**9**	**14**	**16**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	5	16.0							
70 +	16	26.3	431						
SUBTOTAL	**21**	**23.8**	**339**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**21**	**23.8**	**339**						

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	27	6.9	28						
70 +	70	8.2	24	4	4	8	9	16	21
	97	**7.8**	**25**	**2**	**4**	**8**	**9**	**16**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	97	**7.8**	**25**	**2**	**4**	**8**	**9**	**16**	**19**

DRG 307: Prostatectomy w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	265	3.5	4	2	2	3	4	5	6	0-17	5	1.0							
70-74	344	4.3	13	2	3	3	5	8	9	18-34	6	1.0							
75-79	289	5.3	15	2	3	4	6	11	15	35-49	22	9.1	147						
80-84	199	5.3	26	2	3	3	5	13	20	50-69	330	3.9	6	2	2	3	4	8	9
85 +	115	5.1	7	2	3	4	6	10	12	70 +	31	3.3	3	2	2	3	3	7	7
SUBTOTAL	**1212**	**4.6**	**14**	**2**	**3**	**3**	**5**	**8**	**12**		**394**	**4.0**	**15**	**2**	**2**	**3**	**4**	**8**	**9**
GRAND TOTAL	**1212**	**4.6**	**14**	**2**	**3**	**3**	**5**	**8**	**12**		**394**	**4.0**	**15**	**2**	**2**	**3**	**4**	**8**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	6	4.0								35-49	10	4.0	4						
50-69	6	6.0								50-69	49	2.6	1	1	2	3	3	4	4
70 +	0									70 +	48	3.7	5	2	3	3	3	8	10
SUBTOTAL	**11**	**5.0**	**1**								**108**	**3.2**	**3**	**2**	**2**	**3**	**3**	**4**	**7**
GRAND TOTAL	**11**	**5.0**	**1**								**108**	**3.2**	**3**	**2**	**2**	**3**	**3**	**4**	**7**

DRG 308: Minor Bladder Procedures w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	638	9.1	70	2	3	7	12	22	27	0-17	183	8.8	67	2	5	8	10	13	29
70-74	466	9.5	78	2	4	8	11	18	23	18-34	95	6.8	14	2	4	5	9	12	16
75-79	545	9.9	63	2	4	7	13	23	27	35-49	112	4.8	12	1	2	4	8	11	11
80-84	382	8.7	77	2	4	7	9	16	21	50-69	386	7.6	107	2	3	5	8	15	15
85 +	414	10.3	80	3	5	8	13	21	29	70 +	69	10.2	162	1	2	5	15	20	49
SUBTOTAL	**2446**	**9.5**	**73**	**2**	**4**	**7**	**12**	**20**	**27**		**845**	**7.6**	**81**	**1**	**3**	**5**	**9**	**13**	**18**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2446**	**9.5**	**73**	**2**	**4**	**7**	**12**	**20**	**27**		**845**	**7.6**	**81**	**1**	**3**	**5**	**9**	**13**	**18**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	83	11.5	58	2	7	10	13	25	29	0-17	57	8.5	24	2	2	9	13	14	15
18-34	94	10.4	26	5	7	10	13	26	99 +	18-34	53	8.3	14	2	5	9	11	13	14
35-49	42	8.0	34	1	5	6	10	18	18	35-49	53	9.6	69	1	4	6	17	28	28
50-69	54	10.8	26	3	6	9	15	16	20	50-69	53	4.8	14	1	2	4	6	9	14
70 +	16	8.9	15							70 +	44	7.1	21	1	4	5	9	17	17
SUBTOTAL	**290**	**10.4**	**37**	**3**	**6**	**10**	**13**	**20**	**26**		**260**	**7.7**	**31**	**2**	**4**	**7**	**11**	**15**	**17**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**290**	**10.4**	**37**	**3**	**6**	**10**	**13**	**20**	**26**		**260**	**7.7**	**31**	**2**	**4**	**7**	**11**	**15**	**17**

DRG 309: Minor Bladder Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	382	3.1	4	1	2	3	4	5	8	0-17	234	5.9	31	1	2	4	7	13	14
70-74	330	3.7	11	1	2	2	4	6	10	18-34	96	4.9	18	1	2	4	7	9	16
75-79	214	4.7	20	1	2	3	6	11	13	35-49	178	4.7	8	2	2	4	6	9	11
80-84	146	3.7	10	1	2	3	5	7	9	50-69	444	3.7	6	1	2	3	5	7	8
85 +	157	5.0	18	1	2	3	8	12	13	70 +	22	1.7	1						
SUBTOTAL	**1228**	**3.8**	**12**	**1**	**2**	**3**	**5**	**8**	**11**		**974**	**4.5**	**14**	**1**	**2**	**4**	**6**	**9**	**11**
GRAND TOTAL	**1228**	**3.8**	**12**	**1**	**2**	**3**	**5**	**8**	**11**		**974**	**4.5**	**14**	**1**	**2**	**4**	**6**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	94	3.5	5	< 1	2	3	5	7	8	0-17	41	3.3	6	1	1	3	3	8	8
18-34	47	5.6	4	2	4	6	7	8	8	18-34	59	3.9	6	1	2	4	6	8	8
35-49	43	4.9	10	2	2	4	5	12	12	35-49	60	3.5	7	2	2	3	4	8	11
50-69	55	4.9	13	< 1	2	4	7	11	13	50-69	128	3.5	6	1	2	3	6	7	8
70 +	5	3.0								70 +	55	3.0	3	1	2	2	5	5	6
SUBTOTAL	**246**	**4.5**	**8**	**1**	**2**	**4**	**6**	**8**	**8**		**344**	**3.4**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**246**	**4.5**	**8**	**1**	**2**	**4**	**6**	**8**	**8**		**344**	**3.4**	**6**	**1**	**2**	**3**	**5**	**7**	**8**

DRG 310: Transurethral Procedures w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1633	4.5	19	1	2	3	6	8	11
70-74	1825	5.1	37	1	2	3	6	10	13
75-79	1529	5.0	23	1	2	4	6	11	13
80-84	1440	5.5	28	1	2	4	7	11	15
85 +	1271	6.6	33	2	3	5	9	14	19
SUBTOTAL	7697	5.3	28	1	2	4	7	11	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	7697	5.3	28	1	2	4	7	11	14

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	2.8	1						
18-34	601	3.6	4	1	2	3	5	6	7
35-49	1084	4.0	6	1	2	3	5	8	9
50-69	1947	4.2	10	1	2	3	6	8	10
70 +	131	4.3	11	1	2	4	5	10	11
	3789	4.0	8	1	2	3	5	8	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3789	4.0	8	1	2	3	5	8	9

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	6.7	22						
18-34	91	6.0	35	2	3	4	8	11	27
35-49	61	5.1	28	1	2	3	8	9	20
50-69	76	4.8	6	3	3	4	6	7	11
70 +	16	11.0	42						
SUBTOTAL	259	5.8	26	2	3	4	7	12	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	259	5.8	26	2	3	4	7	12	18

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	1.5							
18-34	213	3.3	4	1	2	3	5	6	7
35-49	254	3.4	9	1	2	3	4	6	7
50-69	381	3.3	8	1	2	3	4	6	7
70 +	131	3.7	9	1	1	3	4	7	9
	989	3.4	7	1	2	3	4	6	7
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	989	3.4	7	1	2	3	4	6	7

DRG 311: Transurethral Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1425	2.5	2	1	1	2	3	5	6
70-74	1344	2.5	4	1	1	2	3	4	6
75-79	934	2.6	3	1	1	2	3	5	6
80-84	723	2.7	3	1	1	2	3	5	6
85+	630	3.4	7	1	2	3	5	6	8
SUBTOTAL	**5057**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**5057**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	113	3.2	9	1	1	2	4	7	9
18-34	1880	3.0	3	1	2	3	4	5	6
35-49	3272	2.7	3	1	1	2	4	5	6
50-69	3261	2.7	4	1	1	2	3	5	6
70+	108	2.7	3	1	1	2	4	4	5
	8634	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**
	8634	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	5	1.0							
18-34	217	2.5	3	1	1	2	3	4	7
35-49	156	3.2	4	1	2	2	4	5	8
50-69	66	3.6	6	1	2	2	6	7	8
70+	0								
SUBTOTAL	**445**	**2.9**	**4**	**1**	**2**	**2**	**3**	**6**	**7**
GRAND TOTAL	**445**	**2.9**	**4**	**1**	**2**	**2**	**3**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	26	2.2	1						
18-34	518	2.3	2	1	1	2	3	4	5
35-49	630	2.3	3	1	1	2	3	4	5
50-69	538	2.5	2	1	1	2	3	4	5
70+	109	2.6	1	1	1	3	3	4	4
	1821	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	1821	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 312: Urethral Procedures, Age >17 w/ CC

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	172	4.7	24	1	1	3	6	9	13
70-74	125	4.1	8	1	2	4	6	7	11
75-79	211	7.1	80	1	2	4	8	15	30
80-84	147	5.8	28	1	2	4	8	14	18
85 +	124	5.4	57	1	1	3	5	17	25
SUBTOTAL	**780**	**5.6**	**44**	**1**	**2**	**4**	**7**	**12**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**780**	**5.6**	**44**	**1**	**2**	**4**	**7**	**12**	**18**

BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	103	4.5	8	1	2	4	6	8	10
35-49	96	3.3	8	1	2	3	3	5	11
50-69	80	4.6	40	1	1	2	4	12	25
70 +	6	2.0							
	285	**4.0**	**17**	**1**	**2**	**3**	**5**	**7**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	285	**4.0**	**17**	**1**	**2**	**3**	**5**	**7**	**12**

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	5.0							
35-49	16	2.0	1						
50-69	22	3.4	2						
70 +	0								
SUBTOTAL	**44**	**3.1**	**2**	**1**	**2**	**3**	**5**	**5**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**44**	**3.1**	**2**	**1**	**2**	**3**	**5**	**5**	**5**

NO INSURANCE									
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	27	2.9	4						
35-49	21	2.0	1						
50-69	5	2.0							
70 +	0								
	54	**2.5**	**2**	**1**	**2**	**2**	**2**	**4**	**7**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	54	**2.5**	**2**	**1**	**2**	**2**	**2**	**4**	**7**

DRG 313: Urethral Procedures, Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	71	1.6	1	<1	1	1	2	3	3	0-17	0								
70-74	95	2.4	2	1	1	2	3	5	6	18-34	148	2.1	1	1	1	2	3	4	4
75-79	92	2.4	2	1	1	2	3	5	5	35-49	119	2.5	6	1	1	1	3	6	9
80-84	65	3.3	17	1	1	2	3	8	15	50-69	130	2.3	3	1	1	2	4	5	6
85+	33	4.6	12	1	1	5	6	11	11	70+	11	1.5							
SUBTOTAL	**356**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**6**		**409**	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**356**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**6**		**409**	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	6	4.0								18-34	49	2.0	1	1	1	2	3	4	4
35-49	6	2.0								35-49	59	2.3	2	1	1	2	3	3	6
50-69	21	4.2	4							50-69	33	1.8		1	1	2	2	3	3
70+	0									70+	0								
SUBTOTAL	**32**	**3.8**	**3**	**2**	**2**	**3**	**5**	**7**	**7**		**141**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**32**	**3.8**	**3**	**2**	**2**	**3**	**5**	**7**	**7**		**141**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**

DRG 314: Urethral Procedures, Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	37	1.4		1	1	1	2	2	2
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**37**	**1.4**		**1**	**1**	**1**	**2**	**2**	**2**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	173	3.0	8	1	1	2	5	7	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**173**	**3.0**	**8**	**1**	**1**	**2**	**5**	**7**	**8**
GRAND TOTAL	**0**										**210**	**2.7**	**7**	**1**	**1**	**2**	**3**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	1.3								0-17	10	2.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**16**	**1.3**									**10**	**2.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	42	3.1	8	1	2	2	2	10	10	0-17	53	2.6	11	1	1	1	2	7	12
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**42**	**3.1**	**8**	**1**	**2**	**2**	**2**	**10**	**10**		**53**	**2.6**	**11**	**1**	**1**	**1**	**2**	**7**	**12**
GRAND TOTAL	**58**	**2.6**	**7**	**1**	**1**	**2**	**2**	**5**	**10**		**63**	**2.5**	**9**	**1**	**1**	**2**	**2**	**4**	**12**

DRG 315: Other Kidney & Urinary Tract O.R. Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1741	12.5	198	2	4	8	16	30	44	0-17	78	12.1	71	3	5	10	20	23	29
70-74	784	13.9	190	1	4	9	19	31	43	18-34	235	6.2	22	2	3	5	8	11	17
75-79	711	13.6	146	2	5	10	17	32	41	35-49	553	7.3	34	1	3	6	10	15	19
80-84	354	15.1	219	2	6	11	17	36	44	50-69	876	10.2	114	1	3	7	14	25	30
85 +	220	16.1	197	4	8	12	20	31	50	70 +	47	17.7	398	2	4	9	18	64	64
SUBTOTAL	**3810**	**13.5**	**190**	**2**	**4**	**9**	**17**	**31**	**43**		**1789**	**9.1**	**87**	**1**	**3**	**6**	**12**	**20**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	636	3.3	9	1	1	2	5	7	10	0-17	37	4.1	2	3	3	4	5	7	7
70-74	195	3.2	9	1	1	2	4	9	9	18-34	144	4.2	11	1	1	3	7	9	11
75-79	117	4.1	10	1	2	3	7	9	11	35-49	257	3.4	8	1	1	2	5	8	10
80-84	74	6.2	63	1	1	3	5	17	27	50-69	486	2.6	7	1	1	2	3	5	9
85 +	53	6.0	24	1	2	6	7	14	15	70 +	22	6.7	9						
SUBTOTAL	**1075**	**3.7**	**15**	**1**	**1**	**2**	**5**	**8**	**11**		**946**	**3.2**	**8**	**1**	**1**	**2**	**4**	**8**	**9**
GRAND TOTAL	**4886**	**11.3**	**167**	**1**	**3**	**8**	**14**	**26**	**39**		**2735**	**7.0**	**68**	**1**	**2**	**4**	**9**	**17**	**22**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	52	25.2	613	3	7	15	40	69	75	0-17	16	14.0	105						
18-34	199	16.7	294	2	8	11	22	39	61	18-34	117	10.6	96	4	6	8	9	25	31
35-49	267	12.1	211	3	5	8	12	22	41	35-49	117	8.1	53	2	3	7	9	15	29
50-69	195	11.9	198	1	3	6	16	31	50	50-69	206	7.9	53	1	2	6	11	19	27
70 +	22	6.3	6							70 +	33	7.6	9	3	6	8	10	12	12
SUBTOTAL	**735**	**14.0**	**266**	**2**	**5**	**8**	**16**	**37**	**56**		**489**	**8.8**	**64**	**2**	**3**	**7**	**10**	**19**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	11	4.5	2							0-17	10	8.5	2						
18-34	89	3.5	9	1	1	2	4	10	10	18-34	66	5.9	22	2	3	5	8	9	19
35-49	121	4.6	25	1	1	4	6	7	15	35-49	91	3.2	5	1	2	2	4	7	8
50-69	63	6.4	24	1	1	6	9	13	15	50-69	114	4.8	47	1	1	2	4	12	17
70 +	5	4.0								70 +	0								
SUBTOTAL	**290**	**4.6**	**20**	**1**	**1**	**3**	**6**	**10**	**13**		**281**	**4.7**	**27**	**1**	**1**	**3**	**7**	**9**	**17**
GRAND TOTAL	**1024**	**11.4**	**214**	**1**	**3**	**7**	**12**	**27**	**40**		**770**	**7.3**	**54**	**1**	**2**	**6**	**9**	**17**	**27**

DRG 316: Renal Failure

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2472	8.2	46	2	4	7	11	16	22	0-17	68	10.1	141	3	3	5	11	25	45
70-74	1288	9.2	53	3	5	7	12	19	23	18-34	218	6.8	54	2	3	5	8	10	18
75-79	1368	11.1	66	3	5	9	16	22	27	35-49	529	6.8	23	2	4	6	8	13	15
80-84	1260	10.5	40	4	6	9	13	18	24	50-69	1133	8.4	45	2	4	7	11	17	22
85 +	1367	10.7	59	4	6	9	13	21	24	70 +	108	7.3	49	1	3	6	9	16	20
SUBTOTAL	**7756**	**9.7**	**53**	**3**	**5**	**8**	**12**	**19**	**24**		**2056**	**7.8**	**44**	**2**	**4**	**6**	**10**	**14**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	341	4.1	9	1	2	3	5	8	10	0-17	57	2.3	1	1	1	2	3	4	5
70-74	80	4.9	8	1	3	5	6	8	12	18-34	112	4.4	16	1	2	3	6	7	7
75-79	182	5.0	12	1	2	4	7	11	12	35-49	154	3.2	6	1	2	2	4	8	9
80-84	193	7.0	34	3	4	5	8	13	15	50-69	197	6.4	42	2	3	4	7	15	22
85 +	99	8.0	45	2	5	7	9	14	24	70 +	16	4.1	6						
SUBTOTAL	**895**	**5.4**	**21**	**1**	**2**	**5**	**7**	**11**	**13**		**536**	**4.5**	**23**	**1**	**2**	**3**	**6**	**8**	**14**
GRAND TOTAL	**8651**	**9.3**	**51**	**2**	**4**	**7**	**12**	**18**	**23**		**2591**	**7.1**	**42**	**2**	**3**	**5**	**9**	**13**	**20**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	83	5.4	12	1	2	5	7	11	13	0-17	32	8.5	30	2	5	7	13	18	18
18-34	318	6.3	43	2	2	4	7	13	15	18-34	133	5.8	14	2	3	5	8	10	14
35-49	351	7.3	29	2	3	7	9	15	17	35-49	218	8.6	104	2	3	6	8	16	30
50-69	452	7.9	27	3	4	7	11	15	17	50-69	238	7.5	28	2	4	7	10	14	20
70 +	50	10.5	134	3	5	6	8	42	42	70 +	65	13.5	126	5	6	11	20	25	43
SUBTOTAL	**1253**	**7.3**	**36**	**2**	**3**	**6**	**10**	**14**	**17**		**686**	**8.1**	**62**	**2**	**3**	**6**	**10**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	7.7	97	2	2	3	7	29	29	0-17	31	3.3	3	1	2	2	5	6	6
18-34	47	4.7	9	2	3	3	5	10	11	18-34	80	4.9	9	< 1	2	4	7	10	11
35-49	48	5.7	19	1	2	5	7	13	15	35-49	60	3.4	6	1	1	3	4	7	9
50-69	42	5.2	5	2	4	6	7	9	9	50-69	31	3.1	5	1	1	2	5	7	7
70 +	0									70 +	6	12.0							
SUBTOTAL	**169**	**5.7**	**27**	**2**	**3**	**4**	**7**	**10**	**15**		**208**	**4.1**	**9**	**1**	**2**	**4**	**6**	**9**	**11**
GRAND TOTAL	**1422**	**7.1**	**35**	**2**	**3**	**6**	**9**	**14**	**17**		**894**	**7.2**	**53**	**1**	**3**	**6**	**8**	**14**	**20**

DRG 317: Admit for Renal Dialysis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	38	2.6	4	< 1	1	2	3	7	7	0-17	0								
70-74	32	2.2	1	1	1	2	3	4	4	18-34	11	1.0							
75-79	11	4.0								35-49	6	6.0							
80-84	16	5.5	24							50-69	28	2.8	3						
85 +	5	8.0								70 +	0								
SUBTOTAL	**102**	**3.3**	**8**	**1**	**2**	**2**	**4**	**8**	**12**		**45**	**2.7**	**4**	**1**	**1**	**2**	**4**	**6**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	5	2.0							
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**5**	**2.0**							
GRAND TOTAL	**102**	**3.3**	**8**	**1**	**2**	**2**	**4**	**8**	**12**		**50**	**2.7**	**4**	**1**	**1**	**2**	**3**	**6**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	5	2.0								35-49	0								
50-69	11	2.0								50-69	5	2.0							
70 +	0									70 +	0								
SUBTOTAL	**16**	**2.0**									**5**	**2.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**16**	**2.0**									**5**	**2.0**							

DRG 318: Kidney & Urinary Tract Neoplasms w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	296	9.1	159	2	3	7	10	17	20	0-17	32	6.0	7	3	4	5	9	10	10
70-74	259	6.2	36	1	3	4	8	12	14	18-34	22	9.7	43						
75-79	200	6.8	24	2	3	6	9	15	17	35-49	80	5.6	9	2	2	7	7	10	10
80-84	219	7.5	46	1	3	6	9	13	23	50-69	402	6.9	24	2	4	6	9	13	19
85 +	254	8.8	63	3	4	6	10	18	22	70 +	31	3.8	9	1	2	2	8	8	8
SUBTOTAL	**1229**	**7.8**	**72**	**2**	**3**	**6**	**9**	**15**	**21**		**567**	**6.6**	**22**	**2**	**3**	**6**	**9**	**12**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1229**	**7.8**	**72**	**2**	**3**	**6**	**9**	**15**	**21**		**567**	**6.6**	**22**	**2**	**3**	**6**	**9**	**12**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	5.0	18							0-17	31	10.8	183	1	3	6	9	40	40
18-34	11	18.0	1							18-34	0								
35-49	16	12.4	66							35-49	22	2.0	1						
50-69	38	12.2	124	3	4	7	25	33	33	50-69	41	7.4	50	1	3	5	9	24	24
70 +	0									70 +	11	4.0	1						
SUBTOTAL	**75**	**12.1**	**89**	**3**	**4**	**9**	**19**	**25**	**33**		**105**	**6.9**	**83**	**1**	**2**	**4**	**7**	**13**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**75**	**12.1**	**89**	**3**	**4**	**9**	**19**	**25**	**33**		**105**	**6.9**	**83**	**1**	**2**	**4**	**7**	**13**	**29**

DRG 319: Kidney & Urinary Tract Neoplasms w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	49	2.0	2	< 1	1	2	2	5	5	0-17	16	5.0	9						
70-74	59	4.9	9	2	3	3	6	11	11	18-34	11	1.0							
75-79	27	2.0	2							35-49	32	2.0	1	1	1	2	2	4	4
80-84	38	1.7	1	< 1	1	1	2	4	4	50-69	104	3.1	21	1	1	1	4	5	10
85 +	11	6.7	33							70 +	0								
SUBTOTAL	**185**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**11**		**162**	**2.9**	**15**	**1**	**1**	**1**	**4**	**5**	**7**
GRAND TOTAL	**185**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**11**		**162**	**2.9**	**15**	**1**	**1**	**1**	**4**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	11	1.5								0-17	31	2.7	2	1	1	2	4	5	5
18-34	16	3.5	10							18-34	0								
35-49	6	2.0								35-49	10	3.0							
50-69	5	1.0								50-69	10	4.5	14						
70 +	0									70 +	10	2.0	1						
SUBTOTAL	**38**	**2.4**	**5**	**< 1**	**< 1**	**2**	**2**	**8**	**8**		**62**	**2.9**	**4**	**1**	**1**	**3**	**3**	**5**	**8**
GRAND TOTAL	**38**	**2.4**	**5**	**< 1**	**< 1**	**2**	**2**	**8**	**8**		**62**	**2.9**	**4**	**1**	**1**	**3**	**3**	**5**	**8**

DRG 320: Kidney & Urinary Tract Infections Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	7084	7.5	28	3	4	6	9	13	17	0-17	0								
70-74	5117	8.0	42	3	4	6	9	14	18	18-34	2490	4.3	6	2	3	4	5	7	8
75-79	6262	8.4	43	3	5	7	10	15	19	35-49	2213	5.3	13	2	3	5	6	10	12
80-84	6867	8.6	37	4	5	7	10	15	19	50-69	3592	6.4	22	3	4	5	8	11	15
85 +	9392	8.6	37	3	5	7	11	15	20	70 +	484	7.2	35	2	4	6	9	14	18
SUBTOTAL	**34721**	**8.3**	**37**	**3**	**5**	**7**	**10**	**15**	**19**		**8779**	**5.6**	**17**	**2**	**3**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**34721**	**8.3**	**37**	**3**	**5**	**7**	**10**	**15**	**19**		**8779**	**5.6**	**17**	**2**	**3**	**5**	**7**	**10**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	2138	5.8	19	2	3	4	7	10	15	18-34	1028	4.5	45	2	3	4	5	7	9
35-49	1091	7.0	30	3	4	5	8	13	17	35-49	619	6.1	16	2	4	5	8	11	14
50-69	986	7.8	51	3	4	6	9	13	17	50-69	686	6.3	17	2	3	6	7	12	15
70 +	217	7.7	13	4	5	7	10	14	14	70 +	460	7.2	19	3	4	6	9	13	17
SUBTOTAL	**4431**	**6.6**	**29**	**3**	**4**	**5**	**8**	**12**	**17**		**2792**	**5.8**	**28**	**2**	**3**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4431**	**6.6**	**29**	**3**	**4**	**5**	**8**	**12**	**17**		**2792**	**5.8**	**28**	**2**	**3**	**5**	**7**	**10**	**13**

DRG 321: Kidney & Urinary Tract Infections Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1547	4.6	6	2	3	4	6	8	10
70-74	1094	5.5	9	2	4	5	7	9	12
75-79	1309	5.8	14	3	3	5	7	10	13
80-84	1246	5.9	13	2	4	5	7	10	12
85 +	1423	5.8	12	3	4	5	7	10	12
SUBTOTAL	**6618**	**5.5**	**11**	**2**	**3**	**5**	**7**	**9**	**11**
GRAND TOTAL	**6618**	**5.5**	**11**	**2**	**3**	**5**	**7**	**9**	**11**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	4706	3.4	3	2	2	3	4	5	7
35-49	2460	4.2	23	2	3	4	5	7	8
50-69	2395	4.3	4	2	3	4	5	7	8
70 +	144	4.0	5	2	2	4	5	7	8
	9705	**3.9**	**9**	**2**	**2**	**4**	**5**	**6**	**8**
	9705	**3.9**	**9**	**2**	**2**	**4**	**5**	**6**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	2708	3.9	4	2	3	4	5	6	7
35-49	486	4.7	6	2	3	4	6	8	9
50-69	237	6.0	14	3	4	5	8	10	14
70 +	27	7.0	5						
SUBTOTAL	**3457**	**4.2**	**5**	**2**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**3457**	**4.2**	**5**	**2**	**3**	**4**	**5**	**7**	**8**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1787	3.7	3	2	3	3	5	6	7
35-49	633	3.8	5	2	2	4	5	6	8
50-69	361	4.6	5	2	3	4	6	8	9
70 +	156	3.9	6	2	2	4	4	7	11
	2937	**3.9**	**4**	**2**	**3**	**4**	**5**	**6**	**7**
	2937	**3.9**	**4**	**2**	**3**	**4**	**5**	**6**	**7**

DRG 322: Kidney & Urinary Tract Infections Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	84	7.9	23	2	4	6	12	16	17	0-17	1722	4.0	6	2	2	4	5	7	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**84**	**7.9**	**23**	**2**	**4**	**6**	**12**	**16**	**17**		**1722**	**4.0**	**6**	**2**	**2**	**4**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	2.1	2							0-17	5163	3.6	4	2	2	3	4	6	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**16**	**2.1**	**2**								**5163**	**3.6**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**100**	**7.0**	**24**	**1**	**4**	**6**	**10**	**16**	**17**		**6885**	**3.7**	**4**	**2**	**2**	**3**	**5**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1030	5.3	17	2	3	4	6	10	13	0-17	522	4.1	5	2	3	4	5	7	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1030**	**5.3**	**17**	**2**	**3**	**4**	**6**	**10**	**13**		**522**	**4.1**	**5**	**2**	**3**	**4**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2492	4.2	7	2	3	4	5	7	9	0-17	1758	3.6	3	2	2	3	4	6	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2492**	**4.2**	**7**	**2**	**3**	**4**	**5**	**7**	**9**		**1758**	**3.6**	**3**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**3522**	**4.5**	**10**	**2**	**3**	**4**	**5**	**8**	**10**		**2280**	**3.7**	**4**	**2**	**2**	**3**	**4**	**6**	**7**

DRG 323: Urinary Stones w/ CC, &/or ESW Lithotripsy

MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1824	4.3	17	1	2	3	5	8	11	0-17	214	2.5	2	1	1	2	3	5	5
70-74	1031	4.4	12	1	2	3	6	8	9	18-34	1624	2.7	5	1	1	2	3	5	7
75-79	694	4.6	11	1	2	4	6	9	11	35-49	2921	3.0	6	1	1	2	4	6	8
80-84	435	5.3	20	1	2	4	8	12	14	50-69	2451	3.3	8	1	2	3	4	6	7
85 +	295	6.1	22	1	2	5	8	13	17	70 +	96	3.4	5	2	2	2	4	8	9
SUBTOTAL	**4279**	**4.6**	**16**	**1**	**2**	**4**	**6**	**9**	**12**		**7306**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	341	2.0	7	1	1	1	2	3	5	0-17	21	2.3	2						
70-74	120	2.2	4	1	1	1	3	4	7	18-34	353	2.1	2	1	1	1	3	4	5
75-79	153	1.6	2	< 1	1	1	2	4	5	35-49	579	2.1	4	1	1	1	3	5	6
80-84	63	3.6	18	1	1	1	4	7	16	50-69	602	1.9	3	1	1	1	2	4	6
85 +	10	1.0								70 +	0								
SUBTOTAL	**687**	**2.1**	**7**	**1**	**1**	**1**	**2**	**4**	**6**		**1554**	**2.0**	**3**	**1**	**1**	**1**	**3**	**4**	**6**
GRAND TOTAL	**4967**	**4.2**	**15**	**1**	**2**	**3**	**5**	**9**	**12**		**8860**	**2.8**	**6**	**1**	**1**	**2**	**4**	**5**	**7**

MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	75	3.3	3	1	2	3	5	6	6	0-17	44	2.2	1	1	1	2	2	5	5
18-34	427	3.4	6	1	2	3	4	6	10	18-34	548	2.5	3	1	1	2	3	5	6
35-49	277	4.3	7	2	2	4	5	8	9	35-49	671	2.7	6	1	1	2	3	6	8
50-69	124	5.7	25	2	2	4	7	11	15	50-69	445	3.0	6	1	1	3	4	5	6
70 +	10	4.5	14							70 +	72	5.6	106	1	2	3	5	5	42
SUBTOTAL	**914**	**4.0**	**9**	**1**	**2**	**3**	**5**	**8**	**9**		**1779**	**2.8**	**10**	**1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5	1.0								0-17	0								
18-34	93	2.7	5	1	1	2	3	7	8	18-34	104	2.5	2	1	1	2	3	5	5
35-49	47	1.9	2	< 1	1	1	2	4	5	35-49	161	1.8	3	1	1	1	2	3	4
50-69	31	2.7	6	1	1	1	3	8	8	50-69	90	2.3	5	1	1	1	3	5	10
70 +	5	1.0								70 +	11	1.0							
SUBTOTAL	**182**	**2.4**	**4**	**1**	**1**	**1**	**3**	**5**	**8**		**366**	**2.1**	**3**	**1**	**1**	**1**	**3**	**4**	**5**
GRAND TOTAL	**1096**	**3.7**	**9**	**1**	**2**	**3**	**5**	**7**	**9**		**2146**	**2.7**	**9**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 324: Urinary Stones w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1713	2.6	5	1	1	2	3	5	5
70-74	800	2.7	6	1	1	2	3	6	7
75-79	583	2.9	8	1	1	2	3	6	8
80-84	197	2.6	3	1	2	2	3	4	6
85 +	124	3.1	4	1	2	3	4	6	7
SUBTOTAL	**3415**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**3415**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	502	2.0	1	1	1	2	2	3	4
18-34	6534	1.8	2	1	1	1	2	3	4
35-49	10579	1.9	2	1	1	1	2	3	4
50-69	6768	2.1	2	1	1	2	3	4	5
70 +	50	2.2	3	1	1	2	2	5	7
	24432	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**
	24432	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	95	1.9	1	1	1	2	2	3	4
18-34	799	2.3	2	1	1	2	3	4	5
35-49	481	2.4	2	1	1	2	3	4	5
50-69	130	3.3	4	1	2	2	5	7	7
70 +	16	1.7							
SUBTOTAL	**1521**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1521**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	127	2.1	2	1	1	2	3	4	5
18-34	2050	1.9	3	1	1	1	2	4	5
35-49	1882	1.8	2	1	1	1	2	3	4
50-69	1110	2.0	2	1	1	2	2	4	5
70 +	54	2.1	2	< 1	1	2	3	6	6
	5222	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**5**
	5222	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**5**

DRG 325: Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	431	5.3	28	1	2	4	6	11	16	0-17	0								
70-74	293	4.8	11	1	3	4	6	11	12	18-34	93	3.3	6	1	2	3	4	7	10
75-79	468	4.8	12	2	3	4	6	9	11	35-49	165	5.4	40	1	2	3	6	10	21
80-84	372	6.4	20	2	4	5	8	12	15	50-69	364	4.0	11	1	2	3	5	8	11
85 +	432	6.1	28	2	2	5	8	11	15	70 +	43	3.4	1	2	3	3	5	5	5
SUBTOTAL	**1996**	**5.5**	**21**	**2**	**3**	**4**	**7**	**11**	**14**		**666**	**4.2**	**18**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1996**	**5.5**	**21**	**2**	**3**	**4**	**7**	**11**	**14**		**666**	**4.2**	**18**	**1**	**2**	**3**	**5**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	38	3.1	6	<1	1	2	5	8	8	18-34	16	4.0	2						
35-49	48	3.9	2	1	3	4	4	6	6	35-49	38	3.3	8	1	1	2	6	9	9
50-69	49	8.4	20	3	4	9	11	17	17	50-69	102	3.2	3	2	2	2	4	6	7
70 +	10	14.0	28							70 +	60	2.7	1	2	2	2	3	5	5
SUBTOTAL	**145**	**5.9**	**21**	**1**	**3**	**4**	**9**	**11**	**17**		**216**	**3.1**	**3**	**2**	**2**	**2**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**145**	**5.9**	**21**	**1**	**3**	**4**	**9**	**11**	**17**		**216**	**3.1**	**3**	**2**	**2**	**2**	**4**	**6**	**7**

DRG 326: Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	195	3.0	4	1	2	2	4	7	7
70-74	166	2.9	4	1	1	2	4	7	7
75-79	197	3.2	6	1	1	3	4	7	10
80-84	166	3.4	4	1	2	4	4	5	6
85 +	189	3.9	5	2	2	3	5	7	9
SUBTOTAL	**912**	**3.3**	**5**	**1**	**2**	**3**	**4**	**7**	**7**
GRAND TOTAL	**912**	**3.3**	**5**	**1**	**2**	**3**	**4**	**7**	**7**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	207	2.2	2	1	1	2	3	4	5
35-49	206	3.1	3	1	2	3	4	6	7
50-69	306	2.4	3	1	1	2	3	5	6
70 +	16	1.3							
	736	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
	736	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	92	2.9	5	< 1	1	2	4	8	8
35-49	39	3.1	2	1	2	3	4	6	6
50-69	16	3.3	7						
70 +	0								
SUBTOTAL	**148**	**3.0**	**5**	**1**	**1**	**3**	**4**	**7**	**8**
GRAND TOTAL	**148**	**3.0**	**5**	**1**	**1**	**3**	**4**	**7**	**8**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	110	2.1	1	< 1	1	2	3	4	4
35-49	49	2.9	4	< 1	1	2	5	6	6
50-69	64	2.7	4	< 1	1	2	4	4	8
70 +	27	2.0	1						
	250	**2.4**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**
	250	**2.4**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**

DRG 327: Kidney & Urinary Tract Signs & Symptoms Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	11	4.6	7							0-17	157	3.5	7	1	1	3	5	6	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**11**	**4.6**	**7**								**157**	**3.5**	**7**	**1**	**1**	**3**	**5**	**6**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	5.0								0-17	359	1.8	2	1	1	1	2	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**5.0**									**359**	**1.8**	**2**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**16**	**4.7**	**4**								**517**	**2.3**	**4**	**1**	**1**	**1**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	48	3.0	4	1	1	3	4	6	6	0-17	21	2.7	6						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**48**	**3.0**	**4**	**1**	**1**	**3**	**4**	**6**	**6**		**21**	**2.7**	**6**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	132	2.6	2	1	1	2	3	5	6	0-17	99	2.2	5	1	1	1	2	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**132**	**2.6**	**2**	**1**	**1**	**2**	**3**	**5**	**6**		**99**	**2.2**	**5**	**1**	**1**	**1**	**2**	**6**	**8**
GRAND TOTAL	**180**	**2.7**	**3**	**1**	**1**	**2**	**3**	**6**	**6**		**120**	**2.3**	**5**	**1**	**1**	**1**	**2**	**7**	**7**

DRG 328: Urethral Stricture Age >17 w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	74	3.8	6	1	1	3	6	7	8
70-74	38	3.7	5	1	1	4	5	8	8
75-79	58	3.3	4	1	1	3	5	6	6
80-84	59	4.1	11	1	2	3	5	10	12
85+	65	6.0	13	2	2	5	9	11	11
SUBTOTAL	**294**	**4.2**	**9**	**1**	**2**	**4**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**294**	**4.2**	**9**	**1**	**2**	**4**	**6**	**8**	**11**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	60	2.8	5	< 1	< 1	2	5	6	7
35-49	21	4.5	3						
50-69	70	4.6	15	1	2	3	7	9	14
70+	6	3.0							
	156	**3.9**	**10**	**< 1**	**1**	**3**	**5**	**8**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	156	**3.9**	**10**	**< 1**	**1**	**3**	**5**	**8**	**9**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	4.0							
35-49	10	5.0	1						
50-69	6	6.0							
70+	0								
SUBTOTAL	**22**	**5.0**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**22**	**5.0**	**1**						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	5	4.0							
70+	0								
	5	**4.0**							
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	5	**4.0**							

DRG 329: Urethral Stricture Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	5	1.0							
70-74	11	1.0							
75-79	26	2.2	1						
80-84	5	5.0							
85 +	0								
SUBTOTAL	**47**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**47**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	11	3.0							
35-49	32	2.0	2	<1	<1	1	3	5	5
50-69	37	2.2	2	<1	1	2	3	5	5
70 +	0								
	80	**2.2**	**2**	**<1**	**1**	**2**	**3**	**5**	**5**
	80	**2.2**	**2**	**<1**	**1**	**2**	**3**	**5**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	6	1.0							
35-49	11	1.0							
50-69	5	1.0							
70 +	0								
SUBTOTAL	**22**	**1.0**							
GRAND TOTAL	**22**	**1.0**							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	21	5.5	21						
35-49	11	3.4	2						
50-69	6	6.0							
70 +	0								
	38	**5.0**	**13**	**1**	**2**	**4**	**6**	**13**	**13**
	38	**5.0**	**13**	**1**	**2**	**4**	**6**	**13**	**13**

DRG 330: Urethral Stricture Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	11	1.0							
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**11**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	16	3.3	5						
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**16**	**3.3**	**5**						
GRAND TOTAL	**0**										**27**	**2.4**	**4**						

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	6	3.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**6**	**3.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10	1.5								0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**10**	**1.5**									**0**								
GRAND TOTAL	**10**	**1.5**									**6**	**3.0**							

DRG 331: Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2187	7.0	35	2	3	6	9	14	16
70-74	996	7.0	38	2	3	5	10	14	18
75-79	991	6.6	31	2	3	5	8	13	20
80-84	810	7.1	23	2	4	6	9	13	17
85 +	840	7.4	30	2	3	6	9	13	17
SUBTOTAL	**5825**	**7.0**	**33**	**2**	**3**	**5**	**9**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	5825	7.0	33	2	3	5	9	14	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	562	5.1	37	1	2	3	6	9	12
35-49	791	5.2	17	1	2	4	7	11	14
50-69	995	5.9	28	1	2	5	7	11	14
70 +	108	5.6	22	2	2	4	8	15	16
	2456	**5.4**	**26**	**1**	**2**	**4**	**7**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2456	5.4	26	1	2	4	7	11	14

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	297	5.6	24	1	2	4	7	16	18
35-49	206	8.2	39	2	3	7	11	15	22
50-69	234	9.3	113	2	4	6	12	21	25
70 +	22	2.0	1						
SUBTOTAL	**759**	**7.3**	**58**	**1**	**3**	**5**	**9**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	759	7.3	58	1	3	5	9	15	21

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	321	4.5	26	1	2	3	5	8	12
35-49	229	5.3	35	1	2	3	6	10	20
50-69	237	4.8	12	1	2	3	7	10	12
70 +	134	5.2	13	2	2	4	6	12	12
	921	**4.9**	**23**	**1**	**2**	**3**	**6**	**10**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	921	4.9	23	1	2	3	6	10	12

DRG 332: Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	446	4.5	24	1	1	3	5	10	13
70-74	319	3.4	13	< 1	1	2	4	7	10
75-79	261	3.4	6	1	1	3	5	7	7
80-84	161	4.0	10	1	2	3	5	7	8
85 +	172	5.9	21	1	2	4	9	11	14
SUBTOTAL	1359	4.2	17	1	1	3	5	9	11
GRAND TOTAL	1359	4.2	17	1	1	3	5	9	11

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	631	2.8	5	1	1	2	4	6	8
35-49	730	2.8	6	1	1	2	3	7	8
50-69	655	3.6	11	1	1	2	5	8	10
70 +	26	3.2	2						
SUBTOTAL	2043	3.1	7	1	1	2	4	7	8
GRAND TOTAL	2043	3.1	7	1	1	2	4	7	8

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	160	3.2	5	1	1	3	4	7	8
35-49	106	3.3	4	1	2	3	4	6	7
50-69	59	4.8	5	2	2	5	6	8	9
70 +	5	1.0							
SUBTOTAL	330	3.5	5	1	2	3	5	6	8
GRAND TOTAL	330	3.5	5	1	2	3	5	6	8

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	287	2.5	5	1	1	2	3	6	8
35-49	150	2.5	4	1	1	2	3	6	7
50-69	148	2.0	2	1	1	1	3	5	6
70 +	45	2.4	3	1	1	2	3	5	5
SUBTOTAL	630	2.4	4	1	1	2	3	6	7
GRAND TOTAL	630	2.4	4	1	1	2	3	6	7

DRG 333: Other Kidney & Urinary Tract Diagnoses Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	109	8.0	62	2	3	5	10	16	18	0-17	720	5.4	24	1	2	4	7	12	14
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**109**	**8.0**	**62**	**2**	**3**	**5**	**10**	**16**	**18**		**720**	**5.4**	**24**	**1**	**2**	**4**	**7**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	68	5.2	20	1	1	5	5	12	15	0-17	1250	2.9	6	1	1	2	4	6	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**68**	**5.2**	**20**	**1**	**1**	**5**	**5**	**12**	**15**		**1250**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**176**	**6.9**	**47**	**1**	**3**	**5**	**10**	**15**	**16**		**1971**	**3.8**	**14**	**1**	**1**	**3**	**5**	**8**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	345	6.4	44	1	2	4	8	15	20	0-17	224	5.1	36	1	1	3	6	12	17
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**345**	**6.4**	**44**	**1**	**2**	**4**	**8**	**15**	**20**		**224**	**5.1**	**36**	**1**	**1**	**3**	**6**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	528	4.3	21	1	1	3	6	8	15	0-17	366	3.2	10	1	1	2	4	8	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**528**	**4.3**	**21**	**1**	**1**	**3**	**6**	**8**	**15**		**366**	**3.2**	**10**	**1**	**1**	**2**	**4**	**8**	**9**
GRAND TOTAL	**873**	**5.1**	**31**	**1**	**2**	**3**	**7**	**11**	**17**		**590**	**3.9**	**20**	**1**	**1**	**2**	**4**	**9**	**12**

DRG 334: Major Male Pelvic Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2119	9.1	21	5	7	8	10	14	16	0-17	0								
70-74	1495	9.3	27	5	7	8	10	14	18	18-34	26	7.2	4						
75-79	502	10.1	25	6	7	9	12	16	21	35-49	42	7.8	7	5	6	7	9	14	14
80-84	178	12.1	37	6	9	11	14	20	22	50-69	1665	8.4	17	5	6	7	9	12	15
85 +	48	16.5	56	10	11	14	20	30	34	70 +	90	8.7	13	6	6	8	10	17	18
SUBTOTAL	**4344**	**9.5**	**25**	**6**	**7**	**8**	**11**	**15**	**18**		**1823**	**8.4**	**16**	**5**	**6**	**7**	**9**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4344**	**9.5**	**25**	**6**	**7**	**8**	**11**	**15**	**18**		**1823**	**8.4**	**16**	**5**	**6**	**7**	**9**	**12**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	5	4.0								18-34	11	6.0	1						
35-49	11	20.5	133							35-49	16	7.7	10						
50-69	5	8.0								50-69	356	8.9	30	5	6	7	10	12	17
70 +	5	7.0								70 +	23	7.8	5						
SUBTOTAL	**26**	**12.1**	**104**								**406**	**8.7**	**28**	**5**	**6**	**7**	**9**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**26**	**12.1**	**104**								**406**	**8.7**	**28**	**5**	**6**	**7**	**9**	**12**	**17**

DRG 335: Major Male Pelvic Procedures w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1290	7.3	7	5	6	7	8	10	11	0-17	26	2.0	1						
70-74	816	7.2	6	5	6	7	8	10	12	18-34	21	6.0	1						
75-79	238	7.5	9	5	6	7	9	11	13	35-49	42	7.1	2	5	6	8	8	9	9
80-84	31	5.8	6	1	6	6	7	9	9	50-69	1574	7.1	4	5	6	7	8	10	11
85+	22	6.9	9							70+	38	7.4	3	5	5	7	9	10	10
SUBTOTAL	**2397**	**7.3**	**7**	**5**	**6**	**7**	**8**	**10**	**12**		**1701**	**7.0**	**4**	**5**	**6**	**7**	**8**	**10**	**11**
GRAND TOTAL	**2397**	**7.3**	**7**	**5**	**6**	**7**	**8**	**10**	**12**		**1701**	**7.0**	**4**	**5**	**6**	**7**	**8**	**10**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	5	5.0							
18-34	5	6.0								18-34	0								
35-49	0									35-49	21	5.0	6						
50-69	10	6.5	7							50-69	238	6.9	4	5	6	6	7	9	10
70+	5	9.0								70+	76	7.6	5	6	7	7	8	8	15
SUBTOTAL	**21**	**7.0**	**5**								**340**	**6.9**	**4**	**5**	**6**	**7**	**7**	**9**	**10**
GRAND TOTAL	**21**	**7.0**	**5**								**340**	**6.9**	**4**	**5**	**6**	**7**	**7**	**9**	**10**

DRG 336: Transurethral Prostatectomy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5632	4.9	12	3	3	4	5	8	11	0-17	0								
70-74	6424	5.2	12	3	3	4	6	9	12	18-34	5	2.0							
75-79	6395	5.5	14	3	3	4	6	10	13	35-49	45	5.0	19	2	3	4	5	16	16
80-84	3907	6.0	19	3	4	5	7	11	14	50-69	3315	4.8	9	3	3	4	5	8	11
85 +	2662	7.1	21	3	4	6	9	13	17	70 +	512	5.8	25	2	3	4	7	13	19
SUBTOTAL	**25021**	**5.5**	**15**	**3**	**3**	**4**	**6**	**10**	**13**		**3877**	**4.9**	**11**	**3**	**3**	**4**	**5**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**25021**	**5.5**	**15**	**3**	**3**	**4**	**6**	**10**	**13**		**3877**	**4.9**	**11**	**3**	**3**	**4**	**5**	**9**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	164	6.8	76	2	3	4	7	10	19	50-69	603	4.3	6	2	3	3	5	7	10
70 +	43	3.6	1	2	3	3	4	6	6	70 +	470	5.0	12	2	3	4	5	9	14
SUBTOTAL	**207**	**6.1**	**62**	**2**	**3**	**4**	**6**	**10**	**12**		**1073**	**4.6**	**9**	**2**	**3**	**4**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**207**	**6.1**	**62**	**2**	**3**	**4**	**6**	**10**	**12**		**1073**	**4.6**	**9**	**2**	**3**	**4**	**5**	**8**	**10**

DRG 337: Transurethral Prostatectomy w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	[illegible]TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8437	3.5	2	2	3	3	4	5	6	0-17	0								
70-74	8042	3.7	3	2	3	3	4	5	6	18-34	5	1.0							
75-79	5813	3.8	2	2	3	4	4	5	7	35-49	212	3.5	4	2	2	3	4	5	7
80-84	2810	3.9	3	3	3	4	4	6	7	50-69	9132	3.5	2	2	3	3	4	5	6
85 +	1434	4.2	4	2	3	4	5	7	9	70 +	539	3.7	2	2	3	3	4	5	5
SUBTOTAL	**26536**	**3.7**	**2**	**2**	**3**	**3**	**4**	**5**	**6**		**9888**	**3.5**	**2**	**2**	**3**	**3**	**4**	**5**	**6**
GRAND TOTAL	**26536**	**3.7**	**2**	**2**	**3**	**3**	**4**	**5**	**6**		**9888**	**3.5**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	23	3.8	1							35-49	16	3.3							
50-69	146	3.9	1	3	3	4	5	6	6	50-69	1253	3.1	1	2	2	3	4	4	5
70 +	55	4.8	3	3	3	5	6	8	8	70 +	495	3.5	1	2	3	3	4	5	6
SUBTOTAL	**224**	**4.1**	**2**	**3**	**3**	**4**	**5**	**6**	**7**		**1765**	**3.2**	**1**	**2**	**2**	**3**	**4**	**5**	**5**
GRAND TOTAL	**224**	**4.1**	**2**	**3**	**3**	**4**	**5**	**6**	**7**		**1765**	**3.2**	**1**	**2**	**2**	**3**	**4**	**5**	**5**

DRG 338: Testes Procedures, for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	178	5.5	17	1	2	5	7	11	14	0-17	0								
70-74	198	6.9	59	1	2	3	8	18	26	18-34	21	5.4	20						
75-79	239	6.1	40	1	1	3	10	15	18	35-49	16	4.9	3						
80-84	270	8.3	68	1	2	7	11	20	30	50-69	107	5.8	16	1	3	5	9	10	17
85 +	102	8.6	75	1	2	5	12	18	28	70 +	33	6.2	16	1	1	8	9	11	11
SUBTOTAL	**988**	**7.0**	**52**	**1**	**2**	**5**	**10**	**17**	**22**		**177**	**5.7**	**15**	**1**	**3**	**5**	**8**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	48	2.5	4	1	1	2	3	6	7	0-17	11	1.0							
70-74	92	1.5	1	< 1	1	1	2	3	4	18-34	156	1.7	2	1	1	1	2	3	4
75-79	74	4.5	98	1	1	1	1	9	38	35-49	146	1.9	2	1	1	1	2	5	6
80-84	118	1.5	1	1	1	1	2	3	4	50-69	64	3.5	34	1	1	1	2	8	21
85 +	80	1.7	1	1	1	1	2	3	3	70 +	5	4.0							
SUBTOTAL	**412**	**2.2**	**20**	**1**	**1**	**1**	**2**	**3**	**4**		**383**	**2.1**	**8**	**1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**1401**	**5.6**	**47**	**1**	**1**	**3**	**7**	**14**	**19**		**560**	**3.2**	**13**	**1**	**1**	**1**	**4**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	5	10.0							
18-34	10	7.0	28							18-34	22	5.8	6						
35-49	16	8.3	2							35-49	0								
50-69	11	10.7	70							50-69	32	2.7	3	1	1	2	5	5	5
70 +	0									70 +	60	6.6	44	1	1	3	11	18	20
SUBTOTAL	**38**	**8.6**	**29**	**2**	**3**	**8**	**12**	**19**	**19**		**119**	**5.5**	**28**	**1**	**1**	**4**	**8**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5	3.0								0-17	0								
18-34	21	4.0	9							18-34	49	3.2	8	1	1	2	5	9	9
35-49	5	2.0								35-49	31	1.8	2	< 1	1	1	3	4	4
50-69	0									50-69	16	1.4							
70 +	0									70 +	10	1.0							
SUBTOTAL	**31**	**3.5**	**6**	**2**	**2**	**2**	**3**	**9**	**9**		**107**	**2.3**	**5**	**1**	**1**	**1**	**3**	**6**	**9**
GRAND TOTAL	**69**	**6.3**	**25**	**2**	**2**	**3**	**9**	**12**	**19**		**226**	**4.0**	**19**	**1**	**1**	**2**	**5**	**9**	**17**

DRG 339: Testes Procedures, Non-malignancy Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	102	8.8	143	1	2	4	9	20	40
70-74	90	7.0	81	1	1	4	9	21	37
75-79	77	9.3	116	1	2	7	9	20	42
80-84	39	4.9	3	3	3	4	7	8	8
85 +	27	8.6	52						
SUBTOTAL	**336**	**7.9**	**97**	**1**	**2**	**4**	**9**	**20**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	174	3.3	28	1	1	1	4	6	12
70-74	85	3.5	15	1	1	2	4	9	15
75-79	65	3.7	9	1	1	2	5	8	10
80-84	43	2.4	2	1	1	2	4	5	5
85 +	11	1.0							
SUBTOTAL	**379**	**3.2**	**18**	**1**	**1**	**2**	**4**	**8**	**10**
GRAND TOTAL	**715**	**5.5**	**61**	**1**	**1**	**3**	**7**	**12**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	43	5.9	16	2	3	5	6	16	16
35-49	37	4.0	25	1	1	2	4	16	16
50-69	87	6.3	24	1	2	5	11	14	15
70 +	0								
	168	**5.7**	**23**	**1**	**2**	**4**	**9**	**14**	**16**
0-17	0								
18-34	493	1.9	2	1	1	1	2	4	6
35-49	232	1.9	3	1	1	1	2	4	5
50-69	276	2.4	10	1	1	1	2	6	8
70 +	0								
	1001	**2.0**	**5**	**1**	**1**	**1**	**2**	**4**	**6**
	1169	**2.6**	**9**	**1**	**1**	**1**	**2**	**6**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	33	5.4	26	2	2	5	5	16	16
35-49	0								
50-69	5	6.0							
70 +	0								
SUBTOTAL	**38**	**5.5**	**22**	**2**	**2**	**5**	**6**	**16**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	70	2.8	9	< 1	1	1	4	7	11
35-49	5	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**75**	**2.7**	**9**	**< 1**	**1**	**1**	**4**	**7**	**11**
GRAND TOTAL	**113**	**3.7**	**15**	**1**	**1**	**2**	**5**	**11**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	3.5	2						
35-49	16	2.9	3						
50-69	27	3.4	9						
70 +	6	5.0							
	59	**3.4**	**6**	**1**	**1**	**3**	**5**	**5**	**9**
0-17	0								
18-34	202	1.5	2	1	1	1	2	2	4
35-49	49	1.2		1	1	1	1	2	2
50-69	55	1.8	2	1	1	1	2	3	6
70 +	6	3.0							
	312	**1.5**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
	371	**1.8**	**3**	**1**	**1**	**1**	**2**	**4**	**5**

DRG 340: Testes Procedures, Non-malignancy Age 0-17

	MEDICARE			PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

	BLUE CROSS/PRIVATE INSURANCE			PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	2.2	2	1	1	2	3	5	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	37	**2.2**	**2**	**1**	**1**	**2**	**3**	**5**	**5**
0-17	1277	1.4	2	< 1	1	1	1	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1277	**1.4**	**2**	**< 1**	**1**	**1**	**1**	**3**	**3**
	1314	**1.4**	**2**	**< 1**	**1**	**1**	**1**	**3**	**3**

	MEDICAID			PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	42	2.3	2	1	1	2	3	5	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**42**	**2.3**	**2**	**1**	**1**	**2**	**3**	**5**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	292	1.6	1	1	1	1	2	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**292**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**335**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**3**

	NO INSURANCE			PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	392	1.5	1	< 1	1	1	2	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	392	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**
	392	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**

DRG 341: Penis Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	538	5.2	39	1	2	3	5	9	17	0-17	83	2.5	10	1	1	1	2	9	12
70-74	292	6.1	88	3	3	4	6	10	12	18-34	10	5.5	7						
75-79	222	6.0	58	2	3	4	6	15	17	35-49	230	3.3	4	1	2	3	4	7	8
80-84	156	5.6	9	2	3	5	7	11	13	50-69	482	3.9	10	2	2	3	4	6	11
85+	82	7.7	34	3	3	5	12	15	22	70+	42	2.6	1	2	2	2	4	4	4
SUBTOTAL	**1290**	**5.7**	**50**	**2**	**3**	**4**	**6**	**12**	**15**		**847**	**3.6**	**8**	**1**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	921	3.0	2	2	2	3	4	5	6	0-17	1111	1.7	4	1	1	1	2	3	4
70-74	580	3.4	4	2	2	3	4	6	7	18-34	102	2.7	3	1	1	2	4	6	6
75-79	274	4.2	15	1	3	3	5	7	8	35-49	342	2.3	3	1	1	2	3	4	6
80-84	162	3.7	4	2	3	3	4	6	6	50-69	1391	2.5	3	1	2	2	3	4	5
85+	82	4.2	5	2	3	3	5	6	11	70+	21	2.8	2						
SUBTOTAL	**2019**	**3.4**	**5**	**2**	**2**	**3**	**4**	**5**	**7**		**2967**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**3309**	**4.3**	**24**	**2**	**2**	**3**	**5**	**7**	**11**		**3814**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	7.0	56	1	1	4	10	22	22	0-17	0								
18-34	26	9.4	101							18-34	0								
35-49	26	2.8	5							35-49	47	3.6	3	1	2	4	5	6	6
50-69	16	3.3	3							50-69	75	5.2	7	2	3	5	6	9	12
70+	0									70+	11	4.5	2						
SUBTOTAL	**99**	**5.9**	**52**	**1**	**1**	**3**	**7**	**23**	**49**		**133**	**4.6**	**6**	**2**	**3**	**5**	**6**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	392	1.9	2	1	1	1	2	4	6	0-17	352	1.5	1	1	1	1	2	3	3
18-34	22	4.1	10							18-34	32	2.1	2	1	1	2	3	5	5
35-49	11	4.0	1							35-49	74	3.2	18	1	1	2	3	5	18
50-69	31	5.1	20	2	3	3	4	15	15	50-69	255	2.7	3	1	1	3	3	5	5
70+	0									70+	32	3.3	1	2	2	4	4	4	4
SUBTOTAL	**456**	**2.2**	**5**	**1**	**1**	**1**	**3**	**5**	**6**		**746**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**555**	**2.9**	**15**	**1**	**1**	**1**	**3**	**6**	**10**		**879**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 342: Circumcision Age >17

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	22	3.8	5							18-34	0								
75-79	11	1.0								35-49	0								
80-84	16	5.3	10							50-69	5	1.0							
85+	6	2.0								70+	0								
SUBTOTAL	**55**	**3.5**	**7**	**<1**	**1**	**2**	**7**	**7**	**8**		**5**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10	2.5	2							0-17	0								
70-74	0									18-34	6	1.0							
75-79	11	1.0								35-49	11	1.0							
80-84	5	2.0								50-69	22	1.7	1						
85+	0									70+	11	1.0							
SUBTOTAL	**27**	**1.8**	**1**								**50**	**1.3**		**<1**	**<1**	**1**	**1**	**3**	**3**
GRAND TOTAL	**82**	**2.9**	**6**	**<1**	**<1**	**2**	**4**	**7**	**8**		**55**	**1.3**		**<1**	**<1**	**1**	**1**	**3**	**3**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	5	8.0								35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**5**	**8.0**									**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	10	1.0							
50-69	0									50-69	5	1.0							
70+	0									70+	0								
SUBTOTAL	**0**										**16**	**1.0**							
GRAND TOTAL	**5**	**8.0**									**16**	**1.0**							

DRG 343: Circumcision Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	31	1.2		<1	<1	1	1	2	2
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**31**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**0**										**31**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**2**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5	2.0								0-17	5	28.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**5**	**2.0**									**5**	**28.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	27	1.0								0-17	16	2.3	2						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**27**	**1.0**									**16**	**2.3**	**2**						
GRAND TOTAL	**32**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**2**		**22**	**8.4**	**127**						

DRG 344: Other Male Reproductive System O.R. Procedures for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	150	5.2	7	3	4	5	6	7	13	0-17	5	13.0							
70-74	177	5.4	16	1	3	5	6	11	15	18-34	11	6.0							
75-79	108	10.2	76	1	3	7	18	25	28	35-49	6	4.0							
80-84	76	8.5	81	3	4	6	8	13	40	50-69	139	6.1	30	2	3	4	7	18	18
85 +	17	4.0	5							70 +	5	2.0							
SUBTOTAL	**527**	**6.7**	**39**	**2**	**3**	**5**	**7**	**14**	**20**		**166**	**6.1**	**27**	**2**	**3**	**4**	**7**	**18**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	123	3.2	4	1	1	3	5	6	6	0-17	5	2.0							
70-74	146	3.8	4	1	2	4	5	7	8	18-34	27	6.4	2						
75-79	176	3.3	6	1	1	3	4	5	9	35-49	21	4.5	13						
80-84	22	2.2	5							50-69	96	3.9	11	1	2	3	4	5	16
85 +	5	4.0								70 +	11	4.6	2						
SUBTOTAL	**471**	**3.4**	**5**	**1**	**1**	**3**	**5**	**6**	**8**		**159**	**4.4**	**10**	**1**	**2**	**4**	**5**	**8**	**10**
GRAND TOTAL	**999**	**5.1**	**25**	**1**	**2**	**4**	**6**	**9**	**14**		**325**	**5.3**	**19**	**2**	**3**	**4**	**6**	**11**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	11.0	18							0-17	5	10.0							
18-34	0									18-34	6	9.0							
35-49	0									35-49	5	10.0							
50-69	0									50-69	5	5.0							
70 +	11	2.0								70 +	6	5.0							
SUBTOTAL	**21**	**6.4**	**29**								**27**	**7.8**	**6**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	5	12.0								18-34	5	7.0							
35-49	5	8.0								35-49	5	7.0							
50-69	0									50-69	11	5.2	18						
70 +	0									70 +	0								
SUBTOTAL	**10**	**10.0**	**4**								**21**	**6.1**	**9**						
GRAND TOTAL	**31**	**7.6**	**24**	**2**	**2**	**7**	**12**	**15**	**15**		**48**	**7.0**	**8**	**2**	**5**	**7**	**9**	**10**	**10**

DRG 345: Other Male Reproductive System O.R. Proc except for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	81	5.0	13	2	2	4	6	11	15	0-17	0								
70-74	87	3.2	5	1	2	3	4	5	10	18-34	6	12.0							
75-79	61	6.3	17	2	2	5	9	13	14	35-49	5	3.0							
80-84	71	6.7	24	1	4	4	8	16	16	50-69	49	4.2	18	1	2	3	4	10	16
85 +	66	6.8	22	3	4	5	8	14	18	70 +	11	9.0	1						
SUBTOTAL	**366**	**5.5**	**17**	**1**	**3**	**4**	**7**	**13**	**15**		**71**	**5.5**	**20**	**1**	**3**	**4**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	114	2.4	3	1	1	2	3	5	5	0-17	0								
70-74	49	3.3	7	< 1	1	2	4	9	9	18-34	11	4.4	13						
75-79	54	3.7	9	1	2	3	4	11	12	35-49	16	1.6							
80-84	11	2.0	1							50-69	188	2.2	3	1	1	2	3	3	7
85 +	6	1.0								70 +	11	2.0							
SUBTOTAL	**234**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**8**		**226**	**2.2**	**3**	**1**	**1**	**2**	**3**	**3**	**7**
GRAND TOTAL	**599**	**4.4**	**14**	**1**	**2**	**3**	**5**	**10**	**14**		**297**	**3.0**	**9**	**1**	**1**	**2**	**3**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	5	47.0							
18-34	0									18-34	6	10.0							
35-49	0									35-49	0								
50-69	5	54.0								50-69	21	3.7	2						
70 +	0									70 +	22	4.1	6						
SUBTOTAL	**5**	**54.0**									**54**	**8.7**	**166**	**3**	**3**	**3**	**8**	**14**	**47**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	5	10.0							
18-34	0									18-34	6	3.0							
35-49	0									35-49	16	7.8	26						
50-69	10	2.5								50-69	43	3.0	9	1	1	3	3	10	10
70 +	0									70 +	5	15.0							
SUBTOTAL	**10**	**2.5**									**75**	**5.3**	**23**	**1**	**1**	**3**	**10**	**14**	**15**
GRAND TOTAL	**16**	**19.7**	**630**								**128**	**6.7**	**85**	**1**	**2**	**3**	**8**	**14**	**15**

DRG 346: Malignancy, Male Reproductive System, w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	253	8.8	88	2	3	5	12	20	24
70-74	354	7.8	37	2	4	6	11	14	24
75-79	383	8.4	50	3	4	6	11	18	27
80-84	258	10.2	72	2	4	8	14	20	27
85 +	297	7.9	34	3	4	6	10	14	20
SUBTOTAL	**1544**	**8.5**	**54**	**2**	**4**	**6**	**11**	**19**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1544**	**8.5**	**54**	**2**	**4**	**6**	**11**	**19**	**24**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	21	4.5	1						
18-34	21	8.3	8						
35-49	11	2.0							
50-69	167	6.2	15	2	3	5	9	11	12
70 +	38	9.7	59	3	3	8	12	26	26
	258	**6.5**	**22**	**2**	**3**	**5**	**9**	**12**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	258	**6.5**	**22**	**2**	**3**	**5**	**9**	**12**	**13**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	5	26.0							
18-34	0								
35-49	5	9.0							
50-69	6	15.0							
70 +	5	7.0							
SUBTOTAL	**21**	**14.3**	**56**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**21**	**14.3**	**56**						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	27	5.7	29						
70 +	55	8.7	220	2	3	4	5	47	52
	82	**7.7**	**158**	**1**	**2**	**4**	**6**	**15**	**52**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	82	**7.7**	**158**	**1**	**2**	**4**	**6**	**15**	**52**

DRG 347: Malignancy, Male Reproductive System, w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	58	4.0	12	1	1	4	5	5	14
70-74	64	3.9	11	< 1	1	3	5	9	12
75-79	26	2.6	2						
80-84	27	6.0	18						
85 +	27	4.5	14						
SUBTOTAL	**203**	**4.1**	**12**	**< 1**	**2**	**3**	**5**	**11**	**12**
GRAND TOTAL	**203**	**4.1**	**12**	**< 1**	**2**	**3**	**5**	**11**	**12**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	5	2.0							
18-34	16	3.3	3						
35-49	16	1.7							
50-69	111	4.5	9	1	2	4	5	9	10
70 +	6	1.0							
	153	**3.9**	**8**	**1**	**2**	**4**	**5**	**9**	**10**
	153	**3.9**	**8**	**1**	**2**	**4**	**5**	**9**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	5	6.0							
18-34	5	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**10**	**3.5**	**7**						
GRAND TOTAL	**10**	**3.5**	**7**						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	6	1.0							
70 +	0								
	6	**1.0**							
	6	**1.0**							

DRG 348: Benign Prostatic Hypertrophy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	238	4.8	9	1	2	5	6	8	9	0-17	0									
70-74	235	5.4	24	1	2	4	6	12	17	18-34	0									
75-79	254	5.2	52	1	2	4	6	9	9	35-49	0									
80-84	169	6.1	27	1	2	5	8	14	20	50-69	133	3.7	7	1	2	3	5	8	11	
85+	141	5.3	18	1	3	4	6	10	14	70+	22	3.0	1							
SUBTOTAL	**1036**	**5.3**	**27**	**1**	**2**	**4**	**6**	**10**	**14**		**155**	**3.6**	**6**	**1**	**2**	**3**	**4**	**8**	**11**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85+	0									70+	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**1036**	**5.3**	**27**	**1**	**2**	**4**	**6**	**10**	**14**		**155**	**3.6**	**6**	**1**	**2**	**3**	**4**	**8**	**11**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	22	2.7	6							50-69	22	5.2	12							
70+	0									70+	11	4.5	13							
SUBTOTAL	**22**	**2.7**	**6**								**33**	**4.9**	**12**	**1**	**2**	**4**	**8**	**11**	**11**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70+	0									70+	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**22**	**2.7**	**6**								**33**	**4.9**	**12**	**1**	**2**	**4**	**8**	**11**	**11**	

DRG 349: Benign Prostatic Hypertrophy w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	155	2.5	4	< 1	< 1	2	3	4	7	0-17	0									
70-74	179	2.6	2	1	1	2	3	5	6	18-34	0									
75-79	98	3.6	7	< 1	2	3	5	8	11	35-49	16	1.7								
80-84	63	2.6	1	1	2	2	3	4	5	50-69	245	2.4	1	1	2	2	3	4	4	
85 +	54	3.2	4	1	1	3	4	8	8	70 +	22	2.0	1							
SUBTOTAL	**550**	**2.8**	**4**	**< 1**	**1**	**2**	**4**	**5**	**7**		**283**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**4**	
GRAND TOTAL	**550**	**2.8**	**4**	**< 1**	**1**	**2**	**4**	**5**	**7**		**283**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**4**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	6	2.0								35-49	0									
50-69	6	3.0								50-69	64	2.2	1	1	1	2	3	4	4	
70 +	0									70 +	11	1.5								
SUBTOTAL	**11**	**2.5**									**75**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	
GRAND TOTAL	**11**	**2.5**									**75**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	

DRG 350: Inflammation of the Male Reproductive System

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	489	5.9	16	3	4	5	7	10	12	0-17	59	5.2	7	3	3	5	8	9	10
70-74	262	6.6	20	3	4	6	8	12	13	18-34	124	4.9	12	2	2	4	7	8	11
75-79	304	6.6	15	3	3	6	8	12	16	35-49	353	4.7	7	2	3	4	6	7	11
80-84	170	7.5	35	3	3	7	9	13	20	50-69	589	5.3	8	2	4	5	6	8	11
85 +	109	8.6	26	3	6	8	10	21	22	70 +	27	5.7	8						
SUBTOTAL	**1334**	**6.6**	**20**	**3**	**4**	**6**	**8**	**12**	**14**		**1151**	**5.1**	**8**	**2**	**3**	**4**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	289	5.1	10	2	2	5	6	9	12	0-17	210	3.0	3	1	1	3	4	6	7
70-74	139	5.6	8	3	3	5	8	10	10	18-34	402	3.3	3	1	2	3	4	6	7
75-79	60	4.3	6	1	2	4	7	7	9	35-49	616	3.9	3	2	3	4	5	6	7
80-84	33	5.1	2	3	4	5	6	7	7	50-69	592	4.0	4	2	2	4	5	7	7
85 +	49	4.2	5	2	3	3	6	8	9	70 +	11	5.3	22						
SUBTOTAL	**570**	**5.1**	**8**	**2**	**3**	**5**	**7**	**9**	**10**		**1831**	**3.7**	**4**	**1**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**1905**	**6.2**	**17**	**2**	**3**	**5**	**8**	**11**	**13**		**2981**	**4.2**	**6**	**2**	**3**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	32	2.9	4	1	1	3	5	6	6	0-17	31	6.4	24	1	3	5	8	16	16
18-34	75	5.6	14	2	3	5	7	9	16	18-34	76	5.0	16	2	2	3	6	12	13
35-49	39	5.3	3	3	3	6	7	7	7	35-49	59	5.6	21	1	2	4	7	13	18
50-69	44	4.6	3	2	3	4	6	7	7	50-69	69	5.2	7	2	4	5	5	10	10
70 +	6	4.0								70 +	16	4.7	3						
SUBTOTAL	**196**	**4.8**	**8**	**1**	**3**	**5**	**6**	**7**	**9**		**251**	**5.4**	**15**	**2**	**3**	**4**	**7**	**12**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	84	3.0	3	1	2	3	3	5	8	0-17	63	3.0	2	1	2	3	4	5	6
18-34	113	3.7	8	2	2	3	4	6	12	18-34	223	2.8	3	1	1	2	4	5	7
35-49	44	4.1	2	3	3	4	5	7	7	35-49	118	3.5	4	1	2	3	4	7	7
50-69	23	3.3	1							50-69	87	3.8	2	2	3	3	5	6	7
70 +	0									70 +	6	5.0							
SUBTOTAL	**263**	**3.5**	**5**	**2**	**2**	**3**	**4**	**5**	**8**		**496**	**3.2**	**3**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**459**	**4.1**	**7**	**2**	**2**	**4**	**5**	**7**	**8**		**747**	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 351: Sterilization, Male

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	6	1.0							
50-69	0								
70 +	0								
	6	**1.0**							
	6	**1.0**							

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	0								

DRG 352: Other Male Reproductive System Diagnoses

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	26	1.6	1						
70-74	11	2.0	1						
75-79	5	4.0							
80-84	16	4.0	2						
85 +	6	34.0							
SUBTOTAL	**64**	**5.3**	**82**	**1**	**1**	**3**	**5**	**5**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	22	1.5							
70-74	16	2.3	1						
75-79	5	2.0							
80-84	23	1.5							
85 +	6	4.0							
SUBTOTAL	**70**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**135**	**3.5**	**42**	**1**	**1**	**2**	**3**	**5**	**5**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	4.3	7	1	2	4	7	8	8
18-34	16	6.7	18						
35-49	5	7.0							
50-69	38	2.9	2	< 1	< 1	3	5	5	5
70 +	0								
	89	**4.3**	**9**	**< 1**	**2**	**3**	**6**	**8**	**12**
0-17	193	1.9	2	1	1	1	2	3	5
18-34	130	2.3	4	1	1	2	3	4	7
35-49	60	4.0	5	1	2	3	6	7	8
50-69	53	2.2	2	< 1	1	2	2	5	6
70 +	0								
	435	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**7**
	524	**2.7**	**5**	**1**	**1**	**2**	**3**	**6**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	41	3.4	1	2	3	3	4	5	5
18-34	21	8.4	20						
35-49	10	4.5	14						
50-69	5	7.0							
70 +	0								
SUBTOTAL	**78**	**5.1**	**12**	**2**	**3**	**4**	**7**	**8**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	94	1.6	3	< 1	< 1	1	1	2	7
18-34	27	1.8	1						
35-49	0								
50-69	23	3.8	3						
70 +	0								
SUBTOTAL	**144**	**2.0**	**3**	**< 1**	**1**	**1**	**2**	**5**	**6**
GRAND TOTAL	**222**	**3.1**	**9**	**< 1**	**1**	**2**	**4**	**7**	**8**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	8.7	32						
18-34	11	1.5							
35-49	16	7.3	2						
50-69	0								
70 +	0								
	42	**6.3**	**20**	**1**	**2**	**6**	**7**	**16**	**16**
0-17	63	2.0	2	< 1	1	1	3	4	5
18-34	64	2.4	3	1	1	2	3	4	7
35-49	26	3.3	9						
50-69	11	5.1	10						
70 +	0								
	164	**2.6**	**4**	**1**	**1**	**2**	**3**	**7**	**8**
	206	**3.4**	**10**	**1**	**1**	**2**	**5**	**8**	**8**

DRG 353: Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	120	11.6	57	4	8	10	14	16	28
70-74	72	13.7	60	8	9	11	18	21	37
75-79	74	14.0	158	4	8	11	14	19	57
80-84	26	14.2	68						
85 +	21	8.0	15						
SUBTOTAL	**313**	**12.6**	**82**	**4**	**8**	**11**	**14**	**19**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	41	7.0	16	1	4	6	10	14	14
70-74	37	6.4	7	4	4	6	8	12	12
75-79	43	8.0	19	4	4	6	9	17	17
80-84	31	7.7	8	4	6	7	8	13	13
85 +	10	16.5	47						
SUBTOTAL	**163**	**7.9**	**20**	**4**	**5**	**7**	**9**	**13**	**17**
GRAND TOTAL	**476**	**11.0**	**66**	**4**	**6**	**9**	**13**	**18**	**28**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	73	8.0	11	5	6	8	8	9	19
35-49	204	8.9	16	5	7	8	10	12	18
50-69	184	10.3	43	4	6	9	13	18	28
70 +	10	13.0	40						
	471	**9.4**	**27**	**5**	**7**	**8**	**10**	**15**	**19**
0-17	0								
18-34	89	6.6	4	4	6	6	8	9	11
35-49	197	6.8	12	4	5	6	8	10	11
50-69	54	6.0	2	3	5	6	7	8	8
70 +	0								
	340	**6.6**	**8**	**4**	**5**	**6**	**8**	**9**	**10**
	811	**8.2**	**21**	**5**	**6**	**7**	**9**	**13**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	21	7.8	1						
35-49	52	12.7	60	4	7	11	16	25	30
50-69	36	13.0	44	8	9	9	15	28	28
70 +	0								
SUBTOTAL	**109**	**11.9**	**47**	**7**	**8**	**9**	**14**	**21**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	26	5.6	3						
35-49	16	7.6	4						
50-69	0								
70 +	0								
SUBTOTAL	**42**	**6.4**	**4**	**3**	**5**	**6**	**8**	**9**	**9**
GRAND TOTAL	**151**	**10.3**	**41**	**5**	**7**	**9**	**13**	**19**	**28**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	31	7.6	8	5	5	7	8	13	13
35-49	58	7.3	4	4	5	7	9	10	10
50-69	47	13.2	48	6	7	9	19	24	24
70 +	0								
	137	**9.4**	**28**	**5**	**7**	**8**	**10**	**19**	**23**
0-17	0								
18-34	42	6.0	3	3	4	6	7	8	8
35-49	47	5.7	2	4	5	6	6	8	8
50-69	21	6.0	2						
70 +	5	4.0							
	115	**5.8**	**2**	**4**	**4**	**6**	**7**	**8**	**8**
	251	**7.8**	**19**	**4**	**5**	**7**	**8**	**13**	**19**

DRG 354: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	874	7.0	14	4	4	6	9	11	15	0-17	5	9.0							
70-74	594	7.7	23	4	5	6	9	12	19	18-34	188	4.9	4	3	4	4	6	8	9
75-79	530	6.7	10	4	5	6	8	10	13	35-49	512	6.1	11	3	4	5	8	10	14
80-84	199	9.1	44	5	5	6	10	24	27	50-69	1071	6.3	14	4	4	5	7	10	12
85 +	159	11.2	121	4	5	7	11	33	42	70 +	26	7.0							
SUBTOTAL	**2356**	**7.6**	**26**	**4**	**5**	**6**	**8**	**12**	**18**		**1802**	**6.2**	**12**	**3**	**4**	**5**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2356**	**7.6**	**26**	**4**	**5**	**6**	**8**	**12**	**18**		**1802**	**6.2**	**12**	**3**	**4**	**5**	**7**	**10**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5	17.0								0-17	0								
18-34	124	8.0	61	3	4	5	8	23	24	18-34	65	5.3	3	4	4	5	6	8	9
35-49	107	6.3	9	3	4	5	8	8	12	35-49	95	5.3	2	4	4	5	6	8	8
50-69	112	8.6	26	4	5	7	10	16	21	50-69	176	7.0	23	4	5	6	8	11	14
70 +	0									70 +	27	6.7	8						
SUBTOTAL	**348**	**7.8**	**35**	**4**	**4**	**6**	**8**	**16**	**23**		**363**	**6.2**	**13**	**4**	**4**	**5**	**7**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**348**	**7.8**	**35**	**4**	**4**	**6**	**8**	**16**	**23**		**363**	**6.2**	**13**	**4**	**4**	**5**	**7**	**9**	**11**

DRG 355: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	680	4.7	3	3	4	4	5	6	8
70-74	480	4.5	1	3	4	4	5	6	7
75-79	324	5.4	3	4	4	5	6	8	9
80-84	92	5.2	2	3	4	5	6	7	8
85 +	102	6.5	16	4	4	5	7	15	17
SUBTOTAL	**1678**	**4.9**	**3**	**4**	**4**	**4**	**5**	**7**	**8**
GRAND TOTAL	**1678**	**4.9**	**3**	**4**	**4**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	869	3.4	1	2	3	3	4	4	5
35-49	1805	3.8	1	3	3	4	4	5	5
50-69	1650	4.4	2	3	4	4	5	6	7
70 +	16	5.1	2						
	4339	**3.9**	**2**	**3**	**3**	**4**	**4**	**5**	**6**
	4339	**3.9**	**2**	**3**	**3**	**4**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	424	3.3	1	2	3	3	4	4	5
35-49	201	4.5	4	3	3	4	5	7	8
50-69	96	5.4	4	3	4	5	6	8	10
70 +	0								
SUBTOTAL	**722**	**3.9**	**3**	**2**	**3**	**4**	**4**	**6**	**7**
GRAND TOTAL	**722**	**3.9**	**3**	**2**	**3**	**4**	**4**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	187	3.2	1	2	3	3	4	5	5
35-49	427	4.0	1	3	3	4	4	6	6
50-69	398	4.4	2	3	4	4	5	6	7
70 +	43	4.0	1	3	3	4	4	5	5
	1056	**4.0**	**2**	**3**	**3**	**4**	**4**	**6**	**6**
	1056	**4.0**	**2**	**3**	**3**	**4**	**4**	**6**	**6**

DRG 356: Female Reproductive System Reconstructive Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	786	4.7	4	3	3	5	6	7	9
70-74	717	4.8	6	3	4	4	6	7	8
75-79	422	5.2	6	3	4	5	6	8	10
80-84	266	6.8	28	3	5	6	7	11	13
85 +	87	5.4	7	3	3	4	6	10	12
SUBTOTAL	**2277**	**5.1**	**8**	**3**	**4**	**5**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2123	3.8	3	2	3	4	5	6	6
70-74	1482	4.0	2	2	3	4	5	6	7
75-79	988	3.8	3	2	3	4	5	6	7
80-84	429	3.9	2	2	3	4	5	6	6
85 +	113	4.4	7	2	3	4	5	8	11
SUBTOTAL	**5135**	**3.9**	**3**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**7412**	**4.3**	**5**	**2**	**3**	**4**	**5**	**6**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	5	11.0							
18-34	79	4.5	1	3	4	4	5	6	6
35-49	606	4.4	3	2	3	4	5	7	8
50-69	1096	4.5	4	3	3	4	5	6	8
70 +	32	5.1	3	2	4	6	6	7	7
	1818	**4.5**	**4**	**3**	**3**	**4**	**5**	**7**	**8**
0-17	16	3.0	1						
18-34	500	3.5	3	2	2	3	4	5	5
35-49	3009	3.5	1	2	3	3	4	5	5
50-69	5016	3.6	2	2	3	3	4	5	6
70 +	82	4.2	1	3	4	4	5	5	5
	8622	**3.5**	**2**	**2**	**3**	**3**	**4**	**5**	**6**
	10440	**3.7**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	5	4.0							
18-34	38	5.7	2	4	5	5	7	8	8
35-49	80	5.0	4	3	4	5	6	8	10
50-69	90	5.9	40	3	4	4	5	8	28
70 +	5	7.0							
SUBTOTAL	**219**	**5.5**	**19**	**3**	**4**	**5**	**6**	**8**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	5	2.0							
18-34	157	3.4	3	2	2	3	4	6	7
35-49	379	3.7	2	2	3	4	4	6	7
50-69	236	4.2	3	2	3	4	5	7	7
70 +	0								
SUBTOTAL	**778**	**3.8**	**3**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**997**	**4.2**	**7**	**2**	**3**	**4**	**5**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	11	3.0							
35-49	155	4.5	4	2	3	4	5	7	8
50-69	167	4.6	2	3	3	5	6	7	7
70 +	10	4.5							
	344	**4.5**	**3**	**3**	**3**	**4**	**5**	**7**	**7**
0-17	0								
18-34	86	2.8	2	1	2	3	3	4	6
35-49	479	3.3	2	2	2	3	4	5	6
50-69	865	3.5	2	2	3	3	4	5	6
70 +	72	2.9	1	2	2	3	4	4	4
	1501	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
	1845	**3.6**	**2**	**2**	**3**	**3**	**4**	**6**	**6**

DRG 357: Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	491	12.6	92	5	7	9	14	26	35	0-17	0								
70-74	459	12.0	57	4	7	10	14	26	30	18-34	102	6.4	7	4	5	6	8	9	12
75-79	279	12.9	68	5	7	10	18	23	28	35-49	373	7.3	17	4	5	6	8	11	17
80-84	135	10.5	54	6	6	9	11	16	25	50-69	694	10.2	55	4	6	8	12	18	22
85 +	92	15.0	127	3	9	11	20	27	47	70 +	11	6.0							
SUBTOTAL	**1456**	**12.4**	**76**	**5**	**7**	**10**	**15**	**25**	**31**		**1180**	**8.9**	**41**	**4**	**5**	**7**	**10**	**17**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	157	6.9	10	3	4	6	9	11	13	0-17	10	3.5							
70-74	108	8.2	19	4	5	7	11	16	20	18-34	196	4.3	1	3	3	4	5	6	6
75-79	33	8.8	64	4	4	6	7	26	26	35-49	342	4.6	4	3	4	4	5	7	9
80-84	16	6.0	1							50-69	345	5.2	5	4	4	5	6	8	10
85 +	11	6.0	1							70 +	0								
SUBTOTAL	**325**	**7.5**	**18**	**4**	**5**	**6**	**9**	**13**	**17**		**894**	**4.8**	**4**	**3**	**4**	**4**	**5**	**7**	**8**
GRAND TOTAL	**1781**	**11.5**	**69**	**4**	**6**	**9**	**14**	**23**	**29**		**2074**	**7.1**	**29**	**4**	**4**	**5**	**8**	**13**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	16	7.1	3							18-34	10	4.5							
35-49	69	9.3	10	5	6	10	11	13	14	35-49	102	6.5	3	4	5	6	8	9	10
50-69	85	15.5	134	6	9	12	17	32	50	50-69	187	9.8	39	5	6	9	11	16	25
70 +	0									70 +	38	8.6	14	5	6	7	12	16	16
SUBTOTAL	**170**	**12.2**	**83**	**6**	**7**	**10**	**13**	**22**	**32**		**337**	**8.5**	**27**	**4**	**5**	**7**	**10**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	10	4.5	2						
18-34	38	3.6	1	2	3	4	4	5	5	18-34	48	5.2	7	3	4	4	6	12	12
35-49	27	5.2	1							35-49	86	5.3	9	3	4	4	6	8	16
50-69	22	7.2	12							50-69	69	5.1	2	3	4	5	6	7	8
70 +	0									70 +	5	13.0							
SUBTOTAL	**87**	**5.0**	**6**	**3**	**3**	**4**	**6**	**10**	**11**		**218**	**5.4**	**8**	**3**	**4**	**4**	**6**	**8**	**12**
GRAND TOTAL	**257**	**9.8**	**68**	**4**	**5**	**9**	**11**	**16**	**27**		**556**	**7.3**	**22**	**4**	**4**	**6**	**9**	**12**	**16**

DRG 358: Uterine & Adnexa Proc for Non-malignancy w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2124	6.0	8	4	4	5	7	10	12
70-74	1421	5.9	12	4	4	5	7	9	12
75-79	1051	7.0	43	4	4	5	7	11	16
80-84	518	7.6	27	4	5	6	8	14	20
85 +	183	8.9	70	4	5	6	9	16	23
SUBTOTAL	**5296**	**6.4**	**21**	**4**	**4**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5296**	**6.4**	**21**	**4**	**4**	**5**	**7**	**10**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	206	5.0	27	2	3	4	5	8	12
18-34	5538	4.5	7	3	3	4	5	7	8
35-49	17755	4.9	6	3	4	4	5	7	9
50-69	4562	5.4	10	3	4	5	6	8	10
70 +	54	5.7	6	4	4	5	6	10	12
	28115	**4.9**	**7**	**3**	**4**	**4**	**5**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	28115	**4.9**	**7**	**3**	**4**	**4**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	49	5.3	14	< 1	4	4	5	11	15
18-34	1821	5.4	9	3	4	5	6	9	11
35-49	1649	6.1	17	3	4	5	7	10	14
50-69	230	6.5	6	4	4	6	8	10	11
70 +	11	5.0							
SUBTOTAL	**3760**	**5.8**	**12**	**3**	**4**	**5**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3760**	**5.8**	**12**	**3**	**4**	**5**	**7**	**10**	**12**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	4.9	8	1	3	4	8	10	10
18-34	1565	4.8	5	3	3	4	5	8	9
35-49	3784	4.8	4	3	4	4	5	7	9
50-69	820	4.8	3	3	4	4	5	7	8
70 +	92	6.1	21	4	4	5	6	9	23
	6305	**4.8**	**5**	**3**	**4**	**4**	**5**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6305	**4.8**	**5**	**3**	**4**	**4**	**5**	**7**	**9**

DRG 359: Uterine & Adnexa Proc for Non-malignancy w/o CC

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3278	4.2	2	3	4	4	5	6	6	0-17	1134	3.7	10	2	3	3	4	5	8
70-74	2117	4.5	2	3	4	4	5	6	7	18-34	25214	3.5	1	2	3	3	4	5	5
75-79	1274	4.7	3	3	4	4	5	7	7	35-49	56945	3.8	2	3	3	4	4	5	5
80-84	409	4.9	5	3	4	5	5	6	9	50-69	13760	4.1	2	3	3	4	4	5	6
85 +	104	6.2	10	2	4	5	9	9	14	70 +	114	4.7	3	3	4	4	5	9	10
SUBTOTAL	**7182**	**4.5**	**2**	**3**	**4**	**4**	**5**	**6**	**7**		**97167**	**3.8**	**2**	**3**	**3**	**4**	**4**	**5**	**5**
GRAND TOTAL	**7182**	**4.5**	**2**	**3**	**4**	**4**	**5**	**6**	**7**		**97167**	**3.8**	**2**	**3**	**3**	**4**	**4**	**5**	**5**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	185	3.4	3	2	2	3	4	5	8	0-17	247	3.1	2	1	2	3	4	5	5
18-34	5390	3.7	2	2	3	4	4	5	6	18-34	5631	3.5	1	2	3	3	4	5	5
35-49	3367	4.0	2	3	3	4	4	5	6	35-49	10601	3.7	3	3	3	4	4	5	5
50-69	316	4.7	4	3	4	4	5	7	9	50-69	2354	3.9	1	3	3	4	4	5	6
70 +	11	5.0	1							70 +	188	4.1	1	3	4	4	5	5	6
SUBTOTAL	**9269**	**3.9**	**2**	**3**	**3**	**4**	**4**	**5**	**6**		**19021**	**3.7**	**3**	**2**	**3**	**4**	**4**	**5**	**5**
GRAND TOTAL	**9269**	**3.9**	**2**	**3**	**3**	**4**	**4**	**5**	**6**		**19021**	**3.7**	**3**	**2**	**3**	**4**	**4**	**5**	**5**

DRG 360: Vagina, Cervix & Vulva Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	276	5.5	17	2	3	5	6	9	13
70-74	190	6.6	53	3	4	5	6	11	22
75-79	125	6.3	37	2	4	5	5	11	11
80-84	89	5.8	27	2	2	5	6	14	23
85 +	101	7.0	35	2	2	6	7	16	22
SUBTOTAL	**782**	**6.1**	**32**	**2**	**3**	**5**	**6**	**11**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	517	3.6	2	2	3	3	4	6	6
70-74	394	3.6	2	2	3	4	4	5	6
75-79	279	3.8	4	2	2	4	4	5	7
80-84	144	4.3	4	2	3	4	6	7	8
85 +	64	5.4	26	1	2	4	7	11	19
SUBTOTAL	**1399**	**3.8**	**4**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**2181**	**4.6**	**15**	**2**	**3**	**4**	**5**	**7**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	3.6	2	2	2	4	4	6	6
18-34	90	3.6	4	1	2	4	5	7	7
35-49	302	5.0	13	2	3	4	6	8	14
50-69	326	5.7	37	2	3	4	6	9	13
70 +	16	10.0	22						
	770	**5.2**	**23**	**2**	**3**	**4**	**6**	**9**	**13**
0-17	151	2.6	3	1	1	2	4	5	6
18-34	669	2.4	2	< 1	1	2	3	4	5
35-49	964	3.4	4	1	2	3	4	6	6
50-69	1112	3.8	8	2	3	3	4	6	7
70 +	16	4.3							
	2913	**3.3**	**5**	**1**	**2**	**3**	**4**	**5**	**6**
	3683	**3.7**	**9**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	9.0	18						
18-34	38	2.5	3	< 1	< 1	2	3	6	6
35-49	38	5.9	16	1	3	4	10	12	12
50-69	11	8.3	33						
70 +	0								
SUBTOTAL	**96**	**5.2**	**18**	**< 1**	**2**	**3**	**9**	**13**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	89	3.4	4	1	2	3	5	7	7
18-34	157	2.2	2	1	1	2	3	4	5
35-49	86	2.5	2	1	1	2	3	4	7
50-69	22	3.3	1						
70 +	0								
SUBTOTAL	**355**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**451**	**3.2**	**7**	**1**	**1**	**3**	**4**	**6**	**9**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	21	2.0	1						
18-34	27	2.0	1						
35-49	70	4.2	6	2	3	3	6	8	9
50-69	63	6.9	28	3	4	5	6	13	22
70 +	27	4.4	4						
	209	**4.5**	**14**	**1**	**3**	**3**	**6**	**8**	**10**
0-17	79	2.6	4	1	2	2	3	3	10
18-34	142	2.0	1	1	1	2	3	4	4
35-49	197	3.4	6	1	2	3	4	5	10
50-69	193	3.5	3	2	3	3	4	6	7
70 +	16	3.0	1						
	627	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**6**
	836	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**8**

DRG 361: Laparoscopy & Incisional Tubal Interruption

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	37	7.3	14	4	5	6	7	16	16
70-74	11	9.7	54						
75-79	0								
80-84	0								
85 +	6	23.0							
SUBTOTAL	53	9.4	43	3	5	6	16	23	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	37	2.7	3	1	2	2	3	7	7
70-74	11	1.5							
75-79	5	1.0							
80-84	0								
85 +	6	4.0							
SUBTOTAL	59	2.4	3	<1	1	2	3	4	7
GRAND TOTAL	112	5.7	34	1	2	4	7	16	22

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	54	4.6	7	2	3	4	5	8	11
18-34	375	3.4	5	1	2	3	5	7	8
35-49	155	4.1	7	1	2	4	5	7	9
50-69	28	5.6	7						
70 +	0								
	611	3.8	6	1	2	3	5	7	8
0-17	268	3.6	8	1	2	3	5	7	8
18-34	1764	2.9	4	1	1	2	4	6	7
35-49	655	2.5	3	1	1	2	3	4	6
50-69	60	2.6	2	1	2	2	3	5	6
70 +	0								
	2747	2.9	4	1	1	2	4	6	7
	3358	3.0	5	1	1	3	4	6	7

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	5.3	5						
18-34	221	4.1	7	1	2	3	5	8	9
35-49	22	3.3	12						
50-69	0								
70 +	0								
SUBTOTAL	259	4.1	7	1	2	3	5	8	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	61	3.0	5	1	1	2	6	7	7
18-34	715	3.2	4	1	2	3	4	6	7
35-49	70	3.4	4	1	2	3	4	5	9
50-69	0								
70 +	0								
SUBTOTAL	846	3.2	4	1	2	3	4	6	7
GRAND TOTAL	1105	3.4	5	1	2	3	5	7	7

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	32	4.0	2	2	3	4	5	6	6
18-34	134	3.5	4	1	2	4	4	7	7
35-49	44	3.6	3	1	2	4	5	6	6
50-69	0								
70 +	6	1.0							
	216	3.6	3	1	2	4	5	6	7
0-17	48	3.7	3	1	3	3	5	6	7
18-34	667	2.8	4	1	1	2	4	5	6
35-49	134	3.3	5	1	1	3	4	6	7
50-69	6	6.0							
70 +	0								
	855	3.0	4	1	1	3	4	6	7
	1072	3.1	4	1	1	3	4	6	7

DRG 362: Endoscopic Tubal Interruption

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	22	2.0	2						
75-79	0									35-49	5	1.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**27**	**1.8**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	1.0								0-17	0								
70-74	0									18-34	72	1.4	1	< 1	< 1	< 1	1	3	3
75-79	0									35-49	44	1.7	1	< 1	< 1	< 1	3	3	3
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**1.0**									**116**	**1.5**	**1**	**< 1**	**< 1**	**< 1**	**2**	**3**	**3**
GRAND TOTAL	**6**	**1.0**									**143**	**1.6**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	6	1.0							
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**6**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	49	1.7	1	< 1	< 1	1	3	3	3	18-34	31	1.5	1	< 1	1	1	2	3	3
35-49	6	1.0								35-49	11	1.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**55**	**1.6**	**1**	**< 1**	**< 1**	**< 1**	**3**	**3**	**3**		**42**	**1.4**		**< 1**	**1**	**1**	**1**	**3**	**3**
GRAND TOTAL	**55**	**1.6**	**1**	**< 1**	**< 1**	**< 1**	**3**	**3**	**3**		**48**	**1.3**		**< 1**	**1**	**1**	**1**	**3**	**3**

DRG 363: D&C, Conization & Radio-implant, for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	157	3.6	9	1	2	3	4	7	12
70-74	185	3.4	12	1	2	2	3	7	10
75-79	126	4.5	20	1	2	2	5	10	13
80-84	95	4.3	11	1	2	4	5	11	13
85 +	58	6.7	15	3	3	5	10	11	15
SUBTOTAL	**621**	**4.1**	**14**	**1**	**2**	**3**	**5**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	342	2.2	1	1	2	2	3	3	4
70-74	184	2.1	1	1	2	2	2	3	4
75-79	224	2.2	1	1	2	2	2	3	3
80-84	106	2.7	2	2	2	2	3	5	8
85 +	37	2.6	2	1	1	3	3	5	5
SUBTOTAL	**892**	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**1513**	**3.0**	**7**	**1**	**2**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	53	2.8	8	1	2	2	2	4	11
35-49	57	2.5	2	2	2	2	3	4	6
50-69	171	3.3	3	2	2	3	3	6	8
70 +	10	7.5	22						
	291	**3.2**	**5**	**2**	**2**	**2**	**3**	**6**	**9**
0-17	0								
18-34	73	2.2	1	1	2	2	3	3	4
35-49	327	2.5	3	2	2	2	3	4	4
50-69	485	2.5	2	1	2	2	3	3	4
70 +	5	2.0							
	890	**2.5**	**2**	**1**	**2**	**2**	**3**	**3**	**4**
	1181	**2.6**	**3**	**2**	**2**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	11	3.0							
35-49	37	3.1	2	1	2	3	4	5	5
50-69	63	5.9	14	2	4	5	8	9	15
70 +	0								
SUBTOTAL	**111**	**4.7**	**10**	**2**	**3**	**4**	**5**	**9**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	53	2.0	1	1	2	2	2	3	4
35-49	135	2.2		1	2	2	3	3	3
50-69	85	2.6	1	1	2	3	3	4	4
70 +	6	4.0							
SUBTOTAL	**279**	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**390**	**3.0**	**5**	**1**	**2**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	16	2.7	3						
50-69	53	1.8		1	1	2	2	3	3
70 +	10	3.5	7						
	79	**2.2**	**2**	**1**	**1**	**2**	**2**	**5**	**6**
0-17	0								
18-34	16	1.3							
35-49	94	2.4	1	1	2	2	3	4	5
50-69	168	2.1	1	1	1	2	2	3	4
70 +	6	2.0							
	284	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**
	362	**2.1**	**1**	**1**	**1**	**2**	**2**	**3**	**5**

DRG 364: D&C, Conization except for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	118	4.1	15	1	1	3	5	8	12	0-17	28	2.6	1						
70-74	45	2.6	2	1	2	2	4	5	5	18-34	129	2.5	7	1	1	1	3	5	7
75-79	59	3.5	6	1	1	3	5	7	8	35-49	367	2.3	3	1	1	2	3	4	5
80-84	50	5.5	12	1	3	4	9	11	11	50-69	162	2.2	2	1	1	2	3	4	5
85 +	69	4.9	12	2	2	3	7	8	14	70 +	0								
SUBTOTAL	**341**	**4.2**	**11**	**1**	**2**	**3**	**5**	**8**	**11**		**686**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	38	1.4	1	< 1	< 1	1	2	3	3	0-17	22	1.5	1						
70-74	55	2.1	3	< 1	1	1	3	6	7	18-34	302	2.8	4	< 1	1	2	4	5	8
75-79	38	2.0	1	1	1	2	2	4	4	35-49	543	1.7	2	< 1	< 1	1	2	3	4
80-84	23	1.8	2							50-69	192	1.6	1	< 1	1	1	2	4	4
85 +	21	1.8	1							70 +	6	1.0							
SUBTOTAL	**175**	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**		**1064**	**1.9**	**3**	**< 1**	**< 1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**516**	**3.4**	**9**	**1**	**1**	**2**	**4**	**8**	**10**		**1750**	**2.1**	**3**	**< 1**	**1**	**1**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	4.0								0-17	6	1.0							
18-34	112	4.2	15	1	2	3	4	11	12	18-34	58	3.3	12	1	2	2	4	4	14
35-49	85	2.2	2	1	1	2	3	5	5	35-49	162	2.5	5	< 1	1	2	3	6	6
50-69	43	3.5	7	1	1	3	5	9	9	50-69	27	2.4	1						
70 +	0									70 +	0								
SUBTOTAL	**247**	**3.4**	**9**	**1**	**2**	**3**	**4**	**5**	**11**		**253**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	17	3.0	2							0-17	0								
18-34	189	2.4	3	1	1	2	4	5	5	18-34	141	1.5	1	1	1	1	2	2	4
35-49	60	2.4	4	< 1	1	1	4	5	7	35-49	74	2.2	3	< 1	1	2	2	5	7
50-69	28	2.8	5							50-69	66	1.2		< 1	1	1	1	2	3
70 +	0									70 +	6	3.0							
SUBTOTAL	**293**	**2.5**	**3**	**1**	**1**	**2**	**4**	**5**	**6**		**286**	**1.7**	**1**	**< 1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**540**	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**7**		**539**	**2.1**	**4**	**< 1**	**1**	**1**	**2**	**4**	**6**

DRG 365: Other Female Reproductive System O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	168	14.4	155	4	6	9	21	28	30
70-74	139	10.7	42	4	5	9	15	19	20
75-79	99	10.6	53	3	5	9	14	23	28
80-84	44	12.8	61	2	5	12	18	24	24
85 +	39	16.9	138	4	6	15	33	34	34
SUBTOTAL	**489**	**12.6**	**96**	**4**	**6**	**10**	**18**	**27**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	172	4.9	7	3	3	4	5	8	9
70-74	140	6.3	24	2	4	4	7	13	18
75-79	82	5.7	17	2	3	5	7	10	18
80-84	11	3.5							
85 +	11	5.9	4						
SUBTOTAL	**416**	**5.5**	**15**	**2**	**3**	**4**	**6**	**10**	**15**
GRAND TOTAL	**904**	**9.4**	**71**	**3**	**4**	**6**	**12**	**21**	**27**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	32	10.9	66	2	7	8	11	28	28
18-34	136	6.0	13	2	4	5	7	10	12
35-49	265	7.7	58	4	4	6	9	11	15
50-69	296	9.8	192	3	4	6	9	16	32
70 +	0								
	730	**8.4**	**106**	**3**	**4**	**6**	**9**	**13**	**17**
0-17	86	3.4	3	2	2	3	4	7	7
18-34	419	4.0	5	2	3	3	4	6	8
35-49	617	4.6	7	2	3	4	5	8	10
50-69	381	4.2	3	2	3	4	5	6	7
70 +	0								
	1504	**4.2**	**5**	**2**	**3**	**4**	**5**	**7**	**9**
	2234	**5.6**	**42**	**2**	**3**	**4**	**6**	**10**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	11	6.8	18						
18-34	55	5.4	8	2	3	5	7	10	11
35-49	59	9.6	70	4	5	5	14	25	27
50-69	42	10.5	71	1	3	7	15	28	28
70 +	0								
SUBTOTAL	**167**	**8.2**	**50**	**2**	**4**	**5**	**11**	**17**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	4.0	1						
18-34	131	4.7	6	2	3	4	6	9	9
35-49	71	5.3	15	3	3	4	5	11	16
50-69	5	3.0							
70 +	0								
SUBTOTAL	**217**	**4.8**	**9**	**2**	**3**	**4**	**6**	**9**	**11**
GRAND TOTAL	**384**	**6.3**	**29**	**2**	**3**	**5**	**7**	**11**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	2.0							
18-34	82	6.4	16	2	3	5	12	13	14
35-49	58	5.8	11	3	3	5	7	9	14
50-69	10	9.0	4						
70 +	0								
	156	**6.2**	**14**	**2**	**3**	**5**	**7**	**13**	**14**
0-17	37	4.7	3	3	4	4	5	9	9
18-34	202	3.9	2	2	3	4	5	6	7
35-49	69	6.8	30	3	4	5	7	12	24
50-69	54	3.3	1	2	2	3	4	6	6
70 +	5	3.0							
	366	**4.5**	**9**	**2**	**3**	**4**	**5**	**7**	**8**
	522	**5.0**	**11**	**2**	**3**	**4**	**6**	**8**	**12**

DRG 366: Malignancy, Female Reproductive System w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	225	6.9	31	2	3	5	9	15	18
70-74	167	8.5	49	2	3	6	11	20	26
75-79	108	9.3	40	3	4	9	14	18	25
80-84	151	11.3	96	3	5	9	15	22	23
85 +	141	8.6	30	2	5	8	12	14	15
SUBTOTAL	**793**	**8.7**	**50**	**2**	**4**	**7**	**12**	**18**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**793**	**8.7**	**50**	**2**	**4**	**7**	**12**	**18**	**22**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	7.0	5						
18-34	42	2.4	2	1	2	2	2	5	5
35-49	100	7.9	50	1	2	5	15	23	23
50-69	261	8.2	58	2	3	5	10	22	26
70 +	16	6.9	13						
	435	**7.5**	**50**	**2**	**3**	**5**	**9**	**19**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	435	**7.5**	**50**	**2**	**3**	**5**	**9**	**19**	**23**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	47	6.4	20	2	3	3	11	13	13
35-49	79	9.5	117	1	3	6	16	21	43
50-69	81	5.6	10	1	3	6	8	9	12
70 +	22	12.5	238						
SUBTOTAL	**228**	**7.8**	**75**	**2**	**3**	**6**	**9**	**16**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**228**	**7.8**	**75**	**2**	**3**	**6**	**9**	**16**	**22**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	5	4.0							
18-34	16	9.4	6						
35-49	32	4.1	16	1	1	1	8	11	11
50-69	100	7.4	94	1	2	4	8	19	32
70 +	11	3.5							
	164	**6.6**	**64**	**1**	**2**	**4**	**8**	**13**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	164	**6.6**	**64**	**1**	**2**	**4**	**8**	**13**	**21**

DRG 367: Malignancy, Female Reproductive System w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	52	2.9	3	1	2	3	4	5	6	0-17	10	3.5	2						
70-74	41	3.3	6	1	2	2	3	9	9	18-34	21	1.8							
75-79	33	4.3	7	1	2	4	7	8	8	35-49	80	3.6	22	< 1	2	2	4	4	20
80-84	21	5.0	1							50-69	75	4.9	12	1	2	4	7	11	13
85 +	22	2.2	2							70 +	11	5.2	18						
SUBTOTAL	**170**	**3.4**	**4**	**1**	**2**	**3**	**5**	**6**	**8**		**197**	**4.0**	**15**	**1**	**2**	**2**	**5**	**9**	**13**
GRAND TOTAL	**170**	**3.4**	**4**	**1**	**2**	**3**	**5**	**6**	**8**		**197**	**4.0**	**15**	**1**	**2**	**2**	**5**	**9**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	5	2.0							
18-34	10	3.5								18-34	0								
35-49	59	4.5	12	2	2	3	7	11	12	35-49	31	3.3	8	1	1	2	4	9	9
50-69	5	3.0								50-69	16	3.1	9						
70 +	0									70 +	0								
SUBTOTAL	**74**	**4.2**	**10**	**2**	**2**	**3**	**4**	**10**	**12**		**53**	**3.1**	**8**	**1**	**1**	**2**	**4**	**9**	**9**
GRAND TOTAL	**74**	**4.2**	**10**	**2**	**2**	**3**	**4**	**10**	**12**		**53**	**3.1**	**8**	**1**	**1**	**2**	**4**	**9**	**9**

DRG 368: Infections, Female Reproductive System

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	54	8.5	28	4	4	5	12	16	20	0-17	245	4.0	4	2	3	4	5	7	8
70-74	31	6.5	2	5	5	6	8	8	8	18-34	739	4.4	7	2	3	4	5	7	9
75-79	21	7.1	41							35-49	309	5.2	11	2	3	5	7	9	13
80-84	27	11.6	10							50-69	83	6.6	11	3	4	6	8	13	14
85 +	33	20.4	256	7	7	15	28	52	52	70 +	0								
SUBTOTAL	**168**	**10.8**	**91**	**4**	**5**	**8**	**14**	**21**	**28**		**1375**	**4.6**	**8**	**2**	**3**	**4**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	76	3.7	5	2	2	3	4	7	10	0-17	773	3.4	4	2	2	3	4	6	7
70-74	21	7.4	5							18-34	3587	3.5	3	2	2	3	4	5	7
75-79	11	8.0	1							35-49	845	4.0	4	2	3	4	5	7	8
80-84	6	4.0								50-69	76	4.2	10	2	2	4	5	6	14
85 +	0									70 +	0								
SUBTOTAL	**114**	**4.8**	**7**	**2**	**3**	**4**	**7**	**9**	**10**		**5281**	**3.6**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**281**	**8.4**	**66**	**3**	**4**	**6**	**9**	**15**	**22**		**6656**	**3.8**	**5**	**2**	**2**	**3**	**5**	**6**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	190	3.9	3	2	3	4	5	6	9	0-17	122	3.6	2	1	3	4	4	5	6
18-34	1102	4.5	6	2	3	4	5	8	9	18-34	585	3.8	4	2	3	4	5	5	7
35-49	215	4.4	5	2	3	4	6	8	9	35-49	70	5.3	8	3	3	5	7	9	12
50-69	27	6.5	11							50-69	16	6.3	4						
70 +	0									70 +	0								
SUBTOTAL	**1533**	**4.4**	**6**	**2**	**3**	**4**	**5**	**8**	**9**		**794**	**3.9**	**4**	**2**	**3**	**4**	**5**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	701	3.4	3	1	2	3	4	6	6	0-17	459	3.2	3	1	2	3	4	5	7
18-34	2889	3.7	3	2	2	3	4	6	7	18-34	1933	3.5	3	2	2	3	4	6	7
35-49	229	4.1	5	2	2	4	5	7	7	35-49	284	4.1	7	2	3	4	5	7	10
50-69	5	4.0								50-69	11	3.5							
70 +	0									70 +	0								
SUBTOTAL	**3824**	**3.7**	**3**	**2**	**2**	**3**	**4**	**6**	**7**		**2686**	**3.5**	**3**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**5358**	**3.9**	**4**	**2**	**3**	**3**	**5**	**6**	**8**		**3480**	**3.6**	**4**	**2**	**2**	**3**	**4**	**6**	**7**

DRG 369: Menstrual & Other Female Reproductive System Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	161	3.0	5	1	2	2	4	5	6	0-17	214	2.2	1	1	1	2	3	4	4
70-74	68	4.1	6	1	2	5	6	7	7	18-34	601	3.2	5	1	2	3	4	6	8
75-79	129	5.3	8	2	3	5	8	9	11	35-49	575	3.2	5	1	2	3	4	6	6
80-84	31	4.6	5	2	4	4	5	9	9	50-69	149	3.2	4	1	1	3	4	5	7
85 +	70	4.1	3	2	3	3	5	6	8	70 +	5	2.0							
SUBTOTAL	**459**	**4.1**	**7**	**1**	**2**	**4**	**5**	**8**	**9**		**1544**	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	132	3.2	5	1	1	3	4	6	6	0-17	839	1.8	1	1	1	2	2	3	4
70-74	37	3.2	3	1	1	3	5	6	6	18-34	2456	2.0	2	1	1	2	2	4	5
75-79	32	3.1	5	< 1	1	1	5	6	6	35-49	1544	2.6	2	1	1	2	3	4	5
80-84	38	5.8	9	1	3	7	8	10	10	50-69	371	2.9	2	1	2	3	4	4	5
85 +	10	6.5								70 +	5	4.0							
SUBTOTAL	**250**	**3.7**	**6**	**1**	**1**	**3**	**6**	**7**	**8**		**5214**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**709**	**4.0**	**6**	**1**	**2**	**4**	**5**	**8**	**9**		**6758**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	86	3.1	2	2	2	3	4	5	6	0-17	54	2.4	2	1	1	2	3	4	5
18-34	274	3.1	6	1	1	3	4	7	9	18-34	240	2.4	3	1	1	2	3	5	5
35-49	114	3.8	9	1	1	3	5	6	6	35-49	179	2.3	5	1	1	2	3	4	4
50-69	21	2.5	2							50-69	38	3.6	6	1	2	3	4	9	9
70 +	0									70 +	6	7.0							
SUBTOTAL	**495**	**3.2**	**6**	**1**	**1**	**3**	**5**	**6**	**7**		**517**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	304	2.4	4	1	1	2	3	6	6	0-17	231	1.8	5	1	1	1	2	2	3
18-34	887	2.2	2	1	1	2	3	4	5	18-34	847	1.9	2	< 1	1	2	2	3	5
35-49	200	2.9	4	< 1	1	2	5	6	6	35-49	291	1.9	1	1	1	2	2	3	4
50-69	27	2.6	1							50-69	38	2.3	1	< 1	1	2	4	4	4
70 +	0									70 +	0								
SUBTOTAL	**1418**	**2.4**	**2**	**1**	**1**	**2**	**3**	**5**	**6**		**1406**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**1913**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**		**1923**	**2.1**	**3**	**1**	**1**	**2**	**2**	**4**	**5**

DRG 370: Cesarean Section w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	176	5.4	6	4	4	4	6	9	11	0-17	531	5.9	8	3	4	5	7	10	12
70-74	0									18-34	19165	5.2	18	3	4	4	5	7	10
75-79	0									35-49	3253	5.9	42	3	4	4	5	8	13
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**176**	**5.4**	**6**	**4**	**4**	**4**	**6**	**9**	**11**		**22949**	**5.3**	**21**	**3**	**4**	**4**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**176**	**5.4**	**6**	**4**	**4**	**4**	**6**	**9**	**11**		**22949**	**5.3**	**21**	**3**	**4**	**4**	**5**	**7**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1296	6.6	30	4	4	5	7	10	12	0-17	408	6.1	15	3	4	5	7	10	13
18-34	14703	5.8	21	3	4	5	6	9	12	18-34	7259	5.6	20	3	4	4	6	8	10
35-49	885	7.1	49	4	4	5	8	11	17	35-49	1143	6.2	44	3	4	4	6	8	13
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**16884**	**5.9**	**23**	**3**	**4**	**5**	**6**	**9**	**12**		**8810**	**5.7**	**23**	**3**	**4**	**4**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**16884**	**5.9**	**23**	**3**	**4**	**5**	**6**	**9**	**12**		**8810**	**5.7**	**23**	**3**	**4**	**4**	**6**	**8**	**11**

DRG 371: Cesarean Section w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85+	0									70+	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	333	3.9	1	3	3	4	4	5	6	0-17	1220	4.2	2	3	3	4	5	6	7
70-74	0									18-34	86471	3.9	2	3	3	4	4	5	5
75-79	0									35-49	12377	4.1	5	3	3	4	4	5	6
80-84	0									50-69	6	4.0							
85+	0									70+	0								
SUBTOTAL	**333**	**3.9**	**1**	**3**	**3**	**4**	**4**	**5**	**6**		**100073**	**4.0**	**3**	**3**	**3**	**4**	**4**	**5**	**5**
GRAND TOTAL	**333**	**3.9**	**1**	**3**	**3**	**4**	**4**	**5**	**6**		**100073**	**4.0**	**3**	**3**	**3**	**4**	**4**	**5**	**5**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70+	0									70+	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	2216	4.4	7	3	3	4	5	6	6	0-17	417	4.2	2	3	3	4	5	6	8
18-34	33948	4.0	5	3	3	4	4	5	6	18-34	21821	4.0	3	3	3	4	4	5	5
35-49	1561	4.4	4	3	4	4	5	6	7	35-49	3214	4.1	5	3	3	4	4	5	6
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**37725**	**4.1**	**5**	**3**	**3**	**4**	**4**	**5**	**6**		**25452**	**4.0**	**3**	**3**	**3**	**4**	**4**	**5**	**6**
GRAND TOTAL	**37725**	**4.1**	**5**	**3**	**3**	**4**	**4**	**5**	**6**		**25452**	**4.0**	**3**	**3**	**3**	**4**	**4**	**5**	**6**

DRG 372: Vaginal Delivery w/ Complicating Diagnoses

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	59	2.5	1	2	2	2	3	4	4
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**59**	**2.5**	**1**	**2**	**2**	**2**	**3**	**4**	**4**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	43	2.9		2	3	3	3	4	4
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**43**	**2.9**		**2**	**3**	**3**	**3**	**4**	**4**
GRAND TOTAL	**102**	**2.7**	**1**	**2**	**2**	**3**	**3**	**4**	**4**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	388	3.6	6	2	2	3	4	7	9
18-34	7887	3.2	12	2	2	3	3	5	7
35-49	1139	3.4	13	2	2	3	3	5	8
50-69	0								
70 +	0								
	9414	**3.2**	**12**	**2**	**2**	**3**	**3**	**5**	**7**
0-17	656	3.0	4	2	2	2	3	4	5
18-34	16352	2.6	5	2	2	2	3	4	4
35-49	1942	2.7	3	2	2	2	3	4	5
50-69	0								
70 +	0								
	18950	**2.6**	**4**	**2**	**2**	**2**	**3**	**4**	**4**
	28363	**2.8**	**7**	**2**	**2**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	925	3.4	4	2	2	3	4	6	8
18-34	6236	3.6	16	2	2	3	4	6	8
35-49	480	4.9	68	2	2	3	4	9	14
50-69	0								
70 +	0								
SUBTOTAL	**7641**	**3.6**	**18**	**2**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1331	3.0	6	2	2	2	3	4	5
18-34	9619	2.6	5	1	2	2	3	4	5
35-49	422	2.9	6	1	2	2	3	5	7
50-69	0								
70 +	0								
SUBTOTAL	**11372**	**2.7**	**5**	**2**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**19013**	**3.1**	**10**	**2**	**2**	**2**	**3**	**5**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	267	3.2	3	2	2	3	4	5	6
18-34	3504	3.3	10	2	2	3	4	5	7
35-49	379	3.4	9	2	2	3	4	5	8
50-69	0								
70 +	0								
	4150	**3.3**	**9**	**2**	**2**	**3**	**4**	**5**	**7**
0-17	343	2.6	1	2	2	2	3	4	5
18-34	6867	2.5	2	2	2	2	3	3	4
35-49	856	2.6	1	2	2	2	3	4	4
50-69	0								
70 +	0								
	8066	**2.5**	**2**	**2**	**2**	**2**	**3**	**3**	**4**
	12216	**2.8**	**5**	**2**	**2**	**2**	**3**	**4**	**5**

DRG 373: Vaginal Delivery w/o Complicating Diagnoses

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	192	2.8	4	1	2	2	3	3	7	0-17	879	2.3	1	1	2	2	3	3	4
70-74	0									18-34	14469	2.6	4	2	2	2	3	3	4
75-79	0									35-49	1480	2.6	3	2	2	2	3	4	4
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**192**	**2.8**	**4**	**1**	**2**	**2**	**3**	**3**	**7**		**16829**	**2.6**	**4**	**2**	**2**	**2**	**3**	**3**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	745	2.4	4	2	2	2	3	3	3	0-17	9172	2.2	1	1	2	2	2	3	3
70-74	0									18-34	296040	2.1	1	1	2	2	2	3	3
75-79	0									35-49	29486	2.2	1	1	2	2	2	3	3
80-84	0									50-69	26	1.8							
85 +	0									70 +	0								
SUBTOTAL	**745**	**2.4**	**4**	**2**	**2**	**2**	**3**	**3**	**3**		**334725**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**
GRAND TOTAL	**937**	**2.5**	**4**	**2**	**2**	**2**	**3**	**3**	**4**		**351554**	**2.2**	**1**	**1**	**2**	**2**	**2**	**3**	**3**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	2339	2.8	8	2	2	2	3	4	6	0-17	708	2.3	1	2	2	2	2	3	4
18-34	18835	2.5	6	1	2	2	3	3	4	18-34	7358	2.4	6	1	2	2	3	3	4
35-49	808	2.5	4	1	2	2	3	3	4	35-49	630	2.5	3	2	2	2	3	3	4
50-69	5	2.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**21988**	**2.6**	**6**	**1**	**2**	**2**	**3**	**3**	**4**		**8697**	**2.4**	**6**	**1**	**2**	**2**	**3**	**3**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	15635	2.2	1	1	2	2	2	3	3	0-17	4604	2.1	1	1	2	2	2	3	3
18-34	142954	2.1	1	1	2	2	2	3	3	18-34	97945	2.1	1	1	2	2	2	3	3
35-49	4460	2.1	1	1	2	2	2	3	3	35-49	9400	2.1	1	1	2	2	2	3	3
50-69	0									50-69	10	2.0							
70 +	0									70 +	0								
SUBTOTAL	**163049**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**		**111959**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**
GRAND TOTAL	**185037**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**		**120655**	**2.1**	**2**	**1**	**2**	**2**	**2**	**3**	**3**

DRG 374: Vaginal Delivery w/ Sterilization &/or D&C

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	32	5.3	24	2	2	4	5	16	16	0-17	11	2.5							
70-74	0									18-34	1739	3.5	16	2	2	3	3	6	8
75-79	0									35-49	421	4.0	14	2	2	3	4	7	14
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**32**	**5.3**	**24**	**2**	**2**	**4**	**5**	**16**	**16**		**2171**	**3.6**	**16**	**2**	**2**	**3**	**3**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	97	2.4	1	1	2	2	3	3	5	0-17	33	2.0		1	2	2	2	3	3
70-74	0									18-34	16030	2.4	2	2	2	2	3	3	3
75-79	0									35-49	3611	2.3		2	2	2	3	3	3
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**97**	**2.4**	**1**	**1**	**2**	**2**	**3**	**3**	**5**		**19674**	**2.4**	**2**	**2**	**2**	**2**	**3**	**3**	**3**
GRAND TOTAL	**129**	**3.2**	**8**	**2**	**2**	**2**	**3**	**5**	**5**		**21845**	**2.5**	**3**	**2**	**2**	**2**	**3**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	69	5.1	12	2	2	5	7	8	14	0-17	26	4.4	8						
18-34	2220	3.1	5	2	2	2	3	5	7	18-34	767	3.2	10	2	2	2	3	5	7
35-49	284	3.0	4	2	2	2	3	5	8	35-49	117	3.4	6	2	2	3	3	7	10
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2574**	**3.1**	**5**	**2**	**2**	**2**	**3**	**5**	**7**		**910**	**3.3**	**9**	**2**	**2**	**2**	**3**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	60	4.3	34	2	2	2	3	4	23	0-17	11	3.6	2						
18-34	14259	2.4	1	2	2	2	3	3	3	18-34	5290	2.3	1	2	2	2	3	3	3
35-49	1209	2.5	1	2	2	2	3	4	4	35-49	1020	2.4	1	2	2	2	3	3	3
50-69	6	2.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**15534**	**2.4**	**1**	**2**	**2**	**2**	**3**	**3**	**4**		**6321**	**2.3**	**1**	**2**	**2**	**2**	**3**	**3**	**3**
GRAND TOTAL	**18108**	**2.5**	**2**	**2**	**2**	**2**	**3**	**3**	**4**		**7231**	**2.4**	**2**	**2**	**2**	**2**	**3**	**3**	**4**

DRG 375: Vaginal Delivery w/ O.R. Proc except Steril &/or D&C

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5	2.0							
70-74	0								
75-79	0								
80-84	0								
85 + -	0								
SUBTOTAL	**5**	**2.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	5	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**5**	**2.0**							
GRAND TOTAL	**10**	**2.0**							

BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	5	6.0							
18-34	147	3.9	3	2	3	3	5	6	7
35-49	26	5.8	14						
50-69	0								
70 +	0								
	178	**4.3**	**5**	**2**	**3**	**3**	**6**	**7**	**9**
0-17	36	3.1	1	2	3	3	3	5	5
18-34	388	2.6	3	2	2	2	3	4	5
35-49	63	3.3	2	2	2	3	4	6	6
50-69	0								
70 +	0								
	488	**2.8**	**3**	**2**	**2**	**2**	**3**	**4**	**6**
	666	**3.2**	**4**	**2**	**2**	**3**	**3**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	120	5.7	56	2	2	3	5	13	15
18-34	442	3.5	6	2	2	3	4	6	8
35-49	47	3.0	2	2	2	3	3	5	6
50-69	0								
70 +	0								
SUBTOTAL	**608**	**3.9**	**16**	**2**	**2**	**3**	**4**	**6**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	99	3.0	2	2	2	3	3	6	6
18-34	696	2.7	3	2	2	2	3	4	4
35-49	21	2.2							
50-69	0								
70 +	0								
SUBTOTAL	**816**	**2.7**	**3**	**2**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1424**	**3.2**	**9**	**2**	**2**	**2**	**3**	**5**	**7**

NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	6.7	37						
18-34	192	3.5	6	2	2	3	3	7	12
35-49	16	2.3							
50-69	0								
70 +	0								
	223	**3.7**	**9**	**2**	**2**	**3**	**3**	**7**	**12**
0-17	72	2.8	1	2	2	3	3	4	4
18-34	566	2.5	1	2	2	2	3	3	5
35-49	37	3.6	3	2	2	3	5	7	7
50-69	0								
70 +	0								
	676	**2.6**	**1**	**2**	**2**	**2**	**3**	**4**	**5**
	899	**2.9**	**3**	**2**	**2**	**2**	**3**	**4**	**5**

DRG 376: Postpartum & Post Abortion Diagnoses w/o O.R. Procedure

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5	1.0								0-17	49	3.3	2	1	2	3	4	6	6
70-74	0									18-34	1014	3.7	8	1	2	3	5	6	8
75-79	0									35-49	79	2.9	2	1	2	3	4	4	6
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**5**	**1.0**									**1142**	**3.6**	**8**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	159	2.3	1	1	2	2	3	4	5
70-74	0									18-34	2051	3.1	9	1	2	2	4	5	8
75-79	0									35-49	343	2.9	5	1	2	2	3	6	7
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**2552**	**3.0**	**8**	**1**	**2**	**2**	**3**	**5**	**8**
GRAND TOTAL	**5**	**1.0**									**3695**	**3.2**	**8**	**1**	**2**	**3**	**4**	**6**	**8**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	117	3.0	2	2	2	2	3	5	6	0-17	58	3.8	8	2	2	3	4	8	11
18-34	1223	3.8	7	2	2	3	4	7	9	18-34	529	3.1	5	1	2	2	4	5	7
35-49	78	4.5	19	1	2	2	7	9	18	35-49	86	3.2	14	1	2	2	2	5	17
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1418**	**3.7**	**7**	**2**	**2**	**3**	**4**	**7**	**9**		**673**	**3.1**	**6**	**1**	**2**	**2**	**4**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	271	3.3	30	1	2	2	3	4	6	0-17	69	2.1	1	1	1	2	2	3	4
18-34	2313	2.6	5	1	2	2	3	4	6	18-34	880	2.3	3	1	2	2	3	4	4
35-49	170	2.8	4	1	2	2	3	5	8	35-49	101	2.1	1	1	1	2	3	3	4
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2753**	**2.7**	**8**	**1**	**2**	**2**	**3**	**4**	**6**		**1050**	**2.3**	**2**	**1**	**2**	**2**	**3**	**4**	**4**
GRAND TOTAL	**4172**	**3.1**	**8**	**1**	**2**	**2**	**4**	**6**	**7**		**1723**	**2.6**	**4**	**1**	**2**	**2**	**3**	**4**	**5**

DRG 377: Postpartum & Post Abortion Diagnoses w/ O.R. Procedure

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	16	7.3	17							0-17	16	2.3	1						
70-74	0									18-34	445	4.0	15	1	2	3	5	8	11
75-79	0									35-49	75	5.9	57	1	1	3	8	13	30
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**16**	**7.3**	**17**								**536**	**4.2**	**21**	**1**	**2**	**3**	**5**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5	3.0								0-17	11	2.0	1						
70-74	0									18-34	483	2.3	3	1	1	2	3	5	6
75-79	0									35-49	64	2.9	7	1	1	2	3	7	10
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**5**	**3.0**									**558**	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**21**	**6.2**	**16**								**1094**	**3.3**	**13**	**1**	**1**	**2**	**4**	**6**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	60	3.3	6	1	1	3	5	6	9	0-17	11	2.5							
18-34	459	3.5	11	1	2	3	4	6	9	18-34	176	4.5	25	1	1	3	5	9	19
35-49	26	10.7	99							35-49	26	3.2	3						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**545**	**3.8**	**17**	**1**	**2**	**3**	**-4**	**7**	**10**		**213**	**4.2**	**21**	**1**	**2**	**3**	**5**	**8**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	5.2	20							0-17	5	1.0							
18-34	392	2.9	5	1	1	2	3	6	9	18-34	241	3.1	6	1	2	2	4	7	8
35-49	21	2.2	3							35-49	16	2.3							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**429**	**2.9**	**6**	**1**	**1**	**2**	**3**	**6**	**10**		**262**	**3.0**	**6**	**1**	**2**	**2**	**3**	**7**	**8**
GRAND TOTAL	**974**	**3.4**	**12**	**1**	**1**	**2**	**4**	**6**	**10**		**475**	**3.5**	**13**	**1**	**2**	**2**	**4**	**7**	**9**

DRG 378: Ectopic Pregnancy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	27	5.4	2						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**27**	**5.4**	**2**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	33	2.8	2	1	2	3	3	5	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**33**	**2.8**	**2**	**1**	**2**	**3**	**3**	**5**	**5**
GRAND TOTAL	**60**	**4.0**	**3**	**2**	**3**	**4**	**6**	**6**	**7**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	3.5	2	1	3	4	5	5	5
18-34	1946	3.6	2	2	3	3	4	5	6
35-49	444	4.1	5	2	3	4	4	6	7
50-69	0								
70 +	0								
	2433	**3.7**	**3**	**2**	**3**	**3**	**4**	**5**	**7**
0-17	109	3.0	1	1	2	3	4	4	6
18-34	4366	2.9	1	1	2	3	4	4	5
35-49	936	3.2	1	1	3	3	4	5	5
50-69	0								
70 +	0								
	5411	**3.0**	**1**	**1**	**2**	**3**	**4**	**4**	**5**
	7844	**3.2**	**2**	**2**	**3**	**3**	**4**	**5**	**5**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	2.9	2	1	2	4	4	4	4
18-34	1168	4.0	3	2	3	4	5	6	7
35-49	157	4.3	4	2	3	4	5	6	7
50-69	0								
70 +	0								
SUBTOTAL	**1357**	**4.0**	**3**	**2**	**3**	**4**	**5**	**6**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	54	2.5	1	2	2	3	3	4	4
18-34	2065	3.1	2	1	2	3	4	5	5
35-49	132	3.3	2	1	2	3	4	5	6
50-69	0								
70 +	0								
SUBTOTAL	**2251**	**3.1**	**2**	**1**	**2**	**3**	**4**	**5**	**5**
GRAND TOTAL	**3608**	**3.5**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	44	3.4	1	2	3	3	4	5	5
18-34	1080	3.5	2	2	3	3	4	5	6
35-49	172	3.9	3	2	3	4	4	5	8
50-69	0								
70 +	0								
	1296	**3.6**	**2**	**2**	**3**	**3**	**4**	**5**	**6**
0-17	49	2.8	1	1	2	3	4	4	4
18-34	2031	2.7	1	1	2	3	3	4	5
35-49	344	2.6	1	1	2	3	4	4	4
50-69	0								
70 +	0								
	2423	**2.7**	**1**	**1**	**2**	**3**	**3**	**4**	**5**
	3719	**3.0**	**2**	**1**	**2**	**3**	**4**	**5**	**5**

DRG 379: Threatened Abortion

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	59	3.4	9	1	2	2	4	9	12	0-17	192	2.8	3	1	1	2	4	6	7
70-74	0									18-34	2363	3.7	32	1	1	2	4	7	11
75-79	0									35-49	205	4.1	31	1	1	2	5	7	12
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**59**	**3.4**	**9**	**1**	**2**	**2**	**4**	**9**	**12**		**2760**	**3.6**	**30**	**1**	**1**	**2**	**4**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	97	2.9	6	<1	1	2	4	8	9	0-17	555	2.3	6	<1	1	1	2	4	6
70-74	0									18-34	11292	2.5	12	<1	1	1	3	5	7
75-79	0									35-49	1124	3.4	58	<1	1	2	3	5	9
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**97**	**2.9**	**6**	**<1**	**1**	**2**	**4**	**8**	**9**		**12971**	**2.6**	**16**	**<1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**156**	**3.1**	**7**	**1**	**1**	**2**	**4**	**8**	**10**		**15732**	**2.7**	**18**	**<1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	521	3.2	12	1	1	2	4	6	9	0-17	141	2.8	5	<1	1	2	4	7	7
18-34	2847	3.4	22	1	1	2	4	6	9	18-34	1346	3.6	24	1	1	2	4	7	11
35-49	101	3.3	5	1	2	3	5	6	8	35-49	95	2.9	16	1	1	2	2	5	15
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**3470**	**3.4**	**20**	**1**	**1**	**2**	**4**	**6**	**9**		**1582**	**3.5**	**21**	**1**	**1**	**2**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	906	2.4	6	<1	1	1	3	5	7	0-17	261	2.4	8	<1	1	1	3	6	8
18-34	6900	2.3	6	<1	1	2	3	4	6	18-34	3754	2.4	9	<1	1	1	3	5	7
35-49	188	2.7	9	<1	1	2	2	8	11	35-49	351	3.5	19	<1	1	2	5	11	13
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**7995**	**2.4**	**6**	**<1**	**1**	**2**	**3**	**4**	**6**		**4365**	**2.5**	**10**	**<1**	**1**	**1**	**3**	**5**	**7**
GRAND TOTAL	**11465**	**2.7**	**11**	**<1**	**1**	**2**	**3**	**5**	**7**		**5947**	**2.8**	**13**	**<1**	**1**	**2**	**3**	**6**	**8**

DRG 380: Abortion w/o D&C

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	11	2.0	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**11**	**2.0**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	32	1.5	1	1	1	1	2	3	3
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**32**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**43**	**1.6**	**1**	**1**	**1**	**1**	**3**	**3**	**3**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	2.2		< 1	2	2	3	3	3
18-34	152	2.8	7	< 1	1	2	4	6	9
35-49	53	2.7	10	< 1	1	1	2	7	11
50-69	0								
70 +	0								
	237	**2.7**	**7**	**< 1**	**1**	**2**	**3**	**6**	**9**
0-17	140	1.3	1	< 1	< 1	1	1	2	3
18-34	1861	1.4	1	< 1	1	1	2	2	3
35-49	387	1.6	2	< 1	1	1	2	2	3
50-69	0								
70 +	0								
	2388	**1.4**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**
	2625	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**2**	**4**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	26	1.2							
18-34	276	2.1	2	1	1	2	3	4	5
35-49	10	1.5							
50-69	0								
70 +	0								
SUBTOTAL	**313**	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	135	1.7	1	< 1	1	1	3	3	3
18-34	1195	1.6	1	< 1	1	1	2	3	3
35-49	91	1.2		< 1	1	1	1	2	2
50-69	0								
70 +	0								
SUBTOTAL	**1421**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**1734**	**1.7**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	1.6	1						
18-34	164	2.4	5	< 1	1	2	3	5	6
35-49	0								
50-69	0								
70 +	0								
	180	**2.4**	**5**	**< 1**	**1**	**2**	**3**	**5**	**6**
0-17	109	3.4	56	< 1	1	1	2	5	9
18-34	903	1.4	1	< 1	1	1	2	2	3
35-49	100	3.0	25	< 1	1	1	3	5	15
50-69	0								
70 +	0								
	1112	**1.8**	**9**	**< 1**	**1**	**1**	**2**	**3**	**4**
	1292	**1.9**	**8**	**< 1**	**1**	**1**	**2**	**3**	**5**

DRG 381: Abortion w/ D&C, Aspiration Curettage or Hysterotomy

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10	2.0								0-17	64	2.0	2	1	1	2	2	5	5
70-74	0									18-34	620	2.5	11	1	1	2	3	5	7
75-79	0									35-49	162	2.9	9	<1	1	2	4	6	9
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**10**	**2.0**									**846**	**2.5**	**10**	**1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	21	1.8								0-17	260	1.4	1	<1	<1	1	1	3	3
70-74	0									18-34	4636	1.3	1	<1	1	1	1	2	3
75-79	0									35-49	936	1.3	1	<1	1	1	1	2	3
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**21**	**1.8**									**5832**	**1.3**	**1**	**<1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**31**	**1.8**		**<1**	**2**	**2**	**2**	**2**	**2**		**6678**	**1.5**	**2**	**<1**	**1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	42	3.1	5	1	1	2	5	7	7	0-17	16	2.6	3						
18-34	566	3.2	20	1	1	2	3	6	9	18-34	465	2.9	7	1	1	2	4	7	8
35-49	70	2.3	3	1	1	2	3	5	6	35-49	89	2.0	2	<1	1	1	3	4	6
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**678**	**3.1**	**17**	**1**	**1**	**2**	**3**	**6**	**8**		**571**	**2.7**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	196	1.2		<1	1	1	1	2	2	0-17	139	1.2		<1	<1	1	1	2	2
18-34	2151	1.5	1	<1	<1	1	2	3	4	18-34	2129	1.4	1	<1	<1	1	1	2	3
35-49	167	1.6	1	1	1	1	2	3	4	35-49	281	1.3	1	<1	1	1	1	2	3
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**2514**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**		**2550**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**3192**	**1.9**	**5**	**<1**	**1**	**1**	**2**	**3**	**5**		**3120**	**1.6**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**

DRG 382: False Labor

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	10	1.0							
70-74	0									18-34	165	2.3	6	< 1	1	1	4	4	9
75-79	0									35-49	21	1.7							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										197	2.2	5	< 1	1	1	2	4	9
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	1.0								0-17	264	1.0		< 1	< 1	1	1	1	1
70-74	0									18-34	4193	1.2	1	< 1	< 1	< 1	1	1	2
75-79	0									35-49	356	1.1		< 1	< 1	< 1	1	1	1
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	6	1.0									4813	1.2	1	< 1	< 1	< 1	1	1	2
GRAND TOTAL	6	1.0									5010	1.2	1	< 1	< 1	< 1	1	1	2

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	1.0		< 1	< 1	< 1	< 1	1	1	0-17	5	3.0							
18-34	304	2.0	6	< 1	1	1	2	3	7	18-34	124	1.7	2	< 1	1	1	2	3	4
35-49	0									35-49	10	1.5							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	343	1.9	6	< 1	< 1	1	2	3	5		139	1.8	1	< 1	1	1	2	3	4
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	338	1.1		< 1	< 1	1	1	1	2	0-17	110	1.0		< 1	< 1	1	1	1	1
18-34	2899	1.1		< 1	< 1	1	1	2	2	18-34	1321	1.2	1	< 1	< 1	1	1	1	2
35-49	49	1.3		< 1	< 1	1	1	3	3	35-49	134	1.0		< 1	< 1	1	1	1	1
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	3286	1.1		< 1	< 1	1	1	2	2		1565	1.2	1	< 1	< 1	1	1	1	2
GRAND TOTAL	3629	1.2	1	< 1	< 1	1	1	2	2		1704	1.3	1	< 1	< 1	1	1	2	3

DRG 383: Other Antepartum Diagnoses w/ Medical Complications

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	191	5.9	33	1	2	3	7	14	20	0-17	554	4.0	16	1	2	3	4	7	7
70-74	0									18-34	8377	3.7	16	1	2	3	4	6	9
75-79	0									35-49	910	4.4	16	1	2	3	6	9	10
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**191**	**5.9**	**33**	**1**	**2**	**3**	**7**	**14**	**20**		**9841**	**3.8**	**16**	**1**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	80	3.2	19	<1	1	2	4	5	19	0-17	612	2.5	3	1	1	2	3	5	5
70-74	0									18-34	12967	2.8	5	1	1	2	3	5	7
75-79	0									35-49	1324	2.7	5	1	1	2	3	5	7
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**80**	**3.2**	**19**	**<1**	**1**	**2**	**4**	**5**	**19**		**14904**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**272**	**5.1**	**30**	**1**	**2**	**3**	**5**	**13**	**19**		**24745**	**3.2**	**10**	**1**	**2**	**2**	**4**	**6**	**8**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	995	3.9	30	1	2	3	4	6	9	0-17	375	3.4	4	1	2	3	5	7	7
18-34	8997	4.1	24	1	2	3	5	7	10	18-34	3965	3.7	13	1	2	3	4	7	9
35-49	488	5.9	110	2	2	3	6	11	18	35-49	297	4.2	14	1	1	3	5	9	14
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**10480**	**4.1**	**28**	**1**	**2**	**3**	**5**	**7**	**11**		**4638**	**3.7**	**12**	**1**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	849	2.9	8	1	1	2	4	6	7	0-17	234	3.0	12	<1	1	2	4	5	8
18-34	7976	2.8	5	1	1	2	3	5	7	18-34	3788	2.8	9	1	1	2	3	5	6
35-49	595	3.4	11	1	1	2	4	8	11	35-49	419	2.8	4	<1	1	3	4	5	6
50-69	5	1.0								50-69	0								
70+	0									70+	0								
SUBTOTAL	**9425**	**2.9**	**6**	**1**	**1**	**2**	**3**	**5**	**7**		**4440**	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**19905**	**3.5**	**18**	**1**	**2**	**3**	**4**	**6**	**9**		**9078**	**3.2**	**11**	**1**	**2**	**2**	**4**	**6**	**8**

DRG 384: Other Antepartum Diagnoses w/o Medical Complications

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	48	3.8	18	< 1	1	2	5	14	14
70-74	0									18-34	924	3.6	18	1	1	2	4	9	11
75-79	0									35-49	195	2.8	5	1	1	2	4	6	7
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1167**	**3.5**	**16**	**1**	**1**	**2**	**4**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	21	2.0	1							0-17	226	2.2	4	< 1	1	2	2	5	8
70-74	0									18-34	7215	2.0	5	< 1	1	1	2	4	5
75-79	0									35-49	961	2.8	13	< 1	1	1	3	5	8
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**21**	**2.0**	**1**								**8402**	**2.1**	**6**	**< 1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**21**	**2.0**	**1**								**9570**	**2.3**	**8**	**< 1**	**1**	**1**	**2**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	69	5.3	93	1	1	2	3	13	37	0-17	10	3.5	7						
18-34	649	4.5	36	1	1	2	4	11	21	18-34	327	3.1	9	< 1	1	2	4	8	9
35-49	21	3.0	2							35-49	53	3.9	19	1	1	2	3	12	13
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**738**	**4.6**	**40**	**1**	**1**	**2**	**4**	**11**	**21**		**391**	**3.2**	**10**	**< 1**	**1**	**2**	**4**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	338	2.1	3	< 1	1	1	3	4	5	0-17	133	2.0	4	< 1	1	1	3	3	4
18-34	3913	2.3	7	< 1	1	1	3	4	7	18-34	2653	1.9	4	< 1	< 1	1	2	4	5
35-49	156	2.8	8	< 1	< 1	2	4	7	9	35-49	393	2.0	4	< 1	< 1	1	2	3	7
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**4407**	**2.3**	**7**	**< 1**	**1**	**1**	**3**	**4**	**7**		**3178**	**1.9**	**4**	**< 1**	**< 1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**5146**	**2.6**	**12**	**< 1**	**1**	**2**	**3**	**5**	**8**		**3568**	**2.0**	**5**	**< 1**	**< 1**	**1**	**2**	**4**	**7**

DRG 386: Extreme Immaturity or Respiratory Distress Syndrome, Neonate

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	384	74.9	240	60	76	93	99 +	99 +	99 +
1000-1499	0									1000-1499	866	49.9	299	28	39	50	62	83	99 +
1500-1749	0									1500-1749	424	32.9	146	20	25	32	42	55	69
1750-2499	16	32.0	353							1750-2499	1326	15.9	99	5	9	15	21	28	35
2500 +	0									2500 +	1843	8.9	92	2	4	6	11	19	23
SUBTOTAL	**16**	**32.0**	**353**								**4844**	**25.5**	**582**	**4**	**7**	**18**	**47**	**85**	**99 +**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	16	36.0	3	34	36	99 +	99 +	99 +	99 +
1500-1749	0									1500-1749	5	67.0							
1750-2499	0									1750-2499	26	15.6	108						
2500 +	0									2500 +	58	7.6	44	2	2	5	13	17	22
SUBTOTAL	**0**										**104**	**16.7**	**280**	**2**	**4**	**13**	**36**	**99 +**	**99 +**
GRAND TOTAL	**16**	**32.0**	**353**								**4948**	**25.3**	**578**	**4**	**7**	**18**	**47**	**85**	**99 +**

	MEDICAID									NO INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	560	74.2	239	57	71	69	99 +	99 +	99 +	1-999	146	70.6	268	57	69	85	99 +	99 +	99 +
1000-1499	882	49.0	297	28	36	49	61	77	94	1000-1499	337	44.9	169	28	37	46	54	67	74
1500-1749	386	31.8	246	19	24	28	37	45	81	1500-1749	162	27.3	168	16	20	26	32	35	50
1750-2499	950	20.1	235	6	11	17	24	34	61	1750-2499	427	16.7	157	6	9	14	21	27	34
2500 +	825	12.9	323	2	4	7	12	36	70	2500 +	531	7.3	43	2	3	6	10	15	19
SUBTOTAL	**3603**	**35.2**	**731**	**5**	**13**	**32**	**67**	**99 +**	**99 +**		**1603**	**25.5**	**527**	**4**	**8**	**19**	**47**	**81**	**99 +**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	5	12.0								1000-1499	5	46.0							
1500-1749	5	16.0								1500-1749	0								
1750-2499	21	17.3	424							1750-2499	0								
2500 +	5	16.0								2500 +	37	7.9	10	4	5	8	10	14	14
SUBTOTAL	**36**	**16.1**	**240**	**4**	**6**	**12**	**16**	**52**	**52**		**42**	**12.6**	**168**	**4**	**5**	**8**	**10**	**46**	**46**
GRAND TOTAL	**3639**	**35.0**	**729**	**5**	**13**	**32**	**67**	**99 +**	**99 +**		**1646**	**25.2**	**522**	**4**	**8**	**19**	**46**	**79**	**99 +**

DRG 387: Prematurity w/ Major Problems

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	16	12.0	9						
2500 +	10	3.0	1						
SUBTOTAL	**26**	**8.4**	**26**						
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	5	29.0							
2500 +	0								
SUBTOTAL	**5**	**29.0**							
GRAND TOTAL	**31**	**11.8**	**82**	**2**	**4**	**10**	**16**	**29**	**29**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	26	51.4	452						
1000-1499	502	40.6	260	20	29	38	53	69	81
1500-1749	532	24.1	101	12	17	23	29	37	42
1750-2499	3469	10.8	70	4	5	9	14	20	24
2500 +	2942	6.6	45	2	3	5	8	11	16
	7472	**12.3**	**159**	**2**	**4**	**8**	**15**	**28**	**41**
1-999	6	35.0							
1000-1499	26	35.8	58						
1500-1749	88	23.0	50	17	18	20	30	34	38
1750-2499	459	11.0	58	2	4	10	16	19	26
2500 +	271	5.1	16	2	3	4	5	9	17
	850	**11.3**	**92**	**2**	**4**	**8**	**17**	**24**	**32**
	8322	**12.2**	**152**	**2**	**4**	**8**	**15**	**28**	**38**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	36	66.0	323	36	52	77	83	99 +	99 +
1000-1499	694	37.3	214	22	29	35	46	64	79
1500-1749	760	23.9	115	14	18	22	28	37	42
1750-2499	2984	11.1	52	4	6	10	15	20	25
2500 +	1383	7.5	77	2	3	5	8	15	22
SUBTOTAL	**5857**	**15.3**	**193**	**3**	**6**	**11**	**21**	**35**	**45**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	47	35.7	510	21	24	30	36	91	97
1500-1749	94	18.0	32	10	15	18	22	26	28
1750-2499	377	10.5	54	2	4	10	14	20	23
2500 +	211	6.2	35	2	3	4	6	12	18
SUBTOTAL	**729**	**11.8**	**126**	**2**	**4**	**10**	**17**	**24**	**29**
GRAND TOTAL	**6586**	**15.0**	**187**	**3**	**5**	**11**	**20**	**33**	**42**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	5	62.0							
1000-1499	262	37.9	215	22	29	36	44	53	65
1500-1749	245	23.3	84	15	18	21	30	37	40
1750-2499	1666	10.7	76	3	5	8	14	20	24
2500 +	1079	6.6	53	2	3	4	8	12	17
	3257	**12.6**	**158**	**2**	**4**	**8**	**17**	**29**	**40**
1-999	16	52.0	45						
1000-1499	16	52.0	105						
1500-1749	26	16.4	41						
1750-2499	209	10.0	36	2	5	10	13	15	17
2500 +	139	5.0	11	2	3	4	7	11	12
	405	**11.9**	**173**	**2**	**4**	**8**	**13**	**25**	**46**
	3662	**12.5**	**159**	**2**	**4**	**8**	**16**	**29**	**41**

DRG 388: Prematurity w/o Major Problems

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	5	20.0							
1750-2499	11	2.9	4						
2500 +	21	3.6	7						
SUBTOTAL	**37**	**5.7**	**39**	**1**	**1**	**5**	**6**	**20**	**20**
GRAND TOTAL	**37**	**5.7**	**39**	**1**	**1**	**5**	**6**	**20**	**20**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	5	25.0							
1000-1499	0								
1500-1749	11	18.0							
1750-2499	154	8.8	30	3	4	9	11	15	16
2500 +	74	6.7	19	2	3	5	12	13	15
	244	**8.9**	**36**	**3**	**4**	**7**	**12**	**16**	**18**
1-999	0								
1000-1499	42	25.5	89	9	15	27	33	37	37
1500-1749	107	17.4	40	12	14	16	19	24	27
1750-2499	2876	4.8	16	2	2	4	6	10	13
2500 +	3961	3.1	5	2	2	2	4	5	6
	6985	**4.1**	**17**	**2**	**2**	**3**	**4**	**8**	**12**
	7229	**4.3**	**18**	**2**	**2**	**3**	**4**	**9**	**12**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	6	19.0							
1750-2499	173	10.0	33	4	5	10	13	17	20
2500 +	79	10.0	72	2	4	7	15	16	35
SUBTOTAL	**258**	**10.2**	**46**	**3**	**5**	**10**	**14**	**18**	**20**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	42	21.0	72	7	14	25	27	32	32
1500-1749	126	19.8	53	11	15	20	24	27	35
1750-2499	3218	4.6	17	2	2	3	6	11	14
2500 +	2561	3.2	9	1	2	2	4	5	8
SUBTOTAL	**5947**	**4.4**	**23**	**2**	**2**	**3**	**5**	**10**	**14**
GRAND TOTAL	**6205**	**4.7**	**25**	**2**	**2**	**3**	**5**	**11**	**15**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	11	25.0							
1750-2499	57	10.8	57	5	6	8	15	18	30
2500 +	16	6.9	6						
	84	**11.9**	**68**	**4**	**6**	**8**	**17**	**25**	**30**
1-999	0								
1000-1499	11	24.2	46						
1500-1749	74	17.1	11	11	16	19	19	20	21
1750-2499	1514	4.6	16	2	2	3	5	11	13
2500 +	1880	2.7	4	2	2	2	3	4	5
	3479	**3.9**	**15**	**2**	**2**	**2**	**4**	**8**	**13**
	3563	**4.1**	**18**	**2**	**2**	**2**	**4**	**9**	**13**

DRG 389: Full Term Neonate w/ Major Problems

	MEDICARE								
TYPE OF PATIENT	**TOTAL PATIENTS**	**AVG. STAY**	**VARIANCE**	**PERCENTILES 10TH**	**25TH**	**50TH**	**75TH**	**90TH**	**95TH**
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	16	12.4	158						
2500 +	57	4.7	6	2	2	4	7	7	10
SUBTOTAL	**73**	**6.3**	**48**	**2**	**3**	**4**	**7**	**10**	**30**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	10	1.5							
SUBTOTAL	**10**	**1.5**							
GRAND TOTAL	**84**	**5.7**	**45**	**2**	**2**	**4**	**7**	**10**	**30**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	**TOTAL PATIENTS**	**AVG. STAY**	**VARIANCE**	**PERCENTILES 10TH**	**25TH**	**50TH**	**75TH**	**90TH**	**95TH**
1-999	5	47.0							
1000-1499	63	38.8	221	20	31	38	48	51	71
1500-1749	74	22.0	426	9	12	15	24	35	92
1750-2499	977	5.6	17	2	3	4	7	11	15
2500 +	18898	4.0	14	2	2	3	4	7	10
	20016	**4.3**	**22**	**2**	**2**	**3**	**5**	**8**	**10**
1-999	0								
1000-1499	0								
1500-1749	11	22.8	28						
1750-2499	174	4.5	11	1	2	4	6	9	11
2500 +	4367	3.3	6	2	2	3	4	5	7
	4552	**3.4**	**8**	**2**	**2**	**3**	**4**	**6**	**8**
	24568	**4.1**	**19**	**2**	**2**	**3**	**4**	**7**	**10**

	MEDICAID								
TYPE OF PATIENT	**TOTAL PATIENTS**	**AVG. STAY**	**VARIANCE**	**PERCENTILES 10TH**	**25TH**	**50TH**	**75TH**	**90TH**	**95TH**
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	5	47.0							
1000-1499	52	29.9	104	17	18	32	40	42	43
1500-1749	63	24.9	264	14	15	19	37	68	99 +
1750-2499	1108	6.9	66	2	3	5	9	12	18
2500 +	12192	4.7	32	2	2	3	5	8	11
SUBTOTAL	**13420**	**5.1**	**41**	**2**	**2**	**4**	**6**	**9**	**13**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	11	30.8	299						
1500-1749	16	13.7	40						
1750-2499	374	6.4	34	2	2	4	8	16	19
2500 +	3025	4.4	22	2	2	3	5	8	12
SUBTOTAL	**3425**	**4.7**	**27**	**2**	**2**	**3**	**5**	**9**	**15**
GRAND TOTAL	**16846**	**5.0**	**38**	**2**	**2**	**3**	**6**	**9**	**13**

	NO INSURANCE								
TYPE OF PATIENT	**TOTAL PATIENTS**	**AVG. STAY**	**VARIANCE**	**PERCENTILES 10TH**	**25TH**	**50TH**	**75TH**	**90TH**	**95TH**
1-999	0								
1000-1499	11	19.4	7						
1500-1749	16	16.0	19						
1750-2499	555	6.7	69	2	2	4	7	13	19
2500 +	7504	4.1	20	2	2	3	5	7	9
	8085	**4.3**	**24**	**2**	**2**	**3**	**5**	**8**	**10**
1-999	0								
1000-1499	0								
1500-1749	16	11.7	2						
1750-2499	252	4.9	12	2	2	4	6	10	14
2500 +	2211	3.5	7	2	2	3	4	6	8
	2478	**3.7**	**8**	**2**	**2**	**3**	**4**	**7**	**10**
	10564	**4.2**	**20**	**2**	**2**	**3**	**5**	**7**	**10**

DRG 390: Neonate w/ Other Significant Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	16	2.3							
2500 +	152	2.5	1	1	2	2	3	5	5
SUBTOTAL	**167**	**2.5**	**1**	**2**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**167**	**2.5**	**1**	**2**	**2**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	6	22.0							
1500-1749	5	8.0							
1750-2499	91	4.0	5	2	3	3	5	6	11
2500 +	998	3.4	5	2	2	3	4	6	7
	1099	**3.6**	**6**	**2**	**2**	**3**	**4**	**6**	**8**
1-999	0								
1000-1499	10	21.5	202						
1500-1749	27	13.4	8						
1750-2499	2431	3.3	4	2	2	3	4	6	7
2500 +	50696	2.6	1	2	2	2	3	4	4
	53164	**2.6**	**2**	**2**	**2**	**2**	**3**	**4**	**4**
	54263	**2.6**	**2**	**2**	**2**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	10	44.5	421						
1750-2499	137	4.9	9	2	3	4	7	9	11
2500 +	810	4.0	13	2	2	3	4	7	11
SUBTOTAL	**958**	**4.6**	**34**	**2**	**2**	**3**	**5**	**8**	**12**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	10	15.0	10						
1500-1749	75	16.7	105	12	13	13	16	19	53
1750-2499	3454	3.5	9	2	2	2	4	7	11
2500 +	36860	2.7	3	1	2	2	3	4	6
SUBTOTAL	**40400**	**2.8**	**5**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**41358**	**2.9**	**5**	**1**	**2**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	37	6.9	13	3	3	6	10	13	13
2500 +	279	3.6	6	2	2	3	4	5	7
	317	**4.0**	**8**	**2**	**2**	**3**	**5**	**7**	**11**
1-999	0								
1000-1499	5	8.0							
1500-1749	10	15.5							
1750-2499	1408	3.6	10	2	2	2	4	7	10
2500 +	17431	2.6	2	1	2	2	3	4	5
	18854	**2.7**	**3**	**1**	**2**	**2**	**3**	**4**	**5**
	19171	**2.7**	**3**	**1**	**2**	**2**	**3**	**4**	**6**

DRG 391: Normal Newborn

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	16	2.7	3						
2500 +	629	2.4	1	1	2	2	3	4	4
SUBTOTAL	**645**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**4**
GRAND TOTAL	**645**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**4**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
	0								
1-999	0								
1000-1499	5	27.0							
1500-1749	0								
1750-2499	3602	2.6	2	1	2	2	3	4	5
2500 +	266881	2.3	1	1	2	2	3	4	4
	270488	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**4**
	270488	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**4**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	5	85.0							
1500-1749	0								
1750-2499	3547	2.5	2	1	2	2	3	4	5
2500 +	131548	2.3	1	1	2	2	2	4	4
SUBTOTAL	**135101**	**2.3**	**1**	**1**	**2**	**2**	**2**	**4**	**4**
GRAND TOTAL	**135101**	**2.3**	**1**	**1**	**2**	**2**	**2**	**4**	**4**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
	0								
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	1831	2.5	3	1	2	2	3	4	5
2500 +	105213	2.2	1	1	2	2	2	4	4
	107044	**2.2**	**1**	**1**	**2**	**2**	**2**	**4**	**4**
	107044	**2.2**	**1**	**1**	**2**	**2**	**2**	**4**	**4**

DRG 392: Splenectomy Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	174	14.8	221	6	7	10	17	26	54
70-74	120	11.4	53	4	6	10	17	22	24
75-79	70	15.8	118	6	8	11	18	33	43
80-84	64	16.6	67	6	9	14	25	26	29
85+	23	19.0	44						
SUBTOTAL	**451**	**14.5**	**133**	**5**	**7**	**11**	**19**	**26**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	47	6.8	5	4	6	6	7	11	11
70-74	55	7.0	6	4	5	6	8	12	12
75-79	22	10.6	56						
80-84	0								
85+	0								
SUBTOTAL	**124**	**7.6**	**16**	**4**	**5**	**6**	**9**	**11**	**12**
GRAND TOTAL	**575**	**13.0**	**116**	**5**	**6**	**10**	**17**	**26**	**29**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	205	7.5	30	4	5	6	7	10	20
35-49	201	8.6	22	5	6	7	9	17	19
50-69	194	12.6	129	5	6	9	13	32	33
70+	17	6.7	1						
	617	**9.4**	**62**	**5**	**6**	**7**	**10**	**17**	**25**
0-17	0								
18-34	244	5.8	7	4	4	5	7	10	11
35-49	124	5.3	2	4	4	5	7	7	7
50-69	154	8.1	35	3	4	6	11	16	18
70+	5	6.0							
	527	**6.4**	**15**	**4**	**4**	**5**	**7**	**11**	**15**
	1144	**8.0**	**43**	**4**	**5**	**6**	**8**	**14**	**19**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	103	12.8	145	4	6	9	15	29	39
35-49	32	8.6	4	7	7	7	10	12	12
50-69	11	17.0	4						
70+	0								
SUBTOTAL	**146**	**12.2**	**108**	**5**	**6**	**9**	**15**	**27**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	42	10.0	124	3	4	6	7	39	39
35-49	5	4.0							
50-69	0								
70+	0								
SUBTOTAL	**47**	**9.4**	**114**	**3**	**4**	**6**	**7**	**33**	**39**
GRAND TOTAL	**194**	**11.5**	**110**	**4**	**6**	**7**	**11**	**28**	**37**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	77	8.0	12	5	5	7	10	13	16
35-49	59	8.6	15	5	6	7	13	15	16
50-69	33	11.3	27	5	9	10	12	22	22
70+	11	7.0							
	179	**8.8**	**16**	**5**	**6**	**7**	**10**	**15**	**16**
0-17	0								
18-34	92	8.3	133	3	5	6	7	8	53
35-49	32	5.3	4	2	4	6	7	7	7
50-69	10	7.5	14						
70+	0								
	135	**7.6**	**94**	**3**	**4**	**6**	**7**	**8**	**11**
	314	**8.2**	**50**	**4**	**5**	**7**	**9**	**13**	**16**

DRG 393: Splenectomy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	87	6.9	6	5	6	6	8	11	14
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**87**	**6.9**	**6**	**5**	**6**	**6**	**8**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	398	4.6	6	3	3	4	5	6	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**398**	**4.6**	**6**	**3**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**0**										**486**	**5.0**	**7**	**3**	**3**	**4**	**6**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	42	5.6	3	4	4	5	6	9	9	0-17	16	5.6	2						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**42**	**5.6**	**3**	**4**	**4**	**5**	**6**	**9**	**9**		**16**	**5.6**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	83	4.8	3	3	4	5	6	7	10	0-17	68	4.4	2	3	3	4	5	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**83**	**4.8**	**3**	**3**	**4**	**5**	**6**	**7**	**10**		**68**	**4.4**	**2**	**3**	**3**	**4**	**5**	**6**	**8**
GRAND TOTAL	**126**	**5.1**	**3**	**3**	**4**	**5**	**6**	**8**	**9**		**84**	**4.6**	**2**	**3**	**4**	**4**	**6**	**7**	**8**

DRG 394: Other O.R. Procedures of the Blood And Blood Forming Organs

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	117	12.4	97	3	5	9	17	29	33	0-17	83	7.7	21	3	4	7	13	18	99 +
70-74	53	5.7	32	1	2	3	9	12	20	18-34	59	4.6	4	2	4	4	6	8	8
75-79	22	18.9	364							35-49	151	9.4	173	2	4	6	10	13	26
80-84	42	12.7	323	1	3	6	12	57	57	50-69	142	10.3	57	2	5	8	14	17	23
85 +	50	17.1	130	7	11	14	18	46	46	70 +	10	10.0	90						
SUBTOTAL	**283**	**12.5**	**157**	**2**	**4**	**8**	**17**	**29**	**46**		**445**	**8.7**	**86**	**2**	**4**	**7**	**11**	**16**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	75	5.1	48	1	1	3	6	7	29	0-17	566	3.8	8	1	1	3	6	8	9
70-74	10	9.0	54							18-34	237	3.7	33	1	1	1	5	8	9
75-79	10	8.0	1							35-49	183	4.1	22	1	1	2	5	10	11
80-84	22	3.6	3							50-69	178	3.1	9	1	1	2	4	7	10
85 +	11	3.9	10							70 +	0								
SUBTOTAL	**128**	**5.3**	**36**	**1**	**2**	**4**	**7**	**9**	**16**		**1164**	**3.7**	**16**	**1**	**1**	**2**	**5**	**8**	**10**
GRAND TOTAL	**411**	**10.3**	**130**	**1**	**3**	**6**	**13**	**22**	**37**		**1608**	**5.1**	**40**	**1**	**1**	**4**	**7**	**11**	**14**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	52	19.6	719	2	5	5	13	71	78	0-17	10	3.0	1						
18-34	37	10.1	38	4	4	9	16	21	21	18-34	21	7.6	23						
35-49	34	7.7	19	1	3	8	12	12	12	35-49	21	15.8	169						
50-69	16	10.2	49							50-69	11	5.0	10						
70 +	0									70 +	5	8.0							
SUBTOTAL	**138**	**13.1**	**312**	**3**	**5**	**8**	**12**	**21**	**66**		**69**	**9.0**	**81**	**2**	**3**	**6**	**11**	**17**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	221	5.4	26	2	2	4	6	12	18	0-17	143	3.2	6	1	1	2	5	6	10
18-34	38	4.8	30	1	1	2	6	17	17	18-34	75	3.1	6	1	1	2	5	6	8
35-49	16	2.9	3							35-49	42	2.1	3	1	1	1	3	6	6
50-69	6	2.0								50-69	27	2.0	2						
70 +	0									70 +	0								
SUBTOTAL	**281**	**5.1**	**25**	**1**	**2**	**4**	**5**	**12**	**17**		**287**	**2.9**	**6**	**1**	**1**	**2**	**5**	**6**	**8**
GRAND TOTAL	**419**	**7.7**	**133**	**1**	**2**	**5**	**9**	**16**	**22**		**356**	**4.1**	**26**	**1**	**1**	**2**	**5**	**8**	**11**

DRG 395: Red Blood Cell Disorders Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3396	7.3	34	2	3	6	10	14	19
70-74	1972	6.1	32	2	3	5	8	12	17
75-79	2156	6.6	29	2	3	5	8	12	16
80-84	2046	6.6	38	2	3	5	8	12	16
85 +	2318	6.1	21	2	3	5	8	11	15
SUBTOTAL	**11888**	**6.6**	**31**	**2**	**3**	**5**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2211	6.8	19	2	4	6	9	12	14
70-74	514	4.5	8	2	2	4	6	8	11
75-79	583	4.1	9	1	2	3	6	8	10
80-84	466	5.2	21	1	2	4	7	12	15
85 +	579	4.2	8	1	2	4	5	8	10
SUBTOTAL	**4351**	**5.6**	**16**	**2**	**3**	**5**	**7**	**11**	**13**
GRAND TOTAL	**16240**	**6.4**	**27**	**2**	**3**	**5**	**8**	**12**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	732	8.3	69	2	3	6	12	15	20
35-49	941	5.6	15	2	3	5	7	10	13
50-69	1953	5.9	29	1	3	4	7	12	16
70 +	184	6.6	54	1	2	5	7	14	25
	3810	**6.3**	**35**	**2**	**3**	**5**	**8**	**13**	**16**
0-17	0								
18-34	1283	5.0	16	1	2	4	7	9	12
35-49	769	4.3	8	1	2	4	6	8	9
50-69	669	4.3	11	1	2	3	6	9	11
70 +	47	3.5	11	1	1	2	3	10	11
	2768	**4.6**	**13**	**1**	**2**	**4**	**6**	**9**	**11**
	6578	**5.6**	**26**	**1**	**2**	**4**	**7**	**11**	**14**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1882	8.1	35	3	4	7	10	14	19
35-49	852	7.6	31	2	4	6	10	14	20
50-69	450	7.7	43	2	3	6	9	15	22
70 +	45	6.4	12	2	5	6	9	13	13
SUBTOTAL	**3229**	**7.9**	**35**	**3**	**4**	**7**	**10**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	3842	6.6	19	2	4	6	8	11	14
35-49	790	5.7	12	2	3	5	8	10	12
50-69	124	5.5	11	1	3	5	7	9	12
70 +	28	4.1	15						
SUBTOTAL	**4783**	**6.4**	**18**	**2**	**4**	**6**	**8**	**11**	**14**
GRAND TOTAL	**8012**	**7.0**	**25**	**2**	**4**	**6**	**9**	**13**	**16**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	254	6.9	44	2	3	5	8	12	17
35-49	234	6.1	28	1	3	5	8	13	19
50-69	418	5.0	22	1	2	4	6	12	15
70 +	205	5.3	35	< 1	2	4	5	11	21
	1111	**5.7**	**31**	**1**	**2**	**4**	**7**	**12**	**17**
0-17	0								
18-34	365	5.4	14	2	3	5	7	9	13
35-49	266	3.5	4	1	2	3	4	7	7
50-69	173	3.0	4	1	1	2	4	6	7
70 +	85	2.1	2	< 1	< 1	1	3	5	5
	889	**4.1**	**10**	**1**	**2**	**3**	**5**	**8**	**9**
	2000	**5.0**	**22**	**1**	**2**	**4**	**6**	**9**	**14**

DRG 396: Red Blood Cell Disorders Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	11	4.4	7						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**11**	**4.4**	**7**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	4.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**4.0**							
GRAND TOTAL	**16**	**4.3**	**4**						

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	819	6.2	33	1	3	5	7	11	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	819	**6.2**	**33**	**1**	**3**	**5**	**7**	**11**	**15**
0-17	2278	4.0	14	1	2	3	5	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2278	**4.0**	**14**	**1**	**2**	**3**	**5**	**7**	**10**
	3098	**4.6**	**20**	**1**	**2**	**3**	**6**	**8**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	830	5.6	22	2	2	4	7	10	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**830**	**5.6**	**22**	**2**	**2**	**4**	**7**	**10**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3308	3.7	6	1	2	3	5	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3308**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**4138**	**4.1**	**10**	**1**	**2**	**3**	**5**	**7**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	276	4.9	19	1	2	3	7	10	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	276	**4.9**	**19**	**1**	**2**	**3**	**7**	**10**	**12**
0-17	1121	3.8	10	1	2	3	5	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1121	**3.8**	**10**	**1**	**2**	**3**	**5**	**7**	**9**
	1397	**4.0**	**12**	**1**	**2**	**3**	**5**	**8**	**10**

DRG 397: Coagulation Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	656	6.8	30	2	3	5	9	14	18	0-17	400	4.0	12	1	1	3	5	7	12
70-74	419	6.4	23	2	3	5	8	13	18	18-34	133	5.9	12	2	4	5	6	10	14
75-79	457	9.5	82	2	4	7	12	18	29	35-49	241	6.3	43	2	2	4	8	18	21
80-84	347	8.2	49	2	4	6	11	17	21	50-69	447	6.0	22	1	3	5	8	11	17
85+	214	9.0	32	3	5	8	13	16	21	70+	70	8.9	40	4	4	6	12	15	26
SUBTOTAL	**2093**	**7.7**	**45**	**2**	**3**	**5**	**10**	**16**	**20**		**1290**	**5.6**	**24**	**1**	**2**	**4**	**7**	**11**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	210	3.8	6	1	2	3	5	7	7	0-17	1641	2.7	4	1	1	2	3	5	6
70-74	86	4.2	4	2	2	4	6	7	8	18-34	304	4.6	12	2	3	4	5	8	13
75-79	129	4.8	7	1	3	5	6	8	10	35-49	248	5.3	18	2	3	4	7	10	12
80-84	112	4.0	11	1	1	3	5	8	12	50-69	230	4.9	12	2	2	4	6	11	12
85+	59	6.5	15	3	3	6	7	12	15	70+	16	5.9	34						
SUBTOTAL	**596**	**4.4**	**8**	**1**	**2**	**4**	**6**	**7**	**10**		**2439**	**3.4**	**8**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**2689**	**7.0**	**39**	**2**	**3**	**5**	**9**	**15**	**18**		**3730**	**4.2**	**15**	**1**	**2**	**3**	**5**	**8**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	148	5.2	22	1	2	3	7	11	17	0-17	74	4.8	17	1	2	3	6	8	17
18-34	158	6.2	39	1	3	4	6	12	22	18-34	58	4.8	6	2	2	4	7	7	9
35-49	113	5.1	10	1	3	4	8	10	11	35-49	70	6.6	20	2	3	5	9	14	15
50-69	128	7.0	42	2	3	5	10	15	20	50-69	80	7.1	22	2	4	7	10	19	99+
70+	10	4.5	7							70+	61	7.0	11	3	5	7	8	10	15
SUBTOTAL	**557**	**5.9**	**29**	**1**	**3**	**4**	**7**	**12**	**19**		**342**	**6.1**	**17**	**2**	**3**	**6**	**8**	**14**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	613	2.8	4	1	2	2	3	5	7	0-17	360	2.9	3	1	2	3	4	6	6
18-34	86	5.1	13	1	3	4	6	8	17	18-34	85	3.7	9	1	2	3	5	10	11
35-49	38	3.7	1	3	3	3	5	6	6	35-49	26	4.0	7						
50-69	42	3.0	4	1	2	3	4	7	7	50-69	48	4.0	9	<1	1	4	7	9	9
70+	0									70+	16	1.7	1						
SUBTOTAL	**779**	**3.1**	**6**	**1**	**2**	**2**	**4**	**6**	**7**		**536**	**3.1**	**5**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**1336**	**4.2**	**17**	**1**	**2**	**3**	**5**	**8**	**12**		**878**	**4.3**	**11**	**1**	**2**	**3**	**6**	**8**	**12**

DRG 398: Reticuloendothelial & Immunity Disorders w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1170	7.9	19	3	5	7	10	13	14
70-74	855	7.8	26	3	5	6	9	15	17
75-79	535	8.7	39	3	5	7	11	16	19
80-84	260	7.3	20	3	4	6	9	12	15
85 +	267	10.2	90	2	4	7	13	20	25
SUBTOTAL	**3088**	**8.1**	**31**	**3**	**5**	**7**	**10**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3088**	**8.1**	**31**	**3**	**5**	**7**	**10**	**14**	**17**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1467	5.9	31	2	3	4	7	11	15
18-34	485	6.7	30	2	3	5	8	14	16
35-49	635	7.6	39	2	3	6	9	14	19
50-69	1172	8.0	33	3	4	7	9	13	22
70 +	52	6.8	16	2	3	7	9	13	13
	3811	**6.9**	**33**	**2**	**3**	**5**	**9**	**13**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3811	**6.9**	**33**	**2**	**3**	**5**	**9**	**13**	**17**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	592	6.0	37	2	3	4	7	11	17
18-34	201	6.6	29	2	4	6	7	8	13
35-49	117	9.9	61	3	5	8	11	20	27
50-69	142	7.7	50	2	4	6	10	12	16
70 +	0								
SUBTOTAL	**1052**	**6.8**	**41**	**2**	**3**	**5**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1052**	**6.8**	**41**	**2**	**3**	**5**	**8**	**12**	**17**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	287	4.8	7	2	3	4	6	8	9
18-34	94	5.4	5	3	4	5	6	9	11
35-49	143	6.9	18	3	4	6	9	12	18
50-69	197	7.7	40	3	4	6	8	15	24
70 +	32	10.2	98	1	4	6	16	30	30
	753	**6.3**	**24**	**2**	**4**	**5**	**7**	**10**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	753	**6.3**	**24**	**2**	**4**	**5**	**7**	**10**	**15**

DRG 399: Reticuloendothelial & Immunity Disorders w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	109	3.8	4	1	2	3	6	7	8	0-17	1857	4.4	19	1	2	4	6	7	9
70-74	64	3.8	4	1	2	4	6	7	7	18-34	295	4.1	6	2	2	4	6	7	8
75-79	80	4.5	6	2	3	3	7	7	10	35-49	206	4.4	4	2	3	4	6	7	8
80-84	38	3.9	3	2	3	3	5	7	7	50-69	212	5.7	10	2	3	5	7	10	12
85 +	33	5.0	8	3	3	4	5	11	11	70 +	21	3.1	4						
SUBTOTAL	**324**	**4.1**	**5**	**1**	**3**	**4**	**6**	**7**	**8**		**2591**	**4.5**	**15**	**1**	**2**	**4**	**6**	**8**	**9**
GRAND TOTAL	**324**	**4.1**	**5**	**1**	**3**	**4**	**6**	**7**	**8**		**2591**	**4.5**	**15**	**1**	**2**	**4**	**6**	**8**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	741	4.3	6	2	3	4	6	7	9	0-17	545	4.0	5	1	3	4	5	7	8
18-34	144	3.4	6	1	1	3	5	7	8	18-34	145	4.7	11	2	3	4	6	8	8
35-49	28	7.0	5							35-49	77	5.1	6	2	3	5	7	9	9
50-69	48	5.9	18	1	2	5	8	15	15	50-69	69	5.3	11	1	3	6	8	10	11
70 +	0									70 +	16	4.1	6						
SUBTOTAL	**960**	**4.3**	**7**	**1**	**2**	**4**	**6**	**8**	**9**		**852**	**4.4**	**7**	**1**	**3**	**4**	**6**	**7**	**9**
GRAND TOTAL	**960**	**4.3**	**7**	**1**	**2**	**4**	**6**	**8**	**9**		**852**	**4.4**	**7**	**1**	**3**	**4**	**6**	**7**	**9**

DRG 400: Lymphoma & Leukemia w/ Major O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	371	12.6	80	4	7	10	16	24	29
70-74	297	17.0	167	5	7	13	22	40	44
75-79	296	14.1	122	3	7	12	17	25	38
80-84	124	13.3	53	4	7	13	19	23	25
85 +	53	12.1	79	1	8	9	13	28	30
SUBTOTAL	**1143**	**14.2**	**113**	**4**	**7**	**12**	**18**	**27**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	263	5.1	10	2	3	5	6	9	11
70-74	160	7.4	38	1	2	6	10	20	23
75-79	144	7.2	28	1	3	7	9	17	19
80-84	37	4.1	7	2	3	3	5	10	10
85 +	22	10.4	33						
SUBTOTAL	**625**	**6.3**	**24**	**1**	**3**	**5**	**8**	**13**	**18**
GRAND TOTAL	**1768**	**11.4**	**96**	**2**	**5**	**8**	**15**	**24**	**30**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	58	25.4	672	2	4	26	38	92	99 +
18-34	170	14.3	184	5	6	7	14	38	40
35-49	283	11.5	207	4	5	8	11	17	60
50-69	511	11.9	89	3	5	10	15	28	34
70 +	11	13.6	13						
	1032	**13.0**	**178**	**3**	**5**	**9**	**15**	**31**	**39**
0-17	99	7.0	46	2	4	6	7	10	25
18-34	356	5.1	7	2	3	5	6	8	10
35-49	293	5.0	12	1	2	4	6	8	14
50-69	476	6.1	22	2	3	5	8	11	14
70 +	10	16.0	134						
	1235	**5.7**	**19**	**2**	**3**	**5**	**7**	**10**	**14**
	2267	**9.0**	**105**	**2**	**4**	**6**	**10**	**17**	**31**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	28.3	181						
18-34	21	11.3	13						
35-49	22	13.2	10						
50-69	31	6.6	6	3	5	6	9	10	10
70 +	0								
SUBTOTAL	**90**	**13.0**	**94**	**5**	**7**	**10**	**15**	**24**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	21	3.5	6						
18-34	37	6.0	6	3	3	5	8	10	10
35-49	16	5.3	4						
50-69	16	4.6	2						
70 +	6	5.0							
SUBTOTAL	**94**	**5.0**	**5**	**2**	**3**	**5**	**7**	**8**	**9**
GRAND TOTAL	**184**	**6.9**	**64**	**3**	**4**	**7**	**10**	**16**	**24**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	21	24.8	343						
18-34	59	14.0	363	1	6	7	15	26	71
35-49	48	11.6	164	5	5	7	9	46	46
50-69	106	7.6	18	3	4	7	9	16	16
70 +	16	20.1	61						
	250	**12.1**	**181**	**4**	**5**	**7**	**14**	**29**	**46**
0-17	26	9.6	70						
18-34	59	3.7	5	1	1	4	6	6	7
35-49	37	7.8	22	3	5	6	11	18	18
50-69	63	4.4	6	1	3	4	6	7	10
70 +	11	4.0	1						
	196	**5.5**	**22**	**1**	**3**	**5**	**6**	**11**	**18**
	446	**9.2**	**121**	**1**	**4**	**6**	**9**	**18**	**29**

DRG 401: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	399	14.1	146	3	6	9	19	35	41
70-74	299	13.4	149	2	5	10	18	27	37
75-79	246	12.7	84	2	5	11	21	26	30
80-84	200	12.5	71	3	6	11	17	21	28
85 +	130	12.2	82	3	5	10	16	24	24
SUBTOTAL	**1273**	**13.2**	**116**	**3**	**6**	**10**	**19**	**27**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1273**	**13.2**	**116**	**3**	**6**	**10**	**19**	**27**	**35**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	41	15.8	30	7	11	16	20	23	23
18-34	54	9.7	35	4	4	8	13	16	23
35-49	143	8.8	55	2	4	7	11	16	18
50-69	417	11.4	99	3	4	9	14	27	32
70 +	47	6.1	75	1	2	3	5	25	30
	703	**10.6**	**83**	**2**	**4**	**8**	**14**	**20**	**30**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	703	**10.6**	**83**	**2**	**4**	**8**	**14**	**20**	**30**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	16.5	33						
18-34	31	11.0	33	4	5	11	14	21	21
35-49	21	18.0	274						
50-69	36	13.3	81	1	8	9	25	27	27
70 +	0								
SUBTOTAL	**99**	**13.9**	**106**	**4**	**8**	**11**	**21**	**26**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**99**	**13.9**	**106**	**4**	**8**	**11**	**21**	**26**	**38**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	42	12.3	91	5	6	8	24	32	32
50-69	86	13.6	171	1	5	8	17	39	43
70 +	16	3.4	1						
	144	**12.1**	**138**	**1**	**4**	**7**	**17**	**33**	**39**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	144	**12.1**	**138**	**1**	**4**	**7**	**17**	**33**	**39**

DRG 402: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	149	4.1	26	1	2	3	5	7	8
70-74	187	5.2	32	1	2	3	7	11	19
75-79	92	4.5	9	1	2	3	6	10	12
80-84	50	4.5	9	1	2	4	6	9	10
85 +	44	7.8	49	2	3	6	7	24	26
SUBTOTAL	**521**	**4.9**	**26**	**1**	**2**	**3**	**6**	**10**	**12**
GRAND TOTAL	**521**	**4.9**	**26**	**1**	**2**	**3**	**6**	**10**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	68	4.1	8	2	2	3	5	7	12
18-34	101	5.5	25	1	2	3	9	12	21
35-49	155	4.6	17	1	2	3	7	10	11
50-69	421	4.4	16	1	2	3	6	10	12
70 +	16	1.7							
	761	**4.5**	**16**	**1**	**2**	**3**	**6**	**10**	**12**
	761	**4.5**	**16**	**1**	**2**	**3**	**6**	**10**	**12**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	26	6.6	5						
18-34	31	4.3	5	< 1	3	3	6	8	8
35-49	22	4.3	3						
50-69	16	3.3							
70 +	0								
SUBTOTAL	**94**	**4.8**	**5**	**2**	**3**	**4**	**6**	**9**	**9**
GRAND TOTAL	**94**	**4.8**	**5**	**2**	**3**	**4**	**6**	**9**	**9**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	5	2.0							
18-34	27	3.8	8						
35-49	43	4.9	21	1	1	5	8	14	14
50-69	76	3.1	8	1	1	2	5	8	10
70 +	0								
	150	**3.7**	**12**	**1**	**1**	**2**	**5**	**9**	**10**
	150	**3.7**	**12**	**1**	**1**	**2**	**5**	**9**	**10**

DRG 403: Lymphoma & Non-acute Leukemia w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1369	11.5	114	2	5	8	14	24	36	0-17	192	7.5	54	1	3	5	10	15	27
70-74	1236	11.5	72	3	5	9	16	23	29	18-34	193	13.8	219	2	4	8	21	42	45
75-79	937	10.8	93	3	5	8	12	22	30	35-49	390	11.2	155	2	4	8	14	21	34
80-84	728	12.6	88	3	6	10	16	25	33	50-69	1267	11.1	92	3	4	9	15	26	35
85 +	477	11.1	68	4	6	10	14	21	23	70 +	79	9.7	63	1	3	7	15	22	30
SUBTOTAL	**4748**	**11.5**	**90**	**3**	**5**	**9**	**15**	**23**	**31**		**2121**	**11.0**	**113**	**2**	**4**	**8**	**14**	**26**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4748**	**11.5**	**90**	**3**	**5**	**9**	**15**	**23**	**31**		**2121**	**11.0**	**113**	**2**	**4**	**8**	**14**	**26**	**35**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	72	17.3	396	5	6	9	17	35	79	0-17	62	9.8	149	2	2	4	12	24	44
18-34	58	4.7	4	3	3	4	6	8	9	18-34	75	9.4	81	1	3	7	10	28	30
35-49	86	9.7	50	4	5	8	12	19	29	35-49	124	8.5	32	2	5	6	12	15	21
50-69	147	13.9	166	3	5	9	21	29	41	50-69	261	11.9	123	3	4	8	16	28	42
70 +	22	7.1	31							70 +	82	8.8	30	2	6	8	10	15	24
SUBTOTAL	**385**	**11.8**	**167**	**3**	**5**	**8**	**12**	**29**	**35**		**604**	**10.3**	**91**	**2**	**4**	**7**	**13**	**23**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**385**	**11.8**	**167**	**3**	**5**	**8**	**12**	**29**	**35**		**604**	**10.3**	**91**	**2**	**4**	**7**	**13**	**23**	**30**

DRG 404: Lymphoma & Non-acute Leukemia w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	349	5.2	25	1	2	3	7	11	17
70-74	312	5.8	35	1	1	4	8	13	16
75-79	207	7.1	30	1	3	6	9	16	18
80-84	113	7.6	35	1	4	6	10	15	25
85 +	96	5.3	21	1	2	3	8	12	18
SUBTOTAL	**1078**	**6.0**	**30**	**1**	**2**	**4**	**8**	**14**	**17**
GRAND TOTAL	**1078**	**6.0**	**30**	**1**	**2**	**4**	**8**	**14**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	191	3.4	10	1	1	2	5	9	10
18-34	139	4.3	8	1	2	4	5	8	9
35-49	219	5.9	48	1	2	4	7	10	23
50-69	492	5.0	11	1	2	4	7	9	13
70 +	10	5.0	18						
	1052	**4.8**	**19**	**1**	**2**	**4**	**6**	**9**	**13**
	1052	**4.8**	**19**	**1**	**2**	**4**	**6**	**9**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	57	3.4	6	1	1	3	6	7	8
18-34	16	3.3	7						
35-49	37	8.5	18	4	5	7	11	17	17
50-69	31	5.0	7	1	3	5	8	8	8
70 +	0								
SUBTOTAL	**141**	**5.1**	**14**	**1**	**2**	**4**	**7**	**10**	**11**
GRAND TOTAL	**141**	**5.1**	**14**	**1**	**2**	**4**	**7**	**10**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	67	2.5	3	1	1	2	4	5	5
18-34	38	3.6	4	< 1	1	3	6	6	6
35-49	90	3.2	9	< 1	1	2	3	7	13
50-69	144	4.8	30	< 1	< 1	2	7	11	12
70 +	64	5.5	28	< 1	2	3	8	13	19
	404	**4.1**	**19**	**< 1**	**1**	**3**	**6**	**8**	**13**
	404	**4.1**	**19**	**< 1**	**1**	**3**	**6**	**8**	**13**

DRG 405: Acute Leukemia w/o Major O.R. Procedure Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	2.0								0-17	676	11.6	119	3	4	9	14	26	33
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**6**	**2.0**									**676**	**11.6**	**119**	**3**	**4**	**9**	**14**	**26**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	954	5.6	40	1	2	3	7	11	21
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**954**	**5.6**	**40**	**1**	**2**	**3**	**7**	**11**	**21**
GRAND TOTAL	**6**	**2.0**									**1630**	**8.1**	**82**	**1**	**3**	**5**	**9**	**20**	**28**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	217	16.7	271	3	5	9	25	52	74	0-17	171	14.4	148	2	6	11	21	29	48
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**217**	**16.7**	**271**	**3**	**5**	**9**	**25**	**52**	**74**		**171**	**14.4**	**148**	**2**	**6**	**11**	**21**	**29**	**48**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	352	4.9	52	1	2	3	5	9	13	0-17	279	6.0	54	1	2	2	6	16	23
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**352**	**4.9**	**52**	**1**	**2**	**3**	**5**	**9**	**13**		**279**	**6.0**	**54**	**1**	**2**	**2**	**6**	**16**	**23**
GRAND TOTAL	**569**	**9.4**	**168**	**2**	**3**	**5**	**10**	**25**	**52**		**451**	**9.2**	**107**	**2**	**2**	**5**	**12**	**23**	**29**

DRG 406: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R.Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	283	12.3	49	5	7	10	15	24	26	0-17	52	9.1	19	5	6	7	13	16	18
70-74	166	16.9	244	5	8	12	25	29	51	18-34	16	12.2	136						
75-79	156	9.7	58	2	4	8	11	24	24	35-49	175	10.1	56	4	6	8	12	18	26
80-84	92	10.4	19	5	7	10	13	17	19	50-69	424	12.7	127	4	6	9	15	31	40
85 +	43	15.8	66	5	8	14	23	28	28	70 +	27	15.8	196						
SUBTOTAL	**740**	**12.8**	**99**	**4**	**7**	**10**	**16**	**25**	**28**		**69[illegible]**	**11.9**	**105**	**4**	**6**	**8**	**14**	**26**	**39**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**740**	**12.8**	**99**	**4**	**7**	**10**	**16**	**25**	**28**		**694**	**11.9**	**105**	**4**	**6**	**8**	**14**	**26**	**39**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	8.0	18							0-17	5	4.0							
18-34	42	9.0	57	2	5	6	13	27	27	18-34	0								
35-49	42	21.3	141	8	9	18	31	39	39	35-49	31	11.7	55	4	7	10	12	27	27
50-69	42	23.1	400	6	12	14	37	68	68	50-69	58	7.1	24	3	4	5	10	11	20
70 +	6	2.0								70 +	27	5.6	2						
SUBTOTAL	**142**	**16.5**	**226**	**4**	**6**	**12**	**22**	**37**	**39**		**122**	**7.8**	**31**	**4**	**4**	**6**	**10**	**12**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**142**	**16.5**	**226**	**4**	**6**	**12**	**22**	**37**	**39**		**122**	**7.8**	**31**	**4**	**4**	**6**	**10**	**12**	**20**

DRG 407: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R.Proc w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	104	5.4	13	1	2	5	7	10	14	0-17	41	6.4	2	4	5	7	8	8	8
70-74	61	6.4	12	3	3	5	10	11	12	18-34	42	3.6	5	1	2	3	5	7	7
75-79	87	7.8	17	3	5	7	8	15	16	35-49	117	5.2	8	1	4	4	7	9	11
80-84	27	6.1	15							50-69	284	5.8	17	1	3	5	8	11	14
85+	16	2.6	2							70+	5	6.0							
SUBTOTAL	295	6.2	15	2	3	5	8	13	15		490	5.5	13	1	3	5	8	10	12
GRAND TOTAL	295	6.2	15	2	3	5	8	13	15		490	5.5	13	1	3	5	8	10	12

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	41	6.3	20	1	3	6	7	16	16	0-17	5	10.0							
18-34	5	4.0								18-34	16	6.6	7						
35-49	0									35-49	37	7.0	24	1	2	7	11	16	16
50-69	22	5.5	3							50-69	42	5.9	43	2	3	4	5	23	23
70+	5	4.0								70+	6	3.0							
SUBTOTAL	74	5.7	12	1	4	6	7	8	16		106	6.4	28	2	3	4	8	11	18
GRAND TOTAL	74	5.7	12	1	4	6	7	8	16		106	6.4	28	2	3	4	8	11	18

DRG 408: Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R.Proc

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	240	9.7	83	2	4	6	14	26	30	0-17	21	7.3	16						
70-74	234	9.8	174	2	3	5	11	18	25	18-34	42	7.2	32	1	4	5	16	17	17
75-79	141	8.2	62	2	2	4	13	19	20	35-49	111	5.6	19	2	2	4	7	12	16
80-84	54	10.4	100	3	5	8	12	19	38	50-69	369	7.9	82	1	2	4	11	20	23
85 +	32	12.4	196	1	2	6	22	38	38	70 +	21	5.0	4						
SUBTOTAL	**701**	**9.6**	**116**	**2**	**3**	**6**	**13**	**22**	**30**		**564**	**7.3**	**62**	**1**	**2**	**4**	**9**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	188	3.9	15	2	2	2	4	7	16	0-17	36	4.4	8	1	2	3	8	8	8
70-74	127	2.9	10	1	1	2	3	8	8	18-34	69	2.2	2	1	1	2	3	4	5
75-79	102	3.6	6	1	2	3	4	7	10	35-49	217	2.8	5	1	1	2	3	6	8
80-84	48	3.2	19	1	1	2	2	15	15	50-69	287	3.7	14	1	2	2	4	7	12
85 +	10	1.5								70 +	5	4.0							
SUBTOTAL	**475**	**3.5**	**12**	**1**	**2**	**2**	**4**	**8**	**11**		**614**	**3.3**	**9**	**1**	**2**	**2**	**4**	**7**	**8**
GRAND TOTAL	**1176**	**7.1**	**63**	**1**	**2**	**4**	**8**	**17**	**25**		**1178**	**5.2**	**38**	**1**	**2**	**3**	**6**	**12**	**16**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10Th	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5	3.0								0-17	0								
18-34	11	9.3	40							18-34	27	4.7	20						
35-49	21	17.0	387							35-49	11	2.5							
50-69	84	11.8	202	1	2	4	20	33	50	50-69	65	10.3	140	2	2	6	18	24	43
70 +	5	5.0								70 +	5	8.0							
SUBTOTAL	**126**	**11.8**	**209**	**1**	**3**	**5**	**16**	**33**	**49**		**108**	**8.0**	**98**	**1**	**2**	**4**	**11**	**21**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	26	7.2	124							0-17	21-	4.3	14						
18-34	21	2.7	4							18-34	26	1.8	1						
35-49	59	2.3	1	1	2	2	3	4	4	35-49	37	2.8	4	1	1	2	6	6	6
50-69	42	4.6	4	1	4	4	5	8	8	50-69	94	2.9	5	1	1	2	4	8	9
70 +	0									70 +	5	9.0							
SUBTOTAL	**148**	**3.9**	**26**	**1**	**2**	**2**	**4**	**6**	**8**		**183**	**3.1**	**7**	**1**	**1**	**2**	**4**	**8**	**9**
GRAND TOTAL	**274**	**7.5**	**126**	**1**	**2**	**3**	**6**	**21**	**33**		**292**	**4.9**	**46**	**1**	**1**	**2**	**6**	**10**	**18**

DRG 409: Radiotherapy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	367	8.3	71	2	3	5	11	18	28	0-17	31	4.3	13	2	2	2	5	12	12
70-74	321	10.7	87	2	4	7	14	24	29	18-34	85	5.4	37	2	2	2	3	16	22
75-79	240	8.6	66	2	4	5	11	19	31	35-49	163	6.9	105	2	2	4	6	17	25
80-84	75	14.8	86	4	4	16	25	26	30	50-69	489	7.9	57	2	3	5	10	21	26
85+	96	14.4	270	4	4	7	15	49	58	70+	5	6.0							
SUBTOTAL	**1099**	**10.0**	**98**	**2**	**4**	**6**	**14**	**24**	**30**		**774**	**7.2**	**64**	**2**	**2**	**4**	**8**	**17**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	68	2.7	6	1	1	2	2	6	10	0-17	5	11.0							
70-74	48	3.1	2	1	2	3	4	6	6	18-34	111	2.0	1	1	1	2	3	3	3
75-79	58	4.4	6	1	2	4	6	8	9	35-49	175	2.0	1	1	1	2	2	3	4
80-84	16	3.3	2							50-69	138	2.3	2	1	2	2	3	5	5
85+	5	3.0								70+	0								
SUBTOTAL	**195**	**3.3**	**5**	**1**	**2**	**3**	**5**	**6**	**9**		**429**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**1294**	**9.0**	**89**	**2**	**3**	**5**	**12**	**22**	**29**		**1203**	**5.4**	**48**	**1**	**2**	**3**	**6**	**12**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5	4.0								0-17	10	3.0	4						
18-34	10	6.0	28							18-34	47	3.9	8	1	2	3	5	9	11
35-49	73	5.8	8	2	3	7	7	9	12	35-49	21	3.8	2						
50-69	52	7.5	26	3	4	4	10	15	20	50-69	106	7.5	37	3	4	5	11	21	22
70+	5	23.0								70+	38	21.1	192	2	4	29	35	36	36
SUBTOTAL	**146**	**7.0**	**25**	**2**	**4**	**7**	**8**	**12**	**20**		**224**	**8.5**	**88**	**2**	**3**	**5**	**11**	**29**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	5	6.0							
18-34	16	2.0								18-34	31	2.1	1	1	1	2	3	4	4
35-49	10	4.0	1							35-49	37	2.6	3	1	1	2	3	6	6
50-69	16	2.7	3							50-69	26	4.1	6						
70+	0									70+	0								
SUBTOTAL	**41**	**2.8**	**2**	**1**	**2**	**2**	**4**	**5**	**5**		**100**	**3.0**	**4**	**1**	**1**	**2**	**5**	**6**	**7**
GRAND TOTAL	**187**	**6.0**	**23**	**2**	**3**	**4**	**7**	**12**	**20**		**323**	**6.8**	**69**	**1**	**2**	**4**	**6**	**21**	**30**

DRG 410: Chemotherapy w/o Acute Leukemia As Secondary Diagnosis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	13987	3.4	8	1	2	3	4	5	7	0-17	3755	3.4	9	1	1	3	5	5	6
70-74	8070	3.8	17	1	2	3	5	6	9	18-34	2598	3.2	6	1	1	3	4	5	6
75-79	4815	3.7	10	1	2	3	5	6	7	35-49	6684	3.5	9	1	2	3	5	6	7
80-84	1957	3.9	7	1	2	4	5	6	7	50-69	20605	3.4	10	1	2	3	4	6	7
85 +	351	3.7	8	1	2	3	5	6	8	70 +	514	3.3	5	1	2	3	4	6	8
SUBTOTAL	**29179**	**3.6**	**11**	**1**	**2**	**3**	**4**	**6**	**7**		**34155**	**3.4**	**9**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2111	2.9	4	1	1	2	4	5	6	0-17	2719	3.1	3	1	1	3	5	5	6
70-74	1605	3.0	4	1	1	2	4	5	6	18-34	1082	3.2	3	1	2	3	5	5	6
75-79	1001	2.7	3	1	1	2	4	5	6	35-49	2331	2.7	5	1	1	2	4	5	6
80-84	341	3.1	2	1	2	3	4	5	5	50-69	4445	2.7	5	1	1	2	4	5	6
85 +	104	3.2	2	1	3	3	4	5	5	70 +	78	1.0		1	1	1	1	1	1
SUBTOTAL	**5162**	**2.9**	**4**	**1**	**1**	**2**	**4**	**5**	**6**		**10655**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**34341**	**3.5**	**10**	**1**	**2**	**3**	**4**	**6**	**7**		**44810**	**3.3**	**8**	**1**	**2**	**3**	**4**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1153	3.6	39	1	1	2	4	6	7	0-17	844	2.8	4	1	1	2	4	5	5
18-34	963	4.2	12	1	2	4	5	6	9	18-34	650	3.0	4	1	1	3	4	5	5
35-49	2023	4.2	21	1	2	3	5	7	10	35-49	1298	3.1	9	1	1	2	4	5	6
50-69	3054	4.0	13	1	2	3	5	6	8	50-69	2831	3.5	13	1	2	3	5	6	7
70 +	26	7.4	23							70 +	213	3.5	5	1	2	3	4	6	9
SUBTOTAL	**7220**	**4.0**	**19**	**1**	**2**	**3**	**5**	**6**	**8**		**5836**	**3.2**	**10**	**1**	**2**	**3**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	727	3.2	3	1	2	3	4	5	6	0-17	497	2.9	4	1	1	2	5	5	6
18-34	454	3.9	4	1	2	4	5	6	7	18-34	301	3.7	3	1	2	4	5	5	6
35-49	459	3.5	8	1	1	3	5	6	7	35-49	392	2.1	2	1	1	2	3	4	5
50-69	686	3.5	4	1	2	3	5	6	7	50-69	808	2.7	3	1	1	2	4	5	6
70 +	10	6.5	2							70 +	0								
SUBTOTAL	**2336**	**3.5**	**4**	**1**	**2**	**3**	**5**	**6**	**7**		**1998**	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**9556**	**3.9**	**16**	**1**	**2**	**3**	**5**	**6**	**8**		**7834**	**3.1**	**8**	**1**	**1**	**2**	**4**	**5**	**6**

DRG 411: History of Malignancy w/o Endoscopy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	16	9.0	105						
70-74	5	6.0								18-34	0								
75-79	5	14.0								35-49	5	19.0							
80-84	0									50-69	5	24.0							
85+	0									70+	0								
SUBTOTAL	**10**	**10.0**	**18**								**26**	**14.0**	**103**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5	4.0								0-17	10	1.0							
70-74	0									18-34	5	2.0							
75-79	0									35-49	39	1.3		<1	1	1	1	3	3
80-84	0									50-69	6	6.0							
85+	6	3.0								70+	0								
SUBTOTAL	**11**	**3.5**									**60**	**1.7**	**2**	**<1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**21**	**6.7**	**20**								**86**	**5.4**	**64**	**1**	**1**	**1**	**3**	**23**	**24**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	6	1.0							
35-49	0									35-49	5	1.0							
50-69	0									50-69	5	1.0							
70+	0									70+	0								
SUBTOTAL	**0**										**16**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10	1.0								0-17	0								
18-34	0									18-34	6	1.0							
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**10**	**1.0**									**6**	**1.0**							
GRAND TOTAL	**10**	**1.0**									**22**	**1.0**							

DRG 412: History of Malignancy w/ Endoscopy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	11	5.5	13							0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	10	1.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**11**	**5.5**	**13**								**10**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	11	1.0								0-17	5	1.0							
70-74	56	1.0		< 1	< 1	< 1	< 1	< 1	< 1	18-34	0								
75-79	11	1.0								35-49	0								
80-84	11	1.0								50-69	17	1.0							
85 +	6	1.0								70 +	6	1.0							
SUBTOTAL	**95**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**		**28**	**1.0**							
GRAND TOTAL	**106**	**1.5**	**3**	**< 1**	**< 1**	**< 1**	**< 1**	**2**	**9**		**30**	**1.0**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	6	1.0								70 +	0								
SUBTOTAL	**6**	**1.0**									**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	5	2.0							
70 +	0									70 +	0								
SUBTOTAL	**0**										**5**	**2.0**							
GRAND TOTAL	**6**	**1.0**									**5**	**2.0**							

DRG 413: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	444	11.4	95	3	5	8	14	26	40
70-74	401	11.7	130	3	4	8	13	27	35
75-79	337	9.3	46	3	4	8	12	18	21
80-84	230	10.5	92	3	4	8	13	20	22
85 +	131	8.5	28	3	5	7	10	19	19
SUBTOTAL	1542	10.6	88	3	5	8	13	21	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1542	10.6	88	3	5	8	13	21	29

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	7.8	13						
18-34	37	9.3	50	4	5	7	9	26	26
35-49	161	7.3	35	3	4	7	9	13	15
50-69	419	9.2	56	2	4	7	11	19	30
70 +	16	7.6	15						
	658	8.7	48	3	4	7	11	17	25
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	658	8.7	48	3	4	7	11	17	25

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	21	26.8	1177						
18-34	10	4.5	2						
35-49	69	12.4	105	4	6	7	15	26	40
50-69	74	9.0	63	2	4	6	11	18	30
70 +	5	34.0							
SUBTOTAL	179	12.8	242	3	4	6	16	30	40
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	179	12.8	242	3	4	6	16	30	40

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	3.4	1						
18-34	10	8.5	47						
35-49	26	14.4	117						
50-69	134	7.8	27	1	5	7	10	13	14
70 +	61	7.3	13	2	4	7	10	12	13
	257	7.9	37	2	4	7	10	14	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	257	7.9	37	2	4	7	10	14	17

DRG 414: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	103	6.2	40	2	3	3	7	14	19	0-17	67	3.5	6	1	1	3	4	6	9
70-74	38	6.8	21	< 1	3	7	10	15	15	18-34	26	6.8	57						
75-79	63	5.8	13	2	3	5	7	12	14	35-49	102	4.8	17	1	1	4	6	10	18
80-84	54	6.9	29	1	3	6	9	19	20	50-69	162	6.9	26	1	3	6	9	14	15
85 +	27	4.8	9							70 +	0								
SUBTOTAL	**286**	**6.2**	**26**	**2**	**3**	**5**	**8**	**12**	**15**		**358**	**5.7**	**23**	**1**	**2**	**4**	**8**	**13**	**15**
GRAND TOTAL	**286**	**6.2**	**26**	**2**	**3**	**5**	**8**	**12**	**15**		**358**	**5.7**	**23**	**1**	**2**	**4**	**8**	**13**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5	1.0								0-17	5	1.0							
18-34	0									18-34	0								
35-49	32	9.1	66	2	3	5	12	25	25	35-49	22	5.2	5						
50-69	49	6.2	13	2	2	6	10	11	11	50-69	16	3.0	2						
70 +	0									70 +	10	4.5	7						
SUBTOTAL	**86**	**6.9**	**36**	**2**	**2**	**6**	**10**	**12**	**25**		**53**	**4.0**	**6**	**1**	**2**	**5**	**6**	**7**	**8**
GRAND TOTAL	**86**	**6.9**	**36**	**2**	**2**	**6**	**10**	**12**	**25**		**53**	**4.0**	**6**	**1**	**2**	**5**	**6**	**7**	**8**

DRG 415: O.R. Procedure for Infectious & Parasitic Diseases

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1582	20.2	210	6	10	16	27	44	52
70-74	854	23.1	334	7	11	17	27	50	72
75-79	980	21.2	230	7	10	16	29	46	52
80-84	660	21.1	193	8	12	17	27	39	42
85+	676	21.0	291	8	11	16	25	35	54
SUBTOTAL	**4752**	**21.2**	**246**	**7**	**10**	**16**	**27**	**44**	**54**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	314	12.6	90	3	5	10	16	28	30
70-74	135	9.7	114	2	4	5	10	20	28
75-79	162	12.6	250	3	4	7	14	38	40
80-84	44	11.6	47	1	6	10	15	24	24
85+	64	9.3	27	3	4	8	13	15	19
SUBTOTAL	**720**	**11.7**	**124**	**3**	**5**	**8**	**15**	**24**	**32**
GRAND TOTAL	**5471**	**19.9**	**240**	**6**	**10**	**15**	**25**	**43**	**52**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	266	14.4	206	3	5	12	19	30	39
18-34	477	11.1	81	2	4	8	15	23	28
35-49	587	15.3	128	4	6	12	20	30	40
50-69	1033	17.6	205	5	8	13	22	41	50
70+	81	19.3	120	8	11	15	29	35	45
	2444	**15.5**	**166**	**4**	**7**	**12**	**20**	**33**	**43**
0-17	335	5.6	15	2	3	4	8	10	15
18-34	372	8.2	39	2	4	7	10	19	22
35-49	481	8.4	54	2	4	6	9	18	28
50-69	419	11.1	60	4	6	10	14	20	31
70+	22	7.6	5						
	1628	**8.4**	**47**	**2**	**4**	**7**	**10**	**17**	**25**
	4073	**12.7**	**130**	**3**	**5**	**9**	**16**	**28**	**35**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	85	18.0	241	3	5	15	24	47	60
18-34	143	13.9	132	3	4	9	22	32	33
35-49	203	21.4	306	7	9	15	30	52	57
50-69	187	17.9	98	7	10	14	23	31	42
70+	33	23.8	176	7	9	31	34	42	42
SUBTOTAL	**652**	**18.4**	**201**	**5**	**8**	**14**	**24**	**37**	**48**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	154	5.7	16	2	3	5	7	10	13
18-34	103	9.3	96	2	4	5	11	21	35
35-49	64	12.2	49	5	5	11	17	19	29
50-69	37	16.3	78	6	7	17	28	29	29
70+	6	2.0							
SUBTOTAL	**364**	**8.9**	**63**	**2**	**3**	**6**	**10**	**18**	**29**
GRAND TOTAL	**1016**	**15.0**	**172**	**3**	**6**	**10**	**21**	**32**	**42**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	59	20.6	428	2	6	13	39	61	99+
18-34	119	7.5	28	3	4	6	11	14	20
35-49	123	17.7	224	5	8	13	31	49	53
50-69	176	14.4	127	4	6	11	19	35	39
70+	54	14.3	32	4	10	15	18	21	22
	531	**14.3**	**167**	**4**	**6**	**10**	**18**	**38**	**49**
0-17	70	5.9	15	3	3	4	9	10	16
18-34	134	5.4	13	1	2	5	7	10	13
35-49	106	6.4	30	1	3	5	7	13	19
50-69	107	7.4	35	2	4	5	9	16	20
70+	16	13.0	78						
	433	**6.5**	**27**	**1**	**3**	**5**	**8**	**13**	**18**
	964	**10.8**	**119**	**2**	**4**	**7**	**13**	**25**	**39**

DRG 416: Septicemia Age >17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5286	11.2	61	4	6	9	14	20	27
70-74	3726	10.7	57	4	6	9	13	18	25
75-79	4500	11.6	58	5	7	10	14	21	26
80-84	4123	11.7	58	5	7	10	14	20	27
85 +	4946	11.6	65	5	7	10	14	21	25
SUBTOTAL	22580	11.4	60	5	7	9	14	20	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	332	8.7	20	4	5	8	11	13	16
70-74	277	7.6	19	3	5	7	11	14	16
75-79	298	10.2	61	4	5	8	13	17	25
80-84	250	8.6	26	4	5	8	10	16	17
85 +	329	9.6	57	4	6	7	10	17	22
SUBTOTAL	1487	9.0	38	4	5	7	11	16	19
GRAND TOTAL	24067	11.2	59	5	6	9	14	20	26

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	737	8.3	34	3	4	7	11	14	20
35-49	1423	10.0	55	3	5	8	12	18	23
50-69	3418	9.9	50	4	6	8	12	17	23
70 +	292	11.4	49	5	7	9	15	21	27
	5870	9.8	50	4	6	8	12	17	23
0-17	0								
18-34	158	4.7	9	1	3	4	6	7	13
35-49	201	5.7	8	3	4	5	7	9	11
50-69	362	7.3	26	3	4	6	8	12	15
70 +	47	9.3	36	3	7	9	9	22	25
	768	6.5	20	2	4	6	8	11	14
	6638	9.4	47	3	5	8	11	17	22

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	524	11.2	127	3	5	7	13	25	38
35-49	533	13.9	128	3	6	12	18	25	35
50-69	767	13.2	98	4	7	11	15	24	33
70 +	134	13.9	98	5	9	10	15	24	37
SUBTOTAL	1959	12.9	115	3	6	10	16	25	35
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	81	6.2	13	2	4	5	9	11	15
35-49	22	6.6	27						
50-69	21	5.5	22						
70 +	5	9.0							
SUBTOTAL	129	6.3	17	1	3	5	9	13	14
GRAND TOTAL	2088	12.5	111	3	6	10	15	24	34

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	168	9.8	97	2	4	6	11	26	32
35-49	405	9.1	35	4	5	8	10	17	22
50-69	496	11.5	137	4	5	8	13	19	28
70 +	219	10.2	58	5	6	8	11	20	27
	1289	10.3	87	4	5	8	12	19	28
0-17	0								
18-34	70	10.4	112	2	3	6	14	31	32
35-49	22	5.2	5						
50-69	22	3.3	2						
70 +	21	11.5	5						
	135	8.6	69	2	3	6	10	22	31
	1424	10.1	86	3	5	8	12	19	28

DRG 417: Septicemia Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	43	10.4	167	1	3	5	13	43	43	0-17	1630	6.7	36	2	3	5	9	13	15
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**43**	**10.4**	**167**	**1**	**3**	**5**	**13**	**43**	**43**		**1630**	**6.7**	**36**	**2**	**3**	**5**	**9**	**13**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5	3.0								0-17	2148	3.8	5	2	2	3	5	7	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**5**	**3.0**									**2148**	**3.8**	**5**	**2**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**48**	**9.6**	**154**	**2**	**3**	**4**	**10**	**31**	**43**		**3778**	**5.0**	**21**	**2**	**3**	**4**	**6**	**10**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1313	7.3	46	2	3	5	10	14	17	0-17	534	6.2	20	2	3	4	9	12	16
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1313**	**7.3**	**46**	**2**	**3**	**5**	**10**	**14**	**17**		**534**	**6.2**	**20**	**2**	**3**	**4**	**9**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2011	4.3	8	2	2	3	5	9	10	0-17	865	4.1	10	2	2	3	5	10	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2011**	**4.3**	**8**	**2**	**2**	**3**	**5**	**9**	**10**		**865**	**4.1**	**10**	**2**	**2**	**3**	**5**	**10**	**11**
GRAND TOTAL	**3324**	**5.5**	**25**	**2**	**3**	**4**	**7**	**10**	**14**		**1399**	**4.9**	**15**	**2**	**2**	**3**	**6**	**10**	**13**

DRG 418: Postoperative & Post-traumatic Infections

MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	686	8.7	46	3	4	7	11	19	23	0-17	249	7.1	85	2	3	4	7	14	27
70-74	519	8.0	28	3	5	7	10	14	20	18-34	342	5.4	17	2	3	5	7	10	13
75-79	357	9.8	50	4	5	8	12	17	21	35-49	585	7.4	37	3	4	5	9	16	20
80-84	232	9.4	42	4	5	8	10	19	23	50-69	718	8.6	41	3	5	7	11	16	21
85 +	192	9.6	23	4	6	8	13	16	21	70 +	54	7.3	29	2	4	7	8	10	22
SUBTOTAL	**1986**	**8.9**	**40**	**3**	**5**	**7**	**11**	**17**	**21**		**1949**	**7.5**	**42**	**2**	**4**	**5**	**9**	**15**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	441	6.5	12	3	4	6	8	11	12	0-17	485	4.2	8	2	2	3	5	8	10
70-74	269	6.1	16	3	4	5	7	11	13	18-34	867	4.8	16	2	2	4	6	9	11
75-79	302	7.7	26	4	5	7	9	14	19	35-49	872	5.2	21	2	3	4	6	8	11
80-84	165	5.9	13	2	4	5	8	9	13	50-69	873	6.5	24	3	4	5	8	11	15
85 +	76	6.7	14	2	4	5	10	11	15	70 +	22	5.0	2						
SUBTOTAL	**1253**	**6.6**	**17**	**3**	**4**	**6**	**8**	**12**	**14**		**3119**	**5.3**	**19**	**2**	**3**	**4**	**7**	**9**	**12**
GRAND TOTAL	**3238**	**8.0**	**32**	**3**	**4**	**7**	**10**	**14**	**20**		**5067**	**6.1**	**29**	**2**	**3**	**5**	**7**	**11**	**15**

MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	126	6.3	66	2	3	4	6	11	15	0-17	84	4.2	12	1	2	3	5	9	15
18-34	182	6.1	14	3	4	5	7	12	16	18-34	102	5.4	6	3	4	5	6	11	11
35-49	110	9.0	27	4	6	8	10	15	21	35-49	95	5.4	10	2	3	4	8	11	12
50-69	91	7.9	26	2	5	6	9	15	22	50-69	111	5.2	9	2	3	5	6	9	9
70 +	6	9.0								70 +	27	9.9	21						
SUBTOTAL	**515**	**7.1**	**33**	**3**	**4**	**6**	**9**	**15**	**16**		**420**	**5.4**	**11**	**2**	**3**	**5**	**7**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	253	4.7	17	1	2	3	6	10	11	0-17	160	4.1	13	1	2	3	5	8	12
18-34	281	4.7	15	2	3	3	5	12	15	18-34	225	4.8	10	2	3	4	6	7	13
35-49	129	5.8	23	2	3	4	7	15	16	35-49	214	4.9	10	2	3	4	6	10	12
50-69	70	6.5	18	3	4	5	8	12	16	50-69	135	5.1	15	2	3	4	6	8	9
70 +	11	5.6	2							70 +	22	10.0	133						
SUBTOTAL	**743**	**5.1**	**17**	**2**	**3**	**4**	**6**	**11**	**15**		**756**	**4.9**	**16**	**2**	**3**	**4**	**6**	**9**	**13**
GRAND TOTAL	**1258**	**5.9**	**25**	**2**	**3**	**4**	**7**	**12**	**16**		**1175**	**5.1**	**14**	**2**	**3**	**4**	**6**	**10**	**13**

DRG 419: Fever of Unknown Origin Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1179	7.5	49	2	3	5	9	15	21
70-74	629	6.7	21	3	4	5	9	13	18
75-79	580	7.6	26	3	4	6	10	15	17
80-84	373	8.8	112	3	4	6	10	16	17
85 +	216	6.8	19	2	3	6	9	15	15
SUBTOTAL	**2977**	**7.5**	**45**	**3**	**4**	**6**	**9**	**15**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2977**	**7.5**	**45**	**3**	**4**	**6**	**9**	**15**	**17**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	329	5.8	16	2	4	5	7	11	14
35-49	484	5.3	16	2	3	4	7	10	15
50-69	1001	6.5	28	2	3	5	8	11	18
70 +	22	3.2	2						
	1835	**6.0**	**22**	**2**	**3**	**4**	**7**	**11**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1835	**6.0**	**22**	**2**	**3**	**4**	**7**	**11**	**15**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	143	8.2	67	2	3	6	9	20	25
35-49	109	5.6	9	2	3	5	7	11	13
50-69	93	12.8	349	2	5	7	13	21	83
70 +	5	20.0							
SUBTOTAL	**350**	**8.8**	**132**	**2**	**3**	**6**	**10**	**19**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**350**	**8.8**	**132**	**2**	**3**	**6**	**10**	**19**	**21**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	90	4.5	13	2	2	3	5	10	15
35-49	133	6.3	36	1	3	4	9	14	21
50-69	171	5.3	8	2	3	4	8	9	11
70 +	59	6.8	14	2	5	6	8	13	16
	453	**5.6**	**19**	**2**	**3**	**4**	**8**	**10**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	453	**5.6**	**19**	**2**	**3**	**4**	**8**	**10**	**15**

DRG 420: Fever of Unknown Origin Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	253	4.9	9	2	3	4	7	10	11	0-17	0								
70-74	232	5.1	8	2	3	4	6	10	11	18-34	338	3.7	6	1	2	3	4	8	9
75-79	178	4.9	9	2	3	4	6	10	12	35-49	378	4.2	7	2	3	4	5	7	10
80-84	122	4.4	4	2	3	5	6	7	7	50-69	409	5.0	13	2	3	4	7	9	11
85 +	120	6.1	17	3	4	5	7	9	17	70 +	0								
SUBTOTAL	**905**	**5.0**	**9**	**2**	**3**	**4**	**6**	**10**	**11**		**1124**	**4.4**	**9**	**2**	**2**	**3**	**6**	**8**	**10**
GRAND TOTAL	**905**	**5.0**	**9**	**2**	**3**	**4**	**6**	**10**	**11**		**1124**	**4.4**	**9**	**2**	**2**	**3**	**6**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	48	3.9	3	2	3	4	4	7	7	18-34	103	3.4	3	1	2	3	4	6	7
35-49	11	1.5								35-49	53	3.7	6	1	2	2	6	7	8
50-69	5	7.0								50-69	88	4.6	4	2	3	5	6	8	9
70 +	0									70 +	10	3.5							
SUBTOTAL	**64**	**3.7**	**4**	**2**	**2**	**3**	**5**	**7**	**7**		**254**	**3.9**	**4**	**2**	**2**	**4**	**5**	**7**	**8**
GRAND TOTAL	**64**	**3.7**	**4**	**2**	**2**	**3**	**5**	**7**	**7**		**254**	**3.9**	**4**	**2**	**2**	**4**	**5**	**7**	**8**

DRG 421: Viral Illness Age >17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	570	5.8	27	2	3	4	7	12	17	0-17	0								
70-74	280	5.6	12	2	3	4	8	11	12	18-34	1605	3.7	5	2	2	3	5	6	8
75-79	294	5.2	13	2	3	4	6	8	15	35-49	779	4.6	17	1	2	4	6	8	12
80-84	202	5.2	10	2	3	4	6	11	12	50-69	770	4.7	8	2	3	4	6	8	11
85 +	267	7.5	36	2	4	6	9	17	21	70 +	11	7.9	4						
SUBTOTAL	**1613**	**5.9**	**22**	**2**	**3**	**4**	**7**	**12**	**16**		**3165**	**4.2**	**9**	**2**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	222	3.2	3	1	2	3	4	5	7	0-17	0								
70-74	121	3.3	4	1	2	3	4	6	7	18-34	1446	3.2	4	1	2	3	4	6	8
75-79	115	3.3	4	1	2	3	4	5	6	35-49	724	3.1	5	1	2	2	4	6	7
80-84	55	4.3	4	2	2	4	6	8	8	50-69	352	3.1	4	1	2	3	4	6	7
85 +	99	5.5	13	1	3	4	9	11	12	70 +	6	3.0							
SUBTOTAL	**611**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**9**		**2527**	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**2224**	**5.3**	**18**	**2**	**3**	**4**	**6**	**11**	**13**		**5692**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**8**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	273	3.9	5	2	2	4	6	7	8	18-34	389	3.9	8	1	2	3	5	8	10
35-49	97	4.3	4	2	2	5	6	7	8	35-49	131	3.7	6	2	2	3	5	6	7
50-69	55	9.1	127	3	4	5	6	41	41	50-69	70	4.4	13	1	2	3	5	12	13
70 +	0									70 +	38	4.6	2	3	3	4	6	7	7
SUBTOTAL	**424**	**4.7**	**23**	**2**	**2**	**4**	**6**	**7**	**9**		**628**	**4.0**	**8**	**2**	**2**	**3**	**5**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	254	2.9	4	1	1	3	3	5	6	18-34	443	2.8	3	1	2	2	3	5	5
35-49	65	4.3	3	3	3	4	5	5	9	35-49	109	3.2	12	1	1	2	3	9	14
50-69	33	3.4	5	1	2	3	4	8	8	50-69	98	2.2	1	1	1	2	3	4	5
70 +	0									70 +	28	2.0	1						
SUBTOTAL	**352**	**3.2**	**4**	**1**	**2**	**3**	**4**	**5**	**8**		**678**	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**5**
GRAND TOTAL	**777**	**4.0**	**15**	**1**	**2**	**3**	**5**	**7**	**8**		**1306**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**9**

DRG 422: Viral Illness & Fever of Unknown Origin Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	52	5.2	15	1	2	4	9	11	13	0-17	6150	3.4	7	1	2	3	4	6	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	52	5.2	15	1	2	4	9	11	13		6150	3.4	7	1	2	3	4	6	8
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	2.0								0-17	11211	2.7	2	1	2	3	3	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	6	2.0									11211	2.7	2	1	2	3	3	4	5
GRAND TOTAL	57	4.9	15	1	2	4	9	10	13		17361	3.0	4	1	2	3	3	5	6

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	3768	3.5	11	2	2	3	4	6	8	0-17	1879	3.0	5	1	2	3	4	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	3768	3.5	11	2	2	3	4	6	8		1879	3.0	5	1	2	3	4	5	6
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	7575	2.9	4	1	2	3	3	4	5	0-17	4416	2.6	1	1	2	2	3	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	7575	2.9	4	1	2	3	3	4	5		4416	2.6	1	1	2	2	3	4	5
GRAND TOTAL	11343	3.1	7	2	2	3	4	5	6		6295	2.7	2	1	2	2	3	4	5

DRG 423: Other Infectious & Parasitic Diseases Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	298	10.5	96	3	5	8	13	21	27
70-74	189	11.9	60	4	6	10	17	21	25
75-79	137	14.0	189	3	5	9	18	30	49
80-84	104	9.4	26	4	6	8	11	17	23
85 +	98	11.6	34	4	7	11	16	20	22
SUBTOTAL	**826**	**11.4**	**88**	**4**	**5**	**9**	**14**	**21**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	37	4.6	10	1	1	4	7	10	10
70-74	10	3.5							
75-79	22	4.6	7						
80-84	16	11.3	2						
85 +	17	6.7	3						
SUBTOTAL	**102**	**5.9**	**12**	**1**	**3**	**5**	**9**	**10**	**12**
GRAND TOTAL	**928**	**10.8**	**83**	**3**	**5**	**8**	**13**	**21**	**25**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	321	8.8	51	2	3	7	13	19	22
18-34	178	10.0	155	2	3	5	13	18	43
35-49	163	6.8	23	2	3	6	8	15	16
50-69	267	10.3	96	3	4	7	11	25	29
70 +	17	10.0	35						
	945	**9.1**	**79**	**2**	**4**	**6**	**11**	**19**	**26**
0-17	406	4.6	16	2	2	4	6	10	14
18-34	308	4.0	10	2	2	3	5	7	13
35-49	255	6.4	35	2	3	5	7	12	23
50-69	75	6.5	18	2	3	6	8	15	15
70 +	5	11.0							
	1049	**5.0**	**20**	**2**	**2**	**4**	**6**	**11**	**14**
	1994	**7.0**	**52**	**2**	**3**	**5**	**8**	**15**	**20**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	154	7.4	27	1	3	6	11	15	19
18-34	101	6.1	14	2	3	6	8	14	15
35-49	27	12.3	27						
50-69	22	18.5	180						
70 +	5	8.0							
SUBTOTAL	**308**	**8.2**	**43**	**2**	**4**	**6**	**11**	**16**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	213	5.5	20	1	2	4	8	11	15
18-34	38	5.2	10	1	3	4	8	11	11
35-49	16	5.2	12						
50-69	5	1.0							
70 +	0								
SUBTOTAL	**272**	**5.3**	**18**	**1**	**2**	**4**	**8**	**11**	**15**
GRAND TOTAL	**580**	**6.9**	**33**	**1**	**3**	**5**	**10**	**14**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	7.7	50	1	2	6	10	14	19
18-34	75	7.7	110	1	3	4	8	13	44
35-49	64	11.4	177	2	2	7	15	23	50
50-69	80	14.7	369	3	8	9	12	30	83
70 +	6	28.0							
	334	**10.4**	**175**	**2**	**3**	**8**	**11**	**23**	**32**
0-17	115	7.4	71	2	3	5	10	13	18
18-34	107	3.7	6	1	2	3	5	8	9
35-49	49	5.4	6	3	4	4	6	10	10
50-69	11	1.5							
70 +	0								
	281	**5.4**	**36**	**1**	**2**	**4**	**6**	**10**	**13**
	616	**8.1**	**117**	**1**	**3**	**5**	**9**	**15**	**29**

DRG 424: O.R. Procedure w/ Principal Diagnoses of Mental Illness

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	282	20.3	136	7	12	18	28	34	51	0-17	58	21.2	475	6	8	16	25	30	86
70-74	111	19.7	217	2	9	19	25	34	37	18-34	96	17.6	176	7	11	13	19	37	56
75-79	126	30.2	388	7	15	28	36	53	74	35-49	159	15.1	94	5	10	12	20	29	37
80-84	102	25.0	231	9	12	19	41	46	59	50-69	101	18.7	69	6	14	21	24	29	32
85 +	43	13.9	25	8	11	12	14	24	24	70 +	22	20.2	141						
SUBTOTAL	**664**	**22.4**	**224**	**7**	**12**	**19**	**31**	**44**	**53**		**435**	**17.6**	**162**	**6**	**10**	**15**	**22**	**30**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	127	19.7	374	2	5	12	27	59	59	0-17	53	20.2	399	< 1	5	10	32	54	62
70-74	21	25.8	429							18-34	315	13.2	188	1	4	10	19	30	42
75-79	48	21.9	139	7	14	18	32	40	42	35-49	290	13.2	85	2	6	14	17	27	31
80-84	11	21.5	7							50-69	114	14.0	219	2	2	7	25	31	41
85 +	6	2.0								70 +	5	9.0							
SUBTOTAL	**212**	**20.4**	**307**	**2**	**6**	**17**	**28**	**47**	**59**		**777**	**13.8**	**169**	**1**	**4**	**10**	**18**	**30**	**41**
GRAND TOTAL	**877**	**21.9**	**244**	**5**	**11**	**18**	**30**	**42**	**58**		**1212**	**15.1**	**170**	**2**	**6**	**13**	**21**	**30**	**37**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP	—																		
0-17 (YRS.)	10	38.5	33							0-17	11	48.1	485						
18-34	52	18.5	156	8	10	15	38	89	99 +	18-34	28	19.8	291						
35-49	43	20.0	376	1	7	8	27	61	61	35-49	26	25.6	304						
50-69	31	17.3	158	3	6	12	29	38	38	50-69	5	10.0							
70 +	0									70 +	0								
SUBTOTAL	**137**	**20.2**	**241**	**6**	**8**	**15**	**38**	**61**	**99 +**		**70**	**25.6**	**405**	**7**	**10**	**21**	**28**	**58**	**70**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	52	15.6	95	3	5	16	25	26	27	0-17	10	13.5	122						
18-34	75	17.5	94	2	8	18	24	30	32	18-34	75	13.8	126	3	4	10	26	33	34
35-49	26	20.9	114							35-49	32	17.6	214	3	4	7	28	42	42
50-69	16	31.9	412							50-69	11	14.2	18						
70 +	0									70 +	0								
SUBTOTAL	**169**	**18.8**	**146**	**5**	**9**	**19**	**25**	**30**	**40**		**128**	**14.7**	**139**	**3**	**4**	**10**	**24**	**33**	**34**
GRAND TOTAL	**306**	**19.4**	**189**	**5**	**8**	**17**	**27**	**40**	**61**		**198**	**18.6**	**258**	**3**	**7**	**13**	**26**	**42**	**54**

DRG 425: Acute Adjust React & Disturbances of Psychosocial Dysfunction

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	859	7.7	65	1	3	5	10	16	25	0-17	101	10.1	156	2	2	3	15	31	58
70-74	529	7.7	43	2	3	6	10	16	21	18-34	378	5.8	48	1	2	3	7	14	20
75-79	613	6.5	44	2	3	5	7	13	18	35-49	495	5.4	29	1	2	3	7	13	17
80-84	560	6.5	31	2	3	5	8	15	18	50-69	472	6.9	41	2	3	4	9	18	24
85 +	532	7.6	104	2	3	5	8	16	17	70 +	102	6.0	14	2	3	6	9	11	13
SUBTOTAL	**3093**	**7.2**	**58**	**2**	**3**	**5**	**8**	**15**	**19**		**1549**	**6.3**	**46**	**1**	**2**	**4**	**8**	**15**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	804	6.9	69	2	2	4	8	14	20	0-17	552	7.8	108	1	2	4	9	22	29
70-74	308	4.5	19	1	2	3	6	14	15	18-34	1087	6.2	32	1	2	4	8	15	17
75-79	324	6.1	52	1	2	4	7	14	26	35-49	1022	5.8	44	1	2	3	7	15	21
80-84	232	6.3	32	2	2	4	9	14	19	50-69	654	4.5	17	1	2	3	5	11	15
85 +	211	5.9	21	2	2	5	9	13	16	70 +	10	8.5	62						
SUBTOTAL	**1879**	**6.2**	**48**	**1**	**2**	**4**	**7**	**14**	**18**		**3325**	**6.0**	**47**	**1**	**2**	**3**	**7**	**15**	**19**
GRAND TOTAL	**4972**	**6.8**	**55**	**2**	**3**	**5**	**8**	**15**	**19**		**4874**	**6.1**	**46**	**1**	**2**	**4**	**7**	**15**	**19**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	69	7.0	88	1	2	4	7	15	37	0-17	37	12.5	99	3	3	12	24	29	29
18-34	279	6.8	56	1	2	4	7	18	24	18-34	170	4.7	19	1	1	3	8	10	13
35-49	232	8.7	55	2	3	6	12	16	24	35-49	172	3.1	10	< 1	1	2	4	6	12
50-69	171	6.2	46	1	3	4	7	14	16	50-69	118	3.6	5	1	2	3	5	6	8
70 +	5	7.0								70 +	59	9.2	42	3	3	8	14	17	23
SUBTOTAL	**757**	**7.2**	**57**	**1**	**2**	**4**	**10**	**16**	**24**		**556**	**5.0**	**28**	**1**	**1**	**3**	**6**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	285	7.6	88	1	2	5	9	25	33	0-17	166	6.3	100	1	1	2	6	14	23
18-34	590	7.7	97	1	2	4	12	17	28	18-34	510	4.8	33	1	1	3	6	12	23
35-49	270	6.1	33	1	2	4	8	12	20	35-49	259	7.0	63	1	2	4	10	20	22
50-69	118	5.7	31	2	2	3	8	15	16	50-69	171	3.3	23	< 1	1	2	3	5	17
70 +	11	8.4	2							70 +	38	7.8	5	5	5	8	9	12	12
SUBTOTAL	**1273**	**7.2**	**75**	**1**	**2**	**4**	**9**	**17**	**25**		**1144**	**5.4**	**49**	**1**	**1**	**3**	**6**	**14**	**22**
GRAND TOTAL	**2030**	**7.2**	**68**	**1**	**2**	**4**	**9**	**17**	**24**		**1700**	**5.3**	**42**	**1**	**1**	**3**	**6**	**13**	**20**

DRG 426: Depressive Neuroses

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	951	10.1	68	2	4	7	14	22	28
70-74	189	11.1	66	3	4	9	18	22	28
75-79	316	10.0	51	3	5	7	14	19	24
80-84	194	14.2	118	5	7	11	19	25	48
85 +	108	12.3	51	4	6	11	19	23	25
SUBTOTAL	1758	10.8	71	3	5	8	14	21	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1116	9.5	67	2	4	8	13	21	24
70-74	269	10.5	87	2	4	7	14	24	29
75-79	222	8.6	56	2	3	6	11	18	24
80-84	102	13.6	191	2	3	10	21	28	42
85 +	134	10.9	83	2	5	8	14	27	29
SUBTOTAL	1843	9.9	78	2	4	7	13	22	27
GRAND TOTAL	3601	10.3	74	2	4	8	14	22	27

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	858	17.8	179	3	7	16	26	34	43
18-34	1487	6.8	30	2	3	5	9	15	18
35-49	1128	6.6	25	2	3	5	9	14	17
50-69	469	8.9	51	2	4	7	11	20	25
70 +	22	9.1	43						
	3963	9.4	83	2	3	7	12	21	27
0-17	3836	15.5	143	3	6	13	22	30	40
18-34	3419	7.0	45	1	3	5	9	15	21
35-49	2479	7.9	49	1	3	6	11	17	24
50-69	750	8.1	40	1	4	6	11	18	21
70 +	11	4.5							
	10496	10.4	96	2	3	7	14	24	30
	14459	10.1	93	2	3	7	14	23	29

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	348	19.2	218	4	8	15	26	37	41
18-34	1321	7.7	38	2	3	6	10	15	21
35-49	673	8.5	42	2	4	8	13	16	18
50-69	129	8.6	37	3	4	7	10	14	22
70 +	0								
SUBTOTAL	2471	9.6	79	2	4	7	12	21	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1646	16.8	168	3	8	14	22	35	44
18-34	2521	8.0	51	1	3	6	11	16	21
35-49	686	7.6	36	2	3	6	10	18	20
50-69	120	8.2	30	2	4	8	12	16	19
70 +	0								
SUBTOTAL	4973	10.9	105	2	4	8	14	23	31
GRAND TOTAL	7444	10.4	97	2	4	8	14	22	30

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	218	10.2	77	3	5	7	12	23	33
18-34	1227	6.8	44	1	2	4	10	15	20
35-49	535	6.0	51	1	2	4	7	14	21
50-69	101	9.4	46	2	3	7	12	21	22
70 +	5	21.0							
	2085	7.1	51	1	2	5	10	16	21
0-17	1401	11.0	105	2	3	8	16	25	30
18-34	2359	5.4	30	1	2	3	7	13	17
35-49	805	5.3	26	1	2	3	8	12	15
50-69	133	9.0	41	1	2	8	14	18	21
70 +	32	5.7	24	1	2	3	9	15	15
	4730	7.2	58	1	2	4	9	16	22
	6815	7.1	56	1	2	4	10	16	22

DRG 427: Neuroses except Depressive

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	271	10.1	65	2	4	8	13	23	24
70-74	97	16.0	164	3	6	12	20	38	52
75-79	76	13.9	117	3	6	10	20	25	45
80-84	49	9.4	42	3	4	7	15	22	22
85 +	27	7.4	57						
SUBTOTAL	**521**	**11.5**	**95**	**2**	**4**	**9**	**16**	**23**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	533	9.7	50	2	4	8	14	19	22
70-74	92	8.1	44	2	3	5	10	18	25
75-79	86	11.3	43	4	7	11	15	24	26
80-84	43	15.1	68	1	8	15	24	26	26
85 +	44	6.8	18	2	4	4	9	14	14
SUBTOTAL	**798**	**9.8**	**50**	**2**	**4**	**8**	**14**	**19**	**25**
GRAND TOTAL	**1319**	**10.5**	**69**	**2**	**4**	**8**	**15**	**21**	**25**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	316	15.6	170	3	6	12	22	35	44
18-34	509	6.8	41	1	2	5	9	15	22
35-49	384	7.3	31	2	4	5	9	17	20
50-69	92	10.6	66	2	4	8	13	22	33
70 +	16	11.1	9						
	1316	**9.4**	**83**	**2**	**3**	**6**	**12**	**22**	**25**
0-17	1997	15.1	170	2	6	12	22	31	37
18-34	1861	8.0	66	1	3	6	10	17	25
35-49	1317	7.4	40	2	3	6	10	15	18
50-69	356	8.0	40	2	3	7	13	15	19
70 +	5	9.0							
	5536	**10.4**	**108**	**2**	**3**	**7**	**14**	**24**	**30**
	6852	**10.2**	**104**	**2**	**3**	**7**	**14**	**23**	**30**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	143	14.9	193	2	5	11	21	34	36
18-34	514	7.2	37	2	3	5	9	18	20
35-49	204	6.5	33	1	2	6	9	13	13
50-69	38	14.1	83	3	4	15	25	25	25
70 +	0								
SUBTOTAL	**900**	**8.6**	**72**	**2**	**3**	**6**	**11**	**20**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	926	16.2	246	3	5	12	24	37	47
18-34	1174	7.6	59	1	3	6	10	14	20
35-49	343	8.4	65	2	4	6	12	16	23
50-69	70	7.4	13	3	4	7	8	12	15
70 +	0								
SUBTOTAL	**2513**	**10.9**	**144**	**2**	**3**	**7**	**14**	**26**	**36**
GRAND TOTAL	**3413**	**10.3**	**126**	**2**	**3**	**7**	**13**	**24**	**34**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	104	7.3	46	2	2	6	9	14	23
18-34	461	5.2	25	1	2	3	6	13	19
35-49	242	6.3	28	1	2	5	8	14	17
50-69	37	13.8	29	6	7	14	19	22	22
70 +	10	9.0	54						
	854	**6.2**	**32**	**1**	**2**	**4**	**7**	**14**	**19**
0-17	695	10.1	103	2	4	7	13	22	29
18-34	993	5.8	32	1	2	4	8	13	17
35-49	402	5.5	23	1	2	4	8	11	16
50-69	97	7.4	35	2	3	5	10	18	20
70 +	16	8.7	29						
	2203	**7.2**	**57**	**1**	**2**	**5**	**9**	**15**	**21**
	3057	**6.9**	**50**	**1**	**2**	**5**	**9**	**15**	**21**

DRG 428: Disorders of Personality & Impulse Control

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	297	11.0	73	2	5	9	14	23	32
70-74	11	30.9	79						
75-79	0								
80-84	5	17.0							
85 +	17	8.0	13						
SUBTOTAL	330	11.6	82	2	5	9	15	25	32
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	506	12.4	164	2	3	8	16	29	45
70-74	31	27.3	582	4	9	12	36	74	74
75-79	10	15.0	18						
80-84	16	15.6	6						
85 +	27	7.5	19						
SUBTOTAL	591	13.1	185	2	4	10	16	29	45
GRAND TOTAL	921	12.6	148	2	4	9	15	29	36

BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	162	26.7	483	4	11	21	39	57	66
18-34	300	13.5	179	2	5	8	21	34	54
35-49	164	14.2	113	4	7	12	18	25	40
50-69	43	7.4	15	2	5	6	9	16	16
70 +	0								
	669	16.5	261	2	6	11	22	41	54
0-17	526	19.6	245	3	7	16	28	44	47
18-34	598	12.9	164	3	4	9	18	30	32
35-49	309	12.4	122	3	6	8	17	29	43
50-69	36	13.0	83	2	5	10	23	28	28
70 +	0								
	1469	15.2	193	3	6	10	21	33	44
	2138	15.6	214	3	6	10	22	35	44

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	48	17.6	90	4	12	20	25	31	34
18-34	358	13.9	156	3	4	11	20	34	50
35-49	85	9.1	66	1	2	7	14	21	29
50-69	16	12.7	126						
70 +	0								
SUBTOTAL	507	13.4	138	2	4	10	20	30	45
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	245	25.0	324	3	11	24	31	47	55
18-34	646	11.0	136	2	4	7	14	22	28
35-49	193	11.9	90	2	6	8	16	28	36
50-69	5	33.0							
70 +	0								
SUBTOTAL	1089	14.4	204	2	5	10	18	31	42
GRAND TOTAL	1596	14.1	183	2	5	10	20	31	43

NO INSURANCE									
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	18.2	333	1	5	18	22	28	80
18-34	191	9.7	111	1	3	6	14	17	43
35-49	80	13.6	93	1	5	14	19	24	36
50-69	5	16.0							
70 +	0								
	366	12.7	172	1	3	10	17	24	36
0-17	126	18.1	281	2	9	15	21	29	64
18-34	364	11.6	138	1	4	8	14	25	40
35-49	170	7.7	122	1	2	4	9	16	24
50-69	5	9.0							
70 +	0								
	666	11.8	171	1	3	8	15	25	40
	1032	12.1	171	1	3	9	16	24	40

DRG 429: Organic Disturbances & Mental Retardation

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1460	14.2	109	4	7	12	19	29	35
70-74	1065	14.1	133	3	6	11	19	30	40
75-79	1638	15.2	204	3	6	11	20	31	41
80-84	2127	13.1	106	3	6	10	17	29	35
85 +	1746	11.9	102	3	5	9	16	24	30
SUBTOTAL	**8037**	**13.6**	**130**	**3**	**6**	**10**	**18**	**28**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1396	15.7	157	3	7	12	20	33	43
70-74	891	12.5	91	3	5	11	17	24	30
75-79	1227	12.9	75	3	7	11	18	25	30
80-84	1301	12.3	96	3	6	9	16	25	33
85 +	1356	11.5	75	4	5	9	15	22	27
SUBTOTAL	**6170**	**13.0**	**103**	**3**	**6**	**10**	**17**	**26**	**34**
GRAND TOTAL	**14207**	**13.4**	**118**	**3**	**6**	**10**	**17**	**27**	**35**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	104	17.7	373	3	5	16	23	42	89
18-34	149	10.4	37	2	6	9	15	20	21
35-49	176	13.2	103	4	6	9	19	31	39
50-69	332	15.1	186	2	6	11	19	41	46
70 +	140	13.6	296	2	5	8	15	25	34
	901	**14.0**	**187**	**3**	**6**	**10**	**18**	**31**	**42**
0-17	161	19.6	335	2	6	14	26	48	53
18-34	334	14.0	115	4	7	12	18	25	34
35-49	213	12.0	58	3	6	11	16	21	21
50-69	343	14.3	125	2	6	12	22	31	38
70 +	122	9.8	62	3	4	8	14	18	21
	1173	**14.0**	**139**	**2**	**6**	**11**	**19**	**29**	**38**
	2074	**14.0**	**160**	**2**	**6**	**11**	**19**	**30**	**42**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	58	10.5	146	1	2	4	15	34	35
18-34	231	12.1	57	3	5	12	19	22	25
35-49	191	14.2	85	3	6	13	23	28	31
50-69	151	17.9	296	2	7	13	18	52	60
70 +	26	15.8	37						
SUBTOTAL	**656**	**14.0**	**132**	**3**	**6**	**11**	**19**	**27**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	166	19.3	115	8	11	17	26	31	39
18-34	428	14.9	225	3	6	9	15	37	49
35-49	128	13.7	93	6	7	11	16	22	37
50-69	169	13.9	99	4	7	12	20	24	38
70 +	27	9.6	62						
SUBTOTAL	**919**	**15.2**	**163**	**4**	**7**	**12**	**19**	**31**	**40**
GRAND TOTAL	**1575**	**14.7**	**150**	**3**	**6**	**12**	**19**	**29**	**39**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	6.0	10						
18-34	91	12.3	198	1	2	6	19	40	40
35-49	63	6.8	20	2	3	5	9	14	15
50-69	91	9.8	22	5	7	8	14	17	19
70 +	135	16.5	203	4	7	11	20	43	46
	390	**12.1**	**138**	**2**	**5**	**8**	**16**	**29**	**40**
0-17	26	12.2	98	2	2	16	28	99 +	99 +
18-34	106	13.1	145	2	4	8	16	37	39
35-49	73	12.6	108	4	5	7	23	39	99 +
50-69	95	9.2	60	2	3	7	11	21	26
70 +	185	20.4	328	5	9	15	26	36	74
	485	**15.0**	**208**	**2**	**5**	**11**	**21**	**35**	**53**
	876	**13.7**	**178**	**2**	**5**	**9**	**19**	**34**	**43**

DRG 430: Psychoses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	11008	16.6	153	4	8	14	23	32	40	0-17	1274	22.8	225	6	12	21	31	42	52
70-74	2742	18.5	178	5	9	15	24	35	44	18-34	4752	13.0	95	3	6	11	17	26	32
75-79	2430	19.0	179	5	10	16	24	36	48	35-49	6030	13.4	107	4	7	11	17	26	32
80-84	1599	17.6	198	4	7	15	23	33	47	50-69	3529	15.4	133	5	8	12	20	30	37
85 +	1010	16.4	168	3	7	14	22	35	41	70 +	132	15.7	152	3	7	12	18	28	36
SUBTOTAL	**18789**	**17.2**	**166**	**4**	**8**	**14**	**23**	**33**	**42**		**15716**	**14.5**	**126**	**4**	**7**	**12**	**19**	**29**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	24117	17.4	162	5	8	14	23	34	42	0-17	8191	20.0	167	6	11	18	27	37	46
70-74	3384	18.8	154	5	10	16	25	35	41	18-34	16578	13.4	98	4	7	11	18	26	33
75-79	2956	18.3	175	4	9	15	25	35	43	35-49	18691	13.1	95	4	7	11	17	25	31
80-84	1745	17.7	151	4	9	14	25	34	42	50-69	8579	14.8	97	5	8	13	19	27	33
85 +	888	16.8	145	4	8	14	22	34	44	70 +	268	16.2	177	4	7	13	19	32	46
SUBTOTAL	**33089**	**17.6**	**161**	**5**	**8**	**15**	**24**	**34**	**42**		**52308**	**14.5**	**114**	**4**	**7**	**12**	**19**	**28**	**35**
GRAND TOTAL	**51878**	**17.5**	**163**	**5**	**8**	**14**	**23**	**34**	**42**		**68023**	**14.5**	**117**	**4**	**7**	**12**	**19**	**28**	**36**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	484	23.5	285	5	11	21	32	45	66	0-17	271	12.6	91	3	6	11	16	24	32
18-34	5713	14.4	110	4	7	12	19	28	36	18-34	2874	11.3	94	2	5	9	15	22	26
35-49	3933	14.7	100	4	8	12	20	28	34	35-49	2017	12.6	135	3	5	10	16	24	33
50-69	1941	18.0	167	5	9	15	24	34	42	50-69	868	15.4	138	3	7	12	21	31	36
70 +	54	19.7	134	4	10	14	31	34	37	70 +	221	14.9	134	3	4	10	26	32	35
SUBTOTAL	**12125**	**15.5**	**128**	**4**	**8**	**13**	**21**	**30**	**37**		**6252**	**12.5**	**117**	**3**	**5**	**10**	**16**	**25**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2748	24.0	243	7	13	21	32	47	57	0-17	1485	16.8	148	4	7	14	25	35	43
18-34	14219	15.0	131	4	7	12	20	31	38	18-34	7029	11.5	97	2	5	9	15	24	31
35-49	8737	15.9	136	5	8	13	21	30	39	35-49	5378	12.3	95	3	6	10	16	24	31
50-69	2837	17.0	132	5	8	14	22	31	38	50-69	2308	13.8	111	3	7	12	18	26	33
70 +	152	18.3	155	4	8	15	28	35	42	70 +	358	17.1	203	2	7	14	21	33	51
SUBTOTAL	**28693**	**16.3**	**150**	**4**	**8**	**14**	**22**	**32**	**41**		**16558**	**12.7**	**108**	**3**	**5**	**10**	**17**	**26**	**34**
GRAND TOTAL	**40818**	**16.1**	**143**	**4**	**8**	**13**	**21**	**32**	**39**		**22810**	**12.6**	**110**	**3**	**5**	**10**	**17**	**26**	**33**

DRG 431: Childhood Mental Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	53	21.9	439	2	7	16	27	57	65
70-74	0								
75-79	6	15.0							
80-84	0								
85 +	6	7.0							
SUBTOTAL	**64**	**20.0**	**382**	**3**	**7**	**15**	**24**	**55**	**65**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	48	10.9	223	2	2	4	8	41	50
70-74	16	7.0	59						
75-79	5	14.0							
80-84	0								
85 +	0								
SUBTOTAL	**69**	**10.2**	**171**	**2**	**2**	**4**	**15**	**21**	**50**
GRAND TOTAL	**133**	**14.9**	**294**	**2**	**3**	**7**	**17**	**50**	**55**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	538	21.1	304	3	7	19	29	54	68
18-34	47	15.6	324	< 1	2	9	17	52	53
35-49	0								
50-69	0								
70 +	0								
	585	**20.6**	**307**	**3**	**7**	**17**	**29**	**53**	**68**
0-17	2546	19.6	223	3	9	16	27	41	54
18-34	58	19.1	336	2	2	20	48	68	99 +
35-49	16	14.6	150						
50-69	5	1.0							
70 +	0								
	2626	**19.5**	**226**	**3**	**8**	**16**	**27**	**42**	**55**
	3211	**19.7**	**241**	**3**	**8**	**17**	**28**	**42**	**57**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	290	20.4	203	5	8	17	29	42	53
18-34	32	9.4	47	2	4	7	13	22	22
35-49	5	4.0							
50-69	0								
70 +	0								
SUBTOTAL	**328**	**19.0**	**199**	**4**	**7**	**16**	**27**	**38**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1803	20.5	220	4	10	18	29	40	49
18-34	85	13.6	390	2	4	10	14	17	85
35-49	11	5.5							
50-69	0								
70 +	5	4.0							
SUBTOTAL	**1904**	**20.1**	**230**	**4**	**9**	**17**	**28**	**40**	**49**
GRAND TOTAL	**2232**	**19.9**	**225**	**4**	**9**	**17**	**28**	**39**	**49**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	115	15.6	131	3	7	12	24	31	34
18-34	27	29.5	1281						
35-49	0								
50-69	0								
70 +	5	7.0							
	147	**17.8**	**361**	**1**	**4**	**12**	**24**	**44**	**54**
0-17	776	14.3	116	3	6	12	19	28	38
18-34	26	6.7	18						
35-49	16	4.6	3						
50-69	0								
70 +	0								
	818	**13.9**	**114**	**3**	**6**	**12**	**19**	**28**	**37**
	965	**14.5**	**153**	**3**	**6**	**12**	**19**	**29**	**40**

DRG 432: Other Mental Disorder Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	11	4.0							
70-74	6	8.0							
75-79	6	4.0							
80-84	5	6.0							
85 +	6	56.0							
SUBTOTAL	**33**	**13.9**	**380**	**4**	**4**	**6**	**8**	**56**	**56**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	42	6.7	14	2	3	6	8	14	14
70-74	21	6.0	7						
75-79	5	2.0							
80-84	11	4.0							
85 +	0								
SUBTOTAL	**79**	**5.8**	**11**	**2**	**3**	**4**	**8**	**9**	**14**
GRAND TOTAL	**112**	**8.2**	**130**	**3**	**4**	**4**	**8**	**11**	**53**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	22.6	82						
18-34	60	19.7	167	3	6	23	30	35	40
35-49	22	10.0	68						
50-69	0								
70 +	0								
	98	**18.0**	**149**	**2**	**6**	**19**	**30**	**40**	**61**
0-17	105	14.4	372	1	3	6	19	42	52
18-34	144	17.2	184	2	5	14	29	43	45
35-49	54	6.1	19	2	3	4	9	14	14
50-69	32	2.3	1	1	1	2	3	4	4
70 +	0								
	335	**13.1**	**225**	**1**	**3**	**8**	**19**	**39**	**43**
	432	**14.2**	**212**	**2**	**3**	**8**	**24**	**39**	**43**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	11	5.6	7						
18-34	38	16.1	66	3	7	17	21	28	28
35-49	16	17.7	178						
50-69	6	1.0							
70 +	0								
SUBTOTAL	**70**	**13.6**	**104**	**3**	**4**	**14**	**21**	**28**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	62	16.8	637	1	1	3	19	39	90
18-34	43	24.0	331	2	6	18	46	47	47
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**105**	**19.7**	**521**	**1**	**3**	**8**	**28**	**46**	**58**
GRAND TOTAL	**175**	**17.3**	**361**	**1**	**3**	**8**	**23**	**46**	**47**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	37	3.8	3	2	2	4	5	7	7
35-49	10	2.0	1						
50-69	0								
70 +	0								
	47	**3.4**	**3**	**1**	**2**	**3**	**4**	**6**	**7**
0-17	21	27.4	674						
18-34	58	13.6	310	1	3	8	17	26	64
35-49	26	5.3	17						
50-69	10	10.5	80						
70 +	0								
	116	**14.0**	**334**	**1**	**2**	**4**	**17**	**45**	**59**
	163	**10.9**	**260**	**1**	**2**	**4**	**12**	**34**	**59**

DRG 434: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2317	7.3	59	2	3	5	8	16	23	0-17	151	13.5	225	< 1	1	5	21	30	49
70-74	599	8.3	63	2	3	6	10	15	26	18-34	1161	7.6	54	1	2	4	13	19	22
75-79	375	8.6	53	3	4	6	11	19	24	35-49	2157	6.9	46	2	3	4	9	17	22
80-84	333	6.4	36	2	2	4	9	15	19	50-69	1655	6.7	36	2	3	4	8	14	21
85 +	153	8.5	89	2	4	6	8	15	38	70 +	58	7.0	16	3	4	5	12	12	14
SUBTOTAL	**3777**	**7.5**	**59**	**2**	**3**	**5**	**9**	**16**	**24**		**5183**	**7.2**	**51**	**2**	**3**	**4**	**10**	**17**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3777**	**7.5**	**59**	**2**	**3**	**5**	**9**	**16**	**24**		**5183**	**7.2**	**51**	**2**	**3**	**4**	**10**	**17**	**22**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	33	8.6	285	< 1	1	1	3	47	47	0-17	57	12.5	118	1	1	12	21	29	30
18-34	1713	6.4	30	2	3	4	8	14	17	18-34	958	6.1	37	1	2	4	7	14	18
35-49	1930	6.0	31	2	3	4	7	12	18	35-49	1386	5.5	23	1	2	4	7	14	14
50-69	800	6.5	35	2	3	5	8	14	19	50-69	667	6.8	34	2	3	5	10	15	18
70 +	5	13.0								70 +	54	7.1	71	2	2	3	7	24	25
SUBTOTAL	**4481**	**6.3**	**33**	**2**	**3**	**4**	**8**	**14**	**18**		**3122**	**6.1**	**33**	**1**	**2**	**4**	**7**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4481**	**6.3**	**33**	**2**	**3**	**4**	**8**	**14**	**18**		**3122**	**6.1**	**33**	**1**	**2**	**4**	**7**	**14**	**17**

DRG 435: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2116	6.2	53	1	2	3	7	14	19	0-17	2074	18.2	243	1	3	18	29	37	42
70-74	512	6.6	28	2	3	5	9	14	17	18-34	8717	9.3	86	1	2	4	14	23	28
75-79	257	7.2	56	1	3	4	8	19	26	35-49	8488	7.4	55	2	3	4	12	20	25
80-84	115	7.5	143	1	2	3	6	31	44	50-69	2787	6.4	43	2	2	3	8	15	21
85 +	75	6.4	21	2	3	7	8	13	18	70 +	37	8.5	104	1	2	2	17	30	30
SUBTOTAL	**3075**	**6.4**	**52**	**1**	**2**	**4**	**8**	**14**	**20**		**22103**	**9.0**	**93**	**1**	**3**	**4**	**14**	**23**	**28**
GRAND TOTAL	**3075**	**6.4**	**52**	**1**	**2**	**4**	**8**	**14**	**20**		**22103**	**9.0**	**93**	**1**	**3**	**4**	**14**	**23**	**28**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	600	13.0	256	1	2	6	21	42	42	0-17	593	17.1	292	< 1	2	9	32	42	47
18-34	6733	6.9	42	1	3	5	8	15	21	18-34	5582	6.6	48	1	2	3	11	15	21
35-49	3506	5.5	27	1	2	4	7	12	15	35-49	3628	6.1	37	1	2	3	8	14	18
50-69	755	6.6	47	2	3	4	8	14	27	50-69	948	6.3	42	1	2	3	8	14	21
70 +	16	3.7	3							70 +	61	3.9	18	1	1	1	7	10	14
SUBTOTAL	**11610**	**6.8**	**51**	**1**	**2**	**4**	**8**	**15**	**21**		**10812**	**6.9**	**63**	**1**	**2**	**3**	**11**	**16**	**23**
GRAND TOTAL	**11610**	**6.8**	**51**	**1**	**2**	**4**	**8**	**15**	**21**		**10812**	**6.9**	**63**	**1**	**2**	**3**	**11**	**16**	**23**

DRG 436: Alc/Drug Dependence w/ Rehabilitation Therapy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	418	18.5	90	8	13	15	26	29	33	0-17	116	37.1	336	12	30	35	47	61	68
70-74	95	13.5	47	5	10	12	14	28	29	18-34	192	20.2	97	7	11	21	27	32	40
75-79	43	17.7	42	7	14	21	22	28	28	35-49	241	18.4	66	6	13	21	25	28	28
80-84	21	12.0	2							50-69	146	22.0	63	11	14	25	28	30	30
85 +	16	12.1	5							70 +	10	16.0							
SUBTOTAL	**593**	**17.3**	**79**	**8**	**11**	**14**	**23**	**28**	**33**		**706**	**22.7**	**159**	**7**	**14**	**23**	**28**	**36**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	663	17.8	98	8	11	14	24	29	31	0-17	2814	35.7	327	13	24	35	47	65	75
70-74	148	16.8	84	6	10	11	26	28	29	18-34	3218	19.3	91	7	13	21	25	28	32
75-79	63	12.8	25	9	10	11	13	23	24	35-49	1583	17.3	60	6	11	18	23	28	28
80-84	31	11.9	32	4	10	10	15	22	22	50-69	563	18.7	51	9	14	20	25	28	28
85 +	0									70 +	10	28.0							
SUBTOTAL	**906**	**17.1**	**91**	**8**	**10**	**14**	**24**	**28**	**30**		**8189**	**24.5**	**229**	**8**	**14**	**22**	**29**	**45**	**59**
GRAND TOTAL	**1499**	**17.2**	**86**	**8**	**10**	**14**	**23**	**28**	**31**		**8895**	**24.4**	**224**	**8**	**14**	**22**	**29**	**44**	**58**

	MEDICAID									NO INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	73	33.4	322	7	21	29	42	63	63	0-17	26	40.7	85	28	34	46	54	99 +	99 +
18-34	163	18.0	188	5	10	14	24	29	33	18-34	109	13.0	49	6	8	12	18	25	28
35-49	114	15.2	54	6	10	14	21	25	27	35-49	82	13.2	68	5	5	13	22	27	28
50-69	49	20.0	23	12	18	21	22	26	28	50-69	109	11.8	55	5	6	9	15	25	27
70 +	10	18.5	22							70 +	11	6.0	4						
SUBTOTAL	**410**	**20.2**	**190**	**6**	**11**	**21**	**25**	**32**	**42**		**338**	**14.6**	**116**	**5**	**7**	**12**	**21**	**28**	**41**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1117	33.8	342	8	20	32	48	58	67	0-17	353	31.8	194	12	21	35	40	50	56
18-34	1750	17.4	98	7	12	14	21	28	28	18-34	2059	14.9	77	5	7	13	21	28	29
35-49	475	16.2	50	7	12	14	21	27	28	35-49	1044	11.4	55	4	6	9	14	24	28
50-69	60	21.3	33	13	18	21	28	29	31	50-69	288	10.7	69	3	6	8	13	26	30
70 +	6	10.0								70 +	61	10.2	20	5	7	9	14	15	20
SUBTOTAL	**3407**	**22.6**	**232**	**7**	**13**	**20**	**28**	**45**	**57**		**3806**	**15.1**	**112**	**4**	**7**	**12**	**21**	**28**	**35**
GRAND TOTAL	**3816**	**22.4**	**228**	**7**	**13**	**20**	**28**	**44**	**56**		**4144**	**15.1**	**112**	**4**	**7**	**12**	**21**	**28**	**35**

DRG 437: Alc/Drug Dependence, Combined Rehab & Detox Therapy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1140	17.2	57	6	12	17	22	27	28	0-17	21	42.2	437						
70-74	204	16.1	70	5	9	14	23	27	29	18-34	619	16.2	80	3	7	17	21	28	30
75-79	140	15.9	73	7	10	12	21	28	34	35-49	1088	15.9	89	3	8	15	22	28	29
80-84	32	19.9	52	10	10	22	26	28	28	50-69	698	16.7	62	5	10	18	23	27	28
85 +	16	16.8	103							70 +	16	23.7	322						
SUBTOTAL	**1532**	**17.0**	**61**	**7**	**11**	**17**	**22**	**27**	**29**		**2443**	**16.5**	**90**	**3**	**9**	**17**	**22**	**28**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1811	16.9	65	5	11	17	22	28	29	0-17	633	25.2	163	8	16	27	30	36	50
70-74	209	17.3	49	4	13	18	22	27	28	18-34	7019	16.9	58	5	12	18	22	27	28
75-79	118	15.5	69	5	10	14	22	28	29	35-49	6527	16.1	68	3	10	17	22	27	28
80-84	65	13.7	41	10	10	12	16	23	27	50-69	1809	16.4	67	4	10	17	23	27	28
85 +	0									70 +	16	24.7	9						
SUBTOTAL	**2204**	**16.8**	**63**	**5**	**11**	**17**	**22**	**28**	**29**		**16005**	**16.9**	**71**	**4**	**11**	**18**	**22**	**27**	**28**
GRAND TOTAL	**3736**	**16.9**	**62**	**6**	**11**	**17**	**22**	**28**	**29**		**18448**	**16.8**	**73**	**4**	**10**	**18**	**22**	**27**	**29**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	8.0								0-17	5	29.0							
18-34	375	13.9	75	3	6	13	21	27	28	18-34	210	15.1	74	3	7	17	21	28	30
35-49	282	12.9	61	3	7	10	21	26	28	35-49	304	13.5	85	3	5	11	21	27	28
50-69	107	14.6	52	4	11	14	20	27	28	50-69	208	11.7	63	3	6	9	17	24	28
70 +	0									70 +	28	4.4	3						
SUBTOTAL	**770**	**13.6**	**67**	**3**	**7**	**12**	**21**	**27**	**28**		**755**	**13.2**	**78**	**3**	**5**	**11**	**21**	**27**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	80	20.5	306	4	7	9	33	50	55	0-17	68	23.8	78	10	18	26	29	36	38
18-34	2053	14.2	61	3	9	13	21	27	28	18-34	2733	14.6	77	3	6	15	21	27	28
35-49	827	13.1	59	3	8	12	17	26	28	35-49	1762	12.1	62	3	6	10	19	24	28
50-69	125	12.5	57	3	4	14	19	22	26	50-69	532	10.4	46	3	5	9	14	21	26
70 +	0									70 +	38	6.5	3	4	5	6	8	9	9
SUBTOTAL	**3086**	**14.0**	**68**	**3**	**9**	**13**	**21**	**27**	**28**		**5133**	**13.4**	**72**	**3**	**6**	**12**	**21**	**26**	**28**
GRAND TOTAL	**3855**	**13.9**	**68**	**3**	**8**	**13**	**21**	**27**	**28**		**5888**	**13.4**	**73**	**3**	**6**	**12**	**21**	**26**	**28**

DRG 439: Skin Grafts for Injuries

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	26	19.2	608							0-17	5	7.0							
70-74	37	12.1	104	1	4	8	26	28	28	18-34	23	12.3	168						
75-79	11	13.8	18							35-49	21	9.8	92						
80-84	11	7.0	1							50-69	47	9.7	75	1	4	7	13	27	31
85 +	6	10.0								70 +	6	1.0							
SUBTOTAL	**90**	**13.6**	**230**	**3**	**6**	**8**	**14**	**28**	**67**		**102**	**9.7**	**95**	**1**	**2**	**7**	**13**	**31**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	42	3.5	9	1	1	2	8	9	9	0-17	94	4.7	8	1	3	4	7	8	10
70-74	10	2.5	2							18-34	129	3.0	6	1	1	2	4	8	8
75-79	16	6.2	11							35-49	126	3.9	24	1	1	2	4	9	15
80-84	5	1.0								50-69	53	7.4	57	1	3	5	8	13	29
85 +	21	7.0	50							70 +	0								
SUBTOTAL	**95**	**4.5**	**20**	**1**	**1**	**3**	**6**	**11**	**18**		**402**	**4.2**	**21**	**1**	**1**	**3**	**6**	**8**	**10**
GRAND TOTAL	**186**	**8.9**	**142**	**1**	**2**	**6**	**10**	**18**	**28**		**504**	**5.3**	**40**	**1**	**1**	**3**	**7**	**11**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	10	10.0	18						
18-34	16	13.0	48							18-34	21	29.8	191						
35-49	0									35-49	17	13.3	7						
50-69	10	10.0	1							50-69	5	9.0							
70 +	0									70 +	5	2.0							
SUBTOTAL	**26**	**11.8**	**31**								**58**	**17.2**	**168**	**6**	**9**	**14**	**20**	**37**	**48**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10	4.0	1							0-17	10	6.5	2						
18-34	36	6.4	53	1	1	4	8	23	23	18-34	47	10.4	138	1	4	5	12	35	36
35-49	11	3.6	2							35-49	10	8.0	40						
50-69	10	9.5	14							50-69	11	6.0	1						
70 +	0									70 +	0								
SUBTOTAL	**68**	**6.1**	**34**	**1**	**2**	**5**	**6**	**13**	**23**		**79**	**8.9**	**90**	**1**	**4**	**5**	**12**	**26**	**36**
GRAND TOTAL	**94**	**7.7**	**39**	**1**	**3**	**5**	**11**	**20**	**22**		**137**	**12.5**	**139**	**2**	**5**	**9**	**14**	**36**	**37**

DRG 440: Wound Debridements for Injuries

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	298	15.8	250	3	6	12	18	43	56	0-17	121	12.3	71	2	6	10	20	23	29
70-74	178	11.8	69	3	6	9	17	24	30	18-34	241	9.7	76	2	4	7	11	23	33
75-79	114	18.2	261	3	7	13	23	45	49	35-49	193	14.3	190	3	4	10	18	34	45
80-84	74	18.8	351	5	8	13	21	30	80	50-69	175	15.3	236	3	5	9	23	37	50
85 +	59	20.3	490	5	7	10	27	52	76	70 +	16	7.2	19						
SUBTOTAL	**722**	**15.8**	**243**	**3**	**6**	**10**	**19**	**32**	**53**		**747**	**12.6**	**146**	**2**	**4**	**9**	**15**	**29**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	161	5.7	26	1	2	4	9	13	17	0-17	503	6.4	44	1	2	4	8	18	20
70-74	90	5.8	28	1	2	4	8	11	22	18-34	513	5.0	24	1	2	4	6	13	17
75-79	54	8.8	84	3	3	6	8	33	33	35-49	397	5.3	24	1	2	4	7	11	15
80-84	48	7.5	27	1	6	7	8	20	20	50-69	290	5.7	39	1	2	3	7	12	25
85 +	32	5.2	22	1	1	3	11	12	12	70 +	16	2.4	2						
SUBTOTAL	**385**	**6.4**	**35**	**1**	**2**	**4**	**8**	**13**	**20**		**1719**	**5.6**	**32**	**1**	**2**	**4**	**7**	**13**	**19**
GRAND TOTAL	**1107**	**12.5**	**191**	**2**	**4**	**8**	**16**	**30**	**45**		**2466**	**7.7**	**77**	**1**	**2**	**5**	**9**	**19**	**24**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	52	20.2	477	6	7	10	17	62	66	0-17	31	8.8	33	2	4	8	12	18	18
18-34	58	11.8	266	3	3	4	14	22	60	18-34	137	10.3	164	2	4	6	9	25	27
35-49	70	15.3	178	3	4	6	25	31	43	35-49	66	9.0	51	2	3	7	14	21	24
50-69	32	18.1	114	8	12	14	18	41	41	50-69	32	11.2	82	2	8	9	9	30	30
70 +	5	13.0								70 +	16	26.5	46						
SUBTOTAL	**218**	**15.9**	**266**	**3**	**4**	**10**	**21**	**41**	**60**		**282**	**10.8**	**122**	**2**	**4**	**7**	**16**	**26**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	223	5.1	26	1	2	3	7	10	14	0-17	170	4.7	17	1	2	3	5	10	12
18-34	134	5.7	25	1	2	4	7	17	17	18-34	371	4.7	19	1	1	3	6	12	13
35-49	54	6.7	18	2	3	6	9	14	15	35-49	118	2.7	2	1	2	3	4	4	5
50-69	22	7.1	24							50-69	48	3.8	7	1	2	3	4	9	9
70 +	0									70 +	6	11.0							
SUBTOTAL	**433**	**5.6**	**25**	**1**	**2**	**4**	**7**	**13**	**15**		**713**	**4.4**	**16**	**1**	**2**	**3**	**5**	**10**	**12**
GRAND TOTAL	**650**	**9.1**	**129**	**1**	**3**	**5**	**10**	**19**	**28**		**995**	**6.2**	**54**	**1**	**2**	**4**	**7**	**13**	**21**

DRG 441: Hand Procedures for Injuries

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	26	7.0	15						
70-74	6	4.0							
75-79	22	4.7	1						
80-84	0								
85 +	0								
SUBTOTAL	**53**	**5.8**	**9**	**3**	**4**	**5**	**6**	**9**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	48	1.6		< 1	1	1	2	3	3
70-74	38	1.6	1	1	1	1	2	3	3
75-79	27	1.4							
80-84	5	3.0							
85 +	5	1.0							
SUBTOTAL	**123**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**176**	**2.8**	**7**	**1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	21	7.2	9						
18-34	37	4.2	8	1	2	4	5	10	10
35-49	10	7.5	2						
50-69	16	4.4	3						
70 +	0								
	85	**5.4**	**8**	**2**	**3**	**5**	**6**	**10**	**12**
0-17	200	2.1	2	< 1	1	1	3	4	5
18-34	255	2.6	5	1	1	2	4	6	7
35-49	241	2.3	3	1	1	2	3	4	6
50-69	182	2.9	21	1	1	2	3	4	8
70 +	11	2.0	1						
	888	**2.4**	**7**	**1**	**1**	**2**	**3**	**5**	**6**
	973	**2.7**	**8**	**1**	**1**	**2**	**3**	**6**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	26	6.2	4						
35-49	5	12.0							
50-69	0								
70 +	0								
SUBTOTAL	**31**	**7.1**	**8**	**4**	**4**	**7**	**9**	**12**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	100	3.0	11	1	1	1	4	11	12
18-34	53	2.9	2	1	2	3	4	5	6
35-49	5	4.0							
50-69	10	1.5							
70 +	0								
SUBTOTAL	**169**	**2.9**	**8**	**1**	**1**	**2**	**4**	**6**	**11**
GRAND TOTAL	**200**	**3.6**	**10**	**1**	**1**	**2**	**4**	**9**	**11**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	5	7.0							
18-34	42	7.1	104	1	1	2	2	30	30
35-49	10	5.0							
50-69	0								
70 +	0								
	58	**6.7**	**76**	**1**	**2**	**2**	**7**	**18**	**30**
0-17	94	2.7	3	1	1	2	4	6	7
18-34	132	2.8	8	1	1	2	3	6	7
35-49	74	3.6	16	1	1	2	4	6	16
50-69	47	4.4	18	1	2	3	5	15	15
70 +	0								
	347	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**7**
	405	**3.7**	**21**	**1**	**1**	**2**	**5**	**7**	**15**

DRG 442: Other O.R. Procedures for Injuries w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	935	10.0	103	1	3	7	13	23	35
70-74	625	9.0	122	2	3	6	11	17	26
75-79	602	8.2	68	2	3	6	11	16	24
80-84	307	8.3	66	1	3	6	13	17	18
85 +	224	11.1	104	2	3	8	12	26	36
SUBTOTAL	**2694**	**9.3**	**97**	**2**	**3**	**6**	**12**	**20**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2694**	**9.3**	**97**	**2**	**3**	**6**	**12**	**20**	**27**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	310	5.9	42	1	2	3	7	16	18
18-34	577	5.9	36	1	2	4	8	14	18
35-49	620	5.7	29	2	2	4	6	12	18
50-69	731	8.6	129	1	2	5	10	21	32
70 +	53	14.8	166	3	5	15	17	35	44
	2291	**6.9**	**71**	**1**	**2**	**4**	**8**	**16**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2291	**6.9**	**71**	**1**	**2**	**4**	**8**	**16**	**21**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	180	11.5	100	1	3	9	16	26	34
18-34	303	5.9	33	1	3	4	7	13	21
35-49	218	10.8	178	2	4	7	12	19	23
50-69	145	9.2	59	2	3	6	14	21	26
70 +	11	6.6	7						
SUBTOTAL	**856**	**8.9**	**93**	**2**	**3**	**6**	**12**	**21**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**856**	**8.9**	**93**	**2**	**3**	**6**	**12**	**21**	**26**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	5.7	32	1	1	1	11	15	15
18-34	331	4.5	10	1	2	4	6	9	9
35-49	190	5.3	22	1	2	3	7	12	16
50-69	133	8.4	87	2	3	6	9	13	29
70 +	33	5.8	31	1	2	5	7	17	17
	739	**5.6**	**31**	**1**	**2**	**4**	**7**	**11**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	739	**5.6**	**31**	**1**	**2**	**4**	**7**	**11**	**15**

DRG 443: Other O.R. Procedures for Injuries w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	587	3.1	8	1	1	2	4	7	8	0-17	1059	2.2	9	1	1	1	2	4	7
70-74	327	3.3	8	1	1	2	5	8	9	18-34	1502	2.5	6	1	1	2	3	5	8
75-79	194	3.9	10	1	1	3	6	7	10	35-49	1327	2.8	7	1	1	2	3	7	8
80-84	144	2.0	2	1	1	2	3	4	4	50-69	932	3.4	9	1	1	2	5	7	10
85 +	122	3.5	10	1	1	2	4	9	11	70 +	54	2.7	3	1	1	2	3	6	7
SUBTOTAL	**1374**	**3.2**	**8**	**1**	**1**	**2**	**4**	**7**	**9**		**4873**	**2.7**	**7**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**1374**	**3.2**	**8**	**1**	**1**	**2**	**4**	**7**	**9**		**4873**	**2.7**	**7**	**1**	**1**	**2**	**3**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	296	3.3	14	1	1	2	4	10	14	0-17	331	1.9	2	1	1	1	3	4	4
18-34	389	4.1	78	1	1	2	5	5	8	18-34	612	3.0	7	1	1	2	4	7	8
35-49	162	4.5	17	1	2	3	7	8	14	35-49	398	3.4	12	1	1	2	4	7	9
50-69	81	5.7	10	1	3	6	8	9	11	50-69	194	3.4	12	1	1	2	4	8	12
70 +	10	6.5	33							70 +	11	7.5	33						
SUBTOTAL	**938**	**4.1**	**41**	**1**	**1**	**2**	**5**	**8**	**11**		**1547**	**3.0**	**8**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**938**	**4.1**	**41**	**1**	**1**	**2**	**5**	**8**	**11**		**1547**	**3.0**	**8**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 444: Traumatic Injury Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	223	6.3	14	2	3	5	9	12	13
70-74	91	5.4	12	2	3	4	9	10	12
75-79	146	6.5	19	2	3	5	9	14	17
80-84	108	12.0	396	2	5	8	11	14	27
85 +	164	6.6	20	3	4	5	8	15	16
SUBTOTAL	**732**	**7.2**	**76**	**2**	**3**	**5**	**9**	**13**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**732**	**7.2**	**76**	**2**	**3**	**5**	**9**	**13**	**15**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	358	3.0	5	1	1	2	4	6	9
35-49	287	4.5	6	2	3	4	5	8	10
50-69	401	4.8	11	2	2	4	7	9	12
70 +	38	4.3	11	1	2	3	7	11	11
	1084	**4.1**	**9**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1084	**4.1**	**9**	**1**	**2**	**3**	**5**	**8**	**10**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	262	5.4	81	1	2	3	5	8	17
35-49	80	4.9	17	1	2	4	7	13	15
50-69	54	3.2	5	1	2	3	4	5	9
70 +	5	11.0							
SUBTOTAL	**401**	**5.1**	**58**	**1**	**2**	**3**	**5**	**9**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**401**	**5.1**	**58**	**1**	**2**	**3**	**5**	**9**	**16**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	349	3.6	13	1	2	3	3	8	11
35-49	183	5.3	16	1	3	5	6	9	16
50-69	59	3.5	3	2	2	3	4	6	8
70 +	23	6.0	26						
	613	**4.2**	**14**	**1**	**2**	**3**	**5**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	613	**4.2**	**14**	**1**	**2**	**3**	**5**	**9**	**12**

DRG 445: Traumatic Injury Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	197	3.6	5	1	2	3	5	7	8
70-74	88	4.6	11	2	2	4	5	10	14
75-79	75	4.3	13	2	2	3	5	7	16
80-84	92	5.0	7	1	3	5	7	8	10
85 +	83	5.7	12	1	3	5	8	12	12
SUBTOTAL	**535**	**4.4**	**9**	**1**	**2**	**4**	**6**	**8**	**10**
GRAND TOTAL	**535**	**4.4**	**9**	**1**	**2**	**4**	**6**	**8**	**10**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1286	2.5	4	1	1	2	3	5	7
35-49	775	3.7	31	1	2	3	4	6	7
50-69	523	3.4	12	1	2	3	4	6	8
70 +	27	3.4	4						
	2611	**3.1**	**14**	**1**	**1**	**2**	**3**	**6**	**7**
	2611	**3.1**	**14**	**1**	**1**	**2**	**3**	**6**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	499	3.0	3	1	2	3	4	5	7
35-49	113	3.4	6	2	2	2	4	6	10
50-69	48	3.0	2	1	3	3	4	5	5
70 +	0								
SUBTOTAL	**660**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**660**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**7**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	951	2.6	3	1	1	2	3	5	6
35-49	239	2.9	4	1	1	2	4	6	6
50-69	103	3.7	13	1	1	3	4	9	16
70 +	22	1.8	2						
	1315	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	1315	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 446: Traumatic Injury Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	213	3.2	4	1	2	2	4	6	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**213**	**3.2**	**4**	**1**	**2**	**2**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	3.0								0-17	1228	2.6	5	1	1	2	3	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**6**	**3.0**									**1228**	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**6**	**3.0**									**1441**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	165	3.7	12	1	1	3	5	7	9	0-17	129	2.9	6	<1	1	2	4	6	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**165**	**3.7**	**12**	**1**	**1**	**3**	**5**	**7**	**9**		**129**	**2.9**	**6**	**<1**	**1**	**2**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1006	2.8	4	1	1	2	4	5	7	0-17	629	2.5	4	<1	1	2	3	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**1006**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**7**		**629**	**2.5**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**1171**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**8**		**759**	**2.6**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**

DRG 447: Allergic Reactions Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	110	3.8	5	1	2	3	5	7	7
70-74	93	2.6	3	1	1	2	3	5	7
75-79	105	3.8	5	1	2	3	6	8	8
80-84	71	3.8	4	2	2	3	5	7	8
85 +	61	5.7	42	1	2	2	8	17	21
SUBTOTAL	**441**	**3.8**	**10**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	146	3.0	4	1	2	2	4	6	7
70-74	93	2.8	2	1	1	3	4	5	5
75-79	50	2.7	2	1	1	3	3	5	6
80-84	49	2.3	2	1	1	2	3	5	5
85 +	22	2.3	2						
SUBTOTAL	**360**	**2.7**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**802**	**3.3**	**7**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	107	4.0	29	1	1	3	4	6	13
35-49	159	3.1	4	1	1	3	4	6	7
50-69	265	3.5	6	1	2	3	5	8	8
70 +	6	4.0							
	537	**3.5**	**10**	**1**	**1**	**3**	**5**	**6**	**8**
0-17	0								
18-34	458	2.1	2	1	1	2	3	4	5
35-49	491	2.1	2	1	1	2	3	5	5
50-69	453	2.6	3	1	1	2	3	5	6
70 +	0								
	1402	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
	1939	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	44	3.6	6	1	2	3	4	9	9
35-49	27	2.8	3						
50-69	32	5.9	16	3	3	4	7	14	14
70 +	5	1.0							
SUBTOTAL	**108**	**4.0**	**10**	**1**	**2**	**3**	**5**	**8**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	61	2.6	13	1	1	1	3	3	14
35-49	44	3.1	5	1	2	2	4	8	8
50-69	22	3.2	3						
70 +	11	3.0							
SUBTOTAL	**137**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**245**	**3.4**	**9**	**1**	**1**	**3**	**4**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	2.1	2						
35-49	38	2.6	3	1	1	2	4	6	6
50-69	31	3.0	5	1	1	2	5	7	7
70 +	5	1.0							
	90	**2.5**	**4**	**1**	**1**	**2**	**4**	**6**	**7**
0-17	0								
18-34	88	1.7	1	1	1	2	2	3	4
35-49	142	2.6	11	< 1	1	2	3	4	6
50-69	49	2.5	2	1	2	2	2	6	6
70 +	6	1.0							
	285	**2.3**	**6**	**1**	**1**	**2**	**3**	**4**	**6**
	375	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 448: Allergic Reactions Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	85	2.3	2	1	1	2	3	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										85	2.3	2	1	1	2	3	4	6
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	304	1.9	1	1	1	2	2	4	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										304	1.9	1	1	1	2	2	4	4
GRAND TOTAL	0										389	2.0	1	1	1	2	3	4	4

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	42	2.4	2	1	2	2	3	5	5	0-17	26	1.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	42	2.4	2	1	2	2	3	5	5		26	1.0							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	118	1.9	1	1	1	2	2	3	3	0-17	69	1.3		<1	1	1	2	2	2
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	118	1.9	1	1	1	2	2	3	3		69	1.3		<1	1	1	2	2	2
GRAND TOTAL	160	2.0	1	1	1	2	3	3	3		95	1.2		<1	1	1	1	2	2

DRG 449: Poisoning & Toxic Effects of Drugs Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH		TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3031	4.8	25	1	2	3	6	10	16	0-17	0								
70-74	1197	5.6	20	2	3	4	7	11	14	18-34	2283	3.6	23	1	1	2	4	7	11
75-79	1214	5.9	20	2	3	5	7	11	14	35-49	2028	4.1	25	1	1	2	4	9	13
80-84	1014	6.5	30	2	3	5	8	12	15	50-69	1315	5.0	41	1	2	3	5	10	15
85 +	996	6.7	37	2	3	5	8	13	17	70 +	54	4.3	6	2	2	4	6	8	9
SUBTOTAL	**7453**	**5.6**	**26**	**1**	**3**	**4**	**7**	**11**	**15**		**5679**	**4.1**	**28**	**1**	**1**	**2**	**5**	**8**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**7453**	**5.6**	**26**	**1**	**3**	**4**	**7**	**11**	**15**		**5679**	**4.1**	**28**	**1**	**1**	**2**	**5**	**8**	**13**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH		TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	2719	3.5	35	1	1	2	4	7	11	18-34	2303	2.8	10	<1	1	2	3	5	7
35-49	1580	5.0	48	1	2	3	5	10	17	35-49	1011	3.4	17	1	1	2	4	7	10
50-69	486	4.6	21	1	2	4	6	8	11	50-69	376	5.1	51	1	1	3	5	11	16
70 +	21	9.2	77							70 +	83	4.5	5	1	3	5	7	7	9
SUBTOTAL	**4807**	**4.2**	**39**	**1**	**1**	**2**	**4**	**8**	**12**		**3772**	**3.2**	**16**	**1**	**1**	**2**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4807**	**4.2**	**39**	**1**	**1**	**2**	**4**	**8**	**12**		**3772**	**3.2**	**16**	**1**	**1**	**2**	**4**	**6**	**9**

DRG 450: Poisoning & Toxic Effects of Drugs Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	916	3.3	17	1	1	2	3	8	14	0-17	0								
70-74	338	3.2	5	1	1	3	4	7	8	18-34	4007	2.4	14	< 1	1	1	2	4	6
75-79	239	4.2	15	1	2	3	5	8	10	35-49	2509	2.8	17	1	1	2	3	5	9
80-84	169	3.9	10	1	2	3	6	10	11	50-69	1043	2.8	13	1	1	2	3	5	8
85 +	179	2.8	4	1	1	2	4	6	8	70 +	33	3.8	5	1	2	4	6	7	7
SUBTOTAL	**1840**	**3.4**	**13**	**1**	**1**	**2**	**4**	**8**	**10**		**7593**	**2.6**	**15**	**1**	**1**	**1**	**3**	**4**	**8**
GRAND TOTAL	**1840**	**3.4**	**13**	**1**	**1**	**2**	**4**	**8**	**10**		**7593**	**2.6**	**15**	**1**	**1**	**1**	**3**	**4**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	2293	2.4	14	1	1	2	2	4	7	18-34	3181	2.0	6	< 1	1	1	2	3	5
35-49	810	2.9	16	< 1	1	2	3	5	8	35-49	985	2.2	7	< 1	1	1	2	4	8
50-69	196	3.4	15	1	2	2	4	7	10	50-69	146	3.3	24	1	1	2	3	6	9
70 +	16	4.7	9							70 +	11	4.0	1						
SUBTOTAL	**3315**	**2.6**	**14**	**1**	**1**	**2**	**3**	**5**	**8**		**4322**	**2.1**	**7**	**< 1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**3315**	**2.6**	**14**	**1**	**1**	**2**	**3**	**5**	**8**		**4322**	**2.1**	**7**	**< 1**	**1**	**1**	**2**	**4**	**6**

DRG 451: Poisoning & Toxic Effects of Drugs Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16	1.4							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**16**	**1.4**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	17	2.0	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**17**	**2.0**	**1**						
GRAND TOTAL	**33**	**1.7**	**1**	**1**	**1**	**2**	**2**	**3**	**3**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1174	3.3	20	1	1	2	3	6	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1174	**3.3**	**20**	**1**	**1**	**2**	**3**	**6**	**10**
0-17	5666	2.1	9	< 1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	5666	**2.1**	**9**	**< 1**	**1**	**1**	**2**	**4**	**5**
	6840	**2.3**	**11**	**1**	**1**	**1**	**2**	**4**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	811	3.4	12	1	1	2	4	6	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**811**	**3.4**	**12**	**1**	**1**	**2**	**4**	**6**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	4645	2.6	9	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4645**	**2.6**	**9**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**5456**	**2.7**	**10**	**1**	**1**	**2**	**3**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	600	2.5	6	1	1	2	3	6	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	600	**2.5**	**6**	**1**	**1**	**2**	**3**	**6**	**6**
0-17	2655	2.1	3	< 1	1	1	2	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2655	**2.1**	**3**	**< 1**	**1**	**1**	**2**	**5**	**6**
	3256	**2.1**	**3**	**< 1**	**1**	**1**	**2**	**5**	**6**

DRG 452: Complications of Treatment w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1482	6.4	57	2	3	4	7	12	21
70-74	908	6.2	36	2	3	4	7	13	16
75-79	802	5.0	16	1	2	4	6	10	15
80-84	630	6.1	27	2	3	4	7	14	16
85 +	393	7.7	89	1	3	5	9	18	31
SUBTOTAL	**4215**	**6.2**	**44**	**2**	**3**	**4**	**7**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4215**	**6.2**	**44**	**2**	**3**	**4**	**7**	**13**	**18**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	571	3.4	17	1	1	2	3	7	13
18-34	551	4.8	44	1	2	3	5	10	14
35-49	764	4.5	18	1	2	3	6	8	12
50-69	1264	4.7	21	1	2	3	6	9	12
70 +	69	6.2	58	1	2	3	8	11	30
	3220	**4.5**	**24**	**1**	**2**	**3**	**5**	**9**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3220	**4.5**	**24**	**1**	**2**	**3**	**5**	**9**	**13**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	244	5.6	59	1	1	3	6	14	16
18-34	215	4.3	26	1	2	3	5	9	15
35-49	171	8.6	126	1	4	5	8	21	35
50-69	170	8.6	117	1	2	6	10	16	36
70 +	5	3.0							
SUBTOTAL	**805**	**6.5**	**80**	**1**	**2**	**4**	**7**	**14**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**805**	**6.5**	**80**	**1**	**2**	**4**	**7**	**14**	**24**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	130	3.3	37	1	1	2	2	5	8
18-34	86	2.5	3	1	1	2	4	5	7
35-49	162	4.7	23	1	2	3	5	12	17
50-69	289	4.8	23	1	2	3	6	10	16
70 +	81	5.3	23	1	2	3	7	12	19
	748	**4.3**	**24**	**1**	**1**	**3**	**5**	**8**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	748	**4.3**	**24**	**1**	**1**	**3**	**5**	**8**	**16**

DRG 453: Complications of Treatment w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	565	3.3	5	1	2	3	4	6	7	0-17	779	2.0	4	< 1	1	1	2	4	6
70-74	429	3.2	7	1	1	2	4	6	8	18-34	797	2.2	4	1	1	2	3	3	4
75-79	311	3.7	12	1	1	3	5	7	11	35-49	1000	3.0	7	1	1	2	4	6	8
80-84	243	3.0	8	1	1	2	4	7	12	50-69	1032	3.2	9	1	1	2	4	6	8
85 +	156	3.6	8	1	1	3	5	8	8	70 +	26	1.6	1						
SUBTOTAL	**1705**	**3.3**	**8**	**1**	**1**	**3**	**4**	**7**	**8**		**3635**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**1705**	**3.3**	**8**	**1**	**1**	**3**	**4**	**7**	**8**		**3635**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	258	2.4	3	< 1	1	1	3	5	6	0-17	143	3.1	6	1	1	2	5	8	8
18-34	171	3.0	3	1	2	3	4	5	7	18-34	289	2.4	2	1	1	2	3	4	5
35-49	102	4.0	19	1	1	2	7	8	12	35-49	172	3.0	3	1	2	2	4	6	7
50-69	111	2.9	6	< 1	1	2	4	7	7	50-69	142	2.3	4	1	1	1	3	5	7
70 +	6	6.0								70 +	16	1.7							
SUBTOTAL	**649**	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**7**		**762**	**2.7**	**4**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**649**	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**7**		**762**	**2.7**	**4**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 454: Other Injury, Poisoning & Toxic Effect Diag w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	194	8.5	82	1	2	4	14	22	32
70-74	200	6.4	28	1	2	5	8	16	17
75-79	121	4.6	7	1	3	4	6	8	10
80-84	116	5.6	19	1	2	5	9	13	14
85 +	141	8.0	40	1	3	7	11	17	21
SUBTOTAL	**773**	**6.8**	**41**	**1**	**2**	**5**	**8**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**773**	**6.8**	**41**	**1**	**2**	**5**	**8**	**15**	**19**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	203	3.1	7	1	1	2	4	9	9
18-34	157	2.8	9	< 1	1	2	2	7	7
35-49	150	2.7	2	1	2	2	3	5	6
50-69	126	3.1	11	1	1	2	3	7	9
70 +	27	6.1	7						
	663	**3.1**	**7**	**1**	**1**	**2**	**4**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	663	**3.1**	**7**	**1**	**1**	**2**	**4**	**7**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	167	4.1	11	1	1	3	5	10	13
18-34	96	3.1	7	1	1	2	5	8	10
35-49	54	6.0	9	1	3	8	8	8	9
50-69	10	24.0	159						
70 +	5	5.0							
SUBTOTAL	**333**	**4.8**	**26**	**1**	**1**	**3**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**333**	**4.8**	**26**	**1**	**1**	**3**	**7**	**10**	**12**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	1.8	3	< 1	1	1	2	4	7
18-34	178	2.4	5	< 1	1	1	3	5	6
35-49	32	5.1	14	1	2	3	7	12	12
50-69	38	5.9	73	< 1	< 1	3	5	26	26
70 +	22	12.3	215						
	339	**3.6**	**33**	**< 1**	**1**	**2**	**4**	**7**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	339	**3.6**	**33**	**< 1**	**1**	**2**	**4**	**7**	**12**

DRG 455: Other Injury, Poisoning & Toxic Effect Diag w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	61	2.7	5	< 1	1	2	2	7	8	0-17	557	1.6	1	1	1	1	2	2	4
70-74	55	2.3	1	1	1	2	3	4	5	18-34	463	1.4	1	< 1	1	1	2	2	3
75-79	44	3.1	8	1	1	2	4	10	10	35-49	185	1.8	1	1	1	2	2	3	4
80-84	44	3.4	6	1	2	3	4	9	9	50-69	124	2.3	2	1	1	2	3	4	5
85 +	54	3.0	4	1	2	2	4	6	8	70 +	16	4.4	17						
SUBTOTAL	**257**	**2.9**	**5**	**1**	**1**	**2**	**3**	**7**	**8**		**1347**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**257**	**2.9**	**5**	**1**	**1**	**2**	**3**	**7**	**8**		**1347**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	618	2.4	13	< 1	1	1	2	4	9	0-17	255	2.1	11	1	1	1	2	4	5
18-34	91	1.9	2	1	1	1	3	4	5	18-34	237	1.5	1	1	1	1	2	3	3
35-49	70	3.6	9	1	1	2	6	6	11	35-49	70	1.2		1	1	1	1	2	3
50-69	10	5.0	18							50-69	22	2.2							
70 +	0									70 +	5	1.0							
SUBTOTAL	**789**	**2.5**	**12**	**< 1**	**1**	**1**	**3**	**6**	**9**		**589**	**1.7**	**5**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**789**	**2.5**	**12**	**< 1**	**1**	**1**	**3**	**6**	**9**		**589**	**1.7**	**5**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 457: Extensive Burns w/o O.R. Procedure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	5	73.0							
75-79	0									35-49	5	2.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**10**	**37.5**	**1395**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	16	11.7	136						
70-74	0									18-34	16	14.7	82						
75-79	0									35-49	11	11.6	89						
80-84	0									50-69	5	21.0							
85 +	0									70 +	0								
SUBTOTAL	**0**										**48**	**13.7**	**96**	**3**	**3**	**19**	**21**	**27**	**28**
GRAND TOTAL	**0**										**58**	**17.9**	**391**	**3**	**3**	**19**	**23**	**28**	**73**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	5	5.0								0-17	0								
18-34	6	3.0								18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	6	1.0							
70 +	0									70 +	0								
SUBTOTAL	**11**	**4.0**	**1**								**6**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	3.0	1							0-17	0								
18-34	16	13.7	68							18-34	6	1.0							
35-49	0									35-49	5	5.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**31**	**8.4**	**63**	**2**	**3**	**3**	**18**	**21**	**21**		**11**	**2.9**	**4**						
GRAND TOTAL	**42**	**7.3**	**51**	**2**	**3**	**3**	**8**	**21**	**21**		**16**	**2.3**	**4**						

DRG 458: Non-extensive Burns w/ Skin Graft

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	94	23.4	325	7	8	21	31	45	79
70-74	37	20.3	217	1	9	14	34	47	47
75-79	31	9.7	3	7	8	11	11	12	12
80-84	37	21.1	153	4	10	19	31	44	44
85 +	10	18.0	54						
SUBTOTAL	**209**	**20.1**	**233**	**7**	**9**	**15**	**25**	**39**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	21	8.3	20						
70-74	16	15.6	243						
75-79	16	19.3	73						
80-84	31	8.9	46	3	4	5	13	22	22
85 +	5	6.0							
SUBTOTAL	**89**	**11.6**	**94**	**3**	**5**	**7**	**14**	**31**	**36**
GRAND TOTAL	**298**	**17.6**	**207**	**4**	**7**	**13**	**23**	**36**	**45**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	27	22.7	267						
18-34	78	12.8	49	4	7	12	19	22	25
35-49	79	17.6	122	4	9	14	26	36	38
50-69	53	15.7	109	6	8	13	19	37	37
70 +	6	12.0							
	243	**16.1**	**117**	**5**	**9**	**14**	**20**	**34**	**37**
0-17	221	9.9	93	1	2	6	13	22	35
18-34	195	9.6	51	2	5	8	13	22	25
35-49	105	8.2	69	1	2	5	12	20	26
50-69	83	12.3	168	2	5	7	14	39	48
70 +	0								
	604	**9.9**	**87**	**2**	**3**	**7**	**13**	**22**	**33**
	846	**11.6**	**103**	**2**	**4**	**9**	**15**	**25**	**35**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	88	22.1	373	7	8	16	23	59	75
18-34	63	18.5	115	6	9	18	26	28	41
35-49	37	19.8	143	9	11	15	33	99 +	99 +
50-69	10	26.5	14						
70 +	0								
SUBTOTAL	**198**	**20.8**	**231**	**7**	**10**	**17**	**28**	**42**	**67**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	314	14.1	96	3	5	13	20	24	37
18-34	99	12.4	89	2	7	12	15	19	31
35-49	41	14.0	75	6	7	12	16	34	34
50-69	26	18.6	168						
70 +	0								
SUBTOTAL	**481**	**14.0**	**98**	**3**	**7**	**13**	**18**	**24**	**37**
GRAND TOTAL	**679**	**16.0**	**146**	**4**	**7**	**14**	**21**	**34**	**41**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	24.6	159	5	13	24	35	43	43
18-34	26	20.4	89						
35-49	42	26.2	429	9	11	20	27	77	77
50-69	42	23.5	247	7	13	23	29	96	99 +
70 +	16	38.3	1						
	162	**25.4**	**242**	**9**	**13**	**23**	**35**	**43**	**77**
0-17	157	11.7	97	2	5	11	13	21	36
18-34	73	11.0	73	3	5	6	20	24	28
35-49	37	13.7	59	3	4	16	21	24	24
50-69	21	21.1	241						
70 +	11	22.1	200						
	299	**12.8**	**108**	**3**	**5**	**11**	**18**	**28**	**36**
	461	**17.2**	**190**	**3**	**7**	**13**	**24**	**36**	**43**

DRG 459: Non-extensive Burns w/ Wound Debridement or Other O.R. Proc

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	50	12.5	88	3	5	12	15	31	31	0-17	11	5.9	4						
70-74	11	9.5	2							18-34	5	32.0							
75-79	11	12.5	22							35-49	16	2.6	1						
80-84	11	9.8	28							50-69	21	11.0	12						
85 +	5	21.0								70 +	0								
SUBTOTAL	**88**	**12.3**	**61**	**4**	**7**	**11**	**17**	**24**	**31**		**53**	**9.5**	**74**	**2**	**4**	**7**	**12**	**19**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	13.2	37							0-17	70	3.9	7	1	2	4	5	7	10
70-74	6	6.0								18-34	86	6.8	23	2	3	6	9	14	19
75-79	6	4.0								35-49	48	7.2	31	2	3	4	11	16	17
80-84	5	18.0								50-69	32	5.6	30	1	1	5	10	15	15
85 +	0									70 +	0								
SUBTOTAL	**32**	**11.1**	**41**	**4**	**5**	**6**	**18**	**19**	**19**		**237**	**5.9**	**23**	**1**	**2**	**5**	**9**	**14**	**15**
GRAND TOTAL	**121**	**12.0**	**56**	**4**	**5**	**12**	**17**	**22**	**27**		**290**	**6.5**	**34**	**1**	**2**	**5**	**9**	**15**	**17**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	7.5	12							0-17	11	25.1	532						
18-34	16	15.7	192							18-34	11	6.9	4						
35-49	17	13.3	35							35-49	22	6.5	12						
50-69	5	9.0								50-69	11	21.3	318						
70 +	0									70 +	0								
SUBTOTAL	**64**	**11.2**	**71**	**5**	**6**	**9**	**14**	**20**	**35**		**54**	**13.2**	**230**	**2**	**5**	**5**	**11**	**39**	**48**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	91	6.4	48	1	2	4	8	19	26	0-17	32	7.8	18	2	3	8	12	13	13
18-34	22	8.4	51							18-34	27	4.2	8						
35-49	11	4.6	2							35-49	16	7.3	10						
50-69	0									50-69	5	2.0							
70 +	0									70 +	0								
SUBTOTAL	**124**	**6.6**	**45**	**1**	**2**	**4**	**8**	**19**	**22**		**79**	**6.1**	**15**	**1**	**2**	**6**	**9**	**12**	**13**
GRAND TOTAL	**188**	**8.2**	**59**	**2**	**3**	**6**	**10**	**20**	**26**		**134**	**9.0**	**114**	**2**	**3**	**6**	**9**	**13**	**39**

DRG 460: Non-extensive Burns w/o O.R. Procedure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	129	10.6	47	3	6	9	15	22	25	0-17	138	6.4	25	2	3	5	7	16	16
70-74	49	7.1	13	3	4	7	8	15	15	18-34	139	6.4	35	2	3	5	8	11	12
75-79	32	4.6	7	2	2	3	7	9	9	35-49	129	5.7	18	2	2	4	7	14	14
80-84	16	14.0	95							50-69	107	5.6	8	3	3	5	8	9	11
85 +	53	6.8	13	3	4	6	7	12	15	70 +	0								
SUBTOTAL	**279**	**8.7**	**39**	**3**	**4**	**7**	**11**	**15**	**25**		**513**	**6.1**	**22**	**2**	**3**	**5**	**8**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	70	6.1	25	2	3	5	7	13	20	0-17	1049	4.5	18	1	1	3	6	11	13
70-74	43	5.3	20	< 1	2	4	6	16	16	18-34	565	5.1	29	1	1	3	7	13	15
75-79	27	2.8	7							35-49	408	4.9	19	1	2	4	7	10	15
80-84	28	6.6	36							50-69	178	5.4	20	1	2	4	7	12	16
85 +	32	8.0	128	1	2	3	7	33	33	70 +	6	6.0							
SUBTOTAL	**200**	**5.9**	**41**	**1**	**2**	**3**	**7**	**16**	**19**		**2205**	**4.8**	**21**	**1**	**1**	**3**	**6**	**11**	**13**
GRAND TOTAL	**479**	**7.5**	**41**	**2**	**3**	**6**	**10**	**15**	**22**		**2717**	**5.0**	**21**	**1**	**2**	**4**	**7**	**11**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	147	7.6	33	2	3	6	11	18	20	0-17	90	4.7	5	2	3	4	7	9	9
18-34	42	11.3	90	< 1	3	11	24	25	25	18-34	91	4.6	9	2	2	4	5	9	12
35-49	63	6.9	25	2	3	5	14	14	15	35-49	74	5.2	23	< 1	2	4	6	15	17
50-69	31	8.0	26	3	3	9	10	17	17	50-69	27	5.4	6						
70 +	0									70 +	11	6.9	10						
SUBTOTAL	**283**	**8.0**	**41**	**2**	**3**	**6**	**12**	**18**	**21**		**292**	**4.9**	**11**	**2**	**2**	**4**	**6**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1557	5.3	27	1	2	4	7	12	16	0-17	555	3.4	14	1	1	2	4	7	12
18-34	237	4.5	25	1	1	2	6	16	17	18-34	283	3.7	14	1	1	2	6	8	10
35-49	91	5.1	11	1	2	5	8	10	10	35-49	144	4.2	22	1	1	3	6	10	11
50-69	26	16.1	524							50-69	33	2.2	3	1	1	2	2	6	6
70 +	0									70 +	6	5.0							
SUBTOTAL	**1912**	**5.4**	**34**	**1**	**2**	**4**	**7**	**12**	**17**		**1021**	**3.6**	**15**	**1**	**1**	**2**	**4**	**8**	**12**
GRAND TOTAL	**2195**	**5.7**	**36**	**1**	**2**	**4**	**7**	**13**	**17**		**1312**	**3.9**	**14**	**1**	**1**	**3**	**5**	**8**	**12**

DRG 461: O.R. Proc w/ Diagnoses of Other Contact w/ Health Services

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	369	15.5	318	1	2	14	24	31	93	0-17	114	7.3	100	1	1	5	14	99+	99+
70-74	238	21.5	415	2	5	16	30	57	62	18-34	96	17.9	672	1	2	30	99+	99+	99+
75-79	190	15.9	161	1	3	17	23	32	37	35-49	126	8.6	162	1	2	4	13	57	99+
80-84	135	17.9	171	3	5	16	28	36	40	50-69	245	13.0	205	1	2	8	29	53	99+
85+	99	18.0	133	2	9	18	28	41	99+	70+	16	19.0	185						
SUBTOTAL	**1030**	**17.5**	**279**	**1**	**4**	**15**	**26**	**36**	**57**		**597**	**11.9**	**263**	**1**	**2**	**7**	**33**	**99+**	**99+**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	127	3.0	12	1	1	1	4	8	12	0-17	393	1.7	2	1	1	1	2	4	5
70-74	143	5.1	73	1	1	2	3	22	30	18-34	546	2.9	29	1	1	1	3	4	8
75-79	59	3.4	9	1	1	2	4	9	10	35-49	507	2.7	6	1	1	2	4	5	7
80-84	37	6.2	69	1	1	2	6	25	25	50-69	459	2.8	18	1	1	1	4	5	7
85+	17	1.3								70+	26	12.9	68						
SUBTOTAL	**384**	**4.1**	**40**	**1**	**1**	**2**	**4**	**10**	**22**		**1931**	**2.7**	**17**	**1**	**1**	**1**	**3**	**5**	**7**
GRAND TOTAL	**1414**	**13.9**	**250**	**1**	**2**	**8**	**23**	**33**	**46**		**2528**	**4.9**	**90**	**1**	**1**	**2**	**4**	**16**	**51**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	41	5.8	46	1	1	1	9	17	17	0-17	21	1.8	2						
18-34	31	31.6	1012	1	1	6	60	81	81	18-34	31	3.6	5	1	1	4	7	99+	99+
35-49	62	14.6	553	1	3	7	84	99+	99+	35-49	64	3.3	11	1	1	1	8	8	10
50-69	16	22.5	522							50-69	42	13.6	142	2	2	10	25	33	33
70+	0									70+	49	12.8	116	1	3	9	24	28	31
SUBTOTAL	**151**	**16.6**	**581**	**1**	**1**	**6**	**41**	**84**	**99+**		**208**	**7.5**	**85**	**1**	**1**	**3**	**10**	**25**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	191	1.9	6	1	1	1	1	4	8	0-17	58	2.2	4	<1	1	1	5	5	6
18-34	69	1.6	3	1	1	1	1	2	7	18-34	154	2.3	5	1	1	1	3	6	9
35-49	47	3.4	6	1	1	3	5	7	8	35-49	215	2.4	3	1	1	2	4	4	5
50-69	11	7.1	10							50-69	137	3.6	118	1	1	1	2	4	4
70+	0									70+	38	2.3	5	1	1	1	4	7	7
SUBTOTAL	**318**	**2.3**	**7**	**1**	**1**	**1**	**2**	**7**	**8**		**601**	**2.6**	**30**	**1**	**1**	**1**	**3**	**4**	**6**
GRAND TOTAL	**469**	**6.9**	**236**	**1**	**1**	**1**	**6**	**17**	**81**		**809**	**3.9**	**49**	**1**	**1**	**1**	**4**	**8**	**24**

DRG 462: Rehabilitation

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4196	20.2	154	6	11	18	27	36	43	0-17	179	21.9	439	3	6	25	43	99 +	99 +
70-74	3245	20.9	125	9	13	19	27	36	42	18-34	682	22.9	390	6	8	20	44	99 +	99 +
75-79	3745	20.0	107	9	13	17	26	34	39	35-49	1038	20.1	323	6	6	15	29	54	93
80-84	3089	20.6	112	8	13	20	26	35	41	50-69	2116	22.6	178	8	12	21	32	43	53
85 +	2247	18.3	89	8	12	17	24	30	41	70 +	486	24.0	154	11	15	21	31	41	46
SUBTOTAL	**16522**	**20.1**	**121**	**8**	**13**	**18**	**26**	**35**	**42**		**4501**	**22.2**	**253**	**6**	**10**	**20**	**32**	**49**	**92**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	958	19.0	117	7	10	17	27	34	40	0-17	483	10.3	210	1	2	4	14	35	42
70-74	987	18.1	117	7	11	15	23	32	42	18-34	236	17.6	179	4	7	14	29	39	59
75-79	1098	18.1	115	6	11	16	23	32	40	35-49	222	16.4	157	4	6	12	28	39	48
80-84	797	16.9	69	8	11	15	20	29	33	50-69	655	19.4	133	6	11	17	28	37	42
85 +	537	17.0	53	8	12	18	22	26	28	70 +	86	19.4	120	8	13	15	27	35	50
SUBTOTAL	**4376**	**17.9**	**101**	**7**	**11**	**16**	**23**	**31**	**38**		**1684**	**16.1**	**178**	**2**	**5**	**13**	**25**	**37**	**46**
GRAND TOTAL	**20899**	**19.6**	**118**	**8**	**12**	**18**	**25**	**34**	**41**		**6185**	**20.5**	**240**	**5**	**8**	**18**	**31**	**45**	**76**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	109	19.0	313	2	5	13	32	59	60	0-17	47	21.0	608	3	4	10	46	89	99 +
18-34	467	25.1	302	6	15	24	35	71	99 +	18-34	153	21.0	411	4	6	12	39	61	99 +
35-49	397	22.8	312	6	8	18	32	59	78	35-49	198	14.1	184	6	6	8	15	35	42
50-69	481	21.7	124	10	14	22	28	36	48	50-69	345	17.9	170	4	8	15	26	38	44
70 +	121	18.4	133	8	10	16	23	38	45	70 +	293	20.8	336	6	9	16	25	40	74
SUBTOTAL	**1574**	**22.6**	**241**	**6**	**12**	**22**	**29**	**50**	**71**		**1035**	**18.6**	**280**	**6**	**7**	**13**	**26**	**42**	**61**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	218	16.9	212	3	4	11	25	39	41	0-17	62	10.8	176	1	2	4	12	38	40
18-34	91	16.4	70	6	10	19	26	99 +	99 +	18-34	0								
35-49	64	27.8	107	12	24	31	36	46	99 +	35-49	65	22.5	376	11	12	14	29	54	71
50-69	139	19.8	107	8	11	17	31	39	42	50-69	92	23.6	146	9	11	24	30	43	48
70 +	117	17.7	68	8	11	16	22	29	29	70 +	65	15.9	175	6	8	11	22	25	54
SUBTOTAL	**629**	**18.7**	**141**	**4**	**9**	**17**	**29**	**39**	**46**		**284**	**18.8**	**236**	**3**	**9**	**13**	**27**	**40**	**54**
GRAND TOTAL	**2203**	**21.5**	**216**	**6**	**11**	**19**	**29**	**46**	**65**		**1320**	**18.6**	**270**	**5**	**8**	**13**	**26**	**42**	**60**

DRG 463: Signs & Symptoms w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	600	6.5	29	2	3	5	8	13	20	0-17	146	3.3	8	1	1	3	4	6	7
70-74	291	6.3	18	2	3	4	8	14	15	18-34	108	3.8	13	1	2	3	3	7	10
75-79	408	6.5	19	2	4	6	8	13	15	35-49	155	5.7	29	1	3	4	7	10	17
80-84	306	5.7	13	2	3	5	7	11	14	50-69	468	5.5	17	1	3	5	7	10	13
85+	354	6.7	30	2	4	5	7	14	23	70+	23	9.0	61						
SUBTOTAL	**1959**	**6.4**	**23**	**2**	**3**	**5**	**8**	**13**	**15**		**900**	**5.1**	**20**	**1**	**2**	**4**	**6**	**10**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1959**	**6.4**	**23**	**2**	**3**	**5**	**8**	**13**	**15**		**900**	**5.1**	**20**	**1**	**2**	**4**	**6**	**10**	**15**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	141	3.1	8	1	1	2	3	6	11	0-17	41	5.6	25	<1	1	3	11	13	13
18-34	80	3.4	6	1	2	3	5	5	11	18-34	17	5.7	46						
35-49	112	5.6	15	2	3	4	9	11	14	35-49	27	6.8	25						
50-69	140	5.9	17	2	3	5	7	12	15	50-69	76	7.0	46	2	2	4	9	16	25
70+	11	9.6	2							70+	38	8.0	114	2	2	3	6	33	33
SUBTOTAL	**484**	**4.7**	**14**	**1**	**2**	**3**	**6**	**11**	**13**		**199**	**6.8**	**51**	**1**	**2**	**4**	**10**	**15**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**484**	**4.7**	**14**	**1**	**2**	**3**	**6**	**11**	**13**		**199**	**6.8**	**51**	**1**	**2**	**4**	**10**	**15**	**25**

DRG 464: Signs & Symptoms w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	299	3.3	6	1	2	2	4	6	8	0-17	222	2.0	1	1	1	2	3	4	4
70-74	112	3.6	27	1	2	2	3	7	22	18-34	101	2.0	2	1	1	2	2	4	5
75-79	131	3.4	6	1	1	2	5	7	8	35-49	152	2.8	5	< 1	1	2	4	6	8
80-84	88	4.2	5	2	3	4	6	8	9	50-69	295	2.8	5	1	1	2	3	6	8
85 +	65	5.6	8	3	4	5	7	9	12	70 +	27	4.1	11						
SUBTOTAL	**695**	**3.7**	**10**	**1**	**2**	**3**	**5**	**8**	**9**		**798**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**695**	**3.7**	**10**	**1**	**2**	**3**	**5**	**8**	**9**		**798**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	190	3.2	6	1	1	3	5	6	10	0-17	73	2.6	3	1	1	2	4	5	6
18-34	48	3.0	3	1	2	3	4	7	7	18-34	32	3.2	3	1	2	3	4	6	6
35-49	32	2.2	2	< 1	1	2	3	4	4	35-49	61	3.7	7	1	2	3	4	8	11
50-69	27	6.1	11							50-69	67	1.7	1	1	1	1	2	3	4
70 +	0									70 +	22	3.0	5						
SUBTOTAL	**297**	**3.3**	**6**	**1**	**1**	**3**	**4**	**7**	**9**		**254**	**2.7**	**4**	**1**	**1**	**2**	**4**	**6**	**6**
GRAND TOTAL	**297**	**3.3**	**6**	**1**	**1**	**3**	**4**	**7**	**9**		**254**	**2.7**	**4**	**1**	**1**	**2**	**4**	**6**	**6**

DRG 465: Aftercare w/ History of Malignancy As Secondary Diagnosis

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	11	1.5							
70-74	0								
75-79	6	1.0							
80-84	0								
85 +	6	29.0							
SUBTOTAL	**23**	**8.3**	**150**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	11	2.5	2						
70-74	0								
75-79	16	1.0							
80-84	5	1.0							
85 +	0								
SUBTOTAL	**32**	**1.5**	**1**	**1**	**1**	**1**	**1**	**4**	**4**
GRAND TOTAL	**55**	**4.3**	**72**	**1**	**1**	**1**	**2**	**26**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	16	3.5	12						
70 +	0								
	16	**3.5**	**12**						
0-17	10	2.5	2						
18-34	0								
35-49	5	1.0							
50-69	11	1.0							
70 +	0								
	26	**1.6**	**1**						
	42	**2.3**	**6**	**<1**	**1**	**1**	**4**	**8**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	5	1.0							
18-34	0								
35-49	5	2.0							
50-69	0								
70 +	0								
SUBTOTAL	**10**	**1.5**							
GRAND TOTAL	**10**	**1.5**							

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	10	15.0	217						
70 +	0								
	10	**15.0**	**217**						
0-17	5	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	5	**1.0**							
	16	**10.3**	**186**						

DRG 466: Aftercare w/o History of Malignancy As Secondary Diagnosis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	136	2.5	12	< 1	1	1	2	4	14	0-17	93	2.1	3	1	1	1	2	4	6
70-74	60	2.2	4	1	1	1	3	5	8	18-34	43	1.8		1	1	2	2	3	3
75-79	42	28.0	1089	1	1	10	61	84	84	35-49	41	1.1		< 1	1	1	1	2	2
80-84	65	14.5	509	1	2	7	17	17	84	50-69	90	1.9	5	< 1	1	1	2	3	10
85 +	27	37.1	1056							70 +	5	17.0							
SUBTOTAL	**331**	**10.9**	**465**	**1**	**1**	**2**	**8**	**34**	**82**		**272**	**2.1**	**7**	**< 1**	**1**	**1**	**2**	**4**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	22	7.1	40							0-17	249	1.3	1	< 1	1	1	1	2	3
70-74	22	7.3	137							18-34	91	2.1	1	1	1	2	3	4	4
75-79	33	3.6	14	1	1	1	7	10	10	35-49	59	2.6	18	< 1	1	1	2	3	16
80-84	34	7.3	26	1	2	7	11	15	15	50-69	43	1.4		1	1	1	2	3	3
85 +	45	13.8	334	1	1	5	27	56	56	70 +	10	1.0							
SUBTOTAL	**155**	**8.3**	**141**	**1**	**1**	**5**	**11**	**27**	**28**		**452**	**1.6**	**3**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**486**	**10.1**	**362**	**1**	**1**	**2**	**10**	**27**	**60**		**724**	**1.8**	**5**	**< 1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	47	5.2	121	1	1	1	2	29	36	0-17	26	3.6	11						
18-34	5	1.0								18-34	10	1.0							
35-49	6	1.0								35-49	0								
50-69	0									50-69	31	4.3	12	< 1	1	4	33	99 +	99 +
70 +	0									70 +	105	38.4	905	7	16	57	99 +	99 +	99 +
SUBTOTAL	**57**	**4.4**	**101**	**1**	**1**	**1**	**2**	**2**	**36**		**173**	**24.7**	**843**	**1**	**5**	**20**	**78**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	42	2.3	5	1	1	1	6	6	6	0-17	119	1.3	1	1	1	1	1	2	3
18-34	27	2.2	1							18-34	21	4.4	17						
35-49	0									35-49	17	1.0							
50-69	0									50-69	11	1.0							
70 +	0									70 +	22	33.6	665						
SUBTOTAL	**69**	**2.3**	**3**	**1**	**1**	**1**	**3**	**6**	**6**		**190**	**5.3**	**183**	**1**	**1**	**1**	**2**	**11**	**41**
GRAND TOTAL	**126**	**3.2**	**48**	**1**	**1**	**1**	**2**	**6**	**6**		**362**	**14.6**	**590**	**1**	**1**	**4**	**36**	**99 +**	**99 +**

DRG 471: Bilateral or Multiple Major Joint Procs of Lower Extremity

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	468	11.5	48	6	8	10	13	18	23
70-74	441	12.4	66	6	8	11	14	17	25
75-79	491	13.9	60	8	9	11	16	26	34
80-84	331	12.7	30	7	9	12	14	19	22
85 +	182	13.0	22	7	9	13	16	18	22
SUBTOTAL	**1912**	**12.7**	**50**	**7**	**8**	**11**	**14**	**21**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	389	9.7	34	5	6	9	11	16	17
70-74	378	9.7	17	6	7	9	11	14	18
75-79	243	10.9	19	7	8	10	13	15	16
80-84	133	13.4	106	4	8	10	15	29	31
85 +	85	9.7	4	7	8	10	11	13	14
SUBTOTAL	**1228**	**10.4**	**33**	**6**	**7**	**9**	**12**	**15**	**18**
GRAND TOTAL	**3139**	**11.8**	**45**	**6**	**8**	**10**	**14**	**18**	**24**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	75	9.0	19	6	7	8	9	16	22
50-69	342	11.5	45	6	8	9	12	24	31
70 +	37	6.7	3	4	5	7	8	9	9
	454	**10.7**	**39**	**6**	**7**	**9**	**11**	**19**	**28**
0-17	0								
18-34	10	7.0	18						
35-49	63	9.0	16	5	5	8	12	15	17
50-69	544	9.0	17	5	6	8	10	14	15
70 +	11	7.0							
	628	**8.9**	**16**	**5**	**6**	**8**	**10**	**14**	**15**
	1082	**9.7**	**27**	**5**	**7**	**8**	**11**	**15**	**20**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	5	8.0							
35-49	0								
50-69	11	14.8	46						
70 +	6	8.0							
SUBTOTAL	**22**	**11.4**	**34**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	16	8.4	4						
70 +	0								
SUBTOTAL	**16**	**8.4**	**4**						
GRAND TOTAL	**38**	**10.1**	**23**	**7**	**7**	**8**	**11**	**21**	**21**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	16	9.8	12						
50-69	80	9.7	18	6	7	9	10	17	21
70 +	66	8.2	9	5	6	8	10	11	15
	163	**9.1**	**14**	**5**	**7**	**8**	**10**	**15**	**17**
0-17	0								
18-34	5	5.0							
35-49	0								
50-69	59	10.2	12	4	9	11	12	13	16
70 +	45	8.1	23	4	5	7	9	20	20
	108	**9.1**	**18**	**4**	**5**	**9**	**12**	**15**	**20**
	271	**9.1**	**15**	**4**	**6**	**9**	**11**	**15**	**17**

DRG 472: Extensive Burns w/ O.R. Procedure

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10	25.5	80							0-17	21	37.8	149						
70-74	5	33.0								18-34	10	66.5	421						
75-79	0									35-49	10	48.5	80						
80-84	0									50-69	10	37.5							
85 +	0									70 +	0								
SUBTOTAL	**16**	**28.0**	**65**								**52**	**45.6**	**280**	**28**	**37**	**39**	**57**	**71**	**86**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5	47.0								0-17	10	28.5	14						
70-74	0									18-34	10	23.5	62						
75-79	0									35-49	10	32.5	62						
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**5**	**47.0**									**31**	**28.2**	**57**	**16**	**25**	**28**	**32**	**40**	**40**
GRAND TOTAL	**21**	**32.8**	**119**								**83**	**39.1**	**267**	**25**	**28**	**37**	**44**	**57**	**86**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	39.3	106							0-17	10	21.0	18						
18-34	5	33.0								18-34	10	80.5	2						
35-49	5	71.0								35-49	5	37.0							
50-69	5	30.0								50-69	5	48.0							
70 +	0									70 +	5	26.0							
SUBTOTAL	**31**	**42.0**	**239**	**26**	**30**	**42**	**71**	**99 +**	**99 +**		**36**	**44.9**	**609**	**17**	**25**	**37**	**79**	**82**	**82**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10	19.0	28							0-17	0								
18-34	10	30.5	339							18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**21**	**24.8**	**209**								**0**								
GRAND TOTAL	**52**	**35.1**	**295**	**14**	**24**	**33**	**50**	**71**	**99 +**		**36**	**44.9**	**609**	**17**	**25**	**37**	**79**	**82**	**82**

DRG 473: Acute Leukemia w/o Major O.R. Procedure Age >17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	359	25.1	358	4	7	25	35	57	65	0-17	0								
70-74	247	20.7	267	4	6	19	32	45	49	18-34	183	22.2	232	3	7	24	33	38	50
75-79	176	20.6	245	6	7	14	30	47	52	35-49	244	28.9	363	3	14	28	41	62	67
80-84	125	13.0	133	5	6	9	16	31	38	50-69	386	30.1	354	4	12	31	43	56	69
85 +	76	14.3	123	4	6	11	25	30	38	70 +	16	16.4	125						
SUBTOTAL	**983**	**20.8**	**285**	**4**	**6**	**16**	**30**	**47**	**55**		**829**	**27.7**	**337**	**4**	**11**	**29**	**39**	**54**	**67**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	48	7.7	66	2	3	4	9	24	28	0-17	0								
70-74	43	10.7	174	1	3	4	25	34	34	18-34	110	7.1	45	1	2	5	8	20	23
75-79	11	19.0	172							35-49	124	7.6	63	1	3	5	8	22	28
80-84	26	12.1	89							50-69	124	8.6	87	2	3	5	8	28	31
85 +	16	11.3	47							70 +	11	9.5	79						
SUBTOTAL	**144**	**10.7**	**114**	**2**	**3**	**4**	**15**	**32**	**32**		**369**	**7.9**	**66**	**1**	**3**	**5**	**8**	**22**	**28**
GRAND TOTAL	**1127**	**19.5**	**274**	**4**	**6**	**14**	**29**	**45**	**53**		**1199**	**21.6**	**338**	**3**	**5**	**19**	**32**	**47**	**62**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	89	32.1	229	8	27	34	37	51	59	18-34	80	26.7	502	3	5	28	41	60	75
35-49	37	36.5	70	27	28	37	43	52	52	35-49	105	31.0	281	7	20	31	40	48	80
50-69	36	29.6	187	7	15	31	39	50	50	50-69	53	20.0	225	5	7	8	33	36	48
70 +	0									70 +	21	3.5	5						
SUBTOTAL	**163**	**32.5**	**187**	**8**	**27**	**34**	**39**	**51**	**52**		**259**	**25.2**	**371**	**4**	**7**	**28**	**38**	**48**	**75**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	31	3.0	5	1	1	3	5	6	6	18-34	79	5.8	98	< 1	< 1	< 1	4	28	31
35-49	5	11.0								35-49	21	6.0	3						
50-69	0									50-69	43	4.4	5	1	3	4	7	8	8
70 +	0									70 +	5	4.0							
SUBTOTAL	**37**	**4.2**	**12**	**1**	**1**	**4**	**6**	**11**	**11**		**148**	**5.4**	**55**	**< 1**	**< 1**	**4**	**5**	**9**	**28**
GRAND TOTAL	**199**	**27.3**	**276**	**1**	**8**	**31**	**37**	**51**	**52**		**407**	**18.0**	**346**	**< 1**	**4**	**8**	**31**	**46**	**53**

DRG 475: Respiratory System Diagnosis with Ventilator Support

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3690	15.7	126	6	8	13	20	29	36
70-74	2508	14.6	84	5	8	12	19	26	33
75-79	1885	16.0	145	6	8	13	20	29	37
80-84	1376	16.2	99	7	9	14	20	31	38
85 +	897	14.8	70	5	8	13	19	26	31
SUBTOTAL	**10357**	**15.5**	**111**	**6**	**8**	**13**	**20**	**29**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	95	10.3	53	3	6	8	13	25	28
70-74	48	10.9	38	4	6	10	14	24	24
75-79	59	11.2	89	5	6	9	13	26	38
80-84	37	10.1	83	3	3	6	16	30	30
85 +	32	14.2	124	4	7	13	14	38	38
SUBTOTAL	**272**	**11.1**	**71**	**4**	**6**	**9**	**14**	**24**	**30**
GRAND TOTAL	**10629**	**15.4**	**110**	**6**	**8**	**13**	**19**	**29**	**35**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	449	14.3	201	3	6	11	16	28	41
18-34	300	10.7	82	2	4	8	17	27	29
35-49	501	11.0	55	3	6	10	14	23	25
50-69	1921	14.3	89	5	8	12	18	27	34
70 +	220	14.5	73	7	9	12	20	25	29
	3390	**13.5**	**99**	**4**	**7**	**11**	**17**	**26**	**33**
0-17	119	7.6	24	3	4	6	10	14	15
18-34	32	5.1	21	2	2	3	6	15	15
35-49	73	5.0	57	1	2	2	4	10	31
50-69	69	10.0	121	3	4	7	12	16	44
70 +	0								
	294	**7.3**	**57**	**2**	**3**	**4**	**10**	**15**	**20**
	3684	**13.0**	**99**	**4**	**6**	**11**	**17**	**25**	**33**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	457	13.8	184	3	7	11	17	23	46
18-34	358	13.2	146	4	6	10	15	25	39
35-49	327	15.4	220	5	8	12	18	23	35
50-69	688	15.7	99	6	9	13	20	33	37
70 +	37	19.0	206	4	8	12	33	45	45
SUBTOTAL	**1868**	**14.8**	**153**	**4**	**7**	**11**	**19**	**27**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	53	9.5	26	3	4	10	12	15	20
18-34	54	6.0	5	3	4	6	8	10	10
35-49	32	7.9	16	3	5	5	13	13	13
50-69	21	13.8	51						
70 +	0								
SUBTOTAL	**159**	**8.5**	**26**	**3**	**5**	**8**	**12**	**13**	**20**
GRAND TOTAL	**2026**	**14.3**	**146**	**4**	**7**	**11**	**18**	**26**	**39**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	208	15.6	164	3	7	12	19	32	38
18-34	132	8.8	107	3	3	5	9	25	34
35-49	270	13.1	92	4	5	10	18	30	33
50-69	444	13.3	61	5	7	12	16	24	29
70 +	119	11.2	50	4	5	9	16	21	26
	1172	**12.9**	**94**	**4**	**5**	**11**	**17**	**26**	**33**
0-17	52	6.8	16	1	2	9	11	11	99 +
18-34	31	4.0	4	2	3	3	5	8	8
35-49	16	5.3	2						
50-69	11	2.5							
70 +	0								
	110	**5.4**	**11**	**2**	**3**	**5**	**9**	**11**	**11**
	1282	**12.3**	**91**	**3**	**5**	**10**	**16**	**26**	**33**

DRG 478: Other Vascular Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	7538	9.0	81	1	3	7	11	18	25	0-17	119	8.1	115	1	2	5	9	17	35
70-74	4925	10.4	84	2	5	8	13	21	28	18-34	186	7.0	128	1	2	2	8	17	41
75-79	4134	10.8	88	2	5	8	14	22	29	35-49	923	8.2	96	1	2	6	10	17	23
80-84	2587	11.6	94	3	5	9	15	23	30	50-69	4570	8.3	54	2	4	6	10	17	22
85 +	1767	11.5	72	4	6	9	15	23	29	70 +	269	9.4	83	2	5	7	11	15	25
SUBTOTAL	**20951**	**10.2**	**85**	**2**	**4**	**8**	**13**	**21**	**28**		**6067**	**8.3**	**65**	**2**	**3**	**6**	**10**	**17**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**20951**	**10.2**	**85**	**2**	**4**	**8**	**13**	**21**	**28**		**6067**	**8.3**	**65**	**2**	**3**	**6**	**10**	**17**	**23**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	41	14.8	365	1	2	7	20	59	59	0-17	31	11.4	145	4	6	6	8	38	38
18-34	173	9.5	214	1	2	4	12	26	75	18-34	59	8.5	38	1	4	5	14	16	20
35-49	240	11.7	188	2	4	8	14	24	28	35-49	278	7.0	51	1	2	5	9	16	24
50-69	678	11.8	98	2	5	9	15	25	33	50-69	761	7.3	61	1	2	6	10	14	19
70 +	22	10.2	63							70 +	313	8.5	69	1	3	6	10	21	29
SUBTOTAL	**1154**	**11.5**	**143**	**2**	**4**	**8**	**14**	**26**	**35**		**1442**	**7.7**	**62**	**1**	**2**	**6**	**10**	**16**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1154**	**11.5**	**143**	**2**	**4**	**8**	**14**	**26**	**35**		**1442**	**7.7**	**62**	**1**	**2**	**6**	**10**	**16**	**23**

DRG 479: Other Vascular Procedures w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1930	4.9	11	1	2	5	7	9	11	0-17	166	4.9	17	1	2	4	7	9	12
70-74	1433	5.7	23	1	2	5	7	11	14	18-34	76	3.8	3	2	2	4	5	7	7
75-79	1033	6.0	17	1	3	5	8	11	12	35-49	737	4.3	9	1	2	4	6	8	10
80-84	581	7.0	57	1	2	5	9	12	18	50-69	2885	4.9	13	1	2	4	6	9	11
85 +	291	7.0	26	1	4	5	10	14	18	70 +	92	6.1	12	1	4	6	8	11	14
SUBTOTAL	**5269**	**5.7**	**22**	**1**	**2**	**5**	**7**	**11**	**13**		**3954**	**4.8**	**12**	**1**	**2**	**4**	**6**	**9**	**11**
GRAND TOTAL	**5269**	**5.7**	**22**	**1**	**2**	**5**	**7**	**11**	**13**		**3954**	**4.8**	**12**	**1**	**2**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	52	4.1	10	1	1	3	8	8	8	0-17	72	3.1	6	1	1	2	5	8	8
18-34	16	3.7	6							18-34	27	3.8	5						
35-49	132	8.7	71	1	2	6	13	22	23	35-49	202	4.3	10	1	2	3	6	8	11
50-69	193	6.8	49	2	4	5	7	14	17	50-69	573	3.5	9	1	1	3	5	7	9
70 +	6	8.0								70 +	191	3.8	11	1	1	3	6	8	13
SUBTOTAL	**398**	**6.9**	**51**	**1**	**2**	**5**	**8**	**16**	**21**		**1066**	**3.7**	**9**	**1**	**1**	**3**	**5**	**8**	**9**
GRAND TOTAL	**398**	**6.9**	**51**	**1**	**2**	**5**	**8**	**16**	**21**		**1066**	**3.7**	**9**	**1**	**1**	**3**	**5**	**8**	**9**

DRG 480: Liver Transplant

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10	25.5	62						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	25.5	62						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	10	25.5	62						

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	38.9	482	12	20	44	66	70	99 +
18-34	31	32.8	289	2	23	37	43	55	55
35-49	36	19.7	143	3	15	17	36	99 +	99 +
50-69	26	42.8	328	17	27	53	64	99 +	99 +
70 +	0								
	150	33.7	400	12	16	37	55	79	99 +
0-17	10	17.5							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	10	17.5							
	160	32.6	390	12	17	29	54	70	99 +

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	26	43.2	446						
18-34	26	41.2	395						
35-49	16	22.0	92						
50-69	0								
70 +	0								
SUBTOTAL	67	37.5	410	14	23	35	47	74	77
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	32.0	18						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	10	32.0	18						
GRAND TOTAL	78	36.8	361	14	23	35	47	74	77

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	5	63.0							
18-34	0								
35-49	0								
50-69	5	44.0							
70 +	0								
	10	53.5	100						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	10	53.5	100						

DRG 481: Bone Marrow Transplant

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5	24.0								0-17	83	44.8	75	34	38	47	52	57	99+
70-74	10	26.5								18-34	72	42.1	237	32	33	36	43	61	90
75-79	0									35-49	130	39.3	185	26	36	39	42	47	48
80-84	0									50-69	62	37.1	73	29	31	36	42	44	58
85+	5	18.0								70+	0								
SUBTOTAL	**21**	**23.8**	**13**								**348**	**40.8**	**156**	**29**	**35**	**39**	**44**	**55**	**61**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	31	48.0	117	32	38	49	55	64	64
70-74	0									18-34	10	15.5	233						
75-79	0									35-49	26	15.8	342						
80-84	5	27.0								50-69	10	3.0	1						
85+	0									70+	0								
SUBTOTAL	**5**	**27.0**									**78**	**26.9**	**502**	**1**	**1**	**32**	**47**	**55**	**64**
GRAND TOTAL	**26**	**24.4**	**12**								**425**	**38.3**	**247**	**26**	**33**	**38**	**47**	**55**	**61**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	56.8	492	32	32	57	66	96	96	0-17	10	42.0	28						
18-34	31	42.8	318	27	27	38	78	99+	99+	18-34	21	34.3	53						
35-49	16	48.3	418							35-49	26	34.8	45						
50-69	0									50-69	16	17.0	207						
70+	0									70+	0								
SUBTOTAL	**78**	**49.5**	**437**	**27**	**32**	**44**	**71**	**96**	**99+**		**73**	**31.9**	**143**	**12**	**27**	**35**	**40**	**45**	**47**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	10	55.0	54							0-17	0								
18-34	0									18-34	5	1.0							
35-49	0									35-49	6	23.0							
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**10**	**55.0**	**54**								**11**	**12.5**	**133**						
GRAND TOTAL	**88**	**50.2**	**394**	**27**	**32**	**49**	**66**	**96**	**99+**		**84**	**29.4**	**183**	**3**	**24**	**32**	**39**	**45**	**47**

DRG 482: Tracheostomy w/ Mouth, Larynx or Pharynx Disorder

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	626	14.5	83	7	10	12	17	22	28	0-17	78	18.8	229	5	9	14	42	99 +	99 +
70-74	408	18.5	191	7	11	14	22	33	49	18-34	58	12.4	60	4	7	10	15	24	30
75-79	249	15.8	152	7	9	12	18	32	56	35-49	286	11.7	29	6	8	11	14	20	22
80-84	91	19.8	213	9	13	15	20	33	69	50-69	773	16.5	176	7	10	13	20	28	32
85 +	49	13.7	45	3	10	15	18	22	24	70 +	26	19.0	328						
SUBTOTAL	**1423**	**16.2**	**136**	**7**	**10**	**13**	**19**	**28**	**37**		**1221**	**15.4**	**148**	**6**	**9**	**12**	**19**	**28**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	137	9.1	16	2	8	9	11	14	16	0-17	57	15.8	112	9	10	12	20	20	45
70-74	59	9.6	17	7	7	10	11	16	18	18-34	58	6.7	9	2	5	6	10	11	11
75-79	43	10.7	29	3	4	10	16	19	19	35-49	126	9.6	24	5	6	9	12	14	16
80-84	38	11.5	74	5	6	8	13	31	31	50-69	294	10.1	42	4	6	9	12	19	26
85 +	16	10.6	4							70 +	5	15.0							
SUBTOTAL	**293**	**9.8**	**25**	**4**	**8**	**9**	**12**	**16**	**19**		**540**	**10.3**	**46**	**4**	**6**	**9**	**12**	**18**	**22**
GRAND TOTAL	**1716**	**15.1**	**123**	**7**	**9**	**12**	**17**	**25**	**33**		**1761**	**13.8**	**122**	**5**	**8**	**11**	**16**	**25**	**30**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	57	23.6	134	9	14	24	34	39	43	0-17	26	39.8	839	11	28	33	94	99 +	99 +
18-34	37	8.5	7	5	6	8	11	13	13	18-34	11	6.9	4						
35-49	131	14.7	33	7	11	15	17	22	25	35-49	37	14.4	72	2	8	12	25	27	27
50-69	257	18.6	196	7	10	14	22	43	57	50-69	169	14.4	91	7	9	10	17	25	32
70 +	11	18.7	54							70 +	11	13.5							
SUBTOTAL	**493**	**17.4**	**141**	**6**	**10**	**15**	**21**	**34**	**46**		**253**	**16.6**	**218**	**6**	**9**	**12**	**21**	**31**	**53**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	67	35.6	1070	7	8	21	68	79	95	0-17	10	6.5	22						
18-34	26	8.4	17							18-34	21	6.6	25						
35-49	58	9.8	26	4	5	9	14	17	20	35-49	27	8.9	5						
50-69	53	9.1	24	3	5	10	10	15	20	50-69	54	11.3	62	4	7	9	11	32	32
70 +	0									70 +	5	6.0							
SUBTOTAL	**204**	**18.0**	**520**	**4**	**6**	**10**	**15**	**66**	**74**		**117**	**9.2**	**40**	**4**	**6**	**8**	**11**	**15**	**26**
GRAND TOTAL	**697**	**17.6**	**251**	**5**	**9**	**13**	**20**	**35**	**61**		**370**	**14.3**	**173**	**5**	**8**	**10**	**16**	**28**	**37**

DRG 483: Tracheostomy except for Mouth, Larynx or Pharynx Disorder

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1394	43.4	497	16	31	46	72	99 +	99 +	0-17	318	35.2	423	15	26	43	99 +	99 +	99 +
70-74	675	47.1	523	14	35	50	76	99 +	99 +	18-34	599	35.4	503	10	18	32	53	79	98
75-79	613	48.3	554	17	32	50	71	91	99 +	35-49	504	36.7	477	8	25	38	58	99 +	99 +
80-84	396	50.6	551	20	35	55	82	99 +	99 +	50-69	885	45.3	519	20	29	46	70	99 +	99 +
85 +	170	52.0	461	22	35	55	73	93	99 +	70 +	101	50.1	586	23	39	50	89	99 +	99 +
SUBTOTAL	**3248**	**46.4**	**526**	**17**	**33**	**49**	**73**	**99 +**	**99 +**		**2407**	**39.9**	**521**	**14**	**25**	**41**	**66**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	63	19.3	601	4	5	10	28	33	94	0-17	109	21.4	399	4	8	14	44	65	99 +
70-74	16	42.0	1125							18-34	74	11.9	45	4	7	12	15	18	29
75-79	16	6.0	5							35-49	59	5.0	8	2	3	4	7	8	11
80-84	0									50-69	16	5.4	3						
85 +	6	4.0								70 +	0								
SUBTOTAL	**100**	**19.9**	**665**	**3**	**5**	**8**	**32**	**65**	**89**		**258**	**13.9**	**230**	**3**	**4**	**8**	**16**	**44**	**65**
GRAND TOTAL	**3348**	**45.6**	**550**	**15**	**32**	**49**	**73**	**99 +**	**99 +**		**2665**	**37.4**	**552**	**9**	**21**	**39**	**64**	**99 +**	**99 +**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	177	41.1	748	18	34	99 +	99 +	99 +	99 +	0-17	36	32.7	655	7	27	85	99 +	99 +	99 +
18-34	272	42.1	740	12	22	49	91	99 +	99 +	18-34	105	30.4	380	11	14	32	51	63	99 +
35-49	264	40.9	597	15	23	44	77	99 +	99 +	35-49	126	39.9	398	11	30	39	54	97	99 +
50-69	207	46.1	613	15	36	48	90	99 +	99 +	50-69	171	39.5	506	12	25	41	58	89	99 +
70 +	26	41.3	123							70 +	88	44.4	335	15	37	43	54	76	78
SUBTOTAL	**947**	**42.4**	**658**	**15**	**27**	**53**	**99 +**	**99 +**	**99 +**		**527**	**38.1**	**455**	**11**	**23**	**41**	**58**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	36	31.9	535	3	18	44	71	99 +	99 +	0-17	10	54.5	2192						
18-34	48	17.3	735	< 1	5	9	12	90	90	18-34	38	9.4	77	1	4	6	14	28	28
35-49	10	8.0								35-49	26	7.0	28						
50-69	5	15.0								50-69	11	19.4	89						
70 +	0									70 +	0								
SUBTOTAL	**100**	**21.5**	**610**	**3**	**7**	**12**	**44**	**90**	**99 +**		**85**	**15.5**	**527**	**2**	**5**	**7**	**16**	**28**	**99**
GRAND TOTAL	**1047**	**40.4**	**691**	**12**	**24**	**51**	**99 +**	**99 +**	**99 +**		**611**	**35.0**	**526**	**7**	**15**	**39**	**55**	**98**	**99 +**

DRG 484: Craniotomy for Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	79	19.7	121	4	15	24	27	99 +	99 +
70-74	5	11.0								18-34	100	20.9	76	12	14	21	24	37	41
75-79	11	22.5	79							35-49	16	23.1	114						
80-84	0									50-69	26	22.0	463						
85 +	5	15.0								70 +	6	63.0							
SUBTOTAL	**22**	**17.9**	**65**								**227**	**21.8**	**179**	**8**	**14**	**21**	**30**	**60**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	5	13.0							
70-74	0									18-34	5	19.0							
75-79	0									35-49	6	11.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**16**	**14.2**	**12**						
GRAND TOTAL	**22**	**17.9**	**65**								**243**	**21.3**	**171**	**8**	**14**	**21**	**28**	**60**	**99 +**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	16.8	92							0-17	10	26.5	146						
18-34	5	18.0								18-34	27	24.8	133						
35-49	5	13.0								35-49	5	17.0							
50-69	5	34.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**42**	**18.6**	**93**	**5**	**12**	**13**	**28**	**34**	**34**		**43**	**24.3**	**124**	**11**	**14**	**25**	**37**	**38**	**38**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	5	10.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**5**	**10.0**							
GRAND TOTAL	**42**	**18.6**	**93**	**5**	**12**	**13**	**28**	**34**	**34**		**48**	**22.7**	**130**	**10**	**13**	**17**	**36**	**38**	**38**

DRG 485: Limb Reattachment, Hip And Femur Proc for Multiple Significant Trauma

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	54	16.3	40	9	10	15	20	25	29		0-17	207	16.8	62	8	10	15	24	28	29	
70-74	31	21.8	172	10	12	20	27	48	48		18-34	632	17.3	154	6	9	14	20	30	40	
75-79	77	17.0	152	9	10	12	19	32	53		35-49	225	17.7	156	6	9	14	24	33	35	
80-84	109	13.7	42	7	8	12	18	22	30		50-69	148	22.9	216	8	10	19	26	48	51	
85 +	145	11.8	25	6	9	10	14	19	20		70 +	59	23.0	141	12	14	17	35	39	45	
SUBTOTAL	**418**	**14.6**	**73**	**7**	**10**	**12**	**18**	**26**	**31**			**1271**	**18.2**	**150**	**7**	**10**	**15**	**23**	**32**	**40**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	6	9.0									0-17	16	5.7	6							
70-74	0										18-34	22	17.2	113							
75-79	0										35-49	0									
80-84	0										50-69	5	8.0								
85 +	11	7.5									70 +	0									
SUBTOTAL	**16**	**8.0**	**1**									**42**	**11.8**	**90**	**4**	**5**	**8**	**25**	**29**	**29**	
GRAND TOTAL	**434**	**14.3**	**72**	**7**	**9**	**12**	**17**	**26**	**31**			**1313**	**18.0**	**149**	**6**	**10**	**15**	**23**	**32**	**40**	

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	54	26.2	283	8	14	22	31	65	68		0-17	57	14.4	31	9	11	14	16	19	29	
18-34	70	19.2	47	12	14	19	21	32	33		18-34	232	15.7	111	8	10	12	16	32	37	
35-49	27	22.3	489	7	10	14	64	99 +	99 +		35-49	16	19.0	11							
50-69	6	20.0									50-69	5	53.0								
70 +	0										70 +	22	9.5	2							
SUBTOTAL	**157**	**22.2**	**209**	**10**	**13**	**19**	**28**	**64**	**68**			**332**	**15.8**	**108**	**8**	**10**	**13**	**17**	**32**	**49**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	0										0-17	0									
18-34	10	13.5	122								18-34	5	7.0								
35-49	6	33.0									35-49	10	3.5								
50-69	0										50-69	0									
70 +	0										70 +	5	10.0								
SUBTOTAL	**16**	**20.4**	**169**									**21**	**6.0**	**8**							
GRAND TOTAL	**173**	**22.0**	**204**	**10**	**13**	**19**	**29**	**38**	**68**			**353**	**15.2**	**108**	**7**	**10**	**12**	**16**	**32**	**49**	

DRG 486: Other O.R. Procedures for Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	81	17.5	146	6	7	13	25	41	42
70-74	49	16.2	101	8	10	13	15	33	42
75-79	31	21.2	221	9	13	13	21	53	53
80-84	17	17.7	199						
85 +	26	14.6	43						
SUBTOTAL	**205**	**17.4**	**139**	**7**	**9**	**13**	**21**	**40**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	6	14.0							
80-84	0								
85 +	5	7.0							
SUBTOTAL	**11**	**10.6**	**13**						
GRAND TOTAL	**216**	**17.1**	**135**	**7**	**9**	**13**	**21**	**37**	**42**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	563	15.4	242	5	7	10	18	36	44
18-34	1167	13.7	180	5	7	10	15	23	37
35-49	487	16.7	146	5	8	13	23	30	44
50-69	329	16.3	114	5	9	13	25	33	43
70 +	91	19.5	149	8	11	18	22	32	59
	2637	**15.1**	**179**	**5**	**7**	**11**	**19**	**29**	**43**
0-17	58	8.3	23	3	4	7	11	13	20
18-34	43	18.1	800	4	5	11	12	93	93
35-49	21	8.2	10						
50-69	6	25.0							
70 +	0								
	128	**12.3**	**304**	**4**	**5**	**9**	**12**	**20**	**25**
	2765	**16.0**	**185**	**5**	**7**	**11**	**18**	**29**	**43**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	142	14.1	116	6	7	11	19	22	29
18-34	456	14.1	80	5	8	12	18	26	32
35-49	64	21.2	453	6	6	11	27	31	83
50-69	21	11.5	36						
70 +	0								
SUBTOTAL	**683**	**14.7**	**125**	**6**	**8**	**11**	**19**	**27**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	9.5	7						
18-34	10	7.5	7						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**21**	**8.5**	**8**						
GRAND TOTAL	**704**	**14.5**	**123**	**5**	**8**	**11**	**19**	**26**	**32**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	174	13.7	96	6	8	11	16	26	31
18-34	752	13.5	111	5	6	10	17	29	36
35-49	212	17.4	229	7	9	11	19	30	45
50-69	37	20.6	273	8	10	11	25	99 +	99 +
70 +	5	84.0							
	1180	**14.8**	**159**	**5**	**7**	**11**	**18**	**30**	**45**
0-17	5	5.0							
18-34	49	8.7	9	4	7	8	10	13	15
35-49	0								
50-69	0								
70 +	0								
	54	**8.3**	**9**	**4**	**6**	**8**	**10**	**11**	**15**
	1234	**14.5**	**154**	**5**	**7**	**11**	**17**	**30**	**45**

DRG 487: Other Multiple Significant Trauma

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	96	13.8	213	4	5	10	12	26	66
70-74	120	10.4	66	2	5	8	14	17	30
75-79	82	11.1	54	3	5	11	14	19	31
80-84	103	11.5	55	2	7	10	16	25	31
85 +	159	9.8	51	4	5	8	10	21	29
SUBTOTAL	**560**	**11.1**	**85**	**3**	**5**	**9**	**13**	**25**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	7.3	4						
70-74	0								
75-79	0								
80-84	0								
85 +	11	7.9	4						
SUBTOTAL	**27**	**7.5**	**4**						
GRAND TOTAL	**587**	**11.0**	**81**	**3**	**5**	**9**	**13**	**25**	**29**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	822	9.4	98	2	3	6	11	22	30
18-34	1017	9.4	70	3	4	7	11	18	25
35-49	466	10.6	84	3	6	9	12	19	24
50-69	401	9.4	69	2	5	8	12	16	20
70 +	150	13.4	67	5	8	12	16	21	40
	2857	**9.8**	**81**	**3**	**4**	**7**	**12**	**20**	**28**
0-17	79	8.0	71	1	4	6	8	18	36
18-34	38	5.6	19	< 1	2	5	9	14	14
35-49	6	5.0							
50-69	28	3.8	4						
70 +	5	30.0							
	155	**7.3**	**62**	**1**	**3**	**5**	**7**	**15**	**30**
	3012	**9.7**	**80**	**2**	**4**	**7**	**12**	**20**	**28**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	169	8.3	27	3	4	7	10	17	21
18-34	154	10.6	169	3	4	6	9	32	45
35-49	37	11.2	32	5	7	9	17	22	22
50-69	42	21.0	187	7	11	14	22	47	47
70 +	6	3.0							
SUBTOTAL	**407**	**10.7**	**111**	**3**	**5**	**8**	**11**	**22**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	26	3.6	3						
18-34	6	4.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**32**	**3.7**	**3**	**1**	**3**	**4**	**5**	**6**	**6**
GRAND TOTAL	**439**	**10.2**	**107**	**3**	**4**	**7**	**11**	**21**	**32**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	168	6.7	40	1	2	5	8	13	21
18-34	363	9.1	140	2	3	6	10	16	26
35-49	145	7.5	72	2	3	5	9	16	16
50-69	71	6.6	7	2	5	7	8	10	11
70 +	22	13.7	89						
	769	**8.2**	**93**	**2**	**3**	**6**	**9**	**16**	**26**
0-17	21	3.2	2						
18-34	37	6.1	15	1	3	5	8	13	13
35-49	5	5.0							
50-69	0								
70 +	0								
	63	**5.0**	**11**	**1**	**3**	**5**	**7**	**9**	**13**
	832	**7.9**	**88**	**2**	**3**	**6**	**9**	**16**	**26**

DRG 488: HIV w/ Extensive O.R. Procedure

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	43	22.4	256	3	9	22	29	57	57
70-74	10	8.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**54**	**19.6**	**239**	**3**	**8**	**21**	**26**	**35**	**57**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**54**	**19.6**	**239**	**3**	**8**	**21**	**26**	**35**	**57**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	107	23.2	130	10	14	21	31	41	47
35-49	147	21.9	244	6	8	19	33	54	57
50-69	31	32.9	456	12	16	34	36	76	76
70 +	0								
SUBTOTAL	**286**	**23.6**	**234**	**7**	**11**	**21**	**34**	**47**	**57**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**286**	**23.6**	**234**	**7**	**11**	**21**	**34**	**47**	**57**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	12.5	14						
18-34	142	22.4	220	6	12	21	22	56	56
35-49	88	18.9	107	7	12	15	28	36	40
50-69	10	53.0	536						
70 +	0								
SUBTOTAL	**251**	**22.0**	**229**	**7**	**12**	**18**	**28**	**42**	**56**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**251**	**22.0**	**229**	**7**	**12**	**18**	**28**	**42**	**56**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	58	8.4	19	3	4	8	12	15	15
35-49	85	18.2	87	6	11	18	26	30	37
50-69	0								
70 +	0								
SUBTOTAL	**142**	**14.2**	**82**	**4**	**6**	**12**	**22**	**27**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**142**	**14.2**	**82**	**4**	**6**	**12**	**22**	**27**	**30**

DRG 489: HIV w/ Major Related Condition

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	241	16.3	137	3	7	14	21	32	39
70-74	6	48.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**246**	**17.0**	**156**	**3**	**7**	**14**	**21**	**37**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**246**	**17.0**	**156**	**3**	**7**	**14**	**21**	**37**	**46**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	41	6.4	17	2	3	4	10	13	13
18-34	685	14.3	172	4	6	11	17	29	42
35-49	794	13.1	131	3	5	9	16	29	37
50-69	100	19.4	280	7	11	13	22	37	80
70 +	0								
	1620	**13.8**	**158**	**3**	**5**	**10**	**17**	**29**	**39**
0-17	0								
18-34	16	7.3	11						
35-49	31	7.6	26	5	5	5	6	19	19
50-69	5	40.0							
70 +	0								
	53	**10.7**	**114**	**5**	**5**	**5**	**12**	**25**	**40**
	1673	**13.7**	**157**	**4**	**5**	**10**	**17**	**29**	**39**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	109	13.2	190	2	4	8	14	36	46
18-34	1000	11.7	91	4	6	9	15	25	32
35-49	653	14.3	141	4	6	11	18	28	39
50-69	47	14.6	92	5	9	9	23	30	31
70 +	0								
SUBTOTAL	**1808**	**12.8**	**117**	**4**	**6**	**10**	**16**	**27**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	5	11.0							
18-34	16	11.3	15						
35-49	21	12.9	155						
50-69	0								
70 +	0								
SUBTOTAL	**42**	**12.1**	**83**	**3**	**7**	**8**	**14**	**34**	**34**
GRAND TOTAL	**1850**	**12.8**	**116**	**4**	**6**	**10**	**16**	**28**	**34**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	7.2	76						
18-34	399	13.5	113	3	5	12	19	25	34
35-49	299	13.7	130	4	6	10	18	27	43
50-69	52	12.0	34	4	8	12	13	21	23
70 +	0								
	776	**13.3**	**115**	**4**	**5**	**12**	**18**	**24**	**34**
0-17	0								
18-34	5	21.0							
35-49	6	5.0							
50-69	0								
70 +	0								
	11	**12.7**	**70**						
	787	**13.3**	**114**	**4**	**5**	**12**	**18**	**23**	**34**

DRG 490: HIV w/ or w/o Other Related Condition

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	90	4.5	11	1	2	3	7	9	13	0-17	93	4.5	24	<1	2	3	5	8	22
70-74	0									18-34	322	9.5	82	2	3	6	11	24	26
75-79	0									35-49	357	6.9	49	1	2	4	9	15	18
80-84	0									50-69	59	9.4	74	1	1	5	20	22	22
85 +	0									70 +	0								
SUBTOTAL	**90**	**4.5**	**11**	**1**	**2**	**3**	**7**	**9**	**13**		**831**	**7.8**	**64**	**1**	**2**	**5**	**10**	**19**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10	18.0	54							0-17	5	9.0							
70-74	0									18-34	11	9.2	18						
75-79	0									35-49	47	4.2	5	2	3	3	6	8	9
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**10**	**18.0**	**54**								**63**	**5.5**	**11**	**2**	**3**	**5**	**7**	**10**	**13**
GRAND TOTAL	**101**	**5.9**	**32**	**1**	**2**	**4**	**9**	**13**	**18**		**895**	**7.7**	**60**	**1**	**3**	**5**	**10**	**18**	**24**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	114	10.1	143	2	3	4	15	23	32	0-17	10	1.5							
18-34	443	7.9	81	2	3	5	9	14	28	18-34	96	6.4	30	1	3	5	8	18	20
35-49	214	11.4	172	2	3	8	16	26	42	35-49	122	6.7	19	2	4	6	8	14	15
50-69	11	7.4	13							50-69	10	1.0							
70 +	0									70 +	0								
SUBTOTAL	**782**	**9.2**	**116**	**2**	**3**	**6**	**10**	**20**	**32**		**239**	**6.1**	**24**	**1**	**2**	**5**	**7**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	6.7	38	1	1	4	11	18	18	0-17	5	2.0							
18-34	57	5.2	11	1	3	5	6	10	12	18-34	26	6.0	11						
35-49	10	2.0	1							35-49	22	6.6	59						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**98**	**5.3**	**20**	**1**	**1**	**4**	**6**	**12**	**16**		**53**	**5.9**	**31**	**1**	**1**	**5**	**7**	**19**	**19**
GRAND TOTAL	**880**	**8.7**	**107**	**1**	**3**	**5**	**10**	**19**	**30**		**291**	**6.1**	**25**	**1**	**2**	**5**	**7**	**14**	**18**

DRG 491: Major Joint And Limb Reattachment Procedures, Upper Extremity

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	206	6.1	12	3	4	6	7	9	10	0-17	0								
70-74	108	6.6	14	3	4	5	7	14	17	18-34	11	7.6	13						
75-79	135	7.7	60	3	4	6	8	12	14	35-49	42	5.4	8	2	3	4	8	10	10
80-84	92	9.1	11	5	6	9	11	14	17	50-69	123	5.8	13	3	3	4	9	13	13
85 +	75	10.4	53	4	5	8	11	25	28	70 +	16	17.0	175						
SUBTOTAL	**617**	**7.5**	**30**	**3**	**5**	**6**	**9**	**12**	**17**		**192**	**6.7**	**35**	**3**	**3**	**5**	**9**	**13**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	294	4.1	5	2	3	3	5	7	7	0-17	0								
70-74	308	4.6	4	2	3	5	6	7	10	18-34	27	1.6							
75-79	194	6.4	24	3	3	5	7	13	14	35-49	171	3.0	2	1	2	3	4	5	5
80-84	76	5.0	5	3	3	4	7	8	9	50-69	326	3.5	3	2	2	3	4	5	7
85 +	58	7.3	24	2	4	6	8	10	21	70 +	11	4.0	1						
SUBTOTAL	**929**	**5.0**	**11**	**2**	**3**	**4**	**6**	**8**	**10**		**535**	**3.2**	**3**	**2**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**1546**	**6.0**	**20**	**3**	**3**	**5**	**7**	**10**	**13**		**727**	**4.2**	**14**	**2**	**2**	**3**	**5**	**8**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	6	8.0								18-34	0								
35-49	11	5.5								35-49	10	3.0	1						
50-69	10	4.0	10							50-69	44	5.6	12	2	3	4	7	13	13
70 +	0									70 +	16	11.9	28						
SUBTOTAL	**27**	**5.5**	**6**								**70**	**6.7**	**23**	**2**	**4**	**5**	**9**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	10	6.0	4							18-34	11	2.5							
35-49	16	4.6	8							35-49	38	3.4	3	2	2	2	5	7	7
50-69	21	4.8								50-69	60	4.0	4	1	2	4	6	6	8
70 +	5	4.0								70 +	38	3.6	1	2	3	4	4	5	5
SUBTOTAL	**53**	**4.9**	**3**	**1**	**4**	**5**	**6**	**7**	**8**		**147**	**3.6**	**3**	**2**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**79**	**5.1**	**4**	**1**	**4**	**5**	**7**	**8**	**8**		**217**	**4.6**	**12**	**2**	**2**	**4**	**5**	**9**	**14**

DRG 492: Chemotherapy w/ Acute Leukemia As Secondary Diagnosis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	81	14.1	168	6	7	8	20	38	49	0-17	1801	3.6	23	1	2	2	3	5	8
70-74	22	11.1	189							18-34	157	7.4	92	1	2	3	6	24	34
75-79	37	6.2	98	1	1	2	5	30	30	35-49	223	16.7	222	3	5	7	28	37	47
80-84	11	29.4	509							50-69	236	13.2	128	3	5	6	24	31	32
85 +	0									70 +	6	33.0							
SUBTOTAL	**150**	**12.8**	**205**	**1**	**4**	**7**	**15**	**38**	**49**		**2422**	**6.0**	**77**	**2**	**2**	**3**	**5**	**21**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**150**	**12.8**	**205**	**1**	**4**	**7**	**15**	**38**	**49**		**2422**	**6.0**	**77**	**2**	**2**	**3**	**5**	**21**	**29**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	786	3.9	26	2	2	3	4	6	9	0-17	261	2.9	2	2	2	3	3	5	5
18-34	73	13.1	221	1	4	6	15	43	50	18-34	59	11.4	70	4	5	7	20	22	29
35-49	84	6.5	49	3	4	4	5	26	99 +	35-49	52	11.0	109	4	5	6	17	26	37
50-69	0									50-69	16	21.0	148						
70 +	0									70 +	0								
SUBTOTAL	**944**	**4.8**	**49**	**2**	**2**	**3**	**4**	**8**	**23**		**387**	**6.0**	**55**	**2**	**2**	**3**	**5**	**17**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**944**	**4.8**	**49**	**2**	**2**	**3**	**4**	**8**	**23**		**387**	**6.0**	**55**	**2**	**2**	**3**	**5**	**17**	**25**

Appendices

Appendix 1

1990-91 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

HOSPITAL CATEGORY	UNIVERSE TOTAL[2]	LOS BY DRG SAMPLE	%
Region			
Northeastern	759	91	12.0
North Central	1,554	311	20.0
Southern	2,020	176	8.7
Western	1,003	233	23.2
Total	5,336	811	15.2
Location[3]			
Urban	2,811	491	17.5
Rural	2,525	320	12.7
Teaching Intensity[4]			
High/Medium	975	219	22.5
Low	4,361	592	13.6

---

[1] Hospitals with average stay less than 30 days

[2] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association

[3] Urban hospitals are those with a metropolitan statistical area designation on the AHA Annual Survey of Hospitals. Hospitals without a metropolitan statistical area designation represent rural hospitals.

[4] The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.

Appendix 2

STATE INCLUSIONS BY REGION

Northeast

Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central

Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South

Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West

Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Appendix 3

DIAGNOSIS RELATED GROUPS

DRG	Description
1	Craniotomy Age >17 except for Trauma
2	Craniotomy for Trauma Age > 17
3	Craniotomy Age 0-17
4	Spinal Procedures
5	Extracranial Vascular Procedures
6	Carpal Tunnel Release
7	Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC
8	Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC
9	Spinal Disorders & Injuries
10	Nervous System Neoplasms w/ CC
11	Nervous System Neoplasms w/o CC
12	Degenerative Nervous System Disorders
13	Multiple Sclerosis & Cerebellar Ataxia
14	Specific Cerebrovascular Disorders except TIA
15	Transient Ischemic Attack & Precerebral Occlusions
16	Nonspecific Cerebrovascular Disorders w/ CC
17	Nonspecific Cerebrovascular Disorders w/o CC
18	Cranial & Peripheral Nerve Disorders w/ CC
19	Cranial & Peripheral Nerve Disorders w/o CC
20	Nervous System Infection except Viral Meningitis
21	Viral Meningitis
22	Hypertensive Encephalopathy
23	Nontraumatic Stupor & Coma
24	Seizure & Headache Age >17 w/ CC
25	Seizure & Headache Age >17 w/o CC
26	Seizure & Headache Age 0-17
27	Traumatic Stupor & Coma, Coma >1 Hr
28	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC
29	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC
30	Traumatic Stupor & Coma, Coma <1 Hr Age 0-17
31	Concussion Age >17 w/ CC
32	Concussion Age >17 w/o CC
33	Concussion Age 0-17
34	Other Disorders of Nervous System w/ CC
35	Other Disorders of Nervous System w/o CC
36	Retinal Procedures
37	Orbital Procedures
38	Primary Iris Procedures
39	Lens Procedures with or without Vitrectomy
40	Extraocular Procedures except Orbit Age > 17
41	Extraocular Procedures except Orbit Age 0-17
42	Intraocular Procedures except Retina, Iris & Lens
43	Hyphema
44	Acute Major Eye Infections
45	Neurological Eye Disorders
46	Other Disorders of the Eye Age >17 w/ CC
47	Other Disorders of the Eye Age >17 w/o CC
48	Other Disorders of the Eye Age 0-17
49	Major Head & Neck Procedures
50	Sialoadenectomy
51	Salivary Gland Procedures except Sialoadenectomy
52	Cleft Lip & Palate Repair

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
53	Sinus & Mastoid Procedures Age > 17
54	Sinus & Mastoid Procedures Age 0-17
55	Miscellaneous Ear, Nose, Mouth & Throat Procedures
56	Rhinoplasty
57	T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17
58	T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17
59	Tonsillectomy &/or Adenoidectomy Only, Age > 17
60	Tonsillectomy &/or Adenoidectomy Only, Age 0-17
61	Myringotomy w/ Tube Insertion Age > 17
62	Myringotomy w/ Tube Insertion Age 0-17
63	Other Ear, Nose, Mouth & Throat O.R. Procedures
64	Ear, Nose, Mouth & Throat Malignancy
65	Dysequilibrium
66	Epistaxis
67	Epiglottitis
68	Otitis Media & URI Age >17 w/ CC
69	Otitis Media & URI Age >17 w/o CC
70	Otitis Media & URI Age 0-17
71	Laryngotracheitis
72	Nasal Trauma & Deformity
73	Other Ear, Nose, Mouth & Throat Diagnoses Age > 17
74	Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17
75	Major Chest Procedures
76	Other Resp System O.R. Procedures w/ CC
77	Other Resp System O.R. Procedures w/o CC
78	Pulmonary Embolism
79	Respiratory Infections & Inflammations Age >17 w/ CC
80	Respiratory Infections & Inflammations Age >17 w/o CC
81	Respiratory Infections & Inflammations Age 0-17
82	Respiratory Neoplasms
83	Major Chest Trauma w/ CC
84	Major Chest Trauma w/o CC
85	Pleural Effusion w/ CC
86	Pleural Effusion w/o CC
87	Pulmonary Edema & Respiratory Failure
88	Chronic Obstructive Pulmonary Disease
89	Simple Pneumonia & Pleurisy Age >17 w/ CC
90	Simple Pneumonia & Pleurisy Age >17 w/o CC
91	Simple Pneumonia & Pleurisy Age 0-17
92	Interstitial Lung Disease w/ CC
93	Interstitial Lung Disease w/o CC
94	Pneumothorax w/ CC
95	Pneumothorax w/o CC
96	Bronchitis & Asthma Age >17 w/ CC
97	Bronchitis & Asthma Age >17 w/o CC
98	Bronchitis & Asthma Age 0-17
99	Respiratory Signs & Symptoms w/ CC
100	Respiratory Signs & Symptoms w/o CC
101	Other Respiratory System Diagnoses w/ CC
102	Other Respiratory System Diagnoses w/o CC
103	Heart Transplant
104	Cardiac Valve Procedures w/ Cardiac Cath
105	Cardiac Valve Procedures w/o Cardiac Cath
106	Coronary Bypass w/ Cardiac Cath
107	Coronary Bypass w/o Cardiac Cath
108	Other Cardiothoracic Procedures

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
109	No Longer Valid (Table Excluded)
110	Major Cardiovascular Procedures w/ CC
111	Major Cardiovascular Procedures w/o CC
112	Percutaneous Cardiovascular Procedures
113	Amputation for Circ System Disorders except Upper Limb & Toe
114	Upper Limb & Toe Amputation for Circ System Disorders
115	Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock
116	Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock
117	Cardiac Pacemaker Revision except Device Replacement
118	Cardiac Pacemaker Device Replacement
119	Vein Ligation & Stripping
120	Other Circulatory System O.R. Procedures
121	Circulatory Disorders w/ AMI & C.V. Comp Disch Alive
122	Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive
123	Circulatory Disorders w/ AMI, Expired (Table Excluded)
124	Circulatory Disorders except AMI, w/ Card Cath & Complex Diag
125	Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag
126	Acute & Subacute Endocarditis
127	Heart Failure & Shock
128	Deep Vein Thrombophlebitis
129	Cardiac Arrest, Unexplained
130	Peripheral Vascular Disorders w/ CC
131	Peripheral Vascular Disorders w/o CC
132	Atherosclerosis w/ CC
133	Atherosclerosis w/o CC
134	Hypertension
135	Cardiac Congenital & Valvular Disorders Age >17 w/ CC
136	Cardiac Congenital & Valvular Disorders Age >17 w/o CC
137	Cardiac Congenital & Valvular Disorders Age 0-17
138	Cardiac Arrhythmia & Conduction Disorders w/ CC
139	Cardiac Arrhythmia & Conduction Disorders w/o CC
140	Angina Pectoris
141	Syncope & Collapse w/ CC
142	Syncope & Collapse w/o CC
143	Chest Pain
144	Other Circulatory System Diagnoses w/ CC
145	Other Circulatory System Diagnoses w/o CC
146	Rectal Resection w/ CC
147	Rectal Resection w/o CC
148	Major Small & Large Bowel Procedures w/ CC
149	Major Small & Large Bowel Procedures w/o CC
150	Peritoneal Adhesiolysis w/ CC
151	Peritoneal Adhesiolysis w/o CC
152	Minor Small & Large Bowel Procedures w/ CC
153	Minor Small & Large Bowel Procedures w/o CC
154	Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC
155	Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC
156	Stomach, Esophageal & Duodenal Procedures Age 0-17
157	Anal & Stomal Procedures w/ CC
158	Anal & Stomal Procedures w/o CC
159	Hernia Procedures except Inguinal & Femoral Age >17 w/ CC
160	Hernia Procedures except Inguinal & Femoral Age >17 w/o CC
161	Inguinal & Femoral Hernia Procedures Age >17 w/ CC
162	Inguinal & Femoral Hernia Procedures Age >17 w/o CC
163	Hernia Procedures Age 0-17
164	Appendectomy w/ Complicated Principal Diag w/ CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
165	Appendectomy w/ Complicated Principal Diag w/o CC
166	Appendectomy w/o Complicated Principal Diag w/ CC
167	Appendectomy w/o Complicated Principal Diag w/o CC
168	Mouth Procedures w/ CC
169	Mouth Procedures w/o CC
170	Other Digestive System O.R. Procedures w/ CC
171	Other Digestive System O.R. Procedures w/o CC
172	Digestive Malignancy w/ CC
173	Digestive Malignancy w/o CC
174	G.I. Hemorrhage w/ CC
175	G.I. Hemorrhage w/o CC
176	Complicated Peptic Ulcer
177	Uncomplicated Peptic Ulcer w/ CC
178	Uncomplicated Peptic Ulcer w/o CC
179	Inflammatory Bowel Disease
180	G.I. Obstruction w/ CC
181	G.I. Obstruction w/o CC
182	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/ CC
183	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/o CC
184	Esophagitis, Gastroent & Misc Digest Disorders Age 0-17
185	Dental & Oral Dis except Extractions & Restorations, Age >17
186	Dental & Oral Dis except Extractions & Restorations, Age 0-17
187	Dental Extractions & Restorations
188	Other Digestive System Diagnoses Age >17 w/ CC
189	Other Digestive System Diagnoses Age >17 w/o CC
190	Other Digestive System Diagnoses Age 0-17
191	Pancreas, Liver & Shunt Procedures w/ CC
192	Pancreas, Liver & Shunt Procedures w/o CC
193	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC
194	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC
195	Total Cholecystectomy w/ C.D.E. w/ CC
196	Total Cholecystectomy w/ C.D.E. w/o CC
197	Total Cholecystectomy w/o C.D.E. w/ CC
198	Total Cholecystectomy w/o C.D.E. w/o CC
199	Hepatobiliary Diagnostic Procedure for Malignancy
200	Hepatobiliary Diagnostic Procedure for Non-malignancy
201	Other Hepatobiliary or Pancreas O.R. Procedures
202	Cirrhosis & Alcoholic Hepatitis
203	Malignancy of Hepatobiliary System or Pancreas
204	Disorders of Pancreas except Malignancy
205	Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC
206	Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC
207	Disorders of the Biliary Tract w/ CC
208	Disorders of the Biliary Tract w/o CC
209	Major Joint & Limb Reattachment Procedures, Lower Extremity
210	Hip & Femur Procedures except Major Joint Age >17 w/ CC
211	Hip & Femur Procedures except Major Joint Age >17 w/o CC
212	Hip & Femur Procedures except Major Joint Age 0-17
213	Amputation for Musculoskeletal System & Conn Tissue Disorders
214	Back & Neck Procedures w/ CC
215	Back & Neck Procedures w/o CC
216	Biopsies of Musculoskeletal System & Connective Tissue
217	Wnd Debrid & Skn Grft except Hand, for Muscskelet & Conn Tiss Dis
218	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC
219	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC
220	Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
221	Knee Procedures w/ CC
222	Knee Procedures w/o CC
223	Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC
224	Shoulder, Elbow or Forearm Proc, exc Major Joint Proc, w/o CC
225	Foot Procedures
226	Soft Tissue Procedures w/ CC
227	Soft Tissue Procedures w/o CC
228	Major Thumb or Joint Proc, or Oth Hand or Wrist Proc w/ CC
229	Hand or Wrist Proc, except Major Joint Proc, w/o CC
230	Local Excision & Removal of Int Fix Devices of Hip & Femur
231	Local Excision & Removal of Int Fix Devices except Hip & Femur
232	Arthroscopy
233	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC
234	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC
235	Fractures of Femur
236	Fractures of Hip & Pelvis
237	Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh
238	Osteomyelitis
239	Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy
240	Connective Tissue Disorders w/ CC
241	Connective Tissue Disorders w/o CC
242	Septic Arthritis
243	Medical Back Problems
244	Bone Diseases & Specific Arthropathies w/ CC
245	Bone Diseases & Specific Arthropathies w/o CC
246	Non-specific Arthropathies
247	Signs & Symptoms of Musculoskeletal System & Conn Tissue
248	Tendonitis, Myositis & Bursitis
249	Aftercare, Musculoskeletal System & Connective Tissue
250	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC
251	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC
252	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17
253	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/ CC
254	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/o CC
255	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17
256	Other Musculoskeletal System & Connective Tissue Diagnoses
257	Total Mastectomy for Malignancy w/ CC
258	Total Mastectomy for Malignancy w/o CC
259	Subtotal Mastectomy for Malignancy w/ CC
260	Subtotal Mastectomy for Malignancy w/o CC
261	Breast Proc for Non-malignancy except Biopsy & Local Excision
262	Breast Biopsy & Local Excision for Non-malignancy
263	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC
264	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC
265	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC
266	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC
267	Perianal & Pilonidal Procedures
268	Skin, Subcutaneous Tissue & Breast Plastic Procedures
269	Other Skin, Subcut Tiss & Breast Proc w/ CC
270	Other Skin, Subcut Tiss & Breast Proc w/o CC
271	Skin Ulcers
272	Major Skin Disorders w/ CC
273	Major Skin Disorders w/o CC
274	Malignant Breast Disorders w/ CC
275	Malignant Breast Disorders w/o CC
276	Non-malignant Breast Disorders

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
277	Cellulitis Age >17 w/ CC
278	Cellulitis Age >17 w/o CC
279	Cellulitis Age 0-17
280	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC
281	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC
282	Trauma to the Skin, Subcut Tiss & Breast Age 0-17
283	Minor Skin Disorders w/ CC
284	Minor Skin Disorders w/o CC
285	Amputat of Lower Limb for Endocrine, Nutrit & Metabol Disorders
286	Adrenal & Pituitary Procedures
287	Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders
288	O.R. Procedures for Obesity
289	Parathyroid Procedures
290	Thyroid Procedures
291	Thyroglossal Procedures
292	Other Endocrine, Nutrit & Metab O.R. Proc w/ CC
293	Other Endocrine, Nutrit & Metab O.R. Proc w/o CC
294	Diabetes Age > 35
295	Diabetes Age 0-35
296	Nutritional & Misc Metabolic Disorders Age >17 w/ CC
297	Nutritional & Misc Metabolic Disorders Age >17 w/o CC
298	Nutritional & Misc Metabolic Disorders Age 0-17
299	Inborn Errors of Metabolism
300	Endocrine Disorders w/ CC
301	Endocrine Disorders w/o CC
302	Kidney Transplant
303	Kidney, Ureter & Major Bladder Procedures for Neoplasm
304	Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC
305	Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC
306	Prostatectomy w/ CC
307	Prostatectomy w/o CC
308	Minor Bladder Procedures w/ CC
309	Minor Bladder Procedures w/o CC
310	Transurethral Procedures w/ CC
311	Transurethral Procedures w/o CC
312	Urethral Procedures Age >17 w/ CC
313	Urethral Procedures Age >17 w/o CC
314	Urethral Procedures Age 0-17
315	Other Kidney & Urinary Tract O.R. Procedures
316	Renal Failure
317	Admit for Renal Dialysis
318	Kidney & Urinary Tract Neoplasms w/ CC
319	Kidney & Urinary Tract Neoplasms w/o CC
320	Kidney & Urinary Tract Infections Age >17 w/ CC
321	Kidney & Urinary Tract Infections Age >17 w/o CC
322	Kidney & Urinary Tract Infections Age 0-17
323	Urinary Stones w/ CC, &/or ESW Lithotripsy
324	Urinary Stones w/o CC
325	Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC
326	Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC
327	Kidney & Urinary Tract Signs & Symptoms Age 0-17
328	Urethral Stricture Age >17 w/ CC
329	Urethral Stricture Age >17 w/o CC
330	Urethral Stricture Age 0-17
331	Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC
332	Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
333	Other Kidney & Urinary Tract Diagnoses Age 0-17
334	Major Male Pelvic Procedures w/ CC
335	Major Male Pelvic Procedures w/o CC
336	Transurethral Prostatectomy w/ CC
337	Transurethral Prostatectomy w/o CC
338	Testes Procedures, for Malignancy
339	Testes Procedures, Non-malignancy Age > 17
340	Testes Procedures, Non-malignancy Age 0-17
341	Penis Procedures
342	Circumcision Age > 17
343	Circumcision Age 0-17
344	Other Male Reproductive System O.R. Procedures for Malignancy
345	Other Male Reproductive System O.R. Proc except for Malignancy
346	Malignancy, Male Reproductive System, w/ CC
347	Malignancy, Male Reproductive System, w/o CC
348	Benign Prostatic Hypertrophy w/ CC
349	Benign Prostatic Hypertrophy w/o CC
350	Inflammation of the Male Reproductive System
351	Sterilization, Male
352	Other Male Reproductive System Diagnoses
353	Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy
354	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC
355	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC
356	Female Reproductive System Reconstructive Procedures
357	Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy
358	Uterine & Adnexa Proc for Non-malignancy w/ CC
359	Uterine & Adnexa Proc for Non-malignancy w/o CC
360	Vagina, Cervix & Vulva Procedures
361	Laparoscopy & Incisional Tubal Interruption
362	Endoscopic Tubal Interruption
363	D&C, Conization & Radio-implant, for Malignancy
364	D&C, Conization except for Malignancy
365	Other Female Reproductive System O.R. Procedures
366	Malignancy, Female Reproductive System w/ CC
367	Malignancy, Female Reproductive System w/o CC
368	Infections, Female Reproductive System
369	Menstrual & Other Female Reproductive System Disorders
370	Cesarean Section w/ CC
371	Cesarean Section w/o CC
372	Vaginal Delivery w/ Complicating Diagnoses
373	Vaginal Delivery w/o Complicating Diagnoses
374	Vaginal Delivery w/ Sterilization &/or D&C
375	Vaginal Delivery w/ O.R. Proc except Steril &/or D&C
376	Postpartum & Post Abortion Diagnoses w/o O.R. Procedure
377	Postpartum & Post Abortion Diagnoses w/ O.R. Procedure
378	Ectopic Pregnancy
379	Threatened Abortion
380	Abortion w/o D&C
381	Abortion w/ D&C, Aspiration Curettage or Hysterotomy
382	False Labor
383	Other Antepartum Diagnoses w/ Medical Complications
384	Other Antepartum Diagnoses w/o Medical Complications
385	Neonates, Died or Transferred to Another Acute Care Facility (Table Excluded)
386	Extreme Immaturity or Respiratory Distress Syndrome, Neonate
387	Prematurity w/ Major Problems

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
388	Prematurity w/o Major Problems
389	Full Term Neonate w/ Major Problems
390	Neonate w/ Other Significant Problems
391	Normal Newborn
392	Splenectomy Age > 17
393	Splenectomy Age 0-17
394	Other O.R. Procedures of the Blood And Blood Forming Organs
395	Red Blood Cell Disorders Age > 17
396	Red Blood Cell Disorders Age 0-17
397	Coagulation Disorders
398	Reticuloendothelial & Immunity Disorders w/ CC
399	Reticuloendothelial & Immunity Disorders w/o CC
400	Lymphoma & Leukemia w/ Major O.R. Procedure
401	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC
402	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC
403	Lymphoma & Non-acute Leukemia w/ CC
404	Lymphoma & Non-acute Leukemia w/o CC
405	Acute Leukemia w/o Major O.R. Procedure Age 0-17
406	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/ CC
407	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/o CC
408	Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R. Proc
409	Radiotherapy
410	Chemotherapy Without Acute Leukemia as Secondary Diagnosis
411	History of Malignancy w/o Endoscopy
412	History of Malignancy w/ Endoscopy
413	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC
414	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC
415	O.R. Procedure for Infectious & Parasitic Diseases
416	Septicemia Age > 17
417	Septicemia Age 0-17
418	Postoperative & Post-traumatic Infections
419	Fever of Unknown Origin Age >17 w/ CC
420	Fever of Unknown Origin Age >17 w/o CC
421	Viral Illness Age > 17
422	Viral Illness & Fever of Unknown Origin Age 0-17
423	Other Infectious & Parasitic Diseases Diagnoses
424	O.R. Procedure w/ Principal Diagnoses of Mental Illness
425	Acute Adjust React & Disturbances of Psychosocial Dysfunction
426	Depressive Neuroses
427	Neuroses except Depressive
428	Disorders of Personality & Impulse Control
429	Organic Disturbances & Mental Retardation
430	Psychoses
431	Childhood Mental Disorders
432	Other Mental Disorder Diagnoses
433	Alcohol/Drug Abuse or Dependence, Left AMA (Table Excluded)
434	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC
435	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC
436	Alc/Drug Dependence w/ Rehabilitation Therapy
437	Alc/Drug Dependence, Combined Rehab & Detox Therapy
438	No Longer Valid (Table Excluded)
439	Skin Grafts for Injuries
440	Wound Debridements for Injuries
441	Hand Procedures for Injuries
442	Other O.R. Procedures for Injuries w/ CC
443	Other O.R. Procedures for Injuries w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
444	Traumatic Injury Age >17 w/ CC
445	Traumatic Injury Age >17 w/o CC
446	Traumatic Injury Age 0-17
447	Allergic Reactions Age >17
448	Allergic Reactions Age 0-17
449	Poisoning & Toxic Effects of Drugs Age >17 w/ CC
450	Poisoning & Toxic Effects of Drugs Age >17 w/o CC
451	Poisoning & Toxic Effects of Drugs Age 0-17
452	Complications of Treatment w/ CC
453	Complications of Treatment w/o CC
454	Other Injury, Poisoning & Toxic Effect Diag w/ CC
455	Other Injury, Poisoning & Toxic Effect Diag w/o CC
456	Burns, Transferred to Another Acute Care Facility (Table Excluded)
457	Extensive Burns w/o O.R. Procedure
458	Non-extensive Burns w/ Skin Graft
459	Non-extensive Burns w/ Wound Debridement or Other O.R. Proc
460	Non-extensive Burns w/o O.R. Procedure
461	O.R. Proc w/ Diagnoses of Other Contact w/ Health Services
462	Rehabilitation
463	Signs & Symptoms w/ CC
464	Signs & Symptoms w/o CC
465	Aftercare w/ History of Malignancy As Secondary Diagnosis
466	Aftercare w/o History of Malignancy As Secondary Diagnosis
467	Other Factors Influencing Health Status (Table Excluded)
468	Extensive O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
469	Principal Diagnosis Invalid As Discharge Diagnosis (Table Excluded)
470	Ungroupable (Table Excluded)
471	Bilateral or Multiple Major Joint Procs of Lower Extremity
472	Extensive Burns w/ O.R. Procedure
473	Acute Leukemia w/o Major O.R. Procedure Age > 17
474	No Longer Valid (Table Excluded)
475	Respiratory System Diagnosis with Ventilator Support
476	Prostatic O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
477	Non-extensive O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
478	Other Vascular Procedures w/ CC
479	Other Vascular Procedures w/o CC
480	Liver Transplant
481	Bone Marrow Transplant
482	Tracheostomy w/ Mouth, Larynx or Pharynx Disorder
483	Tracheostomy Except for Mouth, Larynx or Pharynx Disorder
484	Craniotomy for Multiple Significant Trauma
485	Limb Reattach., Hip and Femur Procs for Multi Sign Trauma
486	Other O.R. Procedures for Multiple Significant Trauma
487	Other Multiple Significant Trauma
488	HIV w/ Extensive O.R. Procedure
489	HIV w/ Major Related Condition
490	HIV w/ or w/o Other Related Condition
491	Major Joint and Limb Reattachment Procedures, Upper Extremity
492	Chemotherapy with Acute Leukemia as Secondary Diagnosis

B4465-54-4



LOS

LENGTH OF STAY

Length of Stay
by DRG and Payment Source
Southern Region, 1990-91

LOS

LENGTH OF STAY

BY DRG AND PAYMENT SOURCE

Southern Region, 1990-91

Healthcare Knowledge Resources
Ann Arbor, Michigan
January, 1992

LENGTH OF STAY BY DRG AND PAYMENT SOURCE

This volume is one of five books in the Length of Stay by DRG and Payment Source series:

Length of Stay by DRG and Payment Source, United States, 1990-91
ISSN 1043-9285

Length of Stay by DRG and Payment Source, Northeastern Region, 1990-91
ISSN 1043-9307

Length of Stay by DRG and Payment Source, North Central Region, 1990-91
ISSN 1043-9323

Length of Stay by DRG and Payment Source, Southern Region, 1990-91
ISSN 1043-9293

Length of Stay by DRG and Payment Source, Western Region, 1990-91
ISSN 1043-9315

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period July 1, 1990 through June 30, 1991. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assumes any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1992 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any other form, or by any other means, or stored in a database or retrieval system, without prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi

Source of the Data
Data Quality
Hospital Characteristics
Projecting to the Universe

Organization of the Tables x

Diagnosis Related Groups
Expected Principal Payment Source
Presence or Absence of Complications and Comorbidities (CCs)
Patient Age and/or Birth Weight

Explanation of the Statistics xii

Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables xiii

Length of Stay Tables 1

Appendix 1: 1990-91 Hospital Characteristics 482

Appendix 2: State Inclusions By Region 483

Appendix 3: Diagnosis Related Groups 484

ACKNOWLEDGEMENTS

1990-91 LENGTH OF STAY BY DRG AND PAYMENT SOURCE SERIES

PROJECT TEAM

Jennifer Goewey, Publication Specialist, Normative Products
Carol Dingeldey, Publication Specialist, Normative Products
Linda Vanek, Manager, Normative Products

Information Services
Ed Morrissey, Senior Programmer Analyst
Jan Sweet, Electronic Publishing Analyst

Additionally, the following individuals made valuable contributions to the development of this publication:
Joyce Beach, Helen Garcia, Nancy Ramirez, and Donna Witkowski.

Also, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official vendor and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Length of Stay data have been available from CPHA since 1963. This book is one volume in a set of five books presenting statistics on hospital stay during 1990-91 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the series.

The *Length of Stay by DRG and Payment Source* series has been designed as a companion to the standard reference, *Length of Stay by Diagnosis and Operation,* to provide length of stay data by another patient classification system. *Length of Stay by DRG and Payment Source* is designed to assist the healthcare professional in utilization review and other cost containment and evaluation activities.

Notable differences between the *Length of Stay by DRG and Payment Source* series and the *Length of Stay by Diagnosis and Operation* series are primarily with the data source. Data used for the *Length of Stay by DRG and Payment Source* series have been projected to the universe of short-term, general, nonfederal hospitals based on patient records from 811 hospitals. A detailed description of the projection methodology is given on page viii. It is important to keep in mind that the numbers and calculations in *Length of Stay by DRG and Payment Source* represent projections rather than actual numbers.

The *Length of Stay by DRG and Payment Source* series is enhanced by providing length of stay data by the following four principal payment sources: Medicare, Medicaid, Blue Cross/Private Insurance, and No Insurance. This allows for comparison of length of stay by clinical condition and patient age among the major healthcare reimbursement systems.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. In addition to *Length of Stay by DRG and Payment Source,* other titles in the Cost Containment Series include: *Psychiatric Length of Stay, Length of Stay by Diagnosis and Operation* and *Hospital Inpatient Charges.* Each series is developed annually for the United States. The Length of Stay series are also available for the Northeastern, North Central, Southern, and Western regions. Pediatric Length of Stay (19 years and under) and Geriatric Length of Stay (65 years and over) are produced in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape and diskette, provide a valuable perspective for utilization review and quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the *Length of Stay by DRG and Payment Source* tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the *Length of Stay by DRG and Payment Source* series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the *Length of Stay by DRG and Payment Source* series are from short-term, general, nonfederal, hospitals in the United States with discharge data for the period July 1, 1990 - June 30, 1991. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal – Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Ohio Hospital Association, Oregon Association of Hospitals, Vermont Hospital Association, and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay books are displayed in Appendix 1.

---

[1] American Hospital Association Guide to the Health Care Field, 1990.

Projecting to the Universe

To make the *LOS by DRG and Payment Source* sample reflect the activity of U.S. short-term general, nonfederal hospitals the following steps are taken:

Step 1 - Stratification

First, the hospitals are stratified by factors known to affect inpatient utilization. The two factors used are teaching intensity and geographical region:

A. **Teaching Intensity** is determined by a weighted index measuring program intensity created by Phillip and Hai[1]. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by the Joint Commission on Accreditation of Healthcare Organizations (JCAHO)
- Cancer Program approved by the American College of Surgeons (CANC)
- Residency approved by Accreditation Council for Graduate Medical Education (ACGME)
- Medical School Affiliation reported by the American Medical Association (MSA)
- Hospital-controlled professional nursing school, reported by the National League for Nursing (NURS)
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges (COTH)

Based on this index, hospitals are classified by one of three teaching status groups:

- Low Teaching Intensity Hospitals
- Medium Teaching Intensity Hospitals
- High Teaching Intensity Hospitals

The statistical formula is:

$$Ip = 9.9\,(JCAHO) + 14.0(CANC) + 28.0(ACGME) + 14.7(MSA) + 13.3(NURS) + 20.1(COTH)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

For the *Length of Stay by DRG and Payment Source* series the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution (low teaching intensity)
Ip value 25.0+	Teaching Institution (medium/high teaching intensity)

---

[1] Phillip P. J., and Hai, Abdul, *An Index of Programs for Hospitals,* American Hospital Association, Chicago, Illinois, 1976.

B. **Census Division** places the 50 states and the District of Columbia into nine geographical areas defined by the U.S. Department of Commerce, Bureau of the Census. These nine divisions and their corresponding regions are:

Region	**Division**
Northeast	New England Mid Atlantic
North Central	East North Central West North Central
South	South Atlantic East South Central West South Central
West	Mountain Pacific

A list of the states included in each region is provided in Appendix 2.

Step 2 - Projection

A matrix is constructed which identifies the number of actual discharges from hospitals by teaching intensity (nonteaching and teaching) and geographical region (Northeast, North Central, South, West). A projection factor is calculated for each cell within the matrix. This factor is calculated as follows:

$$\text{Projection Factor} = \frac{\text{Total discharges from the universe}}{\text{Number of actual discharges in LOS DRG sample}}$$

Each projection factor is multiplied by the number of actual discharges in a particular cell. The resulting numbers represent estimated patient discharges, the sum of which approximates total July 1990 through June 1991 discharges from the U.S. short-term, general, nonfederal hospital universe.

ORGANIZATION OF THE TABLES

The data are stratified by DRG, principal payment source, presence or absence of complications and comorbidities (CCs), and by age ranges.

Diagnosis Related Groups (DRGs)

There are 492 DRGs in the *1990-91 LOS by DRG and Payment Source* series. These DRGs are based on the eighth revision (version 9), effective October 1, 1991. Appendix 3 provides a list of all DRGs for the eighth revision.

Some DRGs have been excluded because they include invalid, ungroupable, or inappropriate categories for examining length of stay. The excluded DRGs are:

DRG Number	English Description
109	(No longer valid)
123	Circulatory Disorders w/AMI, Expired
385	Neonates, Died or Transferred to Another Acute Care Facility
433	Alcohol/Drug Abuse or Dependence, Left Against Medical Advice
438	(No longer valid)
456	Burns, Transferred to Another Acute Care Facility
467	Other Factors Influencing Health Status
468	Extensive Operating Room Procedure Unrelated to Principal Diagnosis
469	Principal Diagnosis Invalid as Discharge Diagnosis
470	Ungroupable
474	(No longer valid)
476	Prostatic Operating Room Procedure Unrelated to Principal Diagnosis
477	Non-extensive Operating Room Procedure Unrelated to Principal Diagnosis

Expected Principal Payment Source

For each DRG, there are four tables corresponding to one of four expected principal payment sources:

1. Medicare
2. Blue Cross/Blue Shield and Private Insurance
3. Medicaid
4. No Insurance

The 'No Insurance' category represents a collapsing of the following payment categories from the PAS abstract: 'Self Pay', 'Other', and 'No Charge'. These three payment categories have not been used consistently by all hospitals contributing data, and therefore this category should be interpreted with some caution.

Presence or Absence of Complications and Comorbidities (CCs)

To determine the presence of complications or comorbidities (CCs), a patient's secondary diagnoses are compared to those specific ICD-9-CM diagnosis codes defined by the Health Care Financing Administration (HCFA) as CCs.

HCFA definitions are:

- A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.
- A comorbidity is a pre-existing condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

Determination of the existence of CCs corresponds to the DRG version effective October 1, 1991.

Patient Age and/or Birth Weight

Patient discharges in the Medicare payment source category are in one of the following age groups, recorded in years:

0 - 69
70 - 74
75 - 79
80 - 84
85+

The other three payment source age groups are collapsed as follows:

0 - 17
18 - 34
35 - 49
50 - 69
70+

For DRGs 386 - 391, which classify neonates, the age range is replaced by a birth weight range, recorded in grams. The categories are as follows:

1 - 999
1000 - 1499
1500 - 1749
1750 - 2499
2500 +

All discharge records for newborns and neonates with an unrecorded birth weight have been excluded.

EXPLANATION OF THE STATISTICS

The statistics are displayed by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included. Since the *LOS by DRG and Payment Source* series is drawn from patient discharges from 811 hospitals and then projected to the universe of U.S. hospitals, *the numbers and calculations represent projections rather than actual numbers.* One actual patient discharge represents multiple projected patients; the average projection factor is 7.2. If the total number of patients listed is based on five or fewer *actual* discharges, the percentile distribution columns are left blank.

Total Number of Patients

This number represents the total number of projected patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for all projected patients and then dividing by the total number of projected patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the projected patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of projected patients is determined by arranging the projected patient stays from low to high. Counting up from the lowest stay to the point where half of the projected patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total projected patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, and 95th percentiles of stay are displayed in days. If, for example, the 25th percentile for a group of projected patients is four, it means 25 percent of the projected patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients. (If a line of data consists solely of stays of 99+ days, the discharges in that line will be excluded from all portions of the table.)

Subtotal and Grand Total

The subtotal represents the total projected patients in one of the two complication and comorbidity groups, within each payment source. The grand total represents the total number of projected patients in each payment source category. In cases where a total is off by one patient, it is the result of rounding the projections.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay regional or national volumes:

Step 1: Consult Appendix 3 at the back of the book for the particular DRG to be reviewed.

Step 2: Find the corresponding table in the book. The DRG number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

- Payment Source
- Complication/Comorbidity Status
- Age Group

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

A sample table with descriptions of table elements is provided on the next page.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Length of Stay by DRG and Payment Source

Sample Table

DRG number and title

Payment source

DRG 1: Craniotomy Age >17 except for Trauma

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/CCs									
AGE GROUP									
0-69 (YRS.)	5407	17.2	192	5	8	13	22	36	50
70-74	3740	18.2	228	6	9	14	22	36	53
75-79	2849	17.4	175	6	8	14	22	35	49
80-84	1833	19.5	222	7	10	15	24	37	49
85 +	956	18.9	137	8	10	16	24	36	44
SUBTOTAL	**14784**	**17.9**	**199**	**6**	**9**	**14**	**22**	**36**	**49**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2864	9.5	43	3	5	8	12	17	22
70-74	1883	8.7	36	3	5	7	11	16	18
75-79	1471	11.3	90	4	6	9	13	20	30
80-84	819	8.6	20	4	5	8	12	15	16
85 +	363	11.5	62	4	6	10	15	23	25
SUBTOTAL	**7401**	**9.6**	**50**	**4**	**5**	**8**	**12**	**17**	**22**
GRAND TOTAL	**22185**	**15.1**	**164**	**5**	**7**	**12**	**19**	**30**	**42**

Presence or absence of Complications/ Comorbidities

Length of stay (in days) by percentile

Patient age group (Note: Age groups for Medicare differ from those for Medicaid, Blue Cross/Private Insurance, and No Insurance)

Total number of projected patients

DRG Length of Stay Tables

All DRGS

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	735979	8.5	74	2	4	6	10	17	24
70-74	507548	8.8	72	2	4	7	11	17	24
75-79	472035	9.2	74	3	4	7	11	18	25
80-84	367500	9.7	76	3	4	7	12	19	26
85 +	334588	9.9	72	3	5	8	12	19	25
SUBTOTAL	**2417650**	**9.1**	**74**	**2**	**4**	**7**	**11**	**18**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	331793	5.3	30	1	2	4	7	10	14
70-74	206779	5.1	24	1	2	4	7	10	13
75-79	167400	5.5	26	1	2	4	7	11	14
80-84	111838	5.8	25	1	3	4	7	11	14
85 +	83453	6.2	28	2	3	5	8	12	15
SUBTOTAL	**901262**	**5.4**	**27**	**1**	**2**	**4**	**7**	**11**	**14**
GRAND TOTAL	**3318912**	**8.1**	**64**	**2**	**3**	**6**	**10**	**16**	**22**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	168037	6.0	76	1	2	3	6	12	20
18-34	236607	5.6	49	1	2	4	6	11	17
35-49	301407	6.6	52	2	3	5	8	13	19
50-69	514121	7.4	57	2	3	5	9	15	21
70 +	42024	9.5	92	2	4	7	11	19	26
	1262196	**6.8**	**59**	**2**	**3**	**5**	**8**	**14**	**20**
0-17	778502	2.9	11	1	2	2	3	5	7
18-34	1012851	3.0	10	1	2	2	3	5	7
35-49	654773	3.8	15	1	2	3	4	7	9
50-69	530744	4.1	15	1	2	3	5	8	10
70 +	18229	5.0	21	1	2	4	6	10	13
	2995100	**3.4**	**13**	**1**	**2**	**2**	**4**	**6**	**8**
	4257296	**4.4**	**29**	**1**	**2**	**3**	**5**	**9**	**13**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	123275	7.1	107	2	2	4	7	15	27
18-34	168958	5.7	49	2	2	4	6	12	18
35-49	87525	8.2	88	2	3	5	9	17	27
50-69	106793	8.8	87	2	4	6	11	18	25
70 +	15267	10.6	94	3	5	8	13	23	33
SUBTOTAL	**501819**	**7.3**	**81**	**2**	**3**	**5**	**8**	**15**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	476041	3.2	16	1	2	2	3	5	8
18-34	482511	3.0	11	1	2	2	3	5	7
35-49	83688	4.8	25	1	2	3	5	9	14
50-69	45421	5.6	32	1	2	4	7	11	16
70 +	5291	5.9	27	1	3	5	8	12	17
SUBTOTAL	**1092952**	**3.4**	**15**	**1**	**2**	**2**	**4**	**6**	**8**
GRAND TOTAL	**1594771**	**4.6**	**40**	**1**	**2**	**3**	**5**	**9**	**14**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	75411	6.5	96	1	2	3	7	14	24
18-34	151989	5.4	44	1	2	4	6	11	16
35-49	115613	6.8	57	2	3	5	8	14	20
50-69	120231	7.8	69	2	3	6	9	16	22
70 +	16194	11.4	135	2	4	8	14	25	35
	479439	**6.7**	**66**	**1**	**2**	**4**	**8**	**14**	**21**
0-17	374405	2.8	10	1	1	2	3	5	7
18-34	441056	3.0	9	1	1	2	3	5	7
35-49	189564	3.7	14	1	2	3	4	7	10
50-69	106482	4.2	17	1	2	3	5	8	11
70 +	9202	6.3	61	< 1	1	4	8	15	23
	1120709	**3.2**	**12**	**1**	**1**	**2**	**4**	**6**	**8**
	1600148	**4.2**	**31**	**1**	**2**	**3**	**5**	**8**	**13**

Southern Region, July 1990 - June 1991

DRG 1: Craniotomy Age >17 except for Trauma

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1979	17.2	178	6	8	14	21	35	52
70-74	1601	18.0	250	6	8	13	22	34	54
75-79	1065	16.1	161	5	8	13	22	31	48
80-84	809	19.8	228	7	9	15	27	37	53
85 +	381	21.2	214	7	9	16	30	44	48
SUBTOTAL	**5835**	**17.8**	**206**	**6**	**8**	**14**	**22**	**35**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1110	9.5	52	4	5	8	12	16	21
70-74	705	8.6	33	3	5	7	12	17	23
75-79	546	11.9	118	4	7	9	13	25	31
80-84	279	7.8	13	4	4	8	11	14	15
85 +	167	14.6	99	5	7	12	21	25	36
SUBTOTAL	**2806**	**9.9**	**62**	**4**	**5**	**8**	**12**	**17**	**24**
GRAND TOTAL	**8641**	**15.3**	**173**	**5**	**7**	**11**	**19**	**31**	**44**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	852	13.7	123	4	7	10	17	28	37
35-49	1516	16.0	219	5	7	11	21	30	40
50-69	2262	16.0	159	5	8	13	21	31	42
70 +	147	22.2	225	10	14	18	28	34	52
	4778	**15.8**	**176**	**5**	**7**	**12**	**21**	**31**	**39**
0-17	0								
18-34	1164	7.6	27	2	4	7	10	14	20
35-49	1609	9.1	49	3	5	8	10	17	22
50-69	1706	9.6	56	3	6	8	12	18	23
70 +	59	10.0	17	5	7	10	10	18	18
	4538	**8.9**	**46**	**3**	**5**	**7**	**10**	**17**	**22**
	9316	**12.4**	**124**	**4**	**6**	**9**	**15**	**25**	**32**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	262	15.1	141	4	5	12	20	32	46
35-49	255	26.1	498	7	10	18	36	62	89
50-69	307	21.2	227	7	11	19	28	48	74
70 +	36	20.6	9						
SUBTOTAL	**860**	**20.8**	**289**	**5**	**10**	**18**	**26**	**46**	**63**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	310	10.3	92	3	4	8	12	22	29
35-49	203	8.3	18	3	5	9	11	14	17
50-69	129	9.9	42	3	6	8	15	22	23
70 +	11	7.0	1						
SUBTOTAL	**653**	**9.6**	**58**	**3**	**5**	**8**	**12**	**18**	**22**
GRAND TOTAL	**1513**	**15.9**	**220**	**4**	**7**	**11**	**20**	**32**	**49**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	292	15.7	257	5	7	11	16	29	51
35-49	430	13.5	109	4	7	11	16	27	37
50-69	519	21.5	316	5	9	15	28	43	62
70 +	27	18.1	170						
	1268	**17.4**	**242**	**4**	**8**	**13**	**24**	**37**	**51**
0-17	0								
18-34	260	9.8	93	2	3	6	12	24	24
35-49	451	9.2	29	4	6	8	11	17	21
50-69	347	9.6	50	4	6	8	12	16	21
70 +	16	4.4	4						
	1073	**9.4**	**51**	**3**	**5**	**8**	**11**	**17**	**24**
	2342	**13.7**	**170**	**4**	**6**	**10**	**16**	**29**	**42**

Southern Region, July 1990 - June 1991

DRG 2: Craniotomy for Trauma Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	288	19.3	373	6	6	13	23	76	85
70-74	158	20.1	215	7	12	17	22	47	55
75-79	160	14.9	83	8	10	11	19	25	25
80-84	337	18.7	131	7	13	16	26	32	41
85 +	175	25.0	243	8	11	19	35	53	59
SUBTOTAL	**1118**	**19.5**	**223**	**7**	**10**	**16**	**24**	**41**	**58**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	60	7.0	6	4	6	6	9	11	12
70-74	95	10.7	14	6	8	10	15	15	16
75-79	60	13.4	45	6	9	12	22	23	26
80-84	109	14.0	182	5	7	9	19	33	62
85 +	85	15.6	167	8	9	13	16	29	59
SUBTOTAL	**409**	**12.5**	**101**	**5**	**7**	**9**	**15**	**22**	**29**
GRAND TOTAL	**1527**	**17.6**	**200**	**6**	**9**	**13**	**21**	**35**	**55**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	462	20.1	280	4	10	17	24	43	82
35-49	242	18.9	178	6	9	18	25	42	68
50-69	231	17.7	181	6	9	12	24	33	52
70 +	72	28.3	273	9	13	29	44	58	58
	1007	**19.9**	**238**	**6**	**10**	**17**	**25**	**44**	**58**
0-17	0								
18-34	382	9.6	55	3	5	8	12	16	22
35-49	206	9.4	33	4	6	7	11	18	21
50-69	181	10.2	143	3	5	6	9	20	55
70 +	36	10.8	16						
	806	**9.7**	**67**	**4**	**5**	**8**	**12**	**17**	**22**
	1813	**15.4**	**187**	**4**	**6**	**11**	**19**	**32**	**50**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	221	21.6	276	5	9	19	32	52	71
35-49	131	17.6	277	5	6	12	30	76	99 +
50-69	70	27.0	760	6	11	18	45	89	99 +
70 +	0								
SUBTOTAL	**422**	**21.3**	**364**	**5**	**9**	**17**	**30**	**54**	**89**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	104	9.7	47	3	5	9	12	24	30
35-49	33	11.3	156						
50-69	6	17.0							
70 +	0								
SUBTOTAL	**143**	**10.4**	**72**	**3**	**5**	**8**	**12**	**24**	**30**
GRAND TOTAL	**565**	**18.[illegible]**	**312**	**5**	**6**	**12**	**25**	**52**	**89**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	390	14.8	85	6	8	12	21	30	32
35-49	207	25.7	564	4	8	19	32	67	72
50-69	65	20.6	71	14	16	20	26	27	40
70 +	16	13.7	55						
	677	**18.7**	**253**	**4**	**8**	**15**	**24**	**35**	**41**
0-17	0								
18-34	231	10.5	132	4	5	7	11	22	28
35-49	144	6.8	15	4	4	5	7	15	16
50-69	47	10.2	29						
70 +	5	8.0							
	427	**9.2**	**82**	**4**	**5**	**7**	**10**	**17**	**23**
	1104	**15.0**	**208**	**4**	**6**	**10**	**19**	**29**	**39**

DRG 3: Craniotomy Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH		
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	0									0-17	1913	11.7	139	2	4	8	15	27	39		
70-74	0									18-34	0										
75-79	0									35-49	0										
80-84	0									50-69	0										
85 +	0									70 +	0										
SUBTOTAL	0										1913	11.7	139	2	4	8	15	27	39		
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	0									0-17	2949	6.1	37	2	3	4	7	12	19		
70-74	0									18-34	0										
75-79	0									35-49	0										
80-84	0									50-69	0										
85 +	0									70 +	0										
SUBTOTAL	0										2949	6.1	37	2	3	4	7	12	19		
GRAND TOTAL	0										4862	8.3	85	2	3	5	10	19	27		

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	1031	11.9	166	3	4	8	17	32	56	0-17	770	15.6	261	2	5	10	20	39	58	
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	1031	11.9	166	3	4	8	17	32	56		770	15.6	261	2	5	10	20	39	58	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	1696	5.9	47	2	3	4	6	10	16	0-17	1225	6.4	38	2	3	4	8	16	19	
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	1696	5.9	47	2	3	4	6	10	16		1225	6.4	38	2	3	4	8	16	19	
GRAND TOTAL	2726	8.2	100	2	3	5	9	19	30		1995	10.0	144	2	3	6	13	23	35	

DRG 4: Spinal Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	500	14.9	287	4	5	9	17	38	50
70-74	189	17.5	176	5	9	14	23	29	41
75-79	159	23.6	207	9	11	17	34	48	54
80-84	55	18.1	61	4	17	19	23	28	29
85 +	43	20.1	187	8	8	13	32	46	46
SUBTOTAL	**946**	**17.3**	**243**	**4**	**7**	**13**	**22**	**38**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	535	7.7	44	3	4	6	9	15	20
70-74	120	5.8	27	1	2	4	10	13	18
75-79	123	7.5	20	4	4	7	8	13	20
80-84	43	6.9	10	4	5	6	8	14	14
85 +	6	6.0							
SUBTOTAL	**827**	**7.3**	**36**	**2**	**4**	**6**	**9**	**14**	**20**
GRAND TOTAL	**1773**	**12.7**	**171**	**3**	**5**	**8**	**16**	**27**	**39**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	285	12.7	95	6	7	9	14	27	34
18-34	395	12.6	108	2	4	12	17	29	38
35-49	379	12.6	220	2	3	7	15	32	48
50-69	391	11.8	158	4	4	8	13	30	44
70 +	11	18.0	10						
	1462	**12.5**	**147**	**3**	**5**	**8**	**15**	**29**	**38**
0-17	661	6.8	21	3	4	6	8	10	18
18-34	701	7.1	58	2	3	5	8	14	19
35-49	1209	4.4	10	2	2	3	6	8	11
50-69	647	6.1	34	2	3	4	7	13	20
70 +	42	6.4	5						
	3260	**5.8**	**28**	**2**	**3**	**4**	**7**	**11**	**15**
	4722	**7.9**	**75**	**2**	**3**	**5**	**9**	**17**	**25**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	136	10.5	59	4	6	7	14	23	27
18-34	67	28.9	753	3	6	22	47	69	92
35-49	93	23.6	185	5	10	25	34	47	48
50-69	54	18.7	311	4	5	10	33	51	51
70 +	0								
SUBTOTAL	**349**	**18.8**	**314**	**5**	**6**	**11**	**28**	**47**	**51**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	276	9.3	90	3	5	7	11	14	17
18-34	118	7.7	77	1	2	5	10	18	31
35-49	71	6.7	30	3	3	6	7	13	22
50-69	26	7.3	12						
70 +	0								
SUBTOTAL	**491**	**8.4**	**75**	**2**	**3**	**6**	**10**	**15**	**22**
GRAND TOTAL	**840**	**12.7**	**200**	**3**	**5**	**8**	**14**	**31**	**47**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	96	12.7	209	4	5	8	12	28	65
18-34	114	19.0	179	7	10	15	22	49	52
35-49	111	22.1	404	4	6	18	27	60	67
50-69	43	31.5	645	9	11	26	74	99 +	99 +
70 +	11	29.5	145						
	376	**20.1**	**335**	**4**	**7**	**15**	**28**	**60**	**74**
0-17	263	11.1	43	4	5	11	15	23	25
18-34	212	8.8	126	2	3	5	10	12	29
35-49	238	5.6	16	2	3	4	6	13	15
50-69	145	7.0	30	3	3	4	9	18	18
70 +	6	3.0							
	864	**8.3**	**58**	**3**	**4**	**5**	**11**	**16**	**24**
	1239	**11.8**	**171**	**3**	**4**	**8**	**15**	**27**	**49**

DRG 5: Extracranial Vascular Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3897	7.7	44	3	4	5	10	15	19
70-74	3380	7.9	45	3	4	6	9	16	20
75-79	2680	7.7	55	3	4	6	10	15	20
80-84	1347	9.8	70	3	4	7	12	21	27
85 +	459	9.3	44	4	4	6	11	19	25
SUBTOTAL	**11763**	**8.1**	**50**	**3**	**4**	**6**	**10**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3527	4.4	7	2	3	4	5	7	9
70-74	2794	4.4	5	2	3	4	5	7	9
75-79	2432	4.6	7	2	3	4	5	7	9
80-84	962	5.4	11	2	3	5	6	10	13
85 +	246	4.9	5	2	3	4	6	8	8
SUBTOTAL	**9961**	**4.5**	**7**	**2**	**3**	**4**	**5**	**7**	**10**
GRAND TOTAL	**21724**	**6.5**	**33**	**3**	**3**	**5**	**7**	**12**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	2.0							
18-34	28	9.6	67						
35-49	219	8.4	37	3	4	7	9	19	23
50-69	2786	6.6	32	3	3	5	7	12	17
70 +	192	6.5	32	2	3	4	8	12	25
	3230	**6.7**	**33**	**3**	**3**	**5**	**8**	**13**	**17**
0-17	22	3.9	25						
18-34	77	5.0	40	2	2	3	5	5	27
35-49	298	4.1	3	2	3	4	5	7	8
50-69	3339	4.4	6	2	3	4	5	7	10
70 +	167	4.2	3	2	3	4	5	5	8
	3903	**4.3**	**6**	**2**	**3**	**4**	**5**	**7**	**9**
	7132	**5.4**	**20**	**2**	**3**	**4**	**6**	**10**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	16	7.0							
50-69	347	8.0	99	3	4	5	9	16	21
70 +	22	16.6	12						
SUBTOTAL	**384**	**8.4**	**94**	**3**	**4**	**5**	**9**	**18**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	2.5	1						
18-34	37	3.7	3						
35-49	61	3.2		2	3	3	4	4	4
50-69	224	5.2	13	2	3	4	6	10	13
70 +	0								
SUBTOTAL	**345**	**4.5**	**10**	**2**	**3**	**3**	**6**	**7**	**10**
GRAND TOTAL	**730**	**6.6**	**58**	**3**	**3**	**5**	**7**	**12**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	23	4.5	2						
35-49	97	7.3	36	2	3	6	8	13	27
50-69	417	6.2	24	2	3	4	9	12	14
70 +	22	18.5	251						
	559	**6.8**	**39**	**2**	**3**	**4**	**9**	**13**	**20**
0-17	23	3.3							
18-34	17	3.7	4						
35-49	108	3.8	7	1	2	3	4	9	10
50-69	496	3.8	5	2	3	3	4	6	8
70 +	49	4.1	1	3	3	4	4	7	7
	692	**3.8**	**5**	**2**	**3**	**3**	**4**	**6**	**9**
	1250	**5.2**	**22**	**2**	**3**	**3**	**6**	**10**	**14**

DRG 6: Carpal Tunnel Release

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	66	2.4	4	<1	1	2	3	3	8
70-74	36	10.8	138						
75-79	16	3.9	2						
80-84	0								
85+	10	1.0							
SUBTOTAL	**128**	**4.9**	**55**	**1**	**1**	**2**	**4**	**8**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	118	1.3		<1	<1	1	2	2	2
70-74	70	1.5	1	<1	<1	1	2	2	4
75-79	48	1.1		<1	1	1	1	2	2
80-84	34	1.8	1	<1	<1	1	2	4	4
85+	6	1.0							
SUBTOTAL	**275**	**1.4**		**<1**	**<1**	**1**	**2**	**2**	**2**
GRAND TOTAL	**403**	**2.5**	**20**	**<1**	**1**	**1**	**2**	**4**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	5.9	9						
35-49	37	4.3	15						
50-69	38	1.9	2	1	1	1	2	5	5
70+	0								
	92	**3.5**	**11**	**1**	**1**	**2**	**4**	**8**	**13**
0-17	32	1.0							
18-34	132	1.9	2	<1	1	1	2	2	7
35-49	270	2.6	8	<1	<1	1	4	5	7
50-69	256	1.5	2	<1	<1	1	1	2	4
70+	0								
	689	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**7**
	781	**2.1**	**5**	**<1**	**1**	**1**	**2**	**5**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	5.0							
18-34	11	2.0	1						
35-49	6	2.0							
50-69	16	1.6							
70+	0								
SUBTOTAL	**38**	**2.3**	**2**	**<1**	**1**	**2**	**3**	**5**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	17	1.0							
35-49	10	3.0							
50-69	42	1.0							
70+	0								
SUBTOTAL	**69**	**1.3**	**1**	**<1**	**1**	**1**	**1**	**3**	**3**
GRAND TOTAL	**108**	**1.7**	**1**	**<1**	**1**	**1**	**2**	**3**	**5**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	23	6.3	76						
35-49	11	1.0							
50-69	0								
70+	6	1.0							
	40	**4.0**	**50**	**1**	**1**	**1**	**2**	**21**	**21**
0-17	0								
18-34	26	1.0							
35-49	33	1.0							
50-69	23	2.0	3						
70+	28	1.0							
	110	**1.2**	**1**	**<1**	**<1**	**1**	**1**	**1**	**5**
	149	**1.9**	**15**	**<1**	**<1**	**1**	**1**	**2**	**5**

DRG 7: Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	781	10.8	141	2	4	8	14	23	31
70-74	454	14.0	239	1	5	10	16	34	61
75-79	320	18.5	449	2	5	10	33	53	83
80-84	226	18.7	350	2	5	13	29	45	52
85 +	166	19.6	673	2	6	8	21	79	91
SUBTOTAL	**1946**	**14.5**	**295**	**2**	**4**	**8**	**17**	**36**	**61**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1946**	**14.5**	**295**	**2**	**4**	**8**	**17**	**36**	**61**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	142	9.3	99	2	3	5	15	19	26
18-34	347	12.0	296	1	2	5	14	42	65
35-49	380	8.4	64	2	2	6	10	21	27
50-69	588	11.9	191	1	3	7	17	31	44
70 +	22	32.8	866						
	1478	**11.1**	**193**	**1**	**3**	**6**	**14**	**28**	**43**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1478	**11.1**	**193**	**1**	**3**	**6**	**14**	**28**	**43**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	106	12.2	212	3	4	8	11	46	58
18-34	135	9.5	87	1	2	6	17	19	23
35-49	56	11.3	279	1	2	5	10	47	58
50-69	83	19.0	408	3	4	14	21	43	82
70 +	6	1.0							
SUBTOTAL	**385**	**12.4**	**230**	**1**	**3**	**7**	**17**	**23**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**385**	**12.4**	**230**	**1**	**3**	**7**	**17**	**23**	**46**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	61	4.0	4	2	2	4	5	7	8
18-34	242	10.0	211	1	4	5	13	19	24
35-49	87	7.7	55	1	2	3	9	23	23
50-69	67	10.8	49	3	6	8	19	99 +	99 +
70 +	33	19.6	209						
	490	**9.6**	**146**	**2**	**3**	**6**	**13**	**21**	**39**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	490	**9.6**	**146**	**2**	**3**	**6**	**13**	**21**	**39**

DRG 8: Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	595	3.0	8	1	1	2	4	7	8
70-74	275	3.2	8	1	1	2	3	8	8
75-79	253	4.6	27	1	2	2	5	14	16
80-84	73	3.1	11	1	1	2	2	7	12
85 +	32	5.4	4						
SUBTOTAL	**1228**	**3.4**	**13**	**1**	**1**	**2**	**4**	**8**	**10**
GRAND TOTAL	**1228**	**3.4**	**13**	**1**	**1**	**2**	**4**	**8**	**10**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	679	2.9	8	1	1	2	3	5	8
18-34	924	3.1	13	1	1	2	4	6	10
35-49	1253	3.2	18	1	1	2	3	8	11
50-69	905	2.9	11	1	1	2	3	6	7
70 +	51	7.4	27						
	3812	**3.1**	**14**	**1**	**1**	**2**	**4**	**7**	**10**
	3812	**3.1**	**14**	**1**	**1**	**2**	**4**	**7**	**10**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	268	2.9	8	1	1	2	3	5	7
18-34	218	2.1	2	1	1	2	3	5	6
35-49	123	2.5	2	1	1	2	3	5	5
50-69	38	7.0	24	1	3	8	14	99 +	99 +
70 +	0								
SUBTOTAL	**648**	**2.8**	**7**	**1**	**1**	**2**	**4**	**6**	**10**
GRAND TOTAL	**648**	**2.8**	**7**	**1**	**1**	**2**	**4**	**6**	**10**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	319	2.9	8	1	1	2	4	5	7
18-34	585	3.3	13	1	1	2	4	8	9
35-49	274	2.2	3	1	1	1	3	5	6
50-69	123	5.0	20	1	1	2	10	12	12
70 +	34	1.0		< 1	< 1	< 1	< 1	1	1
	1335	**3.1**	**11**	**1**	**1**	**2**	**4**	**7**	**10**
	1335	**3.1**	**11**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 9: Spinal Disorders & Injuries

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	127	11.5	92	3	4	7	17	24	36	0-17	58	6.4	22	< 1	1	4	11	13	13
70-74	78	13.3	80	3	3	12	17	32	32	18-34	82	26.7	558	1	5	22	31	72	72
75-79	94	13.6	88	2	5	14	19	30	30	35-49	79	27.9	209	7	16	27	43	49	49
80-84	43	15.2	182	2	8	11	26	44	44	50-69	42	10.0	15	4	8	10	16	99 +	99 +
85 +	32	12.7	37							70 +	20	21.0	38						
SUBTOTAL	**374**	**13.0**	**94**	**3**	**5**	**12**	**17**	**26**	**32**		**281**	**20.0**	**312**	**4**	**7**	**16**	**27**	**49**	**72**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	34	4.0	8	1	2	3	5	9	9	0-17	135	4.2	17	1	2	2	6	8	15
70-74	48	11.0	47	2	6	9	18	23	23	18-34	154	16.1	342	1	3	9	16	52	61
75-79	6	11.0								35-49	147	3.1	7	1	2	2	4	5	5
80-84	10	10.0								50-69	74	2.5	2	< 1	1	2	4	4	5
85 +	32	5.4	12							70 +	6	6.0							
SUBTOTAL	**129**	**7.7**	**32**	**2**	**2**	**7**	**10**	**18**	**19**		**516**	**7.2**	**142**	**1**	**2**	**3**	**6**	**16**	**39**
GRAND TOTAL	**503**	**11.6**	**84**	**2**	**4**	**9**	**17**	**25**	**32**		**797**	**11.7**	**239**	**1**	**2**	**5**	**15**	**31**	**52**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	28	16.8	113							0-17	0								
18-34	54	23.9	650	3	5	44	99 +	99 +	99 +	18-34	28	17.0	86						
35-49	42	20.0	178							35-49	37	21.9	70						
50-69	17	44.3	1315							50-69	6	12.0							
70 +	0									70 +	0								
SUBTOTAL	**142**	**23.8**	**535**	**3**	**10**	**22**	**44**	**99 +**	**99 +**		**71**	**19.2**	**80**	**8**	**13**	**21**	**23**	**33**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	89	16.8	132	1	4	20	30	55	99 +	0-17	38	1.3	1	1	1	1	1	3	3
18-34	22	15.2	166							18-34	135	4.6	15	1	2	4	6	11	13
35-49	11	21.0	215							35-49	42	5.3	22						
50-69	16	30.3	474							50-69	0								
70 +	0									70 +	10	4.0							
SUBTOTAL	**138**	**18.5**	**198**	**2**	**6**	**18**	**30**	**46**	**99 +**		**225**	**4.1**	**14**	**1**	**1**	**3**	**5**	**11**	**13**
GRAND TOTAL	**280**	**21.2**	**374**	**3**	**7**	**21**	**36**	**99 +**	**99 +**		**297**	**7.7**	**71**	**1**	**2**	**4**	**13**	**21**	**30**

DRG 10: Nervous System Neoplasms w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2106	11.2	154	3	4	8	13	21	30
70-74	1273	9.3	80	3	5	7	10	19	23
75-79	1154	10.6	80	3	4	8	14	23	30
80-84	602	9.8	68	3	5	8	11	20	28
85 +	362	12.9	95	3	5	12	17	26	31
SUBTOTAL	**5497**	**10.6**	**109**	**3**	**5**	**8**	**13**	**21**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5497**	**10.6**	**109**	**3**	**5**	**8**	**13**	**21**	**27**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	176	6.7	88	2	3	3	5	16	32
18-34	276	6.0	26	1	2	4	10	14	18
35-49	1105	8.5	143	1	3	5	9	16	24
50-69	2285	8.8	101	2	3	6	10	18	22
70 +	53	8.0	13	1	5	9	11	11	11
	3896	**8.4**	**106**	**2**	**3**	**6**	**9**	**17**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3896	**8.4**	**106**	**2**	**3**	**6**	**9**	**17**	**22**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	132	5.6	40	1	2	4	6	12	13
18-34	65	6.4	9	3	4	6	8	11	11
35-49	231	8.2	43	2	5	7	10	15	26
50-69	316	9.8	43	2	4	8	14	18	23
70 +	32	6.6	10						
SUBTOTAL	**776**	**8.2**	**41**	**2**	**4**	**7**	**12**	**16**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**776**	**8.2**	**41**	**2**	**4**	**7**	**12**	**16**	**23**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	9.9	41	3	3	10	14	19	19
18-34	65	5.2	15	2	3	5	6	10	15
35-49	234	5.5	12	2	2	5	9	10	13
50-69	488	7.3	22	2	4	6	9	14	16
70 +	52	8.8	21	5	6	7	8	19	19
	889	**6.9**	**21**	**2**	**4**	**6**	**9**	**14**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	889	**6.9**	**21**	**2**	**4**	**6**	**9**	**14**	**16**

DRG 11: Nervous System Neoplasms w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	384	6.3	36	1	2	4	9	13	23	0-17	275	3.0	5	1	1	3	3	6	9
70-74	281	5.0	12	1	2	4	7	11	12	18-34	131	4.4	24	1	1	3	6	6	11
75-79	245	6.7	43	2	3	4	7	14	23	35-49	496	3.8	13	1	1	2	5	9	14
80-84	107	4.8	5	2	3	4	7	8	9	50-69	802	5.2	26	1	2	4	6	13	15
85 +	103	7.3	69	1	2	3	12	17	29	70 +	49	6.4	23	1	4	4	6	16	16
SUBTOTAL	**1120**	**6.0**	**32**	**1**	**2**	**4**	**8**	**12**	**18**		**1753**	**4.4**	**20**	**1**	**2**	**3**	**6**	**10**	**13**
GRAND TOTAL	**1120**	**6.0**	**32**	**1**	**2**	**4**	**8**	**12**	**18**		**1753**	**4.4**	**20**	**1**	**2**	**3**	**6**	**10**	**13**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	111	6.6	178	< 1	1	3	4	6	48	0-17	119	4.0	38	1	2	3	4	5	18
18-34	101	3.3	5	< 1	1	4	5	6	8	18-34	54	2.5	4	1	1	1	5	6	6
35-49	26	4.2	1							35-49	49	5.5	18	< 1	2	4	6	13	13
50-69	50	5.6	30	2	2	3	4	17	17	50-69	107	5.2	26	1	2	4	5	13	18
70 +	10	4.0								70 +	0								
SUBTOTAL	**298**	**5.0**	**75**	**< 1**	**1**	**3**	**5**	**6**	**17**		**328**	**4.4**	**27**	**1**	**2**	**3**	**4**	**10**	**13**
GRAND TOTAL	**298**	**5.0**	**75**	**< 1**	**1**	**3**	**5**	**6**	**17**		**328**	**4.4**	**27**	**1**	**2**	**3**	**4**	**10**	**13**

DRG 12: Degenerative Nervous System Disorders

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	873	11.2	90	3	5	9	14	23	37
70-74	964	11.7	113	3	5	8	15	25	36
75-79	1136	11.9	89	3	5	9	16	25	35
80-84	979	9.7	37	3	6	8	12	18	22
85 +	631	10.0	88	3	4	7	12	19	25
SUBTOTAL	**4583**	**11.0**	**84**	**3**	**5**	**8**	**14**	**23**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	732	10.8	104	2	4	7	14	24	38
70-74	770	8.9	99	2	3	6	10	22	32
75-79	796	8.8	73	2	3	6	10	22	32
80-84	627	8.9	110	2	4	6	10	19	30
85 +	247	10.3	78	3	5	8	11	25	28
SUBTOTAL	**3174**	**9.4**	**95**	**2**	**4**	**6**	**11**	**22**	**31**
GRAND TOTAL	**7757**	**10.4**	**89**	**3**	**4**	**7**	**13**	**22**	**31**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	173	6.6	112	1	2	4	7	12	14
18-34	61	22.7	870	2	4	5	50	81	81
35-49	237	8.5	52	3	5	6	11	17	24
50-69	368	12.9	104	4	6	10	15	32	36
70 +	43	10.4	35	3	7	10	18	20	20
	882	**11.0**	**157**	**3**	**4**	**7**	**12**	**23**	**37**
0-17	238	3.2	6	1	2	2	4	6	6
18-34	263	7.0	137	2	2	4	7	9	21
35-49	233	8.0	53	1	3	6	10	19	24
50-69	538	7.2	87	1	2	4	9	16	21
70 +	47	3.3	6						
	1319	**6.5**	**76**	**1**	**2**	**4**	**8**	**13**	**19**
	2201	**8.3**	**114**	**1**	**3**	**5**	**10**	**17**	**28**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	60	12.0	131	3	4	7	30	31	31
18-34	110	9.8	42	2	5	9	14	24	66
35-49	77	14.9	213	3	7	17	62	99 +	99 +
50-69	159	10.5	82	4	6	8	15	35	99 +
70 +	16	12.7	63						
SUBTOTAL	**421**	**11.4**	**104**	**3**	**6**	**9**	**18**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	87	5.5	62	1	1	3	6	17	31
18-34	119	6.1	15	2	3	5	9	13	14
35-49	63	7.7	35	2	2	4	15	16	16
50-69	86	14.8	194	3	4	7	25	43	43
70 +	0								
SUBTOTAL	**356**	**8.3**	**87**	**2**	**2**	**5**	**11**	**17**	**31**
GRAND TOTAL	**777**	**10.0**	**98**	**2**	**4**	**7**	**15**	**33**	**99 +**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	5.6	4						
18-34	54	13.0	335	3	4	7	12	60	65
35-49	65	15.1	344	4	4	11	16	28	70
50-69	116	17.2	275	5	8	13	29	67	99 +
70 +	214	26.7	306	7	14	27	38	65	67
	465	**20.4**	**333**	**3**	**7**	**15**	**30**	**65**	**70**
0-17	60	3.1	6	1	1	3	3	6	10
18-34	128	5.3	29	1	1	3	6	14	14
35-49	108	3.1	6	1	1	2	3	6	10
50-69	143	6.4	42	1	2	4	9	16	16
70 +	61	22.1	99	4	17	29	31	32	99 +
	499	**6.9**	**67**	**1**	**2**	**3**	**10**	**22**	**30**
	964	**13.4**	**240**	**1**	**3**	**7**	**22**	**38**	**66**

DRG 13: Multiple Sclerosis & Cerebellar Ataxia

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	716	10.0	92	2	5	8	11	21	28
70-74	59	6.8	15	2	3	6	10	12	14
75-79	42	8.3	8						
80-84	20	11.0	9						
85 +	11	7.5	33						
SUBTOTAL	**849**	**9.7**	**80**	**2**	**5**	**8**	**11**	**16**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	872	7.1	46	2	3	6	9	13	17
70-74	53	7.3	13	3	4	6	9	13	13
75-79	26	5.0	1						
80-84	0								
85 +	27	7.5	17						
SUBTOTAL	**978**	**7.1**	**42**	**2**	**3**	**6**	**9**	**13**	**16**
GRAND TOTAL	**1827**	**8.3**	**62**	**2**	**4**	**6**	**10**	**14**	**21**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	1.5							
18-34	212	7.4	38	2	3	6	10	21	22
35-49	623	8.6	54	2	4	8	10	14	23
50-69	288	6.2	19	2	3	6	8	14	15
70 +	26	8.9	10						
	1160	**7.7**	**42**	**2**	**3**	**6**	**10**	**14**	**21**
0-17	125	4.2	17	< 1	1	3	4	12	15
18-34	995	5.4	12	2	3	5	8	10	11
35-49	2045	5.4	11	2	3	5	8	10	11
50-69	637	4.3	14	1	2	3	5	9	10
70 +	0								
	3801	**5.2**	**12**	**2**	**2**	**4**	**7**	**10**	**11**
	4961	**5.8**	**20**	**2**	**3**	**5**	**8**	**10**	**13**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	53	7.8	13	3	4	9	12	12	12
35-49	154	7.7	18	2	5	8	11	15	15
50-69	60	9.4	97	4	4	8	9	21	39
70 +	0								
SUBTOTAL	**267**	**8.1**	**35**	**3**	**4**	**8**	**9**	**15**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	33	4.7	5						
18-34	155	5.0	15	1	2	4	8	10	10
35-49	136	4.7	10	1	2	4	8	9	9
50-69	48	5.0	14	2	2	2	7	11	11
70 +	0								
SUBTOTAL	**372**	**4.9**	**12**	**1**	**2**	**4**	**8**	**10**	**11**
GRAND TOTAL	**639**	**6.2**	**24**	**2**	**3**	**5**	**9**	**12**	**15**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	9.0	18						
18-34	27	8.4	23						
35-49	101	6.4	22	1	2	7	10	12	18
50-69	65	6.9	28	3	3	4	8	18	18
70 +	0								
	215	**7.1**	**24**	**2**	**3**	**6**	**10**	**15**	**18**
0-17	92	2.2	6	1	1	2	2	3	11
18-34	127	4.9	5	2	3	4	6	8	9
35-49	236	4.9	10	2	2	4	7	9	11
50-69	52	5.7	38	2	2	3	4	21	21
70 +	0								
	507	**4.5**	**12**	**1**	**2**	**3**	**6**	**9**	**11**
	722	**5.3**	**17**	**1**	**2**	**4**	**7**	**11**	**14**

DRG 14: Specific Cerebrovascular Disorders except TIA

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	14609	11.0	102	3	5	8	13	22	32
70-74	13815	11.0	84	4	5	8	14	22	30
75-79	16312	11.8	95	4	6	9	15	24	31
80-84	14489	12.2	97	4	6	9	16	24	31
85 +	14712	11.9	90	4	6	9	15	23	29
SUBTOTAL	**73937**	**11.6**	**94**	**4**	**6**	**9**	**14**	**23**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	5540	6.8	30	2	3	5	9	12	16
70-74	5213	7.4	32	3	4	6	9	14	17
75-79	5598	7.3	34	2	4	6	9	13	18
80-84	4202	7.4	27	3	4	6	10	13	16
85 +	3857	8.5	38	3	4	7	10	16	20
SUBTOTAL	**24410**	**7.4**	**32**	**3**	**4**	**6**	**9**	**13**	**18**
GRAND TOTAL	**98347**	**10.6**	**82**	**3**	**5**	**8**	**13**	**21**	**28**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	85	7.7	58	1	3	5	9	16	31
18-34	321	8.9	85	2	4	6	10	17	29
35-49	1682	8.9	83	2	4	7	11	17	26
50-69	8515	10.5	111	3	5	7	12	21	29
70 +	1260	11.4	73	3	6	9	14	22	28
	11863	**10.3**	**102**	**3**	**5**	**7**	**12**	**20**	**28**
0-17	86	4.1	13	< 1	1	3	5	8	15
18-34	416	5.1	9	1	3	5	6	9	11
35-49	1816	6.7	37	1	3	5	8	14	16
50-69	5604	6.4	29	2	3	5	8	12	15
70 +	546	6.9	23	3	4	5	8	12	17
	8467	**6.5**	**29**	**2**	**3**	**5**	**8**	**12**	**16**
	20331	**8.7**	**76**	**2**	**4**	**6**	**10**	**17**	**23**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	43	10.6	147	2	2	8	12	40	40
18-34	113	8.2	35	4	5	7	9	20	25
35-49	639	11.9	139	3	5	9	14	25	31
50-69	2273	12.4	130	4	5	9	15	24	33
70 +	615	13.6	138	4	6	10	16	26	47
SUBTOTAL	**3683**	**12.4**	**131**	**4**	**5**	**9**	**15**	**25**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	11	4.5	13						
18-34	91	6.2	11	2	3	6	9	12	12
35-49	202	10.1	161	2	4	6	9	20	39
50-69	913	8.2	44	3	4	6	10	19	25
70 +	221	11.1	90	4	5	7	11	25	34
SUBTOTAL	**1438**	**8.7**	**67**	**3**	**4**	**6**	**10**	**19**	**26**
GRAND TOTAL	**5120**	**11.4**	**116**	**3**	**5**	**8**	**14**	**24**	**31**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	33	8.2	60						
18-34	284	9.6	45	2	5	7	14	21	24
35-49	862	10.9	76	3	5	9	12	21	29
50-69	2428	10.5	112	3	5	7	13	22	29
70 +	543	12.8	84	4	7	11	15	26	31
	4151	**10.8**	**97**	**3**	**5**	**8**	**14**	**22**	**28**
0-17	38	4.8	9	1	2	5	8	8	8
18-34	180	6.5	22	2	3	5	8	15	15
35-49	669	6.9	23	2	3	6	10	15	16
50-69	2084	6.7	29	2	3	5	9	14	19
70 +	201	10.0	58	3	4	8	13	19	28
	3172	**6.9**	**30**	**2**	**3**	**5**	**9**	**14**	**19**
	7323	**9.1**	**71**	**2**	**4**	**7**	**12**	**18**	**24**

DRG 15: Transient Ischemic Attack & Precerebral Occlusions

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6479	5.0	14	2	3	4	6	9	11
70-74	5824	5.4	19	2	3	4	7	10	13
75-79	6697	5.8	25	2	3	4	7	11	13
80-84	5563	5.9	23	2	3	5	7	11	14
85 +	5013	6.1	28	2	3	5	7	11	15
SUBTOTAL	**29576**	**5.6**	**22**	**2**	**3**	**4**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4624	3.7	7	1	2	3	5	7	8
70-74	4713	3.7	8	1	2	3	5	7	9
75-79	4149	3.9	9	1	2	3	5	7	9
80-84	3889	4.1	10	1	2	3	5	8	10
85 +	2920	4.3	11	2	2	4	5	7	10
SUBTOTAL	**20296**	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**49872**	**4.9**	**17**	**2**	**3**	**4**	**6**	**9**	**12**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	2.0							
18-34	121	4.9	5	2	4	5	6	9	10
35-49	880	4.1	8	1	2	4	6	7	8
50-69	3394	4.5	14	1	2	4	6	8	10
70 +	473	5.0	11	2	3	4	6	8	12
	4874	**4.5**	**12**	**1**	**2**	**4**	**6**	**8**	**10**
0-17	0								
18-34	266	2.3	2	1	1	2	3	5	6
35-49	1628	3.3	6	1	1	3	4	6	8
50-69	5215	3.4	6	1	2	3	4	7	8
70 +	379	3.3	5	1	2	3	4	6	7
	7487	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
	12361	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	34	8.0	101	2	3	4	6	30	30
35-49	103	4.8	8	2	3	4	7	9	12
50-69	738	4.9	15	2	2	4	6	8	10
70 +	170	7.8	48	3	4	5	10	25	99 +
SUBTOTAL	**1045**	**5.4**	**24**	**2**	**3**	**4**	**6**	**9**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	22	3.0	1						
35-49	95	4.2	11	1	2	3	5	12	12
50-69	458	4.4	10	2	2	3	5	9	12
70 +	164	5.8	44	2	2	4	6	9	30
SUBTOTAL	**739**	**4.6**	**18**	**1**	**2**	**3**	**5**	**9**	**12**
GRAND TOTAL	**1785**	**5.1**	**22**	**2**	**2**	**4**	**6**	**9**	**14**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	48	2.7	5	1	1	2	3	8	8
35-49	241	5.1	10	2	3	4	6	10	12
50-69	822	5.0	13	1	3	4	6	9	12
70 +	129	4.2	5	2	2	4	6	8	8
	1240	**4.8**	**11**	**1**	**3**	**4**	**6**	**9**	**12**
0-17	6	6.0							
18-34	89	3.8	8	< 1	2	3	7	7	11
35-49	517	3.3	3	1	2	3	5	6	7
50-69	1323	3.1	6	1	1	2	4	6	8
70 +	223	3.0	3	1	1	3	4	5	6
	2157	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
	3397	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 16: Nonspecific Cerebrovascular Disorders w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	786	9.1	74	1	4	7	11	20	27
70-74	637	8.2	39	3	3	7	12	17	19
75-79	714	7.6	29	3	4	6	9	15	19
80-84	804	10.1	174	3	4	6	10	19	24
85 +	940	9.3	69	2	4	8	12	19	24
SUBTOTAL	**3881**	**8.9**	**80**	**2**	**4**	**7**	**11**	**18**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3881**	**8.9**	**80**	**2**	**4**	**7**	**11**	**18**	**23**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	80	5.1	7	3	4	4	6	10	11
18-34	70	7.7	40	1	2	5	14	18	19
35-49	194	6.2	16	1	3	5	8	13	14
50-69	419	6.4	22	2	3	5	8	11	14
70 +	52	6.0	15	1	3	6	6	13	13
	816	**6.3**	**20**	**2**	**3**	**5**	**8**	**13**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	816	**6.3**	**20**	**2**	**3**	**5**	**8**	**13**	**14**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	55	10.2	60	2	3	8	16	25	28
18-34	10	11.0							
35-49	42	7.4	44						
50-69	117	9.6	41	3	3	9	12	20	23
70 +	41	7.5	18						
SUBTOTAL	**265**	**9.1**	**41**	**2**	**3**	**8**	**12**	**18**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**265**	**9.1**	**41**	**2**	**3**	**8**	**12**	**18**	**20**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	3.3	11	1	1	2	3	11	11
18-34	51	6.2	57						
35-49	27	9.4	25						
50-69	116	7.3	9	4	5	6	9	11	14
70 +	16	12.1	2						
	248	**7.0**	**25**	**2**	**3**	**6**	**9**	**14**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	248	**7.0**	**25**	**2**	**3**	**6**	**9**	**14**	**18**

DRG 17: Nonspecific Cerebrovascular Disorders w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	149	5.1	8	2	3	4	7	8	12
70-74	175	4.4	10	1	2	4	5	8	12
75-79	180	7.7	54	2	3	4	10	18	19
80-84	195	5.2	24	1	2	4	6	9	12
85 +	174	5.6	14	1	3	5	8	12	12
SUBTOTAL	**872**	**5.6**	**24**	**1**	**3**	**4**	**7**	**12**	**15**
GRAND TOTAL	**872**	**5.6**	**24**	**1**	**3**	**4**	**7**	**12**	**15**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	66	7.6	195	< 1	1	3	7	8	52
18-34	85	3.3	4	1	1	4	5	6	6
35-49	163	3.8	7	2	2	3	5	9	9
50-69	328	3.5	11	1	1	3	5	7	8
70 +	22	9.1	59						
	663	**4.2**	**31**	**1**	**2**	**3**	**5**	**8**	**9**
	663	**4.2**	**31**	**1**	**2**	**3**	**5**	**8**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	72	12.3	343	1	1	3	9	53	53
18-34	42	2.4							
35-49	6	1.0							
50-69	22	4.0	3						
70 +	0								
SUBTOTAL	**142**	**7.7**	**198**	**1**	**2**	**3**	**3**	**32**	**53**
GRAND TOTAL	**142**	**7.7**	**198**	**1**	**2**	**3**	**3**	**32**	**53**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	22	11.5	127						
18-34	0								
35-49	37	3.2	5						
50-69	54	2.6	3	< 1	1	2	3	7	7
70 +	10	6.0							
	123	**4.6**	**35**	**1**	**1**	**2**	**6**	**7**	**23**
	123	**4.6**	**35**	**1**	**1**	**2**	**6**	**7**	**23**

DRG 18: Cranial & Peripheral Nerve Disorders w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2441	7.0	44	2	3	5	8	13	18
70-74	1058	6.3	22	2	3	5	8	12	16
75-79	831	7.8	35	3	4	6	10	15	21
80-84	482	8.8	53	3	4	8	10	15	26
85 +	371	8.1	55	3	4	6	8	15	20
SUBTOTAL	**5182**	**7.2**	**40**	**2**	**3**	**5**	**9**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5182**	**7.2**	**40**	**2**	**3**	**5**	**9**	**14**	**19**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	44	3.7	5	1	2	4	6	8	8
18-34	260	7.2	53	3	3	5	8	12	26
35-49	822	6.0	35	2	3	4	7	13	17
50-69	1055	6.0	33	2	3	4	7	10	18
70 +	75	9.2	21	4	6	10	11	12	21
	2256	**6.2**	**36**	**2**	**3**	**5**	**8**	**12**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2256	**6.2**	**36**	**2**	**3**	**5**	**8**	**12**	**17**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	2.0							
18-34	172	5.7	8	3	3	5	7	10	10
35-49	301	7.7	38	2	3	6	9	15	21
50-69	331	6.9	21	2	3	6	8	14	17
70 +	0								
SUBTOTAL	**814**	**6.9**	**25**	**2**	**3**	**6**	**8**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**814**	**6.9**	**25**	**2**	**3**	**6**	**8**	**14**	**17**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	33	4.9	14						
18-34	151	5.7	25	1	2	4	7	15	19
35-49	154	8.0	19	4	4	8	11	14	18
50-69	259	4.8	12	1	3	4	6	10	14
70 +	16	4.6							
	612	**5.8**	**18**	**1**	**3**	**5**	**8**	**12**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	612	**5.8**	**18**	**1**	**3**	**5**	**8**	**12**	**14**

DRG 19: Cranial & Peripheral Nerve Disorders w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1371	4.5	18	1	2	3	6	10	13
70-74	575	3.7	7	1	2	3	5	7	10
75-79	432	5.3	10	2	3	4	7	10	11
80-84	270	6.5	20	2	3	6	9	12	14
85 +	122	4.4	13	1	2	3	5	12	13
SUBTOTAL	**2770**	**4.7**	**15**	**1**	**2**	**3**	**7**	**10**	**12**
GRAND TOTAL	**2770**	**4.7**	**15**	**1**	**2**	**3**	**7**	**10**	**12**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	241	3.7	27	1	1	2	4	6	21
18-34	983	3.2	7	< 1	1	2	4	7	9
35-49	2073	3.9	14	1	1	3	5	9	12
50-69	1846	4.0	12	1	1	3	5	8	11
70 +	31	4.3							
	5175	**3.8**	**12**	**1**	**1**	**3**	**5**	**8**	**11**
	5175	**3.8**	**12**	**1**	**1**	**3**	**5**	**8**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	17	3.0	3						
18-34	217	3.4	7	1	1	3	5	7	10
35-49	220	5.4	19	1	2	5	7	11	12
50-69	165	4.4	9	1	2	4	8	8	10
70 +	16	1.0							
SUBTOTAL	**635**	**4.3**	**12**	**1**	**1**	**3**	**6**	**8**	**11**
GRAND TOTAL	**635**	**4.3**	**12**	**1**	**1**	**3**	**6**	**8**	**11**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	104	1.9	2	1	1	1	3	4	5
18-34	587	3.6	8	1	1	3	5	8	10
35-49	538	3.0	10	1	1	2	4	7	11
50-69	453	3.0	7	< 1	1	2	4	6	10
70 +	28	3.0	7						
	1710	**3.1**	**8**	**1**	**1**	**2**	**4**	**8**	**10**
	1710	**3.1**	**8**	**1**	**1**	**2**	**4**	**8**	**10**

DRG 20: Nervous System Infection except Viral Meningitis

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	527	14.3	130	4	7	11	18	26	43
70-74	296	14.2	119	3	6	10	23	30	31
75-79	229	15.4	140	5	8	12	20	28	44
80-84	211	15.7	89	6	10	14	22	29	38
85 +	179	18.5	354	2	9	15	23	31	87
SUBTOTAL	**1442**	**15.1**	**153**	**4**	**7**	**11**	**20**	**29**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	181	6.4	19	1	2	6	11	12	13
70-74	110	6.7	31	2	2	6	7	13	21
75-79	95	7.9	16	2	4	8	12	13	13
80-84	75	7.4	33	3	3	5	9	15	23
85 +	16	8.5	12						
SUBTOTAL	**477**	**7.0**	**23**	**2**	**3**	**6**	**11**	**13**	**15**
GRAND TOTAL	**1919**	**13.1**	**133**	**3**	**6**	**10**	**18**	**26**	**31**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	703	11.1	39	4	7	10	14	18	23
18-34	398	9.9	72	2	5	7	14	21	29
35-49	337	12.7	128	4	6	9	15	29	47
50-69	365	15.3	100	3	7	14	23	27	31
70 +	26	11.0	20						
	1829	**12.0**	**78**	**3**	**6**	**10**	**15**	**23**	**29**
0-17	1469	7.9	22	2	3	8	10	14	17
18-34	581	6.6	21	2	3	6	9	13	16
35-49	434	8.3	45	2	3	6	11	17	21
50-69	430	9.6	99	2	4	7	12	18	24
70 +	6	5.0							
	2920	**8.0**	**37**	**2**	**3**	**7**	**10**	**15**	**18**
	4749	**9.5**	**57**	**2**	**4**	**8**	**12**	**18**	**23**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	603	11.5	33	6	9	10	14	17	21
18-34	155	12.5	54	4	7	10	16	23	23
35-49	59	18.4	467	1	5	10	26	63	63
50-69	91	25.5	597	7	12	18	26	86	99 +
70 +	6	17.0							
SUBTOTAL	**914**	**13.6**	**138**	**6**	**9**	**11**	**15**	**22**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	823	9.2	20	3	7	10	11	15	18
18-34	156	10.1	100	3	4	7	11	28	31
35-49	58	7.1	37	2	2	5	9	19	19
50-69	16	38.8	713						
70 +	0								
SUBTOTAL	**1053**	**9.7**	**56**	**3**	**5**	**9**	**11**	**16**	**21**
GRAND TOTAL	**1967**	**11.5**	**98**	**4**	**7**	**10**	**13**	**20**	**23**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	392	10.5	34	3	7	10	14	19	23
18-34	176	13.2	255	3	6	10	13	25	31
35-49	140	9.6	47	4	5	9	12	25	29
50-69	83	17.2	49	8	10	20	22	26	29
70 +	26	11.3	7						
	817	**11.6**	**89**	**3**	**7**	**10**	**14**	**23**	**26**
0-17	618	8.9	46	3	4	9	11	15	17
18-34	298	5.3	14	2	3	4	7	10	16
35-49	160	8.2	22	2	5	9	12	15	15
50-69	86	6.8	45	1	4	5	6	24	24
70 +	28	1.0							
	1190	**7.6**	**37**	**2**	**4**	**6**	**10**	**14**	**16**
	2006	**9.2**	**62**	**2**	**4**	**9**	**11**	**16**	**23**

DRG 21: Viral Meningitis

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	101	7.2	25	4	5	5	8	15	23
70-74	52	10.0	19	5	6	9	14	16	16
75-79	17	12.7	31						
80-84	42	9.9	32						
85 +	16	20.2	335						
SUBTOTAL	**228**	**9.7**	**56**	**5**	**5**	**7**	**11**	**19**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	120	3.9	7	2	3	3	4	10	10
70-74	42	6.6	19						
75-79	6	4.0							
80-84	10	8.0							
85 +	11	3.0	1						
SUBTOTAL	**189**	**4.7**	**10**	**2**	**3**	**3**	**6**	**10**	**10**
GRAND TOTAL	**417**	**7.4**	**42**	**3**	**3**	**5**	**8**	**15**	**20**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	881	4.2	7	2	3	3	5	8	10
18-34	466	4.1	10	2	2	3	4	8	11
35-49	265	5.8	15	2	3	5	7	11	13
50-69	111	8.1	33	2	4	8	10	18	23
70 +	6	23.0							
	1729	**4.7**	**13**	**2**	**3**	**4**	**6**	**9**	**11**
0-17	3734	3.4	4	2	2	3	4	5	7
18-34	2393	3.4	5	1	2	3	4	5	8
35-49	687	4.1	6	2	2	3	5	8	9
50-69	186	5.5	15	2	3	4	6	11	16
70 +	20	4.0							
	7021	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**8**
	8750	**3.8**	**7**	**2**	**2**	**3**	**4**	**7**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	559	4.7	6	2	3	4	5	8	10
18-34	143	5.7	12	2	3	5	7	10	15
35-49	22	8.4	51						
50-69	63	6.9	16	2	3	6	10	13	14
70 +	0								
SUBTOTAL	**787**	**5.2**	**10**	**2**	**3**	**4**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1925	3.8	3	2	3	3	4	6	8
18-34	414	4.2	6	2	2	4	6	7	9
35-49	16	5.7	1						
50-69	22	6.9	9						
70 +	0								
SUBTOTAL	**2376**	**3.9**	**4**	**2**	**3**	**3**	**4**	**6**	**8**
GRAND TOTAL	**3163**	**4.2**	**6**	**2**	**3**	**4**	**5**	**7**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	342	4.7	9	2	3	3	5	10	13
18-34	218	4.2	9	2	2	4	5	7	12
35-49	70	3.8	3	2	3	4	4	5	8
50-69	52	5.5	4	3	5	5	6	10	10
70 +	0								
	682	**4.5**	**8**	**2**	**3**	**4**	**5**	**8**	**11**
0-17	1766	3.3	3	2	2	3	4	5	6
18-34	1113	3.6	5	1	2	3	5	6	8
35-49	173	5.0	14	2	3	4	6	9	16
50-69	27	7.5	16						
70 +	0								
	3080	**3.5**	**5**	**2**	**2**	**3**	**4**	**6**	**8**
	3762	**3.7**	**5**	**2**	**2**	**3**	**4**	**6**	**8**

DRG 22: Hypertensive Encephalopathy

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	778	5.6	19	2	3	4	6	12	15
70-74	488	6.6	29	2	3	5	8	14	18
75-79	425	5.7	22	2	3	5	7	9	15
80-84	272	8.2	63	2	3	5	9	14	30
85 +	175	5.3	21	2	3	4	6	8	21
SUBTOTAL	**2138**	**6.1**	**28**	**2**	**3**	**4**	**7**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	481	3.4	5	1	2	3	5	7	7
70-74	154	4.1	4	1	3	4	5	8	9
75-79	152	3.4	3	1	2	3	4	6	6
80-84	94	4.7	26	2	2	3	4	19	19
85 +	63	4.3	5	2	3	4	5	6	10
SUBTOTAL	**945**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**3084**	**5.4**	**23**	**2**	**3**	**4**	**6**	**11**	**14**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	17	12.0	28						
18-34	53	5.8	10	2	3	6	8	11	11
35-49	279	4.7	17	2	2	4	6	8	12
50-69	600	5.1	28	2	3	4	6	8	17
70 +	26	4.2	3						
	976	**5.2**	**24**	**2**	**2**	**4**	**6**	**8**	**16**
0-17	10	5.0							
18-34	68	4.8	15	1	2	2	8	12	12
35-49	346	3.3	3	1	2	3	4	6	7
50-69	507	3.3	6	1	2	3	4	6	7
70 +	36	7.3	67						
	968	**3.6**	**9**	**1**	**2**	**3**	**4**	**6**	**8**
	1944	**4.4**	**17**	**1**	**2**	**3**	**5**	**7**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	11	11.5	2						
18-34	43	5.2	5	2	5	6	6	9	9
35-49	119	6.3	20	1	2	5	10	13	14
50-69	100	3.8	3	2	3	3	5	6	8
70 +	20	5.5	7						
SUBTOTAL	**294**	**5.4**	**13**	**2**	**3**	**5**	**8**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	10	5.0							
35-49	117	2.7	5	1	2	2	3	5	9
50-69	69	6.4	50	2	3	4	5	23	23
70 +	0								
SUBTOTAL	**196**	**4.2**	**23**	**2**	**2**	**2**	**4**	**7**	**19**
GRAND TOTAL	**490**	**4.9**	**17**	**2**	**2**	**3**	**6**	**11**	**13**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	33	5.8	3						
35-49	242	4.6	11	2	2	3	6	10	13
50-69	210	5.3	13	2	3	4	7	10	11
70 +	6	7.0							
	490	**5.0**	**12**	**2**	**3**	**4**	**7**	**10**	**13**
0-17	10	8.0							
18-34	20	3.0	1						
35-49	149	3.7	4	2	2	3	5	6	8
50-69	152	3.0	7	1	1	2	4	6	11
70 +	0								
	331	**3.5**	**6**	**1**	**2**	**3**	**5**	**6**	**8**
	821	**4.4**	**10**	**1**	**2**	**3**	**6**	**8**	**11**

DRG 23: Nontraumatic Stupor & Coma

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	188	6.6	23	1	4	5	9	10	19	0-17	32	1.7							
70-74	100	9.2	60	3	5	6	9	24	29	18-34	27	3.7	11						
75-79	114	7.5	24	3	3	6	10	13	19	35-49	73	6.6	97	2	3	4	5	6	40
80-84	136	8.0	40	2	4	7	11	16	25	50-69	85	5.7	18	1	2	7	11	99 +	99 +
85 +	178	6.9	26	2	3	6	7	13	16	70 +	10	12.0							
SUBTOTAL	**716**	**7.5**	**33**	**2**	**4**	**6**	**9**	**16**	**19**		**227**	**5.5**	**43**	**1**	**2**	**3**	**8**	**12**	**40**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	20	5.0	1							0-17	55	1.3	1	< 1	< 1	1	1	3	4
70-74	16	2.6								18-34	80	2.7	2	< 1	1	3	4	5	5
75-79	42	5.2	5							35-49	67	1.5	1	1	1	1	2	3	3
80-84	26	4.1	4							50-69	74	4.1	9	1	2	3	7	10	10
85 +	47	3.1	3							70 +	0								
SUBTOTAL	**151**	**4.1**	**4**	**2**	**3**	**4**	**5**	**8**	**9**		**277**	**2.5**	**4**	**< 1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**867**	**6.9**	**29**	**2**	**3**	**5**	**8**	**14**	**19**		**503**	**3.8**	**24**	**1**	**1**	**2**	**5**	**10**	**12**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	3.0								0-17	6	1.0							
18-34	37	5.6	24							18-34	26	2.4	2						
35-49	32	2.4	1							35-49	31	4.7	6						
50-69	37	18.3	124							50-69	20	11.5							
70 +	0									70 +	0								
SUBTOTAL	**112**	**8.8**	**96**	**1**	**2**	**4**	**12**	**30**	**31**		**83**	**5.4**	**16**	**< 1**	**2**	**3**	**8**	**12**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	32	2.0	1							0-17	33	1.5	1						
18-34	0									18-34	32	2.2	1						
35-49	0									35-49	52	3.5	1	2	2	3	5	5	5
50-69	10	1.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**42**	**1.8**	**1**								**117**	**2.6**	**2**	**1**	**1**	**2**	**4**	**5**	**5**
GRAND TOTAL	**154**	**6.9**	**80**	**1**	**1**	**3**	**10**	**30**	**30**		**200**	**3.8**	**10**	**< 1**	**2**	**3**	**4**	**10**	**12**

DRG 24: Seizure & Headache Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7903	6.9	58	2	3	5	8	14	21
70-74	3457	7.4	59	2	3	5	9	15	20
75-79	3144	7.2	35	2	3	5	9	14	19
80-84	2508	7.9	68	2	4	6	10	15	23
85 +	2219	8.0	57	3	4	6	9	15	20
SUBTOTAL	**19231**	**7.3**	**56**	**2**	**3**	**5**	**9**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**19231**	**7.3**	**56**	**2**	**3**	**5**	**9**	**15**	**20**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2773	4.2	28	1	2	3	5	8	11
35-49	3642	4.7	19	1	2	4	6	9	12
50-69	3701	5.7	26	2	3	4	7	12	16
70 +	274	7.5	31	2	3	5	11	16	18
	10390	**5.0**	**25**	**1**	**2**	**4**	**6**	**10**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	10390	**5.0**	**25**	**1**	**2**	**4**	**6**	**10**	**14**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1497	5.6	34	1	2	4	6	10	15
35-49	1648	5.4	34	2	2	4	6	9	15
50-69	1817	6.7	69	2	3	5	8	12	16
70 +	158	14.3	145	4	5	11	15	38	42
SUBTOTAL	**5120**	**6.2**	**52**	**2**	**3**	**4**	**7**	**12**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5120**	**6.2**	**52**	**2**	**3**	**4**	**7**	**12**	**17**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1606	4.3	13	1	2	3	5	8	10
35-49	2128	4.0	13	1	2	3	5	8	10
50-69	1385	5.4	63	2	2	4	6	10	14
70 +	121	7.9	93	1	3	6	9	10	38
	5241	**4.6**	**29**	**1**	**2**	**3**	**6**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5241	**4.6**	**29**	**1**	**2**	**3**	**6**	**8**	**11**

DRG 25: Seizure & Headache Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3782	4.0	15	1	2	3	5	8	10	0-17	0								
70-74	1332	3.9	7	1	2	3	5	6	8	18-34	8802	2.9	6	1	1	2	3	6	7
75-79	1112	4.1	7	2	2	3	5	8	9	35-49	9033	3.2	6	1	2	3	4	6	7
80-84	833	4.8	17	2	2	4	6	10	13	50-69	4154	3.3	7	1	2	3	4	6	8
85 +	594	4.9	13	2	3	4	6	10	11	70 +	84	3.1	9	<1	1	2	4	10	10
SUBTOTAL	**7653**	**4.2**	**13**	**1**	**2**	**3**	**5**	**8**	**10**		**22072**	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**7653**	**4.2**	**13**	**1**	**2**	**3**	**5**	**8**	**10**		**22072**	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**8**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	2515	3.5	12	1	2	3	4	6	9	18-34	3492	2.7	4	1	1	2	3	4	6
35-49	1100	3.3	7	1	2	3	4	6	8	35-49	2102	2.8	4	1	1	2	4	5	7
50-69	672	4.0	7	1	2	3	6	8	8	50-69	920	3.0	4	1	2	3	4	6	7
70 +	59	5.6	67	1	2	3	6	20	30	70 +	48	3.5	1	2	3	3	5	5	5
SUBTOTAL	**4345**	**3.6**	**10**	**1**	**2**	**3**	**4**	**7**	**8**		**6562**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**4345**	**3.6**	**10**	**1**	**2**	**3**	**4**	**7**	**8**		**6562**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 26: Seizure & Headache Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	38	5.2	25	2	3	3	5	17	17	0-17	2423	3.9	13	1	2	3	5	8	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**38**	**5.2**	**25**	**2**	**3**	**3**	**5**	**17**	**17**		**2423**	**3.9**	**13**	**1**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	3.4								0-17	12343	2.6	6	1	1	2	3	5	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**16**	**3.4**									**12343**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**54**	**4.7**	**19**	**2**	**3**	**3**	**4**	**15**	**17**		**14767**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1975	5.3	55	1	2	3	5	11	16	0-17	1049	3.8	18	1	2	3	4	7	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**1975**	**5.3**	**55**	**1**	**2**	**3**	**5**	**11**	**16**		**1049**	**3.8**	**18**	**1**	**2**	**3**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6971	3.2	13	1	2	2	4	6	8	0-17	4764	2.4	4	1	1	2	3	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**6971**	**3.2**	**13**	**1**	**2**	**2**	**4**	**6**	**8**		**4764**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**8946**	**3.6**	**23**	**1**	**2**	**2**	**4**	**7**	**10**		**5813**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 27: Traumatic Stupor & Coma, Coma >1 Hr

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	109	10.2	80	1	3	8	15	26	32	0-17	181	8.0	71	1	3	5	10	16	20
70-74	48	12.7	36	4	8	13	14	22	22	18-34	454	8.4	153	1	2	4	11	19	22
75-79	85	13.9	127	4	6	10	21	37	37	35-49	238	8.7	84	2	2	5	11	23	31
80-84	83	15.0	224	1	6	12	14	52	52	50-69	125	14.8	112	2	6	14	24	32	33
85 +	92	12.2	41	3	7	12	17	21	24	70 +	17	14.7	292						
SUBTOTAL	**416**	**12.6**	**107**	**2**	**5**	**11**	**17**	**24**	**33**		**1015**	**9.3**	**124**	**1**	**2**	**5**	**12**	**22**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	65	3.2	4	1	2	3	4	4	8	0-17	589	3.8	14	1	1	2	6	10	13
70-74	27	5.8	25							18-34	724	4.3	28	1	1	2	5	12	17
75-79	22	3.5								35-49	247	8.2	268	1	1	3	9	14	24
80-84	26	4.6								50-69	103	3.2	13	< 1	1	2	4	8	16
85 +	23	7.0	21							70 +	16	17.3	1						
SUBTOTAL	**162**	**4.4**	**10**	**1**	**3**	**4**	**5**	**9**	**13**		**1678**	**4.8**	**61**	**1**	**1**	**2**	**5**	**12**	**16**
GRAND TOTAL	**578**	**10.3**	**93**	**1**	**4**	**7**	**14**	**22**	**30**		**2693**	**6.5**	**89**	**1**	**1**	**3**	**8**	**16**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	61	9.5	38	2	3	10	15	18	19	0-17	114	8.5	86	1	2	6	11	20	37
18-34	296	9.1	187	1	1	2	11	24	43	18-34	418	9.0	142	< 1	1	3	13	30	40
35-49	68	8.1	63	1	2	6	16	27	99 +	35-49	210	6.7	56	< 1	1	4	9	20	22
50-69	27	21.9	262							50-69	91	13.7	250	1	2	10	16	28	65
70 +	0									70 +	11	2.5	2						
SUBTOTAL	**452**	**9.8**	**161**	**1**	**2**	**4**	**15**	**30**	**43**		**844**	**8.8**	**127**	**1**	**2**	**4**	**12**	**23**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	162	3.6	13	1	1	2	4	9	11	0-17	402	6.2	194	< 1	1	2	3	14	24
18-34	185	4.2	21	< 1	1	2	8	10	13	18-34	662	3.7	19	< 1	1	2	4	11	12
35-49	67	1.6	1	1	1	1	2	3	4	35-49	189	3.6	11	1	1	2	5	9	12
50-69	28	3.6	4							50-69	78	4.9	12	1	1	6	9	10	10
70 +	0									70 +	0								
SUBTOTAL	**442**	**3.5**	**15**	**1**	**1**	**2**	**5**	**9**	**11**		**1331**	**4.5**	**71**	**< 1**	**1**	**2**	**4**	**10**	**14**
GRAND TOTAL	**894**	**6.7**	**99**	**1**	**1**	**2**	**8**	**17**	**30**		**2175**	**6.2**	**97**	**1**	**1**	**2**	**7**	**16**	**24**

DRG 28: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC

	MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	433	8.5	52	2	3	6	12	18	22
70-74	390	7.7	48	2	3	5	10	15	21
75-79	481	9.4	58	2	4	7	13	17	20
80-84	478	8.7	61	2	3	7	12	19	26
85 +	511	8.5	43	2	4	6	13	16	22
SUBTOTAL	**2293**	**8.6**	**53**	**2**	**3**	**6**	**12**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2293**	**8.6**	**53**	**2**	**3**	**6**	**12**	**17**	**21**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	843	4.2	31	1	1	2	5	10	14
35-49	514	5.6	31	1	2	3	7	13	19
50-69	446	8.3	128	1	2	5	11	16	18
70 +	94	13.1	297	2	3	8	13	61	61
	1897	**6.0**	**72**	**1**	**2**	**3**	**8**	**13**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1897	**6.0**	**72**	**1**	**2**	**3**	**8**	**13**	**18**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	258	5.2	38	1	1	3	7	11	16
35-49	143	6.1	40	1	2	3	7	17	17
50-69	82	12.6	142	2	5	9	14	27	49
70 +	26	5.2	1						
SUBTOTAL	**508**	**6.6**	**60**	**1**	**2**	**4**	**8**	**16**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**508**	**6.6**	**60**	**1**	**2**	**4**	**8**	**16**	**25**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1034	4.4	38	1	1	2	5	10	13
35-49	471	6.2	76	1	1	3	8	16	19
50-69	156	6.7	33	2	3	5	8	16	17
70 +	43	3.9	9	1	2	3	3	9	9
	1705	**5.1**	**48**	**1**	**1**	**3**	**6**	**11**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1705	**5.1**	**48**	**1**	**1**	**3**	**6**	**11**	**17**

DRG 29: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	245	3.6	10	1	1	3	6	7	8
70-74	238	4.6	12	1	2	4	7	9	12
75-79	180	3.3	5	1	1	3	5	7	8
80-84	139	5.5	12	1	2	4	10	10	10
85 +	177	4.2	17	1	1	2	6	8	12
SUBTOTAL	**980**	**4.2**	**11**	**1**	**1**	**3**	**6**	**9**	**10**
GRAND TOTAL	**980**	**4.2**	**11**	**1**	**1**	**3**	**6**	**9**	**10**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1823	2.9	6	1	1	2	4	6	9
35-49	799	2.9	5	1	1	2	4	6	7
50-69	528	3.8	18	1	1	2	4	12	13
70 +	38	3.7	5	1	2	3	5	8	8
	3189	**3.1**	**8**	**1**	**1**	**2**	**4**	**7**	**9**
	3189	**3.1**	**8**	**1**	**1**	**2**	**4**	**7**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	291	2.9	7	< 1	1	2	4	7	9
35-49	55	3.2	10	< 1	< 1	2	6	10	11
50-69	32	2.0	2						
70 +	0								
SUBTOTAL	**378**	**2.9**	**7**	**< 1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**378**	**2.9**	**7**	**< 1**	**1**	**2**	**4**	**7**	**9**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2167	2.5	5	1	1	2	3	5	7
35-49	665	3.2	13	1	1	2	4	7	10
50-69	189	2.9	5	1	2	2	3	6	10
70 +	68	4.5	16	1	1	4	13	99 +	99 +
	3089	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**8**
	3089	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**8**

DRG 30: Traumatic Stupor & Coma, Coma <1 Hr Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	583	4.1	21	1	1	3	5	8	15
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**583**	**4.1**	**21**	**1**	**1**	**3**	**5**	**8**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	1.0								0-17	5374	1.9	3	1	1	1	2	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**1.0**									**5374**	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**6**	**1.0**									**5957**	**2.1**	**5**	**1**	**1**	**1**	**2**	**4**	**6**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	294	5.9	33	1	2	3	9	13	21	0-17	327	3.6	24	1	1	2	4	7	18
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**294**	**5.9**	**33**	**1**	**2**	**3**	**9**	**13**	**21**		**327**	**3.6**	**24**	**1**	**1**	**2**	**4**	**7**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2008	2.5	20	1	1	1	2	5	8	0-17	2723	1.9	4	<1	1	1	2	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2008**	**2.5**	**20**	**1**	**1**	**1**	**2**	**5**	**8**		**2723**	**1.9**	**4**	**<1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**2302**	**2.9**	**23**	**1**	**1**	**1**	**2**	**7**	**10**		**3050**	**2.1**	**7**	**<1**	**1**	**1**	**2**	**5**	**6**

DRG 31: Concussion Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	226	5.1	34	1	3	4	5	9	13
70-74	127	3.7	26	1	1	2	4	7	14
75-79	145	7.5	90	2	3	5	7	13	40
80-84	141	5.4	82	1	2	3	4	7	37
85 +	170	10.2	86	1	4	6	18	22	29
SUBTOTAL	809	6.4	67	1	2	4	6	18	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	809	6.4	67	1	2	4	6	18	29

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	664	3.5	16	1	1	2	4	8	14
35-49	312	5.1	40	1	1	3	6	9	25
50-69	304	4.9	47	< 1	1	3	5	11	15
70 +	57	5.7	12	2	3	3	8	11	11
	1337	4.3	29	1	1	2	5	9	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1337	4.3	29	1	1	2	5	9	14

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	281	3.2	20	1	1	2	3	5	7
35-49	32	3.0	1						
50-69	52	2.7	1	1	2	3	3	4	4
70 +	0								
SUBTOTAL	365	3.1	16	1	1	2	3	5	6
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	365	3.1	16	1	1	2	3	5	6

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	626	2.7	7	< 1	1	2	3	5	10
35-49	258	2.3	4	1	1	1	3	6	7
50-69	86	4.0	18	1	2	3	4	15	15
70 +	27	5.2	5						
	997	2.8	7	1	1	2	3	6	8
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	997	2.8	7	1	1	2	3	6	8

DRG 32: Concussion Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	203	2.5	6	1	1	2	3	5	6	0-17	0								
70-74	119	2.9	6	1	1	2	3	5	10	18-34	2428	1.8	2	1	1	1	2	4	5
75-79	203	3.4	6	1	1	3	5	7	9	35-49	993	2.1	3	1	1	1	2	4	5
80-84	168	3.4	3	2	2	3	4	5	7	50-69	591	2.1	2	1	1	2	3	4	5
85 +	126	3.8	12	2	2	3	4	5	15	70 +	42	2.8	6						
SUBTOTAL	**819**	**3.2**	**7**	**1**	**1**	**3**	**4**	**5**	**9**		**4054**	**2.0**	**2**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**819**	**3.2**	**7**	**1**	**1**	**3**	**4**	**5**	**9**		**4054**	**2.0**	**2**	**1**	**1**	**1**	**2**	**4**	**5**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	256	1.9	1	1	1	2	2	4	4	18-34	2008	1.8	2	<1	1	1	2	3	4
35-49	105	4.4	25	<1	1	2	5	9	18	35-49	475	2.7	42	1	1	2	2	4	7
50-69	22	2.0	1							50-69	132	2.3	8	<1	1	1	3	3	5
70 +	0									70 +	63	5.3	13	1	2	4	9	11	11
SUBTOTAL	**383**	**2.6**	**9**	**1**	**1**	**2**	**3**	**4**	**6**		**2678**	**2.0**	**10**	**<1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**383**	**2.6**	**9**	**1**	**1**	**2**	**3**	**4**	**6**		**2678**	**2.0**	**10**	**<1**	**1**	**1**	**2**	**3**	**5**

DRG 33: Concussion Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	346	2.7	8	1	1	2	3	5	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**346**	**2.7**	**8**	**1**	**1**	**2**	**3**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	20	1.5								0-17	3858	1.4	1	1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**20**	**1.5**									**3858**	**1.4**	**1**	**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**20**	**1.5**									**4204**	**1.5**	**2**	**1**	**1**	**1**	**2**	**2**	**3**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	146	2.3	3	1	1	2	3	4	6	0-17	267	2.0	2	1	1	1	3	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**146**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**		**267**	**2.0**	**2**	**1**	**1**	**1**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	798	1.4	1	<1	1	1	2	3	3	0-17	1925	1.6	3	<1	1	1	2	2	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**798**	**1.4**	**1**	**<1**	**1**	**1**	**2**	**3**	**3**		**1925**	**1.6**	**3**	**<1**	**1**	**1**	**2**	**2**	**4**
GRAND TOTAL	**944**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**4**		**2193**	**1.6**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**

DRG 34: Other Disorders of Nervous System w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1293	6.7	59	2	3	5	7	13	20
70-74	830	7.6	22	2	4	7	11	14	17
75-79	760	8.3	48	2	4	7	9	16	27
80-84	594	8.5	54	3	4	6	10	17	22
85 +	456	9.8	57	3	5	8	12	21	29
SUBTOTAL	**3933**	**7.8**	**49**	**2**	**4**	**6**	**9**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3933**	**7.8**	**49**	**2**	**4**	**6**	**9**	**15**	**21**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	415	4.6	34	1	1	2	5	9	16
18-34	229	4.7	46	1	1	3	4	8	23
35-49	381	7.6	131	2	3	5	8	16	27
50-69	675	9.1	134	2	3	6	11	19	30
70 +	66	5.8	12	< 1	2	7	9	10	10
	1765	**7.0**	**97**	**1**	**2**	**4**	**8**	**15**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1765	**7.0**	**97**	**1**	**2**	**4**	**8**	**15**	**24**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	422	7.4	69	2	3	4	8	18	21
18-34	253	5.8	31	1	2	4	9	12	27
35-49	202	5.3	30	1	2	4	6	9	14
50-69	168	6.5	35	2	3	5	9	12	20
70 +	22	7.1	23						
SUBTOTAL	**1066**	**6.5**	**47**	**1**	**3**	**4**	**8**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1066**	**6.5**	**47**	**1**	**3**	**4**	**8**	**15**	**20**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	140	7.8	138	1	2	3	11	14	14
18-34	191	6.0	50	1	2	2	6	14	24
35-49	270	7.1	80	2	3	4	7	17	19
50-69	161	4.4	10	1	3	3	6	9	10
70 +	23	23.3	1246						
	785	**6.9**	**110**	**1**	**2**	**4**	**7**	**14**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	785	**6.9**	**110**	**1**	**2**	**4**	**7**	**14**	**19**

DRG 35: Other Disorders of Nervous System w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	453	4.7	16	1	2	3	6	9	10
70-74	177	4.7	10	1	2	4	8	9	10
75-79	249	4.3	17	1	2	3	5	11	13
80-84	211	7.5	79	1	2	3	10	19	26
85 +	130	4.6	16	1	2	4	5	10	15
SUBTOTAL	**1220**	**5.1**	**27**	**1**	**2**	**3**	**6**	**10**	**16**
GRAND TOTAL	**1220**	**5.1**	**27**	**1**	**2**	**3**	**6**	**10**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	954	4.2	77	1	1	2	4	7	9
18-34	582	3.4	6	1	2	3	4	7	9
35-49	1007	3.1	10	1	1	2	4	6	10
50-69	677	3.4	10	1	1	2	4	7	9
70 +	0								
	3221	**3.6**	**29**	**1**	**1**	**2**	**4**	**7**	**9**
	3221	**3.6**	**29**	**1**	**1**	**2**	**4**	**7**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	675	3.7	17	1	1	2	4	8	14
18-34	211	3.4	5	1	2	3	5	7	9
35-49	162	3.6	10	1	1	2	6	7	12
50-69	65	3.2	3	1	2	3	5	6	6
70 +	0								
SUBTOTAL	**1112**	**3.6**	**13**	**1**	**1**	**2**	**4**	**7**	**12**
GRAND TOTAL	**1112**	**3.6**	**13**	**1**	**1**	**2**	**4**	**7**	**12**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	281	2.6	4	1	1	2	3	5	7
18-34	307	4.5	23	1	2	3	5	10	20
35-49	225	4.0	8	1	2	3	5	8	10
50-69	129	3.8	17	1	1	3	5	6	7
70 +	32	4.3	3						
	974	**3.7**	**13**	**1**	**1**	**3**	**5**	**7**	**10**
	974	**3.7**	**13**	**1**	**1**	**3**	**5**	**7**	**10**

DRG 36: Retinal Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	706	2.3	2	1	1	2	3	4	6	0-17	32	2.3							
70-74	595	2.6	2	1	1	2	3	5	6	18-34	259	3.0	8	1	2	2	4	5	5
75-79	383	2.9	9	1	1	2	3	8	12	35-49	457	2.3	2	1	1	2	3	5	6
80-84	130	3.8	12	1	1	3	5	7	14	50-69	648	2.3	4	1	1	2	3	4	7
85 +	93	2.8	5	1	2	2	3	6	10	70 +	6	5.0							
SUBTOTAL	**1907**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**		**1401**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1856	2.2	2	1	1	2	3	4	5	0-17	384	1.9	3	1	1	1	2	4	7
70-74	1411	2.1	1	1	1	2	3	4	4	18-34	887	2.0	1	1	1	2	2	3	4
75-79	767	2.2	1	1	1	2	3	4	4	35-49	1290	2.1	1	1	1	2	3	4	4
80-84	466	2.3	1	1	1	2	3	4	4	50-69	3476	2.0	1	1	1	2	3	4	4
85 +	197	2.1	2	1	1	2	3	3	3	70 +	129	2.3	4	1	1	2	3	5	6
SUBTOTAL	**4698**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**		**6166**	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**6605**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**		**7567**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	17	4.0	9							0-17	17	2.0	2						
18-34	66	4.8	18	1	2	3	7	13	13	18-34	48	3.0	10	1	1	2	3	11	11
35-49	67	8.1	307	1	1	3	5	6	65	35-49	80	1.4	1	1	1	1	2	2	4
50-69	83	2.1	1	1	1	2	3	4	5	50-69	128	4.0	31	1	1	2	3	12	21
70 +	10	4.0								70 +	26	1.8	1						
SUBTOTAL	**242**	**4.7**	**95**	**1**	**1**	**3**	**4**	**8**	**13**		**299**	**2.8**	**16**	**1**	**1**	**2**	**2**	**6**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	145	1.9	3	1	1	1	2	3	4	0-17	150	1.8	1	1	1	2	2	3	3
18-34	179	2.4	3	1	1	2	3	4	7	18-34	343	2.1	1	1	1	2	3	4	4
35-49	181	2.0	1	1	1	2	3	3	3	35-49	356	1.8	1	1	1	1	2	3	4
50-69	238	2.2	3	1	1	2	2	5	7	50-69	597	2.2	2	1	1	2	3	4	4
70 +	22	1.5								70 +	27	1.6							
SUBTOTAL	**764**	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**7**		**1473**	**2.0**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**1006**	**2.7**	**26**	**1**	**1**	**2**	**3**	**5**	**7**		**1772**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**4**

DRG 37: Orbital Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	137	3.6	13	1	1	2	4	8	9	0-17	113	6.3	22	1	3	5	9	15	16
70-74	53	3.6	7	2	2	2	4	10	10	18-34	129	3.4	6	1	1	3	5	7	7
75-79	33	8.9	23							35-49	113	4.2	15	1	2	3	6	10	15
80-84	50	6.5	23	2	3	4	12	14	14	50-69	91	5.9	56	<1	1	2	11	24	24
85+	23	9.0	61							70+	6	5.0							
SUBTOTAL	**295**	**5.1**	**23**	**1**	**2**	**3**	**7**	**12**	**14**		**452**	**4.8**	**24**	**1**	**1**	**3**	**6**	**11**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	133	2.3	5	1	1	2	2	4	7	0-17	380	3.3	8	1	1	2	5	7	10
70-74	82	1.9	3	1	1	1	2	3	8	18-34	360	3.1	9	1	1	2	4	7	9
75-79	101	3.7	21	1	2	2	3	9	17	35-49	225	2.1	3	1	1	1	3	5	6
80-84	66	4.3	13	1	2	4	6	7	14	50-69	144	2.1	2	1	1	1	3	4	6
85+	54	2.8	3	1	1	2	5	6	6	70+	0								
SUBTOTAL	**436**	**2.9**	**10**	**1**	**1**	**2**	**3**	**6**	**10**		**1109**	**2.8**	**7**	**1**	**1**	**2**	**4**	**6**	**9**
GRAND TOTAL	**731**	**3.8**	**16**	**1**	**1**	**2**	**4**	**10**	**13**		**1561**	**3.4**	**12**	**1**	**1**	**2**	**5**	**7**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	28	5.2	10							0-17	40	5.3	9	2	2	4	9	9	9
18-34	66	5.7	13	2	3	4	9	10	13	18-34	104	4.0	8	1	2	3	6	9	10
35-49	45	5.1	5	3	3	4	8	9	9	35-49	71	5.1	11	1	2	5	8	10	11
50-69	11	6.0	18							50-69	44	4.7	16	<1	1	2	6	11	11
70+	0									70+	11	3.5							
SUBTOTAL	**150**	**5.5**	**10**	**2**	**3**	**4**	**9**	**10**	**10**		**270**	**4.6**	**10**	**1**	**2**	**3**	**7**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	85	4.1	18	1	1	3	6	11	16	0-17	148	3.0	6	1	1	2	4	6	9
18-34	106	2.3	5	1	1	1	2	7	9	18-34	241	2.5	5	1	1	2	3	4	8
35-49	6	1.0								35-49	28	3.0	3						
50-69	33	1.7	1							50-69	45	2.4	5	<1	1	1	2	6	6
70+	10	11.0								70+	0								
SUBTOTAL	**240**	**3.2**	**13**	**1**	**1**	**1**	**4**	**9**	**11**		**463**	**2.7**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**390**	**4.1**	**13**	**1**	**1**	**3**	**6**	**10**	**11**		**733**	**3.4**	**8**	**1**	**1**	**2**	**5**	**8**	**10**

DRG 38: Primary Iris Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10	5.0							
70-74	11	1.5							
75-79	11	2.0	1						
80-84	17	2.0	1						
85 +	6	2.0							
SUBTOTAL	55	2.5	2	1	1	2	3	5	5
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	27	1.4							
70-74	34	1.2		1	1	1	1	2	2
75-79	76	1.9	1	1	1	2	2	3	5
80-84	23	1.5							
85 +	11	2.0							
SUBTOTAL	171	1.6	1	1	1	1	2	2	3
GRAND TOTAL	226	1.8	1	1	1	2	2	3	5

BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	38	1.6		< 1	1	2	2	2	2
70 +	0								
	38	1.6		< 1	1	2	2	2	2
0-17	6	1.0							
18-34	10	6.0							
35-49	6	1.0							
50-69	45	1.1		< 1	1	1	1	2	2
70 +	11	1.0							
	78	1.7	3	< 1	1	1	1	6	6
	116	1.7	2	< 1	1	1	2	2	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	1.0							
35-49	16	6.5	12						
50-69	10	1.0							
70 +	6	7.0							
SUBTOTAL	37	4.2	13						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	1.0							
18-34	6	3.0							
35-49	6	1.0							
50-69	11	1.0							
70 +	0								
SUBTOTAL	28	1.4	1						
GRAND TOTAL	66	3.0	10	< 1	1	1	2	9	9

NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	6	3.0							
70 +	0								
	6	3.0							
0-17	0								
18-34	16	1.6							
35-49	0								
50-69	27	1.0							
70 +	23	1.0							
	66	1.2		< 1	< 1	1	1	2	2
	71	1.3		< 1	< 1	1	1	2	3

DRG 39: Lens Procedures with or without Vitrectomy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	359	2.2	5	1	1	1	2	5	8	0-17	6	2.0							
70-74	263	2.5	6	<1	1	1	3	7	8	18-34	11	15.0	215						
75-79	238	2.0	1	1	1	2	2	3	4	35-49	32	1.8							
80-84	97	2.4	2	1	1	2	4	5	5	50-69	130	1.9	2	<1	1	1	2	5	5
85+	153	1.8	3	1	1	1	2	3	6	70+	22	1.5							
SUBTOTAL	**1110**	**2.2**	**4**	**1**	**1**	**1**	**2**	**5**	**7**		**200**	**2.6**	**22**	**<1**	**1**	**1**	**2**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	397	1.7	3	<1	1	1	2	3	7	0-17	180	1.2		<1	<1	1	1	2	3
70-74	342	1.3	1	<1	1	1	1	2	2	18-34	55	1.7		1	1	2	2	3	3
75-79	472	1.5	2	<1	1	1	1	2	4	35-49	77	1.7	3	<1	1	1	1	6	6
80-84	411	1.2		<1	1	1	1	2	3	50-69	361	1.2		<1	<1	1	1	2	2
85+	461	1.5	3	<1	1	1	1	2	3	70+	28	1.0							
SUBTOTAL	**2083**	**1.4**	**2**	**<1**	**1**	**1**	**1**	**2**	**3**		**702**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**3193**	**1.7**	**3**	**<1**	**1**	**1**	**2**	**3**	**5**		**902**	**1.6**	**6**	**<1**	**1**	**1**	**1**	**2**	**4**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	11	10.0	70							0-17	6	1.0							
18-34	6	4.0								18-34	11	3.5	7						
35-49	11	3.0	1							35-49	6	1.0							
50-69	52	1.2		<1	1	1	1	2	2	50-69	16	6.3	55						
70+	6	3.0								70+	0								
SUBTOTAL	**86**	**2.9**	**17**	**1**	**1**	**2**	**3**	**4**	**18**		**38**	**3.9**	**29**	**<1**	**1**	**1**	**6**	**16**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	141	1.2		<1	1	1	1	2	2	0-17	78	2.1	3	1	1	1	3	6	6
18-34	23	1.3								18-34	11	1.0							
35-49	22	3.9	8							35-49	40	1.1		<1	<1	1	1	2	2
50-69	102	1.0		<1	1	1	1	1	1	50-69	136	1.2		<1	<1	<1	1	2	2
70+	6	1.0								70+	232	1.0		<1	<1	<1	<1	1	1
SUBTOTAL	**293**	**1.3**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**		**496**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**
GRAND TOTAL	**379**	**1.7**	**5**	**<1**	**1**	**1**	**1**	**2**	**4**		**535**	**1.4**	**3**	**<1**	**<1**	**<1**	**1**	**2**	**3**

DRG 40: Extraocular Procedures except Orbit Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	156	3.1	9	1	1	2	4	9	11	0-17	0								
70-74	76	7.0	50	1	1	5	8	23	23	18-34	94	2.8	5	<1	2	2	3	8	9
75-79	102	3.9	5	1	2	4	7	7	7	35-49	86	3.5	6	<1	2	2	6	7	8
80-84	27	3.7	6							50-69	92	5.2	43	<1	1	2	4	14	23
85+	33	7.6	29							70+	6	4.0							
SUBTOTAL	**394**	**4.5**	**20**	**1**	**1**	**3**	**6**	**9**	**14**		**277**	**3.8**	**19**	**<1**	**1**	**2**	**4**	**9**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	202	1.6	1	<1	1	1	2	3	4	0-17	0								
70-74	112	2.8	4	1	1	2	4	7	7	18-34	285	1.8	3	1	1	1	2	4	5
75-79	113	2.1	3	<1	1	1	2	5	6	35-49	154	3.4	16	<1	1	1	6	10	15
80-84	115	2.2	3	1	1	2	2	6	7	50-69	164	1.4	1	1	1	1	2	2	3
85+	85	2.4	4	1	1	1	4	4	8	70+	0								
SUBTOTAL	**627**	**2.1**	**3**	**1**	**1**	**1**	**3**	**4**	**6**		**604**	**2.1**	**6**	**<1**	**1**	**1**	**2**	**5**	**7**
GRAND TOTAL	**1022**	**3.0**	**11**	**1**	**1**	**2**	**4**	**7**	**8**		**881**	**2.6**	**11**	**<1**	**1**	**1**	**2**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	78	3.9	5	1	2	3	6	7	7	18-34	97	3.3	7	<1	1	3	4	9	10
35-49	38	3.8	12	1	1	2	9	9	9	35-49	17	4.3	24						
50-69	38	3.7	4	1	2	4	6	6	6	50-69	22	5.8	26						
70+	0									70+	6	1.0							
SUBTOTAL	**155**	**3.8**	**6**	**1**	**2**	**3**	**6**	**7**	**9**		**142**	**3.7**	**12**	**<1**	**1**	**2**	**5**	**11**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	61	2.9	6	<1	1	2	4	7	8	18-34	195	3.0	22	<1	1	1	3	5	7
35-49	6	1.0								35-49	76	1.4	1	<1	1	1	2	3	3
50-69	49	2.0	1	<1	<1	2	3	3	3	50-69	137	1.5	4	1	1	1	1	2	2
70+	6	1.0								70+	45	1.3		<1	<1	<1	1	3	3
SUBTOTAL	**121**	**2.3**	**4**	**<1**	**<1**	**2**	**3**	**5**	**7**		**453**	**2.1**	**11**	**<1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**276**	**3.1**	**6**	**<1**	**1**	**2**	**4**	**7**	**8**		**594**	**2.5**	**12**	**<1**	**1**	**1**	**3**	**5**	**10**

DRG 41: Extraocular Procedures except Orbit Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	1.0							
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**6**	**1.0**							
GRAND TOTAL	**6**	**1.0**							

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	72	2.5	3	1	1	2	4	6	6
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**72**	**2.5**	**3**	**1**	**1**	**2**	**4**	**6**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1179	1.2	1	<1	<1	<1	1	1	2
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**1179**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**
GRAND TOTAL	**1251**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	72	2.0	2	1	1	1	4	4	4
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**72**	**2.0**	**2**	**1**	**1**	**1**	**4**	**4**	**4**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	401	1.9	5	<1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**401**	**1.9**	**5**	**<1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**474**	**1.9**	**5**	**<1**	**1**	**1**	**2**	**4**	**5**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	27	2.2	2						
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**27**	**2.2**	**2**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	502	1.5	3	<1	<1	<1	1	3	5
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**502**	**1.5**	**3**	**<1**	**<1**	**<1**	**1**	**3**	**5**
GRAND TOTAL	**529**	**1.6**	**3**	**<1**	**<1**	**<1**	**1**	**3**	**5**

DRG 42: Intraocular Procedures except Retina, Iris & Lens

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	585	3.0	14	1	1	2	3	7	10	0-17	71	2.4	1	1	1	3	3	3	5
70-74	555	2.5	6	1	1	1	3	6	8	18-34	162	2.4	4	1	1	2	3	6	7
75-79	494	2.2	3	1	1	1	3	5	6	35-49	214	1.9	2	1	1	2	3	3	5
80-84	300	2.7	7	1	1	2	3	7	10	50-69	476	1.9	2	1	1	1	2	4	5
85 +	176	2.1	2	1	1	1	3	5	5	70 +	38	3.9	12	1	1	3	6	11	11
SUBTOTAL	**2110**	**2.6**	**8**	**1**	**1**	**1**	**3**	**6**	**8**		**962**	**2.1**	**3**	**1**	**1**	**1**	**3**	**4**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1825	1.8	2	1	1	1	2	3	4	0-17	479	2.4	3	1	1	2	3	5	5
70-74	1395	1.8	3	1	1	1	2	3	4	18-34	494	2.4	4	1	1	1	3	5	5
75-79	1509	1.8	2	1	1	1	2	4	5	35-49	776	2.1	4	1	1	1	3	4	6
80-84	961	1.9	3	1	1	1	2	4	5	50-69	1959	1.5	1	1	1	1	2	2	3
85 +	591	1.9	2	1	1	1	2	4	5	70 +	127	1.5	1	1	1	1	2	4	4
SUBTOTAL	**6280**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**5**		**3834**	**1.9**	**2**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**8391**	**2.0**	**4**	**1**	**1**	**1**	**2**	**4**	**6**		**4795**	**1.9**	**2**	**1**	**1**	**1**	**2**	**4**	**5**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	34	2.0	1	1	1	2	3	3	3	0-17	22	4.5							
18-34	28	3.6	15							18-34	95	1.8	1	1	1	2	2	3	4
35-49	44	3.4	3	1	2	4	5	6	6	35-49	80	3.2	6	1	1	3	4	9	9
50-69	116	2.5	3	1	1	2	3	5	6	50-69	49	2.0	4	1	1	1	2	7	7
70 +	10	1.0								70 +	11	4.0	10						
SUBTOTAL	**233**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**7**		**257**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	354	2.5	5	1	1	1	3	7	8	0-17	253	2.7	4	1	1	2	4	5	6
18-34	149	2.6	3	1	1	2	4	6	6	18-34	261	3.0	7	1	1	2	4	6	11
35-49	92	1.9	1	1	1	2	2	3	5	35-49	205	2.2	2	1	1	2	3	5	5
50-69	156	1.8	1	1	1	1	2	4	5	50-69	308	1.8	2	1	1	1	2	5	7
70 +	38	2.9	7	1	1	1	6	7	7	70 +	70	1.0		< 1	1	1	1	1	1
SUBTOTAL	**790**	**2.3**	**4**	**1**	**1**	**1**	**3**	**5**	**7**		**1098**	**2.3**	**4**	**1**	**1**	**1**	**3**	**5**	**6**
GRAND TOTAL	**1023**	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**7**		**1355**	**2.4**	**4**	**1**	**1**	**1**	**3**	**5**	**6**

DRG 43: Hyphema

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	10	13.0							
SUBTOTAL	**10**	**13.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	32	4.2	2						
70-74	0								
75-79	6	3.0							
80-84	0								
85 +	10	3.0							
SUBTOTAL	**48**	**3.8**	**1**	**3**	**3**	**3**	**5**	**6**	**6**
GRAND TOTAL	**58**	**5.4**	**14**	**3**	**3**	**3**	**6**	**13**	**13**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	3.5	2	2	2	3	5	5	5
18-34	16	4.4	4						
35-49	6	4.0							
50-69	11	4.5	2						
70 +	6	4.0							
	82	**3.9**	**2**	**2**	**2**	**4**	**5**	**6**	**7**
0-17	378	3.3	2	1	2	4	4	5	6
18-34	108	3.5	3	1	3	3	5	5	8
35-49	89	3.9	3	1	3	5	5	6	6
50-69	17	2.7	3						
70 +	0								
	591	**3.4**	**2**	**1**	**2**	**4**	**5**	**5**	**6**
	673	**3.5**	**3**	**1**	**2**	**4**	**5**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	11	4.5	2						
18-34	11	1.5							
35-49	10	9.0							
50-69	0								
70 +	0								
SUBTOTAL	**33**	**4.9**	**10**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	239	5.2	6	3	4	5	6	7	12
18-34	44	2.9	2	1	2	3	4	5	5
35-49	6	6.0							
50-69	0								
70 +	0								
SUBTOTAL	**289**	**4.9**	**6**	**2**	**4**	**5**	**6**	**7**	**12**
GRAND TOTAL	**321**	**4.9**	**6**	**2**	**3**	**5**	**6**	**8**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	28	4.0	1						
18-34	23	3.8	1						
35-49	16	2.8	6						
50-69	0								
70 +	0								
	67	**3.6**	**2**	**<1**	**3**	**4**	**5**	**5**	**6**
0-17	217	4.4	3	2	3	5	5	6	6
18-34	118	3.3	2	1	3	3	4	5	5
35-49	16	5.0							
50-69	26	3.0	1						
70 +	0								
	377	**4.0**	**3**	**1**	**3**	**4**	**5**	**6**	**6**
	444	**3.9**	**3**	**1**	**3**	**4**	**5**	**6**	**6**

DRG 44: Acute Major Eye Infections

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	43	4.2	3	2	3	4	6	6	6		0-17	353	4.2	4	2	3	4	5	7	7
70-74	65	8.4	57	3	3	4	13	22	22		18-34	42	4.7	2						
75-79	40	5.7	12	3	3	4	8	13	13		35-49	22	7.2	52						
80-84	43	8.4	10	5	6	7	11	14	14		50-69	43	8.2	19	2	4	8	11	14	14
85 +	66	7.0	12	2	5	7	7	13	13		70 +	0								
SUBTOTAL	**256**	**6.9**	**23**	**3**	**3**	**5**	**8**	**13**	**17**			**460**	**4.7**	**9**	**2**	**3**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	80	4.8	14	3	3	3	4	9	17		0-17	1783	3.3	3	2	2	3	4	5	6
70-74	48	7.4	60	2	3	4	4	22	22		18-34	133	3.5	3	1	2	3	5	6	7
75-79	51	6.2	9	1	5	6	8	11	11		35-49	167	4.0	5	2	2	3	5	8	9
80-84	37	6.4	18								50-69	75	5.5	8	3	3	5	7	11	11
85 +	76	4.1	3	2	2	4	5	6	8		70 +	0								
SUBTOTAL	**292**	**5.5**	**20**	**2**	**3**	**4**	**7**	**9**	**17**			**2157**	**3.4**	**3**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**548**	**6.2**	**22**	**2**	**3**	**5**	**7**	**13**	**17**			**2616**	**3.6**	**4**	**2**	**2**	**3**	**4**	**6**	**7**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	185	5.1	8	2	3	4	6	12	12		0-17	227	5.0	8	2	3	4	7	10	10
18-34	11	8.0	10								18-34	70	3.8	6	2	2	2	5	8	9
35-49	6	3.0									35-49	42	4.7	7						
50-69	11	3.5	2								50-69	6	3.0							
70 +	0										70 +	0								
SUBTOTAL	**213**	**5.1**	**9**	**2**	**3**	**4**	**6**	**12**	**12**			**345**	**4.7**	**8**	**2**	**3**	**4**	**6**	**10**	**10**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	992	3.8	4	2	2	3	5	7	7		0-17	896	3.8	6	2	2	3	4	7	9
18-34	38	5.3	7	2	2	6	7	10	10		18-34	122	4.2	5	3	3	3	5	7	11
35-49	27	5.2	25								35-49	48	2.2		2	2	2	2	4	4
50-69	26	3.4									50-69	69	3.8	2	2	2	4	5	6	7
70 +	0										70 +	6	5.0							
SUBTOTAL	**1083**	**3.9**	**4**	**2**	**2**	**3**	**5**	**7**	**7**			**1141**	**3.8**	**6**	**2**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**1296**	**4.1**	**5**	**2**	**3**	**4**	**5**	**7**	**8**			**1486**	**4.0**	**6**	**2**	**2**	**3**	**5**	**7**	**10**

DRG 45: Neurological Eye Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	182	6.5	41	1	2	6	8	13	15
70-74	156	4.4	7	2	2	3	7	9	9
75-79	112	5.4	21	2	4	5	6	7	21
80-84	85	3.3	3	2	2	3	4	6	7
85 +	22	9.8	7						
SUBTOTAL	**557**	**5.3**	**22**	**1**	**2**	**4**	**7**	**9**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	182	2.7	2	1	2	2	4	5	5
70-74	85	4.1	11	2	2	3	5	8	14
75-79	75	5.2	8	1	3	5	7	8	11
80-84	36	3.5	3						
85 +	32	4.7	27						
SUBTOTAL	**410**	**3.7**	**8**	**1**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**968**	**4.6**	**17**	**1**	**2**	**4**	**6**	**9**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	34	5.2	5	3	4	4	7	9	9
18-34	76	5.2	12	2	3	4	5	12	13
35-49	144	4.4	6	1	3	4	6	9	9
50-69	176	4.8	9	1	2	4	7	9	11
70 +	0								
	429	**4.8**	**8**	**2**	**3**	**4**	**6**	**9**	**11**
0-17	118	3.2	6	1	1	4	4	5	9
18-34	107	2.0	2	1	1	1	3	4	4
35-49	143	2.3	1	1	1	2	4	4	4
50-69	235	2.8	4	1	1	2	4	5	7
70 +	11	2.5	2						
	613	**2.6**	**3**	**1**	**1**	**2**	**4**	**4**	**5**
	1043	**3.5**	**7**	**1**	**1**	**3**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	17	5.7	10						
18-34	37	5.4	4						
35-49	17	6.3	41						
50-69	22	7.0	20						
70 +	6	9.0							
SUBTOTAL	**98**	**6.1**	**15**	**1**	**4**	**5**	**9**	**13**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	17	3.3	3						
18-34	22	1.7							
35-49	33	3.7	7						
50-69	32	7.2	38						
70 +	0								
SUBTOTAL	**103**	**4.3**	**18**	**1**	**2**	**3**	**4**	**11**	**16**
GRAND TOTAL	**202**	**5.2**	**17**	**1**	**2**	**4**	**7**	**13**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	36	6.8	7						
35-49	23	5.0	8						
50-69	44	4.0	5	< 1	3	3	6	9	9
70 +	0								
	103	**5.2**	**8**	**1**	**3**	**6**	**7**	**9**	**10**
0-17	32	2.5	1						
18-34	26	5.8	2						
35-49	51	3.8	5						
50-69	52	2.2	1	1	1	2	3	4	4
70 +	0								
	161	**3.4**	**4**	**1**	**2**	**3**	**5**	**7**	**7**
	264	**4.1**	**6**	**1**	**2**	**4**	**6**	**7**	**9**

DRG 46: Other Disorders of the Eye Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	161	4.6	6	2	3	4	6	8	9	0-17	0								
70-74	184	6.8	22	2	3	6	8	13	15	18-34	118	4.9	34	1	2	3	5	11	20
75-79	170	6.6	16	3	3	5	10	13	14	35-49	158	4.4	16	1	2	3	7	11	14
80-84	107	5.0	18	1	3	4	6	8	21	50-69	255	3.5	8	1	1	3	4	8	11
85+	132	7.0	13	3	4	7	9	11	15	70+	22	6.6	7						
SUBTOTAL	**753**	**6.1**	**16**	**2**	**3**	**5**	**8**	**12**	**14**		**553**	**4.2**	**16**	**1**	**2**	**3**	**5**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**753**	**6.1**	**16**	**2**	**3**	**5**	**8**	**12**	**14**		**553**	**4.2**	**16**	**1**	**2**	**3**	**5**	**9**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	98	5.2	19	1	2	3	10	12	14	18-34	123	2.8	5	1	1	2	4	5	8
35-49	108	6.3	17	1	2	6	10	13	14	35-49	123	4.9	6	3	3	4	7	9	10
50-69	54	7.5	57	1	2	4	17	22	22	50-69	48	3.2	5	1	1	3	5	7	7
70+	17	3.7	4							70+	10	6.0							
SUBTOTAL	**277**	**6.0**	**26**	**1**	**2**	**4**	**10**	**14**	**17**		**305**	**3.8**	**6**	**1**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**277**	**6.0**	**26**	**1**	**2**	**4**	**10**	**14**	**17**		**305**	**3.8**	**6**	**1**	**2**	**3**	**5**	**7**	**10**

DRG 47: Other Disorders of the Eye Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	227	2.9	9	1	1	2	4	5	9	0-17	0								
70-74	79	3.4	4	1	1	3	5	7	7	18-34	221	2.6	4	1	1	2	3	7	7
75-79	113	2.0	2	1	1	1	2	4	6	35-49	281	3.6	11	1	2	3	4	6	13
80-84	108	2.9	8	1	1	2	3	4	11	50-69	289	2.7	10	< 1	1	2	3	5	7
85 +	83	3.0	5	1	1	3	4	5	10	70 +	6	1.0							
SUBTOTAL	**609**	**2.8**	**7**	**1**	**1**	**2**	**4**	**5**	**9**		**797**	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**609**	**2.8**	**7**	**1**	**1**	**2**	**4**	**5**	**9**		**797**	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	113	3.4	10	1	1	2	4	7	12	18-34	223	2.2	3	1	1	2	3	4	8
35-49	26	4.0	7							35-49	129	2.6	4	< 1	1	1	4	5	5
50-69	43	3.3	10	1	1	2	4	11	11	50-69	71	2.0	5	1	1	1	2	3	9
70 +	10	1.0								70 +	17	1.0							
SUBTOTAL	**193**	**3.4**	**9**	**1**	**1**	**2**	**4**	**7**	**11**		**440**	**2.2**	**4**	**1**	**1**	**1**	**3**	**4**	**8**
GRAND TOTAL	**193**	**3.4**	**9**	**1**	**1**	**2**	**4**	**7**	**11**		**440**	**2.2**	**4**	**1**	**1**	**1**	**3**	**4**	**8**

DRG 48: Other Disorders of the Eye Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	172	3.4	3	2	3	3	4	6	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**172**	**3.4**	**3**	**2**	**3**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	716	2.7	3	1	1	3	4	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**716**	**2.7**	**3**	**1**	**1**	**3**	**4**	**4**	**5**
GRAND TOTAL	**0**										**888**	**2.8**	**3**	**1**	**2**	**3**	**4**	**4**	**5**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	94	5.6	49	1	2	3	6	15	30	0-17	83	6.2	61	1	1	3	6	21	28
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**94**	**5.6**	**49**	**1**	**2**	**3**	**6**	**15**	**30**		**83**	**6.2**	**61**	**1**	**1**	**3**	**6**	**21**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	658	3.4	5	1	2	3	4	7	8	0-17	372	3.0	7	1	1	2	3	7	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**658**	**3.4**	**5**	**1**	**2**	**3**	**4**	**7**	**8**		**372**	**3.0**	**7**	**1**	**1**	**2**	**3**	**7**	**10**
GRAND TOTAL	**752**	**3.7**	**11**	**1**	**2**	**3**	**4**	**7**	**9**		**455**	**3.6**	**18**	**1**	**1**	**2**	**4**	**7**	**11**

DRG 49: Major Head & Neck Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	179	10.7	69	5	6	9	11	20	32	0-17	11	4.5							
70-74	130	12.6	123	3	5	8	18	28	37	18-34	10	3.0							
75-79	122	10.2	199	2	3	4	13	19	48	35-49	128	5.3	20	1	3	4	5	11	12
80-84	80	10.5	27	6	7	9	11	23	23	50-69	415	10.6	100	3	3	8	14	23	31
85 +	37	16.8	221							70 +	6	10.0							
SUBTOTAL	**549**	**11.4**	**117**	**3**	**5**	**8**	**13**	**28**	**40**		**570**	**9.1**	**83**	**3**	**3**	**7**	**11**	**18**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	135	4.6	15	2	3	3	6	7	10	0-17	89	3.8	12	1	2	3	4	8	15
70-74	145	4.8	15	1	2	3	7	12	14	18-34	152	2.3	4	1	1	2	2	5	5
75-79	55	4.9	9	1	2	5	6	10	11	35-49	171	2.8	5	1	1	2	4	6	6
80-84	27	4.6	2							50-69	250	4.2	14	1	2	4	5	7	8
85 +	22	2.0								70 +	6	5.0							
SUBTOTAL	**384**	**4.6**	**13**	**1**	**2**	**3**	**6**	**9**	**12**		**669**	**3.4**	**10**	**1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**933**	**8.6**	**85**	**2**	**3**	**6**	**9**	**18**	**28**		**1238**	**6.0**	**52**	**1**	**2**	**4**	**7**	**14**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	19.0								0-17	0								
18-34	0									18-34	6	12.0							
35-49	11	14.5	22							35-49	22	5.6	11						
50-69	34	19.8	102	10	14	17	20	41	41	50-69	77	14.5	140	1	3	17	19	32	40
70 +	0									70 +	11	3.5	7						
SUBTOTAL	**51**	**18.6**	**77**	**10**	**14**	**18**	**19**	**41**	**41**		**115**	**11.6**	**115**	**1**	**3**	**6**	**18**	**29**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	55	10.7	63	2	4	9	18	24	25	0-17	28	8.8	141						
18-34	11	2.0	1							18-34	78	1.9	2	1	1	1	3	5	5
35-49	6	9.0								35-49	60	3.8	21	1	1	2	5	11	17
50-69	58	9.5	115	1	1	5	21	29	29	50-69	34	3.7	6	1	1	4	6	6	6
70 +	6	3.0								70 +	0								
SUBTOTAL	**136**	**9.1**	**81**	**1**	**3**	**5**	**12**	**25**	**29**		**200**	**3.7**	**32**	**1**	**1**	**2**	**5**	**6**	**17**
GRAND TOTAL	**187**	**11.7**	**97**	**1**	**3**	**9**	**19**	**25**	**29**		**316**	**6.6**	**76**	**1**	**1**	**3**	**6**	**18**	**32**

DRG 50: Sialoadenectomy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	199	3.2	21	1	1	2	2	7	18		0-17	0								
70-74	150	4.0	7	1	2	3	5	7	12		18-34	6	1.0							
75-79	109	3.6	7	1	2	3	5	6	10		35-49	102	2.5	2	1	2	2	3	4	6
80-84	72	2.3	1	1	1	2	3	4	4		50-69	169	4.0	18	1	2	2	5	10	16
85 +	20	8.0	17								70 +	16	8.5	12						
SUBTOTAL	**550**	**3.6**	**13**	**1**	**2**	**2**	**4**	**7**	**12**			**292**	**3.7**	**13**	**1**	**2**	**2**	**5**	**10**	**11**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	401	1.8	1	1	1	2	2	3	3		0-17	73	2.2	1	1	2	2	3	3	3
70-74	359	2.0	1	1	1	2	3	3	4		18-34	556	1.8	2	1	1	1	2	3	3
75-79	240	2.5	3	1	1	2	3	5	5		35-49	801	1.6	1	1	1	1	2	2	3
80-84	144	1.9	1	1	1	2	2	3	4		50-69	1076	1.6	1	1	1	1	2	2	3
85 +	26	4.0	6								70 +	16	1.6							
SUBTOTAL	**1171**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**			**2523**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**1721**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**6**			**2815**	**1.9**	**3**	**1**	**1**	**2**	**2**	**3**	**4**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	23	4.5	3								0-17	0								
18-34	11	2.5									18-34	37	2.3	3						
35-49	32	3.5	4								35-49	22	2.5	1						
50-69	6	31.0									50-69	43	3.7	6	1	2	3	5	9	9
70 +	0										70 +	0								
SUBTOTAL	**71**	**5.8**	**59**	**1**	**2**	**4**	**6**	**7**	**31**			**102**	**2.9**	**4**	**1**	**1**	**3**	**3**	**6**	**9**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	17	7.7	35								0-17	27	1.4							
18-34	83	2.8	10	1	1	1	3	7	13		18-34	155	1.6		1	1	2	2	3	3
35-49	78	3.0	6	1	2	2	3	8	9		35-49	239	1.7	3	< 1	1	1	2	2	3
50-69	37	1.5	1								50-69	178	1.5		1	1	1	2	2	2
70 +	11	3.0									70 +	10	1.0							
SUBTOTAL	**226**	**3.0**	**10**	**1**	**1**	**2**	**3**	**8**	**13**			**610**	**1.6**	**2**	**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**298**	**3.7**	**23**	**1**	**1**	**2**	**3**	**8**	**13**			**712**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**3**

DRG 51: Salivary Gland Procedures except Sialoadenectomy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	11	2.0	1							0-17	0								
70-74	10	4.0								18-34	0								
75-79	0									35-49	6	5.0							
80-84	10	3.0								50-69	0								
85 +	26	1.8	1							70 +	0								
SUBTOTAL	**58**	**2.5**	**1**	**1**	**1**	**3**	**3**	**4**	**4**		**6**	**5.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	36	2.2	1							0-17	44	2.0	1	1	1	2	3	4	4
70-74	27	1.2								18-34	67	1.0		1	1	1	1	1	1
75-79	37	1.6	1							35-49	115	1.5	1	1	1	1	2	3	3
80-84	16	2.3	1							50-69	111	1.3		1	1	1	2	2	3
85 +	0									70 +	20	2.5	2						
SUBTOTAL	**117**	**1.8**	**1**	**1**	**1**	**1**	**3**	**3**	**3**		**357**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**175**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**4**		**363**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	10	3.0								18-34	11	1.5							
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	6	1.0							
SUBTOTAL	**10**	**3.0**									**17**	**1.3**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	11	1.0								0-17	23	1.3							
18-34	0									18-34	0								
35-49	6	3.0								35-49	73	1.4	1	< 1	< 1	1	1	3	3
50-69	0									50-69	37	1.2							
70 +	10	1.0								70 +	6	1.0							
SUBTOTAL	**27**	**1.4**	**1**								**138**	**1.3**		**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**37**	**1.8**	**1**								**155**	**1.3**		**< 1**	**1**	**1**	**1**	**2**	**3**

DRG 52: Cleft Lip & Palate Repair

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	6	1.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	38	1.8	1	1	1	2	3	3	3
70-74	6	1.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**44**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**50**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	83	3.8	3	1	3	4	5	6	7
18-34	0								
35-49	17	5.0	26						
50-69	16	1.0							
70 +	0								
SUBTOTAL	**115**	**3.6**	**7**	**1**	**1**	**4**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs									
0-17	2224	1.9	1	1	1	2	2	3	4
18-34	149	1.9	1	1	1	2	2	3	3
35-49	272	1.8	2	1	1	1	2	4	5
50-69	118	3.0	33	1	1	1	3	4	17
70 +	0								
SUBTOTAL	**2762**	**2.0**	**3**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**2877**	**2.0**	**3**	**1**	**1**	**2**	**2**	**4**	**4**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	83	4.5	5	2	3	4	6	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**83**	**4.5**	**5**	**2**	**3**	**4**	**6**	**7**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1234	2.3	2	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1234**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1317**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	23	6.3	34						
18-34	0								
35-49	11	3.0							
50-69	0								
70 +	0								
SUBTOTAL	**34**	**5.2**	**25**	**2**	**3**	**3**	**4**	**16**	**16**
2.PATIENTS W/OUT CCs									
0-17	825	1.9	1	1	1	2	2	3	4
18-34	34	1.3		1	1	1	2	2	2
35-49	69	1.2		1	1	1	1	1	3
50-69	53	1.1		1	1	1	1	2	2
70 +	0								
SUBTOTAL	**981**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**1015**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**

DRG 53: Sinus & Mastoid Procedures Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	301	4.4	14	1	1	3	7	10	11
70-74	227	4.4	28	1	1	2	6	11	14
75-79	212	4.9	24	1	1	2	8	13	15
80-84	55	6.0	35	1	2	3	11	19	20
85 +	42	5.2	9						
SUBTOTAL	**837**	**4.7**	**22**	**1**	**1**	**2**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	880	1.6	3	1	1	1	2	4	5
70-74	428	2.0	4	1	1	1	2	5	7
75-79	258	1.9	3	1	1	1	2	3	4
80-84	51	1.8	1	1	1	2	2	3	3
85 +	54	3.4	4	1	2	3	4	7	7
SUBTOTAL	**1672**	**1.8**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**2509**	**2.8**	**11**	**1**	**1**	**1**	**3**	**7**	**10**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	341	5.1	73	1	1	3	6	9	15
35-49	492	4.4	29	1	1	2	5	10	15
50-69	524	4.2	32	1	1	2	5	12	16
70 +	22	3.4	5						
	1377	**4.5**	**41**	**1**	**1**	**2**	**5**	**9**	**16**
0-17	0								
18-34	3014	1.7	4	1	1	1	1	3	5
35-49	3894	1.5	2	1	1	1	1	3	4
50-69	2336	1.8	6	1	1	1	2	4	5
70 +	54	3.5	14	< 1	1	2	5	13	13
	9299	**1.7**	**4**	**1**	**1**	**1**	**1**	**3**	**5**
	10676	**2.0**	**10**	**1**	**1**	**1**	**2**	**4**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	55	9.1	38	2	3	8	15	17	18
35-49	33	6.4	21						
50-69	33	6.5	21						
70 +	0								
SUBTOTAL	**121**	**7.6**	**30**	**2**	**3**	**8**	**11**	**16**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	252	2.0	5	< 1	1	1	2	5	8
35-49	140	1.3		1	1	1	2	2	2
50-69	136	2.0	4	1	1	1	2	3	3
70 +	11	6.0	27						
SUBTOTAL	**540**	**1.9**	**5**	**1**	**1**	**1**	**2**	**3**	**8**
GRAND TOTAL	**661**	**2.9**	**14**	**1**	**1**	**1**	**3**	**10**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	104	3.7	13	1	1	3	6	10	14
35-49	109	2.8	8	< 1	1	1	4	8	9
50-69	75	5.0	38	1	1	1	6	19	19
70 +	6	1.0							
	293	**3.6**	**18**	**1**	**1**	**1**	**5**	**9**	**14**
0-17	0								
18-34	868	1.5	3	1	1	1	1	2	4
35-49	879	1.5	3	1	1	1	1	2	4
50-69	403	1.6	3	1	1	1	1	3	6
70 +	11	1.0							
	2161	**1.5**	**3**	**1**	**1**	**1**	**1**	**2**	**4**
	2454	**1.7**	**5**	**1**	**1**	**1**	**1**	**4**	**6**

DRG 54: Sinus & Mastoid Procedures Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	26	2.2	2						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**26**	**2.2**	**2**						
GRAND TOTAL	**26**	**2.2**	**2**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	194	5.7	53	1	1	3	7	15	22
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	194	**5.7**	**53**	**1**	**1**	**3**	**7**	**15**	**22**
0-17	1364	2.0	6	1	1	1	1	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1364	**2.0**	**6**	**1**	**1**	**1**	**1**	**5**	**8**
	1558	**2.4**	**13**	**1**	**1**	**1**	**2**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	40	7.6	42	1	1	7	15	17	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**40**	**7.6**	**42**	**1**	**1**	**7**	**15**	**17**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	263	3.2	14	1	1	1	4	11	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**263**	**3.2**	**14**	**1**	**1**	**1**	**4**	**11**	**13**
GRAND TOTAL	**302**	**3.7**	**19**	**1**	**1**	**1**	**4**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	17	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	17	**1.0**							
0-17	514	2.7	19	1	1	1	2	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	514	**2.7**	**19**	**1**	**1**	**1**	**2**	**7**	**9**
	530	**2.6**	**18**	**1**	**1**	**1**	**2**	**7**	**9**

DRG 55: Miscellaneous Ear, Nose, Mouth & Throat Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	187	2.3	4	1	1	2	3	5	7	0-17	171	5.5	59	1	1	3	9	17	40
70-74	120	3.1	11	1	1	2	3	8	11	18-34	185	3.9	17	1	1	2	7	9	10
75-79	55	5.8	50	1	1	4	6	22	25	35-49	128	4.7	29	1	1	3	6	10	15
80-84	16	11.3	1							50-69	263	4.0	55	1	1	2	3	10	21
85 +	10	20.0								70 +	6	2.0							
SUBTOTAL	**388**	**3.9**	**23**	**1**	**1**	**2**	**4**	**10**	**14**		**752**	**4.4**	**42**	**1**	**1**	**2**	**5**	**10**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	406	1.4	1	1	1	1	1	2	4	0-17	1811	1.6	3	< 1	1	1	1	3	4
70-74	160	1.5	2	< 1	1	1	1	2	7	18-34	1315	1.4	1	< 1	1	1	1	2	3
75-79	94	1.2		1	1	1	1	2	3	35-49	1462	1.3	1	< 1	1	1	1	2	3
80-84	33	5.3	22							50-69	977	1.4	1	< 1	1	1	1	2	4
85 +	11	1.0								70 +	17	1.3							
SUBTOTAL	**704**	**1.6**	**3**	**1**	**1**	**1**	**1**	**2**	**6**		**5582**	**1.4**	**2**	**< 1**	**1**	**1**	**1**	**3**	**3**
GRAND TOTAL	**1092**	**2.4**	**11**	**1**	**1**	**1**	**2**	**6**	**9**		**6334**	**1.8**	**7**	**< 1**	**1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	112	9.8	339	1	1	2	10	51	91	0-17	33	5.1	14						
18-34	40	3.3	7	< 1	1	3	6	8	8	18-34	63	3.1	9	1	1	2	4	7	11
35-49	17	7.0	54							35-49	58	2.6	2	1	1	2	4	5	5
50-69	11	3.0	4							50-69	49	3.6	3	1	2	4	5	6	6
70 +	0									70 +	0								
SUBTOTAL	**180**	**7.7**	**226**	**1**	**1**	**3**	**8**	**20**	**83**		**203**	**3.4**	**7**	**1**	**2**	**3**	**5**	**6**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	638	2.3	7	1	1	1	2	5	9	0-17	647	2.2	10	< 1	1	1	2	4	7
18-34	170	2.1	2	< 1	1	1	2	5	5	18-34	360	1.3		1	1	1	1	2	2
35-49	122	1.4	1	< 1	1	1	1	3	4	35-49	308	1.2		1	1	1	1	2	2
50-69	37	1.7	1							50-69	228	1.1		< 1	1	1	1	2	2
70 +	0									70 +	78	1.4	1	< 1	< 1	< 1	1	4	4
SUBTOTAL	**967**	**2.1**	**5**	**< 1**	**1**	**1**	**2**	**4**	**7**		**1621**	**1.6**	**4**	**< 1**	**1**	**1**	**1**	**2**	**4**
GRAND TOTAL	**1147**	**3.0**	**44**	**1**	**1**	**1**	**3**	**6**	**10**		**1824**	**1.8**	**5**	**< 1**	**1**	**1**	**2**	**4**	**5**

DRG 56: Rhinoplasty

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	122	3.5	16	1	1	2	3	11	14	0-17	17	1.7							
70-74	53	4.7	10	1	2	3	6	10	10	18-34	192	3.3	8	1	1	2	5	7	11
75-79	23	4.0	9							35-49	98	2.0	2	1	1	2	2	4	6
80-84	32	4.5	15							50-69	70	3.8	7	1	1	3	6	8	8
85 +	6	12.0								70 +	10	35.0							
SUBTOTAL	**236**	**4.2**	**15**	**1**	**1**	**3**	**6**	**11**	**12**		**387**	**3.8**	**33**	**1**	**1**	**2**	**4**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	200	1.4	1	1	1	1	1	2	5	0-17	644	1.3	1	1	1	1	1	2	3
70-74	86	2.0	3	1	1	1	2	5	6	18-34	2595	1.2		1	1	1	1	2	2
75-79	65	2.0	2	1	1	2	2	5	5	35-49	1592	1.2		1	1	1	1	2	2
80-84	17	2.0	2							50-69	667	1.2	1	1	1	1	1	1	2
85 +	0									70 +	6	1.0							
SUBTOTAL	**368**	**1.7**	**2**	**1**	**1**	**1**	**2**	**5**	**5**		**5503**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**603**	**2.7**	**8**	**1**	**1**	**1**	**3**	**6**	**10**		**5890**	**1.4**	**3**	**1**	**1**	**1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	22	2.3	1						
18-34	10	3.0								18-34	102	2.6	6	1	1	1	4	6	9
35-49	17	2.3	2							35-49	37	1.0							
50-69	16	4.9	9							50-69	27	1.2							
70 +	0									70 +	0								
SUBTOTAL	**43**	**3.4**	**5**	**1**	**1**	**3**	**4**	**7**	**7**		**188**	**2.1**	**4**	**1**	**1**	**1**	**2**	**4**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	60	1.1		1	1	1	1	2	2	0-17	111	1.2		< 1	1	1	1	1	3
18-34	144	2.2	17	1	1	1	1	3	3	18-34	642	1.2	1	1	1	1	1	2	2
35-49	60	1.3	1	< 1	1	1	1	2	4	35-49	267	1.1		1	1	1	1	2	2
50-69	11	1.0								50-69	104	1.3		1	1	1	2	2	2
70 +	0									70 +	0								
SUBTOTAL	**275**	**1.7**	**9**	**1**	**1**	**1**	**1**	**3**	**3**		**1124**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**318**	**1.9**	**9**	**1**	**1**	**1**	**1**	**3**	**6**		**1312**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**

DRG 57: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	42	6.8	27							0-17	0								
70-74	22	4.4	34							18-34	194	3.2	5	1	2	3	4	5	6
75-79	10	2.0								35-49	115	2.8	2	1	1	3	4	5	5
80-84	16	4.9	9							50-69	125	3.4	6	1	2	3	4	9	9
85 +	6	9.0								70 +	0								
SUBTOTAL	**95**	**5.5**	**24**	**1**	**1**	**4**	**8**	**15**	**15**		**433**	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	76	2.0	1	1	1	2	3	4	4	0-17	0								
70-74	11	2.5	2							18-34	1318	1.8	2	1	1	1	2	3	4
75-79	6	2.0								35-49	685	2.2	2	1	1	2	3	4	5
80-84	11	3.0								50-69	244	2.4	3	1	1	2	3	5	6
85 +	0									70 +	0								
SUBTOTAL	**104**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**		**2247**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**
GRAND TOTAL	**199**	**3.8**	**15**	**1**	**1**	**2**	**4**	**9**	**14**		**2680**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	67	4.1	15	1	2	3	5	5	16	18-34	85	3.3	9	1	1	2	4	9	11
35-49	11	3.0	4							35-49	42	5.6	51						
50-69	11	4.5	13							50-69	22	1.8	1						
70 +	0									70 +	0								
SUBTOTAL	**89**	**4.0**	**14**	**1**	**1**	**3**	**5**	**8**	**16**		**148**	**3.7**	**21**	**1**	**1**	**2**	**3**	**11**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	220	2.0	1	1	1	2	2	3	4	18-34	524	1.8	2	1	1	1	2	3	4
35-49	44	3.0	10	1	1	2	4	11	11	35-49	243	2.4	2	1	1	2	3	4	5
50-69	17	3.7	3							50-69	33	1.8	1						
70 +	0									70 +	0								
SUBTOTAL	**281**	**2.3**	**3**	**1**	**1**	**2**	**2**	**4**	**6**		**799**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**4**
GRAND TOTAL	**370**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**6**		**947**	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 58: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	485	2.4	5	1	1	1	3	5	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										485	2.4	5	1	1	1	3	5	9
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	6706	1.2	1	<1	1	1	1	1	2
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										6706	1.2	1	<1	1	1	1	1	2
GRAND TOTAL	0										7191	1.3	1	<1	1	1	1	2	3

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	253	2.8	9	1	1	2	3	8	9	0-17	251	2.8	11	1	1	2	3	7	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	253	2.8	9	1	1	2	3	8	9		251	2.8	11	1	1	2	3	7	9
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1807	1.5	5	1	1	1	1	2	3	0-17	2366	1.3	2	1	1	1	1	2	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	1807	1.5	5	1	1	1	1	2	3		2366	1.3	2	1	1	1	1	2	3
GRAND TOTAL	2060	1.6	6	1	1	1	1	3	4		2617	1.4	3	1	1	1	1	2	4

DRG 59: Tonsillectomy &/or Adenoidectomy Only, Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	11	1.5							
70-74	6	2.0							
75-79	10	1.0							
80-84	0								
85 +	0								
SUBTOTAL	**27**	**1.4**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	169	1.1		< 1	1	1	1	1	2
70-74	6	1.0							
75-79	6	1.0							
80-84	0								
85 +	0								
SUBTOTAL	**180**	**1.1**		**1**	**1**	**1**	**1**	**1**	**2**
GRAND TOTAL	**207**	**1.1**		**1**	**1**	**1**	**1**	**2**	**2**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	302	1.3	1	1	1	1	1	2	3
35-49	93	1.2		1	1	1	1	2	2
50-69	31	1.0							
70 +	0								
	425	**1.3**		**1**	**1**	**1**	**1**	**2**	**3**
0-17	0								
18-34	7765	1.1		1	1	1	1	1	1
35-49	914	1.1		1	1	1	1	1	2
50-69	164	1.1		1	1	1	1	2	2
70 +	0								
	8844	**1.1**		**1**	**1**	**1**	**1**	**1**	**1**
	9269	**1.1**		**1**	**1**	**1**	**1**	**1**	**1**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	38	1.3	1	1	1	1	1	3	3
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**38**	**1.3**	**1**	**1**	**1**	**1**	**1**	**3**	**3**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	750	1.2	1	1	1	1	1	1	2
35-49	95	1.0		< 1	1	1	1	1	1
50-69	6	1.0							
70 +	0								
SUBTOTAL	**851**	**1.2**	**1**	**1**	**1**	**1**	**1**	**1**	**2**
GRAND TOTAL	**889**	**1.2**	**1**	**1**	**1**	**1**	**1**	**1**	**2**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	53	2.1	8	1	1	1	1	10	10
35-49	0								
50-69	6	6.0							
70 +	0								
	59	**2.4**	**8**	**1**	**1**	**1**	**2**	**8**	**10**
0-17	0								
18-34	1940	1.0		1	1	1	1	1	1
35-49	237	1.0		1	1	1	1	1	1
50-69	37	1.0							
70 +	0								
	2214	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**
	2273	**1.1**		**1**	**1**	**1**	**1**	**1**	**1**

DRG 60: Tonsillectomy &/or Adenoidectomy Only, Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	77	1.0		1	1	1	1	1	1
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**77**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**77**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	715	1.8	2	1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	715	**1.8**	**2**	**1**	**1**	**1**	**2**	**4**	**5**
0-17	24256	1.1		1	1	1	1	1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	24256	**1.1**		**1**	**1**	**1**	**1**	**1**	**1**
	24971	**1.1**		**1**	**1**	**1**	**1**	**1**	**1**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	209	4.5	27	1	1	3	4	14	18
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**209**	**4.5**	**27**	**1**	**1**	**3**	**4**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3937	1.2	3	1	1	1	1	1	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3937**	**1.2**	**3**	**1**	**1**	**1**	**1**	**1**	**2**
GRAND TOTAL	**4146**	**1.4**	**4**	**1**	**1**	**1**	**1**	**1**	**2**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	197	2.2	7	1	1	1	2	5	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	197	**2.2**	**7**	**1**	**1**	**1**	**2**	**5**	**11**
0-17	7170	1.1	1	1	1	1	1	1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	7170	**1.1**	**1**	**1**	**1**	**1**	**1**	**1**	**1**
	7367	**1.1**	**1**	**1**	**1**	**1**	**1**	**1**	**1**

DRG 61: Myringotomy w/ Tube Insertion Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	17	14.3	165							0-17	0								
70-74	10	9.0								18-34	23	7.0	69						
75-79	27	14.4	68							35-49	16	8.1	2						
80-84	0									50-69	32	1.0							
85 +	0									70 +	6	6.0							
SUBTOTAL	**54**	**13.4**	**87**	**1**	**9**	**15**	**15**	**31**	**31**		**76**	**4.6**	**30**	**1**	**1**	**2**	**7**	**10**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	76	4.7	24	< 1	1	2	7	14	14	0-17	0								
70-74	10	1.0								18-34	121	1.3	1	1	1	1	1	2	4
75-79	16	1.7	1							35-49	133	1.8	2	1	1	1	2	4	6
80-84	0									50-69	149	1.5	1	1	1	1	2	3	3
85 +	0									70 +	10	1.0							
SUBTOTAL	**102**	**3.8**	**20**	**< 1**	**1**	**1**	**7**	**13**	**14**		**413**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**156**	**7.1**	**64**	**1**	**1**	**2**	**12**	**15**	**26**		**489**	**2.0**	**7**	**1**	**1**	**1**	**2**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	11	1.5								18-34	0								
35-49	16	1.7	1							35-49	6	1.0							
50-69	6	1.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**33**	**1.5**	**1**								**6**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	34	2.7	5	< 1	1	2	3	7	7	18-34	40	1.6	2	1	1	1	1	5	5
35-49	11	1.0								35-49	60	1.0		1	1	1	1	1	1
50-69	16	4.1	2							50-69	43	2.4	3	1	1	1	3	5	5
70 +	0									70 +	6	4.0							
SUBTOTAL	**61**	**2.7**	**4**	**< 1**	**1**	**3**	**3**	**6**	**7**		**148**	**1.7**	**2**	**1**	**1**	**1**	**1**	**5**	**5**
GRAND TOTAL	**94**	**2.3**	**3**	**1**	**1**	**1**	**3**	**6**	**7**		**154**	**1.7**	**2**	**1**	**1**	**1**	**1**	**5**	**5**

DRG 62: Myringotomy w/ Tube Insertion Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6**	**1.0**							

	BLUE CROSS/PRIVATE INSURANCE									
	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs										
AGE GROUP										
	0-17	213	6.3	172	1	1	4	6	9	21
	18-34	0								
	35-49	0								
	50-69	0								
	70 +	0								
SUBTOTAL		**213**	**6.3**	**172**	**1**	**1**	**4**	**6**	**9**	**21**
2.PATIENTS W/OUT CCs										
AGE GROUP										
	0-17	2601	1.5	2	< 1	< 1	< 1	1	3	5
	18-34	0								
	35-49	0								
	50-69	0								
	70 +	0								
SUBTOTAL		**2601**	**1.5**	**2**	**< 1**	**< 1**	**< 1**	**1**	**3**	**5**
GRAND TOTAL		**2814**	**1.8**	**16**	**< 1**	**< 1**	**< 1**	**1**	**4**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	45	5.9	41	< 1	1	2	14	18	18
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**45**	**5.9**	**41**	**< 1**	**1**	**2**	**14**	**18**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	547	2.6	14	< 1	< 1	1	3	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**547**	**2.6**	**14**	**< 1**	**< 1**	**1**	**3**	**6**	**8**
GRAND TOTAL	**593**	**2.8**	**16**	**< 1**	**< 1**	**1**	**3**	**6**	**13**

	NO INSURANCE									
	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs										
AGE GROUP										
	0-17	28	6.2	33						
	18-34	0								
	35-49	0								
	50-69	0								
	70 +	0								
SUBTOTAL		**28**	**6.2**	**33**						
2.PATIENTS W/OUT CCs										
AGE GROUP										
	0-17	922	1.7	5	< 1	< 1	< 1	< 1	4	7
	18-34	0								
	35-49	0								
	50-69	0								
	70 +	0								
SUBTOTAL		**922**	**1.7**	**5**	**< 1**	**< 1**	**< 1**	**< 1**	**4**	**7**
GRAND TOTAL		**950**	**1.8**	**6**	**< 1**	**< 1**	**< 1**	**1**	**4**	**7**

DRG 63: Other Ear, Nose, Mouth & Throat O.R. Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	323	6.6	55	2	3	5	8	13	16		0-17	430	4.8	34	1	2	3	5	11	14
70-74	167	6.0	33	1	2	4	8	10	21		18-34	887	4.7	44	1	2	3	6	8	11
75-79	190	8.7	94	1	2	5	13	23	30		35-49	516	6.7	89	1	2	4	7	10	21
80-84	79	7.1	22	2	3	6	10	11	19		50-69	338	6.7	53	1	2	4	[illegible]	15	19
85 +	107	6.5	23	1	3	5	9	13	20		70 +	26	5.9	6						
SUBTOTAL	**865**	**7.0**	**53**	**1**	**3**	**5**	**9**	**14**	**20**			**2197**	**5.5**	**54**	**1**	**2**	**4**	**6**	**10**	**16**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	391	2.7	3	1	2	2	4	5	6		0-17	2092	2.5	10	1	1	2	3	4	5
70-74	172	3.7	6	1	2	3	5	7	9		18-34	5408	2.3	2	1	1	2	3	4	5
75-79	192	2.3	2	1	1	2	3	5	6		35-49	2984	2.3	2	1	1	2	3	4	6
80-84	80	4.4	10	1	2	3	8	9	11		50-69	724	2.7	5	1	1	2	3	5	8
85 +	58	1.8	1	1	1	2	3	3	3		70 +	0								
SUBTOTAL	**893**	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**7**			**11209**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1758**	**4.9**	**33**	**1**	**2**	**3**	**6**	**10**	**14**			**13406**	**2.9**	**14**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	55	7.7	109	2	4	4	6	31	38		0-17	121	5.1	9	2	2	5	6	9	12
18-34	338	5.4	19	1	2	4	7	11	13		18-34	892	4.7	18	1	2	3	6	9	12
35-49	178	6.4	28	2	3	5	9	13	15		35-49	429	5.5	33	1	2	4	8	9	13
50-69	55	5.7	19	1	3	4	7	15	16		50-69	132	7.2	50	1	3	4	10	22	22
70 +	0										70 +	11	4.0	1						
SUBTOTAL	**627**	**5.9**	**30**	**2**	**3**	**4**	**8**	**12**	**14**			**1585**	**5.1**	**24**	**1**	**2**	**4**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	302	3.1	7	1	1	2	4	8	8		0-17	536	2.5	4	1	1	2	3	4	7
18-34	550	3.2	4	1	2	3	4	6	7		18-34	2496	2.6	3	1	1	2	3	5	6
35-49	127	3.0	4	1	1	2	5	6	7		35-49	947	2.7	3	1	2	2	3	5	7
50-69	27	4.5	9								50-69	189	2.7	6	1	1	2	3	5	9
70 +	0										70 +	28	2.0	4						
SUBTOTAL	**1006**	**3.2**	**5**	**1**	**2**	**3**	**4**	**7**	**8**			**4197**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1633**	**4.2**	**16**	**1**	**2**	**3**	**6**	**8**	**10**			**5782**	**3.3**	**10**	**1**	**2**	**2**	**4**	**6**	**9**

DRG 64: Ear, Nose, Mouth & Throat Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	322	11.0	161	2	3	7	15	21	34	0-17	23	7.5	51						
70-74	295	6.8	24	2	4	6	8	16	19	18-34	11	7.0	39						
75-79	101	11.3	175	3	4	5	13	33	56	35-49	67	8.4	39	4	5	6	12	16	25
80-84	91	9.3	48	1	3	9	12	17	28	50-69	301	8.0	35	2	3	6	12	18	21
85 +	32	11.2	176							70 +	6	1.0							
SUBTOTAL	**840**	**9.4**	**106**	**2**	**3**	**6**	**12**	**19**	**30**		**408**	**7.9**	**37**	**2**	**3**	**6**	**12**	**18**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	153	5.3	56	1	1	4	7	8	16	0-17	40	3.4	13	1	1	2	6	11	11
70-74	34	3.3	7	1	1	4	5	8	8	18-34	20	2.5	2						
75-79	91	3.0	9	1	1	1	4	8	11	35-49	44	6.2	28	1	2	5	8	18	18
80-84	43	3.4	7	1	1	2	6	8	8	50-69	180	3.4	12	< 1	1	1	5	11	11
85 +	6	8.0								70 +	6	7.0							
SUBTOTAL	**326**	**4.2**	**31**	**1**	**1**	**3**	**6**	**8**	**11**		**290**	**3.9**	**15**	**< 1**	**1**	**2**	**6**	**11**	**11**
GRAND TOTAL	**1166**	**8.0**	**91**	**1**	**3**	**5**	**9**	**17**	**23**		**697**	**6.2**	**32**	**1**	**2**	**5**	**8**	**16**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	11	11.0	70							0-17	11	3.0							
18-34	11	7.5	7							18-34	0								
35-49	59	15.0	292	2	6	7	19	41	64	35-49	6	6.0							
50-69	266	8.5	68	1	2	7	14	21	23	50-69	139	7.4	21	1	5	6	9	16	16
70 +	0									70 +	16	13.2	88						
SUBTOTAL	**348**	**9.6**	**110**	**2**	**3**	**7**	**14**	**21**	**34**		**172**	**7.6**	**29**	**1**	**3**	**6**	**9**	**16**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	1.0								0-17	17	3.0	2						
18-34	6	2.0								18-34	11	1.5							
35-49	6	2.0								35-49	0								
50-69	71	4.7	32	1	2	2	5	12	21	50-69	66	2.3	3	1	1	1	4	5	5
70 +	0									70 +	6	1.0							
SUBTOTAL	**88**	**4.1**	**27**	**1**	**1**	**2**	**4**	**12**	**21**		**100**	**2.2**	**2**	**< 1**	**1**	**1**	**4**	**5**	**5**
GRAND TOTAL	**436**	**8.5**	**98**	**1**	**2**	**6**	**12**	**19**	**23**		**272**	**5.6**	**26**	**1**	**1**	**4**	**7**	**14**	**18**

DRG 65: Dysequilibrium

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1408	3.9	8	2	2	3	4	6	7	0-17	11	3.0	4						
70-74	1256	4.3	10	2	2	3	6	8	10	18-34	185	2.9	1	2	2	3	3	5	6
75-79	1231	4.4	12	2	2	4	5	8	10	35-49	477	3.1	3	1	2	3	4	6	7
80-84	891	5.0	18	2	2	3	6	9	15	50-69	1319	3.2	6	1	2	2	4	6	8
85 +	468	4.6	7	2	3	4	6	8	8	70 +	166	2.9	4	1	1	2	5	5	8
SUBTOTAL	**5253**	**4.3**	**11**	**2**	**2**	**3**	**5**	**8**	**10**		**2157**	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1370	3.3	4	1	2	3	4	6	8	0-17	113	2.0	1	1	1	2	3	3	4
70-74	1262	3.2	4	1	2	3	4	6	7	18-34	564	2.6	4	1	1	2	3	4	5
75-79	1087	3.3	6	1	2	3	4	6	6	35-49	1405	2.6	4	1	1	2	3	5	6
80-84	681	3.4	3	1	2	3	4	6	7	50-69	2543	2.7	4	1	1	2	3	5	6
85 +	545	4.0	9	1	2	4	5	9	10	70 +	100	2.4	1	1	1	2	3	4	5
SUBTOTAL	**4944**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**8**		**4725**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**10198**	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**9**		**6882**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	17	4.3	6							0-17	6	2.0							
18-34	32	5.4	22							18-34	73	4.2	7	1	1	4	6	9	9
35-49	63	3.0	5	2	2	2	3	8	8	35-49	110	3.8	9	1	2	3	4	9	13
50-69	187	4.6	11	2	2	3	6	7	16	50-69	246	3.0	2	1	2	3	4	5	6
70 +	47	5.8	7							70 +	57	3.2	2	1	3	3	5	5	5
SUBTOTAL	**346**	**4.5**	**11**	**2**	**2**	**3**	**6**	**8**	**12**		**491**	**3.4**	**4**	**1**	**2**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	1.0								0-17	28	2.8	1						
18-34	65	1.8	1	< 1	1	2	3	3	3	18-34	117	2.6	4	1	1	1	3	6	7
35-49	89	3.9	11	1	2	3	5	12	12	35-49	345	2.5	4	1	1	2	3	5	7
50-69	204	3.0	4	1	2	3	4	4	7	50-69	565	2.5	2	1	1	2	3	5	6
70 +	0									70 +	63	2.0	1	1	1	2	3	3	3
SUBTOTAL	**363**	**3.0**	**5**	**1**	**1**	**2**	**3**	**5**	**10**		**1118**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**709**	**3.7**	**9**	**1**	**2**	**3**	**5**	**7**	**10**		**1609**	**2.7**	**3**	**1**	**1**	**2**	**4**	**5**	**6**

DRG 66: Epistaxis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	404	4.7	14	1	2	4	6	9	14
70-74	465	4.5	9	2	3	4	6	7	8
75-79	280	4.9	4	2	3	5	7	7	8
80-84	170	4.4	8	1	2	5	6	9	10
85 +	237	5.8	21	2	2	5	8	16	16
SUBTOTAL	**1556**	**4.8**	**11**	**1**	**2**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	393	3.2	4	1	2	3	4	5	6
70-74	339	3.1	3	1	1	3	4	6	6
75-79	223	3.1	3	1	2	3	4	6	6
80-84	116	2.1	2	1	1	1	3	4	5
85 +	79	3.0	3	1	1	3	4	5	6
SUBTOTAL	**1150**	**3.0**	**3**	**1**	**1**	**3**	**4**	**5**	**6**
GRAND TOTAL	**2706**	**4.1**	**9**	**1**	**2**	**4**	**5**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	59	2.3	1	1	1	2	3	4	4
18-34	32	3.9	3						
35-49	118	4.0	4	2	2	3	5	8	9
50-69	373	4.9	5	2	3	5	6	7	8
70 +	32	12.4	94						
	613	**4.8**	**13**	**2**	**3**	**4**	**6**	**7**	**9**
0-17	43	1.6		< 1	1	2	2	2	2
18-34	143	3.7	2	1	3	4	5	6	6
35-49	410	3.0	3	1	1	3	4	5	6
50-69	663	3.5	3	1	2	3	4	5	7
70 +	26	2.2	1						
	1285	**3.3**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
	1898	**3.8**	**7**	**1**	**2**	**3**	**5**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	28	2.6	1						
18-34	42	3.8	2						
35-49	27	5.0	5						
50-69	89	6.6	11	3	4	6	8	12	12
70 +	0								
SUBTOTAL	**186**	**5.1**	**9**	**2**	**3**	**4**	**7**	**11**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	1.0							
18-34	32	2.4	4						
35-49	22	4.5	5						
50-69	26	4.0	1						
70 +	0								
SUBTOTAL	**85**	**3.3**	**4**	**1**	**1**	**4**	**5**	**6**	**7**
GRAND TOTAL	**271**	**4.6**	**8**	**1**	**2**	**4**	**6**	**8**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	3.1	2						
18-34	6	5.0							
35-49	121	3.3	7	1	1	3	4	6	9
50-69	86	4.6	9	1	3	4	8	10	10
70 +	6	5.0							
	235	**3.8**	**8**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	33	1.2							
18-34	99	3.2	4	1	2	3	4	7	8
35-49	159	3.1	3	1	2	3	4	5	7
50-69	238	3.1	3	1	2	3	4	5	6
70 +	0								
	529	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**7**
	763	**3.3**	**5**	**1**	**2**	**3**	**4**	**5**	**8**

DRG 67: Epiglottitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	11	6.0	1							0-17	48	6.1	7	3	3	6	7	10	10
70-74	20	9.0	38							18-34	36	6.2	1						
75-79	16	5.1	2							35-49	93	3.8	3	2	2	4	4	7	7
80-84	16	6.8	6							50-69	27	5.7	2						
85 +	0									70 +	0								
SUBTOTAL	**63**	**6.9**	**16**	**3**	**4**	**5**	**9**	**15**	**15**		**204**	**5.0**	**5**	**2**	**3**	**5**	**7**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	38	5.1	3	2	4	5	7	7	7	0-17	115	2.8	4	< 1	2	2	4	6	7
70-74	0									18-34	161	3.0	2	1	2	3	4	5	5
75-79	0									35-49	125	3.4	2	1	2	3	4	6	6
80-84	0									50-69	84	2.9	3	1	2	2	4	6	6
85 +	0									70 +	20	4.5	2						
SUBTOTAL	**38**	**5.1**	**3**	**2**	**4**	**5**	**7**	**7**	**7**		**505**	**3.1**	**3**	**1**	**2**	**3**	**4**	**6**	**6**
GRAND TOTAL	**102**	**6.2**	**12**	**3**	**4**	**5**	**7**	**11**	**15**		**709**	**3.6**	**4**	**1**	**2**	**3**	**5**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	7.0								0-17	6	10.0							
18-34	6	7.0								18-34	0								
35-49	26	6.2	5							35-49	32	3.9	1						
50-69	16	3.3	1							50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**53**	**5.5**	**5**	**2**	**4**	**5**	**7**	**9**	**9**		**37**	**4.8**	**6**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	27	3.7	4							0-17	48	4.9	3	2	5	5	6	7	7
18-34	53	3.8	2	2	3	4	4	6	6	18-34	74	3.4	2	2	2	3	4	6	6
35-49	10	5.0								35-49	134	3.2	3	1	2	3	4	5	8
50-69	0									50-69	22	2.8	4						
70 +	0									70 +	0								
SUBTOTAL	**91**	**3.9**	**2**	**2**	**2**	**4**	**5**	**6**	**7**		**277**	**3.5**	**3**	**1**	**2**	**4**	**5**	**6**	**7**
GRAND TOTAL	**144**	**4.5**	**4**	**2**	**3**	**4**	**6**	**7**	**9**		**314**	**3.7**	**4**	**2**	**2**	**4**	**5**	**6**	**8**

DRG 68: Otitis Media & URI Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1597	5.4	11	2	3	5	7	10	12	0-17	0								
70-74	1007	5.8	13	2	3	5	7	9	14	18-34	2339	3.4	5	2	2	3	4	5	7
75-79	821	6.8	44	2	3	6	8	12	15	35-49	1547	4.3	10	2	2	3	5	8	11
80-84	685	5.9	10	3	4	5	7	9	12	50-69	1055	4.9	10	2	3	4	7	9	10
85 +	584	7.0	22	3	5	6	9	11	17	70 +	16	5.0							
SUBTOTAL	**4694**	**6.0**	**19**	**2**	**3**	**5**	**7**	**10**	**14**		**4956**	**4.0**	**8**	**2**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4694**	**6.0**	**19**	**2**	**3**	**5**	**7**	**10**	**14**		**4956**	**4.0**	**8**	**2**	**2**	**3**	**5**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	852	4.2	9	2	2	3	5	7	9	18-34	1020	3.3	9	1	2	3	4	6	6
35-49	263	4.9	13	2	3	4	5	8	15	35-49	288	3.7	5	2	2	3	5	7	9
50-69	160	5.7	47	1	3	4	6	9	11	50-69	203	4.7	13	1	2	4	6	10	12
70 +	26	4.5	4							70 +	0								
SUBTOTAL	**1301**	**4.5**	**15**	**2**	**3**	**4**	**5**	**7**	**10**		**1511**	**3.6**	**9**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1301**	**4.5**	**15**	**2**	**3**	**4**	**5**	**7**	**10**		**1511**	**3.6**	**9**	**1**	**2**	**3**	**4**	**6**	**8**

DRG 69: Otitis Media & URI Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	431	3.8	4	2	2	3	5	6	8
70-74	272	5.0	13	2	3	4	6	12	12
75-79	140	3.7	4	1	2	3	5	7	7
80-84	151	5.5	13	2	3	4	7	11	15
85 +	114	3.7	5	2	2	3	5	6	9
SUBTOTAL	**1108**	**4.3**	**8**	**2**	**2**	**4**	**5**	**8**	**10**
GRAND TOTAL	**1108**	**4.3**	**8**	**2**	**2**	**4**	**5**	**8**	**10**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	3366	3.2	5	1	2	3	4	5	7
35-49	2252	3.1	3	1	2	3	4	5	7
50-69	1180	3.7	6	1	2	3	4	7	9
70 +	52	3.1	1	1	3	3	3	6	6
	6850	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
	6850	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	759	2.9	3	1	2	3	4	5	6
35-49	195	3.5	3	2	2	3	4	6	7
50-69	79	4.4	5	< 1	2	5	7	7	7
70 +	32	4.6	6						
SUBTOTAL	**1065**	**3.2**	**3**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**1065**	**3.2**	**3**	**1**	**2**	**3**	**4**	**6**	**7**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1369	2.5	1	1	2	2	3	4	5
35-49	542	3.2	3	1	2	3	4	6	7
50-69	184	2.8	2	1	2	3	4	5	6
70 +	20	2.5							
	2116	**2.7**	**2**	**1**	**2**	**2**	**3**	**5**	**6**
	2116	**2.7**	**2**	**1**	**2**	**2**	**3**	**5**	**6**

DRG 70: Otitis Media & URI Age 0-17

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	32	3.4	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**32**	**3.4**	**1**						
GRAND TOTAL	**32**	**3.4**	**1**						

	BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	5838	3.0	5	1	2	2	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	5838	**3.0**	**5**	**1**	**2**	**2**	**4**	**5**	**7**
0-17	10803	3.0	3	1	2	3	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	10803	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
	16641	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**6**

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	3679	3.4	5	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3679**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6703	3.1	3	1	2	3	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**6703**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**10382**	**3.2**	**4**	**1**	**2**	**3**	**4**	**5**	**7**

	NO INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	1947	2.8	5	1	2	2	3	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1947	**2.8**	**5**	**1**	**2**	**2**	**3**	**4**	**7**
0-17	3943	2.9	4	1	2	3	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3943	**2.9**	**4**	**1**	**2**	**3**	**3**	**5**	**7**
	5890	**2.9**	**4**	**1**	**2**	**2**	**3**	**5**	**7**

DRG 71: Laryngotracheitis

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	16	7.9	9							0-17	674	2.8	7	1	1	2	3	5	6
70-74	0									18-34	0								
75-79	6	2.0								35-49	6	2.0							
80-84	20	5.5	13							50-69	26	8.1	9						
85 +	0									70 +	0								
SUBTOTAL	**42**	**5.9**	**13**								**705**	**3.0**	**8**	**1**	**1**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	11	1.5								0-17	4436	2.1	4	1	1	2	2	4	4
70-74	0									18-34	0								
75-79	0									35-49	20	4.5							
80-84	0									50-69	20	3.5	7						
85 +	10	3.0								70 +	20	1.5							
SUBTOTAL	**22**	**2.2**	**1**								**4497**	**2.1**	**4**	**1**	**1**	**2**	**2**	**4**	**4**
GRAND TOTAL	**63**	**4.7**	**12**	**1**	**2**	**3**	**9**	**10**	**10**		**5203**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	283	3.5	5	1	2	3	5	7	7	0-17	154	2.2	1	1	2	2	3	3	3
18-34	10	1.0								18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**294**	**3.4**	**5**	**1**	**2**	**3**	**5**	**7**	**7**		**154**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**3**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1754	2.4	3	1	1	2	3	4	5	0-17	1674	2.0	1	1	1	2	3	4	4
18-34	0									18-34	0								
35-49	6	4.0								35-49	11	5.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1760**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**		**1686**	**2.0**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**2053**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**		**1840**	**2.0**	**1**	**1**	**1**	**2**	**3**	**4**	**4**

DRG 72: Nasal Trauma & Deformity

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	32	4.1	15						
70-74	11	4.5	7						
75-79	16	2.6							
80-84	10	3.0							
85 +	36	3.3	4						
SUBTOTAL	**105**	**3.5**	**7**	**1**	**2**	**3**	**4**	**7**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	26	3.0							
70-74	17	1.7							
75-79	32	2.1	2						
80-84	32	2.6	6						
85 +	36	3.8	4						
SUBTOTAL	**143**	**2.8**	**3**	**1**	**1**	**3**	**4**	**6**	**6**
GRAND TOTAL	**248**	**3.1**	**5**	**1**	**1**	**3**	**4**	**6**	**6**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	1.5	1						
18-34	82	1.9	2	1	1	1	3	3	6
35-49	38	5.9	39	< 1	1	3	13	16	16
50-69	47	8.5	125						
70 +	0								
	204	**4.1**	**44**	**1**	**1**	**1**	**3**	**7**	**20**
0-17	180	1.3		< 1	< 1	1	1	2	3
18-34	136	1.8	1	< 1	1	1	3	4	4
35-49	89	1.3	1	< 1	< 1	1	1	2	4
50-69	68	2.5	3	< 1	1	2	3	6	6
70 +	10	4.0							
	483	**1.6**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**
	687	**2.4**	**15**	**< 1**	**1**	**1**	**2**	**4**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	23	1.8							
35-49	22	3.3	1						
50-69	6	1.0							
70 +	0								
SUBTOTAL	**50**	**2.3**	**1**	**1**	**2**	**2**	**3**	**5**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	28	1.0							
18-34	27	1.4							
35-49	6	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**61**	**1.2**		**< 1**	**< 1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**111**	**1.7**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	3.4							
18-34	133	1.3		< 1	1	1	2	2	3
35-49	22	1.7							
50-69	27	1.8	1						
70 +	0								
	197	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**
0-17	67	1.6	1	< 1	< 1	1	2	3	4
18-34	100	1.9	1	< 1	1	1	3	3	5
35-49	26	2.0							
50-69	31	3.3	2						
70 +	10	5.0							
	233	**2.1**	**2**	**< 1**	**1**	**2**	**3**	**5**	**5**
	430	**1.9**	**1**	**< 1**	**1**	**1**	**2**	**4**	**5**

DRG 73: Other Ear, Nose, Mouth & Throat Diagnoses Age >17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	346	5.6	21	1	3	4	8	12	15	0-17	0								
70-74	276	7.0	45	1	2	4	10	18	24	18-34	214	3.8	19	2	2	3	4	6	10
75-79	169	7.6	89	2	2	5	8	14	42	35-49	253	5.6	29	2	3	4	6	9	17
80-84	151	7.6	27	3	4	7	9	14	14	50-69	215	6.1	20	2	4	5	7	16	20
85 +	234	7.6	29	2	5	6	9	13	13	70 +	6	4.0							
SUBTOTAL	**1175**	**6.9**	**39**	**1**	**3**	**5**	**9**	**14**	**20**		**688**	**5.2**	**24**	**2**	**2**	**4**	**6**	**10**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	326	4.8	10	1	2	4	7	9	11	0-17	0								
70-74	154	3.1	5	1	1	3	4	6	6	18-34	591	3.0	5	1	2	3	4	6	6
75-79	165	3.3	6	1	1	3	4	8	9	35-49	607	2.6	4	1	1	2	4	6	7
80-84	154	4.9	12	1	2	4	6	12	12	50-69	648	2.8	4	1	1	2	4	6	7
85 +	126	4.7	13	1	2	4	7	8	13	70 +	6	3.0							
SUBTOTAL	**926**	**4.3**	**10**	**1**	**2**	**4**	**6**	**9**	**11**		**1851**	**2.8**	**4**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**2101**	**5.7**	**28**	**1**	**2**	**4**	**7**	**12**	**14**		**2539**	**3.4**	**11**	**1**	**1**	**3**	**4**	**7**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	110	5.4	11	2	2	5	8	11	12	18-34	165	3.2	6	1	2	3	3	8	9
35-49	112	6.1	53	1	2	3	6	18	28	35-49	80	2.1	2	< 1	1	1	2	5	5
50-69	112	5.1	13	2	3	4	6	11	14	50-69	68	5.7	45	1	2	2	7	21	21
70 +	0									70 +	11	1.5							
SUBTOTAL	**334**	**5.5**	**26**	**2**	**2**	**4**	**6**	**11**	**14**		**325**	**3.4**	**15**	**1**	**1**	**2**	**3**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	145	3.4	8	< 1	1	3	5	9	9	18-34	341	2.5	2	1	1	2	4	5	5
35-49	52	3.3	3	1	2	3	5	5	5	35-49	277	3.2	4	1	2	3	4	6	8
50-69	22	2.2	1							50-69	129	2.2	3	< 1	1	1	3	5	6
70 +	16	2.7	1							70 +	16	1.0							
SUBTOTAL	**235**	**3.2**	**6**	**< 1**	**1**	**2**	**5**	**6**	**9**		**763**	**2.7**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**569**	**4.6**	**19**	**1**	**2**	**3**	**5**	**10**	**12**		**1088**	**2.9**	**7**	**1**	**1**	**2**	**4**	**5**	**7**

DRG 74: Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	229	3.6	9	1	1	3	4	8	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**229**	**3.6**	**9**	**1**	**1**	**3**	**4**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	2106	2.2	4	< 1	1	2	3	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**2106**	**2.2**	**4**	**< 1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**0**										**2334**	**2.3**	**4**	**< 1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	315	4.9	49	1	2	3	5	12	14	0-17	186	3.2	8	1	1	2	4	7	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**315**	**4.9**	**49**	**1**	**2**	**3**	**5**	**12**	**14**		**186**	**3.2**	**8**	**1**	**1**	**2**	**4**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1205	2.6	5	1	1	2	4	6	7	0-17	959	2.6	6	< 1	1	2	3	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1205**	**2.6**	**5**	**1**	**1**	**2**	**4**	**6**	**7**		**959**	**2.6**	**6**	**< 1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**1519**	**3.1**	**15**	**1**	**1**	**2**	**4**	**6**	**8**		**1145**	**2.7**	**7**	**< 1**	**1**	**2**	**4**	**6**	**8**

DRG 75: Major Chest Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	4245	14.0	97	6	8	11	17	27	34	0-17	412	10.9	99	4	5	7	12	23	32
70-74	2860	13.7	72	7	8	11	16	24	30	18-34	819	11.4	52	5	7	9	15	21	26
75-79	1516	15.0	94	7	9	12	18	29	35	35-49	1699	12.3	60	5	7	10	15	22	28
80-84	533	17.2	163	7	9	12	21	34	39	50-69	4661	12.3	69	6	7	10	15	22	29
85 +	90	12.8	35	8	9	10	16	19	30	70 +	203	13.9	76	7	8	10	16	28	34
SUBTOTAL	**9243**	**14.2**	**93**	**7**	**8**	**11**	**17**	**26**	**34**		**7793**	**12.2**	**67**	**5**	**7**	**10**	**15**	**22**	**29**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	896	8.6	20	4	6	8	11	13	16	0-17	631	6.0	13	3	4	5	6	9	15
70-74	513	9.0	43	5	6	8	9	13	16	18-34	576	8.3	32	4	5	7	9	14	18
75-79	303	9.8	32	5	7	8	10	17	21	35-49	813	7.9	22	4	5	7	9	12	16
80-84	105	8.5	55	2	5	8	10	12	36	50-69	1784	7.7	13	4	5	7	9	12	14
85 +	11	17.0	110							70 +	38	12.0	152	5	5	7	11	41	41
SUBTOTAL	**1830**	**9.0**	**31**	**5**	**6**	**8**	**10**	**14**	**18**		**3842**	**7.6**	**20**	**4**	**5**	**7**	**8**	**12**	**15**
GRAND TOTAL	**11073**	**13.4**	**86**	**6**	**8**	**10**	**16**	**25**	**33**		**11635**	**10.7**	**56**	**5**	**6**	**8**	**13**	**20**	**25**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	128	19.2	257	4	8	15	23	43	49	0-17	77	18.6	635	6	7	9	57	99 +	99 +
18-34	247	14.8	63	5	8	14	20	23	31	18-34	415	12.3	64	4	7	10	17	26	29
35-49	297	19.6	197	7	9	12	27	40	46	35-49	462	12.9	85	4	6	10	17	25	33
50-69	433	15.0	71	7	9	12	20	26	30	50-69	878	12.9	78	5	7	9	17	20	27
70 +	17	31.7	811							70 +	32	15.4	80						
SUBTOTAL	**1121**	**16.9**	**142**	**6**	**9**	**13**	**22**	**33**	**41**		**1864**	**13.0**	**101**	**5**	**7**	**10**	**17**	**26**	**29**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	183	8.0	37	2	3	6	10	18	24	0-17	145	5.8	20	2	4	4	6	13	19
18-34	98	8.5	20	3	4	8	11	14	21	18-34	306	8.5	46	4	5	6	10	13	26
35-49	27	21.0	86							35-49	255	7.4	17	4	5	6	9	15	16
50-69	66	8.0	6	6	6	8	9	10	13	50-69	294	9.3	51	4	5	7	9	24	26
70 +	0									70 +	6	3.0							
SUBTOTAL	**374**	**9.1**	**41**	**3**	**5**	**7**	**11**	**21**	**23**		**1005**	**8.1**	**38**	**4**	**5**	**6**	**9**	**15**	**24**
GRAND TOTAL	**1496**	**15.0**	**129**	**5**	**7**	**11**	**20**	**28**	**40**		**2869**	**11.3**	**84**	**4**	**6**	**8**	**15**	**23**	**27**

DRG 76: Other Resp System O.R. Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4840	12.5	105	3	6	10	17	24	30	0-17	113	12.5	350	2	4	7	13	25	75
70-74	3073	13.0	121	3	7	10	16	28	36	18-34	458	10.1	116	3	4	7	11	20	33
75-79	2603	13.5	117	4	7	11	17	27	31	35-49	1245	9.0	59	2	4	7	12	19	24
80-84	1764	15.6	149	4	8	12	21	30	35	50-69	3959	10.5	89	2	4	9	13	21	30
85 +	946	17.9	196	6	10	14	21	35	48	70 +	193	14.3	328	4	7	10	14	23	80
SUBTOTAL	**13225**	**13.6**	**126**	**3**	**7**	**11**	**17**	**27**	**35**		**5969**	**10.3**	**98**	**2**	**4**	**8**	**13**	**21**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**13225**	**13.6**	**126**	**3**	**7**	**11**	**17**	**27**	**35**		**5969**	**10.3**	**98**	**2**	**4**	**8**	**13**	**21**	**28**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	84	11.3	95	1	3	7	22	27	29	0-17	72	15.8	240	1	5	14	17	46	51
18-34	177	14.0	226	1	4	11	20	25	27	18-34	241	11.0	82	3	5	8	14	22	33
35-49	295	14.5	208	4	6	10	17	27	55	35-49	529	10.2	62	3	5	9	14	18	27
50-69	567	13.4	76	4	7	13	17	28	31	50-69	944	11.0	108	2	4	8	15	22	30
70 +	60	14.2	65	6	8	12	22	26	32	70 +	78	12.4	141	1	5	10	14	16	51
SUBTOTAL	**1182**	**13.6**	**132**	**3**	**7**	**11**	**18**	**27**	**32**		**1865**	**11.0**	**99**	**2**	**5**	**8**	**15**	**21**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1182**	**13.6**	**132**	**3**	**7**	**11**	**18**	**27**	**32**		**1865**	**11.0**	**99**	**2**	**5**	**8**	**15**	**21**	**30**

DRG 77: Other Resp System O.R. Procedures w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	583	5.3	22	1	2	4	8	11	15	0-17	131	4.1	17	< 1	1	3	6	7	8
70-74	402	6.9	45	1	2	5	9	14	24	18-34	250	5.3	24	1	1	4	8	13	18
75-79	211	6.7	19	1	3	5	10	13	14	35-49	576	5.1	30	1	1	3	7	11	15
80-84	110	7.1	26	3	3	5	10	15	23	50-69	960	4.5	14	1	1	3	7	11	12
85 +	78	13.9	50	6	7	10	20	26	26	70 +	16	7.4	24						
SUBTOTAL	**1385**	**6.6**	**34**	**1**	**2**	**5**	**9**	**14**	**19**		**1934**	**4.8**	**21**	**1**	**1**	**3**	**7**	**11**	**14**
GRAND TOTAL	**1385**	**6.6**	**34**	**1**	**2**	**5**	**9**	**14**	**19**		**1934**	**4.8**	**21**	**1**	**1**	**3**	**7**	**11**	**14**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	106	5.3	29	1	1	4	6	18	19	0-17	66	3.6	7	1	1	3	5	8	9
18-34	40	11.3	65	1	4	10	16	27	27	18-34	95	4.0	6	1	1	4	5	7	10
35-49	50	7.0	57	1	1	2	12	24	24	35-49	156	4.5	13	1	1	4	6	10	11
50-69	100	6.0	42	1	1	3	8	18	19	50-69	188	3.6	9	1	1	3	5	5	12
70 +	16	9.8	20							70 +	11	5.0	18						
SUBTOTAL	**311**	**6.8**	**45**	**1**	**1**	**4**	**12**	**18**	**19**		**517**	**4.0**	**10**	**1**	**1**	**3**	**5**	**9**	**10**
GRAND TOTAL	**311**	**6.8**	**45**	**1**	**1**	**4**	**12**	**18**	**19**		**517**	**4.0**	**10**	**1**	**1**	**3**	**5**	**9**	**10**

DRG 78: Pulmonary Embolism

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1786	10.0	16	6	7	9	12	15	19	0-17	28	9.6	42						
70-74	1948	10.5	26	6	8	10	12	16	18	18-34	347	9.0	22	2	6	8	12	16	19
75-79	1424	11.8	34	6	8	10	14	18	26	35-49	809	9.2	16	5	7	9	11	13	16
80-84	1078	12.0	52	7	8	10	14	20	27	50-69	1673	10.1	30	6	7	9	12	14	19
85 +	914	12.3	31	7	8	11	16	19	22	70 +	94	9.7	15	5	6	9	12	15	17
SUBTOTAL	**7151**	**11.1**	**31**	**6**	**8**	**10**	**13**	**17**	**22**		**2950**	**9.7**	**25**	**5**	**7**	**9**	**12**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	492	8.8	11	5	7	8	11	13	14	0-17	0								
70-74	415	8.5	9	5	7	8	10	13	15	18-34	181	6.1	5	3	4	7	8	9	9
75-79	379	8.8	20	5	6	8	10	13	15	35-49	495	7.4	6	5	6	7	9	11	12
80-84	194	8.2	14	3	6	8	11	11	16	50-69	776	8.3	7	5	6	8	10	12	14
85 +	107	8.1	3	6	7	8	9	11	11	70 +	22	7.0							
SUBTOTAL	**1587**	**8.6**	**12**	**5**	**7**	**8**	**10**	**12**	**15**		**1473**	**7.7**	**7**	**5**	**6**	**7**	**9**	**11**	**13**
GRAND TOTAL	**8738**	**10.6**	**28**	**6**	**8**	**9**	**12**	**16**	**20**		**4423**	**9.0**	**20**	**5**	**7**	**8**	**11**	**13**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	34	6.5	3	4	5	6	8	9	9	0-17	23	5.0	4						
18-34	119	10.8	76	5	7	9	11	16	33	18-34	235	9.3	17	5	6	8	11	17	17
35-49	132	10.5	31	6	7	10	13	14	14	35-49	225	9.9	9	7	8	9	12	14	15
50-69	269	11.8	29	7	8	10	12	24	24	50-69	292	10.3	39	5	7	9	12	16	18
70 +	31	9.3	6							70 +	41	13.3	17						
SUBTOTAL	**584**	**10.8**	**38**	**6**	**7**	**10**	**12**	**16**	**24**		**816**	**9.9**	**24**	**5**	**7**	**9**	**12**	**16**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	7.0								0-17	0								
18-34	82	5.7	7	3	4	5	7	10	11	18-34	174	8.6	10	6	7	8	9	14	18
35-49	101	9.5	10	5	9	9	12	13	15	35-49	132	7.9	12	6	6	7	8	11	18
50-69	104	9.3	19	4	7	9	10	13	24	50-69	193	8.4	19	5	6	7	10	12	22
70 +	6	1.0								70 +	16	10.2	6						
SUBTOTAL	**298**	**8.2**	**16**	**4**	**5**	**9**	**10**	**12**	**15**		**514**	**8.4**	**14**	**5**	**6**	**7**	**9**	**12**	**18**
GRAND TOTAL	**882**	**9.9**	**32**	**5**	**7**	**9**	**11**	**14**	**24**		**1330**	**9.3**	**20**	**5**	**7**	**8**	**11**	**15**	**18**

DRG 79: Respiratory Infections & Inflammations Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6421	11.9	76	4	6	9	15	22	28	0-17	0								
70-74	5168	11.8	75	5	7	10	14	21	27	18-34	934	10.3	38	4	6	8	14	19	22
75-79	6072	12.9	88	5	7	11	16	24	30	35-49	884	11.0	45	4	6	10	14	19	22
80-84	6096	13.0	69	6	8	11	16	23	28	50-69	2262	10.8	54	4	6	9	14	19	24
85 +	7683	13.9	99	5	7	11	17	25	34	70 +	422	14.3	230	4	8	11	16	23	34
SUBTOTAL	**31440**	**12.8**	**83**	**5**	**7**	**10**	**16**	**23**	**30**		**4502**	**11.1**	**67**	**4**	**6**	**9**	**14**	**19**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**31440**	**12.8**	**83**	**5**	**7**	**10**	**16**	**23**	**30**		**4502**	**11.1**	**67**	**4**	**6**	**9**	**14**	**19**	**24**

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	873	11.4	74	4	6	9	14	22	29	18-34	472	10.6	82	3	5	7	14	21	30
35-49	609	13.7	100	4	7	11	17	28	32	35-49	650	11.3	78	4	6	9	14	22	25
50-69	1029	13.9	123	5	7	10	16	28	40	50-69	857	10.2	34	4	6	9	14	17	21
70 +	212	13.2	57	6	7	11	15	26	33	70 +	241	14.5	119	5	7	11	16	29	42
SUBTOTAL	**2723**	**13.0**	**98**	**5**	**7**	**10**	**16**	**26**	**32**		**2220**	**11.1**	**68**	**4**	**6**	**9**	**14**	**20**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2723**	**13.0**	**98**	**5**	**7**	**10**	**16**	**26**	**32**		**2220**	**11.1**	**68**	**4**	**6**	**9**	**14**	**20**	**25**

DRG 80: Respiratory Infections & Inflammations Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	687	8.1	17	4	5	7	10	14	15	0-17	0								
70-74	414	8.6	41	4	5	7	10	15	20	18-34	495	6.2	29	2	3	4	7	13	21
75-79	459	7.5	13	4	5	6	9	14	17	35-49	451	6.5	21	3	4	6	8	10	11
80-84	536	8.9	31	4	5	7	11	15	20	50-69	586	6.8	15	2	4	6	9	13	14
85+	602	7.8	17	3	5	7	10	14	15	70+	22	10.4	18						
SUBTOTAL	**2700**	**8.2**	**23**	**4**	**5**	**7**	**10**	**14**	**17**		**1554**	**6.6**	**21**	**2**	**4**	**5**	**8**	**13**	**14**
GRAND TOTAL	**2700**	**8.2**	**23**	**4**	**5**	**7**	**10**	**14**	**17**		**1554**	**6.6**	**21**	**2**	**4**	**5**	**8**	**13**	**14**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	150	9.9	86	4	4	7	9	25	25	18-34	329	7.5	17	3	5	7	9	11	17
35-49	72	6.7	11	3	4	7	7	13	13	35-49	254	7.3	17	1	4	8	10	13	14
50-69	79	8.0	7	4	7	9	10	11	11	50-69	121	7.7	26	4	5	6	9	10	23
70+	58	8.2	9	5	5	9	13	99+	99+	70+	26	6.2	1						
SUBTOTAL	**359**	**8.6**	**43**	**4**	**5**	**7**	**10**	**13**	**25**		**730**	**7.4**	**18**	**3**	**5**	**7**	**9**	**12**	**17**
GRAND TOTAL	**359**	**8.6**	**43**	**4**	**5**	**7**	**10**	**13**	**25**		**730**	**7.4**	**18**	**3**	**5**	**7**	**9**	**12**	**17**

DRG 81: Respiratory Infections & Inflammations Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	62	22.6	595	2	3	17	24	74	74	0-17	1045	10.5	44	3	6	10	14	16	24
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**62**	**22.6**	**595**	**2**	**3**	**17**	**24**	**74**	**74**		**1045**	**10.5**	**44**	**3**	**6**	**10**	**14**	**16**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	511	5.1	59	1	2	3	6	11	15
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**511**	**5.1**	**59**	**1**	**2**	**3**	**6**	**11**	**15**
GRAND TOTAL	**62**	**22.6**	**595**	**2**	**3**	**17**	**24**	**74**	**74**		**1556**	**8.7**	**55**	**2**	**3**	**7**	**13**	**15**	**22**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1002	9.4	33	3	6	8	13	16	19	0-17	405	8.3	32	3	4	7	12	14	17
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1002**	**9.4**	**33**	**3**	**6**	**8**	**13**	**16**	**19**		**405**	**8.3**	**32**	**3**	**4**	**7**	**12**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	677	5.6	31	1	2	3	7	13	18	0-17	235	4.7	21	1	2	4	5	10	15
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**677**	**5.6**	**31**	**1**	**2**	**3**	**7**	**13**	**18**		**235**	**4.7**	**21**	**1**	**2**	**4**	**5**	**10**	**15**
GRAND TOTAL	**1680**	**7.9**	**36**	**2**	**3**	**6**	**11**	**15**	**19**		**641**	**7.0**	**31**	**2**	**3**	**5**	**10**	**14**	**17**

DRG 82: Respiratory Neoplasms

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5677	9.3	64	3	4	7	12	18	22	0-17	6	4.0							
70-74	4362	9.8	74	2	4	8	12	19	24	18-34	182	5.9	27	1	2	5	7	13	16
75-79	3639	10.2	67	3	5	8	13	21	26	35-49	1297	7.5	69	2	4	6	9	14	18
80-84	2091	9.7	60	2	5	8	13	19	24	50-69	5335	8.3	46	2	4	7	11	16	21
85 +	1134	9.0	31	3	5	8	12	16	19	70 +	374	11.0	56	4	5	8	16	21	27
SUBTOTAL	**16903**	**9.7**	**65**	**3**	**5**	**8**	**12**	**18**	**24**		**7194**	**8.2**	**51**	**2**	**4**	**6**	**10**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	666	6.7	61	1	2	5	8	12	20	0-17	11	1.5							
70-74	426	5.0	11	1	2	5	7	8	11	18-34	16	6.8	6						
75-79	311	6.2	24	1	2	6	8	13	20	35-49	326	4.8	12	1	2	4	5	11	12
80-84	167	4.8	15	1	2	3	6	11	14	50-69	944	5.2	16	1	3	4	6	11	13
85 +	126	6.2	14	3	3	6	9	12	13	70 +	32	7.4	6						
SUBTOTAL	**1696**	**6.0**	**34**	**1**	**2**	**5**	**8**	**11**	**14**		**1330**	**5.1**	**15**	**1**	**2**	**4**	**6**	**11**	**12**
GRAND TOTAL	**18599**	**9.3**	**63**	**2**	**4**	**7**	**12**	**18**	**23**		**8524**	**7.7**	**46**	**2**	**4**	**6**	**10**	**15**	**20**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	34	9.7	77	1	4	8	9	28	28	0-17	11	10.5	46						
18-34	32	9.1	33							18-34	53	5.6	25	< 1	1	4	12	14	14
35-49	269	10.5	100	2	4	6	14	30	35	35-49	412	9.2	74	3	4	7	10	20	30
50-69	1178	10.4	53	3	6	8	13	20	23	50-69	1595	9.2	58	2	4	7	12	18	22
70 +	53	16.1	125	4	11	12	16	38	38	70 +	175	10.2	26	5	6	8	13	18	22
SUBTOTAL	**1565**	**10.6**	**65**	**2**	**5**	**8**	**14**	**21**	**26**		**2247**	**9.2**	**58**	**2**	**4**	**7**	**12**	**18**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	17	3.3	7							0-17	26	3.6	8						
18-34	11	11.0	89							18-34	32	6.7	8						
35-49	54	4.8	10	2	3	3	8	11	11	35-49	96	4.8	7	1	2	5	7	8	10
50-69	93	7.6	20	1	4	9	12	13	13	50-69	137	6.4	18	2	4	5	8	13	17
70 +	26	8.5	9							70 +	6	5.0							
SUBTOTAL	**202**	**6.8**	**22**	**2**	**3**	**5**	**10**	**13**	**13**		**297**	**5.6**	**13**	**1**	**3**	**5**	**7**	**10**	**13**
GRAND TOTAL	**1767**	**10.1**	**61**	**2**	**5**	**8**	**13**	**20**	**25**		**2544**	**8.8**	**54**	**2**	**4**	**7**	**11**	**17**	**22**

DRG 83: Major Chest Trauma w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	456	7.6	48	3	3	5	9	17	25
70-74	498	5.9	28	2	3	4	7	11	16
75-79	474	7.0	23	2	3	6	9	15	17
80-84	437	9.8	39	4	5	8	11	18	24
85 +	459	9.2	76	2	3	7	12	20	21
SUBTOTAL	**2324**	**7.8**	**45**	**2**	**3**	**6**	**10**	**17**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2324**	**7.8**	**45**	**2**	**3**	**6**	**10**	**17**	**20**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	36	4.0	2						
18-34	317	3.9	10	2	2	3	5	8	11
35-49	564	5.1	16	2	2	4	7	10	13
50-69	911	5.9	21	2	3	4	7	11	14
70 +	353	5.9	11	3	4	5	8	12	14
	2182	**5.4**	**17**	**2**	**3**	**4**	**7**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2182	**5.4**	**17**	**2**	**3**	**4**	**7**	**11**	**14**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	42	4.1	3						
35-49	84	4.4	21	1	1	3	4	16	16
50-69	90	7.7	15	3	4	9	11	12	14
70 +	36	7.6	3						
SUBTOTAL	**252**	**6.0**	**16**	**2**	**3**	**4**	**9**	**12**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**252**	**6.0**	**16**	**2**	**3**	**4**	**9**	**12**	**14**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	7.6	24						
18-34	232	4.6	17	1	2	3	7	8	12
35-49	292	4.8	7	1	3	5	7	8	9
50-69	301	4.8	8	2	3	4	5	9	12
70 +	67	6.1	5	3	5	6	9	9	9
	908	**4.9**	**10**	**1**	**2**	**4**	**7**	**9**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	908	**4.9**	**10**	**1**	**2**	**4**	**7**	**9**	**10**

DRG 84: Major Chest Trauma w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	199	3.3	7	1	2	3	4	6	8
70-74	137	2.6	3	1	2	2	3	4	7
75-79	101	3.6	9	1	1	3	3	10	10
80-84	203	5.1	22	2	2	4	6	13	13
85 +	166	4.6	8	2	4	4	5	7	14
SUBTOTAL	**806**	**3.9**	**11**	**1**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**806**	**3.9**	**11**	**1**	**2**	**3**	**5**	**7**	**10**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	79	1.3		< 1	< 1	1	1	2	3
18-34	365	2.4	4	1	1	2	2	4	7
35-49	591	2.5	4	1	1	2	3	4	5
50-69	600	2.9	6	1	1	2	4	5	7
70 +	72	5.6	58	1	2	3	4	24	24
	1707	**2.7**	**7**	**1**	**1**	**2**	**3**	**4**	**7**
	1707	**2.7**	**7**	**1**	**1**	**2**	**3**	**4**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	1.0							
18-34	37	2.9	7						
35-49	0								
50-69	11	3.5	2						
70 +	0								
SUBTOTAL	**59**	**2.7**	**5**	**1**	**1**	**2**	**5**	**7**	**7**
GRAND TOTAL	**59**	**2.7**	**5**	**1**	**1**	**2**	**5**	**7**	**7**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	63	3.2	9	1	1	1	5	8	9
18-34	245	2.0	1	1	1	2	2	3	4
35-49	184	3.0	3	1	2	3	4	6	6
50-69	136	2.8	4	1	1	2	4	7	7
70 +	61	3.0	3	1	1	3	4	6	6
	690	**2.6**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
	690	**2.6**	**3**	**1**	**1**	**2**	**4**	**5**	**6**

DRG 85: Pleural Effusion w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1464	7.3	28	2	3	6	10	14	20
70-74	1111	8.3	44	3	4	7	11	15	23
75-79	1012	8.8	42	3	4	7	10	17	23
80-84	806	10.3	72	3	5	8	11	18	27
85 +	885	9.8	41	4	5	9	12	16	21
SUBTOTAL	**5279**	**8.7**	**44**	**3**	**4**	**7**	**11**	**16**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5279**	**8.7**	**44**	**3**	**4**	**7**	**11**	**16**	**22**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	11.6	53	3	4	12	15	20	28
18-34	122	6.2	36	1	2	6	7	11	18
35-49	357	8.3	38	2	4	7	11	16	21
50-69	1123	7.0	30	2	4	6	9	12	16
70 +	85	8.9	32	2	4	8	13	19	19
	1765	**7.5**	**35**	**2**	**4**	**6**	**10**	**15**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1765	**7.5**	**35**	**2**	**4**	**6**	**10**	**15**	**19**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	45	6.6	8	3	4	6	9	12	12
18-34	50	6.9	9	2	5	7	8	12	12
35-49	50	10.8	84	4	4	8	10	34	34
50-69	237	8.3	26	2	4	8	13	15	17
70 +	16	9.4							
SUBTOTAL	**397**	**8.3**	**29**	**3**	**4**	**8**	**11**	**15**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**397**	**8.3**	**29**	**3**	**4**	**8**	**11**	**15**	**17**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	8.5							
18-34	75	6.1	12	2	4	5	8	13	13
35-49	129	9.6	74	2	4	7	12	18	18
50-69	206	8.4	33	2	4	7	11	17	22
70 +	33	11.2	114						
	454	**8.6**	**48**	**2**	**4**	**7**	**11**	**17**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	454	**8.6**	**48**	**2**	**4**	**7**	**11**	**17**	**22**

DRG 86: Pleural Effusion w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	163	3.8	11	< 1	2	3	5	6	12
70-74	102	4.9	14	1	1	5	6	11	13
75-79	69	4.0	10	1	2	3	4	6	13
80-84	96	6.1	23	1	3	5	8	9	22
85 +	94	6.2	31	2	3	4	8	13	24
SUBTOTAL	**525**	**4.9**	**18**	**1**	**2**	**4**	**6**	**10**	**13**
GRAND TOTAL	**525**	**4.9**	**18**	**1**	**2**	**4**	**6**	**10**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	28	3.2	9						
18-34	104	4.5	8	2	3	4	5	10	11
35-49	133	5.6	5	2	4	5	7	9	10
50-69	290	4.0	10	1	2	3	5	9	12
70 +	6	6.0							
	561	**4.5**	**9**	**1**	**2**	**4**	**6**	**9**	**11**
	561	**4.5**	**9**	**1**	**2**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	7.5	37						
18-34	10	16.0							
35-49	16	3.0							
50-69	6	3.0							
70 +	0								
SUBTOTAL	**54**	**7.3**	**37**	**1**	**3**	**3**	**16**	**16**	**16**
GRAND TOTAL	**54**	**7.3**	**37**	**1**	**3**	**3**	**16**	**16**	**16**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	27	2.8	2						
35-49	69	2.5	5	1	1	1	3	5	9
50-69	23	4.0	2						
70 +	10	9.0							
	129	**3.4**	**7**	**1**	**1**	**3**	**5**	**9**	**9**
	129	**3.4**	**7**	**1**	**1**	**3**	**5**	**9**	**9**

DRG 87: Pulmonary Edema & Respiratory Failure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6676	9.0	55	3	5	7	11	16	21	0-17	114	8.8	139	2	3	5	10	27	45
70-74	4383	9.5	58	3	5	8	11	18	23	18-34	195	5.2	8	2	3	5	6	10	11
75-79	3480	9.2	43	3	5	8	11	16	21	35-49	529	7.4	22	3	5	6	9	14	17
80-84	2085	10.3	70	4	6	8	12	18	23	50-69	2747	8.2	41	3	4	7	10	16	19
85 +	1325	9.9	64	4	6	7	12	19	26	70 +	310	8.7	33	3	5	8	11	16	18
SUBTOTAL	**17950**	**9.4**	**56**	**3**	**5**	**8**	**11**	**17**	**22**		**3895**	**8.0**	**40**	**3**	**4**	**7**	**10**	**15**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	235	7.2	12	3	4	7	10	13	14	0-17	58	3.4	4	< 1	1	4	5	6	6
70-74	239	6.4	15	3	4	6	8	10	16	18-34	62	2.4	3	1	1	1	4	5	5
75-79	58	4.6	12	1	2	4	6	11	11	35-49	114	4.5	14	2	2	3	6	7	17
80-84	141	7.8	32	2	4	6	15	17	17	50-69	231	4.9	9	3	3	4	5	9	10
85 +	48	7.5	18	2	3	7	11	13	13	70 +	11	4.0	4						
SUBTOTAL	**721**	**6.8**	**18**	**2**	**4**	**6**	**9**	**13**	**16**		**477**	**4.3**	**9**	**1**	**2**	**4**	**5**	**8**	**9**
GRAND TOTAL	**18670**	**9.3**	**55**	**3**	**5**	**7**	**11**	**17**	**22**		**4371**	**7.6**	**38**	**3**	**4**	**6**	**9**	**14**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	79	17.2	267	4	6	11	17	49	57	0-17	106	10.5	110	1	3	8	14	33	42
18-34	107	7.6	21	2	3	7	10	14	17	18-34	101	6.1	16	2	3	5	7	12	16
35-49	395	7.7	41	3	3	6	8	20	23	35-49	138	7.7	80	2	2	4	10	18	34
50-69	900	9.3	41	3	5	8	12	15	21	50-69	683	7.6	46	2	4	6	10	15	17
70 +	169	11.7	51	4	7	12	14	18	33	70 +	65	7.3	7	5	5	6	10	10	13
SUBTOTAL	**1650**	**9.4**	**56**	**3**	**5**	**7**	**12**	**17**	**24**		**1093**	**7.7**	**52**	**2**	**3**	**6**	**10**	**15**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	22	8.6	155							0-17	28	9.6	35						
18-34	22	4.2	1							18-34	36	3.6	4						
35-49	10	6.0								35-49	74	4.4	5	1	3	4	5	8	8
50-69	67	6.8	5	4	4	7	9	10	10	50-69	36	4.3	9						
70 +	0									70 +	10	5.0							
SUBTOTAL	**120**	**6.6**	**31**	**2**	**4**	**6**	**8**	**10**	**19**		**185**	**5.0**	**13**	**1**	**3**	**4**	**6**	**9**	**16**
GRAND TOTAL	**1770**	**9.3**	**55**	**3**	**5**	**7**	**12**	**17**	**24**		**1277**	**7.4**	**48**	**2**	**3**	**6**	**10**	**15**	**17**

DRG 88: Chronic Obstructive Pulmonary Disease

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	12090	8.0	37	3	4	6	10	14	19	0-17	69	5.5	10	3	3	4	7	9	13
70-74	8229	8.1	39	3	4	7	10	15	18	18-34	137	6.4	16	2	3	5	8	14	14
75-79	6798	8.2	34	3	4	7	10	15	19	35-49	929	5.3	9	2	3	5	7	10	12
80-84	3954	9.1	69	3	5	7	10	16	21	50-69	4951	7.5	31	3	4	6	9	14	18
85 +	2181	8.6	33	3	5	7	10	16	20	70 +	517	7.0	17	2	4	6	9	15	16
SUBTOTAL	**33252**	**8.2**	**41**	**3**	**4**	**7**	**10**	**15**	**19**		**6604**	**7.1**	**27**	**3**	**4**	**6**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	7938	5.9	13	2	3	5	7	11	13	0-17	143	3.9	7	1	2	3	5	6	8
70-74	5122	6.2	18	3	4	5	8	11	14	18-34	243	4.1	7	2	2	3	5	7	8
75-79	3679	6.2	15	3	4	5	8	10	13	35-49	1322	5.3	11	2	3	5	7	9	11
80-84	2018	6.1	20	2	4	5	7	10	12	50-69	5232	5.5	12	2	3	5	7	9	11
85 +	777	5.5	11	2	3	5	7	9	12	70 +	346	5.6	11	2	2	5	7	10	13
SUBTOTAL	**19534**	**6.0**	**15**	**2**	**4**	**5**	**8**	**11**	**13**		**7285**	**5.4**	**11**	**2**	**3**	**5**	**7**	**9**	**11**
GRAND TOTAL	**52787**	**7.4**	**32**	**3**	**4**	**6**	**9**	**13**	**17**		**13889**	**6.2**	**19**	**2**	**4**	**5**	**8**	**11**	**14**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	53	11.0	73	3	4	7	15	27	27	0-17	17	7.7	68						
18-34	77	4.6	9	1	2	4	6	7	12	18-34	137	5.1	30	2	3	4	5	12	12
35-49	617	6.2	18	2	3	5	8	12	14	35-49	466	5.9	15	2	4	5	7	12	16
50-69	2621	7.1	56	2	4	5	8	13	16	50-69	1253	7.3	34	2	4	6	9	14	19
70 +	134	9.9	90	4	4	7	12	19	19	70 +	172	8.3	18	3	5	8	10	14	19
SUBTOTAL	**3502**	**7.0**	**50**	**2**	**4**	**5**	**8**	**12**	**16**		**2045**	**6.9**	**29**	**2**	**4**	**5**	**8**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	49	2.8	3	1	2	2	4	7	7	0-17	44	3.1	2	1	2	3	4	5	5
18-34	154	4.1	7	1	2	3	5	8	11	18-34	234	2.8	2	1	2	3	4	4	5
35-49	595	4.8	10	2	3	4	6	9	10	35-49	530	4.7	9	2	2	4	7	9	10
50-69	1873	5.5	11	2	3	5	7	10	12	50-69	1556	5.5	25	2	3	5	7	9	12
70 +	80	6.3	15	2	3	6	8	12	16	70 +	95	3.7	3	2	2	4	5	7	8
SUBTOTAL	**2752**	**5.3**	**11**	**2**	**3**	**5**	**7**	**10**	**12**		**2459**	**5.0**	**19**	**2**	**3**	**4**	**6**	**9**	**11**
GRAND TOTAL	**6254**	**6.3**	**34**	**2**	**3**	**5**	**7**	**11**	**14**		**4504**	**5.9**	**25**	**2**	**3**	**5**	**7**	**11**	**14**

DRG 89: Simple Pneumonia & Pleurisy Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	23410	8.2	33	3	5	7	10	14	18
70-74	18055	8.9	45	4	5	7	10	14	20
75-79	19437	9.0	36	4	5	8	11	15	19
80-84	18148	9.7	45	4	6	8	12	17	22
85+	22681	9.9	43	4	6	8	12	17	21
SUBTOTAL	**101731**	**9.1**	**40**	**4**	**5**	**8**	**11**	**16**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**101731**	**9.1**	**40**	**4**	**5**	**8**	**11**	**16**	**20**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	4184	5.9	12	3	4	5	7	10	13
35-49	6269	6.4	17	3	4	6	8	11	13
50-69	14415	7.5	22	3	5	7	9	13	16
70+	1457	9.4	43	4	5	8	12	18	21
	26326	**7.1**	**21**	**3**	**4**	**6**	**9**	**12**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	26326	**7.1**	**21**	**3**	**4**	**6**	**9**	**12**	**15**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	2368	7.1	41	3	4	5	8	12	16
35-49	2507	7.9	33	3	4	6	9	15	17
50-69	3857	8.0	26	3	5	7	9	13	18
70+	973	9.6	45	3	6	8	12	16	27
SUBTOTAL	**9705**	**7.9**	**34**	**3**	**4**	**6**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9705**	**7.9**	**34**	**3**	**4**	**6**	**9**	**14**	**18**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2472	5.5	18	2	3	5	7	9	11
35-49	2808	7.1	23	3	4	6	9	12	15
50-69	3568	7.7	38	3	4	7	9	13	17
70+	540	8.9	45	3	4	8	12	18	23
	9387	**7.0**	**30**	**3**	**4**	**6**	**9**	**12**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	9387	**7.0**	**30**	**3**	**4**	**6**	**9**	**12**	**15**

DRG 90: Simple Pneumonia & Pleurisy Age >17 w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3608	5.6	8	3	4	5	7	9	11	0-17	0								
70-74	2474	6.4	13	3	4	6	8	11	14	18-34	5520	4.4	7	2	3	4	5	7	9
75-79	2346	6.3	13	3	4	6	8	10	12	35-49	6292	4.9	7	2	3	4	6	8	9
80-84	2208	6.7	15	3	4	6	8	10	13	50-69	6071	5.4	7	2	4	5	7	9	10
85+	2470	7.0	13	3	4	6	9	12	14	70+	273	5.7	13	2	3	5	7	9	13
SUBTOTAL	**13107**	**6.3**	**12**	**3**	**4**	**6**	**8**	**10**	**13**		**18156**	**4.9**	**7**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**13107**	**6.3**	**12**	**3**	**4**	**6**	**8**	**10**	**13**		**18156**	**4.9**	**7**	**2**	**3**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	1142	4.7	6	2	3	4	6	8	9	18-34	2609	4.3	6	2	3	4	5	7	8
35-49	732	5.1	8	2	3	4	6	9	11	35-49	1961	4.5	6	2	3	4	6	8	9
50-69	489	6.5	12	3	4	6	8	12	14	50-69	1267	5.0	8	2	3	4	6	8	10
70+	121	7.3	15	4	4	7	13	15	99+	70+	135	5.1	8	2	3	5	7	9	9
SUBTOTAL	**2484**	**5.3**	**9**	**2**	**3**	**5**	**7**	**9**	**12**		**5972**	**4.5**	**6**	**2**	**3**	**4**	**6**	**7**	**9**
GRAND TOTAL	**2484**	**5.3**	**9**	**2**	**3**	**5**	**7**	**9**	**12**		**5972**	**4.5**	**6**	**2**	**3**	**4**	**6**	**7**	**9**

DRG 91: Simple Pneumonia & Pleurisy Age 0-17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	158	8.4	81	2	2	6	10	15	39
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**158**	**8.4**	**81**	**2**	**2**	**6**	**10**	**15**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	52	3.5	2	2	3	3	4	7	7
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**52**	**3.5**	**2**	**2**	**3**	**3**	**4**	**7**	**7**
GRAND TOTAL	**210**	**7.2**	**66**	**2**	**2**	**4**	**9**	**13**	**16**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	9792	4.4	9	2	2	4	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	9792	**4.4**	**9**	**2**	**2**	**4**	**5**	**8**	**10**
0-17	26139	3.5	4	2	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	26139	**3.5**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
	35931	**3.8**	**5**	**2**	**2**	**3**	**4**	**6**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	7624	4.9	15	2	3	4	6	9	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**7624**	**4.9**	**15**	**2**	**3**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	18394	3.7	4	2	2	3	5	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**18394**	**3.7**	**4**	**2**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**26018**	**4.0**	**8**	**2**	**2**	**3**	**5**	**7**	**9**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	4034	4.3	13	2	2	3	5	8	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4034	**4.3**	**13**	**2**	**2**	**3**	**5**	**8**	**11**
0-17	8551	3.4	5	2	2	3	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	8551	**3.4**	**5**	**2**	**2**	**3**	**4**	**5**	**7**
	12585	**3.7**	**7**	**2**	**2**	**3**	**4**	**6**	**8**

DRG 92: Interstitial Lung Disease w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	852	7.6	25	3	4	7	9	14	17	0-17	73	6.5	28	2	3	3	12	14	16
70-74	399	9.3	27	3	6	8	12	15	22	18-34	130	5.4	11	2	3	5	8	8	13
75-79	528	8.7	23	4	5	7	12	16	17	35-49	337	7.3	25	3	4	6	8	16	20
80-84	351	9.2	48	3	5	8	10	14	19	50-69	516	7.5	32	2	4	6	10	14	17
85 +	350	9.5	90	3	4	7	11	15	25	70 +	43	10.1	24	4	5	13	14	16	16
SUBTOTAL	**2479**	**8.6**	**38**	**3**	**5**	**7**	**11**	**15**	**18**		**1099**	**7.2**	**28**	**2**	**4**	**6**	**9**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2479**	**8.6**	**38**	**3**	**5**	**7**	**11**	**15**	**18**		**1099**	**7.2**	**28**	**2**	**4**	**6**	**9**	**14**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	75	8.2	119	2	3	4	5	31	36	0-17	77	6.5	24	1	3	5	11	13	17
18-34	117	5.1	9	2	3	4	6	9	12	18-34	96	5.4	14	1	2	4	9	10	14
35-49	162	8.6	77	1	4	7	9	16	24	35-49	136	7.6	47	3	4	6	9	16	16
50-69	123	8.8	64	2	4	5	11	25	26	50-69	91	4.8	15	2	2	4	5	12	14
70 +	16	4.1	2							70 +	6	5.0							
SUBTOTAL	**493**	**7.6**	**64**	**2**	**3**	**5**	**8**	**16**	**25**		**405**	**6.2**	**28**	**2**	**3**	**4**	**9**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**493**	**7.6**	**64**	**2**	**3**	**5**	**8**	**16**	**25**		**405**	**6.2**	**28**	**2**	**3**	**4**	**9**	**12**	**16**

DRG 93: Interstitial Lung Disease w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	90	7.4	15	< 1	6	8	11	13	13
70-74	83	7.0	17	2	4	6	9	13	16
75-79	94	4.4	5	2	3	3	6	9	9
80-84	133	5.2	10	2	3	4	7	9	13
85 +	42	9.2	44						
SUBTOTAL	**442**	**6.2**	**17**	**2**	**3**	**6**	**8**	**13**	**13**
GRAND TOTAL	**442**	**6.2**	**17**	**2**	**3**	**6**	**8**	**13**	**13**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	104	3.8	5	2	2	3	5	7	11
18-34	137	4.2	9	< 1	1	4	6	8	9
35-49	236	4.0	4	2	2	4	5	6	7
50-69	155	5.5	14	1	3	5	8	10	15
70 +	16	5.6							
	648	**4.4**	**8**	**1**	**2**	**4**	**6**	**8**	**11**
	648	**4.4**	**8**	**1**	**2**	**4**	**6**	**8**	**11**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	70	5.0	8	2	2	4	7	9	9
18-34	17	5.7	7						
35-49	0								
50-69	22	3.3	4						
70 +	0								
SUBTOTAL	**109**	**4.7**	**7**	**1**	**2**	**4**	**7**	**9**	**9**
GRAND TOTAL	**109**	**4.7**	**7**	**1**	**2**	**4**	**7**	**9**	**9**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	27	4.9	14						
18-34	10	8.0							
35-49	63	5.4	12	1	3	5	9	11	11
50-69	32	2.1							
70 +	0								
	133	**4.7**	**11**	**1**	**2**	**3**	**6**	**11**	**11**
	133	**4.7**	**11**	**1**	**2**	**3**	**6**	**11**	**11**

DRG 94: Pneumothorax w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1359	8.4	58	3	4	6	10	17	23
70-74	552	10.0	79	3	4	7	11	28	32
75-79	618	9.9	52	3	5	8	12	20	27
80-84	331	9.9	34	4	6	8	12	17	21
85 +	313	8.6	31	3	5	8	10	15	20
SUBTOTAL	**3173**	**9.2**	**56**	**3**	**4**	**7**	**11**	**18**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3173**	**9.2**	**56**	**3**	**4**	**7**	**11**	**18**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	194	4.5	9	1	2	4	5	8	11
18-34	721	6.3	18	3	4	5	8	11	14
35-49	854	6.4	21	2	4	6	8	11	17
50-69	705	8.0	32	3	4	7	10	15	18
70 +	109	16.3	175	4	9	14	18	26	52
	2582	**7.1**	**33**	**3**	**4**	**6**	**9**	**13**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2582	**7.1**	**33**	**3**	**4**	**6**	**9**	**13**	**18**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	67	7.9	31	4	4	6	11	16	22
18-34	424	7.2	43	2	4	5	9	13	22
35-49	205	8.7	74	2	4	6	9	22	23
50-69	207	13.2	124	5	5	11	14	31	38
70 +	0								
SUBTOTAL	**903**	**9.0**	**73**	**3**	**4**	**6**	**11**	**22**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**903**	**9.0**	**73**	**3**	**4**	**6**	**11**	**22**	**29**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	5.3	16	1	2	4	9	12	14
18-34	1007	5.9	17	2	3	5	8	12	14
35-49	536	7.0	13	3	4	6	8	12	14
50-69	241	7.3	21	2	4	6	11	14	16
70 +	47	7.7	9						
	1891	**6.4**	**16**	**2**	**4**	**5**	**8**	**12**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1891	**6.4**	**16**	**2**	**4**	**5**	**8**	**12**	**14**

DRG 95: Pneumothorax w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	137	7.1	27	1	3	6	10	15	19	0-17	579	3.9	9	1	2	3	5	9	10
70-74	169	6.6	20	2	3	6	9	15	16	18-34	2396	4.2	7	1	2	4	5	8	10
75-79	78	6.1	19	1	3	4	10	13	14	35-49	1023	4.5	10	2	3	4	5	8	10
80-84	62	3.2	4	1	2	3	4	7	7	50-69	387	4.4	5	2	3	4	6	8	8
85 +	62	4.9	14	2	2	4	7	10	15	70 +	47	5.1	12						
SUBTOTAL	**509**	**6.0**	**20**	**1**	**3**	**4**	**8**	**13**	**15**		**4431**	**4.3**	**8**	**1**	**2**	**4**	**5**	**8**	**10**
GRAND TOTAL	**509**	**6.0**	**20**	**1**	**3**	**4**	**8**	**13**	**15**		**4431**	**4.3**	**8**	**1**	**2**	**4**	**5**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	147	3.3	4	< 1	2	3	4	6	8	0-17	227	3.3	3	1	2	3	5	6	7
18-34	439	4.6	9	1	3	4	6	9	10	18-34	2130	4.3	7	2	3	4	5	8	9
35-49	102	4.6	11	1	2	5	5	9	15	35-49	405	5.3	13	2	3	4	7	9	12
50-69	31	2.3	1							50-69	160	4.6	12	2	3	3	5	8	16
70 +	6	13.0								70 +	22	3.0	1						
SUBTOTAL	**725**	**4.3**	**9**	**1**	**2**	**4**	**5**	**9**	**10**		**2943**	**4.4**	**8**	**2**	**3**	**4**	**5**	**8**	**9**
GRAND TOTAL	**725**	**4.3**	**9**	**1**	**2**	**4**	**5**	**9**	**10**		**2943**	**4.4**	**8**	**2**	**3**	**4**	**5**	**8**	**9**

DRG 96: Bronchitis & Asthma Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	21831	7.2	28	3	4	6	9	13	16	0-17	0								
70-74	14009	7.3	24	3	4	6	9	13	16	18-34	2490	4.6	11	2	3	4	6	8	10
75-79	12070	7.3	26	3	4	6	9	13	15	35-49	5646	5.3	14	2	3	4	7	9	11
80-84	8379	7.8	26	3	5	7	9	14	17	50-69	11163	6.2	16	3	4	5	8	11	14
85 +	6846	7.7	26	3	4	6	9	14	17	70 +	894	7.3	20	3	5	6	9	13	16
SUBTOTAL	**63135**	**7.4**	**26**	**3**	**4**	**6**	**9**	**13**	**16**		**20193**	**5.8**	**15**	**2**	**3**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**63135**	**7.4**	**26**	**3**	**4**	**6**	**9**	**13**	**16**		**20193**	**5.8**	**15**	**2**	**3**	**5**	**7**	**10**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	1844	4.6	12	2	3	4	6	9	12	18-34	1671	3.9	14	1	2	3	5	7	9
35-49	2341	5.7	19	2	3	4	7	11	13	35-49	1503	4.6	8	2	3	4	6	8	10
50-69	3859	6.6	26	2	4	5	8	12	15	50-69	2303	5.2	9	2	3	5	7	9	10
70 +	255	11.4	120	4	5	9	11	22	27	70 +	228	6.4	5	4	5	6	7	10	11
SUBTOTAL	**8300**	**6.1**	**25**	**2**	**3**	**5**	**8**	**11**	**14**		**5705**	**4.7**	**10**	**2**	**3**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**8300**	**6.1**	**25**	**2**	**3**	**5**	**8**	**11**	**14**		**5705**	**4.7**	**10**	**2**	**3**	**4**	**6**	**8**	**10**

DRG 97: Bronchitis & Asthma Age >17 w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4726	5.1	9	2	3	5	6	9	10	0-17	0								
70-74	2364	5.3	10	2	3	5	7	9	11	18-34	7402	3.4	5	1	2	3	4	6	7
75-79	2002	5.6	9	2	4	5	7	9	10	35-49	8986	4.2	6	2	3	4	5	7	8
80-84	1286	5.9	24	2	4	5	7	9	12	50-69	7072	4.7	7	2	3	4	6	8	9
85 +	934	6.0	12	3	3	5	8	11	14	70 +	224	4.1	6	2	2	3	6	8	9
SUBTOTAL	**11313**	**5.4**	**11**	**2**	**3**	**5**	**7**	**9**	**11**		**23683**	**4.1**	**6**	**2**	**2**	**4**	**5**	**7**	**8**
GRAND TOTAL	**11313**	**5.4**	**11**	**2**	**3**	**5**	**7**	**9**	**11**		**23683**	**4.1**	**6**	**2**	**2**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	3292	3.5	4	1	2	3	4	6	7	18-34	3979	3.1	3	1	2	3	4	5	6
35-49	1979	4.2	6	2	3	4	5	7	10	35-49	3444	3.9	6	1	2	3	5	7	9
50-69	1497	4.9	7	2	3	4	6	9	10	50-69	1542	4.2	7	2	3	4	5	7	8
70 +	118	4.9	5	3	4	5	6	7	10	70 +	62	4.4	6	1	3	4	5	9	9
SUBTOTAL	**6885**	**4.0**	**6**	**2**	**2**	**3**	**5**	**7**	**9**		**9028**	**3.6**	**5**	**1**	**2**	**3**	**5**	**6**	**8**
GRAND TOTAL	**6885**	**4.0**	**6**	**2**	**2**	**3**	**5**	**7**	**9**		**9028**	**3.6**	**5**	**1**	**2**	**3**	**5**	**6**	**8**

DRG 98: Bronchitis & Asthma Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	52	5.4	7	2	3	6	7	10	10	0-17	9880	3.6	5	2	2	3	4	6	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**52**	**5.4**	**7**	**2**	**3**	**6**	**7**	**10**	**10**		**9880**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	134	2.5	1	1	2	2	3	4	4	0-17	41695	2.8	2	1	2	3	4	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**134**	**2.5**	**1**	**1**	**2**	**2**	**3**	**4**	**4**		**41695**	**2.8**	**2**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**186**	**3.3**	**4**	**1**	**2**	**3**	**4**	**7**	**7**		**51575**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	9163	4.0	7	2	2	3	5	7	9	0-17	4961	3.4	4	2	2	3	4	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**9163**	**4.0**	**7**	**2**	**2**	**3**	**5**	**7**	**9**		**4961**	**3.4**	**4**	**2**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	32022	3.1	3	1	2	3	4	5	6	0-17	22011	2.6	2	1	2	2	3	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**32022**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**		**22011**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**41185**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**7**		**26973**	**2.8**	**3**	**1**	**2**	**2**	**3**	**5**	**6**

DRG 99: Respiratory Signs & Symptoms w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4341	4.6	18	2	2	4	5	8	11
70-74	2438	5.3	19	2	3	4	6	11	14
75-79	2201	5.3	21	2	2	4	6	10	14
80-84	1418	6.0	41	2	3	5	7	11	15
85 +	918	6.7	43	2	3	5	8	12	19
SUBTOTAL	**11315**	**5.2**	**24**	**2**	**2**	**4**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**11315**	**5.2**	**24**	**2**	**2**	**4**	**6**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	690	4.4	21	1	2	3	5	9	11
18-34	413	3.7	10	1	1	3	5	7	8
35-49	1594	3.5	8	1	2	3	4	7	9
50-69	3138	4.4	12	1	2	4	5	8	11
70 +	175	5.8	31	2	3	4	6	11	25
	6009	**4.1**	**13**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6009	**4.1**	**13**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	674	5.2	24	2	2	4	6	11	12
18-34	210	3.8	7	< 1	1	3	5	7	8
35-49	405	6.0	56	2	3	4	7	12	14
50-69	885	5.0	15	2	2	4	6	10	15
70 +	80	7.2	28	2	4	6	8	20	20
SUBTOTAL	**2254**	**5.2**	**25**	**1**	**2**	**4**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2254**	**5.2**	**25**	**1**	**2**	**4**	**6**	**10**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	270	5.7	45	1	2	4	6	10	23
18-34	298	3.2	9	1	1	2	4	9	10
35-49	732	2.8	3	1	2	2	4	5	6
50-69	863	4.5	14	1	2	3	6	10	12
70 +	86	6.2	21	1	2	5	10	15	15
	2250	**4.0**	**15**	**1**	**2**	**3**	**4**	**9**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2250	**4.0**	**15**	**1**	**2**	**3**	**4**	**9**	**10**

DRG 100: Respiratory Signs & Symptoms w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1935	3.2	10	1	2	2	4	6	8	0-17	2152	2.7	3	1	1	2	3	5	6
70-74	1087	2.9	5	1	2	2	3	5	7	18-34	1153	2.4	6	1	1	2	3	4	5
75-79	609	3.0	3	1	2	3	4	5	6	35-49	4308	2.4	2	1	1	2	3	4	5
80-84	490	3.8	7	1	2	3	4	8	10	50-69	4324	2.5	7	1	1	2	3	4	5
85 +	277	3.3	5	1	2	3	4	8	8	70 +	77	2.7	4	< 1	1	3	5	6	6
SUBTOTAL	**4398**	**3.2**	**7**	**1**	**2**	**3**	**4**	**6**	**8**		**12015**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**4398**	**3.2**	**7**	**1**	**2**	**3**	**4**	**6**	**8**		**12015**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1943	3.2	6	1	2	3	4	6	8	0-17	1055	3.1	9	1	1	2	4	6	7
18-34	202	3.6	12	1	2	3	3	8	13	18-34	430	1.8	1	< 1	1	1	2	4	4
35-49	343	2.5	3	1	1	2	3	5	5	35-49	1601	2.3	2	1	1	2	3	4	5
50-69	398	3.3	4	1	2	3	4	5	6	50-69	754	2.2	2	1	1	2	3	4	4
70 +	48	4.9	4	2	3	4	7	8	8	70 +	16	1.0							
SUBTOTAL	**2933**	**3.2**	**6**	**1**	**2**	**3**	**4**	**6**	**8**		**3856**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**2933**	**3.2**	**6**	**1**	**2**	**3**	**4**	**6**	**8**		**3856**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 101: Other Respiratory System Diagnoses w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1893	6.4	21	2	3	5	8	12	15
70-74	1485	6.6	42	2	3	5	8	12	16
75-79	1125	7.3	35	2	3	5	10	15	21
80-84	972	7.2	67	2	3	6	9	12	14
85+	844	7.7	20	3	5	7	10	14	18
SUBTOTAL	**6320**	**6.9**	**36**	**2**	**3**	**6**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6320**	**6.9**	**36**	**2**	**3**	**6**	**9**	**13**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	567	5.2	47	1	2	3	6	12	15
18-34	590	5.4	21	1	2	4	7	10	12
35-49	797	5.6	35	1	3	4	7	10	15
50-69	1654	5.8	17	2	3	5	8	11	14
70+	161	6.3	19	2	3	5	10	12	13
	3769	**5.6**	**26**	**1**	**2**	**4**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
GRAND TOTAL	**3769**	**5.6**	**26**	**1**	**2**	**4**	**7**	**11**	**14**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	397	4.0	13	1	2	3	6	7	10
18-34	239	5.2	11	2	3	5	7	9	12
35-49	208	5.7	12	2	3	5	8	11	13
50-69	263	4.8	14	1	2	3	5	11	12
70+	31	8.7	80						
SUBTOTAL	**1139**	**4.9**	**15**	**1**	**2**	**4**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1139**	**4.9**	**15**	**1**	**2**	**4**	**6**	**10**	**13**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	260	7.2	104	1	2	3	10	18	50
18-34	457	3.4	11	1	1	3	4	7	8
35-49	383	4.9	26	1	2	3	6	9	15
50-69	289	6.8	37	1	3	5	7	11	25
70+	42	5.4	11						
	1432	**5.2**	**39**	**1**	**2**	**3**	**6**	**11**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
GRAND TOTAL	**1432**	**5.2**	**39**	**1**	**2**	**3**	**6**	**11**	**16**

DRG 102: Other Respiratory System Diagnoses w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	390	4.0	16	1	1	3	5	11	14
70-74	219	4.6	11	2	2	4	6	8	10
75-79	254	5.1	12	1	2	4	7	10	13
80-84	171	3.8	12	1	2	2	5	10	13
85 +	241	4.8	11	1	2	4	6	9	11
SUBTOTAL	**1275**	**4.4**	**13**	**1**	**2**	**3**	**6**	**10**	**13**
GRAND TOTAL	**1275**	**4.4**	**13**	**1**	**2**	**3**	**6**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1731	3.1	23	1	1	2	3	5	7
18-34	535	2.9	7	1	1	3	4	5	6
35-49	665	2.9	7	1	1	2	3	5	6
50-69	619	3.4	5	1	2	3	5	7	7
70 +	84	4.6	8	3	3	4	4	11	11
	3635	**3.1**	**15**	**1**	**1**	**2**	**4**	**5**	**7**
	3635	**3.1**	**15**	**1**	**1**	**2**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1228	3.1	22	1	1	2	3	5	6
18-34	177	4.1	35	1	1	2	3	10	12
35-49	48	1.5	1	< 1	< 1	< 1	2	4	4
50-69	59	5.3	40	2	2	3	3	19	19
70 +	11	2.0	1						
SUBTOTAL	**1522**	**3.2**	**24**	**1**	**1**	**2**	**3**	**5**	**9**
GRAND TOTAL	**1522**	**3.2**	**24**	**1**	**1**	**2**	**3**	**5**	**9**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	775	2.3	2	1	1	2	3	4	6
18-34	314	2.1	1	1	1	2	3	4	4
35-49	201	2.8	5	1	1	2	3	7	8
50-69	211	3.5	6	1	2	3	4	7	10
70 +	11	3.5							
	1512	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
	1512	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 103: Heart Transplant

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	70	27.6	199	16	16	26	37	99 +	99 +	0-17	17	8.3	4						
70-74	0									18-34	11	63.0	1						
75-79	0									35-49	40	47.7	843	16	23	46	89	99 +	99 +
80-84	0									50-69	88	28.9	488	9	14	24	39	55	96
85 +	0									70 +	0								
SUBTOTAL	**70**	**27.6**	**199**	**16**	**16**	**26**	**37**	**99 +**	**99 +**		**156**	**33.9**	**681**	**9**	**14**	**28**	**55**	**94**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	17	16.0	64							0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	11	12.5	13						
80-84	0									50-69	6	11.0							
85 +	0									70 +	0								
SUBTOTAL	**17**	**16.0**	**64**								**17**	**12.0**	**9**						
GRAND TOTAL	**87**	**25.3**	**193**	**11**	**16**	**24**	**37**	**83**	**99 +**		**173**	**31.8**	**657**	**9**	**13**	**24**	**51**	**93**	**99 +**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	11	21.0	110							0-17	0								
18-34	16	14.3	35							18-34	26	22.7	58						
35-49	22	39.6	422							35-49	33	16.1	29						
50-69	10	84.0								50-69	59	25.3	212	11	19	27	33	63	99 +
70 +	0									70 +	0								
SUBTOTAL	**59**	**36.9**	**762**	**10**	**10**	**31**	**65**	**84**	**84**		**118**	**22.2**	**141**	**11**	**16**	**19**	**32**	**33**	**71**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	17.0								0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	6	11.0							
50-69	0									50-69	10	12.0							
70 +	0									70 +	0								
SUBTOTAL	**6**	**17.0**									**16**	**11.6**							
GRAND TOTAL	**65**	**35.2**	**727**	**10**	**11**	**22**	**42**	**84**	**84**		**134**	**20.9**	**136**	**11**	**12**	**18**	**28**	**33**	**63**

DRG 104: Cardiac Valve Procedures w/ Cardiac Cath

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1115	21.0	185	10	12	17	25	38	50	0-17	85	23.7	360	9	10	16	39	51	74
70-74	1004	20.0	105	9	13	17	25	35	40	18-34	28	25.0	111						
75-79	607	20.3	138	9	13	17	23	37	41	35-49	247	15.3	92	8	9	13	17	26	30
80-84	258	22.3	132	12	14	19	28	45	48	50-69	1033	18.8	138	9	10	15	24	34	42
85 +	95	20.0	158	10	14	15	24	33	63	70 +	79	25.4	140	13	15	24	32	45	53
SUBTOTAL	**3079**	**20.6**	**145**	**10**	**13**	**17**	**25**	**37**	**45**		**1472**	**19.0**	**149**	**9**	**10**	**15**	**24**	**36**	**45**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	88	14.0	45	9	9	10	20	22	31	0-17	17	8.0	5						
70-74	60	11.7	12	7	8	13	16	16	16	18-34	16	9.2	6						
75-79	61	14.2	25	9	12	15	16	19	24	35-49	23	10.5	8						
80-84	6	12.0								50-69	139	14.3	37	7	9	13	18	24	24
85 +	0									70 +	0								
SUBTOTAL	**215**	**13.4**	**30**	**8**	**9**	**13**	**16**	**21**	**24**		**194**	**12.9**	**33**	**7**	**8**	**11**	**17**	**24**	**24**
GRAND TOTAL	**3294**	**20.1**	**140**	**9**	**12**	**17**	**24**	**36**	**45**		**1666**	**18.3**	**139**	**8**	**10**	**14**	**23**	**34**	**43**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	62	28.1	523	8	8	16	49	61	74	0-17	28	17.0	85						
18-34	23	25.3	159							18-34	22	16.5	140						
35-49	33	16.8	44							35-49	109	20.2	159	10	13	17	24	35	61
50-69	100	22.9	85	13	16	21	26	41	42	50-69	140	15.2	25	9	12	14	19	23	24
70 +	0									70 +	6	72.0							
SUBTOTAL	**217**	**23.7**	**223**	**8**	**14**	**20**	**26**	**45**	**61**		**305**	**18.3**	**145**	**9**	**11**	**14**	**21**	**34**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	6	10.0							
18-34	0									18-34	6	8.0							
35-49	0									35-49	6	6.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**17**	**8.0**	**3**						
GRAND TOTAL	**217**	**23.7**	**223**	**8**	**14**	**20**	**26**	**45**	**61**		**321**	**17.8**	**142**	**9**	**11**	**14**	**21**	**34**	**35**

DRG 105: Cardiac Valve Procedures w/o Cardiac Cath

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1296	14.2	72	8	9	11	15	23	31	0-17	264	9.2	31	4	6	8	11	17	19
70-74	910	13.4	36	8	9	12	15	21	26	18-34	147	13.3	49	8	8	11	17	23	23
75-79	603	15.7	65	9	10	13	18	28	32	35-49	398	9.7	10	7	7	9	11	15	16
80-84	237	12.0	22	9	9	10	13	16	24	50-69	1139	13.5	71	8	9	11	15	25	33
85 +	69	15.6	102	5	12	12	17	32	41	70 +	67	13.1	19	9	11	11	15	21	22
SUBTOTAL	**3115**	**14.1**	**58**	**8**	**9**	**12**	**16**	**24**	**29**		**2016**	**12.1**	**54**	**7**	**8**	**10**	**14**	**20**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	139	8.6	6	7	7	8	9	13	13	0-17	140	6.2	6	4	4	6	8	9	10
70-74	75	11.7	39	8	8	9	11	27	27	18-34	38	8.0	1	7	7	8	8	10	10
75-79	75	11.9	8	9	10	11	15	16	16	35-49	130	8.7	4	7	8	8	9	10	12
80-84	17	14.3	33							50-69	266	8.9	12	6	7	8	10	13	15
85 +	17	12.7	3							70 +	31	8.7	6						
SUBTOTAL	**323**	**10.6**	**18**	**7**	**8**	**9**	**12**	**15**	**18**		**606**	**8.1**	**9**	**5**	**7**	**8**	**9**	**12**	**13**
GRAND TOTAL	**3437**	**13.8**	**55**	**8**	**9**	**11**	**15**	**23**	**29**		**2622**	**11.2**	**46**	**6**	**8**	**9**	**12**	**18**	**24**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	136	14.7	133	6	7	10	18	34	38	0-17	79	10.3	35	6	7	8	10	17	28
18-34	71	22.1	156	7	8	25	33	37	45	18-34	50	18.9	108	8	11	12	31	32	32
35-49	40	24.6	353	7	9	11	43	56	56	35-49	126	14.7	111	7	8	10	17	37	38
50-69	132	15.5	158	8	9	10	16	27	36	50-69	228	11.3	15	8	9	10	13	16	22
70 +	0									70 +	0								
SUBTOTAL	**379**	**17.4**	**181**	**7**	**8**	**11**	**25**	**37**	**45**		**482**	**12.8**	**59**	**7**	**8**	**10**	**15**	**25**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	51	6.2	1	5	5	6	7	8	8	0-17	17	8.0	9						
18-34	6	10.0								18-34	17	5.0	9						
35-49	11	7.5	2							35-49	22	9.1	13						
50-69	22	10.0	2							50-69	16	12.9	9						
70 +	0									70 +	6	10.0							
SUBTOTAL	**89**	**7.5**	**4**	**5**	**6**	**7**	**9**	**11**	**11**		**77**	**8.8**	**16**	**6**	**7**	**7**	**12**	**15**	**15**
GRAND TOTAL	**468**	**15.5**	**162**	**6**	**8**	**10**	**18**	**36**	**45**		**559**	**12.3**	**55**	**7**	**8**	**10**	**15**	**22**	**31**

DRG 106: Coronary Bypass w/ Cardiac Cath

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7684	14.2	53	8	10	12	16	22	28
70-74	5508	15.4	76	8	10	13	18	25	32
75-79	3284	16.9	90	9	11	14	19	28	38
80-84	1044	16.8	44	10	12	16	21	26	30
85 +	205	18.7	92	9	11	16	25	31	39
SUBTOTAL	**17725**	**15.3**	**68**	**8**	**10**	**13**	**18**	**24**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	886	11.8	22	7	9	11	13	19	22
70-74	635	12.5	25	7	8	11	15	18	24
75-79	258	13.3	21	8	10	12	16	19	23
80-84	50	11.3	12	7	8	11	14	18	18
85 +	22	21.5	36						
SUBTOTAL	**1850**	**12.3**	**24**	**7**	**9**	**11**	**15**	**19**	**23**
GRAND TOTAL	**19576**	**15.0**	**65**	**8**	**10**	**13**	**17**	**24**	**30**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	49	7.9	10	4	6	7	10	13	13
35-49	2228	11.5	29	7	8	10	13	17	22
50-69	8956	12.6	39	7	9	11	15	19	23
70 +	299	15.4	87	9	10	13	17	24	35
	11531	**12.5**	**39**	**7**	**9**	**11**	**14**	**19**	**23**
0-17	0								
18-34	33	9.5	21						
35-49	814	10.1	11	7	8	10	12	14	16
50-69	1907	10.3	9	7	8	10	12	14	16
70 +	26	12.8	21						
	2780	**10.3**	**10**	**7**	**8**	**10**	**12**	**14**	**17**
	14312	**12.0**	**34**	**7**	**9**	**11**	**14**	**18**	**22**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	21.0							
18-34	22	9.5	5						
35-49	173	13.7	48	7	9	11	17	24	25
50-69	472	16.6	98	9	11	14	18	26	46
70 +	11	16.0	18						
SUBTOTAL	**684**	**15.7**	**83**	**8**	**10**	**13**	**17**	**24**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	53	12.6	18	8	8	10	17	18	18
50-69	102	11.7	27	7	7	11	14	22	25
70 +	0								
SUBTOTAL	**155**	**12.0**	**24**	**7**	**8**	**11**	**15**	**18**	**22**
GRAND TOTAL	**839**	**15.0**	**74**	**7**	**10**	**13**	**17**	**23**	**31**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	444	13.0	53	7	9	10	15	23	27
50-69	1428	13.2	46	7	9	11	15	21	25
70 +	70	11.2	25	4	9	11	13	15	24
	1942	**13.1**	**47**	**7**	**9**	**11**	**15**	**20**	**25**
0-17	0								
18-34	0								
35-49	183	9.2	5	6	7	10	11	12	13
50-69	335	9.9	10	6	8	9	11	15	17
70 +	10	11.0							
	529	**9.7**	**8**	**6**	**7**	**10**	**11**	**14**	**15**
	2472	**12.4**	**41**	**7**	**9**	**11**	**14**	**19**	**24**

DRG 107: Coronary Bypass w/o Cardiac Cath

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4700	11.4	39	7	8	9	12	18	22	0-17	0								
70-74	3663	12.4	49	8	8	10	14	19	27	18-34	16	7.6							
75-79	1828	13.0	65	8	9	10	14	21	29	35-49	1530	8.7	6	6	7	8	10	12	13
80-84	501	14.0	48	8	9	12	16	26	29	50-69	6907	9.8	23	7	8	8	10	14	17
85 +	59	10.9	13	6	8	12	13	16	19	70 +	239	11.1	19	8	8	10	15	16	21
SUBTOTAL	**10751**	**12.1**	**47**	**7**	**8**	**10**	**13**	**19**	**26**		**8692**	**9.7**	**20**	**7**	**7**	**8**	**10**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	676	8.7	5	7	7	8	9	12	14	0-17	0								
70-74	334	8.8	4	7	8	8	10	12	13	18-34	6	8.0							
75-79	165	9.0	4	7	8	9	10	11	11	35-49	390	7.9	9	6	7	7	8	10	10
80-84	11	11.0	10							50-69	1155	8.0	3	6	7	8	8	10	11
85 +	0									70 +	11	9.5							
SUBTOTAL	**1187**	**8.8**	**5**	**7**	**7**	**8**	**10**	**12**	**14**		**1562**	**8.0**	**5**	**6**	**7**	**8**	**8**	**10**	**11**
GRAND TOTAL	**11937**	**11.8**	**44**	**7**	**8**	**10**	**13**	**18**	**25**		**10254**	**9.4**	**18**	**7**	**7**	**8**	**10**	**13**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	11	8.0	1							18-34	0								
35-49	126	9.9	7	7	8	9	12	14	15	35-49	357	10.6	28	7	7	9	13	16	21
50-69	339	11.0	32	7	8	10	12	16	17	50-69	984	10.4	33	7	8	9	11	16	19
70 +	6	27.0								70 +	58	14.1	90	8	9	9	17	36	41
SUBTOTAL	**481**	**10.8**	**28**	**7**	**8**	**10**	**12**	**16**	**17**		**1398**	**10.6**	**35**	**7**	**8**	**9**	**12**	**16**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	49	9.0	7	7	7	8	8	15	15	35-49	38	6.9	1	6	6	6	8	8	8
50-69	48	9.3	17	7	7	8	9	20	20	50-69	97	7.5	5	5	6	7	8	8	16
70 +	0									70 +	0								
SUBTOTAL	**96**	**9.1**	**12**	**7**	**7**	**8**	**9**	**15**	**20**		**136**	**7.3**	**4**	**6**	**6**	**7**	**8**	**8**	**8**
GRAND TOTAL	**578**	**10.5**	**26**	**7**	**7**	**9**	**12**	**16**	**17**		**1534**	**10.3**	**33**	**7**	**7**	**8**	**11**	**16**	**19**

DRG 108: Other Cardiothoracic Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	842	13.5	48	8	9	12	16	22	28
70-74	807	17.0	112	8	10	13	21	31	40
75-79	393	15.8	57	9	10	14	21	26	31
80-84	127	19.2	180	9	11	13	21	41	42
85+	6	12.0							
SUBTOTAL	**2174**	**15.5**	**84**	**8**	**9**	**13**	**18**	**28**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	142	9.0	5	6	8	9	10	13	13
70-74	70	10.9	29	1	8	12	15	16	19
75-79	27	7.5	14						
80-84	22	17.5	2						
85+	0								
SUBTOTAL	**260**	**10.1**	**18**	**6**	**8**	**9**	**13**	**16**	**18**
GRAND TOTAL	**2435**	**15.0**	**80**	**8**	**9**	**12**	**17**	**27**	**36**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1145	12.8	130	5	7	9	14	27	39
18-34	119	10.2	80	6	6	7	10	18	32
35-49	365	9.4	12	6	7	9	11	15	16
50-69	1101	12.9	60	7	8	10	16	24	29
70+	63	14.6	51	8	9	11	23	25	25
	2793	**12.3**	**85**	**6**	**8**	**9**	**14**	**23**	**29**
0-17	768	7.3	24	4	5	6	8	12	18
18-34	67	7.2	9	5	5	6	10	12	14
35-49	170	7.2	16	2	6	7	8	11	13
50-69	232	9.9	32	3	8	8	12	16	19
70+	0								
	1237	**7.8**	**25**	**3**	**5**	**7**	**8**	**13**	**18**
	4030	**10.9**	**71**	**5**	**7**	**8**	**12**	**21**	**26**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	542	14.3	138	6	7	11	18	26	61
18-34	61	11.4	31	8	8	9	13	18	27
35-49	40	15.6	295	7	8	9	11	57	57
50-69	86	18.8	328	8	8	13	14	58	65
70+	0								
SUBTOTAL	**729**	**14.6**	**162**	**6**	**8**	**11**	**17**	**30**	**58**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	503	8.4	19	4	6	7	11	15	17
18-34	23	7.0	9						
35-49	16	9.4	4						
50-69	26	16.7	4						
70+	0								
SUBTOTAL	**567**	**8.8**	**21**	**4**	**6**	**7**	**11**	**16**	**19**
GRAND TOTAL	**1296**	**12.1**	**109**	**5**	**7**	**9**	**15**	**21**	**32**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	304	15.1	229	5	7	9	17	34	39
18-34	23	7.5	8						
35-49	67	13.0	92	6	8	9	14	18	42
50-69	194	17.0	164	8	9	13	18	37	44
70+	6	8.0							
	593	**15.1**	**186**	**6**	**8**	**10**	**15**	**35**	**42**
0-17	243	9.4	38	6	6	7	11	15	19
18-34	17	9.3	7						
35-49	17	6.7	7						
50-69	22	6.0	1						
70+	0								
	298	**9.0**	**33**	**5**	**6**	**7**	**11**	**15**	**18**
	891	**13.1**	**143**	**6**	**6**	**9**	**14**	**29**	**39**

DRG 110: Major Cardiovascular Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6026	12.9	87	7	8	10	15	22	29
70-74	4607	13.0	80	7	8	10	15	22	26
75-79	3500	14.3	115	7	8	11	16	24	32
80-84	1427	14.7	85	7	9	13	17	26	32
85 +	479	16.8	146	8	9	14	21	36	40
SUBTOTAL	**16039**	**13.5**	**94**	**7**	**8**	**11**	**15**	**23**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**16039**	**13.5**	**94**	**7**	**8**	**11**	**15**	**23**	**29**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	678	9.2	68	4	5	7	11	17	21
18-34	131	14.8	114	5	6	13	19	28	43
35-49	914	9.1	25	4	7	9	10	16	17
50-69	4376	11.3	53	6	8	9	13	19	25
70 +	287	14.3	112	7	9	11	15	31	38
	6386	**10.9**	**56**	**5**	**7**	**9**	**12**	**18**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6386	**10.9**	**56**	**5**	**7**	**9**	**12**	**18**	**24**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	337	12.8	111	5	7	10	15	32	47
18-34	93	15.7	216	5	6	7	26	47	47
35-49	161	13.3	63	5	8	10	15	26	29
50-69	426	14.4	72	8	8	13	16	29	40
70 +	31	19.7	84						
SUBTOTAL	**1047**	**14.0**	**98**	**6**	**8**	**11**	**16**	**31**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1047**	**14.0**	**98**	**6**	**8**	**11**	**16**	**31**	**39**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	146	14.4	320	4	5	8	16	33	34
18-34	152	8.9	20	5	5	7	11	16	17
35-49	372	16.0	245	7	8	10	17	31	48
50-69	818	12.0	64	6	8	10	14	22	28
70 +	50	12.2	39	4	10	11	15	26	26
	1537	**12.9**	**131**	**5**	**7**	**10**	**15**	**25**	**33**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1537	**12.9**	**131**	**5**	**7**	**10**	**15**	**25**	**33**

DRG 111: Major Cardiovascular Procedures w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	967	8.7	24	5	6	8	9	12	17
70-74	626	8.2	11	4	6	8	10	12	15
75-79	443	9.5	32	6	7	9	10	14	17
80-84	146	9.0	10	6	7	9	10	13	16
85 +	79	7.3	8	4	5	8	9	12	12
SUBTOTAL	**2262**	**8.7**	**21**	**4**	**7**	**8**	**10**	**12**	**16**
GRAND TOTAL	**2262**	**8.7**	**21**	**4**	**7**	**8**	**10**	**12**	**16**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	697	5.4	8	2	4	5	6	9	10
18-34	49	5.2	7	1	5	5	7	9	9
35-49	357	6.2	6	3	5	6	7	8	9
50-69	1672	7.8	9	5	6	7	9	11	14
70 +	90	9.2	34	2	7	8	9	14	28
	2865	**7.0**	**10**	**3**	**5**	**7**	**8**	**10**	**13**
	2865	**7.0**	**10**	**3**	**5**	**7**	**8**	**10**	**13**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	291	8.3	69	3	4	6	10	17	20
18-34	6	7.0							
35-49	42	6.5	1						
50-69	49	14.5	133	6	8	9	13	43	43
70 +	0								
SUBTOTAL	**387**	**8.8**	**73**	**3**	**5**	**7**	**9**	**17**	**23**
GRAND TOTAL	**387**	**8.8**	**73**	**3**	**5**	**7**	**9**	**17**	**23**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	174	6.1	18	3	4	5	8	11	12
18-34	0								
35-49	142	6.5	10	3	4	6	8	11	11
50-69	277	7.9	18	3	5	7	10	13	18
70 +	0								
	592	**7.1**	**17**	**3**	**4**	**7**	**8**	**12**	**14**
	592	**7.1**	**17**	**3**	**4**	**7**	**8**	**12**	**14**

DRG 112: Percutaneous Cardiovascular Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10496	6.7	39	2	3	5	9	13	17
70-74	6862	6.8	44	2	2	5	9	13	17
75-79	4300	7.6	39	2	3	6	10	14	18
80-84	1833	8.1	40	2	3	7	10	16	20
85 +	576	8.5	28	2	4	7	11	16	20
SUBTOTAL	**24066**	**7.0**	**41**	**2**	**3**	**6**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6521	4.5	11	1	2	4	6	9	11
70-74	3918	4.6	9	2	2	4	6	9	11
75-79	2022	5.2	16	1	2	4	7	10	12
80-84	674	6.8	28	2	3	5	8	15	16
85 +	182	7.7	25	2	3	6	13	15	18
SUBTOTAL	**13317**	**4.8**	**13**	**2**	**2**	**4**	**7**	**9**	**11**
GRAND TOTAL	**37383**	**6.2**	**32**	**2**	**2**	**5**	**8**	**12**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	101	3.5	10	1	1	2	5	9	13
18-34	333	5.4	22	2	3	4	6	8	20
35-49	4126	4.9	14	2	2	4	7	9	11
50-69	13404	5.1	19	2	2	4	7	10	13
70 +	418	7.0	49	2	2	5	9	15	17
	18381	**5.1**	**19**	**2**	**2**	**4**	**7**	**10**	**13**
0-17	280	2.4	7	< 1	1	1	3	6	7
18-34	524	3.6	9	1	1	2	5	9	10
35-49	5706	4.3	9	1	2	3	6	8	10
50-69	12774	4.3	10	1	2	3	6	9	10
70 +	211	4.8	7	1	3	5	6	9	10
	19495	**4.3**	**10**	**1**	**2**	**3**	**6**	**8**	**10**
	37877	**4.7**	**14**	**1**	**2**	**3**	**6**	**9**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	33	4.1	4						
18-34	55	6.4	35	2	2	4	9	20	21
35-49	449	5.9	17	2	3	5	8	11	13
50-69	815	6.3	21	2	3	5	8	12	16
70 +	134	7.1	22	2	3	7	10	15	15
SUBTOTAL	**1486**	**6.2**	**20**	**2**	**3**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	79	1.4		< 1	1	1	2	2	2
18-34	51	4.4	8	1	3	4	6	11	11
35-49	242	4.5	9	1	2	4	7	9	11
50-69	442	4.6	9	2	2	4	6	9	12
70 +	32	4.5	7						
SUBTOTAL	**846**	**4.3**	**9**	**1**	**2**	**4**	**6**	**9**	**11**
GRAND TOTAL	**2332**	**5.5**	**17**	**2**	**2**	**4**	**7**	**11**	**13**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	7.3	110	1	2	2	8	35	35
18-34	55	6.2	13	1	2	7	8	11	12
35-49	996	6.3	27	2	2	5	8	13	16
50-69	1746	5.2	13	1	2	5	7	10	12
70 +	78	7.8	96	2	3	4	7	13	41
	2926	**5.7**	**22**	**2**	**2**	**5**	**8**	**12**	**13**
0-17	73	2.0	3	< 1	1	2	2	2	8
18-34	161	3.4	8	1	1	2	6	9	9
35-49	1159	4.3	9	1	2	4	6	9	10
50-69	1535	4.8	9	1	2	4	7	9	11
70 +	34	5.2	9	1	2	6	6	10	10
	2962	**4.5**	**9**	**1**	**2**	**4**	**6**	**9**	**10**
	5888	**5.1**	**16**	**1**	**2**	**4**	**7**	**10**	**12**

DRG 113: Amputation for Circ System Disorders except Upper Limb & Toe

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3489	19.4	247	7	9	15	24	39	56
70-74	2311	18.7	184	6	10	15	24	35	47
75-79	2193	18.4	204	7	9	14	22	35	52
80-84	2164	17.9	194	6	9	14	22	35	45
85 +	2777	15.0	136	5	7	11	18	31	40
SUBTOTAL	**12935**	**17.9**	**198**	**6**	**9**	**14**	**22**	**35**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	104	10.9	84	4	7	9	10	19	37
70-74	79	9.9	19	7	7	9	10	15	22
75-79	123	14.2	118	6	8	10	15	38	40
80-84	102	7.8	22	4	4	7	9	18	21
85 +	147	10.3	44	3	6	8	14	20	21
SUBTOTAL	**557**	**10.8**	**64**	**4**	**6**	**8**	**11**	**21**	**31**
GRAND TOTAL	**13491**	**17.6**	**195**	**6**	**9**	**14**	**22**	**35**	**46**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	17	17.3	47						
35-49	256	17.1	75	8	10	15	23	31	32
50-69	1208	19.7	140	7	10	17	26	37	45
70 +	143	22.9	174	8	14	22	37	53	99 +
	1624	**19.6**	**134**	**8**	**10**	**16**	**27**	**37**	**45**
0-17	0								
18-34	6	7.0							
35-49	6	5.0							
50-69	50	14.8	82	3	9	12	24	29	29
70 +	16	9.6							
	77	**12.5**	**64**	**5**	**8**	**10**	**12**	**29**	**29**
	1701	**19.2**	**133**	**7**	**10**	**16**	**26**	**37**	**45**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	69	25.9	188	10	12	25	39	47	47
35-49	173	15.6	85	7	9	13	23	30	37
50-69	550	19.2	170	7	10	17	25	38	46
70 +	158	17.0	151	7	9	11	23	41	47
SUBTOTAL	**950**	**18.6**	**158**	**7**	**10**	**16**	**25**	**39**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	10	7.0							
35-49	10	5.0							
50-69	37	11.0	8						
70 +	0								
SUBTOTAL	**58**	**9.2**	**11**	**5**	**7**	**7**	**12**	**14**	**15**
GRAND TOTAL	**1008**	**18.1**	**155**	**7**	**9**	**15**	**24**	**38**	**46**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	36.5	141						
35-49	181	18.2	68	10	13	15	23	29	35
50-69	373	25.4	309	9	12	21	35	53	61
70 +	53	21.9	142	6	13	13	29	41	41
	623	**23.3**	**234**	**9**	**13**	**19**	**29**	**44**	**54**
0-17	0								
18-34	6	8.0							
35-49	10	7.0							
50-69	10	9.0							
70 +	0								
	26	**8.0**	**1**						
	649	**22.7**	**234**	**8**	**12**	**19**	**28**	**44**	**54**

DRG 114: Upper Limb & Toe Amputation for Circ System Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1053	11.2	90	3	5	9	14	22	29	0-17	0								
70-74	594	13.7	94	5	7	11	17	28	38	18-34	34	7.3	53	< 1	1	4	14	20	20
75-79	399	10.0	50	3	5	8	14	19	26	35-49	159	11.9	111	2	3	8	22	26	37
80-84	331	11.2	40	4	7	10	14	17	29	50-69	552	12.5	115	3	5	10	15	29	40
85 +	321	11.3	40	3	8	10	14	22	24	70 +	38	15.4	41	6	8	18	21	22	22
SUBTOTAL	**2699**	**11.6**	**74**	**3**	**6**	**10**	**14**	**22**	**29**		**783**	**12.3**	**109**	**3**	**4**	**9**	**17**	**27**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	63	6.0	9	1	4	6	7	9	12	0-17	0								
70-74	67	5.3	8	1	4	5	8	9	9	18-34	11	7.0	10						
75-79	49	11.6	124	1	4	9	22	34	34	35-49	22	1.5	1						
80-84	42	6.4	5							50-69	62	5.2	18	1	1	4	8	13	13
85 +	26	6.1	8							70 +	6	3.0							
SUBTOTAL	**247**	**7.0**	**36**	**1**	**4**	**7**	**8**	**10**	**22**		**101**	**4.5**	**15**	**1**	**1**	**3**	**8**	**11**	**13**
GRAND TOTAL	**2946**	**11.2**	**73**	**3**	**6**	**9**	**14**	**22**	**29**		**884**	**11.4**	**104**	**2**	**4**	**8**	**15**	**25**	**35**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	6	10.0							
18-34	27	18.0	77							18-34	22	2.8	7						
35-49	111	11.6	89	3	5	9	17	20	40	35-49	48	14.3	187	4	5	13	16	49	49
50-69	147	13.7	181	4	7	11	14	19	21	50-69	150	11.9	46	4	7	10	19	21	21
70 +	20	24.0	52							70 +	10	6.0							
SUBTOTAL	**306**	**14.0**	**139**	**4**	**7**	**13**	**18**	**26**	**31**		**235**	**11.3**	**77**	**2**	**6**	**8**	**16**	**20**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	22	3.3	5							0-17	16	6.2	20						
18-34	16	2.6								18-34	11	4.5							
35-49	6	3.0								35-49	0								
50-69	27	6.5	12							50-69	42	16.3	40						
70 +	0									70 +	6	1.0							
SUBTOTAL	**70**	**4.4**	**9**	**2**	**2**	**3**	**7**	**10**	**10**		**75**	**11.2**	**61**	**3**	**4**	**12**	**18**	**25**	**25**
GRAND TOTAL	**376**	**12.2**	**129**	**3**	**5**	**10**	**17**	**21**	**31**		**309**	**11.2**	**73**	**2**	**5**	**8**	**16**	**21**	**25**

DRG 115: Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	297	12.9	60	5	8	11	19	21	26		0-17	0									
70-74	564	12.1	73	4	7	10	15	22	28		18-34	0									
75-79	601	13.7	57	6	8	12	17	26	30		35-49	22	10.9	11							
80-84	551	11.3	31	5	8	10	14	18	22		50-69	194	11.5	24	5	8	12	14	17	20	
85+	447	13.0	44	5	7	13	17	22	24		70+	48	10.3	16	1	9	12	13	13	13	
SUBTOTAL	**2460**	**12.6**	**53**	**5**	**8**	**11**	**16**	**22**	**27**			**263**	**11.2**	**22**	**5**	**8**	**12**	**14**	**17**	**18**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	22	4.7									0-17	0									
70-74	6	11.0									18-34	0									
75-79	16	10.2	20								35-49	0									
80-84	32	6.5	27								50-69	10	6.0								
85+	16	5.0									70+	0									
SUBTOTAL	**91**	**6.7**	**17**	**1**	**5**	**5**	**7**	**16**	**16**			**10**	**6.0**								
GRAND TOTAL	**2551**	**12.4**	**53**	**5**	**7**	**11**	**16**	**22**	**27**			**273**	**11.0**	**22**	**5**	**7**	**12**	**14**	**17**	**18**	

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	0										0-17	6	43.0								
18-34	0										18-34	0									
35-49	6	18.0									35-49	6	17.0								
50-69	0										50-69	17	19.0	79							
70+	26	9.1	15								70+	10	6.0								
SUBTOTAL	**32**	**10.7**	**24**									**38**	**18.8**	**167**	**6**	**9**	**15**	**31**	**43**	**43**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	0										0-17	0									
18-34	0										18-34	0									
35-49	0										35-49	6	12.0								
50-69	0										50-69	0									
70+	0										70+	0									
SUBTOTAL	**0**											**6**	**12.0**								
GRAND TOTAL	**32**	**10.7**	**24**									**44**	**17.9**	**151**	**6**	**11**	**15**	**31**	**43**	**43**	

DRG 116: Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2119	7.2	29	2	4	6	9	13	19
70-74	3332	7.1	30	2	4	6	9	13	16
75-79	4304	7.9	41	3	4	7	10	14	18
80-84	3493	7.7	42	2	4	6	10	14	18
85 +	3444	8.2	37	3	4	7	10	15	20
SUBTOTAL	**16692**	**7.7**	**37**	**2**	**4**	**6**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	963	4.8	11	2	2	4	6	9	13
70-74	1142	4.4	10	1	2	4	5	9	11
75-79	1405	4.5	7	2	3	4	6	8	10
80-84	1394	4.7	8	2	2	4	6	8	10
85 +	980	5.4	13	2	3	5	7	10	12
SUBTOTAL	**5883**	**4.7**	**10**	**2**	**2**	**4**	**6**	**9**	**11**
GRAND TOTAL	**22575**	**6.9**	**31**	**2**	**3**	**6**	**9**	**13**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	4.1	5	2	3	3	5	9	9
18-34	86	5.9	10	2	2	5	8	11	11
35-49	139	5.0	12	2	3	4	6	10	11
50-69	1159	6.9	32	2	3	6	9	14	17
70 +	315	6.4	12	3	4	5	9	12	15
	1740	**6.6**	**26**	**2**	**3**	**6**	**9**	**13**	**16**
0-17	73	3.5	4	2	2	3	4	6	9
18-34	70	3.4	3	1	2	4	5	6	6
35-49	205	4.2	10	1	2	3	5	10	11
50-69	1014	3.7	6	1	2	3	5	7	8
70 +	140	4.7	5	2	3	4	7	8	9
	1503	**3.8**	**6**	**1**	**2**	**3**	**5**	**7**	**9**
	3243	**5.3**	**19**	**1**	**2**	**4**	**7**	**10**	**13**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	11	4.5	7						
18-34	10	12.0							
35-49	16	6.4							
50-69	130	7.8	24	2	4	8	9	14	14
70 +	68	12.0	68	2	7	10	18	28	28
SUBTOTAL	**236**	**8.9**	**38**	**2**	**5**	**8**	**12**	**18**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	4.0	2						
18-34	0								
35-49	0								
50-69	22	4.5							
70 +	36	6.4	24						
SUBTOTAL	**80**	**5.2**	**12**	**2**	**4**	**4**	**5**	**14**	**14**
GRAND TOTAL	**316**	**8.0**	**34**	**2**	**4**	**6**	**11**	**14**	**20**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	6.0							
18-34	0								
35-49	74	9.1	17	6	6	8	10	13	21
50-69	196	7.0	30	2	4	6	7	15	22
70 +	53	7.8	19	3	4	7	8	16	16
	329	**7.6**	**26**	**3**	**4**	**7**	**8**	**15**	**18**
0-17	28	3.0	5						
18-34	31	3.3	4						
35-49	69	4.6	7	2	3	4	6	10	10
50-69	144	4.2	6	1	2	4	6	7	8
70 +	27	6.9	16						
	299	**4.3**	**8**	**1**	**2**	**4**	**6**	**7**	**10**
	628	**6.0**	**20**	**2**	**3**	**5**	**7**	**10**	**15**

DRG 117: Cardiac Pacemaker Revision except Device Replacement

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	147	4.1	6	1	2	4	6	7	9	0-17	11	4.0	4						
70-74	89	6.4	31	1	2	3	8	18	18	18-34	27	7.6	40						
75-79	105	4.5	8	1	2	4	6	8	10	35-49	22	3.6	15						
80-84	134	5.9	26	2	3	4	7	11	19	50-69	116	4.0	11	1	2	3	5	8	13
85 +	163	8.6	75	1	3	6	11	19	32	70 +	11	4.5	2						
SUBTOTAL	**638**	**6.0**	**34**	**1**	**3**	**4**	**7**	**12**	**18**		**187**	**4.5**	**16**	**1**	**2**	**3**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	102	3.0	6	1	1	2	3	6	10	0-17	23	3.3	2						
70-74	113	2.1	1	1	1	2	3	3	4	18-34	22	2.0	1						
75-79	108	4.3	16	1	1	3	4	11	14	35-49	11	3.5	7						
80-84	116	3.7	4	2	2	3	5	7	7	50-69	65	1.7		1	1	2	2	2	3
85 +	95	2.4	1	1	1	2	3	4	5	70 +	10	2.0							
SUBTOTAL	**534**	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**7**		**130**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1172**	**4.7**	**24**	**1**	**2**	**3**	**6**	**10**	**13**		**317**	**3.5**	**12**	**1**	**2**	**2**	**4**	**7**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	17	5.3	3							0-17	6	1.0							
18-34	0									18-34	6	7.0							
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	6	5.0								70 +	0								
SUBTOTAL	**23**	**5.3**	**2**								**11**	**4.0**	**10**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	17	3.7	1							0-17	0								
18-34	0									18-34	0								
35-49	6	2.0								35-49	0								
50-69	6	7.0								50-69	0								
70 +	10	2.0								70 +	6	2.0							
SUBTOTAL	**38**	**3.5**	**3**	**2**	**2**	**3**	**5**	**7**	**7**		**6**	**2.0**							
GRAND TOTAL	**61**	**4.1**	**4**	**2**	**2**	**3**	**6**	**7**	**7**		**17**	**3.3**	**7**						

DRG 118: Cardiac Pacemaker Device Replacement

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	307	4.5	34	1	2	3	5	8	13	0-17	17	10.7	199						
70-74	336	3.3	12	1	1	2	4	8	10	18-34	22	4.1	8						
75-79	418	3.5	14	1	1	2	5	7	7	35-49	17	3.7	2						
80-84	454	3.3	8	1	2	2	4	6	10	50-69	149	4.4	18	1	2	2	6	14	16
85 +	483	4.1	16	1	1	3	4	9	14	70 +	32	2.6							
SUBTOTAL	**1998**	**3.7**	**16**	**1**	**1**	**2**	**4**	**7**	**12**		**236**	**4.5**	**29**	**1**	**2**	**2**	**5**	**7**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	160	2.2	2	1	1	2	3	4	6	0-17	0								
70-74	140	2.5	2	1	1	2	3	5	6	18-34	22	1.8	1						
75-79	399	2.1	3	1	1	2	3	4	4	35-49	26	1.8							
80-84	273	1.9	2	1	1	1	3	4	5	50-69	134	1.6	1	1	1	1	2	3	3
85 +	261	2.4	6	1	1	1	3	5	7	70 +	17	1.3							
SUBTOTAL	**1233**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**6**		**198**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**3232**	**3.1**	**12**	**1**	**1**	**2**	**4**	**6**	**9**		**434**	**3.2**	**18**	**1**	**1**	**2**	**3**	**7**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	11	7.0	18							0-17	6	4.0							
18-34	10	3.0								18-34	0								
35-49	0									35-49	6	2.0							
50-69	10	7.0								50-69	0								
70 +	16	20.4	24							70 +	20	14.0	178						
SUBTOTAL	**48**	**10.6**	**63**	**3**	**3**	**7**	**14**	**24**	**24**		**32**	**10.1**	**141**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	12.0								0-17	17	4.3	3						
18-34	6	5.0								18-34	10	1.0							
35-49	0									35-49	0								
50-69	6	6.0								50-69	27	1.6	2						
70 +	0									70 +	32	1.3							
SUBTOTAL	**17**	**7.7**	**10**								**86**	**2.0**	**3**	**<1**	**1**	**1**	**2**	**5**	**6**
GRAND TOTAL	**65**	**9.8**	**51**	**3**	**5**	**7**	**12**	**24**	**24**		**118**	**4.2**	**52**	**1**	**1**	**1**	**4**	**6**	**27**

DRG 119: Vein Ligation & Stripping

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	211	7.9	93	1	2	5	7	19	41
70-74	145	8.3	175	2	2	4	6	26	29
75-79	99	5.2	10	3	3	4	6	11	12
80-84	22	17.3	144						
85 +	68	11.8	150	4	4	6	10	38	38
SUBTOTAL	**544**	**8.4**	**115**	**2**	**3**	**4**	**9**	**23**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	265	3.5	8	1	2	3	4	7	9
70-74	216	3.3	8	1	2	3	4	5	6
75-79	65	9.6	96	2	3	5	14	20	35
80-84	33	3.2	11						
85 +	0								
SUBTOTAL	**578**	**4.1**	**22**	**1**	**2**	**3**	**5**	**9**	**14**
GRAND TOTAL	**1122**	**6.2**	**71**	**1**	**2**	**3**	**6**	**14**	**26**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	75	6.7	47	1	2	2	10	14	24
35-49	145	6.3	46	1	2	4	7	20	20
50-69	154	5.2	35	1	1	2	8	20	20
70 +	20	9.0	38						
	394	**6.1**	**42**	**1**	**2**	**3**	**8**	**15**	**20**
0-17	11	3.5	2						
18-34	634	1.5	1	1	1	1	2	3	4
35-49	1170	2.0	8	1	1	1	2	3	4
50-69	994	2.2	5	1	1	1	2	5	6
70 +	16	1.0							
	2825	**2.0**	**5**	**1**	**1**	**1**	**2**	**3**	**5**
	3219	**2.5**	**11**	**1**	**1**	**1**	**2**	**4**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	2.0							
18-34	34	6.2	26	< 1	1	5	11	14	14
35-49	23	11.8	69						
50-69	26	6.1	23						
70 +	0								
SUBTOTAL	**88**	**7.3**	**41**	**1**	**2**	**5**	**12**	**14**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	15.0							
18-34	50	1.6	1	< 1	1	1	2	4	4
35-49	38	2.0	6	< 1	< 1	1	1	8	8
50-69	49	1.6	2	1	1	1	1	4	4
70 +	0								
SUBTOTAL	**143**	**2.2**	**9**	**< 1**	**1**	**1**	**2**	**4**	**8**
GRAND TOTAL	**231**	**4.2**	**28**	**< 1**	**1**	**2**	**4**	**13**	**15**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	1.0							
35-49	59	3.3	7	1	2	2	4	8	11
50-69	38	6.1	36	1	1	6	8	19	19
70 +	10	34.0							
	113	**6.9**	**91**	**1**	**2**	**3**	**6**	**19**	**34**
0-17	16	3.5	12						
18-34	122	1.3		1	1	1	2	2	2
35-49	240	1.3	1	1	1	1	1	2	3
50-69	177	1.9	2	1	1	1	2	3	5
70 +	0								
	555	**1.5**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
	669	**2.4**	**21**	**1**	**1**	**1**	**2**	**4**	**8**

DRG 120: Other Circulatory System O.R. Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6517	8.9	101	1	2	5	12	21	26	0-17	67	11.7	119	4	5	8	13	28	40
70-74	2029	12.6	180	2	3	9	17	29	42	18-34	118	6.0	33	1	2	3	9	16	20
75-79	1383	13.8	173	2	4	10	20	31	43	35-49	492	10.8	195	1	2	5	14	30	43
80-84	721	13.6	167	1	5	10	20	28	34	50-69	1351	12.3	126	2	4	9	17	28	34
85+	491	15.6	152	3	7	12	24	36	40	70+	197	10.4	198	1	3	8	12	19	28
SUBTOTAL	**11140**	**10.8**	**136**	**1**	**3**	**7**	**15**	**25**	**33**		**2225**	**11.5**	**145**	**1**	**3**	**8**	**16**	**28**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	358	7.9	89	1	2	6	9	15	24	0-17	28	3.8	11						
70-74	228	12.1	121	2	4	11	16	20	31	18-34	70	6.9	14	2	5	6	10	12	14
75-79	127	11.3	84	1	3	11	19	28	28	35-49	127	7.7	33	1	2	6	14	16	16
80-84	144	8.4	39	1	2	8	15	18	18	50-69	333	8.4	33	1	3	8	12	16	20
85+	168	10.2	62	1	4	10	14	22	26	70+	0								
SUBTOTAL	**1025**	**9.7**	**87**	**1**	**3**	**7**	**13**	**21**	**26**		**559**	**7.8**	**30**	**1**	**3**	**7**	**11**	**16**	**17**
GRAND TOTAL	**12165**	**10.7**	**132**	**1**	**3**	**7**	**15**	**24**	**32**		**2784**	**10.7**	**124**	**1**	**3**	**8**	**15**	**25**	**32**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	37	15.7	138							0-17	62	20.8	399	2	2	13	40	47	57
18-34	260	9.6	121	1	4	6	13	21	28	18-34	104	6.2	32	2	2	4	8	18	21
35-49	277	9.8	99	1	3	6	13	27	32	35-49	326	10.4	123	1	2	5	14	28	33
50-69	708	11.3	103	2	3	8	16	26	36	50-69	347	11.1	92	1	3	9	18	23	29
70+	101	16.5	261	2	4	15	24	28	69	70+	85	31.8	512	7	11	24	52	69	69
SUBTOTAL	**1384**	**11.2**	**121**	**2**	**3**	**8**	**16**	**27**	**33**		**924**	**12.9**	**200**	**1**	**3**	**8**	**19**	**32**	**41**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	22	5.9	12							0-17	11	14.0	158						
18-34	17	6.7	19							18-34	32	6.1	5						
35-49	62	10.5	43	4	6	10	14	17	26	35-49	57	10.0	153	2	4	5	6	36	36
50-69	27	6.1	9							50-69	63	5.0	11	2	2	3	8	10	10
70+	6	13.0								70+	0								
SUBTOTAL	**133**	**8.5**	**31**	**1**	**5**	**8**	**11**	**14**	**16**		**163**	**7.6**	**75**	**2**	**3**	**5**	**8**	**13**	**36**
GRAND TOTAL	**1518**	**11.0**	**113**	**2**	**3**	**8**	**15**	**26**	**32**	-	**1088**	**12.1**	**185**	**1**	**3**	**7**	**18**	**31**	**40**

DRG 121: Circulatory Disorders w/ AMI & C.V. Comp Disch Alive

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	9625	9.7	35	5	6	8	11	17	20
70-74	9624	10.4	47	5	7	9	12	18	23
75-79	9542	10.6	53	5	7	9	12	18	23
80-84	8155	10.8	48	5	7	9	12	18	23
85 +	6991	10.5	47	5	7	9	13	18	22
SUBTOTAL	**43937**	**10.4**	**46**	**5**	**7**	**9**	**12**	**18**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	268	7.4	7	4	5	7	9	11	13
70-74	160	6.7	6	3	6	7	8	10	11
75-79	212	8.1	9	5	6	8	9	12	13
80-84	126	9.7	8	6	7	9	11	13	16
85 +	94	8.1	5	4	7	8	10	12	12
SUBTOTAL	**860**	**7.9**	**8**	**5**	**6**	**8**	**9**	**11**	**13**
GRAND TOTAL	**44797**	**10.3**	**45**	**5**	**7**	**9**	**12**	**17**	**22**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	171	7.9	16	4	6	8	10	15	17
35-49	1565	8.0	18	4	6	7	9	12	14
50-69	7223	8.9	24	4	6	8	11	14	17
70 +	705	9.7	27	4	6	9	11	16	19
	9664	**8.8**	**23**	**4**	**6**	**8**	**10**	**14**	**17**
0-17	0								
18-34	0								
35-49	132	6.8	9	3	5	7	9	11	12
50-69	425	6.4	8	1	5	7	8	10	11
70 +	16	4.4	4						
	573	**6.4**	**8**	**3**	**5**	**7**	**8**	**10**	**11**
	10237	**8.7**	**23**	**4**	**6**	**8**	**10**	**14**	**16**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	47	8.5	1						
35-49	262	9.3	24	5	7	8	11	16	19
50-69	1088	9.8	29	5	7	9	11	16	21
70 +	242	10.9	31	6	7	10	12	20	20
SUBTOTAL	**1638**	**9.8**	**28**	**5**	**7**	**9**	**11**	**16**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	26	5.5	4						
70 +	0								
SUBTOTAL	**26**	**5.5**	**4**						
GRAND TOTAL	**1664**	**9.8**	**28**	**5**	**7**	**9**	**11**	**16**	**20**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	128	8.2	21	4	5	7	12	12	19
35-49	616	8.1	14	5	6	7	9	12	14
50-69	2143	9.1	41	4	6	8	11	14	17
70 +	272	8.8	16	4	6	9	11	14	17
	3159	**8.8**	**33**	**4**	**6**	**8**	**10**	**13**	**17**
0-17	0								
18-34	0								
35-49	36	6.3	1						
50-69	107	8.1	4	6	7	8	9	11	12
70 +	0								
	143	**7.6**	**4**	**5**	**6**	**7**	**9**	**11**	**12**
	3302	**8.8**	**32**	**4**	**6**	**8**	**10**	**13**	**17**

DRG 122: Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4898	7.8	20	4	6	7	9	12	14
70-74	3400	7.8	16	4	6	7	9	12	15
75-79	2835	7.9	16	4	6	7	9	12	14
80-84	2092	8.6	18	4	6	8	10	13	16
85 +	1300	8.2	13	4	6	7	10	14	15
SUBTOTAL	**14525**	**7.9**	**17**	**4**	**6**	**7**	**9**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3979	6.6	9	3	5	7	8	10	11
70-74	2768	6.8	8	3	5	7	8	10	12
75-79	2225	7.2	7	4	6	7	9	10	12
80-84	1468	7.7	12	4	6	7	9	11	13
85 +	1049	7.2	9	3	5	7	9	12	12
SUBTOTAL	**11490**	**6.9**	**9**	**3**	**5**	**7**	**8**	**10**	**12**
GRAND TOTAL	**26015**	**7.5**	**14**	**4**	**5**	**7**	**9**	**11**	**13**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	4.0							
18-34	130	5.9	10	2	2	6	8	9	9
35-49	1794	6.4	12	1	4	6	8	10	11
50-69	5047	7.0	11	3	5	7	9	11	13
70 +	244	8.0	6	4	7	8	9	11	11
	7221	**6.9**	**11**	**2**	**5**	**7**	**9**	**10**	**12**
0-17	6	5.0							
18-34	200	6.6	4	4	5	7	8	9	10
35-49	4215	6.1	7	3	5	6	8	9	11
50-69	9378	6.6	7	3	5	7	8	10	11
70 +	301	7.1	9	3	5	7	9	12	13
	14099	**6.5**	**7**	**3**	**5**	**7**	**8**	**9**	**11**
	21320	**6.6**	**8**	**3**	**5**	**7**	**8**	**10**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	104	10.5	107	5	7	8	11	13	52
35-49	328	6.1	9	3	4	6	7	9	11
50-69	697	8.0	21	4	6	7	9	11	12
70 +	53	6.5	6	3	5	5	9	10	10
SUBTOTAL	**1183**	**7.6**	**26**	**4**	**5**	**7**	**9**	**11**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	2.0							
18-34	26	7.3	6						
35-49	198	6.0	3	4	4	6	8	9	9
50-69	582	6.7	6	4	5	7	8	10	10
70 +	48	7.1	7	3	5	6	9	11	11
SUBTOTAL	**859**	**6.6**	**5**	**3**	**5**	**7**	**8**	**9**	**10**
GRAND TOTAL	**2042**	**7.2**	**16**	**4**	**5**	**7**	**8**	**10**	**12**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	69	4.6	9	1	3	4	7	10	10
35-49	836	6.6	10	3	5	6	8	11	12
50-69	1351	7.7	34	3	5	7	9	11	15
70 +	144	7.0	8	3	5	7	9	11	12
	2400	**7.2**	**24**	**3**	**5**	**7**	**9**	**11**	**12**
0-17	0								
18-34	210	5.7	6	2	3	6	7	9	9
35-49	1689	5.9	6	3	4	6	7	9	10
50-69	2243	6.4	7	3	5	6	8	9	11
70 +	157	6.8	5	3	6	8	8	9	10
	4298	**6.2**	**6**	**3**	**5**	**6**	**8**	**9**	**10**
	6698	**6.5**	**13**	**3**	**5**	**6**	**8**	**10**	**11**

DRG 124: Circulatory Disorders except AMI, w/ Card Cath & Complex Diag

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	14461	5.3	21	1	2	4	7	11	13	0-17	145	5.2	27	1	1	3	6	15	15
70-74	9413	5.6	25	1	2	4	8	11	14	18-34	324	4.1	13	1	1	2	6	10	12
75-79	6566	6.0	22	1	3	5	8	11	15	35-49	3407	4.1	13	1	1	3	6	8	11
80-84	2714	7.0	34	1	3	6	9	13	18	50-69	12269	4.4	17	1	1	3	6	9	11
85 +	691	8.0	31	2	4	7	11	17	20	70 +	502	5.7	21	1	2	5	9	10	11
SUBTOTAL	**33845**	**5.7**	**24**	**1**	**2**	**5**	**8**	**11**	**15**		**16646**	**4.4**	**16**	**1**	**1**	**3**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6087	4.0	8	1	2	3	6	8	9	0-17	56	3.8	11	< 1	1	2	5	10	11
70-74	3772	3.8	8	1	2	3	5	7	9	18-34	125	3.9	24	1	2	3	4	5	12
75-79	2368	4.4	9	1	2	4	6	8	9	35-49	3183	3.2	5	1	1	3	5	6	7
80-84	980	5.0	14	1	2	5	7	9	12	50-69	8637	3.2	6	1	1	3	4	6	8
85 +	253	5.3	14	1	2	5	7	11	12	70 +	212	5.1	8	2	3	4	8	9	10
SUBTOTAL	**13461**	**4.1**	**9**	**1**	**2**	**4**	**6**	**8**	**9**		**12214**	**3.3**	**6**	**1**	**1**	**3**	**5**	**6**	**8**
GRAND TOTAL	**47307**	**5.3**	**20**	**1**	**2**	**4**	**7**	**10**	**13**		**28860**	**3.9**	**12**	**1**	**1**	**3**	**5**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	78	9.7	72	2	2	6	19	22	24	0-17	28	7.4	105						
18-34	182	6.7	40	1	3	5	7	18	23	18-34	129	6.3	14	2	2	7	10	12	13
35-49	687	5.8	17	1	3	5	7	11	13	35-49	960	4.7	18	1	1	4	7	9	10
50-69	1522	5.7	24	1	2	5	8	11	13	50-69	2104	5.2	19	1	2	4	7	9	12
70 +	74	6.2	12	2	4	7	8	12	12	70 +	53	3.4	6	1	2	2	6	10	10
SUBTOTAL	**2543**	**6.0**	**25**	**1**	**2**	**5**	**8**	**12**	**16**		**3274**	**5.1**	**19**	**1**	**2**	**4**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	28	3.6	8							0-17	11	1.5							
18-34	44	5.3	2	4	4	5	5	9	9	18-34	74	4.4	11	1	1	3	9	10	10
35-49	277	4.0	7	1	1	4	6	7	8	35-49	705	3.7	5	1	2	3	5	7	8
50-69	518	4.3	11	1	1	4	7	7	8	50-69	1401	3.8	7	1	2	3	5	7	8
70 +	11	3.0	4							70 +	17	2.0							
SUBTOTAL	**878**	**4.2**	**9**	**1**	**1**	**4**	**6**	**7**	**8**		**2208**	**3.8**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**3422**	**5.5**	**21**	**1**	**2**	**5**	**7**	**11**	**13**		**5482**	**4.6**	**14**	**1**	**2**	**4**	**6**	**9**	**10**

DRG 125: Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8925	3.0	9	1	1	2	4	7	8	0-17	670	2.0	4	1	1	1	2	4	7
70-74	5793	2.9	8	1	1	2	4	6	8	18-34	369	2.8	3	1	1	2	4	5	6
75-79	3007	3.7	12	1	1	2	5	9	11	35-49	4065	2.6	6	1	1	2	4	6	7
80-84	817	4.4	67	1	1	3	5	9	11	50-69	10891	2.5	8	1	1	1	3	5	7
85 +	171	4.2	18	1	1	3	7	9	12	70 +	294	2.5	4	1	1	1	4	6	8
SUBTOTAL	**18713**	**3.1**	**12**	**1**	**1**	**2**	**4**	**7**	**9**		**16289**	**2.5**	**7**	**1**	**1**	**1**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	9460	2.4	5	1	1	1	3	5	7	0-17	1399	1.5	4	< 1	1	1	1	2	2
70-74	5052	2.4	4	1	1	1	3	5	6	18-34	1075	2.4	4	1	1	2	3	5	5
75-79	2652	2.6	7	1	1	2	4	5	7	35-49	11604	2.2	3	1	1	2	3	4	5
80-84	726	3.4	8	1	1	3	5	8	10	50-69	21571	2.0	3	1	1	1	3	4	6
85 +	138	3.7	17	1	1	2	3	12	12	70 +	266	1.8	2	1	1	1	2	3	5
SUBTOTAL	**18028**	**2.5**	**5**	**1**	**1**	**1**	**3**	**6**	**7**		**35915**	**2.1**	**3**	**1**	**1**	**1**	**3**	**4**	**6**
GRAND TOTAL	**36741**	**2.8**	**9**	**1**	**1**	**2**	**4**	**6**	**8**		**52204**	**2.2**	**4**	**1**	**1**	**1**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	344	1.7	2	1	1	1	2	3	4	0-17	294	3.3	21	< 1	1	1	4	9	17
18-34	131	3.7	7	1	1	3	6	7	8	18-34	92	3.0	5	< 1	1	2	6	6	6
35-49	523	3.0	6	1	1	2	4	7	8	35-49	1017	3.6	9	1	1	3	5	7	8
50-69	1190	3.9	20	1	1	2	5	9	10	50-69	1729	3.0	10	1	1	2	4	6	9
70 +	52	2.5	8	1	1	1	2	8	8	70 +	53	2.7	6	< 1	1	1	6	7	7
SUBTOTAL	**2240**	**3.3**	**13**	**1**	**1**	**2**	**5**	**8**	**9**		**3185**	**3.2**	**10**	**1**	**1**	**2**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	753	2.5	32	1	1	1	2	3	5	0-17	695	1.7	5	< 1	< 1	1	1	2	5
18-34	170	2.9	15	1	1	2	3	5	6	18-34	305	2.5	3	< 1	1	2	4	6	7
35-49	732	2.8	8	1	1	1	4	7	8	35-49	2425	2.4	3	1	1	2	3	5	6
50-69	1236	2.8	6	1	1	2	4	6	8	50-69	2898	2.4	4	1	1	1	3	5	7
70 +	58	4.4	28	1	1	1	7	15	15	70 +	75	2.3	3	1	1	2	4	4	6
SUBTOTAL	**2948**	**2.8**	**14**	**1**	**1**	**2**	**3**	**6**	**8**		**6397**	**2.3**	**4**	**1**	**1**	**1**	**3**	**5**	**6**
GRAND TOTAL	**5188**	**3.0**	**14**	**1**	**1**	**2**	**4**	**7**	**9**		**9582**	**2.6**	**6**	**1**	**1**	**2**	**3**	**6**	**7**

DRG 126: Acute & Subacute Endocarditis

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	394	21.5	179	5	9	22	32	38	43
70-74	213	25.2	197	4	13	28	33	49	51
75-79	168	26.2	237	9	14	20	41	44	57
80-84	185	25.9	244	9	14	27	34	42	54
85 +	120	22.8	182	6	13	20	31	37	56
SUBTOTAL	**1080**	**23.9**	**206**	**6**	**13**	**23**	**33**	**44**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	6.9	2						
70-74	10	16.0							
75-79	20	20.0	67						
80-84	17	8.3	6						
85 +	0								
SUBTOTAL	**63**	**13.0**	**56**	**5**	**8**	**10**	**16**	**28**	**28**
GRAND TOTAL	**1144**	**23.3**	**204**	**5**	**11**	**22**	**33**	**43**	**50**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	49	22.1	219	3	10	19	33	43	43
18-34	139	19.7	168	3	8	15	29	42	42
35-49	237	15.5	160	4	6	12	19	44	44
50-69	243	16.0	96	6	9	14	24	32	36
70 +	22	25.2	73						
	689	**17.3**	**146**	**4**	**8**	**13**	**27**	**36**	**43**
0-17	22	7.0	10						
18-34	26	6.6	15						
35-49	31	16.3	232						
50-69	62	19.2	115	9	10	14	30	35	45
70 +	10	28.0							
	151	**15.3**	**138**	**2**	**8**	**10**	**20**	**37**	**37**
	840	**16.9**	**145**	**4**	**8**	**13**	**27**	**36**	**43**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	34	22.5	77	9	17	29	31	32	32
18-34	299	23.9	162	3	17	27	32	41	45
35-49	326	26.1	211	4	16	28	35	44	47
50-69	34	24.7	135	4	19	26	32	41	41
70 +	6	46.0							
SUBTOTAL	**698**	**25.1**	**182**	**4**	**17**	**28**	**33**	**41**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	1.0							
18-34	10	23.0							
35-49	27	29.5	87						
50-69	0								
70 +	0								
SUBTOTAL	**43**	**24.2**	**145**	**< 1**	**13**	**26**	**33**	**40**	**40**
GRAND TOTAL	**741**	**25.0**	**180**	**4**	**17**	**28**	**33**	**41**	**45**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	24.5	62						
18-34	145	19.7	219	3	8	15	29	46	49
35-49	192	24.2	233	5	9	27	36	45	50
50-69	84	22.4	117	11	15	18	29	46	46
70 +	0								
	432	**22.4**	**204**	**4**	**10**	**18**	**32**	**45**	**49**
0-17	0								
18-34	11	19.0	185						
35-49	23	9.5	45						
50-69	11	13.5	33						
70 +	0								
	45	**12.9**	**89**	**2**	**5**	**11**	**18**	**32**	**32**
	478	**21.5**	**200**	**4**	**9**	**17**	**32**	**45**	**49**

DRG 127: Heart Failure & Shock

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	38892	7.3	35	3	4	6	9	13	17	0-17	227	5.1	22	2	3	4	6	9	22
70-74	31367	7.6	36	3	4	6	9	14	18	18-34	363	5.2	11	2	3	5	6	8	11
75-79	33669	7.6	33	3	4	6	9	14	18	35-49	2397	6.0	18	2	3	5	8	11	14
80-84	30165	8.3	41	3	4	7	10	15	20	50-69	14728	6.7	26	2	4	5	8	12	16
85 +	32076	8.6	49	3	4	7	10	16	21	70 +	2572	7.7	42	3	4	6	9	16	21
SUBTOTAL	**166170**	**7.8**	**39**	**3**	**4**	**6**	**10**	**14**	**19**		**20288**	**6.7**	**27**	**2**	**4**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4287	4.8	13	2	3	4	6	9	11	0-17	77	3.6	6	1	2	3	5	8	9
70-74	3822	5.2	11	2	3	4	7	9	11	18-34	43	3.1	7	< 1	1	3	6	8	8
75-79	4348	5.5	16	2	3	5	7	9	14	35-49	606	4.4	4	2	3	4	6	8	9
80-84	4038	5.7	22	2	3	5	7	10	14	50-69	2578	4.4	9	2	3	4	5	8	9
85 +	4609	6.0	17	2	3	5	8	11	14	70 +	383	5.2	15	2	3	4	6	10	13
SUBTOTAL	**21104**	**5.4**	**16**	**2**	**3**	**4**	**7**	**10**	**12**		**3688**	**4.4**	**9**	**2**	**3**	**4**	**5**	**8**	**9**
GRAND TOTAL	**187274**	**7.6**	**37**	**3**	**4**	**6**	**9**	**14**	**18**		**23975**	**6.4**	**25**	**2**	**3**	**5**	**8**	**12**	**15**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	236	4.7	14	2	2	3	6	9	12	0-17	50	9.1	95	3	3	7	9	35	35
18-34	569	6.4	34	2	3	4	8	11	14	18-34	234	7.0	26	1	3	6	9	14	15
35-49	2032	7.2	54	2	3	5	9	12	17	35-49	1829	5.9	18	2	3	5	7	11	12
50-69	6439	7.3	34	3	4	6	9	13	18	50-69	5134	6.4	19	2	3	5	8	12	15
70 +	1119	7.7	31	3	4	6	9	17	27	70 +	1137	8.3	38	3	4	6	9	17	22
SUBTOTAL	**10395**	**7.2**	**37**	**2**	**4**	**6**	**9**	**13**	**18**		**8383**	**6.6**	**23**	**2**	**3**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	154	4.4	10	2	2	4	6	9	10	0-17	6	2.0							
18-34	92	3.3	3	1	2	3	4	5	8	18-34	52	2.7	3	1	2	2	2	6	6
35-49	218	5.2	12	1	3	4	6	11	13	35-49	548	4.1	7	1	2	3	5	9	10
50-69	800	4.9	9	2	3	4	6	10	11	50-69	1107	4.1	4	2	2	4	5	7	7
70 +	261	5.1	9	2	3	4	6	9	12	70 +	132	3.9	2	2	3	4	5	6	6
SUBTOTAL	**1525**	**4.8**	**9**	**2**	**3**	**4**	**6**	**10**	**12**		**1844**	**4.0**	**5**	**2**	**2**	**4**	**5**	**7**	**8**
GRAND TOTAL	**11920**	**6.9**	**34**	**2**	**3**	**5**	**9**	**13**	**17**		**10227**	**6.1**	**20**	**2**	**3**	**5**	**8**	**11**	**15**

DRG 128: Deep Vein Thrombophlebitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1533	9.4	46	4	7	8	11	14	17	0-17	6	5.0							
70-74	1041	8.2	12	5	6	8	9	12	16	18-34	182	8.1	25	3	5	6	11	15	23
75-79	1017	9.0	23	5	6	8	11	16	17	35-49	564	7.7	17	3	5	7	9	14	15
80-84	701	10.2	32	6	7	8	12	17	22	50-69	1150	8.4	24	3	6	8	10	14	18
85 +	671	10.0	24	5	7	9	12	16	20	70 +	37	6.1	2						
SUBTOTAL	**4963**	**9.3**	**30**	**5**	**6**	**8**	**11**	**15**	**17**		**1939**	**8.1**	**22**	**3**	**5**	**7**	**10**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1050	7.2	9	3	5	7	9	11	14	0-17	47	4.5	10						
70-74	658	6.8	9	3	4	7	9	11	13	18-34	631	6.2	7	2	4	6	8	9	10
75-79	715	8.0	12	5	6	7	10	12	14	35-49	1248	6.9	10	3	5	7	8	12	13
80-84	427	6.9	6	3	5	7	9	10	11	50-69	1612	6.9	7	4	5	7	9	10	12
85 +	304	7.3	9	4	5	7	9	13	13	70 +	42	6.9	10						
SUBTOTAL	**3153**	**7.3**	**9**	**4**	**5**	**7**	**9**	**11**	**13**		**3580**	**6.7**	**8**	**3**	**5**	**7**	**8**	**10**	**12**
GRAND TOTAL	**8116**	**8.5**	**23**	**4**	**6**	**8**	**10**	**13**	**16**		**5519**	**7.2**	**14**	**3**	**5**	**7**	**9**	**12**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	27	8.3	9							0-17	10	22.0							
18-34	52	11.1	22	5	8	10	13	19	19	18-34	73	6.4	14	2	3	6	11	12	12
35-49	157	12.5	61	5	8	10	13	27	27	35-49	116	9.5	32	3	7	8	16	18	21
50-69	161	9.3	27	5	6	8	10	17	21	50-69	225	9.8	58	4	6	7	12	18	22
70 +	31	11.0	6							70 +	27	4.6	4						
SUBTOTAL	**428**	**10.8**	**38**	**5**	**7**	**9**	**12**	**19**	**27**		**450**	**9.1**	**46**	**3**	**5**	**7**	**11**	**18**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	2.0								0-17	0								
18-34	87	5.5	8	1	4	6	8	9	11	18-34	212	5.7	5	3	4	5	7	8	10
35-49	145	8.4	10	3	6	8	11	13	14	35-49	251	6.0	9	3	4	5	7	9	12
50-69	90	6.8	7	4	5	6	9	11	11	50-69	305	6.0	7	2	4	6	8	9	10
70 +	16	10.1	2							70 +	16	5.6							
SUBTOTAL	**344**	**7.2**	**11**	**3**	**5**	**7**	**9**	**11**	**13**		**784**	**5.9**	**7**	**3**	**4**	**6**	**7**	**9**	**10**
GRAND TOTAL	**772**	**9.2**	**29**	**4**	**6**	**8**	**11**	**14**	**21**		**1235**	**7.1**	**23**	**3**	**4**	**6**	**8**	**12**	**16**

DRG 129: Cardiac Arrest, Unexplained

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	103	19.0	140	5	8	20	29	34	47	0-17	0								
70-74	83	6.4	62	1	1	7	7	16	31	18-34	6	5.0							
75-79	27	11.4	204							35-49	32	3.2	3						
80-84	87	9.3	21	3	7	8	11	19	19	50-69	42	10.2	192						
85 +	59	10.0	23	5	6	9	14	18	21	70 +	0								
SUBTOTAL	**360**	**11.7**	**102**	**1**	**6**	**8**	**16**	**29**	**34**		**79**	**7.0**	**113**	**<1**	**2**	**3**	**5**	**23**	**40**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	41	5.0	8							0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	10	4.0							
80-84	0									50-69	26	3.0	6						
85 +	10	5.0								70 +	0								
SUBTOTAL	**51**	**5.0**	**6**								**36**	**3.3**	**5**						
GRAND TOTAL	**411**	**10.9**	**95**	**1**	**4**	**8**	**14**	**24**	**34**		**115**	**5.8**	**81**	**1**	**2**	**4**	**5**	**23**	**36**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	28.6	251							0-17	11	1.0							
18-34	0									18-34	20	7.5	32						
35-49	10	4.0								35-49	0								
50-69	0									50-69	20	24.5	7						
70 +	10	6.0								70 +	0								
SUBTOTAL	**36**	**15.3**	**247**								**52**	**12.8**	**111**	**1**	**2**	**13**	**22**	**27**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	10	1.0							
70 +	0									70 +	0								
SUBTOTAL	**0**										**10**	**1.0**							
GRAND TOTAL	**36**	**15.3**	**247**								**62**	**10.8**	**112**	**<1**	**1**	**2**	**22**	**27**	**27**

DRG 130: Peripheral Vascular Disorders w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	7461	7.9	43	2	4	7	10	14	18	0-17	22	6.0	21						
70-74	5244	7.7	33	2	4	7	9	14	17	18-34	623	7.5	17	3	5	7	9	12	15
75-79	4284	7.7	31	2	4	7	10	14	17	35-49	2001	7.0	22	2	4	6	9	12	13
80-84	3835	9.3	70	3	5	8	11	16	22	50-69	5065	7.2	26	2	4	7	9	13	15
85 +	3197	8.7	35	3	5	8	11	16	20	70 +	323	8.2	22	2	5	7	10	14	18
SUBTOTAL	**24021**	**8.2**	**42**	**2**	**4**	**7**	**10**	**14**	**19**		**8034**	**7.2**	**24**	**2**	**4**	**7**	**9**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**24021**	**8.2**	**42**	**2**	**4**	**7**	**10**	**14**	**19**		**8034**	**7.2**	**24**	**2**	**4**	**7**	**9**	**12**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	27	5.4	5							0-17	6	13.0							
18-34	451	8.3	27	2	5	8	11	14	18	18-34	377	7.5	16	2	5	8	9	14	15
35-49	695	8.8	56	3	4	7	10	16	23	35-49	869	7.5	23	2	4	7	9	14	18
50-69	1299	7.6	29	2	4	7	10	15	17	50-69	1101	7.8	62	2	4	7	9	14	19
70 +	121	12.1	187	2	3	8	18	50	99 +	70 +	127	10.5	132	3	5	7	10	28	31
SUBTOTAL	**2592**	**8.2**	**44**	**2**	**4**	**7**	**10**	**16**	**22**		**2480**	**7.8**	**45**	**2**	**4**	**7**	**9**	**14**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2592**	**8.2**	**44**	**2**	**4**	**7**	**10**	**16**	**22**		**2480**	**7.8**	**45**	**2**	**4**	**7**	**9**	**14**	**19**

DRG 131: Peripheral Vascular Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3169	5.4	15	1	2	5	8	10	11	0-17	130	3.8	9	1	1	2	5	9	9
70-74	2374	5.4	15	1	2	5	7	11	12	18-34	1387	5.6	9	1	4	6	8	9	11
75-79	1913	5.9	20	1	2	6	8	11	14	35-49	2757	5.7	10	1	3	6	8	10	11
80-84	1361	6.0	17	1	2	6	8	11	14	50-69	4497	5.1	12	1	2	5	8	9	10
85 +	937	6.7	15	1	4	6	8	12	14	70 +	232	5.7	17	1	2	5	8	11	11
SUBTOTAL	9754	5.7	16	1	2	6	8	11	13		9004	5.4	11	1	2	5	8	9	11
GRAND TOTAL	9754	5.7	16	1	2	6	8	11	13		9004	5.4	11	1	2	5	8	9	11

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	54	4.3	2	3	3	4	5	7	7	0-17	66	6.1	32	<1	2	4	6	16	16
18-34	479	5.7	11	1	3	6	8	10	12	18-34	536	5.9	11	1	3	6	8	10	11
35-49	428	6.0	17	1	2	6	8	11	16	35-49	872	5.5	11	1	2	5	7	11	12
50-69	510	4.9	18	1	2	4	6	10	12	50-69	916	4.5	10	1	1	5	6	9	10
70 +	17	3.3	12							70 +	90	5.7	11	1	3	6	7	11	11
SUBTOTAL	1488	5.5	15	1	3	5	8	10	12		2479	5.2	12	1	2	5	7	10	11
GRAND TOTAL	1488	5.5	15	1	3	5	8	10	12		2479	5.2	12	1	2	5	7	10	11

DRG 132: Atherosclerosis w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1757	6.4	52	2	3	4	8	11	15	0-17	17	10.0	54						
70-74	1002	5.5	22	2	2	4	7	11	17	18-34	16	1.0							
75-79	907	6.8	65	2	3	4	8	14	19	35-49	475	3.8	11	1	2	2	5	8	11
80-84	666	5.6	17	2	3	4	7	10	11	50-69	1798	4.5	18	1	2	3	6	9	11
85 +	438	6.1	15	2	4	5	8	13	14	70 +	91	5.3	15	2	3	3	8	12	14
SUBTOTAL	**4771**	**6.1**	**40**	**2**	**3**	**4**	**7**	**11**	**15**		**2397**	**4.4**	**17**	**1**	**2**	**3**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4771**	**6.1**	**40**	**2**	**3**	**4**	**7**	**11**	**15**		**2397**	**4.4**	**17**	**1**	**2**	**3**	**6**	**9**	**12**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	2.0								0-17	6	8.0							
18-34	47	6.2	8							18-34	16	1.4							
35-49	117	5.2	23	2	2	4	8	10	18	35-49	222	3.7	9	1	1	3	5	9	10
50-69	272	5.9	82	2	2	3	6	10	13	50-69	422	5.6	25	1	2	4	7	12	16
70 +	26	6.2	10							70 +	79	4.3	10	< 1	< 1	5	8	9	9
SUBTOTAL	**467**	**5.7**	**55**	**2**	**2**	**4**	**7**	**10**	**13**		**745**	**4.8**	**19**	**1**	**2**	**3**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**467**	**5.7**	**55**	**2**	**2**	**4**	**7**	**10**	**13**		**745**	**4.8**	**19**	**1**	**2**	**3**	**7**	**10**	**12**

DRG 133: Atherosclerosis w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	476	2.6	5	< 1	1	2	3	5	6
70-74	359	3.5	5	1	2	3	5	6	8
75-79	340	4.0	7	1	2	4	5	8	9
80-84	202	3.6	9	2	2	3	4	5	8
85 +	116	3.7	2	2	3	3	4	6	-6
SUBTOTAL	**1493**	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**1493**	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**8**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	33	5.8	46						
18-34	48	2.8	4	1	1	2	4	7	7
35-49	434	2.8	5	1	1	2	4	5	8
50-69	1132	2.6	4	1	1	2	3	5	7
70 +	6	8.0							
	1652	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**8**
	1652	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	1.0							
18-34	22	3.3	1						
35-49	38	3.1	1	1	3	3	4	5	5
50-69	54	4.3	5	1	2	4	7	7	7
70 +	6	4.0							
SUBTOTAL	**126**	**3.6**	**3**	**1**	**2**	**3**	**5**	**7**	**7**
GRAND TOTAL	**126**	**3.6**	**3**	**1**	**2**	**3**	**5**	**7**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	6	1.0							
18-34	16	5.1	2						
35-49	145	3.3	4	< 1	2	2	5	6	6
50-69	165	2.2	2	< 1	1	2	3	4	5
70 +	16	3.6							
	348	**2.8**	**3**	**< 1**	**1**	**2**	**4**	**6**	**6**
	348	**2.6**	**3**	**< 1**	**1**	**2**	**4**	**6**	**6**

DRG 134: Hypertension

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2092	5.0	13	2	3	4	6	10	12
70-74	1464	5.1	13	2	3	4	7	9	11
75-79	1108	5.5	16	2	3	4	7	11	12
80-84	821	5.7	19	2	3	5	7	10	13
85 +	562	5.4	20	2	3	4	7	9	13
SUBTOTAL	**6047**	**5.2**	**15**	**2**	**3**	**4**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1302	3.7	5	1	2	3	5	7	8
70-74	974	3.9	10	2	2	3	4	8	10
75-79	927	3.7	6	1	2	3	5	7	9
80-84	581	3.5	5	1	2	3	4	5	7
85 +	298	3.6	6	1	2	3	5	8	8
SUBTOTAL	**4082**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**10130**	**4.6**	**12**	**2**	**2**	**4**	**6**	**9**	**11**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	88	4.6	20	1	1	3	8	13	16
18-34	201	3.6	4	2	2	3	4	6	7
35-49	1376	4.5	13	2	2	3	5	8	10
50-69	2037	4.6	9	2	3	4	6	8	10
70 +	68	4.1	4	1	3	5	5	7	7
	3770	**4.5**	**10**	**2**	**2**	**4**	**6**	**8**	**10**
0-17	154	2.3	3	1	1	2	3	4	4
18-34	526	2.8	2	1	2	2	4	5	6
35-49	2584	3.0	4	1	2	3	4	5	6
50-69	2769	3.4	5	1	2	3	4	6	7
70 +	32	2.5	1						
	6065	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**7**
	9835	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	38	3.9	6	2	2	3	7	8	8
18-34	139	6.0	15	2	3	6	8	11	11
35-49	417	4.1	6	2	2	3	5	8	11
50-69	617	6.2	153	2	3	4	5	11	15
70 +	32	4.3	5						
SUBTOTAL	**1244**	**5.4**	**81**	**2**	**3**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	84	6.1	22	2	2	4	9	11	19
18-34	152	3.6	7	1	1	2	6	8	8
35-49	345	3.3	3	2	2	3	4	6	7
50-69	409	3.6	4	1	2	3	4	6	8
70 +	58	2.4		1	2	2	3	3	3
SUBTOTAL	**1047**	**3.6**	**6**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**2290**	**4.6**	**47**	**2**	**2**	**3**	**5**	**8**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	34	3.2	1	2	2	3	4	5	5
18-34	132	4.9	14	1	3	4	5	8	16
35-49	667	4.1	7	2	2	3	5	8	10
50-69	569	4.8	17	1	2	3	6	11	12
70 +	52	5.2	20	1	1	3	11	13	13
	1454	**4.5**	**12**	**1**	**2**	**3**	**5**	**9**	**11**
0-17	34	4.5	15	1	2	3	7	12	12
18-34	197	2.8	6	1	1	2	3	8	9
35-49	728	3.3	5	1	2	3	4	6	7
50-69	686	3.6	6	1	2	3	5	7	9
70 +	57	4.4	24	2	2	3	4	17	19
	1702	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**9**
	3156	**3.9**	**9**	**1**	**2**	**3**	**5**	**8**	**10**

DRG 135: Cardiac Congenital & Valvular Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	457	5.7	16	2	3	5	8	11	14
70-74	310	8.6	74	1	2	5	12	21	25
75-79	395	6.5	27	2	3	6	8	11	14
80-84	331	6.8	50	2	3	4	8	15	15
85 +	347	6.0	32	3	3	4	7	10	18
SUBTOTAL	**1840**	**6.6**	**38**	**2**	**3**	**5**	**8**	**13**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1840**	**6.6**	**38**	**2**	**3**	**5**	**8**	**13**	**20**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	103	5.7	15	2	2	5	9	10	15
35-49	197	4.0	9	1	2	3	4	9	11
50-69	312	6.2	31	1	2	4	8	14	18
70 +	49	7.5	35	2	3	3	13	18	18
	661	**5.6**	**23**	**2**	**2**	**4**	**8**	**11**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	661	**5.6**	**23**	**2**	**2**	**4**	**8**	**11**	**16**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	82	10.2	87	2	4	5	11	29	33
35-49	68	10.7	97	2	5	6	15	29	32
50-69	58	7.1	39	2	3	5	7	20	25
70 +	0								
SUBTOTAL	**207**	**9.5**	**79**	**2**	**4**	**5**	**11**	**29**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**207**	**9.5**	**79**	**2**	**4**	**5**	**11**	**29**	**32**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	65	10.0	358	1	2	5	7	10	70
35-49	117	5.1	10	1	3	4	8	10	11
50-69	67	6.8	16	3	4	6	8	12	17
70 +	0								
	248	**6.8**	**105**	**1**	**3**	**5**	**8**	**10**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	248	**6.8**	**105**	**1**	**3**	**5**	**8**	**10**	**12**

DRG 136: Cardiac Congenital & Valvular Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	197	3.8	6	1	2	3	5	7	8
70-74	37	4.5	6						
75-79	62	4.7	14	1	1	4	6	12	12
80-84	78	3.4	5	1	2	3	4	4	11
85 +	107	4.7	7	1	2	4	7	8	10
SUBTOTAL	**482**	**4.1**	**8**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**482**	**4.1**	**8**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	232	2.9	3	1	2	3	4	4	7
35-49	539	2.8	2	1	2	2	4	5	6
50-69	392	2.9	9	1	1	2	4	5	10
70 +	22	2.6	7						
SUBTOTAL	**1185**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**1185**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	66	3.3	8	1	1	2	5	8	10
35-49	17	2.7	2						
50-69	33	3.6	4						
70 +	0								
SUBTOTAL	**115**	**3.3**	**6**	**1**	**2**	**2**	**4**	**7**	**9**
GRAND TOTAL	**115**	**3.3**	**6**	**1**	**2**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	49	2.1	2	<1	1	1	4	4	4
35-49	92	2.7	6	1	1	2	3	9	9
50-69	70	2.3	2	1	1	2	3	5	5
70 +	6	5.0							
SUBTOTAL	**216**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**5**
GRAND TOTAL	**216**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**5**

DRG 137: Cardiac Congenital & Valvular Disorders Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	380	4.7	39	1	2	3	6	8	15
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**380**	**4.7**	**39**	**1**	**2**	**3**	**6**	**8**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	405	4.3	56	1	1	2	3	10	25
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**405**	**4.3**	**56**	**1**	**1**	**2**	**3**	**10**	**25**
GRAND TOTAL	**0**										**785**	**4.5**	**48**	**1**	**1**	**2**	**4**	**8**	**17**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	242	6.1	54	1	2	3	7	12	26	0-17	133	3.2	10	1	1	2	5	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**242**	**6.1**	**54**	**1**	**2**	**3**	**7**	**12**	**26**		**133**	**3.2**	**10**	**1**	**1**	**2**	**5**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	434	3.7	18	< 1	1	3	4	7	11	0-17	166	4.6	17	1	1	4	6	10	16
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**434**	**3.7**	**18**	**< 1**	**1**	**3**	**4**	**7**	**11**		**166**	**4.6**	**17**	**1**	**1**	**4**	**6**	**10**	**16**
GRAND TOTAL	**676**	**4.6**	**33**	**< 1**	**1**	**3**	**5**	**10**	**15**		**300**	**3.9**	**14**	**1**	**1**	**3**	**6**	**8**	**15**

DRG 138: Cardiac Arrhythmia & Conduction Disorders w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	14616	5.1	21	2	2	4	6	10	12
70-74	13396	5.5	23	2	3	4	7	10	14
75-79	13858	5.9	21	2	3	5	7	11	15
80-84	10994	6.2	28	2	3	5	8	11	15
85 +	8539	6.8	35	2	3	5	8	13	16
SUBTOTAL	**61402**	**5.8**	**25**	**2**	**3**	**5**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**61402**	**5.8**	**25**	**2**	**3**	**5**	**7**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	231	5.8	39	1	2	4	7	11	20
18-34	947	2.9	4	1	1	2	4	6	7
35-49	2762	3.4	10	1	2	3	4	7	8
50-69	9815	4.3	13	1	2	3	5	8	10
70 +	1026	5.0	11	2	3	4	6	8	14
	14781	**4.1**	**13**	**1**	**2**	**3**	**5**	**7**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	14781	**4.1**	**13**	**1**	**2**	**3**	**5**	**7**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	171	5.0	30	1	2	3	7	8	9
18-34	257	3.0	3	1	2	3	4	6	7
35-49	433	4.1	6	2	2	3	5	7	8
50-69	1507	5.5	18	2	3	4	7	10	15
70 +	285	7.0	49	2	4	6	9	11	49
SUBTOTAL	**2653**	**5.2**	**20**	**2**	**3**	**4**	**7**	**9**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2653**	**5.2**	**20**	**2**	**3**	**4**	**7**	**9**	**13**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	85	5.3	38	1	2	3	6	16	23
18-34	491	2.8	13	< 1	1	2	3	4	8
35-49	974	4.1	26	1	2	3	5	7	13
50-69	2107	4.2	16	1	2	3	5	8	10
70 +	484	6.1	23	1	3	5	8	10	16
	4141	**4.3**	**20**	**1**	**2**	**3**	**5**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4141	**4.3**	**20**	**1**	**2**	**3**	**5**	**8**	**11**

DRG 139: Cardiac Arrhythmia & Conduction Disorders w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	6385	3.2	5	1	2	3	4	5	8	0-17	705	2.7	7	1	1	2	3	5	7
70-74	5848	3.5	8	1	2	3	4	6	8	18-34	1910	2.2	3	1	1	2	3	4	5
75-79	5641	4.1	7	2	2	4	5	8	9	35-49	4891	2.3	2	1	1	2	3	4	5
80-84	3746	4.2	8	2	2	3	5	8	9	50-69	9984	2.8	3	1	2	2	4	5	6
85 +	2738	4.4	9	2	2	4	6	8	10	70 +	521	3.1	5	1	2	2	4	6	7
SUBTOTAL	**24359**	**3.8**	**7**	**1**	**2**	**3**	**5**	**7**	**9**		**18011**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**24359**	**3.8**	**7**	**1**	**2**	**3**	**5**	**7**	**9**		**18011**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	291	3.1	3	1	2	3	4	5	6	0-17	284	4.4	22	1	1	3	5	12	17
18-34	287	2.6	3	1	1	2	4	5	6	18-34	919	2.4	3	1	1	2	3	5	5
35-49	276	3.4	5	1	2	3	4	7	8	35-49	1377	2.1	2	1	1	2	3	4	5
50-69	559	4.0	8	2	2	3	5	7	8	50-69	2198	2.7	4	1	1	2	3	5	6
70 +	126	4.7	9	2	2	5	7	11	99 +	70 +	224	3.3	4	1	2	3	4	5	7
SUBTOTAL	**1538**	**3.5**	**6**	**1**	**2**	**3**	**5**	**7**	**8**		**5001**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1538**	**3.5**	**6**	**1**	**2**	**3**	**5**	**7**	**8**		**5001**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 140: Angina Pectoris

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	18850	4.7	13	2	3	4	6	8	11	0-17	0								
70-74	14337	4.9	15	2	3	4	6	8	11	18-34	152	3.0	2	1	2	3	4	4	7
75-79	14631	5.1	14	2	3	4	6	9	12	35-49	2561	3.4	5	1	2	3	4	6	7
80-84	11517	5.4	19	2	3	4	6	9	12	50-69	9534	4.0	8	2	2	3	5	7	9
85 +	9533	5.5	17	2	3	4	7	10	13	70 +	1139	5.4	15	2	3	4	6	10	12
SUBTOTAL	**68868**	**5.1**	**15**	**2**	**3**	**4**	**6**	**9**	**12**		**13386**	**4.0**	**8**	**2**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	13334	3.4	4	1	2	3	4	6	7	0-17	0								
70-74	9301	3.6	7	2	2	3	4	6	7	18-34	437	2.4	1	1	1	2	3	4	5
75-79	8110	4.0	9	2	2	3	5	7	8	35-49	6991	2.7	3	1	2	2	3	5	5
80-84	7233	4.2	18	2	3	3	5	7	9	50-69	15369	3.0	3	1	2	3	4	5	6
85 +	4639	4.2	6	2	3	4	5	7	8	70 +	837	3.5	5	1	2	3	4	5	7
SUBTOTAL	**42616**	**3.8**	**8**	**2**	**2**	**3**	**5**	**6**	**8**		**23634**	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**111484**	**4.6**	**13**	**2**	**3**	**4**	**5**	**8**	**10**		**37020**	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	105	4.1	5	2	2	3	6	8	8	18-34	132	3.5	8	1	2	3	5	5	12
35-49	983	3.7	7	1	2	3	5	6	7	35-49	953	3.1	4	1	2	3	4	5	7
50-69	3194	4.4	8	2	3	4	5	8	10	50-69	2717	3.8	6	1	2	3	5	7	8
70 +	487	5.9	12	2	3	5	8	10	11	70 +	411	6.2	18	3	3	6	7	11	17
SUBTOTAL	**4770**	**4.4**	**9**	**2**	**3**	**4**	**5**	**8**	**10**		**4212**	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	105	3.3	5	1	2	2	5	6	8	18-34	239	1.9	1	1	1	2	3	3	4
35-49	1132	3.0	3	1	2	3	4	5	6	35-49	2418	2.7	2	1	2	2	3	4	5
50-69	2186	3.7	5	1	2	3	5	6	7	50-69	3651	2.9	3	1	2	3	4	5	6
70 +	249	3.7	3	2	2	3	5	7	8	70 +	341	3.3	5	1	2	3	4	5	7
SUBTOTAL	**3672**	**3.5**	**4**	**1**	**2**	**3**	**4**	**6**	**7**		**6650**	**2.8**	**3**	**1**	**2**	**2**	**4**	**5**	**6**
GRAND TOTAL	**8441**	**4.0**	**7**	**2**	**2**	**3**	**5**	**7**	**9**		**10862**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

DRG 141: Syncope & Collapse w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5524	4.7	17	2	3	4	5	8	11
70-74	5369	5.1	20	2	3	4	6	9	12
75-79	6079	5.5	22	2	3	4	7	10	13
80-84	5452	5.5	17	2	3	4	7	10	13
85+	5175	6.1	29	2	3	5	7	12	15
SUBTOTAL	**27599**	**5.4**	**21**	**2**	**3**	**4**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**27599**	**5.4**	**21**	**2**	**3**	**4**	**6**	**10**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	237	2.1	1	1	1	2	3	4	5
18-34	804	2.9	7	1	2	2	3	5	6
35-49	1432	3.4	10	1	2	3	4	6	9
50-69	3636	4.0	11	1	2	3	5	8	9
70+	555	5.7	35	2	3	5	6	9	11
	6664	**3.8**	**12**	**1**	**2**	**3**	**5**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	6664	**3.8**	**12**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	65	2.5	2	1	1	2	4	4	5
18-34	240	3.2	6	1	2	3	3	7	10
35-49	263	3.4	3	1	2	3	4	6	7
50-69	786	4.5	11	2	3	4	5	8	11
70+	159	5.8	13	3	3	5	7	10	17
SUBTOTAL	**1512**	**4.1**	**9**	**1**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1512**	**4.1**	**9**	**1**	**2**	**3**	**5**	**7**	**10**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	108	4.1	78	1	1	2	3	6	41
18-34	305	2.9	5	1	1	2	3	7	8
35-49	549	3.3	13	1	2	3	4	7	7
50-69	1014	3.6	20	1	2	3	4	6	8
70+	225	6.3	42	2	3	5	7	9	16
	2200	**3.7**	**22**	**1**	**2**	**3**	**4**	**7**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	2200	**3.7**	**22**	**1**	**2**	**3**	**4**	**7**	**8**

DRG 142: Syncope & Collapse w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2547	3.5	7	1	2	3	4	6	7	0-17	594	2.3	2	1	1	2	3	5	6
70-74	2322	3.6	9	1	2	3	4	6	8	18-34	1619	2.5	3	1	1	2	3	5	6
75-79	2632	3.4	6	1	2	3	4	6	7	35-49	2888	2.6	3	1	1	2	3	4	5
80-84	2533	3.9	7	1	2	3	5	7	9	50-69	4467	2.7	3	1	2	2	3	5	6
85 +	2274	4.1	7	1	2	3	5	8	10	70 +	375	3.5	3	1	2	3	4	6	6
SUBTOTAL	**12308**	**3.7**	**7**	**1**	**2**	**3**	**4**	**6**	**8**		**9942**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**12308**	**3.7**	**7**	**1**	**2**	**3**	**4**	**6**	**8**		**9942**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	229	2.9	4	1	1	2	5	5	7	0-17	178	1.9	1	1	1	2	2	4	5
18-34	169	2.9	4	1	1	2	5	5	5	18-34	815	3.0	12	1	1	2	3	4	6
35-49	234	3.5	4	2	2	3	4	7	7	35-49	824	2.4	2	1	1	2	3	4	5
50-69	306	3.8	7	2	2	3	4	7	12	50-69	766	2.4	2	1	1	2	3	5	5
70 +	102	5.0	10	1	3	5	7	11	12	70 +	114	3.6	5	1	2	3	6	7	7
SUBTOTAL	**1040**	**3.5**	**6**	**1**	**2**	**3**	**5**	**7**	**9**		**2695**	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**1040**	**3.5**	**6**	**1**	**2**	**3**	**5**	**7**	**9**		**2695**	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 143: Chest Pain

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8591	3.7	7	1	2	3	5	7	9
70-74	4745	3.8	9	1	2	3	5	7	9
75-79	4210	4.0	9	2	2	3	5	7	9
80-84	2816	4.8	16	2	3	4	6	8	12
85 +	1845	4.5	14	2	2	4	5	8	12
SUBTOTAL	**22207**	**4.0**	**10**	**2**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8634	2.7	3	1	2	2	3	5	6
70-74	4634	2.8	2	1	2	2	4	5	6
75-79	3390	2.9	4	1	2	2	3	5	6
80-84	1933	3.0	5	1	2	2	4	5	6
85 +	1308	3.5	7	1	2	3	4	7	8
SUBTOTAL	**19898**	**2.8**	**4**	**1**	**2**	**2**	**4**	**5**	**6**
GRAND TOTAL	**42105**	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**8**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	2.6	3						
18-34	1138	2.5	3	1	1	2	3	5	6
35-49	5539	2.7	3	1	2	2	3	5	5
50-69	8610	3.0	4	1	2	3	4	5	6
70 +	369	4.3	7	2	2	4	5	8	10
	15692	**2.9**	**4**	**1**	**2**	**2**	**4**	**5**	**6**
0-17	127	2.2	3	1	1	2	2	5	6
18-34	4114	2.1	2	1	1	2	3	4	4
35-49	21638	2.2	2	1	1	2	3	4	5
50-69	21594	2.4	2	1	1	2	3	4	5
70 +	525	2.3	2	1	1	2	3	4	5
	47998	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	63690	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	5.9	9						
18-34	546	2.7	4	1	1	2	3	5	7
35-49	1491	3.4	7	1	2	3	4	7	9
50-69	2415	3.7	8	1	2	3	4	7	9
70 +	120	5.0	6	2	3	5	7	8	10
SUBTOTAL	**4588**	**3.5**	**7**	**1**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	70	2.7	3	1	1	3	3	4	7
18-34	579	2.3	2	1	1	2	3	4	5
35-49	1619	2.4	2	1	1	2	3	5	5
50-69	1848	2.9	3	1	2	3	4	5	6
70 +	129	2.1	2	1	1	2	2	4	6
SUBTOTAL	**4246**	**2.6**	**2**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**8834**	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	33	6.7	119						
18-34	1091	2.3	2	1	1	2	3	4	5
35-49	2803	2.5	3	1	1	2	3	4	6
50-69	2643	3.0	6	1	2	2	4	5	7
70 +	128	2.9	4	1	2	2	3	7	7
	6698	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
0-17	43	1.2		< 1	1	1	1	2	2
18-34	1922	1.9	2	1	1	2	2	3	4
35-49	7444	2.1	2	1	1	2	2	4	5
50-69	5379	2.4	2	1	1	2	3	4	5
70 +	145	3.5	5	1	2	4	5	5	9
	14934	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	21632	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 144: Other Circulatory System Diagnoses w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	7913	6.9	53	2	3	5	9	13	17	0-17	707	7.4	49	1	3	5	10	16	21
70-74	3826	7.3	38	2	3	6	10	14	18	18-34	886	5.6	33	1	2	4	7	13	16
75-79	3049	7.3	44	2	3	5	10	14	20	35-49	2241	6.2	29	2	3	5	8	12	15
80-84	2107	6.9	25	2	3	6	9	14	16	50-69	4263	5.8	27	1	3	5	7	11	14
85 +	1237	8.2	62	2	4	6	10	15	24	70 +	323	6.1	18	2	3	5	7	13	14
SUBTOTAL	**18133**	**7.2**	**46**	**2**	**3**	**5**	**9**	**14**	**18**		**8420**	**6.0**	**30**	**1**	**3**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**18133**	**7.2**	**46**	**2**	**3**	**5**	**9**	**14**	**18**		**8420**	**6.0**	**30**	**1**	**3**	**5**	**8**	**12**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	545	12.1	158	2	4	9	14	26	42	0-17	309	7.8	28	2	3	7	10	17	20
18-34	571	6.6	23	2	3	5	9	14	16	18-34	673	5.9	21	1	2	5	7	12	15
35-49	837	6.9	32	2	3	5	8	14	21	35-49	846	5.8	20	1	3	5	8	11	16
50-69	1074	6.8	35	2	3	5	8	15	20	50-69	1028	6.6	32	1	3	5	9	14	17
70 +	78	5.0	8	1	3	4	8	10	10	70 +	86	5.7	14	2	4	5	7	8	18
SUBTOTAL	**3104**	**7.7**	**57**	**2**	**3**	**5**	**9**	**16**	**22**		**2942**	**6.3**	**25**	**1**	**3**	**5**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3104**	**7.7**	**57**	**2**	**3**	**5**	**9**	**16**	**22**		**2942**	**6.3**	**25**	**1**	**3**	**5**	**8**	**13**	**17**

DRG 145: Other Circulatory System Diagnoses w/o CC

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1245	3.9	9	1	2	3	5	7	9	0-17	497	4.1	15	1	2	3	4	10	12
70-74	644	4.1	6	1	2	4	6	7	9	18-34	1087	2.8	3	1	2	2	4	5	6
75-79	452	3.0	6	1	1	2	4	6	7	35-49	1552	3.3	9	1	2	3	4	6	8
80-84	465	5.3	14	1	2	4	8	10	12	50-69	1792	3.6	7	1	2	3	5	7	9
85+	193	5.3	7	3	3	5	7	11	12	70+	80	3.4	2	1	2	4	5	5	5
SUBTOTAL	**2999**	**4.1**	**9**	**1**	**2**	**3**	**5**	**8**	**10**		**5007**	**3.4**	**7**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**2999**	**4.1**	**9**	**1**	**2**	**3**	**5**	**8**	**10**		**5007**	**3.4**	**7**	**1**	**2**	**3**	**4**	**7**	**8**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	256	4.0	16	<1	2	2	5	10	12	0-17	244	4.6	16	1	2	3	6	13	14
18-34	92	3.2	5	1	2	3	3	9	9	18-34	562	2.4	3	1	1	2	3	4	5
35-49	156	4.6	12	1	2	3	7	9	14	35-49	506	3.3	5	1	1	3	5	6	8
50-69	153	4.0	6	2	2	3	5	8	10	50-69	551	3.6	5	1	2	3	4	6	8
70+	31	3.0	2							70+	51	4.0	2						
SUBTOTAL	**687**	**4.0**	**11**	**1**	**2**	**3**	**5**	**9**	**10**		**1914**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**687**	**4.0**	**11**	**1**	**2**	**3**	**5**	**9**	**10**		**1914**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**8**

DRG 146: Rectal Resection w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	833	12.1	22	8	9	11	14	18	24	0-17	45	8.9	22	3	5	9	14	16	16
70-74	662	12.1	37	7	9	10	13	19	25	18-34	33	9.1	14						
75-79	567	12.7	46	7	9	11	14	19	29	35-49	243	9.4	6	7	8	9	11	13	13
80-84	354	14.8	52	8	10	13	17	23	28	50-69	940	11.1	30	7	8	10	13	17	20
85 +	227	14.8	62	7	9	12	19	25	28	70 +	16	8.1	9						
SUBTOTAL	**2643**	**12.8**	**39**	**8**	**9**	**11**	**15**	**20**	**25**		**1276**	**10.6**	**25**	**7**	**8**	**9**	**12**	**16**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2643**	**12.8**	**39**	**8**	**9**	**11**	**15**	**20**	**25**		**1276**	**10.6**	**25**	**7**	**8**	**9**	**12**	**16**	**19**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	17	5.3	3							0-17	11	7.0							
18-34	6	8.0								18-34	10	7.0							
35-49	42	10.5	3							35-49	27	9.6	3						
50-69	47	17.6	77							50-69	225	10.8	20	6	9	10	12	18	21
70 +	6	10.0								70 +	16	27.7	165						
SUBTOTAL	**117**	**12.4**	**52**	**6**	**8**	**10**	**14**	**20**	**32**		**290**	**11.3**	**41**	**7**	**8**	**9**	**12**	**18**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**117**	**12.4**	**52**	**6**	**8**	**10**	**14**	**20**	**32**		**290**	**11.3**	**41**	**7**	**8**	**9**	**12**	**18**	**21**

DRG 147: Rectal Resection w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	144	9.4	31	6	7	8	10	12	12	0-17	179	6.6	5	4	5	6	8	9	12
70-74	151	7.2	5	3	6	8	9	10	10	18-34	17	4.7	7						
75-79	137	10.2	18	5	7	10	11	16	17	35-49	146	7.0	8	3	6	7	9	11	12
80-84	0									50-69	263	8.0	7	5	7	8	10	11	12
85 +	11	7.0								70 +	11	10.0	1						
SUBTOTAL	443	8.9	19	5	7	8	10	12	16		616	7.3	7	4	6	7	9	11	12
GRAND TOTAL	443	8.9	19	5	7	8	10	12	16		616	7.3	7	4	6	7	9	11	12

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	102	7.8	13	3	5	8	10	13	16	0-17	51	8.1	3	6	7	8	9	12	12
18-34	6	7.0								18-34	22	7.9	8						
35-49	11	9.0	4							35-49	22	8.7	3						
50-69	16	6.1	2							50-69	105	7.7	8	4	7	8	9	10	15
70 +	20	11.5								70 +	22	8.8	1						
SUBTOTAL	155	8.2	11	4	5	8	11	12	13		221	8.0	6	5	7	8	9	10	12
GRAND TOTAL	155	8.2	11	4	5	8	11	12	13		221	8.0	6	5	7	8	9	10	12

DRG 148: Major Small & Large Bowel Procedures w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	11487	14.2	104	7	8	11	16	25	35	0-17	704	13.0	176	4	6	8	15	30	52
70-74	10651	14.2	102	7	9	11	16	24	32	18-34	2226	11.7	64	6	7	9	14	21	26
75-79	10108	15.8	121	8	9	12	18	29	37	35-49	4930	12.3	75	6	7	10	14	22	29
80-84	7751	16.4	113	8	10	13	19	29	37	50-69	11526	13.0	89	7	8	10	14	22	30
85+	4903	17.3	92	9	11	15	21	29	35	70+	892	15.4	163	7	8	10	18	28	41
SUBTOTAL	**44901**	**15.3**	**109**	**7**	**9**	**12**	**18**	**27**	**36**		**20277**	**12.8**	**89**	**6**	**8**	**10**	**14**	**22**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**44901**	**15.3**	**109**	**7**	**9**	**12**	**18**	**27**	**36**		**20277**	**12.8**	**89**	**6**	**8**	**10**	**14**	**22**	**30**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	356	16.5	275	4	6	11	24	66	99+	0-17	223	18.0	460	5	6	11	22	75	99
18-34	828	13.2	87	6	7	10	17	27	35	18-34	1324	11.0	48	5	7	9	13	19	25
35-49	547	16.3	216	6	8	11	19	37	56	35-49	1437	13.7	92	6	8	10	16	25	35
50-69	1001	16.7	133	8	9	13	19	35	51	50-69	2271	13.7	94	7	8	10	15	25	33
70+	154	18.1	202	8	10	12	20	43	43	70+	176	17.0	144	8	9	11	20	28	44
SUBTOTAL	**2886**	**15.7**	**159**	**6**	**8**	**12**	**19**	**35**	**51**		**5430**	**13.3**	**101**	**6**	**8**	**10**	**15**	**25**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2886**	**15.7**	**159**	**6**	**8**	**12**	**19**	**35**	**51**		**5430**	**13.3**	**101**	**6**	**8**	**10**	**15**	**25**	**34**

DRG 149: Major Small & Large Bowel Procedures w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1997	8.2	8	5	7	8	9	11	13	0-17	944	8.2	120	2	4	6	8	14	35
70-74	1448	8.4	12	6	7	8	9	11	12	18-34	1469	7.3	19	3	5	7	9	11	13
75-79	1300	9.0	15	6	7	8	10	14	16	35-49	2872	7.9	18	4	6	7	9	12	14
80-84	821	9.8	16	7	7	9	11	13	15	50-69	4588	8.2	10	6	7	8	9	12	14
85 +	369	10.8	19	6	8	10	13	16	18	70 +	155	8.1	11	5	6	8	9	12	14
SUBTOTAL	**5935**	**8.8**	**13**	**6**	**7**	**8**	**10**	**12**	**14**		**10029**	**8.0**	**24**	**4**	**6**	**7**	**9**	**11**	**14**
GRAND TOTAL	**5935**	**8.8**	**13**	**6**	**7**	**8**	**10**	**12**	**14**		**10029**	**8.0**	**24**	**4**	**6**	**7**	**9**	**11**	**14**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	435	7.7	29	3	5	7	9	12	16	0-17	432	6.7	21	2	4	6	8	12	14
18-34	361	6.6	17	2	4	6	9	10	12	18-34	792	7.0	11	4	5	7	8	10	12
35-49	142	8.5	8	5	7	8	9	12	12	35-49	615	8.1	19	3	6	7	9	16	16
50-69	206	9.3	16	5	7	9	11	14	16	50-69	798	8.2	13	4	6	8	9	12	14
70 +	22	8.5	2							70 +	10	7.0							
SUBTOTAL	**1166**	**7.8**	**21**	**3**	**5**	**7**	**9**	**12**	**14**		**2647**	**7.6**	**15**	**4**	**5**	**7**	**9**	**12**	**14**
GRAND TOTAL	**1166**	**7.8**	**21**	**3**	**5**	**7**	**9**	**12**	**14**		**2647**	**7.6**	**15**	**4**	**5**	**7**	**9**	**12**	**14**

DRG 150: Peritoneal Adhesiolysis w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2097	12.5	99	5	7	10	15	23	34
70-74	1553	14.4	127	5	8	11	17	28	36
75-79	1625	13.9	94	5	8	11	16	26	36
80-84	1113	15.4	130	7	9	12	17	27	36
85 +	718	15.8	86	7	10	13	19	27	35
SUBTOTAL	**7105**	**14.0**	**109**	**6**	**8**	**11**	**17**	**26**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7105**	**14.0**	**109**	**6**	**8**	**11**	**17**	**26**	**35**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	213	9.8	39	5	6	9	11	14	30
18-34	634	9.6	41	3	5	8	13	17	18
35-49	1441	9.9	46	4	6	9	12	18	21
50-69	2180	11.0	55	4	7	9	14	18	24
70 +	122	15.2	210	3	9	12	14	21	44
	4589	**10.5**	**55**	**4**	**6**	**9**	**13**	**18**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4589	**10.5**	**55**	**4**	**6**	**9**	**13**	**18**	**23**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	124	16.2	245	5	7	10	19	40	45
18-34	250	9.3	45	3	6	8	12	14	20
35-49	246	12.5	59	5	7	10	14	28	31
50-69	272	13.4	43	6	8	12	17	25	27
70 +	78	13.5	16	6	13	14	17	18	18
SUBTOTAL	**971**	**12.5**	**76**	**5**	**7**	**10**	**15**	**23**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**971**	**12.5**	**76**	**5**	**7**	**10**	**15**	**23**	**29**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	132	12.0	52	6	7	11	16	20	23
18-34	295	9.4	60	3	6	8	10	14	26
35-49	398	11.6	105	5	8	10	14	17	21
50-69	406	12.6	49	4	7	12	17	22	26
70 +	20	8.0	1						
	1251	**11.4**	**71**	**4**	**6**	**10**	**14**	**21**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1251	**11.4**	**71**	**4**	**6**	**10**	**14**	**21**	**25**

DRG 151: Peritoneal Adhesiolysis w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	698	6.1	11	2	4	6	8	10	12	0-17	227	7.2	17	2	4	8	10	12	17
70-74	412	6.7	12	2	5	7	9	11	12	18-34	1499	5.0	11	1	3	4	7	9	10
75-79	312	6.3	25	2	3	5	8	12	20	35-49	2234	5.5	17	2	3	4	7	9	13
80-84	152	9.0	44	3	5	8	11	18	18	50-69	1737	6.3	12	2	4	6	9	11	13
85+	42	7.6	12							70+	16	9.6	4						
SUBTOTAL	**1615**	**6.6**	**18**	**2**	**4**	**6**	**8**	**11**	**13**		**5712**	**5.7**	**14**	**1**	**3**	**5**	**8**	**10**	**13**
GRAND TOTAL	**1615**	**6.6**	**18**	**2**	**4**	**6**	**8**	**11**	**13**		**5712**	**5.7**	**14**	**1**	**3**	**5**	**8**	**10**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	121	7.8	20	4	5	6	9	13	17	0-17	109	6.0	20	2	4	5	7	11	22
18-34	207	6.1	18	3	3	5	7	9	15	18-34	511	5.1	12	1	2	4	7	9	12
35-49	100	3.9	5	1	3	3	5	7	10	35-49	434	5.4	10	2	4	4	7	11	11
50-69	93	5.3	11	1	2	5	6	12	12	50-69	290	7.3	26	2	4	6	8	15	16
70+	16	9.8	16							70+	10	6.0							
SUBTOTAL	**537**	**6.0**	**17**	**2**	**3**	**5**	**7**	**12**	**15**		**1355**	**5.7**	**16**	**1**	**3**	**5**	**7**	**11**	**14**
GRAND TOTAL	**537**	**6.0**	**17**	**2**	**3**	**5**	**7**	**12**	**15**		**1355**	**5.7**	**16**	**1**	**3**	**5**	**7**	**11**	**14**

DRG 152: Minor Small & Large Bowel Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	592	9.3	50	4	6	8	10	17	20
70-74	341	8.9	31	5	6	7	10	17	20
75-79	266	10.2	35	4	6	9	13	19	21
80-84	205	10.3	30	4	6	9	15	18	22
85 +	89	14.1	213	1	5	7	17	44	44
SUBTOTAL	**1494**	**9.8**	**51**	**4**	**6**	**8**	**10**	**18**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1494**	**9.8**	**51**	**4**	**6**	**8**	**10**	**18**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	71	6.4	6	3	6	6	7	10	11
18-34	152	9.8	25	3	6	9	13	18	18
35-49	188	7.6	32	2	5	7	8	12	15
50-69	534	8.9	33	2	5	8	10	17	21
70 +	23	9.3	15						
	968	**8.6**	**30**	**3**	**5**	**7**	**10**	**15**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	968	**8.6**	**30**	**3**	**5**	**7**	**10**	**15**	**19**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	45	15.3	117	4	8	12	20	40	40
18-34	65	12.4	18	9	9	10	14	21	21
35-49	40	8.4	10	4	6	7	12	13	13
50-69	44	13.2	83	7	8	11	13	36	36
70 +	0								
SUBTOTAL	**193**	**12.4**	**59**	**7**	**8**	**11**	**13**	**21**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**193**	**12.4**	**59**	**7**	**8**	**11**	**13**	**21**	**36**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	56	5.7	8	1	4	5	8	10	10
18-34	51	10.2	38	1	7	9	14	22	22
35-49	56	10.0	17	4	8	10	11	17	19
50-69	102	11.6	53	5	8	9	13	18	31
70 +	10	10.0							
	276	**9.8**	**36**	**3**	**7**	**9**	**11**	**16**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	276	**9.8**	**36**	**3**	**7**	**9**	**11**	**16**	**22**

DRG 153: Minor Small & Large Bowel Procedures w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0										0-17	0								
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	307	6.3	6	2	5	7	7	9	10		0-17	219	5.6	12	2	3	6	7	9	9
70-74	185	6.3	12	2	3	6	9	10	14		18-34	351	6.0	19	1	3	6	8	9	10
75-79	85	6.8	5	4	4	6	9	10	10		35-49	615	5.6	7	2	4	6	7	9	10
80-84	91	7.3	5	5	6	7	9	10	11		50-69	554	5.5	7	1	4	6	7	9	9
85 +	22	6.0	6								70 +	17	5.0	9						
SUBTOTAL	**689**	**6.5**	**7**	**2**	**5**	**7**	**8**	**10**	**10**			**1757**	**5.6**	**10**	**1**	**3**	**6**	**7**	**9**	**10**
GRAND TOTAL	**689**	**6.5**	**7**	**2**	**5**	**7**	**8**	**10**	**10**			**1757**	**5.6**	**10**	**1**	**3**	**6**	**7**	**9**	**10**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	213	6.9	7	4	5	7	8	10	11		0-17	106	6.9	4	5	6	7	8	8	12
18-34	106	6.1	6	2	5	6	8	10	10		18-34	237	5.1	8	1	3	5	7	8	10
35-49	72	6.1	7	2	4	6	8	10	11		35-49	112	4.7	8	1	2	5	6	9	10
50-69	65	7.4	3	5	6	8	8	9	11		50-69	107	7.4	9	5	6	7	8	9	19
70 +	0										70 +	0								
SUBTOTAL	**456**	**6.7**	**6**	**4**	**5**	**7**	**8**	**10**	**11**			**562**	**5.8**	**9**	**2**	**5**	**6**	**8**	**8**	**10**
GRAND TOTAL	**456**	**6.7**	**6**	**4**	**5**	**7**	**8**	**10**	**11**			**562**	**5.8**	**9**	**2**	**5**	**6**	**8**	**8**	**10**

DRG 154: Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3197	15.4	161	6	8	11	18	29	41
70-74	2486	17.5	172	7	9	13	20	37	47
75-79	2252	18.7	188	7	9	15	24	36	48
80-84	1630	18.7	156	8	10	15	24	35	56
85 +	1004	17.6	118	7	10	15	21	33	39
SUBTOTAL	**10568**	**17.3**	**166**	**7**	**9**	**13**	**21**	**34**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10568**	**17.3**	**166**	**7**	**9**	**13**	**21**	**34**	**45**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	592	11.0	33	6	7	10	13	19	21
35-49	1934	13.0	110	5	7	10	15	24	33
50-69	3480	13.9	105	6	8	11	17	26	37
70 +	250	17.5	187	7	9	16	20	25	31
	6256	**13.5**	**104**	**6**	**8**	**10**	**16**	**25**	**33**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6256	**13.5**	**104**	**6**	**8**	**10**	**16**	**25**	**33**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	323	14.1	247	6	7	8	15	32	58
35-49	356	13.4	112	6	7	11	18	21	55
50-69	479	19.2	274	6	8	14	22	44	56
70 +	68	30.9	315	9	13	42	46	53	53
SUBTOTAL	**1226**	**16.8**	**240**	**6**	**7**	**11**	**20**	**42**	**55**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1226**	**16.8**	**240**	**6**	**7**	**11**	**20**	**42**	**55**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	529	10.4	56	6	6	8	11	15	30
35-49	800	12.4	91	6	7	9	14	23	31
50-69	918	15.8	153	6	8	12	18	26	45
70 +	58	10.3	13	6	7	9	13	17	17
	2305	**13.2**	**110**	**6**	**7**	**10**	**15**	**23**	**41**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2305	**13.2**	**110**	**6**	**7**	**10**	**15**	**23**	**41**

DRG 155: Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	474	7.2	16	3	4	7	9	13	15	0-17	0								
70-74	383	7.7	14	4	5	7	10	11	18	18-34	600	6.7	9	4	5	6	8	10	13
75-79	285	8.0	13	4	6	8	9	14	16	35-49	1270	6.6	9	4	5	6	8	10	12
80-84	123	8.0	28	1	4	8	10	15	21	50-69	1295	7.6	28	3	5	7	9	11	15
85 +	89	11.3	41	7	8	8	12	28	28	70 +	31	12.3	89						
SUBTOTAL	**1354**	**7.9**	**18**	**4**	**5**	**7**	**10**	**13**	**16**		**3195**	**7.1**	**18**	**3**	**5**	**6**	**8**	**11**	**14**
GRAND TOTAL	**1354**	**7.9**	**18**	**4**	**5**	**7**	**10**	**13**	**16**		**3195**	**7.1**	**18**	**3**	**5**	**6**	**8**	**11**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	170	6.5	10	3	5	6	8	10	16	18-34	210	6.3	4	4	5	6	7	9	10
35-49	89	7.6	15	4	6	6	8	16	18	35-49	419	9.0	32	5	6	7	9	16	17
50-69	110	11.9	67	4	8	9	17	24	37	50-69	377	7.8	15	4	6	7	9	13	15
70 +	26	10.6	8							70 +	10	5.0							
SUBTOTAL	**395**	**8.5**	**32**	**4**	**5**	**7**	**9**	**16**	**17**		**1017**	**8.0**	**20**	**4**	**6**	**7**	**9**	**13**	**16**
GRAND TOTAL	**395**	**8.5**	**32**	**4**	**5**	**7**	**9**	**16**	**17**		**1017**	**8.0**	**20**	**4**	**6**	**7**	**9**	**13**	**16**

DRG 156: Stomach, Esophageal & Duodenal Procedures Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	11	47.0	1422						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**11**	**47.0**	**1422**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	11.8	20						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**16**	**11.8**	**20**						
GRAND TOTAL	**27**	**26.4**	**883**						

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	893	10.9	212	2	3	5	12	26	54
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	893	**10.9**	**212**	**2**	**3**	**5**	**12**	**26**	**54**
0-17	2377	4.1	17	2	2	3	4	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2377	**4.1**	**17**	**2**	**2**	**3**	**4**	**7**	**9**
	3270	**5.9**	**80**	**2**	**2**	**3**	**5**	**11**	**20**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	887	12.3	225	3	4	6	14	35	48
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**887**	**12.3**	**225**	**3**	**4**	**6**	**14**	**35**	**48**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1173	4.8	20	2	2	4	5	9	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1173**	**4.8**	**20**	**2**	**2**	**4**	**5**	**9**	**12**
GRAND TOTAL	**2060**	**8.0**	**122**	**2**	**3**	**4**	**7**	**18**	**33**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	338	11.6	190	3	3	7	13	39	66
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	338	**11.6**	**190**	**3**	**3**	**7**	**13**	**39**	**66**
0-17	940	4.8	41	2	2	3	5	8	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	940	**4.8**	**41**	**2**	**2**	**3**	**5**	**8**	**14**
	1278	**6.6**	**89**	**2**	**2**	**4**	**7**	**14**	**33**

DRG 157: Anal & Stomal Procedures w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1697	5.6	31	1	2	4	8	12	14
70-74	837	5.2	26	1	2	4	6	10	17
75-79	938	6.3	36	2	3	4	8	13	17
80-84	527	6.9	33	2	3	5	9	16	16
85 +	477	8.4	52	2	3	6	12	18	22
SUBTOTAL	**4476**	**6.1**	**34**	**1**	**2**	**4**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4476**	**6.1**	**34**	**1**	**2**	**4**	**8**	**13**	**17**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	161	6.3	53	1	2	5	9	16	39
18-34	836	3.6	20	1	1	2	5	7	8
35-49	1990	3.8	12	1	2	3	5	7	10
50-69	1606	3.9	15	1	1	2	5	9	11
70 +	82	4.8	8	< 1	2	4	8	8	10
	4675	**3.9**	**16**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4675	**3.9**	**16**	**1**	**2**	**3**	**5**	**8**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	56	6.0	8	2	4	5	9	10	11
18-34	217	7.0	40	2	2	5	8	21	23
35-49	282	6.0	28	1	3	5	7	12	16
50-69	186	4.0	8	1	2	3	5	8	12
70 +	32	4.2	13						
SUBTOTAL	**774**	**5.7**	**26**	**1**	**2**	**4**	**7**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**774**	**5.7**	**26**	**1**	**2**	**4**	**7**	**12**	**16**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	93	5.8	30	1	2	5	6	11	25
18-34	306	4.0	20	1	2	2	4	11	12
35-49	468	4.7	16	1	2	3	7	11	13
50-69	345	4.6	18	1	2	3	6	9	15
70 +	6	1.0							
	1217	**4.6**	**19**	**1**	**2**	**3**	**6**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1217	**4.6**	**19**	**1**	**2**	**3**	**6**	**11**	**14**

DRG 158: Anal & Stomal Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1687	2.5	15	1	1	2	3	4	6
70-74	980	2.3	3	1	1	2	3	5	6
75-79	544	2.8	4	1	1	2	3	6	7
80-84	334	2.8	5	1	1	2	4	5	6
85 +	184	3.8	11	1	2	2	5	7	9
SUBTOTAL	**3729**	**2.6**	**9**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**3729**	**2.6**	**9**	**1**	**1**	**2**	**3**	**5**	**6**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	586	3.1	5	1	1	3	4	6	7
18-34	4811	2.2	2	1	1	2	3	4	5
35-49	7485	2.1	2	1	1	2	3	4	5
50-69	4727	2.2	3	1	1	2	3	4	5
70 +	48	3.8	15	1	1	2	3	11	11
	17656	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	17656	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	335	5.3	22	1	2	5	7	9	14
18-34	579	3.1	6	1	1	2	4	6	7
35-49	394	2.5	3	1	1	2	3	5	6
50-69	239	3.2	6	1	2	3	4	5	11
70 +	11	2.0	1						
SUBTOTAL	**1559**	**3.4**	**10**	**1**	**1**	**3**	**4**	**7**	**9**
GRAND TOTAL	**1559**	**3.4**	**10**	**1**	**1**	**3**	**4**	**7**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	200	3.5	7	< 1	1	3	5	8	9
18-34	1431	2.5	5	1	1	2	3	5	7
35-49	1515	2.3	3	1	1	2	3	4	5
50-69	738	2.4	8	1	1	2	3	4	5
70 +	34	3.0	11	< 1	< 1	< 1	4	10	10
	3918	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
	3918	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 159: Hernia Procedures except Inguinal & Femoral Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2416	5.4	22	2	3	4	7	10	13	0-17	0								
70-74	1434	5.5	19	1	2	4	7	11	12	18-34	197	3.6	6	1	2	3	5	9	9
75-79	1131	7.2	69	1	3	5	9	15	18	35-49	1005	4.7	15	1	2	4	6	9	11
80-84	587	7.1	25	2	3	5	10	15	19	50-69	1467	5.8	19	2	3	5	7	10	13
85+	286	7.4	21	3	3	8	11	14	16	70+	54	4.9	10	1	2	4	8	10	10
SUBTOTAL	**5853**	**6.1**	**31**	**2**	**3**	**5**	**8**	**11**	**15**		**2724**	**5.2**	**17**	**1**	**3**	**4**	**7**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**5853**	**6.1**	**31**	**2**	**3**	**5**	**8**	**11**	**15**		**2724**	**5.2**	**17**	**1**	**3**	**4**	**7**	**9**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	137	4.2	9	1	1	4	5	10	10	18-34	128	2.6	3	1	1	2	4	4	6
35-49	162	5.2	9	1	2	5	9	9	9	35-49	265	4.8	12	1	3	4	6	8	12
50-69	269	4.8	9	1	3	4	8	9	9	50-69	270	5.4	12	2	3	4	7	10	12
70+	27	3.6	6							70+	11	2.5	2						
SUBTOTAL	**595**	**4.7**	**9**	**1**	**2**	**4**	**8**	**9**	**10**		**674**	**4.6**	**11**	**1**	**2**	**4**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**595**	**4.7**	**9**	**1**	**2**	**4**	**8**	**9**	**10**		**674**	**4.6**	**11**	**1**	**2**	**4**	**6**	**10**	**12**

DRG 160: Hernia Procedures except Inguinal & Femoral Age >17 w/o CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1880	3.0	4	1	2	2	4	6	7
70-74	1252	3.5	6	1	2	3	4	6	8
75-79	786	3.1	6	1	1	2	4	6	8
80-84	331	3.4	4	1	2	3	4	7	7
85 +	122	5.0	4	1	4	6	7	7	7
SUBTOTAL	**4372**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**4372**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1077	2.3	4	1	1	2	3	4	5
35-49	3105	2.6	3	1	1	2	3	4	6
50-69	3631	2.7	3	1	1	2	4	5	7
70 +	125	2.5	3	1	1	2	3	5	7
	7938	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
	7938	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	281	2.2	2	1	1	2	3	4	5
35-49	518	2.6	2	1	1	2	3	5	6
50-69	411	3.6	8	1	2	3	4	8	9
70 +	31	5.0	25						
SUBTOTAL	**1241**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**1241**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	348	2.1	2	1	1	1	3	5	6
35-49	798	2.3	2	1	1	2	3	5	5
50-69	606	3.0	4	1	1	3	4	6	7
70 +	59	3.5	10	< 1	1	2	4	10	10
	1811	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
	1811	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 161: Inguinal & Femoral Hernia Procedures Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1954	3.5	12	1	1	3	5	7	9	0-17	0								
70-74	1944	3.5	15	1	1	3	5	7	9	18-34	273	1.9	1	1	1	2	2	3	4
75-79	1916	4.5	16	1	2	3	6	10	13	35-49	497	3.3	13	1	1	2	4	7	13
80-84	1459	4.2	11	1	2	3	5	9	11	50-69	1446	2.8	7	1	1	2	4	6	7
85 +	835	6.7	41	2	3	5	9	14	17	70 +	154	3.0	3	1	2	3	4	5	8
SUBTOTAL	**8108**	**4.2**	**17**	**1**	**2**	**3**	**5**	**9**	**11**		**2370**	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**8108**	**4.2**	**17**	**1**	**2**	**3**	**5**	**9**	**11**		**2370**	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**8**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	38	2.2	6	< 1	< 1	1	2	8	8	18-34	111	2.6	4	1	1	2	4	6	7
35-49	85	2.5	10	1	1	1	2	6	13	35-49	93	3.5	6	< 1	2	2	5	7	9
50-69	122	4.9	16	1	1	5	8	12	12	50-69	346	2.7	4	1	1	2	4	5	6
70 +	42	5.2	12							70 +	32	3.5	6						
SUBTOTAL	**288**	**3.9**	**14**	**1**	**1**	**1**	**6**	**10**	**12**		**581**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**288**	**3.9**	**14**	**1**	**1**	**1**	**6**	**10**	**12**		**581**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 162: Inguinal & Femoral Hernia Procedures Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2362	1.6	1	1	1	1	2	3	4	0-17	0								
70-74	1945	1.7	1	1	1	1	2	3	4	18-34	1853	1.5	1	< 1	1	1	2	3	4
75-79	1552	2.2	3	1	1	2	3	4	6	35-49	2845	1.6	2	1	1	1	2	3	4
80-84	1068	2.4	6	1	1	2	3	4	6	50-69	4984	1.6	2	1	1	1	2	3	4
85 +	809	2.6	5	1	1	2	3	5	7	70 +	217	1.5	1	1	1	1	2	2	3
SUBTOTAL	**7735**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**		**9899**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**7735**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**		**9899**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	248	2.1	2	1	1	2	3	4	4	18-34	697	1.6	1	1	1	1	2	3	3
35-49	97	1.4	1	< 1	1	1	1	3	4	35-49	499	1.6	1	1	1	1	2	3	4
50-69	231	2.0	3	< 1	1	1	3	4	5	50-69	730	1.5	1	1	1	1	2	3	3
70 +	11	1.5								70 +	104	1.3	1	< 1	< 1	< 1	1	3	4
SUBTOTAL	**588**	**1.9**	**2**	**1**	**1**	**1**	**3**	**4**	**4**		**2029**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**588**	**1.9**	**2**	**1**	**1**	**1**	**3**	**4**	**4**		**2029**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**

DRG 163: Hernia Procedures Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	3.0								0-17	382	2.8	20	<1	<1	1	3	5	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**6**	**3.0**									**382**	**2.8**	**20**	**<1**	**<1**	**1**	**3**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	17	2.0	1							0-17	4004	1.3	2	<1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**17**	**2.0**	**1**								**4004**	**1.3**	**2**	**<1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**23**	**2.3**	**1**								**4387**	**1.5**	**4**	**<1**	**1**	**1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	334	3.1	7	1	1	2	4	6	9	0-17	246	2.6	12	<1	<1	1	3	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**334**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**9**		**246**	**2.6**	**12**	**<1**	**<1**	**1**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2923	1.5	2	1	1	1	1	3	3	0-17	2168	1.4	1	<1	<1	1	1	2	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**2923**	**1.5**	**2**	**1**	**1**	**1**	**1**	**3**	**3**		**2168**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**3257**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**4**		**2415**	**1.5**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**

DRG 164: Appendectomy w/ Complicated Principal Diag w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	598	11.7	44	5	7	10	16	21	24
70-74	437	12.2	42	7	8	9	14	22	26
75-79	261	9.0	31	4	6	8	10	16	18
80-84	109	15.2	126	9	9	12	14	32	58
85+	157	13.0	28	8	10	11	15	20	20
SUBTOTAL	1561	11.8	47	6	7	10	14	20	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	1561	11.8	47	6	7	10	14	20	24

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	704	9.4	17	5	7	9	11	14	19
18-34	709	8.9	20	4	6	8	11	15	20
35-49	718	8.7	17	5	6	8	10	14	15
50-69	839	10.5	26	5	7	9	14	20	21
70+	10	20.0							
	2980	9.5	21	5	6	8	11	15	20
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	2980	9.5	21	5	6	8	11	15	20

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	299	9.1	15	5	6	9	10	14	18
18-34	130	11.1	20	6	7	10	13	19	19
35-49	89	11.0	14	7	7	11	12	17	17
50-69	70	11.4	36	6	7	9	14	19	25
70+	10	15.0							
SUBTOTAL	599	10.2	20	6	7	9	12	17	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	599	10.2	20	6	7	9	12	17	19

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	394	10.3	22	5	8	9	13	16	19
18-34	513	7.6	9	4	6	7	9	11	13
35-49	347	9.4	44	5	7	8	10	13	30
50-69	150	10.9	36	6	7	9	12	22	26
70+	6	4.0							
	1409	9.1	25	4	6	8	11	14	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1409	9.1	25	4	6	8	11	14	19

DRG 165: Appendectomy w/ Complicated Principal Diag w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	232	6.7	6	4	5	7	8	8	9	0-17	2475	6.0	9	3	4	6	8	10	11
70-74	179	6.2	5	4	5	6	7	9	10	18-34	2220	4.9	6	2	3	5	6	8	9
75-79	58	7.4	6	4	6	7	9	12	13	35-49	1464	5.6	6	3	4	5	7	9	10
80-84	78	7.7	6	4	6	7	10	12	12	50-69	1166	6.4	9	3	4	6	8	10	11
85 +	20	6.5	2							70 +	11	7.0	1						
SUBTOTAL	**568**	**6.7**	**5**	**4**	**5**	**7**	**8**	**9**	**11**		**7336**	**5.6**	**8**	**3**	**4**	**5**	**7**	**9**	**10**
GRAND TOTAL	**568**	**6.7**	**5**	**4**	**5**	**7**	**8**	**9**	**11**		**7336**	**5.6**	**8**	**3**	**4**	**5**	**7**	**9**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	669	6.8	6	4	5	6	8	10	11	0-17	1209	6.0	9	3	4	6	8	10	11
18-34	252	5.7	7	3	4	5	7	8	10	18-34	1095	5.4	8	2	3	5	7	9	10
35-49	41	5.0	1							35-49	609	6.3	7	3	4	6	8	9	11
50-69	20	6.5	2							50-69	213	6.7	8	3	4	6	9	9	12
70 +	0									70 +	0								
SUBTOTAL	**981**	**6.4**	**6**	**4**	**5**	**6**	**8**	**10**	**11**		**3126**	**5.9**	**8**	**3**	**4**	**6**	**7**	**9**	**11**
GRAND TOTAL	**981**	**6.4**	**6**	**4**	**5**	**6**	**8**	**10**	**11**		**3126**	**5.9**	**8**	**3**	**4**	**6**	**7**	**9**	**11**

DRG 166: Appendectomy w/o Complicated Principal Diag w/ CC

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	312	7.0	22	3	4	5	10	12	20	0-17	1168	4.8	11	2	3	4	6	9	10
70-74	254	7.5	38	4	5	6	8	12	14	18-34	1547	4.9	11	2	3	4	6	8	11
75-79	183	7.1	19	2	4	6	10	16	17	35-49	942	5.0	10	2	3	4	7	9	10
80-84	100	5.9	9	2	4	5	8	10	14	50-69	635	5.9	11	3	4	5	8	9	12
85 +	33	8.4	13							70 +	20	10.5	59						
SUBTOTAL	**881**	**7.1**	**25**	**3**	**4**	**6**	**8**	**13**	**16**		**4313**	**5.1**	**12**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**881**	**7.1**	**25**	**3**	**4**	**6**	**8**	**13**	**16**		**4313**	**5.1**	**12**	**2**	**3**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	MEDICAID										NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	307	6.2	32	3	3	4	7	10	15	0-17	284	5.1	9	2	3	4	6	10	13
18-34	267	5.5	12	3	4	4	6	10	15	18-34	995	4.8	8	2	3	4	6	9	11
35-49	58	6.5	5	4	5	6	8	11	12	35-49	311	5.5	5	3	4	5	7	9	10
50-69	6	5.0								50-69	142	6.8	11	4	4	5	9	12	15
70 +	0									70 +	20	8.5	7						
SUBTOTAL	**638**	**5.9**	**21**	**3**	**4**	**5**	**7**	**10**	**15**		**1752**	**5.2**	**8**	**3**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**638**	**5.9**	**21**	**3**	**4**	**5**	**7**	**10**	**15**		**1752**	**5.2**	**8**	**3**	**3**	**4**	**6**	**9**	**11**

DRG 167: Appendectomy w/o Complicated Principal Diag w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	382	3.4	2	2	3	3	4	5	5	0-17	10929	2.7	2	1	2	2	3	4	5
70-74	162	4.9	9	2	3	4	6	10	12	18-34	12591	2.9	2	2	2	3	3	4	5
75-79	66	4.3	5	3	3	4	4	5	11	35-49	4869	3.3	3	2	2	3	4	5	6
80-84	0									50-69	1768	3.7	4	2	2	3	4	6	7
85 +	11	4.5								70 +	10	2.0							
SUBTOTAL	622	3.9	4	2	3	3	5	6	8		30166	2.9	2	2	2	3	3	5	5
GRAND TOTAL	622	3.9	4	2	3	3	5	6	8		30166	2.9	2	2	2	3	3	5	5

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1845	3.0	3	2	2	3	3	4	5	0-17	3464	2.8	2	2	2	3	3	4	5
18-34	1162	3.2	3	2	2	3	4	5	6	18-34	6621	3.0	2	2	2	3	4	5	6
35-49	144	5.0	15	2	3	3	6	11	16	35-49	1459	3.3	3	1	2	3	4	5	6
50-69	36	2.6	1							50-69	324	3.2	2	1	2	3	4	5	5
70 +	0									70 +	0								
SUBTOTAL	3188	3.1	4	2	2	3	4	5	7		11868	3.0	2	2	2	3	4	5	6
GRAND TOTAL	3188	3.1	4	2	2	3	4	5	7		11868	3.0	2	2	2	3	4	5	6

DRG 168: Mouth Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	466	3.4	25	1	2	2	3	6	7
70-74	178	6.0	127	1	2	3	6	10	11
75-79	121	6.9	90	1	1	3	12	35	99 +
80-84	95	4.7	9	2	2	3	9	9	10
85 +	78	5.5	27	1	2	4	5	18	18
SUBTOTAL	**939**	**4.6**	**53**	**1**	**2**	**3**	**5**	**9**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**939**	**4.6**	**53**	**1**	**2**	**3**	**5**	**9**	**18**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	79	3.8	7	1	2	3	4	7	11
18-34	90	2.8	3	1	2	2	3	5	8
35-49	153	5.8	21	2	2	4	8	11	19
50-69	229	4.0	16	1	1	3	4	11	14
70 +	6	4.0							
	557	**4.3**	**15**	**1**	**2**	**3**	**5**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	557	**4.3**	**15**	**1**	**2**	**3**	**5**	**9**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	77	4.1	14	1	2	3	5	12	13
18-34	78	12.0	354	3	3	6	9	17	77
35-49	110	5.3	8	2	3	5	7	10	11
50-69	76	7.1	58	1	2	3	16	17	24
70 +	0								
SUBTOTAL	**341**	**7.0**	**108**	**2**	**2**	**4**	**9**	**15**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**341**	**7.0**	**108**	**2**	**2**	**4**	**9**	**15**	**17**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	44	7.7	51	1	2	5	19	20	20
18-34	134	5.6	22	2	3	4	6	14	19
35-49	70	4.5	14	1	2	3	6	11	13
50-69	60	7.1	37	1	1	7	12	18	18
70 +	26	3.0	6						
	334	**5.7**	**27**	**1**	**2**	**4**	**7**	**14**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	334	**5.7**	**27**	**1**	**2**	**4**	**7**	**14**	**19**

DRG 169: Mouth Procedures w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	209	3.3	5	< 1	1	3	4	7	8
70-74	160	2.3	5	1	1	2	3	4	8
75-79	123	2.2	1	1	1	2	3	3	5
80-84	84	1.6		1	1	1	2	3	3
85 +	85	1.7		1	1	2	2	2	3
SUBTOTAL	**661**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**7**
GRAND TOTAL	**661**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**7**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	446	1.7	2	< 1	1	1	2	4	5
18-34	264	2.8	5	1	1	2	4	4	8
35-49	371	2.8	7	1	1	2	3	7	7
50-69	455	1.9	2	1	1	1	2	4	5
70 +	11	5.5	7						
	1547	**2.2**	**4**	**1**	**1**	**1**	**3**	**4**	**7**
	1547	**2.2**	**4**	**1**	**1**	**1**	**3**	**4**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	167	1.8	1	1	1	2	2	3	4
18-34	108	4.1	6	1	2	4	6	8	9
35-49	38	2.9	12	1	1	1	3	11	11
50-69	28	1.4	1						
70 +	10	2.0							
SUBTOTAL	**352**	**2.6**	**5**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**352**	**2.6**	**5**	**1**	**1**	**2**	**4**	**5**	**7**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	261	2.0	3	1	1	1	2	4	7
18-34	278	3.1	5	1	1	2	4	7	8
35-49	95	5.7	26	1	1	3	8	18	18
50-69	127	2.7	3	< 1	1	2	4	6	6
70 +	16	1.4							
	777	**2.9**	**8**	**1**	**1**	**2**	**4**	**7**	**8**
	777	**2.9**	**8**	**1**	**1**	**2**	**4**	**7**	**8**

DRG 170: Other Digestive System O.R. Procedures w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1469	14.4	133	4	7	11	19	30	39
70-74	727	14.9	148	4	6	11	19	29	41
75-79	524	15.9	181	4	8	13	21	29	51
80-84	394	14.8	70	5	8	14	21	24	28
85 +	348	13.6	116	3	8	11	16	29	38
SUBTOTAL	**3462**	**14.7**	**135**	**4**	**7**	**12**	**19**	**29**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3462**	**14.7**	**135**	**4**	**7**	**12**	**19**	**29**	**38**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	174	12.8	169	3	4	8	16	37	49
18-34	504	8.9	56	3	4	7	9	18	24
35-49	648	8.3	38	2	4	7	11	15	19
50-69	979	11.5	93	3	6	9	14	22	26
70 +	16	12.6	79						
	2322	**10.2**	**78**	**3**	**5**	**8**	**13**	**19**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2322	**10.2**	**78**	**3**	**5**	**8**	**13**	**19**	**26**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	56	19.8	243	6	8	13	31	47	48
18-34	176	10.1	46	4	5	7	16	20	23
35-49	125	17.8	388	2	5	9	23	56	58
50-69	146	15.5	125	5	9	12	20	26	44
70 +	0								
SUBTOTAL	**504**	**14.7**	**187**	**4**	**6**	**10**	**19**	**31**	**52**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**504**	**14.7**	**187**	**4**	**6**	**10**	**19**	**31**	**52**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	67	10.6	60	4	4	9	15	19	30
18-34	313	5.8	33	1	2	4	6	15	19
35-49	231	10.3	43	4	6	9	16	20	23
50-69	224	12.9	96	5	5	10	17	34	37
70 +	6	27.0							
	841	**9.4**	**65**	**2**	**4**	**6**	**13**	**22**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	841	**9.4**	**65**	**2**	**4**	**6**	**13**	**22**	**27**

DRG 171: Other Digestive System O.R. Procedures w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	153	4.6	15	1	1	3	7	11	15	0-17	435	3.9	8	1	2	4	5	8	11
70-74	201	6.4	18	2	4	6	8	13	15	18-34	1099	4.0	8	1	2	3	5	8	9
75-79	75	5.4	11	1	3	6	8	9	12	35-49	644	5.0	27	1	2	4	7	10	12
80-84	52	4.3	4	2	3	4	6	8	8	50-69	444	6.9	29	1	3	5	10	14	18
85+	32	6.4	3							70+	11	12.0	133						
SUBTOTAL	**513**	**5.5**	**14**	**1**	**3**	**5**	**7**	**9**	**13**		**2633**	**4.7**	**18**	**1**	**2**	**4**	**6**	**10**	**12**
GRAND TOTAL	**513**	**5.5**	**14**	**1**	**3**	**5**	**7**	**9**	**13**		**2633**	**4.7**	**18**	**1**	**2**	**4**	**6**	**10**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	109	6.2	25	2	3	5	8	15	20	0-17	180	5.6	18	1	3	5	7	12	15
18-34	178	5.0	23	2	3	4	6	8	9	18-34	550	3.8	10	1	2	3	5	8	10
35-49	84	7.0	9	4	5	7	8	14	14	35-49	201	5.4	19	1	3	5	6	11	16
50-69	37	10.3	145							50-69	91	7.5	39	1	3	6	9	17	21
70+	0									70+	6	3.0							
SUBTOTAL	**408**	**6.2**	**34**	**3**	**3**	**5**	**7**	**10**	**15**		**1027**	**4.8**	**17**	**1**	**2**	**4**	**6**	**10**	**15**
GRAND TOTAL	**408**	**6.2**	**34**	**3**	**3**	**5**	**7**	**10**	**15**		**1027**	**4.8**	**17**	**1**	**2**	**4**	**6**	**10**	**15**

DRG 172: Digestive Malignancy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1816	9.1	63	2	4	7	12	19	26	0-17	23	9.8	93						
70-74	1799	9.1	59	2	4	7	12	19	25	18-34	112	8.4	70	2	3	7	10	16	36
75-79	1605	10.5	90	2	4	8	14	22	29	35-49	669	6.7	51	1	3	5	9	14	16
80-84	1379	10.2	99	3	4	7	13	23	30	50-69	2120	9.2	93	2	3	6	12	18	29
85 +	1496	10.3	73	2	4	9	13	19	25	70 +	162	8.9	72	2	3	6	14	16	36
SUBTOTAL	**8095**	**9.8**	**76**	**2**	**4**	**7**	**13**	**20**	**28**		**3085**	**8.6**	**83**	**2**	**3**	**6**	**12**	**17**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**8095**	**9.8**	**76**	**2**	**4**	**7**	**13**	**20**	**28**		**3085**	**8.6**	**83**	**2**	**3**	**6**	**12**	**17**	**24**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	6	17.0							
18-34	22	17.5	127							18-34	65	6.9	30	1	3	6	7	16	16
35-49	178	11.7	115	2	5	8	16	32	42	35-49	157	9.4	102	1	4	6	11	24	25
50-69	590	11.6	92	3	4	8	15	26	32	50-69	526	10.8	135	2	4	8	13	23	34
70 +	42	8.2	17							70 +	62	7.7	5	3	7	9	9	10	10
SUBTOTAL	**831**	**11.6**	**95**	**3**	**4**	**8**	**15**	**26**	**32**		**816**	**10.0**	**111**	**2**	**4**	**7**	**12**	**19**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**831**	**11.6**	**95**	**3**	**4**	**8**	**15**	**26**	**32**		**816**	**10.0**	**111**	**2**	**4**	**7**	**12**	**19**	**28**

DRG 173: Digestive Malignancy w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	356	3.7	10	1	1	3	5	9	11	0-17	16	3.4	4						
70-74	246	3.7	4	1	2	4	5	7	7	18-34	16	1.6							
75-79	219	5.2	14	1	1	5	9	11	11	35-49	173	4.3	19	1	1	3	6	9	15
80-84	154	5.8	20	1	3	4	7	14	14	50-69	479	4.9	27	1	2	4	6	10	17
85 +	181	6.2	13	2	4	5	9	11	11	70 +	31	2.7	3						
SUBTOTAL	**1156**	**4.6**	**12**	**1**	**2**	**4**	**6**	**9**	**11**		**715**	**4.5**	**23**	**1**	**2**	**3**	**6**	**9**	**16**
GRAND TOTAL	**1156**	**4.6**	**12**	**1**	**2**	**4**	**6**	**9**	**11**		**715**	**4.5**	**23**	**1**	**2**	**3**	**6**	**9**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	17	7.3	21							0-17	6	1.0							
18-34	6	5.0								18-34	0								
35-49	10	35.0								35-49	27	3.7	12						
50-69	116	5.7	34	1	2	4	7	11	23	50-69	123	3.3	6	1	1	2	5	6	9
70 +	6	1.0								70 +	0								
SUBTOTAL	**154**	**7.6**	**83**	**1**	**2**	**4**	**7**	**28**	**35**		**156**	**3.3**	**7**	**< 1**	**1**	**2**	**4**	**9**	**10**
GRAND TOTAL	**154**	**7.6**	**83**	**1**	**2**	**4**	**7**	**28**	**35**		**156**	**3.3**	**7**	**< 1**	**1**	**2**	**4**	**9**	**10**

DRG 174: G.I. Hemorrhage w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	11925	6.4	32	3	4	5	7	11	15	0-17	313	3.5	8	1	2	3	4	8	11
70-74	9634	6.2	27	3	4	5	7	11	14	18-34	1987	4.2	8	2	3	4	5	7	9
75-79	10743	6.8	31	3	4	5	8	12	17	35-49	4581	4.8	13	2	3	4	6	8	10
80-84	9688	7.1	31	3	4	6	9	12	17	50-69	8991	5.0	13	2	3	4	6	8	11
85 +	9491	7.6	38	3	4	6	9	14	19	70 +	875	6.9	22	3	4	6	8	13	15
SUBTOTAL	**51481**	**6.8**	**32**	**3**	**4**	**5**	**8**	**12**	**16**		**16747**	**4.9**	**13**	**2**	**3**	**4**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**51481**	**6.8**	**32**	**3**	**4**	**5**	**8**	**12**	**16**		**16747**	**4.9**	**13**	**2**	**3**	**4**	**6**	**8**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	280	4.7	18	2	2	4	5	9	11	0-17	162	6.2	36	1	3	5	8	13	15
18-34	612	5.5	43	2	3	4	6	9	14	18-34	1318	3.8	8	2	2	3	4	7	8
35-49	1264	6.7	68	2	3	5	7	11	17	35-49	2615	5.3	21	2	3	4	6	10	12
50-69	1851	6.4	25	3	4	6	8	10	14	50-69	2820	5.8	25	2	3	5	6	10	15
70 +	415	8.4	23	4	5	8	11	21	99 +	70 +	414	6.6	19	3	4	5	7	13	17
SUBTOTAL	**4421**	**6.4**	**40**	**2**	**3**	**5**	**8**	**11**	**15**		**7329**	**5.3**	**21**	**2**	**3**	**4**	**6**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4421**	**6.4**	**40**	**2**	**3**	**5**	**8**	**11**	**15**		**7329**	**5.3**	**21**	**2**	**3**	**4**	**6**	**9**	**13**

DRG 175: G.I. Hemorrhage w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1781	3.9	4	2	2	4	5	7	7	0-17	708	2.7	6	1	1	2	3	4	5
70-74	1410	4.1	5	2	3	4	5	7	8	18-34	1586	2.8	3	1	2	2	3	5	6
75-79	1715	4.2	7	2	2	4	5	7	10	35-49	2874	3.2	3	1	2	3	4	5	6
80-84	1243	4.8	9	2	3	4	6	9	11	50-69	3772	3.6	3	1	2	3	4	6	7
85 +	945	4.7	5	2	3	4	6	8	9	70 +	188	4.5	9	2	2	4	5	9	13
SUBTOTAL	**7094**	**4.3**	**6**	**2**	**3**	**4**	**5**	**7**	**9**		**9129**	**3.3**	**4**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**7094**	**4.3**	**6**	**2**	**3**	**4**	**5**	**7**	**9**		**9129**	**3.3**	**4**	**1**	**2**	**3**	**4**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	295	2.9	7	1	1	2	4	5	6	0-17	273	3.3	9	1	1	2	3	8	11
18-34	257	3.3	3	1	2	3	4	5	7	18-34	983	2.8	4	1	2	2	3	5	5
35-49	303	3.3	4	1	2	3	4	5	9	35-49	1114	3.2	4	1	2	3	4	6	6
50-69	302	3.6	4	1	2	3	4	7	9	50-69	1046	3.7	4	2	2	3	4	6	8
70 +	74	5.2	17	2	3	4	5	15	15	70 +	58	3.3	3	1	2	3	5	6	6
SUBTOTAL	**1230**	**3.4**	**5**	**1**	**2**	**3**	**4**	**5**	**7**		**3474**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**1230**	**3.4**	**5**	**1**	**2**	**3**	**4**	**5**	**7**		**3474**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**

DRG 176: Complicated Peptic Ulcer

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1004	7.9	60	3	4	6	9	13	21
70-74	518	7.7	27	3	4	7	10	14	15
75-79	489	9.1	74	3	5	7	10	15	21
80-84	542	8.9	40	4	5	7	10	18	25
85+	592	8.3	24	4	5	8	10	15	15
SUBTOTAL	**3146**	**8.3**	**47**	**3**	**5**	**7**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	291	5.8	10	3	4	5	8	9	12
70-74	248	6.2	19	2	3	5	7	11	17
75-79	219	5.8	19	2	3	4	8	10	14
80-84	126	5.1	3	3	4	5	6	8	8
85+	107	6.8	57	4	4	5	7	8	38
SUBTOTAL	**991**	**5.9**	**19**	**2**	**3**	**5**	**7**	**9**	**14**
GRAND TOTAL	**4137**	**7.7**	**41**	**3**	**4**	**6**	**9**	**14**	**18**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	9.7	77						
18-34	157	5.9	14	2	3	5	8	12	12
35-49	330	6.1	20	2	3	5	9	12	15
50-69	504	8.1	40	3	4	6	11	17	23
70+	59	10.7	39	4	6	7	18	21	21
	1087	**7.4**	**33**	**2**	**3**	**6**	**9**	**15**	**20**
0-17	51	2.8	8	<1	1	1	2	9	9
18-34	181	4.2	10	2	3	3	4	7	13
35-49	479	4.9	25	1	2	3	6	8	14
50-69	442	4.6	6	1	3	4	6	7	9
70+	10	2.0							
	1163	**4.5**	**15**	**1**	**2**	**4**	**6**	**8**	**11**
	2250	**5.9**	**26**	**2**	**3**	**4**	**7**	**12**	**16**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	27	6.5	36						
18-34	75	9.0	25	5	6	7	9	16	22
35-49	26	5.7	7						
50-69	139	12.9	102	3	5	10	18	27	27
70+	16	6.2	6						
SUBTOTAL	**283**	**10.2**	**69**	**3**	**5**	**8**	**14**	**20**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	1.7	1						
18-34	26	10.8	89						
35-49	16	3.0							
50-69	27	7.0	1						
70+	10	5.0							
SUBTOTAL	**95**	**6.3**	**35**	**<1**	**3**	**5**	**8**	**8**	**28**
GRAND TOTAL	**379**	**9.2**	**63**	**3**	**4**	**7**	**11**	**20**	**27**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	4.5	2						
18-34	86	5.7	17	2	2	4	8	13	13
35-49	147	8.6	67	2	3	5	10	25	30
50-69	180	6.0	8	4	4	5	8	11	12
70+	0								
	434	**6.7**	**31**	**2**	**4**	**5**	**8**	**12**	**13**
0-17	6	4.0							
18-34	44	5.9	4	3	4	6	7	10	10
35-49	93	5.0	4	3	3	4	8	8	8
50-69	132	4.7	6	3	3	4	6	9	9
70+	0								
	274	**5.0**	**5**	**3**	**3**	**4**	**7**	**8**	**9**
	709	**6.1**	**22**	**3**	**3**	**5**	**8**	**10**	**13**

DRG 177: Uncomplicated Peptic Uicer w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1707	5.2	13	2	3	4	6	9	12
70-74	1116	6.2	20	2	3	6	8	11	15
75-79	888	6.9	26	3	4	5	9	13	17
80-84	753	7.1	23	3	4	6	8	13	17
85 +	582	7.6	65	2	4	6	9	12	15
SUBTOTAL	**5047**	**6.3**	**25**	**2**	**3**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5047**	**6.3**	**25**	**2**	**3**	**5**	**8**	**12**	**15**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	42	3.4	2						
18-34	339	3.9	5	1	2	3	5	7	9
35-49	1064	4.2	6	2	3	4	5	7	9
50-69	1140	5.0	9	2	3	4	6	9	10
70 +	52	5.5	5	3	4	5	7	9	9
	2637	**4.5**	**7**	**2**	**3**	**4**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2637	**4.5**	**7**	**2**	**3**	**4**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	17	5.0	2						
18-34	105	4.4	15	2	2	3	5	10	17
35-49	268	5.0	6	2	3	5	7	8	10
50-69	263	5.9	27	2	3	4	7	12	15
70 +	74	4.4	3	2	3	5	6	7	99 +
SUBTOTAL	**727**	**5.2**	**15**	**2**	**3**	**5**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**727**	**5.2**	**15**	**2**	**3**	**5**	**6**	**10**	**14**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	7.0	1						
18-34	188	3.5	3	1	2	3	5	6	7
35-49	394	3.9	5	2	2	3	5	6	8
50-69	326	6.1	27	2	3	5	6	10	17
70 +	0								
	929	**4.6**	**14**	**2**	**3**	**4**	**5**	**7**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	929	**4.6**	**14**	**2**	**3**	**4**	**5**	**7**	**10**

DRG 178: Uncomplicated Peptic Ulcer w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	864	4.2	7	2	3	4	5	7	8
70-74	499	3.5	4	1	2	3	4	6	8
75-79	397	4.7	8	2	3	4	6	9	12
80-84	210	4.7	3	3	3	5	6	8	8
85 +	182	3.9	7	1	2	3	4	9	11
SUBTOTAL	**2152**	**4.2**	**6**	**2**	**3**	**3**	**5**	**7**	**9**
GRAND TOTAL	**2152**	**4.2**	**6**	**2**	**3**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	212	2.5	3	1	1	2	3	5	6
18-34	1036	3.2	4	1	2	3	4	5	7
35-49	2256	3.6	7	2	2	3	4	6	8
50-69	1725	3.4	4	1	2	3	4	6	7
70 +	26	3.6	1						
	5255	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
	5255	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	60	2.9	5	1	1	2	5	6	8
18-34	300	4.2	6	1	2	3	6	8	9
35-49	175	3.1	3	1	2	3	4	4	9
50-69	161	4.8	13	1	2	5	6	12	14
70 +	16	9.2	6						
SUBTOTAL	**711**	**4.1**	**8**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**711**	**4.1**	**8**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	38	4.7	13	< 1	2	5	6	12	12
18-34	309	2.8	3	1	2	2	3	5	7
35-49	580	3.4	4	1	2	3	4	6	8
50-69	324	4.5	18	2	3	3	4	6	14
70 +	10	3.0							
	1262	**3.6**	**8**	**1**	**2**	**3**	**4**	**6**	**8**
	1262	**3.6**	**8**	**1**	**2**	**3**	**4**	**6**	**8**

DRG 179: Inflammatory Bowel Disease

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	992	8.4	42	3	5	7	11	16	25	0-17	376	9.7	61	3	5	7	14	20	22
70-74	387	9.0	54	3	5	6	11	19	28	18-34	1610	8.2	55	3	4	6	10	16	22
75-79	364	8.4	36	3	4	6	12	17	20	35-49	1547	7.4	40	3	4	5	9	15	19
80-84	293	9.2	47	3	4	8	11	20	30	50-69	810	7.0	19	2	3	6	10	14	15
85 +	125	12.9	71	7	7	10	16	19	25	70 +	31	14.3	62						
SUBTOTAL	**2160**	**8.9**	**47**	**3**	**5**	**7**	**11**	**18**	**26**		**4374**	**7.9**	**44**	**3**	**4**	**6**	**10**	**15**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	194	8.4	78	2	3	5	8	28	30	0-17	435	5.6	13	2	3	5	7	10	16
70-74	78	8.7	12	3	6	8	13	13	13	18-34	1598	5.9	13	2	3	5	7	10	14
75-79	68	4.9	2	3	4	5	5	6	8	35-49	1153	5.7	19	1	3	5	7	11	15
80-84	37	4.5	6							50-69	429	5.7	11	2	4	5	8	10	11
85 +	26	10.9	8							70 +	16	4.0							
SUBTOTAL	**404**	**7.6**	**44**	**3**	**4**	**6**	**8**	**13**	**28**		**3630**	**5.8**	**14**	**2**	**3**	**5**	**7**	**10**	**14**
GRAND TOTAL	**2564**	**8.7**	**46**	**3**	**4**	**7**	**11**	**17**	**26**		**8004**	**6.9**	**32**	**2**	**3**	**5**	**8**	**13**	**17**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	68	6.3	18	3	3	5	7	10	18	0-17	79	10.4	82	2	4	7	17	25	32
18-34	265	9.9	66	3	5	8	11	23	34	18-34	640	7.2	30	2	4	6	9	14	20
35-49	178	8.6	44	4	4	7	10	14	26	35-49	314	9.7	51	3	4	8	12	21	25
50-69	85	13.2	201	3	3	8	21	30	53	50-69	108	8.6	115	2	3	6	10	16	51
70 +	10	6.0								70 +	0								
SUBTOTAL	**606**	**9.5**	**75**	**3**	**4**	**7**	**11**	**21**	**30**		**1141**	**8.3**	**49**	**2**	**4**	**6**	**10**	**17**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	119	9.8	110	3	3	5	12	27	35	0-17	178	7.5	38	3	3	6	10	13	20
18-34	187	6.0	28	2	3	5	7	14	23	18-34	564	5.6	7	3	4	5	7	10	10
35-49	48	5.0	3	3	4	4	6	8	8	35-49	239	6.1	30	2	3	4	7	13	20
50-69	26	12.2	44							50-69	108	6.4	11	3	4	6	7	13	17
70 +	10	4.0								70 +	0								
SUBTOTAL	**390**	**7.4**	**55**	**2**	**3**	**5**	**8**	**16**	**23**		**1089**	**6.1**	**18**	**3**	**4**	**5**	**7**	**10**	**13**
GRAND TOTAL	**995**	**8.7**	**68**	**3**	**4**	**6**	**10**	**20**	**26**		**2230**	**7.2**	**35**	**3**	**4**	**6**	**8**	**14**	**20**

DRG 180: G.I. Obstruction w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5246	7.3	60	2	4	5	8	13	18	0-17	261	5.3	82	1	2	3	5	8	11
70-74	3782	7.4	38	3	4	6	9	14	20	18-34	681	5.6	22	2	3	4	6	11	13
75-79	4203	7.7	65	3	4	5	9	14	20	35-49	1516	5.9	22	2	3	5	7	12	15
80-84	3999	7.8	37	3	4	6	10	15	19	50-69	2699	6.5	42	2	3	5	8	12	16
85 +	4270	8.5	52	3	4	7	10	16	22	70 +	340	7.9	52	3	3	5	9	15	26
SUBTOTAL	**21500**	**7.7**	**52**	**3**	**4**	**6**	**9**	**15**	**20**		**5497**	**6.2**	**37**	**2**	**3**	**5**	**7**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**21500**	**7.7**	**52**	**3**	**4**	**6**	**9**	**15**	**20**		**5497**	**6.2**	**37**	**2**	**3**	**5**	**7**	**12**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	162	5.4	16	2	3	5	6	9	19	0-17	153	3.2	6	1	1	3	4	6	7
18-34	172	7.5	89	2	3	5	9	15	20	18-34	242	5.0	5	2	3	5	7	8	9
35-49	418	6.4	18	2	4	5	8	12	17	35-49	291	5.5	13	2	3	4	9	10	14
50-69	670	7.6	35	2	4	6	10	16	21	50-69	519	8.5	97	3	4	6	9	15	22
70 +	167	6.4	13	2	4	6	10	14	99 +	70 +	86	5.0	9	3	3	4	5	7	15
SUBTOTAL	**1589**	**6.9**	**33**	**2**	**4**	**6**	**9**	**14**	**18**		**1292**	**6.3**	**48**	**2**	**3**	**5**	**7**	**10**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1589**	**6.9**	**33**	**2**	**4**	**6**	**9**	**14**	**18**		**1292**	**6.3**	**48**	**2**	**3**	**5**	**7**	**10**	**15**

DRG 181: G.I. Obstruction w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2080	4.5	6	2	3	4	6	7	9
70-74	1665	4.0	6	2	2	4	5	7	9
75-79	1535	4.4	7	2	3	4	6	8	10
80-84	958	5.1	15	2	3	4	7	9	12
85 +	1051	4.9	8	2	3	4	6	10	11
SUBTOTAL	**7289**	**4.5**	**8**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**7289**	**4.5**	**8**	**2**	**3**	**4**	**6**	**8**	**10**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	830	2.5	5	1	1	2	3	5	7
18-34	1045	3.6	9	1	2	3	4	7	9
35-49	2415	3.9	6	1	2	3	5	7	9
50-69	3256	3.8	5	1	2	3	5	7	8
70 +	78	3.9	3	2	2	4	5	6	7
	7624	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
	7624	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	471	3.1	4	1	2	3	4	6	8
18-34	281	3.8	8	1	2	3	4	10	11
35-49	255	4.3	5	2	3	4	5	8	8
50-69	301	5.6	16	2	3	5	7	10	16
70 +	84	5.7	17	2	3	4	8	12	15
SUBTOTAL	**1392**	**4.1**	**9**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**1392**	**4.1**	**9**	**1**	**2**	**3**	**5**	**8**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	380	2.3	4	< 1	1	1	3	4	7
18-34	567	3.2	4	1	2	3	4	5	7
35-49	738	3.7	4	2	2	3	5	6	8
50-69	737	4.2	7	2	2	4	5	8	9
70 +	27	4.2	4						
	2449	**3.5**	**5**	**1**	**2**	**3**	**5**	**7**	**8**
	2449	**3.5**	**5**	**1**	**2**	**3**	**5**	**7**	**8**

DRG 182: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	28401	5.5	19	2	3	4	7	10	12
70-74	18908	6.0	26	2	3	5	7	11	14
75-79	19342	6.1	25	2	3	5	7	11	14
80-84	15056	6.5	27	2	3	5	8	12	15
85 +	13584	6.9	38	2	3	5	8	13	16
SUBTOTAL	**95290**	**6.1**	**26**	**2**	**3**	**5**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**95290**	**6.1**	**26**	**2**	**3**	**5**	**7**	**11**	**14**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	13869	3.4	9	1	2	3	4	6	8
35-49	17100	4.2	11	1	2	3	5	8	10
50-69	21241	4.9	16	2	3	4	6	9	11
70 +	1441	5.7	24	2	3	5	7	11	15
	53651	**4.3**	**13**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	53651	**4.3**	**13**	**1**	**2**	**3**	**5**	**8**	**10**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	3572	4.5	20	1	2	3	5	8	10
35-49	3362	4.9	19	2	3	4	6	9	11
50-69	4710	5.8	33	2	3	5	7	10	13
70 +	548	5.4	8	3	3	5	7	10	11
SUBTOTAL	**12191**	**5.1**	**25**	**2**	**3**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**12191**	**5.1**	**25**	**2**	**3**	**4**	**6**	**9**	**12**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	5609	3.3	7	1	2	3	4	6	8
35-49	4809	4.0	13	1	2	3	5	7	9
50-69	4399	4.3	11	1	2	3	5	8	10
70 +	417	5.8	18	2	3	5	7	10	15
	15235	**3.9**	**11**	**1**	**2**	**3**	**5**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	15235	**3.9**	**11**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 183: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10320	3.9	7	1	2	3	5	7	9
70-74	6885	3.9	7	1	2	3	5	7	8
75-79	5251	4.3	9	1	2	4	6	8	9
80-84	3843	4.4	8	2	2	4	6	8	10
85 +	2714	4.5	12	2	2	4	6	8	9
SUBTOTAL	**29014**	**4.1**	**8**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**29014**	**4.1**	**8**	**1**	**2**	**3**	**5**	**8**	**9**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	21533	2.6	3	1	1	2	3	5	6
35-49	23188	3.2	5	1	2	3	4	6	7
50-69	20771	3.4	5	1	2	3	4	6	8
70 +	508	4.4	12	1	2	3	6	8	12
	66000	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
	66000	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	3578	2.8	4	1	1	2	4	5	6
35-49	2066	3.9	9	1	2	3	5	7	10
50-69	1790	4.1	7	2	2	4	5	7	9
70 +	187	5.0	7	2	3	5	6	10	11
SUBTOTAL	**7620**	**3.5**	**7**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**7620**	**3.5**	**7**	**1**	**2**	**3**	**4**	**6**	**8**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	9246	2.4	3	1	1	2	3	5	6
35-49	6273	3.3	5	1	2	3	4	6	8
50-69	3804	3.5	6	1	2	3	4	6	8
70 +	219	3.3	4	1	2	3	4	7	8
	19542	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
	19542	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 184: Esophagitis, Gastroent & Misc Digest Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	138	3.6	11	1	2	3	4	6	6
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**138**	**3.6**	**11**	**1**	**2**	**3**	**4**	**6**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	90	2.3	3	1	1	2	3	4	7
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**90**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**7**
GRAND TOTAL	**228**	**3.1**	**8**	**1**	**1**	**2**	**4**	**5**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	25158	2.8	6	1	2	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	25158	**2.8**	**6**	**1**	**2**	**2**	**3**	**4**	**6**
0-17	23683	2.4	4	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	23683	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
	48841	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	13854	3.5	12	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**13854**	**3.5**	**12**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	12096	3.0	5	1	2	3	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**12096**	**3.0**	**5**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**25950**	**3.3**	**9**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8086	3.0	6	1	2	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	8086	**3.0**	**6**	**1**	**2**	**2**	**3**	**5**	**7**
0-17	8345	2.5	4	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	8345	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	16431	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 185: Dental & Oral Dis except Extractions & Restorations, Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	288	6.0	18	2	3	5	8	11	14
70-74	242	6.6	24	2	3	6	7	17	18
75-79	139	8.9	27	2	6	7	12	17	17
80-84	178	5.9	17	2	3	6	8	10	18
85 +	86	6.0	9	4	4	5	7	11	12
SUBTOTAL	933	6.6	21	2	3	6	8	12	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	79	5.8	27	1	1	4	8	16	16
70-74	66	3.2	3	2	2	3	4	4	8
75-79	85	2.8	2	1	1	3	4	4	6
80-84	51	3.8	5						
85 +	37	3.1	3						
SUBTOTAL	319	3.8	10	1	2	3	5	8	10
GRAND TOTAL	1262	5.9	20	2	3	5	7	12	16

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	549	3.4	12	1	1	3	4	6	10
35-49	384	4.6	7	2	3	4	6	8	11
50-69	315	7.3	33	1	3	6	10	17	21
70 +	22	10.4	5						
	1270	4.9	18	1	2	4	6	10	15
0-17	0								
18-34	1073	2.5	4	1	1	2	3	4	5
35-49	480	2.8	7	1	1	2	3	4	6
50-69	271	2.5	6	1	1	2	3	4	5
70 +	26	1.8	1						
	1850	2.6	5	1	1	2	3	4	5
	3120	3.6	12	1	1	3	4	7	11

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	302	4.1	7	1	2	3	6	9	10
35-49	165	4.2	10	1	2	3	6	9	10
50-69	111	5.9	15	1	3	6	8	9	15
70 +	0								
SUBTOTAL	578	4.5	10	1	2	4	6	9	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	229	2.9	3	< 1	1	2	4	5	6
35-49	91	2.8	4	< 1	1	2	3	5	9
50-69	22	2.0	1						
70 +	0								
SUBTOTAL	341	2.8	3	1	1	2	4	5	6
GRAND TOTAL	919	3.9	8	1	2	3	5	7	9

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	602	3.8	9	1	2	3	5	7	12
35-49	240	4.7	10	2	3	4	5	11	11
50-69	92	5.6	14	2	3	4	9	12	12
70 +	0								
	934	4.2	10	1	2	3	5	9	12
0-17	0								
18-34	1061	2.0	1	1	1	2	3	3	4
35-49	323	1.9	1	1	1	2	3	3	4
50-69	54	1.8		< 1	1	2	2	3	3
70 +	10	1.0							
	1448	1.9	1	1	1	2	2	3	4
	2382	2.8	6	1	1	2	3	5	8

DRG 186: Dental & Oral Dis except Extractions & Restorations, Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	1.0								0-17	712	3.9	63	1	2	3	4	6	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**1.0**									**712**	**3.9**	**63**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1065	2.3	3	1	1	2	3	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1065**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**6**	**1.0**									**1777**	**3.0**	**27**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	689	3.6	6	2	2	3	4	7	10	0-17	247	2.5	2	1	1	2	3	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**689**	**3.6**	**6**	**2**	**2**	**3**	**4**	**7**	**10**		**247**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	429	3.2	5	1	2	3	4	5	9	0-17	681	2.5	3	1	1	2	3	4	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**429**	**3.2**	**5**	**1**	**2**	**3**	**4**	**5**	**9**		**681**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**7**
GRAND TOTAL	**1118**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**9**		**928**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 187: Dental Extractions & Restorations

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	170	2.8	4	1	2	2	3	6	7
70-74	32	2.7							
75-79	37	2.8	4						
80-84	23	3.8	3						
85 +	36	6.1	20						
SUBTOTAL	**298**	**3.3**	**7**	**1**	**2**	**2**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	75	2.0	3	1	1	1	2	3	8
70-74	22	1.5	1						
75-79	89	2.1	2	1	1	2	2	5	5
80-84	32	2.3	4						
85 +	17	2.7	3						
SUBTOTAL	**234**	**2.1**	**3**	**1**	**1**	**2**	**2**	**5**	**5**
GRAND TOTAL	**532**	**2.8**	**5**	**1**	**1**	**2**	**3**	**6**	**7**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	111	1.9	1	< 1	1	2	3	3	4
18-34	54	2.9	2	1	1	3	4	5	5
35-49	121	4.6	8	1	2	4	6	9	10
50-69	50	2.5	1	1	1	3	3	4	4
70 +	26	3.6							
	362	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**9**
0-17	175	1.5	1	< 1	< 1	1	2	3	4
18-34	160	2.3	8	< 1	1	1	2	4	9
35-49	49	1.7	1	< 1	1	1	2	4	4
50-69	74	2.7	5	1	1	2	4	5	8
70 +	0								
	458	**2.0**	**4**	**< 1**	**1**	**1**	**2**	**4**	**5**
	820	**2.5**	**5**	**< 1**	**1**	**2**	**3**	**5**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	145	4.8	32	1	1	2	7	14	15
18-34	66	3.3	4	1	1	3	5	6	6
35-49	60	3.8	9	1	1	3	7	9	9
50-69	16	2.1	2						
70 +	0								
SUBTOTAL	**286**	**4.1**	**20**	**1**	**1**	**2**	**6**	**9**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	409	1.3	1	< 1	< 1	< 1	1	2	3
18-34	44	1.8	1	1	1	2	2	4	4
35-49	20	1.5							
50-69	0								
70 +	0								
SUBTOTAL	**474**	**1.4**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**
GRAND TOTAL	**760**	**2.4**	**10**	**< 1**	**< 1**	**1**	**2**	**6**	**7**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	76	2.7	2	1	1	3	4	5	5
18-34	55	5.3	55	2	2	3	4	24	27
35-49	16	7.6							
50-69	16	4.3	1						
70 +	27	13.7	494						
	190	**5.6**	**98**	**1**	**2**	**3**	**5**	**8**	**27**
0-17	156	1.6	1	< 1	< 1	1	2	3	4
18-34	137	2.4	2	1	1	2	3	5	6
35-49	37	2.5	1						
50-69	32	2.4	5						
70 +	0								
	362	**2.1**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**
	552	**3.3**	**38**	**< 1**	**1**	**2**	**3**	**5**	**7**

DRG 188: Other Digestive System Diagnoses Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5224	6.8	40	2	3	5	8	14	17
70-74	3411	6.7	40	2	3	5	8	14	18
75-79	3068	7.3	59	2	3	5	8	14	20
80-84	3014	7.0	48	2	3	5	9	14	19
85 +	2650	7.7	38	2	4	6	10	16	20
SUBTOTAL	**17367**	**7.1**	**45**	**2**	**3**	**5**	**9**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**17367**	**7.1**	**45**	**2**	**3**	**5**	**9**	**14**	**19**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1175	4.6	23	1	2	3	6	9	13
35-49	2000	5.7	35	1	2	4	7	11	18
50-69	3244	5.4	23	1	2	4	7	10	14
70 +	171	9.2	41	3	4	7	13	21	22
	6590	**5.4**	**28**	**1**	**2**	**4**	**7**	**11**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6590	**5.4**	**28**	**1**	**2**	**4**	**7**	**11**	**15**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	428	6.0	39	1	3	4	7	12	16
35-49	367	6.4	31	2	3	5	7	13	18
50-69	543	6.0	24	1	2	5	8	12	14
70 +	107	10.6	47	3	7	8	11	14	29
SUBTOTAL	**1444**	**6.4**	**33**	**2**	**3**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1444**	**6.4**	**33**	**2**	**3**	**5**	**8**	**12**	**16**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	675	4.5	16	1	2	3	6	9	12
35-49	693	5.0	23	1	2	4	6	10	12
50-69	684	6.4	26	2	3	5	8	12	15
70 +	87	6.4	25	< 1	3	5	11	16	17
	2140	**5.3**	**23**	**1**	**2**	**4**	**7**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2140	**5.3**	**23**	**1**	**2**	**4**	**7**	**11**	**14**

DRG 189: Other Digestive System Diagnoses Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0										0-17	0								
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	1152	3.5	15	1	1	2	5	7	9		0-17	0								
70-74	824	3.0	5	1	1	2	4	6	7		18-34	1950	2.6	5	1	1	2	3	6	7
75-79	628	3.6	9	1	1	3	5	7	10		35-49	2364	3.2	8	1	1	2	4	6	8
80-84	582	3.5	12	1	1	2	4	8	10		50-69	2165	3.3	10	1	1	3	4	7	8
85 +	492	4.6	99	1	1	2	4	8	11		70 +	114	2.6	2	1	1	2	4	5	5
SUBTOTAL	**3678**	**3.6**	**23**	**1**	**1**	**2**	**4**	**7**	**9**			**6594**	**3.0**	**8**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**3678**	**3.6**	**23**	**1**	**1**	**2**	**4**	**7**	**9**			**6594**	**3.0**	**8**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0										0-17	0								
18-34	448	3.3	12	1	1	2	4	6	8		18-34	1165	2.5	4	1	1	2	3	5	8
35-49	156	3.3	9	< 1	1	2	4	9	11		35-49	790	3.0	10	1	1	2	4	6	8
50-69	231	3.3	4	1	2	3	4	7	7		50-69	454	3.3	14	1	1	2	4	7	8
70 +	38	4.6	12	1	2	4	11	99 +	99 +		70 +	37	2.5	6						
SUBTOTAL	**874**	**3.4**	**10**	**1**	**1**	**2**	**4**	**7**	**11**			**2446**	**2.8**	**8**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**874**	**3.4**	**10**	**1**	**1**	**2**	**4**	**7**	**11**			**2446**	**2.8**	**8**	**1**	**1**	**2**	**3**	**6**	**8**

DRG 190: Other Digestive System Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	100	5.2	18	1	2	3	8	13	14	0-17	835	3.9	35	1	1	2	5	9	14
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**100**	**5.2**	**18**	**1**	**2**	**3**	**8**	**13**	**14**		**835**	**3.9**	**35**	**1**	**1**	**2**	**5**	**9**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	3384	2.0	5	< 1	1	1	2	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**3384**	**2.0**	**5**	**< 1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**100**	**5.2**	**18**	**1**	**2**	**3**	**8**	**13**	**14**		**4219**	**2.4**	**11**	**< 1**	**1**	**1**	**2**	**5**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	520	5.8	37	1	2	4	7	14	17	0-17	370	5.0	28	1	2	3	6	12	16
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**520**	**5.8**	**37**	**1**	**2**	**4**	**7**	**14**	**17**		**370**	**5.0**	**28**	**1**	**2**	**3**	**6**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1471	2.2	7	< 1	1	1	2	4	7	0-17	1597	1.9	4	< 1	1	1	2	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1471**	**2.2**	**7**	**< 1**	**1**	**1**	**2**	**4**	**7**		**1597**	**1.9**	**4**	**< 1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**1991**	**3.2**	**17**	**< 1**	**1**	**2**	**3**	**7**	**11**		**1967**	**2.5**	**10**	**< 1**	**1**	**1**	**3**	**5**	**9**

DRG 191: Pancreas, Liver & Shunt Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1100	19.4	243	7	10	16	23	33	57	0-17	40	14.0	46	5	9	14	22	25	25
70-74	659	19.9	209	8	10	15	27	42	50	18-34	366	18.8	463	5	7	9	19	51	85
75-79	656	18.6	168	7	10	15	24	37	51	35-49	769	17.6	138	7	9	15	22	36	46
80-84	264	23.5	552	6	9	14	27	58	82	50-69	957	16.6	155	5	8	13	21	29	38
85 +	218	16.2	77	6	9	15	20	26	31	70 +	33	11.5	95						
SUBTOTAL	**2897**	**19.5**	**236**	**7**	**10**	**15**	**23**	**39**	**56**		**2164**	**17.2**	**199**	**6**	**8**	**13**	**21**	**32**	**47**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2897**	**19.5**	**236**	**7**	**10**	**15**	**23**	**39**	**56**		**2164**	**17.2**	**199**	**6**	**8**	**13**	**21**	**32**	**47**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	19.5	116							0-17	27	14.6	94						
18-34	312	21.4	373	6	8	14	29	53	73	18-34	320	15.4	249	3	6	11	20	39	44
35-49	203	22.9	402	9	10	17	25	51	83	35-49	320	22.5	319	6	9	15	33	50	58
50-69	135	19.2	110	7	9	20	26	37	37	50-69	347	19.7	373	5	9	16	23	33	62
70 +	53	15.8	63	7	8	12	25	27	27	70 +	16	8.9	2						
SUBTOTAL	**725**	**20.9**	**304**	**7**	**9**	**16**	**28**	**46**	**59**		**1030**	**18.9**	**314**	**5**	**7**	**14**	**24**	**41**	**51**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**725**	**20.9**	**304**	**7**	**9**	**16**	**28**	**46**	**59**		**1030**	**18.9**	**314**	**5**	**7**	**14**	**24**	**41**	**51**

Southern Region, July 1990 - June 1991

DRG 192: Pancreas, Liver & Shunt Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	146	8.2	22	4	5	7	9	17	19	0-17	61	8.7	11	4	6	8	11	13	15
70-74	108	10.2	38	5	6	9	14	18	27	18-34	150	10.9	81	4	5	8	11	21	39
75-79	53	9.6	6	7	7	9	13	13	13	35-49	316	9.8	96	2	4	7	12	20	28
80-84	11	14.5	2							50-69	330	9.2	32	4	6	8	13	17	22
85 +	32	6.6	7							70 +	6	7.0							
SUBTOTAL	**350**	**9.1**	**24**	**5**	**6**	**8**	**12**	**17**	**19**		**862**	**9.7**	**63**	**3**	**5**	**8**	**11**	**19**	**22**
GRAND TOTAL	**350**	**9.1**	**24**	**5**	**6**	**8**	**12**	**17**	**19**		**862**	**9.7**	**63**	**3**	**5**	**8**	**11**	**19**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	17	12.0	9							0-17	40	16.6	235	5	5	11	23	51	51
18-34	54	5.8	9	1	4	6	8	10	10	18-34	129	4.9	6	3	4	4	6	8	9
35-49	23	11.0	60							35-49	144	9.8	35	3	6	8	15	18	20
50-69	27	11.1	5							50-69	62	8.1	17	4	5	7	11	15	15
70 +	6	18.0								70 +	6	16.0							
SUBTOTAL	**127**	**9.2**	**27**	**4**	**6**	**9**	**11**	**16**	**19**		**381**	**8.6**	**54**	**3**	**4**	**6**	**11**	**17**	**20**
GRAND TOTAL	**127**	**9.2**	**27**	**4**	**6**	**9**	**11**	**16**	**19**		**381**	**8.6**	**54**	**3**	**4**	**6**	**11**	**17**	**20**

DRG 193: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	825	17.7	184	6	9	13	21	38	55
70-74	838	15.1	71	7	9	13	18	28	31
75-79	899	15.1	120	7	9	12	17	22	31
80-84	707	17.5	124	8	10	15	20	39	47
85 +	525	19.2	130	10	12	15	26	34	39
SUBTOTAL	**3795**	**16.7**	**128**	**7**	**10**	**14**	**20**	**32**	**41**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3795**	**16.7**	**128**	**7**	**10**	**14**	**20**	**32**	**41**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	34	17.0	88	6	6	18	28	29	29
18-34	154	9.9	52	4	5	7	15	16	23
35-49	435	12.1	108	4	7	9	16	21	25
50-69	826	13.6	59	6	8	12	17	23	30
70 +	67	11.7	74	4	5	11	15	15	36
	1516	**12.8**	**75**	**4**	**7**	**11**	**16**	**22**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1516	**12.8**	**75**	**4**	**7**	**11**	**16**	**22**	**29**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	11	9.5	2						
18-34	86	11.4	54	5	5	9	16	22	28
35-49	66	21.3	504	7	8	16	21	35	89
50-69	122	15.7	91	9	9	12	18	25	42
70 +	27	11.0	32						
SUBTOTAL	**313**	**15.1**	**172**	**5**	**8**	**12**	**18**	**25**	**40**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**313**	**15.1**	**172**	**5**	**8**	**12**	**18**	**25**	**40**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	6.0							
18-34	85	9.1	13	3	7	8	13	14	15
35-49	86	12.1	71	6	8	10	13	20	40
50-69	179	19.9	253	9	11	14	20	48	71
70 +	22	13.0	1						
	377	**15.1**	**162**	**6**	**8**	**12**	**15**	**29**	**48**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	377	**15.1**	**162**	**6**	**8**	**12**	**15**	**29**	**48**

DRG 194: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	133	8.1	14	3	6	8	11	13	13	0-17	72	8.9	21	4	5	8	11	16	19
70-74	142	10.4	12	7	8	10	11	13	15	18-34	112	8.3	38	3	5	7	10	20	26
75-79	80	8.3	62	1	3	6	8	16	33	35-49	171	6.3	17	2	3	6	9	13	16
80-84	110	6.9	8	2	5	8	9	10	11	50-69	253	7.8	32	2	5	7	9	12	16
85 +	51	9.6	7							70 +	6	10.0							
SUBTOTAL	**516**	**8.7**	**20**	**3**	**6**	**8**	**11**	**13**	**15**		**614**	**7.6**	**28**	**2**	**4**	**7**	**9**	**14**	**16**
GRAND TOTAL	**516**	**8.7**	**20**	**3**	**6**	**8**	**11**	**13**	**15**		**614**	**7.6**	**28**	**2**	**4**	**7**	**9**	**14**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	28	15.8	74							0-17	34	7.8	4	6	7	7	8	12	12
18-34	26	12.5	52							18-34	32	6.6	13						
35-49	11	8.5	22							35-49	70	6.4	15	1	5	6	9	12	14
50-69	16	6.4								50-69	48	11.0	22	7	8	9	13	22	22
70 +	0									70 +	0								
SUBTOTAL	**82**	**11.9**	**57**	**6**	**6**	**8**	**13**	**25**	**27**		**183**	**7.9**	**18**	**2**	**6**	**8**	**9**	**13**	**15**
GRAND TOTAL	**82**	**11.9**	**57**	**6**	**6**	**8**	**13**	**25**	**27**		**183**	**7.9**	**18**	**2**	**6**	**8**	**9**	**13**	**15**

DRG 195: Total Cholecystectomy w/ C.D.E. w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1503	9.6	21	5	6	8	12	15	17	0-17	10	6.0							
70-74	1220	10.8	44	5	7	9	12	17	21	18-34	768	7.1	12	4	5	6	9	11	12
75-79	1431	11.9	61	6	7	10	14	21	26	35-49	901	8.5	22	4	6	8	9	12	20
80-84	992	12.8	45	6	8	11	15	20	28	50-69	1553	9.5	26	5	6	8	11	17	20
85 +	708	15.9	129	7	9	12	20	27	38	70 +	74	7.4	5	4	6	7	8	12	12
SUBTOTAL	**5853**	**11.7**	**57**	**6**	**7**	**10**	**14**	**20**	**26**		**3306**	**8.6**	**22**	**4**	**6**	**8**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**5853**	**11.7**	**57**	**6**	**7**	**10**	**14**	**20**	**26**		**3306**	**8.6**	**22**	**4**	**6**	**8**	**10**	**14**	**18**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	26	8.6	5							0-17	6	6.0							
18-34	393	8.2	20	4	5	7	9	16	18	18-34	424	7.9	32	4	5	7	8	14	14
35-49	147	8.1	15	4	6	7	9	15	18	35-49	322	8.0	14	4	6	7	10	14	16
50-69	95	10.4	17	6	7	9	14	17	17	50-69	270	10.7	32	5	7	10	13	19	20
70 +	47	14.4	31	10	11	13	28	99 +	99 +	70 +	16	7.6							
SUBTOTAL	**708**	**8.9**	**21**	**4**	**6**	**8**	**11**	**17**	**18**		**1038**	**8.6**	**27**	**4**	**6**	**7**	**11**	**14**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**708**	**8.9**	**21**	**4**	**6**	**8**	**11**	**17**	**18**		**1038**	**8.6**	**27**	**4**	**6**	**7**	**11**	**14**	**16**

DRG 196: Total Cholecystectomy w/ C.D.E. w/o CC

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH		TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	222	7.5	5	5	6	8	9	11	11	0-17	6	6.0							
70-74	105	7.1	10	4	5	7	10	11	13	18-34	376	6.5	10	4	4	6	7	10	11
75-79	121	6.9	13	3	4	6	10	13	13	35-49	316	5.7	5	3	4	5	7	9	11
80-84	49	8.7	13	6	7	8	9	18	18	50-69	424	6.5	8	4	5	6	8	9	10
85 +	20	12.5	2							70 +	20	4.5							
SUBTOTAL	**518**	**7.6**	**10**	**4**	**5**	**7**	**10**	**11**	**13**		**1143**	**6.2**	**8**	**4**	**4**	**6**	**7**	**9**	**11**
GRAND TOTAL	**518**	**7.6**	**10**	**4**	**5**	**7**	**10**	**11**	**13**		**1143**	**6.2**	**8**	**4**	**4**	**6**	**7**	**9**	**11**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH		TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	42	6.5	2							0-17	10	7.0							
18-34	291	5.9	5	3	4	6	7	8	8	18-34	238	6.7	10	3	4	6	9	12	12
35-49	0									35-49	78	7.1	10	3	6	6	9	14	14
50-69	36	7.7	12							50-69	100	8.3	8	5	7	7	12	12	12
70 +	0									70 +	0								
SUBTOTAL	**370**	**6.2**	**5**	**4**	**5**	**6**	**7**	**8**	**11**		**426**	**7.2**	**10**	**3**	**5**	**7**	**9**	**12**	**12**
GRAND TOTAL	**370**	**6.2**	**5**	**4**	**5**	**6**	**7**	**8**	**11**		**426**	**7.2**	**10**	**3**	**5**	**7**	**9**	**12**	**12**

DRG 197: Total Cholecystectomy w/o C.D.E. w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10061	7.3	49	1	3	6	9	13	17	0-17	96	5.6	11	2	3	5	7	12	13
70-74	6476	7.6	36	2	4	7	10	14	18	18-34	2900	5.4	14	1	3	5	7	10	12
75-79	5123	8.5	46	2	5	7	10	15	21	35-49	6025	5.4	21	1	3	5	7	10	13
80-84	3181	9.4	40	3	6	8	12	17	21	50-69	9438	6.3	26	1	3	5	8	11	15
85 +	1918	10.4	48	3	6	9	13	19	23	70 +	505	10.0	166	2	4	7	12	21	25
SUBTOTAL	**26760**	**8.1**	**45**	**2**	**4**	**7**	**10**	**15**	**19**		**18963**	**5.9**	**27**	**1**	**3**	**5**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**26760**	**8.1**	**45**	**2**	**4**	**7**	**10**	**15**	**19**		**18963**	**5.9**	**27**	**1**	**3**	**5**	**7**	**11**	**14**

	MEDICAID									NO INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	59	8.6	15	5	6	8	9	16	18	0-17	53	4.7	2	3	4	5	6	7	7
18-34	1324	6.2	14	2	4	5	8	11	13	18-34	1409	5.8	18	2	3	5	8	11	14
35-49	865	6.9	66	2	3	6	8	11	16	35-49	1762	6.6	31	2	4	5	8	12	14
50-69	1058	7.3	20	3	4	7	9	13	15	50-69	1958	7.5	41	2	4	6	10	14	15
70 +	167	16.2	111	5	8	15	24	28	44	70 +	90	12.6	39	6	8	11	15	18	32
SUBTOTAL	**3473**	**7.2**	**38**	**2**	**4**	**6**	**9**	**13**	**16**		**5272**	**6.8**	**32**	**2**	**3**	**6**	**9**	**13**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3473**	**7.2**	**38**	**2**	**4**	**6**	**9**	**13**	**16**		**5272**	**6.8**	**32**	**2**	**3**	**6**	**9**	**13**	**15**

DRG 198: Total Cholecystectomy w/o C.D.E. w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8402	3.1	6	1	1	2	4	6	8	0-17	467	3.0	7	1	1	2	4	7	8
70-74	5101	3.4	7	1	1	3	5	7	8	18-34	18249	2.4	4	1	1	2	3	5	6
75-79	2981	3.7	9	1	1	3	5	8	9	35-49	26016	2.5	4	1	1	2	3	5	6
80-84	1369	4.2	9	1	2	4	6	9	10	50-69	22990	2.8	6	1	1	2	4	6	7
85 +	513	5.4	16	1	2	4	8	11	13	70 +	256	2.8	5	1	1	2	4	7	8
SUBTOTAL	**18366**	**3.4**	**8**	**1**	**1**	**3**	**5**	**7**	**9**		**67979**	**2.6**	**5**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**18366**	**3.4**	**8**	**1**	**1**	**3**	**5**	**7**	**9**		**67979**	**2.6**	**5**	**1**	**1**	**2**	**4**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	212	3.3	3	1	2	3	4	6	7	0-17	93	3.4	6	1	1	3	5	8	8
18-34	5028	3.0	4	1	1	3	4	6	7	18-34	7008	2.7	4	1	1	2	4	6	7
35-49	1693	3.4	6	1	1	3	5	7	9	35-49	6577	2.7	5	1	1	2	4	5	7
50-69	1102	4.3	12	1	2	3	6	9	11	50-69	4128	3.1	6	1	1	2	4	6	8
70 +	84	6.7	22	2	2	7	8	16	17	70 +	120	3.5	6	1	2	3	5	7	9
SUBTOTAL	**8120**	**3.3**	**6**	**1**	**1**	**3**	**4**	**7**	**8**		**17925**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**8120**	**3.3**	**6**	**1**	**1**	**3**	**4**	**7**	**8**		**17925**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 199: Hepatobiliary Diagnostic Procedure for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	256	12.9	155	4	6	11	14	21	32	0-17	17	16.3	284						
70-74	164	15.7	118	5	8	12	20	33	42	18-34	23	10.5	64						
75-79	110	11.1	34	5	6	11	15	20	27	35-49	75	7.7	19	1	6	6	11	11	16
80-84	37	11.2	33							50-69	247	10.7	53	3	7	9	12	18	25
85 +	57	16.5	24	10	13	16	22	23	23	70 +	6	15.0							
SUBTOTAL	**625**	**13.5**	**108**	**5**	**7**	**12**	**16**	**22**	**32**		**367**	**10.4**	**59**	**3**	**6**	**9**	**12**	**18**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	62	6.6	5	4	5	7	8	11	11	0-17	11	10.0							
70-74	42	11.5	8							18-34	0								
75-79	53	5.1	6	1	4	6	7	8	8	35-49	10	22.0							
80-84	22	12.8	17							50-69	96	6.9	13	3	5	5	9	14	14
85 +	0									70 +	0								
SUBTOTAL	**179**	**8.1**	**16**	**4**	**5**	**7**	**11**	**13**	**17**		**118**	**8.5**	**29**	**4**	**5**	**8**	**10**	**14**	**22**
GRAND TOTAL	**804**	**12.3**	**93**	**4**	**7**	**10**	**15**	**21**	**27**		**485**	**10.0**	**52**	**3**	**5**	**9**	**11**	**18**	**23**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	14.0								0-17	6	2.0							
18-34	0									18-34	0								
35-49	20	7.5	7							35-49	6	40.0							
50-69	11	29.0	484							50-69	17	7.7	12						
70 +	0									70 +	6	13.0							
SUBTOTAL	**37**	**15.0**	**233**								**34**	**13.0**	**167**	**2**	**3**	**10**	**13**	**40**	**40**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	6.0								0-17	6	4.0							
18-34	0									18-34	6	3.0							
35-49	0									35-49	16	2.6							
50-69	0									50-69	11	10.5	7						
70 +	0									70 +	0								
SUBTOTAL	**6**	**6.0**									**38**	**5.2**	**14**	**2**	**3**	**3**	**8**	**13**	**13**
GRAND TOTAL	**43**	**13.8**	**211**	**5**	**6**	**9**	**14**	**50**	**50**		**72**	**8.9**	**100**	**2**	**3**	**4**	**11**	**13**	**40**

DRG 200: Hepatobiliary Diagnostic Procedure for Non-malignancy

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	176	14.8	95	6	9	12	19	31	41
70-74	127	10.8	54	4	5	10	16	22	24
75-79	119	13.6	52	4	8	12	21	24	25
80-84	38	11.7	89	3	4	8	15	31	31
85 +	32	15.3	30						
SUBTOTAL	**492**	**13.3**	**72**	**4**	**7**	**11**	**19**	**24**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	78	4.4	10	1	2	3	7	7	13
70-74	38	5.1	10	1	1	5	7	10	10
75-79	36	7.9	11						
80-84	20	2.5							
85 +	10	11.0							
SUBTOTAL	**184**	**5.4**	**13**	**1**	**2**	**5**	**7**	**11**	**12**
GRAND TOTAL	**676**	**11.1**	**68**	**3**	**5**	**9**	**15**	**23**	**25**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	14.9	116	8	8	8	17	39	39
18-34	86	12.5	87	2	6	9	22	25	33
35-49	108	10.0	62	2	5	7	12	26	28
50-69	170	10.6	35	2	6	10	14	19	21
70 +	11	11.5	7						
	413	**11.3**	**61**	**2**	**6**	**9**	**15**	**22**	**28**
0-17	50	7.6	147	1	3	4	4	41	41
18-34	117	4.9	28	1	2	3	6	7	21
35-49	189	4.1	24	1	1	2	6	8	18
50-69	113	2.3	3	1	1	2	2	5	7
70 +	0								
	469	**4.2**	**35**	**1**	**1**	**2**	**5**	**7**	**18**
	882	**7.5**	**59**	**1**	**2**	**5**	**10**	**19**	**24**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	33	11.4	45						
18-34	37	15.1	205						
35-49	28	15.4	56						
50-69	68	20.7	392	7	7	12	33	62	62
70 +	0								
SUBTOTAL	**167**	**16.7**	**235**	**2**	**7**	**12**	**22**	**37**	**62**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	28	5.0	11						
18-34	6	4.0							
35-49	11	1.5							
50-69	32	3.1	12						
70 +	0								
SUBTOTAL	**77**	**3.6**	**10**	**<1**	**1**	**2**	**6**	**10**	**10**
GRAND TOTAL	**243**	**12.6**	**200**	**1**	**4**	**7**	**16**	**33**	**37**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	17	16.3	180						
18-34	49	17.0	177	3	4	12	28	42	42
35-49	85	10.8	40	4	4	11	15	22	22
50-69	54	9.1	64	1	1	8	10	24	25
70 +	10	17.0							
	215	**12.5**	**95**	**2**	**4**	**11**	**18**	**27**	**34**
0-17	11	3.0	4						
18-34	69	4.4	2	2	3	5	5	6	6
35-49	52	5.1	9	1	3	5	6	10	10
50-69	11	1.5							
70 +	0								
	144	**4.3**	**5**	**1**	**2**	**5**	**6**	**6**	**10**
	359	**9.2**	**75**	**1**	**3**	**6**	**12**	**22**	**28**

DRG 201: Other Hepatobiliary or Pancreas O.R. Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	496	11.0	126	3	6	7	13	23	55	0-17	28	34.0	881						
70-74	320	12.1	40	5	6	11	16	23	25	18-34	59	12.8	144	4	5	6	14	34	45
75-79	208	13.0	94	4	6	10	17	30	32	35-49	225	10.6	112	3	5	7	14	20	39
80-84	32	17.3	161							50-69	421	8.2	52	2	4	7	11	15	20
85 +	26	27.6	124							70 +	37	13.5	48						
SUBTOTAL	**1081**	**12.3**	**102**	**4**	**6**	**9**	**16**	**26**	**35**		**771**	**10.4**	**129**	**3**	**4**	**7**	**12**	**20**	**39**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	47	2.5	9							0-17	6	1.0							
70-74	32	8.0	30							18-34	6	5.0							
75-79	0									35-49	27	8.2	14						
80-84	0									50-69	52	4.5	8	1	2	4	8	9	9
85 +	0									70 +	0								
SUBTOTAL	**78**	**4.8**	**24**	**1**	**1**	**1**	**9**	**11**	**16**		**91**	**5.4**	**13**	**1**	**2**	**5**	**8**	**10**	**13**
GRAND TOTAL	**1159**	**11.8**	**101**	**3**	**6**	**8**	**16**	**25**	**33**		**861**	**9.9**	**119**	**2**	**4**	**7**	**12**	**20**	**24**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	17	3.7	7							0-17	23	3.3	6						
18-34	91	7.1	27	1	3	7	9	11	23	18-34	11	11.5	13						
35-49	221	12.7	206	4	5	9	11	25	32	35-49	143	10.6	47	5	6	8	10	25	25
50-69	118	8.8	40	5	5	6	8	17	25	50-69	164	9.3	74	2	2	6	14	21	25
70 +	6	21.0								70 +	0								
SUBTOTAL	**452**	**10.3**	**125**	**3**	**5**	**8**	**11**	**22**	**32**		**341**	**9.5**	**59**	**2**	**4**	**7**	**14**	**25**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	11	4.5	7							0-17	0								
18-34	0									18-34	31	3.3							
35-49	0									35-49	10	1.0							
50-69	0									50-69	6	7.0							
70 +	0									70 +	0								
SUBTOTAL	**11**	**4.5**	**7**								**47**	**3.3**	**3**						
GRAND TOTAL	**463**	**10.2**	**123**	**3**	**5**	**8**	**11**	**22**	**32**		**388**	**8.8**	**57**	**2**	**3**	**6**	**10**	**21**	**25**

DRG 202: Cirrhosis & Alcoholic Hepatitis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2172	9.1	53	3	4	7	12	18	20	0-17	17	10.0	53						
70-74	962	8.9	44	3	5	7	11	16	21	18-34	223	8.7	75	2	3	7	9	22	32
75-79	558	11.3	54	4	7	9	14	21	29	35-49	1182	9.0	86	2	4	6	10	17	31
80-84	373	10.9	81	4	6	9	14	18	24	50-69	2026	8.8	54	3	4	7	11	18	23
85 +	172	10.6	57	4	5	9	15	18	34	70 +	57	10.4	110	1	2	10	11	31	31
SUBTOTAL	**4238**	**9.6**	**54**	**3**	**5**	**8**	**12**	**18**	**22**		**3505**	**8.9**	**67**	**2**	**4**	**6**	**11**	**18**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	132	4.7	14	1	2	4	6	11	12	0-17	6	1.0							
70-74	66	3.8	13	1	1	1	6	10	11	18-34	58	6.9	40	1	4	5	6	20	20
75-79	32	2.2	1							35-49	137	5.0	20	1	1	5	7	8	8
80-84	6	16.0								50-69	162	5.0	23	1	1	3	7	15	15
85 +	0									70 +	6	5.0							
SUBTOTAL	**235**	**4.4**	**16**	**1**	**1**	**3**	**6**	**11**	**12**		**369**	**5.3**	**25**	**1**	**1**	**4**	**7**	**13**	**15**
GRAND TOTAL	**4472**	**9.3**	**54**	**3**	**4**	**8**	**12**	**17**	**22**		**3874**	**8.6**	**64**	**2**	**4**	**6**	**10**	**18**	**23**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	27	7.7	23							0-17	11	3.5	7						
18-34	438	7.9	42	3	4	7	9	16	23	18-34	415	7.4	34	3	4	6	9	16	19
35-49	1005	9.8	130	2	4	6	10	20	34	35-49	1440	8.6	46	3	4	7	11	17	21
50-69	827	9.1	38	3	5	8	12	15	20	50-69	976	8.6	63	2	3	6	11	19	27
70 +	20	24.5	95							70 +	16	6.0							
SUBTOTAL	**2318**	**9.3**	**81**	**3**	**4**	**7**	**11**	**18**	**29**		**2857**	**8.4**	**50**	**2**	**4**	**7**	**10**	**17**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	6	1.0							
18-34	11	4.0	4							18-34	22	2.2	1						
35-49	42	2.3	1							35-49	58	2.8	2	1	1	3	4	5	5
50-69	32	5.2	12							50-69	71	6.0	53	1	3	4	6	11	29
70 +	0									70 +	0								
SUBTOTAL	**85**	**3.6**	**7**	**1**	**2**	**3**	**4**	**10**	**10**		**156**	**4.1**	**28**	**1**	**1**	**3**	**4**	**6**	**11**
GRAND TOTAL	**2403**	**9.1**	**80**	**2**	**4**	**7**	**11**	**18**	**29**		**3014**	**8.2**	**50**	**2**	**3**	**6**	**10**	**17**	**22**

DRG 203: Malignancy of Hepatobiliary System or Pancreas

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1659	9.6	62	3	5	7	12	21	27
70-74	1385	9.3	62	2	4	7	12	21	25
75-79	1131	9.9	112	2	4	7	13	20	23
80-84	866	7.5	56	2	3	7	9	12	18
85 +	532	10.8	32	4	7	10	14	18	21
SUBTOTAL	**5573**	**9.4**	**69**	**2**	**4**	**7**	**12**	**18**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	425	5.5	27	1	2	4	7	13	15
70-74	310	5.2	61	1	1	4	6	9	18
75-79	331	6.4	16	1	3	6	10	11	13
80-84	242	5.7	29	1	2	3	8	13	18
85 +	144	8.0	24	3	3	8	12	15	16
SUBTOTAL	**1452**	**5.9**	**32**	**1**	**2**	**4**	**8**	**13**	**16**
GRAND TOTAL	**7025**	**8.7**	**63**	**2**	**4**	**7**	**11**	**17**	**23**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	9.0	25						
18-34	58	7.5	18	2	4	8	11	14	14
35-49	394	10.0	145	2	4	6	11	22	29
50-69	1689	7.9	41	2	4	6	10	15	21
70 +	149	8.6	18	4	4	8	12	15	15
	2312	**8.3**	**57**	**2**	**4**	**7**	**11**	**15**	**22**
0-17	28	2.8	3						
18-34	23	3.8	11						
35-49	145	4.0	7	1	2	3	6	8	9
50-69	563	4.8	19	1	2	4	6	12	15
70 +	33	7.1	27						
	791	**4.6**	**17**	**1**	**2**	**4**	**6**	**10**	**15**
	3104	**7.4**	**49**	**1**	**3**	**6**	**10**	**15**	**19**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	22	18.5	127						
35-49	110	10.3	113	2	4	7	15	20	46
50-69	283	8.3	42	3	4	7	12	15	24
70 +	27	15.4	91						
SUBTOTAL	**442**	**9.8**	**73**	**2**	**4**	**7**	**13**	**20**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	11	1.5							
18-34	0								
35-49	16	7.6	4						
50-69	90	4.2	6	1	3	4	5	8	11
70 +	0								
SUBTOTAL	**117**	**4.4**	**7**	**1**	**2**	**4**	**5**	**9**	**10**
GRAND TOTAL	**559**	**8.6**	**64**	**2**	**3**	**7**	**11**	**17**	**26**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	4.0							
18-34	33	11.6	177						
35-49	92	11.5	111	2	5	6	12	31	31
50-69	441	6.2	13	2	4	5	9	10	12
70 +	58	9.4	79	3	4	5	9	28	28
	629	**7.6**	**46**	**2**	**4**	**5**	**9**	**12**	**28**
0-17	11	2.0							
18-34	22	3.3	4						
35-49	23	1.3							
50-69	176	5.0	21	1	1	5	6	11	19
70 +	17	3.7	3						
	248	**4.3**	**17**	**1**	**1**	**3**	**6**	**10**	**11**
	877	**6.6**	**40**	**1**	**3**	**5**	**8**	**11**	**19**

DRG 204: Disorders of Pancreas except Malignancy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4624	8.6	51	3	4	6	10	16	23	0-17	53	10.9	89	1	5	7	13	29	29
70-74	1881	8.5	52	3	4	7	10	16	22	18-34	1628	7.0	44	3	4	5	8	12	18
75-79	1457	8.5	56	3	4	7	10	13	22	35-49	4098	8.0	63	3	4	6	9	15	21
80-84	1275	8.9	72	4	5	6	10	17	22	50-69	3289	8.2	42	3	4	6	10	15	21
85 +	1115	8.9	54	3	5	7	11	16	30	70 +	170	10.7	166	4	5	8	10	14	42
SUBTOTAL	**10352**	**8.6**	**55**	**3**	**4**	**7**	**10**	**16**	**23**		**9239**	**7.9**	**54**	**3**	**4**	**6**	**9**	**15**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1188	5.6	10	3	4	5	7	10	10	0-17	138	4.6	7	1	2	5	6	8	10
70-74	686	5.1	6	2	4	5	7	8	10	18-34	1669	4.6	15	2	2	4	5	9	12
75-79	610	5.0	6	2	3	5	6	8	10	35-49	3106	5.6	16	2	3	5	7	10	12
80-84	341	6.5	12	3	4	6	9	11	13	50-69	2222	5.3	18	2	3	4	7	9	11
85 +	189	4.8	4	3	3	4	6	8	9	70 +	49	7.0	17	3	4	5	9	17	17
SUBTOTAL	**3015**	**5.4**	**8**	**2**	**4**	**5**	**7**	**9**	**11**		**7183**	**5.2**	**16**	**2**	**3**	**4**	**6**	**9**	**12**
GRAND TOTAL	**13367**	**7.9**	**46**	**3**	**4**	**6**	**9**	**14**	**20**		**16422**	**6.8**	**40**	**2**	**3**	**5**	**8**	**12**	**17**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	37	4.8	7							0-17	44	9.2	17	3	6	9	13	16	16
18-34	1741	7.5	51	3	4	5	8	14	21	18-34	2436	6.8	41	3	4	5	7	13	16
35-49	2646	7.5	56	3	4	5	9	14	18	35-49	3295	7.4	35	3	4	6	9	14	19
50-69	1199	7.6	39	2	4	6	9	15	21	50-69	1284	8.1	45	3	4	6	9	16	20
70 +	183	5.8	7	2	4	6	7	11	12	70 +	20	4.5	2						
SUBTOTAL	**5806**	**7.5**	**49**	**3**	**4**	**5**	**9**	**14**	**19**		**7079**	**7.3**	**39**	**3**	**4**	**5**	**8**	**14**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	27	3.6	1							0-17	26	6.7	12						
18-34	411	6.4	51	2	3	4	7	10	16	18-34	1096	4.8	10	2	3	4	6	9	11
35-49	432	7.1	18	3	4	6	9	14	15	35-49	1086	5.5	23	2	3	4	7	9	14
50-69	228	7.0	61	3	4	5	7	10	13	50-69	541	5.1	7	2	3	5	6	9	10
70 +	26	4.7	6							70 +	20	10.0	26						
SUBTOTAL	**1124**	**6.7**	**38**	**2**	**4**	**5**	**8**	**12**	**15**		**2769**	**5.2**	**15**	**2**	**3**	**4**	**6**	**9**	**11**
GRAND TOTAL	**6930**	**7.3**	**48**	**3**	**4**	**5**	**8**	**14**	**18**		**9849**	**6.7**	**33**	**2**	**3**	**5**	**8**	**12**	**17**

DRG 205: Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2685	8.5	67	2	4	6	10	17	22	0-17	300	5.7	34	1	2	4	8	13	21
70-74	1061	9.1	54	3	5	7	11	19	27	18-34	943	5.3	23	1	3	4	6	10	12
75-79	980	8.3	41	3	4	6	10	17	21	35-49	1466	6.9	46	1	3	5	9	14	17
80-84	552	8.9	53	3	4	7	12	16	21	50-69	1775	8.6	82	2	4	6	10	17	26
85 +	246	11.5	92	2	5	9	16	28	31	70 +	110	8.6	49	3	4	6	13	17	25
SUBTOTAL	**5524**	**8.8**	**60**	**2**	**4**	**7**	**11**	**17**	**23**		**4594**	**7.2**	**56**	**1**	**3**	**5**	**9**	**14**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**5524**	**8.8**	**60**	**2**	**4**	**7**	**11**	**17**	**23**		**4594**	**7.2**	**56**	**1**	**3**	**5**	**9**	**14**	**20**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	222	11.2	297	1	3	5	14	44	87	0-17	178	5.5	46	1	1	2	7	12	29
18-34	582	6.6	37	2	3	5	8	11	17	18-34	863	5.6	22	2	3	5	6	10	17
35-49	597	8.3	46	3	4	6	11	16	25	35-49	766	8.4	67	2	3	6	10	20	21
50-69	638	8.3	81	2	4	6	9	15	19	50-69	415	8.2	59	1	4	7	10	13	15
70 +	31	9.0	39							70 +	78	10.6	42	3	4	9	15	23	23
SUBTOTAL	**2069**	**8.2**	**83**	**2**	**3**	**6**	**9**	**15**	**22**		**2300**	**7.2**	**48**	**2**	**3**	**5**	**9**	**15**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2069**	**8.2**	**83**	**2**	**3**	**6**	**9**	**15**	**22**		**2300**	**7.2**	**48**	**2**	**3**	**5**	**9**	**15**	**20**

DRG 206: Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	385	3.0	5	1	1	3	4	7	7
70-74	155	3.9	10	1	2	3	5	9	11
75-79	134	6.1	34	1	2	5	7	14	23
80-84	69	6.4	32	1	3	4	5	16	17
85 +	10	3.0							
SUBTOTAL	**754**	**4.0**	**15**	**1**	**1**	**3**	**5**	**8**	**12**
GRAND TOTAL	**754**	**4.0**	**15**	**1**	**1**	**3**	**5**	**8**	**12**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	564	3.3	13	1	1	2	3	8	10
18-34	883	4.0	10	1	1	3	6	9	10
35-49	1162	3.1	7	1	1	2	4	7	9
50-69	989	3.6	12	1	1	3	5	7	9
70 +	16	7.9	2						
	3614	**3.5**	**10**	**1**	**1**	**2**	**5**	**8**	**10**
	3614	**3.5**	**10**	**1**	**1**	**2**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	204	3.6	11	1	1	2	5	8	10
18-34	283	3.7	7	1	2	3	5	8	10
35-49	111	4.8	20	1	1	4	6	12	14
50-69	76	3.6	4	1	2	4	4	6	9
70 +	0								
SUBTOTAL	**674**	**3.8**	**10**	**1**	**1**	**3**	**5**	**8**	**11**
GRAND TOTAL	**674**	**3.8**	**10**	**1**	**1**	**3**	**5**	**8**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	320	4.4	19	1	1	3	6	8	14
18-34	529	4.1	9	1	2	4	5	7	7
35-49	308	3.4	9	1	1	2	5	7	9
50-69	230	4.1	19	1	1	2	6	10	15
70 +	22	5.3	2						
	1410	**4.0**	**13**	**1**	**1**	**3**	**5**	**7**	**10**
	1410	**4.0**	**13**	**1**	**1**	**3**	**5**	**7**	**10**

DRG 207: Disorders of the Biliary Tract w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2890	5.9	22	2	3	5	8	12	15	0-17	157	11.4	226	1	4	7	12	43	54
70-74	2362	6.1	18	2	3	5	8	11	13	18-34	651	4.1	7	1	2	4	5	8	9
75-79	2470	6.8	36	2	4	6	8	12	15	35-49	1518	5.3	34	1	2	4	6	9	12
80-84	1822	7.7	45	2	4	6	10	15	18	50-69	2387	5.4	18	2	3	4	7	10	13
85 +	2177	9.3	41	3	5	8	11	18	23	70 +	206	6.5	11	2	4	6	8	11	14
SUBTOTAL	**11721**	**7.0**	**33**	**2**	**4**	**6**	**9**	**13**	**17**		**4919**	**5.4**	**29**	**2**	**3**	**4**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	11721	7.0	33	2	4	6	9	13	17		4919	5.4	29	2	3	4	7	10	13

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	92	8.8	24	2	5	9	13	20	99 +	0-17	44	5.6	6	1	3	6	7	9	9
18-34	339	4.3	10	1	2	3	5	9	10	18-34	414	4.9	13	1	2	5	6	9	12
35-49	202	6.3	71	1	3	5	7	9	18	35-49	485	5.0	18	1	2	4	7	9	12
50-69	382	6.8	30	2	3	5	9	12	18	50-69	464	4.6	14	1	2	3	6	10	13
70 +	62	10.7	57	3	6	7	22	22	23	70 +	52	3.7	4	1	3	4	4	7	7
SUBTOTAL	**1077**	**6.3**	**36**	**2**	**3**	**5**	**8**	**13**	**18**		**1459**	**4.8**	**15**	**1**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	1077	6.3	36	2	3	5	8	13	18		1459	4.8	15	1	2	4	6	9	12

DRG 208: Disorders of the Biliary Tract w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1579	3.5	6	1	2	3	5	7	8	0-17	127	3.3	24	1	1	1	3	6	15
70-74	959	3.7	7	1	2	3	5	7	9	18-34	2300	2.5	3	1	1	2	3	4	5
75-79	785	3.7	7	1	2	3	5	6	9	35-49	3367	2.6	3	1	1	2	3	5	6
80-84	580	5.0	22	1	2	4	6	10	13	50-69	3429	2.9	6	1	1	2	4	6	7
85 +	564	5.1	16	1	2	4	7	9	12	70 +	69	5.2	10	1	3	5	9	10	10
SUBTOTAL	**4466**	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**9**		**9292**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**4466**	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**9**		**9292**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	73	5.2	34	1	1	4	5	11	23	0-17	75	3.0	6	1	1	2	5	6	9
18-34	794	2.7	4	1	1	2	4	5	6	18-34	1156	2.5	4	1	1	2	3	5	7
35-49	316	3.4	8	1	2	2	4	6	7	35-49	992	2.6	3	1	1	2	3	5	6
50-69	147	3.9	10	1	1	3	6	8	8	50-69	575	3.0	5	1	1	2	4	7	8
70 +	74	5.5	13	1	2	6	10	11	11	70 +	49	2.6	4	< 1	1	2	4	7	7
SUBTOTAL	**1405**	**3.3**	**8**	**1**	**1**	**2**	**4**	**6**	**8**		**2845**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**1405**	**3.3**	**8**	**1**	**1**	**2**	**4**	**6**	**8**		**2845**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**7**

DRG 209: Major Joint & Limb Reattachment Procedures, Lower Extremity

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	12117	10.9	31	7	8	10	12	16	20	0-17	6	15.0							
70-74	12017	11.7	37	7	8	10	13	17	22	18-34	315	8.6	34	4	5	7	9	13	20
75-79	11335	12.3	44	7	9	11	14	19	24	35-49	1218	9.6	30	5	7	8	10	14	17
80-84	9233	12.8	42	7	9	11	15	20	26	50-69	6715	10.1	29	6	7	9	11	14	18
85 +	7843	14.1	59	8	9	12	16	23	28	70 +	994	12.2	47	7	9	11	13	18	27
SUBTOTAL	**52545**	**12.2**	**42**	**7**	**8**	**11**	**14**	**18**	**24**		**9247**	**10.2**	**32**	**6**	**7**	**9**	**11**	**15**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	9321	9.1	11	6	7	9	10	12	14	0-17	40	9.9	58	2	6	7	11	27	27
70-74	8561	9.3	11	6	7	9	11	13	15	18-34	411	7.2	17	4	6	7	8	9	12
75-79	6995	9.8	15	6	8	9	11	14	15	35-49	1627	7.6	8	5	6	7	9	11	14
80-84	4215	10.6	16	7	8	10	12	15	18	50-69	8973	8.4	8	5	7	8	10	11	13
85 +	3120	10.9	15	7	8	10	13	16	18	70 +	670	9.6	20	5	7	9	12	15	16
SUBTOTAL	**32213**	**9.7**	**13**	**6**	**8**	**9**	**11**	**14**	**16**		**11721**	**8.3**	**10**	**5**	**6**	**8**	**10**	**12**	**14**
GRAND TOTAL	**84758**	**11.2**	**33**	**7**	**8**	**10**	**13**	**17**	**21**		**20968**	**9.2**	**20**	**5**	**7**	**8**	**10**	**13**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	12.0								0-17	0								
18-34	123	11.9	67	4	6	10	15	19	35	18-34	80	9.6	25	4	6	9	10	21	21
35-49	375	10.3	15	5	8	11	12	16	18	35-49	347	11.0	65	5	6	8	13	20	27
50-69	690	11.8	32	7	8	11	14	19	22	50-69	994	10.7	21	6	8	9	12	16	19
70 +	206	14.1	27	7	9	13	19	21	22	70 +	189	14.2	39	7	9	12	20	25	25
SUBTOTAL	**1401**	**11.8**	**31**	**6**	**8**	**11**	**14**	**19**	**22**		**1610**	**11.1**	**34**	**6**	**8**	**10**	**13**	**18**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	28.0								0-17	11	9.5	22						
18-34	127	8.0	6	5	7	7	10	12	13	18-34	118	7.6	7	6	6	7	8	11	14
35-49	216	9.0	16	5	7	8	10	14	16	35-49	309	7.9	12	5	6	7	9	12	14
50-69	609	9.7	13	7	8	9	11	14	16	50-69	1233	7.9	9	5	6	7	9	11	13
70 +	126	12.6	35	7	8	12	14	18	29	70 +	200	11.2	13	6	9	10	14	15	18
SUBTOTAL	**1083**	**9.8**	**18**	**6**	**7**	**9**	**11**	**14**	**18**		**1871**	**8.3**	**11**	**5**	**6**	**7**	**9**	**13**	**14**
GRAND TOTAL	**2484**	**10.9**	**26**	**6**	**8**	**10**	**13**	**17**	**21**		**3481**	**9.6**	**24**	**5**	**7**	**8**	**11**	**15**	**19**

DRG 210: Hip & Femur Procedures except Major Joint Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4046	14.1	88	7	9	12	16	24	31	0-17	0								
70-74	3847	13.8	93	7	8	11	16	23	32	18-34	845	11.4	94	6	7	9	13	19	23
75-79	6499	13.1	49	7	9	12	15	21	25	35-49	715	12.0	89	5	7	9	14	22	29
80-84	8458	13.7	78	7	9	12	15	22	29	50-69	1966	12.7	62	6	8	11	15	23	28
85+	12738	12.7	46	7	9	11	15	20	25	70+	777	14.1	83	7	10	12	15	21	35
SUBTOTAL	**35588**	**13.3**	**65**	**7**	**9**	**11**	**15**	**21**	**28**		**4304**	**12.6**	**77**	**6**	**8**	**10**	**15**	**22**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**35588**	**13.3**	**65**	**7**	**9**	**11**	**15**	**21**	**28**		**4304**	**12.6**	**77**	**6**	**8**	**10**	**15**	**22**	**29**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	374	10.5	52	4	6	8	13	21	24	18-34	780	11.9	67	5	7	9	15	24	28
35-49	198	11.1	67	6	6	8	14	18	24	35-49	274	12.4	85	4	6	10	15	22	34
50-69	472	16.1	128	7	10	12	19	27	45	50-69	513	12.9	46	6	9	11	15	22	24
70+	335	13.2	34	8	10	12	14	23	26	70+	302	12.3	40	6	8	10	15	24	28
SUBTOTAL	**1380**	**13.2**	**81**	**5**	**8**	**11**	**15**	**24**	**31**		**1869**	**12.3**	**60**	**5**	**7**	**10**	**15**	**23**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1380**	**13.2**	**81**	**5**	**8**	**11**	**15**	**24**	**31**		**1869**	**12.3**	**60**	**5**	**7**	**10**	**15**	**23**	**28**

DRG 211: Hip & Femur Procedures except Major Joint Age >17 w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1281	8.9	23	4	6	8	11	13	21	0-17	0								
70-74	1235	10.3	17	5	7	10	12	15	17	18-34	1401	7.6	37	3	4	6	9	13	16
75-79	1921	10.0	23	5	7	9	12	15	17	35-49	915	7.0	21	3	4	7	8	12	14
80-84	2046	10.0	17	6	7	9	12	15	17	50-69	1453	8.4	34	4	6	7	10	13	15
85 +	2912	10.7	25	6	8	10	12	16	19	70 +	252	9.9	7	6	9	10	12	13	13
SUBTOTAL	**9395**	**10.1**	**22**	**5**	**7**	**9**	**12**	**15**	**18**		**4020**	**7.9**	**31**	**3**	**5**	**7**	**10**	**12**	**15**
GRAND TOTAL	**9395**	**10.1**	**22**	**5**	**7**	**9**	**12**	**15**	**18**		**4020**	**7.9**	**31**	**3**	**5**	**7**	**10**	**12**	**15**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	332	7.1	44	3	4	5	8	10	23	18-34	916	8.2	37	3	5	7	11	13	17
35-49	86	6.6	13	2	4	7	8	9	17	35-49	454	7.6	66	2	4	6	9	13	20
50-69	145	9.4	19	5	6	8	10	17	20	50-69	368	7.3	21	3	4	6	8	12	15
70 +	126	11.4	37	5	6	9	15	16	28	70 +	105	11.2	26	6	9	11	12	14	25
SUBTOTAL	**689**	**8.3**	**37**	**3**	**5**	**7**	**9**	**16**	**20**		**1844**	**8.1**	**41**	**3**	**4**	**7**	**10**	**13**	**17**
GRAND TOTAL	**689**	**8.3**	**37**	**3**	**5**	**7**	**9**	**16**	**20**		**1844**	**8.1**	**41**	**3**	**4**	**7**	**10**	**13**	**17**

DRG 212: Hip & Femur Procedures except Major Joint Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	49	8.9	9	2	7	10	11	12	12	0-17	785	10.8	89	3	5	8	14	21	35
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	49	8.9	9	2	7	10	11	12	12		785	10.8	89	3	5	8	14	21	35
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	11	3.5	7							0-17	3315	6.9	55	1	2	4	8	17	25
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	11	3.5	7								3315	6.9	55	1	2	4	8	17	25
GRAND TOTAL	60	7.9	13	2	6	9	11	12	12		4100	7.6	64	2	3	5	9	19	27

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	490	8.2	81	2	3	5	9	18	23	0-17	320	8.2	47	2	3	6	10	18	26
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	490	8.2	81	2	3	5	9	18	23		320	8.2	47	2	3	6	10	18	26
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1097	6.2	48	1	3	4	7	14	21	0-17	1332	6.0	45	1	2	4	7	12	19
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	1097	6.2	48	1	3	4	7	14	21		1332	6.0	45	1	2	4	7	12	19
GRAND TOTAL	1587	6.8	59	1	3	4	8	16	21		1652	6.4	46	1	2	4	7	13	20

DRG 213: Amputation for Musculoskeletal System & Conn Tissue Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	564	13.8	154	5	8	11	16	23	33	0-17	22	6.8	1						
70-74	334	13.7	139	5	7	11	16	24	28	18-34	11	3.0							
75-79	290	14.7	159	5	7	12	17	25	50	35-49	75	14.8	135	3	4	9	29	31	31
80-84	205	13.2	169	4	5	11	16	27	29	50-69	222	11.6	87	3	6	8	17	20	28
85 +	262	12.6	79	6	7	11	15	20	23	70 +	16	19.2	20						
SUBTOTAL	**1656**	**13.7**	**142**	**5**	**7**	**11**	**16**	**23**	**29**		**346**	**12.1**	**94**	**3**	**6**	**8**	**17**	**29**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	180	6.0	22	1	4	5	7	11	17	0-17	28	4.0	8						
70-74	26	11.5	5							18-34	56	3.2	2	1	2	3	4	5	5
75-79	26	5.3	10							35-49	44	8.8	68	3	3	5	16	27	27
80-84	11	13.5								50-69	107	6.7	31	2	2	6	7	15	19
85 +	42	4.7	4							70 +	16	8.4							
SUBTOTAL	**286**	**6.5**	**21**	**1**	**4**	**5**	**9**	**14**	**17**		**251**	**6.1**	**30**	**1**	**3**	**4**	**8**	**15**	**19**
GRAND TOTAL	**1942**	**12.7**	**131**	**4**	**6**	**10**	**15**	**21**	**29**		**597**	**9.5**	**76**	**2**	**4**	**7**	**14**	**21**	**29**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	11	6.5	22							0-17	0								
18-34	28	20.0	92							18-34	33	7.8	14						
35-49	34	12.2	54	7	8	9	11	28	28	35-49	57	11.6	35	1	10	12	16	19	19
50-69	141	18.6	263	7	8	14	21	40	67	50-69	79	6.3	13	3	3	5	10	11	11
70 +	20	18.5								70 +	0								
SUBTOTAL	**235**	**17.4**	**188**	**7**	**8**	**14**	**21**	**30**	**40**		**169**	**8.4**	**26**	**2**	**3**	**10**	**11**	**16**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	34	1.8	2	1	1	1	3	4	4	0-17	34	3.8	26	1	1	2	3	15	15
18-34	23	3.5	1							18-34	23	5.5	2						
35-49	58	6.8	29	2	2	5	14	16	16	35-49	11	3.0							
50-69	20	5.0	4							50-69	22	3.8	7						
70 +	0									70 +	0								
SUBTOTAL	**135**	**4.7**	**18**	**1**	**2**	**4**	**5**	**14**	**16**		**89**	**4.2**	**13**	**1**	**2**	**3**	**6**	**8**	**15**
GRAND TOTAL	**369**	**12.8**	**163**	**2**	**4**	**8**	**18**	**27**	**40**		**258**	**6.9**	**25**	**1**	**3**	**6**	**11**	**14**	**16**

DRG 214: Back & Neck Procedures w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6535	8.8	58	3	5	7	10	15	24	0-17	747	11.7	84	6	7	9	12	17	37
70-74	4417	9.4	46	4	5	7	11	18	22	18-34	1867	7.7	41	3	4	6	9	15	20
75-79	3034	10.2	49	4	6	8	11	19	24	35-49	5244	7.0	31	3	4	5	8	13	20
80-84	1619	11.6	69	5	6	9	14	22	26	50-69	6797	7.9	49	3	4	6	9	15	21
85 +	453	14.7	192	5	8	11	16	23	27	70 +	237	9.7	30	4	6	7	11	19	20
SUBTOTAL	**16058**	**9.7**	**59**	**4**	**5**	**8**	**11**	**18**	**24**		**14894**	**7.8**	**44**	**3**	**4**	**6**	**9**	**15**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**16058**	**9.7**	**59**	**4**	**5**	**8**	**11**	**18**	**24**		**14894**	**7.8**	**44**	**3**	**4**	**6**	**9**	**15**	**21**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	278	12.9	262	6	7	9	12	17	32	0-17	271	10.6	45	5	7	9	11	21	23
18-34	311	10.3	69	3	5	9	12	18	24	18-34	463	9.0	69	2	4	6	11	20	26
35-49	493	9.2	58	3	4	7	11	19	32	35-49	1119	8.0	40	3	4	6	10	17	24
50-69	416	9.2	83	3	4	7	10	19	27	50-69	880	8.5	100	2	4	6	9	15	23
70 +	11	51.0	355							70 +	76	8.7	17	4	5	9	11	16	16
SUBTOTAL	**1509**	**10.4**	**121**	**3**	**5**	**8**	**12**	**19**	**32**		**2810**	**8.6**	**64**	**3**	**4**	**7**	**10**	**17**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1509**	**10.4**	**121**	**3**	**5**	**8**	**12**	**19**	**32**		**2810**	**8.6**	**64**	**3**	**4**	**7**	**10**	**17**	**25**

DRG 215: Back & Neck Procedures w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7263	5.3	13	2	3	4	6	9	11
70-74	4375	5.7	11	3	4	5	7	10	12
75-79	2270	6.5	22	3	4	5	8	11	14
80-84	834	6.8	11	3	4	6	8	11	15
85 +	238	8.8	35	2	5	7	11	16	24
SUBTOTAL	**14979**	**5.7**	**14**	**3**	**3**	**5**	**7**	**10**	**12**
GRAND TOTAL	**14979**	**5.7**	**14**	**3**	**3**	**5**	**7**	**10**	**12**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1467	7.0	19	3	5	7	8	10	12
18-34	13033	4.1	7	2	3	3	5	7	9
35-49	33641	4.1	8	2	2	3	5	7	9
50-69	21000	4.5	7	2	3	4	5	8	10
70 +	183	6.2	7	3	4	5	9	10	12
	69324	**4.3**	**8**	**2**	**3**	**4**	**5**	**7**	**9**
	69324	**4.3**	**8**	**2**	**3**	**4**	**5**	**7**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	186	6.8	9	4	5	6	8	9	13
18-34	1305	4.8	12	2	3	4	6	9	11
35-49	1480	4.7	15	2	3	4	5	8	11
50-69	581	4.7	6	2	3	4	6	8	8
70 +	37	5.9	14						
SUBTOTAL	**3590**	**4.9**	**12**	**2**	**3**	**4**	**6**	**8**	**11**
GRAND TOTAL	**3590**	**4.9**	**12**	**2**	**3**	**4**	**6**	**8**	**11**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	491	6.7	7	4	5	6	8	10	11
18-34	3336	4.1	9	2	3	3	5	7	10
35-49	6322	3.9	15	2	2	3	4	7	8
50-69	3246	4.2	7	2	3	3	5	7	9
70 +	49	5.5	10	3	4	5	5	14	14
	13443	**4.1**	**12**	**2**	**2**	**3**	**5**	**7**	**9**
	13443	**4.1**	**12**	**2**	**2**	**3**	**5**	**7**	**9**

DRG 216: Biopsies of Musculoskeletal System & Connective Tissue

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	699	16.7	218	4	7	12	23	34	52	0-17	60	7.8	22	1	5	8	13	16	99 +
70-74	411	14.0	102	4	7	12	18	30	32	18-34	52	9.3	62	4	4	6	14	78	99 +
75-79	382	18.1	258	4	8	14	22	31	42	35-49	128	13.6	199	4	4	7	14	43	45
80-84	294	16.7	139	6	8	13	21	38	44	50-69	423	14.1	118	2	7	12	20	28	44
85 +	203	16.7	77	9	11	14	19	25	38	70 +	36	12.6	76						
SUBTOTAL	**1988**	**16.4**	**177**	**4**	**8**	**13**	**21**	**31**	**42**		**699**	**13.0**	**122**	**2**	**5**	**10**	**17**	**29**	**44**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	355	6.2	65	1	2	4	7	13	21	0-17	333	5.3	22	1	1	4	8	11	13
70-74	184	7.1	77	1	3	4	8	14	40	18-34	215	3.3	5	1	2	3	4	6	10
75-79	113	14.0	105	3	7	8	23	29	32	35-49	254	5.4	44	1	2	3	5	17	21
80-84	94	10.3	67	1	3	8	17	27	27	50-69	408	5.7	29	1	2	4	8	15	16
85 +	62	6.1	10	2	3	8	9	9	9	70 +	6	1.0							
SUBTOTAL	**809**	**7.9**	**77**	**1**	**2**	**5**	**10**	**18**	**29**		**1215**	**5.1**	**26**	**1**	**2**	**3**	**7**	**12**	**16**
GRAND TOTAL	**2797**	**14.0**	**163**	**2**	**6**	**10**	**18**	**29**	**38**		**1914**	**8.0**	**76**	**1**	**2**	**5**	**11**	**20**	**28**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	51	15.8	427	< 1	2	8	14	67	67	0-17	45	19.0	435	5	7	9	22	71	71
18-34	74	14.8	145	< 1	6	10	22	32	39	18-34	11	6.0	10						
35-49	44	15.0	186	1	6	10	15	48	48	35-49	44	16.5	381	1	2	8	21	63	63
50-69	28	13.0	127							50-69	117	10.4	19	2	8	12	12	16	18
70 +	0									70 +	6	20.0							
SUBTOTAL	**197**	**14.8**	**222**	**1**	**4**	**10**	**17**	**34**	**48**		**223**	**13.4**	**188**	**2**	**8**	**11**	**14**	**21**	**63**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	111	7.8	101	1	1	3	10	14	36	0-17	172	6.0	47	1	1	3	8	20	21
18-34	40	7.9	123	< 1	< 1	3	7	34	34	18-34	76	9.3	278	1	1	2	6	51	51
35-49	6	3.0								35-49	103	3.2	19	1	1	1	2	12	17
50-69	11	2.5	2							50-69	107	8.4	165	1	1	4	9	13	46
70 +	0									70 +	0								
SUBTOTAL	**167**	**7.3**	**97**	**< 1**	**1**	**3**	**8**	**14**	**36**		**457**	**6.5**	**110**	**1**	**1**	**2**	**7**	**17**	**27**
GRAND TOTAL	**364**	**11.4**	**178**	**1**	**2**	**7**	**14**	**34**	**37**		**680**	**8.7**	**146**	**1**	**1**	**5**	**11**	**20**	**27**

DRG 217: Wnd Debrid & Skn Grft except Hand,for Muscskelet & Conn Tiss Dis

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	2105	22.4	342	5	8	17	33	54	67	0-17	333	19.7	207	6	9	14	31	46	50	
70-74	726	21.7	342	6	9	16	30	56	87	18-34	1051	14.1	135	3	5	11	18	33	37	
75-79	789	22.8	321	6	9	22	28	49	67	35-49	935	17.2	177	5	7	13	23	38	49	
80-84	406	28.3	479	7	13	21	36	63	74	50-69	966	18.6	260	5	8	14	23	43	60	
85 +	513	20.4	323	4	10	15	29	48	81	70 +	69	26.2	163	14	16	20	39	41	50	
SUBTOTAL	4539	22.6	352	5	9	17	32	54	73		3354	17.1	196	4	7	13	22	38	49	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	422	12.8	176	2	4	7	19	26	43	0-17	1073	6.7	76	1	2	4	8	13	24	
70-74	248	13.3	59	3	7	14	18	25	26	18-34	1587	7.8	95	1	3	5	10	16	23	
75-79	169	7.5	55	1	2	6	11	13	31	35-49	1168	6.4	43	1	3	4	8	15	19	
80-84	97	10.6	113	2	2	4	22	27	33	50-69	793	8.0	73	1	3	5	10	18	30	
85 +	85	11.6	160	3	5	8	11	22	54	70 +	41	9.8	38							
SUBTOTAL	1021	11.7	124	2	4	7	17	26	33		4662	7.2	74	1	2	5	9	16	23	
GRAND TOTAL	5560	20.6	328	4	8	16	28	50	64		8017	11.4	148	2	3	7	15	27	38	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	72	15.1	95	4	7	12	21	31	31	0-17	98	18.3	162	5	8	14	27	39	44	
18-34	442	19.9	267	4	6	16	31	46	52	18-34	750	12.7	160	2	5	9	15	29	41	
35-49	323	18.7	216	3	8	16	27	37	63	35-49	460	18.2	199	3	8	15	26	42	50	
50-69	380	22.7	460	7	10	15	24	45	91	50-69	270	23.8	332	5	11	17	32	54	59	
70 +	16	11.1	9							70 +	22	32.6	566							
SUBTOTAL	1233	20.1	304	4	8	15	27	44	58		1599	16.8	225	3	6	12	24	36	50	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	282	7.5	76	1	2	4	10	21	23	0-17	560	6.5	43	1	2	4	11	16	20	
18-34	366	11.0	116	1	2	7	18	28	34	18-34	1482	6.9	54	1	2	4	9	14	20	
35-49	151	8.3	46	1	4	5	11	21	24	35-49	432	6.4	37	1	2	4	8	14	18	
50-69	33	4.6	9							50-69	231	7.2	81	1	2	6	7	17	20	
70 +	6	12.0								70 +	6	5.0								
SUBTOTAL	837	9.1	88	1	2	6	13	22	29		2711	6.7	51	1	2	4	9	15	20	
GRAND TOTAL	2070	15.6	246	2	5	11	22	34	47		4310	10.5	139	1	3	6	13	26	34	

DRG 218: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2368	8.5	45	3	5	7	10	15	21	0-17	0								
70-74	1518	8.8	46	3	5	7	10	17	21	18-34	1250	8.0	80	2	3	6	9	14	19
75-79	1122	8.9	44	3	5	7	10	16	21	35-49	1306	7.7	40	3	4	6	9	16	20
80-84	744	9.1	27	4	6	8	11	18	19	50-69	2103	7.3	36	3	4	6	9	14	20
85 +	516	10.3	29	4	7	9	14	18	19	70 +	171	10.8	56	4	6	9	14	17	34
SUBTOTAL	**6268**	**8.8**	**42**	**3**	**5**	**7**	**11**	**16**	**21**		**4829**	**7.7**	**49**	**2**	**4**	**6**	**9**	**15**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**6268**	**8.8**	**42**	**3**	**5**	**7**	**11**	**16**	**21**		**4829**	**7.7**	**49**	**2**	**4**	**6**	**9**	**15**	**20**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	519	9.5	184	3	4	6	9	15	33	18-34	1007	7.3	59	2	3	5	9	14	18
35-49	422	8.6	51	3	4	7	12	15	23	35-49	686	9.5	61	2	4	7	13	19	26
50-69	351	8.4	45	3	5	7	9	19	23	50-69	587	7.2	20	3	4	6	10	13	17
70 +	26	8.5	48							70 +	78	10.9	78	3	4	9	10	18	38
SUBTOTAL	**1319**	**8.9**	**102**	**3**	**4**	**6**	**10**	**16**	**23**		**2359**	**8.1**	**51**	**2**	**4**	**6**	**10**	**17**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1319**	**8.9**	**102**	**3**	**4**	**6**	**10**	**16**	**23**		**2359**	**8.1**	**51**	**2**	**4**	**6**	**10**	**17**	**20**

DRG 219: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2485	4.8	9	2	3	4	6	8	11	0-17	0								
70-74	1252	5.3	19	2	3	5	6	8	11	18-34	7504	3.7	9	1	2	3	5	6	8
75-79	902	5.5	14	2	3	5	7	9	11	35-49	7081	4.0	10	1	2	3	5	7	9
80-84	481	6.7	24	2	3	5	9	13	20	50-69	6309	4.3	7	2	3	4	5	7	9
85 +	346	6.7	13	3	4	6	9	11	14	70 +	135	5.3	29	2	2	4	5	11	22
SUBTOTAL	**5466**	**5.3**	**14**	**2**	**3**	**5**	**7**	**9**	**12**		**21029**	**4.0**	**9**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**5466**	**5.3**	**14**	**2**	**3**	**5**	**7**	**9**	**12**		**21029**	**4.0**	**9**	**1**	**2**	**3**	**5**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	1294	4.7	16	2	3	4	6	8	11	18-34	4349	3.9	9	1	2	3	5	7	9
35-49	552	7.1	86	1	3	4	7	15	22	35-49	2626	4.3	9	2	2	4	5	8	10
50-69	279	5.2	14	2	3	4	6	11	13	50-69	1368	4.2	9	2	2	4	5	7	9
70 +	26	4.2	1							70 +	68	8.4	118	1	2	5	6	28	36
SUBTOTAL	**2151**	**5.4**	**35**	**2**	**3**	**4**	**6**	**10**	**13**		**8412**	**4.1**	**10**	**1**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**2151**	**5.4**	**35**	**2**	**3**	**4**	**6**	**10**	**13**		**8412**	**4.1**	**10**	**1**	**2**	**3**	**5**	**7**	**10**

DRG 220: Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**3.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	20	2.5	2						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**20**	**2.5**	**2**						
GRAND TOTAL	**26**	**2.6**	**2**						

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	547	7.5	63	1	2	5	9	18	27
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	547	**7.5**	**63**	**1**	**2**	**5**	**9**	**18**	**27**
0-17	6824	2.8	10	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6824	**2.8**	**10**	**1**	**1**	**2**	**3**	**5**	**7**
	7371	**3.2**	**15**	**1**	**1**	**2**	**3**	**6**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	192	6.2	24	2	3	5	8	11	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**192**	**6.2**	**24**	**2**	**3**	**5**	**8**	**11**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1374	3.2	10	1	1	2	4	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1374**	**3.2**	**10**	**1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**1566**	**3.6**	**12**	**1**	**1**	**2**	**5**	**7**	**10**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	156	5.9	9	3	4	5	7	9	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	156	**5.9**	**9**	**3**	**4**	**5**	**7**	**9**	**13**
0-17	2554	2.8	8	1	1	2	3	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2554	**2.8**	**8**	**1**	**1**	**2**	**3**	**6**	**7**
	2711	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 221: Knee Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	726	8.3	45	2	5	7	10	14	25
70-74	420	7.4	39	2	3	7	9	13	26
75-79	355	9.4	52	2	5	8	12	16	24
80-84	180	11.5	42	3	7	10	18	19	20
85 +	104	15.3	320	3	5	8	19	29	65
SUBTOTAL	**1785**	**9.0**	**64**	**2**	**4**	**7**	**11**	**18**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1785**	**9.0**	**64**	**2**	**4**	**7**	**11**	**18**	**25**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	202	5.4	21	2	2	3	7	14	16
18-34	702	5.6	27	2	3	4	7	10	13
35-49	343	8.0	67	2	3	6	9	17	19
50-69	429	8.3	70	1	3	6	11	20	32
70 +	36	7.5	2						
	1712	**6.8**	**46**	**2**	**3**	**4**	**8**	**15**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1712	**6.8**	**46**	**2**	**3**	**4**	**8**	**15**	**20**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	49	10.4	116	2	3	4	25	27	27
18-34	118	12.0	173	2	4	7	15	27	48
35-49	38	14.3	131	1	6	13	24	36	36
50-69	37	12.5	217						
70 +	0								
SUBTOTAL	**242**	**12.1**	**161**	**2**	**4**	**6**	**15**	**27**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**242**	**12.1**	**161**	**2**	**4**	**6**	**15**	**27**	**46**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	42	11.4	81						
18-34	238	5.9	20	2	2	4	8	13	15
35-49	127	7.7	63	2	3	4	14	18	21
50-69	101	9.4	58	1	4	7	12	22	26
70 +	6	19.0							
	513	**7.6**	**47**	**2**	**3**	**5**	**11**	**18**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	513	**7.6**	**47**	**2**	**3**	**5**	**11**	**18**	**22**

DRG 222: Knee Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	764	6.2	83	1	2	4	8	12	15	0-17	3584	2.6	3	1	2	2	3	4	5
70-74	469	4.4	26	1	1	3	5	8	11	18-34	9895	2.9	6	1	2	3	3	4	5
75-79	352	5.1	16	1	2	4	7	11	14	35-49	3793	3.1	6	1	2	3	4	6	7
80-84	162	4.7	8	1	2	4	8	8	9	50-69	1916	3.5	12	1	1	3	4	7	9
85 +	90	5.4	18	1	2	4	8	9	17	70 +	48	5.0	7	2	3	4	8	9	9
SUBTOTAL	**1838**	**5.4**	**46**	**1**	**2**	**4**	**7**	**11**	**14**		**19235**	**3.0**	**6**	**1**	**2**	**3**	**3**	**5**	**6**
GRAND TOTAL	**1838**	**5.4**	**46**	**1**	**2**	**4**	**7**	**11**	**14**		**19235**	**3.0**	**6**	**1**	**2**	**3**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	230	5.1	33	1	1	3	6	11	20	0-17	662	3.3	8	1	2	3	3	6	11
18-34	448	3.7	11	1	2	3	4	8	9	18-34	2906	2.8	5	1	2	2	3	4	6
35-49	144	3.5	7	1	1	3	6	8	9	35-49	591	3.4	8	1	1	3	4	7	9
50-69	70	5.6	15	1	1	5	9	10	12	50-69	345	4.2	20	1	2	3	6	7	11
70 +	6	1.0								70 +	22	4.7	5						
SUBTOTAL	**898**	**4.1**	**17**	**1**	**1**	**3**	**5**	**9**	**11**		**4524**	**3.1**	**7**	**1**	**2**	**2**	**3**	**5**	**8**
GRAND TOTAL	**898**	**4.1**	**17**	**1**	**1**	**3**	**5**	**9**	**11**		**4524**	**3.1**	**7**	**1**	**2**	**2**	**3**	**5**	**8**

DRG 223: Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1059	4.2	20	1	2	3	4	7	13	0-17	92	2.2	3	<1	1	1	3	4	7
70-74	548	5.3	19	2	3	4	6	10	17	18-34	273	4.2	16	1	2	3	6	8	10
75-79	559	5.3	16	2	3	4	6	11	14	35-49	354	4.2	10	1	2	3	6	8	11
80-84	303	6.3	85	2	2	4	7	9	15	50-69	712	3.7	12	1	2	3	4	8	11
85 +	239	6.6	23	2	3	6	8	12	13	70 +	37	5.4	10						
SUBTOTAL	**2708**	**5.1**	**27**	**2**	**2**	**4**	**6**	**9**	**14**		**1468**	**3.9**	**12**	**1**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1107	2.7	4	1	2	2	3	5	6	0-17	169	2.4	4	1	1	2	2	5	8
70-74	561	3.2	3	2	2	3	4	6	6	18-34	962	1.7	1	1	1	2	2	3	3
75-79	388	3.6	4	1	2	3	5	7	8	35-49	1808	1.9	1	1	1	2	2	3	4
80-84	108	5.3	36	2	2	4	5	10	29	50-69	2846	2.2	1	1	1	2	3	4	4
85 +	52	5.1	3	3	4	5	5	8	8	70 +	52	2.4	1	1	2	2	4	4	4
SUBTOTAL	**2216**	**3.2**	**6**	**1**	**2**	**3**	**4**	**5**	**7**		**5837**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**4925**	**4.2**	**18**	**1**	**2**	**3**	**5**	**8**	**11**		**7306**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	50	14.6	154	2	5	14	17	41	41	0-17	53	3.0	18	1	1	1	3	15	15
18-34	51	7.2	123	1	3	4	5	38	38	18-34	234	4.7	10	2	2	4	6	9	11
35-49	59	2.5	4	1	1	2	3	6	7	35-49	168	6.2	37	2	2	5	6	13	26
50-69	65	12.1	193	3	4	7	12	43	43	50-69	139	5.2	34	2	2	4	4	8	25
70 +	0									70 +	0								
SUBTOTAL	**224**	**9.0**	**138**	**1**	**2**	**4**	**8**	**28**	**41**		**594**	**5.1**	**25**	**1**	**2**	**4**	**6**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	11	24.5	336							0-17	22	1.0							
18-34	79	2.9	3	1	2	2	4	7	7	18-34	189	2.0	1	1	1	2	3	4	4
35-49	75	2.5	3	1	1	2	3	4	7	35-49	458	1.9	1	1	1	2	2	3	3
50-69	85	2.8	1	1	2	3	3	4	5	50-69	438	1.9	1	1	1	2	2	3	4
70 +	0									70 +	22	2.7	2						
SUBTOTAL	**250**	**3.7**	**37**	**1**	**2**	**3**	**4**	**7**	**7**		**1128**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**475**	**6.2**	**91**	**1**	**2**	**3**	**5**	**14**	**38**		**1722**	**3.0**	**11**	**1**	**1**	**2**	**3**	**5**	**9**

DRG 224: Shoulder, Elbow or Forearm Proc,exc Major Joint Proc, w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1142	2.6	3	1	1	2	3	4	5	0-17	2266	2.0	1	1	1	2	3	4	4
70-74	644	2.6	5	1	1	2	3	4	7	18-34	3477	2.1	1	1	1	2	2	3	4
75-79	663	2.9	3	1	2	3	4	6	6	35-49	2310	2.2	2	1	1	2	3	4	5
80-84	291	3.6	9	1	2	3	5	7	9	50-69	2758	2.3	2	1	1	2	3	4	5
85 +	109	3.5	3	1	3	3	5	6	8	70 +	84	3.5	8	1	1	3	4	6	12
SUBTOTAL	**2850**	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**6**		**10894**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**2850**	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**6**		**10894**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	411	2.3	2	1	1	2	3	4	6	0-17	716	2.0	2	1	1	1	3	4	5
18-34	410	2.3	2	1	1	2	3	5	5	18-34	1802	2.5	3	1	1	2	3	5	6
35-49	183	2.5	3	1	1	2	4	5	6	35-49	678	2.4	3	1	1	2	3	5	6
50-69	75	2.5	5	1	1	1	3	7	8	50-69	483	2.6	3	1	2	2	3	5	6
70 +	0	-								70 +	26	2.2	1						
SUBTOTAL	**1080**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**6**		**3706**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1080**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**6**		**3706**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 225: Foot Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	525	9.1	60	2	3	7	12	19	24	0-17	202	3.5	15	1	1	2	3	10	14
70-74	235	10.2	79	3	4	7	13	25	33	18-34	163	5.9	18	1	1	6	9	11	15
75-79	228	8.7	42	3	5	7	10	13	25	35-49	306	6.1	25	1	2	5	9	14	16
80-84	162	14.2	285	2	4	7	13	54	58	50-69	531	7.0	43	1	2	5	10	13	15
85 +	121	10.3	45	4	5	10	13	19	27	70 +	32	7.7	40						
SUBTOTAL	**1271**	**10.0**	**90**	**2**	**4**	**7**	**12**	**20**	**29**		**1233**	**6.1**	**32**	**1**	**2**	**5**	**9**	**14**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	848	2.6	3	1	2	2	3	5	5	0-17	1220	2.4	7	1	1	2	3	4	7
70-74	491	3.2	6	1	2	2	4	7	8	18-34	1523	2.8	8	1	1	2	3	5	8
75-79	375	3.9	46	1	1	2	4	5	13	35-49	1844	2.8	5	1	1	2	4	5	7
80-84	91	7.4	38	1	3	4	12	19	19	50-69	2047	2.5	3	1	1	2	3	5	7
85 +	67	6.7	28	3	3	5	9	18	18	70 +	23	2.3	2						
SUBTOTAL	**1872**	**3.4**	**16**	**1**	**2**	**2**	**4**	**6**	**9**		**6656**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**3143**	**6.1**	**57**	**1**	**2**	**3**	**7**	**13**	**19**		**7890**	**3.2**	**11**	**1**	**1**	**2**	**4**	**7**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	62	4.5	41	1	1	2	5	10	24	0-17	60	4.3	9	1	2	3	5	10	10
18-34	87	8.2	28	3	5	7	11	17	20	18-34	84	9.6	47	1	3	8	16	22	22
35-49	80	9.9	112	1	3	5	15	35	35	35-49	110	6.7	22	3	3	4	11	16	17
50-69	116	8.8	19	3	5	8	13	15	16	50-69	116	14.6	176	5	7	9	17	30	52
70 +	26	4.1	12							70 +	0								
SUBTOTAL	**372**	**7.9**	**48**	**1**	**3**	**6**	**11**	**16**	**20**		**370**	**9.4**	**88**	**3**	**3**	**7**	**13**	**17**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	534	2.6	5	1	1	2	3	4	5	0-17	632	2.0	3	1	1	2	2	4	4
18-34	164	2.7	4	1	1	2	4	5	8	18-34	510	3.4	7	1	2	3	4	7	10
35-49	162	3.0	4	1	1	3	4	6	7	35-49	434	3.4	7	1	1	3	4	6	11
50-69	87	5.5	9	3	3	4	7	10	12	50-69	352	2.6	4	1	1	2	4	6	7
70 +	11	7.5	13							70 +	0								
SUBTOTAL	**959**	**3.0**	**6**	**1**	**1**	**2**	**4**	**5**	**8**		**1929**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**1331**	**4.4**	**23**	**1**	**2**	**3**	**5**	**11**	**14**		**2298**	**3.9**	**25**	**1**	**1**	**2**	**4**	**8**	**12**

Southern Region, July 1990 - June 1991

DRG 226: Soft Tissue Procedures w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	830	7.0	42	2	3	6	8	13	16	0-17	287	4.7	33	1	1	3	6	10	12
70-74	279	9.2	90	2	3	6	12	24	27	18-34	200	7.5	80	1	2	5	10	13	27
75-79	274	6.2	19	2	3	5	9	12	16	35-49	390	7.6	73	1	2	4	9	19	27
80-84	204	13.0	108	2	5	11	17	28	35	50-69	652	8.3	102	1	2	5	10	17	26
85 +	107	13.2	164	3	4	8	24	40	46	70 +	48	8.9	26	3	6	6	12	19	19
SUBTOTAL	**1693**	**8.3**	**68**	**2**	**3**	**6**	**10**	**17**	**26**		**1577**	**7.4**	**79**	**1**	**2**	**4**	**9**	**17**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1693**	**8.3**	**68**	**2**	**3**	**6**	**10**	**17**	**26**		**1577**	**7.4**	**79**	**1**	**2**	**4**	**9**	**17**	**26**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	215	2.6	6	1	1	2	3	7	8	0-17	127	7.1	243	1	2	2	5	13	20
18-34	166	10.2	141	1	2	5	13	19	41	18-34	165	5.7	62	1	1	3	6	11	33
35-49	82	16.5	213	3	9	10	21	51	51	35-49	113	6.2	42	1	2	3	8	14	26
50-69	59	11.6	61	4	7	7	22	25	25	50-69	91	5.1	27	1	3	3	6	7	24
70 +	0									70 +	0								
SUBTOTAL	**522**	**8.2**	**113**	**1**	**2**	**4**	**10**	**21**	**31**		**496**	**6.1**	**97**	**1**	**2**	**3**	**6**	**13**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**522**	**8.2**	**113**	**1**	**2**	**4**	**10**	**21**	**31**		**496**	**6.1**	**97**	**1**	**2**	**3**	**6**	**13**	**24**

DRG 227: Soft Tissue Procedures w/o CC

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	854	3.2	9	1	2	2	4	6	8	0-17	1872	2.3	4	1	1	2	3	4	5
70-74	383	3.4	5	1	2	3	4	6	8	18-34	2219	2.5	4	1	1	2	3	4	5
75-79	214	4.7	18	1	2	3	6	10	12	35-49	2919	2.4	6	1	1	2	3	4	7
80-84	68	5.0	14	3	3	3	6	13	13	50-69	2080	2.9	8	1	1	2	3	5	7
85 +	90	4.8	8	1	3	4	6	11	11	70 +	32	3.3	4						
SUBTOTAL	**1609**	**3.6**	**10**	**1**	**2**	**3**	**4**	**7**	**9**		**9123**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**1609**	**3.6**	**10**	**1**	**2**	**3**	**4**	**7**	**9**		**9123**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	737	2.7	7	1	1	2	3	5	8	0-17	766	2.3	6	1	1	2	3	4	5
18-34	325	2.5	4	1	1	2	3	5	6	18-34	984	2.5	6	1	1	2	3	6	6
35-49	114	2.4	3	1	1	2	2	6	7	35-49	776	2.2	4	1	1	2	3	5	5
50-69	112	2.6	3	1	1	2	3	6	7	50-69	409	3.0	5	1	1	2	4	7	8
70 +	0									70 +	22	4.0	3						
SUBTOTAL	**1289**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**7**		**2957**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1289**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**7**		**2957**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 228: Major Thumb or Joint Proc,or Oth Hand or Wrist Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	281	4.6	38	1	1	2	5	11	15
70-74	100	5.1	35	1	2	2	6	15	21
75-79	74	5.4	12	1	3	4	8	10	12
80-84	33	3.9	15						
85 +	11	10.5	79						
SUBTOTAL	**499**	**4.9**	**34**	**1**	**2**	**2**	**7**	**11**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	532	2.2	6	1	1	2	2	4	5
70-74	194	2.1	1	1	1	2	3	4	4
75-79	102	2.2	2	1	1	2	3	4	5
80-84	11	2.0							
85 +	10	2.0							
SUBTOTAL	**850**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1348**	**3.2**	**17**	**1**	**1**	**2**	**3**	**7**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	3.6	8	1	1	2	7	8	8
18-34	149	3.7	7	1	2	3	5	8	8
35-49	155	5.2	71	1	1	3	4	15	35
50-69	198	6.9	61	2	2	4	8	16	29
70 +	17	3.3	4						
	559	**5.2**	**45**	**1**	**2**	**3**	**6**	**10**	**16**
0-17	62	2.2	10	1	1	1	2	5	12
18-34	126	3.2	21	1	1	2	2	7	10
35-49	400	2.0	4	1	1	1	2	4	5
50-69	657	1.9	2	1	1	1	2	4	7
70 +	16	2.0							
	1261	**2.0**	**5**	**1**	**1**	**1**	**2**	**4**	**7**
	1819	**3.0**	**20**	**1**	**1**	**2**	**3**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	4.3	16						
18-34	104	5.4	11	1	3	5	8	11	12
35-49	28	3.0	1						
50-69	23	2.3	1						
70 +	0								
SUBTOTAL	**178**	**4.5**	**10**	**1**	**2**	**3**	**5**	**10**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	33	2.7	3						
18-34	17	3.0	2						
35-49	16	1.4							
50-69	32	1.9							
70 +	0								
SUBTOTAL	**97**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**275**	**3.7**	**8**	**1**	**2**	**3**	**5**	**9**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	27	10.5	33						
18-34	224	3.4	14	1	1	2	4	8	14
35-49	100	3.6	5	1	2	3	5	7	8
50-69	32	9.4	64						
70 +	16	8.4	4						
	399	**4.6**	**22**	**1**	**1**	**3**	**6**	**14**	**15**
0-17	73	1.7	1	1	1	1	2	3	4
18-34	85	2.6	10	1	1	1	2	11	11
35-49	34	1.7	1	< 1	1	1	2	3	3
50-69	80	1.4		1	1	1	2	2	2
70 +	0								
	273	**1.9**	**4**	**1**	**1**	**1**	**2**	**3**	**4**
	672	**3.5**	**16**	**1**	**1**	**2**	**4**	**8**	**14**

DRG 229: Hand or Wrist Proc, except Major Joint Proc, w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0	-							
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	367	2.2	3	1	1	2	2	5	7	0-17	948	1.9	3	<1	1	1	2	4	5
70-74	175	2.8	15	1	1	1	2	4	17	18-34	1713	1.9	2	<1	1	1	2	3	5
75-79	118	1.7	1	1	1	2	2	3	4	35-49	1099	2.0	3	1	1	1	2	4	5
80-84	58	1.5		1	1	2	2	2	2	50-69	894	2.2	5	1	1	1	2	4	7
85+	22	2.7	2							70+	16	2.0							
SUBTOTAL	**739**	**2.2**	**5**	**1**	**1**	**2**	**2**	**4**	**6**		**4670**	**2.0**	**3**	**<1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**739**	**2.2**	**5**	**1**	**1**	**2**	**2**	**4**	**6**		**4670**	**2.0**	**3**	**<1**	**1**	**1**	**2**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	395	2.3	8	<1	1	1	2	5	10	0-17	422	1.8	3	<1	1	1	2	4	5
18-34	345	2.2	3	1	1	2	3	4	6	18-34	1163	2.2	4	<1	1	2	3	4	5
35-49	174	2.2	4	<1	1	1	3	4	7	35-49	386	2.4	4	<1	1	2	3	5	6
50-69	80	2.3	3	1	1	2	3	5	7	50-69	194	3.5	40	1	1	2	2	6	13
70+	0									70+	6	1.0							
SUBTOTAL	**995**	**2.3**	**5**	**<1**	**1**	**1**	**3**	**5**	**7**		**2170**	**2.3**	**7**	**<1**	**1**	**1**	**3**	**4**	**6**
GRAND TOTAL	**995**	**2.3**	**5**	**<1**	**1**	**1**	**3**	**5**	**7**		**2170**	**2.3**	**7**	**<1**	**1**	**1**	**3**	**4**	**6**

DRG 230: Local Excision & Removal of Int Fix Devices of Hip & Femur

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	193	15.1	504	1	2	6	21	26	92
70-74	161	10.0	119	2	3	7	14	22	45
75-79	137	7.3	52	1	3	6	7	17	17
80-84	77	6.7	37	2	3	4	12	20	20
85 +	142	15.6	284	2	3	8	15	44	44
SUBTOTAL	**710**	**11.7**	**247**	**1**	**3**	**6**	**14**	**26**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	227	4.0	11	1	1	3	6	10	11
70-74	93	1.8	1	1	1	2	2	3	3
75-79	117	2.5	3	1	1	3	3	5	6
80-84	161	2.9	3	1	2	3	3	5	7
85 +	79	6.1	28	1	2	4	10	17	17
SUBTOTAL	**677**	**3.4**	**10**	**1**	**1**	**2**	**4**	**8**	**10**
GRAND TOTAL	**1387**	**7.6**	**148**	**1**	**2**	**3**	**8**	**17**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	44	17.9	206	2	3	11	24	39	39
18-34	65	2.0	2	1	1	2	3	4	5
35-49	67	5.1	16	1	2	4	8	12	13
50-69	76	5.1	2	3	4	5	6	7	8
70 +	0								
	251	**6.6**	**79**	**1**	**2**	**4**	**6**	**13**	**24**
0-17	755	3.3	30	1	1	1	3	6	19
18-34	773	2.1	3	1	1	1	2	5	5
35-49	388	2.1	2	1	1	2	3	4	5
50-69	230	2.4	4	1	1	2	3	6	6
70 +	20	2.0	1						
	2167	**2.6**	**12**	**1**	**1**	**1**	**3**	**5**	**7**
	2418	**3.0**	**20**	**1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	45	7.9	84	1	2	5	17	28	28
18-34	23	9.5	193						
35-49	17	7.3	36						
50-69	6	4.0							
70 +	0								
SUBTOTAL	**90**	**7.9**	**96**	**1**	**2**	**4**	**15**	**28**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	118	6.5	116	1	1	2	3	19	37
18-34	171	2.8	21	< 1	1	1	2	6	18
35-49	66	3.7	26	1	1	2	4	4	20
50-69	0								
70 +	10	4.0							
SUBTOTAL	**364**	**4.2**	**54**	**1**	**1**	**2**	**3**	**18**	**20**
GRAND TOTAL	**455**	**4.9**	**65**	**1**	**1**	**2**	**4**	**18**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	10.7	329	< 1	1	2	15	53	53
18-34	50	6.9	24	1	3	5	12	13	13
35-49	11	3.0	1						
50-69	16	4.1	2						
70 +	0								
	116	**7.4**	**127**	**1**	**2**	**3**	**11**	**14**	**36**
0-17	309	2.9	21	< 1	1	1	2	8	18
18-34	238	1.9	1	1	1	2	3	4	4
35-49	104	2.0	2	1	1	1	3	4	5
50-69	49	2.3	1	< 1	2	2	2	4	4
70 +	10	6.0							
	710	**2.4**	**10**	**1**	**1**	**1**	**3**	**4**	**8**
	826	**3.1**	**30**	**1**	**1**	**2**	**3**	**6**	**12**

DRG 231: Local Excision & Removal of Int Fix Devices except Hip & Femur

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	557	8.5	73	2	3	6	10	21	33	0-17	165	9.3	68	1	3	7	14	23	28
70-74	308	13.7	319	2	3	6	14	44	66	18-34	379	6.9	66	1	2	4	8	14	33
75-79	204	10.1	101	2	3	8	13	17	38	35-49	367	6.3	43	1	1	4	8	15	22
80-84	104	6.6	36	2	3	5	10	23	99 +	50-69	429	7.2	65	1	2	4	10	17	24
85 +	75	13.1	167	3	5	10	14	20	55	70 +	43	7.6	32	2	6	7	8	21	21
SUBTOTAL	**1248**	**10.2**	**146**	**2**	**3**	**6**	**11**	**24**	**38**		**1383**	**7.2**	**59**	**1**	**2**	**4**	**9**	**17**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1048	4.0	25	1	1	2	4	8	14	0-17	1305	3.2	19	1	1	2	3	8	13
70-74	477	6.3	187	1	2	3	4	12	29	18-34	2199	2.5	4	1	1	2	3	5	6
75-79	380	4.5	23	1	2	3	5	9	14	35-49	2255	2.7	10	1	1	2	3	5	7
80-84	117	5.5	17	1	3	4	7	14	15	50-69	1776	2.5	5	1	1	2	3	4	8
85 +	105	4.4	16	1	2	2	7	10	13	70 +	60	2.1	1	1	1	2	2	4	5
SUBTOTAL	**2128**	**4.7**	**61**	**1**	**1**	**3**	**5**	**9**	**15**		**7594**	**2.7**	**9**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**3377**	**6.7**	**99**	**1**	**2**	**4**	**7**	**14**	**27**		**8977**	**3.4**	**19**	**1**	**1**	**2**	**4**	**7**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	79	10.1	86	1	3	8	17	22	31	0-17	54	13.1	156	1	4	8	30	33	33
18-34	157	8.7	75	2	3	6	11	19	35	18-34	135	6.2	87	1	1	4	6	21	43
35-49	93	5.5	40	1	2	3	8	22	22	35-49	121	10.3	129	1	3	5	19	31	36
50-69	61	7.2	51	2	4	5	8	16	28	50-69	122	9.4	84	1	3	7	13	22	32
70 +	0									70 +	0								
SUBTOTAL	**390**	**8.0**	**67**	**1**	**2**	**5**	**11**	**22**	**28**		**433**	**9.1**	**111**	**1**	**2**	**4**	**13**	**31**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	381	3.9	47	1	1	2	3	8	16	0-17	555	3.5	43	1	1	1	3	8	13
18-34	555	3.4	21	< 1	1	2	3	8	14	18-34	1055	2.6	7	< 1	1	2	3	5	6
35-49	264	2.7	6	< 1	1	2	3	7	7	35-49	625	3.0	12	< 1	1	2	3	7	9
50-69	101	3.1	14	1	1	2	3	9	15	50-69	252	3.5	29	1	1	2	3	7	9
70 +	10	2.0								70 +	26	10.4	29						
SUBTOTAL	**1311**	**3.4**	**25**	**1**	**1**	**2**	**3**	**7**	**13**		**2512**	**3.1**	**19**	**1**	**1**	**2**	**3**	**6**	**9**
GRAND TOTAL	**1701**	**4.4**	**38**	**1**	**1**	**2**	**4**	**11**	**17**		**2945**	**4.0**	**37**	**1**	**1**	**2**	**4**	**8**	**15**

DRG 232: Arthroscopy

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	11	14.0	18						
70-74	22	10.1	12						
75-79	16	17.8	20						
80-84	22	8.9	24						
85 +	10	28.0							
SUBTOTAL	**80**	**14.1**	**54**	**7**	**10**	**12**	**18**	**28**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	159	3.0	10	1	1	2	3	5	6
70-74	32	1.8							
75-79	33	2.3	1						
80-84	10	7.0							
85 +	0								
SUBTOTAL	**234**	**2.9**	**8**	**1**	**2**	**2**	**3**	**5**	**7**
GRAND TOTAL	**314**	**5.8**	**44**	**1**	**2**	**3**	**7**	**15**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	5.8	26						
18-34	11	10.5	13						
35-49	10	16.0							
50-69	22	6.6	12						
70 +	10	53.0							
	75	**14.6**	**261**	**1**	**5**	**10**	**16**	**53**	**53**
0-17	155	2.4	7	< 1	< 1	1	2	6	11
18-34	475	1.5	1	< 1	1	1	2	3	3
35-49	233	1.8	1	< 1	1	1	3	3	4
50-69	291	3.2	46	1	1	2	2	4	7
70 +	0								
	1155	**2.1**	**13**	**< 1**	**1**	**1**	**2**	**3**	**4**
	1230	**2.9**	**37**	**< 1**	**1**	**1**	**2**	**4**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**10**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	53	5.2	45	1	1	2	4	22	22
18-34	63	2.9	6	< 1	< 1	2	4	8	8
35-49	32	6.5	46						
50-69	0								
70 +	0								
SUBTOTAL	**149**	**4.5**	**30**	**< 1**	**1**	**2**	**5**	**16**	**16**
GRAND TOTAL	**159**	**4.3**	**29**	**< 1**	**1**	**2**	**4**	**14**	**16**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	8.0							
35-49	0								
50-69	16	1.7	1						
70 +	0								
	26	**4.2**	**10**						
0-17	59	4.0	40	< 1	< 1	1	4	15	23
18-34	189	1.6	1	< 1	< 1	1	2	2	4
35-49	66	1.5	1	< 1	1	1	2	3	3
50-69	59	1.9		1	1	2	2	3	3
70 +	0								
	373	**2.0**	**8**	**< 1**	**1**	**1**	**2**	**3**	**4**
	399	**2.1**	**8**	**< 1**	**1**	**1**	**2**	**4**	**4**

DRG 233: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	647	11.4	115	2	4	7	16	23	39
70-74	356	11.0	167	2	4	8	13	22	33
75-79	384	11.8	93	3	6	9	16	24	29
80-84	248	7.5	20	3	5	7	9	13	16
85 +	217	8.8	63	2	3	7	11	17	34
SUBTOTAL	**1853**	**10.6**	**104**	**2**	**4**	**8**	**13**	**22**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1853**	**10.6**	**104**	**2**	**4**	**8**	**13**	**22**	**32**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	298	5.7	10	2	3	5	7	10	13
18-34	412	6.4	36	2	2	4	10	14	17
35-49	316	9.1	80	3	3	7	11	19	27
50-69	507	10.1	147	1	5	8	11	17	24
70 +	42	25.9	476						
	1574	**8.5**	**99**	**2**	**3**	**6**	**10**	**16**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1574	**8.5**	**99**	**2**	**3**	**6**	**10**	**16**	**24**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	95	7.5	25	3	5	6	9	13	23
18-34	62	7.3	33	3	4	5	10	14	23
35-49	82	11.4	63	2	5	10	16	24	29
50-69	76	17.2	308	7	7	13	14	42	70
70 +	0								
SUBTOTAL	**314**	**10.8**	**120**	**3**	**5**	**7**	**13**	**23**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**314**	**10.8**	**120**	**3**	**5**	**7**	**13**	**23**	**29**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	89	7.2	42	2	4	5	6	21	24
18-34	216	9.8	70	3	4	6	12	22	26
35-49	223	8.4	89	1	3	5	9	16	17
50-59	95	10.9	91	1	2	8	19	25	28
70 +	27	10.0	83						
	651	**9.2**	**77**	**2**	**3**	**6**	**12**	**21**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	651	**9.2**	**77**	**2**	**3**	**6**	**12**	**21**	**25**

DRG 234: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	347	4.2	11	1	2	3	5	8	13
70-74	296	5.1	16	1	1	4	8	12	13
75-79	239	5.4	25	1	2	4	7	11	17
80-84	99	5.4	17	< 1	2	4	9	12	13
85 +	101	8.2	15	3	5	7	13	13	13
SUBTOTAL	1082	5.2	17	1	2	4	7	12	13
GRAND TOTAL	1082	5.2	17	1	2	4	7	12	13

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1025	4.0	7	1	2	4	5	6	8
18-34	888	2.9	6	1	1	2	4	6	7
35-49	1003	4.0	22	1	2	3	4	8	10
50-69	746	3.8	9	1	2	3	5	8	10
70 +	42	6.5	25						
	3705	3.8	12	1	2	3	5	7	9
	3705	3.8	12	1	2	3	5	7	9

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	413	5.3	16	1	3	5	7	10	12
18-34	180	3.5	9	1	2	3	4	6	8
35-49	67	6.3	21	4	4	4	8	9	20
50-69	62	8.6	64	2	3	4	12	25	25
70 +	0								
SUBTOTAL	722	5.2	21	1	2	4	6	10	13
GRAND TOTAL	722	5.2	21	1	2	4	6	10	13

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	539	4.4	29	1	2	4	5	8	10
18-34	451	3.8	22	1	1	2	4	7	13
35-49	266	4.7	38	1	1	3	5	10	15
50-69	149	7.0	60	1	2	4	8	21	28
70 +	16	3.5	12						
	1421	4.5	32	1	1	3	5	8	13
	1421	4.5	32	1	1	3	5	8	13

DRG 235: Fractures of Femur

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	228	14.3	200	4	5	10	16	51	58	0-17	144	13.7	166	2	4	5	21	37	41
70-74	115	16.1	403	4	4	7	11	56	60	18-34	59	30.6	601	3	6	31	51	66	66
75-79	135	16.5	485	1	4	7	16	45	83	35-49	32	12.4	69						
80-84	265	16.2	192	4	8	12	24	43	74	50-69	22	19.6	85						
85 +	392	11.0	108	3	5	7	12	25	40	70 +	27	9.1	21						
SUBTOTAL	**1135**	**14.1**	**225**	**3**	**5**	**9**	**16**	**40**	**55**		**283**	**17.1**	**276**	**4**	**5**	**10**	**24**	**41**	**51**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	93	8.2	84	2	4	6	9	42	99 +	0-17	1893	10.4	105	1	2	5	18	25	29
70-74	63	16.1	328	4	6	8	15	56	56	18-34	49	9.9	150	< 1	3	3	8	33	33
75-79	95	6.5	19	1	3	5	9	12	17	35-49	48	2.8	2	1	2	2	4	5	5
80-84	127	8.7	35	2	3	10	14	16	17	50-69	53	11.3	256	2	5	7	8	57	57
85 +	372	6.1	42	1	2	5	7	10	23	70 +	10	6.0							
SUBTOTAL	**751**	**7.7**	**74**	**2**	**3**	**5**	**9**	**16**	**23**		**2053**	**10.2**	**108**	**1**	**2**	**5**	**18**	**25**	**29**
GRAND TOTAL	**1886**	**11.5**	**175**	**2**	**4**	**7**	**14**	**29**	**45**		**2336**	**11.0**	**133**	**1**	**2**	**6**	**18**	**25**	**33**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	147	12.2	146	< 1	3	5	25	31	34	0-17	152	15.2	136	2	4	14	27	29	49
18-34	6	6.0								18-34	50	6.2	21	1	2	6	7	15	15
35-49	73	21.3	457	4	6	9	43	64	64	35-49	33	6.0	6						
50-69	22	30.9	218							50-69	17	13.7	58						
70 +	10	3.0								70 +	0								
SUBTOTAL	**257**	**15.8**	**272**	**2**	**4**	**8**	**25**	**43**	**43**		**251**	**12.1**	**108**	**2**	**4**	**8**	**19**	**28**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1089	11.1	99	1	3	7	20	26	29	0-17	1158	9.5	115	1	2	4	16	25	32
18-34	33	14.0	561							18-34	91	4.9	12	1	3	3	9	10	11
35-49	6	4.0								35-49	37	5.0	9						
50-69	10	1.0								50-69	6	6.0							
70 +	11	5.0	10							70 +	0								
SUBTOTAL	**1149**	**11.0**	**111**	**1**	**2**	**6**	**19**	**26**	**30**		**1292**	**9.0**	**106**	**1**	**2**	**4**	**15**	**24**	**31**
GRAND TOTAL	**1406**	**11.9**	**144**	**1**	**3**	**7**	**20**	**27**	**32**		**1543**	**9.5**	**108**	**1**	**2**	**4**	**16**	**25**	**31**

DRG 236: Fractures of Hip & Pelvis

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	819	10.1	52	3	5	8	12	21	27	0-17	177	5.7	17	2	2	5	7	14	17
70-74	895	12.0	80	4	7	10	15	21	31	18-34	460	8.5	43	3	5	7	10	14	16
75-79	1551	11.7	92	4	6	9	14	22	27	35-49	340	11.0	173	2	6	7	11	27	68
80-84	1703	12.5	105	5	7	10	15	23	32	50-69	449	8.9	42	2	5	8	12	16	19
85 +	2965	11.2	76	4	6	9	14	20	25	70 +	169	12.3	57	4	8	9	17	23	23
SUBTOTAL	**7933**	**11.5**	**84**	**4**	**6**	**9**	**14**	**21**	**28**		**1595**	**9.3**	**72**	**3**	**5**	**7**	**11**	**17**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	529	7.6	31	2	4	7	10	15	19	0-17	359	4.8	30	1	2	3	5	15	16
70-74	555	7.0	28	1	3	5	9	14	18	18-34	631	5.1	30	1	2	4	6	9	11
75-79	863	7.6	23	3	5	6	10	14	17	35-49	365	7.6	51	3	4	6	9	11	24
80-84	1026	8.0	30	2	4	7	10	15	19	50-69	447	8.3	92	2	3	5	9	18	26
85 +	1536	8.6	39	3	5	7	11	15	18	70 +	116	7.7	24	3	5	7	8	13	22
SUBTOTAL	**4510**	**8.0**	**32**	**3**	**4**	**7**	**10**	**15**	**18**		**1918**	**6.4**	**50**	**1**	**3**	**4**	**7**	**12**	**22**
GRAND TOTAL	**12443**	**10.3**	**68**	**3**	**6**	**8**	**13**	**18**	**24**		**3513**	**7.7**	**62**	**2**	**3**	**6**	**9**	**15**	**23**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	43	9.4	43	3	4	6	12	20	20	0-17	56	10.1	82	1	3	8	20	25	27
18-34	105	8.0	25	3	4	6	12	17	20	18-34	289	7.2	17	3	4	6	10	13	14
35-49	38	10.3	96	2	3	4	20	29	29	35-49	107	8.9	27	4	5	8	11	16	25
50-69	127	9.3	49	3	4	7	11	18	26	50-69	178	8.4	71	2	3	6	10	25	35
70 +	6	7.0								70 +	63	15.0	303	2	2	11	14	53	53
SUBTOTAL	**319**	**9.0**	**45**	**3**	**4**	**7**	**12**	**20**	**28**		**694**	**8.7**	**68**	**2**	**4**	**6**	**11**	**16**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	112	7.3	133	1	2	3	4	21	44	0-17	273	8.0	117	1	1	3	8	24	29
18-34	93	5.0	37	1	1	3	6	12	25	18-34	358	5.9	39	2	3	5	6	11	13
35-49	58	18.6	439	2	4	6	44	57	63	35-49	227	6.8	49	2	3	5	7	10	18
50-69	58	9.4	75	1	4	7	9	27	27	50-69	102	13.0	278	2	3	7	10	32	59
70 +	32	4.6	5							70 +	47	6.5	20						
SUBTOTAL	**352**	**8.6**	**157**	**1**	**2**	**4**	**8**	**25**	**44**		**1006**	**7.4**	**89**	**1**	**3**	**5**	**7**	**16**	**25**
GRAND TOTAL	**672**	**8.8**	**104**	**2**	**3**	**5**	**11**	**21**	**29**		**1700**	**7.9**	**81**	**2**	**3**	**5**	**9**	**16**	**25**

DRG 237: Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	53	11.3	222	1	4	7	11	53	53	0-17	36	4.9	6						
70-74	27	3.7	8							18-34	22	4.2	4						
75-79	27	3.6	2							35-49	6	5.0							
80-84	23	7.3	9							50-69	41	10.0	51						
85 +	109	3.9	3	3	3	4	4	7	8	70 +	6	10.0							
SUBTOTAL	**239**	**5.8**	**62**	**2**	**3**	**4**	**7**	**9**	**12**		**110**	**6.9**	**28**	**2**	**4**	**6**	**8**	**10**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	32	1.0								0-17	164	5.7	42	1	1	2	7	18	20
70-74	32	6.5	9							18-34	210	5.7	60	1	2	3	5	9	22
75-79	73	5.5	8	2	3	5	7	9	11	35-49	73	2.9	1	1	2	3	4	4	4
80-84	43	4.4	9	1	2	5	7	9	9	50-69	68	3.2	3	2	2	3	4	7	7
85 +	37	3.0	2							70 +	0								
SUBTOTAL	**217**	**4.3**	**9**	**1**	**2**	**3**	**7**	**9**	**10**		**515**	**5.0**	**40**	**1**	**2**	**3**	**5**	**10**	**21**
GRAND TOTAL	**456**	**5.1**	**37**	**1**	**2**	**4**	**7**	**9**	**11**		**625**	**5.3**	**38**	**1**	**2**	**3**	**6**	**10**	**21**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	10	6.0							
18-34	10	8.0								18-34	44	7.3	52	2	3	4	10	25	25
35-49	0									35-49	16	4.6							
50-69	0									50-69	0								
70 +	0									70 +	6	7.0							
SUBTOTAL	**10**	**8.0**									**76**	**6.5**	**31**	**3**	**4**	**5**	**6**	**10**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	48	7.7	46	2	3	4	8	20	20	0-17	54	4.2	35	1	1	3	3	21	21
18-34	23	3.0	5							18-34	120	4.7	24	1	2	3	4	12	17
35-49	6	2.0								35-49	36	6.3	8						
50-69	10	10.0								50-69	22	3.0	2						
70 +	10	7.0								70 +	0								
SUBTOTAL	**96**	**6.4**	**30**	**<1**	**2**	**4**	**8**	**18**	**20**		**232**	**4.7**	**22**	**1**	**2**	**3**	**4**	**10**	**14**
GRAND TOTAL	**107**	**6.6**	**27**	**1**	**2**	**6**	**8**	**10**	**20**		**308**	**5.1**	**25**	**1**	**2**	**4**	**6**	**10**	**21**

DRG 238: Osteomyelitis

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	644	12.8	81	4	6	11	17	27	30
70-74	218	13.4	128	6	7	10	16	32	41
75-79	320	17.4	144	5	9	15	22	36	46
80-84	185	11.6	38	6	7	11	14	19	27
85 +	169	20.2	239	6	8	16	28	46	55
SUBTOTAL	**1535**	**14.5**	**120**	**5**	**7**	**11**	**18**	**28**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	85	9.4	34	3	4	8	14	20	20
70-74	62	9.0	16	4	4	8	14	14	14
75-79	59	9.7	136	< 1	2	5	9	33	39
80-84	26	5.7	12						
85 +	53	11.9	11	6	9	11	15	15	15
SUBTOTAL	**286**	**9.5**	**47**	**3**	**4**	**9**	**14**	**15**	**20**
GRAND TOTAL	**1821**	**13.7**	**112**	**4**	**7**	**11**	**16**	**27**	**40**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	131	14.3	92	6	7	14	19	24	25
18-34	59	7.1	11	3	5	6	10	12	14
35-49	290	9.2	38	4	5	7	10	19	21
50-69	444	12.3	125	4	7	10	14	23	28
70 +	36	9.3	6						
	961	**11.2**	**87**	**4**	**6**	**9**	**14**	**20**	**25**
0-17	444	8.8	37	3	4	7	11	17	25
18-34	109	6.7	36	2	3	5	8	12	23
35-49	289	8.2	60	2	3	7	11	14	34
50-69	168	7.9	29	3	4	7	9	19	21
70 +	0								
	1010	**8.2**	**42**	**3**	**4**	**7**	**11**	**17**	**21**
	1971	**9.7**	**66**	**3**	**4**	**8**	**12**	**19**	**24**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	94	17.5	154	2	3	20	26	35	42
18-34	45	19.5	221	6	10	12	29	46	46
35-49	154	19.9	381	4	7	14	23	56	57
50-69	162	15.3	104	4	9	13	22	30	33
70 +	6	32.0							
SUBTOTAL	**461**	**17.9**	**222**	**4**	**8**	**14**	**23**	**42**	**48**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	238	14.7	92	4	7	12	24	28	29
18-34	38	4.9	1	3	4	5	5	7	7
35-49	16	11.1	30						
50-69	23	15.0	71						
70 +	0								
SUBTOTAL	**314**	**13.3**	**87**	**4**	**6**	**9**	**21**	**28**	**29**
GRAND TOTAL	**775**	**16.0**	**172**	**4**	**7**	**13**	**22**	**32**	**43**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	55	7.7	11	2	6	8	10	13	14
18-34	59	13.3	184	1	5	9	17	41	41
35-49	89	16.3	156	5	8	13	16	42	47
50-69	200	9.4	63	3	4	6	13	26	29
70 +	0								
	403	**11.3**	**103**	**3**	**4**	**8**	**14**	**28**	**41**
0-17	233	8.0	32	1	5	7	9	21	21
18-34	58	13.7	135	2	3	10	29	33	33
35-49	57	18.5	187	7	8	13	38	41	41
50-69	27	4.3	5						
70 +	6	1.0							
	380	**10.1**	**87**	**1**	**5**	**7**	**11**	**22**	**33**
	784	**10.7**	**95**	**3**	**4**	**8**	**13**	**28**	**33**

DRG 239: Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2974	10.4	69	3	5	8	13	21	25
70-74	2786	11.2	112	3	5	8	14	23	29
75-79	2782	9.8	49	3	5	8	12	17	24
80-84	2416	11.2	67	4	6	9	14	21	26
85 +	2110	9.3	45	3	5	7	12	17	21
SUBTOTAL	**13068**	**10.4**	**70**	**3**	**5**	**8**	**13**	**20**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	925	7.5	25	2	4	7	9	16	18
70-74	1091	6.7	17	3	4	6	9	11	14
75-79	1346	7.8	26	3	4	7	10	14	16
80-84	1187	7.8	21	3	4	7	10	14	16
85 +	1038	8.2	31	2	4	7	11	15	18
SUBTOTAL	**5586**	**7.6**	**24**	**3**	**4**	**7**	**10**	**14**	**17**
GRAND TOTAL	**18654**	**9.6**	**58**	**3**	**5**	**8**	**12**	**18**	**23**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	116	6.6	27	2	3	6	9	15	19
18-34	129	6.6	21	1	2	6	10	14	14
35-49	864	11.0	111	3	5	8	15	21	36
50-69	2048	10.6	91	3	4	7	13	22	28
70 +	263	8.6	29	2	4	7	11	19	19
	3421	**10.3**	**88**	**2**	**4**	**7**	**13**	**21**	**28**
0-17	234	4.1	39	1	1	2	4	8	16
18-34	34	4.2	7	1	2	3	6	9	9
35-49	266	5.3	26	2	2	3	7	13	15
50-69	670	6.1	25	1	3	5	8	12	15
70 +	162	6.6	26	1	1	5	11	14	17
	1366	**5.6**	**28**	**1**	**2**	**4**	**7**	**13**	**15**
	4787	**8.9**	**75**	**2**	**4**	**6**	**12**	**19**	**25**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	67	7.4	72	1	1	4	10	13	31
18-34	71	10.6	64	3	4	9	19	21	27
35-49	211	9.1	111	2	3	6	9	15	34
50-69	403	10.9	63	4	5	9	17	22	24
70 +	68	12.2	44	3	8	10	20	24	99 +
SUBTOTAL	**820**	**10.3**	**76**	**2**	**4**	**8**	**15**	**22**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	127	4.1	7	< 1	2	4	6	7	9
18-34	38	4.1	11	< 1	1	4	7	10	10
35-49	54	4.1	10	2	3	3	3	13	13
50-69	93	11.1	117	3	5	9	11	40	40
70 +	17	5.0							
SUBTOTAL	**329**	**6.1**	**48**	**1**	**3**	**4**	**7**	**11**	**13**
GRAND TOTAL	**1150**	**9.1**	**71**	**2**	**3**	**6**	**12**	**20**	**27**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	34	12.0	38	6	6	15	16	22	22
18-34	28	5.8	6						
35-49	155	7.1	27	2	4	5	8	17	21
50-69	260	9.0	33	4	6	7	10	17	19
70 +	74	5.8	11	2	3	5	8	11	11
	551	**8.0**	**30**	**2**	**4**	**7**	**9**	**16**	**19**
0-17	79	3.9	18	1	1	3	5	6	18
18-34	89	4.1	3	3	3	3	4	8	8
35-49	44	6.7	23	2	4	6	8	18	18
50-69	164	5.3	21	1	3	5	7	9	15
70 +	36	6.4	16						
	412	**5.0**	**17**	**1**	**3**	**4**	**6**	**8**	**15**
	963	**6.8**	**27**	**2**	**3**	**5**	**8**	**15**	**18**

DRG 240: Connective Tissue Disorders w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1446	9.2	95	3	4	7	11	18	24
70-74	818	9.4	63	3	4	7	12	19	24
75-79	738	9.9	53	3	5	8	13	18	23
80-84	484	12.7	151	4	5	8	15	29	33
85 +	341	10.2	44	3	5	8	13	20	24
SUBTOTAL	**3828**	**9.9**	**84**	**3**	**4**	**7**	**13**	**20**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3828**	**9.9**	**84**	**3**	**4**	**7**	**13**	**20**	**25**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	330	7.8	51	1	4	6	10	14	25
18-34	558	7.9	67	1	2	5	10	21	27
35-49	868	7.9	51	2	4	6	9	16	20
50-69	831	7.5	35	2	3	6	9	15	19
70 +	37	11.7	46						
	2624	**7.8**	**50**	**2**	**3**	**6**	**9**	**17**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2624	**7.8**	**50**	**2**	**3**	**6**	**9**	**17**	**21**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	153	10.1	314	2	3	5	8	23	31
18-34	285	8.6	35	3	4	7	13	17	22
35-49	221	10.6	81	2	5	8	14	23	32
50-69	195	10.3	52	3	6	9	13	21	27
70 +	37	19.7	275	3	4	23	43	99 +	99 +
SUBTOTAL	**890**	**10.2**	**112**	**3**	**4**	**7**	**13**	**23**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**890**	**10.2**	**112**	**3**	**4**	**7**	**13**	**23**	**32**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	127	8.7	76	2	4	5	13	19	29
18-34	242	7.1	22	2	3	6	11	14	15
35-49	185	9.4	32	2	5	9	13	16	21
50-69	172	9.1	38	4	5	7	10	18	21
70 +	26	9.6	1						
	752	**8.5**	**37**	**2**	**4**	**7**	**11**	**15**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	752	**8.5**	**37**	**2**	**4**	**7**	**11**	**15**	**21**

DRG 241: Connective Tissue Disorders w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	766	5.0	11	2	3	4	7	9	10	0-17	1229	4.3	27	1	2	3	5	7	9
70-74	262	5.3	13	2	3	4	7	10	12	18-34	674	4.3	8	1	2	3	6	8	11
75-79	218	5.3	9	2	3	5	8	9	11	35-49	765	4.6	10	2	3	4	6	8	11
80-84	159	6.1	11	2	3	7	9	10	11	50-69	675	4.4	7	2	3	3	5	9	10
85 +	85	5.7	5	2	5	5	8	8	10	70 +	0								
SUBTOTAL	**1489**	**5.3**	**11**	**2**	**3**	**4**	**7**	**9**	**11**		**3343**	**4.4**	**15**	**1**	**2**	**3**	**5**	**8**	**11**
GRAND TOTAL	**1489**	**5.3**	**11**	**2**	**3**	**4**	**7**	**9**	**11**		**3343**	**4.4**	**15**	**1**	**2**	**3**	**5**	**8**	**11**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	396	4.1	18	1	2	3	5	8	10	0-17	413	4.4	11	1	2	4	5	8	12
18-34	194	5.5	16	2	3	4	7	12	13	18-34	327	4.1	19	1	1	3	5	8	15
35-49	139	3.9	4	1	2	4	5	6	7	35-49	196	4.9	22	1	1	3	7	11	17
50-69	54	3.8	3	1	3	3	5	7	7	50-69	134	5.8	32	1	3	4	8	10	10
70 +	10	1.0								70 +	10	3.0							
SUBTOTAL	**794**	**4.4**	**14**	**1**	**2**	**4**	**6**	**8**	**12**		**1080**	**4.6**	**18**	**1**	**2**	**3**	**6**	**8**	**12**
GRAND TOTAL	**794**	**4.4**	**14**	**1**	**2**	**4**	**6**	**8**	**12**		**1080**	**4.6**	**18**	**1**	**2**	**3**	**6**	**8**	**12**

DRG 242: Septic Arthritis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	192	11.0	125	3	5	8	14	24	34	0-17	93	8.2	22	4	5	7	10	15	20
70-74	112	15.4	106	6	9	11	19	36	41	18-34	87	6.6	14	3	3	6	8	12	16
75-79	100	10.5	43	3	4	10	16	21	22	35-49	138	11.1	68	5	7	9	14	15	15
80-84	103	9.7	17	5	6	10	12	15	17	50-69	67	6.9	34	2	4	4	7	20	20
85 +	63	17.0	115	7	8	12	25	36	36	70 +	0								
SUBTOTAL	**570**	**12.2**	**92**	**4**	**6**	**10**	**15**	**24**	**34**		**385**	**8.7**	**42**	**3**	**5**	**7**	**11**	**15**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	99	7.6	50	3	3	5	9	12	34	0-17	375	7.4	36	3	4	6	8	16	22
70-74	59	8.2	132	2	3	3	5	33	33	18-34	203	4.2	4	2	2	4	6	7	8
75-79	54	6.4	7	3	4	6	8	11	11	35-49	163	4.6	3	2	3	5	6	6	8
80-84	32	4.0	3							50-69	99	4.9	10	2	2	4	7	11	12
85 +	32	8.7	35							70 +	31	2.7	2						
SUBTOTAL	**276**	**7.2**	**53**	**3**	**3**	**5**	**8**	**12**	**33**		**870**	**5.7**	**21**	**2**	**3**	**5**	**7**	**8**	**14**
GRAND TOTAL	**846**	**10.6**	**85**	**3**	**5**	**8**	**13**	**22**	**33**		**1256**	**6.6**	**29**	**2**	**4**	**5**	**8**	**14**	**16**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	65	15.0	55	6	10	14	22	23	27	0-17	78	9.4	30	3	6	8	12	19	21
18-34	77	6.6	28	2	3	6	8	13	21	18-34	97	6.1	21	2	3	4	8	14	18
35-49	40	7.0	19	2	4	5	13	14	14	35-49	58	7.4	8	4	4	8	11	11	11
50-69	22	12.6	29							50-69	32	10.6	99						
70 +	11	25.5	2							70 +	6	3.0							
SUBTOTAL	**214**	**10.8**	**59**	**2**	**5**	**8**	**14**	**23**	**26**		**271**	**7.8**	**32**	**3**	**4**	**7**	**10**	**16**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	203	9.6	64	3	5	7	12	19	29	0-17	185	7.7	35	2	4	6	10	15	21
18-34	77	5.5	4	3	4	6	7	7	8	18-34	187	6.9	60	3	3	4	8	9	37
35-49	22	2.7								35-49	33	12.5	75						
50-69	0									50-69	16	3.4							
70 +	0									70 +	10	11.0							
SUBTOTAL	**301**	**8.1**	**49**	**3**	**4**	**6**	**8**	**15**	**21**		**430**	**7.6**	**49**	**2**	**3**	**6**	**9**	**15**	**23**
GRAND TOTAL	**515**	**9.2**	**55**	**3**	**4**	**7**	**12**	**21**	**24**		**701**	**7.7**	**43**	**2**	**3**	**6**	**9**	**15**	**21**

DRG 243: Medical Back Problems

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5437	6.7	32	1	3	5	9	13	18	0-17	252	3.2	8	1	1	2	4	7	7
70-74	3577	7.1	28	2	4	6	9	13	18	18-34	1691	5.1	14	1	3	4	7	9	12
75-79	3498	8.1	41	3	4	7	10	15	20	35-49	3183	5.7	25	1	2	4	7	11	14
80-84	2955	8.2	47	2	4	7	10	14	19	50-69	4452	5.3	16	1	2	4	7	11	12
85 +	3073	8.7	58	3	5	7	11	15	18	70 +	295	9.0	86	2	2	6	13	22	28
SUBTOTAL	**18541**	**7.6**	**40**	**2**	**4**	**6**	**9**	**14**	**18**		**9873**	**5.5**	**21**	**1**	**2**	**4**	**7**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	8198	4.6	16	1	2	4	6	9	11	0-17	1119	2.9	6	1	1	2	4	6	7
70-74	4558	4.6	13	1	2	4	6	9	11	18-34	10605	3.6	9	1	1	3	5	8	9
75-79	3532	5.0	17	1	2	4	7	11	13	35-49	20065	3.7	10	1	1	3	5	8	9
80-84	2477	5.8	21	1	3	4	7	12	14	50-69	15819	3.7	9	1	1	3	5	8	10
85 +	1813	6.3	21	2	3	5	8	12	15	70 +	513	4.6	11	1	2	4	7	9	11
SUBTOTAL	**20579**	**5.0**	**17**	**1**	**2**	**4**	**7**	**10**	**12**		**48120**	**3.7**	**9**	**1**	**1**	**3**	**5**	**8**	**9**
GRAND TOTAL	**39120**	**6.2**	**30**	**1**	**3**	**5**	**8**	**12**	**15**		**57993**	**4.0**	**12**	**1**	**1**	**3**	**5**	**8**	**10**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	59	3.9	11	1	1	3	9	9	9	0-17	127	4.1	10	1	2	3	5	9	10
18-34	301	5.9	25	1	3	4	8	13	17	18-34	1015	4.9	10	1	2	5	6	9	12
35-49	532	5.4	14	1	2	5	7	11	12	35-49	917	5.4	19	1	3	4	8	10	13
50-69	528	6.5	23	2	4	6	8	11	15	50-69	714	5.4	18	1	2	4	7	11	14
70 +	112	7.2	17	3	3	7	8	14	15	70 +	137	7.3	29	2	4	5	9	16	16
SUBTOTAL	**1533**	**5.9**	**20**	**1**	**3**	**5**	**8**	**11**	**15**		**2911**	**5.2**	**16**	**1**	**2**	**4**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	190	2.7	20	< 1	1	2	2	6	6	0-17	415	3.2	16	< 1	1	2	4	6	8
18-34	1705	3.9	14	1	1	3	5	9	10	18-34	4246	3.7	12	1	1	3	5	7	10
35-49	1601	4.5	24	1	1	3	5	10	13	35-49	4498	3.8	13	1	1	3	5	8	10
50-69	950	4.4	31	1	1	2	6	9	10	50-69	2502	3.4	10	1	1	2	5	8	9
70 +	93	5.1	9	1	3	5	8	8	11	70 +	149	3.9	14	< 1	< 1	4	5	6	16
SUBTOTAL	**4540**	**4.2**	**21**	**1**	**1**	**3**	**5**	**9**	**11**		**11809**	**3.6**	**12**	**1**	**1**	**3**	**5**	**8**	**10**
GRAND TOTAL	**6073**	**4.6**	**22**	**1**	**1**	**3**	**6**	**10**	**12**		**14720**	**4.0**	**14**	**1**	**1**	**3**	**5**	**8**	**10**

DRG 244: Bone Diseases & Specific Arthropathies w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1099	6.5	28	1	3	5	9	14	17
70-74	923	7.0	20	2	4	6	10	13	14
75-79	1003	6.9	25	1	3	6	9	14	15
80-84	761	8.7	34	3	4	7	12	15	20
85 +	666	8.4	36	3	4	7	11	16	17
SUBTOTAL	**4453**	**7.4**	**29**	**2**	**4**	**6**	**10**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4453**	**7.4**	**29**	**2**	**4**	**6**	**10**	**14**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	49	4.7	15	1	3	3	4	14	14
18-34	73	3.9	5	1	2	4	5	8	8
35-49	188	6.3	30	2	3	4	8	12	23
50-69	536	6.0	23	1	3	5	8	13	15
70 +	161	4.7	14	1	2	3	7	10	11
	1007	**5.6**	**21**	**1**	**2**	**4**	**8**	**12**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1007	**5.6**	**21**	**1**	**2**	**4**	**8**	**12**	**15**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	45	2.9	1	2	2	3	4	5	5
18-34	75	6.1	3	4	5	6	7	9	9
35-49	59	5.5	9	2	3	5	6	11	12
50-69	170	6.1	16	2	3	5	8	13	15
70 +	0								
SUBTOTAL	**349**	**5.6**	**11**	**2**	**3**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**349**	**5.6**	**11**	**2**	**3**	**5**	**7**	**10**	**13**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	19.0							
18-34	17	2.7	1						
35-49	91	7.1	23	2	3	5	11	15	15
50-69	145	8.5	80	2	3	4	11	20	20
70 +	6	82.0							
	264	**9.5**	**172**	**2**	**3**	**4**	**11**	**19**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	264	**9.5**	**172**	**2**	**3**	**4**	**11**	**19**	**20**

DRG 245: Bone Diseases & Specific Arthropathies w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	609	4.9	14	1	2	4	7	10	13	0-17	340	3.7	6	1	2	3	4	7	8
70-74	584	6.1	18	1	3	5	9	12	13	18-34	176	3.4	6	2	2	3	4	5	12
75-79	475	7.0	15	2	4	6	10	12	14	35-49	398	3.4	6	1	2	3	5	6	7
80-84	352	6.2	22	2	3	4	8	14	17	50-69	764	4.3	8	1	2	3	6	9	10
85 +	267	5.7	10	2	3	5	7	10	11	70 +	54	4.6	6	2	3	4	5	11	11
SUBTOTAL	**2287**	**5.9**	**17**	**2**	**3**	**5**	**9**	**12**	**14**		**1731**	**3.9**	**7**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**2287**	**5.9**	**17**	**2**	**3**	**5**	**9**	**12**	**14**		**1731**	**3.9**	**7**	**1**	**2**	**3**	**5**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	95	4.2	9	1	2	3	6	8	11	0-17	106	2.7	3	1	2	2	3	6	7
18-34	36	6.9	7							18-34	91	3.6	4	1	2	3	5	8	8
35-49	54	2.8	2	< 1	1	3	4	4	4	35-49	75	4.0	3	1	3	4	5	6	6
50-69	117	4.6	7	2	3	4	6	10	11	50-69	227	5.0	9	2	3	3	7	10	11
70 +	11	3.5								70 +	16	3.8	6						
SUBTOTAL	**314**	**4.4**	**8**	**1**	**2**	**4**	**6**	**8**	**10**		**514**	**4.1**	**7**	**1**	**2**	**3**	**6**	**8**	**11**
GRAND TOTAL	**314**	**4.4**	**8**	**1**	**2**	**4**	**6**	**8**	**10**		**514**	**4.1**	**7**	**1**	**2**	**3**	**6**	**8**	**11**

DRG 246: Non-specific Arthropathies

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	144	5.1	19	2	3	4	6	8	11	0-17	17	2.7	2						
70-74	105	5.1	4	3	3	7	7	7	8	18-34	36	3.8	2						
75-79	120	6.9	43	2	2	4	11	16	22	35-49	85	4.5	7	2	2	4	6	9	11
80-84	62	6.9	15	3	3	4	10	13	13	50-69	118	4.8	7	2	3	4	6	9	10
85 +	10	8.0								70 +	10	5.0							
SUBTOTAL	**442**	**5.9**	**22**	**2**	**3**	**4**	**8**	**11**	**14**		**266**	**4.5**	**6**	**2**	**2**	**4**	**6**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	104	4.8	17	2	3	3	5	9	20	0-17	82	3.5	5	2	2	3	3	6	11
70-74	48	2.8	1	< 1	3	3	3	5	5	18-34	160	4.6	10	2	2	3	6	10	12
75-79	110	5.2	7	2	3	5	8	8	10	35-49	120	3.6	2	2	3	3	4	5	7
80-84	27	6.9	5							50-69	195	3.5	5	1	2	3	4	7	8
85 +	43	5.9	2	5	5	5	8	9	9	70 +	0								
SUBTOTAL	**332**	**4.9**	**10**	**2**	**3**	**5**	**6**	**9**	**10**		**557**	**3.8**	**6**	**2**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**774**	**5.5**	**17**	**2**	**3**	**4**	**7**	**10**	**13**		**823**	**4.0**	**6**	**2**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	16	5.9	2						
18-34	6	4.0								18-34	11	3.5	7						
35-49	17	17.0	56							35-49	17	10.3	18						
50-69	26	7.2								50-69	17	6.7	6						
70 +	6	9.0								70 +	6	14.0							
SUBTOTAL	**54**	**10.1**	**40**	**5**	**7**	**8**	**10**	**25**	**27**		**67**	**7.5**	**17**	**4**	**5**	**7**	**14**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	65	6.0	27	2	2	5	11	11	19	0-17	43	2.0	1	1	1	2	3	3	3
18-34	32	3.5	2							18-34	11	1.5							
35-49	20	6.5								35-49	22	3.0	2						
50-69	47	2.8	1							50-69	16	2.9	2						
70 +	0									70 +	0								
SUBTOTAL	**163**	**4.6**	**14**	**2**	**2**	**3**	**6**	**11**	**11**		**92**	**2.3**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**218**	**6.0**	**26**	**2**	**3**	**5**	**7**	**11**	**19**		**158**	**4.5**	**14**	**1**	**2**	**4**	**7**	**14**	**99 +**

DRG 247: Signs & Symptoms of Musculoskeletal System & Conn Tissue

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	539	5.7	26	1	2	4	8	10	21	0-17	54	2.3	1	1	2	2	3	4	4
70-74	390	7.2	46	2	2	5	9	17	25	18-34	193	3.8	6	1	2	3	5	7	8
75-79	490	7.8	45	2	3	5	9	22	25	35-49	390	3.5	11	1	1	2	5	6	9
80-84	257	8.9	63	2	3	5	12	23	28	50-69	531	4.3	12	1	2	3	5	9	12
85 +	343	9.1	54	2	3	7	13	20	24	70 +	47	6.0	17						
SUBTOTAL	**2020**	**7.5**	**45**	**2**	**3**	**5**	**10**	**17**	**24**		**1215**	**3.9**	**11**	**1**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	480	4.4	46	1	1	2	4	8	17	0-17	409	2.1	2	1	1	2	2	3	5
70-74	465	5.3	34	1	2	3	6	11	22	18-34	732	2.8	4	1	1	2	4	6	8
75-79	314	5.9	40	1	2	3	7	17	20	35-49	1626	3.3	21	1	1	2	3	5	9
80-84	312	7.8	63	1	2	4	11	20	27	50-69	1275	3.1	11	1	1	2	4	6	7
85 +	224	5.5	30	1	2	4	8	13	15	70 +	36	7.6	15						
SUBTOTAL	**1795**	**5.6**	**44**	**1**	**2**	**3**	**6**	**15**	**20**		**4078**	**3.1**	**13**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**3814**	**6.6**	**46**	**1**	**2**	**4**	**8**	**17**	**22**		**5293**	**3.3**	**13**	**1**	**1**	**2**	**4**	**6**	**9**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	17	3.3	2							0-17	43	4.4	4	1	3	4	6	7	7
18-34	59	4.7	7	2	3	4	5	10	10	18-34	94	3.9	7	< 1	1	3	7	8	8
35-49	68	3.2	7	2	2	2	3	8	10	35-49	89	3.5	5	1	2	3	4	7	9
50-69	116	4.5	7	1	2	4	7	7	10	50-69	100	5.8	12	1	3	6	9	12	12
70 +	0									70 +	0								
SUBTOTAL	**260**	**4.1**	**7**	**2**	**2**	**3**	**5**	**8**	**10**		**326**	**4.4**	**9**	**1**	**2**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	177	2.7	4	1	1	2	3	5	9	0-17	137	2.4	2	1	1	2	4	4	4
18-34	165	3.0	3	< 1	1	3	4	5	7	18-34	293	2.6	4	1	1	2	3	5	7
35-49	188	2.7	3	1	1	3	4	5	7	35-49	329	2.7	4	1	1	2	3	5	6
50-69	91	8.1	168	1	2	4	5	44	44	50-69	156	3.2	5	1	1	3	5	6	8
70 +	11	7.0	4							70 +	0								
SUBTOTAL	**633**	**3.6**	**30**	**1**	**1**	**3**	**4**	**6**	**7**		**915**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**892**	**3.8**	**24**	**1**	**2**	**3**	**4**	**7**	**9**		**1240**	**3.2**	**6**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 248: Tendonitis, Myositis & Bursitis

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	347	4.3	9	1	2	4	6	9	11
70-74	224	5.6	19	2	3	4	7	12	14
75-79	163	7.2	23	2	4	6	11	15	15
80-84	161	6.6	20	3	4	5	7	15	16
85 +	94	8.1	25	2	3	6	14	15	15
SUBTOTAL	**990**	**5.8**	**19**	**2**	**3**	**4**	**7**	**14**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	447	3.7	9	1	2	3	5	8	9
70-74	206	5.0	21	1	2	3	6	10	14
75-79	178	4.9	8	2	3	4	6	11	11
80-84	142	5.8	12	1	4	5	7	12	13
85 +	79	5.4	16	2	2	3	7	14	14
SUBTOTAL	**1053**	**4.6**	**13**	**1**	**2**	**4**	**6**	**10**	**12**
GRAND TOTAL	**2043**	**5.2**	**16**	**1**	**2**	**4**	**6**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	82	4.4	8	2	2	3	6	7	12
18-34	127	4.2	30	1	2	3	4	8	11
35-49	262	5.5	23	2	3	4	6	13	19
50-69	371	5.2	16	1	3	4	7	11	12
70 +	10	4.0							
	852	**5.1**	**19**	**1**	**2**	**4**	**6**	**11**	**14**
0-17	590	2.8	2	1	2	3	4	5	5
18-34	513	3.5	4	1	2	3	4	6	7
35-49	643	2.9	7	1	1	2	4	6	8
50-69	837	3.2	7	1	1	3	4	6	8
70 +	16	7.2	16						
	2598	**3.1**	**5**	**1**	**1**	**3**	**4**	**6**	**7**
	3450	**3.6**	**9**	**1**	**2**	**3**	**4**	**7**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	2.0							
18-34	48	8.1	15	4	5	7	11	14	14
35-49	77	11.3	186	2	3	6	11	31	51
50-69	92	6.1	16	2	3	5	8	11	17
70 +	0								
SUBTOTAL	**222**	**8.2**	**80**	**2**	**3**	**5**	**11**	**17**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	220	4.2	4	2	3	4	6	7	7
18-34	70	4.5	10	1	2	4	6	7	13
35-49	48	5.5	14	2	2	5	8	13	13
50-69	43	5.9	22	2	3	4	5	14	14
70 +	0								
SUBTOTAL	**381**	**4.6**	**9**	**2**	**3**	**4**	**6**	**8**	**13**
GRAND TOTAL	**603**	**5.9**	**38**	**2**	**3**	**4**	**7**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	8.5	35	4	4	6	9	22	22
18-34	140	4.7	6	1	3	5	6	8	9
35-49	100	4.2	7	1	2	4	6	8	10
50-69	80	5.5	30	< 1	2	4	6	19	19
70 +	0								
	370	**5.2**	**17**	**1**	**3**	**4**	**6**	**9**	**15**
0-17	292	2.8	5	1	1	2	3	5	9
18-34	269	4.0	8	1	2	3	5	7	9
35-49	250	3.2	7	1	1	3	4	5	8
50-69	107	2.4	2	1	1	2	3	4	5
70 +	16	6.3	1						
	934	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
	1304	**3.8**	**10**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 249: Aftercare, Musculoskeletal System & Connective Tissue

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	371	10.9	123	2	4	8	13	29	34
70-74	296	12.4	185	3	3	9	15	28	44
75-79	371	12.3	168	2	4	8	14	21	49
80-84	277	12.9	73	4	9	11	17	21	35
85 +	224	13.8	121	3	6	13	18	22	27
SUBTOTAL	**1538**	**12.3**	**137**	**2**	**5**	**10**	**15**	**22**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	394	6.0	30	1	2	4	9	13	18
70-74	460	5.1	19	1	2	4	7	10	14
75-79	502	4.4	11	1	2	3	7	9	11
80-84	218	6.3	34	1	2	5	9	14	16
85 +	101	12.0	110	1	3	12	17	26	42
SUBTOTAL	**1675**	**5.7**	**30**	**1**	**2**	**4**	**8**	**12**	**16**
GRAND TOTAL	**3213**	**8.8**	**92**	**1**	**3**	**6**	**12**	**18**	**25**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	4.0	4						
18-34	34	6.3	65	1	2	3	4	24	24
35-49	54	7.2	58	< 1	1	6	7	25	25
50-69	115	8.5	119	1	3	6	8	21	40
70 +	47	22.4	420						
	261	**10.2**	**179**	**1**	**3**	**6**	**9**	**25**	**51**
0-17	388	4.2	41	< 1	< 1	1	3	11	18
18-34	164	4.7	87	< 1	1	1	3	8	40
35-49	233	3.0	6	1	1	2	4	6	7
50-69	366	4.4	45	< 1	1	2	5	9	25
70 +	48	4.3	6	1	3	4	6	9	9
	1199	**4.1**	**41**	**< 1**	**1**	**2**	**4**	**9**	**14**
	1461	**5.2**	**71**	**< 1**	**1**	**2**	**6**	**11**	**24**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	28	6.0	26						
18-34	11	7.0							
35-49	28	11.0	44						
50-69	33	9.6	165						
70 +	0								
SUBTOTAL	**101**	**8.7**	**76**	**1**	**4**	**7**	**9**	**24**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	102	3.8	46	< 1	< 1	1	4	13	29
18-34	55	5.8	11	< 1	3	7	7	11	12
35-49	37	3.5	2						
50-69	37	7.7	37						
70 +	0								
SUBTOTAL	**232**	**4.9**	**31**	**< 1**	**1**	**3**	**7**	**12**	**18**
GRAND TOTAL	**333**	**6.0**	**48**	**< 1**	**1**	**4**	**7**	**13**	**24**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	23	6.3	17						
35-49	11	17.0	281						
50-69	84	14.1	293	1	2	9	22	28	69
70 +	34	21.3	102	11	16	21	22	42	42
	151	**14.8**	**226**	**1**	**5**	**11**	**22**	**33**	**42**
0-17	161	2.4	10	< 1	< 1	< 1	2	8	12
18-34	158	4.0	10	1	1	3	5	9	10
35-49	85	2.1	2	< 1	1	1	3	4	6
50-69	38	5.4	5	2	3	6	7	8	8
70 +	38	16.5	179	2	3	15	30	37	37
	481	**4.2**	**35**	**< 1**	**1**	**2**	**5**	**9**	**13**
	632	**6.8**	**101**	**< 1**	**1**	**2**	**9**	**21**	**28**

DRG 250: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	301	4.7	17	1	2	3	6	9	15	0-17	0								
70-74	174	5.4	17	2	3	3	10	11	11	18-34	180	5.1	115	< 1	1	3	4	7	12
75-79	193	8.2	57	1	2	7	15	18	19	35-49	133	5.2	47	1	1	3	6	7	17
80-84	186	8.3	23	2	5	7	14	15	16	50-69	244	4.1	16	1	2	3	5	9	11
85 +	237	6.2	26	1	2	4	8	16	16	70 +	44	7.2	21	1	5	5	14	99 +	99 +
SUBTOTAL	**1090**	**6.4**	**29**	**1**	**2**	**4**	**9**	**15**	**17**		**601**	**4.9**	**53**	**1**	**2**	**3**	**5**	**10**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1090**	**6.4**	**29**	**1**	**2**	**4**	**9**	**15**	**17**		**601**	**4.9**	**53**	**1**	**2**	**3**	**5**	**10**	**15**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	44	3.4	7	< 1	1	2	6	7	7	18-34	305	4.7	51	1	2	3	5	8	18
35-49	40	2.9	2	1	2	2	4	6	6	35-49	134	4.2	12	1	2	3	5	9	9
50-69	41	4.8	6							50-69	102	4.5	33	1	1	4	5	6	27
70 +	10	5.0								70 +	20	11.0	9						
SUBTOTAL	**135**	**3.8**	**5**	**1**	**2**	**3**	**6**	**8**	**99 +**		**561**	**4.8**	**38**	**1**	**2**	**3**	**5**	**8**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**135**	**3.8**	**5**	**1**	**2**	**3**	**6**	**8**	**99 +**		**561**	**4.8**	**38**	**1**	**2**	**3**	**5**	**8**	**16**

DRG 251: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	287	2.9	16	1	1	2	3	4	11
70-74	231	3.2	8	1	1	2	4	9	9
75-79	243	3.9	41	1	1	3	4	8	9
80-84	207	3.7	14	1	1	2	4	12	13
85 +	163	6.1	86	1	1	3	6	11	40
SUBTOTAL	**1132**	**3.8**	**30**	**1**	**1**	**2**	**4**	**8**	**11**
GRAND TOTAL	**1132**	**3.8**	**30**	**1**	**1**	**2**	**4**	**8**	**11**

	BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	923	2.3	6	1	1	2	3	4	5
35-49	648	2.3	3	< 1	1	2	3	5	6
50-69	589	2.0	2	1	1	2	2	4	4
70 +	22	4.0	3						
	2181	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
	2181	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	178	2.0	1	< 1	1	2	3	4	4
35-49	80	2.5	2	1	1	2	4	5	5
50-69	22	1.0							
70 +	6	1.0							
SUBTOTAL	**285**	**2.0**	**2**	**< 1**	**1**	**2**	**2**	**4**	**5**
GRAND TOTAL	**285**	**2.0**	**2**	**< 1**	**1**	**2**	**2**	**4**	**5**

	NO INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	698	2.1	2	1	1	2	3	4	5
35-49	333	2.1	3	1	1	1	3	4	6
50-69	144	2.3	2	1	1	2	3	4	5
70 +	33	7.2	104						
	1208	**2.3**	**6**	**1**	**1**	**2**	**3**	**4**	**5**
	1208	**2.3**	**6**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 252: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	185	1.8	1	1	1	1	2	3	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**185**	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	2596	1.5	1	<1	1	1	2	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**2596**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**0**										**2781**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**4**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	27	4.3	6							0-17	82	3.0	5	1	1	2	5	7	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**27**	**4.3**	**6**								**82**	**3.0**	**5**	**1**	**1**	**2**	**5**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	563	1.6	2	<1	1	1	2	3	3	0-17	1177	1.2		<1	1	1	1	2	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**563**	**1.6**	**2**	**<1**	**1**	**1**	**2**	**3**	**3**		**1177**	**1.2**		**<1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**591**	**1.7**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**		**1258**	**1.4**	**1**	**<1**	**1**	**1**	**1**	**2**	**3**

DRG 253: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1241	6.5	25	2	3	6	8	12	18	0-17	0								
70-74	857	8.2	63	2	3	6	10	20	23	18-34	669	4.6	25	1	2	4	5	9	12
75-79	1005	7.9	43	2	4	6	10	15	22	35-49	482	5.6	33	1	2	3	7	13	21
80-84	968	9.2	65	2	4	7	11	18	27	50-69	730	6.5	40	1	3	5	7	15	16
85+	1198	7.1	34	2	3	6	9	15	19	70+	160	9.5	69	3	4	7	11	24	32
SUBTOTAL	5268	7.7	45	2	3	6	9	15	21		2041	5.9	37	1	2	4	7	13	17
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	0										0								
GRAND TOTAL	5268	7.7	45	2	3	6	9	15	21		2041	5.9	37	1	2	4	7	13	17

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	284	6.1	93	1	2	3	6	12	15	18-34	747	4.0	13	1	2	3	5	9	12
35-49	194	5.3	13	1	2	4	8	10	12	35-49	287	5.0	15	1	2	4	7	10	12
50-69	189	10.0	61	2	5	7	15	22	23	50-69	277	5.8	68	1	2	4	6	10	14
70+	16	5.4	4							70+	67	5.6	25	1	2	4	5	10	19
SUBTOTAL	683	7.0	63	2	2	4	9	15	22		1377	4.6	26	1	2	3	6	10	12
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	0										0								
GRAND TOTAL	683	7.0	63	2	2	4	9	15	22		1377	4.6	26	1	2	3	6	10	12

DRG 254: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0										0-17	0								
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85+	0										70+	0								
SUBTOTAL	**0**											**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	964	4.0	9	1	2	3	5	8	10		0-17	0								
70-74	692	4.1	16	1	2	3	5	7	8		18-34	2390	2.6	5	1	1	2	3	5	6
75-79	811	4.8	17	1	2	4	6	10	13		35-49	1548	2.8	4	1	1	2	4	5	8
80-84	668	6.2	39	2	3	4	7	12	14		50-69	1603	3.3	5	1	2	3	4	6	7
85+	797	4.5	13	1	2	4	5	10	12		70+	152	5.0	15	2	3	4	5	14	15
SUBTOTAL	**3932**	**4.7**	**18**	**1**	**2**	**4**	**6**	**10**	**12**			**5693**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**3932**	**4.7**	**18**	**1**	**2**	**4**	**6**	**10**	**12**			**5693**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**7**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70+	0										70+	0								
SUBTOTAL	**0**											**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0										0-17	0								
18-34	459	3.5	6	1	2	3	4	7	8		18-34	2258	2.9	6	1	1	2	4	6	8
35-49	157	3.8	14	1	2	3	4	6	12		35-49	909	2.5	4	1	1	2	3	5	8
50-69	176	4.8	35	1	2	4	5	7	8		50-69	482	3.7	10	1	1	3	4	8	10
70+	32	2.0	1								70+	77	3.1	12	1	1	2	2	12	12
SUBTOTAL	**824**	**3.8**	**14**	**1**	**2**	**3**	**5**	**7**	**8**			**3726**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**824**	**3.8**	**14**	**1**	**2**	**3**	**5**	**7**	**8**			**3726**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 255: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	341	3.1	4	1	1	2	4	7	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**341**	**3.1**	**4**	**1**	**1**	**2**	**4**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	17	1.7								0-17	3741	2.0	5	1	1	1	2	4	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**17**	**1.7**									**3741**	**2.0**	**5**	**1**	**1**	**1**	**2**	**4**	**4**
GRAND TOTAL	**17**	**1.7**									**4082**	**2.1**	**5**	**1**	**1**	**1**	**2**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	92	3.3	24	1	1	2	3	5	22	0-17	186	3.0	10	1	1	2	4	5	14
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**92**	**3.3**	**24**	**1**	**1**	**2**	**3**	**5**	**22**		**186**	**3.0**	**10**	**1**	**1**	**2**	**4**	**5**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1062	2.3	4	1	1	2	3	5	6	0-17	2096	1.9	3	1	1	1	2	3	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**1062**	**2.3**	**4**	**1**	**1**	**2**	**3**	**5**	**6**		**2096**	**1.9**	**3**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**1154**	**2.4**	**5**	**1**	**1**	**2**	**3**	**5**	**6**		**2282**	**2.0**	**4**	**1**	**1**	**1**	**2**	**4**	**5**

DRG 256: Other Musculoskeletal System & Connective Tissue Diagnoses

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	705	6.4	41	2	3	5	8	13	17		0-17	146	6.4	143	1	1	3	5	14	17	
70-74	216	7.4	36	2	3	6	10	14	14		18-34	212	4.8	13	<1	2	4	7	11	11	
75-79	278	8.4	70	2	3	5	11	24	30		35-49	426	4.4	25	1	2	2	5	9	18	
80-84	196	5.0	19	2	2	4	7	17	35		50-69	413	4.5	20	1	2	3	6	10	12	
85+	195	6.3	30	2	3	4	7	13	16		70+	10	2.0								
SUBTOTAL	**1590**	**6.7**	**42**	**2**	**3**	**5**	**8**	**14**	**24**			**1207**	**4.7**	**35**	**1**	**2**	**3**	**5**	**10**	**14**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	635	3.6	7	1	2	3	5	8	10		0-17	801	2.6	8	1	1	2	3	6	8	
70-74	407	3.6	8	1	2	3	4	7	8		18-34	657	2.0	2	1	1	2	3	3	5	
75-79	283	4.7	38	1	1	3	5	8	18		35-49	1182	2.8	5	1	1	2	3	6	7	
80-84	181	3.9	10	1	2	3	4	8	12		50-69	987	3.0	6	1	1	3	4	5	8	
85+	168	5.9	22	2	2	4	7	13	14		70+	11	2.5								
SUBTOTAL	**1674**	**4.0**	**15**	**1**	**2**	**3**	**5**	**8**	**12**			**3639**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	
GRAND TOTAL	**3263**	**5.3**	**30**	**1**	**2**	**4**	**7**	**11**	**16**			**4847**	**3.2**	**14**	**1**	**1**	**2**	**4**	**6**	**9**	

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	68	4.8	31	1	1	2	7	8	21		0-17	96	3.3	4	1	2	3	4	6	8	
18-34	96	3.6	5	1	2	2	6	7	7		18-34	139	3.5	5	1	1	3	5	7	7	
35-49	152	5.4	23	1	2	4	8	13	19		35-49	164	2.1	2	1	1	2	3	4	5	
50-69	240	7.1	41	2	3	4	9	16	26		50-69	160	6.7	32	2	3	5	9	12	16	
70+	6	25.0									70+	11	56.0	1268							
SUBTOTAL	**562**	**6.0**	**34**	**1**	**2**	**4**	**8**	**13**	**20**			**571**	**5.0**	**90**	**1**	**1**	**3**	**5**	**9**	**12**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	452	3.0	20	<1	1	2	3	5	16		0-17	367	3.8	30	<1	1	2	4	9	15	
18-34	152	3.3	8	1	1	3	4	5	5		18-34	368	2.7	3	1	1	2	3	5	6	
35-49	189	2.7	4	1	1	2	3	7	7		35-49	445	2.1	2	1	1	2	3	4	5	
50-69	84	3.1	2	2	2	3	6	99+	99+		50-69	296	2.6	2	1	2	2	3	4	5	
70+	6	3.0									70+	11	1.0								
SUBTOTAL	**883**	**3.0**	**13**	**<1**	**1**	**2**	**3**	**5**	**9**			**1488**	**2.8**	**10**	**1**	**1**	**2**	**3**	**5**	**8**	
GRAND TOTAL	**1445**	**4.1**	**23**	**1**	**1**	**3**	**5**	**9**	**16**			**2059**	**3.4**	**33**	**1**	**1**	**2**	**4**	**6**	**9**	

DRG 257: Total Mastectomy for Malignancy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3289	4.5	6	2	3	4	5	8	9	0-17	0								
70-74	2915	4.8	12	2	3	4	6	8	11	18-34	252	3.7	3	2	2	3	5	6	7
75-79	2312	4.8	8	2	3	4	6	8	9	35-49	2237	3.7	3	2	2	3	4	6	7
80-84	1387	4.8	6	2	3	4	6	8	10	50-69	3595	4.3	8	2	3	4	5	7	8
85 +	793	6.7	34	2	4	5	8	12	20	70 +	230	4.3	4	2	3	4	5	7	9
SUBTOTAL	**10696**	**4.8**	**11**	**2**	**3**	**4**	**6**	**8**	**11**		**6313**	**4.1**	**6**	**2**	**3**	**4**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**10696**	**4.8**	**11**	**2**	**3**	**4**	**6**	**8**	**11**		**6313**	**4.1**	**6**	**2**	**3**	**4**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	28	5.8	18							18-34	69	3.6	2	2	3	3	4	4	8
35-49	161	4.6	5	2	3	4	6	8	10	35-49	606	3.5	2	2	2	3	5	5	7
50-69	384	6.5	46	2	3	4	7	14	18	50-69	880	4.1	4	2	3	4	5	7	9
70 +	37	5.1	3							70 +	105	5.3	4	3	4	4	7	7	10
SUBTOTAL	**611**	**5.9**	**32**	**2**	**3**	**4**	**6**	**12**	**17**		**1660**	**3.9**	**4**	**2**	**2**	**4**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**611**	**5.9**	**32**	**2**	**3**	**4**	**6**	**12**	**17**		**1660**	**3.9**	**4**	**2**	**2**	**4**	**5**	**7**	**8**

DRG 258: Total Mastectomy for Malignancy w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3306	3.5	3	2	2	3	4	5	7
70-74	2866	3.6	3	2	3	3	4	5	7
75-79	2102	3.7	3	2	3	3	5	6	7
80-84	1242	3.9	4	2	3	4	5	6	8
85 +	671	4.2	5	2	3	3	5	7	10
SUBTOTAL	**10188**	**3.7**	**3**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**10188**	**3.7**	**3**	**2**	**2**	**3**	**4**	**6**	**7**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	446	3.3	2	2	3	3	4	5	6
35-49	4254	3.3	3	2	2	3	4	5	6
50-69	6715	3.3	2	2	2	3	4	5	6
70 +	227	3.9	4	2	2	4	5	6	6
	11642	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**6**
	11642	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	80	3.7	1	2	3	3	5	5	6
35-49	212	4.4	12	2	2	4	5	7	8
50-69	335	3.5	3	2	2	3	4	5	7
70 +	26	1.9	3						
SUBTOTAL	**654**	**3.7**	**6**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**654**	**3.7**	**6**	**2**	**2**	**3**	**4**	**6**	**7**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	127	2.9		2	2	3	3	4	4
35-49	1057	3.3	3	2	2	3	4	6	6
50-69	1269	3.4	2	2	2	3	4	5	6
70 +	33	3.1	4						
	2486	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
	2486	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**6**

DRG 259: Subtotal Mastectomy for Malignancy w/ CC

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	351	4.7	21	1	2	3	4	14	16
70-74	301	5.3	23	1	2	4	6	11	14
75-79	142	4.8	29	2	2	3	5	16	16
80-84	149	6.9	76	2	2	3	6	25	25
85+	121	5.3	22	1	2	4	7	14	17
SUBTOTAL	**1064**	**5.3**	**31**	**1**	**2**	**3**	**6**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1064**	**5.3**	**31**	**1**	**2**	**3**	**6**	**14**	**17**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	68	3.6	7	1	2	3	3	7	10
35-49	278	4.5	56	1	1	2	3	8	27
50-69	579	3.7	12	1	2	3	4	7	12
70+	26	22.3	315						
	951	**4.5**	**41**	**1**	**2**	**3**	**4**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	951	**4.5**	**41**	**1**	**2**	**3**	**4**	**9**	**12**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	22	8.2	44						
35-49	37	12.1	88						
50-69	27	5.0	6						
70+	10	2.0							
SUBTOTAL	**96**	**8.1**	**58**	**2**	**2**	**6**	**8**	**24**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**96**	**8.1**	**58**	**2**	**2**	**6**	**8**	**24**	**28**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	31	3.7	10						
35-49	138	3.5	64	1	1	2	3	42	99+
50-69	115	4.0	12	1	1	3	7	8	12
70+	37	5.1	46						
	322	**3.9**	**38**	**1**	**1**	**2**	**3**	**8**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	322	**3.9**	**38**	**1**	**1**	**2**	**3**	**8**	**16**

DRG 260: Subtotal Mastectomy for Malignancy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	452	2.5	3	1	1	2	3	5	6
70-74	405	2.5	1	1	2	2	3	4	4
75-79	316	2.6	3	1	1	2	3	5	7
80-84	104	2.0	1	1	1	2	3	3	5
85 +	57	10.1	180	1	1	5	8	38	38
SUBTOTAL	1334	2.8	12	1	1	2	3	5	6
GRAND TOTAL	1334	2.8	12	1	1	2	3	5	6

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	182	2.5	2	< 1	2	2	3	4	6
35-49	1047	2.1	1	1	1	2	3	4	4
50-69	1505	2.3	2	1	1	2	3	4	5
70 +	36	2.4	3						
	2771	2.2	2	1	1	2	3	4	5
	2771	2.2	2	1	1	2	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	26	4.3	7						
50-69	48	3.6	8	< 1	1	3	5	10	10
70 +	6	1.0							
SUBTOTAL	79	3.6	8	1	1	3	5	9	10
GRAND TOTAL	79	3.6	8	1	1	3	5	9	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	75	2.0	2	1	1	2	2	4	6
35-49	299	1.9	1	1	1	2	2	3	3
50-69	309	2.4	4	< 1	1	2	3	4	4
70 +	28	1.0							
	712	2.1	2	1	1	2	3	3	4
	712	2.1	2	1	1	2	3	3	4

DRG 261: Breast Proc for Non-malignancy except Biopsy & Local Excision

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	155	3.7	4	2	2	3	5	7	7	0-17	23	4.3	2						
70-74	38	7.0	160	1	1	2	3	37	37	18-34	238	2.3	2	1	1	2	3	4	5
75-79	36	1.7								35-49	415	3.8	12	2	2	3	4	7	8
80-84	17	4.0	13							50-69	258	4.5	12	2	2	3	7	7	8
85+	16	5.2	6							70+	0								
SUBTOTAL	**263**	**4.0**	**28**	**1**	**2**	**2**	**5**	**7**	**8**		**934**	**3.6**	**10**	**1**	**2**	**3**	**4**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	426	2.7	2	1	2	2	3	4	5	0-17	482	1.6		1	1	2	2	3	3
70-74	211	2.3	2	1	1	2	3	4	4	18-34	3001	2.0	1	1	1	2	2	3	4
75-79	84	2.4	6	1	1	2	3	3	11	35-49	3228	2.3	2	1	1	2	3	4	5
80-84	27	1.6	1							50-69	1814	2.3	2	1	1	2	3	4	5
85+	6	4.0								70+	20	3.0	4						
SUBTOTAL	**754**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**8546**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**1016**	**2.9**	**10**	**1**	**2**	**2**	**3**	**5**	**7**		**9480**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	11	1.5								0-17	22	2.0	1						
18-34	28	4.0	1							18-34	60	1.8	1	<1	1	2	2	3	3
35-49	23	4.3	4							35-49	85	2.8	3	1	2	2	4	6	6
50-69	32	5.9	9							50-69	50	3.2	5	1	2	3	3	9	9
70+	0									70+	0								
SUBTOTAL	**94**	**4.4**	**6**	**2**	**2**	**4**	**7**	**8**	**8**		**216**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	60	2.3	1	<1	1	2	3	4	4	0-17	135	1.4		1	1	1	2	2	2
18-34	284	2.4	1	1	2	2	3	4	4	18-34	717	1.9	1	1	1	2	2	3	4
35-49	108	4.0	3	1	3	4	5	7	7	35-49	589	2.4	2	1	1	2	3	4	5
50-69	40	2.0	1	<1	1	2	3	4	4	50-69	305	2.5	2	1	2	2	3	5	6
70+	0									70+	6	1.0							
SUBTOTAL	**491**	**2.7**	**2**	**1**	**2**	**2**	**3**	**4**	**7**		**1752**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**585**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**7**		**1968**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 262: Breast Biopsy & Local Excision for Non-malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	84	4.6	29	1	1	2	6	18	18	0-17	6	1.0							
70-74	36	3.1	3							18-34	16	3.8	16						
75-79	32	2.1	2							35-49	142	3.0	6	1	1	2	4	8	8
80-84	6	3.0								50-69	60	2.7	6	< 1	1	2	3	7	9
85 +	27	6.4	1							70 +	0								
SUBTOTAL	**185**	**4.1**	**16**	**1**	**2**	**2**	**6**	**7**	**18**		**223**	**2.9**	**7**	**1**	**1**	**2**	**3**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	121	2.9	4	1	1	2	4	6	6	0-17	61	1.2		< 1	< 1	< 1	1	2	3
70-74	97	1.9	1	1	1	2	3	3	5	18-34	242	1.3	1	< 1	< 1	< 1	1	2	3
75-79	59	2.5	9	< 1	< 1	1	2	9	9	35-49	747	1.5	2	< 1	< 1	< 1	1	3	4
80-84	37	2.2	1							50-69	513	1.7	8	< 1	< 1	1	1	3	5
85 +	31	1.3								70 +	6	17.0							
SUBTOTAL	**346**	**2.3**	**4**	**< 1**	**1**	**2**	**3**	**6**	**6**		**1569**	**1.6**	**4**	**< 1**	**< 1**	**< 1**	**1**	**3**	**4**
GRAND TOTAL	**531**	**3.0**	**9**	**< 1**	**1**	**2**	**4**	**6**	**7**		**1792**	**1.7**	**5**	**< 1**	**< 1**	**< 1**	**1**	**3**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	1.0								0-17	0								
18-34	0									18-34	11	5.0	10						
35-49	16	4.9	9							35-49	22	4.2	4						
50-69	16	5.3	35							50-69	11	3.0	1						
70 +	0									70 +	0								
SUBTOTAL	**37**	**4.5**	**20**								**44**	**4.1**	**5**	**1**	**2**	**4**	**6**	**8**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	27	1.0							
18-34	112	3.9	12	< 1	< 1	3	7	7	12	18-34	45	1.3		< 1	< 1	< 1	1	2	2
35-49	38	1.3		< 1	< 1	< 1	2	2	2	35-49	113	1.8	1	< 1	< 1	1	2	4	4
50-69	44	2.7	4	< 1	< 1	2	4	6	6	50-69	83	2.2	2	< 1	< 1	1	4	5	5
70 +	0									70 +	40	1.0		< 1	< 1	< 1	< 1	< 1	< 1
SUBTOTAL	**195**	**3.1**	**9**	**< 1**	**< 1**	**2**	**4**	**7**	**11**		**308**	**1.6**	**1**	**< 1**	**< 1**	**< 1**	**2**	**4**	**4**
GRAND TOTAL	**232**	**3.3**	**11**	**< 1**	**< 1**	**1**	**5**	**7**	**12**		**352**	**2.0**	**2**	**< 1**	**< 1**	**1**	**2**	**4**	**5**

DRG 263: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3671	20.1	282	5	9	15	26	46	63	0-17	109	10.7	126	2	4	8	12	29	50
70-74	1271	23.2	363	6	11	18	30	55	72	18-34	307	12.3	123	3	5	8	15	25	38
75-79	1731	19.9	274	5	8	15	26	49	68	35-49	678	13.8	98	4	6	11	18	28	32
80-84	1761	22.0	307	7	10	16	28	51	66	50-69	1216	15.9	154	5	7	12	23	32	40
85 +	1984	21.8	294	6	11	16	29	47	75	70 +	236	24.9	337	7	9	18	34	60	69
SUBTOTAL	**10418**	**21.1**	**298**	**6**	**10**	**16**	**28**	**48**	**68**		**2545**	**15.5**	**162**	**4**	**7**	**12**	**21**	**32**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**10418**	**21.1**	**298**	**6**	**10**	**16**	**28**	**48**	**68**		**2545**	**15.5**	**162**	**4**	**7**	**12**	**21**	**32**	**42**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	80	18.4	98	5	11	15	26	34	35	0-17	38	13.0	39	7	9	12	13	27	27
18-34	436	18.6	228	4	7	15	26	44	69	18-34	274	16.1	206	3	5	13	26	32	46
35-49	456	19.4	246	4	9	17	29	37	58	35-49	446	13.3	88	3	7	11	18	25	32
50-69	602	18.5	239	6	8	14	21	40	49	50-69	375	17.3	182	4	8	14	21	34	51
70 +	166	24.1	129	11	13	24	32	50	99 +	70 +	91	31.1	546	5	10	27	47	68	74
SUBTOTAL	**1740**	**19.3**	**223**	**5**	**9**	**15**	**28**	**40**	**50**		**1224**	**16.5**	**195**	**4**	**7**	**12**	**21**	**34**	**47**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1740**	**19.3**	**223**	**5**	**9**	**15**	**28**	**40**	**50**		**1224**	**16.5**	**195**	**4**	**7**	**12**	**21**	**34**	**47**

DRG 264: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	584	12.3	86	3	5	12	16	22	24	0-17	143	6.5	12	2	4	6	10	12	12
70-74	223	11.8	113	3	5	9	16	19	30	18-34	294	8.3	32	3	4	6	11	16	19
75-79	154	11.3	124	4	4	8	14	38	40	35-49	473	7.0	31	2	3	6	9	14	16
80-84	343	11.4	61	3	5	9	15	21	31	50-69	388	6.8	20	2	4	6	9	12	14
85 +	167	13.5	59	2	9	13	18	26	28	70 +	32	9.2	29						
SUBTOTAL	**1471**	**12.0**	**85**	**3**	**5**	**10**	**16**	**22**	**28**		**1329**	**7.2**	**26**	**2**	**4**	**6**	**10**	**14**	**16**
GRAND TOTAL	**1471**	**12.0**	**85**	**3**	**5**	**10**	**16**	**22**	**28**		**1329**	**7.2**	**26**	**2**	**4**	**6**	**10**	**14**	**16**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	82	5.4	15	1	2	6	9	12	12	0-17	102	6.3	27	3	3	4	8	15	23
18-34	198	10.5	58	2	5	8	17	22	25	18-34	154	9.0	49	1	4	7	13	18	27
35-49	156	10.0	71	2	3	7	15	22	22	35-49	196	6.5	21	2	3	6	8	13	16
50-69	74	11.2	26	5	8	10	17	18	18	50-69	92	5.9	8	3	4	5	7	9	14
70 +	10	7.0								70 +	10	6.0							
SUBTOTAL	**520**	**9.6**	**53**	**2**	**4**	**7**	**15**	**20**	**22**		**554**	**7.1**	**28**	**2**	**4**	**6**	**8**	**15**	**18**
GRAND TOTAL	**520**	**9.6**	**53**	**2**	**4**	**7**	**15**	**20**	**22**		**554**	**7.1**	**28**	**2**	**4**	**6**	**8**	**15**	**18**

DRG 265: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	501	8.1	65	2	3	5	9	19	26	0-17	222	7.1	180	1	2	3	6	18	33
70-74	347	7.2	37	2	3	5	10	17	19	18-34	362	5.1	39	1	2	3	7	10	13
75-79	297	10.3	215	1	2	5	14	19	35	35-49	591	8.1	86	1	3	5	10	19	29
80-84	240	7.9	68	1	2	6	9	22	26	50-69	580	7.1	59	2	3	6	9	14	17
85 +	323	7.2	67	2	3	5	6	17	25	70 +	58	9.2	76	1	2	6	20	23	24
SUBTOTAL	**1708**	**8.1**	**87**	**2**	**3**	**5**	**9**	**18**	**25**		**1813**	**7.1**	**80**	**1**	**2**	**5**	**8**	**14**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1708**	**8.1**	**87**	**2**	**3**	**5**	**9**	**18**	**25**		**1813**	**7.1**	**80**	**1**	**2**	**5**	**8**	**14**	**25**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	70	5.1	11	3	4	4	6	8	15	0-17	38	9.8	99	2	2	5	17	30	30
18-34	174	6.0	40	2	2	4	7	13	16	18-34	314	6.6	50	1	2	3	9	14	25
35-49	127	11.0	93	3	4	7	15	32	33	35-49	280	8.5	54	2	3	5	12	21	24
50-69	100	13.1	158	2	3	5	29	31	32	50-69	140	10.3	63	1	5	7	17	21	28
70 +	0									70 +	11	1.5							
SUBTOTAL	**471**	**8.7**	**85**	**2**	**3**	**5**	**10**	**29**	**32**		**784**	**8.0**	**58**	**1**	**2**	**5**	**11**	**20**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**471**	**8.7**	**85**	**2**	**3**	**5**	**10**	**29**	**32**		**784**	**8.0**	**58**	**1**	**2**	**5**	**11**	**20**	**25**

Southern Region, July 1990 - June 1991

DRG 266: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	495	3.8	18	1	2	3	4	8	9	0-17	1044	3.6	24	1	1	2	4	8	11
70-74	318	3.2	7	1	1	2	4	8	10	18-34	1252	3.4	11	1	1	2	4	7	10
75-79	289	2.7	5	1	1	2	4	7	8	35-49	1455	3.6	6	1	1	3	5	7	8
80-84	206	3.6	7	1	2	3	5	9	9	50-69	1341	3.3	7	1	1	2	5	7	8
85 +	201	4.4	25	1	1	2	7	9	21	70 +	42	4.1	27						
SUBTOTAL	**1510**	**3.5**	**13**	**1**	**1**	**2**	**4**	**8**	**9**		**5133**	**3.5**	**11**	**1**	**1**	**3**	**5**	**7**	**9**
GRAND TOTAL	**1510**	**3.5**	**13**	**1**	**1**	**2**	**4**	**8**	**9**		**5133**	**3.5**	**11**	**1**	**1**	**3**	**5**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	474	3.3	11	1	1	2	4	7	10	0-17	523	3.4	14	1	1	2	4	8	13
18-34	384	3.3	13	< 1	1	2	4	7	11	18-34	916	4.0	16	1	2	3	5	10	12
35-49	153	2.7	4	1	1	2	5	6	6	35-49	478	3.6	10	1	1	3	5	7	12
50-69	55	8.2	70	< 1	2	3	16	23	23	50-69	326	4.2	14	1	1	4	6	9	13
70 +	20	4.0	9							70 +	50	1.6	1	< 1	< 1	< 1	1	4	4
SUBTOTAL	**1086**	**3.5**	**15**	**1**	**1**	**2**	**5**	**7**	**11**		**2293**	**3.8**	**14**	**1**	**1**	**3**	**5**	**8**	**12**
GRAND TOTAL	**1086**	**3.5**	**15**	**1**	**1**	**2**	**5**	**7**	**11**		**2293**	**3.8**	**14**	**1**	**1**	**3**	**5**	**8**	**12**

DRG 267: Perianal & Pilonidal Procedures

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	27	8.0	57								0-17	26	1.4								
70-74	0										18-34	91	2.1	2	1	1	1	3	4	5	
75-79	0										35-49	27	5.8	90							
80-84	10	7.0									50-69	37	8.5	42							
85 +	0										70 +	0									
SUBTOTAL	**37**	**7.7**	**42**									**181**	**3.8**	**30**	**1**	**1**	**2**	**4**	**8**	**18**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	48	2.7	5	1	1	2	2	7	7		0-17	317	1.4	1	1	1	1	2	3	4	
70-74	0										18-34	1233	1.8	2	1	1	1	2	4	5	
75-79	0										35-49	246	1.8	3	< 1	1	1	2	3	5	
80-84	6	3.0									50-69	82	1.5	1	1	1	1	2	2	5	
85 +	0										70 +	0									
SUBTOTAL	**53**	**2.8**	**5**	**1**	**1**	**2**	**3**	**7**	**7**			**1877**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**5**	
GRAND TOTAL	**91**	**4.8**	**26**	**1**	**2**	**2**	**7**	**7**	**22**			**2058**	**1.9**	**5**	**1**	**1**	**1**	**2**	**4**	**5**	

TYPE OF PATIENT	MEDICAID										NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	0										0-17	11	3.5	7							
18-34	47	1.9	1								18-34	23	1.8								
35-49	0										35-49	22	5.2	7							
50-69	0										50-69	20	4.5	7							
70 +	0										70 +	0									
SUBTOTAL	**47**	**1.9**	**1**									**76**	**3.7**	**6**	**1**	**2**	**2**	**7**	**7**	**7**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	50	4.7	17	< 1	1	4	6	12	12		0-17	88	1.9	1	< 1	1	2	3	3	4	
18-34	108	1.7	2	< 1	1	1	2	4	5		18-34	300	1.9	1	1	1	2	2	4	4	
35-49	16	1.4									35-49	69	1.7	1	1	1	1	2	4	4	
50-69	0										50-69	23	3.0	6							
70 +	0										70 +	0									
SUBTOTAL	**173**	**2.5**	**8**	**< 1**	**1**	**1**	**3**	**5**	**12**			**480**	**1.9**	**1**	**1**	**1**	**2**	**2**	**4**	**4**	
GRAND TOTAL	**220**	**2.4**	**6**	**< 1**	**1**	**1**	**3**	**5**	**6**			**556**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**6**	

DRG 268: Skin, Subcutaneous Tissue & Breast Plastic Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	113	7.3	105	1	1	4	8	26	39		0-17	96	2.6	2	< 1	1	2	3	4	7	
70-74	86	7.6	70	1	1	5	8	28	28		18-34	103	2.4	2	1	1	2	3	4	6	
75-79	43	5.1	30	1	1	2	8	14	14		35-49	49	2.8	3	1	1	3	3	6	6	
80-84	10	1.0									50-69	90	3.0	5	1	1	2	5	7	7	
85 +	43	5.7	9	2	3	5	7	10	10		70 +	6	21.0								
SUBTOTAL	296	6.6	68	1	1	5	8	14	28			343	3.0	8	1	1	2	4	6	7	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	112	1.4	1	< 1	1	1	1	3	5		0-17	212	1.6	1	< 1	1	1	3	3	3	
70-74	93	2.9	28	< 1	1	1	2	5	23		18-34	194	1.8	1	< 1	1	2	2	3	3	
75-79	70	2.2	6	< 1	1	1	2	8	8		35-49	296	2.1	4	1	1	2	3	3	4	
80-84	63	2.0	2	1	1	1	3	4	5		50-69	182	2.1	5	1	1	1	2	3	9	
85 +	11	2.0	1								70 +	16	1.0								
SUBTOTAL	350	2.1	10	< 1	1	1	2	5	6			899	1.9	3	< 1	1	1	2	3	4	
GRAND TOTAL	646	4.2	41	< 1	1	1	5	9	15			1242	2.2	5	< 1	1	2	3	4	5	

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	23	3.8	6								0-17	27	1.8	1							
18-34	27	6.7	14								18-34	101	2.1	3	1	1	1	3	5	7	
35-49	33	4.9	22								35-49	80	3.7	11	1	1	2	5	7	13	
50-69	10	1.0									50-69	48	3.4	5	< 1	1	3	5	8	8	
70 +	0										70 +	20	3.0	1							
SUBTOTAL	93	4.7	16	1	2	2	9	11	13			277	2.8	6	1	1	2	4	6	7	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	56	2.8	4	1	2	2	3	7	8		0-17	45	1.3		< 1	< 1	< 1	1	2	2	
18-34	23	3.5	8								18-34	123	2.3	2	1	1	2	3	4	6	
35-49	22	2.8	4								35-49	259	1.3		1	1	1	2	2	3	
50-69	11	3.5	2								50-69	557	1.2		1	1	1	1	2	2	
70 +	0										70 +	105	1.5		< 1	1	1	2	2	3	
SUBTOTAL	112	3.0	5	1	2	2	4	7	8			1090	1.4	1	1	1	1	2	2	3	
GRAND TOTAL	205	3.8	10	1	2	2	5	9	11			1367	1.7	2	1	1	1	2	3	5	

DRG 269: Other Skin, Subcut Tiss & Breast Proc w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1372	11.7	118	2	4	8	15	26	41
70-74	659	13.1	140	3	5	10	16	29	41
75-79	584	12.9	133	2	5	10	17	25	34
80-84	605	12.0	94	3	5	9	16	22	35
85 +	498	14.8	185	4	7	12	19	29	60
SUBTOTAL	**3716**	**12.6**	**130**	**3**	**5**	**9**	**17**	**28**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3716**	**12.6**	**130**	**3**	**5**	**9**	**17**	**28**	**38**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	128	4.8	16	1	2	3	6	10	16
18-34	426	4.6	9	1	3	3	7	9	10
35-49	727	6.5	41	2	2	4	8	16	21
50-69	894	8.3	60	2	3	6	11	18	23
70 +	73	18.1	225	5	7	11	38	43	43
	2249	**7.1**	**53**	**2**	**3**	**5**	**9**	**15**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2249	**7.1**	**53**	**2**	**3**	**5**	**9**	**15**	**22**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	87	6.4	23	2	4	5	7	15	19
18-34	396	6.5	38	1	3	5	7	14	28
35-49	265	9.8	69	3	5	8	12	22	24
50-69	263	14.9	217	3	7	10	20	25	55
70 +	26	10.0	25						
SUBTOTAL	**1037**	**9.6**	**101**	**2**	**4**	**7**	**11**	**22**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1037**	**9.6**	**101**	**2**	**4**	**7**	**11**	**22**	**29**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	82	3.6	7	1	1	3	7	7	9
18-34	515	4.7	38	1	2	3	6	7	12
35-49	360	5.6	41	1	2	4	7	11	13
50-69	288	10.6	116	2	3	7	13	33	35
70 +	10	23.0							
	1255	**6.4**	**62**	**1**	**2**	**4**	**7**	**13**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1255	**6.4**	**62**	**1**	**2**	**4**	**7**	**13**	**23**

DRG 270: Other Skin, Subcut Tiss & Breast Proc w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	665	4.0	18	1	1	3	4	8	12
70-74	392	3.4	7	1	1	2	4	7	9
75-79	178	4.0	9	1	2	3	6	8	9
80-84	185	5.2	21	1	2	4	6	11	15
85 +	96	4.8	20	1	1	4	5	11	17
SUBTOTAL	**1516**	**4.0**	**15**	**1**	**1**	**3**	**5**	**9**	**11**
GRAND TOTAL	**1516**	**4.0**	**15**	**1**	**1**	**3**	**5**	**9**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1183	2.4	5	< 1	< 1	1	3	6	7
18-34	1352	2.6	5	< 1	1	2	3	6	7
35-49	1518	2.5	8	< 1	1	2	3	5	7
50-69	1366	2.7	6	< 1	1	2	3	6	8
70 +	47	4.7	30						
	5466	**2.6**	**7**	**< 1**	**1**	**2**	**3**	**6**	**7**
	5466	**2.6**	**7**	**< 1**	**1**	**2**	**3**	**6**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	514	3.6	13	1	1	2	5	7	13
18-34	474	3.3	15	1	1	2	5	6	7
35-49	216	6.1	168	< 1	1	2	5	9	12
50-69	70	3.9	4	1	2	4	6	7	7
70 +	20	1.5							
SUBTOTAL	**1294**	**3.9**	**40**	**1**	**1**	**2**	**5**	**7**	**10**
GRAND TOTAL	**1294**	**3.9**	**40**	**1**	**1**	**2**	**5**	**7**	**10**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	574	2.9	6	< 1	1	2	4	7	8
18-34	1139	3.4	12	1	1	3	4	7	9
35-49	618	3.6	6	1	2	3	5	7	8
50-69	232	2.1	2	< 1	1	1	3	5	6
70 +	34	1.2		< 1	< 1	< 1	< 1	2	2
	2597	**3.2**	**8**	**< 1**	**1**	**2**	**4**	**7**	**8**
	2597	**3.2**	**8**	**< 1**	**1**	**2**	**4**	**7**	**8**

DRG 271: Skin Ulcers

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1418	11.8	126	3	5	8	14	28	41
70-74	719	13.0	187	5	6	10	13	26	38
75-79	958	12.4	101	4	6	9	15	27	35
80-84	1044	11.4	67	4	6	10	15	26	30
85 +	1368	13.5	98	5	7	11	18	25	36
SUBTOTAL	**5508**	**12.4**	**112**	**4**	**6**	**10**	**15**	**26**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	151	11.6	58	3	6	10	13	22	29
70-74	162	10.2	59	3	4	9	12	24	30
75-79	91	9.4	33	3	3	8	14	17	19
80-84	204	12.9	240	3	5	8	16	29	38
85 +	164	11.9	128	5	5	7	15	22	33
SUBTOTAL	**772**	**11.5**	**119**	**3**	**5**	**8**	**14**	**22**	**30**
GRAND TOTAL	**6279**	**12.3**	**113**	**4**	**6**	**9**	**15**	**26**	**35**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	129	11.9	60	5	7	10	13	28	28
35-49	192	12.3	245	4	6	10	12	12	50
50-69	313	9.3	41	3	4	8	12	18	23
70 +	58	9.8	54	1	3	9	15	22	22
	691	**10.7**	**104**	**4**	**6**	**8**	**12**	**19**	**24**
0-17	11	5.5							
18-34	26	11.6	102						
35-49	53	9.5	54	4	4	6	11	29	29
50-69	116	5.4	7	1	4	5	8	9	9
70 +	6	7.0							
	212	**7.2**	**35**	**3**	**4**	**6**	**9**	**11**	**29**
	903	**9.9**	**90**	**4**	**5**	**8**	**12**	**18**	**28**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	33	21.2	297						
18-34	221	8.4	39	3	5	7	9	19	34
35-49	176	11.4	123	2	5	6	14	34	34
50-69	218	13.4	114	6	8	9	15	25	37
70 +	66	23.9	701	6	8	16	63	99 +	99 +
SUBTOTAL	**713**	**12.7**	**175**	**3**	**6**	**8**	**16**	**34**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	49	12.5	87	2	5	14	15	28	28
18-34	49	12.9	86	4	7	7	18	29	29
35-49	37	9.2	40						
50-69	73	7.5	27	1	3	6	12	13	18
70 +	0								
SUBTOTAL	**207**	**10.2**	**62**	**3**	**4**	**7**	**14**	**19**	**28**
GRAND TOTAL	**920**	**12.1**	**150**	**3**	**5**	**8**	**15**	**29**	**41**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	36	3.8	2						
18-34	49	6.6	21	< 1	2	7	10	15	15
35-49	100	10.8	41	5	6	7	14	21	24
50-69	188	11.5	143	3	4	7	13	21	48
70 +	22	15.0	21						
	395	**10.2**	**90**	**3**	**5**	**7**	**14**	**21**	**24**
0-17	26	6.8	1						
18-34	17	10.7	57						
35-49	32	6.5	21						
50-69	0								
70 +	20	6.0	1						
	95	**7.2**	**20**	**1**	**5**	**7**	**7**	**12**	**21**
	490	**9.6**	**78**	**3**	**5**	**7**	**13**	**19**	**24**

DRG 272: Major Skin Disorders w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	609	9.1	44	2	5	8	12	18	24	0-17	223	5.4	14	3	3	5	6	8	14
70-74	460	7.9	31	3	5	7	10	13	16	18-34	119	6.2	17	3	3	5	7	14	15
75-79	436	7.9	33	3	4	7	10	16	19	35-49	218	5.2	11	2	3	4	6	10	14
80-84	357	12.0	150	3	5	8	15	23	37	50-69	425	7.9	40	3	5	6	9	14	20
85 +	295	10.5	99	3	5	7	14	17	33	70 +	27	10.7	6						
SUBTOTAL	**2156**	**9.3**	**66**	**3**	**5**	**7**	**11**	**17**	**22**		**1012**	**6.6**	**26**	**3**	**3**	**5**	**7**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2156**	**9.3**	**66**	**3**	**5**	**7**	**11**	**17**	**22**		**1012**	**6.6**	**26**	**3**	**3**	**5**	**7**	**13**	**16**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	98	6.0	25	2	2	5	7	10	23	0-17	72	9.2	93	3	5	6	9	12	41
18-34	108	6.4	33	2	3	5	8	10	22	18-34	71	10.0	181	4	4	4	9	15	54
35-49	83	13.4	128	4	4	8	23	32	35	35-49	92	6.8	10	2	5	6	9	10	15
50-69	120	10.2	254	3	5	5	7	8	62	50-69	66	8.5	27	4	5	7	12	14	22
70 +	10	4.0								70 +	20	10.0	1						
SUBTOTAL	**419**	**8.7**	**120**	**2**	**4**	**5**	**8**	**22**	**32**		**321**	**8.6**	**71**	**3**	**4**	**6**	**9**	**14**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**419**	**8.7**	**120**	**2**	**4**	**5**	**8**	**22**	**32**		**321**	**8.6**	**71**	**3**	**4**	**6**	**9**	**14**	**22**

DRG 273: Major Skin Disorders w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	199	5.0	10	1	3	4	7	10	10	0-17	501	3.7	11	1	2	3	4	6	11
70-74	137	6.6	17	2	4	6	7	15	15	18-34	150	4.1	9	1	2	3	6	9	12
75-79	136	4.9	7	2	3	4	7	9	10	35-49	214	4.4	9	1	2	4	5	10	11
80-84	109	9.3	48	4	5	7	13	14	34	50-69	296	4.1	4	1	3	4	5	8	8
85 +	73	6.1	16	< 1	4	5	11	12	12	70 +	0								
SUBTOTAL	**653**	**6.2**	**20**	**1**	**3**	**5**	**8**	**11**	**14**		**1160**	**4.0**	**9**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**653**	**6.2**	**20**	**1**	**3**	**5**	**8**	**11**	**14**		**1160**	**4.0**	**9**	**1**	**2**	**3**	**5**	**8**	**10**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	216	3.3	5	1	2	3	4	6	10	0-17	170	3.8	11	1	2	3	5	6	6
18-34	32	4.1	18							18-34	59	6.6	33	1	2	5	10	18	18
35-49	62	12.6	93	2	4	10	17	31	31	35-49	70	4.3	10	2	2	4	4	7	14
50-69	42	3.5	10							50-69	36	3.2	1						
70 +	0									70 +	22	3.9	9						
SUBTOTAL	**352**	**5.1**	**34**	**1**	**2**	**3**	**5**	**13**	**17**		**357**	**4.3**	**14**	**1**	**2**	**4**	**5**	**7**	**14**
GRAND TOTAL	**352**	**5.1**	**34**	**1**	**2**	**3**	**5**	**13**	**17**		**357**	**4.3**	**14**	**1**	**2**	**4**	**5**	**7**	**14**

DRG 274: Malignant Breast Disorders w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	281	7.3	39	1	3	6	9	15	23
70-74	254	6.0	32	2	3	4	6	11	24
75-79	135	7.4	34	2	3	6	9	21	21
80-84	135	14.1	142	3	4	12	20	24	41
85 +	161	6.9	20	2	4	6	8	13	19
SUBTOTAL	**965**	**7.9**	**54**	**2**	**3**	**6**	**9**	**19**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**965**	**7.9**	**54**	**2**	**3**	**6**	**9**	**19**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	34	7.7	104	2	2	4	5	30	30
35-49	378	6.5	34	2	3	4	11	14	17
50-69	497	10.1	212	2	4	6	10	21	23
70 +	27	6.9	12						
	937	**8.4**	**133**	**2**	**3**	**5**	**10**	**17**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	937	**8.4**	**133**	**2**	**3**	**5**	**10**	**17**	**22**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	9.0							
35-49	61	14.7	158	2	4	11	23	34	42
50-69	65	5.7	14	2	3	4	8	10	14
70 +	0								
SUBTOTAL	**131**	**10.0**	**99**	**2**	**3**	**7**	**13**	**23**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**131**	**10.0**	**99**	**2**	**3**	**7**	**13**	**23**	**32**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	28	2.6	2						
35-49	49	4.9	6	2	4	4	6	9	9
50-69	96	6.4	33	3	3	4	7	20	22
70 +	10	5.0							
	183	**5.3**	**21**	**2**	**3**	**4**	**6**	**9**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	183	**5.3**	**21**	**2**	**3**	**4**	**6**	**9**	**22**

DRG 275: Malignant Breast Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	66	3.1	3	1	2	2	4	6	6	0-17	0								
70-74	40	3.3	2	1	2	3	4	6	6	18-34	34	3.0	1	2	2	3	3	5	5
75-79	51	3.2		2	3	3	4	4	4	35-49	162	2.7	2	1	1	3	3	5	6
80-84	27	4.5	5							50-69	304	3.5	7	1	2	3	4	7	12
85 +	17	3.3	3							70 +	11	2.5	2						
SUBTOTAL	**200**	**3.4**	**3**	**1**	**2**	**3**	**4**	**6**	**7**		**511**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**200**	**3.4**	**3**	**1**	**2**	**3**	**4**	**6**	**7**		**511**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	10	2.0							
35-49	11	1.5								35-49	61	3.3	4	1	2	3	3	7	8
50-69	6	5.0								50-69	66	1.9	1	1	1	2	3	3	4
70 +	0									70 +	6	1.0							
SUBTOTAL	**17**	**2.7**	**3**								**143**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**17**	**2.7**	**3**								**143**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 276: Non-maligant Breast Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	43	2.9	8	1	2	2	3	10	10	0-17	6	3.0							
70-74	10	3.0								18-34	32	6.7	4						
75-79	11	5.0	18							35-49	83	5.3	9	3	3	4	7	10	13
80-84	22	5.4	7							50-69	23	5.0	17						
85 +	6	14.0								70 +	0								
SUBTOTAL	**92**	**4.5**	**15**	**1**	**2**	**3**	**8**	**10**	**14**		**143**	**5.5**	**9**	**3**	**3**	**4**	**8**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	54	2.1	1	< 1	2	2	3	3	3	0-17	142	3.5	21	1	1	2	4	4	6
70-74	52	3.5	4	< 1	2	3	4	7	7	18-34	407	3.3	6	1	2	3	4	6	7
75-79	6	5.0								35-49	302	2.5	4	1	1	2	4	5	6
80-84	6	1.0								50-69	249	3.0	5	1	1	2	5	6	8
85 +	0									70 +	0								
SUBTOTAL	**118**	**2.8**	**3**	**< 1**	**2**	**2**	**3**	**5**	**7**		**1100**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**210**	**3.5**	**9**	**1**	**2**	**2**	**4**	**8**	**10**		**1242**	**3.3**	**8**	**1**	**1**	**3**	**4**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	20	4.5	2							18-34	38	3.4	1	2	3	3	4	6	6
35-49	0									35-49	17	2.7	3						
50-69	10	4.0								50-69	0								
70 +	0									70 +	10	2.0							
SUBTOTAL	**31**	**4.3**	**2**								**66**	**3.0**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	66	2.7	2	1	2	2	3	4	7	0-17	28	5.6	6						
18-34	189	3.0	3	1	1	3	4	4	7	18-34	213	2.6	3	1	1	2	4	5	6
35-49	69	3.3	3	2	2	3	4	5	8	35-49	168	2.8	3	1	2	2	4	6	6
50-69	16	4.5	12							50-69	33	3.2	17						
70 +	10	3.0								70 +	0								
SUBTOTAL	**350**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**7**		**441**	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**6**
GRAND TOTAL	**381**	**3.2**	**3**	**1**	**2**	**3**	**4**	**5**	**7**		**507**	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**6**

DRG 277: Cellulitis Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6906	8.1	28	3	4	7	10	15	18
70-74	3790	8.3	33	3	5	7	10	14	21
75-79	3548	8.6	37	4	5	7	10	16	20
80-84	3118	9.1	37	4	5	7	11	15	20
85 +	3362	9.2	45	4	5	7	11	17	23
SUBTOTAL	**20723**	**8.5**	**35**	**3**	**5**	**7**	**10**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**20723**	**8.5**	**35**	**3**	**5**	**7**	**10**	**15**	**20**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1302	5.8	17	2	3	5	7	11	14
35-49	3038	6.9	22	3	4	6	8	12	17
50-69	4785	7.2	26	3	4	6	9	13	16
70 +	288	9.1	50	3	5	7	11	14	29
	9413	**7.0**	**25**	**3**	**4**	**6**	**8**	**12**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	9413	**7.0**	**25**	**3**	**4**	**6**	**8**	**12**	**16**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1465	6.3	20	3	4	5	8	11	14
35-49	1909	6.5	20	3	4	5	8	12	16
50-69	1347	9.1	39	3	5	8	12	16	17
70 +	84	11.2	66	4	4	10	12	30	30
SUBTOTAL	**4805**	**7.3**	**28**	**3**	**4**	**6**	**9**	**14**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4805**	**7.3**	**28**	**3**	**4**	**6**	**9**	**14**	**16**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1167	5.2	14	2	3	4	7	8	10
35-49	1774	6.5	19	2	4	5	8	12	14
50-69	1156	6.5	18	3	4	5	8	13	14
70 +	136	8.3	17	3	6	8	11	13	18
	4234	**6.2**	**18**	**2**	**4**	**5**	**7**	**12**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4234	**6.2**	**18**	**2**	**4**	**5**	**7**	**12**	**14**

DRG 278: Cellulitis Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2700	5.7	13	2	3	5	7	9	11
70-74	1529	6.0	14	3	3	5	7	11	15
75-79	1296	6.7	15	3	4	6	8	11	16
80-84	1239	6.7	17	3	4	6	8	12	14
85 +	1226	6.9	17	3	4	6	9	12	14
SUBTOTAL	**7990**	**6.3**	**15**	**3**	**4**	**5**	**8**	**11**	**14**
GRAND TOTAL	**7990**	**6.3**	**15**	**3**	**4**	**5**	**8**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	3790	3.8	5	2	2	3	5	6	8
35-49	4652	4.7	8	2	3	4	6	8	10
50-69	3982	5.2	10	2	3	4	6	8	11
70 +	130	8.0	31	3	4	5	13	14	21
	12554	**4.6**	**8**	**2**	**3**	**4**	**6**	**8**	**10**
	12554	**4.6**	**8**	**2**	**3**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1118	4.9	13	2	3	4	6	8	11
35-49	737	5.7	8	2	4	5	7	9	12
50-69	541	6.9	23	3	4	6	8	12	14
70 +	136	7.7	44	3	3	5	10	21	23
SUBTOTAL	**2532**	**5.7**	**16**	**2**	**3**	**5**	**7**	**10**	**12**
GRAND TOTAL	**2532**	**5.7**	**16**	**2**	**3**	**5**	**7**	**10**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2475	3.9	6	1	2	3	5	7	9
35-49	1850	4.5	13	2	3	4	5	7	11
50-69	957	5.1	8	3	3	5	6	8	9
70 +	32	8.5	25						
	5314	**4.4**	**9**	**2**	**3**	**4**	**5**	**8**	**9**
	5314	**4.4**	**9**	**2**	**3**	**4**	**5**	**8**	**9**

DRG 279: Cellulitis Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	43	10.9	98	2	3	12	14	33	33	0-17	784	4.2	7	2	3	4	5	7	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**43**	**10.9**	**98**	**2**	**3**	**12**	**14**	**33**	**33**		**784**	**4.2**	**7**	**2**	**3**	**4**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10	13.0								0-17	4581	3.5	5	1	2	3	4	6	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**10**	**13.0**									**4581**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**53**	**11.3**	**79**	**2**	**5**	**12**	**14**	**33**	**33**		**5365**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	770	5.4	17	2	3	4	7	10	12	0-17	481	4.7	14	2	3	4	6	10	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**770**	**5.4**	**17**	**2**	**3**	**4**	**7**	**10**	**12**		**481**	**4.7**	**14**	**2**	**3**	**4**	**6**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3082	3.9	5	2	2	4	5	6	8	0-17	2586	3.4	5	1	2	3	4	6	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**3082**	**3.9**	**5**	**2**	**2**	**4**	**5**	**6**	**8**		**2586**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**3851**	**4.2**	**8**	**2**	**2**	**4**	**5**	**7**	**9**		**3067**	**3.6**	**6**	**1**	**2**	**3**	**4**	**7**	**8**

DRG 280: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	879	5.3	39	1	2	3	6	10	17	0-17	0								
70-74	489	4.8	24	1	2	4	6	8	10	18-34	1505	2.6	6	<1	1	2	3	5	8
75-79	682	6.1	23	1	3	4	9	14	16	35-49	927	3.0	6	1	1	2	4	6	9
80-84	875	5.5	18	2	3	5	7	9	13	50-69	772	3.7	8	1	2	3	5	7	8
85+	1119	6.5	21	2	3	5	8	13	16	70+	208	4.3	11	1	2	4	6	8	14
SUBTOTAL	**4043**	**5.7**	**25**	**1**	**3**	**4**	**7**	**11**	**15**		**3411**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4043**	**5.7**	**25**	**1**	**3**	**4**	**7**	**11**	**15**		**3411**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	654	2.7	7	<1	1	2	3	6	8	18-34	2132	2.3	4	<1	1	2	3	5	6
35-49	294	3.9	22	1	1	2	6	8	17	35-49	925	2.7	5	1	1	2	3	5	7
50-69	88	5.2	12	1	2	5	7	8	15	50-69	379	3.8	10	1	2	3	5	7	12
70+	36	6.9	7							70+	94	5.1	22	<1	1	4	6	16	16
SUBTOTAL	**1073**	**3.4**	**12**	**1**	**1**	**2**	**5**	**8**	**10**		**3529**	**2.7**	**5**	**1**	**1**	**2**	**3**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1073**	**3.4**	**12**	**1**	**1**	**2**	**5**	**8**	**10**		**3529**	**2.7**	**5**	**1**	**1**	**2**	**3**	**6**	**7**

DRG 281: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	591	2.2	2	1	1	2	3	4	6
70-74	356	2.9	3	1	2	2	4	6	6
75-79	564	4.2	13	1	1	3	6	9	12
80-84	551	4.7	17	1	2	3	6	9	13
85 +	725	4.6	14	1	2	4	7	9	10
SUBTOTAL	**2787**	**3.8**	**11**	**1**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**2787**	**3.8**	**11**	**1**	**2**	**3**	**5**	**7**	**10**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	3445	2.1	3	< 1	1	2	3	4	5
35-49	1848	2.3	3	1	1	2	3	5	6
50-69	1249	2.6	6	1	1	2	3	6	7
70 +	170	2.7	3	1	1	2	4	6	6
	6713	**2.3**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	6713	**2.3**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1032	2.2	6	< 1	1	1	2	4	6
35-49	255	3.1	44	< 1	1	1	3	9	11
50-69	122	2.1	2	< 1	1	1	3	5	5
70 +	11	1.5							
SUBTOTAL	**1420**	**2.4**	**13**	**< 1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**1420**	**2.4**	**13**	**< 1**	**1**	**1**	**2**	**4**	**7**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	4855	1.9	2	< 1	1	1	2	4	5
35-49	1482	2.1	5	< 1	1	1	2	3	5
50-69	263	2.2	3	1	1	1	2	5	7
70 +	85	2.1	3	< 1	1	1	2	6	7
	6685	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**4**	**5**
	6685	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**4**	**5**

DRG 282: Trauma to the Skin, Subcut Tiss & Breast Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	20	7.5	21							0-17	506	2.6	4	1	1	2	3	5	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	20	7.5	21								506	2.6	4	1	1	2	3	5	7
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10	1.0								0-17	2591	1.8	1	<1	1	1	2	3	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	10	1.0									2591	1.8	1	<1	1	1	2	3	4
GRAND TOTAL	31	5.3	24								3097	1.9	2	<1	1	1	2	3	5

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	247	2.6	5	1	1	2	3	7	9	0-17	371	2.9	16	1	1	2	3	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	247	2.6	5	1	1	2	3	7	9		371	2.9	16	1	1	2	3	4	6
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1268	2.1	5	1	1	1	2	4	6	0-17	2345	1.7	2	<1	1	1	2	3	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	1268	2.1	5	1	1	1	2	4	6		2345	1.7	2	<1	1	1	2	3	4
GRAND TOTAL	1515	2.2	5	1	1	2	3	4	6		2716	1.8	4	<1	1	1	2	3	5

DRG 283: Minor Skin Disorders w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	791	5.6	21	2	3	4	7	11	15
70-74	400	7.0	26	2	4	5	8	14	19
75-79	310	6.3	11	3	4	6	8	10	13
80-84	332	7.3	19	3	4	6	8	14	17
85 +	228	7.1	20	3	4	6	7	17	17
SUBTOTAL	**2061**	**6.4**	**21**	**2**	**4**	**5**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2061**	**6.4**	**21**	**2**	**4**	**5**	**8**	**12**	**17**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	200	4.1	8	1	2	3	5	8	10
18-34	229	3.4	5	1	1	3	5	6	9
35-49	425	4.4	11	2	2	3	5	9	10
50-69	551	5.5	18	1	3	4	7	12	14
70 +	17	8.7	6						
	1422	**4.7**	**13**	**1**	**2**	**4**	**6**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1422	**4.7**	**13**	**1**	**2**	**4**	**6**	**9**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	258	4.5	7	2	2	5	5	8	10
18-34	196	5.1	13	1	2	5	7	10	14
35-49	70	6.2	16	3	3	5	8	11	16
50-69	70	6.3	5	5	5	6	6	9	13
70 +	10	5.0							
SUBTOTAL	**605**	**5.1**	**10**	**2**	**3**	**5**	**6**	**10**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**605**	**5.1**	**10**	**2**	**3**	**5**	**6**	**10**	**11**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	4.1	20	1	2	2	4	9	18
18-34	220	4.5	14	1	2	3	6	10	14
35-49	143	6.0	36	1	1	3	12	14	18
50-69	87	6.4	9	2	5	7	8	11	13
70 +	16	34.3	540						
	543	**6.0**	**59**	**1**	**2**	**4**	**7**	**13**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	543	**6.0**	**59**	**1**	**2**	**4**	**7**	**13**	**18**

DRG 284: Minor Skin Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	230	4.3	13	1	2	3	5	11	13	0-17	1128	2.7	13	< 1	1	2	3	5	7
70-74	178	3.0	4	1	2	3	4	5	6	18-34	629	3.2	8	1	1	2	4	6	8
75-79	143	3.1	9	< 1	1	2	3	8	11	35-49	773	3.0	5	1	1	3	4	5	7
80-84	119	4.5	9	1	2	3	6	9	10	50-69	657	2.8	4	1	1	2	4	5	7
85 +	90	7.7	139	1	1	2	6	39	39	70 +	10	2.0							
SUBTOTAL	**759**	**4.2**	**26**	**1**	**2**	**3**	**5**	**9**	**12**		**3197**	**2.9**	**8**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**759**	**4.2**	**26**	**1**	**2**	**3**	**5**	**9**	**12**		**3197**	**2.9**	**8**	**1**	**1**	**2**	**4**	**5**	**7**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	647	3.2	5	1	1	3	4	6	7	0-17	455	3.0	10	< 1	1	2	3	5	8
18-34	120	4.3	6	< 1	2	4	6	8	9	18-34	308	3.0	5	< 1	1	2	5	6	8
35-49	76	2.9	3	< 1	1	2	5	6	6	35-49	281	2.5	4	1	1	2	4	5	6
50-69	43	3.8	8	< 1	1	3	7	8	8	50-69	261	1.7	1	1	1	1	2	3	4
70 +	0									70 +	55	1.1		< 1	1	1	1	2	2
SUBTOTAL	**886**	**3.4**	**6**	**1**	**1**	**3**	**5**	**7**	**8**		**1361**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**886**	**3.4**	**6**	**1**	**1**	**3**	**5**	**7**	**8**		**1361**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 285: Amputat of Lower Limb for Endocrine, Nutrit,& Metabol Disorders

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	765	18.0	225	5	8	14	23	38	50	0-17	0								
70-74	362	20.1	206	6	9	19	26	39	47	18-34	6	6.0							
75-79	328	21.1	207	4	11	18	30	39	46	35-49	219	14.0	80	2	6	14	18	24	31
80-84	111	22.0	234	5	13	20	26	58	60	50-69	468	16.1	225	3	7	12	21	29	51
85 +	99	25.6	574	3	9	21	35	87	99 +	70 +	32	20.3	39						
SUBTOTAL	**1664**	**19.8**	**242**	**5**	**9**	**16**	**28**	**39**	**50**		**724**	**15.6**	**173**	**3**	**7**	**13**	**21**	**28**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	54	12.2	44	3	7	11	19	22	22	0-17	0								
70-74	6	28.0								18-34	0								
75-79	10	14.0								35-49	37	5.0	4						
80-84	10	7.0								50-69	20	5.0	1						
85 +	6	18.0								70 +	0								
SUBTOTAL	**86**	**13.2**	**49**	**3**	**7**	**13**	**18**	**22**	**28**		**58**	**5.0**	**3**	**2**	**3**	**6**	**7**	**7**	**7**
GRAND TOTAL	**1750**	**19.5**	**235**	**5**	**8**	**15**	**26**	**39**	**49**		**782**	**14.8**	**168**	**3**	**6**	**13**	**19**	**28**	**42**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	53	16.6	93	4	6	14	24	31	31	18-34	22	18.2	101						
35-49	77	22.9	199	9	12	16	32	45	50	35-49	97	11.6	68	1	6	10	16	19	37
50-69	151	21.9	375	7	8	19	24	47	82	50-69	147	14.3	99	3	4	12	24	28	32
70 +	10	47.0								70 +	26	45.9	1107						
SUBTOTAL	**291**	**22.1**	**290**	**7**	**9**	**18**	**28**	**47**	**50**		**292**	**16.5**	**263**	**3**	**6**	**12**	**22**	**31**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	22	21.8	103							35-49	0								
50-69	6	4.0								50-69	27	11.7	61						
70 +	0									70 +	0								
SUBTOTAL	**27**	**18.1**	**135**								**27**	**11.7**	**61**						
GRAND TOTAL	**318**	**21.7**	**277**	**7**	**9**	**18**	**31**	**46**	**49**		**319**	**16.1**	**248**	**3**	**6**	**12**	**20**	**31**	**37**

DRG 286: Adrenal & Pituitary Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	143	13.9	138	7	8	11	16	20	23
70-74	82	13.6	58	4	6	14	17	26	30
75-79	70	9.4	25	4	6	8	10	20	20
80-84	6	19.0							
85 +	0								
SUBTOTAL	**300**	**12.9**	**91**	**6**	**7**	**11**	**16**	**20**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	104	6.9	13	4	4	6	9	14	17
70-74	60	6.0	5	3	4	6	7	9	11
75-79	48	6.2	2	4	6	6	7	8	8
80-84	11	8.0							
85 +	0								
SUBTOTAL	**223**	**6.6**	**8**	**4**	**4**	**6**	**8**	**10**	**14**
GRAND TOTAL	**523**	**10.2**	**65**	**4**	**6**	**8**	**13**	**19**	**20**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	11.9	196	5	5	8	11	13	57
18-34	98	9.1	37	4	6	7	13	19	27
35-49	256	9.5	17	5	6	8	13	15	16
50-69	169	10.8	95	5	6	9	11	22	23
70 +	0								
	591	**10.1**	**63**	**5**	**6**	**8**	**12**	**16**	**21**
0-17	61	7.1	7	5	6	6	7	10	15
18-34	163	6.6	4	4	5	6	8	9	10
35-49	229	7.5	15	4	5	7	8	13	18
50-69	173	6.8	7	4	5	6	8	11	13
70 +	0								
	626	**7.0**	**9**	**4**	**5**	**6**	**8**	**11**	**13**
	1217	**8.5**	**38**	**4**	**5**	**7**	**9**	**14**	**16**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	51	12.6	39	6	8	10	15	25	25
18-34	17	9.0	6						
35-49	0								
50-69	42	12.9	56						
70 +	0								
SUBTOTAL	**110**	**12.1**	**41**	**6**	**7**	**10**	**14**	**25**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	49	5.9	1	4	5	6	7	7	7
18-34	32	6.3	2						
35-49	27	7.2	1						
50-69	11	9.5							
70 +	0								
SUBTOTAL	**119**	**6.6**	**2**	**5**	**5**	**7**	**8**	**9**	**9**
GRAND TOTAL	**229**	**9.3**	**29**	**5**	**6**	**8**	**10**	**15**	**25**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	13.0	8						
18-34	38	13.4	30	7	8	15	16	23	23
35-49	44	12.4	120	7	7	8	14	40	40
50-69	33	9.5	29						
70 +	0								
	138	**12.1**	**56**	**7**	**7**	**8**	**15**	**21**	**23**
0-17	0								
18-34	26	5.0	1						
35-49	65	7.3	24	4	5	5	7	18	18
50-69	50	5.3	5	2	3	6	7	8	8
70 +	0								
	140	**6.1**	**14**	**3**	**4**	**5**	**7**	**8**	**18**
	278	**9.1**	**43**	**4**	**5**	**7**	**9**	**17**	**21**

DRG 287: Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1193	15.8	181	5	8	12	19	31	43
70-74	401	15.4	168	5	6	11	18	35	61
75-79	404	18.8	333	5	8	13	24	45	87
80-84	268	20.4	486	7	9	14	29	98	99 +
85 +	302	20.6	258	6	10	14	30	44	59
SUBTOTAL	**2567**	**17.3**	**248**	**5**	**8**	**13**	**22**	**37**	**61**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	22	7.5	1						
70-74	26	13.0	66						
75-79	6	20.0							
80-84	6	8.0							
85 +	0								
SUBTOTAL	**59**	**11.2**	**44**	**4**	**7**	**8**	**20**	**22**	**22**
GRAND TOTAL	**2626**	**17.1**	**244**	**5**	**8**	**13**	**22**	**36**	**60**

	BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	43	7.3	21	1	6	8	12	15	15
35-49	272	11.1	45	3	5	11	14	20	24
50-69	906	12.4	96	4	7	10	17	23	32
70 +	11	33.5	33						
	1232	**12.1**	**87**	**4**	**6**	**10**	**17**	**23**	**32**
0-17	0								
18-34	0								
35-49	6	21.0							
50-69	31	9.3	39						
70 +	0								
	36	**11.1**	**51**						
	1269	**12.1**	**86**	**4**	**6**	**10**	**17**	**22**	**32**

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	1.0							
18-34	43	9.0	26	5	5	6	12	20	20
35-49	164	15.6	117	7	9	12	19	28	44
50-69	167	15.9	284	2	8	11	18	38	49
70 +	0								
SUBTOTAL	**379**	**14.8**	**185**	**4**	**7**	**11**	**19**	**28**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	6	8.0							
50-69	0								
70 +	0								
SUBTOTAL	**6**	**8.0**							
GRAND TOTAL	**385**	**14.7**	**183**	**4**	**7**	**11**	**19**	**28**	**44**

	NO INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	37	8.9	4						
35-49	169	10.3	43	4	6	8	12	20	29
50-69	121	8.8	32	3	4	8	10	14	24
70 +	16	7.2	20						
	343	**9.4**	**34**	**4**	**5**	**8**	**11**	**16**	**24**
0-17	0								
18-34	20	6.0							
35-49	16	11.8	20						
50-69	6	4.0							
70 +	0								
	42	**7.9**	**17**						
	385	**9.3**	**33**	**4**	**6**	**8**	**11**	**16**	**24**

DRG 288: O.R. Procedures for Obesity

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	38	11.2	298	1	3	5	7	52	52	0-17	11	14.0	110						
70-74	0									18-34	87	5.7	4	4	4	6	7	7	11
75-79	6	33.0								35-49	190	4.8	2	3	4	4	5	6	9
80-84	0									50-69	134	9.2	131	3	4	5	7	28	28
85 +	0									70 +	20	9.0	9						
SUBTOTAL	**44**	**14.0**	**313**	**1**	**3**	**5**	**33**	**52**	**52**		**443**	**6.7**	**49**	**4**	**4**	**5**	**6**	**11**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	33	10.2	30							0-17	10	4.0							
70-74	0									18-34	278	4.1	2	2	3	4	5	6	7
75-79	11	3.0	4							35-49	437	4.7	10	2	3	5	6	7	9
80-84	0									50-69	134	4.5	6	2	3	4	5	8	11
85 +	0									70 +	0								
SUBTOTAL	**44**	**8.3**	**33**	**1**	**5**	**8**	**11**	**21**	**21**		**860**	**4.5**	**6**	**2**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**88**	**11.1**	**179**	**1**	**4**	**5**	**11**	**33**	**52**		**1302**	**5.3**	**22**	**2**	**4**	**4**	**6**	**7**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	6	6.0								18-34	31	5.3	6						
35-49	22	7.6	26							35-49	44	6.2	35	2	3	5	5	21	21
50-69	0									50-69	22	3.2	1						
70 +	0									70 +	0								
SUBTOTAL	**27**	**7.3**	**21**								**96**	**5.2**	**19**	**2**	**2**	**4**	**6**	**8**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	6	4.0							
18-34	11	2.5	2							18-34	54	2.4	2	1	1	2	4	4	4
35-49	49	3.8	1	3	3	4	4	5	5	35-49	158	2.0	4	1	1	2	2	3	3
50-69	6	3.0								50-69	44	1.4	1	1	1	1	2	3	3
70 +	0									70 +	0								
SUBTOTAL	**66**	**3.5**	**1**	**3**	**3**	**4**	**4**	**5**	**5**		**263**	**2.0**	**3**	**1**	**1**	**2**	**2**	**4**	**4**
GRAND TOTAL	**93**	**4.6**	**10**	**3**	**3**	**4**	**5**	**6**	**16**		**359**	**2.9**	**9**	**1**	**1**	**2**	**4**	**5**	**8**

DRG 289: Parathyroid Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	394	6.5	24	3	3	5	7	15	18	0-17	0								
70-74	197	4.6	11	2	2	3	6	11	12	18-34	11	3.0							
75-79	75	12.3	106	4	4	6	21	30	34	35-49	76	7.3	121	2	3	4	5	12	45
80-84	36	3.1								50-69	156	5.9	39	1	2	4	5	19	20
85 +	6	5.0								70 +	6	6.0							
SUBTOTAL	**708**	**6.4**	**33**	**2**	**3**	**4**	**7**	**15**	**18**		**249**	**6.2**	**62**	**2**	**3**	**4**	**5**	**12**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	305	2.7	1	1	2	3	3	4	5	0-17	6	3.0							
70-74	195	4.8	59	2	2	3	3	7	18	18-34	117	2.3	1	1	2	2	3	3	5
75-79	140	3.1	6	1	2	3	3	4	6	35-49	318	2.9	3	2	2	2	3	4	6
80-84	37	3.8	2							50-69	696	2.5	2	2	2	2	3	4	4
85 +	20	3.5								70 +	10	4.0							
SUBTOTAL	**598**	**3.4**	**19**	**2**	**2**	**3**	**3**	**5**	**6**		**1147**	**2.6**	**2**	**2**	**2**	**2**	**3**	**4**	**4**
GRAND TOTAL	**1406**	**4.9**	**28**	**2**	**2**	**3**	**5**	**11**	**15**		**1396**	**3.2**	**15**	**2**	**2**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	22	5.1	6							18-34	0								
35-49	11	13.5	2							35-49	57	6.9	42	2	2	5	7	20	20
50-69	16	12.6	41							50-69	16	7.2	6						
70 +	0									70 +	0								
SUBTOTAL	**49**	**9.5**	**32**	**3**	**5**	**8**	**12**	**21**	**21**		**73**	**6.9**	**34**	**2**	**3**	**5**	**9**	**20**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	5.0								0-17	6	2.0							
18-34	20	13.0	1							18-34	11	2.0	1						
35-49	6	11.0								35-49	127	2.5	2	1	2	2	3	3	7
50-69	17	3.0	1							50-69	92	3.4	16	1	1	2	4	5	18
70 +	0									70 +	10	2.0							
SUBTOTAL	**49**	**8.4**	**22**	**2**	**4**	**11**	**12**	**14**	**14**		**246**	**2.8**	**7**	**1**	**2**	**2**	**3**	**4**	**7**
GRAND TOTAL	**97**	**8.9**	**27**	**3**	**4**	**9**	**12**	**15**	**21**		**319**	**3.7**	**16**	**1**	**2**	**2**	**4**	**8**	**14**

DRG 290: Thyroid Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	477	5.4	27	2	3	4	7	10	15	0-17	16	2.0							
70-74	370	5.4	65	2	2	3	5	10	17	18-34	203	3.7	17	2	2	2	4	7	14
75-79	254	9.3	356	2	3	4	6	17	27	35-49	490	3.4	5	1	2	3	4	6	9
80-84	104	8.0	70	2	3	4	9	20	30	50-69	642	5.0	104	2	2	3	5	7	10
85 +	37	7.4	112							70 +	10	2.0							
SUBTOTAL	**1243**	**6.5**	**114**	**2**	**2**	**4**	**6**	**11**	**19**		**1360**	**4.2**	**54**	**1**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1126	2.4	2	1	2	2	3	4	5	0-17	193	2.2	2	1	1	2	2	3	6
70-74	570	2.6	2	1	2	2	3	4	5	18-34	2772	2.0	1	1	1	2	2	3	4
75-79	273	2.6	2	1	2	2	3	4	4	35-49	4510	2.0	1	1	1	2	2	3	4
80-84	152	3.0	2	1	2	3	3	5	7	50-69	3127	2.2	1	1	2	2	3	3	4
85 +	26	6.7	19							70 +	16	2.6							
SUBTOTAL	**2147**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**5**		**10618**	**2.1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**3390**	**4.0**	**47**	**1**	**2**	**3**	**4**	**7**	**10**		**11978**	**2.3**	**8**	**1**	**1**	**2**	**3**	**3**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	4.0								0-17	6	3.0							
18-34	79	3.1	3	2	2	2	4	7	7	18-34	108	2.8	2	1	2	3	4	6	6
35-49	43	9.6	112	2	4	7	8	36	36	35-49	114	3.7	4	2	2	3	5	5	9
50-69	84	5.4	19	2	3	3	6	12	17	50-69	104	3.3	6	2	2	3	3	4	13
70 +	10	3.0								70 +	10	2.0							
SUBTOTAL	**227**	**5.2**	**34**	**2**	**2**	**3**	**6**	**8**	**17**		**341**	**3.2**	**4**	**2**	**2**	**3**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	27	2.4	1							0-17	34	2.3	1	2	2	2	2	4	4
18-34	326	2.2	1	1	1	2	3	4	5	18-34	768	2.3	1	1	2	2	3	3	5
35-49	204	2.7	2	1	2	2	3	5	6	35-49	977	2.0	1	1	1	2	2	3	4
50-69	149	1.9	1	1	1	2	2	3	3	50-69	543	2.5	3	1	1	2	3	4	5
70 +	6	21.0								70 +	31	1.7							
SUBTOTAL	**711**	**2.4**	**4**	**1**	**2**	**2**	**3**	**4**	**5**		**2353**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**938**	**3.1**	**13**	**1**	**2**	**2**	**3**	**5**	**7**		**2694**	**2.3**	**2**	**1**	**2**	**2**	**3**	**4**	**5**

DRG 291: Thyroglossal Procedures

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6	5.0							
70-74	0								
75-79	6	3.0							
80-84	0								
85 +	0								
SUBTOTAL	**11**	**4.0**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	37	1.3							
70-74	6	2.0							
75-79	0								
80-84	0								
85 +	16	1.6							
SUBTOTAL	**59**	**1.5**		**1**	**1**	**1**	**2**	**2**	**2**
GRAND TOTAL	**70**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**5**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	2.0							
18-34	6	1.0							
35-49	6	1.0							
50-69	6	4.0							
70 +	0								
	23	**2.0**	**2**						
0-17	353	1.3	1	1	1	1	1	2	2
18-34	86	1.3		< 1	1	1	2	2	2
35-49	65	1.2		1	1	1	1	2	2
50-69	85	1.6	1	1	1	1	2	3	3
70 +	0								
	589	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**2**
	612	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**2**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	10	2.0							
50-69	0								
70 +	0								
SUBTOTAL	**10**	**2.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	94	1.3		1	1	1	2	2	3
18-34	11	1.5							
35-49	0								
50-69	0								
70 +	6	2.0							
SUBTOTAL	**111**	**1.4**		**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**121**	**1.4**		**1**	**1**	**1**	**2**	**2**	**3**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	1.0							
35-49	0								
50-69	6	5.0							
70 +	0								
	11	**3.0**	**4**						
0-17	106	1.2		1	1	1	1	2	2
18-34	60	1.1		< 1	1	1	1	2	2
35-49	6	2.0							
50-69	22	1.7							
70 +	0								
	193	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**
	205	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**2**

DRG 292: Other Endocrine, Nutrit & Metab O.R. Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	798	13.2	162	3	6	10	17	28	49	0-17	85	15.1	158	3	5	10	22	37	45
70-74	303	11.7	80	1	6	11	16	19	31	18-34	45	9.1	42	2	3	7	15	23	23
75-79	355	20.0	259	5	9	13	27	40	58	35-49	216	9.3	74	2	3	7	14	21	26
80-84	176	12.6	82	2	4	12	23	27	99+	50-69	391	15.2	188	4	8	12	20	26	41
85+	74	18.0	218	4	8	11	29	34	53	70+	16	17.8	20						
SUBTOTAL	**1705**	**14.5**	**170**	**3**	**6**	**11**	**19**	**31**	**44**		**752**	**13.2**	**147**	**2**	**5**	**9**	**18**	**26**	**36**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1705**	**14.5**	**170**	**3**	**6**	**11**	**19**	**31**	**44**		**752**	**13.2**	**147**	**2**	**5**	**9**	**18**	**26**	**36**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	6	5.0								0-17	11	11.5	2						
18-34	63	15.9	200	8	8	9	18	33	56	18-34	16	4.1	2						
35-49	113	23.5	410	6	7	18	30	37	79	35-49	49	8.1	23	2	5	6	14	15	15
50-69	117	16.1	310	5	7	9	15	45	64	50-69	33	6.2	39						
70+	16	27.0	71							70+	0								
SUBTOTAL	**315**	**19.0**	**323**	**6**	**7**	**11**	**26**	**42**	**67**		**109**	**7.3**	**26**	**2**	**4**	**6**	**13**	**18**	**71**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**315**	**19.0**	**323**	**6**	**7**	**11**	**26**	**42**	**67**		**109**	**7.3**	**26**	**2**	**4**	**6**	**13**	**18**	**71**

DRG 293: Other Endocrine, Nutrit & Metab O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	84	6.9	39	2	2	4	10	21	21
70-74	28	7.0	12						
75-79	16	4.2	6						
80-84	27	7.6	25						
85 +	16	1.7	1						
SUBTOTAL	**171**	**6.3**	**28**	**1**	**2**	**4**	**10**	**13**	**21**
GRAND TOTAL	**171**	**6.3**	**28**	**1**	**2**	**4**	**10**	**13**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	95	3.1	12	1	1	1	4	11	12
18-34	70	4.9	7	2	3	5	7	8	10
35-49	98	3.7	7	1	2	3	5	7	11
50-69	120	6.7	25	2	3	6	10	14	17
70 +	10	1.0							
	394	**4.6**	**16**	**1**	**2**	**3**	**6**	**11**	**13**
	394	**4.6**	**16**	**1**	**2**	**3**	**6**	**11**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	45	5.4	20	1	2	5	10	13	13
18-34	16	9.5	12						
35-49	27	5.1	17						
50-69	36	7.2	67						
70 +	0								
SUBTOTAL	**125**	**6.4**	**33**	**1**	**2**	**3**	**10**	**14**	**20**
GRAND TOTAL	**125**	**6.4**	**33**	**1**	**2**	**3**	**10**	**14**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	23	1.0							
18-34	11	6.5	7						
35-49	53	2.1	1	1	1	2	3	4	4
50-69	11	5.5	2						
70 +	0								
	98	**2.8**	**5**	**1**	**1**	**2**	**4**	**7**	**9**
	98	**2.8**	**5**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 294: Diabetes Age >35

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	9259	7.4	32	3	4	6	9	13	16
70-74	4444	8.1	49	3	5	7	10	14	17
75-79	4054	7.8	39	3	4	6	9	14	18
80-84	2715	8.8	58	3	5	7	11	16	22
85 +	1854	9.1	49	3	5	7	11	16	24
SUBTOTAL	**22326**	**7.9**	**41**	**3**	**4**	**6**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4271	5.2	11	2	3	4	6	9	10
70-74	2443	6.0	38	3	3	5	7	10	12
75-79	1819	5.5	9	3	3	5	7	9	11
80-84	851	6.3	24	3	4	5	7	10	14
85 +	473	6.7	27	2	3	5	8	13	19
SUBTOTAL	**9855**	**5.6**	**19**	**2**	**3**	**5**	**7**	**9**	**12**
GRAND TOTAL	**32182**	**7.2**	**36**	**3**	**4**	**6**	**9**	**13**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	4387	5.6	12	2	3	5	7	10	11
50-69	5810	6.8	29	3	4	6	8	11	15
70 +	381	8.7	47	3	4	7	10	19	22
	10579	**6.4**	**23**	**3**	**4**	**5**	**8**	**11**	**13**
0-17	0								
18-34	0								
35-49	4428	4.4	7	2	3	4	5	7	9
50-69	5746	4.5	6	2	3	4	5	7	9
70 +	90	4.8	5	2	3	5	7	9	9
	10264	**4.5**	**7**	**2**	**3**	**4**	**5**	**7**	**9**
	20843	**5.4**	**16**	**2**	**3**	**4**	**7**	**9**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	2057	6.4	22	2	4	5	7	11	15
50-69	1967	7.5	37	3	4	6	9	12	17
70 +	189	10.3	183	3	5	7	12	81	99 +
SUBTOTAL	**4214**	**7.1**	**37**	**3**	**4**	**6**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	1048	5.5	16	2	3	5	7	9	10
50-69	1157	5.4	8	2	3	5	7	10	11
70 +	85	6.2	6	3	4	7	8	9	11
SUBTOTAL	**2289**	**5.4**	**12**	**2**	**3**	**5**	**7**	**9**	**10**
GRAND TOTAL	**6503**	**6.5**	**29**	**3**	**4**	**5**	**8**	**11**	**15**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	2404	5.9	26	2	3	5	7	10	13
50-69	1780	6.2	15	3	4	5	8	11	13
70 +	100	7.8	15	3	6	7	9	13	17
	4284	**6.0**	**22**	**2**	**3**	**5**	**7**	**10**	**14**
0-17	0								
18-34	0								
35-49	1765	4.2	7	2	3	4	5	7	9
50-69	1379	5.0	14	2	3	4	6	8	10
70 +	57	2.7	3	1	1	2	4	5	5
	3201	**4.5**	**10**	**2**	**3**	**4**	**5**	**8**	**9**
	7485	**5.4**	**17**	**2**	**3**	**4**	**7**	**9**	**12**

DRG 295: Diabetes Age 0-35

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	760	6.3	24	2	3	5	8	12	17	0-17	1767	4.1	6	2	2	4	5	7	8
70-74	0									18-34	2726	4.9	12	2	3	4	6	9	11
75-79	0									35-49	176	5.5	9	3	3	4	7	9	13
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**760**	**6.3**	**24**	**2**	**3**	**5**	**8**	**12**	**17**		**4668**	**4.6**	**10**	**2**	**2**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	212	5.3	30	2	2	3	6	12	16	0-17	4535	3.8	5	1	2	4	5	6	8
70-74	0									18-34	4369	3.8	5	2	2	3	5	6	8
75-79	0									35-49	253	4.6	7	1	3	4	6	8	10
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**212**	**5.3**	**30**	**2**	**2**	**3**	**6**	**12**	**16**		**9157**	**3.8**	**5**	**2**	**2**	**3**	**5**	**6**	**8**
GRAND TOTAL	**972**	**6.1**	**25**	**2**	**3**	**5**	**8**	**12**	**17**		**13825**	**4.1**	**7**	**2**	**2**	**4**	**5**	**7**	**9**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	468	4.6	11	1	2	4	5	7	10	0-17	651	4.3	4	2	3	4	5	6	9
18-34	2028	5.0	9	2	3	4	6	8	11	18-34	2627	5.1	15	2	3	4	6	10	12
35-49	116	5.0	5	2	3	5	6	9	9	35-49	146	7.3	86	3	3	5	9	10	13
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2612**	**4.9**	**10**	**2**	**3**	**4**	**6**	**8**	**11**		**3424**	**5.1**	**17**	**2**	**3**	**4**	**6**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1279	4.7	9	2	2	4	6	9	12	0-17	1702	3.9	4	2	2	4	5	6	7
18-34	1315	5.1	23	2	3	4	6	8	12	18-34	2661	3.6	5	1	2	3	4	6	8
35-49	68	4.0	9	2	2	3	4	6	13	35-49	102	4.2	6	1	3	3	5	8	10
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2662**	**4.9**	**16**	**2**	**3**	**4**	**6**	**8**	**12**		**4465**	**3.7**	**4**	**1**	**2**	**3**	**5**	**6**	**8**
GRAND TOTAL	**5274**	**4.9**	**13**	**2**	**3**	**4**	**6**	**8**	**11**		**7890**	**4.3**	**10**	**2**	**2**	**4**	**5**	**7**	**10**

DRG 296: Nutritional & Misc Metabolic Disorders Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	16297	7.3	47	2	3	5	9	15	21		0-17	0								
70-74	11707	8.1	69	2	4	6	10	15	21		18-34	2074	4.9	24	1	2	3	5	12	16
75-79	12593	8.5	63	2	4	6	10	16	22		35-49	3573	5.1	21	1	2	4	6	10	14
80-84	12259	9.1	68	3	4	7	11	17	24		50-69	7618	6.3	35	2	3	5	8	13	17
85 +	15604	9.3	63	3	4	7	12	18	24		70 +	1169	7.8	47	3	4	6	9	15	18
SUBTOTAL	**68460**	**8.4**	**62**	**2**	**4**	**6**	**10**	**16**	**22**			**14435**	**5.9**	**32**	**2**	**3**	**4**	**7**	**12**	**16**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0										0-17	0								
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**68460**	**8.4**	**62**	**2**	**4**	**6**	**10**	**16**	**22**			**14435**	**5.9**	**32**	**2**	**3**	**4**	**7**	**12**	**16**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0										0-17	0								
18-34	1077	5.5	44	1	2	4	7	12	17		18-34	876	4.5	14	1	2	4	5	10	14
35-49	1485	6.3	41	2	3	4	7	13	22		35-49	1362	4.9	17	1	2	4	6	9	12
50-69	2893	7.9	55	2	3	6	9	16	22		50-69	2173	6.6	44	2	3	4	8	14	17
70 +	885	8.8	58	2	4	7	10	16	23		70 +	536	8.1	67	2	3	6	9	18	24
SUBTOTAL	**6339**	**7.2**	**51**	**2**	**3**	**5**	**9**	**15**	**22**			**4947**	**5.9**	**35**	**2**	**3**	**4**	**7**	**13**	**16**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**6339**	**7.2**	**51**	**2**	**3**	**5**	**9**	**15**	**22**			**4947**	**5.9**	**35**	**2**	**3**	**4**	**7**	**13**	**16**

DRG 297: Nutritional & Misc Metabolic Disorders Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3259	4.7	14	1	2	4	6	9	12
70-74	2671	5.4	21	2	3	4	6	10	14
75-79	3225	5.1	13	2	3	4	6	9	11
80-84	2932	5.1	15	2	3	4	6	10	13
85 +	3686	5.6	17	2	3	4	7	11	14
SUBTOTAL	**15773**	**5.2**	**16**	**2**	**3**	**4**	**6**	**10**	**13**
GRAND TOTAL	**15773**	**5.2**	**16**	**2**	**3**	**4**	**6**	**10**	**13**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	3949	3.3	11	1	2	2	4	7	10
35-49	3544	3.2	6	1	2	3	4	6	7
50-69	3360	3.6	6	1	2	3	4	6	8
70 +	292	5.9	37	2	2	4	7	13	19
	11146	**3.5**	**9**	**1**	**2**	**3**	**4**	**6**	**9**
	11146	**3.5**	**9**	**1**	**2**	**3**	**4**	**6**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	829	4.8	28	1	2	3	6	13	16
35-49	468	4.4	19	2	2	3	4	7	15
50-69	617	4.8	23	1	2	3	6	10	14
70 +	168	4.5	4	1	4	5	6	7	9
SUBTOTAL	**2082**	**4.7**	**22**	**1**	**2**	**3**	**5**	**10**	**15**
GRAND TOTAL	**2082**	**4.7**	**22**	**1**	**2**	**3**	**5**	**10**	**15**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1260	3.2	10	1	2	2	4	7	9
35-49	872	3.2	6	1	2	2	4	6	7
50-69	770	3.5	15	1	2	2	4	6	10
70 +	238	5.4	14	1	3	5	7	9	14
	3141	**3.4**	**11**	**1**	**2**	**2**	**4**	**7**	**9**
	3141	**3.4**	**11**	**1**	**2**	**2**	**4**	**7**	**9**

DRG 298: Nutritional & Misc Metabolic Disorders Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	115	5.8	25	1	3	4	6	12	19	0-17	3518	5.5	53	1	2	3	6	13	17
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**115**	**5.8**	**25**	**1**	**3**	**4**	**6**	**12**	**19**		**3518**	**5.5**	**53**	**1**	**2**	**3**	**6**	**13**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	48	3.4	7	2	2	2	2	8	8	0-17	15142	2.7	6	1	1	2	3	4	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**48**	**3.4**	**7**	**2**	**2**	**2**	**2**	**8**	**8**		**15142**	**2.7**	**6**	**1**	**1**	**2**	**3**	**4**	**7**
GRAND TOTAL	**163**	**5.1**	**21**	**2**	**2**	**4**	**6**	**11**	**19**		**18660**	**3.3**	**16**	**1**	**2**	**2**	**3**	**6**	**10**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	2907	6.3	44	2	3	4	7	13	18	0-17	1311	5.5	46	1	2	3	6	13	18
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2907**	**6.3**	**44**	**2**	**3**	**4**	**7**	**13**	**18**		**1311**	**5.5**	**46**	**1**	**2**	**3**	**6**	**13**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	7931	3.9	12	1	2	3	5	7	10	0-17	4906	2.8	8	1	1	2	3	5	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**7931**	**3.9**	**12**	**1**	**2**	**3**	**5**	**7**	**10**		**4906**	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**10839**	**4.5**	**22**	**1**	**2**	**3**	**5**	**9**	**13**		**6216**	**3.4**	**17**	**1**	**1**	**2**	**4**	**6**	**10**

DRG 299: Inborn Errors of Metabolism

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	76	9.5	56	1	4	8	14	14	29
70-74	10	2.0							
75-79	20	5.0	17						
80-84	0								
85 +	0								
SUBTOTAL	**107**	**7.9**	**49**	**1**	**2**	**6**	**14**	**14**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	63	3.8	9	1	1	3	5	10	10
70-74	20	1.0							
75-79	16	1.4							
80-84	0								
85 +	0								
SUBTOTAL	**100**	**2.8**	**7**	**<1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**206**	**5.4**	**35**	**1**	**1**	**3**	**9**	**14**	**14**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	261	4.5	12	1	2	4	6	8	11
18-34	173	6.2	37	2	2	4	8	12	16
35-49	108	9.7	230	3	4	5	10	16	72
50-69	110	6.4	15	1	4	6	10	14	15
70 +	10	6.0							
	662	**6.1**	**57**	**1**	**3**	**5**	**7**	**12**	**16**
0-17	391	3.9	15	1	1	3	4	10	13
18-34	137	3.6	11	1	1	2	6	9	9
35-49	179	2.1	2	1	1	2	3	3	6
50-69	85	1.5	1	1	1	1	2	3	4
70 +	0								
	793	**3.2**	**11**	**1**	**1**	**2**	**4**	**7**	**11**
	1455	**4.5**	**34**	**1**	**1**	**3**	**6**	**10**	**13**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	139	7.9	106	2	3	4	8	16	29
18-34	40	4.6	7	2	2	4	6	10	10
35-49	10	2.0							
50-69	6	3.0							
70 +	10	4.0							
SUBTOTAL	**205**	**6.6**	**77**	**2**	**3**	**4**	**6**	**13**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	113	4.5	9	2	3	4	6	14	99 +
18-34	38	2.3	1	1	1	3	3	3	3
35-49	6	1.0							
50-69	10	4.0							
70 +	10	4.0							
SUBTOTAL	**178**	**3.8**	**7**	**1**	**3**	**3**	**4**	**10**	**99 +**
GRAND TOTAL	**382**	**5.3**	**46**	**2**	**3**	**4**	**5**	**13**	**29**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	85	6.8	68	1	2	4	8	18	33
18-34	6	9.0							
35-49	32	6.0	15						
50-69	0								
70 +	0								
	122	**6.7**	**51**	**1**	**2**	**4**	**8**	**14**	**23**
0-17	102	3.8	7	<1	1	3	6	7	11
18-34	49	2.1	1	1	1	2	3	4	4
35-49	17	4.7	21						
50-69	11	1.5							
70 +	0								
	179	**3.3**	**7**	**1**	**1**	**3**	**5**	**6**	**11**
	301	**4.7**	**28**	**1**	**1**	**3**	**6**	**10**	**13**

DRG 300: Endocrine Disorders w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1228	8.0	70	2	4	6	9	14	18
70-74	751	8.7	37	3	5	7	11	16	20
75-79	789	9.4	56	3	5	7	12	19	25
80-84	615	9.0	50	2	4	8	11	19	25
85 +	591	11.0	47	4	6	9	14	18	22
SUBTOTAL	**3975**	**9.0**	**55**	**3**	**4**	**7**	**11**	**17**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3975**	**9.0**	**55**	**3**	**4**	**7**	**11**	**17**	**22**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	245	5.3	16	1	2	4	8	10	11
18-34	282	3.6	3	2	3	3	4	6	7
35-49	638	5.2	35	1	2	4	6	9	11
50-69	708	6.7	41	2	4	6	8	10	16
70 +	86	11.1	69	5	6	9	12	32	32
	1960	**5.8**	**34**	**2**	**3**	**4**	**7**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1960	**5.8**	**34**	**2**	**3**	**4**	**7**	**10**	**13**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	127	9.6	74	2	4	9	11	14	19
18-34	97	6.2	23	1	3	5	8	16	17
35-49	120	6.7	10	1	4	7	10	10	11
50-69	215	8.7	52	2	4	7	10	19	28
70 +	57	13.0	89	4	5	10	13	32	32
SUBTOTAL	**616**	**8.5**	**51**	**2**	**4**	**7**	**10**	**16**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**616**	**8.5**	**51**	**2**	**4**	**7**	**10**	**16**	**28**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	118	3.6	11	1	1	3	4	10	12
18-34	140	4.5	14	1	2	4	5	8	15
35-49	190	7.1	44	1	2	4	9	15	22
50-69	214	8.5	93	2	3	6	8	20	24
70 +	22	8.5	22						
	684	**6.4**	**51**	**1**	**2**	**4**	**8**	**13**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	684	**6.4**	**51**	**1**	**2**	**4**	**8**	**13**	**20**

DRG 301: Endocrine Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	255	6.2	38	1	2	4	7	15	18	0-17	607	2.3	3	1	1	1	3	4	6
70-74	145	5.6	22	1	2	5	8	13	17	18-34	582	2.7	4	1	1	2	3	6	7
75-79	144	5.0	12	2	2	4	6	12	13	35-49	711	3.1	5	1	2	2	4	6	8
80-84	69	5.3	17	1	2	5	6	14	14	50-69	524	2.8	4	1	2	2	3	5	7
85 +	53	4.7	7	1	3	4	7	10	10	70 +	26	3.8	1						
SUBTOTAL	**666**	**5.6**	**24**	**1**	**2**	**4**	**7**	**14**	**15**		**2450**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**666**	**5.6**	**24**	**1**	**2**	**4**	**7**	**14**	**15**		**2450**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	206	3.1	6	1	1	2	4	7	8	0-17	189	4.5	35	1	1	2	6	11	11
18-34	185	3.6	4	2	2	3	5	6	9	18-34	207	3.8	19	1	1	2	4	7	11
35-49	42	4.5	9							35-49	180	2.5	7	1	1	2	3	4	6
50-69	42	13.7	285							50-69	97	3.1	4	1	1	3	4	7	7
70 +	10	5.0								70 +	0								
SUBTOTAL	**485**	**4.4**	**37**	**1**	**2**	**3**	**5**	**7**	**9**		**674**	**3.6**	**18**	**1**	**1**	**2**	**4**	**7**	**11**
GRAND TOTAL	**485**	**4.4**	**37**	**1**	**2**	**3**	**5**	**7**	**9**		**674**	**3.6**	**18**	**1**	**1**	**2**	**4**	**7**	**11**

DRG 302: Kidney Transplant

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1399	15.9	98	7	9	14	20	29	37	0-17	79	24.4	292	10	12	16	28	50	66
70-74	6	6.0								18-34	85	12.3	82	6	7	10	14	32	36
75-79	0									35-49	121	14.9	307	6	7	8	11	31	56
80-84	0									50-69	44	20.1	155	8	10	14	26	48	48
85 +	0									70 +	0								
SUBTOTAL	**1404**	**15.9**	**98**	**7**	**9**	**14**	**20**	**29**	**37**		**329**	**17.2**	**245**	**6**	**8**	**11**	**22**	**41**	**50**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	168	10.3	22	5	7	8	15	17	19	0-17	17	10.7	3						
70-74	6	8.0								18-34	51	10.1	22	5	8	9	11	22	22
75-79	0									35-49	77	10.7	31	6	8	10	10	16	28
80-84	0									50-69	17	6.7							
85 +	0									70 +	0								
SUBTOTAL	**174**	**10.3**	**21**	**6**	**7**	**8**	**15**	**17**	**19**		**162**	**10.1**	**23**	**6**	**7**	**9**	**11**	**16**	**22**
GRAND TOTAL	**1578**	**15.3**	**92**	**7**	**8**	**13**	**19**	**28**	**35**		**491**	**14.8**	**183**	**6**	**8**	**10**	**14**	**28**	**46**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	34	30.3	256	14	22	22	42	60	60	0-17	6	24.0							
18-34	59	15.8	82	7	9	12	19	34	34	18-34	11	14.0	54						
35-49	0									35-49	23	9.8	9						
50-69	11	10.5	2							50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**104**	**19.9**	**183**	**9**	**12**	**14**	**22**	**42**	**60**		**40**	**13.0**	**43**	**6**	**7**	**10**	**21**	**24**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	14.0								0-17	0								
18-34	6	5.0								18-34	0								
35-49	10	15.0								35-49	0								
50-69	10	10.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**32**	**11.4**	**14**								**0**								
GRAND TOTAL	**136**	**18.0**	**156**	**9**	**10**	**14**	**22**	**34**	**42**		**40**	**13.0**	**43**	**6**	**7**	**10**	**21**	**24**	**24**

DRG 303: Kidney, Ureter & Major Bladder Procedures for Neoplasm

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1532	13.0	72	6	8	11	15	24	34
70-74	1407	13.5	101	6	8	10	16	25	31
75-79	1161	13.2	72	7	8	10	16	24	28
80-84	436	18.6	196	6	9	14	22	39	41
85 +	270	17.3	162	7	9	13	21	27	50
SUBTOTAL	**4807**	**14.0**	**100**	**6**	**8**	**11**	**17**	**25**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	520	7.8	9	4	6	7	9	12	14
70-74	352	8.4	20	5	6	7	9	14	15
75-79	213	9.1	38	6	6	7	9	12	19
80-84	117	9.5	36	5	5	7	11	22	24
85 +	52	7.5	15	1	6	8	9	13	13
SUBTOTAL	**1255**	**8.3**	**20**	**5**	**6**	**7**	**9**	**13**	**15**
GRAND TOTAL	**6062**	**12.8**	**88**	**6**	**7**	**10**	**15**	**24**	**30**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	9.9	18	5	7	9	10	19	19
18-34	53	8.1	7	2	7	8	10	11	11
35-49	431	9.9	45	6	7	8	11	16	19
50-69	1626	10.1	30	6	7	8	12	18	23
70 +	112	11.4	33	6	7	10	15	17	25
	2273	**10.1**	**32**	**6**	**7**	**8**	**12**	**17**	**22**
0-17	62	7.8	8	4	5	8	11	11	12
18-34	32	6.8	7						
35-49	343	6.5	6	5	5	6	8	10	11
50-69	899	8.0	20	5	6	7	9	12	14
70 +	43	7.4	1	7	7	7	8	9	9
	1379	**7.6**	**15**	**5**	**5**	**7**	**9**	**12**	**13**
	3653	**9.1**	**27**	**5**	**6**	**8**	**10**	**15**	**19**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	28	26.6	147						
18-34	17	16.7	41						
35-49	32	7.0	18						
50-69	107	16.5	239	6	7	9	26	31	70
70 +	38	16.0	94	3	8	12	26	28	28
SUBTOTAL	**222**	**16.3**	**180**	**4**	**8**	**12**	**23**	**31**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	45	9.0	5	6	7	8	12	13	13
18-34	11	4.5							
35-49	27	7.0							
50-69	48	9.4	7	7	8	8	11	14	14
70 +	0								
SUBTOTAL	**131**	**8.4**	**7**	**6**	**7**	**8**	**9**	**13**	**14**
GRAND TOTAL	**353**	**13.4**	**130**	**5**	**7**	**9**	**17**	**28**	**35**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	9.5	7						
18-34	32	6.9	4						
35-49	100	9.9	17	6	6	8	14	16	17
50-69	215	12.9	56	6	8	10	19	27	35
70 +	42	16.2	226						
	411	**11.9**	**62**	**6**	**7**	**9**	**16**	**20**	**35**
0-17	27	13.0	48						
18-34	52	7.3	10	4	5	6	10	14	14
35-49	49	5.8	6	3	3	6	7	10	10
50-69	167	6.4	9	4	5	6	8	9	10
70 +	11	8.0	1						
	306	**7.1**	**15**	**4**	**5**	**7**	**9**	**10**	**14**
	717	**9.8**	**48**	**5**	**6**	**8**	**11**	**18**	**26**

DRG 304: Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2427	11.1	77	3	6	9	14	22	28	0-17	841	9.9	64	4	5	7	11	19	29
70-74	1192	10.3	69	3	5	8	13	21	25	18-34	781	8.8	44	3	5	7	10	16	26
75-79	747	12.9	128	4	6	9	17	24	30	35-49	1349	7.7	26	2	4	6	11	14	16
80-84	509	13.3	98	4	6	12	17	25	37	50-69	1949	9.5	66	3	5	7	12	17	22
85 +	259	16.9	223	6	8	13	20	28	35	70 +	65	7.9	21	5	5	6	10	10	20
SUBTOTAL	**5134**	**11.7**	**95**	**3**	**6**	**9**	**15**	**23**	**29**		**4984**	**9.0**	**52**	**3**	**5**	**7**	**11**	**16**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**5134**	**11.7**	**95**	**3**	**6**	**9**	**15**	**23**	**29**		**4984**	**9.0**	**52**	**3**	**5**	**7**	**11**	**16**	**22**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	337	12.2	99	5	7	9	14	19	44	0-17	254	11.7	135	3	6	8	13	23	45
18-34	373	10.6	50	5	6	9	13	19	24	18-34	322	8.4	26	3	5	7	10	16	20
35-49	287	13.4	339	4	5	8	13	20	81	35-49	400	7.1	53	1	4	5	8	14	26
50-69	265	12.5	64	6	7	10	15	20	31	50-69	312	7.9	40	2	3	7	10	21	23
70 +	32	11.8	48							70 +	10	18.0							
SUBTOTAL	**1294**	**12.0**	**130**	**4**	**6**	**9**	**14**	**20**	**31**		**1299**	**8.6**	**62**	**2**	**4**	**6**	**10**	**18**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1294**	**12.0**	**130**	**4**	**6**	**9**	**14**	**20**	**31**		**1299**	**8.6**	**62**	**2**	**4**	**6**	**10**	**18**	**23**

DRG 305: Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	907	5.6	12	2	2	6	8	10	11	0-17	2327	5.5	19	3	3	5	6	9	12
70-74	446	5.6	25	2	3	4	7	11	14	18-34	1231	4.7	9	1	2	4	6	8	11
75-79	248	7.2	42	2	4	6	8	11	23	35-49	1675	4.7	12	1	2	4	6	8	11
80-84	59	6.5	13	1	2	6	9	11	12	50-69	1440	4.9	12	1	2	4	6	9	13
85 +	37	9.0	157							70 +	33	7.5	12						
SUBTOTAL	**1697**	**6.0**	**24**	**2**	**3**	**5**	**8**	**10**	**12**		**6706**	**5.0**	**14**	**1**	**3**	**4**	**6**	**9**	**12**
GRAND TOTAL	**1697**	**6.0**	**24**	**2**	**3**	**5**	**8**	**10**	**12**		**6706**	**5.0**	**14**	**1**	**3**	**4**	**6**	**9**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	686	5.5	15	2	3	5	7	9	11	0-17	676	5.4	18	3	3	4	6	8	11
18-34	235	5.4	8	1	4	5	7	9	10	18-34	673	4.5	5	2	3	5	6	7	8
35-49	162	6.8	23	2	4	5	10	14	15	35-49	460	4.9	8	1	2	5	7	8	9
50-69	100	10.1	51	2	4	8	17	20	25	50-69	343	3.9	8	1	2	3	5	7	10
70 +	0									70 +	16	2.3	1						
SUBTOTAL	**1182**	**6.0**	**19**	**2**	**3**	**5**	**8**	**11**	**14**		**2168**	**4.8**	**10**	**2**	**3**	**4**	**6**	**8**	**9**
GRAND TOTAL	**1182**	**6.0**	**19**	**2**	**3**	**5**	**8**	**11**	**14**		**2168**	**4.8**	**10**	**2**	**3**	**4**	**6**	**8**	**9**

DRG 306: Prostatectomy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	914	7.8	55	3	3	5	10	15	22	0-17	0								
70-74	982	8.0	57	3	3	6	10	14	21	18-34	0								
75-79	846	7.9	34	3	4	6	10	14	21	35-49	32	2.6							
80-84	831	10.6	64	3	4	9	14	20	26	50-69	513	8.4	39	2	3	7	11	18	20
85 +	667	11.4	59	4	5	9	16	21	26	70 +	97	8.8	105	2	3	4	11	16	46
SUBTOTAL	**4241**	**9.0**	**56**	**3**	**4**	**7**	**12**	**18**	**23**		**642**	**8.2**	**48**	**2**	**3**	**6**	**11**	**16**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4241**	**9.0**	**56**	**3**	**4**	**7**	**12**	**18**	**23**		**642**	**8.2**	**48**	**2**	**3**	**6**	**11**	**16**	**19**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	10	4.0							
50-69	16	7.4								50-69	95	11.5	66	3	3	10	21	26	27
70 +	31	12.7	31							70 +	16	5.6	4						
SUBTOTAL	**47**	**10.9**	**26**								**121**	**10.1**	**60**	**3**	**3**	**9**	**11**	**22**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**47**	**10.9**	**26**								**121**	**10.1**	**60**	**3**	**3**	**9**	**11**	**22**	**27**

DRG 307: Prostatectomy w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	472	4.0	20	2	3	3	4	6	6	0-17	0								
70-74	296	3.6	3	2	3	3	4	6	7	18-34	0								
75-79	260	3.5	6	2	3	3	4	4	6	35-49	57	2.7		2	2	3	3	3	3
80-84	132	5.2	15	2	3	3	5	11	15	50-69	555	3.8	6	2	3	3	4	6	8
85 +	77	5.5	12	2	2	5	10	11	11	70 +	59	4.4	23	1	2	3	4	14	18
SUBTOTAL	**1236**	**4.0**	**12**	**2**	**3**	**3**	**4**	**6**	**10**		**670**	**3.7**	**7**	**2**	**3**	**3**	**4**	**6**	**8**
GRAND TOTAL	**1236**	**4.0**	**12**	**2**	**3**	**3**	**4**	**6**	**10**		**670**	**3.7**	**7**	**2**	**3**	**3**	**4**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	6	3.0								50-69	94	3.0	1	2	2	3	3	5	5
70 +	10	4.0								70 +	10	14.0							
SUBTOTAL	**16**	**3.6**									**104**	**4.0**	**12**	**2**	**2**	**3**	**4**	**6**	**14**
GRAND TOTAL	**16**	**3.6**									**104**	**4.0**	**12**	**2**	**2**	**3**	**4**	**6**	**14**

DRG 308: Minor Bladder Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	960	6.7	40	2	3	5	8	13	17	0-17	216	10.0	127	1	4	7	10	20	44
70-74	756	6.5	42	1	3	4	8	14	20	18-34	140	6.6	13	1	3	7	9	12	13
75-79	631	8.1	41	2	3	7	10	16	23	35-49	154	9.3	67	2	4	7	10	28	28
80-84	442	8.7	66	2	3	7	11	17	25	50-69	522	5.7	31	1	2	5	7	12	14
85 +	376	8.9	127	2	3	6	9	19	27	70 +	73	17.3	499	1	3	13	18	70	70
SUBTOTAL	**3165**	**7.5**	**56**	**2**	**3**	**6**	**9**	**15**	**21**		**1105**	**7.9**	**92**	**1**	**3**	**5**	**9**	**14**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3165**	**7.5**	**56**	**2**	**3**	**6**	**9**	**15**	**21**		**1105**	**7.9**	**92**	**1**	**3**	**5**	**9**	**14**	**28**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	78	7.2	14	2	4	8	10	12	13	0-17	90	10.1	76	1	2	9	16	22	31
18-34	60	7.1	4	4	7	7	8	10	10	18-34	85	8.4	23	2	5	8	11	16	16
35-49	52	11.2	202	1	2	5	10	39	39	35-49	52	6.5	11	3	4	5	10	11	11
50-69	48	7.5	27	1	1	11	12	13	13	50-69	101	11.0	150	2	3	8	11	34	45
70 +	6	2.0						-		70 +	0								
SUBTOTAL	**243**	**8.0**	**57**	**1**	**3**	**7**	**10**	**13**	**13**		**328**	**9.3**	**77**	**2**	**3**	**8**	**11**	**19**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**243**	**8.0**	**57**	**1**	**3**	**7**	**10**	**13**	**13**		**328**	**9.3**	**77**	**2**	**3**	**8**	**11**	**19**	**31**

DRG 309: Minor Bladder Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	529	3.6	10	1	1	3	4	9	11	0-17	276	5.0	22	1	2	4	7	10	10
70-74	316	3.7	21	1	1	2	3	7	11	18-34	129	4.7	9	1	2	5	5	8	11
75-79	260	3.1	4	1	2	3	4	6	8	35-49	238	4.8	9	1	3	4	8	8	11
80-84	183	4.9	11	1	2	3	8	10	11	50-69	500	4.0	8	1	2	3	6	9	10
85 +	74	5.4	87	1	1	2	7	10	36	70 +	43	3.0	2	1	2	3	4	5	5
SUBTOTAL	**1362**	**3.8**	**16**	**1**	**1**	**3**	**5**	**8**	**11**		**1186**	**4.4**	**12**	**1**	**2**	**4**	**6**	**9**	**11**
GRAND TOTAL	**1362**	**3.8**	**16**	**1**	**1**	**3**	**5**	**8**	**11**		**1186**	**4.4**	**12**	**1**	**2**	**4**	**6**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	107	4.4	8	1	2	4	6	9	10	0-17	107	7.3	79	1	3	6	8	14	42
18-34	27	4.7	9							18-34	43	4.0	4	2	3	3	4	9	9
35-49	42	4.0	4							35-49	84	3.2	4	1	2	3	4	6	8
50-69	27	4.5	9							50-69	107	3.5	6	1	2	3	4	6	9
70 +	0									70 +	16	2.6							
SUBTOTAL	**204**	**4.4**	**8**	**1**	**2**	**4**	**7**	**8**	**9**		**357**	**4.6**	**30**	**1**	**2**	**3**	**6**	**8**	**10**
GRAND TOTAL	**204**	**4.4**	**8**	**1**	**2**	**4**	**7**	**8**	**9**		**357**	**4.6**	**30**	**1**	**2**	**3**	**6**	**8**	**10**

DRG 310: Transurethral Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3189	4.6	26	1	2	3	5	8	14	0-17	11	9.5	62						
70-74	2775	4.6	19	1	2	3	6	10	13	18-34	968	3.8	11	1	2	3	5	7	9
75-79	2346	5.3	37	1	2	3	7	11	15	35-49	1761	3.7	10	1	2	3	5	7	9
80-84	2135	5.4	26	1	2	4	7	11	16	50-69	2764	3.8	9	1	2	3	5	8	9
85 +	1765	6.7	43	2	3	4	8	14	20	70 +	309	3.8	10	1	2	3	4	8	13
SUBTOTAL	**12209**	**5.2**	**29**	**1**	**2**	**3**	**6**	**11**	**15**		**5814**	**3.8**	**10**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**12209**	**5.2**	**29**	**1**	**2**	**3**	**6**	**11**	**15**		**5814**	**3.8**	**10**	**1**	**2**	**3**	**5**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	6.2	6							0-17	6	10.0							
18-34	149	4.6	10	1	2	4	6	10	12	18-34	364	3.5	5	2	2	3	5	6	7
35-49	157	4.9	44	1	2	3	5	7	29	35-49	420	3.4	4	1	2	3	5	7	8
50-69	165	6.1	43	1	2	4	10	14	25	50-69	509	3.6	12	1	1	2	4	7	14
70 +	90	19.1	401	2	3	8	35	58	58	70 +	87	4.5	7	1	2	4	6	8	10
SUBTOTAL	**576**	**7.4**	**114**	**1**	**2**	**4**	**7**	**14**	**35**		**1386**	**3.6**	**8**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**576**	**7.4**	**114**	**1**	**2**	**4**	**7**	**14**	**35**		**1386**	**3.6**	**8**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 311: Transurethral Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2285	2.7	3	1	1	2	3	5	7
70-74	1760	2.5	4	1	1	2	3	5	5
75-79	1639	2.3	3	1	1	2	3	5	6
80-84	1086	2.7	6	1	1	2	3	5	6
85 +	667	2.6	3	1	1	2	3	5	6
SUBTOTAL	**7437**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**7437**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	254	2.8	17	1	1	2	3	4	4
18-34	3598	2.4	2	1	1	2	3	4	5
35-49	6190	2.5	3	1	1	2	3	5	6
50-69	5716	2.4	3	1	1	2	3	5	6
70 +	232	2.0	4	1	1	1	3	3	4
	15992	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
	15992	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	22	4.5	9						
18-34	250	3.4	6	1	2	2	5	7	8
35-49	175	2.4	1	1	2	2	3	4	4
50-69	112	2.9	3	1	1	3	4	4	7
70 +	26	2.8	1						
SUBTOTAL	**584**	**3.0**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**584**	**3.0**	**4**	**1**	**2**	**3**	**4**	**6**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	42	2.4	1						
18-34	1265	2.6	2	1	1	2	3	5	5
35-49	1366	2.5	3	1	1	2	3	5	5
50-69	1027	2.2	3	1	1	2	3	4	5
70 +	139	1.9	2	< 1	1	1	3	3	4
	3840	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**5**
	3840	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**5**

DRG 312: Urethral Procedures, Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	322	4.5	15	1	2	3	6	11	12
70-74	184	5.3	18	1	2	4	7	12	15
75-79	219	4.1	8	1	2	3	6	8	12
80-84	163	4.6	7	2	3	4	6	8	10
85 +	159	7.1	34	1	3	6	8	16	23
SUBTOTAL	**1047**	**5.0**	**17**	**1**	**2**	**4**	**7**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1047**	**5.0**	**17**	**1**	**2**	**4**	**7**	**11**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	53	4.1	23	< 1	1	2	3	15	15
35-49	186	3.8	6	1	1	4	6	8	8
50-69	204	3.3	13	1	1	2	4	8	12
70 +	20	12.5	95						
	464	**4.0**	**18**	**1**	**1**	**2**	**6**	**8**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	464	**4.0**	**18**	**1**	**1**	**2**	**6**	**8**	**12**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	37	4.7	18						
35-49	53	6.8	33	1	4	5	8	22	22
50-69	37	3.6	10						
70 +	22	6.6	11						
SUBTOTAL	**150**	**5.5**	**22**	**1**	**2**	**4**	**7**	**12**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**150**	**5.5**	**22**	**1**	**2**	**4**	**7**	**12**	**14**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	59	5.8	19	1	1	6	6	13	15
35-49	48	3.6	3	2	2	3	5	6	6
50-69	78	7.4	112	< 1	1	1	11	33	33
70 +	16	4.9	2						
	201	**5.8**	**52**	**1**	**1**	**5**	**6**	**12**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	201	**5.8**	**52**	**1**	**1**	**5**	**6**	**12**	**23**

DRG 313: Urethral Procedures, Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	240	1.8	2	1	1	1	2	4	4
70-74	172	1.7	1	1	1	2	2	2	3
75-79	116	1.7	1	1	1	1	3	3	4
80-84	43	7.2	66	1	1	3	8	21	21
85 +	59	4.5	20	1	1	3	4	12	17
SUBTOTAL	**630**	**2.4**	**10**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**630**	**2.4**	**10**	**1**	**1**	**1**	**2**	**4**	**6**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	257	2.2	3	1	1	2	2	6	6
35-49	268	3.0	9	1	1	2	4	5	9
50-69	256	2.2	4	< 1	1	1	2	7	7
70 +	16	2.9	2						
	797	**2.5**	**6**	**1**	**1**	**1**	**3**	**6**	**7**
	797	**2.5**	**6**	**1**	**1**	**1**	**3**	**6**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	6	4.0							
35-49	17	1.0							
50-69	6	1.0							
70 +	0								
SUBTOTAL	**28**	**1.6**	**1**						
GRAND TOTAL	**28**	**1.6**	**1**						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	112	2.8	2	1	2	3	4	5	6
35-49	26	2.4							
50-69	32	3.7	5						
70 +	6	1.0							
	176	**2.8**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
	176	**2.8**	**3**	**1**	**2**	**3**	**4**	**5**	**6**

DRG 314: Urethral Procedures, Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	90	4.2	12	<1	1	3	5	11	12
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**90**	**4.2**	**12**	**<1**	**1**	**3**	**5**	**11**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	234	2.9	10	<1	1	1	3	8	12
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**234**	**2.9**	**10**	**<1**	**1**	**1**	**3**	**8**	**12**
GRAND TOTAL	**0**										**324**	**3.2**	**11**	**<1**	**1**	**1**	**4**	**9**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	38	2.6	8	<1	<1	1	4	9	9	0-17	17	2.3	2						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**38**	**2.6**	**8**	**<1**	**<1**	**1**	**4**	**9**	**9**		**17**	**2.3**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	50	3.5	3	1	2	4	5	6	6	0-17	118	3.2	8	<1	1	2	5	8	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**50**	**3.5**	**3**	**1**	**2**	**4**	**5**	**6**	**6**		**118**	**3.2**	**8**	**<1**	**1**	**2**	**5**	**8**	**9**
GRAND TOTAL	**88**	**3.1**	**6**	**<1**	**1**	**2**	**5**	**6**	**9**		**135**	**3.1**	**7**	**<1**	**1**	**2**	**5**	**8**	**8**

DRG 315: Other Kidney & Urinary Tract O.R. Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4091	8.9	126	1	2	5	11	21	32	0-17	105	12.8	131	2	5	11	14	27	52
70-74	1382	12.1	134	2	4	9	16	27	42	18-34	370	8.6	82	1	3	5	11	21	31
75-79	1099	13.4	207	2	5	9	16	34	48	35-49	945	8.9	85	1	2	7	12	17	26
80-84	589	17.8	229	6	8	15	23	38	86	50-69	1565	10.1	114	1	3	7	14	22	29
85 +	379	18.5	236	4	9	14	23	37	41	70 +	122	17.4	443	2	5	10	17	41	80
SUBTOTAL	**7539**	**11.3**	**163**	**1**	**3**	**8**	**15**	**27**	**37**		**3108**	**9.9**	**118**	**1**	**3**	**7**	**13**	**21**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1382	3.1	14	1	1	2	4	7	10	0-17	106	6.0	22	2	3	6	7	9	23
70-74	537	4.1	23	1	1	2	5	11	18	18-34	238	4.0	9	1	2	3	6	8	9
75-79	334	6.0	37	1	1	3	10	15	20	35-49	513	4.0	18	1	1	2	6	9	11
80-84	112	5.1	23	1	1	3	8	11	16	50-69	1036	3.8	16	1	1	2	5	9	11
85 +	42	5.2	16							70 +	52	3.4	4	1	2	3	6	6	6
SUBTOTAL	**2408**	**3.9**	**20**	**1**	**1**	**2**	**5**	**10**	**14**		**1946**	**4.0**	**16**	**1**	**1**	**2**	**6**	**9**	**11**
GRAND TOTAL	**9948**	**9.5**	**139**	**1**	**2**	**6**	**13**	**22**	**35**		**5054**	**7.6**	**87**	**1**	**2**	**5**	**10**	**17**	**24**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	61	19.2	302	2	5	16	29	42	61	0-17	56	24.3	311	5	12	18	39	52	59
18-34	414	10.8	122	2	4	8	14	20	29	18-34	233	8.0	53	1	4	7	9	14	19
35-49	379	11.6	93	2	5	9	19	27	46	35-49	323	8.0	52	1	2	6	11	14	23
50-69	640	13.7	241	2	3	10	17	34	43	50-69	454	13.6	183	2	4	10	18	35	40
70 +	47	18.2	26	14	14	17	27	99 +	99 +	70 +	32	9.8	20						
SUBTOTAL	**1540**	**12.8**	**173**	**2**	**4**	**10**	**17**	**29**	**43**		**1098**	**11.2**	**135**	**1**	**4**	**8**	**14**	**23**	**39**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	83	6.9	17	3	4	5	10	13	17	0-17	44	4.6	10	1	2	3	5	10	10
18-34	153	4.7	21	1	2	3	6	16	16	18-34	177	5.5	51	1	1	3	6	13	18
35-49	204	5.1	28	< 1	1	4	7	14	16	35-49	182	3.7	14	1	1	2	4	7	14
50-69	179	4.4	29	1	1	1	5	13	15	50-69	194	3.7	17	1	1	2	5	9	15
70 +	22	3.4	16							70 +	0								
SUBTOTAL	**640**	**5.0**	**26**	**1**	**1**	**3**	**7**	**13**	**16**		**597**	**4.3**	**26**	**1**	**1**	**3**	**5**	**10**	**16**
GRAND TOTAL	**2180**	**10.5**	**142**	**1**	**2**	**7**	**15**	**24**	**37**		**1695**	**8.8**	**107**	**1**	**2**	**6**	**11**	**19**	**36**

DRG 316: Renal Failure

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3747	7.8	56	1	3	6	10	17	21	0-17	150	6.8	46	1	2	5	9	15	17
70-74	1736	11.3	104	3	5	9	14	23	32	18-34	275	7.6	56	2	3	5	10	16	17
75-79	1962	10.6	68	4	5	8	13	19	27	35-49	601	7.5	29	2	3	7	10	15	16
80-84	1546	11.6	91	4	6	9	14	21	32	50-69	1297	8.7	46	3	4	7	11	18	25
85 +	1632	11.4	104	4	5	9	14	22	30	70 +	179	9.6	51	2	5	8	14	23	26
SUBTOTAL	**10623**	**10.0**	**81**	**2**	**4**	**8**	**13**	**19**	**27**		**2503**	**8.2**	**44**	**2**	**4**	**7**	**11**	**16**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	793	3.9	12	1	1	3	6	9	12	0-17	115	5.8	63	1	2	4	5	14	29
70-74	240	4.6	15	1	2	3	7	10	13	18-34	167	6.2	25	2	4	5	7	8	16
75-79	316	5.5	23	1	3	4	7	12	16	35-49	183	3.1	4	1	2	2	4	5	8
80-84	140	6.0	18	1	3	5	7	14	14	50-69	361	3.7	10	1	1	3	5	9	9
85 +	105	5.1	11	1	2	4	6	8	13	70 +	32	6.0	5						
SUBTOTAL	**1595**	**4.6**	**16**	**1**	**2**	**3**	**6**	**10**	**13**		**858**	**4.4**	**20**	**1**	**2**	**4**	**5**	**8**	**12**
GRAND TOTAL	**12218**	**9.3**	**76**	**2**	**4**	**7**	**12**	**18**	**25**		**3360**	**7.3**	**41**	**1**	**3**	**5**	**9**	**15**	**20**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	73	5.0	43	1	1	2	5	12	25	0-17	28	16.6	91						
18-34	390	9.5	143	2	3	6	12	18	24	18-34	284	7.3	64	1	2	6	9	12	19
35-49	579	8.1	52	3	4	6	9	14	19	35-49	391	7.7	67	2	4	6	8	14	21
50-69	762	8.9	59	3	5	7	10	17	24	50-69	432	9.5	65	3	4	6	13	21	26
70 +	126	9.3	18	4	6	8	13	14	17	70 +	120	13.7	148	4	5	9	20	39	41
SUBTOTAL	**1930**	**8.7**	**71**	**2**	**4**	**7**	**11**	**17**	**24**		**1255**	**9.0**	**78**	**2**	**4**	**6**	**11**	**19**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	79	3.9	21	1	1	2	5	6	19	0-17	45	4.3	13	< 1	1	3	8	9	9
18-34	96	4.5	19	1	2	2	5	13	16	18-34	90	7.2	130	2	2	4	5	13	49
35-49	43	3.5	4	1	2	3	5	7	7	35-49	138	3.0	5	1	1	2	4	6	8
50-69	70	5.7	11	-1	3	5	8	10	12	50-69	103	4.0	6	1	2	4	6	7	8
70 +	0									70 +	6	2.0							
SUBTOTAL	**289**	**4.5**	**16**	**1**	**2**	**3**	**5**	**11**	**13**		**382**	**4.4**	**38**	**1**	**1**	**3**	**6**	**8**	**9**
GRAND TOTAL	**2219**	**8.1**	**66**	**2**	**3**	**6**	**10**	**16**	**22**		**1637**	**7.9**	**73**	**1**	**3**	**6**	**9**	**16**	**23**

DRG 317: Admit for Renal Dialysis

	MEDICARE									BLUE CROSS/PR!VATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	298	4.1	69	1	1	2	3	6	8	0-17	491	1.3	1	1	1	1	1	2	2
70-74	70	3.6	3	2	2	3	5	6	7	18-34	27	1.8	1						
75-79	27	2.8	2							35-49	80	3.2	8	<1	1	2	4	7	11
80-84	0									50-69	71	2.3	2	1	1	2	4	4	5
85+	17	1.3								70+	0								
SUBTOTAL	**412**	**3.8**	**51**	**1**	**1**	**2**	**4**	**6**	**8**		**670**	**1.7**	**2**	**1**	**1**	**1**	**2**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	44	1.3		1	1	1	1	3	3	0-17	6	5.0							
70-74	0									18-34	0								
75-79	0									35-49	10	2.0							
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**44**	**1.3**		**1**	**1**	**1**	**1**	**3**	**3**		**16**	**3.1**	**2**						
GRAND TOTAL	**456**	**3.6**	**47**	**1**	**1**	**2**	**3**	**6**	**7**		**686**	**1.7**	**2**	**1**	**1**	**1**	**2**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	158	1.5	7	1	1	1	1	1	1	0-17	11	6.0	4						
18-34	22	6.2	12							18-34	16	4.6	24						
35-49	6	2.0								35-49	23	2.8	2						
50-69	10	3.0								50-69	6	6.0							
70+	0									70+	0								
SUBTOTAL	**196**	**2.1**	**9**	**1**	**1**	**1**	**1**	**7**	**10**		**55**	**4.3**	**10**	**1**	**2**	**4**	**6**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**196**	**2.1**	**9**	**1**	**1**	**1**	**1**	**7**	**10**		**55**	**4.3**	**10**	**1**	**2**	**4**	**6**	**10**	**11**

DRG 318: Kidney & Urinary Tract Neoplasms w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	524	8.0	124	1	3	5	9	16	22	0-17	51	4.9	35	< 1	< 1	1	7	19	19
70-74	515	8.7	65	2	4	6	11	18	22	18-34	16	23.2	88						
75-79	467	8.6	71	2	3	6	10	16	35	35-49	111	9.3	85	2	2	6	13	20	33
80-84	308	9.3	65	2	3	7	13	20	28	50-69	621	6.8	42	1	2	5	9	18	26
85 +	293	9.1	40	4	6	7	12	20	38	70 +	47	5.4	27						
SUBTOTAL	**2107**	**8.6**	**77**	**2**	**4**	**6**	**11**	**18**	**24**		**845**	**7.3**	**53**	**1**	**2**	**5**	**10**	**18**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2107**	**8.6**	**77**	**2**	**4**	**6**	**11**	**18**	**24**		**845**	**7.3**	**53**	**1**	**2**	**5**	**10**	**18**	**28**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	28	3.6	6							0-17	17	5.0							
18-34	16	1.7	1							18-34	0								
35-49	11	44.0	281							35-49	28	14.6	163						
50-69	84	9.9	104	2	4	7	13	14	44	50-69	158	6.1	36	1	2	3	7	18	21
70 +	10	23.0								70 +	16	12.6	79						
SUBTOTAL	**150**	**11.3**	**191**	**1**	**3**	**6**	**13**	**28**	**44**		**219**	**7.6**	**62**	**1**	**3**	**4**	**10**	**19**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**150**	**11.3**	**191**	**1**	**3**	**6**	**13**	**28**	**44**		**219**	**7.6**	**62**	**1**	**3**	**4**	**10**	**19**	**21**

DRG 319: Kidney & Urinary Tract Neoplasms w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	151	3.1	5	1	1	2	5	7	7	0-17	38	3.0	3	< 1	< 1	3	5	6	6
70-74	140	2.7	4	1	1	2	5	5	5	18-34	33	5.6	89						
75-79	53	2.5	8	1	1	1	3	10	10	35-49	74	2.2	3	1	1	1	3	5	7
80-84	34	3.3	8	< 1	1	2	4	9	9	50-69	205	3.3	8	1	1	2	5	7	11
85 +	37	3.6	3							70 +	0								
SUBTOTAL	**416**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**9**		**350**	**3.3**	**15**	**1**	**1**	**2**	**4**	**7**	**11**
GRAND TOTAL	**416**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**9**		**350**	**3.3**	**15**	**1**	**1**	**2**	**4**	**7**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	17	7.7	24							0-17	11	5.0	18						
18-34	6	4.0								18-34	20	3.0	1						
35-49	22	3.0	1							35-49	33	1.9	1						
50-69	0									50-69	16	2.3	1						
70 +	6	4.0								70 +	6	1.0							
SUBTOTAL	**50**	**4.8**	**13**	**1**	**2**	**4**	**4**	**11**	**11**		**86**	**2.6**	**4**	**1**	**1**	**2**	**4**	**4**	**9**
GRAND TOTAL	**50**	**4.8**	**13**	**1**	**2**	**4**	**4**	**11**	**11**		**86**	**2.6**	**4**	**1**	**1**	**2**	**4**	**4**	**9**

DRG 320: Kidney & Urinary Tract Infections Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	11367	7.8	49	3	4	6	9	14	18
70-74	7912	7.9	35	3	4	7	9	14	18
75-79	9479	8.2	43	3	4	7	10	15	19
80-84	11413	9.0	55	4	5	7	11	15	21
85 +	14250	9.2	54	4	5	7	11	16	21
SUBTOTAL	54421	8.5	49	3	5	7	10	15	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	54421	8.5	49	3	5	7	10	15	20

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	3600	4.6	18	2	3	4	5	7	9
35-49	3451	5.6	26	2	3	4	7	10	13
50-69	4603	6.3	31	3	4	5	8	11	14
70 +	834	9.5	118	4	5	7	10	14	19
	12488	5.8	33	2	3	5	7	10	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	12488	5.8	33	2	3	5	7	10	13

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	2185	5.6	18	2	3	4	6	10	13
35-49	1309	6.8	25	3	4	6	8	11	15
50-69	1824	7.5	41	3	4	6	9	13	15
70 +	605	11.7	119	4	6	8	14	23	30
SUBTOTAL	5922	7.1	40	3	4	6	8	13	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	5922	7.1	40	3	4	6	8	13	17

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2058	4.5	9	2	3	4	6	7	9
35-49	1322	5.5	10	2	3	5	7	10	12
50-69	1390	7.0	24	2	4	6	9	12	15
70 +	348	10.1	54	3	5	7	12	25	26
	5118	5.8	19	2	3	5	7	10	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5118	5.8	19	2	3	5	7	10	13

DRG 321: Kidney & Urinary Tract Infections Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2684	5.2	8	2	3	5	6	9	10	0-17	0								
70-74	1619	5.7	22	2	3	5	7	10	12	18-34	7890	3.7	3	2	3	4	5	6	7
75-79	1864	5.8	10	2	3	5	7	10	11	35-49	3817	4.1	5	2	2	4	5	7	9
80-84	1691	5.8	13	2	3	5	8	10	12	50-69	3256	4.9	11	2	3	4	6	8	10
85 +	1874	6.3	12	3	4	6	8	10	12	70 +	181	4.7	7	1	3	4	6	9	12
SUBTOTAL	**9732**	**5.7**	**13**	**2**	**3**	**5**	**7**	**10**	**11**		**15145**	**4.1**	**6**	**2**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**9732**	**5.7**	**13**	**2**	**3**	**5**	**7**	**10**	**11**		**15145**	**4.1**	**6**	**2**	**3**	**4**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	2523	3.9	4	2	3	4	5	6	8	18-34	3951	3.7	3	2	2	3	5	6	7
35-49	506	4.4	8	2	3	4	5	8	9	35-49	1096	4.3	5	2	3	4	6	7	8
50-69	383	5.6	14	2	3	5	7	11	16	50-69	546	4.3	9	1	2	4	5	8	12
70 +	159	7.0	8	4	5	6	9	15	99 +	70 +	62	5.1	2	3	4	5	7	7	7
SUBTOTAL	**3571**	**4.3**	**6**	**2**	**3**	**4**	**5**	**7**	**9**		**5655**	**3.9**	**4**	**2**	**2**	**4**	**5**	**6**	**7**
GRAND TOTAL	**3571**	**4.3**	**6**	**2**	**3**	**4**	**5**	**7**	**9**		**5655**	**3.9**	**4**	**2**	**2**	**4**	**5**	**6**	**7**

DRG 322: Kidney & Urinary Tract Infections Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	127	12.9	197	3	4	6	18	25	54	0-17	2091	4.3	7	2	3	4	5	7	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**127**	**12.9**	**197**	**3**	**4**	**6**	**18**	**25**	**54**		**2091**	**4.3**	**7**	**2**	**3**	**4**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10	5.0								0-17	7166	4.0	4	2	3	4	5	6	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**10**	**5.0**									**7166**	**4.0**	**4**	**2**	**3**	**4**	**5**	**6**	**8**
GRAND TOTAL	**137**	**12.3**	**187**	**3**	**4**	**6**	**18**	**25**	**54**		**9256**	**4.0**	**5**	**2**	**3**	**4**	**5**	**7**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1550	5.3	15	2	3	4	7	10	12	0-17	869	5.2	13	2	3	4	7	9	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1550**	**5.3**	**15**	**2**	**3**	**4**	**7**	**10**	**12**		**869**	**5.2**	**13**	**2**	**3**	**4**	**7**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3422	4.8	6	2	3	4	6	8	10	0-17	2754	4.1	5	2	3	4	5	7	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**3422**	**4.8**	**6**	**2**	**3**	**4**	**6**	**8**	**10**		**2754**	**4.1**	**5**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**4971**	**5.0**	**9**	**2**	**3**	**4**	**6**	**9**	**10**		**3623**	**4.4**	**7**	**2**	**3**	**4**	**6**	**7**	**10**

DRG 323: Urinary Stones w/ CC, &/or ESW Lithotripsy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2486	4.1	21	1	2	3	5	8	10	0-17	273	2.5	4	1	1	2	3	5	8
70-74	1578	3.7	8	1	2	3	5	7	9	18-34	2395	2.8	5	1	1	2	4	5	6
75-79	1057	4.7	16	1	2	3	6	10	12	35-49	3465	3.0	5	1	1	2	4	6	8
80-84	551	5.8	47	1	2	4	6	12	16	50-69	3327	3.2	7	1	1	2	4	7	8
85+	396	7.5	71	2	3	5	9	14	30	70+	102	3.6	6	1	1	3	6	7	7
SUBTOTAL	**6069**	**4.5**	**23**	**1**	**2**	**3**	**5**	**9**	**12**		**9562**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	407	2.0	2	1	1	1	2	5	6	0-17	16	2.0							
70-74	228	1.5		1	1	1	2	2	3	18-34	480	2.0	1	1	1	2	3	4	4
75-79	119	1.6	1	1	1	1	2	3	5	35-49	1138	2.0	2	1	1	1	3	4	5
80-84	73	2.0	2	< 1	1	1	2	4	5	50-69	799	1.9	3	1	1	1	2	4	5
85+	32	1.5	1							70+	36	2.4	5						
SUBTOTAL	**859**	**1.8**	**2**	**1**	**1**	**1**	**2**	**4**	**5**		**2469**	**2.0**	**2**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**6928**	**4.2**	**22**	**1**	**2**	**3**	**5**	**8**	**11**		**12031**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	40	5.9	17	2	3	5	7	15	15	0-17	44	5.1	20	1	1	5	7	15	15
18-34	481	3.7	7	1	2	3	5	6	8	18-34	1039	2.6	3	1	1	2	3	5	5
35-49	242	7.3	90	1	2	5	8	12	24	35-49	834	2.9	6	1	1	2	4	6	9
50-69	198	4.2	11	1	2	3	5	9	12	50-69	577	3.6	42	1	1	3	4	7	8
70+	47	8.0	107	1	1	4	33	99+	99+	70+	16	4.1	9						
SUBTOTAL	**1007**	**5.0**	**35**	**1**	**2**	**4**	**5**	**10**	**15**		**2510**	**3.0**	**13**	**1**	**1**	**2**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	36	1.5	1							18-34	227	2.3	4	1	1	2	2	4	6
35-49	26	1.0								35-49	234	1.6	1	< 1	1	1	2	3	3
50-69	47	1.0								50-69	151	2.0	2	< 1	1	1	3	5	5
70+	0									70+	10	1.0							
SUBTOTAL	**109**	**1.2**		**1**	**1**	**1**	**1**	**1**	**4**		**622**	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**1116**	**4.6**	**33**	**1**	**1**	**3**	**5**	**9**	**14**		**3132**	**2.8**	**11**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 324: Urinary Stones w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2551	2.2	3	1	1	2	3	4	5	0-17	959	2.0	3	1	1	2	2	4	6
70-74	1381	2.5	5	1	1	2	3	4	6	18-34	10054	1.8	2	1	1	1	2	3	4
75-79	646	1.9	2	1	1	2	2	4	4	35-49	14496	1.8	1	1	1	1	2	3	4
80-84	257	2.4	3	1	1	2	3	4	7	50-69	8746	1.9	2	1	1	2	2	3	4
85 +	177	2.8	5	1	1	2	4	7	8	70 +	75	1.7	1	1	1	2	2	3	4
SUBTOTAL	**5013**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**		**34331**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**5013**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**		**34331**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	150	3.2	17	< 1	1	2	3	6	7	0-17	260	2.0	1	1	1	2	2	4	4
18-34	636	2.3	2	1	1	2	2	4	5	18-34	3951	1.9	1	1	1	2	2	3	4
35-49	324	2.7	4	1	2	2	3	6	7	35-49	3139	1.8	1	1	1	1	2	3	4
50-69	149	2.9	3	< 1	1	2	4	6	7	50-69	1311	1.8	1	1	1	1	2	3	4
70 +	20	1.0								70 +	27	4.1	18						
SUBTOTAL	**1279**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**7**		**8688**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**1279**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**7**		**8688**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

DRG 325: Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	695	5.8	29	1	2	4	7	14	18	0-17	0								
70-74	601	5.4	16	1	2	4	7	10	14	18-34	133	3.8	10	1	2	3	4	7	13
75-79	499	5.5	16	2	3	4	7	10	15	35-49	193	4.4	6	2	3	4	6	7	10
80-84	681	6.5	36	1	3	5	8	14	17	50-69	597	3.5	5	1	2	3	5	6	8
85 +	728	6.0	25	2	3	5	6	11	16	70 +	68	3.5	4	1	2	3	4	7	7
SUBTOTAL	**3203**	**5.9**	**25**	**2**	**3**	**4**	**7**	**12**	**17**		**990**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3203**	**5.9**	**25**	**2**	**3**	**4**	**7**	**12**	**17**		**990**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	70	3.7	7	2	2	2	8	99 +	99 +	18-34	75	2.2	5	1	1	1	2	5	8
35-49	63	4.8	8	1	2	5	7	9	9	35-49	43	6.9	15	1	3	7	11	12	12
50-69	53	5.1	9	2	2	4	8	9	9	50-69	147	3.4	5	1	2	3	6	7	7
70 +	26	7.8	1							70 +	36	6.2	6						
SUBTOTAL	**213**	**4.9**	**9**	**2**	**2**	**5**	**8**	**9**	**10**		**302**	**3.9**	**9**	**1**	**1**	**3**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**213**	**4.9**	**9**	**2**	**2**	**5**	**8**	**9**	**10**		**302**	**3.9**	**9**	**1**	**1**	**3**	**6**	**8**	**11**

DRG 326: Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	383	3.4	7	1	2	3	4	6	10
70-74	298	3.2	5	1	2	3	4	6	7
75-79	312	3.7	24	1	2	3	4	5	6
80-84	182	3.4	5	1	2	3	4	7	9
85 +	155	4.2	9	1	2	3	5	8	11
SUBTOTAL	**1330**	**3.5**	**11**	**1**	**2**	**3**	**4**	**6**	**9**
GRAND TOTAL	**1330**	**3.5**	**11**	**1**	**2**	**3**	**4**	**6**	**9**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	438	2.0	2	1	1	2	2	4	5
35-49	539	2.7	4	1	1	2	4	5	6
50-69	503	2.2	4	1	1	2	3	5	5
70 +	27	3.5	3						
	1506	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	1506	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	103	2.6	2	1	1	3	4	4	6
35-49	48	1.9	1	1	1	2	2	3	3
50-69	26	2.9	4						
70 +	0								
SUBTOTAL	**177**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**177**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**6**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	104	2.0	2	1	1	1	3	4	7
35-49	133	2.1	2	1	1	1	3	4	5
50-69	80	2.4	4	1	1	1	3	7	7
70 +	10	9.0							
	327	**2.3**	**4**	**1**	**1**	**1**	**3**	**5**	**7**
	327	**2.3**	**4**	**1**	**1**	**1**	**3**	**5**	**7**

DRG 327: Kidney & Urinary Tract Signs & Symptoms Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	11	4.5	7							0-17	147	2.8	8	1	1	2	3	8	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**11**	**4.5**	**7**								**147**	**2.8**	**8**	**1**	**1**	**2**	**3**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	11	1.0								0-17	512	2.0	1	1	1	2	2	3	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**11**	**1.0**									**512**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**23**	**2.8**	**6**								**659**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	38	2.9	3	<1	1	2	4	6	6	0-17	23	1.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**38**	**2.9**	**3**	**<1**	**1**	**2**	**4**	**6**	**6**		**23**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	203	2.5	3	1	1	2	4	5	6	0-17	167	1.9	1	1	1	2	3	3	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**203**	**2.5**	**3**	**1**	**1**	**2**	**4**	**5**	**6**		**167**	**1.9**	**1**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**241**	**2.6**	**3**	**1**	**1**	**2**	**4**	**5**	**6**		**189**	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 328: Urethral Stricture Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	52	4.1	2	2	3	4	5	6	6	0-17	0								
70-74	123	4.3	16	1	1	3	6	13	13	18-34	41	3.0	6						
75-79	62	3.8	3	2	2	4	6	6	7	35-49	68	2.0	1	< 1	1	2	3	3	3
80-84	67	5.7	44	2	2	3	5	21	21	50-69	26	3.4	9						
85 +	59	6.1	10	2	4	6	8	12	12	70 +	37	3.6							
SUBTOTAL	**364**	**4.7**	**16**	**1**	**2**	**3**	**6**	**10**	**13**		**172**	**2.8**	**4**	**1**	**1**	**3**	**3**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**364**	**4.7**	**16**	**1**	**2**	**3**	**6**	**10**	**13**		**172**	**2.8**	**4**	**1**	**1**	**3**	**3**	**7**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	22	1.5								18-34	6	3.0							
35-49	0									35-49	20	3.5							
50-69	0									50-69	48	1.7	1	1	1	1	2	3	3
70 +	6	2.0								70 +	0								
SUBTOTAL	**27**	**1.6**									**74**	**2.3**	**1**	**1**	**1**	**3**	**3**	**4**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**27**	**1.6**									**74**	**2.3**	**1**	**1**	**1**	**3**	**3**	**4**	**4**

DRG 329: Urethral Stricture Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	28	2.4	8						
70-74	6	2.0							
75-79	36	1.3							
80-84	31	3.3	4						
85 +	0								
SUBTOTAL	**101**	**2.3**	**4**	**<1**	**1**	**1**	**3**	**6**	**8**
GRAND TOTAL	**101**	**2.3**	**4**	**<1**	**1**	**1**	**3**	**6**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	57	1.2		< 1	1	1	1	2	2
35-49	90	2.5	3	< 1	< 1	2	4	6	6
50-69	84	2.7	7	< 1	1	1	4	9	9
70 +	0								
SUBTOTAL	**230**	**2.2**	**4**	**<1**	**<1**	**1**	**2**	**5**	**6**
GRAND TOTAL	**230**	**2.2**	**4**	**<1**	**<1**	**1**	**2**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	22	6.4	7						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**22**	**6.4**	**7**						
GRAND TOTAL	**22**	**6.4**	**7**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	36	5.7	52						
35-49	10	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**47**	**4.6**	**44**						
GRAND TOTAL	**47**	**4.6**	**44**						

DRG 330: Urethral Stricture Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	1.2		<1	1	1	1	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	52	1.2		<1	1	1	1	3	3
0-17	71	2.1	6	<1	<1	1	2	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	71	2.1	6	<1	<1	1	2	7	8
	123	1.7	4	<1	<1	1	1	3	7

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	6.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6	6.0							
0-17	11	4.5	13						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	11	4.5	13						
	17	5.0	9						

DRG 331: Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4245	7.4	44	2	3	6	9	15	20
70-74	1944	6.7	35	2	3	5	9	13	17
75-79	1629	7.7	40	2	4	6	9	15	23
80-84	1303	9.4	146	2	4	6	10	21	28
85 +	1327	7.3	31	2	4	6	9	15	19
SUBTOTAL	**10447**	**7.5**	**54**	**2**	**3**	**6**	**9**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10447**	**7.5**	**54**	**2**	**3**	**6**	**9**	**15**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	941	4.4	15	1	2	3	6	9	11
35-49	1264	5.4	19	1	2	4	7	10	14
50-69	1605	5.2	14	1	2	4	7	10	13
70 +	153	6.7	28	2	3	5	8	14	19
	3963	**5.1**	**17**	**1**	**2**	**4**	**7**	**10**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3963	**5.1**	**17**	**1**	**2**	**4**	**7**	**10**	**14**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	483	5.8	18	1	2	5	7	12	14
35-49	380	6.6	24	2	4	5	8	14	18
50-69	408	8.6	59	2	4	6	10	19	23
70 +	36	8.4	2						
SUBTOTAL	**1307**	**7.0**	**34**	**2**	**4**	**6**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1307**	**7.0**	**34**	**2**	**4**	**6**	**9**	**14**	**18**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	566	3.6	7	1	2	3	5	7	10
35-49	414	4.3	13	1	2	3	6	9	13
50-69	509	6.2	25	2	2	5	8	12	16
70 +	43	10.2	128	2	3	4	22	34	34
	1532	**4.9**	**20**	**1**	**2**	**3**	**6**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1532	**4.9**	**20**	**1**	**2**	**3**	**6**	**10**	**13**

DRG 332: Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	948	4.0	11	1	1	3	6	9	11
70-74	501	2.8	6	<1	1	2	3	6	8
75-79	401	4.2	14	1	2	3	6	8	13
80-84	168	3.6	9	1	1	2	4	8	12
85+	126	4.0	5	1	2	3	6	7	8
SUBTOTAL	**2143**	**3.7**	**10**	**1**	**1**	**3**	**5**	**8**	**10**
GRAND TOTAL	**2143**	**3.7**	**10**	**1**	**1**	**3**	**5**	**8**	**10**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	1103	2.9	8	1	1	2	3	6	9
35-49	1211	2.5	5	1	1	2	3	5	7
50-69	1066	2.8	7	1	1	2	3	5	7
70+	59	5.6	12	<1	1	6	9	10	10
	3439	**2.8**	**7**	**1**	**1**	**2**	**3**	**6**	**8**
	3439	**2.8**	**7**	**1**	**1**	**2**	**3**	**6**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	207	3.4	7	1	1	3	5	6	11
35-49	201	6.0	21	2	2	4	7	13	17
50-69	90	5.1	12	1	3	4	7	9	14
70+	0								
SUBTOTAL	**497**	**4.7**	**15**	**1**	**2**	**4**	**6**	**9**	**13**
GRAND TOTAL	**497**	**4.7**	**15**	**1**	**2**	**4**	**6**	**9**	**13**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	541	2.5	4	1	1	2	3	6	7
35-49	366	3.1	7	1	1	2	4	7	10
50-69	312	2.9	5	1	1	2	4	6	8
70+	26	3.8	3						
	1244	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
	1244	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 333: Other Kidney & Urinary Tract Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	90	5.4	25	1	2	4	7	14	19	0-17	756	5.2	30	1	2	4	7	11	15
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**90**	**5.4**	**25**	**1**	**2**	**4**	**7**	**14**	**19**		**756**	**5.2**	**30**	**1**	**2**	**4**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	40	7.7	66	1	1	4	17	23	23	0-17	1735	3.6	17	1	1	2	5	7	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**40**	**7.7**	**66**	**1**	**1**	**4**	**17**	**23**	**23**		**1735**	**3.6**	**17**	**1**	**1**	**2**	**5**	**7**	**10**
GRAND TOTAL	**130**	**6.1**	**39**	**1**	**2**	**4**	**7**	**17**	**19**		**2491**	**4.1**	**22**	**1**	**1**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	429	7.1	47	2	3	5	9	14	25	0-17	286	4.9	23	1	1	4	7	12	14
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**429**	**7.1**	**47**	**2**	**3**	**5**	**9**	**14**	**25**		**286**	**4.9**	**23**	**1**	**1**	**4**	**7**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	549	4.8	24	1	2	4	6	10	14	0-17	546	2.6	4	1	1	2	4	5	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**549**	**4.8**	**24**	**1**	**2**	**4**	**6**	**10**	**14**		**546**	**2.6**	**4**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**977**	**5.8**	**35**	**1**	**2**	**4**	**8**	**12**	**20**		**832**	**3.4**	**12**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 334: Major Male Pelvic Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3044	8.8	14	6	7	8	10	12	15	0-17	6	4.0							
70-74	2734	8.8	15	5	6	8	10	14	17	18-34	6	15.0							
75-79	997	9.4	28	5	6	8	11	15	19	35-49	83	7.1	7	3	5	7	9	11	11
80-84	311	10.2	27	5	7	9	11	16	21	50-69	2138	8.6	20	5	7	8	9	12	14
85 +	121	14.2	47	8	10	11	16	22	32	70 +	142	9.4	19	5	7	7	13	17	18
SUBTOTAL	**7208**	**9.0**	**18**	**5**	**7**	**8**	**10**	**14**	**17**		**2373**	**8.6**	**19**	**5**	**7**	**8**	**9**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**7208**	**9.0**	**18**	**5**	**7**	**8**	**10**	**14**	**17**		**2373**	**8.6**	**19**	**5**	**7**	**8**	**9**	**12**	**14**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	6	11.0							
18-34	0									18-34	6	11.0							
35-49	0									35-49	32	7.2	14						
50-69	60	10.6	20	5	6	10	14	17	20	50-69	370	8.1	9	5	6	7	10	13	13
70 +	16	8.1	2							70 +	16	16.7	35						
SUBTOTAL	**76**	**10.1**	**18**	**5**	**7**	**10**	**13**	**14**	**20**		**429**	**8.4**	**13**	**5**	**6**	**8**	**10**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**76**	**10.1**	**18**	**5**	**7**	**10**	**13**	**14**	**20**		**429**	**8.4**	**13**	**5**	**6**	**8**	**10**	**13**	**16**

DRG 335: Major Male Pelvic Procedures w/o CC

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1927	7.6	4	5	6	8	8	10	11
70-74	1156	7.3	4	5	6	7	8	10	11
75-79	333	6.5	6	4	5	6	7	9	11
80-84	141	7.4	2	6	6	7	8	9	9
85 +	36	7.2	7						
SUBTOTAL	**3594**	**7.4**	**4**	**5**	**6**	**7**	**8**	**10**	**11**
GRAND TOTAL	**3594**	**7.4**	**4**	**5**	**6**	**7**	**8**	**10**	**11**

	BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	60	2.8	3	1	1	3	3	5	6
18-34	42	6.2	1						
35-49	162	7.7	3	5	6	8	9	10	10
50-69	3291	7.6	5	5	6	8	9	9	10
70 +	91	7.1	2	6	6	7	8	9	9
	3645	**7.5**	**5**	**5**	**6**	**8**	**9**	**9**	**10**
	3645	**7.5**	**5**	**5**	**6**	**8**	**9**	**9**	**10**

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	11	1.0							
18-34	0								
35-49	0								
50-69	32	8.8	24						
70 +	6	38.0							
SUBTOTAL	**49**	**10.4**	**128**	**1**	**6**	**6**	**12**	**38**	**38**
GRAND TOTAL	**49**	**10.4**	**128**	**1**	**6**	**6**	**12**	**38**	**38**

	NO INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	6	1.0							
18-34	6	5.0							
35-49	43	6.7	5	4	4	7	9	10	10
50-69	467	7.1	4	5	6	7	8	9	10
70 +	22	8.3	1						
	543	**7.0**	**4**	**4**	**6**	**7**	**8**	**9**	**10**
	543	**7.0**	**4**	**4**	**6**	**7**	**8**	**9**	**10**

DRG 336: Transurethral Prostatectomy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	8920	5.0	10	3	3	4	6	9	11	0-17	0								
70-74	9969	5.2	13	3	3	4	6	9	11	18-34	0								
75-79	9377	5.5	16	3	3	4	6	10	13	35-49	68	4.7	7	2	3	4	4	10	10
80-84	6062	6.1	22	3	3	5	7	11	15	50-69	4183	4.9	13	2	3	4	5	8	11
85 +	3434	7.7	40	3	4	6	9	15	19	70 +	835	5.2	8	3	3	4	6	10	11
SUBTOTAL	**37763**	**5.6**	**17**	**3**	**3**	**4**	**6**	**10**	**13**		**5086**	**4.9**	**12**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**37763**	**5.6**	**17**	**3**	**3**	**4**	**6**	**10**	**13**		**5086**	**4.9**	**12**	**2**	**3**	**4**	**6**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	16	3.0							
50-69	276	5.3	13	2	3	4	6	9	11	50-69	785	4.3	7	2	3	3	5	8	9
70 +	175	6.2	17	3	4	5	7	13	15	70 +	244	5.8	7	4	4	5	6	10	10
SUBTOTAL	**450**	**5.7**	**15**	**3**	**3**	**5**	**7**	**9**	**14**		**1044**	**4.6**	**8**	**2**	**3**	**4**	**5**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**450**	**5.7**	**15**	**3**	**3**	**5**	**7**	**9**	**14**		**1044**	**4.6**	**8**	**2**	**3**	**4**	**5**	**9**	**10**

DRG 337: Transurethral Prostatectomy w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10189	3.5	2	2	3	3	4	5	6	0-17	16	1.0							
70-74	9605	3.6	2	2	3	3	4	5	6	18-34	6	1.0							
75-79	6635	3.9	3	2	3	4	4	6	7	35-49	398	3.3	2	2	3	3	4	4	6
80-84	3447	4.2	4	2	3	4	5	6	8	50-69	10448	3.4	2	2	3	3	4	5	6
85 +	1612	4.5	5	3	3	4	5	7	8	70 +	800	4.0	4	2	3	4	4	7	8
SUBTOTAL	**31489**	**3.8**	**3**	**2**	**3**	**3**	**4**	**5**	**6**		**11667**	**3.5**	**2**	**2**	**3**	**3**	**4**	**5**	**6**
GRAND TOTAL	**31489**	**3.8**	**3**	**2**	**3**	**3**	**4**	**5**	**6**		**11667**	**3.5**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	6	5.0								35-49	90	3.0	2	1	2	3	3	6	6
50-69	247	4.1	4	2	3	3	5	7	9	50-69	1736	3.2	2	2	2	3	4	4	5
70 +	137	3.5	1	2	3	3	4	5	6	70 +	253	3.6	3	2	3	3	4	6	7
SUBTOTAL	**390**	**3.9**	**3**	**2**	**3**	**3**	**5**	**6**	**7**		**2078**	**3.3**	**2**	**2**	**3**	**3**	**4**	**5**	**5**
GRAND TOTAL	**390**	**3.9**	**3**	**2**	**3**	**3**	**5**	**6**	**7**		**2078**	**3.3**	**2**	**2**	**3**	**3**	**4**	**5**	**5**

DRG 338: Testes Procedures, for Malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	305	5.8	29	1	1	4	8	14	16	0-17	10	4.0							
70-74	279	8.1	76	1	2	5	10	18	26	18-34	63	20.2	1090	1	2	7	14	94	94
75-79	332	4.1	30	1	1	2	3	14	15	35-49	17	6.7	2						
80-84	287	5.0	48	1	1	3	5	9	13	50-69	102	4.2	14	1	2	2	8	9	14
85 +	201	5.8	18	2	3	5	7	12	13	70 +	17	9.0	15						
SUBTOTAL	**1404**	**5.7**	**43**	**1**	**2**	**3**	**7**	**14**	**18**		**210**	**9.6**	**385**	**1**	**2**	**5**	**8**	**14**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	90	1.3		< 1	1	1	2	2	2	0-17	22	1.0							
70-74	244	1.9	4	1	1	1	2	4	5	18-34	239	2.1	3	1	1	1	2	5	7
75-79	183	1.6	1	1	1	1	2	3	3	35-49	167	1.8	2	1	1	1	2	3	7
80-84	163	1.7	2	1	1	1	2	3	4	50-69	135	2.3	3	1	1	1	3	5	5
85 +	101	1.6		1	1	2	2	3	3	70 +	16	1.0							
SUBTOTAL	**780**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**		**578**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**2184**	**4.3**	**32**	**1**	**1**	**2**	**5**	**10**	**15**		**788**	**4.0**	**115**	**1**	**1**	**2**	**3**	**7**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	6	10.0							
18-34	32	6.0	27							18-34	68	6.7	27	1	1	7	11	12	17
35-49	0									35-49	16	5.5	12						
50-69	6	16.0								50-69	75	6.2	47	1	2	5	7	13	26
70 +	6	12.0								70 +	6	2.0							
SUBTOTAL	**43**	**8.1**	**33**	**1**	**1**	**10**	**12**	**16**	**16**		**170**	**6.3**	**33**	**1**	**1**	**5**	**10**	**13**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	26	1.8	1							0-17	0								
18-34	6	4.0								18-34	58	1.5		1	1	1	2	2	2
35-49	16	4.3	1							35-49	26	1.0							
50-69	0									50-69	36	3.3	5						
70 +	10	2.0								70 +	23	1.0							
SUBTOTAL	**58**	**2.7**	**2**	**1**	**2**	**2**	**4**	**5**	**5**		**143**	**1.8**	**2**	**<1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**101**	**5.0**	**22**	**1**	**1**	**3**	**9**	**12**	**16**		**313**	**4.2**	**24**	**1**	**1**	**2**	**6**	**11**	**13**

DRG 339: Testes Procedures, Non-malignancy Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	227	3.4	9	1	1	2	5	10	10
70-74	65	3.3	4	1	2	2	5	6	7
75-79	74	7.5	118	1	1	3	11	13	42
80-84	63	9.9	16	4	7	11	13	15	16
85 +	10	7.0							
SUBTOTAL	**439**	**5.1**	**34**	**1**	**1**	**3**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	255	2.1	4	1	1	1	2	4	8
70-74	178	2.7	7	1	1	2	3	6	11
75-79	85	2.6	5	1	1	2	3	6	9
80-84	22	6.0	24						
85 +	10	1.0							
SUBTOTAL	**550**	**2.5**	**6**	**1**	**1**	**2**	**3**	**6**	**9**
GRAND TOTAL	**989**	**3.6**	**20**	**1**	**1**	**2**	**5**	**10**	**11**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	31	2.0	1						
35-49	90	5.0	34	1	1	3	6	20	20
50-69	143	7.0	89	1	2	3	4	28	28
70 +	0								
	263	**5.7**	**62**	**1**	**1**	**3**	**4**	**20**	**28**
0-17	0								
18-34	867	1.6	1	1	1	1	2	3	3
35-49	636	1.9	4	< 1	1	1	2	3	5
50-69	508	2.4	5	1	1	1	3	6	8
70 +	6	5.0							
	2017	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
	2280	**2.3**	**11**	**1**	**1**	**1**	**3**	**4**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	1.0							
35-49	6	6.0							
50-69	23	9.5	30						
70 +	20	7.0	38						
SUBTOTAL	**59**	**6.8**	**33**	**1**	**1**	**6**	**13**	**14**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	74	1.7	1	1	1	1	2	3	5
35-49	27	1.0							
50-69	20	1.5							
70 +	6	10.0							
SUBTOTAL	**127**	**1.9**	**4**	**1**	**1**	**1**	**2**	**3**	**6**
GRAND TOTAL	**186**	**3.5**	**18**	**1**	**1**	**1**	**3**	**13**	**14**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	60	3.0	5	1	1	3	4	7	7
35-49	42	16.9	378						
50-69	42	3.7	5						
70 +	0								
	144	**7.3**	**151**	**1**	**1**	**3**	**7**	**12**	**50**
0-17	0								
18-34	550	1.8	2	1	1	1	2	4	5
35-49	119	3.7	64	< 1	1	1	2	9	23
50-69	67	2.8	6	1	1	1	4	8	8
70 +	11	1.0							
	747	**2.2**	**13**	**< 1**	**1**	**1**	**2**	**4**	**8**
	891	**3.0**	**38**	**1**	**1**	**1**	**3**	**6**	**8**

DRG 340: Testes Procedures, Non-malignancy Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	11	3.0								0-17	170	4.6	149	1	1	1	4	9	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**11**	**3.0**									**170**	**4.6**	**149**	**1**	**1**	**1**	**4**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	2577	1.3		<1	1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**2577**	**1.3**		**<1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**11**	**3.0**									**2747**	**1.5**	**10**	**<1**	**1**	**1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	70	2.7	14	1	1	1	3	4	15	0-17	54	3.5	13	<1	1	2	5	13	13
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**70**	**2.7**	**14**	**1**	**1**	**1**	**3**	**4**	**15**		**54**	**3.5**	**13**	**<1**	**1**	**2**	**5**	**13**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	561	1.4	1	1	1	1	1	3	4	0-17	814	1.3	1	<1	<1	1	1	2	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**561**	**1.4**	**1**	**1**	**1**	**1**	**1**	**3**	**4**		**814**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**631**	**1.6**	**3**	**1**	**1**	**1**	**1**	**3**	**4**		**868**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**5**

DRG 341: Penis Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	985	4.4	12	1	2	3	6	7	12	0-17	133	6.4	22	1	4	6	8	15	17
70-74	519	6.2	76	2	3	4	6	11	21	18-34	85	4.8	13	1	2	4	8	8	14
75-79	396	5.0	9	2	3	5	6	8	12	35-49	239	2.4	2	1	1	2	3	4	5
80-84	267	5.6	9	3	3	4	7	10	12	50-69	632	3.2	5	1	2	3	4	6	8
85 +	116	5.7	10	3	4	4	9	11	13	70 +	43	7.6	28	2	3	4	9	16	16
SUBTOTAL	**2282**	**5.1**	**26**	**2**	**3**	**4**	**6**	**9**	**12**		**1132**	**3.7**	**10**	**1**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1536	2.9	3	1	1	3	4	5	6	0-17	1354	2.8	8	< 1	1	2	4	7	9
70-74	637	3.3	5	1	2	3	4	5	8	18-34	130	2.0	2	1	1	1	3	4	4
75-79	391	3.6	3	2	3	4	4	5	7	35-49	471	2.4	7	1	1	2	3	4	6
80-84	154	4.4	5	3	3	4	5	8	8	50-69	2109	2.4	2	1	1	2	3	4	5
85 +	62	4.1	2	2	3	4	5	7	7	70 +	62	3.2	1	2	2	4	4	4	4
SUBTOTAL	**2781**	**3.2**	**4**	**1**	**2**	**3**	**4**	**5**	**7**		**4127**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**5063**	**4.0**	**15**	**1**	**2**	**3**	**5**	**7**	**9**		**5259**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	40	5.7	15	1	2	5	11	11	11	0-17	34	8.2	90	1	2	7	9	28	28
18-34	38	14.2	224	1	2	7	25	38	38	18-34	17	4.3	7						
35-49	32	2.1								35-49	84	4.0	8	1	2	3	6	8	8
50-69	33	6.1	13							50-69	149	3.7	10	1	1	3	5	8	8
70 +	0									70 +	16	2.7	1						
SUBTOTAL	**143**	**7.3**	**86**	**1**	**2**	**4**	**8**	**13**	**38**		**299**	**4.3**	**19**	**1**	**2**	**3**	**5**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	562	3.2	6	1	1	3	4	7	8	0-17	758	3.0	6	1	1	2	5	6	7
18-34	49	4.9	18	1	2	3	9	12	12	18-34	97	3.8	5	1	2	3	6	8	8
35-49	0									35-49	91	3.5	7	1	2	2	4	10	10
50-69	32	3.4	2							50-69	517	2.0	1	1	1	2	3	3	4
70 +	20	3.5								70 +	26	3.6	2						
SUBTOTAL	**663**	**3.4**	**7**	**1**	**1**	**3**	**4**	**7**	**9**		**1490**	**2.7**	**5**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**806**	**4.1**	**23**	**1**	**1**	**3**	**5**	**8**	**11**		**1789**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 342: Circumcision Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	26	1.2							
70-74	0								
75-79	0								
80-84	16	4.6							
85+	10	11.0							
SUBTOTAL	**52**	**4.2**	**14**	**1**	**1**	**3**	**5**	**11**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	47	1.2							
70-74	10	1.0							
75-79	20	1.0							
80-84	16	6.2	16						
85+	10	1.0							
SUBTOTAL	**103**	**1.9**	**6**	**1**	**1**	**1**	**1**	**4**	**9**
GRAND TOTAL	**156**	**2.7**	**10**	**1**	**1**	**1**	**2**	**9**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	7.0							
35-49	22	3.0	1						
50-69	20	1.0							
70+	0								
	52	**3.0**	**5**	**1**	**1**	**2**	**4**	**7**	**7**
0-17	0								
18-34	11	1.0							
35-49	43	4.4	27	<1	<1	1	7	16	16
50-69	26	1.6							
70+	0								
	80	**3.0**	**17**	**<1**	**<1**	**1**	**2**	**7**	**16**
	133	**3.0**	**12**	**<1**	**1**	**1**	**4**	**7**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	6	27.0							
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**6**	**27.0**							
GRAND TOTAL	**6**	**27.0**							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	1.0							
35-49	0								
50-69	0								
70+	0								
	10	**1.0**							
0-17	0								
18-34	6	1.0							
35-49	26	2.6	2						
50-69	11	1.0							
70+	0								
	43	**2.0**	**2**	**<1**	**<1**	**1**	**3**	**4**	**4**
	53	**1.8**	**2**	**<1**	**1**	**1**	**3**	**4**	**4**

DRG 343: Circumcision Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	11	3.5							
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**11**	**3.5**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	198	1.2		< 1	< 1	< 1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**198**	**1.2**		**< 1**	**< 1**	**< 1**	**1**	**2**	**3**
GRAND TOTAL	**0**										**209**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	11	1.0								0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**11**	**1.0**									**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	162	1.1		< 1	< 1	< 1	1	1	2	0-17	231	1.1		< 1	< 1	< 1	< 1	1	1
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**162**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**2**		**231**	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**
GRAND TOTAL	**173**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**2**		**231**	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**

DRG 344: Other Male Reproductive System O.R. Procedures for Malignancy

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	250	5.1	6	2	3	5	6	11	11		0-17	0									
70-74	371	5.3	9	2	3	5	6	9	11		18-34	10	8.0								
75-79	146	10.1	110	2	4	7	12	21	44		35-49	37	5.5	2							
80-84	68	7.2	27	1	2	5	11	16	16		50-69	253	4.8	3	3	4	5	5	8	8	
85 +	100	10.3	86	2	3	8	12	22	39		70 +	20	4.0	1							
SUBTOTAL	**935**	**6.7**	**38**	**2**	**3**	**5**	**7**	**12**	**16**			**321**	**4.9**	**3**	**3**	**4**	**5**	**6**	**8**	**8**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	218	4.1	2	2	3	4	5	6	6		0-17	0									
70-74	291	3.3	4	1	2	3	5	6	7		18-34	33	6.5	4							
75-79	255	3.6	5	1	2	3	6	7	7		35-49	6	1.0								
80-84	125	3.1	4	1	1	2	6	6	7		50-69	238	4.2	6	1	3	4	6	7	8	
85 +	0										70 +	10	6.0								
SUBTOTAL	**889**	**3.6**	**4**	**1**	**2**	**3**	**5**	**6**	**7**			**287**	**4.5**	**6**	**1**	**3**	**4**	**6**	**8**	**9**	
GRAND TOTAL	**1824**	**5.2**	**24**	**1**	**2**	**4**	**6**	**9**	**12**			**608**	**4.7**	**5**	**2**	**3**	**5**	**6**	**8**	**8**	

TYPE OF PATIENT	MEDICAID										NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	0										0-17	0									
18-34	6	10.0									18-34	20	9.5	2							
35-49	0										35-49	0									
50-69	0										50-69	53	6.0	6	4	4	5	7	12	12	
70 +	6	33.0									70 +	6	3.0								
SUBTOTAL	**11**	**21.5**	**145**									**79**	**6.7**	**8**	**4**	**4**	**5**	**8**	**11**	**12**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	6	12.0									0-17	0									
18-34	0										18-34	0									
35-49	0										35-49	0									
50-69	16	4.5	12								50-69	68	4.0	1	3	3	4	5	5	5	
70 +	0										70 +	6	3.0								
SUBTOTAL	**22**	**6.5**	**20**									**74**	**4.0**	**1**	**3**	**3**	**4**	**5**	**5**	**5**	
GRAND TOTAL	**33**	**11.6**	**113**									**153**	**5.4**	**7**	**3**	**4**	**5**	**5**	**11**	**11**	

DRG 345: Other Male Reproductive System O.R. Proc except for Malignancy

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	90	3.7	5	1	2	4	5	6	9	0-17	0								
70-74	76	4.3	9	2	2	3	7	10	10	18-34	10	4.0							
75-79	98	7.9	186	1	2	3	9	12	61	35-49	26	4.1	16						
80-84	42	3.5	4							50-69	110	5.6	41	1	2	3	5	19	22
85 +	36	7.3	14							70 +	0								
SUBTOTAL	**341**	**5.4**	**62**	**2**	**2**	**3**	**6**	**10**	**11**		**146**	**5.2**	**34**	**1**	**1**	**3**	**5**	**19**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	119	6.3	48	2	2	4	4	14	25	0-17	22	2.6	7						
70-74	86	2.8	4	1	1	2	4	6	7	18-34	47	2.3	5						
75-79	27	2.0	3							35-49	84	2.7	8	< 1	1	2	2	9	9
80-84	0									50-69	246	2.3	4	1	1	1	2	7	7
85 +	16	5.7	1							70 +	22	1.5	1						
SUBTOTAL	**248**	**4.6**	**28**	**1**	**2**	**3**	**5**	**14**	**14**		**420**	**2.4**	**5**	**1**	**1**	**1**	**2**	**7**	**8**
GRAND TOTAL	**590**	**5.1**	**47**	**1**	**2**	**3**	**5**	**10**	**14**		**566**	**3.1**	**14**	**1**	**1**	**2**	**3**	**8**	**9**

TYPE OF PATIENT	MEDICAID										NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	6	3.0								35-49	32	4.9	15						
50-69	0									50-69	10	7.0							
70 +	6	2.0								70 +	0								
SUBTOTAL	**11**	**2.5**									**42**	**5.4**	**12**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	1.0								0-17	0								
18-34	0									18-34	10	4.0							
35-49	0									35-49	0								
50-69	0									50-69	32	6.2	14						
70 +	0									70 +	0								
SUBTOTAL	**6**	**1.0**									**42**	**5.6**	**11**						
GRAND TOTAL	**17**	**2.0**	**1**								**84**	**5.5**	**12**	**< 1**	**2**	**5**	**8**	**11**	**12**

DRG 346: Malignancy, Male Reproductive System, w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	432	6.8	28	2	2	5	10	15	16	0-17	20	2.0							
70-74	564	9.0	63	2	3	7	12	18	24	18-34	10	4.0							
75-79	558	7.5	36	2	4	6	9	14	19	35-49	16	4.4	4						
80-84	408	8.5	68	2	4	6	11	17	26	50-69	356	6.9	35	2	3	6	8	14	15
85 +	320	9.4	63	2	4	7	14	18	27	70 +	70	6.2	23	2	3	5	9	10	19
SUBTOTAL	**2282**	**8.2**	**52**	**2**	**3**	**6**	**11**	**17**	**20**		**472**	**6.4**	**31**	**2**	**3**	**5**	**8**	**14**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2282**	**8.2**	**52**	**2**	**3**	**6**	**11**	**17**	**20**		**472**	**6.4**	**31**	**2**	**3**	**5**	**8**	**14**	**15**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	6	1.0								18-34	11	6.5							
35-49	6	5.0								35-49	11	2.0	1						
50-69	27	9.0	16							50-69	66	5.3	25	< 1	1	3	9	11	17
70 +	22	4.7	2							70 +	48	11.1	239	1	5	5	10	52	52
SUBTOTAL	**60**	**6.3**	**15**	**2**	**4**	**5**	**11**	**12**	**13**		**136**	**7.2**	**104**	**< 1**	**1**	**5**	**9**	**11**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**60**	**6.3**	**15**	**2**	**4**	**5**	**11**	**12**	**13**		**136**	**7.2**	**104**	**< 1**	**1**	**5**	**9**	**11**	**17**

DRG 347: Malignancy, Male Reproductive System, w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	54	3.8	6	1	1	3	7	7	7	0-17	6	2.0							
70-74	97	3.8	5	< 1	3	3	6	7	7	18-34	36	2.7	2						
75-79	98	2.6	1	< 1	2	3	4	4	4	35-49	36	2.8	7						
80-84	82	3.4	2	< 1	3	4	4	5	5	50-69	86	4.6	12	1	1	3	7	11	11
85 +	48	7.5	41	2	3	6	8	19	19	70 +	6	2.0							
SUBTOTAL	**379**	**3.9**	**10**	**1**	**2**	**3**	**5**	**7**	**7**		**170**	**3.6**	**9**	**1**	**1**	**3**	**7**	**7**	**11**
GRAND TOTAL	**379**	**3.9**	**10**	**1**	**2**	**3**	**5**	**7**	**7**		**170**	**3.6**	**9**	**1**	**1**	**3**	**7**	**7**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	11	3.5	7							0-17	6	2.0							
18-34	0									18-34	11	2.5	2						
35-49	10	6.0								35-49	6	1.0							
50-69	11	2.5								50-69	58	2.2	2	< 1	1	2	3	5	5
70 +	0									70 +	0								
SUBTOTAL	**33**	**3.9**	**4**								**80**	**2.2**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**33**	**3.9**	**4**								**80**	**2.2**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**

DRG 348: Benign Prostatic Hypertrophy w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	371	4.0	5	1	2	4	5	8	8
70-74	355	4.7	13	1	3	3	6	8	16
75-79	340	4.1	8	1	2	4	5	7	10
80-84	252	5.4	19	1	3	4	6	10	18
85 +	256	9.0	94	2	4	6	10	24	26
SUBTOTAL	**1573**	**5.2**	**27**	**1**	**2**	**4**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1573**	**5.2**	**27**	**1**	**2**	**4**	**6**	**10**	**14**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	16	3.4	4						
50-69	212	3.4	6	1	2	3	6	7	9
70 +	26	10.4	89						
	254	**4.1**	**19**	**1**	**2**	**3**	**6**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	254	**4.1**	**19**	**1**	**2**	**3**	**6**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	16	10.7	1						
SUBTOTAL	**16**	**10.7**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**16**	**10.7**	**1**						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	7.0							
35-49	0								
50-69	38	5.2	6	2	2	7	7	8	8
70 +	10	31.0							
	59	**10.0**	**98**	**2**	**4**	**7**	**8**	**31**	**31**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	59	**10.0**	**96**	**2**	**4**	**7**	**8**	**31**	**31**

DRG 349: Benign Prostatic Hypertrophy w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	174	3.1	3	1	2	3	3	4	9	0-17	0								
70-74	227	2.7	3	< 1	1	3	3	4	5	18-34	0								
75-79	209	2.2	2	< 1	1	2	3	4	5	35-49	22	2.3							
80-84	80	3.0	2	< 1	2	3	4	4	6	50-69	300	3.3	6	1	1	3	4	8	8
85 +	17	3.3								70 +	36	1.4							
SUBTOTAL	**707**	**2.7**	**2**	**< 1**	**2**	**3**	**3**	**4**	**6**		**358**	**3.1**	**6**	**1**	**1**	**3**	**4**	**5**	**8**
GRAND TOTAL	**707**	**2.7**	**2**	**< 1**	**2**	**3**	**3**	**4**	**6**		**358**	**3.1**	**6**	**1**	**1**	**3**	**4**	**5**	**8**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	11	9.5	62							50-69	53	2.2	2	< 1	1	2	4	4	4
70 +	22	6.0								70 +	20	3.5	2						
SUBTOTAL	**33**	**7.2**	**23**								**74**	**2.6**	**2**	**1**	**1**	**2**	**4**	**5**	**5**
GRAND TOTAL	**33**	**7.2**	**23**								**74**	**2.6**	**2**	**1**	**1**	**2**	**4**	**5**	**5**

DRG 350: Inflammation of the Male Reproductive System

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	934	6.6	20	3	4	5	8	11	12	0-17	33	3.8	4						
70-74	373	5.6	12	3	3	5	7	9	12	18-34	281	3.6	2	2	3	3	4	5	7
75-79	443	6.6	33	2	3	5	8	12	22	35-49	602	4.7	7	3	3	4	6	7	9
80-84	280	7.1	18	3	5	6	8	13	16	50-69	878	4.6	5	2	3	4	6	7	8
85 +	144	7.4	13	3	4	7	10	11	15	70 +	37	7.2	13						
SUBTOTAL	**2175**	**6.5**	**21**	**3**	**4**	**5**	**8**	**11**	**13**		**1832**	**4.5**	**6**	**2**	**3**	**4**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	451	4.9	6	2	3	5	6	8	10	0-17	327	3.5	7	1	2	3	5	7	9
70-74	192	4.6	3	3	3	4	5	7	8	18-34	860	3.6	3	2	3	3	4	6	7
75-79	128	5.1	2	3	5	5	6	7	7	35-49	1081	4.1	5	2	2	4	5	7	8
80-84	58	3.9	5	1	2	3	5	8	8	50-69	896	4.1	4	2	3	4	5	7	7
85 +	94	4.7	10	2	2	4	6	9	13	70 +	6	3.0							
SUBTOTAL	**923**	**4.8**	**5**	**2**	**3**	**5**	**6**	**8**	**9**		**3170**	**3.9**	**4**	**2**	**2**	**4**	**5**	**6**	**7**
GRAND TOTAL	**3098**	**6.0**	**17**	**3**	**4**	**5**	**7**	**10**	**12**		**5002**	**4.1**	**5**	**2**	**3**	**4**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	43	4.5	2	3	4	5	5	7	7	0-17	27	3.0	1						
18-34	38	5.9	9	3	3	4	10	10	10	18-34	139	4.1	6	2	2	4	5	5	6
35-49	49	5.6	15	1	4	4	7	15	15	35-49	234	3.9	3	2	3	4	5	6	7
50-69	68	5.3	9	2	3	5	7	10	10	50-69	142	4.6	10	2	3	3	6	9	9
70 +	0									70 +	16	11.2	16						
SUBTOTAL	**198**	**5.3**	**9**	**2**	**3**	**4**	**7**	**10**	**10**		**558**	**4.3**	**7**	**2**	**3**	**4**	**5**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	129	3.1	4	1	2	3	4	5	5	0-17	117	2.7	2	< 1	1	2	4	5	5
18-34	108	4.7	17	1	3	3	5	11	18	18-34	421	3.2	2	1	2	3	4	5	6
35-49	65	4.2	16	< 1	2	3	5	6	16	35-49	289	3.3	4	2	2	3	4	5	8
50-69	38	4.4	1	3	4	4	6	6	6	50-69	163	3.4	4	1	2	3	4	7	8
70 +	0		-							70 +	0								
SUBTOTAL	**340**	**4.0**	**10**	**1**	**2**	**3**	**4**	**6**	**11**		**990**	**3.2**	**3**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**538**	**4.5**	**10**	**2**	**3**	**4**	**5**	**10**	**10**		**1548**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**7**

DRG 351: Sterilization, Male

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	10	1.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**10**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	158	1.0		< 1	< 1	< 1	< 1	< 1	< 1
75-79	0									35-49	119	1.0		< 1	< 1	< 1	< 1	< 1	< 1
80-84	0									50-69	11	1.0							
85 +	0									70 +	0								
SUBTOTAL	**0**										**288**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**< 1**
GRAND TOTAL	**0**										**298**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**< 1**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	6	1.0								18-34	0								
35-49	0									35-49	6	1.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**6**	**1.0**									**6**	**1.0**							
GRAND TOTAL	**6**	**1.0**									**6**	**1.0**							

DRG 352: Other Male Reproductive System Diagnoses

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	107	4.9	18	< 1	1	3	8	10	18
70-74	33	10.2	83						
75-79	11	8.5							
80-84	16	9.8	16						
85 +	22	3.8	2						
SUBTOTAL	**188**	**6.3**	**32**	**1**	**3**	**5**	**8**	**15**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	94	3.6	8	1	1	3	6	7	11
70-74	42	1.5	1						
75-79	11	6.0	4						
80-84	6	6.0							
85 +	0								
SUBTOTAL	**153**	**3.3**	**7**	**1**	**1**	**3**	**4**	**7**	**8**
GRAND TOTAL	**341**	**5.0**	**23**	**1**	**1**	**3**	**7**	**10**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	92	2.1		1	2	2	3	3	3
18-34	58	3.7	20	1	1	1	5	13	13
35-49	27	5.1	23						
50-69	37	5.7	22						
70 +	0								
	214	**3.5**	**14**	**1**	**2**	**2**	**3**	**13**	**14**
0-17	195	1.4	1	< 1	1	1	1	2	4
18-34	126	2.1	1	1	1	2	3	3	5
35-49	136	2.8	6	< 1	1	2	4	6	9
50-69	76	3.2	5	1	2	2	4	6	9
70 +	0								
	533	**2.2**	**3**	**< 1**	**1**	**1**	**3**	**4**	**6**
	747	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	13.0							
18-34	22	5.8	17						
35-49	11	9.0	4						
50-69	0								
70 +	0								
SUBTOTAL	**38**	**7.8**	**17**	**1**	**3**	**10**	**11**	**13**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	71	2.1	4	1	1	1	2	3	8
18-34	17	1.7	1						
35-49	6	3.0							
50-69	0								
70 +	0								
SUBTOTAL	**94**	**2.1**	**3**	**1**	**1**	**1**	**3**	**3**	**8**
GRAND TOTAL	**132**	**3.7**	**14**	**1**	**1**	**2**	**7**	**10**	**11**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	2.6							
18-34	22	5.8	10						
35-49	0								
50-69	0								
70 +	0								
	37	**4.5**	**8**						
0-17	55	1.5	1	< 1	1	1	2	4	4
18-34	111	2.4	7	1	1	1	3	8	9
35-49	63	1.8		1	1	2	2	3	3
50-69	16	1.4							
70 +	0								
	246	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**8**
	283	**2.3**	**5**	**1**	**1**	**1**	**3**	**4**	**8**

DRG 353: Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	156	14.8	56	8	9	13	19	24	24	0-17	0								
70-74	126	12.7	36	8	9	10	15	21	27	18-34	94	7.4	24	4	5	7	7	9	26
75-79	98	16.7	92	7	10	14	22	32	39	35-49	294	9.4	19	6	7	8	10	15	19
80-84	71	15.9	353	5	5	9	12	61	61	50-69	247	13.7	168	6	7	9	15	23	48
85 +	38	12.5	48	2	9	11	21	23	23	70 +	23	12.0	10						
SUBTOTAL	**490**	**14.6**	**102**	**7**	**9**	**12**	**18**	**24**	**39**		**657**	**10.8**	**81**	**5**	**7**	**8**	**11**	**18**	**26**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	68	7.6	11	5	5	7	10	12	16	0-17	0								
70-74	70	9.0	33	4	5	7	10	19	23	18-34	142	6.4	8	2	4	7	8	10	11
75-79	59	6.5	18	2	2	6	9	13	16	35-49	240	5.9	7	3	4	6	7	9	11
80-84	0									50-69	198	6.1	6	2	4	7	8	9	10
85 +	42	7.0	9							70 +	0								
SUBTOTAL	**239**	**7.6**	**20**	**3**	**4**	**7**	**10**	**12**	**17**		**580**	**6.1**	**7**	**3**	**4**	**7**	**8**	**9**	**10**
GRAND TOTAL	**729**	**12.3**	**86**	**5**	**7**	**10**	**14**	**22**	**28**		**1237**	**8.6**	**52**	**3**	**6**	**7**	**9**	**14**	**18**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0								
18-34	11	13.0	27							18-34	33	11.7	95						
35-49	38	12.1	25	6	6	14	14	21	21	35-49	79	7.9	9	5	6	7	10	11	16
50-69	55	16.4	165	7	9	11	19	45	52	50-69	72	12.0	67	6	7	8	15	22	34
70 +	0									70 +	6	50.0							
SUBTOTAL	**105**	**14.5**	**102**	**6**	**8**	**14**	**18**	**21**	**52**		**190**	**11.4**	**95**	**5**	**6**	**8**	**11**	**22**	**34**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0								
18-34	27	5.9	3							18-34	43	7.0	9	5	5	6	9	14	14
35-49	16	8.4								35-49	79	6.0	5	3	4	6	7	9	10
50-69	6	9.0								50-69	22	13.2	4						
70 +	0									70 +	0								
SUBTOTAL	**49**	**7.0**	**4**	**4**	**5**	**8**	**8**	**9**	**9**		**144**	**7.4**	**12**	**4**	**5**	**6**	**9**	**14**	**14**
GRAND TOTAL	**154**	**12.1**	**83**	**5**	**8**	**9**	**15**	**19**	**21**		**334**	**9.6**	**63**	**4**	**5**	**7**	**10**	**16**	**32**

DRG 354: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1072	7.0	44	4	4	5	7	9	12
70-74	848	7.9	30	4	5	6	8	12	18
75-79	560	8.0	82	4	5	6	8	11	15
80-84	383	9.1	27	5	6	7	10	16	21
85 +	109	7.7	16	4	5	7	10	12	20
SUBTOTAL	**2971**	**7.7**	**44**	**4**	**5**	**6**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2971**	**7.7**	**44**	**4**	**5**	**6**	**8**	**12**	**17**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	308	4.7	4	2	3	4	6	8	9
35-49	621	5.7	8	3	4	5	7	9	11
50-69	888	5.4	6	3	4	5	7	9	10
70 +	26	7.6	8						
	1843	**5.4**	**7**	**3**	**4**	**5**	**6**	**9**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1843	**5.4**	**7**	**3**	**4**	**5**	**6**	**9**	**10**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	11.0							
18-34	97	5.1	9	2	3	4	6	11	13
35-49	110	6.1	19	3	4	4	7	13	20
50-69	72	9.0	16	6	6	8	10	12	20
70 +	26	9.0	26						
SUBTOTAL	**311**	**6.8**	**18**	**3**	**4**	**5**	**9**	**13**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**311**	**6.8**	**18**	**3**	**4**	**5**	**9**	**13**	**15**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	50	4.6	2	3	3	4	5	7	7
35-49	173	5.0	8	3	4	4	5	7	9
50-69	205	7.1	11	4	5	6	8	13	15
70 +	26	18.5	111						
	454	**6.7**	**24**	**3**	**4**	**5**	**7**	**13**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	454	**6.7**	**24**	**3**	**4**	**5**	**7**	**13**	**15**

DRG 355: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	854	4.7	2	3	4	5	6	6	7	0-17	10	2.0							
70-74	630	5.3	5	4	4	5	6	7	9	18-34	1433	3.5	1	3	3	3	4	5	5
75-79	356	4.9	5	3	4	4	5	7	9	35-49	2199	3.7	1	3	3	4	4	5	5
80-84	157	4.7	2	4	4	4	5	7	8	50-69	1549	4.5	2	3	4	4	5	6	7
85 +	60	7.7	14	4	5	7	9	13	17	70 +	22	4.2	1						
SUBTOTAL	**2057**	**5.0**	**4**	**3**	**4**	**5**	**6**	**7**	**8**		**5213**	**3.9**	**2**	**3**	**3**	**4**	**4**	**5**	**6**
GRAND TOTAL	**2057**	**5.0**	**4**	**3**	**4**	**5**	**6**	**7**	**8**		**5213**	**3.9**	**2**	**3**	**3**	**4**	**4**	**5**	**6**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	460	3.5	2	2	3	3	4	5	6	18-34	411	3.3	1	2	3	3	4	5	6
35-49	234	3.5	1	2	3	3	4	5	5	35-49	511	4.0	1	3	3	4	5	5	6
50-69	112	5.4	7	3	4	5	6	7	13	50-69	364	4.6	3	3	3	4	5	6	6
70 +	16	4.6								70 +	6	6.0							
SUBTOTAL	**822**	**3.8**	**3**	**2**	**3**	**3**	**4**	**5**	**6**		**1292**	**3.9**	**2**	**2**	**3**	**4**	**5**	**6**	**6**
GRAND TOTAL	**822**	**3.8**	**3**	**2**	**3**	**3**	**4**	**5**	**6**		**1292**	**3.9**	**2**	**2**	**3**	**4**	**5**	**6**	**6**

DRG 356: Female Reproductive System Reconstructive Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	1671	5.0	12	2	3	4	6	8	9	0-17	0									
70-74	1213	5.0	5	3	3	5	6	7	9	18-34	95	3.5	1	2	3	3	4	5	6	
75-79	734	5.7	20	3	3	5	6	9	10	35-49	799	4.7	6	3	3	4	6	7	9	
80-84	471	6.1	20	3	4	5	6	11	15	50-69	1552	4.9	4	3	4	4	6	7	8	
85 +	99	7.0	16	3	4	7	8	16	17	70 +	70	5.3	10	2	4	4	7	10	13	
SUBTOTAL	**4188**	**5.3**	**13**	**3**	**3**	**4**	**6**	**8**	**10**		**2517**	**4.8**	**5**	**3**	**3**	**4**	**6**	**7**	**9**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	3219	3.9	3	2	3	4	5	6	7	0-17	6	11.0								
70-74	2324	3.8	3	2	3	3	5	6	7	18-34	881	3.0	1	1	2	3	4	4	5	
75-79	1556	3.9	3	2	3	4	5	6	7	35-49	5087	3.5	2	2	3	3	4	5	6	
80-84	577	4.3	4	2	3	4	6	7	7	50-69	7388	3.7	2	2	3	4	4	5	7	
85 +	181	4.0	5	1	3	4	5	7	9	70 +	90	3.7	1	2	3	4	5	5	5	
SUBTOTAL	**7858**	**3.9**	**3**	**2**	**3**	**4**	**5**	**6**	**7**		**13451**	**3.6**	**2**	**2**	**3**	**3**	**4**	**5**	**6**	
GRAND TOTAL	**12045**	**4.4**	**7**	**2**	**3**	**4**	**5**	**7**	**8**		**15968**	**3.8**	**3**	**2**	**3**	**4**	**4**	**6**	**7**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	17	6.3	9							
35-49	95	5.1	3	3	4	5	6	7	9	35-49	157	4.6	4	2	3	4	6	8	8	
50-69	91	4.7	4	2	3	5	6	8	8	50-69	246	5.1	14	2	3	4	7	9	10	
70 +	10	3.0								70 +	10	4.0								
SUBTOTAL	**196**	**4.8**	**3**	**3**	**3**	**4**	**6**	**8**	**8**		**430**	**4.9**	**10**	**2**	**3**	**4**	**6**	**8**	**9**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	6	1.0								0-17	16	7.6	4							
18-34	150	3.7	2	2	3	3	5	6	6	18-34	190	3.3	1	2	3	3	4	5	5	
35-49	312	3.8	2	2	3	3	5	6	7	35-49	836	3.4	2	2	2	3	4	5	6	
50-69	294	3.8	2	2	3	4	5	6	7	50-69	978	3.4	2	2	2	3	4	5	6	
70 +	42	5.4	3							70 +	27	2.8	1							
SUBTOTAL	**803**	**3.8**	**2**	**2**	**3**	**4**	**5**	**6**	**7**		**2047**	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**6**	
GRAND TOTAL	**999**	**4.0**	**3**	**2**	**3**	**4**	**5**	**6**	**7**		**2478**	**3.7**	**4**	**2**	**3**	**3**	**4**	**6**	**7**	

DRG 357: Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	560	10.5	29	5	7	9	14	17	22	0-17	26	5.9	4						
70-74	524	11.7	26	6	9	10	15	19	22	18-34	133	6.6	6	3	5	7	9	9	9
75-79	392	15.8	148	6	9	11	16	39	50	35-49	556	7.7	18	4	5	7	9	12	17
80-84	188	12.8	156	5	6	10	15	22	47	50-69	1002	11.0	56	5	7	9	12	18	26
85 +	103	26.4	587	8	11	17	35	41	92	70 +	65	14.0	58	6	7	16	18	28	28
SUBTOTAL	**1767**	**13.2**	**115**	**6**	**7**	**10**	**15**	**22**	**35**		**1782**	**9.6**	**43**	**4**	**6**	**8**	**11**	**17**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	181	6.0	4	4	4	6	7	8	10	0-17	11	6.0	1						
70-74	79	7.6	6	4	5	7	10	11	11	18-34	232	4.2	3	3	3	3	5	6	8
75-79	85	6.7	2	4	6	7	8	8	9	35-49	439	4.5	3	3	4	4	5	6	7
80-84	37	7.2	2							50-69	527	5.5	5	4	4	5	6	8	8
85 +	20	8.5	2							70 +	6	7.0							
SUBTOTAL	**404**	**6.7**	**4**	**4**	**5**	**7**	**8**	**10**	**11**		**1215**	**4.9**	**4**	**3**	**4**	**4**	**6**	**8**	**8**
GRAND TOTAL	**2171**	**12.0**	**101**	**5**	**7**	**10**	**14**	**20**	**29**		**2997**	**7.7**	**33**	**3**	**4**	**6**	**9**	**13**	**18**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	11	7.5								0-17	22	7.0	1						
18-34	6	11.0								18-34	44	9.6	38	4	5	9	12	24	24
35-49	53	11.4	24	7	8	10	16	22	22	35-49	119	9.0	38	4	6	7	9	15	24
50-69	70	8.3	24	3	6	7	9	11	23	50-69	157	9.1	12	6	7	9	11	14	16
70 +	0									70 +	20	6.5	2						
SUBTOTAL	**140**	**9.5**	**24**	**6**	**7**	**8**	**11**	**16**	**22**		**362**	**8.9**	**23**	**5**	**6**	**8**	**10**	**15**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	16	8.9	9							0-17	16	5.6							
18-34	33	5.9	23							18-34	66	4.4	3	3	4	4	5	7	8
35-49	17	4.3	1							35-49	70	5.1	2	4	4	5	6	6	8
50-69	10	2.0								50-69	102	5.8	5	3	4	5	8	9	9
70 +	0									70 +	0								
SUBTOTAL	**76**	**5.6**	**16**	**2**	**3**	**5**	**5**	**11**	**16**		**254**	**5.2**	**3**	**3**	**4**	**5**	**6**	**8**	**9**
GRAND TOTAL	**216**	**8.1**	**24**	**3**	**5**	**7**	**10**	**16**	**22**		**616**	**7.4**	**18**	**4**	**5**	**6**	**9**	**12**	**15**

DRG 358: Uterine & Adnexa Proc for Non-malignancy w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3720	5.9	11	3	4	5	7	9	13	0-17	322	5.0	6	3	3	5	6	9	10
70-74	2358	6.5	18	4	4	5	7	10	14	18-34	9406	4.6	5	3	3	4	5	7	9
75-79	1379	6.7	19	4	4	6	7	11	14	35-49	25971	4.8	6	3	4	4	5	7	9
80-84	713	7.6	17	4	5	7	8	13	18	50-69	5530	5.3	14	3	4	5	6	8	10
85 +	322	10.4	32	4	6	9	14	19	22	70 +	149	6.2	5	4	5	6	7	10	12
SUBTOTAL	**8492**	**6.5**	**17**	**4**	**4**	**5**	**7**	**11**	**14**		**41377**	**4.8**	**7**	**3**	**4**	**4**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**8492**	**6.5**	**17**	**4**	**4**	**5**	**7**	**11**	**14**		**41377**	**4.8**	**7**	**3**	**4**	**4**	**5**	**7**	**9**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	32	3.3	2							0-17	44	6.9	45	2	2	7	8	23	23
18-34	2068	5.2	7	3	4	4	6	8	10	18-34	3156	4.7	6	3	3	4	5	7	9
35-49	2063	5.9	22	3	4	5	6	9	12	35-49	6498	5.1	8	3	4	4	6	8	10
50-69	443	6.4	7	3	5	6	7	9	13	50-69	1078	5.3	7	3	4	5	5	8	10
70 +	32	13.3	93							70 +	22	4.6	3						
SUBTOTAL	**4638**	**5.6**	**15**	**3**	**4**	**5**	**6**	**9**	**11**		**10797**	**5.0**	**7**	**3**	**4**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4638**	**5.6**	**15**	**3**	**4**	**5**	**6**	**9**	**11**		**10797**	**5.0**	**7**	**3**	**4**	**4**	**6**	**8**	**10**

DRG 359: Uterine & Adnexa Proc for Non-malignancy w/o CC

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH		TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	0										0-17	0									
70-74	0										18-34	0									
75-79	0										35-49	0									
80-84	0										50-69	0									
85 +	0										70 +	0									
SUBTOTAL	**0**											**0**									
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	5291	4.3	2	3	3	4	5	6	6		0-17	1279	3.3	2	2	2	3	4	5	7
70-74	2827	4.7	4	3	4	4	5	6	7		18-34	44481	3.5	2	2	3	3	4	5	5
75-79	1669	4.5	2	3	3	4	5	6	7		35-49	87762	3.8	1	3	3	4	4	5	6
80-84	483	5.0	4	3	4	4	6	8	8		50-69	18463	4.1	2	3	3	4	5	5	6
85 +	195	5.2	3	3	4	5	6	6	10		70 +	171	4.1	3	2	3	4	5	5	9
SUBTOTAL	**10466**	**4.5**	**3**	**3**	**4**	**4**	**5**	**6**	**7**			**152155**	**3.7**	**2**	**3**	**3**	**4**	**4**	**5**	**6**
GRAND TOTAL	**10466**	**4.5**	**3**	**3**	**4**	**4**	**5**	**6**	**7**			**152155**	**3.7**	**2**	**3**	**3**	**4**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID										NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH		TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	0										0-17	0									
18-34	0										18-34	0									
35-49	0										35-49	0									
50-69	0										50-69	0									
70 +	0										70 +	0									
SUBTOTAL	**0**											**0**									
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	234	3.8	4	2	2	4	4	6	8		0-17	400	3.2	3	1	2	3	4	6	6
18-34	6783	3.8	3	2	3	4	4	5	6		18-34	12067	3.5	2	2	3	3	4	5	5
35-49	3808	4.2	3	3	3	4	5	6	7		35-49	17560	3.8	1	3	3	4	4	5	5
50-69	462	6.3	92	3	4	5	6	8	10		50-69	2856	3.9	1	3	3	4	4	5	6
70 +	78	6.3	6	4	4	5	8	11	11		70 +	49	3.7		3	3	4	4	5	5
SUBTOTAL	**11366**	**4.0**	**7**	**2**	**3**	**4**	**5**	**6**	**7**			**32931**	**3.7**	**2**	**2**	**3**	**4**	**4**	**5**	**6**
GRAND TOTAL	**11366**	**4.0**	**7**	**2**	**3**	**4**	**5**	**6**	**7**			**32931**	**3.7**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

DRG 360: Vagina, Cervix & Vulva Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	482	6.8	112	1	3	5	7	11	15	0-17	72	4.3	26	< 1	1	1	6	7	20
70-74	298	6.0	14	3	4	5	7	10	16	18-34	147	2.7	3	1	1	3	4	5	6
75-79	261	6.5	17	3	4	5	8	14	16	35-49	351	4.4	14	1	2	4	5	7	10
80-84	187	7.2	38	2	4	5	8	14	28	50-69	350	5.3	11	2	3	4	6	9	12
85 +	139	6.1	11	2	3	6	9	11	11	70 +	6	5.0							
SUBTOTAL	**1367**	**6.5**	**52**	**2**	**3**	**5**	**7**	**12**	**16**		**927**	**4.5**	**12**	**1**	**2**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	755	3.7	2	2	3	4	5	6	7	0-17	311	2.2	2	< 1	1	1	3	5	5
70-74	488	4.4	5	2	3	4	5	7	9	18-34	1023	1.8	2	< 1	< 1	1	2	4	4
75-79	273	4.5	6	2	3	4	6	8	10	35-49	1502	2.8	5	< 1	1	2	4	5	6
80-84	268	4.0	3	2	3	4	5	6	7	50-69	1349	3.5	4	1	2	3	4	6	6
85 +	60	4.3	8	1	2	3	7	8	8	70 +	6	2.0							
SUBTOTAL	**1844**	**4.1**	**4**	**2**	**3**	**4**	**5**	**7**	**8**		**4191**	**2.8**	**4**	**< 1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**3211**	**5.1**	**26**	**2**	**3**	**4**	**6**	**8**	**11**		**5118**	**3.1**	**6**	**< 1**	**1**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	11	17.5	121							0-17	48	2.0	2	1	1	2	3	5	5
18-34	97	3.2	4	1	1	3	4	7	7	18-34	92	4.0	31	< 1	1	1	5	8	24
35-49	53	4.3	7	1	3	3	6	9	9	35-49	112	7.7	78	1	2	3	10	20	30
50-69	93	7.0	22	< 1	4	7	8	18	18	50-69	118	5.9	23	2	4	5	5	16	18
70 +	0									70 +	11	3.5	7						
SUBTOTAL	**255**	**5.5**	**25**	**1**	**3**	**4**	**7**	**10**	**18**		**381**	**5.4**	**41**	**1**	**1**	**3**	**5**	**16**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	151	3.0	9	< 1	1	2	4	8	8	0-17	163	2.0	2	< 1	< 1	1	3	4	4
18-34	387	2.3	3	< 1	1	1	3	5	6	18-34	344	1.9	2	< 1	< 1	1	2	4	5
35-49	80	2.4	2	< 1	< 1	2	4	4	4	35-49	262	2.5	4	< 1	1	2	3	4	8
50-69	60	5.6	16	1	2	5	9	11	15	50-69	221	3.3	3	< 1	2	3	5	6	6
70 +	10	2.0								70 +	23	1.0							
SUBTOTAL	**689**	**2.7**	**6**	**< 1**	**1**	**2**	**4**	**6**	**8**		**1013**	**2.4**	**3**	**< 1**	**< 1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**944**	**3.5**	**13**	**< 1**	**1**	**2**	**4**	**7**	**9**		**1393**	**3.2**	**15**	**< 1**	**1**	**2**	**4**	**6**	**8**

DRG 361: Laparoscopy & Incisional Tubal Interruption

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	47	5.4	22						
70-74	22	1.8	2						
75-79	0								
80-84	10	2.0							
85 +	10	3.0							
SUBTOTAL	**89**	**3.8**	**15**	**1**	**2**	**3**	**4**	**14**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	43	4.8	23	< 1	1	2	4	13	13
70-74	36	4.4	3						
75-79	16	12.3	63						
80-84	0								
85 +	0								
SUBTOTAL	**95**	**5.9**	**30**	**< 1**	**2**	**4**	**6**	**18**	**18**
GRAND TOTAL	**184**	**4.9**	**23**	**1**	**2**	**3**	**5**	**14**	**18**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	62	4.7	7	1	2	4	6	9	9
18-34	643	3.2	7	1	1	2	4	7	8
35-49	218	3.6	8	1	1	3	5	9	10
50-69	6	4.0							
70 +	0								
	929	**3.4**	**7**	**1**	**1**	**3**	**5**	**7**	**9**
0-17	248	2.2	1	1	1	2	3	4	5
18-34	3121	2.5	4	< 1	1	2	3	5	7
35-49	1435	2.5	5	< 1	1	2	3	5	6
50-69	48	1.8	3	1	1	1	2	6	6
70 +	0								
	4852	**2.5**	**4**	**< 1**	**1**	**2**	**3**	**5**	**6**
	5781	**2.6**	**5**	**< 1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	41	2.5							
18-34	239	4.9	12	1	2	4	9	9	10
35-49	32	3.0	5						
50-69	0								
70 +	0								
SUBTOTAL	**312**	**4.4**	**10**	**1**	**2**	**4**	**6**	**9**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	59	3.1	3	1	2	3	4	6	6
18-34	947	2.5	3	< 1	1	2	4	5	6
35-49	86	2.0	1	< 1	1	2	3	4	4
50-69	16	5.1	2						
70 +	0								
SUBTOTAL	**1108**	**2.5**	**3**	**< 1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**1420**	**2.9**	**5**	**< 1**	**1**	**2**	**4**	**6**	**8**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	3.8	3						
18-34	308	4.2	6	1	3	4	6	7	9
35-49	47	6.4	29						
50-69	0								
70 +	0								
	377	**4.4**	**9**	**1**	**2**	**4**	**6**	**9**	**9**
0-17	85	4.0	9	< 1	1	3	6	9	9
18-34	1457	2.7	6	< 1	1	2	4	5	7
35-49	246	3.2	12	< 1	1	2	4	8	12
50-69	10	1.0							
70 +	0								
	1798	**2.8**	**7**	**< 1**	**1**	**2**	**4**	**5**	**8**
	2176	**3.1**	**8**	**< 1**	**1**	**2**	**4**	**7**	**8**

DRG 362: Endoscopic Tubal Interruption

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	23	4.8	18						
75-79	0									35-49	22	1.8	2						
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										44	3.3	12	<1	1	1	6	11	11
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	439	1.2		<1	<1	<1	<1	1	3
75-79	0									35-49	270	1.0		<1	<1	<1	<1	<1	1
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										709	1.1		<1	<1	<1	<1	1	2
GRAND TOTAL	0										753	1.2	1	<1	<1	<1	<1	1	3

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	38	1.3		<1	1	1	2	2	2	18-34	26	3.4	2						
35-49	11	1.0								35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	50	1.2		<1	1	1	1	2	2		26	3.4	2						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	342	1.0		<1	<1	<1	<1	<1	1	18-34	71	1.3		<1	<1	1	1	3	3
35-49	45	1.0		<1	<1	<1	<1	<1	<1	35-49	43	1.1		<1	<1	1	1	2	2
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	388	1.0		<1	<1	<1	<1	<1	1		114	1.2		<1	<1	1	1	2	3
GRAND TOTAL	437	1.0		<1	<1	<1	<1	1	1		140	1.6	1	<1	<1	1	2	4	4

DRG 363: D&C, Conization & Radio-Implant, for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	300	5.7	71	1	2	3	6	11	27	0-17	0								
70-74	219	5.5	48	2	2	3	4	11	21	18-34	33	1.7	1						
75-79	150	6.0	31	2	3	4	6	20	22	35-49	140	3.3	7	1	2	3	4	5	9
80-84	118	4.0	2	3	3	4	6	6	6	50-69	158	3.8	11	1	2	3	5	8	9
85 +	78	7.5	21	4	4	6	12	16	16	70 +	0								
SUBTOTAL	**865**	**5.7**	**45**	**2**	**2**	**3**	**6**	**12**	**21**		**332**	**3.4**	**8**	**1**	**2**	**3**	**3**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	390	2.8	2	1	2	3	3	4	5	0-17	0								
70-74	323	3.0	3	2	2	3	3	4	5	18-34	221	1.6	1	< 1	< 1	1	2	3	4
75-79	164	2.6	1	1	2	3	3	4	4	35-49	476	2.4	1	1	2	2	3	4	5
80-84	85	3.2	3	1	2	3	4	5	8	50-69	370	2.6	1	1	2	3	3	4	4
85 +	119	3.0	3	1	2	3	4	5	7	70 +	6	2.0							
SUBTOTAL	**1081**	**2.9**	**2**	**1**	**2**	**3**	**3**	**4**	**5**		**1073**	**2.3**	**1**	**<1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**1946**	**4.1**	**23**	**1**	**2**	**3**	**4**	**6**	**11**		**1404**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	33	3.2								18-34	26	2.4							
35-49	17	4.3								35-49	73	6.0	43	2	2	4	5	16	25
50-69	137	6.9	40	2	2	4	12	14	24	50-69	70	9.5	172	2	3	6	8	19	51
70 +	31	15.7	117							70 +	0								
SUBTOTAL	**217**	**7.4**	**55**	**2**	**3**	**4**	**12**	**15**	**24**		**170**	**6.9**	**96**	**2**	**2**	**4**	**6**	**19**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	114	2.1	1	< 1	< 1	2	3	3	4	18-34	48	2.3	2	1	1	2	3	5	5
35-49	143	3.0	1	2	2	3	3	4	5	35-49	98	2.3	1	< 1	1	3	3	3	4
50-69	60	2.5	1	2	2	2	3	4	4	50-69	158	2.2	1	< 1	< 1	2	3	3	4
70 +	0									70 +	27	1.4							
SUBTOTAL	**317**	**2.6**	**1**	**<1**	**2**	**3**	**3**	**4**	**4**		**332**	**2.2**	**1**	**<1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**535**	**4.5**	**28**	**1**	**2**	**3**	**4**	**12**	**15**		**501**	**3.8**	**38**	**<1**	**2**	**3**	**4**	**5**	**8**

DRG 364: D&C, Conization except for Malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	161	3.3	10	1	1	2	3	8	12	0-17	32	1.9							
70-74	90	3.8	8	1	2	3	6	10	10	18-34	271	1.9	2	1	1	2	2	4	5
75-79	83	3.7	12	1	2	2	3	12	12	35-49	813	2.1	3	1	1	1	2	4	6
80-84	87	4.9	8	2	3	4	5	10	10	50-69	162	2.3	2	< 1	1	2	3	5	5
85 +	105	4.7	17	1	1	3	7	10	14	70 +	6	4.0							
SUBTOTAL	**526**	**4.0**	**11**	**1**	**2**	**3**	**6**	**10**	**12**		**1284**	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	143	2.0	5	< 1	1	1	2	4	4	0-17	63	1.3	1	< 1	< 1	1	1	3	3
70-74	87	3.1	9	< 1	< 1	1	5	9	9	18-34	984	1.6	1	< 1	< 1	1	2	3	4
75-79	32	1.0								35-49	1298	1.3	1	< 1	< 1	< 1	1	2	3
80-84	68	2.2	4	1	1	1	3	3	8	50-69	579	1.2	1	< 1	< 1	< 1	1	2	2
85 +	76	2.7	3	1	1	2	4	6	6	70 +	6	1.0							
SUBTOTAL	**406**	**2.3**	**5**	**< 1**	**1**	**1**	**3**	**6**	**8**		**2931**	**1.4**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**
GRAND TOTAL	**932**	**3.3**	**9**	**1**	**1**	**2**	**4**	**8**	**10**		**4215**	**1.6**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	154	2.5	2	1	2	2	3	5	5	18-34	238	1.8	1	1	1	2	2	3	4
35-49	161	3.0	3	1	1	2	5	5	6	35-49	319	2.9	12	< 1	1	2	3	4	13
50-69	59	3.7	13	< 1	2	3	4	9	14	50-69	78	2.8	16	1	1	1	2	13	13
70 +	10	7.0								70 +	6	1.0							
SUBTOTAL	**384**	**3.0**	**5**	**1**	**2**	**2**	**4**	**5**	**7**		**641**	**2.5**	**8**	**1**	**1**	**2**	**3**	**4**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	11	2.0	1							0-17	27	1.0							
18-34	284	1.3	1	< 1	< 1	1	1	2	3	18-34	310	1.6	1	< 1	< 1	1	2	3	5
35-49	80	1.9	3	< 1	< 1	1	2	5	6	35-49	246	1.6	1	< 1	< 1	1	2	3	5
50-69	71	1.3	1	< 1	1	1	1	3	3	50-69	113	1.4	1	< 1	< 1	< 1	1	3	4
70 +	10	3.0								70 +	34	1.0		< 1	< 1	< 1	< 1	< 1	< 1
SUBTOTAL	**458**	**1.5**	**1**	**< 1**	**< 1**	**1**	**1**	**3**	**3**		**731**	**1.6**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**842**	**2.2**	**3**	**< 1**	**1**	**1**	**3**	**5**	**5**		**1372**	**2.0**	**5**	**< 1**	**1**	**1**	**2**	**4**	**5**

DRG 365: Other Female Reproductive System O.R. Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	167	9.5	26	3	5	8	14	17	20	0-17	22	5.7							
70-74	83	23.6	264	3	8	26	39	41	59	18-34	255	6.8	17	3	4	6	9	13	14
75-79	209	13.0	168	5	6	9	11	40	45	35-49	402	8.0	26	2	4	7	11	17	18
80-84	126	15.9	74	7	9	13	23	26	28	50-69	347	9.4	64	4	4	7	10	16	21
85 +	41	14.0	55							70 +	6	7.0							
SUBTOTAL	**624**	**14.1**	**134**	**4**	**7**	**9**	**20**	**28**	**40**		**1031**	**8.1**	**37**	**3**	**4**	**7**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	195	3.4	3	1	2	4	4	6	7	0-17	59	3.8	1	2	3	4	5	6	6
70-74	100	4.7	5	3	3	4	5	9	9	18-34	898	3.8	3	2	3	4	5	6	7
75-79	37	4.1	4							35-49	864	4.1	8	1	3	3	5	7	10
80-84	48	4.6	12	1	2	2	7	10	10	50-69	488	4.3	8	2	3	4	5	8	9
85 +	0									70 +	6	3.0							
SUBTOTAL	**380**	**4.0**	**5**	**1**	**3**	**4**	**5**	**7**	**9**		**2314**	**4.0**	**6**	**2**	**3**	**3**	**5**	**7**	**9**
GRAND TOTAL	**1004**	**10.3**	**110**	**2**	**4**	**7**	**11**	**24**	**37**		**3345**	**5.3**	**19**	**2**	**3**	**4**	**6**	**10**	**13**

	MEDICAID										NO INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	111	4.9	4	3	4	5	5	6	11	18-34	102	5.3	7	1	4	5	7	10	10
35-49	72	9.2	19	3	6	10	13	17	99 +	35-49	110	8.0	29	2	5	7	8	18	22
50-69	38	12.6	50	5	7	10	21	23	23	50-69	54	12.8	68	2	7	10	21	26	27
70 +	10	27.0								70 +	6	18.0							
SUBTOTAL	**232**	**8.5**	**40**	**3**	**4**	**6**	**12**	**23**	**27**		**272**	**8.1**	**37**	**2**	**4**	**7**	**10**	**19**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	23	5.3	9							0-17	43	6.3	27	3	3	3	10	18	18
18-34	229	4.7	7	2	3	5	6	7	11	18-34	376	4.5	10	1	2	4	6	10	12
35-49	69	4.4	5	2	3	4	6	8	8	35-49	187	3.5	6	2	2	3	4	7	8
50-69	6	4.0								50-69	126	3.6	11	1	2	2	4	8	13
70 +	0									70 +	10	5.0							
SUBTOTAL	**326**	**4.7**	**6**	**2**	**3**	**4**	**6**	**8**	**10**		**743**	**4.2**	**10**	**1**	**2**	**3**	**5**	**8**	**12**
GRAND TOTAL	**559**	**6.2**	**24**	**2**	**3**	**5**	**7**	**12**	**17**		**1015**	**5.3**	**20**	**2**	**2**	**4**	**6**	**12**	**14**

DRG 366: Malignancy, Female Reproductive System w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	371	9.2	94	2	4	7	11	18	26	0-17	16	6.0							
70-74	245	9.6	174	1	2	5	11	25	34	18-34	44	5.1	19	1	1	4	8	12	12
75-79	225	7.6	28	2	3	6	11	16	18	35-49	184	8.7	72	3	4	6	10	17	27
80-84	194	8.4	38	2	4	7	13	21	42	50-69	483	7.8	60	1	3	6	9	18	22
85 +	164	12.1	86	4	5	9	16	24	27	70 +	37	9.3	43						
SUBTOTAL	**1200**	**9.2**	**89**	**2**	**4**	**6**	**12**	**19**	**26**		**765**	**7.9**	**59**	**1**	**3**	**6**	**9**	**18**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1200**	**9.2**	**89**	**2**	**4**	**6**	**12**	**19**	**26**		**765**	**7.9**	**59**	**1**	**3**	**6**	**9**	**18**	**24**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	8.8	43							0-17	11	7.0	10						
18-34	43	5.8	30	1	3	4	7	19	19	18-34	42	9.2	87						
35-49	60	6.6	20	3	3	5	13	14	15	35-49	50	11.5	137	2	2	7	15	40	40
50-69	104	6.4	11	2	4	6	8	11	14	50-69	197	6.1	14	1	3	6	9	11	13
70 +	22	9.4	134							70 +	6	10.0							
SUBTOTAL	**251**	**6.8**	**30**	**2**	**3**	**5**	**8**	**14**	**16**		**306**	**7.5**	**47**	**1**	**3**	**6**	**10**	**15**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**251**	**6.8**	**30**	**2**	**3**	**5**	**8**	**14**	**16**		**306**	**7.5**	**47**	**1**	**3**	**6**	**10**	**15**	**16**

DRG 367: Malignancy, Female Reproductive System w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	61	3.1	4	1	1	3	5	6	7	0-17	32	2.6	12						
70-74	165	2.9	2	1	2	3	4	5	6	18-34	55	3.9	3	< 1	2	4	5	6	6
75-79	94	3.1	7	1	2	2	3	7	12	35-49	240	3.0	8	< 1	1	2	4	8	9
80-84	43	3.4	6	< 1	1	3	5	8	8	50-69	295	3.2	3	1	2	3	4	7	7
85 +	34	4.7	16	2	2	3	6	13	13	70 +	6	7.0							
SUBTOTAL	**397**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**628**	**3.2**	**6**	**1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**397**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**628**	**3.2**	**6**	**1**	**1**	**2**	**4**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	17	4.0								0-17	11	5.5	13						
18-34	6	9.0								18-34	17	2.3							
35-49	48	6.0	38	1	1	4	8	17	17	35-49	55	3.2	6	1	1	3	4	8	9
50-69	80	3.4	13	1	1	2	2	11	11	50-69	67	4.0	2	2	3	4	5	6	6
70 +	0									70 +	0								
SUBTOTAL	**151**	**4.5**	**21**	**1**	**1**	**2**	**7**	**11**	**17**		**150**	**3.6**	**5**	**1**	**2**	**3**	**5**	**6**	**9**
GRAND TOTAL	**151**	**4.5**	**21**	**1**	**1**	**2**	**7**	**11**	**17**		**150**	**3.6**	**5**	**1**	**2**	**3**	**5**	**6**	**9**

DRG 368: Infections, Female Reproductive System

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	246	7.0	20	2	4	6	8	14	15	0-17	384	4.6	6	2	3	4	6	8	9
70-74	83	11.9	115	2	7	9	14	39	39	18-34	1355	4.1	4	2	3	4	5	7	8
75-79	22	7.2	10							35-49	427	5.4	8	3	3	5	7	9	11
80-84	48	11.0	59	3	6	9	9	25	25	50-69	80	12.7	409	3	3	6	10	21	33
85 +	84	7.5	6	5	5	6	9	12	12	70 +	0								
SUBTOTAL	**482**	**8.3**	**41**	**3**	**5**	**7**	**9**	**14**	**21**		**2247**	**4.7**	**22**	**2**	**3**	**4**	**6**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	126	4.8	6	2	3	5	6	9	10	0-17	1351	3.9	5	2	3	3	5	6	7
70-74	16	17.1	2							18-34	6445	3.6	6	2	2	3	4	6	7
75-79	11	8.5	13							35-49	1594	4.2	4	2	3	4	5	7	8
80-84	22	9.4	5							50-69	87	3.6	3	2	2	3	5	6	7
85 +	32	7.3	4							70 +	6	4.0							
SUBTOTAL	**206**	**6.8**	**17**	**2**	**3**	**6**	**9**	**12**	**16**		**9483**	**3.8**	**6**	**2**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**688**	**7.9**	**34**	**3**	**5**	**7**	**9**	**14**	**19**		**11730**	**4.0**	**9**	**2**	**3**	**3**	**5**	**6**	**8**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	418	4.5	4	2	3	4	6	7	9	0-17	390	4.8	6	2	3	4	6	8	8
18-34	1548	4.4	5	2	3	4	5	7	9	18-34	1457	4.2	4	2	3	4	5	7	8
35-49	182	5.7	10	2	3	6	8	9	12	35-49	340	5.9	15	3	4	5	7	10	12
50-69	26	12.8	80							50-69	11	6.0	10						
70 +	10	14.0								70 +	0								
SUBTOTAL	**2185**	**4.6**	**7**	**2**	**3**	**4**	**6**	**8**	**9**		**2199**	**4.6**	**6**	**2**	**3**	**4**	**6**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1069	4.5	8	2	3	4	5	8	10	0-17	1128	4.5	10	2	3	4	6	8	11
18-34	3653	3.9	4	2	3	3	5	6	7	18-34	4895	3.7	3	2	2	3	4	6	7
35-49	384	4.9	9	2	3	4	6	10	11	35-49	636	4.0	5	2	3	3	5	8	9
50-69	22	7.7	3							50-69	11	3.0							
70 +	0									70 +	0								
SUBTOTAL	**5128**	**4.1**	**5**	**2**	**3**	**4**	**5**	**7**	**8**		**6671**	**3.9**	**4**	**2**	**2**	**3**	**5**	**6**	**8**
GRAND TOTAL	**7313**	**4.3**	**6**	**2**	**3**	**4**	**5**	**7**	**9**		**8870**	**4.0**	**5**	**2**	**3**	**4**	**5**	**7**	**8**

DRG 369: Menstrual & Other Female Reproductive System Disorders

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	305	3.9	7	1	2	3	5	8	10
70-74	131	9.9	82	2	3	7	10	28	28
75-79	111	5.1	9	2	3	5	8	9	11
80-84	67	6.5	6	4	5	6	7	8	13
85 +	110	5.4	8	2	3	5	7	9	12
SUBTOTAL	**724**	**5.7**	**25**	**1**	**2**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	211	3.8	10	1	2	3	5	8	14
70-74	118	3.2	4	1	2	3	4	6	8
75-79	93	4.1	7	1	3	4	5	10	10
80-84	78	3.5	3	1	2	4	5	6	6
85 +	59	2.8	1	1	2	2	4	5	5
SUBTOTAL	**558**	**3.6**	**6**	**1**	**2**	**3**	**5**	**6**	**9**
GRAND TOTAL	**1282**	**4.8**	**18**	**1**	**2**	**4**	**6**	**9**	**11**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	244	2.7	2	1	2	3	3	4	7
18-34	951	3.2	11	1	2	2	4	6	9
35-49	.1019	3.2	6	1	1	3	4	6	7
50-69	255	4.4	9	1	2	4	5	8	8
70 +	6	9.0							
	2474	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**8**
0-17	1176	1.7	1	< 1	1	1	2	3	4
18-34	4469	2.1	2	1	1	2	3	4	5
35-49	2860	2.7	2	1	1	3	4	4	5
50-69	570	3.1	2	1	2	3	4	5	6
70 +	10	1.0							
	9086	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	11560	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	55	2.7	1	1	2	2	4	4	4
18-34	288	2.9	2	1	2	3	4	5	5
35-49	147	3.7	7	1	2	3	4	6	10
50-69	34	3.8	6	1	1	4	5	8	8
70 +	0								
SUBTOTAL	**524**	**3.2**	**4**	**1**	**2**	**3**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	255	1.4	1	< 1	1	1	1	3	3
18-34	927	2.3	2	< 1	1	2	3	4	5
35-49	133	1.7	1	1	1	1	2	3	4
50-69	49	3.5	14	< 1	1	2	4	13	13
70 +	0								
SUBTOTAL	**1363**	**2.1**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1887**	**2.4**	**3**	**< 1**	**1**	**2**	**3**	**4**	**5**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	70	2.2	1	1	2	2	2	3	4
18-34	585	2.7	3	1	1	3	4	5	6
35-49	446	3.6	6	1	2	3	4	7	9
50-69	136	3.7	6	< 1	1	3	6	7	8
70 +	11	2.5							
	1248	**3.1**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
0-17	416	1.9	2	< 1	1	1	2	4	6
18-34	2126	2.1	2	1	1	2	3	4	4
35-49	935	2.7	2	1	2	3	3	4	5
50-69	135	3.9	8	< 1	1	4	5	7	9
70 +	6	3.0							
	3617	**2.3**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**
	4865	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 370: Cesarean Section w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	265	6.5	30	3	4	5	6	17	17
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**265**	**6.5**	**30**	**3**	**4**	**5**	**6**	**17**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**265**	**6.5**	**30**	**3**	**4**	**5**	**6**	**17**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	524	6.5	18	4	4	5	7	12	13
18-34	29818	5.1	22	3	3	4	5	7	10
35-49	5755	5.2	29	3	3	4	5	7	10
50-69	0								
70 +	0								
	36098	**5.1**	**23**	**3**	**3**	**4**	**5**	**7**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	36098	**5.1**	**23**	**3**	**3**	**4**	**5**	**7**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	2839	6.0	12	3	4	5	7	9	11
18-34	24327	5.4	16	3	4	4	6	8	11
35-49	1425	6.6	37	3	4	5	7	12	16
50-69	0								
70 +	0								
SUBTOTAL	**28590**	**5.5**	**16**	**3**	**4**	**4**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**28590**	**5.5**	**16**	**3**	**4**	**4**	**6**	**8**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	691	5.7	13	3	4	5	6	9	12
18-34	14064	4.8	13	3	3	4	5	7	9
35-49	1909	4.7	16	3	3	4	5	6	8
50-69	0								
70 +	0								
	16663	**4.8**	**13**	**3**	**3**	**4**	**5**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	16663	**4.8**	**13**	**3**	**3**	**4**	**5**	**7**	**9**

DRG 371: Cesarean Section w/o CC

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	402	4.3	5	3	3	4	4	6	7	0-17	1557	4.0	2	3	3	4	4	5	6
70-74	0									18-34	130081	3.8	4	3	3	4	4	5	5
75-79	0									35-49	19751	4.1	8	3	3	4	4	5	6
80-84	0									50-69	20	3.5							
85 +	0									70 +	0								
SUBTOTAL	**402**	**4.3**	**5**	**3**	**3**	**4**	**4**	**6**	**7**		**151409**	**3.9**	**5**	**3**	**3**	**4**	**4**	**5**	**5**
GRAND TOTAL	**402**	**4.3**	**5**	**3**	**3**	**4**	**4**	**6**	**7**		**151409**	**3.9**	**5**	**3**	**3**	**4**	**4**	**5**	**5**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	5436	4.3	7	3	3	4	5	6	7	0-17	918	4.0	1	3	3	4	4	5	6
18-34	56040	4.0	6	3	3	4	4	5	6	18-34	40523	3.8	4	3	3	4	4	5	5
35-49	2469	4.3	7	3	3	4	4	5	6	35-49	6126	3.8	3	3	3	4	4	5	5
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**63946**	**4.1**	**6**	**3**	**3**	**4**	**4**	**5**	**6**		**47568**	**3.8**	**3**	**3**	**3**	**4**	**4**	**5**	**5**
GRAND TOTAL	**63946**	**4.1**	**6**	**3**	**3**	**4**	**4**	**5**	**6**		**47568**	**3.8**	**3**	**3**	**3**	**4**	**4**	**5**	**5**

DRG 372: Vaginal Delivery w/ Complicating Diagnoses

TYPE OF PATIENT	MEDICARE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs										
AGE GROUP										
0-69 (YRS.)	88	2.4	1	1	1	2	3	4	4	
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTAL	88	2.4	1	1	1	2	3	4	4	
2.PATIENTS W/OUT CCs										
AGE GROUP										
0-69	84	2.8	1	2	2	3	4	4	4	
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTAL	84	2.8	1	2	2	3	4	4	4	
GRAND TOTAL	172	2.6	1	1	2	2	4	4	4	

BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	
0-17	431	3.7	8	2	2	3	5	7	11	
18-34	10473	3.0	9	2	2	2	3	5	6	
35-49	1435	3.1	9	2	2	2	3	5	6	
50-69	0									
70 +	0									
	12339	3.1	9	2	2	2	3	5	7	
0-17	607	2.8	3	2	2	2	3	4	6	
18-34	20388	2.6	3	2	2	2	3	4	5	
35-49	2658	2.8	8	2	2	2	3	4	6	
50-69	0									
70 +	0									
	23652	2.6	3	2	2	2	3	4	5	
	35992	2.8	5	2	2	2	3	4	5	

TYPE OF PATIENT	MEDICAID									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs										
AGE GROUP										
0-17 (YRS.)	1775	3.8	13	2	2	3	4	7	9	
18-34	9857	3.2	12	2	2	2	4	6	8	
35-49	386	3.6	6	2	2	2	4	7	10	
50-69	0									
70 +	0									
SUBTOTAL	12018	3.3	12	2	2	2	4	6	8	
2.PATIENTS W/OUT CCs										
AGE GROUP										
0-17	2817	3.3	14	2	2	3	3	5	6	
18-34	13829	2.6	5	1	2	2	3	4	5	
35-49	475	2.9	11	1	2	2	3	5	6	
50-69	0									
70 +	0									
SUBTOTAL	17121	2.7	6	1	2	2	3	4	5	
GRAND TOTAL	29139	3.0	9	1	2	2	3	5	6	

NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	
0-17	538	3.7	5	2	2	3	4	7	8	
18-34	5975	3.2	16	1	2	2	3	5	7	
35-49	673	3.2	10	1	2	2	3	5	10	
50-69	0									
70 +	0									
	7185	3.2	15	1	2	2	3	5	8	
0-17	585	2.6	2	1	2	2	3	4	4	
18-34	8313	2.5	6	1	2	2	3	3	5	
35-49	977	2.2	1	1	2	2	3	3	4	
50-69	0									
70 +	0									
	9875	2.5	5	1	2	2	3	3	5	
	17060	2.8	9	1	2	2	3	4	6	

DRG 373: Vaginal Delivery w/o Complicating Diagnoses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	268	2.2	2	1	2	2	3	3	4	0-17	727	2.2	1	1	2	2	3	3	4
70-74	0									18-34	19288	2.4	3	2	2	2	3	3	4
75-79	0									35-49	2303	2.6	15	1	2	2	3	4	5
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**268**	**2.2**	**2**	**1**	**2**	**2**	**3**	**3**	**4**		**22318**	**2.4**	**4**	**1**	**2**	**2**	**3**	**3**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	988	2.1		2	2	2	2	3	3	0-17	6803	2.1	1	1	2	2	2	3	3
70-74	0									18-34	339679	2.0	1	1	2	2	2	3	3
75-79	0									35-49	37037	2.1	2	1	2	2	2	3	3
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**988**	**2.1**		**2**	**2**	**2**	**2**	**3**	**3**		**383519**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**
GRAND TOTAL	**1256**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**		**405837**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	3902	2.6	8	1	2	2	3	4	5	0-17	1478	2.2	1	1	2	2	2	3	4
18-34	28681	2.3	4	1	2	2	2	3	4	18-34	16000	2.1	2	1	2	2	2	3	3
35-49	1053	2.4	4	1	2	2	2	4	6	35-49	1123	2.3	2	1	2	2	2	3	4
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**33637**	**2.4**	**5**	**1**	**2**	**2**	**2**	**3**	**4**		**18601**	**2.1**	**2**	**1**	**2**	**2**	**2**	**3**	**3**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31877	2.1	2	1	2	2	2	3	3	0-17	6553	2.0	1	1	2	2	2	3	3
18-34	204262	2.0	1	1	2	2	2	3	3	18-34	139974	1.9	1	1	1	2	2	3	3
35-49	5517	2.1	1	1	2	2	2	3	3	35-49	13529	1.8	1	1	1	2	2	3	3
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**241656**	**2.0**	**1**	**1**	**2**	**2**	**2**	**3**	**3**		**160056**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
GRAND TOTAL	**275293**	**2.1**	**2**	**1**	**2**	**2**	**2**	**3**	**3**		**178657**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**

DRG 374: Vaginal Delivery w/ Sterilization &/or D&C

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	17	2.7							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**17**	**2.7**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	163	2.3	1	1	2	2	3	3	4
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**163**	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**180**	**2.4**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	2.7	1						
18-34	2396	3.0	3	2	2	2	3	5	7
35-49	571	3.9	19	2	2	3	4	6	8
50-69	0								
70 +	0								
	2983	**3.2**	**6**	**2**	**2**	**3**	**3**	**5**	**7**
0-17	27	2.4	1						
18-34	29053	2.3	1	2	2	2	3	3	3
35-49	5848	2.4	2	2	2	2	3	3	4
50-69	0								
70 +	0								
	34928	**2.3**	**1**	**2**	**2**	**2**	**3**	**3**	**3**
	37911	**2.4**	**2**	**2**	**2**	**2**	**3**	**3**	**4**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	88	4.0	7	2	2	3	6	9	9
18-34	3744	3.4	10	2	2	3	3	5	8
35-49	290	3.5	3	2	2	3	4	7	7
50-69	0								
70 +	0								
SUBTOTAL	**4122**	**3.4**	**9**	**2**	**2**	**3**	**3**	**5**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	119	2.5	1	2	2	2	3	4	5
18-34	30609	2.3	1	2	2	2	3	3	4
35-49	2300	2.5	2	2	2	2	3	4	4
50-69	0								
70 +	0								
SUBTOTAL	**33028**	**2.4**	**1**	**2**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**37149**	**2.5**	**2**	**2**	**2**	**2**	**3**	**3**	**4**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	3.9	8						
18-34	1138	3.0	8	2	2	2	3	5	6
35-49	168	2.6	3	2	2	2	3	4	6
50-69	0								
70 +	0								
	1332	**3.0**	**7**	**2**	**2**	**2**	**3**	**4**	**6**
0-17	66	2.2	1	1	1	2	3	3	5
18-34	7296	2.2	2	1	2	2	2	3	3
35-49	1629	2.2	1	1	2	2	3	3	3
50-69	0								
70 +	0								
	8991	**2.2**	**1**	**1**	**2**	**2**	**2**	**3**	**3**
	10323	**2.3**	**2**	**1**	**2**	**2**	**3**	**3**	**4**

DRG 375: Vaginal Delivery w/ O.R. Proc except Steril &/or D&C

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	6	2.0							
70-74	0									18-34	96	3.6	5	2	2	3	5	5	11
75-79	0									35-49	22	6.0	1						
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**123**	**4.0**	**5**	**2**	**2**	**4**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	16	1.7	1						
70-74	0									18-34	181	2.7	6	1	2	2	2	5	5
75-79	0									35-49	63	2.4	1	2	2	2	3	4	4
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**261**	**2.6**	**4**	**1**	**2**	**2**	**2**	**5**	**5**
GRAND TOTAL	**0**										**384**	**3.0**	**5**	**2**	**2**	**2**	**4**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	8.0								0-17	0								
18-34	54	3.2	2	2	2	3	4	6	6	18-34	22	3.9	4						
35-49	6	2.0								35-49	10	2.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**70**	**3.8**	**5**	**2**	**2**	**3**	**5**	**8**	**8**		**32**	**3.3**	**4**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	11	2.5								0-17	6	3.0							
18-34	140	3.7	18	2	2	3	3	8	8	18-34	43	2.3	1	1	2	2	2	4	4
35-49	0									35-49	10	2.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**152**	**3.7**	**17**	**2**	**2**	**3**	**3**	**8**	**8**		**59**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**4**
GRAND TOTAL	**222**	**3.7**	**13**	**2**	**2**	**3**	**3**	**8**	**8**		**91**	**2.7**	**2**	**2**	**2**	**2**	**3**	**6**	**6**

DRG 376: Postpartum & Post Abortion Diagnoses w/o O.R. Procedure

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	27	3.9	7							0-17	40	5.4	33	1	2	4	5	19	19
70-74	0									18-34	1064	3.9	11	1	2	3	5	7	9
75-79	0									35-49	152	4.5	10	1	2	4	6	9	12
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**27**	**3.9**	**7**								**1255**	**4.0**	**12**	**1**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	42	2.9	1							0-17	207	2.2	1	1	1	2	3	4	5
70-74	0									18-34	2914	2.7	4	1	2	2	3	5	6
75-79	0									35-49	493	2.5	4	1	1	2	3	4	7
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**42**	**2.9**	**1**								**3614**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**69**	**3.3**	**3**	**2**	**2**	**3**	**3**	**4**	**9**		**4869**	**3.0**	**6**	**1**	**2**	**2**	**4**	**5**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	220	3.5	4	1	2	3	5	6	7	0-17	93	2.9	3	< 1	2	2	3	6	7
18-34	1550	4.0	12	1	2	3	5	8	11	18-34	977	3.2	14	1	1	2	3	6	10
35-49	70	3.2	16	1	1	2	3	6	16	35-49	76	4.7	15	1	2	4	7	7	16
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1840**	**3.9**	**11**	**1**	**2**	**3**	**5**	**7**	**10**		**1146**	**3.3**	**13**	**1**	**1**	**2**	**3**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	511	2.6	2	1	2	2	4	4	4	0-17	229	2.3	2	1	2	2	3	4	5
18-34	3596	2.4	3	1	1	2	3	4	6	18-34	2041	2.4	12	1	1	2	3	4	5
35-49	188	3.0	6	1	2	2	3	6	11	35-49	167	2.6	5	1	1	1	4	6	8
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**4295**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**		**2437**	**2.4**	**11**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**6136**	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**7**		**3583**	**2.7**	**12**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 377: Postpartum & Post Abortion Diagnoses w/ O.R. Procedure

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	26	3.2	3						
70-74	0									18-34	608	4.4	22	1	1	3	5	11	15
75-79	0									35-49	77	8.2	44	1	3	7	10	22	22
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**711**	**4.8**	**25**	**1**	**1**	**3**	**6**	**11**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	27	3.1	10						
70-74	0									18-34	852	2.4	4	< 1	1	2	3	5	7
75-79	0									35-49	132	4.4	23	1	2	2	4	13	17
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1011**	**2.7**	**7**	**< 1**	**1**	**2**	**3**	**6**	**9**
GRAND TOTAL	**0**										**1722**	**3.5**	**16**	**1**	**1**	**2**	**4**	**9**	**12**

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	44	4.0	10	1	2	3	4	12	12	0-17	26	2.0	1						
18-34	494	4.0	17	1	2	3	5	8	12	18-34	283	3.0	8	1	1	2	4	7	9
35-49	33	7.5	27							35-49	62	4.6	13	1	2	4	5	12	12
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**571**	**4.2**	**17**	**1**	**2**	**3**	**6**	**9**	**12**		**372**	**3.2**	**9**	**1**	**1**	**2**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	33	2.3	1							0-17	22	2.2	1						
18-34	691	2.4	3	1	1	2	3	4	6	18-34	528	2.7	7	1	1	2	3	5	8
35-49	53	2.0	1	1	1	2	2	4	4	35-49	36	2.1	2						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**777**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**		**586**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**1348**	**3.1**	**10**	**1**	**1**	**2**	**4**	**7**	**9**		**958**	**2.9**	**7**	**1**	**1**	**2**	**4**	**5**	**9**

DRG 378: Ectopic Pregnancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	27	3.4	1							0-17	87	2.7	2	1	1	3	4	5	5
70-74	0									18-34	2810	3.6	4	2	3	3	4	5	6
75-79	0									35-49	786	4.0	3	2	3	4	5	6	7
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**27**	**3.4**	**1**								**3683**	**3.6**	**4**	**2**	**3**	**4**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	23	3.5	1							0-17	111	3.4	2	1	2	4	5	5	5
70-74	0									18-34	7225	2.8	2	1	2	3	4	4	5
75-79	0									35-49	1613	2.9	3	1	2	3	4	4	5
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**23**	**3.5**	**1**								**8949**	**2.8**	**2**	**1**	**2**	**3**	**4**	**4**	**5**
GRAND TOTAL	**50**	**3.4**	**1**	**2**	**3**	**3**	**4**	**5**	**5**		**12632**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	2.8	1							0-17	42	3.3	2						
18-34	1522	3.8	2	2	3	4	4	6	7	18-34	2429	3.7	3	2	3	3	4	5	7
35-49	135	4.5	7	2	3	4	5	8	12	35-49	419	4.2	3	2	3	4	5	7	7
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1680**	**3.9**	**3**	**2**	**3**	**4**	**4**	**6**	**7**		**2890**	**3.7**	**3**	**2**	**3**	**4**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	111	2.9	2	1	3	3	4	5	5	0-17	101	2.7	2	1	2	3	3	4	7
18-34	2582	3.0	2	1	2	3	4	5	5	18-34	4519	2.9	2	1	2	3	4	4	5
35-49	248	3.2	2	1	2	3	4	5	5	35-49	665	2.7	2	1	1	3	4	4	5
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2941**	**3.0**	**2**	**1**	**2**	**3**	**4**	**5**	**5**		**5285**	**2.9**	**2**	**1**	**2**	**3**	**4**	**4**	**5**
GRAND TOTAL	**4621**	**3.3**	**2**	**1**	**2**	**3**	**4**	**5**	**6**		**8175**	**3.2**	**2**	**1**	**2**	**3**	**4**	**5**	**6**

DRG 379: Threatened Abortion

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	23	13.3	273							0-17	152	3.7	15	1	1	2	4	7	14
70-74	0									18-34	2958	3.7	27	1	1	2	4	6	10
75-79	0									35-49	369	5.8	72	1	1	3	8	11	19
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**23**	**13.3**	**273**								**3479**	**3.9**	**32**	**1**	**1**	**3**	**4**	**7**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	75	6.3	33	1	1	2	11	16	16	0-17	411	2.0	2	< 1	1	1	3	4	5
70-74	0									18-34	16106	2.4	6	< 1	1	2	3	5	6
75-79	0									35-49	1470	3.3	24	< 1	1	2	4	6	9
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**75**	**6.3**	**33**	**1**	**1**	**2**	**11**	**16**	**16**		**17988**	**2.5**	**8**	**< 1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**97**	**7.9**	**95**	**1**	**1**	**4**	**11**	**16**	**41**		**21467**	**2.7**	**12**	**< 1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	623	3.2	10	1	2	2	4	5	8	0-17	122	3.6	15	1	1	3	3	8	12
18-34	4061	3.5	16	1	1	3	4	6	9	18-34	1523	3.4	19	1	1	2	4	7	11
35-49	84	3.3	6	1	2	3	4	5	11	35-49	117	4.8	26	1	1	2	6	15	16
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**4768**	**3.5**	**15**	**1**	**2**	**3**	**4**	**6**	**9**		**1762**	**3.5**	**20**	**1**	**1**	**2**	**4**	**7**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2441	2.4	6	< 1	< 1	1	3	5	7	0-17	530	1.7	2	< 1	< 1	1	2	3	4
18-34	13404	2.3	7	< 1	1	1	3	4	6	18-34	6728	2.1	6	< 1	1	1	2	4	6
35-49	446	2.1	2	< 1	1	2	3	4	5	35-49	521	2.7	24	< 1	1	1	3	5	5
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**16292**	**2.3**	**7**	**< 1**	**< 1**	**1**	**3**	**4**	**6**		**7779**	**2.1**	**7**	**< 1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**21060**	**2.6**	**9**	**< 1**	**1**	**2**	**3**	**5**	**7**		**9541**	**2.4**	**9**	**< 1**	**1**	**1**	**3**	**4**	**7**

DRG 380: Abortion w/o D&C

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	22	2.2	1							0-17	0								
70-74	0									18-34	350	3.0	14	1	1	2	3	6	10
75-79	0									35-49	50	4.7	4	1	4	5	7	7	7
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**22**	**2.2**	**1**								**399**	**3.3**	**13**	**1**	**1**	**2**	**4**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	27	1.0								0-17	261	1.4	1	< 1	1	1	1	2	3
70-74	0									18-34	2443	1.5	1	< 1	1	1	2	3	3
75-79	0									35-49	620	1.5	1	< 1	1	1	2	3	4
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**27**	**1.0**									**3324**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**49**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**		**3724**	**1.7**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	144	2.5	3	< 1	1	2	4	5	5	0-17	28	1.6	1						
18-34	671	2.7	16	1	1	2	3	6	7	18-34	364	1.7	2	< 1	1	1	2	3	5
35-49	79	2.0	1	1	1	2	3	4	4	35-49	26	3.4	5						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**894**	**2.6**	**12**	**1**	**1**	**2**	**3**	**5**	**7**		**419**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	670	1.3		< 1	1	1	2	2	2	0-17	369	1.2		< 1	1	1	1	2	2
18-34	5001	1.4	1	< 1	1	1	2	2	3	18-34	2392	1.4	1	< 1	1	1	2	2	3
35-49	189	1.6	2	< 1	1	1	2	3	5	35-49	289	1.5	1	< 1	1	1	2	3	4
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**5860**	**1.4**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**		**3049**	**1.4**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**6753**	**1.5**	**2**	**<1**	**1**	**1**	**2**	**2**	**3**		**3468**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**

DRG 381: Abortion w/ D&C, Aspiration Curettage or Hysterotomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	66	4.7	43	1	1	3	5	7	25
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**66**	**4.7**	**43**	**1**	**1**	**3**	**5**	**7**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	95	1.3		<1	1	1	1	2	3
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**95**	**1.3**		**<1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**161**	**2.7**	**20**	**1**	**1**	**1**	**3**	**5**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	1.9	3						
18-34	963	2.7	8	<1	1	2	3	5	7
35-49	236	3.2	12	1	1	2	4	8	11
50-69	0								
70 +	0								
	1237	**2.7**	**9**	**<1**	**1**	**2**	**3**	**6**	**9**
0-17	494	1.2	1	<1	<1	1	1	2	2
18-34	7427	1.3	1	<1	<1	1	1	2	3
35-49	1596	1.4	1	<1	<1	1	1	2	3
50-69	6	1.0							
70 +	0								
	9523	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**
	10760	**1.5**	**2**	**<1**	**<1**	**1**	**1**	**2**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	77	3.3	4	1	2	3	5	6	7
18-34	971	2.6	4	1	1	2	3	5	7
35-49	76	3.0	4	1	2	2	4	7	7
50-69	0								
70 +	0								
SUBTOTAL	**1124**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	666	1.4	1	<1	1	1	1	3	3
18-34	4938	1.5	1	<1	1	1	2	3	4
35-49	396	1.4	1	<1	1	1	1	2	3
50-69	0								
70 +	0								
SUBTOTAL	**6001**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**7125**	**1.7**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	101	2.2	2	1	1	1	4	4	5
18-34	961	2.5	6	<1	1	2	3	5	6
35-49	119	2.6	6	1	1	1	4	6	8
50-69	0								
70 +	0								
	1181	**2.4**	**6**	**1**	**1**	**2**	**3**	**5**	**6**
0-17	586	1.2		<1	<1	1	1	2	2
18-34	5780	1.2		<1	<1	1	1	2	2
35-49	768	1.2		<1	<1	1	1	2	3
50-69	0								
70 +	0								
	7134	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**2**
	8315	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**

DRG 382: False Labor

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	43	1.0		< 1	1	1	1	1	1
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**43**	**1.0**		**< 1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**43**	**1.0**		**< 1**	**1**	**1**	**1**	**1**	**1**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	5.0							
18-34	231	3.8	38	< 1	1	2	4	5	26
35-49	16	1.7	1						
50-69	0								
70 +	0								
	253	**3.7**	**35**	**< 1**	**1**	**2**	**4**	**5**	**8**
0-17	137	1.3		< 1	< 1	1	1	2	3
18-34	3242	1.2	1	< 1	< 1	1	1	2	2
35-49	450	1.4	4	< 1	< 1	< 1	1	2	2
50-69	0								
70 +	0								
	3829	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**2**
	4082	**1.4**	**4**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	44	2.9	7	1	1	2	5	9	9
18-34	463	2.3	3	< 1	1	2	3	4	5
35-49	11	3.0							
50-69	0								
70 +	0								
SUBTOTAL	**519**	**2.4**	**3**	**< 1**	**1**	**2**	**3**	**5**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1011	1.1		< 1	< 1	< 1	1	1	2
18-34	6024	1.1		< 1	< 1	< 1	1	1	2
35-49	76	1.1		< 1	< 1	< 1	1	1	2
50-69	0								
70 +	0								
SUBTOTAL	**7111**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**2**
GRAND TOTAL	**7630**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**2**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	1.0							
18-34	109	2.7	4	< 1	1	2	4	7	8
35-49	6	1.0							
50-69	0								
70 +	0								
	120	**2.5**	**4**	**< 1**	**1**	**1**	**4**	**6**	**7**
0-17	128	1.2		< 1	< 1	< 1	1	2	2
18-34	1708	1.2	1	< 1	< 1	< 1	1	1	2
35-49	105	1.2		< 1	< 1	< 1	1	2	3
50-69	0								
70 +	0								
	1941	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**2**
	2061	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**

DRG 383: Other Antepartum Diagnoses w/ Medical Complications

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	163	4.4	13	1	2	4	5	12	13
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**163**	**4.4**	**13**	**1**	**2**	**4**	**5**	**12**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	71	4.3	7	2	3	3	5	7	11
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**71**	**4.3**	**7**	**2**	**3**	**3**	**5**	**7**	**11**
GRAND TOTAL	**234**	**4.4**	**11**	**1**	**2**	**3**	**5**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	492	3.8	9	1	2	3	5	7	7
18-34	9822	3.7	26	1	2	3	4	7	9
35-49	1054	3.6	14	1	2	3	4	7	8
50-69	0								
70 +	0								
	11368	**3.7**	**24**	**1**	**2**	**3**	**4**	**7**	**9**
0-17	646	2.7	3	1	1	3	3	5	6
18-34	19669	2.8	5	1	1	2	3	5	6
35-49	2202	3.0	10	1	1	2	4	5	7
50-69	0								
70 +	0								
	22518	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**6**
	33885	**3.1**	**12**	**1**	**2**	**2**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1574	3.6	8	1	2	3	4	6	8
18-34	10217	3.7	11	1	2	3	4	7	9
35-49	493	3.7	7	1	2	3	5	7	9
50-69	0								
70 +	0								
SUBTOTAL	**12284**	**3.7**	**10**	**1**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1939	2.8	5	1	1	2	3	5	6
18-34	12525	2.8	5	1	1	2	3	5	6
35-49	571	3.5	8	1	2	3	5	6	8
50-69	0								
70 +	0								
SUBTOTAL	**15035**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**27319**	**3.2**	**8**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	496	3.3	5	1	2	3	4	6	8
18-34	5703	3.5	12	1	2	3	4	6	8
35-49	374	3.4	7	1	2	3	4	7	9
50-69	0								
70 +	0								
	6573	**3.5**	**11**	**1**	**2**	**3**	**4**	**6**	**8**
0-17	501	2.7	6	1	1	2	3	4	5
18-34	8109	2.7	6	1	1	2	3	5	6
35-49	670	3.2	5	1	2	2	4	6	7
50-69	0								
70 +	0								
	9279	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
	15853	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 384: Other Antepartum Diagnoses w/o Medical Complications

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	6.0								0-17	16	2.6							
70-74	0									18-34	1065	4.6	57	1	1	2	4	8	15
75-79	0									35-49	229	2.6	4	1	1	2	3	4	8
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	6	6.0									1310	4.3	48	1	1	2	4	8	14
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	23	1.3								0-17	196	2.0	5	< 1	1	1	2	3	4
70-74	0									18-34	9021	2.2	6	< 1	1	1	2	4	6
75-79	0									35-49	1629	2.5	11	< 1	1	1	3	5	8
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	23	1.3									10847	2.2	7	< 1	1	1	2	4	6
GRAND TOTAL	28	2.2	4								12157	2.5	12	< 1	1	1	3	4	7

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	59	2.9	3	< 1	1	3	4	6	7	0-17	23	3.8	8						
18-34	785	2.8	6	< 1	1	2	4	5	9	18-34	507	3.4	18	1	1	2	4	6	13
35-49	17	8.3	50							35-49	40	1.6	1	< 1	1	1	3	3	3
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	861	3.0	7	< 1	1	2	4	5	9		569	3.3	16	1	1	2	4	6	13
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	909	2.3	16	< 1	< 1	1	2	4	7	0-17	189	1.5	1	< 1	< 1	1	2	4	4
18-34	6351	2.3	9	< 1	< 1	1	2	4	6	18-34	3674	2.0	7	< 1	< 1	1	2	4	5
35-49	218	1.7	2	< 1	1	1	2	4	5	35-49	458	1.8	2	< 1	< 1	1	2	3	4
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	7478	2.3	10	< 1	< 1	1	2	4	6		4321	1.9	6	< 1	< 1	1	2	4	5
GRAND TOTAL	8339	2.3	10	< 1	< 1	1	3	4	6		4890	2.1	7	< 1	< 1	1	2	4	5

DRG 386: Extreme Immaturity or Respiratory Distress Syndrome, Neonate

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	436	75.2	179	60	67	82	98	99 +	99 +
1000-1499	0									1000-1499	970	46.0	248	28	37	45	57	71	81
1500-1749	0									1500-1749	515	33.2	242	15	24	30	40	56	64
1750-2499	0									1750-2499	1826	14.4	89	4	8	13	18	26	32
2500 +	0									2500 +	1982	7.6	52	2	4	6	9	14	17
SUBTOTAL	**0**										**5729**	**23.7**	**535**	**4**	**7**	**14**	**38**	**67**	**88**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	20	17.0							
1750-2499	0									1750-2499	10	4.0							
2500 +	0									2500 +	47	5.9	5						
SUBTOTAL	**0**										**77**	**8.6**	**29**	**3**	**4**	**7**	**17**	**17**	**17**
GRAND TOTAL	**0**										**5806**	**23.5**	**531**	**4**	**7**	**14**	**37**	**66**	**86**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	563	73.5	270	58	69	83	99 +	99 +	99 +	1-999	265	70.8	202	59	69	78	99 +	99 +	99 +
1000-1499	1166	44.7	275	26	35	43	59	76	99 +	1000-1499	478	49.6	237	32	39	47	61	75	87
1500-1749	596	29.2	159	15	19	27	37	44	53	1500-1749	347	29.8	130	19	22	29	36	47	57
1750-2499	1426	14.7	99	4	7	13	19	28	36	1750-2499	678	16.0	136	3	9	14	22	29	35
2500 +	891	6.6	41	2	4	5	8	11	15	2500 +	809	7.4	75	2	4	6	8	12	21
SUBTOTAL	**4642**	**29.7**	**620**	**4**	**9**	**26**	**51**	**84**	**99 +**		**2577**	**27.0**	**587**	**3**	**7**	**21**	**48**	**76**	**99 +**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	16	23.6	24							1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	0									1750-2499	0								
2500 +	31	3.0	3							2500 +	6	11.0							
SUBTOTAL	**47**	**10.0**	**107**								**6**	**11.0**							
GRAND TOTAL	**4688**	**29.5**	**619**	**4**	**9**	**26**	**51**	**84**	**99 +**		**2583**	**27.0**	**567**	**3**	**7**	**21**	**47**	**76**	**99 +**

DRG 387: Prematurity w/ Major Problems

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	6	67.0							
1000-1499	0									1000-1499	354	39.4	270	22	27	37	48	60	73
1500-1749	11	16.0	4							1500-1749	474	22.7	91	14	17	21	25	32	37
1750-2499	11	8.5	2							1750-2499	3236	10.0	59	3	5	8	13	19	23
2500 +	0									2500 +	2378	5.5	21	2	3	4	7	10	15
SUBTOTAL	**23**	**12.3**	**18**								**6448**	**11.0**	**127**	**2**	**4**	**7**	**14**	**23**	**34**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	6	38.0							
1000-1499	0									1000-1499	32	24.0	41						
1500-1749	0									1500-1749	59	27.1	165	16	17	20	43	49	49
1750-2499	0									1750-2499	452	11.5	83	2	4	9	16	28	29
2500 +	0									2500 +	223	5.6	24	2	2	5	7	11	13
SUBTOTAL	**0**										**772**	**11.7**	**110**	**2**	**4**	**8**	**17**	**28**	**31**
GRAND TOTAL	**23**	**12.3**	**18**								**7220**	**11.0**	**125**	**2**	**4**	**7**	**15**	**24**	**33**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	89	64.2	387	38	55	78	90	99 +	99 +	1-999	23	66.5	285	38	74	76	99 +	99 +	99 +
1000-1499	747	35.6	191	22	27	34	42	52	59	1000-1499	271	37.9	268	21	28	36	47	70	91
1500-1749	788	23.2	115	13	17	21	28	33	43	1500-1749	455	26.2	191	15	18	22	31	46	63
1750-2499	3715	10.3	51	3	5	9	14	19	25	1750-2499	2402	11.0	96	3	5	9	14	20	31
2500 +	1487	6.3	28	2	3	5	7	11	16	2500 +	1043	5.8	52	2	3	4	7	11	13
SUBTOTAL	**6826**	**14.4**	**187**	**3**	**5**	**10**	**19**	**33**	**42**		**4194**	**13.4**	**197**	**2**	**4**	**9**	**17**	**32**	**45**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	11	63.0	110							1-999	0								
1000-1499	108	33.1	99	27	28	30	36	54	63	1000-1499	33	25.3	14						
1500-1749	83	22.4	117	14	15	17	27	41	44	1500-1749	17	20.7	14						
1750-2499	645	8.7	41	2	4	8	11	15	20	1750-2499	264	8.9	40	2	4	7	13	18	18
2500 +	285	4.9	18	2	2	4	6	8	10	2500 +	137	3.6	6	1	2	3	5	6	7
SUBTOTAL	**1134**	**11.6**	**141**	**2**	**4**	**8**	**14**	**29**	**37**		**451**	**8.9**	**61**	**2**	**3**	**6**	**13**	**22**	**25**
GRAND TOTAL	**7961**	**14.0**	**182**	**3**	**5**	**10**	**17**	**32**	**42**		**4644**	**12.9**	**185**	**2**	**4**	**8**	**17**	**31**	**43**

DRG 388: Prematurity w/o Major Problems

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	48	5.2	6	2	4	4	8	8	8
2500 +	23	1.5							
SUBTOTAL	**70**	**4.0**	**8**	**1**	**2**	**4**	**8**	**8**	**8**
GRAND TOTAL	**70**	**4.0**	**8**	**1**	**2**	**4**	**8**	**8**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	54	16.7	6	13	15	16	19	20	20
1750-2499	138	8.7	29	4	5	6	11	18	20
2500 +	60	7.7	39	1	3	5	17	18	18
	253	**10.2**	**38**	**3**	**5**	**9**	**17**	**19**	**20**
1-999	0								
1000-1499	55	28.1	133	14	18	33	38	44	47
1500-1749	93	19.3	40	12	16	18	20	34	34
1750-2499	3773	4.5	13	2	2	4	5	9	13
2500 +	4167	2.7	2	1	2	2	4	4	5
	8088	**3.9**	**16**	**2**	**2**	**3**	**4**	**7**	**11**
	8340	**4.1**	**18**	**2**	**2**	**3**	**4**	**8**	**13**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	28	19.2	50						
1750-2499	293	10.1	34	4	5	9	13	19	23
2500 +	54	5.1	5	2	4	4	8	9	9
SUBTOTAL	**376**	**10.0**	**41**	**4**	**5**	**8**	**13**	**20**	**23**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	94	32.0	242	20	21	29	33	49	78
1500-1749	241	17.8	45	11	15	17	21	23	27
1750-2499	4238	5.0	19	2	2	4	6	11	14
2500 +	2887	2.9	3	1	2	2	4	5	6
SUBTOTAL	**7460**	**4.9**	**33**	**2**	**2**	**3**	**5**	**11**	**16**
GRAND TOTAL	**7836**	**5.2**	**34**	**2**	**2**	**3**	**6**	**12**	**16**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	33	22.4	22						
1750-2499	173	9.3	40	3	5	8	11	18	28
2500 +	22	2.5	1						
	228	**10.6**	**61**	**3**	**5**	**8**	**15**	**25**	**28**
1-999	0								
1000-1499	48	23.3	5	19	22	23	25	26	26
1500-1749	70	14.5	26	9	10	15	17	23	23
1750-2499	2693	4.6	18	2	2	3	5	11	14
2500 +	2489	2.6	4	1	2	2	3	4	5
	5300	**3.9**	**17**	**1**	**2**	**2**	**4**	**9**	**13**
	5527	**4.2**	**21**	**1**	**2**	**2**	**4**	**10**	**14**

DRG 389: Full Term Neonate w/ Major Problems

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	11	76.0	531						
1000-1499	0									1000-1499	44	30.4	222	15	16	24	43	60	60
1500-1749	0									1500-1749	44	18.4	33	9	12	20	21	28	28
1750-2499	20	4.5	2							1750-2499	969	7.4	47	2	3	5	10	16	18
2500 +	79	3.1	2	1	2	3	4	5	5	2500 +	20661	4.1	12	2	2	3	5	7	10
SUBTOTAL	**100**	**3.4**	**2**	**1**	**2**	**3**	**5**	**6**	**6**		**21729**	**4.4**	**19**	**2**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	6	6.0							
1750-2499	6	10.0								1750-2499	176	5.5	26	1	3	4	7	12	18
2500 +	16	2.0								2500 +	4022	3.3	5	2	2	3	4	5	7
SUBTOTAL	**22**	**4.1**	**13**								**4204**	**3.4**	**6**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**121**	**3.5**	**4**	**2**	**2**	**3**	**5**	**6**	**8**		**25933**	**4.2**	**17**	**2**	**2**	**3**	**5**	**8**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	28	63.6	155	49	54	66	82	99 +	99 +	1-999	0								
1000-1499	51	30.1	200	11	18	33	48	76	99 +	1000-1499	17	70.7	352						
1500-1749	116	29.0	277	13	17	24	34	45	72	1500-1749	17	11.7	4						
1750-2499	1393	7.1	68	2	3	5	8	14	20	1750-2499	799	7.0	27	2	4	5	9	15	16
2500 +	15826	4.9	21	2	2	4	6	9	12	2500 +	11827	4.1	12	1	2	3	5	7	10
SUBTOTAL	**17415**	**5.4**	**38**	**2**	**2**	**4**	**6**	**10**	**14**		**12660**	**4.4**	**20**	**2**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	11	38.5	145							1000-1499	6	25.0							
1500-1749	11	32.0	4							1500-1749	0								
1750-2499	526	4.9	22	2	3	4	6	8	11	1750-2499	358	5.8	9	2	3	6	7	11	12
2500 +	4414	4.2	15	2	2	3	5	8	10	2500 +	3413	3.9	8	2	2	3	5	7	9
SUBTOTAL	**4962**	**4.4**	**20**	**2**	**2**	**3**	**5**	**8**	**11**		**3776**	**4.1**	**9**	**2**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**22377**	**5.2**	**34**	**2**	**2**	**4**	**6**	**9**	**13**		**16436**	**4.3**	**18**	**2**	**2**	**3**	**5**	**8**	**10**

DRG 390: Neonate w/ Other Significant Problems

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	10	1.0							
2500 +	201	3.0	3	2	2	2	4	4	9
SUBTOTAL	**211**	**2.9**	**3**	**2**	**2**	**2**	**3**	**4**	**8**
GRAND TOTAL	**211**	**2.9**	**3**	**2**	**2**	**2**	**3**	**4**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	125	5.4	11	2	3	4	7	10	11
2500 +	1181	3.3	5	2	2	3	4	6	7
	1305	**3.5**	**6**	**2**	**2**	**3**	**4**	**6**	**8**
1-999	0								
1000-1499	6	24.0							
1500-1749	49	12.3	11	8	10	13	13	19	19
1750-2499	1935	3.3	11	2	2	3	4	5	7
2500 +	53915	2.6	2	1	2	2	3	4	5
	55904	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**5**
	57210	**2.7**	**2**	**1**	**2**	**2**	**3**	**4**	**5**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	127	6.3	15	2	2	6	8	11	13
2500 +	925	3.3	5	2	2	3	4	6	8
SUBTOTAL	**1052**	**3.6**	**7**	**2**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	6	17.0							
1500-1749	85	13.8	12	10	10	13	15	20	20
1750-2499	3499	3.6	8	2	2	3	4	7	10
2500 +	41921	2.7	3	1	2	2	3	4	5
SUBTOTAL	**45511**	**2.8**	**4**	**1**	**2**	**2**	**3**	**4**	**6**
GRAND TOTAL	**46563**	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**6**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	65	6.8	10	4	4	7	8	12	12
2500 +	609	3.5	9	1	2	3	4	6	10
	673	**3.8**	**10**	**1**	**2**	**3**	**4**	**8**	**10**
1-999	0								
1000-1499	6	23.0							
1500-1749	16	18.4	4						
1750-2499	1859	3.9	38	1	2	3	4	6	10
2500 +	33955	2.5	3	1	2	2	3	4	5
	35835	**2.6**	**5**	**1**	**2**	**2**	**3**	**4**	**5**
	36509	**2.6**	**5**	**1**	**2**	**2**	**3**	**4**	**5**

DRG 391: Normal Newborn

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	0									1750-2499	0								
2500 +	0									2500 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	6	9.0							
1750-2499	0									1750-2499	4561	2.7	1	1	2	2	4	4	5
2500 +	740	2.4	1	1	2	2	3	4	4	2500 +	301170	2.3	1	1	2	2	3	4	4
SUBTOTAL	**740**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**4**		**305737**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**4**
GRAND TOTAL	**740**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**4**		**305737**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	0									1750-2499	0								
2500 +	0									2500 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	20	14.5	13						
1500-1749	16	9.8	6							1500-1749	6	8.0							
1750-2499	5410	2.6	2	1	2	2	3	4	5	1750-2499	2557	2.5	2	1	2	2	3	4	5
2500 +	169716	2.2	1	1	2	2	3	4	4	2500 +	152224	2.1	1	1	1	2	2	4	4
SUBTOTAL	**175142**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**4**		**154807**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**175142**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**4**		**154807**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**

DRG 392: Splenectomy Age >17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	292	10.1	22	5	6	9	13	17	22	0-17	0								
70-74	132	16.7	322	7	8	11	19	28	28	18-34	304	10.8	69	4	5	6	16	25	26
75-79	158	15.3	99	8	10	14	18	24	25	35-49	290	8.1	17	4	5	7	11	14	17
80-84	100	17.5	68	8	12	16	21	31	35	50-69	241	10.3	63	5	6	8	10	15	21
85 +	6	8.0								70 +	10	5.0							
SUBTOTAL	**686**	**13.6**	**113**	**6**	**8**	**12**	**16**	**22**	**28**		**846**	**9.6**	**50**	**4**	**6**	**7**	**11**	**18**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	147	8.4	24	4	4	7	10	13	21	0-17	0								
70-74	26	7.0	1							18-34	305	5.0	3	3	4	5	5	7	9
75-79	26	9.6	39							35-49	112	6.4	19	4	5	5	6	9	21
80-84	16	8.0								50-69	153	6.4	15	3	4	5	8	10	11
85 +	0									70 +	0								
SUBTOTAL	**216**	**8.4**	**21**	**4**	**5**	**8**	**10**	**13**	**21**		**570**	**5.7**	**10**	**3**	**4**	**5**	**7**	**9**	**10**
GRAND TOTAL	**902**	**12.4**	**96**	**5**	**7**	**10**	**15**	**21**	**25**		**1416**	**8.0**	**38**	**4**	**5**	**6**	**9**	**15**	**22**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	66	12.6	72	6	7	9	14	24	31	18-34	214	9.6	223	4	6	7	9	11	14
35-49	27	8.0	21							35-49	130	10.4	34	5	7	8	16	20	21
50-69	22	7.6	7							50-69	112	11.9	93	6	8	9	13	22	45
70 +	0									70 +	0								
SUBTOTAL	**114**	**10.6**	**53**	**4**	**6**	**9**	**11**	**24**	**29**		**457**	**10.4**	**137**	**5**	**6**	**8**	**10**	**16**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	49	9.4	56	5	6	6	8	29	29	18-34	194	6.0	7	3	4	5	6	9	14
35-49	32	4.5	1							35-49	75	6.5	6	4	5	6	8	9	13
50-69	0									50-69	38	5.8	4	3	4	6	8	8	8
70 +	0									70 +	0								
SUBTOTAL	**80**	**7.5**	**39**	**4**	**5**	**6**	**6**	**12**	**29**		**307**	**6.1**	**7**	**4**	**4**	**5**	**7**	**9**	**13**
GRAND TOTAL	**195**	**9.3**	**49**	**4**	**5**	**7**	**10**	**24**	**29**		**764**	**8.7**	**89**	**4**	**5**	**7**	**9**	**15**	**19**

DRG 393: Splenectomy Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	139	6.6	6	5	5	6	7	9	13
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**139**	**6.6**	**6**	**5**	**5**	**6**	**7**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	356	4.6	2	3	4	4	5	6	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**356**	**4.6**	**2**	**3**	**4**	**4**	**5**	**6**	**6**
GRAND TOTAL	**0**										**495**	**5.1**	**4**	**3**	**4**	**5**	**6**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	34	5.7	2	4	4	6	7	8	8	0-17	27	6.9	6						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**34**	**5.7**	**2**	**4**	**4**	**6**	**7**	**8**	**8**		**27**	**6.9**	**6**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	60	5.7	7	3	3	5	9	10	11	0-17	120	5.2	4	3	4	5	6	8	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**60**	**5.7**	**7**	**3**	**3**	**5**	**9**	**10**	**11**		**120**	**5.2**	**4**	**3**	**4**	**5**	**6**	**8**	**9**
GRAND TOTAL	**94**	**5.7**	**5**	**3**	**4**	**5**	**7**	**9**	**11**		**147**	**5.5**	**5**	**3**	**4**	**5**	**6**	**8**	**11**

DRG 394: Other O.R. Procedures of the Blood And Blood Forming Organs

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	195	8.5	26	3	6	8	11	15	21	0-17	72	13.5	59	5	7	12	17	24	30
70-74	95	8.4	19	2	5	9	13	15	16	18-34	111	4.9	6	1	3	5	8	8	8
75-79	69	9.2	136	2	3	5	14	44	99 +	35-49	154	8.2	49	1	2	6	14	18	20
80-84	47	11.9	35							50-69	111	11.8	162	1	3	6	23	34	37
85 +	48	10.7	26	5	6	10	15	19	19	70 +	0								
SUBTOTAL	**453**	**9.2**	**43**	**3**	**5**	**7**	**13**	**19**	**20**		**449**	**9.1**	**77**	**1**	**3**	**6**	**12**	**23**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	63	4.9	17	2	2	3	7	10	15	0-17	629	4.0	13	< 1	1	3	6	8	9
70-74	76	2.6	5	1	1	2	3	7	7	18-34	273	2.2	7	1	1	1	2	5	10
75-79	75	7.1	7	3	6	7	10	11	11	35-49	306	3.1	10	< 1	1	1	4	9	11
80-84	26	3.0	3							50-69	298	2.6	5	< 1	1	1	3	6	7
85 +	6	18.0								70 +	0								
SUBTOTAL	**246**	**4.9**	**15**	**1**	**2**	**3**	**7**	**10**	**12**		**1506**	**3.2**	**10**	**< 1**	**1**	**2**	**5**	**8**	**10**
GRAND TOTAL	**699**	**7.7**	**37**	**2**	**3**	**6**	**11**	**16**	**19**		**1955**	**4.6**	**32**	**< 1**	**1**	**2**	**6**	**10**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	28	15.8	220							0-17	44	10.4	74	4	5	8	10	32	32
18-34	66	10.2	62	3	4	10	11	16	31	18-34	80	7.0	34	1	1	4	11	16	19
35-49	22	7.8	17							35-49	48	7.4	22	2	4	6	10	15	15
50-69	22	23.1	482							50-69	32	13.4	211						
70 +	0									70 +	0								
SUBTOTAL	**137**	**13.0**	**175**	**3**	**4**	**10**	**12**	**31**	**41**		**204**	**8.8**	**72**	**1**	**4**	**8**	**10**	**16**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	136	4.7	8	1	2	5	6	9	9	0-17	244	4.9	21	< 1	1	4	7	10	11
18-34	69	3.8	7	1	2	3	5	9	9	18-34	220	3.3	11	1	1	1	6	6	10
35-49	28	3.8	23							35-49	95	3.2	3	1	2	3	5	6	6
50-69	6	1.0								50-69	37	2.5	2						
70 +	6	1.0								70 +	6	1.0							
SUBTOTAL	**245**	**4.2**	**10**	**1**	**1**	**4**	**6**	**9**	**10**		**603**	**3.9**	**14**	**1**	**1**	**3**	**6**	**9**	**10**
GRAND TOTAL	**381**	**7.4**	**87**	**1**	**2**	**5**	**9**	**13**	**23**		**807**	**5.1**	**33**	**1**	**1**	**4**	**6**	**10**	**15**

DRG 395: Red Blood Cell Disorders Age >17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5647	7.1	50	2	3	5	9	14	19	0-17	0								
70-74	3038	6.4	45	2	2	5	8	13	17	18-34	1058	7.0	36	1	3	6	9	13	19
75-79	3496	6.2	24	2	3	5	8	12	15	35-49	1630	6.4	41	1	2	5	8	15	18
80-84	3075	6.2	38	2	3	5	8	12	17	50-69	2735	5.6	29	1	2	4	7	11	16
85 +	3568	6.4	52	1	3	5	8	12	16	70 +	336	6.9	27	1	2	7	10	15	19
SUBTOTAL	**18825**	**6.5**	**43**	**2**	**3**	**5**	**8**	**13**	**17**		**5758**	**6.2**	**34**	**1**	**2**	**5**	**8**	**13**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2942	6.3	29	2	3	5	7	11	15	0-17	0								
70-74	935	4.3	11	1	2	3	5	8	10	18-34	2137	4.7	13	1	2	4	7	9	11
75-79	970	4.2	10	1	2	3	5	9	12	35-49	1424	4.4	17	1	2	3	5	8	12
80-84	988	3.7	11	1	1	3	5	7	9	50-69	1255	3.8	8	1	2	3	5	7	8
85 +	812	4.1	7	1	2	4	5	7	10	70 +	162	2.6	3	1	1	1	4	5	5
SUBTOTAL	**6648**	**5.0**	**20**	**1**	**2**	**4**	**6**	**9**	**12**		**4978**	**4.3**	**13**	**1**	**2**	**3**	**6**	**8**	**11**
GRAND TOTAL	**25473**	**6.2**	**37**	**1**	**3**	**5**	**8**	**12**	**15**		**10737**	**5.3**	**25**	**1**	**2**	**4**	**7**	**11**	**15**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	1958	7.2	34	2	4	6	8	14	20	18-34	615	5.9	14	2	4	5	7	11	13
35-49	1003	6.6	27	2	3	6	8	12	17	35-49	658	5.3	19	1	2	4	7	10	13
50-69	806	6.6	27	2	3	5	8	14	17	50-69	761	6.0	31	1	2	4	8	15	19
70 +	171	9.4	98	4	4	7	10	14	46	70 +	115	7.1	13	3	5	7	10	10	16
SUBTOTAL	**3939**	**7.0**	**34**	**2**	**3**	**6**	**8**	**13**	**19**		**2148**	**5.8**	**22**	**1**	**3**	**5**	**7**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	4053	5.9	17	2	3	5	7	10	14	18-34	1151	4.9	11	1	3	4	6	9	11
35-49	750	5.3	14	2	3	4	7	10	14	35-49	608	4.1	9	1	2	3	6	7	10
50-69	209	4.2	18	1	2	3	5	9	11	50-69	247	3.1	6	1	1	2	5	7	8
70 +	6	4.0								70 +	32	4.3	4						
SUBTOTAL	**5017**	**5.7**	**17**	**2**	**3**	**5**	**7**	**10**	**14**		**2038**	**4.4**	**10**	**1**	**2**	**4**	**6**	**8**	**11**
GRAND TOTAL	**8956**	**6.3**	**25**	**2**	**3**	**5**	**8**	**12**	**16**		**4186**	**5.1**	**17**	**1**	**2**	**4**	**7**	**10**	**13**

DRG 396: Red Blood Cell Disorders Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	56	1.8	1	<1	<1	1	3	4	4	0-17	973	5.6	45	1	1	4	7	11	14
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**56**	**1.8**	**1**	**<1**	**<1**	**1**	**3**	**4**	**4**		**973**	**5.6**	**45**	**1**	**1**	**4**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	1.0								0-17	3196	3.6	11	1	1	3	5	7	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**1.0**									**3196**	**3.6**	**11**	**1**	**1**	**3**	**5**	**7**	**8**
GRAND TOTAL	**62**	**1.7**	**1**	**<1**	**<1**	**1**	**3**	**3**	**4**		**4168**	**4.1**	**20**	**1**	**1**	**3**	**5**	**8**	**10**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1148	5.6	40	1	2	4	7	10	12	0-17	597	5.3	25	1	2	4	7	10	16
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1148**	**5.6**	**40**	**1**	**2**	**4**	**7**	**10**	**12**		**597**	**5.3**	**25**	**1**	**2**	**4**	**7**	**10**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3671	3.9	11	1	2	3	5	7	9	0-17	1368	3.2	6	1	1	3	4	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**3671**	**3.9**	**11**	**1**	**2**	**3**	**5**	**7**	**9**		**1368**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**8**
GRAND TOTAL	**4819**	**4.3**	**18**	**1**	**2**	**3**	**5**	**8**	**10**		**1965**	**3.8**	**13**	**1**	**2**	**3**	**5**	**8**	**9**

DRG 397: Coagulation Disorders

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	758	6.7	27	2	3	6	8	12	15
70-74	548	6.7	25	3	4	6	8	12	19
75-79	647	6.9	29	2	3	6	9	14	20
80-84	538	8.0	32	3	4	7	11	14	18
85 +	339	10.6	109	3	5	8	12	21	41
SUBTOTAL	**2830**	**7.5**	**39**	**2**	**4**	**6**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	231	4.3	7	1	3	4	5	7	9
70-74	172	4.1	8	1	2	3	6	7	10
75-79	154	8.4	27	3	4	7	11	15	20
80-84	121	6.2	19	2	3	5	8	13	17
85 +	95	5.8	13	2	3	5	7	13	13
SUBTOTAL	**774**	**5.6**	**16**	**2**	**3**	**5**	**7**	**11**	**15**
GRAND TOTAL	**3604**	**7.1**	**35**	**2**	**4**	**6**	**9**	**13**	**17**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	453	3.6	9	1	1	2	5	8	10
18-34	173	5.4	19	1	2	4	7	15	15
35-49	362	5.4	19	2	3	4	6	11	15
50-69	680	5.9	43	2	2	4	7	9	16
70 +	26	7.7	14						
	1695	**5.1**	**27**	**1**	**2**	**4**	**7**	**10**	**14**
0-17	1325	2.9	5	1	1	2	4	6	7
18-34	349	4.4	11	1	2	4	5	8	9
35-49	313	4.7	11	2	3	4	6	8	9
50-69	364	4.3	8	1	2	3	6	9	9
70 +	10	3.0							
	2362	**3.6**	**8**	**1**	**2**	**3**	**5**	**7**	**9**
	4056	**4.2**	**16**	**1**	**2**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	176	4.9	18	1	2	3	6	12	14
18-34	114	5.1	14	2	3	4	5	8	16
35-49	203	8.5	51	3	4	6	10	20	29
50-69	76	8.1	42	2	4	4	16	16	22
70 +	11	9.0	27						
SUBTOTAL	**581**	**6.7**	**35**	**2**	**3**	**4**	**8**	**16**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	452	3.3	7	1	2	2	4	7	9
18-34	112	4.7	9	2	3	4	6	10	11
35-49	58	2.9	3	1	1	2	5	5	5
50-69	57	5.7	61	1	1	2	5	22	22
70 +	0								
SUBTOTAL	**679**	**3.7**	**12**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**1260**	**5.1**	**25**	**1**	**2**	**4**	**5**	**10**	**16**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	184	3.3	8	1	1	3	4	6	9
18-34	125	5.3	31	1	1	4	7	10	18
35-49	172	5.1	17	2	2	3	9	11	12
50-69	179	6.4	21	2	3	4	8	13	16
70 +	16	6.8	16						
	676	**5.0**	**19**	**1**	**2**	**3**	**8**	**12**	**14**
0-17	736	2.7	10	1	1	2	3	5	7
18-34	169	2.9	3	1	1	3	4	5	5
35-49	160	2.9	2	1	2	3	3	5	6
50-69	101	2.6	6	< 1	< 1	< 1	5	6	8
70 +	0								
	1165	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**6**
	1841	**3.6**	**13**	**1**	**1**	**2**	**4**	**8**	**11**

DRG 398: Reticuloendothelial & Immunity Disorders w/ CC

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH		TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	1938	7.8	26	3	4	6	10	15	18		0-17	2195	6.2	30	2	3	5	7	11	17
70-74	1389	7.3	22	3	4	6	8	12	15		18-34	757	7.0	19	3	4	6	9	12	15
75-79	1124	8.2	77	2	4	6	10	14	21		35-49	1151	6.9	22	2	4	6	9	12	16
80-84	538	9.0	40	3	4	7	12	18	21		50-69	2338	7.3	36	3	4	6	9	14	16
85 +	350	9.9	72	3	5	7	12	22	29		70 +	111	10.9	80	3	5	8	16	23	32
SUBTOTAL	**5339**	**8.0**	**41**	**3**	**4**	**6**	**10**	**15**	**20**			**6552**	**6.9**	**31**	**3**	**4**	**5**	**8**	**13**	**16**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0										0-17	0								
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**5339**	**8.0**	**41**	**3**	**4**	**6**	**10**	**15**	**20**			**6552**	**6.9**	**31**	**3**	**4**	**5**	**8**	**13**	**16**

TYPE OF PATIENT	MEDICAID										NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH		TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	897	6.4	21	2	4	5	8	11	15		0-17	772	5.7	18	2	3	4	7	12	16
18-34	145	9.2	20	5	6	8	15	16	16		18-34	347	6.8	41	2	3	5	8	12	20
35-49	258	6.7	14	3	4	6	9	12	14		35-49	227	6.7	41	2	4	5	8	12	24
50-69	224	7.4	17	3	5	7	10	12	14		50-69	444	7.8	21	4	5	7	10	13	16
70 +	22	5.8	4								70 +	27	5.1	19						
SUBTOTAL	**1546**	**6.8**	**20**	**3**	**4**	**6**	**9**	**13**	**16**			**1817**	**6.6**	**27**	**2**	**3**	**5**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**1546**	**6.8**	**20**	**3**	**4**	**6**	**9**	**13**	**16**			**1817**	**6.6**	**27**	**2**	**3**	**5**	**8**	**12**	**17**

DRG 399: Reticuloendothelial & Immunity Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	170	5.7	22	3	3	4	7	9	22	0-17	2134	4.5	11	1	2	4	6	8	10
70-74	181	5.2	9	2	3	4	7	9	12	18-34	490	3.7	7	1	2	3	5	8	8
75-79	117	8.7	71	4	4	6	10	22	33	35-49	595	4.3	6	2	3	4	6	7	8
80-84	102	3.7	9	1	1	3	5	9	10	50-69	425	5.2	29	2	3	4	6	8	11
85 +	48	4.9	7	1	2	6	7	9	9	70 +	10	7.0							
SUBTOTAL	**618**	**5.7**	**27**	**2**	**3**	**4**	**7**	**10**	**12**		**3655**	**4.4**	**12**	**1**	**2**	**4**	**6**	**8**	**9**
GRAND TOTAL	**618**	**5.7**	**27**	**2**	**3**	**4**	**7**	**10**	**12**		**3655**	**4.4**	**12**	**1**	**2**	**4**	**6**	**8**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	812	4.8	18	2	2	4	6	9	11	0-17	868	4.8	10	2	3	4	6	8	10
18-34	96	3.4	5	1	2	2	5	7	8	18-34	219	5.3	69	1	2	4	6	8	9
35-49	69	5.2	19	2	2	4	5	15	15	35-49	152	4.2	6	1	2	5	6	8	9
50-69	48	9.0	16	4	6	8	9	16	16	50-69	86	3.5	4	1	2	3	6	6	6
70 +	10	4.0								70 +	0								
SUBTOTAL	**1035**	**4.8**	**17**	**1**	**2**	**4**	**6**	**9**	**12**		**1325**	**4.7**	**19**	**1**	**3**	**4**	**6**	**8**	**9**
GRAND TOTAL	**1035**	**4.8**	**17**	**1**	**2**	**4**	**6**	**9**	**12**		**1325**	**4.7**	**19**	**1**	**3**	**4**	**6**	**8**	**9**

DRG 400: Lymphoma & Leukemia w/ Major O.R. Procedure

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	584	14.8	129	4	8	12	17	27	41
70-74	436	13.3	112	3	5	11	17	28	40
75-79	437	15.0	119	4	7	13	22	32	36
80-84	259	13.9	144	4	7	9	17	31	35
85 +	84	17.3	33	7	15	18	20	27	27
SUBTOTAL	**1800**	**14.5**	**121**	**4**	**7**	**11**	**18**	**29**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	337	6.6	27	2	3	6	8	13	17
70-74	205	7.1	16	3	4	6	11	13	16
75-79	107	7.7	20	4	5	6	10	13	19
80-84	91	4.7	10	1	3	4	5	11	12
85 +	36	15.1	156						
SUBTOTAL	**775**	**7.1**	**31**	**2**	**4**	**6**	**9**	**13**	**17**
GRAND TOTAL	**2576**	**12.2**	**105**	**3**	**5**	**9**	**16**	**25**	**35**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	67	22.4	308	6	10	20	28	33	73
18-34	133	8.2	35	4	5	6	12	17	23
35-49	190	17.5	248	5	6	12	25	35	60
50-69	644	13.0	119	4	6	10	18	26	34
70 +	11	3.0	1						
	1044	**13.7**	**155**	**4**	**6**	**10**	**19**	**28**	**36**
0-17	121	7.5	80	2	3	6	7	13	29
18-34	379	5.3	7	2	4	5	7	8	8
35-49	405	5.0	8	1	2	5	7	9	10
50-69	466	5.2	10	1	3	5	7	9	11
70 +	6	4.0							
	1376	**5.4**	**15**	**1**	**3**	**5**	**7**	**9**	**11**
	2420	**9.0**	**93**	**2**	**4**	**6**	**10**	**21**	**26**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	45.8	1425						
18-34	28	22.2	912						
35-49	22	37.4	528						
50-69	75	14.8	96	8	8	11	19	21	44
70 +	0								
SUBTOTAL	**147**	**24.3**	**647**	**5**	**8**	**12**	**26**	**80**	**81**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	17	10.0	6						
18-34	22	6.5	20						
35-49	16	9.2	20						
50-69	6	8.0							
70 +	6	8.0							
SUBTOTAL	**66**	**8.3**	**15**	**6**	**6**	**8**	**13**	**13**	**15**
GRAND TOTAL	**213**	**19.4**	**505**	**5**	**7**	**11**	**19**	**60**	**81**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	4.0	1						
18-34	69	16.1	120	6	7	10	21	35	35
35-49	58	10.8	25	5	7	9	15	20	22
50-69	162	13.3	88	4	7	10	17	29	38
70 +	11	8.5	13						
	312	**13.0**	**84**	**4**	**7**	**10**	**17**	**29**	**35**
0-17	40	10.0	73	4	5	7	11	30	30
18-34	76	6.6	6	4	5	6	7	8	14
35-49	57	4.1	4	1	2	5	6	6	6
50-69	80	5.5	16	1	1	5	7	10	15
70 +	10	1.0							
	263	**6.0**	**23**	**1**	**4**	**5**	**7**	**10**	**14**
	574	**9.8**	**68**	**2**	**5**	**7**	**12**	**21**	**30**

DRG 401: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	630	10.3	83	2	4	6	14	25	30
70-74	547	11.8	75	3	5	10	15	26	29
75-79	495	13.9	119	3	7	11	18	30	39
80-84	292	14.7	170	2	5	10	20	35	45
85 +	158	9.8	39	2	3	11	13	20	24
SUBTOTAL	**2123**	**12.1**	**101**	**2**	**5**	**9**	**15**	**27**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2123**	**12.1**	**101**	**2**	**5**	**9**	**15**	**27**	**34**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	17	6.3	18						
18-34	58	9.1	11	4	8	8	11	14	14
35-49	209	8.0	73	2	3	5	9	16	28
50-69	582	10.6	72	2	4	9	15	23	27
70 +	32	8.3	13						
	898	**9.7**	**67**	**2**	**4**	**8**	**13**	**21**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	898	**9.7**	**67**	**2**	**4**	**8**	**13**	**21**	**27**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	11	9.0	39						
18-34	28	7.2	23	1	5	11	14	99 +	99 +
35-49	43	14.9	97	< 1	10	12	13	31	31
50-69	28	10.8	39						
70 +	6	23.0							
SUBTOTAL	**116**	**11.8**	**69**	**3**	**5**	**11**	**16**	**31**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**116**	**11.8**	**69**	**3**	**5**	**11**	**16**	**31**	**45**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	12.5	7						
18-34	33	8.5	31						
35-49	59	7.7	21	2	5	6	13	15	15
50-69	165	10.8	169	2	5	6	13	20	28
70 +	6	1.0							
	274	**9.7**	**114**	**2**	**5**	**7**	**13**	**19**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	274	**9.7**	**114**	**2**	**5**	**7**	**13**	**19**	**20**

DRG 402: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	243	4.7	21	1	1	3	7	10	15
70-74	261	4.6	21	1	1	3	6	13	14
75-79	76	6.6	27	1	3	5	11	17	17
80-84	69	4.7	19	1	1	3	6	9	16
85 +	43	2.9	4	< 1	1	2	4	7	7
SUBTOTAL	**691**	**4.8**	**21**	**1**	**1**	**3**	**7**	**12**	**16**
GRAND TOTAL	**691**	**4.8**	**21**	**1**	**1**	**3**	**7**	**12**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	93	4.8	8	1	2	5	6	10	10
18-34	220	3.9	10	1	2	3	4	9	12
35-49	270	4.4	19	1	1	3	6	8	10
50-69	548	3.9	10	1	1	3	6	9	10
70 +	0								
	1130	**4.1**	**12**	**1**	**1**	**3**	**6**	**9**	**10**
	1130	**4.1**	**12**	**1**	**1**	**3**	**6**	**9**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	6.8	18						
18-34	37	7.1	13						
35-49	52	8.8	62	1	2	7	15	22	22
50-69	17	4.3	12						
70 +	0								
SUBTOTAL	**129**	**7.4**	**35**	**1**	**2**	**8**	**9**	**15**	**22**
GRAND TOTAL	**129**	**7.4**	**35**	**1**	**2**	**8**	**9**	**15**	**22**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	32	4.6	14						
18-34	96	4.2	8	1	2	4	6	9	11
35-49	69	2.6	3	< 1	1	2	4	6	6
50-69	76	7.2	44	1	1	5	16	18	18
70 +	28	4.6	20						
	301	**4.7**	**20**	**< 1**	**1**	**3**	**6**	**11**	**16**
	301	**4.7**	**20**	**< 1**	**1**	**3**	**6**	**11**	**16**

DRG 403: Lymphoma & Non-acute Leukemia w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1803	11.4	81	3	5	9	16	25	29	0-17	120	5.6	34	1	2	4	5	14	20
70-74	1345	11.3	97	2	5	8	15	24	34	18-34	229	13.6	167	3	4	9	18	35	36
75-79	1531	12.3	131	3	5	9	15	23	40	35-49	650	11.7	116	2	5	9	14	27	32
80-84	1010	9.8	63	3	5	8	12	18	24	50-69	2118	10.3	89	3	4	8	13	20	28
85 +	760	10.8	70	3	5	8	14	25	31	70 +	168	10.9	141	2	3	7	15	24	49
SUBTOTAL	**6449**	**11.3**	**92**	**3**	**5**	**9**	**15**	**23**	**31**		**3285**	**10.7**	**102**	**2**	**4**	**8**	**13**	**23**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**6449**	**11.3**	**92**	**3**	**5**	**9**	**15**	**23**	**31**		**3285**	**10.7**	**102**	**2**	**4**	**8**	**13**	**23**	**32**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	62	6.4	29	2	3	5	7	13	21	0-17	28	9.6	24						
18-34	93	14.9	106	5	7	11	22	27	39	18-34	71	7.7	60	2	3	3	9	15	30
35-49	102	10.5	30	5	6	9	15	19	24	35-49	152	9.1	50	3	4	8	10	16	27
50-69	229	10.4	81	3	6	8	11	20	31	50-69	409	10.0	66	2	4	8	13	24	29
70 +	22	15.2	331							70 +	26	7.4	2						
SUBTOTAL	**507**	**11.0**	**85**	**3**	**5**	**8**	**15**	**22**	**27**		**686**	**9.4**	**58**	**2**	**4**	**8**	**12**	**19**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**507**	**11.0**	**85**	**3**	**5**	**8**	**15**	**22**	**27**		**686**	**9.4**	**58**	**2**	**4**	**8**	**12**	**19**	**28**

DRG 404: Lymphoma & Non-acute Leukemia w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	533	5.1	14	1	2	4	7	10	12	0-17	165	3.1	13	1	1	2	4	8	10
70-74	357	6.2	18	2	3	5	9	13	14	18-34	274	3.5	9	< 1	1	2	5	6	13
75-79	323	4.7	11	1	2	4	7	10	11	35-49	468	5.5	29	1	2	4	8	11	11
80-84	240	6.2	16	1	3	6	8	12	14	50-69	974	4.8	21	1	1	4	7	10	12
85 +	128	5.0	36	1	1	4	6	10	13	70 +	26	4.5	5						
SUBTOTAL	**1581**	**5.4**	**17**	**1**	**2**	**4**	**8**	**10**	**14**		**1908**	**4.6**	**21**	**1**	**1**	**4**	**6**	**10**	**11**
GRAND TOTAL	**1581**	**5.4**	**17**	**1**	**2**	**4**	**8**	**10**	**14**		**1908**	**4.6**	**21**	**1**	**1**	**4**	**6**	**10**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	56	5.7	33	< 1	2	5	6	17	22	0-17	72	3.3	5	1	1	4	5	6	7
18-34	48	6.1	35	< 1	2	4	5	17	17	18-34	120	4.3	8	1	2	4	6	9	10
35-49	44	3.6	7	1	1	4	5	9	9	35-49	140	4.9	33	1	2	2	7	14	22
50-69	72	2.8	6	1	1	1	4	5	9	50-69	135	3.8	9	< 1	1	3	6	9	9
70 +	16	2.9	2							70 +	32	2.9	3						
SUBTOTAL	**236**	**4.3**	**20**	**1**	**1**	**4**	**5**	**9**	**17**		**499**	**4.1**	**15**	**1**	**1**	**3**	**5**	**9**	**10**
GRAND TOTAL	**236**	**4.3**	**20**	**1**	**1**	**4**	**5**	**9**	**17**		**499**	**4.1**	**15**	**1**	**1**	**3**	**5**	**9**	**10**

DRG 405: Acute Leukemia w/o Major O.R. Procedure Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	624	8.9	66	2	4	7	11	21	27
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**624**	**8.9**	**66**	**2**	**4**	**7**	**11**	**21**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	643	5.2	40	1	2	4	6	10	16
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**643**	**5.2**	**40**	**1**	**2**	**4**	**6**	**10**	**16**
GRAND TOTAL	**0**										**1268**	**7.0**	**56**	**1**	**3**	**5**	**9**	**14**	**24**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	201	11.9	236	4	4	8	14	22	43	0-17	158	22.3	356	4	8	15	34	57	61
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**201**	**11.9**	**236**	**4**	**4**	**8**	**14**	**22**	**43**		**158**	**22.3**	**356**	**4**	**8**	**15**	**34**	**57**	**61**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	194	5.4	14	<1	2	5	8	10	13	0-17	250	6.1	17	1	3	5	9	12	13
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**194**	**5.4**	**14**	**<1**	**2**	**5**	**8**	**10**	**13**		**250**	**6.1**	**17**	**1**	**3**	**5**	**9**	**12**	**13**
GRAND TOTAL	**396**	**8.7**	**137**	**1**	**4**	**7**	**10**	**15**	**22**		**408**	**12.4**	**211**	**2**	**4**	**8**	**13**	**34**	**50**

DRG 406: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R.Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	359	12.5	150	3	5	7	17	25	45	0-17	23	7.8	1						
70-74	310	10.4	62	2	5	9	13	21	24	18-34	90	9.5	31	5	7	8	10	24	24
75-79	222	15.0	184	4	7	12	18	28	57	35-49	188	11.6	139	4	6	7	11	23	37
80-84	198	16.0	100	3	5	16	25	30	36	50-69	403	11.9	183	3	4	8	14	24	41
85 +	58	8.6	29	4	4	8	10	20	23	70 +	6	6.0							
SUBTOTAL	**1148**	**12.8**	**123**	**3**	**5**	**9**	**17**	**25**	**37**		**709**	**11.4**	**146**	**3**	**5**	**8**	**11**	**24**	**39**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1148**	**12.8**	**123**	**3**	**5**	**9**	**17**	**25**	**37**		**709**	**11.4**	**146**	**3**	**5**	**8**	**11**	**24**	**39**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	17	7.3	12							0-17	6	4.0							
18-34	10	1.0								18-34	23	13.8	51						
35-49	10	2.0								35-49	40	9.3	39	4	4	9	10	23	23
50-69	75	17.1	209	3	8	10	19	42	45	50-69	119	14.1	180	2	6	10	16	35	46
70 +	0									70 +	0								
SUBTOTAL	**112**	**12.8**	**181**	**2**	**3**	**9**	**14**	**42**	**44**		**187**	**12.7**	**134**	**2**	**5**	**10**	**16**	**23**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**112**	**12.8**	**181**	**2**	**3**	**9**	**14**	**42**	**44**		**187**	**12.7**	**134**	**2**	**5**	**10**	**16**	**23**	**35**

DRG 407: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R.Proc w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	109	6.1	15	1	3	6	9	12	14	0-17	44	5.3	11	2	2	4	9	11	11
70-74	44	7.0	14	2	3	7	9	15	15	18-34	49	8.4	18	2	6	8	10	15	15
75-79	48	7.3	34	2	3	7	7	22	22	35-49	97	5.6	19	1	3	4	7	9	20
80-84	58	5.8	18	2	2	4	8	13	16	50-69	341	6.9	37	2	3	5	9	11	15
85 +	6	1.0								70 +	11	1.0							
SUBTOTAL	**264**	**6.3**	**19**	**2**	**3**	**6**	**8**	**12**	**15**		**542**	**6.5**	**30**	**2**	**3**	**5**	**9**	**11**	**15**
GRAND TOTAL	**264**	**6.3**	**19**	**2**	**3**	**6**	**8**	**12**	**15**		**542**	**6.5**	**30**	**2**	**3**	**5**	**9**	**11**	**15**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	8.0								0-17	6	5.0							
18-34	11	4.0	4							18-34	10	6.0							
35-49	22	3.6	7							35-49	70	4.4	7	1	3	3	6	8	9
50-69	36	10.9	37							50-69	37	4.8	4						
70 +	0									70 +	0								
SUBTOTAL	**75**	**7.6**	**32**	**1**	**4**	**6**	**14**	**18**	**18**		**123**	**4.7**	**5**	**1**	**3**	**5**	**6**	**8**	**8**
GRAND TOTAL	**75**	**7.6**	**32**	**1**	**4**	**6**	**14**	**18**	**18**		**123**	**4.7**	**5**	**1**	**3**	**5**	**6**	**8**	**8**

DRG 408: Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R.Proc

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	421	7.8	67	2	2	4	10	20	27
70-74	355	7.9	76	1	2	4	12	20	21
75-79	184	11.0	100	2	2	6	19	28	35
80-84	118	6.2	31	1	2	4	9	10	20
85 +	60	9.2	70	2	4	7	12	20	32
SUBTOTAL	**1137**	**8.3**	**73**	**2**	**2**	**5**	**11**	**20**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	204	2.7	2	1	2	2	4	5	6
70-74	133	5.4	18	1	3	4	9	13	13
75-79	155	3.0	8	1	2	2	3	5	7
80-84	125	3.8	5	1	2	3	5	7	9
85 +	49	2.9	3	1	1	4	4	5	5
SUBTOTAL	**665**	**3.5**	**8**	**1**	**2**	**3**	**4**	**6**	**10**
GRAND TOTAL	**1802**	**6.5**	**54**	**1**	**2**	**4**	**8**	**16**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	5.8	32	1	3	4	6	21	21
18-34	50	4.8	12	1	2	4	9	10	10
35-49	292	5.7	36	1	2	4	6	12	23
50-69	524	5.4	22	2	2	4	6	11	14
70 +	26	6.1	32						
	942	**5.5**	**27**	**2**	**2**	**4**	**6**	**12**	**17**
0-17	83	4.2	27	< 1	1	2	4	15	18
18-34	122	2.9	5	1	1	2	4	7	8
35-49	365	3.1	7	1	2	2	3	6	7
50-69	285	2.8	4	1	2	2	3	5	8
70 +	23	1.5							
	878	**3.0**	**8**	**1**	**1**	**2**	**3**	**6**	**8**
	1820	**4.3**	**19**	**1**	**2**	**3**	**5**	**9**	**12**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	45	14.0	351	1	3	6	17	59	59
18-34	10	6.0							
35-49	62	6.1	38	2	2	4	8	13	24
50-69	145	8.6	87	1	3	5	14	22	24
70 +	0								
SUBTOTAL	**262**	**8.9**	**123**	**1**	**3**	**5**	**8**	**24**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	2.8	6						
18-34	36	1.6	1						
35-49	68	3.8	4	2	3	3	5	6	8
50-69	49	2.8	6	1	1	2	3	8	8
70 +	0								
SUBTOTAL	**175**	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**438**	**6.5**	**84**	**1**	**2**	**3**	**6**	**19**	**24**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	9.0	54						
18-34	55	4.5	5	< 1	3	5	6	8	8
35-49	152	7.3	42	1	4	6	9	21	21
50-69	144	4.8	18	2	2	4	5	7	19
70 +	0								
	362	**6.0**	**29**	**1**	**3**	**5**	**7**	**14**	**19**
0-17	34	5.7	15	1	2	5	8	12	12
18-34	45	3.9	7	1	2	5	6	8	8
35-49	145	3.3	11	1	1	2	4	7	14
50-69	91	3.1	2	1	2	3	4	5	6
70 +	6	1.0							
	320	**3.5**	**9**	**1**	**1**	**2**	**5**	**7**	**10**
	683	**4.8**	**21**	**1**	**2**	**4**	**6**	**9**	**14**

DRG 409: Radiotherapy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	769	9.3	110	3	4	5	12	19	23	0-17	11	4.0							
70-74	538	8.5	80	2	4	5	12	17	22	18-34	77	3.4	3	2	2	3	5	6	6
75-79	451	11.9	135	3	5	6	17	32	41	35-49	367	5.8	45	2	3	4	5	11	19
80-84	189	11.4	72	3	5	10	15	18	37	50-69	727	6.6	37	2	2	4	8	18	21
85 +	127	14.5	188	4	6	10	22	44	45	70 +	44	6.0	13	2	4	4	10	11	11
SUBTOTAL	**2074**	**10.2**	**111**	**3**	**4**	**6**	**13**	**21**	**37**		**1227**	**6.1**	**37**	**2**	**3**	**4**	**6**	**15**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	102	2.5	2	1	2	2	3	5	6	0-17	37	2.2							
70-74	77	1.8	2	1	1	1	2	4	6	18-34	100	2.3	2	1	1	2	3	5	5
75-79	44	3.4	2	2	2	3	5	5	5	35-49	317	2.3	1	1	2	2	2	4	5
80-84	6	8.0								50-69	243	2.4	2	1	2	2	3	5	5
85 +	27	6.9	18							70 +	6	2.0							
SUBTOTAL	**256**	**3.1**	**6**	**1**	**2**	**2**	**4**	**6**	**8**		**703**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**2330**	**9.4**	**105**	**2**	**4**	**5**	**12**	**20**	**32**		**1930**	**4.7**	**27**	**1**	**2**	**3**	**5**	**11**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	11	11.0	39							0-17	6	3.0							
18-34	10	5.0								18-34	38	3.7	10	2	2	3	3	11	11
35-49	59	8.5	27	3	5	7	13	18	18	35-49	79	3.7	6	2	2	3	4	5	12
50-69	110	7.3	28	3	3	5	13	16	18	50-69	142	7.8	85	2	3	5	7	14	39
70 +	0									70 +	11	3.5	2						
SUBTOTAL	**190**	**7.8**	**28**	**3**	**3**	**5**	**13**	**17**	**18**		**276**	**5.8**	**51**	**2**	**3**	**4**	**6**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	4.0								0-17	0								
18-34	20	3.0	1							18-34	66	2.1	1	1	2	2	2	3	5
35-49	26	3.2								35-49	50	1.3		1	1	1	2	2	2
50-69	36	3.7								50-69	43	6.2	22	2	2	4	11	14	14
70 +	6	2.0								70 +	0								
SUBTOTAL	**94**	**3.3**	**1**	**2**	**3**	**4**	**4**	**4**	**4**		**158**	**3.0**	**10**	**1**	**1**	**2**	**2**	**9**	**11**
GRAND TOTAL	**284**	**6.3**	**23**	**3**	**3**	**4**	**8**	**15**	**18**		**435**	**4.8**	**38**	**1**	**2**	**3**	**5**	**11**	**12**

DRG 410: Chemotherapy w/o Acute Leukemia As Secondary Diagnosis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	16920	3.5	8	1	2	3	4	6	7	0-17	2759	3.3	6	1	1	3	5	6	7
70-74	10285	3.6	9	1	2	3	5	6	7	18-34	3244	3.2	7	1	1	3	4	5	6
75-79	5981	3.6	9	1	2	3	5	6	7	35-49	10521	3.5	12	1	1	3	5	6	8
80-84	1944	4.1	21	1	2	4	5	6	8	50-69	25447	3.3	7	1	2	3	4	6	7
85 +	620	4.0	4	1	3	4	5	6	7	70 +	654	3.0	3	1	2	2	4	5	6
SUBTOTAL	**35749**	**3.6**	**9**	**1**	**2**	**3**	**5**	**6**	**7**		**42626**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2868	2.7	5	1	1	2	4	5	6	0-17	3352	3.4	5	1	2	3	5	6	6
70-74	1958	2.3	3	1	1	2	3	4	5	18-34	1440	3.3	2	1	2	4	4	5	6
75-79	1322	2.4	2	1	1	2	4	4	5	35-49	3357	2.5	3	1	1	2	4	5	6
80-84	528	2.7	10	1	1	2	4	5	5	50-69	5341	2.4	4	1	1	2	3	5	6
85 +	126	2.8	6	1	1	1	5	6	8	70 +	151	2.3	2	1	1	2	3	5	6
SUBTOTAL	**6802**	**2.5**	**4**	**1**	**1**	**2**	**4**	**5**	**6**		**13641**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**42551**	**3.4**	**8**	**1**	**2**	**3**	**4**	**6**	**7**		**56267**	**3.2**	**7**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1354	4.0	10	1	2	3	5	6	8	0-17	965	3.0	4	1	2	2	4	6	7
18-34	1030	3.6	7	1	2	3	5	6	6	18-34	1198	3.7	9	1	1	4	5	6	8
35-49	1824	3.3	5	1	2	3	5	5	7	35-49	2047	3.3	9	1	1	2	4	6	7
50-69	2835	3.7	10	1	2	3	4	6	8	50-69	3919	3.3	9	1	2	3	4	6	6
70 +	83	5.0	1	3	4	5	6	6	6	70 +	71	3.5	5	2	2	3	4	6	10
SUBTOTAL	**7125**	**3.7**	**8**	**1**	**2**	**3**	**5**	**6**	**7**		**8200**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1377	3.3	3	1	2	3	5	5	6	0-17	1004	3.5	3	1	2	4	5	5	6
18-34	348	3.5	13	1	1	4	5	5	6	18-34	458	3.3	3	1	2	3	4	6	6
35-49	630	1.9	3	1	1	1	2	4	5	35-49	718	2.4	3	1	1	2	4	5	5
50-69	650	2.7	6	1	1	2	4	5	5	50-69	834	2.4	2	1	1	2	3	5	5
70 +	36	2.9	5							70 +	16	2.6							
SUBTOTAL	**3042**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**6**		**3031**	**2.9**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**10167**	**3.4**	**7**	**1**	**2**	**3**	**5**	**6**	**7**		**11231**	**3.2**	**7**	**1**	**2**	**3**	**4**	**6**	**6**

DRG 411: History of Malignancy w/o Endoscopy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	43	2.1	1	1	1	2	3	3	3	0-17	0								
70-74	6	5.0								18-34	0								
75-79	6	4.0								35-49	23	40.0	46						
80-84	0									50-69	16	1.6							
85 +	0									70 +	0								
SUBTOTAL	**54**	**2.6**	**2**	**1**	**1**	**3**	**3**	**5**	**5**		**38**	**24.2**	**392**	**1**	**2**	**34**	**39**	**51**	**51**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	17	1.7	1							0-17	11	2.5							
70-74	16	1.7	1							18-34	16	7.8	20						
75-79	28	3.0	5							35-49	23	1.0							
80-84	10	3.0								50-69	17	3.0	3						
85 +	0									70 +	0								
SUBTOTAL	**71**	**2.4**	**3**	**1**	**1**	**3**	**3**	**3**	**7**		**67**	**3.4**	**12**	**< 1**	**1**	**2**	**3**	**11**	**11**
GRAND TOTAL	**126**	**2.5**	**2**	**1**	**1**	**3**	**3**	**4**	**6**		**105**	**11.0**	**250**	**< 1**	**1**	**2**	**11**	**39**	**51**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	6	7.0								18-34	0								
35-49	0									35-49	0								
50-69	6	3.0								50-69	11	5.0	10						
70 +	0									70 +	0								
SUBTOTAL	**11**	**5.0**	**4**								**11**	**5.0**	**10**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	3.0								0-17	6	1.0							
18-34	0									18-34	0								
35-49	6	2.0								35-49	10	1.0							
50-69	0									50-69	11	1.0							
70 +	0									70 +	0								
SUBTOTAL	**11**	**2.5**									**27**	**1.0**							
GRAND TOTAL	**23**	**3.8**	**4**								**38**	**2.2**	**6**	**< 1**	**< 1**	**1**	**2**	**8**	**8**

DRG 412: History of Malignancy w/ Endoscopy

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	16	2.1	2						
85 +	22	1.8	1						
SUBTOTAL	**37**	**1.9**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	2.1	2						
70-74	16	1.0							
75-79	10	4.0							
80-84	0								
85 +	6	1.0							
SUBTOTAL	**48**	**2.0**	**2**	**<1**	**1**	**1**	**4**	**4**	**4**
GRAND TOTAL	**85**	**2.0**	**2**	**<1**	**1**	**1**	**4**	**4**	**4**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	10	2.0							
70 +	0								
	10	**2.0**							
0-17	0								
18-34	0								
35-49	0								
50-69	6	1.0							
70 +	0								
	6	**1.0**							
	16	**1.6**							

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	6	2.0							
50-69	6	1.0							
70 +	0								
	11	**1.5**							
	11	**1.5**							

DRG 413: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	614	12.4	135	2	4	8	17	30	35
70-74	533	9.2	49	3	5	7	10	19	27
75-79	335	9.3	97	2	4	5	11	21	24
80-84	344	10.7	59	3	6	9	12	21	27
85 +	237	10.1	43	2	5	9	15	20	21
SUBTOTAL	**2063**	**10.5**	**85**	**2**	**4**	**8**	**13**	**22**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2063**	**10.5**	**85**	**2**	**4**	**8**	**13**	**22**	**30**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	27	4.1	17						
18-34	27	10.1	54						
35-49	187	9.5	68	1	3	8	12	17	33
50-69	566	11.1	92	3	5	8	13	25	33
70 +	45	11.4	75	2	4	9	18	29	29
	852	**10.5**	**84**	**2**	**5**	**8**	**13**	**23**	**32**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	852	**10.5**	**84**	**2**	**5**	**8**	**13**	**23**	**32**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	27	8.0	17						
18-34	6	10.0							
35-49	74	8.7	25	5	6	7	10	20	20
50-69	139	11.5	112	3	5	8	15	27	39
70 +	6	11.0							
SUBTOTAL	**252**	**10.3**	**73**	**3**	**5**	**7**	**12**	**20**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**252**	**10.3**	**73**	**3**	**5**	**7**	**12**	**20**	**27**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	17	3.7	4						
18-34	11	2.0	1						
35-49	100	11.1	135	2	5	9	13	22	53
50-69	110	12.0	194	3	5	8	10	25	52
70 +	10	4.0							
	248	**10.3**	**149**	**2**	**4**	**6**	**10**	**22**	**52**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	248	**10.3**	**149**	**2**	**4**	**6**	**10**	**22**	**52**

DRG 414: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	128	5.9	12	2	3	5	9	11	11	0-17	34	5.3	40	< 1	< 1	1	12	16	16
70-74	74	5.3	13	2	2	4	7	12	12	18-34	31	3.7	3						
75-79	53	5.8	9	2	4	6	9	11	11	35-49	80	5.1	26	2	3	3	5	9	22
80-84	62	12.9	61	1	4	11	21	23	23	50-69	321	7.3	93	1	2	5	8	16	25
85 +	70	4.7	14	< 1	2	4	4	10	13	70 +	0								
SUBTOTAL	**388**	**6.7**	**27**	**1**	**3**	**5**	**10**	**12**	**19**		**466**	**6.6**	**73**	**1**	**2**	**4**	**7**	**16**	**22**
GRAND TOTAL	**388**	**6.7**	**27**	**1**	**3**	**5**	**10**	**12**	**19**		**466**	**6.6**	**73**	**1**	**2**	**4**	**7**	**16**	**22**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	28	2.0								0-17	11	1.5							
18-34	11	8.0	10							18-34	23	5.5							
35-49	26	7.9	24							35-49	32	5.7	9						
50-69	42	6.3	46							50-69	23	3.3	4						
70 +	0									70 +	16	3.6	4						
SUBTOTAL	**108**	**5.7**	**30**	**1**	**2**	**3**	**11**	**13**	**22**		**104**	**4.3**	**6**	**1**	**2**	**5**	**6**	**6**	**11**
GRAND TOTAL	**108**	**5.7**	**30**	**1**	**2**	**3**	**11**	**13**	**22**		**104**	**4.3**	**6**	**1**	**2**	**5**	**6**	**6**	**11**

DRG 415: O.R. Procedure for Infectious & Parasitic Diseases

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2780	18.9	195	6	9	15	26	41	54	0-17	196	11.6	107	2	5	9	14	28	31
70-74	1448	21.2	274	7	10	16	26	43	55	18-34	496	13.6	162	4	6	10	17	28	36
75-79	1568	19.4	185	7	10	16	26	40	60	35-49	989	15.0	143	4	7	11	19	36	40
80-84	954	20.6	197	7	11	17	25	38	54	50-69	1451	17.3	180	5	9	14	23	35	51
85 +	931	22.5	341	8	11	17	27	44	62	70 +	141	25.0	328	8	13	20	35	70	70
SUBTOTAL	**7680**	**20.1**	**227**	**7**	**10**	**16**	**26**	**41**	**55**		**3273**	**16.0**	**174**	**5**	**8**	**12**	**20**	**35**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	431	10.1	62	3	5	7	12	21	25	0-17	353	7.6	53	2	3	5	12	16	21
70-74	237	11.9	77	4	6	9	14	31	33	18-34	492	7.6	43	2	3	6	10	14	17
75-79	241	11.8	61	4	6	10	14	21	28	35-49	646	8.5	56	3	4	6	10	16	25
80-84	100	13.2	149	3	6	6	28	29	45	50-69	603	7.9	44	2	3	7	10	15	22
85 +	51	10.0	9							70 +	32	7.4	30						
SUBTOTAL	**1059**	**11.2**	**71**	**4**	**5**	**9**	**13**	**21**	**29**		**2126**	**7.9**	**48**	**2**	**3**	**6**	**10**	**15**	**22**
GRAND TOTAL	**8739**	**19.0**	**217**	**6**	**9**	**15**	**25**	**39**	**53**		**5399**	**12.9**	**140**	**3**	**5**	**9**	**17**	**28**	**38**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	168	18.5	433	3	4	10	23	61	69	0-17	158	15.4	171	2	8	9	25	32	37
18-34	291	14.2	195	5	5	10	19	28	51	18-34	213	13.3	105	4	6	9	19	31	37
35-49	243	15.6	80	5	9	14	22	27	32	35-49	343	16.3	287	3	7	10	19	34	62
50-69	348	24.6	405	5	9	19	36	64	79	50-69	284	19.4	221	6	11	17	27	36	37
70 +	100	22.6	210	11	11	17	44	69	99 +	70 +	41	37.0	431						
SUBTOTAL	**1151**	**19.0**	**288**	**5**	**8**	**14**	**26**	**44**	**66**		**1040**	**17.2**	**239**	**4**	**7**	**12**	**24**	**36**	**55**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	165	7.7	56	1	3	4	12	14	16	0-17	121	9.3	94	2	2	6	10	25	31
18-34	118	8.3	68	2	4	6	9	20	32	18-34	272	8.5	52	2	4	7	10	20	25
35-49	119	8.6	34	3	6	7	9	14	22	35-49	156	8.1	31	2	4	7	10	14	24
50-69	28	11.4	45							50-69	149	6.4	17	1	4	5	9	12	13
70 +	0									70 +	6	9.0							
SUBTOTAL	**430**	**8.3**	**53**	**2**	**4**	**6**	**11**	**15**	**22**		**704**	**8.1**	**47**	**2**	**4**	**7**	**10**	**17**	**24**
GRAND TOTAL	**1581**	**16.1**	**246**	**3**	**6**	**11**	**20**	**40**	**56**		**1743**	**13.5**	**182**	**3**	**5**	**9**	**18**	**29**	**37**

DRG 416: Septicemia Age >17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	7851	11.3	85	4	6	9	13	20	28	0-17	0								
70-74	5891	10.8	56	4	6	9	13	18	26	18-34	879	8.6	71	3	4	6	9	16	22
75-79	6467	11.7	71	5	7	10	14	20	27	35-49	1878	9.8	55	4	6	8	11	18	24
80-84	6566	12.3	82	5	7	10	15	21	29	50-69	4648	10.0	59	4	5	8	12	17	22
85 +	7513	12.3	79	5	7	10	14	21	28	70 +	556	10.6	63	5	6	8	13	20	24
SUBTOTAL	**34289**	**11.7**	**76**	**5**	**7**	**10**	**14**	**20**	**27**		**7960**	**9.8**	**60**	**4**	**5**	**8**	**12**	**17**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	426	8.7	38	3	5	8	10	13	23	0-17	0								
70-74	153	6.4	33	3	4	5	6	8	27	18-34	242	4.9	9	2	3	4	7	9	10
75-79	286	7.2	17	3	5	6	9	11	14	35-49	304	6.3	11	3	4	5	9	11	12
80-84	283	7.4	19	3	4	7	9	13	17	50-69	446	6.3	11	3	4	6	7	11	13
85 +	294	9.8	32	4	5	8	13	15	25	70 +	26	3.5	5						
SUBTOTAL	**1442**	**8.1**	**29**	**3**	**5**	**7**	**10**	**14**	**21**		**1018**	**5.9**	**11**	**2**	**4**	**5**	**7**	**10**	**12**
GRAND TOTAL	**35731**	**11.6**	**74**	**5**	**6**	**9**	**14**	**20**	**27**		**8978**	**9.4**	**56**	**3**	**5**	**7**	**11**	**16**	**22**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	678	10.7	48	4	5	9	14	21	23	18-34	587	9.9	104	3	4	7	11	19	33
35-49	646	11.8	69	4	7	10	14	23	34	35-49	700	10.4	36	4	6	9	14	19	21
50-69	1301	10.9	57	4	7	9	13	19	25	50-69	894	11.2	99	5	6	8	13	19	24
70 +	491	12.8	50	5	7	13	16	19	30	70 +	180	16.2	267	6	8	12	15	27	78
SUBTOTAL	**3116**	**11.4**	**57**	**4**	**6**	**9**	**14**	**21**	**30**		**2361**	**11.0**	**97**	**4**	**6**	**8**	**14**	**19**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	91	4.8	3	3	4	5	5	8	8	18-34	134	5.5	6	2	4	5	8	9	9
35-49	37	9.0	20							35-49	78	3.7	4	2	2	3	6	7	7
50-69	31	6.3	7							50-69	59	5.1	7	2	3	5	6	9	10
70 +	16	13.8	6							70 +	47	6.0	9						
SUBTOTAL	**175**	**6.8**	**15**	**3**	**4**	**5**	**8**	**12**	**17**		**318**	**5.1**	**7**	**2**	**3**	**4**	**7**	**9**	**10**
GRAND TOTAL	**3290**	**11.1**	**56**	**4**	**6**	**9**	**14**	**20**	**29**		**2679**	**10.3**	**90**	**3**	**5**	**8**	**12**	**19**	**26**

DRG 417: Septicemia Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	16	12.4	4							0-17	1970	6.2	36	2	3	4	8	13	16
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	16	12.4	4								1970	6.2	36	2	3	4	8	13	16
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	17	5.3	10							0-17	3530	3.9	7	2	2	3	4	7	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	17	5.3	10								3530	3.9	7	2	2	3	4	7	10
GRAND TOTAL	33	8.8	20								5500	4.7	19	2	2	3	6	10	11

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1683	7.1	55	2	3	5	8	13	17	0-17	1059	5.9	17	2	3	4	8	12	14
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	1683	7.1	55	2	3	5	8	13	17		1059	5.9	17	2	3	4	8	12	14
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2481	4.8	11	2	3	4	6	10	11	0-17	1816	4.1	9	2	2	3	5	8	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	2481	4.8	11	2	3	4	6	10	11		1816	4.1	9	2	2	3	5	8	11
GRAND TOTAL	4165	5.7	30	2	3	4	7	10	13		2875	4.7	12	2	2	3	6	10	13

DRG 418: Postoperative & Post-traumatic Infections

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	1312	8.4	48	3	4	6	11	16	23		0-17	199	7.1	22	2	3	6	11	13	15
70-74	729	9.5	48	3	5	8	12	20	24		18-34	368	4.7	9	2	3	4	6	8	10
75-79	598	12.0	125	3	6	10	14	22	30		35-49	761	6.9	17	3	4	6	9	12	14
80-84	388	10.8	46	4	6	9	13	18	25		50-69	1092	8.9	53	3	5	7	10	17	25
85 +	264	9.2	46	3	5	8	12	15	22		70 +	63	6.9	19	4	4	5	8	16	16
SUBTOTAL	**3291**	**9.7**	**63**	**3**	**5**	**8**	**12**	**19**	**25**			**2483**	**7.5**	**34**	**3**	**4**	**6**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	825	7.6	58	3	4	5	9	15	21		0-17	591	4.4	9	2	2	4	5	8	9
70-74	491	6.9	24	2	3	6	9	14	17		18-34	1156	4.0	6	2	3	3	5	7	8
75-79	351	7.7	12	4	5	7	9	14	15		35-49	1183	5.1	12	2	3	4	7	9	11
80-84	138	4.3	7	2	2	4	6	9	9		50-69	1060	5.8	15	2	3	5	7	10	13
85 +	96	4.8	7	2	2	5	7	9	9		70 +	17	6.0	9						
SUBTOTAL	**1902**	**7.1**	**36**	**2**	**4**	**6**	**9**	**13**	**18**			**4008**	**4.9**	**11**	**2**	**3**	**4**	**6**	**9**	**11**
GRAND TOTAL	**5193**	**8.7**	**55**	**3**	**4**	**7**	**11**	**16**	**22**			**6491**	**5.9**	**22**	**2**	**3**	**5**	**7**	**11**	**14**

TYPE OF PATIENT	MEDICAID										NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	120	9.4	69	3	5	7	11	15	34		0-17	40	2.9	1	1	2	3	4	4	4
18-34	198	4.9	7	2	3	4	7	8	11		18-34	209	5.5	20	2	3	4	8	9	13
35-49	236	7.0	58	2	3	5	9	10	21		35-49	168	5.9	31	2	3	4	6	9	19
50-69	152	8.9	46	2	4	8	10	19	25		50-69	245	7.1	45	2	3	5	7	19	22
70 +	0										70 +	20	5.5	2						
SUBTOTAL	**705**	**7.3**	**46**	**2**	**3**	**5**	**9**	**15**	**21**			**681**	**6.0**	**31**	**2**	**3**	**4**	**7**	**9**	**19**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	284	4.3	9	2	2	4	5	9	10		0-17	193	3.8	5	1	2	3	6	7	8
18-34	303	4.9	18	2	2	3	6	9	17		18-34	372	6.1	21	2	3	5	8	12	13
35-49	259	5.5	12	2	3	5	7	11	13		35-49	274	5.0	7	2	3	4	6	9	11
50-69	113	7.1	31	3	4	6	8	12	25		50-69	196	5.9	13	2	4	4	8	11	14
70 +	0										70 +	0								
SUBTOTAL	**960**	**5.1**	**16**	**2**	**3**	**4**	**7**	**10**	**13**			**1035**	**5.3**	**14**	**2**	**3**	**4**	**7**	**11**	**13**
GRAND TOTAL	**1666**	**6.0**	**30**	**2**	**3**	**5**	**7**	**11**	**16**			**1716**	**5.6**	**21**	**2**	**3**	**4**	**7**	**11**	**14**

DRG 419: Fever of Unknown Origin Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2310	7.1	37	3	3	6	9	13	17	0-17	0								
70-74	1448	7.5	54	2	3	5	9	14	19	18-34	618	5.2	20	2	3	4	6	10	15
75-79	1008	7.7	27	3	4	6	10	14	17	35-49	921	5.5	13	2	3	5	7	10	12
80-84	669	8.8	77	3	4	6	9	25	34	50-69	1520	6.5	24	2	4	6	8	11	13
85 +	527	9.7	38	4	5	8	13	20	22	70 +	116	5.5	10	3	3	4	7	7	14
SUBTOTAL	**5962**	**7.7**	**44**	**3**	**4**	**6**	**9**	**15**	**19**		**3175**	**5.9**	**20**	**2**	**3**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**5962**	**7.7**	**44**	**3**	**4**	**6**	**9**	**15**	**19**		**3175**	**5.9**	**20**	**2**	**3**	**5**	**7**	**10**	**13**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	338	5.0	31	2	2	4	6	8	13	18-34	306	4.4	12	1	2	3	6	10	12
35-49	195	7.1	13	2	5	7	9	13	15	35-49	248	5.7	19	2	3	5	7	11	11
50-69	171	7.3	56	3	3	5	9	12	20	50-69	325	6.2	25	3	3	4	8	12	14
70 +	26	7.2	1							70 +	36	16.3	71						
SUBTOTAL	**730**	**6.2**	**32**	**2**	**3**	**5**	**7**	**11**	**13**		**916**	**5.9**	**26**	**2**	**3**	**4**	**8**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**730**	**6.2**	**32**	**2**	**3**	**5**	**7**	**11**	**13**		**916**	**5.9**	**26**	**2**	**3**	**4**	**8**	**11**	**15**

DRG 420: Fever of Unknown Origin Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	413	4.7	9	2	3	4	6	7	9
70-74	290	4.7	11	2	2	4	5	10	13
75-79	200	4.2	6	1	3	3	5	9	10
80-84	226	6.3	8	3	4	6	8	10	11
85 +	176	5.3	5	3	4	5	6	9	10
SUBTOTAL	**1305**	**5.0**	**9**	**2**	**3**	**4**	**6**	**9**	**10**
GRAND TOTAL	**1305**	**5.0**	**9**	**2**	**3**	**4**	**6**	**9**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	725	4.1	7	2	3	3	5	7	10
35-49	721	4.3	7	2	3	4	6	8	9
50-69	573	5.4	9	2	3	5	7	9	10
70 +	0								
	2019	**4.5**	**8**	**2**	**3**	**4**	**6**	**8**	**10**
	2019	**4.5**	**8**	**2**	**3**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	116	3.4	3	<1	2	3	4	6	7
35-49	33	3.6	2						
50-69	73	4.6	3	3	3	4	7	7	7
70 +	0								
SUBTOTAL	**221**	**3.9**	**3**	**1**	**3**	**4**	**5**	**7**	**7**
GRAND TOTAL	**221**	**3.9**	**3**	**1**	**3**	**4**	**5**	**7**	**7**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	244	3.7	5	2	2	3	5	8	8
35-49	117	3.8	4	1	3	4	5	6	8
50-69	94	3.7	2	2	3	3	5	6	6
70 +	10	7.0							
	465	**3.8**	**4**	**2**	**2**	**3**	**5**	**7**	**8**
	465	**3.8**	**4**	**2**	**2**	**3**	**5**	**7**	**8**

DRG 421: Viral Illness Age >17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1046	5.9	26	2	3	4	7	10	20	0-17	0								
70-74	633	5.1	12	2	3	4	6	9	14	18-34	1993	3.8	8	1	2	3	5	7	8
75-79	544	5.7	12	2	3	5	7	11	13	35-49	1298	4.9	22	2	2	4	6	9	13
80-84	463	6.8	33	3	4	5	7	13	18	50-69	872	4.9	10	2	3	4	6	8	12
85 +	507	5.4	17	2	3	4	6	10	14	70 +	74	6.3	11	3	3	6	9	12	12
SUBTOTAL	**3192**	**5.7**	**21**	**2**	**3**	**4**	**7**	**10**	**14**		**4238**	**4.4**	**13**	**2**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	361	4.4	10	2	3	4	5	8	9	0-17	0								
70-74	168	3.9	4	2	2	3	5	7	8	18-34	2529	3.0	4	1	2	3	4	6	6
75-79	178	3.7	4	1	2	3	5	7	8	35-49	1215	3.4	5	1	2	3	4	6	7
80-84	151	2.9	1	2	2	2	4	5	5	50-69	533	3.4	4	1	2	3	4	6	7
85 +	90	6.4	16	2	4	5	8	12	17	70 +	20	3.5							
SUBTOTAL	**947**	**4.1**	**8**	**2**	**2**	**3**	**5**	**7**	**8**		**4298**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**4140**	**5.4**	**18**	**2**	**3**	**4**	**6**	**10**	**14**		**8535**	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	338	6.1	59	1	2	4	7	14	19	18-34	790	3.7	15	1	2	3	4	6	10
35-49	155	5.8	24	2	3	4	7	12	13	35-49	267	5.3	16	2	3	4	7	9	12
50-69	96	5.8	42	2	2	4	5	15	28	50-69	247	4.3	8	1	2	4	6	8	10
70 +	16	11.6	24							70 +	0								
SUBTOTAL	**605**	**6.1**	**47**	**1**	**3**	**4**	**7**	**13**	**18**		**1305**	**4.1**	**14**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	312	3.3	19	1	1	2	4	6	7	18-34	1096	2.6	3	1	2	2	3	5	6
35-49	77	3.6	4	1	2	4	4	4	9	35-49	451	2.5	3	1	2	2	3	4	5
50-69	62	3.2	2	< 1	1	4	4	5	5	50-69	147	3.2	6	1	2	2	4	6	6
70 +	10	3.0								70 +	20	2.0	1						
SUBTOTAL	**462**	**3.3**	**14**	**1**	**2**	**3**	**4**	**6**	**6**		**1715**	**2.6**	**3**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1067**	**4.9**	**35**	**1**	**2**	**4**	**5**	**10**	**16**		**3020**	**3.3**	**8**	**1**	**2**	**2**	**4**	**6**	**8**

DRG 422: Viral Illness & Fever of Unknown Origin Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	80	2.6	3	1	1	2	3	5	7
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	80	2.6	3	1	1	2	3	5	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	2.4							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	16	2.4							
GRAND TOTAL	96	2.6	3	1	2	2	3	5	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6945	3.3	6	1	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6945	3.3	6	1	2	3	4	6	7
0-17	14310	2.8	2	1	2	3	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	14310	2.8	2	1	2	3	3	4	5
	21254	3.0	3	1	2	3	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	4206	3.8	13	2	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	4206	3.8	13	2	2	3	4	6	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	9066	3.0	2	1	2	3	4	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	9066	3.0	2	1	2	3	4	4	5
GRAND TOTAL	13272	3.2	6	2	2	3	4	5	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2698	3.4	5	1	2	3	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2698	3.4	5	1	2	3	4	5	7
0-17	5858	2.9	2	1	2	3	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	5858	2.9	2	1	2	3	3	4	5
	8556	3.0	3	1	2	3	4	5	6

DRG 423: Other Infectious & Parasitic Diseases Diagnoses

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	872	11.7	132	3	5	7	14	28	35	0-17	378	8.3	134	2	3	5	8	15	31
70-74	301	10.4	94	3	5	8	13	22	34	18-34	350	7.6	88	2	3	5	8	15	18
75-79	322	12.5	78	3	6	9	17	29	30	35-49	488	8.0	22	3	4	7	11	15	16
80-84	132	14.3	93	4	5	15	19	29	32	50-69	514	10.3	117	3	4	7	13	23	28
85 +	163	11.9	92	4	6	8	14	22	42	70 +	10	6.0							
SUBTOTAL	**1790**	**11.8**	**110**	**3**	**5**	**8**	**14**	**27**	**34**		**1740**	**8.6**	**88**	**2**	**4**	**6**	**10**	**16**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	161	6.5	18	2	3	5	9	15	16	0-17	688	5.1	32	1	2	3	6	11	17
70-74	68	5.5	15	2	4	5	5	14	14	18-34	519	4.8	8	2	3	4	6	9	10
75-79	63	9.0	19	4	6	7	15	15	15	35-49	437	4.5	6	1	3	4	6	8	10
80-84	53	7.0	19	2	4	7	8	18	18	50-69	192	5.6	22	2	3	4	6	16	17
85 +	32	7.0	23							70 +	0								
SUBTOTAL	**378**	**6.9**	**19**	**2**	**4**	**5**	**9**	**15**	**15**		**1835**	**4.9**	**18**	**1**	**2**	**4**	**6**	**10**	**12**
GRAND TOTAL	**2168**	**11.0**	**98**	**3**	**5**	**7**	**14**	**25**	**32**		**3575**	**6.7**	**56**	**2**	**3**	**5**	**8**	**14**	**18**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	110	11.0	124	3	4	8	14	42	78	0-17	203	5.7	44	1	2	3	6	15	21
18-34	112	9.4	87	3	4	5	15	27	32	18-34	206	6.9	128	1	3	4	8	17	70
35-49	123	11.6	84	5	5	8	16	19	38	35-49	137	8.2	46	2	3	8	10	15	17
50-69	44	12.4	25	6	7	12	17	19	19	50-69	86	11.0	75	3	5	8	14	31	31
70 +	11	12.0	54							70 +	6	17.0							
SUBTOTAL	**401**	**10.9**	**89**	**3**	**5**	**8**	**15**	**24**	**38**		**638**	**7.4**	**79**	**1**	**3**	**4**	**9**	**17**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	309	6.5	17	1	2	6	10	11	14	0-17	404	5.8	18	2	3	4	9	11	16
18-34	117	5.1	7	2	3	5	6	9	11	18-34	364	4.9	13	2	3	4	7	12	99 +
35-49	10	7.0								35-49	147	8.8	177	2	3	4	5	19	55
50-69	26	3.5	9							50-69	48	4.6	4	1	4	6	6	6	6
70 +	0									70 +	0								
SUBTOTAL	**462**	**6.0**	**14**	**1**	**3**	**6**	**9**	**11**	**11**		**963**	**5.9**	**41**	**2**	**3**	**4**	**7**	**12**	**19**
GRAND TOTAL	**863**	**8.3**	**55**	**2**	**4**	**6**	**10**	**16**	**24**		**1601**	**6.5**	**57**	**2**	**3**	**4**	**8**	**14**	**19**

DRG 424: O.R. Procedure w/ Principal Diagnoses of Mental Illness

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	417	21.3	317	6	10	17	26	33	79
70-74	264	25.6	276	7	14	24	33	50	75
75-79	220	31.2	474	8	14	23	51	63	83
80-84	303	29.4	326	12	15	23	42	51	77
85 +	160	20.4	210	6	11	21	34	53	99 +
SUBTOTAL	**1364**	**25.4**	**340**	**7**	**12**	**21**	**34**	**53**	**76**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	217	16.6	363	1	3	13	25	37	45
70-74	53	13.5	127	1	5	13	21	39	39
75-79	40	25.3	292	2	10	28	45	51	51
80-84	63	8.1	26	2	3	7	12	16	16
85 +	58	11.5	80	2	4	10	18	27	27
SUBTOTAL	**432**	**15.1**	**259**	**2**	**3**	**12**	**21**	**36**	**45**
GRAND TOTAL	**1796**	**22.9**	**340**	**4**	**10**	**18**	**32**	**50**	**76**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	32	8.0	8						
18-34	96	16.8	139	2	8	14	28	35	36
35-49	212	16.0	169	1	8	17	21	25	38
50-69	123	16.8	146	6	7	12	22	42	44
70 +	16	18.0	71						
	479	**15.9**	**147**	**4**	**8**	**15**	**22**	**36**	**74**
0-17	95	9.0	381	1	1	2	6	17	84
18-34	263	10.7	144	1	2	5	14	33	40
35-49	331	14.5	196	1	3	12	23	29	38
50-69	217	10.1	167	< 1	1	2	16	31	43
70 +	0								
	906	**11.8**	**197**	**1**	**2**	**5**	**17**	**30**	**40**
	1385	**13.2**	**184**	**1**	**2**	**10**	**21**	**33**	**42**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	17	17.3	132						
18-34	77	20.7	187	7	13	17	39	50	99 +
35-49	66	18.7	160	6	9	16	24	33	50
50-69	63	15.7	46	5	12	18	21	26	99 +
70 +	0								
SUBTOTAL	**223**	**18.4**	**137**	**6**	**10**	**17**	**24**	**44**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	192	8.3	253	1	1	2	7	23	54
18-34	65	15.5	56	9	10	14	19	26	30
35-49	93	17.7	375	3	4	10	20	63	63
50-69	42	22.0	263						
70 +	0								
SUBTOTAL	**391**	**13.2**	**274**	**1**	**1**	**7**	**17**	**30**	**54**
GRAND TOTAL	**614**	**15.1**	**231**	**1**	**4**	**11**	**23**	**44**	**54**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	55.0							
18-34	103	12.0	168	< 1	2	9	11	39	41
35-49	83	10.0	74	< 1	2	7	17	18	34
50-69	37	14.4	62						
70 +	6	25.0							
	234	**13.0**	**159**	**1**	**2**	**10**	**17**	**34**	**41**
0-17	17	9.0	40						
18-34	208	8.5	56	2	4	6	10	25	25
35-49	161	7.2	65	< 1	2	2	13	23	24
50-69	71	10.3	73	2	3	7	16	27	27
70 +	6	14.0							
	463	**8.4**	**61**	**1**	**2**	**6**	**13**	**23**	**25**
	697	**9.9**	**99**	**1**	**2**	**7**	**14**	**25**	**29**

DRG 425: Acute Adjust React & Disturbances of Psychosocial Dysfunction

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1174	7.7	72	1	3	5	10	15	25
70-74	678	7.4	99	2	3	5	9	14	19
75-79	917	8.0	58	2	4	5	10	17	23
80-84	766	7.8	77	2	3	5	10	16	21
85 +	783	7.2	31	2	4	5	9	14	20
SUBTOTAL	**4318**	**7.6**	**67**	**2**	**3**	**5**	**9**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	904	6.4	29	1	2	5	10	13	18
70-74	479	6.1	47	1	2	4	7	10	16
75-79	472	6.0	32	1	2	4	7	16	20
80-84	271	6.2	35	2	3	4	8	10	18
85 +	380	4.6	14	2	2	3	5	8	11
SUBTOTAL	**2506**	**6.0**	**32**	**1**	**2**	**4**	**7**	**12**	**18**
GRAND TOTAL	**6824**	**7.0**	**54**	**2**	**3**	**5**	**8**	**14**	**21**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	86	8.4	127	1	1	3	12	23	42
18-34	477	5.8	28	1	2	4	8	15	16
35-49	551	5.9	34	1	2	4	8	12	16
50-69	717	5.2	26	1	2	3	5	12	17
70 +	52	7.5	53	2	3	4	12	21	21
	1884	**5.8**	**35**	**1**	**2**	**4**	**8**	**12**	**19**
0-17	623	7.9	120	1	1	3	9	24	37
18-34	1340	5.9	41	1	2	3	8	14	19
35-49	1585	5.5	27	1	2	3	7	14	17
50-69	927	4.5	21	1	2	3	6	9	14
70 +	26	7.3	13						
	4501	**5.8**	**43**	**1**	**2**	**3**	**7**	**14**	**19**
	6385	**5.8**	**41**	**1**	**2**	**3**	**7**	**14**	**19**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	68	8.2	57	1	3	6	14	15	28
18-34	242	6.7	17	2	3	6	10	13	14
35-49	228	5.2	24	< 1	2	3	7	14	17
50-69	181	6.9	16	3	4	6	8	12	18
70 +	61	4.0	3	2	2	4	5	7	7
SUBTOTAL	**781**	**6.2**	**22**	**1**	**3**	**5**	**8**	**14**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	326	9.8	117	1	2	5	17	25	32
18-34	491	8.1	53	1	3	6	10	18	23
35-49	196	8.5	77	1	2	4	13	23	27
50-69	90	2.7	4	1	1	2	5	6	6
70 +	10	3.0							
SUBTOTAL	**1113**	**8.2**	**75**	**1**	**2**	**5**	**12**	**21**	**25**
GRAND TOTAL	**1894**	**7.4**	**54**	**1**	**2**	**5**	**10**	**17**	**21**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	2.8	6						
18-34	461	5.6	39	1	2	4	7	12	21
35-49	213	8.0	176	1	2	3	7	18	35
50-69	242	6.7	32	2	3	5	8	12	24
70 +	63	12.7	135	3	5	7	20	33	33
	996	**6.8**	**75**	**1**	**2**	**4**	**7**	**13**	**25**
0-17	223	5.6	37	1	2	3	8	18	18
18-34	797	5.0	22	1	1	3	8	12	14
35-49	432	4.1	17	1	1	3	6	9	12
50-69	195	4.5	18	1	2	4	5	9	19
70 +	74	9.6	47	1	2	11	15	21	21
	1721	**5.0**	**24**	**1**	**1**	**3**	**7**	**12**	**16**
	2718	**5.6**	**44**	**1**	**2**	**4**	**7**	**12**	**18**

DRG 426: Depressive Neuroses

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1126	10.2	70	2	4	8	14	23	25
70-74	411	10.5	107	2	5	8	11	21	28
75-79	377	11.2	160	1	3	6	16	26	41
80-84	212	8.1	15	4	5	8	11	13	16
85 +	135	10.1	99	2	3	5	15	25	33
SUBTOTAL	**2261**	**10.2**	**89**	**2**	**4**	**7**	**13**	**23**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1403	10.7	103	1	3	8	14	23	31
70-74	445	12.4	50	2	8	12	17	22	27
75-79	423	9.8	52	2	3	8	14	19	23
80-84	286	9.2	61	2	4	7	13	21	25
85 +	70	8.4	26	2	4	8	11	12	21
SUBTOTAL	**2627**	**10.6**	**80**	**2**	**4**	**9**	**14**	**21**	**27**
GRAND TOTAL	**4888**	**10.4**	**84**	**2**	**4**	**8**	**14**	**22**	**28**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	531	14.0	107	2	5	12	21	30	33
18-34	1623	8.3	71	2	3	5	10	19	25
35-49	1352	8.3	61	2	3	6	11	17	23
50-69	618	9.1	62	2	4	7	11	22	27
70 +	31	18.7	236						
	4154	**9.2**	**76**	**2**	**3**	**6**	**12**	**21**	**28**
0-17	2812	13.4	118	1	5	11	19	28	33
18-34	4343	6.9	39	1	2	5	9	17	21
35-49	3418	8.2	59	1	3	6	11	18	23
50-69	1107	7.4	33	2	3	5	11	15	19
70 +	16	10.0	48						
	11696	**8.9**	**70**	**1**	**3**	**6**	**13**	**21**	**25**
	15850	**9.0**	**72**	**1**	**3**	**6**	**13**	**21**	**26**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	213	16.2	158	5	6	11	23	31	51
18-34	1279	7.4	23	2	4	7	9	13	16
35-49	566	7.5	20	2	4	6	9	14	17
50-69	140	10.1	39	4	5	10	13	17	19
70 +	11	3.5	7						
SUBTOTAL	**2210**	**8.4**	**43**	**2**	**4**	**7**	**10**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1604	17.6	196	2	7	15	27	34	47
18-34	1565	7.3	34	2	4	6	9	14	16
35-49	665	8.2	53	1	3	7	12	15	17
50-69	209	8.9	40	2	5	6	11	21	21
70 +	0								
SUBTOTAL	**4042**	**11.6**	**125**	**2**	**4**	**8**	**15**	**28**	**32**
GRAND TOTAL	**6253**	**10.5**	**99**	**2**	**4**	**7**	**13**	**23**	**30**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	183	9.4	102	3	4	5	10	24	30
18-34	2114	5.8	27	1	2	5	8	12	15
35-49	831	6.5	26	1	3	5	10	15	16
50-69	174	8.4	47	2	4	6	10	19	27
70 +	20	17.5	192						
	3322	**6.4**	**34**	**1**	**3**	**5**	**8**	**13**	**17**
0-17	1029	9.7	98	1	2	7	14	19	28
18-34	3826	5.1	25	1	2	4	6	12	15
35-49	1497	5.2	20	1	2	4	7	11	14
50-69	344	7.2	45	1	3	4	10	17	19
70 +	32	15.6	6						
	6728	**6.0**	**39**	**1**	**2**	**4**	**8**	**14**	**17**
	10050	**6.1**	**38**	**1**	**2**	**4**	**8**	**14**	**17**

DRG 427: Neuroses except Depressive

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	96TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	404	9.9	74	2	5	9	12	16	30
70-74	130	19.1	148	4	10	19	26	36	47
75-79	57	7.8	22	2	4	9	9	17	19
80-84	38	9.2	31	4	4	8	14	20	20
85 +	31	20.7	218						
SUBTOTAL	**660**	**12.0**	**106**	**2**	**5**	**9**	**15**	**26**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	387	7.6	56	1	3	6	9	14	33
70-74	142	15.3	215	4	6	11	17	29	62
75-79	99	9.7	54	1	4	8	17	22	23
80-84	27	18.5	319						
85 +	26	11.8	73						
SUBTOTAL	**681**	**10.1**	**111**	**2**	**4**	**7**	**13**	**22**	**33**
GRAND TOTAL	**1341**	**11.0**	**109**	**2**	**4**	**8**	**14**	**23**	**36**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	197	11.5	91	2	3	7	20	25	28
18-34	506	7.5	33	1	3	6	12	16	19
35-49	332	8.0	57	3	4	6	9	14	23
50-69	231	8.8	53	2	4	6	12	20	22
70 +	0								
	1267	**8.5**	**54**	**2**	**3**	**6**	**12**	**20**	**22**
0-17	1596	11.9	104	2	4	9	17	24	32
18-34	1603	6.4	44	1	3	4	8	13	17
35-49	1217	8.0	86	2	3	5	11	16	21
50-69	360	8.5	48	2	4	6	12	17	21
70 +	10	4.0							—
	4786	**8.8**	**80**	**1**	**3**	**6**	**12**	**19**	**25**
	6053	**8.7**	**75**	**2**	**3**	**6**	**12**	**19**	**24**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	151	11.7	51	6	6	11	15	21	21
18-34	418	8.3	51	2	3	6	12	19	21
35-49	207	6.5	16	3	3	7	9	16	19
50-69	38	12.8	281	3	4	4	12	52	52
70 +	0								
SUBTOTAL	**814**	**8.7**	**56**	**3**	**4**	**7**	**12**	**19**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1147	17.4	176	3	8	16	22	35	43
18-34	699	7.9	52	2	2	6	9	18	25
35-49	232	6.5	18	2	4	6	9	12	17
50-69	71	9.1	76	2	3	6	11	24	30
70 +	0								
SUBTOTAL	**2149**	**12.8**	**139**	**2**	**4**	**9**	**19**	**28**	**40**
GRAND TOTAL	**2963**	**11.7**	**120**	**2**	**4**	**8**	**17**	**26**	**35**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	179	15.3	158	2	4	14	24	33	34
18-34	610	6.8	40	1	2	5	8	16	17
35-49	340	5.5	26	1	2	4	7	13	18
50-69	49	8.1	18	1	6	7	9	15	15
70 +	6	31.0							
	1183	**7.9**	**66**	**1**	**2**	**5**	**11**	**17**	**27**
0-17	817	10.2	72	1	3	8	15	22	27
18-34	1219	5.0	42	1	2	3	6	11	16
35-49	567	6.5	49	1	2	4	8	15	23
50-69	116	6.7	39	1	1	5	13	15	21
70 +	0								
	2718	**7.0**	**57**	**1**	**2**	**4**	**9**	**17**	**23**
	3901	**7.2**	**60**	**1**	**2**	**5**	**9**	**17**	**24**

DRG 428: Disorders of Personality & Impulse Control

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	265	16.3	208	3	7	9	23	39	48
70-74	6	42.0							
75-79	26	9.2	17						
80-84	16	35.0	235						
85 +	0								
SUBTOTAL	**313**	**17.1**	**222**	**3**	**7**	**9**	**24**	**45**	**48**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	368	14.6	310	1	4	8	21	35	55
70-74	41	8.8	8						
75-79	10	10.0							
80-84	6	27.0							
85 +	20	16.0	67						
SUBTOTAL	**446**	**14.2**	**265**	**2**	**4**	**8**	**21**	**35**	**55**
GRAND TOTAL	**758**	**15.4**	**249**	**3**	**5**	**9**	**23**	**39**	**55**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	163	21.1	319	8	10	16	28	34	56
18-34	375	12.5	162	2	4	9	17	35	42
35-49	218	13.0	144	3	4	9	21	37	51
50-69	43	21.7	820	4	4	12	21	92	92
70 +	0								
	799	**14.9**	**237**	**2**	**5**	**10**	**21**	**36**	**50**
0-17	632	21.9	275	3	9	18	34	41	60
18-34	704	12.6	179	2	3	9	17	36	44
35-49	371	13.0	97	3	6	10	22	30	30
50-69	90	8.0	56	2	3	3	12	23	25
70 +	0								
	1796	**15.7**	**211**	**2**	**5**	**11**	**24**	**38**	**44**
	2595	**15.5**	**219**	**2**	**5**	**11**	**23**	**38**	**45**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	17	27.7	590						
18-34	407	11.7	104	3	5	9	15	27	34
35-49	133	9.0	102	1	3	5	9	22	40
50-69	6	13.0							
70 +	0								
SUBTOTAL	**562**	**11.6**	**125**	**2**	**5**	**9**	**14**	**28**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	243	22.4	346	5	8	17	37	55	66
18-34	571	9.0	48	2	3	7	13	20	21
35-49	135	13.3	58	4	9	12	17	27	27
50-69	32	13.2	122						
70 +	0								
SUBTOTAL	**981**	**13.1**	**156**	**2**	**5**	**10**	**17**	**28**	**42**
GRAND TOTAL	**1542**	**12.5**	**146**	**2**	**5**	**9**	**16**	**28**	**39**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	10.9	49	3	4	7	19	19	19
18-34	431	9.6	138	1	3	5	11	31	36
35-49	50	11.5	109	3	4	7	10	30	30
50-69	43	10.8	17	6	7	11	15	16	16
70 +	6	15.0							
	568	**10.0**	**120**	**1**	**4**	**6**	**11**	**25**	**33**
0-17	125	12.5	224	3	4	5	18	29	37
18-34	447	7.6	67	1	2	5	9	18	26
35-49	198	7.3	27	1	3	5	13	14	17
50-69	26	16.8	86						
70 +	11	25.5	62						
	807	**8.8**	**91**	**2**	**3**	**5**	**12**	**18**	**29**
	1375	**9.3**	**103**	**1**	**3**	**6**	**12**	**21**	**30**

DRG 429: Organic Disturbances & Mental Retardation

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1635	13.5	113	3	6	11	17	28	37	0-17	77	14.7	140	1	6	11	21	35	38
70-74	1543	12.9	109	3	6	10	17	26	35	18-34	189	16.4	163	5	7	15	21	41	49
75-79	2334	13.2	145	4	6	11	16	24	30	35-49	153	9.1	45	3	4	7	12	22	22
80-84	2487	13.3	174	3	6	10	15	27	43	50-69	455	12.4	140	2	4	8	20	31	45
85 +	2448	12.1	119	3	5	9	15	25	36	70 +	94	18.1	312	7	10	13	16	67	99 +
SUBTOTAL	**10446**	**13.0**	**136**	**3**	**6**	**10**	**16**	**26**	**36**		**969**	**13.4**	**153**	**3**	**5**	**10**	**19**	**28**	**45**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1104	12.2	100	3	6	10	14	25	35	0-17	178	13.0	148	2	2	8	24	31	33
70-74	1004	12.3	127	3	5	9	15	23	38	18-34	104	13.8	91	2	7	14	21	26	40
75-79	1582	11.9	85	4	6	10	15	21	29	35-49	101	10.9	46	3	5	11	17	26	99 +
80-84	1336	9.9	52	3	5	8	14	18	24	50-69	277	11.2	83	3	5	9	12	27	29
85 +	1253	10.5	91	3	4	7	14	20	29	70 +	117	10.5	121	3	5	8	12	21	41
SUBTOTAL	**6279**	**11.3**	**90**	**3**	**5**	**9**	**14**	**22**	**29**		**776**	**11.8**	**101**	**2**	**5**	**9**	**17**	**27**	**33**
GRAND TOTAL	**16726**	**12.3**	**119**	**3**	**6**	**9**	**15**	**24**	**35**		**1744**	**12.7**	**130**	**2**	**5**	**9**	**18**	**27**	**39**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	83	11.4	92	3	6	11	16	34	99 +	0-17	38	11.5	85	< 1	2	11	21	24	24
18-34	370	11.3	69	5	6	9	14	23	27	18-34	145	8.3	51	2	4	7	10	14	20
35-49	270	10.7	41	3	6	10	14	21	21	35-49	123	8.3	55	3	4	6	9	20	24
50-69	215	21.4	487	5	8	13	30	77	84	50-69	170	14.3	168	4	8	10	16	25	59
70 +	97	10.5	79	2	4	7	13	25	35	70 +	204	12.2	66	3	6	12	19	25	25
SUBTOTAL	**1035**	**13.2**	**169**	**4**	**6**	**10**	**14**	**29**	**35**		**681**	**11.1**	**93**	**2**	**4**	**8**	**14**	**22**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	182	18.6	152	5	10	14	28	35	44	0-17	42	6.2	26						
18-34	158	12.4	186	3	6	10	14	21	21	18-34	96	8.6	35	2	2	8	12	17	22
35-49	151	9.0	27	4	4	9	12	15	17	35-49	50	7.1	22	2	3	4	12	14	14
50-69	112	12.9	21	7	10	14	16	18	22	50-69	136	13.0	83	3	7	12	16	28	33
70 +	85	7.8	29	2	5	6	14	99 +	99 +	70 +	289	14.7	190	4	7	11	19	34	71
SUBTOTAL	**688**	**12.8**	**111**	**3**	**6**	**11**	**–17**	**28**	**44**		**613**	**12.2**	**126**	**3**	**5**	**10**	**15**	**29**	**33**
GRAND TOTAL	**1724**	**13.0**	**146**	**3**	**6**	**10**	**15**	**29**	**38**		**1294**	**11.6**	**109**	**3**	**4**	**9**	**15**	**25**	**31**

DRG 430: Psychoses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	11311	16.1	149	4	8	13	21	31	40	0-17	1001	19.1	253	4	7	16	29	46	59
70-74	3634	17.3	151	4	8	15	24	33	41	18-34	4916	12.7	109	3	6	10	16	26	33
75-79	2976	17.4	184	5	8	14	23	34	44	35-49	6173	13.1	97	3	7	11	17	25	31
80-84	1679	16.5	173	4	8	13	21	32	40	50-69	4580	13.9	95	4	7	12	19	28	31
85 +	1255	13.5	108	4	6	10	17	29	36	70 +	294	12.8	130	3	6	9	14	30	41
SUBTOTAL	**20855**	**16.4**	**155**	**4**	**8**	**13**	**21**	**32**	**41**		**16964**	**13.6**	**112**	**3**	**6**	**11**	**18**	**27**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	18131	14.7	120	4	7	12	19	28	37	0-17	4332	17.1	169	4	7	15	24	34	45
70-74	3308	15.8	146	4	8	13	21	30	39	18-34	14331	11.7	81	3	5	10	16	23	29
75-79	2761	17.2	172	4	8	15	21	35	43	35-49	17559	12.3	82	3	6	10	16	25	29
80-84	1452	14.3	112	3	7	12	19	28	29	50-69	8069	13.5	84	4	7	11	18	26	30
85 +	861	13.5	126	3	6	12	17	27	39	70 +	271	14.8	66	6	8	14	19	28	28
SUBTOTAL	**26513**	**15.0**	**129**	**4**	**7**	**13**	**19**	**29**	**37**		**44563**	**12.8**	**93**	**3**	**6**	**11**	**17**	**25**	**30**
GRAND TOTAL	**47368**	**15.6**	**141**	**4**	**8**	**13**	**20**	**30**	**39**		**61527**	**13.0**	**98**	**3**	**6**	**11**	**17**	**26**	**31**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	361	21.5	312	5	10	19	27	50	72	0-17	346	15.2	294	2	4	12	22	36	85
18-34	5310	12.4	87	4	6	10	16	23	30	18-34	4784	9.2	68	2	4	7	12	18	23
35-49	3821	13.1	80	4	7	11	17	26	32	35-49	2736	11.1	99	3	5	8	14	21	29
50-69	2029	15.7	105	5	8	14	21	28	33	50-69	1379	14.4	146	2	6	11	20	30	35
70 +	102	17.5	101	6	10	15	24	39	40	70 +	373	19.4	144	5	12	19	26	35	52
SUBTOTAL	**11623**	**13.5**	**98**	**4**	**7**	**11**	**18**	**26**	**32**		**9618**	**11.1**	**106**	**2**	**4**	**8**	**14**	**23**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2077	21.6	212	6	11	21	29	42	54	0-17	1755	13.4	135	2	5	10	18	29	36
18-34	10542	12.1	80	4	6	10	16	24	29	18-34	9585	9.1	56	2	4	7	12	18	23
35-49	6514	12.2	76	3	6	10	15	23	30	35-49	6322	10.6	74	2	5	8	14	21	27
50-69	2828	14.3	89	4	7	13	19	28	32	50-69	2752	13.0	91	3	7	11	16	25	30
70 +	71	17.7	95	3	14	18	25	33	33	70 +	768	18.0	164	4	10	14	22	35	43
SUBTOTAL	**22032**	**13.4**	**100**	**4**	**7**	**11**	**18**	**27**	**33**		**21183**	**10.7**	**81**	**2**	**4**	**9**	**14**	**22**	**28**
GRAND TOTAL	**33655**	**13.4**	**100**	**4**	**7**	**11**	**18**	**27**	**32**		**30801**	**10.8**	**89**	**2**	**4**	**8**	**14**	**22**	**29**

DRG 431: Childhood Mental Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	26	5.0	1							0-17	358	15.2	223	2	5	11	20	37	39
70-74	0									18-34	10	1.0							
75-79	6	1.0								35-49	6	19.0							
80-84	16	11.8	20							50-69	0								
85 +	10	82.0								70 +	0								
SUBTOTAL	**58**	**20.1**	**856**	**2**	**5**	**6**	**15**	**82**	**82**		**374**	**14.9**	**219**	**2**	**5**	**11**	**19**	**37**	**38**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	105	8.6	50	1	4	6	14	24	25	0-17	1695	17.3	151	3	8	15	26	31	38
70-74	16	7.2	16							18-34	90	7.7	78	2	3	3	7	26	28
75-79	0									35-49	26	2.2	1						
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**121**	**8.4**	**46**	**1**	**4**	**6**	**14**	**18**	**24**		**1811**	**16.6**	**153**	**2**	**8**	**14**	**24**	**31**	**38**
GRAND TOTAL	**179**	**12.2**	**334**	**1**	**4**	**6**	**14**	**24**	**82**		**2185**	**16.3**	**165**	**2**	**7**	**14**	**24**	**31**	**38**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	377	23.4	250	8	12	20	35	47	63	0-17	179	18.9	237	2	6	16	24	41	61
18-34	26	10.4	106							18-34	11	7.5	33						
35-49	0									35-49	10	15.0							
50-69	0									50-69	0								
70 +	10	10.0								70 +	0								
SUBTOTAL	**413**	**22.2**	**248**	**8**	**10**	**20**	**29**	**46**	**63**		**200**	**18.0**	**220**	**2**	**6**	**15**	**23**	**41**	**61**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2179	21.2	140	8	13	21	28	35	43	0-17	1035	14.5	96	4	7	13	20	27	33
18-34	59	9.6	9	5	6	11	12	13	13	18-34	49	4.0	14	1	1	2	9	91	99 +
35-49	10	3.0								35-49	10	12.0							
50-69	10	7.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2259**	**20.7**	**141**	**8**	**13**	**21**	**28**	**35**	**42**		**1094**	**14.0**	**97**	**3**	**7**	**13**	**19**	**27**	**34**
GRAND TOTAL	**2672**	**21.0**	**158**	**8**	**12**	**21**	**28**	**38**	**47**		**1295**	**14.6**	**118**	**2**	**7**	**13**	**20**	**29**	**37**

DRG 432: Other Mental Disorder Diagnoses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	65	10.3	55	1	4	9	15	20	21	0-17	88	17.4	178	1	7	20	28	38	44
70-74	16	11.8	118							18-34	151	24.8	251	8	16	19	30	57	62
75-79	16	8.1	9							35-49	92	13.7	163	1	7	8	19	30	53
80-84	16	6.9	30							50-69	101	12.2	91	1	2	11	20	29	30
85 +	0									70 +	0								
SUBTOTAL	**112**	**9.8**	**55**	**2**	**4**	**6**	**15**	**21**	**25**		**432**	**18.0**	**207**	**2**	**7**	**16**	**25**	**38**	**53**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	102	10.6	86	2	5	8	14	22	42	0-17	315	12.0	172	1	1	7	21	29	40
70-74	23	13.3	29							18-34	406	17.4	211	2	9	17	22	30	49
75-79	6	13.0								35-49	122	14.6	121	1	3	16	22	27	32
80-84	6	15.0								50-69	54	7.6	49	2	3	6	8	25	25
85 +	10	5.0								70 +	0								
SUBTOTAL	**146**	**10.9**	**68**	**2**	**5**	**10**	**14**	**21**	**22**		**898**	**14.5**	**184**	**1**	**3**	**13**	**21**	**29**	**40**
GRAND TOTAL	**258**	**10.4**	**63**	**2**	**5**	**9**	**15**	**21**	**22**		**1330**	**15.7**	**194**	**1**	**5**	**14**	**22**	**31**	**42**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	17	11.3	186							0-17	16	7.6							
18-34	45	13.9	111	5	7	8	28	33	33	18-34	54	11.4	69	2	3	10	20	22	22
35-49	28	6.4	4							35-49	17	14.3	81						
50-69	27	15.1	118							50-69	22	4.4	12						
70 +	6	19.0								70 +	0								
SUBTOTAL	**123**	**12.3**	**103**	**2**	**5**	**8**	**19**	**28**	**31**		**109**	**9.9**	**59**	**1**	**3**	**8**	**20**	**21**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	124	9.9	145	1	1	1	20	31	32	0-17	78	9.0	72	1	3	7	14	19	32
18-34	157	16.4	238	7	8	11	19	36	56	18-34	127	18.8	244	1	3	19	26	39	55
35-49	51	11.2	52	2	8	9	15	27	27	35-49	33	15.4	110						
50-69	22	15.0	139							50-69	17	10.0	57						
70 +	0									70 +	6	15.0							
SUBTOTAL	**354**	**13.3**	**180**	**1**	**5**	**9**	**19**	**31**	**36**		**260**	**14.8**	**176**	**1**	**3**	**10**	**24**	**32**	**39**
GRAND TOTAL	**477**	**13.0**	**160**	**1**	**5**	**9**	**19**	**30**	**34**		**369**	**13.3**	**146**	**1**	**3**	**9**	**20**	**31**	**32**

DRG 434: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4333	7.6	57	2	3	5	9	17	23	0-17	156	2.1	4	< 1	1	2	2	4	9
70-74	1312	9.0	77	3	4	6	10	18	29	18-34	1473	8.5	101	2	3	4	8	28	30
75-79	893	10.9	163	3	4	6	12	27	36	35-49	2871	7.7	73	2	3	4	8	22	28
80-84	454	8.1	26	3	5	7	11	16	20	50-69	2734	7.0	57	2	3	4	8	16	28
85 +	347	7.3	19	2	4	7	9	14	14	70 +	83	10.6	61	2	6	7	14	28	28
SUBTOTAL	**7339**	**8.3**	**71**	**2**	**4**	**6**	**9**	**18**	**25**		**7316**	**7.5**	**72**	**2**	**3**	**4**	**8**	**22**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**7339**	**8.3**	**71**	**2**	**4**	**6**	**9**	**18**	**25**		**7316**	**7.5**	**72**	**2**	**3**	**4**	**8**	**22**	**28**

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	51	4.1	4	1	3	4	4	9	9	0-17	50	4.4	43	< 1	1	2	5	22	22
18-34	4846	5.2	33	3	3	4	5	8	12	18-34	2599	5.4	32	2	3	4	6	10	14
35-49	5706	5.2	25	2	3	4	5	9	14	35-49	3684	5.3	20	2	3	4	6	10	13
50-69	1978	7.7	115	3	3	5	8	14	24	50-69	1758	6.3	32	2	3	5	8	12	16
70 +	32	11.5	113							70 +	105	9.1	37	3	3	7	15	18	19
SUBTOTAL	**12612**	**5.6**	**43**	**3**	**3**	**4**	**5**	**9**	**15**		**8196**	**5.6**	**27**	**2**	**3**	**4**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**12612**	**5.6**	**43**	**3**	**3**	**4**	**5**	**9**	**15**		**8196**	**5.6**	**27**	**2**	**3**	**4**	**7**	**11**	**15**

DRG 435: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5350	4.7	16	2	3	4	5	8	11	0-17	793	7.1	170	< 1	1	2	6	20	28
70-74	531	5.7	24	2	3	4	7	11	14	18-34	10581	8.0	97	1	2	4	7	28	28
75-79	455	6.1	22	2	4	5	6	11	17	35-49	9209	6.8	65	2	3	4	6	21	28
80-84	268	5.4	17	2	3	4	9	11	14	50-69	3799	7.0	61	2	3	4	7	18	28
85 +	117	5.5	22	2	2	3	6	14	17	70 +	58	9.3	89	2	2	6	12	28	28
SUBTOTAL	**6721**	**4.9**	**18**	**2**	**3**	**4**	**6**	**9**	**12**		**24440**	**7.3**	**82**	**1**	**3**	**4**	**7**	**26**	**28**
GRAND TOTAL	**6721**	**4.9**	**18**	**2**	**3**	**4**	**6**	**9**	**12**		**24440**	**7.3**	**82**	**1**	**3**	**4**	**7**	**26**	**28**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	622	6.1	78	1	3	4	4	16	28	0-17	492	5.7	53	1	1	3	5	17	21
18-34	21877	4.3	22	2	3	4	4	5	7	18-34	13397	4.3	23	1	2	3	4	7	11
35-49	13409	4.2	14	3	3	4	4	5	7	35-49	8839	4.6	21	1	2	3	5	8	11
50-69	1939	5.1	24	2	3	4	5	8	13	50-69	1961	5.1	30	1	2	4	6	10	15
70 +	0									70 +	89	14.3	88	1	6	14	16	30	30
SUBTOTAL	**37848**	**4.4**	**20**	**3**	**3**	**4**	**4**	**5**	**7**		**24777**	**4.5**	**24**	**1**	**2**	**3**	**5**	**8**	**12**
GRAND TOTAL	**37848**	**4.4**	**20**	**3**	**3**	**4**	**4**	**5**	**7**		**24777**	**4.5**	**24**	**1**	**2**	**3**	**5**	**8**	**12**

DRG 436: Alc/Drug Dependence w/ Rehabilitation Therapy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	206	16.5	106	4	7	14	28	29	30	0-17	0								
70-74	36	19.2	190							18-34	10	4.0							
75-79	20	26.0	26							35-49	57	16.0	104	5	5	20	27	28	28
80-84	10	28.0								50-69	69	11.5	85	4	4	6	21	28	28
85 +	0									70 +	0								
SUBTOTAL	**273**	**18.0**	**117**	**4**	**7**	**21**	**28**	**30**	**31**		**136**	**12.8**	**97**	**4**	**5**	**7**	**21**	**28**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	175	17.8	80	5	10	21	28	28	28	0-17	43	25.7	205	6	20	26	44	47	47
70-74	41	23.0	77							18-34	478	13.2	117	2	4	8	23	28	28
75-79	0									35-49	362	11.6	143	2	3	5	19	28	33
80-84	0									50-69	90	12.4	121	3	4	8	19	31	31
85 +	0									70 +	0								
SUBTOTAL	**216**	**18.8**	**83**	**5**	**10**	**21**	**28**	**28**	**28**		**973**	**13.1**	**139**	**2**	**4**	**7**	**22**	**28**	**33**
GRAND TOTAL	**488**	**18.4**	**102**	**4**	**8**	**21**	**28**	**29**	**30**		**1109**	**13.1**	**133**	**3**	**4**	**7**	**22**	**28**	**31**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	287	4.3	2	3	4	4	5	5	7	18-34	36	4.5	5						
35-49	435	4.4	4	3	4	4	5	6	6	35-49	77	5.5	7	3	4	4	8	11	11
50-69	41	4.5								50-69	42	6.4	4						
70 +	0									70 +	17	12.7	47						
SUBTOTAL	**763**	**4.4**	**3**	**3**	**4**	**4**	**5**	**5**	**6**		**172**	**6.2**	**14**	**3**	**4**	**5**	**8**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	28	34.8	376							0-17	0								
18-34	3782	4.3	4	3	4	4	5	5	5	18-34	498	6.1	34	2	3	4	5	17	19
35-49	2456	4.2	2	3	4	4	5	5	5	35-49	375	6.1	33	2	3	4	5	15	21
50-69	276	4.2	1	3	4	4	5	5	5	50-69	53	7.4	20	3	3	8	10	15	15
70 +	31	5.0								70 +	10	6.0							
SUBTOTAL	**6573**	**4.4**	**8**	**3**	**4**	**4**	**5**	**5**	**5**		**936**	**6.2**	**33**	**2**	**3**	**4**	**6**	**15**	**19**
GRAND TOTAL	**7336**	**4.4**	**8**	**3**	**4**	**4**	**5**	**5**	**5**		**1108**	**6.2**	**30**	**2**	**3**	**4**	**6**	**14**	**19**

DRG 437: Alc/Drug Dependence, Combined Rehab & Detox Therapy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-69 (YRS.)	918	19.3	101	5	11	21	29	30	31		0-17	20	19.5	32							
70-74	103	18.8	64	9	10	18	28	29	31		18-34	211	19.5	129	3	11	21	28	30	39	
75-79	36	22.1	57								35-49	438	21.2	126	5	11	25	28	34	39	
80-84	10	25.0									50-69	250	24.3	43	12	20	28	29	30	30	
85 +	0										70 +	0									
SUBTOTAL	**1067**	**19.4**	**95**	**6**	**11**	**21**	**28**	**30**	**31**			**919**	**21.6**	**105**	**6**	**13**	**25**	**28**	**30**	**39**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-69	1001	18.7	95	4	9	21	28	30	30		0-17	135	23.0	218	4	6	26	42	42	42	
70-74	144	19.4	100	7	8	21	30	30	31		18-34	2839	19.6	113	4	9	23	28	30	32	
75-79	79	15.1	100	5	6	9	26	29	29		35-49	2131	18.3	109	4	8	20	28	30	33	
80-84	41	20.5	52								50-69	713	18.7	119	4	7	21	28	29	32	
85 +	0										70 +	10	2.0								
SUBTOTAL	**1266**	**18.6**	**95**	**5**	**9**	**21**	**28**	**30**	**30**			**5828**	**19.1**	**115**	**4**	**8**	**21**	**28**	**30**	**33**	
GRAND TOTAL	**2333**	**19.0**	**95**	**5**	**10**	**21**	**28**	**30**	**30**			**6747**	**19.4**	**115**	**4**	**9**	**22**	**28**	**30**	**34**	

	MEDICAID										NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																					
AGE GROUP																					
0-17 (YRS.)	0										0-17	0									
18-34	459	7.2	52	4	4	4	6	20	27		18-34	167	12.2	99	3	4	8	21	28	32	
35-49	420	7.8	70	4	4	4	6	23	29		35-49	123	15.4	102	2	6	18	26	27	29	
50-69	78	6.5	35	3	4	4	7	11	26		50-69	104	13.4	180	2	4	8	17	29	47	
70 +	0										70 +	0									
SUBTOTAL	**957**	**7.4**	**59**	**4**	**4**	**4**	**6**	**23**	**28**			**394**	**13.5**	**123**	**2**	**4**	**10**	**21**	**28**	**31**	
2.PATIENTS W/OUT CCs																					
AGE GROUP																					
0-17	6	51.0									0-17	26	21.9	268							
18-34	2501	7.0	59	3	4	4	5	24	29		18-34	1155	13.1	97	3	4	10	21	28	30	
35-49	1915	5.1	22	3	4	4	5	6	10		35-49	835	13.8	101	3	4	11	23	28	29	
50-69	230	8.4	86	3	4	4	6	30	32		50-69	189	11.7	63	4	4	11	18	23	29	
70 +	6	3.0									70 +	0									
SUBTOTAL	**4657**	**6.3**	**48**	**3**	**4**	**4**	**5**	**10**	**28**			**2205**	**13.3**	**99**	**3**	**4**	**11**	**22**	**28**	**30**	
GRAND TOTAL	**5614**	**6.5**	**50**	**3**	**4**	**4**	**5**	**14**	**28**			**2599**	**13.4**	**103**	**3**	**4**	**10**	**21**	**28**	**30**	

DRG 439: Skin Grafts for Injuries

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	96	17.0	178	2	4	11	28	38	42	0-17	20	19.5	95						
70-74	48	15.5	323	2	4	8	11	49	49	18-34	38	10.6	29	3	3	14	16	16	16
75-79	20	7.5	44							35-49	62	12.0	66	4	4	10	20	24	24
80-84	27	20.1	361							50-69	63	15.6	200	3	7	9	25	29	52
85 +	16	6.9	30							70 +	26	15.5	135						
SUBTOTAL	**207**	**15.3**	**223**	**2**	**3**	**11**	**23**	**42**	**49**		**211**	**14.0**	**116**	**4**	**6**	**10**	**20**	**29**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	91	5.9	26	2	4	5	6	8	24	0-17	91	3.4	9	< 1	1	2	5	10	10
70-74	44	4.9	18	1	2	4	11	12	12	18-34	129	3.4	8	< 1	1	3	4	6	9
75-79	27	10.8	73							35-49	164	5.8	26	1	2	4	11	12	14
80-84	22	3.8	4							50-69	95	7.9	71	1	2	4	11	29	29
85 +	16	5.1	9							70 +	6	2.0							
SUBTOTAL	**199**	**6.1**	**30**	**1**	**2**	**5**	**8**	**12**	**22**		**485**	**5.1**	**29**	**1**	**1**	**3**	**6**	**11**	**14**
GRAND TOTAL	**407**	**10.8**	**150**	**1**	**3**	**6**	**13**	**28**	**42**		**696**	**7.8**	**72**	**1**	**2**	**4**	**11**	**20**	**26**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	10.8	107							0-17	6	2.0							
18-34	27	4.7	9							18-34	11	19.0	1						
35-49	16	6.2	16							35-49	16	6.6	4						
50-69	27	12.2	123							50-69	22	6.5	14						
70 +	0									70 +	0								
SUBTOTAL	**93**	**8.6**	**76**	**1**	**2**	**6**	**9**	**28**	**32**		**54**	**8.6**	**37**	**1**	**4**	**7**	**11**	**19**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	51	6.1	17	1	2	7	9	14	14	0-17	28	11.6	93						
18-34	66	8.2	78	1	2	5	13	18	32	18-34	59	7.4	36	< 1	1	6	15	17	19
35-49	6	15.0								35-49	53	6.6	49	1	1	5	6	23	23
50-69	16	5.1	2							50-69	23	2.5	7						
70 +	6	1.0								70 +	6	1.0							
SUBTOTAL	**144**	**7.1**	**47**	**1**	**2**	**5**	**9**	**15**	**18**		**169**	**7.0**	**51**	**1**	**1**	**5**	**8**	**19**	**23**
GRAND TOTAL	**236**	**7.7**	**59**	**1**	**2**	**6**	**9**	**15**	**28**		**223**	**7.4**	**48**	**1**	**1**	**6**	**11**	**19**	**23**

DRG 440: Wound Debridements for Injuries

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	432	14.0	103	3	6	11	18	29	38	0-17	133	10.1	53	3	4	6	16	19	20
70-74	207	15.8	145	4	9	14	19	29	32	18-34	285	10.3	63	3	5	7	13	20	29
75-79	127	16.6	157	1	4	19	24	43	43	35-49	351	11.1	104	3	4	7	16	19	42
80-84	144	13.6	50	6	8	12	17	25	26	50-69	299	12.4	82	4	6	9	15	27	40
85 +	136	18.0	289	4	7	11	22	49	49	70 +	47	10.1	13						
SUBTOTAL	**1046**	**15.1**	**136**	**4**	**7**	**12**	**20**	**31**	**40**		**1115**	**11.1**	**78**	**3**	**5**	**8**	**15**	**22**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	279	5.1	34	1	1	4	6	10	17	0-17	501	4.8	18	1	2	3	7	12	13
70-74	103	6.2	12	2	3	6	7	12	15	18-34	792	5.3	30	1	2	4	7	13	17
75-79	86	7.1	23	3	4	7	11	11	21	35-49	561	6.0	25	1	2	5	8	12	14
80-84	104	10.2	31	3	7	9	14	18	20	50-69	362	6.1	49	1	1	3	8	13	15
85 +	42	10.6	19							70 +	31	12.7	65						
SUBTOTAL	**614**	**6.8**	**32**	**1**	**3**	**5**	**9**	**15**	**18**		**2247**	**5.6**	**31**	**1**	**2**	**4**	**7**	**13**	**16**
GRAND TOTAL	**1661**	**12.0**	**114**	**2**	**5**	**9**	**17**	**25**	**34**		**3362**	**7.4**	**53**	**1**	**2**	**5**	**10**	**16**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	71	11.0	47	4	6	10	16	21	23	0-17	67	19.4	192	6	8	12	34	35	47
18-34	128	14.6	168	4	7	11	20	43	49	18-34	259	10.9	81	2	5	9	13	25	33
35-49	45	11.8	87	1	4	13	19	29	29	35-49	176	13.1	117	2	4	12	21	25	41
50-69	88	17.7	334	2	5	8	26	49	58	50-69	80	16.9	95	5	7	18	24	29	32
70 +	10	3.0								70 +	0								
SUBTOTAL	**343**	**13.9**	**178**	**2**	**5**	**9**	**20**	**40**	**49**		**582**	**13.4**	**114**	**2**	**5**	**10**	**20**	**29**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	182	5.7	22	2	3	4	7	13	16	0-17	385	4.9	31	1	1	3	6	11	13
18-34	169	6.6	43	1	2	4	9	15	16	18-34	638	4.7	44	1	1	3	5	9	17
35-49	43	4.1	5	2	2	4	6	7	7	35-49	155	4.3	17	1	1	3	6	10	10
50-69	17	18.3	53							50-69	59	3.9	11	< 1	1	2	9	9	9
70 +	6	5.0								70 +	6	3.0							
SUBTOTAL	**416**	**6.4**	**36**	**1**	**2**	**5**	**9**	**15**	**19**		**1243**	**4.7**	**35**	**1**	**1**	**3**	**5**	**10**	**14**
GRAND TOTAL	**759**	**9.8**	**114**	**2**	**3**	**6**	**13**	**23**	**40**		**1825**	**7.4**	**77**	**1**	**2**	**4**	**9**	**20**	**26**

DRG 441: Hand Procedures for Injuries

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	17	4.7								0-17	0								
70-74	11	6.0	18							18-34	33	8.5	25						
75-79	10	9.0								35-49	33	6.0	21						
80-84	10	2.0								50-69	33	8.1	80						
85 +	6	16.0								70 +	0								
SUBTOTAL	**54**	**6.4**	**19**	**2**	**2**	**5**	**9**	**16**	**16**		**98**	**7.5**	**42**	**1**	**2**	**5**	**12**	**19**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	117	2.2	6	1	1	2	2	5	9	0-17	228	3.2	4	1	1	3	5	6	7
70-74	59	2.4	3	1	1	2	3	6	6	18-34	355	3.6	10	1	1	2	6	6	9
75-79	22	4.9	15							35-49	325	3.2	5	1	1	2	5	6	8
80-84	11	1.5								50-69	183	3.6	40	1	1	2	3	6	29
85 +	0									70 +	0								
SUBTOTAL	**209**	**2.5**	**6**	**1**	**1**	**2**	**2**	**6**	**9**		**1092**	**3.4**	**12**	**1**	**1**	**2**	**5**	**6**	**8**
GRAND TOTAL	**263**	**3.3**	**11**	**1**	**1**	**2**	**5**	**9**	**10**		**1190**	**3.7**	**16**	**1**	**1**	**2**	**5**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	16	19.4	178							0-17	6	5.0							
18-34	0									18-34	26	4.4							
35-49	17	4.7	2							35-49	16	3.9	2						
50-69	0									50-69	10	2.0							
70 +	0									70 +	0								
SUBTOTAL	**33**	**11.8**	**140**								**58**	**3.9**	**2**	**2**	**2**	**4**	**5**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	48	1.4	1	< 1	1	1	1	3	3	0-17	62	5.2	53	1	1	3	6	12	27
18-34	49	3.6	6	1	2	3	5	9	9	18-34	242	2.9	5	1	1	2	4	7	7
35-49	11	5.5								35-49	110	4.5	27	< 1	1	2	6	9	19
50-69	16	2.9	2							50-69	22	1.7							
70 +	0									70 +	10	1.0							
SUBTOTAL	**123**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**		**446**	**3.5**	**18**	**1**	**1**	**2**	**5**	**7**	**8**
GRAND TOTAL	**156**	**4.7**	**46**	**1**	**1**	**3**	**5**	**8**	**29**		**504**	**3.6**	**16**	**1**	**1**	**2**	**5**	**7**	**8**

DRG 442: Other O.R. Procedures for Injuries w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1627	9.0	110	1	3	6	10	22	34	0-17	351	7.5	119	1	2	4	10	17	28
70-74	785	8.6	142	2	2	5	9	18	22	18-34	845	5.1	19	1	1	4	8	11	13
75-79	733	7.6	53	1	2	6	10	16	21	35-49	1034	6.7	52	1	2	4	9	16	23
80-84	444	9.6	75	2	5	7	13	19	31	50-69	1186	6.5	40	1	2	5	8	13	21
85 +	259	12.7	80	2	8	12	17	33	36	70 +	75	4.0	9	1	1	3	7	9	9
SUBTOTAL	**3848**	**9.0**	**101**	**1**	**3**	**6**	**11**	**20**	**29**		**3490**	**6.3**	**47**	**1**	**2**	**4**	**8**	**13**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3848**	**9.0**	**101**	**1**	**3**	**6**	**11**	**20**	**29**		**3490**	**6.3**	**47**	**1**	**2**	**4**	**8**	**13**	**20**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	147	9.6	101	3	3	7	12	19	24	0-17	134	5.4	26	1	2	3	7	13	13
18-34	422	6.8	31	1	3	5	9	15	16	18-34	730	6.3	35	1	3	5	8	11	14
35-49	174	15.1	378	2	5	8	15	31	84	35-49	428	8.2	80	1	2	6	10	21	37
50-69	232	12.9	145	1	4	10	16	27	46	50-69	319	6.9	31	1	3	6	8	15	18
70 +	42	7.0	15							70 +	6	3.0							
SUBTOTAL	**1018**	**10.0**	**136**	**1**	**3**	**7**	**13**	**19**	**29**		**1617**	**6.8**	**46**	**1**	**2**	**5**	**8**	**14**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1018**	**10.0**	**136**	**1**	**3**	**7**	**13**	**19**	**29**		**1617**	**6.8**	**46**	**1**	**2**	**5**	**8**	**14**	**21**

DRG 443: Other O.R. Procedures for Injuries w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	746	3.2	8	1	1	2	5	7	9	0-17	1216	2.2	5	1	1	1	2	5	6
70-74	470	5.0	21	1	2	3	7	12	13	18-34	2183	2.5	7	1	1	1	3	6	8
75-79	291	3.9	19	1	1	2	5	10	11	35-49	1722	2.9	8	1	1	2	4	6	10
80-84	180	2.3	2	1	1	2	3	4	6	50-69	1187	3.1	16	1	1	2	4	6	8
85 +	134	3.2	10	1	1	2	4	8	10	70 +	32	2.2	3						
SUBTOTAL	**1821**	**3.7**	**14**	**1**	**1**	**2**	**5**	**8**	**12**		**6341**	**2.7**	**9**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**1821**	**3.7**	**14**	**1**	**1**	**2**	**5**	**8**	**12**		**6341**	**2.7**	**9**	**1**	**1**	**2**	**3**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	349	2.8	11	1	1	2	3	6	9	0-17	487	2.4	6	< 1	1	2	2	6	7
18-34	372	3.2	5	1	1	3	4	7	8	18-34	1264	3.3	7	1	1	3	4	7	8
35-49	202	3.4	5	1	2	3	5	6	8	35-49	541	3.3	21	1	1	2	4	7	10
50-69	70	3.0	8	1	1	2	4	8	8	50-69	278	3.1	9	1	1	2	4	5	11
70 +	16	3.3	1							70 +	6	2.0							
SUBTOTAL	**1008**	**3.1**	**8**	**1**	**1**	**2**	**4**	**7**	**8**		**2575**	**3.1**	**10**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**1008**	**3.1**	**8**	**1**	**1**	**2**	**4**	**7**	**8**		**2575**	**3.1**	**10**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 444: Traumatic Injury Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	468	6.2	19	2	3	6	8	11	13
70-74	168	4.9	6	2	3	5	7	8	8
75-79	413	6.1	16	2	4	5	7	10	13
80-84	262	8.6	22	3	5	8	12	15	16
85 +	255	8.6	18	3	6	8	11	15	17
SUBTOTAL	**1566**	**6.8**	**19**	**2**	**4**	**6**	**9**	**13**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1566**	**6.8**	**19**	**2**	**4**	**6**	**9**	**13**	**15**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	529	3.5	8	1	2	3	4	6	7
35-49	499	5.4	29	1	2	4	6	10	17
50-69	538	5.9	15	2	3	5	8	12	12
70 +	26	5.3	22						
	1592	**4.9**	**19**	**1**	**2**	**4**	**6**	**10**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1592	**4.9**	**19**	**1**	**2**	**4**	**6**	**10**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	340	3.9	17	1	1	3	4	8	16
35-49	129	5.8	16	2	3	5	7	13	14
50-69	93	8.7	131	1	2	4	10	39	39
70 +	0								
SUBTOTAL	**561**	**5.1**	**38**	**1**	**2**	**3**	**5**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**561**	**5.1**	**38**	**1**	**2**	**3**	**5**	**13**	**17**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	847	3.6	8	1	1	3	5	7	9
35-49	351	4.5	9	1	2	4	6	9	11
50-69	139	6.1	25	1	4	4	7	14	21
70 +	26	2.6	1						
	1364	**4.1**	**10**	**1**	**2**	**3**	**5**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1364	**4.1**	**10**	**1**	**2**	**3**	**5**	**8**	**11**

DRG 445: Traumatic Injury Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0										0-17	0								
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	340	4.1	10	1	2	3	5	8	10	0-17	0								
70-74	164	4.9	18	1	2	4	7	7	9	18-34	1870	2.6	4	1	1	2	4	5	6
75-79	66	2.9	6	1	1	2	5	5	9	35-49	1152	3.1	7	1	1	2	4	6	7
80-84	95	4.4	6	1	3	4	6	8	8	50-69	523	3.3	4	1	2	3	4	6	8
85 +	111	6.8	45	1	2	4	10	18	21	70 +	104	4.8	23	1	2	3	6	15	16
SUBTOTAL	**776**	**4.6**	**17**	**1**	**2**	**4**	**6**	**8**	**12**		**3649**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**776**	**4.6**	**17**	**1**	**2**	**4**	**6**	**8**	**12**		**3649**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0										0-17	0								
18-34	512	2.6	4	< 1	1	2	4	5	6	18-34	2151	2.8	6	1	1	2	4	5	6
35-49	151	3.0	3	< 1	2	3	4	6	6	35-49	618	3.0	6	1	1	2	4	6	8
50-69	66	3.0	1	2	3	3	3	4	5	50-69	230	4.3	12	1	2	4	7	10	12
70 +	20	8.5	13							70 +	17	5.7	3						
SUBTOTAL	**748**	**2.9**	**5**	**< 1**	**1**	**2**	**4**	**5**	**7**		**3016**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**748**	**2.9**	**5**	**< 1**	**1**	**2**	**4**	**5**	**7**		**3016**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 446: Traumatic Injury Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**10**	**1.0**							
GRAND TOTAL	**10**	**1.0**							

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	240	3.1	5	1	1	3	4	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	240	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**8**
0-17	1298	2.5	4	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1298	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	1538	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	136	2.3	2	<1	1	2	3	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**136**	**2.3**	**2**	**<1**	**1**	**2**	**3**	**4**	**4**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	477	2.8	7	1	1	2	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**477**	**2.8**	**7**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**613**	**2.7**	**6**	**1**	**1**	**2**	**4**	**4**	**6**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	128	3.2	11	<1	1	2	4	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	128	**3.2**	**11**	**<1**	**1**	**2**	**4**	**5**	**8**
0-17	882	2.5	13	1	1	2	3	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	882	**2.5**	**13**	**1**	**1**	**2**	**3**	**4**	**7**
	1010	**2.6**	**12**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 447: Allergic Reactions Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	270	3.6	15	1	2	2	4	7	9	0-17	0								
70-74	153	3.2	13	1	1	3	4	6	6	18-34	174	2.4	4	1	1	2	3	5	8
75-79	87	5.2	4	1	5	5	6	8	8	35-49	240	3.9	6	1	2	4	5	7	8
80-84	41	5.3	2							50-69	338	3.3	5	1	2	3	4	6	9
85 +	49	4.4	7	1	2	4	5	10	10	70 +	26	3.3	6						
SUBTOTAL	**600**	**3.9**	**12**	**1**	**2**	**3**	**5**	**7**	**8**		**778**	**3.3**	**6**	**1**	**1**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	201	3.7	11	1	1	3	4	10	12	0-17	0								
70-74	95	2.1	1	1	1	2	3	4	4	18-34	435	2.0	1	< 1	1	2	3	3	4
75-79	102	2.9	2	1	2	2	4	5	5	35-49	569	2.0	2	1	1	2	2	4	4
80-84	54	3.9	13	< 1	1	3	5	13	13	50-69	563	2.1	2	1	1	2	3	4	4
85 +	0									70 +	0								
SUBTOTAL	**453**	**3.2**	**7**	**1**	**1**	**2**	**4**	**6**	**12**		**1566**	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**1053**	**3.6**	**10**	**1**	**2**	**3**	**5**	**7**	**9**		**2344**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	6	5.0								18-34	49	5.2	18	1	3	4	6	16	16
35-49	47	4.6	12							35-49	57	4.8	16	< 1	1	3	9	11	11
50-69	33	6.2	10							50-69	53	2.9	8	1	2	2	3	11	11
70 +	10	4.0								70 +	0								
SUBTOTAL	**95**	**5.1**	**10**	**1**	**2**	**4**	**8**	**10**	**10**		**159**	**4.3**	**15**	**1**	**2**	**3**	**6**	**11**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	32	3.2	3							18-34	174	2.0	3	1	1	1	2	4	8
35-49	48	2.6	2	1	1	2	4	4	4	35-49	127	1.9	1	1	1	2	2	4	4
50-69	38	1.9	1	< 1	< 1	1	3	4	4	50-69	111	2.6	2	1	2	2	3	5	6
70 +	10	1.0								70 +	0								
SUBTOTAL	**128**	**2.4**	**2**	**<1**	**1**	**2**	**4**	**4**	**5**		**412**	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**5**
GRAND TOTAL	**223**	**3.5**	**7**	**1**	**1**	**3**	**4**	**8**	**10**		**570**	**2.7**	**7**	**1**	**1**	**2**	**3**	**6**	**9**

DRG 448: Allergic Reactions Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES											PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	48	2.1	1	1	1	2	2	4	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**48**	**2.1**	**1**	**1**	**1**	**2**	**2**	**4**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	415	1.9	1	1	1	2	2	4	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**415**	**1.9**	**1**	**1**	**1**	**2**	**2**	**4**	**4**
GRAND TOTAL	**0**										**462**	**1.9**	**1**	**1**	**1**	**2**	**2**	**4**	**4**

	MEDICAID										NO INSURANCE										
				PERCENTILES											PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	53	2.7	4	1	1	2	3	7	7	0-17	23	15.3	473						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**53**	**2.7**	**4**	**1**	**1**	**2**	**3**	**7**	**7**		**23**	**15.3**	**473**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	165	2.0	1	<1	1	2	2	4	4	0-17	159	2.0	1	1	1	2	2	4	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**165**	**2.0**	**1**	**<1**	**1**	**2**	**2**	**4**	**4**		**159**	**2.0**	**1**	**1**	**1**	**2**	**2**	**4**	**4**
GRAND TOTAL	**219**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**6**		**181**	**3.7**	**77**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 449: Poisoning & Toxic Effects of Drugs Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3485	5.6	26	1	2	4	7	12	15	0-17	0								
70-74	1464	7.0	77	2	3	5	7	14	20	18-34	2311	3.7	17	1	1	2	4	8	11
75-79	1274	6.6	26	2	3	5	9	12	17	35-49	2437	4.7	30	1	2	3	5	11	14
80-84	1179	7.2	44	2	3	5	9	14	20	50-69	1612	5.3	30	1	2	3	6	12	18
85 +	860	7.0	33	2	4	5	8	16	21	70 +	132	3.7	7	1	2	3	5	9	9
SUBTOTAL	**8262**	**6.4**	**39**	**2**	**3**	**5**	**8**	**13**	**18**		**6491**	**4.5**	**25**	**1**	**2**	**3**	**5**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**8262**	**6.4**	**39**	**2**	**3**	**5**	**8**	**13**	**18**		**6491**	**4.5**	**25**	**1**	**2**	**3**	**5**	**10**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	2035	4.4	25	1	2	3	5	9	16	18-34	3927	3.1	14	1	1	2	4	7	8
35-49	1334	5.9	47	1	2	3	7	14	19	35-49	2399	3.3	8	1	1	3	4	7	9
50-69	890	5.4	37	1	2	4	7	12	14	50-69	606	4.6	27	1	1	3	6	10	15
70 +	44	4.0	10	2	2	3	7	11	11	70 +	104	8.5	27	1	3	8	13	16	17
SUBTOTAL	**4303**	**5.1**	**35**	**1**	**2**	**3**	**6**	**11**	**16**		**7036**	**3.4**	**14**	**1**	**1**	**2**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4303**	**5.1**	**35**	**1**	**2**	**3**	**6**	**11**	**16**		**7036**	**3.4**	**14**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 450: Poisoning & Toxic Effects of Drugs Age >17 w/o CC

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1004	3.8	25	1	1	2	4	9	11
70-74	358	4.7	23	1	2	3	5	11	18
75-79	293	4.1	10	2	2	3	5	8	9
80-84	211	4.4	23	1	1	3	6	10	12
85+	158	3.9	9	1	2	3	5	8	12
SUBTOTAL	**2024**	**4.1**	**21**	**1**	**2**	**3**	**5**	**9**	**12**
GRAND TOTAL	**2024**	**4.1**	**21**	**1**	**2**	**3**	**5**	**9**	**12**

BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	4577	2.4	8	1	1	2	3	5	7
35-49	3323	3.4	31	1	1	2	3	7	12
50-69	1048	3.1	12	1	1	2	3	7	13
70+	32	1.8	1						
	8980	**2.8**	**17**	**1**	**1**	**2**	**3**	**5**	**10**
	8980	**2.8**	**17**	**1**	**1**	**2**	**3**	**5**	**10**

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1820	2.3	5	<1	1	2	3	4	6
35-49	650	3.0	6	1	1	2	4	7	7
50-69	232	2.7	6	1	1	2	3	5	8
70+	6	4.0							
SUBTOTAL	**2707**	**2.5**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**2707**	**2.5**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**

NO INSURANCE									
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	5643	2.2	5	1	1	1	3	4	6
35-49	1813	2.6	11	1	1	1	3	5	8
50-69	406	2.2	4	<1	1	2	3	3	7
70+	43	1.5		<1	<1	1	2	2	2
	7906	**2.3**	**6**	**<1**	**1**	**1**	**3**	**4**	**6**
	7906	**2.3**	**6**	**<1**	**1**	**1**	**3**	**4**	**6**

DRG 451: Poisoning & Toxic Effects of Drugs Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	27	3.0	1							0-17	1057	3.1	25	1	1	2	3	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**27**	**3.0**	**1**								**1057**	**3.1**	**25**	**1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	16	1.6								0-17	5414	2.0	6	< 1	1	1	2	3	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**16**	**1.6**									**5414**	**2.0**	**6**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**43**	**2.5**	**1**	**1**	**2**	**2**	**3**	**4**	**4**		**6471**	**2.2**	**9**	**< 1**	**1**	**1**	**2**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	920	3.7	11	1	2	3	5	7	10	0-17	776	3.1	14	1	1	2	3	7	13
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**920**	**3.7**	**11**	**1**	**2**	**3**	**5**	**7**	**10**		**776**	**3.1**	**14**	**1**	**1**	**2**	**3**	**7**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3516	2.2	6	1	1	1	2	5	6	0-17	4218	2.2	13	< 1	1	1	2	3	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**3516**	**2.2**	**6**	**1**	**1**	**1**	**2**	**5**	**6**		**4218**	**2.2**	**13**	**< 1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**4435**	**2.5**	**8**	**1**	**1**	**2**	**3**	**5**	**7**		**4994**	**2.3**	**13**	**< 1**	**1**	**1**	**2**	**4**	**6**

DRG 452: Complications of Treatment w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2720	5.4	29	1	2	4	7	11	15	0-17	656	3.8	19	1	1	2	4	10	13
70-74	1716	5.7	41	1	2	4	7	11	16	18-34	842	4.1	21	1	2	3	5	8	11
75-79	1153	5.5	22	1	2	4	7	12	14	35-49	988	4.6	35	1	1	3	5	9	14
80-84	926	6.2	29	1	2	4	7	14	19	50-69	1536	4.8	37	1	2	3	6	9	15
85 +	630	7.1	54	2	3	5	7	12	23	70 +	110	7.0	86	< 1	1	2	6	23	28
SUBTOTAL	**7146**	**5.7**	**33**	**1**	**2**	**4**	**7**	**12**	**17**		**4132**	**4.5**	**32**	**1**	**2**	**3**	**5**	**9**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**7146**	**5.7**	**33**	**1**	**2**	**4**	**7**	**12**	**17**		**4132**	**4.5**	**32**	**1**	**2**	**3**	**5**	**9**	**14**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	335	7.2	72	1	1	3	11	18	22	0-17	217	3.9	16	< 1	1	2	5	12	13
18-34	270	4.8	18	1	2	4	7	11	18	18-34	337	3.4	8	1	1	2	5	7	10
35-49	215	7.3	69	2	3	4	9	15	15	35-49	303	3.6	13	1	1	2	5	7	14
50-69	189	5.1	23	1	1	4	7	9	18	50-69	289	4.2	16	1	1	2	6	10	13
70 +	16	22.0	192							70 +	27	6.7	64						
SUBTOTAL	**1025**	**6.4**	**55**	**1**	**2**	**4**	**8**	**17**	**21**		**1174**	**3.8**	**14**	**1**	**1**	**2**	**5**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1025**	**6.4**	**55**	**1**	**2**	**4**	**8**	**17**	**21**		**1174**	**3.8**	**14**	**1**	**1**	**2**	**5**	**9**	**13**

DRG 453: Complications of Treatment w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	918	3.9	11	1	2	3	5	8	11
70-74	660	3.2	8	1	1	3	4	5	8
75-79	456	3.3	9	1	1	3	4	7	8
80-84	239	3.2	3	1	2	3	4	6	7
85 +	107	4.6	14	1	2	4	6	9	18
SUBTOTAL	**2379**	**3.6**	**9**	**1**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**2379**	**3.6**	**9**	**1**	**2**	**3**	**4**	**7**	**9**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	920	2.1	6	< 1	1	1	2	5	7
18-34	1502	2.3	5	1	1	2	3	4	6
35-49	2024	2.7	5	1	1	2	3	6	7
50-69	1555	2.9	9	1	1	2	4	6	9
70 +	17	1.7							
	6018	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
	6018	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	281	3.4	11	< 1	1	3	4	7	9
18-34	294	2.2	3	1	1	2	3	5	6
35-49	152	3.3	8	1	1	2	6	8	8
50-69	149	3.9	25	1	2	2	3	11	21
70 +	16	10.1	2						
SUBTOTAL	**891**	**3.2**	**11**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**891**	**3.2**	**11**	**1**	**1**	**2**	**4**	**7**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	218	2.8	34	< 1	1	1	2	4	14
18-34	536	2.2	3	1	1	2	3	4	6
35-49	355	2.7	3	1	1	2	4	5	5
50-69	206	3.2	8	1	1	2	5	7	9
70 +	27	1.2							
	1343	**2.6**	**9**	**1**	**1**	**2**	**3**	**5**	**7**
	1343	**2.6**	**9**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 454: Other Injury, Poisoning & Toxic Effect Diag w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	379	5.9	54	1	2	4	6	15	18
70-74	154	8.9	137	1	2	3	9	30	30
75-79	274	9.2	175	2	3	5	9	20	28
80-84	203	7.7	35	4	4	5	9	22	23
85 +	273	9.1	84	2	3	6	13	21	25
SUBTOTAL	1284	7.9	95	1	3	5	9	20	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1284	7.9	95	1	3	5	9	20	26

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	243	2.5	7	1	1	1	2	7	8
18-34	316	3.2	20	1	1	2	3	6	12
35-49	314	3.6	19	1	1	2	4	6	9
50-69	282	6.1	121	1	1	2	6	13	18
70 +	11	7.0	1						
	1168	3.9	43	1	1	2	4	7	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1168	3.9	43	1	1	2	4	7	12

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	232	6.2	42	1	1	3	9	18	20
18-34	85	2.1	7	< 1	< 1	1	1	8	9
35-49	122	6.8	73	1	1	4	9	13	32
50-69	102	7.0	24	2	2	6	11	14	17
70 +	47	11.8	45						
SUBTOTAL	588	6.3	45	1	1	4	9	17	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	588	6.3	45	1	1	4	9	17	20

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	257	3.5	10	1	1	2	5	9	12
18-34	326	2.9	9	< 1	1	2	3	7	12
35-49	257	3.5	9	1	1	3	5	9	12
50-69	142	4.4	11	1	2	3	7	10	11
70 +	22	6.5	40						
	1004	3.5	11	1	1	2	5	9	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1004	3.5	11	1	1	2	5	9	12

DRG 455: Other Injury, Poisoning & Toxic Effect Diag w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	59	5.3	86	1	1	2	5	19	33	0-17	944	1.4	1	< 1	1	1	1	2	3
70-74	32	2.6	6							18-34	726	1.7	2	< 1	1	1	2	3	5
75-79	27	2.6	1							35-49	444	1.6	1	1	1	1	2	3	4
80-84	36	9.8	25							50-69	134	1.4		1	1	1	2	2	2
85 +	37	4.9	9							70 +	42	1.8							
SUBTOTAL	**192**	**5.2**	**39**	**1**	**1**	**3**	**6**	**13**	**15**		**2289**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**192**	**5.2**	**39**	**1**	**1**	**3**	**6**	**13**	**15**		**2289**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	535	2.0	3	< 1	1	1	2	4	6	0-17	754	1.5	2	< 1	1	1	1	3	5
18-34	337	1.5	6	< 1	< 1	1	1	2	3	18-34	518	1.4	2	< 1	1	1	1	2	3
35-49	20	2.5								35-49	160	2.6	8	< 1	1	1	3	7	10
50-69	0									50-69	53	1.4		< 1	< 1	1	2	2	2
70 +	0									70 +	22	1.3							
SUBTOTAL	**892**	**1.8**	**4**	**< 1**	**1**	**1**	**2**	**3**	**5**		**1506**	**1.6**	**3**	**< 1**	**1**	**1**	**1**	**3**	**5**
GRAND TOTAL	**892**	**1.8**	**4**	**< 1**	**1**	**1**	**2**	**3**	**5**		**1506**	**1.6**	**3**	**< 1**	**1**	**1**	**1**	**3**	**5**

DRG 457: Extensive Burns w/o O.R. Procedure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10	18.0								0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**10**	**18.0**									**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	11	6.0	1						
70-74	0									18-34	0								
75-79	0									35-49	10	12.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**22**	**8.9**	**10**						
GRAND TOTAL	**10**	**18.0**									**22**	**8.9**	**10**						

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	10	8.0								0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**10**	**8.0**									**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	11	12.0	18						
18-34	0									18-34	6	6.0							
35-49	0									35-49	6	20.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**23**	**12.5**	**34**						
GRAND TOTAL	**10**	**8.0**									**23**	**12.5**	**34**						

DRG 458: Non-extensive Burns w/ Skin Graft

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	173	25.8	383	5	13	26	35	76	99+	0-17	34	10.3	45	3	6	11	13	23	23
70-74	36	13.9	117							18-34	129	15.2	113	7	8	13	18	35	50
75-79	32	25.2	60							35-49	104	13.2	88	4	5	10	24	30	31
80-84	69	20.0	186	8	9	17	27	30	58	50-69	102	14.7	133	2	9	13	17	29	52
85+	26	18.4	96							70+	0								
SUBTOTAL	**337**	**22.7**	**276**	**7**	**13**	**21**	**31**	**70**	**99+**		**369**	**14.0**	**106**	**4**	**7**	**12**	**17**	**30**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	107	11.6	62	2	6	10	15	24	26	0-17	337	13.8	134	1	5	13	21	29	35
70-74	10	8.0								18-34	273	8.5	92	1	2	6	9	20	36
75-79	0									35-49	220	10.4	71	2	3	9	13	23	29
80-84	16	11.1	9							50-69	54	19.6	177	7	8	19	25	44	44
85+	32	16.4	322							70+	10	2.0							
SUBTOTAL	**164**	**12.3**	**106**	**2**	**5**	**9**	**15**	**26**	**42**		**895**	**11.6**	**117**	**2**	**4**	**8**	**17**	**27**	**35**
GRAND TOTAL	**501**	**19.3**	**244**	**4**	**8**	**15**	**30**	**42**	**77**		**1264**	**12.3**	**115**	**2**	**5**	**9**	**17**	**28**	**35**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	146	21.4	155	7	9	22	29	37	46	0-17	50	23.7	104	10	16	23	29	46	46
18-34	83	16.6	114	4	11	14	22	23	49	18-34	55	12.5	91	2	2	11	20	29	31
35-49	50	18.0	80	5	9	20	24	33	33	35-49	37	12.9	37						
50-69	60	24.2	661	7	10	20	30	98	99+	50-69	33	14.5	36						
70+	6	24.0								70+	0								
SUBTOTAL	**344**	**20.3**	**225**	**6**	**10**	**19**	**27**	**37**	**48**		**175**	**16.1**	**95**	**4**	**10**	**14**	**22**	**29**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	366	14.3	73	5	7	13	21	25	29	0-17	286	16.3	128	3	7	15	23	33	36
18-34	129	10.0	60	2	5	9	11	25	28	18-34	153	13.4	65	4	6	12	19	24	29
35-49	22	10.7	56							35-49	66	14.6	129	1	5	14	24	33	33
50-69	16	10.1	2							50-69	37	13.7	83						
70+	0									70+	0								
SUBTOTAL	**533**	**13.0**	**70**	**4**	**7**	**10**	**20**	**25**	**29**		**542**	**15.1**	**108**	**2**	**6**	**14**	**22**	**29**	**33**
GRAND TOTAL	**876**	**15.9**	**144**	**5**	**7**	**14**	**22**	**29**	**36**		**717**	**15.4**	**105**	**3**	**7**	**14**	**22**	**29**	**33**

DRG 459: Non-extensive Burns w/ Wound Debridement or Other O.R. Proc

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	43	19.6	186	8	10	14	34	48	48	0-17	32	10.6	21						
70-74	20	5.5	21							18-34	36	12.2	115						
75-79	31	18.7	115							35-49	43	6.1	12	2	3	6	8	13	13
80-84	10	17.0								50-69	37	16.2	48						
85 +	10	50.0								70 +	0								
SUBTOTAL	**115**	**19.3**	**222**	**8**	**10**	**15**	**33**	**50**	**75**		**149**	**11.1**	**61**	**2**	**5**	**8**	**15**	**26**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	32	6.0	16							0-17	84	3.7	2	2	3	3	5	6	6
70-74	10	15.0								18-34	95	5.9	22	1	2	5	10	15	15
75-79	6	10.0								35-49	103	8.6	46	1	2	7	13	19	22
80-84	0									50-69	27	4.2	13						
85 +	0									70 +	0								
SUBTOTAL	**48**	**8.4**	**24**	**1**	**4**	**10**	**11**	**15**	**15**		**310**	**6.1**	**28**	**1**	**2**	**5**	**7**	**13**	**18**
GRAND TOTAL	**162**	**16.1**	**188**	**2**	**8**	**12**	**17**	**48**	**50**		**458**	**7.7**	**44**	**1**	**3**	**5**	**12**	**16**	**22**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	33	20.6	354							0-17	0								
18-34	11	21.5	264							18-34	22	8.4	51						
35-49	47	11.3	24							35-49	0								
50-69	6	37.0								50-69	16	14.8	20						
70 +	10	2.0								70 +	0								
SUBTOTAL	**107**	**15.7**	**204**	**3**	**6**	**10**	**23**	**37**	**58**		**37**	**11.1**	**47**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	83	5.8	9	1	3	6	8	10	11	0-17	54	8.3	79	1	2	6	11	31	31
18-34	6	2.0								18-34	74	9.4	132	2	3	6	10	37	37
35-49	27	10.3	64							35-49	33	8.1	35						
50-69	10	23.0								50-69	20	25.0	105						
70 +	0									70 +	0								
SUBTOTAL	**126**	**8.0**	**44**	**1**	**3**	**7**	**11**	**19**	**23**		**181**	**10.6**	**121**	**2**	**3**	**6**	**15**	**35**	**37**
GRAND TOTAL	**232**	**11.6**	**132**	**2**	**3**	**8**	**12**	**23**	**37**		**219**	**10.7**	**108**	**2**	**3**	**6**	**15**	**31**	**35**

DRG 460: Non-extensive Burns w/o O.R. Procedure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	220	10.1	66	3	5	7	12	25	29	0-17	108	5.5	45	1	2	3	8	15	29
70-74	49	6.6	32	2	2	6	7	21	21	18-34	122	6.6	25	1	2	6	9	12	20
75-79	90	9.4	34	2	6	8	11	17	23	35-49	93	8.5	33	2	4	8	10	16	25
80-84	58	12.0	145	3	4	7	12	37	37	50-69	181	9.7	50	3	5	8	12	25	26
85+	69	11.9	47	4	7	10	19	22	22	70+	10	10.0							
SUBTOTAL	**485**	**10.1**	**65**	**2**	**5**	**7**	**12**	**22**	**29**		**514**	**7.9**	**41**	**2**	**3**	**7**	**10**	**16**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	111	5.3	16	1	1	6	8	10	13	0-17	1428	3.9	13	1	1	3	5	9	12
70-74	43	10.9	132	2	2	4	14	30	30	18-34	720	4.2	16	1	2	3	5	8	13
75-79	36	4.7	7							35-49	388	4.4	17	1	1	3	7	9	16
80-84	74	7.9	41	2	2	6	13	21	21	50-69	270	5.3	20	1	2	4	7	14	14
85+	31	9.7	15							70+	0								
SUBTOTAL	**295**	**7.1**	**42**	**1**	**2**	**6**	**8**	**15**	**21**		**2806**	**4.2**	**15**	**1**	**1**	**3**	**5**	**9**	**13**
GRAND TOTAL	**780**	**9.0**	**58**	**2**	**4**	**7**	**11**	**21**	**25**		**3321**	**4.8**	**21**	**1**	**2**	**3**	**6**	**10**	**14**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	130	6.5	28	2	2	3	11	15	17	0-17	121	8.1	54	2	3	5	13	17	21
18-34	85	8.3	36	3	3	7	12	21	21	18-34	103	5.7	16	1	3	5	9	10	16
35-49	43	5.5	6	3	4	5	6	11	11	35-49	48	5.8	8	3	4	6	6	13	13
50-69	42	6.1	11							50-69	36	4.5	8						
70+	10	4.0								70+	0								
SUBTOTAL	**310**	**6.7**	**25**	**2**	**3**	**6**	**10**	**13**	**17**		**308**	**6.5**	**30**	**1**	**3**	**5**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1366	5.8	22	1	2	5	8	12	14	0-17	1545	5.8	29	1	2	4	9	12	15
18-34	168	5.9	30	1	2	4	9	17	18	18-34	588	3.9	15	1	1	2	7	10	12
35-49	16	3.5	12							35-49	228	5.3	25	1	2	3	7	14	17
50-69	63	5.3	22	1	2	3	8	13	15	50-69	54	3.6	13	1	1	2	3	11	11
70+	0									70+	0								
SUBTOTAL	**1613**	**5.8**	**23**	**1**	**2**	**5**	**8**	**12**	**15**		**2415**	**5.3**	**26**	**1**	**1**	**4**	**8**	**11**	**14**
GRAND TOTAL	**1924**	**5.9**	**23**	**1**	**2**	**5**	**8**	**12**	**15**		**2723**	**5.4**	**26**	**1**	**2**	**4**	**8**	**12**	**15**

DRG 461: O.R. Proc w/ Diagnoses of Other Contact w/ Health Services

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	544	15.6	414	1	2	5	29	46	72		0-17	93	3.4	12	< 1	1	1	5	12	12
70-74	475	12.7	271	1	1	5	23	42	45		18-34	288	10.1	376	1	1	3	8	38	81
75-79	288	13.4	279	1	2	3	28	42	45		35-49	294	4.4	81	1	1	2	5	9	20
80-84	261	16.3	335	1	1	12	25	40	63		50-69	482	7.5	191	1	1	2	7	20	34
85 +	150	18.1	327	2	3	14	31	54	59		70 +	43	11.3	390	1	1	2	16	60	60
SUBTOTAL	**1717**	**14.7**	**335**	**1**	**2**	**5**	**25**	**43**	**58**			**1199**	**7.2**	**207**	**1**	**1**	**2**	**6**	**20**	**40**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	474	2.4	4	1	1	1	4	5	7		0-17	450	4.6	68	1	1	1	3	16	27
70-74	312	2.5	9	< 1	1	1	3	4	8		18-34	976	1.9	2	1	1	1	2	4	5
75-79	151	2.6	4	1	1	1	4	5	5		35-49	1229	2.4	11	1	1	1	2	5	8
80-84	105	4.8	41	1	1	2	4	16	21		50-69	699	2.1	4	1	1	1	2	4	7
85 +	49	1.4		1	1	1	2	3	3		70 +	6	2.0							
SUBTOTAL	**1090**	**2.6**	**9**	**1**	**1**	**1**	**4**	**5**	**7**			**3359**	**2.5**	**15**	**1**	**1**	**1**	**2**	**5**	**7**
GRAND TOTAL	**2807**	**10.0**	**243**	**1**	**1**	**3**	**12**	**32**	**45**			**4559**	**3.7**	**70**	**1**	**1**	**1**	**3**	**7**	**12**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	89	4.9	34	1	1	4	5	10	25		0-17	33	20.7	837						
18-34	60	5.8	52	1	1	3	11	18	25		18-34	75	4.2	84	1	1	2	2	3	36
35-49	54	3.8	9	1	1	4	8	45	99 +		35-49	101	6.1	191	1	1	1	3	25	47
50-69	45	7.5	197	1	1	2	5	44	44		50-69	82	9.8	123	1	1	4	16	18	43
70 +	10	7.0									70 +	10	70.0							
SUBTOTAL	**259**	**5.4**	**61**	**1**	**1**	**3**	**7**	**11**	**25**			**300**	**10.4**	**355**	**1**	**1**	**2**	**10**	**44**	**63**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	451	1.5	2	1	1	1	1	2	5		0-17	168	2.6	10	1	1	1	2	8	9
18-34	161	2.3	6	< 1	1	1	3	5	5		18-34	549	2.2	7	1	1	1	3	4	6
35-49	61	3.8	21	1	1	3	3	9	17		35-49	278	1.9	4	< 1	1	1	2	4	9
50-69	63	1.9	2	1	1	1	2	5	5		50-69	203	1.5	2	< 1	1	1	1	3	6
70 +	6	1.0									70 +	6	1.0							
SUBTOTAL	**742**	**1.9**	**5**	**1**	**1**	**1**	**2**	**4**	**5**			**1203**	**2.1**	**6**	**< 1**	**1**	**1**	**2**	**5**	**7**
GRAND TOTAL	**1001**	**2.8**	**22**	**1**	**1**	**1**	**3**	**7**	**11**			**1503**	**3.7**	**87**	**1**	**1**	**1**	**3**	**6**	**15**

DRG 462: Rehabilitation

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3573	24.3	198	9	14	22	31	43	52
70-74	2727	24.0	198	8	14	21	31	44	52
75-79	2954	22.9	142	9	14	21	30	40	45
80-84	2334	22.1	121	10	15	21	28	36	44
85 +	1658	20.0	103	8	14	18	26	36	40
SUBTOTAL	**13247**	**23.0**	**162**	**9**	**14**	**21**	**29**	**41**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	873	20.6	175	6	10	18	29	42	44
70-74	871	20.9	135	7	11	19	28	38	42
75-79	1007	19.8	132	8	12	16	25	37	42
80-84	623	19.8	99	9	13	18	28	32	39
85 +	353	18.8	88	8	12	16	25	31	35
SUBTOTAL	**3727**	**20.1**	**133**	**8**	**12**	**17**	**28**	**37**	**42**
GRAND TOTAL	**16974**	**22.4**	**157**	**8**	**14**	**20**	**29**	**40**	**46**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	107	23.6	310	8	9	19	35	63	92
18-34	403	29.0	455	8	14	25	51	82	99 +
35-49	871	28.5	439	8	11	23	40	66	86
50-69	2060	26.4	284	7	14	23	39	51	61
70 +	416	27.0	343	7	14	25	36	50	60
	3856	**27.2**	**345**	**7**	**13**	**23**	**39**	**57**	**74**
0-17	319	20.7	213	5	10	16	31	39	53
18-34	188	20.0	163	4	11	20	26	31	45
35-49	240	14.2	62	3	10	13	22	25	26
50-69	616	21.7	207	7	10	21	27	38	45
70 +	95	23.0	149	7	10	25	35	37	50
	1458	**20.1**	**182**	**6**	**10**	**18**	**26**	**38**	**45**
	5314	**25.2**	**310**	**7**	**12**	**22**	**36**	**52**	**63**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	11	54.5	1543						
18-34	156	30.3	382	8	13	34	44	93	99 +
35-49	144	25.6	279	7	14	19	37	56	56
50-69	275	25.2	207	9	15	21	35	45	46
70 +	59	25.5	234	3	13	24	38	49	49
SUBTOTAL	**645**	**27.1**	**306**	**8**	**14**	**24**	**38**	**51**	**81**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	58	18.7	165	3	6	18	31	40	40
18-34	44	26.4	273	4	16	21	37	60	60
35-49	17	16.0	173						
50-69	34	30.7	253	9	13	33	43	53	53
70 +	0								
SUBTOTAL	**153**	**23.3**	**242**	**6**	**9**	**20**	**36**	**43**	**53**
GRAND TOTAL	**798**	**26.3**	**295**	**7**	**14**	**23**	**37**	**51**	**62**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	27	17.9	114						
18-34	231	26.1	470	6	9	20	41	55	66
35-49	236	23.0	161	3	14	23	31	40	42
50-69	727	24.7	269	5	12	23	35	45	59
70 +	1273	24.2	186	9	15	21	31	44	49
	2494	**24.3**	**234**	**7**	**14**	**22**	**34**	**45**	**55**
0-17	51	27.4	415	3	17	18	61	96	99 +
18-34	72	8.6	37	2	3	7	16	18	18
35-49	63	15.3	115	5	5	11	26	28	37
50-69	160	19.9	159	8	8	20	26	37	43
70 +	154	21.7	65	11	16	22	25	34	39
	500	**19.0**	**159**	**5**	**9**	**18**	**26**	**37**	**43**
	2994	**23.5**	**225**	**6**	**13**	**21**	**32**	**44**	**55**

DRG 463: Signs & Symptoms w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	942	6.2	34	1	3	5	8	12	18
70-74	619	6.0	20	2	3	4	8	13	16
75-79	501	8.1	56	2	3	6	10	16	31
80-84	581	7.4	46	2	3	6	10	13	21
85 +	453	8.2	63	2	3	6	11	20	25
SUBTOTAL	**3097**	**7.0**	**42**	**2**	**3**	**5**	**9**	**14**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3097**	**7.0**	**42**	**2**	**3**	**5**	**9**	**14**	**20**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	134	5.1	36	1	1	3	8	10	11
18-34	48	7.3	209	< 1	1	2	4	46	46
35-49	314	6.8	47	2	2	5	8	14	18
50-69	673	5.2	20	2	2	4	6	10	12
70 +	16	7.6	41						
	1184	**5.7**	**37**	**1**	**2**	**4**	**6**	**11**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1184	**5.7**	**37**	**1**	**2**	**4**	**6**	**11**	**17**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	70	3.0	5	1	2	2	4	5	9
18-34	33	30.0	1853						
35-49	135	4.6	9	1	2	4	6	10	11
50-69	242	6.6	16	2	4	6	9	11	13
70 +	16	10.2	20						
SUBTOTAL	**495**	**7.2**	**170**	**1**	**2**	**5**	**8**	**11**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**495**	**7.2**	**170**	**1**	**2**	**5**	**8**	**11**	**16**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	4.1	8	2	2	4	4	10	11
18-34	58	3.3	12	1	1	2	4	10	13
35-49	152	6.9	32	2	3	5	8	14	23
50-69	132	5.9	18	1	3	5	9	12	16
70 +	27	12.3	70						
	447	**6.0**	**27**	**2**	**2**	**4**	**8**	**13**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	447	**6.0**	**27**	**2**	**2**	**4**	**8**	**13**	**17**

DRG 464: Signs & Symptoms w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	376	3.9	29	1	1	3	5	6	7	0-17	224	2.1	3	1	1	1	3	5	6
70-74	163	3.4	3	1	2	3	5	6	7	18-34	121	2.6	2	1	1	2	4	5	5
75-79	209	3.6	13	1	1	3	4	10	13	35-49	307	3.5	9	1	1	2	5	9	12
80-84	121	4.9	13	2	3	4	6	11	13	50-69	489	2.8	4	1	1	2	4	6	7
85 +	130	6.1	23	2	3	4	8	15	17	70 +	62	2.0	1	1	1	2	2	4	4
SUBTOTAL	**1000**	**4.2**	**19**	**1**	**2**	**3**	**5**	**8**	**13**		**1204**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**1000**	**4.2**	**19**	**1**	**2**	**3**	**5**	**8**	**13**		**1204**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	140	3.2	6	1	1	2	6	7	7	0-17	142	1.9	1	1	1	2	2	3	5
18-34	60	2.2	2	< 1	< 1	1	3	4	5	18-34	63	1.8	1	1	1	1	3	4	4
35-49	75	4.9	16	< 1	2	3	6	13	13	35-49	96	2.4	3	< 1	1	2	4	5	5
50-69	58	3.9	5	2	2	3	4	9	10	50-69	163	2.7	1	1	2	3	4	4	4
70 +	6	3.0								70 +	10	2.0							
SUBTOTAL	**339**	**3.5**	**8**	**< 1**	**1**	**3**	**4**	**7**	**10**		**475**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**339**	**3.5**	**8**	**< 1**	**1**	**3**	**4**	**7**	**10**		**475**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 465: Aftercare w/ History of Malignancy As Secondary Diagnosis

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	66	12.6	149	1	4	11	17	24	45
70-74	22	2.8	4						
75-79	26	1.2							
80-84	36	22.4	992						
85 +	17	14.7	341						
SUBTOTAL	**167**	**11.9**	**357**	**1**	**2**	**4**	**14**	**40**	**72**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	48	3.1	27	1	1	1	2	17	17
70-74	37	6.1	45						
75-79	28	2.6	5						
80-84	6	16.0							
85 +	0								
SUBTOTAL	**119**	**4.5**	**34**	**1**	**1**	**2**	**4**	**16**	**17**
GRAND TOTAL	**285**	**8.8**	**235**	**1**	**1**	**2**	**11**	**18**	**45**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	6	1.0							
50-69	51	5.2	46	1	2	3	4	24	24
70 +	0								
	56	**4.8**	**43**	**< 1**	**2**	**3**	**4**	**18**	**24**
0-17	0								
18-34	0								
35-49	6	1.0							
50-69	17	1.3							
70 +	10	3.0							
	33	**1.8**	**1**						
	89	**3.7**	**30**	**1**	**1**	**2**	**3**	**5**	**24**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	11	1.5							
35-49	0								
50-69	16	2.0							
70 +	0								
SUBTOTAL	**27**	**1.8**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	6	1.0							
70 +	0								
SUBTOTAL	**6**	**1.0**							
GRAND TOTAL	**33**	**1.7**							

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	10	2.0							
35-49	0								
50-69	10	1.0							
70 +	0								
	20	**1.5**							
	20	**1.5**							

DRG 466: Aftercare w/o History of Malignancy As Secondary Diagnosis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	515	8.6	101	< 1	1	3	15	21	28
70-74	285	14.6	311	1	2	12	17	28	39
75-79	288	16.5	241	2	6	13	24	26	61
80-84	277	16.4	117	3	8	16	22	30	38
85 +	341	14.1	87	4	8	13	19	26	31
SUBTOTAL	**1705**	**13.3**	**170**	**1**	**2**	**12**	**18**	**27**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	245	3.7	45	1	1	1	2	15	19
70-74	189	5.0	83	1	1	1	8	9	20
75-79	125	7.1	71	1	1	2	16	21	24
80-84	67	12.6	88	1	3	14	19	27	29
85 +	82	11.6	35	2	5	13	16	18	22
SUBTOTAL	**706**	**6.4**	**72**	**1**	**1**	**2**	**10**	**18**	**23**
GRAND TOTAL	**2412**	**11.3**	**151**	**1**	**1**	**8**	**17**	**25**	**31**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	260	1.2		< 1	1	1	1	2	2
18-34	114	6.1	65	1	1	3	5	14	29
35-49	223	5.7	186	1	1	1	4	8	18
50-69	419	6.5	101	1	1	2	8	20	25
70 +	23	5.8	46						
	1038	**5.0**	**93**	**< 1**	**1**	**1**	**5**	**13**	**22**
0-17	194	1.8	1	1	1	1	3	4	4
18-34	91	2.4	2	1	1	1	4	5	5
35-49	183	1.8	2	< 1	1	1	2	3	6
50-69	379	4.3	24	1	1	3	6	8	11
70 +	45	3.6	11	1	1	3	6	11	11
	893	**3.0**	**13**	**1**	**1**	**2**	**4**	**6**	**8**
	1931	**4.1**	**57**	**1**	**1**	**1**	**5**	**8**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	237	1.6	1	1	1	1	2	3	3
18-34	23	4.3	8						
35-49	28	10.6	58						
50-69	38	15.9	461	1	2	4	40	51	51
70 +	0								
SUBTOTAL	**327**	**4.2**	**84**	**1**	**1**	**2**	**3**	**7**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	128	3.6	22	< 1	1	2	4	15	16
18-34	28	1.6							
35-49	43	1.0		< 1	1	1	1	1	1
50-69	23	3.5	7						
70 +	6	1.0							
SUBTOTAL	**227**	**2.8**	**14**	**< 1**	**1**	**1**	**3**	**6**	**15**
GRAND TOTAL	**554**	**3.6**	**56**	**1**	**1**	**1**	**3**	**7**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	79	2.9	20	< 1	1	1	2	11	16
18-34	84	17.4	301	1	2	13	20	55	55
35-49	83	3.8	33	1	1	1	4	10	23
50-69	114	7.1	97	< 1	1	1	13	33	99 +
70 +	0								
	360	**7.8**	**143**	**1**	**1**	**2**	**13**	**33**	**55**
0-17	62	1.5	1	< 1	1	1	1	3	4
18-34	38	3.3	6	< 1	2	2	4	9	9
35-49	50	2.4	4	< 1	1	1	2	7	7
50-69	38	6.7	20	2	3	3	12	12	12
70 +	16	6.7	1						
	205	**3.4**	**11**	**< 1**	**1**	**2**	**4**	**9**	**12**
	565	**6.2**	**99**	**1**	**1**	**2**	**8**	**17**	**33**

DRG 471: Bilateral or Multiple Major Joint Procs of Lower Extremity

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	611	12.8	46	7	8	10	16	21	23
70-74	507	12.8	73	6	8	11	15	18	24
75-79	440	14.5	86	7	8	14	16	22	35
80-84	332	14.6	74	7	9	12	16	23	34
85 +	155	21.4	314	7	9	15	25	38	68
SUBTOTAL	**2045**	**14.1**	**91**	**7**	**8**	**12**	**16**	**22**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	326	10.7	24	5	7	9	14	17	21
70-74	305	11.4	58	6	7	11	14	16	21
75-79	171	10.5	19	6	7	10	14	16	20
80-84	69	12.5	34	7	8	10	17	18	27
85 +	49	12.0	43	7	7	8	21	22	22
SUBTOTAL	**920**	**11.1**	**36**	**6**	**7**	**10**	**14**	**18**	**21**
GRAND TOTAL	**2965**	**13.2**	**76**	**7**	**8**	**11**	**15**	**21**	**27**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	19.0							
18-34	10	7.0							
35-49	60	12.6	71	5	7	9	16	23	35
50-69	363	13.2	146	7	8	9	14	20	27
70 +	6	9.0							
	444	**13.0**	**130**	**7**	**8**	**9**	**14**	**19**	**28**
0-17	0								
18-34	37	12.8	58						
35-49	53	11.1	49	5	6	9	9	26	26
50-69	252	10.2	16	6	7	10	12	17	17
70 +	26	11.5	14						
	368	**10.7**	**25**	**6**	**7**	**9**	**12**	**17**	**22**
	813	**11.9**	**64**	**6**	**8**	**9**	**13**	**18**	**22**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	11	13.5	7						
35-49	16	21.6	41						
50-69	48	15.4	79	4	7	17	22	28	28
70 +	0								
SUBTOTAL	**75**	**16.4**	**67**	**4**	**11**	**17**	**22**	**28**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	6	18.0							
35-49	0								
50-69	10	12.0							
70 +	0								
SUBTOTAL	**16**	**14.1**	**9**						
GRAND TOTAL	**91**	**16.0**	**57**	**4**	**12**	**17**	**18**	**28**	**30**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	23	8.5	4						
35-49	6	14.0							
50-69	44	11.9	41	4	6	9	18	23	23
70 +	0								
	72	**11.0**	**29**	**6**	**7**	**9**	**14**	**18**	**23**
0-17	0								
18-34	10	1.0							
35-49	0								
50-69	38	7.9	1	7	7	8	8	10	10
70 +	6	8.0							
	54	**6.6**	**8**	**1**	**7**	**8**	**8**	**10**	**10**
	127	**9.1**	**25**	**4**	**7**	**8**	**10**	**18**	**19**

DRG 472: Extensive Burns w/ O.R. Procedure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	36.0								0-17	17	27.7	46						
70-74	6	40.0								18-34	38	27.3	317	10	12	16	49	56	56
75-79	0									35-49	11	44.0	110						
80-84	11	30.0	1							50-69	0								
85 +	6	55.0								70 +	0								
SUBTOTAL	**28**	**38.2**	**88**								**67**	**30.2**	**248**	**10**	**16**	**31**	**49**	**56**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	22	24.5	217						
70-74	0									18-34	11	14.0	70						
75-79	0									35-49	11	24.5	99						
80-84	0									50-69	11	16.5	13						
85 +	0									70 +	0								
SUBTOTAL	**0**										**55**	**20.7**	**138**	**8**	**13**	**19**	**22**	**44**	**48**
GRAND TOTAL	**28**	**38.2**	**88**								**122**	**25.9**	**219**	**10**	**15**	**20**	**36**	**54**	**56**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	40	38.6	125	27	35	37	63	99 +	99 +	0-17	6	47.0							
18-34	28	23.0	51	14	18	25	33	99 +	99 +	18-34	27	39.7	117						
35-49	0									35-49	17	33.0	183						
50-69	6	19.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**73**	**31.1**	**153**	**18**	**27**	**35**	**63**	**99 +**	**99 +**		**50**	**38.2**	**142**	**23**	**29**	**36**	**53**	**86**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	23	33.3	105							0-17	17	27.3	896						
18-34	0									18-34	11	24.0	158						
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**23**	**33.3**	**105**								**28**	**26.0**	**587**						
GRAND TOTAL	**96**	**31.6**	**141**	**19**	**26**	**35**	**45**	**99 +**	**99 +**		**78**	**33.8**	**333**	**12**	**20**	**36**	**53**	**68**	**99 +**

DRG 473: Acute Leukemia w/o Major O.R. Procedure Age >17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	299	24.9	283	4	9	28	37	52	66
70-74	381	17.4	264	4	5	12	29	39	44
75-79	199	18.2	290	2	5	9	31	44	57
80-84	313	12.3	192	3	4	7	13	32	48
85 +	84	10.6	48	4	7	10	12	16	32
SUBTOTAL	**1275**	**17.6**	**262**	**3**	**5**	**10**	**30**	**42**	**52**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	59	9.9	85	4	6	6	12	24	37
70-74	65	12.6	124	1	2	9	27	28	28
75-79	84	6.5	21	1	4	6	9	11	19
80-84	32	6.0	14						
85 +	20	7.5	2						
SUBTOTAL	**260**	**8.8**	**65**	**1**	**4**	**6**	**9**	**23**	**28**
GRAND TOTAL	**1535**	**16.1**	**240**	**3**	**5**	**9**	**27**	**39**	**48**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	145	27.3	209	5	17	29	38	47	61
35-49	321	26.3	376	4	8	27	39	56	66
50-69	540	21.3	369	3	5	17	33	54	64
70 +	74	14.6	136	4	4	15	20	38	38
	1080	**23.1**	**345**	**3**	**6**	**21**	**36**	**53**	**64**
0-17	0								
18-34	80	14.0	254	< 1	3	6	20	40	50
35-49	38	12.3	238	5	5	6	7	49	49
50-69	218	10.7	329	1	2	3	6	32	35
70 +	10	4.0							
	347	**11.4**	**294**	**2**	**2**	**5**	**8**	**35**	**49**
	1427	**20.3**	**357**	**3**	**4**	**13**	**33**	**49**	**60**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	50	21.6	337	3	5	18	36	51	51
35-49	37	10.5	92						
50-69	28	17.2	150						
70 +	0								
SUBTOTAL	**115**	**16.9**	**232**	**1**	**3**	**13**	**25**	**43**	**49**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	16	2.7	1						
35-49	17	6.0	5						
50-69	0								
70 +	0								
SUBTOTAL	**33**	**4.4**	**6**						
GRAND TOTAL	**148**	**14.2**	**208**	**1**	**3**	**7**	**24**	**36**	**47**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	88	18.9	262	< 1	7	10	34	41	52
35-49	61	33.0	537	9	13	31	38	75	76
50-69	101	23.0	512	3	5	10	37	55	77
70 +	6	1.0							
	256	**23.5**	**457**	**1**	**6**	**15**	**37**	**52**	**76**
0-17	0								
18-34	40	6.7	38	< 1	1	5	12	19	19
35-49	20	17.5	286						
50-69	22	7.5	102						
70 +	6	1.0							
	87	**9.1**	**130**	**< 1**	**1**	**4**	**15**	**34**	**34**
	343	**19.8**	**413**	**1**	**4**	**10**	**34**	**41**	**74**

DRG 475: Respiratory System Diagnosis with Ventilator Support

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5195	14.7	123	5	7	12	18	26	39	0-17	421	11.6	70	3	6	10	16	24	41
70-74	3304	17.1	185	6	9	13	20	32	42	18-34	464	12.4	122	3	5	7	16	27	38
75-79	2538	16.7	138	6	9	14	21	31	41	35-49	764	13.1	64	4	7	12	19	24	27
80-84	1651	16.6	177	6	8	14	20	29	43	50-69	2095	15.1	115	5	8	12	18	33	40
85 +	1005	16.8	189	5	7	14	21	39	53	70 +	311	15.2	92	5	10	13	17	27	40
SUBTOTAL	**13693**	**16.0**	**153**	**5**	**8**	**13**	**20**	**30**	**42**		**4055**	**14.0**	**101**	**4**	**7**	**12**	**18**	**28**	**38**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	108	7.5	29	2	3	7	10	13	20	0-17	187	6.7	25	1	3	5	9	15	16
70-74	37	6.5	2							18-34	37	5.5	4						
75-79	63	6.6	11	3	4	6	9	13	13	35-49	78	5.2	13	2	3	3	6	13	13
80-84	22	10.0	36							50-69	89	5.6	4	2	4	6	7	8	10
85 +	20	51.5	1990							70 +	10	1.0							
SUBTOTAL	**250**	**10.9**	**321**	**3**	**4**	**6**	**10**	**17**	**20**		**401**	**5.9**	**16**	**1**	**3**	**5**	**8**	**13**	**15**
GRAND TOTAL	**13944**	**15.9**	**157**	**5**	**8**	**13**	**19**	**30**	**42**		**4456**	**13.3**	**99**	**4**	**6**	**11**	**17**	**27**	**38**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	444	12.4	171	2	5	8	15	34	40	0-17	251	12.6	134	3	5	9	18	29	42
18-34	302	12.1	149	3	5	8	17	24	56	18-34	312	10.7	100	3	3	7	14	30	35
35-49	464	13.5	92	4	6	11	17	28	34	35-49	361	12.1	143	3	4	10	14	38	46
50-69	974	13.9	102	5	7	11	18	29	34	50-69	999	13.4	91	4	7	11	19	26	30
70 +	108	15.5	211	6	9	11	15	18	59	70 +	126	21.0	238	6	10	18	32	48	56
SUBTOTAL	**2292**	**13.3**	**125**	**4**	**6**	**10**	**17**	**29**	**36**		**2048**	**13.1**	**120**	**3**	**6**	**10**	**17**	**28**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	89	9.6	39	2	4	8	12	21	21	0-17	79	6.4	17	3	4	5	7	14	16
18-34	43	12.7	90	2	6	8	16	28	28	18-34	82	6.2	14	3	3	4	9	12	14
35-49	6	20.0								35-49	31	10.7	56						
50-69	0									50-69	33	5.5	7						
70 +	6	9.0								70 +	0								
SUBTOTAL	**144**	**10.9**	**56**	**2**	**6**	**9**	**16**	**21**	**28**		**224**	**6.8**	**22**	**2**	**3**	**6**	**10**	**14**	**16**
GRAND TOTAL	**2436**	**13.2**	**122**	**4**	**6**	**10**	**17**	**28**	**36**		**2272**	**12.5**	**114**	**3**	**5**	**10**	**16**	**27**	**35**

DRG 478: Other Vascular Procedures w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	16434	7.9	79	1	2	6	10	16	22	0-17	156	8.1	38	1	3	8	11	13	17
70-74	9187	9.3	82	1	4	7	12	19	26	18-34	237	5.6	23	1	2	5	8	11	16
75-79	7277	10.4	76	2	5	9	14	21	26	35-49	1625	7.1	37	1	3	5	9	14	20
80-84	3858	11.9	94	3	6	10	15	23	27	50-69	6937	8.2	61	1	4	6	10	16	21
85 +	2421	12.6	112	4	7	10	15	23	29	70 +	809	10.7	87	2	5	8	14	23	32
SUBTOTAL	**39177**	**9.4**	**85**	**1**	**4**	**7**	**12**	**19**	**25**		**9763**	**8.2**	**59**	**1**	**4**	**6**	**10**	**17**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**39177**	**9.4**	**85**	**1**	**4**	**7**	**12**	**19**	**25**		**9763**	**8.2**	**59**	**1**	**4**	**6**	**10**	**17**	**21**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	138	10.7	105	2	4	8	15	18	33	0-17	102	3.9	12	1	1	2	6	10	13
18-34	248	5.2	33	1	1	4	7	13	14	18-34	210	6.6	39	1	2	4	10	18	20
35-49	550	9.1	135	1	2	5	11	21	37	35-49	660	7.5	42	1	2	6	10	16	18
50-69	1925	10.6	169	1	3	7	12	20	35	50-69	1377	9.2	67	1	4	7	11	18	26
70 +	213	9.0	47	1	3	8	14	22	22	70 +	290	9.4	51	1	4	7	16	20	23
SUBTOTAL	**3075**	**9.8**	**143**	**1**	**3**	**7**	**12**	**20**	**33**		**2639**	**8.4**	**56**	**1**	**3**	**7**	**11**	**18**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3075**	**9.8**	**143**	**1**	**3**	**7**	**12**	**20**	**33**		**2639**	**8.4**	**56**	**1**	**3**	**7**	**11**	**18**	**23**

DRG 479: Other Vascular Procedures w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3326	5.0	18	1	2	4	6	9	12	0-17	151	2.5	10	1	1	2	3	4	6
70-74	2180	5.2	15	1	3	5	7	9	12	18-34	272	4.6	15	1	2	4	6	8	16
75-79	1631	5.1	13	1	2	5	7	10	12	35-49	1334	3.9	10	1	1	3	5	8	10
80-84	987	5.7	20	1	3	5	8	10	13	50-69	4314	4.4	15	1	2	4	6	8	10
85 +	369	5.8	20	1	2	5	8	11	17	70 +	86	3.9	8	1	1	4	6	9	9
SUBTOTAL	**8493**	**5.2**	**17**	**1**	**2**	**5**	**7**	**10**	**12**		**6158**	**4.3**	**14**	**1**	**2**	**3**	**6**	**8**	**10**
GRAND TOTAL	**8493**	**5.2**	**17**	**1**	**2**	**5**	**7**	**10**	**12**		**6158**	**4.3**	**14**	**1**	**2**	**3**	**6**	**8**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	44	9.8	26	3	6	10	12	21	21	0-17	40	2.0	3	1	1	1	3	6	6
18-34	33	4.9	7							18-34	53	3.5	19	< 1	1	1	5	15	15
35-49	104	4.4	11	1	1	4	7	10	11	35-49	334	3.9	8	1	2	4	5	8	10
50-69	387	5.5	10	1	4	5	8	9	10	50-69	864	5.0	18	1	2	4	6	9	12
70 +	47	6.7	20							70 +	75	6.0	17	1	3	5	7	12	15
SUBTOTAL	**615**	**5.7**	**13**	**1**	**3**	**5**	**8**	**10**	**12**		**1365**	**4.7**	**15**	**1**	**2**	**4**	**6**	**9**	**12**
GRAND TOTAL	**615**	**5.7**	**13**	**1**	**3**	**5**	**8**	**10**	**12**		**1365**	**4.7**	**15**	**1**	**2**	**4**	**6**	**9**	**12**

DRG 480: Liver Transplant

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	11	21.0	10							0-17	11	49.5	336						
70-74	0									18-34	11	21.0	10						
75-79	0									35-49	68	42.3	657	15	20	42	64	76	95
80-84	0									50-69	56	26.0	148	13	17	24	32	49	56
85 +	0									70 +	0								
SUBTOTAL	**11**	**21.0**	**10**								**147**	**35.0**	**469**	**13**	**18**	**30**	**52**	**78**	**95**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	6	24.0							
70-74	0									18-34	6	22.0							
75-79	0									35-49	6	25.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**17**	**23.7**	**2**						
GRAND TOTAL	**11**	**21.0**	**10**								**164**	**33.8**	**433**	**15**	**19**	**29**	**48**	**75**	**95**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	34	48.0	430	25	29	45	61	83	83	0-17	17	22.0	30						
18-34	0									18-34	11	40.0	860						
35-49	11	32.0	1							35-49	34	20.2	46	12	15	18	25	32	32
50-69	0									50-69	11	47.5	99						
70 +	0									70 +	0								
SUBTOTAL	**45**	**44.0**	**369**	**25**	**30**	**34**	**58**	**83**	**83**		**73**	**27.8**	**283**	**12**	**16**	**25**	**57**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**45**	**44.0**	**369**	**25**	**30**	**34**	**58**	**83**	**83**		**73**	**27.8**	**283**	**12**	**16**	**25**	**57**	**99 +**	**99 +**

DRG 481: Bone Marrow Transplant

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	51	46.2	188	33	37	44	67	89	99 +
70-74	6	10.0								18-34	28	40.4	142						
75-79	0									35-49	68	38.8	130	30	31	36	44	60	62
80-84	10	12.0								50-69	6	57.0							
85 +	0									70 +	0								
SUBTOTAL	16	11.3	1								153	42.2	164	30	33	40	57	67	73
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	10	1.0								0-17	6	45.0							
70-74	0									18-34	16	13.2	129						
75-79	10	5.0								35-49	22	8.6	95						
80-84	0									50-69	6	57.0							
85 +	0									70 +	0								
SUBTOTAL	20	3.0	4								49	19.9	391	< 1	5	7	28	57	57
GRAND TOTAL	36	6.6	20								201	36.8	309	7	30	37	47	62	73

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	17	64.7	279							0-17	23	57.5	560						
18-34	0									18-34	11	66.0	355						
35-49	0									35-49	6	34.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	17	64.7	279								40	56.6	510	34	40	50	90	99 +	99 +
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	36.0								0-17	0								
18-34	10	1.0								18-34	22	8.8	137						
35-49	0									35-49	6	69.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	16	13.5	300								27	21.3	727						
GRAND TOTAL	33	39.9	956	1	18	43	82	99 +	99 +		67	42.2	893	2	28	46	69	96	99 +

DRG 482: Tracheostomy w/ Mouth, Larynx or Pharynx Disorder

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	694	17.6	140	8	9	14	21	33	50	0-17	17	20.3	4						
70-74	535	17.5	173	8	10	14	22	33	62	18-34	33	9.5	34						
75-79	290	16.9	200	8	9	12	18	35	46	35-49	119	10.3	17	5	7	11	13	18	32
80-84	113	15.3	259	6	8	11	18	51	89	50-69	670	15.6	84	8	10	13	18	27	39
85 +	28	21.2	105							70 +	16	55.6	587						
SUBTOTAL	**1661**	**17.4**	**169**	**8**	**9**	**14**	**21**	**33**	**50**		**855**	**15.4**	**115**	**7**	**10**	**12**	**19**	**29**	**41**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	175	10.6	35	6	7	9	13	20	23	0-17	0								
70-74	125	10.3	24	4	7	10	13	16	18	18-34	22	8.0	6						
75-79	108	9.8	35	2	6	9	13	19	23	35-49	139	8.4	20	3	4	8	10	12	20
80-84	27	15.2	136							50-69	413	9.5	48	3	6	9	11	15	16
85 +	17	12.0	47							70 +	11	7.0	1						
SUBTOTAL	**452**	**10.6**	**39**	**4**	**6**	**9**	**13**	**19**	**23**		**585**	**9.1**	**39**	**3**	**6**	**9**	**11**	**14**	**16**
GRAND TOTAL	**2113**	**15.9**	**149**	**6**	**9**	**13**	**19**	**29**	**46**		**1440**	**12.9**	**94**	**5**	**8**	**11**	**15**	**22**	**39**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	55	36.9	575	7	16	22	60	68	71	0-17	23	39.5	893						
18-34	22	14.8	14							18-34	63	16.6	168	6	10	11	17	45	45
35-49	124	25.4	265	10	13	24	36	48	78	35-49	110	21.1	191	8	11	17	28	37	54
50-69	144	18.6	85	10	11	18	27	38	38	50-69	233	13.3	65	6	8	11	16	29	31
70 +	0									70 +	0								
SUBTOTAL	**345**	**23.8**	**267**	**10**	**12**	**21**	**33**	**59**	**71**		**429**	**17.2**	**192**	**6**	**9**	**11**	**21**	**34**	**53**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	40	27.3	315	10	10	23	45	60	60	0-17	11	13.5	7						
18-34	16	4.3	1							18-34	16	8.6	4						
35-49	17	13.3	30							35-49	33	8.8	11						
50-69	55	9.4	28	3	4	10	11	19	20	50-69	108	9.9	27	4	6	10	12	17	21
70 +	0									70 +	0								
SUBTOTAL	**128**	**14.8**	**187**	**3**	**7**	**10**	**20**	**28**	**45**		**168**	**9.8**	**21**	**4**	**6**	**10**	**12**	**16**	**21**
GRAND TOTAL	**473**	**21.3**	**261**	**6**	**10**	**16**	**29**	**51**	**60**		**597**	**15.1**	**155**	**6**	**8**	**11**	**17**	**29**	**45**

DRG 483: Tracheostomy except for Mouth, Larynx or Pharynx Disorder

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	1716	45.3	677	14	31	51	89	99+	99+	0-17	253	35.6	291	17	26	40	73	99+	99+	
70-74	1136	50.2	605	16	36	53	83	99+	99+	18-34	735	40.3	467	16	28	38	59	87	99+	
75-79	911	49.7	530	22	36	53	78	99+	99+	35-49	690	39.8	541	9	21	41	61	92	99+	
80-84	446	50.2	532	23	38	54	87	99+	99+	50-69	1132	46.5	563	14	33	52	78	99+	99+	
85+	313	47.1	652	18	29	44	62	93	98	70+	109	51.8	353	37	42	56	99+	99+	99+	
SUBTOTAL	**4522**	**48.0**	**618**	**17**	**33**	**52**	**84**	**99+**	**99+**		**2918**	**42.6**	**518**	**14**	**29**	**44**	**72**	**99+**	**99+**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	69	16.2	194	7	8	9	19	46	46	0-17	61	11.0	133	1	5	10	19	99+	99+	
70-74	26	35.5	1213							18-34	63	10.0	30	3	5	9	16	18	19	
75-79	22	15.0	36							35-49	87	9.4	154	2	4	7	9	13	55	
80-84	6	7.0								50-69	103	11.5	85	3	6	10	22	35	96	
85+	0									70+	0									
SUBTOTAL	**122**	**19.7**	**438**	**7**	**7**	**10**	**21**	**46**	**78**		**315**	**10.5**	**102**	**2**	**5**	**8**	**16**	**35**	**55**	
GRAND TOTAL	**4645**	**47.3**	**633**	**16**	**32**	**51**	**83**	**99+**	**99+**		**3233**	**39.5**	**568**	**9**	**23**	**41**	**69**	**99+**	**99+**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	205	36.7	395	16	26	56	99+	99+	99+	0-17	102	41.6	659	9	22	46	69	99+	99+	
18-34	378	35.7	409	11	25	43	85	99+	99+	18-34	479	38.0	563	11	14	41	58	74	87	
35-49	312	52.7	756	14	39	66	95	99+	99+	35-49	314	45.9	835	9	25	42	74	97	99+	
50-69	346	46.3	655	14	31	49	82	99+	99+	50-69	317	47.5	562	19	34	50	85	99+	99+	
70+	16	72.4	79							70+	62	43.4	790	16	30	49	99+	99+	99+	
SUBTOTAL	**1256**	**43.4**	**614**	**13**	**29**	**52**	**96**	**99+**	**99+**		**1274**	**42.9**	**663**	**11**	**25**	**46**	**71**	**99+**	**99+**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	67	22.8	674	2	8	16	37	99+	99+	0-17	66	22.6	310	7	10	14	40	60	99+	
18-34	34	19.5	638	3	4	9	17	74	74	18-34	33	9.8	9							
35-49	6	52.0								35-49	28	5.6	11							
50-69	27	27.8	432							50-69	0									
70+	0									70+	0									
SUBTOTAL	**133**	**24.2**	**620**	**2**	**8**	**15**	**38**	**99**	**99+**		**127**	**15.5**	**221**	**3**	**7**	**11**	**18**	**43**	**60**	
GRAND TOTAL	**1389**	**41.6**	**647**	**11**	**26**	**51**	**91**	**99+**	**99+**		**1401**	**40.4**	**684**	**10**	**18**	**43**	**67**	**99+**	**99+**	

DRG 484: Craniotomy for Multiple Significant Trauma

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	16	57.5	300							0-17	83	19.9	114	7	15	19	32	40	99 +
70-74	0									18-34	131	18.9	147	9	9	18	30	36	40
75-79	0									35-49	82	25.4	121	13	20	24	31	51	99 +
80-84	11	30.0	54							50-69	28	33.2	228						
85 +	0									70 +	27	13.6	13						
SUBTOTAL	27	46.1	383								351	21.4	151	9	12	20	31	40	51
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	31	17.3	244						
70-74	0									18-34	17	23.0	111						
75-79	0									35-49	16	33.0	235						
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										63	22.8	241	5	8	19	39	44	44
GRAND TOTAL	27	46.1	383								414	21.6	164	9	12	19	32	44	51

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	17	28.7	53							0-17	27	23.0	13						
18-34	44	44.8	684	12	23	71	99 +	99 +	99 +	18-34	115	28.6	300	9	13	24	38	53	66
35-49	10	75.0								35-49	34	17.7	55	6	12	18	24	27	27
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	71	45.3	627	14	23	64	75	99 +	99 +		176	25.6	227	9	14	23	36	46	58
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	33.0								0-17	0								
18-34	0									18-34	0								
35-49	6	13.0								35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	11	23.0	110								0								
GRAND TOTAL	83	42.2	613	13	23	39	75	99 +	99 +		176	25.6	227	9	14	23	36	46	58

DRG 485: Limb Reattachment, Hip And Femur Proc for Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	133	27.1	579	9	11	19	31	61	92	0-17	282	16.2	150	6	8	12	20	32	40
70-74	27	29.6	966							18-34	947	18.9	164	7	10	17	24	34	47
75-79	110	17.2	97	9	9	13	20	37	39	35-49	278	19.3	118	9	10	17	28	36	37
80-84	210	16.3	57	9	11	16	20	25	34	50-69	122	22.1	116	11	12	22	28	39	45
85 +	304	13.2	23	8	10	12	15	21	26	70 +	37	23.3	199						
SUBTOTAL	**784**	**17.5**	**196**	**8**	**10**	**13**	**19**	**27**	**40**		**1667**	**18.9**	**153**	**7**	**10**	**16**	**25**	**35**	**43**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	11	6.5							
70-74	10	7.0								18-34	37	9.4	13						
75-79	10	10.0								35-49	0								
80-84	0									50-69	6	10.0							
85 +	0									70 +	0								
SUBTOTAL	**20**	**8.5**	**2**								**54**	**8.9**	**11**	**3**	**7**	**9**	**10**	**14**	**14**
GRAND TOTAL	**804**	**17.3**	**193**	**8**	**10**	**13**	**19**	**27**	**40**		**1722**	**18.6**	**152**	**7**	**10**	**15**	**24**	**35**	**43**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	54	19.4	226	8	11	14	24	56	60	0-17	109	17.3	74	8	11	15	21	33	41
18-34	200	17.4	82	5	10	17	24	28	41	18-34	429	18.6	121	7	10	18	23	37	43
35-49	38	24.3	372	12	14	15	26	69	69	35-49	172	22.2	237	9	12	16	26	56	59
50-69	16	15.9	30							50-69	52	12.2	15	6	9	13	16	16	16
70 +	0									70 +	32	16.4	162						
SUBTOTAL	**309**	**18.5**	**145**	**7**	**11**	**16**	**24**	**28**	**60**		**794**	**18.7**	**139**	**7**	**10**	**16**	**23**	**37**	**45**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	10	9.0							
18-34	10	37.0								18-34	10	17.0							
35-49	0									35-49	0								
50-69	0									50-69	6	9.0							
70 +	0									70 +	0								
SUBTOTAL	**10**	**37.0**									**26**	**12.1**	**16**						
GRAND TOTAL	**319**	**19.1**	**151**	**7**	**11**	**17**	**24**	**37**	**60**		**820**	**18.5**	**137**	**8**	**10**	**16**	**23**	**35**	**45**

DRG 486: Other O.R. Procedures for Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	212	17.2	203	6	9	12	23	42	70
70-74	38	25.5	237	9	11	21	40	48	48
75-79	38	15.6	53	7	10	13	24	26	26
80-84	22	30.3	43						
85 +	16	29.1	2						
SUBTOTAL	**326**	**19.4**	**189**	**7**	**10**	**14**	**27**	**40**	**53**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	7.0							
70-74	0								
75-79	0								
80-84	6	11.0							
85 +	0								
SUBTOTAL	**11**	**9.0**	**4**						
GRAND TOTAL	**337**	**19.1**	**186**	**7**	**9**	**13**	**27**	**40**	**53**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	796	15.5	187	5	7	11	22	31	45
18-34	1879	14.7	141	5	7	11	19	30	40
35-49	873	15.0	118	6	8	12	17	28	41
50-69	430	19.0	155	7	10	15	26	39	48
70 +	104	21.6	119	13	15	17	26	42	45
	4083	**15.6**	**149**	**6**	**8**	**12**	**19**	**31**	**44**
0-17	44	21.4	308	6	7	11	41	50	50
18-34	58	8.1	43	4	4	6	10	22	27
35-49	16	7.4							
50-69	16	11.8	16						
70 +	0								
	134	**12.9**	**158**	**4**	**6**	**8**	**11**	**41**	**41**
	4217	**15.5**	**149**	**5**	**7**	**12**	**19**	**31**	**44**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	165	17.0	222	4	5	10	24	44	44
18-34	916	17.5	207	6	8	12	23	41	54
35-49	192	27.4	696	7	10	16	44	86	91
50-69	28	17.8	83						
70 +	0								
SUBTOTAL	**1301**	**18.9**	**290**	**6**	**8**	**13**	**24**	**44**	**60**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	4.0							
18-34	33	11.8	33						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**38**	**10.6**	**36**	**3**	**4**	**11**	**15**	**19**	**19**
GRAND TOTAL	**1340**	**18.7**	**285**	**6**	**8**	**13**	**24**	**44**	**60**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	296	13.6	70	6	7	10	22	29	30
18-34	1939	14.0	128	5	7	10	17	28	38
35-49	506	15.5	106	7	8	13	19	28	39
50-69	114	14.1	94	9	9	11	21	47	99 +
70 +	0								
	2856	**14.2**	**117**	**5**	**7**	**11**	**18**	**29**	**39**
0-17	17	11.3	40						
18-34	91	14.6	196	5	7	10	16	38	59
35-49	11	9.5	13						
50-69	0								
70 +	0								
	119	**13.6**	**158**	**5**	**7**	**10**	**16**	**27**	**47**
	2975	**14.2**	**119**	**5**	**7**	**11**	**18**	**29**	**39**

DRG 487: Other Multiple Significant Trauma

	MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	258	15.3	160	3	7	11	24	32	33
70-74	147	14.7	127	5	6	11	18	24	26
75-79	192	11.0	38	4	6	10	13	18	25
80-84	212	15.5	84	5	8	13	21	31	32
85 +	218	11.1	61	3	6	10	14	21	25
SUBTOTAL	1027	13.6	100	4	6	11	18	27	32
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	10	6.0							
80-84	10	14.0							
85 +	0								
SUBTOTAL	20	10.0	17						
GRAND TOTAL	1047	13.5	98	4	6	11	17	26	32

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	897	9.5	59	2	4	8	12	20	30
18-34	1036	11.2	190	2	4	7	12	32	52
35-49	671	9.6	106	3	4	6	11	19	30
50-69	429	12.0	118	4	5	9	13	22	40
70 +	197	15.0	144	6	9	11	14	30	48
	3230	10.7	126	2	4	7	12	22	36
0-17	37	5.7	8						
18-34	47	4.0	6						
35-49	0								
50-69	42	8.6	19						
70 +	10	3.0							
	136	5.8	14	2	3	5	7	12	14
	3366	10.5	122	2	4	7	12	21	36

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	174	10.0	100	2	4	7	12	17	46
18-34	242	12.2	144	3	5	8	14	30	35
35-49	71	16.4	160	6	6	18	40	99 +	99 +
50-69	38	16.2	563	2	2	3	17	71	71
70 +	10	8.0							
SUBTOTAL	536	12.3	163	3	5	8	15	31	51
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	11	11.5	79						
18-34	0								
35-49	16	4.6	4						
50-69	10	28.0							
70 +	0								
SUBTOTAL	37	13.1	119						
GRAND TOTAL	574	12.3	160	2	5	8	16	30	46

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	454	12.2	199	2	4	9	16	27	43
18-34	992	8.8	71	2	3	6	11	18	27
35-49	506	12.7	185	2	5	9	16	28	44
50-69	192	11.8	121	3	5	9	14	26	28
70 +	33	11.9	37						
	2176	10.7	131	2	4	7	13	24	33
0-17	67	6.5	27	3	3	6	7	8	22
18-34	105	6.8	77	1	1	3	10	12	31
35-49	0								
50-69	20	5.5							
70 +	0								
	193	6.6	51	1	2	4	7	12	29
	2369	10.4	126	2	4	7	13	23	31

DRG 488: HIV w/ Extensive O.R. Procedure

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	102	17.9	227	8	8	13	32	65	99+
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**102**	**17.9**	**227**	**8**	**8**	**13**	**32**	**65**	**99+**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**102**	**17.9**	**227**	**8**	**8**	**13**	**32**	**65**	**99+**

	BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	206	16.1	148	4	7	14	25	41	51
35-49	303	19.1	236	4	7	16	23	41	60
50-69	90	28.3	540	9	18	21	30	66	98
70+	0								
SUBTOTAL	**598**	**19.5**	**266**	**5**	**8**	**16**	**25**	**46**	**60**
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	10	15.0							
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**10**	**15.0**							
GRAND TOTAL	**609**	**19.4**	**262**	**5**	**8**	**16**	**25**	**41**	**60**

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	27	30.3	1293						
18-34	172	25.8	725	6	11	19	25	96	96
35-49	240	24.3	308	8	10	21	41	61	63
50-69	32	20.5	36						
70+	0								
SUBTOTAL	**471**	**24.9**	**498**	**7**	**10**	**19**	**30**	**61**	**96**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	10	10.0							
35-49	16	8.6	4						
50-69	0								
70+	0								
SUBTOTAL	**26**	**9.1**	**3**						
GRAND TOTAL	**497**	**24.1**	**485**	**7**	**10**	**19**	**30**	**61**	**96**

	NO INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	11	13.0	27						
18-34	260	18.7	288	8	10	14	21	32	61
35-49	76	18.7	79	7	10	22	29	31	99+
50-69	44	16.0	27	8	9	16	22	23	23
70+	0								
SUBTOTAL	**392**	**18.2**	**212**	**8**	**10**	**15**	**22**	**31**	**61**
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**392**	**18.2**	**212**	**8**	**10**	**15**	**22**	**31**	**61**

DRG 489: HIV w/ Major Related Condition

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	679	15.1	197	4	6	11	18	32	41
70-74	22	34.8	370						
75-79	0								
80-84	6	12.0							
85 +	0								
SUBTOTAL	**706**	**15.6**	**212**	**4**	**6**	**11**	**19**	**34**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**706**	**15.6**	**212**	**4**	**6**	**11**	**19**	**34**	**42**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	6.3	8						
18-34	1623	12.8	129	3	6	9	15	24	34
35-49	1902	12.6	110	3	6	10	16	26	30
50-69	295	12.9	64	4	7	10	17	26	32
70 +	20	38.5	581						
	3863	**12.8**	**120**	**3**	**6**	**10**	**16**	**25**	**32**
0-17	0								
18-34	26	9.9	44						
35-49	16	6.3	1						
50-69	6	6.0							
70 +	0								
	48	**8.2**	**28**	**4**	**5**	**6**	**7**	**18**	**18**
	3910	**12.8**	**119**	**3**	**6**	**9**	**16**	**25**	**32**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	469	8.7	60	2	3	6	11	19	26
18-34	2355	12.3	99	4	6	9	15	26	33
35-49	1703	14.8	150	4	6	11	20	33	40
50-69	186	12.6	57	4	7	11	16	24	29
70 +	0								
SUBTOTAL	**4713**	**12.9**	**115**	**3**	**6**	**9**	**16**	**28**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	4.0							
18-34	16	16.0	71						
35-49	52	10.5	77	1	4	6	16	25	25
50-69	0								
70 +	0								
SUBTOTAL	**74**	**11.2**	**78**	**1**	**4**	**6**	**22**	**25**	**25**
GRAND TOTAL	**4787**	**12.8**	**115**	**3**	**6**	**9**	**16**	**28**	**34**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	79	12.1	97	2	4	10	24	31	99 +
18-34	1369	12.6	100	3	6	10	18	25	33
35-49	1260	12.5	78	4	6	11	16	24	31
50-69	147	13.0	50	4	8	12	18	19	23
70 +	0								
	2855	**12.5**	**88**	**3**	**6**	**10**	**17**	**25**	**33**
0-17	0								
18-34	0								
35-49	17	8.0	13						
50-69	0								
70 +	0								
	17	**8.0**	**13**						
	2872	**12.5**	**87**	**3**	**6**	**10**	**17**	**24**	**33**

DRG 490: HIV w/ or w/o Other Related Condition

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	232	9.2	83	2	4	5	11	29	30	0-17	43	3.7	13	1	1	3	5	12	12
70-74	0									18-34	575	7.9	52	2	3	6	9	15	26
75-79	0									35-49	649	9.9	181	1	3	6	12	20	28
80-84	0									50-69	160	11.2	224	1	3	7	13	19	43
85 +	0									70 +	0								
SUBTOTAL	**232**	**9.2**	**83**	**2**	**4**	**5**	**11**	**29**	**30**		**1427**	**9.0**	**130**	**1**	**3**	**6**	**11**	**19**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	5.0								0-17	0								
70-74	0									18-34	68	8.5	79	1	2	7	7	25	25
75-79	0									35-49	23	3.5	1						
80-84	0									50-69	26	4.8	5						
85 +	0									70 +	0								
SUBTOTAL	**6**	**5.0**									**117**	**6.7**	**52**	**1**	**2**	**4**	**7**	**22**	**25**
GRAND TOTAL	**238**	**9.1**	**81**	**2**	**4**	**5**	**11**	**29**	**30**		**1544**	**8.9**	**125**	**1**	**3**	**6**	**10**	**19**	**26**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	234	10.8	237	1	3	6	9	36	41	0-17	73	7.5	77	1	2	4	9	12	35
18-34	859	7.6	51	2	3	5	10	17	22	18-34	458	6.8	49	1	3	5	8	13	15
35-49	688	8.8	92	2	3	6	9	22	31	35-49	416	7.9	40	2	4	6	11	18	21
50-69	92	8.1	31	2	4	6	12	18	18	50-69	55	5.9	49	1	2	3	5	21	24
70 +	0									70 +	0								
SUBTOTAL	**1874**	**8.5**	**89**	**2**	**3**	**6**	**10**	**19**	**29**		**1002**	**7.2**	**48**	**2**	**3**	**5**	**8**	**15**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	33	2.3	1							0-17	17	6.0	53						
18-34	100	7.5	40	1	2	7	15	18	20	18-34	122	11.0	181	2	3	8	9	21	52
35-49	27	3.8	2							35-49	66	3.4	3	1	2	3	4	6	6
50-69	6	10.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**165**	**5.9**	**30**	**2**	**2**	**4**	**7**	**15**	**20**		**205**	**8.1**	**125**	**1**	**2**	**5**	**9**	**16**	**29**
GRAND TOTAL	**2039**	**8.3**	**85**	**2**	**3**	**5**	**10**	**18**	**27**		**1207**	**7.4**	**61**	**1**	**3**	**5**	**8**	**15**	**21**

DRG 491: Major Joint And Limb Reattachment Procedures, Upper Extremity

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	175	6.9	11	3	5	5	10	11	15
70-74	236	7.4	11	3	5	7	9	11	15
75-79	232	8.8	24	4	6	7	11	17	20
80-84	174	10.3	45	4	5	8	16	19	27
85 +	63	7.5	9	4	5	7	10	11	14
SUBTOTAL	**880**	**8.3**	**22**	**4**	**5**	**7**	**10**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	409	4.6	5	2	3	4	5	6	11
70-74	277	5.6	8	3	3	5	8	10	11
75-79	189	5.5	7	2	4	5	7	8	13
80-84	149	6.1	4	4	4	6	7	9	10
85 +	68	7.1	7	4	5	6	9	10	13
SUBTOTAL	**1092**	**5.4**	**7**	**3**	**4**	**5**	**6**	**9**	**11**
GRAND TOTAL	**1972**	**6.7**	**16**	**3**	**4**	**6**	**8**	**11**	**15**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	11	4.5							
35-49	50	4.9	6	2	3	5	7	8	8
50-69	133	4.6	2	3	3	4	6	6	7
70 +	16	6.3	1						
SUBTOTAL	**210**	**4.8**	**3**	**2**	**3**	**5**	**6**	**7**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	90	2.9	2	1	2	3	4	5	5
35-49	135	3.7	2	2	3	3	5	5	7
50-69	340	4.5	14	2	3	4	5	6	12
70 +	41	3.8	4						
SUBTOTAL	**605**	**4.0**	**9**	**2**	**3**	**3**	**5**	**6**	**7**
GRAND TOTAL	**815**	**4.2**	**8**	**2**	**3**	**4**	**5**	**7**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	26	8.4							
50-69	32	8.1	14						
70 +	0								
SUBTOTAL	**58**	**8.3**	**8**	**4**	**7**	**8**	**9**	**13**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	6	4.0							
35-49	16	7.4							
50-69	38	5.1	8	1	2	6	7	9	9
70 +	0								
SUBTOTAL	**60**	**5.6**	**7**	**1**	**4**	**7**	**7**	**8**	**9**
GRAND TOTAL	**118**	**6.9**	**9**	**4**	**4**	**7**	**8**	**9**	**13**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	11	3.5							
35-49	0								
50-69	27	6.3	10						
70 +	0								
SUBTOTAL	**38**	**5.4**	**9**	**2**	**3**	**5**	**9**	**10**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	16	3.6							
35-49	11	4.0	1						
50-69	62	3.7	1	3	3	3	5	5	5
70 +	11	3.5	2						
SUBTOTAL	**101**	**3.7**	**1**	**3**	**3**	**3**	**5**	**5**	**5**
GRAND TOTAL	**139**	**4.2**	**4**	**3**	**3**	**4**	**5**	**5**	**10**

DRG 492: Chemotherapy w/ Acute Leukemia As Secondary Diagnosis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	143	12.9	187	2	4	5	25	30	47	0-17	1824	3.2	13	1	2	3	4	5	6
70-74	117	15.8	265	5	5	6	29	31	57	18-34	140	6.0	54	1	2	4	6	22	22
75-79	55	14.6	153	5	5	7	19	39	42	35-49	221	11.6	168	3	4	5	19	38	40
80-84	6	4.0								50-69	282	12.1	148	2	4	5	25	29	39
85 +	0									70 +	0								
SUBTOTAL	**320**	**14.1**	**209**	**3**	**5**	**6**	**24**	**31**	**47**		**2467**	**5.1**	**56**	**1**	**2**	**3**	**4**	**7**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**320**	**14.1**	**209**	**3**	**5**	**6**	**24**	**31**	**47**		**2467**	**5.1**	**56**	**1**	**2**	**3**	**4**	**7**	**25**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	729	3.3	4	1	2	3	4	5	6	0-17	361	5.8	195	2	3	3	4	6	7
18-34	128	7.4	51	<1	1	6	8	20	25	18-34	68	8.2	80	1	3	4	11	24	30
35-49	28	24.4	1067							35-49	38	17.5	158	3	4	24	32	32	32
50-69	0									50-69	22	15.3	71						
70 +	0									70 +	0								
SUBTOTAL	**885**	**4.5**	**59**	**1**	**2**	**3**	**4**	**7**	**14**		**489**	**7.4**	**183**	**2**	**3**	**4**	**5**	**24**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**885**	**4.5**	**59**	**1**	**2**	**3**	**4**	**7**	**14**		**489**	**7.4**	**183**	**2**	**3**	**4**	**5**	**24**	**30**

Appendices

Appendix 1

1990-91 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

HOSPITAL CATEGORY	UNIVERSE TOTAL[2]	LOS BY DRG SAMPLE	%
Region			
Northeastern	759	91	12.0
North Central	1,554	311	20.0
Southern	2,020	176	8.7
Western	1,003	233	23.2
Total	5,336	811	15.2
Location[3]			
Urban	2,811	491	17.5
Rural	2,525	320	12.7
Teaching Intensity[4]			
High/Medium	975	219	22.5
Low	4,361	592	13.6

---

[1] Hospitals with average stay less than 30 days

[2] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association

[3] Urban hospitals are those with a metropolitan statistical area designation on the AHA Annual Survey of Hospitals. Hospitals without a metropolitan statistical area designation represent rural hospitals.

[4] The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.

Appendix 2

STATE INCLUSIONS BY REGION

Northeast

- Connecticut
- Maine
- Massachusetts
- New Hampshire
- New Jersey
- New York
- Pennsylvania
- Rhode Island
- Vermont

North Central

- Illinois
- Indiana
- Iowa
- Kansas
- Michigan
- Minnesota
- Missouri
- Nebraska
- North Dakota
- Ohio
- South Dakota
- Wisconsin

South

- Alabama
- Arkansas
- Delaware
- District of Columbia
- Florida
- Georgia
- Kentucky
- Louisiana
- Maryland
- Mississippi
- North Carolina
- Oklahoma
- South Carolina
- Tennessee
- Texas
- Virginia
- West Virginia

West

- Alaska
- Arizona
- California
- Colorado
- Hawaii
- Idaho
- Montana
- Nevada
- New Mexico
- Oregon
- Utah
- Washington
- Wyoming


Northeast
North Central
West
Pacific**
New England
Middle Atlantic
Mountain
West North Central
East North Central
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Appendix 3

DIAGNOSIS RELATED GROUPS

DRG	Description
1	Craniotomy Age >17 except for Trauma
2	Craniotomy for Trauma Age > 17
3	Craniotomy Age 0-17
4	Spinal Procedures
5	Extracranial Vascular Procedures
6	Carpal Tunnel Release
7	Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC
8	Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC
9	Spinal Disorders & Injuries
10	Nervous System Neoplasms w/ CC
11	Nervous System Neoplasms w/o CC
12	Degenerative Nervous System Disorders
13	Multiple Sclerosis & Cerebellar Ataxia
14	Specific Cerebrovascular Disorders except TIA
15	Transient Ischemic Attack & Precerebral Occlusions
16	Nonspecific Cerebrovascular Disorders w/ CC
17	Nonspecific Cerebrovascular Disorders w/o CC
18	Cranial & Peripheral Nerve Disorders w/ CC
19	Cranial & Peripheral Nerve Disorders w/o CC
20	Nervous System Infection except Viral Meningitis
21	Viral Meningitis
22	Hypertensive Encephalopathy
23	Nontraumatic Stupor & Coma
24	Seizure & Headache Age >17 w/ CC
25	Seizure & Headache Age >17 w/o CC
26	Seizure & Headache Age 0-17
27	Traumatic Stupor & Coma, Coma >1 Hr
28	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC
29	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC
30	Traumatic Stupor & Coma, Coma <1 Hr Age 0-17
31	Concussion Age >17 w/ CC
32	Concussion Age >17 w/o CC
33	Concussion Age 0-17
34	Other Disorders of Nervous System w/ CC
35	Other Disorders of Nervous System w/o CC
36	Retinal Procedures
37	Orbital Procedures
38	Primary Iris Procedures
39	Lens Procedures with or without Vitrectomy
40	Extraocular Procedures except Orbit Age > 17
41	Extraocular Procedures except Orbit Age 0-17
42	Intraocular Procedures except Retina, Iris & Lens
43	Hyphema
44	Acute Major Eye Infections
45	Neurological Eye Disorders
46	Other Disorders of the Eye Age >17 w/ CC
47	Other Disorders of the Eye Age >17 w/o CC
48	Other Disorders of the Eye Age 0-17
49	Major Head & Neck Procedures
50	Sialoadenectomy
51	Salivary Gland Procedures except Sialoadenectomy
52	Cleft Lip & Palate Repair

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
53	Sinus & Mastoid Procedures Age > 17
54	Sinus & Mastoid Procedures Age 0-17
55	Miscellaneous Ear, Nose, Mouth & Throat Procedures
56	Rhinoplasty
57	T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17
58	T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17
59	Tonsillectomy &/or Adenoidectomy Only, Age > 17
60	Tonsillectomy &/or Adenoidectomy Only, Age 0-17
61	Myringotomy w/ Tube Insertion Age > 17
62	Myringotomy w/ Tube Insertion Age 0-17
63	Other Ear, Nose, Mouth & Throat O.R. Procedures
64	Ear, Nose, Mouth & Throat Malignancy
65	Dysequilibrium
66	Epistaxis
67	Epiglottitis
68	Otitis Media & URI Age >17 w/ CC
69	Otitis Media & URI Age >17 w/o CC
70	Otitis Media & URI Age 0-17
71	Laryngotracheitis
72	Nasal Trauma & Deformity
73	Other Ear, Nose, Mouth & Throat Diagnoses Age > 17
74	Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17
75	Major Chest Procedures
76	Other Resp System O.R. Procedures w/ CC
77	Other Resp System O.R. Procedures w/o CC
78	Pulmonary Embolism
79	Respiratory Infections & Inflammations Age >17 w/ CC
80	Respiratory Infections & Inflammations Age >17 w/o CC
81	Respiratory Infections & Inflammations Age 0-17
82	Respiratory Neoplasms
83	Major Chest Trauma w/ CC
84	Major Chest Trauma w/o CC
85	Pleural Effusion w/ CC
86	Pleural Effusion w/o CC
87	Pulmonary Edema & Respiratory Failure
88	Chronic Obstructive Pulmonary Disease
89	Simple Pneumonia & Pleurisy Age >17 w/ CC
90	Simple Pneumonia & Pleurisy Age >17 w/o CC
91	Simple Pneumonia & Pleurisy Age 0-17
92	Interstitial Lung Disease w/ CC
93	Interstitial Lung Disease w/o CC
94	Pneumothorax w/ CC
95	Pneumothorax w/o CC
96	Bronchitis & Asthma Age >17 w/ CC
97	Bronchitis & Asthma Age >17 w/o CC
98	Bronchitis & Asthma Age 0-17
99	Respiratory Signs & Symptoms w/ CC
100	Respiratory Signs & Symptoms w/o CC
101	Other Respiratory System Diagnoses w/ CC
102	Other Respiratory System Diagnoses w/o CC
103	Heart Transplant
104	Cardiac Valve Procedures w/ Cardiac Cath
105	Cardiac Valve Procedures w/o Cardiac Cath
106	Coronary Bypass w/ Cardiac Cath
107	Coronary Bypass w/o Cardiac Cath
108	Other Cardiothoracic Procedures

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
109	No Longer Valid (Table Excluded)
110	Major Cardiovascular Procedures w/ CC
111	Major Cardiovascular Procedures w/o CC
112	Percutaneous Cardiovascular Procedures
113	Amputation for Circ System Disorders except Upper Limb & Toe
114	Upper Limb & Toe Amputation for Circ System Disorders
115	Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock
116	Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock
117	Cardiac Pacemaker Revision except Device Replacement
118	Cardiac Pacemaker Device Replacement
119	Vein Ligation & Stripping
120	Other Circulatory System O.R. Procedures
121	Circulatory Disorders w/ AMI & C.V. Comp Disch Alive
122	Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive
123	Circulatory Disorders w/ AMI, Expired (Table Excluded)
124	Circulatory Disorders except AMI, w/ Card Cath & Complex Diag
125	Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag
126	Acute & Subacute Endocarditis
127	Heart Failure & Shock
128	Deep Vein Thrombophlebitis
129	Cardiac Arrest, Unexplained
130	Peripheral Vascular Disorders w/ CC
131	Peripheral Vascular Disorders w/o CC
132	Atherosclerosis w/ CC
133	Atherosclerosis w/o CC
134	Hypertension
135	Cardiac Congenital & Valvular Disorders Age >17 w/ CC
136	Cardiac Congenital & Valvular Disorders Age >17 w/o CC
137	Cardiac Congenital & Valvular Disorders Age 0-17
138	Cardiac Arrhythmia & Conduction Disorders w/ CC
139	Cardiac Arrhythmia & Conduction Disorders w/o CC
140	Angina Pectoris
141	Syncope & Collapse w/ CC
142	Syncope & Collapse w/o CC
143	Chest Pain
144	Other Circulatory System Diagnoses w/ CC
145	Other Circulatory System Diagnoses w/o CC
146	Rectal Resection w/ CC
147	Rectal Resection w/o CC
148	Major Small & Large Bowel Procedures w/ CC
149	Major Small & Large Bowel Procedures w/o CC
150	Peritoneal Adhesiolysis w/ CC
151	Peritoneal Adhesiolysis w/o CC
152	Minor Small & Large Bowel Procedures w/ CC
153	Minor Small & Large Bowel Procedures w/o CC
154	Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC
155	Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC
156	Stomach, Esophageal & Duodenal Procedures Age 0-17
157	Anal & Stomal Procedures w/ CC
158	Anal & Stomal Procedures w/o CC
159	Hernia Procedures except Inguinal & Femoral Age >17 w/ CC
160	Hernia Procedures except Inguinal & Femoral Age >17 w/o CC
161	Inguinal & Femoral Hernia Procedures Age >17 w/ CC
162	Inguinal & Femoral Hernia Procedures Age >17 w/o CC
163	Hernia Procedures Age 0-17
164	Appendectomy w/ Complicated Principal Diag w/ CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
165	Appendectomy w/ Complicated Principal Diag w/o CC
166	Appendectomy w/o Complicated Principal Diag w/ CC
167	Appendectomy w/o Complicated Principal Diag w/o CC
168	Mouth Procedures w/ CC
169	Mouth Procedures w/o CC
170	Other Digestive System O.R. Procedures w/ CC
171	Other Digestive System O.R. Procedures w/o CC
172	Digestive Malignancy w/ CC
173	Digestive Malignancy w/o CC
174	G.I. Hemorrhage w/ CC
175	G.I. Hemorrhage w/o CC
176	Complicated Peptic Ulcer
177	Uncomplicated Peptic Ulcer w/ CC
178	Uncomplicated Peptic Ulcer w/o CC
179	Inflammatory Bowel Disease
180	G.I. Obstruction w/ CC
181	G.I. Obstruction w/o CC
182	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/ CC
183	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/o CC
184	Esophagitis, Gastroent & Misc Digest Disorders Age 0-17
185	Dental & Oral Dis except Extractions & Restorations, Age >17
186	Dental & Oral Dis except Extractions & Restorations, Age 0-17
187	Dental Extractions & Restorations
188	Other Digestive System Diagnoses Age >17 w/ CC
189	Other Digestive System Diagnoses Age >17 w/o CC
190	Other Digestive System Diagnoses Age 0-17
191	Pancreas, Liver & Shunt Procedures w/ CC
192	Pancreas, Liver & Shunt Procedures w/o CC
193	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC
194	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC
195	Total Cholecystectomy w/ C.D.E. w/ CC
196	Total Cholecystectomy w/ C.D.E. w/o CC
197	Total Cholecystectomy w/o C.D.E. w/ CC
198	Total Cholecystectomy w/o C.D.E. w/o CC
199	Hepatobiliary Diagnostic Procedure for Malignancy
200	Hepatobiliary Diagnostic Procedure for Non-malignancy
201	Other Hepatobiliary or Pancreas O.R. Procedures
202	Cirrhosis & Alcoholic Hepatitis
203	Malignancy of Hepatobiliary System or Pancreas
204	Disorders of Pancreas except Malignancy
205	Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC
206	Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC
207	Disorders of the Biliary Tract w/ CC
208	Disorders of the Biliary Tract w/o CC
209	Major Joint & Limb Reattachment Procedures, Lower Extremity
210	Hip & Femur Procedures except Major Joint Age >17 w/ CC
211	Hip & Femur Procedures except Major Joint Age >17 w/o CC
212	Hip & Femur Procedures except Major Joint Age 0-17
213	Amputation for Musculoskeletal System & Conn Tissue Disorders
214	Back & Neck Procedures w/ CC
215	Back & Neck Procedures w/o CC
216	Biopsies of Musculoskeletal System & Connective Tissue
217	Wnd Debrid & Skn Grft except Hand, for Muscskelet & Conn Tiss Dis
218	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC
219	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC
220	Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
221	Knee Procedures w/ CC
222	Knee Procedures w/o CC
223	Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC
224	Shoulder, Elbow or Forearm Proc, exc Major Joint Proc, w/o CC
225	Foot Procedures
226	Soft Tissue Procedures w/ CC
227	Soft Tissue Procedures w/o CC
228	Major Thumb or Joint Proc, or Oth Hand or Wrist Proc w/ CC
229	Hand or Wrist Proc, except Major Joint Proc, w/o CC
230	Local Excision & Removal of Int Fix Devices of Hip & Femur
231	Local Excision & Removal of Int Fix Devices except Hip & Femur
232	Arthroscopy
233	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC
234	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC
235	Fractures of Femur
236	Fractures of Hip & Pelvis
237	Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh
238	Osteomyelitis
239	Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy
240	Connective Tissue Disorders w/ CC
241	Connective Tissue Disorders w/o CC
242	Septic Arthritis
243	Medical Back Problems
244	Bone Diseases & Specific Arthropathies w/ CC
245	Bone Diseases & Specific Arthropathies w/o CC
246	Non-specific Arthropathies
247	Signs & Symptoms of Musculoskeletal System & Conn Tissue
248	Tendonitis, Myositis & Bursitis
249	Aftercare, Musculoskeletal System & Connective Tissue
250	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC
251	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC
252	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17
253	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/ CC
254	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/o CC
255	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17
256	Other Musculoskeletal System & Connective Tissue Diagnoses
257	Total Mastectomy for Malignancy w/ CC
258	Total Mastectomy for Malignancy w/o CC
259	Subtotal Mastectomy for Malignancy w/ CC
260	Subtotal Mastectomy for Malignancy w/o CC
261	Breast Proc for Non-malignancy except Biopsy & Local Excision
262	Breast Biopsy & Local Excision for Non-malignancy
263	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC
264	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC
265	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC
266	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC
267	Perianal & Pilonidal Procedures
268	Skin, Subcutaneous Tissue & Breast Plastic Procedures
269	Other Skin, Subcut Tiss & Breast Proc w/ CC
270	Other Skin, Subcut Tiss & Breast Proc w/o CC
271	Skin Ulcers
272	Major Skin Disorders w/ CC
273	Major Skin Disorders w/o CC
274	Malignant Breast Disorders w/ CC
275	Malignant Breast Disorders w/o CC
276	Non-malignant Breast Disorders

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
277	Cellulitis Age >17 w/ CC
278	Cellulitis Age >17 w/o CC
279	Cellulitis Age 0-17
280	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC
281	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC
282	Trauma to the Skin, Subcut Tiss & Breast Age 0-17
283	Minor Skin Disorders w/ CC
284	Minor Skin Disorders w/o CC
285	Amputat of Lower Limb for Endocrine, Nutrit & Metabol Disorders
286	Adrenal & Pituitary Procedures
287	Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders
288	O.R. Procedures for Obesity
289	Parathyroid Procedures
290	Thyroid Procedures
291	Thyroglossal Procedures
292	Other Endocrine, Nutrit & Metab O.R. Proc w/ CC
293	Other Endocrine, Nutrit & Metab O.R. Proc w/o CC
294	Diabetes Age > 35
295	Diabetes Age 0-35
296	Nutritional & Misc Metabolic Disorders Age >17 w/ CC
297	Nutritional & Misc Metabolic Disorders Age >17 w/o CC
298	Nutritional & Misc Metabolic Disorders Age 0-17
299	Inborn Errors of Metabolism
300	Endocrine Disorders w/ CC
301	Endocrine Disorders w/o CC
302	Kidney Transplant
303	Kidney, Ureter & Major Bladder Procedures for Neoplasm
304	Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC
305	Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC
306	Prostatectomy w/ CC
307	Prostatectomy w/o CC
308	Minor Bladder Procedures w/ CC
309	Minor Bladder Procedures w/o CC
310	Transurethral Procedures w/ CC
311	Transurethral Procedures w/o CC
312	Urethral Procedures Age >17 w/ CC
313	Urethral Procedures Age >17 w/o CC
314	Urethral Procedures Age 0-17
315	Other Kidney & Urinary Tract O.R. Procedures
316	Renal Failure
317	Admit for Renal Dialysis
318	Kidney & Urinary Tract Neoplasms w/ CC
319	Kidney & Urinary Tract Neoplasms w/o CC
320	Kidney & Urinary Tract Infections Age >17 w/ CC
321	Kidney & Urinary Tract Infections Age >17 w/o CC
322	Kidney & Urinary Tract Infections Age 0-17
323	Urinary Stones w/ CC, &/or ESW Lithotripsy
324	Urinary Stones w/o CC
325	Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC
326	Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC
327	Kidney & Urinary Tract Signs & Symptoms Age 0-17
328	Urethral Stricture Age >17 w/ CC
329	Urethral Stricture Age >17 w/o CC
330	Urethral Stricture Age 0-17
331	Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC
332	Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
333	Other Kidney & Urinary Tract Diagnoses Age 0-17
334	Major Male Pelvic Procedures w/ CC
335	Major Male Pelvic Procedures w/o CC
336	Transurethral Prostatectomy w/ CC
337	Transurethral Prostatectomy w/o CC
338	Testes Procedures, for Malignancy
339	Testes Procedures, Non-malignancy Age > 17
340	Testes Procedures, Non-malignancy Age 0-17
341	Penis Procedures
342	Circumcision Age > 17
343	Circumcision Age 0-17
344	Other Male Reproductive System O.R. Procedures for Malignancy
345	Other Male Reproductive System O.R. Proc except for Malignancy
346	Malignancy, Male Reproductive System, w/ CC
347	Malignancy, Male Reproductive System, w/o CC
348	Benign Prostatic Hypertrophy w/ CC
349	Benign Prostatic Hypertrophy w/o CC
350	Inflammation of the Male Reproductive System
351	Sterilization, Male
352	Other Male Reproductive System Diagnoses
353	Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy
354	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC
355	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC
356	Female Reproductive System Reconstructive Procedures
357	Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy
358	Uterine & Adnexa Proc for Non-malignancy w/ CC
359	Uterine & Adnexa Proc for Non-malignancy w/o CC
360	Vagina, Cervix & Vulva Procedures
361	Laparoscopy & Incisional Tubal Interruption
362	Endoscopic Tubal Interruption
363	D&C, Conization & Radio-implant, for Malignancy
364	D&C, Conization except for Malignancy
365	Other Female Reproductive System O.R. Procedures
366	Malignancy, Female Reproductive System w/ CC
367	Malignancy, Female Reproductive System w/o CC
368	Infections, Female Reproductive System
369	Menstrual & Other Female Reproductive System Disorders
370	Cesarean Section w/ CC
371	Cesarean Section w/o CC
372	Vaginal Delivery w/ Complicating Diagnoses
373	Vaginal Delivery w/o Complicating Diagnoses
374	Vaginal Delivery w/ Sterilization &/or D&C
375	Vaginal Delivery w/ O.R. Proc except Steril &/or D&C
376	Postpartum & Post Abortion Diagnoses w/o O.R. Procedure
377	Postpartum & Post Abortion Diagnoses w/ O.R. Procedure
378	Ectopic Pregnancy
379	Threatened Abortion
380	Abortion w/o D&C
381	Abortion w/ D&C, Aspiration Curettage or Hysterotomy
382	False Labor
383	Other Antepartum Diagnoses w/ Medical Complications
384	Other Antepartum Diagnoses w/o Medical Complications
385	Neonates, Died or Transferred to Another Acute Care Facility (Table Excluded)
386	Extreme Immaturity or Respiratory Distress Syndrome, Neonate
387	Prematurity w/ Major Problems

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
388	Prematurity w/o Major Problems
389	Full Term Neonate w/ Major Problems
390	Neonate w/ Other Significant Problems
391	Normal Newborn
392	Splenectomy Age > 17
393	Splenectomy Age 0-17
394	Other O.R. Procedures of the Blood And Blood Forming Organs
395	Red Blood Cell Disorders Age > 17
396	Red Blood Cell Disorders Age 0-17
397	Coagulation Disorders
398	Reticuloendothelial & Immunity Disorders w/ CC
399	Reticuloendothelial & Immunity Disorders w/o CC
400	Lymphoma & Leukemia w/ Major O.R. Procedure
401	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC
402	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC
403	Lymphoma & Non-acute Leukemia w/ CC
404	Lymphoma & Non-acute Leukemia w/o CC
405	Acute Leukemia w/o Major O.R. Procedure Age 0-17
406	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/ CC
407	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/o CC
408	Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R. Proc
409	Radiotherapy
410	Chemotherapy Without Acute Leukemia as Secondary Diagnosis
411	History of Malignancy w/o Endoscopy
412	History of Malignancy w/ Endoscopy
413	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC
414	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC
415	O.R. Procedure for Infectious & Parasitic Diseases
416	Septicemia Age > 17
417	Septicemia Age 0-17
418	Postoperative & Post-traumatic Infections
419	Fever of Unknown Origin Age >17 w/ CC
420	Fever of Unknown Origin Age >17 w/o CC
421	Viral Illness Age > 17
422	Viral Illness & Fever of Unknown Origin Age 0-17
423	Other Infectious & Parasitic Diseases Diagnoses
424	O.R. Procedure w/ Principal Diagnoses of Mental Illness
425	Acute Adjust React & Disturbances of Psychosocial Dysfunction
426	Depressive Neuroses
427	Neuroses except Depressive
428	Disorders of Personality & Impulse Control
429	Organic Disturbances & Mental Retardation
430	Psychoses
431	Childhood Mental Disorders
432	Other Mental Disorder Diagnoses
433	Alcohol/Drug Abuse or Dependence, Left AMA (Table Excluded)
434	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC
435	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC
436	Alc/Drug Dependence w/ Rehabilitation Therapy
437	Alc/Drug Dependence, Combined Rehab & Detox Therapy
438	No Longer Valid (Table Excluded)
439	Skin Grafts for Injuries
440	Wound Debridements for Injuries
441	Hand Procedures for Injuries
442	Other O.R. Procedures for Injuries w/ CC
443	Other O.R. Procedures for Injuries w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
444	Traumatic Injury Age >17 w/ CC
445	Traumatic Injury Age >17 w/o CC
446	Traumatic Injury Age 0-17
447	Allergic Reactions Age >17
448	Allergic Reactions Age 0-17
449	Poisoning & Toxic Effects of Drugs Age >17 w/ CC
450	Poisoning & Toxic Effects of Drugs Age >17 w/o CC
451	Poisoning & Toxic Effects of Drugs Age 0-17
452	Complications of Treatment w/ CC
453	Complications of Treatment w/o CC
454	Other Injury, Poisoning & Toxic Effect Diag w/ CC
455	Other Injury, Poisoning & Toxic Effect Diag w/o CC
456	Burns, Transferred to Another Acute Care Facility (Table Excluded)
457	Extensive Burns w/o O.R. Procedure
458	Non-extensive Burns w/ Skin Graft
459	Non-extensive Burns w/ Wound Debridement or Other O.R. Proc
460	Non-extensive Burns w/o O.R. Procedure
461	O.R. Proc w/ Diagnoses of Other Contact w/ Health Services
462	Rehabilitation
463	Signs & Symptoms w/ CC
464	Signs & Symptoms w/o CC
465	Aftercare w/ History of Malignancy As Secondary Diagnosis
466	Aftercare w/o History of Malignancy As Secondary Diagnosis
467	Other Factors Influencing Health Status (Table Excluded)
468	Extensive O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
469	Principal Diagnosis Invalid As Discharge Diagnosis (Table Excluded)
470	Ungroupable (Table Excluded)
471	Bilateral or Multiple Major Joint Procs of Lower Extremity
472	Extensive Burns w/ O.R. Procedure
473	Acute Leukemia w/o Major O.R. Procedure Age > 17
474	No Longer Valid (Table Excluded)
475	Respiratory System Diagnosis with Ventilator Support
476	Prostatic O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
477	Non-extensive O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
478	Other Vascular Procedures w/ CC
479	Other Vascular Procedures w/o CC
480	Liver Transplant
481	Bone Marrow Transplant
482	Tracheostomy w/ Mouth, Larynx or Pharynx Disorder
483	Tracheostomy Except for Mouth, Larynx or Pharynx Disorder
484	Craniotomy for Multiple Significant Trauma
485	Limb Reattach., Hip and Femur Procs for Multi Sign Trauma
486	Other O.R. Procedures for Multiple Significant Trauma
487	Other Multiple Significant Trauma
488	HIV w/ Extensive O.R. Procedure
489	HIV w/ Major Related Condition
490	HIV w/ or w/o Other Related Condition
491	Major Joint and Limb Reattachment Procedures, Upper Extremity
492	Chemotherapy with Acute Leukemia as Secondary Diagnosis

B4465-5.5-4

LOS

LENGTH OF STAY

Length of Stay
by DRG and Payment Source
Western Region, 1990-91

LOS

LENGTH OF STAY BY DRG AND PAYMENT SOURCE

Western Region, 1990-91

Healthcare Knowledge Resources
Ann Arbor, Michigan
January, 1992

LENGTH OF STAY BY DRG AND PAYMENT SOURCE

This volume is one of five books in the Length of Stay by DRG and Payment Source series:

Length of Stay by DRG and Payment Source, United States, 1990-91
ISSN 1043-9285

Length of Stay by DRG and Payment Source, Northeastern Region, 1990-91
ISSN 1043-9307

Length of Stay by DRG and Payment Source, North Central Region, 1990-91
ISSN 1043-9323

Length of Stay by DRG and Payment Source, Southern Region, 1990-91
ISSN 1043-9293

Length of Stay by DRG and Payment Source, Western Region, 1990-91
ISSN 1043-9315

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period July 1, 1990 through June 30, 1991. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assumes any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1992 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any other form, or by any other means, or stored in a database or retrieval system, without prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi

Source of the Data
Data Quality
Hospital Characteristics
Projecting to the Universe

Organization of the Tables x

Diagnosis Related Groups
Expected Principal Payment Source
Presence or Absence of Complications and Comorbidities (CCs)
Patient Age and/or Birth Weight

Explanation of the Statistics xii

Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables xiii

Length of Stay Tables 1

Appendix 1: 1990-91 Hospital Characteristics 482

Appendix 2: State Inclusions By Region 483

Appendix 3: Diagnosis Related Groups 484

ACKNOWLEDGEMENTS

1990-91 LENGTH OF STAY BY DRG AND PAYMENT SOURCE SERIES

PROJECT TEAM

Jennifer Goewey, Publication Specialist, Normative Products
Carol Dingeldey, Publication Specialist, Normative Products
Linda Vanek, Manager, Normative Products

Information Services
Ed Morrissey, Senior Programmer Analyst
Jan Sweet, Electronic Publishing Analyst

Additionally, the following individuals made valuable contributions to the development of this publication:

Joyce Beach, Helen Garcia, Nancy Ramirez, and Donna Witkowski.

Also, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official vendor and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Length of Stay data have been available from CPHA since 1963. This book is one volume in a set of five books presenting statistics on hospital stay during 1990-91 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the series.

The *Length of Stay by DRG and Payment Source* series has been designed as a companion to the standard reference, *Length of Stay by Diagnosis and Operation*, to provide length of stay data by another patient classification system. *Length of Stay by DRG and Payment Source* is designed to assist the healthcare professional in utilization review and other cost containment and evaluation activities.

Notable differences between the *Length of Stay by DRG and Payment Source* series and the *Length of Stay by Diagnosis and Operation* series are primarily with the data source. Data used for the *Length of Stay by DRG and Payment Source* series have been projected to the universe of short-term, general, nonfederal hospitals based on patient records from 811 hospitals. A detailed description of the projection methodology is given on page viii. It is important to keep in mind that the numbers and calculations in *Length of Stay by DRG and Payment Source* represent projections rather than actual numbers.

The *Length of Stay by DRG and Payment Source* series is enhanced by providing length of stay data by the following four principal payment sources: Medicare, Medicaid, Blue Cross/Private Insurance, and No Insurance. This allows for comparison of length of stay by clinical condition and patient age among the major healthcare reimbursement systems.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. In addition to *Length of Stay by DRG and Payment Source*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay*, *Length of Stay by Diagnosis and Operation* and *Hospital Inpatient Charges*. Each series is developed annually for the United States. The Length of Stay series are also available for the Northeastern, North Central, Southern, and Western regions. Pediatric Length of Stay (19 years and under) and Geriatric Length of Stay (65 years and over) are produced in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape and diskette, provide a valuable perspective for utilization review and quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the *Length of Stay by DRG and Payment Source* tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the *Length of Stay by DRG and Payment Source* series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the *Length of Stay by DRG and Payment Source* series are from short-term, general, nonfederal, hospitals in the United States with discharge data for the period July 1, 1990 - June 30, 1991. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal – Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Ohio Hospital Association, Oregon Association of Hospitals, Vermont Hospital Association, and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay books are displayed in Appendix 1.

---

[1] American Hospital Association Guide to the Health Care Field, 1990.

Projecting to the Universe

To make the *LOS by DRG and Payment Source* sample reflect the activity of U.S. short-term general, nonfederal hospitals the following steps are taken:

Step 1 - Stratification

First, the hospitals are stratified by factors known to affect inpatient utilization. The two factors used are teaching intensity and geographical region:

A. **Teaching Intensity** is determined by a weighted index measuring program intensity created by Phillip and Hai[1]. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by the Joint Commission on Accreditation of Healthcare Organizations (JCAHO)
- Cancer Program approved by the American College of Surgeons (CANC)
- Residency approved by Accreditation Council for Graduate Medical Education (ACGME)
- Medical School Affiliation reported by the American Medical Association (MSA)
- Hospital-controlled professional nursing school, reported by the National League for Nursing (NURS)
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges (COTH)

Based on this index, hospitals are classified by one of three teaching status groups:

- Low Teaching Intensity Hospitals
- Medium Teaching Intensity Hospitals
- High Teaching Intensity Hospitals

The statistical formula is:

$$Ip = 9.9\,(JCAHO) + 14.0(CANC) + 28.0(ACGME) + 14.7(MSA) + 13.3(NURS) + 20.1(COTH)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

For the *Length of Stay by DRG and Payment Source* series the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution (low teaching intensity)
Ip value 25.0+	Teaching Institution (medium/high teaching intensity)

---

[1] Phillip P. J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

B. **Census Division** places the 50 states and the District of Columbia into nine geographical areas defined by the U.S. Department of Commerce, Bureau of the Census. These nine divisions and their corresponding regions are:

Region	**Division**
Northeast	New England Mid Atlantic
North Central	East North Central West North Central
South	South Atlantic East South Central West South Central
West	Mountain Pacific

A list of the states included in each region is provided in Appendix 2.

Step 2 - Projection

A matrix is constructed which identifies the number of actual discharges from hospitals by teaching intensity (nonteaching and teaching) and geographical region (Northeast, North Central, South, West). A projection factor is calculated for each cell within the matrix. This factor is calculated as follows:

$$\text{Projection Factor} = \frac{\text{Total discharges from the universe}}{\text{Number of actual discharges in LOS DRG sample}}$$

Each projection factor is multiplied by the number of actual discharges in a particular cell. The resulting numbers represent estimated patient discharges, the sum of which approximates total July 1990 through June 1991 discharges from the U.S. short-term, general, nonfederal hospital universe.

ORGANIZATION OF THE TABLES

The data are stratified by DRG, principal payment source, presence or absence of complications and comorbidities (CCs), and by age ranges.

Diagnosis Related Groups (DRGs)

There are 492 DRGs in the *1990-91 LOS by DRG and Payment Source* series. These DRGs are based on the eighth revision (version 9), effective October 1, 1991. Appendix 3 provides a list of all DRGs for the eighth revision.

Some DRGs have been excluded because they include invalid, ungroupable, or inappropriate categories for examining length of stay. The excluded DRGs are:

DRG Number	English Description
109	(No longer valid)
123	Circulatory Disorders w/AMI, Expired
385	Neonates, Died or Transferred to Another Acute Care Facility
433	Alcohol/Drug Abuse or Dependence, Left Against Medical Advice
438	(No longer valid)
456	Burns, Transferred to Another Acute Care Facility
467	Other Factors Influencing Health Status
468	Extensive Operating Room Procedure Unrelated to Principal Diagnosis
469	Principal Diagnosis Invalid as Discharge Diagnosis
470	Ungroupable
474	(No longer valid)
476	Prostatic Operating Room Procedure Unrelated to Principal Diagnosis
477	Non-extensive Operating Room Procedure Unrelated to Principal Diagnosis

Expected Principal Payment Source

For each DRG, there are four tables corresponding to one of four expected principal payment sources:

1. Medicare
2. Blue Cross/Blue Shield and Private Insurance
3. Medicaid
4. No Insurance

The 'No Insurance' category represents a collapsing of the following payment categories from the PAS abstract: 'Self Pay', 'Other', and 'No Charge'. These three payment categories have not been used consistently by all hospitals contributing data, and therefore this category should be interpreted with some caution.

Presence or Absence of Complications and Comorbidities (CCs)

To determine the presence of complications or comorbidities (CCs), a patient's secondary diagnoses are compared to those specific ICD-9-CM diagnosis codes defined by the Health Care Financing Administration (HCFA) as CCs.

HCFA definitions are:

- A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.
- A comorbidity is a pre-existing condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

Determination of the existence of CCs corresponds to the DRG version effective October 1, 1991.

Patient Age and/or Birth Weight

Patient discharges in the Medicare payment source category are in one of the following age groups, recorded in years:

0 - 69
70 - 74
75 - 79
80 - 84
85+

The other three payment source age groups are collapsed as follows:

0 - 17
18 - 34
35 - 49
50 - 69
70+

For DRGs 386 - 391, which classify neonates, the age range is replaced by a birth weight range, recorded in grams. The categories are as follows:

1 - 999
1000 - 1499
1500 - 1749
1750 - 2499
2500 +

All discharge records for newborns and neonates with an unrecorded birth weight have been excluded.

EXPLANATION OF THE STATISTICS

The statistics are displayed by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included. Since the *LOS by DRG and Payment Source* series is drawn from patient discharges from 811 hospitals and then projected to the universe of U.S. hospitals, *the numbers and calculations represent projections rather than actual numbers.* One actual patient discharge represents multiple projected patients; the average projection factor is 7.2. If the total number of patients listed is based on five or fewer *actual* discharges, the percentile distribution columns are left blank.

Total Number of Patients

This number represents the total number of projected patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for all projected patients and then dividing by the total number of projected patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the projected patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of projected patients is determined by arranging the projected patient stays from low to high. Counting up from the lowest stay to the point where half of the projected patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total projected patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, and 95th percentiles of stay are displayed in days. If, for example, the 25th percentile for a group of projected patients is four, it means 25 percent of the projected patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients. (If a line of data consists solely of stays of 99+ days, the discharges in that line will be excluded from all portions of the table.)

Subtotal and Grand Total

The subtotal represents the total projected patients in one of the two complication and comorbidity groups, within each payment source. The grand total represents the total number of projected patients in each payment source category. In cases where a total is off by one patient, it is the result of rounding the projections.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay regional or national volumes:

Step 1: Consult Appendix 3 at the back of the book for the particular DRG to be reviewed.

Step 2: Find the corresponding table in the book. The DRG number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

- Payment Source

- Complication/Comorbidity Status

- Age Group

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

A sample table with descriptions of table elements is provided on the next page.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Length of Stay by DRG and Payment Source

Sample Table

DRG number and title

Payment source

DRG 1: Craniotomy Age >17 except for Trauma

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/CCs									
AGE GROUP									
0-69 (YRS.)	5407	17.2	192	5	8	13	22	36	50
70-74	3740	18.2	228	6	9	14	22	36	53
75-79	2849	17.4	175	6	8	14	22	35	49
80-84	1833	19.5	222	7	10	15	24	37	49
85 +	956	18.9	137	8	10	16	24	36	44
SUBTOTAL	**14784**	**17.9**	**199**	**6**	**9**	**14**	**22**	**36**	**49**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2864	9.5	43	3	5	8	12	17	22
70-74	1883	8.7	36	3	5	7	11	16	18
75-79	1471	11.3	90	4	6	9	13	20	30
80-84	819	8.6	20	4	5	8	12	15	16
85 +	363	11.5	62	4	6	10	15	23	25
SUBTOTAL	**7401**	**9.6**	**50**	**4**	**5**	**8**	**12**	**17**	**22**
GRAND TOTAL	**22185**	**15.1**	**164**	**5**	**7**	**12**	**19**	**30**	**42**

Presence or absence of Complications/ Comorbidities

Length of stay (in days) by percentile

Patient age group (Note: Age groups for Medicare differ from those for Medicaid, Blue Cross/Private Insurance, and No Insurance)

Total number of projected patients

DRG Length of Stay Tables

All DRGS

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	289295	7.5	59	2	3	5	9	15	21
70-74	212628	7.5	50	2	3	6	9	14	20
75-79	208700	7.6	49	2	3	6	9	15	20
80-84	167118	7.7	47	2	4	6	9	15	20
85 +	163483	7.7	39	2	4	6	10	14	19
SUBTOTAL	**1041223**	**7.6**	**50**	**2**	**3**	**6**	**9**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	156408	5.0	35	1	2	3	6	10	14
70-74	103219	4.6	21	1	2	3	6	9	11
75-79	88490	4.7	20	1	2	4	6	9	12
80-84	61307	5.1	24	1	2	4	6	10	13
85 +	49495	5.4	24	1	2	4	7	10	13
SUBTOTAL	**458918**	**4.9**	**26**	**1**	**2**	**4**	**6**	**9**	**13**
GRAND TOTAL	**1500141**	**6.8**	**44**	**2**	**3**	**5**	**8**	**13**	**18**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	76027	5.8	76	1	2	3	6	12	21
18-34	109398	5.0	42	1	2	3	5	10	16
35-49	123728	6.0	44	1	2	4	7	12	17
50-69	202700	6.7	50	2	3	5	8	13	18
70 +	40179	7.3	53	2	3	5	9	14	19
	552033	**6.1**	**51**	**1**	**2**	**4**	**7**	**12**	**18**
0-17	342879	2.8	20	1	1	2	3	4	7
18-34	488029	2.8	13	1	1	2	3	4	6
35-49	306624	3.5	16	1	2	3	4	6	9
50-69	228201	3.7	15	1	2	3	5	7	9
70 +	21447	4.4	17	1	2	3	6	8	11
	1387180	**3.1**	**16**	**1**	**1**	**2**	**3**	**5**	**8**
	1939213	**4.0**	**28**	**1**	**1**	**3**	**4**	**8**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	61768	6.6	98	1	2	3	7	14	25
18-34	81094	5.8	64	1	2	3	6	12	20
35-49	44739	8.2	91	2	3	5	9	18	27
50-69	51765	8.7	92	2	3	6	10	18	27
70 +	8411	9.1	90	2	4	6	11	19	27
SUBTOTAL	**247777**	**7.1**	**85**	**1**	**2**	**4**	**8**	**15**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	246906	3.0	25	1	1	2	3	5	8
18-34	287682	2.6	12	1	1	2	3	4	7
35-49	48635	4.7	37	1	2	3	5	10	15
50-69	27325	5.8	48	1	2	4	7	12	17
70 +	4399	6.2	49	1	2	4	8	14	17
SUBTOTAL	**614947**	**3.1**	**22**	**1**	**1**	**2**	**3**	**6**	**9**
GRAND TOTAL	**862724**	**4.2**	**43**	**1**	**1**	**2**	**4**	**9**	**14**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	44954	6.2	82	1	2	3	7	13	22
18-34	96678	5.4	50	1	2	3	6	11	17
35-49	74565	6.5	58	1	2	4	8	14	20
50-69	85224	7.0	57	1	3	5	8	14	20
70 +	29147	6.7	47	2	3	5	8	13	18
	330568	**6.3**	**58**	**1**	**2**	**4**	**7**	**13**	**19**
0-17	249605	2.3	9	1	1	2	3	4	6
18-34	354402	2.8	13	1	1	2	3	5	7
35-49	136743	3.8	20	1	1	3	4	7	10
50-69	87690	4.1	20	1	2	3	5	8	11
70 +	15118	4.5	31	1	2	3	6	9	13
	843558	**3.0**	**15**	**1**	**1**	**2**	**3**	**6**	**8**
	1174127	**3.9**	**29**	**1**	**1**	**2**	**4**	**8**	**12**

DRG 1: Craniotomy Age >17 except for Trauma

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	870	13.0	97	4	7	11	17	25	29	0-17	0								
70-74	645	15.6	91	5	9	13	20	31	35	18-34	530	9.0	67	3	4	7	11	16	18
75-79	510	13.9	76	5	8	12	18	23	31	35-49	760	11.9	112	4	6	9	14	21	36
80-84	322	15.1	82	6	8	13	20	26	32	50-69	955	14.5	171	5	7	10	17	30	42
85 +	188	14.0	29	8	11	14	17	20	21	70 +	128	16.8	237	5	8	12	19	29	60
SUBTOTAL	**2534**	**14.2**	**85**	**5**	**8**	**12**	**19**	**26**	**32**		**2374**	**12.6**	**138**	**4**	**6**	**9**	**14**	**23**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	521	8.4	37	3	4	7	10	18	21	0-17	0								
70-74	395	8.4	33	3	4	7	11	16	18	18-34	538	6.5	18	2	3	6	8	11	14
75-79	255	8.7	19	4	5	7	12	15	16	35-49	755	6.4	17	2	3	6	8	11	14
80-84	181	8.3	22	3	5	8	11	14	17	50-69	927	7.0	25	3	4	6	8	13	14
85 +	84	7.3	11	3	4	7	11	12	12	70 +	69	10.7	46	4	5	9	17	21	22
SUBTOTAL	**1436**	**8.4**	**29**	**3**	**5**	**7**	**11**	**16**	**18**		**2290**	**6.8**	**22**	**2**	**4**	**6**	**8**	**12**	**14**
GRAND TOTAL	**3971**	**12.1**	**73**	**4**	**6**	**10**	**16**	**23**	**29**		**4664**	**9.7**	**89**	**3**	**5**	**7**	**12**	**18**	**24**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	217	14.4	136	4	6	11	19	31	45	18-34	198	10.1	68	3	5	8	13	21	43
35-49	233	20.1	316	5	7	12	28	48	69	35-49	333	17.6	184	5	8	13	23	40	45
50-69	267	19.4	159	7	10	18	24	38	52	50-69	442	16.0	158	5	7	10	21	35	42
70 +	29	21.1	32							70 +	43	17.3	63	8	10	17	25	32	32
SUBTOTAL	**746**	**18.2**	**202**	**5**	**8**	**15**	**25**	**45**	**53**		**1017**	**15.4**	**152**	**5**	**7**	**11**	**20**	**34**	**43**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	278	9.1	54	3	5	7	11	13	24	18-34	423	8.9	30	3	5	8	12	15	20
35-49	203	10.2	68	3	5	8	12	19	21	35-49	373	9.7	42	4	6	7	14	20	22
50-69	149	13.0	44	6	8	12	18	23	26	50-69	401	8.8	51	3	4	7	11	18	22
70 +	11	5.5								70 +	18	19.8	199						
SUBTOTAL	**641**	**10.3**	**58**	**3**	**6**	**9**	**12**	**19**	**24**		**1214**	**9.3**	**44**	**3**	**5**	**8**	**12**	**18**	**22**
GRAND TOTAL	**1387**	**14.6**	**151**	**4**	**6**	**11**	**19**	**30**	**45**		**2231**	**12.1**	**103**	**4**	**6**	**9**	**15**	**26**	**35**

DRG 2: Craniotomy for Trauma Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	106	17.0	289	3	8	11	20	38	71	0-17	0								
70-74	101	17.2	74	8	10	13	24	28	35	18-34	205	16.3	146	6	9	13	19	33	40
75-79	138	12.4	85	5	7	9	14	27	37	35-49	126	14.2	243	4	6	10	15	21	37
80-84	120	12.4	26	7	9	11	19	20	21	50-69	73	26.4	245	11	12	22	39	46	57
85 +	151	16.1	197	7	9	13	17	53	70	70 +	52	20.0	118	6	10	25	30	35	35
SUBTOTAL	**616**	**14.9**	**138**	**5**	**8**	**11**	**19**	**27**	**38**		**456**	**17.8**	**201**	**5**	**9**	**13**	**21**	**36**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	73	8.6	24	5	6	7	9	16	21	0-17	0								
70-74	48	7.0	9	3	6	6	7	13	13	18-34	164	7.8	51	3	5	6	9	13	14
75-79	76	6.1	4	4	5	6	7	10	10	35-49	73	6.5	10	2	4	6	8	11	12
80-84	31	15.1	68							50-69	130	6.0	7	2	5	6	7	10	11
85 +	52	8.8	29	3	6	7	10	22	22	70 +	17	9.7	17						
SUBTOTAL	**280**	**8.4**	**28**	**3**	**5**	**7**	**10**	**16**	**21**		**384**	**7.0**	**28**	**2**	**5**	**6**	**9**	**11**	**13**
GRAND TOTAL	**896**	**12.9**	**113**	**5**	**7**	**10**	**16**	**24**	**36**		**840**	**12.8**	**150**	**3**	**6**	**9**	**15**	**29**	**38**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	137	23.2	244	5	9	25	32	37	42	18-34	243	17.6	139	5	8	14	28	31	38
35-49	98	23.1	263	8	12	19	36	68	99 +	35-49	197	18.6	192	6	8	13	26	37	52
50-69	54	13.1	38	7	8	12	22	61	99 +	50-69	46	13.2	19	5	9	13	17	18	18
70 +	6	26.0								70 +	6	17.0							
SUBTOTAL	**295**	**21.4**	**223**	**6**	**9**	**19**	**31**	**42**	**72**		**493**	**17.6**	**149**	**5**	**8**	**14**	**26**	**32**	**39**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	103	10.1	77	2	3	7	13	25	32	18-34	366	7.8	44	3	4	5	10	17	25
35-49	11	20.0	215							35-49	182	7.1	70	1	2	4	9	15	24
50-69	13	8.0	4							50-69	69	8.7	34	4	5	6	10	21	21
70 +	0									70 +	12	7.1	1						
SUBTOTAL	**127**	**10.8**	**89**	**2**	**4**	**7**	**13**	**25**	**32**		**630**	**7.7**	**50**	**2**	**4**	**5**	**9**	**17**	**24**
GRAND TOTAL	**422**	**18.2**	**206**	**4**	**7**	**14**	**30**	**37**	**68**		**1122**	**12.0**	**118**	**3**	**5**	**8**	**16**	**29**	**37**

DRG 3: Craniotomy Age 0-17

MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	1674	9.7	137	2	2	5	13	24	36
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1674**	**9.7**	**137**	**2**	**2**	**5**	**13**	**24**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1796	5.2	26	1	2	4	7	10	15
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1796**	**5.2**	**26**	**1**	**2**	**4**	**7**	**10**	**15**
GRAND TOTAL	**0**										**3470**	**7.4**	**85**	**1**	**2**	**4**	**9**	**18**	**25**

MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1004	10.8	147	2	2	7	16	30	44	0-17	353	12.5	109	2	4	10	19	29	35
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1004**	**10.8**	**147**	**2**	**2**	**7**	**16**	**30**	**44**		**353**	**12.5**	**109**	**2**	**4**	**10**	**19**	**29**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	968	6.2	42	2	2	4	8	14	19	0-17	660	6.3	66	2	2	4	7	12	26
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**968**	**6.2**	**42**	**2**	**2**	**4**	**8**	**14**	**19**		**660**	**6.3**	**66**	**2**	**2**	**4**	**7**	**12**	**26**
GRAND TOTAL	**1972**	**8.5**	**100**	**2**	**2**	**5**	**11**	**20**	**31**		**1013**	**8.5**	**89**	**2**	**3**	**5**	**11**	**23**	**33**

DRG 4: Spinal Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	350	12.3	99	4	6	10	16	24	31
70-74	149	17.5	90	5	10	15	24	32	36
75-79	122	14.5	52	6	10	13	19	25	29
80-84	71	14.4	76	7	8	14	22	22	35
85 +	50	12.1	11	9	10	11	13	20	20
SUBTOTAL	**742**	**13.9**	**85**	**4**	**8**	**12**	**19**	**24**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	192	5.7	23	1	2	4	8	11	15
70-74	134	4.7	16	2	2	4	5	7	11
75-79	100	6.5	14	1	3	7	10	12	12
80-84	12	3.8	10						
85 +	24	4.9	5						
SUBTOTAL	**462**	**5.5**	**18**	**1**	**2**	**4**	**7**	**11**	**12**
GRAND TOTAL	**1204**	**10.7**	**76**	**2**	**4**	**9**	**14**	**22**	**27**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	250	11.7	53	4	7	10	15	28	30
18-34	273	11.9	110	3	5	9	14	26	38
35-49	323	10.0	63	3	4	7	14	20	30
50-69	357	10.6	70	3	5	8	13	23	29
70 +	36	19.8	217	7	11	11	29	47	47
	1240	**11.2**	**80**	**3**	**5**	**8**	**14**	**24**	**30**
0-17	250	8.8	50	3	5	6	9	22	23
18-34	416	5.4	31	1	3	4	6	9	12
35-49	578	4.0	7	1	2	3	5	8	9
50-69	349	6.1	26	2	3	5	7	15	18
70 +	6	4.0							
	1598	**5.6**	**27**	**2**	**2**	**4**	**6**	**10**	**16**
	2838	**8.0**	**58**	**2**	**3**	**6**	**10**	**18**	**25**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	129	15.2	98	5	8	12	21	26	30
18-34	100	16.5	197	4	6	15	19	39	56
35-49	46	22.3	108	11	13	24	33	99 +	99 +
50-69	70	18.6	273	6	7	10	25	43	59
70 +	19	11.7	10						
SUBTOTAL	**364**	**17.0**	**161**	**5**	**8**	**13**	**24**	**39**	**48**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	147	9.1	43	3	6	8	10	16	28
18-34	88	7.2	10	3	5	7	9	11	15
35-49	46	9.3	17	4	6	8	10	18	18
50-69	40	6.8	13	3	3	7	10	13	13
70 +	0								
SUBTOTAL	**320**	**8.3**	**27**	**3**	**5**	**8**	**10**	**13**	**19**
GRAND TOTAL	**685**	**12.9**	**117**	**4**	**7**	**9**	**16**	**28**	**42**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	41	11.3	97	3	3	7	16	33	33
18-34	91	11.7	47	3	4	12	16	24	25
35-49	110	11.8	168	2	3	7	9	41	41
50-69	92	9.5	74	1	2	7	16	22	29
70 +	19	1.3							
	352	**10.6**	**100**	**1**	**3**	**7**	**15**	**28**	**33**
0-17	107	6.4	11	2	4	7	8	9	16
18-34	150	8.2	54	2	3	6	12	16	20
35-49	167	4.1	30	1	2	3	4	7	11
50-69	119	5.5	29	1	1	4	7	14	18
70 +	19	2.7	3						
	562	**5.9**	**35**	**1**	**2**	**4**	**7**	**14**	**16**
	914	**7.7**	**65**	**1**	**3**	**5**	**9**	**16**	**28**

DRG 5: Extracranial Vascular Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1115	5.9	22	2	3	4	7	11	14	0-17	6	24.0							
70-74	1230	5.9	18	2	3	5	7	11	14	18-34	24	6.2	2						
75-79	1032	5.6	14	2	3	4	7	10	14	35-49	55	12.3	144	3	5	7	11	39	39
80-84	617	6.6	24	3	4	5	8	11	14	50-69	693	6.1	42	2	3	4	7	11	15
85 +	251	5.6	12	2	3	5	7	9	10	70 +	160	6.0	60	2	3	4	7	9	11
SUBTOTAL	**4245**	**5.9**	**19**	**2**	**3**	**5**	**7**	**11**	**14**		**938**	**6.5**	**53**	**2**	**3**	**4**	**7**	**11**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1480	3.4	2	2	2	3	4	5	6	0-17	6	4.0							
70-74	1400	3.5	3	2	2	3	4	5	7	18-34	29	4.9	11						
75-79	1229	3.8	4	2	2	3	4	7	7	35-49	120	3.9	16	1	2	3	4	10	15
80-84	646	3.8	3	2	3	3	4	6	8	50-69	1251	3.2	2	2	2	3	4	5	6
85 +	170	4.4	7	2	3	4	5	8	11	70 +	188	3.8	5	2	3	3	4	5	11
SUBTOTAL	**4925**	**3.6**	**3**	**2**	**2**	**3**	**4**	**6**	**7**		**1595**	**3.4**	**4**	**2**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**9170**	**4.7**	**12**	**2**	**3**	**4**	**5**	**9**	**11**		**2532**	**4.6**	**24**	**2**	**3**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	6	5.0							
18-34	0									18-34	0								
35-49	19	6.0	13							35-49	13	3.5							
50-69	89	9.3	78	3	4	6	12	15	40	50-69	164	6.0	31	2	2	4	7	18	19
70 +	13	9.5	33							70 +	99	6.6	42	2	3	4	7	12	29
SUBTOTAL	**120**	**8.8**	**64**	**3**	**4**	**6**	**12**	**15**	**26**		**281**	**6.1**	**33**	**2**	**3**	**4**	**7**	**13**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	11	4.0	1							18-34	59	2.6	1	< 1	2	2	4	4	4
35-49	24	4.7	11							35-49	43	4.7	7	2	3	3	8	9	9
50-69	125	4.5	13	1	2	4	6	6	15	50-69	416	3.8	11	2	2	3	4	5	8
70 +	17	7.3	26							70 +	124	3.7	4	2	3	3	4	6	9
SUBTOTAL	**177**	**4.8**	**14**	**1**	**3**	**4**	**6**	**10**	**14**		**641**	**3.7**	**9**	**2**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**297**	**6.4**	**38**	**2**	**3**	**4**	**6**	**14**	**15**		**922**	**4.4**	**17**	**2**	**2**	**3**	**5**	**8**	**11**

DRG 6: Carpal Tunnel Release

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	29	1.2							
70-74	12	3.0							
75-79	12	7.2	22						
80-84	6	1.0							
85 +	0								
SUBTOTAL	**59**	**2.7**	**10**	**< 1**	**< 1**	**2**	**3**	**8**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	60	1.5	1	< 1	< 1	< 1	2	3	3
70-74	36	1.0		< 1	< 1	1	1	1	1
75-79	25	1.0							
80-84	25	1.8	2						
85 +	0								
SUBTOTAL	**146**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**3**	**3**
GRAND TOTAL	**205**	**1.7**	**4**	**< 1**	**< 1**	**1**	**2**	**3**	**4**

BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	2.0							
35-49	18	3.2	7						
50-69	12	4.4	2						
70 +	6	2.0							
	41	**3.2**	**5**	**1**	**2**	**2**	**6**	**7**	**7**
0-17	0								
18-34	18	1.9	2						
35-49	105	1.7	2	< 1	< 1	1	2	4	5
50-69	116	1.3		< 1	< 1	1	1	3	3
70 +	6	1.0							
	245	**1.5**	**1**	**< 1**	**< 1**	**1**	**1**	**3**	**4**
	286	**1.7**	**2**	**< 1**	**< 1**	**1**	**2**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	6	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**6**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	56	3.7	26	< 1	< 1	< 1	3	16	17
35-49	24	1.5	1						
50-69	24	1.2							
70 +	0								
SUBTOTAL	**103**	**2.6**	**16**	**< 1**	**< 1**	**< 1**	**2**	**9**	**17**
GRAND TOTAL	**110**	**2.5**	**15**	**< 1**	**< 1**	**< 1**	**2**	**9**	**16**

NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	1.0							
35-49	0								
50-69	6	3.0							
70 +	0								
	13	**2.0**	**1**						
0-17	0								
18-34	11	3.0	1						
35-49	6	9.0							
50-69	24	2.3	1						
70 +	6	1.0							
	48	**3.1**	**6**	**< 1**	**< 1**	**2**	**4**	**9**	**9**
	61	**2.9**	**6**	**< 1**	**1**	**2**	**4**	**6**	**9**

DRG 7: Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	245	9.6	121	1	3	6	11	27	46	0-17	76	6.6	23	2	3	4	9	15	15
70-74	152	8.6	38	2	5	8	11	17	19	18-34	193	5.0	14	2	3	4	5	11	16
75-79	118	11.8	89	1	6	9	17	21	33	35-49	194	4.8	12	2	3	4	6	9	13
80-84	153	10.6	80	4	5	8	12	25	34	50-69	181	8.2	46	1	4	6	11	18	21
85 +	66	10.7	29	5	6	11	14	17	19	70 +	22	12.0	14						
SUBTOTAL	**733**	**10.1**	**82**	**2**	**4**	**8**	**13**	**20**	**34**		**667**	**6.2**	**26**	**2**	**3**	**4**	**7**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**733**	**10.1**	**82**	**2**	**4**	**8**	**13**	**20**	**34**		**667**	**6.2**	**26**	**2**	**3**	**4**	**7**	**14**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	12.0	197							0-17	18	1.7							
18-34	70	11.5	162	2	3	8	19	31	43	18-34	135	7.4	88	1	2	4	11	34	99 +
35-49	42	8.6	24	1	5	10	15	99 +	99 +	35-49	78	8.0	47	1	4	6	12	15	27
50-69	40	14.4	134	1	4	11	26	36	36	50-69	49	16.5	128	4	4	8	28	30	30
70 +	0									70 +	12	9.0	79						
SUBTOTAL	**175**	**11.5**	**129**	**2**	**4**	**8**	**16**	**36**	**99 +**		**291**	**8.8**	**91**	**1**	**2**	**5**	**15**	**29**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**175**	**11.5**	**129**	**2**	**4**	**8**	**16**	**36**	**99 +**		**291**	**8.8**	**91**	**1**	**2**	**5**	**15**	**29**	**34**

DRG 8: Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	264	3.1	10	1	1	2	4	6	8
70-74	103	3.8	24	< 1	1	2	4	6	22
75-79	66	3.1	7	1	1	2	7	7	8
80-84	54	4.5	7	< 1	2	6	7	8	8
85 +	12	1.0							
SUBTOTAL	**498**	**3.3**	**13**	**< 1**	**1**	**2**	**5**	**7**	**8**
GRAND TOTAL	**498**	**3.3**	**13**	**< 1**	**1**	**2**	**5**	**7**	**8**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	294	2.3	3	< 1	1	2	3	5	5
18-34	516	3.0	5	1	1	2	4	6	9
35-49	601	2.4	3	< 1	1	2	3	5	6
50-69	458	3.0	8	1	1	2	4	6	7
70 +	30	2.6	3						
	1899	**2.7**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
	1899	**2.7**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	182	4.2	47	< 1	1	2	4	7	18
18-34	94	3.1	5	1	1	3	5	9	99 +
35-49	86	3.5	17	1	1	2	4	6	18
50-69	23	3.5	3						
70 +	6	5.0							
SUBTOTAL	**390**	**3.7**	**27**	**1**	**1**	**3**	**4**	**6**	**18**
GRAND TOTAL	**390**	**3.7**	**27**	**1**	**1**	**3**	**4**	**6**	**18**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	127	4.7	145	< 1	1	2	3	5	12
18-34	443	4.7	83	1	1	3	5	7	8
35-49	226	5.5	69	1	2	3	6	9	16
50-69	123	2.0	2	< 1	1	1	2	4	6
70 +	0								
	919	**4.5**	**78**	**1**	**1**	**2**	**5**	**7**	**10**
	919	**4.5**	**78**	**1**	**1**	**2**	**5**	**7**	**10**

DRG 9: Spinal Disorders & Injuries

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	85	6.0	28	2	3	5	7	8	23	0-17	24	15.8	175						
70-74	31	8.2	26							18-34	66	8.2	37	3	3	6	14	16	20
75-79	61	4.6	5	2	3	5	5	8	9	35-49	43	19.1	337	2	3	16	25	58	58
80-84	13	7.0	10							50-69	48	7.4	97	2	3	3	7	32	32
85 +	41	12.2	201	3	6	6	11	47	47	70 +	6	12.0							
SUBTOTAL	**231**	**7.1**	**58**	**2**	**3**	**5**	**8**	**12**	**23**		**186**	**11.6**	**159**	**2**	**3**	**6**	**16**	**26**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	29	11.5	77							0-17	226	2.4	14	< 1	< 1	1	2	8	18
70-74	25	7.0	30							18-34	59	3.1	1	1	3	3	4	5	5
75-79	12	4.1	1							35-49	41	4.5	11	1	2	3	6	12	12
80-84	0									50-69	61	5.7	16	1	2	5	8	12	14
85 +	25	5.0	4							70 +	0								
SUBTOTAL	**92**	**7.5**	**42**	**3**	**3**	**5**	**10**	**16**	**26**		**388**	**3.3**	**13**	**< 1**	**1**	**2**	**4**	**8**	**14**
GRAND TOTAL	**322**	**7.2**	**53**	**3**	**3**	**5**	**8**	**16**	**23**		**574**	**6.0**	**76**	**< 1**	**1**	**3**	**6**	**17**	**26**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	12	19.9	120							0-17	0								
18-34	59	9.9	30	4	6	7	14	19	21	18-34	90	5.0	28	1	2	3	7	9	22
35-49	18	11.0	67							35-49	60	7.8	19	3	4	6	10	14	15
50-69	0									50-69	22	4.3	6						
70 +	0									70 +	13	7.0							
SUBTOTAL	**90**	**11.5**	**59**	**4**	**6**	**10**	**17**	**21**	**31**		**185**	**6.0**	**22**	**1**	**3**	**4**	**9**	**10**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	102	2.9	26	< 1	< 1	< 1	2	10	22	0-17	39	2.4	5	< 1	< 1	< 1	4	7	7
18-34	17	1.7	1							18-34	114	4.2	10	2	2	3	5	10	11
35-49	6	5.0								35-49	59	2.9	2	1	2	3	4	5	6
50-69	17	7.7	10							50-69	18	21.6	22						
70 +	0									70 +	0								
SUBTOTAL	**141**	**3.4**	**23**	**< 1**	**< 1**	**< 1**	**3**	**10**	**12**		**230**	**5.0**	**32**	**1**	**2**	**3**	**6**	**11**	**23**
GRAND TOTAL	**231**	**6.6**	**52**	**< 1**	**< 1**	**4**	**10**	**20**	**22**		**415**	**5.4**	**28**	**1**	**2**	**4**	**7**	**11**	**15**

DRG 10: Nervous System Neoplasms w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	827	7.9	112	2	3	5	9	17	24	0-17	144	6.1	34	1	2	4	7	16	19
70-74	616	8.2	46	3	4	6	10	16	20	18-34	114	6.2	30	1	3	4	9	16	21
75-79	413	8.4	85	2	4	5	9	15	24	35-49	358	5.5	27	1	2	4	6	10	17
80-84	248	7.2	24	2	4	5	9	14	19	50-69	1007	6.1	33	2	3	4	7	13	17
85 +	139	7.8	27	3	5	7	8	17	18	70 +	98	5.0	16	2	3	5	6	7	19
SUBTOTAL	**2243**	**8.0**	**74**	**2**	**4**	**6**	**9**	**16**	**22**		**1721**	**5.9**	**31**	**1**	**2**	**4**	**7**	**12**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2243**	**8.0**	**74**	**2**	**4**	**6**	**9**	**16**	**22**		**1721**	**5.9**	**31**	**1**	**2**	**4**	**7**	**12**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	67	7.7	30	2	3	5	13	16	17	0-17	51	9.0	170	1	1	3	9	43	43
18-34	81	9.7	219	2	3	5	9	12	59	18-34	82	3.9	6	1	2	3	5	7	10
35-49	201	8.7	64	3	4	7	13	17	24	35-49	153	5.8	20	1	3	5	6	15	15
50-69	176	8.2	42	3	4	7	10	17	27	50-69	306	8.1	57	2	3	6	10	17	26
70 +	23	9.1	28							70 +	85	6.9	51	2	2	6	9	11	31
SUBTOTAL	**548**	**8.6**	**74**	**2**	**4**	**6**	**11**	**17**	**24**		**677**	**7.0**	**52**	**1**	**2**	**5**	**8**	**16**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**548**	**8.6**	**74**	**2**	**4**	**6**	**11**	**17**	**24**		**677**	**7.0**	**52**	**1**	**2**	**5**	**8**	**16**	**20**

DRG 11: Nervous System Neoplasms w/o CC

	MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs										
AGE GROUP										
0-69 (YRS.)	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTAL	**0**									
2.PATIENTS W/OUT CCs										
AGE GROUP										
0-69	196	4.5	29	1	2	3	4	9	15
70-74	119	3.8	6	1	2	3	5	7	9
75-79	96	3.5	10	1	1	3	5	8	13
80-84	49	6.3	34	1	2	5	7	21	21
85 +	42	6.8	24	2	2	5	12	15	15
SUBTOTAL	**502**	**4.5**	**21**	**1**	**2**	**3**	**5**	**9**	**13**
GRAND TOTAL	**502**	**4.5**	**21**	**1**	**2**	**3**	**5**	**9**	**13**

	BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0									
18-34	0									
35-49	0									
50-69	0									
70 +	0									
	0									
0-17	221	2.6	5	1	1	2	3	7	7
18-34	87	2.7	3	1	1	2	3	6	7
35-49	304	3.0	9	1	1	3	3	5	7
50-69	326	3.9	9	1	2	3	5	8	10
70 +	41	4.3	1	2	4	4	5	6	6
	978	**3.2**	**7**	**1**	**1**	**3**	**4**	**6**	**8**
	978	**3.2**	**7**	**1**	**1**	**3**	**4**	**6**	**8**

	MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs										
AGE GROUP										
0-17 (YRS.)	0									
18-34	0									
35-49	0									
50-69	0									
70 +	0									
SUBTOTAL	**0**									
2.PATIENTS W/OUT CCs										
AGE GROUP										
0-17	110	3.1	7	1	1	2	4	9	10
18-34	130	4.7	11	2	3	3	6	9	11
35-49	127	3.5	10	1	1	2	4	10	11
50-69	69	8.2	34	2	2	7	12	15	19
70 +	6	8.0							
SUBTOTAL	**442**	**4.5**	**16**	**1**	**2**	**3**	**6**	**11**	**15**
GRAND TOTAL	**442**	**4.5**	**16**	**1**	**2**	**3**	**6**	**11**	**15**

	NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0									
18-34	0									
35-49	0									
50-69	0									
70 +	0									
	0									
0-17	46	2.4	1	1	2	2	3	4	4
18-34	79	4.5	14	2	2	3	5	12	14
35-49	134	5.2	17	1	3	4	7	10	12
50-69	136	3.6	11	1	1	2	6	7	12
70 +	18	5.1	23						
	413	**4.2**	**14**	**1**	**2**	**3**	**6**	**10**	**12**
	413	**4.2**	**14**	**1**	**2**	**3**	**6**	**10**	**12**

DRG 12: Degenerative Nervous System Disorders

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	317	7.0	37	2	3	5	9	14	19
70-74	338	7.2	31	2	4	5	9	16	19
75-79	553	8.2	69	3	4	7	10	15	17
80-84	313	7.5	33	2	3	5	12	14	18
85 +	291	10.2	242	2	4	6	11	17	21
SUBTOTAL	**1813**	**8.0**	**79**	**2**	**4**	**6**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	286	7.8	121	2	2	4	8	16	32
70-74	245	5.3	25	1	2	4	6	10	16
75-79	266	6.6	33	2	3	5	9	13	14
80-84	281	7.7	68	2	3	5	9	13	19
85 +	129	4.9	8	2	3	4	8	9	10
SUBTOTAL	**1207**	**6.7**	**59**	**2**	**3**	**5**	**8**	**13**	**18**
GRAND TOTAL	**3020**	**7.5**	**71**	**2**	**3**	**5**	**9**	**14**	**18**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	36	2.8	6	< 1	1	2	5	7	7
18-34	47	4.8	23	1	1	3	7	15	15
35-49	59	7.6	104	1	2	3	6	25	34
50-69	136	7.4	26	2	3	7	11	15	17
70 +	77	6.1	14	2	3	5	7	12	13
	355	**6.3**	**36**	**1**	**2**	**5**	**8**	**14**	**17**
0-17	88	2.4	3	< 1	1	2	3	4	8
18-34	42	10.6	374	< 1	1	4	5	56	56
35-49	106	3.9	11	1	2	2	6	8	14
50-69	148	4.6	12	1	2	4	7	10	12
70 +	59	4.5	10	1	2	3	7	10	11
	443	**4.6**	**48**	**1**	**2**	**3**	**5**	**9**	**12**
	798	**5.4**	**43**	**1**	**2**	**3**	**7**	**12**	**15**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	53	9.1	333	1	2	3	3	61	61
18-34	12	8.6	53						
35-49	76	10.6	221	1	2	6	11	17	60
50-69	97	7.1	24	1	2	7	10	13	19
70 +	6	17.0							
SUBTOTAL	**243**	**8.9**	**155**	**1**	**2**	**6**	**10**	**17**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	59	4.5	48	< 1	1	2	5	15	25
18-34	62	5.9	43	1	1	3	6	15	23
35-49	97	4.5	11	1	2	4	7	9	13
50-69	69	4.5	17	1	2	3	5	13	14
70 +	17	3.7	3						
SUBTOTAL	**305**	**4.7**	**25**	**1**	**2**	**3**	**6**	**13**	**14**
GRAND TOTAL	**548**	**6.6**	**87**	**1**	**2**	**3**	**8**	**14**	**19**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	2.6	3						
18-34	23	9.0	65						
35-49	69	7.6	28	3	5	7	10	23	99 +
50-69	88	7.7	28	< 1	3	9	14	99 +	99 +
70 +	55	7.3	25	2	4	6	9	19	19
	264	**7.1**	**30**	**1**	**3**	**6**	**11**	**19**	**99 +**
0-17	34	3.0	11	< 1	1	2	3	10	10
18-34	110	4.9	12	1	2	4	8	10	12
35-49	154	3.8	15	< 1	1	2	6	8	13
50-69	243	3.8	25	< 1	1	2	4	9	17
70 +	146	3.2	16	1	1	1	5	16	99 +
	687	**3.8**	**18**	**< 1**	**1**	**2**	**5**	**10**	**16**
	951	**4.7**	**24**	**1**	**1**	**3**	**7**	**14**	**19**

DRG 13: Multiple Sclerosis & Cerebellar Ataxia

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	340	7.4	30	2	4	6	9	14	21	0-17	29	7.2	13						
70-74	66	6.7	12	2	3	8	9	9	12	18-34	97	5.2	7	1	3	5	7	9	11
75-79	19	6.0	15							35-49	149	6.2	8	3	4	5	8	10	11
80-84	18	4.7	3							50-69	93	7.1	21	1	4	6	9	11	20
85 +	24	3.6	9							70 +	12	12.9	46						
SUBTOTAL	**467**	**6.9**	**26**	**2**	**4**	**6**	**9**	**13**	**17**		**380**	**6.5**	**14**	**3**	**4**	**6**	**8**	**11**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	377	6.0	11	3	4	5	6	11	13	0-17	34	3.3	3	< 1	1	4	5	5	5
70-74	36	17.1	546	3	4	9	11	70	70	18-34	306	4.7	5	3	4	4	5	9	10
75-79	55	4.3	4	2	2	4	5	8	8	35-49	618	4.7	9	2	3	4	5	7	8
80-84	0									50-69	160	5.3	11	1	2	5	7	9	14
85 +	0									70 +	0								
SUBTOTAL	**467**	**6.6**	**59**	**3**	**4**	**5**	**7**	**11**	**14**		**1118**	**4.7**	**8**	**2**	**3**	**4**	**5**	**8**	**10**
GRAND TOTAL	**934**	**6.8**	**42**	**2**	**4**	**5**	**8**	**12**	**14**		**1498**	**5.2**	**10**	**2**	**4**	**4**	**6**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	11	4.5	13							0-17	6	2.0							
18-34	42	7.2	33	< 1	2	6	12	19	19	18-34	35	10.1	89	3	5	7	9	31	31
35-49	70	8.8	36	3	5	6	11	12	26	35-49	57	8.6	53	4	5	6	8	19	30
50-69	18	5.9	8							50-69	18	5.3	5						
70 +	0									70 +	6	3.0							
SUBTOTAL	**141**	**7.6**	**32**	**2**	**4**	**6**	**10**	**12**	**19**		**123**	**8.0**	**56**	**3**	**5**	**6**	**8**	**11**	**30**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	56	7.5	47	2	3	4	9	21	23	0-17	12	3.5							
18-34	80	3.9	3	2	3	4	5	6	7	18-34	158	4.3	12	< 1	1	4	5	9	14
35-49	82	7.4	36	3	5	6	7	9	27	35-49	142	3.6	7	< 1	1	4	5	9	9
50-69	18	4.5	6							50-69	35	7.5	86	2	2	3	7	28	28
70 +	0									70 +	0								
SUBTOTAL	**236**	**6.0**	**28**	**2**	**3**	**5**	**7**	**9**	**22**		**346**	**4.3**	**18**	**< 1**	**2**	**4**	**5**	**9**	**14**
GRAND TOTAL	**377**	**6.6**	**30**	**2**	**3**	**5**	**8**	**12**	**19**		**470**	**5.3**	**30**	**< 1**	**2**	**4**	**6**	**9**	**15**

DRG 14: Specific Cerebrovascular Disorders except TIA

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4624	7.5	42	2	4	6	9	14	18
70-74	5186	8.1	39	3	4	7	10	15	19
75-79	6325	7.9	35	3	4	6	10	15	19
80-84	6618	8.1	43	3	4	7	10	15	19
85 +	7390	8.0	37	3	5	7	10	14	18
SUBTOTAL	**30143**	**7.9**	**39**	**3**	**4**	**7**	**10**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2466	5.4	17	2	3	5	7	10	12
70-74	2720	5.2	15	2	3	4	6	10	13
75-79	2972	5.0	12	2	3	4	6	9	10
80-84	2594	5.8	19	2	3	5	7	10	12
85 +	2284	6.0	14	2	4	5	8	11	12
SUBTOTAL	**13037**	**5.5**	**15**	**2**	**3**	**5**	**7**	**9**	**12**
GRAND TOTAL	**43180**	**7.2**	**33**	**2**	**4**	**6**	**9**	**13**	**17**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	9.7	33						
18-34	138	7.5	42	2	2	6	10	21	21
35-49	470	9.3	115	2	4	7	11	21	26
50-69	2673	7.5	45	2	4	6	9	14	21
70 +	1148	7.2	36	2	4	6	9	14	18
	4458	**7.6**	**50**	**2**	**4**	**6**	**9**	**14**	**21**
0-17	11	16.5	200						
18-34	223	5.3	14	1	3	4	7	11	15
35-49	587	4.9	11	1	2	4	7	9	10
50-69	2042	5.2	19	2	3	4	7	10	13
70 +	636	5.0	14	2	3	4	7	9	12
	3499	**5.2**	**17**	**2**	**3**	**4**	**7**	**10**	**13**
	7957	**6.6**	**37**	**2**	**3**	**5**	**8**	**13**	**17**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	18	6.3	15						
18-34	86	14.1	190	6	7	9	15	28	61
35-49	263	12.2	70	3	6	9	17	27	27
50-69	980	10.0	71	3	4	7	13	19	29
70 +	374	13.3	151	2	5	11	19	29	44
SUBTOTAL	**1720**	**11.2**	**96**	**3**	**5**	**8**	**15**	**24**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	18	3.3							
18-34	64	4.9	7	2	2	4	8	8	9
35-49	187	7.4	20	2	3	7	11	14	16
50-69	514	8.1	39	3	4	7	11	15	18
70 +	177	8.1	33	4	4	6	12	14	17
SUBTOTAL	**961**	**7.7**	**33**	**3**	**4**	**6**	**10**	**14**	**17**
GRAND TOTAL	**2681**	**9.9**	**76**	**3**	**4**	**7**	**13**	**20**	**28**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	4.2	9						
18-34	83	8.5	94	1	4	6	8	15	40
35-49	353	10.2	119	2	4	7	12	22	30
50-69	1549	9.1	103	2	4	6	10	19	28
70 +	1054	7.8	64	3	4	6	9	15	23
	3057	**8.7**	**91**	**2**	**4**	**6**	**10**	**17**	**26**
0-17	23	3.7	3						
18-34	205	5.7	32	1	1	5	7	14	20
35-49	434	6.5	29	2	3	4	9	16	19
50-69	1293	5.5	24	2	3	4	7	11	17
70 +	584	6.1	25	2	3	5	8	16	21
	2539	**5.8**	**26**	**1**	**2**	**4**	**7**	**13**	**19**
	5596	**7.4**	**64**	**2**	**3**	**5**	**9**	**16**	**22**

DRG 15: Transient Ischemic Attack & Precerebral Occlusions

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1655	4.3	17	1	2	3	5	8	10	0-17	0								
70-74	1715	4.2	10	1	2	3	5	8	10	18-34	66	5.0	8	2	3	5	7	7	12
75-79	2110	4.5	16	2	2	4	6	8	10	35-49	213	3.5	6	1	2	3	5	7	9
80-84	1759	4.3	8	2	2	3	5	8	9	50-69	1013	3.7	8	1	2	3	5	6	8
85 +	2099	4.5	10	2	2	4	5	9	11	70 +	279	4.3	34	1	2	3	4	9	9
SUBTOTAL	**9338**	**4.4**	**12**	**2**	**2**	**4**	**5**	**8**	**10**		**1571**	**3.8**	**13**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1360	2.8	4	1	2	2	4	5	7	0-17	11	2.5							
70-74	1325	2.7	4	1	2	2	3	5	6	18-34	56	2.8	2	1	2	3	3	5	6
75-79	1530	3.2	6	1	2	3	4	6	7	35-49	306	3.0	5	1	1	2	4	5	8
80-84	1237	3.2	5	1	2	3	4	6	7	50-69	1426	2.8	5	1	1	2	3	5	7
85 +	1286	3.5	7	1	2	3	4	6	8	70 +	321	3.2	4	1	2	3	4	6	9
SUBTOTAL	**6738**	**3.1**	**5**	**1**	**2**	**2**	**4**	**6**	**7**		**2120**	**2.9**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**16076**	**3.8**	**10**	**1**	**2**	**3**	**5**	**7**	**9**		**3690**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	22	3.5	2						
35-49	35	4.9	6	2	3	4	8	8	8	35-49	66	6.2	16	2	3	6	10	13	13
50-69	256	7.4	79	1	2	4	9	14	24	50-69	487	4.0	9	1	2	3	5	8	11
70 +	68	4.4	8	2	2	4	5	7	12	70 +	275	3.6	5	1	2	3	5	7	8
SUBTOTAL	**359**	**6.6**	**60**	**2**	**2**	**4**	**8**	**13**	**20**		**851**	**4.1**	**8**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	23	3.0	6							18-34	52	2.5	2	1	2	2	3	5	5
35-49	69	5.0	6	3	3	5	7	9	10	35-49	227	3.7	10	1	2	3	4	8	14
50-69	195	3.5	8	1	2	3	4	6	10	50-69	593	3.3	5	1	2	3	4	7	7
70 +	22	2.0	3							70 +	272	2.5	4	1	1	2	3	4	6
SUBTOTAL	**310**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**10**		**1143**	**3.2**	**6**	**1**	**2**	**2**	**4**	**7**	**8**
GRAND TOTAL	**669**	**5.2**	**38**	**1**	**2**	**4**	**6**	**11**	**14**		**1994**	**3.5**	**7**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 16: Nonspecific Cerebrovascular Disorders w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	442	6.7	31	2	3	5	8	15	19
70-74	183	5.6	22	2	3	4	6	12	16
75-79	278	7.6	28	2	4	6	10	15	21
80-84	362	6.8	27	3	3	5	8	13	15
85 +	306	6.2	21	2	3	5	8	13	14
SUBTOTAL	**1571**	**6.7**	**27**	**2**	**3**	**5**	**8**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1571**	**6.7**	**27**	**2**	**3**	**5**	**8**	**13**	**18**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	4.6	7						
18-34	12	5.4	2						
35-49	36	10.3	114	1	1	7	14	31	31
50-69	122	5.1	13	1	2	4	8	12	12
70 +	18	11.7	65						
	210	**6.5**	**39**	**1**	**2**	**5**	**10**	**13**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	210	**6.5**	**39**	**1**	**2**	**5**	**10**	**13**	**22**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	18	2.3	1						
18-34	23	7.3	33						
35-49	42	5.5	2	4	4	5	7	8	8
50-69	42	5.1	12	1	2	4	7	12	12
70 +	6	4.0							
SUBTOTAL	**131**	**5.2**	**12**	**2**	**3**	**4**	**7**	**8**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**131**	**5.2**	**12**	**2**	**3**	**4**	**7**	**8**	**12**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	17	17.7	274						
18-34	35	5.3	6	1	4	5	7	8	8
35-49	23	15.5	81						
50-69	106	7.5	57	1	3	5	9	21	30
70 +	31	15.2	360						
	212	**9.9**	**128**	**2**	**3**	**6**	**10**	**28**	**40**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	212	**9.9**	**128**	**2**	**3**	**6**	**10**	**28**	**40**

DRG 17: Nonspecific Cerebrovascular Disorders w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	85	3.2	3	1	2	3	5	6	6
70-74	73	4.5	7	2	2	4	6	6	12
75-79	141	5.4	13	1	2	4	8	10	13
80-84	104	4.8	7	2	2	5	7	9	11
85 +	151	6.2	76	2	2	3	6	8	22
SUBTOTAL	**554**	**5.1**	**28**	**2**	**2**	**4**	**6**	**8**	**12**
GRAND TOTAL	**554**	**5.1**	**28**	**2**	**2**	**4**	**6**	**8**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	69	2.9	6	1	1	2	3	5	10
18-34	49	5.0	36	< 1	1	3	4	20	20
35-49	36	3.7	3	< 1	3	4	4	7	7
50-69	120	3.2	4	1	2	2	4	6	8
70 +	6	6.0							
	279	**3.5**	**11**	**1**	**2**	**3**	**4**	**7**	**10**
	279	**3.5**	**11**	**1**	**2**	**3**	**4**	**7**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	4.4	13						
18-34	34	7.3	53	1	2	4	10	22	22
35-49	17	5.0	15						
50-69	30	4.3	3						
70 +	0								
SUBTOTAL	**104**	**5.4**	**25**	**1**	**2**	**4**	**7**	**10**	**22**
GRAND TOTAL	**104**	**5.4**	**25**	**1**	**2**	**4**	**7**	**10**	**22**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	29	2.4	2						
18-34	59	4.8	25	1	2	3	4	14	16
35-49	36	5.7	9	1	4	5	9	10	10
50-69	56	3.4	12	< 1	< 1	2	3	11	12
70 +	13	5.0	10						
	192	**4.2**	**15**	**1**	**2**	**3**	**5**	**10**	**13**
	192	**4.2**	**15**	**1**	**2**	**3**	**5**	**10**	**13**

DRG 18: Cranial & Peripheral Nerve Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	753	7.7	46	2	3	5	10	17	22
70-74	356	6.7	43	2	4	6	8	10	26
75-79	284	6.8	26	2	3	5	9	13	14
80-84	231	5.9	19	2	3	5	7	11	16
85 +	115	8.0	16	4	5	7	9	13	18
SUBTOTAL	**1739**	**7.1**	**37**	**2**	**3**	**6**	**9**	**14**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1739**	**7.1**	**37**	**2**	**3**	**6**	**9**	**14**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	41	2.4		2	2	2	3	3	3
18-34	114	7.9	54	1	3	5	11	25	26
35-49	199	5.7	21	2	2	4	7	12	13
50-69	361	5.3	19	1	2	4	8	12	15
70 +	48	6.5	22	2	2	5	10	16	16
	763	**5.7**	**25**	**1**	**2**	**4**	**8**	**12**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	763	**5.7**	**25**	**1**	**2**	**4**	**8**	**12**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	11	5.5	22						
18-34	87	9.4	126	2	3	4	15	35	36
35-49	108	9.5	27	2	6	8	14	18	19
50-69	188	8.2	165	[illegible]	2	4	9	14	29
70 +	11	7.0	10						
SUBTOTAL	**405**	**8.7**	**112**	**1**	**3**	**6**	**10**	**19**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**405**	**8.7**	**112**	**1**	**3**	**6**	**10**	**19**	**29**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	1.0							
18-34	121	3.8	6	2	2	3	5	7	10
35-49	101	5.9	32	2	3	5	6	10	26
50-69	99	4.6	4	3	3	4	6	8	8
70 +	25	2.5	1						
	351	**4.5**	**14**	**2**	**3**	**4**	**6**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	351	**4.5**	**14**	**2**	**3**	**4**	**6**	**8**	**10**

DRG 19: Cranial & Peripheral Nerve Disorders w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	343	5.6	70	1	2	3	6	11	18
70-74	173	4.2	10	1	2	3	5	9	11
75-79	173	5.7	45	1	2	4	6	13	18
80-84	73	4.3	7	1	2	3	7	8	8
85 +	59	5.7	7	2	4	5	8	10	11
SUBTOTAL	**821**	**5.2**	**42**	**1**	**2**	**4**	**6**	**9**	**14**
GRAND TOTAL	**821**	**5.2**	**42**	**1**	**2**	**4**	**6**	**9**	**14**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	92	3.8	23	1	1	2	5	10	20
18-34	228	2.9	3	1	1	2	4	6	7
35-49	434	4.0	11	1	2	3	5	8	10
50-69	511	3.6	9	1	1	3	5	7	11
70 +	65	3.8	10	1	1	3	6	8	11
	1331	**3.6**	**10**	**1**	**1**	**3**	**5**	**7**	**10**
	1331	**3.6**	**10**	**1**	**1**	**3**	**5**	**7**	**10**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	22	10.3	48						
18-34	94	3.6	10	1	2	2	5	9	12
35-49	102	4.2	8	1	2	3	6	8	10
50-69	106	5.4	24	1	3	4	7	12	23
70 +	6	2.0							
SUBTOTAL	**330**	**4.8**	**19**	**1**	**2**	**3**	**6**	**10**	**16**
GRAND TOTAL	**330**	**4.8**	**19**	**1**	**2**	**3**	**6**	**10**	**16**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	63	2.1	2	< 1	< 1	2	3	4	5
18-34	237	3.4	10	1	1	3	5	7	9
35-49	181	4.2	19	1	2	3	5	9	10
50-69	218	3.0	5	1	1	2	5	6	9
70 +	18	2.6	3						
	717	**3.4**	**10**	**1**	**1**	**3**	**5**	**7**	**9**
	717	**3.4**	**10**	**1**	**1**	**3**	**5**	**7**	**9**

DRG 20: Nervous System Infection except Viral Meningitis

	MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs										
AGE GROUP										
0-69 (YRS.)	276	14.3	114	3	6	11	21	26	38	
70-74	155	15.5	188	3	6	13	21	25	38	
75-79	102	17.6	231	3	7	13	23	44	59	
80-84	141	9.7	49	3	4	7	13	19	19	
85 +	115	10.7	40	3	5	9	18	21	22	
SUBTOTAL	**789**	**13.6**	**128**	**3**	**5**	**11**	**20**	**25**	**38**	
2.PATIENTS W/OUT CCs										
AGE GROUP										
0-69	103	9.1	20	2	6	9	14	16	99 +	
70-74	36	4.5	2	2	4	4	5	7	7	
75-79	25	9.0	60							
80-84	43	7.0	26	1	3	4	13	15	15	
85 +	49	5.6	7	2	2	6	9	9	9	
SUBTOTAL	**256**	**7.4**	**23**	**2**	**4**	**7**	**10**	**15**	**16**	
GRAND TOTAL	**1044**	**12.1**	**109**	**3**	**5**	**9**	**18**	**23**	**37**	

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	452	12.1	72	4	8	10	14	23	36
18-34	140	9.9	31	3	4	10	13	19	19
35-49	168	12.4	73	2	7	11	16	28	32
50-69	320	13.7	191	3	6	10	19	31	77
70 +	23	8.8	3						
	1104	**12.3**	**102**	**3**	**7**	**10**	**14**	**24**	**35**
0-17	624	6.8	21	2	3	6	10	12	13
18-34	260	7.8	32	2	3	7	10	14	16
35-49	205	8.1	35	2	4	7	12	16	19
50-69	161	7.4	39	1	2	6	11	18	20
70 +	0								
	1250	**7.3**	**28**	**2**	**3**	**6**	**10**	**13**	**17**
	2354	**9.6**	**69**	**2**	**4**	**8**	**12**	**19**	**24**

	MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs										
AGE GROUP										
0-17 (YRS.)	315	11.9	96	5	7	10	12	19	22	
18-34	78	8.8	75	2	4	7	9	15	37	
35-49	82	12.4	67	5	6	9	18	27	30	
50-69	83	19.0	168	4	10	18	23	44	51	
70 +	6	47.0								
SUBTOTAL	**563**	**12.9**	**118**	**4**	**7**	**10**	**17**	**23**	**37**	
2.PATIENTS W/OUT CCs										
AGE GROUP										
0-17	453	9.5	32	4	7	9	11	14	20	
18-34	88	11.0	66	2	3	10	18	23	27	
35-49	29	13.8	69							
50-69	22	6.5	15							
70 +	6	2.0								
SUBTOTAL	**597**	**9.8**	**39**	**3**	**6**	**9**	**11**	**18**	**22**	
GRAND TOTAL	**1160**	**11.3**	**80**	**4**	**6**	**10**	**13**	**21**	**27**	

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	285	12.2	171	3	6	9	12	21	37
18-34	106	12.6	113	5	7	10	15	51	90
35-49	123	12.2	56	4	9	11	12	26	28
50-69	125	15.6	108	5	8	15	17	31	38
70 +	18	7.5	19						
	657	**12.8**	**126**	**4**	**7**	**10**	**15**	**25**	**37**
0-17	419	9.2	31	2	3	8	13	16	21
18-34	304	7.8	113	2	3	6	9	13	18
35-49	76	8.7	42	3	4	7	12	15	27
50-69	67	9.0	32	2	4	9	10	17	21
70 +	12	22.1	279						
	878	**8.8**	**66**	**2**	**3**	**7**	**11**	**16**	**21**
	1536	**10.5**	**95**	**2**	**5**	**9**	**12**	**18**	**27**

DRG 21: Viral Meningitis

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	35	7.0	21	3	4	5	10	16	16	0-17	339	5.0	38	2	2	3	5	10	14
70-74	30	11.9	25							18-34	224	4.3	14	1	2	3	5	10	12
75-79	24	8.1	6							35-49	98	4.8	7	2	2	5	6	9	10
80-84	12	3.6	2							50-69	18	7.6	15						
85 +	18	6.2	7							70 +	6	16.0							
SUBTOTAL	**119**	**8.0**	**21**	**3**	**5**	**7**	**11**	**14**	**19**		**685**	**4.9**	**26**	**2**	**2**	**3**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	48	5.2	19	2	2	3	6	16	16	0-17	1328	2.8	2	1	2	3	3	4	5
70-74	12	5.4	7							18-34	976	3.0	3	1	2	3	4	5	6
75-79	6	5.0								35-49	419	3.3	3	2	2	3	4	7	7
80-84	0									50-69	55	4.0	6	2	2	3	5	10	10
85 +	0									70 +	6	5.0							
SUBTOTAL	**66**	**5.2**	**15**	**2**	**2**	**5**	**7**	**8**	**16**		**2784**	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**185**	**7.0**	**21**	**2**	**4**	**6**	**10**	**12**	**16**		**3469**	**3.3**	**8**	**1**	**2**	**3**	**4**	**5**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	308	3.9	7	2	3	3	4	7	11	0-17	186	4.3	14	1	2	3	5	11	13
18-34	66	2.9	2	1	2	3	3	4	6	18-34	96	6.6	59	2	3	5	6	14	35
35-49	6	18.0								35-49	35	5.9	14	2	3	5	8	13	13
50-69	0									50-69	24	4.7	1						
70 +	6	9.0								70 +	6	8.0							
SUBTOTAL	**386**	**4.0**	**9**	**2**	**3**	**3**	**4**	**7**	**11**		**346**	**5.2**	**26**	**1**	**3**	**4**	**6**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	904	3.1	3	1	2	3	4	4	7	0-17	716	3.2	6	1	2	3	4	5	7
18-34	143	3.7	6	2	2	3	5	8	9	18-34	618	3.0	3	1	2	2	4	6	6
35-49	12	2.5								35-49	143	3.6	6	1	1	3	5	7	8
50-69	6	11.0								50-69	53	5.7	6	2	4	6	7	10	10
70 +	0									70 +	6	10.0							
SUBTOTAL	**1064**	**3.2**	**4**	**2**	**2**	**3**	**4**	**5**	**8**		**1536**	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**1450**	**3.4**	**5**	**2**	**2**	**3**	**4**	**6**	**8**		**1882**	**3.6**	**9**	**1**	**2**	**3**	**4**	**6**	**8**

DRG 22: Hypertensive Encephalopathy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	268	5.3	26	2	3	4	6	10	19
70-74	92	4.1	8	1	2	4	4	8	13
75-79	129	4.9	5	2	3	5	6	7	10
80-84	99	5.6	14	2	3	5	6	10	17
85 +	49	8.0	28	2	3	6	13	16	16
SUBTOTAL	**636**	**5.3**	**18**	**2**	**3**	**4**	**6**	**10**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	92	3.0	4	1	1	3	5	6	7
70-74	80	3.6	5	1	2	3	4	7	9
75-79	103	3.5	4	2	2	3	4	8	9
80-84	42	2.4	3	1	1	2	3	6	6
85 +	43	3.7	1	3	3	3	5	5	5
SUBTOTAL	**360**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**997**	**4.6**	**14**	**2**	**2**	**3**	**5**	**9**	**11**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	18	4.0	5						
35-49	56	2.8	2	1	2	2	4	5	5
50-69	97	5.1	10	1	3	4	6	10	12
70 +	30	3.3	3						
	201	**4.1**	**7**	**1**	**2**	**4**	**5**	**8**	**10**
0-17	0								
18-34	13	1.5							
35-49	111	2.7	4	1	1	2	3	4	9
50-69	128	2.0	2	1	1	2	2	3	5
70 +	24	2.3	1						
	276	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	477	**3.1**	**5**	**1**	**1**	**2**	**4**	**6**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	6	1.0							
50-69	50	4.6	13	2	2	3	4	13	13
70 +	6	4.0							
SUBTOTAL	**62**	**4.2**	**11**	**1**	**2**	**3**	**4**	**9**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	13	6.5	22						
35-49	6	3.0							
50-69	12	6.5							
70 +	0								
SUBTOTAL	**30**	**5.9**	**11**						
GRAND TOTAL	**92**	**4.8**	**12**	**2**	**2**	**4**	**7**	**11**	**13**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	41	3.5	7	< 1	2	2	6	9	9
35-49	80	2.4	2	1	1	2	3	4	5
50-69	103	4.6	10	2	2	4	5	11	12
70 +	29	5.3	7						
	252	**3.8**	**8**	**1**	**2**	**3**	**5**	**9**	**10**
0-17	0								
18-34	24	2.7	3						
35-49	35	4.3	25	1	1	3	4	15	15
50-69	56	2.9	7	1	1	2	3	10	10
70 +	19	1.7							
	133	**3.0**	**11**	**1**	**1**	**2**	**4**	**5**	**10**
	385	**3.5**	**9**	**1**	**2**	**2**	**4**	**9**	**10**

DRG 23: Nontraumatic Stupor & Coma

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	80	5.9	16	3	3	5	7	13	14	0-17	61	1.7	3	1	1	1	1	4	7
70-74	50	8.6	32	2	2	9	13	18	18	18-34	24	4.6	21						
75-79	117	5.3	10	1	2	5	7	9	11	35-49	53	3.2	8	1	1	3	3	11	11
80-84	55	5.9	22	1	3	3	8	16	16	50-69	63	6.5	49	3	3	4	6	13	27
85 +	109	6.5	25	2	3	5	8	14	23	70 +	18	3.0	3						
SUBTOTAL	**412**	**6.2**	**20**	**2**	**3**	**5**	**8**	**13**	**14**		**218**	**3.9**	**23**	**1**	**1**	**3**	**4**	**7**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	18	4.8	4							0-17	54	2.4	3	< 1	1	1	3	6	6
70-74	19	3.3	2							18-34	24	1.5							
75-79	43	2.5	3	1	1	1	4	5	5	35-49	30	2.3	6						
80-84	66	4.0	29	1	1	2	5	5	20	50-69	19	3.0	1						
85 +	30	3.1	3							70 +	6	7.0							
SUBTOTAL	**177**	**3.5**	**13**	**1**	**1**	**2**	**5**	**6**	**7**		**133**	**2.5**	**4**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**589**	**5.4**	**20**	**1**	**2**	**4**	**7**	**13**	**14**		**351**	**3.3**	**16**	**1**	**1**	**2**	**4**	**7**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	30	2.9	10							0-17	12	1.5							
18-34	6	2.0								18-34	37	1.7	1	< 1	1	1	2	4	4
35-49	25	2.5	1							35-49	48	4.4	7	1	1	5	6	9	9
50-69	13	3.5	2							50-69	31	4.8	8						
70 +	6	3.0								70 +	6	5.0							
SUBTOTAL	**80**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**9**		**134**	**3.5**	**7**	**1**	**1**	**3**	**5**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	24	1.9	1							0-17	11	1.0							
18-34	11	2.5								18-34	31	1.6							
35-49	6	1.0								35-49	18	2.3	2						
50-69	0									50-69	29	1.0							
70 +	0									70 +	12	1.9	1						
SUBTOTAL	**42**	**2.0**	**1**	**< 1**	**1**	**2**	**3**	**4**	**4**		**101**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**122**	**2.5**	**3**	**< 1**	**1**	**2**	**3**	**4**	**7**		**235**	**2.7**	**5**	**< 1**	**1**	**2**	**4**	**6**	**8**

DRG 24: Seizure & Headache Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2723	5.0	21	1	2	4	6	11	14	0-17	0								
70-74	1532	5.6	25	2	2	4	7	11	17	18-34	909	4.0	25	1	2	3	5	7	10
75-79	1314	5.4	23	2	3	4	7	10	13	35-49	1249	4.0	15	1	2	3	4	8	11
80-84	995	6.1	24	2	3	5	7	11	16	50-69	1189	4.1	14	1	2	3	5	8	11
85 +	755	5.5	18	2	3	4	7	11	15	70 +	231	4.6	10	1	2	4	6	8	10
SUBTOTAL	**7319**	**5.4**	**23**	**2**	**2**	**4**	**7**	**11**	**14**		**3578**	**4.1**	**17**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**7319**	**5.4**	**23**	**2**	**2**	**4**	**7**	**11**	**14**		**3578**	**4.1**	**17**	**1**	**2**	**3**	**5**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	761	4.6	23	1	2	3	5	10	15	18-34	809	4.6	69	1	2	2	5	8	12
35-49	711	4.8	13	1	2	3	6	9	13	35-49	1172	3.5	8	1	2	3	5	7	10
50-69	635	6.2	62	1	2	4	7	12	15	50-69	728	5.0	16	1	2	4	7	10	13
70 +	35	4.1	5	2	2	3	7	7	7	70 +	206	5.4	44	1	2	3	6	10	24
SUBTOTAL	**2141**	**5.1**	**32**	**1**	**2**	**3**	**6**	**10**	**14**		**2915**	**4.3**	**30**	**1**	**2**	**3**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2141**	**5.1**	**32**	**1**	**2**	**3**	**6**	**10**	**14**		**2915**	**4.3**	**30**	**1**	**2**	**3**	**5**	**9**	**11**

DRG 25: Seizure & Headache Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1606	3.4	7	1	2	3	4	6	8
70-74	573	3.0	4	1	1	2	4	6	8
75-79	590	3.2	4	1	2	3	5	6	7
80-84	338	4.0	8	1	2	3	5	9	10
85 +	251	3.1	2	1	2	3	4	5	5
SUBTOTAL	**3357**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**3357**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**8**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2633	2.6	5	1	1	2	3	5	7
35-49	2287	2.7	4	1	1	2	3	5	7
50-69	1310	2.6	4	1	1	2	3	5	6
70 +	133	4.7	6	2	3	5	6	8	8
	6362	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
	6362	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1391	3.2	10	1	1	2	4	7	9
35-49	644	3.5	11	1	2	2	4	8	13
50-69	396	4.1	19	1	2	3	5	10	12
70 +	23	2.2	2						
SUBTOTAL	**2454**	**3.4**	**12**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**2454**	**3.4**	**12**	**1**	**1**	**2**	**4**	**7**	**10**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2231	2.5	3	1	1	2	3	5	6
35-49	1286	2.7	6	1	1	2	3	6	8
50-69	680	2.8	6	1	1	2	4	5	7
70 +	95	3.6	12	1	2	3	4	7	16
	4293	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
	4293	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 26: Seizure & Headache Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	29	1.8	1							0-17	1155	3.8	30	1	1	2	4	8	13
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**29**	**1.8**	**1**								**1155**	**3.8**	**30**	**1**	**1**	**2**	**4**	**8**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	44	1.1		< 1	1	1	1	2	2	0-17	4460	2.4	7	1	1	2	3	4	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**44**	**1.1**		**< 1**	**1**	**1**	**1**	**2**	**2**		**4460**	**2.4**	**7**	**1**	**1**	**2**	**3**	**4**	**7**
GRAND TOTAL	**73**	**1.4**		**1**	**1**	**1**	**2**	**2**	**3**		**5615**	**2.7**	**12**	**1**	**1**	**2**	**3**	**5**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	884	3.9	16	1	2	3	4	7	13	0-17	479	3.5	17	1	1	2	3	8	12
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**884**	**3.9**	**16**	**1**	**2**	**3**	**4**	**7**	**13**		**479**	**3.5**	**17**	**1**	**1**	**2**	**3**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3002	2.6	6	1	1	2	3	5	6	0-17	2220	2.3	4	1	1	2	3	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**3002**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**6**		**2220**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**3885**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**8**		**2699**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 27: Traumatic Stupor & Coma, Coma >1 Hr

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	24	20.7	379						
70-74	48	17.2	32	8	13	16	21	26	26
75-79	18	12.2	70						
80-84	41	8.4	17	3	6	7	14	15	15
85 +	18	10.3	3						
SUBTOTAL	**150**	**13.9**	**104**	**3**	**8**	**13**	**17**	**22**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	41	4.4	10	< 1	< 1	3	7	10	10
70-74	6	3.0							
75-79	13	5.0							
80-84	0								
85 +	0								
SUBTOTAL	**59**	**4.4**	**7**	**< 1**	**3**	**5**	**6**	**8**	**10**
GRAND TOTAL	**209**	**11.2**	**95**	**2**	**5**	**8**	**15**	**20**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	76	8.4	52	2	3	5	12	22	22
18-34	181	8.2	106	1	2	4	11	35	37
35-49	59	9.4	96	< 1	2	5	19	25	30
50-69	48	11.4	61	2	4	9	18	25	25
70 +	6	28.0							
	370	**9.1**	**92**	**1**	**2**	**5**	**13**	**25**	**35**
0-17	190	3.8	13	1	1	3	4	9	14
18-34	232	3.7	16	1	1	2	4	11	13
35-49	87	3.0	4	< 1	2	2	4	6	8
50-69	12	3.0							
70 +	0								
	521	**3.6**	**13**	**1**	**1**	**2**	**4**	**10**	**13**
	890	**5.9**	**53**	**1**	**2**	**3**	**7**	**16**	**25**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	46	13.0	91	2	5	11	20	30	30
18-34	98	7.0	34	2	3	5	9	18	23
35-49	18	20.9	259						
50-69	23	10.4	18						
70 +	0								
SUBTOTAL	**185**	**10.2**	**84**	**2**	**4**	**7**	**14**	**26**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	98	3.1	8	< 1	1	2	3	8	12
18-34	57	14.4	528	< 1	2	6	10	50	77
35-49	40	3.6	2	2	2	4	4	6	6
50-69	12	11.0	79						
70 +	0								
SUBTOTAL	**207**	**6.7**	**178**	**1**	**2**	**3**	**6**	**12**	**23**
GRAND TOTAL	**392**	**8.4**	**136**	**1**	**2**	**4**	**10**	**23**	**26**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	41	6.3	20	2	2	6	8	16	16
18-34	318	7.6	122	1	1	4	11	18	29
35-49	164	9.2	122	1	2	5	11	24	33
50-69	34	8.2	21	3	5	7	10	17	17
70 +	18	7.5	9						
	575	**8.0**	**106**	**1**	**2**	**5**	**11**	**18**	**29**
0-17	184	3.2	13	1	1	2	5	8	16
18-34	555	4.2	33	1	1	2	5	9	17
35-49	148	6.8	38	1	2	5	12	18	25
50-69	57	13.7	187	< 1	1	11	27	37	38
70 +	6	1.0							
	950	**5.0**	**45**	**1**	**1**	**2**	**6**	**14**	**25**
	1526	**6.1**	**70**	**1**	**1**	**3**	**8**	**16**	**25**

DRG 28: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	161	7.3	46	2	3	5	8	15	22
70-74	170	10.8	184	2	3	6	10	27	51
75-79	214	8.4	102	2	3	6	9	16	26
80-84	205	7.4	24	2	3	7	10	16	17
85 +	217	10.0	84	2	3	7	12	19	41
SUBTOTAL	**967**	**8.8**	**88**	**2**	**3**	**6**	**10**	**17**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**967**	**8.8**	**88**	**2**	**3**	**6**	**10**	**17**	**23**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	440	3.5	10	<1	1	2	5	9	10
35-49	224	4.9	19	1	1	3	7	10	17
50-69	234	9.4	124	1	2	5	13	23	40
70 +	143	10.4	186	2	3	6	11	19	27
	1041	**6.1**	**70**	**1**	**2**	**3**	**7**	**13**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1041	**6.1**	**70**	**1**	**2**	**3**	**7**	**13**	**20**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	113	6.2	67	1	1	2	13	16	31
35-49	76	4.0	10	1	2	3	4	7	13
50-69	101	6.8	62	1	2	2	9	20	32
70 +	6	8.0							
SUBTOTAL	**296**	**5.8**	**50**	**1**	**2**	**3**	**8**	**14**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**296**	**5.8**	**50**	**1**	**2**	**3**	**8**	**14**	**20**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	963	3.3	16	<1	1	2	4	8	11
35-49	350	5.2	32	1	2	3	7	15	30
50-69	175	6.4	74	1	2	3	7	18	24
70 +	23	10.0	84						
	1511	**4.2**	**29**	**1**	**1**	**2**	**5**	**10**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1511	**4.2**	**29**	**1**	**1**	**2**	**5**	**10**	**16**

DRG 29: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	126	2.3	4	1	1	1	3	5	7
70-74	55	6.3	122	1	1	2	3	36	36
75-79	114	5.3	31	1	2	3	7	14	22
80-84	117	3.3	6	1	1	2	6	7	8
85 +	127	4.3	14	1	2	3	5	10	12
SUBTOTAL	**537**	**4.0**	**26**	**1**	**1**	**2**	**5**	**9**	**12**
GRAND TOTAL	**537**	**4.0**	**26**	**1**	**1**	**2**	**5**	**9**	**12**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1185	2.7	8	1	1	2	3	5	7
35-49	501	3.0	29	1	1	2	3	5	6
50-69	329	3.9	20	1	2	2	4	9	11
70 +	76	3.6	6	1	1	5	6	8	99 +
	2092	**3.0**	**15**	**1**	**1**	**2**	**3**	**6**	**8**
	2092	**3.0**	**15**	**1**	**1**	**2**	**3**	**6**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	196	5.3	22	1	2	4	8	11	17
35-49	88	6.0	32	1	3	5	6	10	25
50-69	41	3.8	2	2	3	4	4	7	7
70 +	18	1.3							
SUBTOTAL	**343**	**5.1**	**22**	**1**	**2**	**4**	**7**	**11**	**17**
GRAND TOTAL	**343**	**5.1**	**22**	**1**	**2**	**4**	**7**	**11**	**17**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1538	3.1	29	1	1	2	3	6	9
35-49	530	3.4	13	1	1	2	4	6	9
50-69	135	5.9	31	1	1	5	8	12	18
70 +	52	2.9	4	1	2	2	4	6	6
	2254	**3.4**	**26**	**1**	**1**	**2**	**4**	**7**	**9**
	2254	**3.4**	**26**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 30: Traumatic Stupor & Coma, Coma <1 Hr Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	413	4.8	35	1	1	3	5	12	15
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	0										413	4.8	35	1	1	3	5	12	15
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	1.0								0-17	2759	2.0	4	1	1	1	2	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	6	1.0									2759	2.0	4	1	1	1	2	4	5
GRAND TOTAL	6	1.0									3172	2.4	9	1	1	1	3	5	7

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	235	6.6	205	1	1	3	4	12	37	0-17	261	3.2	12	1	1	2	3	8	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	235	6.6	205	1	1	3	4	12	37		261	3.2	12	1	1	2	3	8	11
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1217	2.6	17	1	1	1	2	5	7	0-17	1684	2.1	17	<1	1	1	2	4	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	1217	2.6	17	1	1	1	2	5	7		1684	2.1	17	<1	1	1	2	4	6
GRAND TOTAL	1453	3.2	50	1	1	2	3	5	10		1944	2.3	16	<1	1	1	2	5	6

DRG 31: Concussion Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	105	3.9	10	1	1	2	5	8	12		0-17	0								
70-74	73	6.0	21	2	3	3	12	12	15		18-34	406	2.0	2	1	1	1	2	4	6
75-79	55	4.9	6	1	3	5	6	8	9		35-49	228	2.5	6	1	1	2	3	5	9
80-84	86	4.0	13	2	2	3	4	5	16		50-69	136	3.4	17	1	1	2	4	5	14
85+	174	5.5	13	2	3	4	7	9	15		70+	86	3.5	5	1	2	3	5	6	9
SUBTOTAL	**494**	**4.9**	**13**	**2**	**2**	**4**	**6**	**9**	**12**			**855**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0										0-17	0								
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85+	0										70+	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**494**	**4.9**	**13**	**2**	**2**	**4**	**6**	**9**	**12**			**855**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0										0-17	0								
18-34	48	1.9	2	<1	1	1	3	5	5		18-34	494	2.4	3	1	1	2	3	5	7
35-49	11	4.0	4								35-49	129	4.7	42	<1	1	2	4	13	22
50-69	18	2.6	3								50-69	25	1.8							
70+	0										70+	13	7.5	2						
SUBTOTAL	**78**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**			**660**	**2.9**	**12**	**1**	**1**	**2**	**3**	**6**	**9**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70+	0										70+	0								
SUBTOTAL	**0**											**0**								
GRAND TOTAL	**78**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**			**660**	**2.9**	**12**	**1**	**1**	**2**	**3**	**6**	**9**

DRG 32: Concussion Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	92	2.2	2	1	1	2	3	4	6
70-74	62	2.8	7	< 1	1	2	3	7	10
75-79	61	2.0	1	1	1	2	3	4	4
80-84	61	2.7	4	< 1	1	2	4	6	7
85 +	94	2.5	2	1	1	2	3	4	7
SUBTOTAL	**370**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**370**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**7**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1216	1.8	2	1	1	1	2	3	4
35-49	548	1.9	2	1	1	1	2	4	5
50-69	228	1.9	1	1	1	2	2	4	5
70 +	73	2.4	2	1	1	2	4	4	4
	2065	**1.9**	**2**	**1**	**1**	**1**	**2**	**4**	**4**
	2065	**1.9**	**2**	**1**	**1**	**1**	**2**	**4**	**4**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	127	2.1	3	< 1	1	1	3	4	7
35-49	29	1.2							
50-69	12	2.0							
70 +	13	2.5							
SUBTOTAL	**181**	**2.0**	**3**	**< 1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**181**	**2.0**	**3**	**< 1**	**1**	**1**	**2**	**4**	**7**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	776	1.9	3	1	1	1	2	3	5
35-49	233	1.9	2	< 1	1	1	2	4	5
50-69	137	1.5	1	1	1	1	2	3	3
70 +	11	1.0							
	1158	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**5**
	1158	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**5**

DRG 33: Concussion Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0										0-17	239	2.1	3	1	1	1	3	4	6
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**0**											**239**	**2.1**	**3**	**1**	**1**	**1**	**3**	**4**	**6**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0										0-17	2105	1.4	1	1	1	1	1	2	3
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**0**											**2105**	**1.4**	**1**	**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**0**											**2344**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**4**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	108	1.5		1	1	1	2	3	3		0-17	105	5.1	48	1	1	2	4	20	23
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**108**	**1.5**		**1**	**1**	**1**	**2**	**3**	**3**			**105**	**5.1**	**48**	**1**	**1**	**2**	**4**	**20**	**23**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	571	1.4	1	1	1	1	2	2	3		0-17	840	1.4		1	1	1	2	2	3
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**571**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**			**840**	**1.4**		**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**679**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**			**945**	**1.8**	**7**	**1**	**1**	**1**	**2**	**3**	**3**

BEST AVAILABLE COPY

DRG 34: Other Disorders of Nervous System w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	650	6.2	28	1	3	4	9	14	17
70-74	355	6.6	18	2	3	6	10	12	14
75-79	317	8.2	37	3	4	6	11	17	24
80-84	274	6.1	14	2	3	5	9	11	13
85 +	250	5.0	5	2	4	4	6	9	10
SUBTOTAL	1846	6.5	23	2	3	5	9	12	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1846	6.5	23	2	3	5	9	12	16

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	288	6.5	90	1	2	3	5	21	32
18-34	178	5.1	113	1	2	3	4	6	7
35-49	144	5.9	34	1	2	4	6	12	16
50-69	227	5.9	24	1	2	4	8	15	16
70 +	76	7.5	36	1	4	6	11	12	23
	913	6.1	65	1	2	3	7	13	21
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	913	6.1	65	1	2	3	7	13	21

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	253	6.6	75	1	1	3	8	17	28
18-34	121	6.4	42	2	2	5	7	15	20
35-49	78	3.7	5	2	2	3	5	7	9
50-69	130	9.4	167	2	3	6	8	17	30
70 +	12	2.9	4						
SUBTOTAL	594	6.7	80	1	2	4	7	15	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	594	6.7	80	1	2	4	7	15	29

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	121	5.9	103	1	1	2	4	15	32
18-34	193	12.1	420	1	2	4	13	61	99 +
35-49	112	3.6	7	< 1	1	3	4	9	9
50-69	181	7.4	58	2	2	5	10	18	23
70 +	44	6.9	16	1	2	9	10	12	12
	650	7.8	171	1	2	4	9	[illegible]	44
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	650	7.8	171	1	2	4	9	22	44

DRG 35: Other Disorders of Nervous System w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	210	5.0	28	1	2	3	5	16	17	0-17	406	4.6	53	1	1	2	4	13	20
70-74	85	5.2	34	1	2	3	6	16	22	18-34	195	3.4	6	1	2	3	5	7	9
75-79	98	2.8	5	1	1	2	3	8	9	35-49	322	3.3	9	1	1	3	4	6	7
80-84	139	7.5	170	2	3	4	7	9	14	50-69	238	3.0	3	1	1	2	4	6	7
85 +	90	4.6	7	2	2	4	6	8	11	70 +	31	2.8	2						
SUBTOTAL	**622**	**5.2**	**56**	**1**	**2**	**3**	**6**	**10**	**16**		**1192**	**3.7**	**23**	**1**	**1**	**2**	**4**	**7**	**11**
GRAND TOTAL	**622**	**5.2**	**56**	**1**	**2**	**3**	**6**	**10**	**16**		**1192**	**3.7**	**23**	**1**	**1**	**2**	**4**	**7**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	284	2.8	5	< 1	1	2	3	6	8	0-17	201	2.2	3	1	1	1	3	5	6
18-34	92	3.7	8	1	1	3	6	8	9	18-34	232	4.2	22	< 1	1	3	6	9	12
35-49	88	4.9	16	1	2	4	6	10	16	35-49	172	3.1	6	1	1	2	4	7	10
50-69	29	3.8	6							50-69	151	4.8	15	1	2	4	6	10	15
70 +	12	2.4	2							70 +	13	2.0							
SUBTOTAL	**506**	**3.4**	**8**	**1**	**1**	**2**	**4**	**8**	**9**		**768**	**3.5**	**13**	**1**	**1**	**2**	**5**	**8**	**10**
GRAND TOTAL	**506**	**3.4**	**8**	**1**	**1**	**2**	**4**	**8**	**9**		**768**	**3.5**	**13**	**1**	**1**	**2**	**5**	**8**	**10**

DRG 36: Retinal Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	454	2.6	3	1	1	2	3	4	7	0-17	28	4.2	31						
70-74	372	2.8	2	1	2	2	4	5	6	18-34	79	2.2	1	1	1	2	3	4	4
75-79	256	2.4	2	1	1	2	3	4	4	35-49	116	2.7	8	1	1	2	3	5	11
80-84	125	3.2	4	1	2	3	4	5	6	50-69	392	2.4	3	1	1	2	3	4	6
85 +	52	3.2	2	2	2	3	3	7	7	70 +	84	3.1	4	2	2	2	3	5	10
SUBTOTAL	**1259**	**2.7**	**3**	**1**	**2**	**2**	**3**	**4**	**6**		**699**	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1001	2.1	2	1	1	2	3	4	4	0-17	139	1.8	1	1	1	1	3	3	3
70-74	908	2.0	1	1	1	2	3	3	4	18-34	522	1.9	1	1	1	2	2	3	3
75-79	650	1.9	1	1	1	2	2	3	4	35-49	916	1.9	2	1	1	2	2	3	4
80-84	309	1.7	1	1	1	1	2	3	4	50-69	1586	1.9	1	1	1	2	2	3	4
85 +	141	2.4	2	1	1	2	3	4	5	70 +	143	2.1	1	1	2	2	3	3	4
SUBTOTAL	**3009**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**4**		**3305**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**4268**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**4005**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	17	16.3	468							0-17	0								
18-34	47	2.5	1	1	2	2	3	5	5	18-34	45	1.8	1	1	1	1	3	4	4
35-49	28	2.8	1							35-49	29	6.6	98						
50-69	51	3.0	1	1	2	3	4	5	5	50-69	177	2.1	2	1	1	1	3	5	5
70 +	6	2.0								70 +	11	1.5							
SUBTOTAL	**149**	**4.3**	**70**	**1**	**2**	**3**	**3**	**5**	**5**		**262**	**2.5**	**14**	**1**	**1**	**1**	**3**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	69	3.4	23	1	1	2	3	4	19	0-17	81	1.6	1	1	1	1	2	3	4
18-34	165	2.1	3	1	1	2	2	4	6	18-34	332	2.0	2	1	1	2	2	4	5
35-49	93	2.3	1	1	1	2	3	4	5	35-49	275	1.9	3	1	1	1	2	4	5
50-69	132	2.1	1	1	1	2	3	3	3	50-69	703	1.8	1	1	1	1	2	3	4
70 +	22	2.5								70 +	102	1.6	1	1	1	1	2	3	5
SUBTOTAL	**482**	**2.3**	**5**	**1**	**1**	**2**	**3**	**3**	**5**		**1493**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**631**	**2.8**	**21**	**1**	**1**	**2**	**3**	**4**	**5**		**1755**	**1.9**	**4**	**1**	**1**	**1**	**2**	**4**	**4**

DRG 37: Orbital Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	23	6.4	62							0-17	23	4.6	5						
70-74	30	4.9	8							18-34	71	3.8	9	1	1	3	6	8	9
75-79	36	6.5	52	3	3	3	4	22	22	35-49	57	5.3	18	1	3	4	6	13	16
80-84	31	4.5	17							50-69	23	2.9	4						
85+	11	2.0								70+	11	5.5	7						
SUBTOTAL	**131**	**5.2**	**32**	**2**	**2**	**3**	**5**	**12**	**20**		**186**	**4.3**	**11**	**1**	**2**	**3**	**6**	**9**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	46	1.4	1	1	1	1	1	4	4	0-17	175	1.8	2	1	1	1	2	3	4
70-74	35	1.5		1	1	1	2	2	2	18-34	101	2.6	12	1	1	1	2	6	15
75-79	54	2.6	3	1	1	3	3	6	6	35-49	120	1.7	1	1	1	1	2	3	3
80-84	94	3.2	8	1	2	2	4	7	12	50-69	53	2.1	1	1	1	2	3	4	4
85+	31	2.2	1							70+	0								
SUBTOTAL	**260**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**		**448**	**2.0**	**4**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**392**	**3.4**	**15**	**1**	**1**	**2**	**3**	**7**	**12**		**634**	**2.7**	**7**	**1**	**1**	**1**	**3**	**6**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	23	7.6	37						
18-34	28	7.2								18-34	90	7.5	10	4	5	7	9	12	15
35-49	24	8.7	67							35-49	53	4.2	4	1	4	4	5	9	9
50-69	6	15.0								50-69	18	19.6	10						
70+	0									70+	0								
SUBTOTAL	**58**	**8.6**	**33**	**2**	**6**	**7**	**8**	**20**	**22**		**184**	**7.7**	**29**	**2**	**4**	**6**	**9**	**17**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	131	4.2	5	1	3	4	6	7	8	0-17	126	4.0	7	1	1	4	6	7	8
18-34	142	5.0	13	1	3	4	6	11	12	18-34	308	3.5	6	1	1	3	5	7	8
35-49	62	3.4	3	1	2	4	5	5	6	35-49	132	4.7	16	1	2	4	6	10	10
50-69	18	2.3	2							50-69	82	3.2	6	1	1	3	5	7	8
70+	6	3.0								70+	0								
SUBTOTAL	**358**	**4.3**	**8**	**1**	**3**	**4**	**5**	**8**	**11**		**648**	**3.8**	**8**	**1**	**1**	**3**	**5**	**7**	**9**
GRAND TOTAL	**416**	**4.9**	**14**	**1**	**3**	**4**	**6**	**9**	**12**		**832**	**4.7**	**15**	**1**	**2**	**4**	**6**	**9**	**12**

DRG 38: Primary Iris Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6	2.0							
70-74	0								
75-79	12	3.5							
80-84	0								
85 +	0								
SUBTOTAL	18	3.0	1						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	18	1.0							
85 +	0								
SUBTOTAL	18	1.0							
GRAND TOTAL	35	2.0	1	1	1	2	3	4	4

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	6	1.0							
18-34	0								
35-49	0								
50-69	13	1.5							
70 +	6	1.0							
	24	1.3							
	24	1.3							

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	6	2.0							
70 +	0								
SUBTOTAL	6	2.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	6	4.0							
35-49	0								
50-69	6	1.0							
70 +	6	1.0							
SUBTOTAL	17	2.0	2						
GRAND TOTAL	22	2.0	2						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	6	2.0							
70 +	0								
	6	2.0							
0-17	0								
18-34	0								
35-49	11	3.5							
50-69	19	1.3							
70 +	6	1.0							
	36	2.0	1	< 1	1	2	3	4	4
	41	2.0	1	< 1	1	2	3	4	4

DRG 39: Lens Procedures with or without Vitrectomy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	133	1.7		< 1	< 1	2	2	3	3	0-17	0								
70-74	78	1.8	2	< 1	< 1	1	2	4	6	18-34	13	1.5							
75-79	78	1.8	2	< 1	< 1	1	2	3	6	35-49	29	3.9	37						
80-84	78	2.2	4	< 1	< 1	1	3	4	8	50-69	60	2.8	8	< 1	< 1	1	5	8	9
85 +	53	1.5	1	< 1	1	1	2	3	3	70 +	18	1.0							
SUBTOTAL	**421**	**1.8**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**4**		**119**	**2.7**	**14**	**< 1**	**< 1**	**1**	**2**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	183	1.1		< 1	< 1	< 1	< 1	1	2	0-17	51	1.2		< 1	< 1	< 1	1	3	3
70-74	266	1.0		< 1	< 1	< 1	< 1	1	1	18-34	24	1.2							
75-79	379	1.1	1	< 1	< 1	< 1	< 1	1	2	35-49	43	1.6	1	< 1	< 1	< 1	3	3	3
80-84	154	1.1		< 1	< 1	< 1	< 1	1	1	50-69	167	1.0		< 1	< 1	< 1	< 1	1	1
85 +	181	1.2	1	< 1	< 1	< 1	< 1	1	2	70 +	25	1.0							
SUBTOTAL	**1163**	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**		**310**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**3**
GRAND TOTAL	**1584**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**		**428**	**1.6**	**4**	**< 1**	**< 1**	**< 1**	**1**	**2**	**5**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	11	2.5	2							0-17	6	16.0							
18-34	6	2.0								18-34	11	2.0	1						
35-49	0									35-49	6	1.0							
50-69	12	1.5								50-69	30	4.1	5						
70 +	6	9.0								70 +	43	1.7	3	< 1	< 1	< 1	1	6	6
SUBTOTAL	**34**	**3.1**	**8**	**< 1**	**1**	**2**	**4**	**9**	**9**		**96**	**3.3**	**14**	**< 1**	**< 1**	**1**	**5**	**7**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	51	1.3		< 1	1	1	1	3	3	0-17	46	3.2	7	< 1	< 1	3	6	8	8
18-34	6	1.0								18-34	22	2.5	4						
35-49	12	1.9	1							35-49	35	2.4	3	< 1	1	2	2	6	6
50-69	11	1.0								50-69	123	2.3	3	< 1	< 1	2	3	5	6
70 +	22	1.5	1							70 +	93	1.1		< 1	< 1	< 1	< 1	1	3
SUBTOTAL	**102**	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**3**	**3**		**319**	**2.1**	**3**	**< 1**	**< 1**	**1**	**3**	**6**	**7**
GRAND TOTAL	**137**	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**3**	**4**		**415**	**2.4**	**6**	**< 1**	**< 1**	**1**	**3**	**6**	**7**

DRG 40: Extraocular Procedures except Orbit Age >17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	47	4.5	13	1	1	4	7	11	11	0-17	0								
70-74	34	2.8	17	1	1	1	1	12	12	18-34	66	3.0	6	1	1	2	4	7	9
75-79	24	1.5								35-49	31	3.0	3						
80-84	13	2.5								50-69	29	2.9	2						
85 +	39	4.1	12	2	2	3	5	12	12	70 +	6	2.0							
SUBTOTAL	**156**	**3.4**	**12**	**1**	**1**	**2**	**5**	**11**	**12**		**133**	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	85	1.1		<1	<1	1	1	2	2	0-17	0								
70-74	47	4.2	27	<1	1	1	10	13	13	18-34	94	2.2	3	<1	1	1	3	5	6
75-79	55	2.3	8	<1	<1	1	2	10	10	35-49	107	1.5	1	<1	1	1	2	3	5
80-84	48	1.2		<1	<1	1	1	3	3	50-69	54	1.6	3	1	1	1	1	7	7
85 +	61	2.4	4	<1	<1	1	3	5	8	70 +	13	25.0	626						
SUBTOTAL	**295**	**2.1**	**8**	**<1**	**<1**	**1**	**2**	**4**	**10**		**268**	**2.9**	**53**	**<1**	**1**	**1**	**2**	**5**	**6**
GRAND TOTAL	**451**	**2.6**	**9**	**<1**	**1**	**1**	**2**	**8**	**12**		**401**	**2.9**	**37**	**1**	**1**	**1**	**3**	**5**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	6	13.0								18-34	94	1.7		1	1	2	2	3	3
35-49	6	13.0								35-49	28	15.8	117						
50-69	6	7.0								50-69	34	1.9	1	1	1	2	2	4	4
70 +	11	10.0	1							70 +	0								
SUBTOTAL	**28**	**10.6**	**6**								**157**	**4.2**	**50**	**1**	**1**	**2**	**3**	**18**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	74	4.1	24	1	1	2	6	9	18	18-34	145	2.6	6	1	1	2	2	7	9
35-49	22	1.8								35-49	96	3.6	33	1	1	1	3	9	25
50-69	6	2.0								50-69	64	3.2	11	1	1	2	3	8	12
70 +	11	13.5	2							70 +	12	2.0							
SUBTOTAL	**113**	**4.5**	**26**	**1**	**1**	**2**	**8**	**14**	**17**		**317**	**3.0**	**15**	**1**	**1**	**2**	**3**	**8**	**10**
GRAND TOTAL	**141**	**5.7**	**28**	**1**	**1**	**2**	**9**	**13**	**15**		**474**	**3.4**	**27**	**1**	**1**	**2**	**3**	**8**	**16**

DRG 41: Extraocular Procedures except Orbit Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	53	2.4	5	< 1	1	1	2	7	7	
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**53**	**2.4**	**5**	**< 1**	**1**	**1**	**2**	**7**	**7**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	1118	1.0		< 1	< 1	< 1	< 1	1	1	
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**1118**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**	
GRAND TOTAL	**0**										**1170**	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	34	2.1	3	< 1	< 1	1	4	5	5	0-17	17	2.7	6							
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**34**	**2.1**	**3**	**< 1**	**< 1**	**1**	**4**	**5**	**5**		**17**	**2.7**	**6**							
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	645	1.1	1	< 1	< 1	< 1	1	1	2	0-17	280	1.1	1	< 1	< 1	< 1	1	1	1	
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**645**	**1.1**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**		**280**	**1.1**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**1**	
GRAND TOTAL	**680**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**		**297**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**1**	

DRG 42: Intraocular Procedures except Retina, Iris & Lens

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	216	3.0	8	1	2	2	3	6	7	0-17	29	2.0							
70-74	117	3.9	26	1	2	2	3	12	19	18-34	39	2.9	3	1	1	2	4	6	6
75-79	151	3.1	13	1	1	2	3	11	11	35-49	57	1.5		1	1	1	2	3	3
80-84	167	2.3	2	1	1	2	3	4	4	50-69	206	2.3	3	1	1	2	2	3	8
85 +	90	3.8	24	1	1	3	4	5	21	70 +	47	2.6	3	1	2	2	3	7	7
SUBTOTAL	**741**	**3.1**	**13**	**1**	**2**	**2**	**3**	**5**	**11**		**378**	**2.3**	**3**	**1**	**1**	**2**	**2**	**4**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	507	2.2	2	1	1	2	2	4	5	0-17	267	2.1	3	< 1	1	1	3	4	5
70-74	509	2.5	7	1	1	2	2	4	6	18-34	264	2.0	2	1	1	1	2	4	5
75-79	515	2.2	2	1	1	2	2	3	5	35-49	296	2.0	1	1	1	2	2	3	4
80-84	261	2.2	3	1	1	2	3	3	6	50-69	438	2.0	2	1	1	2	3	4	4
85 +	245	2.7	6	1	2	2	3	4	6	70 +	115	2.1	1	1	2	2	2	4	5
SUBTOTAL	**2037**	**2.3**	**4**	**1**	**1**	**2**	**2**	**4**	**6**		**1380**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**
GRAND TOTAL	**2779**	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**6**		**1758**	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	28	3.8	3							0-17	0								
18-34	6	6.0								18-34	41	3.6	14	1	1	2	5	12	12
35-49	30	12.8	507							35-49	22	7.8	129						
50-69	75	3.5	5	1	2	2	6	6	8	50-69	90	3.3	5	1	2	3	4	8	8
70 +	0									70 +	11	4.5	7						
SUBTOTAL	**139**	**5.7**	**125**	**1**	**2**	**3**	**6**	**6**	**8**		**164**	**4.0**	**26**	**1**	**1**	**2**	**4**	**8**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	224	2.8	7	1	1	2	4	7	9	0-17	185	2.4	5	1	1	2	3	4	8
18-34	133	2.9	7	1	1	2	4	6	7	18-34	353	2.9	8	1	1	2	4	6	10
35-49	90	2.9	6	1	1	2	3	6	10	35-49	262	2.9	7	1	1	2	4	5	7
50-69	160	2.7	5	1	1	2	3	8	8	50-69	348	2.4	5	1	1	1	3	5	7
70 +	74	3.1	8	1	1	2	4	7	11	70 +	76	2.6	8	1	1	1	2	8	10
SUBTOTAL	**681**	**2.8**	**6**	**1**	**1**	**2**	**3**	**7**	**9**		**1223**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**820**	**3.3**	**27**	**1**	**1**	**2**	**4**	**6**	**8**		**1387**	**2.8**	**9**	**1**	**1**	**2**	**3**	**6**	**8**

DRG 43: Hyphema

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	12	1.0							
70-74	0									18-34	0								
75-79	6	8.0								35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**8.0**									**12**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	212	3.4	4	1	2	3	4	5	7
70-74	0									18-34	72	3.4	1	2	3	4	4	4	5
75-79	6	6.0								35-49	12	4.9	1						
80-84	0									50-69	24	3.8	1						
85 +	0									70 +	0								
SUBTOTAL	**6**	**6.0**									**321**	**3.5**	**3**	**2**	**2**	**4**	**4**	**5**	**6**
GRAND TOTAL	**12**	**7.1**	**1**								**333**	**3.4**	**3**	**1**	**2**	**3**	**4**	**5**	**6**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	1.0								0-17	17	8.3	21						
18-34	0									18-34	12	3.9	1						
35-49	0									35-49	18	2.0	1						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**6**	**1.0**									**47**	**4.8**	**16**	**1**	**2**	**3**	**8**	**12**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	64	4.2	6	1	2	4	6	7	9	0-17	90	2.5	1	1	2	2	4	4	4
18-34	17	2.3	2							18-34	59	3.6	5	1	2	2	6	7	8
35-49	0									35-49	12	1.5							
50-69	0									50-69	6	5.0							
70 +	0									70 +	0								
SUBTOTAL	**81**	**3.8**	**6**	**1**	**2**	**3**	**6**	**7**	**9**		**166**	**2.9**	**3**	**1**	**2**	**2**	**4**	**6**	**6**
GRAND TOTAL	**87**	**3.6**	**6**	**1**	**1**	**3**	**6**	**7**	**9**		**213**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**11**

DRG 44: Acute Major Eye Infections

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	31	8.2	29							0-17	43	3.2	5	1	2	2	4	8	8
70-74	31	5.0	6							18-34	24	2.7	1						
75-79	24	5.1	1							35-49	6	2.0							
80-84	12	8.1	1							50-69	6	6.0							
85 +	19	4.0	1							70 +	0								
SUBTOTAL	**117**	**6.0**	**12**	**2**	**4**	**6**	**7**	**9**	**14**		**80**	**3.2**	**4**	**2**	**2**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	31	5.9	7							0-17	721	3.0	3	2	2	3	3	5	6
70-74	50	7.7	73	3	3	4	6	31	31	18-34	78	3.3	2	1	3	3	4	4	7
75-79	30	4.2	1							35-49	54	3.5	3	2	2	4	4	7	7
80-84	31	5.3	11							50-69	36	3.8	4	1	3	4	5	7	7
85 +	36	4.7	1	2	5	5	5	6	6	70 +	22	3.8	2						
SUBTOTAL	**177**	**5.8**	**25**	**2**	**4**	**5**	**6**	**8**	**11**		**911**	**3.1**	**3**	**2**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**294**	**5.9**	**20**	**2**	**4**	**5**	**6**	**9**	**11**		**991**	**3.1**	**3**	**2**	**2**	**3**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	64	3.7	2	2	2	4	5	5	5	0-17	59	7.1	21	2	3	5	11	14	16
18-34	11	10.0	10							18-34	6	2.0							
35-49	6	8.0								35-49	28	7.2	25						
50-69	11	10.0	1							50-69	17	6.0	6						
70 +	6	11.0								70 +	0								
SUBTOTAL	**98**	**5.8**	**11**	**2**	**4**	**5**	**8**	**11**	**13**		**110**	**6.7**	**20**	**2**	**3**	**5**	**11**	**14**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	400	2.9	3	2	2	2	4	5	7	0-17	421	3.2	4	1	2	3	4	5	7
18-34	41	7.8	172	1	2	2	5	40	40	18-34	142	4.2	6	2	3	4	4	7	7
35-49	39	9.4	12	5	5	9	12	15	15	35-49	40	8.8	58	4	4	7	8	27	27
50-69	11	7.0	4							50-69	41	9.6	110	2	4	7	9	35	35
70 +	6	9.0								70 +	6	2.0							
SUBTOTAL	**497**	**4.0**	**22**	**2**	**2**	**3**	**4**	**9**	**9**		**650**	**4.1**	**18**	**2**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**595**	**4.3**	**21**	**2**	**2**	**3**	**5**	**9**	**11**		**760**	**4.5**	**19**	**2**	**2**	**3**	**5**	**9**	**11**

DRG 45: Neurological Eye Disorders

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	80	3.6	3	2	2	4	5	5	7	0-17	0								
70-74	42	3.6	4	1	2	4	5	7	7	18-34	6	2.0							
75-79	24	3.9	2							35-49	18	2.0	1						
80-84	0									50-69	18	2.6	1						
85 +	11	3.5								70 +	11	6.0	1						
SUBTOTAL	**157**	**3.6**	**3**	**2**	**2**	**4**	**5**	**5**	**7**		**52**	**3.1**	**3**	**1**	**2**	**2**	**4**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	18	4.0	2							0-17	29	1.4							
70-74	43	3.4	3	1	2	3	5	6	6	18-34	18	2.0	1						
75-79	18	2.7	2							35-49	24	3.8	1						
80-84	36	2.5	2	1	1	3	4	4	4	50-69	84	2.6	6	1	1	2	3	6	10
85 +	6	1.0								70 +	0								
SUBTOTAL	**120**	**3.0**	**2**	**1**	**2**	**3**	**4**	**6**	**6**		**155**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**278**	**3.4**	**3**	**1**	**2**	**3**	**4**	**5**	**6**		**207**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	12	7.2	22							18-34	11	4.5	7						
35-49	0									35-49	29	2.6	1						
50-69	17	5.7	12							50-69	46	3.3	3	1	1	3	5	6	6
70 +	0									70 +	11	1.0							
SUBTOTAL	**29**	**6.3**	**16**								**97**	**3.0**	**3**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	2.0								0-17	6	1.0							
18-34	28	5.0	12							18-34	75	3.3	5	2	2	2	4	5	10
35-49	17	3.3								35-49	59	3.6	5	1	3	3	4	7	8
50-69	29	3.3	6							50-69	46	4.1	10	1	2	2	7	10	10
70 +	0									70 +	6	2.0							
SUBTOTAL	**80**	**3.8**	**7**	**1**	**2**	**3**	**5**	**8**	**10**		**192**	**3.4**	**6**	**1**	**2**	**2**	**4**	**8**	**10**
GRAND TOTAL	**109**	**4.5**	**10**	**1**	**2**	**3**	**7**	**10**	**12**		**289**	**3.3**	**5**	**1**	**2**	**2**	**4**	**7**	**8**

DRG 46: Other Disorders of the Eye Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	70	4.1	11	1	2	2	4	10	10	0-17	0								
70-74	60	6.1	18	3	4	4	6	13	17	18-34	48	3.3	4	1	1	3	4	7	7
75-79	78	4.1	6	1	2	4	7	7	8	35-49	23	4.7	2						
80-84	56	4.4	10	1	2	3	6	11	11	50-69	85	5.9	11	1	3	7	9	10	12
85 +	128	6.3	45	2	3	5	8	9	13	70 +	24	3.9	3						
SUBTOTAL	**392**	**5.2**	**23**	**1**	**2**	**4**	**7**	**10**	**11**		**180**	**4.8**	**8**	**1**	**3**	**4**	**7**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**392**	**5.2**	**23**	**1**	**2**	**4**	**7**	**10**	**11**		**180**	**4.8**	**8**	**1**	**3**	**4**	**7**	**9**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	87	6.9	35	1	2	5	11	16	20	18-34	105	3.9	16	< 1	1	2	6	10	17
35-49	96	13.6	126	3	5	10	18	34	42	35-49	80	4.0	13	1	1	3	5	7	15
50-69	46	8.9	74	1	2	7	11	29	29	50-69	64	3.6	4	1	2	3	5	6	8
70 +	17	5.7	15							70 +	24	3.9	13						
SUBTOTAL	**245**	**9.8**	**86**	**2**	**3**	**6**	**14**	**20**	**30**		**273**	**3.9**	**12**	**1**	**1**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**245**	**9.8**	**86**	**2**	**3**	**6**	**14**	**20**	**30**		**273**	**3.9**	**12**	**1**	**1**	**3**	**5**	**8**	**10**

DRG 47: Other Disorders of the Eye Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	66	1.6	2	< 1	< 1	1	2	3	5
70-74	90	3.5	13	< 1	< 1	1	6	10	12
75-79	159	2.1	3	< 1	< 1	< 1	3	4	5
80-84	100	1.9	5	< 1	< 1	< 1	1	5	9
85 +	132	1.4	1	< 1	< 1	< 1	< 1	3	3
SUBTOTAL	**546**	**2.1**	**5**	**< 1**	**< 1**	**< 1**	**2**	**5**	**8**
GRAND TOTAL	**546**	**2.1**	**5**	**< 1**	**< 1**	**< 1**	**2**	**5**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	133	2.3	3	< 1	1	2	2	6	6
35-49	98	2.7	8	< 1	< 1	1	4	8	11
50-69	127	2.7	12	< 1	< 1	1	2	8	9
70 +	6	1.0							
	365	**2.5**	**7**	**< 1**	**< 1**	**1**	**2**	**7**	**8**
	365	**2.5**	**7**	**< 1**	**< 1**	**1**	**2**	**7**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	85	5.1	15	2	2	4	9	10	14
35-49	29	10.8	288						
50-69	57	2.6	4	1	1	2	4	6	7
70 +	6	2.0							
SUBTOTAL	**177**	**5.1**	**63**	**1**	**2**	**2**	**6**	**10**	**14**
GRAND TOTAL	**177**	**5.1**	**63**	**1**	**2**	**2**	**6**	**10**	**14**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	257	2.8	5	1	1	2	3	6	8
35-49	154	3.4	11	1	1	2	4	7	12
50-69	98	5.1	23	< 1	3	3	6	11	22
70 +	31	1.4	1						
	540	**3.3**	**11**	**< 1**	**1**	**2**	**4**	**7**	**11**
	540	**3.3**	**11**	**< 1**	**1**	**2**	**4**	**7**	**11**

DRG 48: Other Disorders of the Eye Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	40	2.3	2	1	1	2	3	5	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**40**	**2.3**	**2**	**1**	**1**	**2**	**3**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	2.0								0-17	265	2.6	16	< 1	1	2	3	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**2.0**									**265**	**2.6**	**16**	**< 1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**6**	**2.0**									**305**	**2.6**	**14**	**< 1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	74	3.5	4	2	2	3	5	6	8	0-17	43	3.9	8	1	1	3	5	10	10
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**74**	**3.5**	**4**	**2**	**2**	**3**	**5**	**6**	**8**		**43**	**3.9**	**8**	**1**	**1**	**3**	**5**	**10**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	283	3.0	3	1	2	3	4	5	6	0-17	214	2.6	3	1	1	2	3	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**283**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**		**214**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**357**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**		**256**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**

DRG 49: Major Head & Neck Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	59	13.4	117	3	7	11	18	33	39	0-17	6	1.0							
70-74	64	7.8	20	3	4	6	12	14	16	18-34	6	7.0							
75-79	58	11.4	61	3	7	9	18	24	29	35-49	45	6.3	24	1	2	4	9	16	16
80-84	24	15.1	190							50-69	136	7.1	24	3	3	5	11	16	16
85 +	18	7.8	9							70 +	18	4.5	9						
SUBTOTAL	**223**	**11.0**	**79**	**3**	**6**	**9**	**12**	**27**	**32**		**209**	**6.6**	**23**	**2**	**3**	**5**	**11**	**16**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	52	4.7	11	2	2	3	6	12	12	0-17	29	2.2	1						
70-74	55	4.2	4	1	3	4	6	7	7	18-34	65	2.5	5	1	2	2	2	2	9
75-79	53	3.4	11	1	1	2	4	12	12	35-49	70	4.0	11	1	1	3	7	8	12
80-84	6	5.0								50-69	85	2.5	4	1	1	2	3	4	9
85 +	18	2.7	2							70 +	22	1.3							
SUBTOTAL	**184**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**12**		**272**	**2.8**	**6**	**1**	**1**	**2**	**3**	**7**	**9**
GRAND TOTAL	**407**	**7.8**	**59**	**2**	**3**	**6**	**10**	**16**	**27**		**481**	**4.4**	**17**	**1**	**2**	**3**	**5**	**11**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	12	4.5								18-34	0								
35-49	12	3.5								35-49	17	10.7	95						
50-69	40	16.8	76	9	9	13	28	31	31	50-69	52	8.1	66	3	4	4	6	28	28
70 +	6	11.0								70 +	13	2.5							
SUBTOTAL	**69**	**11.9**	**79**	**4**	**5**	**10**	**16**	**28**	**31**		**81**	**7.8**	**67**	**3**	**3**	**4**	**6**	**24**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	11	15.5	200							0-17	0								
18-34	22	5.3	4							18-34	29	3.6	4						
35-49	22	4.5	7							35-49	47	3.1	3	1	1	3	5	6	6
50-69	17	4.7								50-69	69	9.3	141	1	2	4	10	32	38
70 +	6	9.0								70 +	0								
SUBTOTAL	**79**	**6.6**	**44**	**2**	**4**	**5**	**7**	**9**	**29**		**145**	**6.1**	**78**	**1**	**2**	**3**	**6**	**12**	**32**
GRAND TOTAL	**148**	**9.1**	**67**	**2**	**4**	**7**	**10**	**28**	**29**		**226**	**6.7**	**74**	**1**	**2**	**4**	**6**	**24**	**32**

DRG 50: Sialoadenectomy

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	65	2.8	7	1	1	2	3	3	11
70-74	60	2.4	4	1	1	2	2	5	8
75-79	41	2.4	2	1	1	2	4	5	5
80-84	18	3.3							
85 +	18	2.0							
SUBTOTAL	**201**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	240	1.8	2	1	1	1	2	3	4
70-74	156	1.8	1	1	1	2	2	3	4
75-79	101	2.0	1	1	2	2	2	3	4
80-84	101	1.9	1	1	1	2	2	4	5
85 +	24	1.0							
SUBTOTAL	**622**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**823**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**4**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	18	2.0	1						
35-49	58	3.3	9	1	1	2	3	9	10
50-69	81	3.2	6	1	1	2	5	7	8
70 +	18	11.1	128						
	174	**3.9**	**24**	**1**	**1**	**2**	**5**	**8**	**10**
0-17	52	2.0	1	1	1	2	3	3	3
18-34	330	1.4		1	1	1	2	2	2
35-49	540	1.6	1	1	1	2	2	2	3
50-69	519	1.5		1	1	1	2	2	2
70 +	40	1.6	1	1	1	1	2	3	3
	1481	**1.6**		**1**	**1**	**1**	**2**	**2**	**3**
	1655	**1.8**	**3**	**1**	**1**	**2**	**2**	**2**	**3**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	2.0							
35-49	6	7.0							
50-69	18	5.8	20						
70 +	0								
SUBTOTAL	**29**	**5.3**	**15**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	35	2.2		1	2	2	3	3	3
18-34	41	1.6		1	1	2	2	2	2
35-49	52	2.3	2	1	1	2	3	5	5
50-69	39	3.6	6	1	2	3	4	9	9
70 +	6	2.0							
SUBTOTAL	**173**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**202**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	11	1.5							
35-49	23	1.5							
50-69	19	1.7	1						
70 +	6	3.0							
	59	**1.7**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
0-17	18	1.6	1						
18-34	173	1.5	1	1	1	1	2	2	2
35-49	157	1.7	3	1	1	1	2	3	4
50-69	196	1.7	1	1	1	1	2	2	4
70 +	13	1.5							
	556	**1.6**	**2**	**1**	**1**	**1**	**2**	**2**	**4**
	615	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**

DRG 51: Salivary Gland Procedures except Sialoadenectomy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	17	1.7							
70-74	6	8.0								18-34	6	16.0							
75-79	6	1.0								35-49	6	1.0							
80-84	0									50-69	0								
85 +	6	4.0								70 +	0								
SUBTOTAL	**19**	**4.3**	**9**								**29**	**4.7**	**37**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	18	1.0								0-17	22	1.0							
70-74	6	2.0								18-34	59	3.0	15	1	1	2	2	8	14
75-79	13	2.5								35-49	61	1.4		< 1	1	1	2	3	3
80-84	6	4.0								50-69	53	1.9	1	< 1	1	1	3	3	3
85 +	6	2.0								70 +	0								
SUBTOTAL	**48**	**2.0**	**1**	**1**	**1**	**2**	**3**	**4**	**4**		**196**	**2.0**	**5**	**< 1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**67**	**2.7**	**4**	**1**	**1**	**2**	**4**	**4**	**8**		**225**	**2.3**	**10**	**< 1**	**1**	**1**	**2**	**3**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	6	14.0								35-49	0								
50-69	0									50-69	6	2.0							
70 +	0									70 +	0								
SUBTOTAL	**6**	**14.0**									**6**	**2.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	23	1.3								0-17	0								
18-34	17	1.7								18-34	6	4.0							
35-49	11	3.5	2							35-49	6	1.0							
50-69	12	2.1	1							50-69	12	1.9	1						
70 +	0									70 +	0								
SUBTOTAL	**63**	**1.9**	**1**	**1**	**1**	**2**	**2**	**4**	**5**		**24**	**2.2**	**2**						
GRAND TOTAL	**69**	**2.9**	**12**	**1**	**1**	**2**	**3**	**5**	**14**		**30**	**2.1**	**1**						

DRG 52: Cleft Lip & Palate Repair

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	17	2.0							
70-74	6	2.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**22**	**2.0**							
GRAND TOTAL	**22**	**2.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	119	6.1	241	1	1	2	3	7	45
18-34	0								
35-49	6	2.0							
50-69	18	16.4	468						
70 +	0								
	142	**7.2**	**268**	**1**	**2**	**2**	**3**	**8**	**47**
0-17	1477	1.7	1	1	1	2	2	3	3
18-34	64	1.3		1	1	1	2	2	2
35-49	103	1.8	1	1	1	2	2	3	4
50-69	41	1.9	1	1	1	2	3	3	3
70 +	6	3.0							
	1692	**1.7**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
	1834	**2.1**	**23**	**1**	**1**	**2**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	46	4.4	10	1	2	4	6	11	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**46**	**4.4**	**10**	**1**	**2**	**4**	**6**	**11**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1085	2.0	8	1	1	2	2	3	4
18-34	28	2.0	1						
35-49	6	3.0							
50-69	0								
70 +	0								
SUBTOTAL	**1120**	**2.0**	**8**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**1165**	**2.1**	**8**	**1**	**1**	**2**	**2**	**3**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	3.5	2						
18-34	6	1.0							
35-49	0								
50-69	0								
70 +	0								
	18	**2.6**	**3**						
0-17	455	1.9	1	1	1	2	2	3	3
18-34	29	1.8	1						
35-49	18	2.4	2						
50-69	18	1.7							
70 +	0								
	519	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
	537	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**

DRG 53: Sinus & Mastoid Procedures Age >17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	207	6.0	55	1	1	2	8	17	29	0-17	0								
70-74	108	5.5	63	1	1	2	5	19	30	18-34	85	3.7	13	1	2	2	5	9	14
75-79	78	3.0	5	1	1	2	4	7	8	35-49	155	5.5	61	1	2	3	5	16	20
80-84	36	7.8	23	1	2	9	12	13	13	50-69	135	4.3	20	1	2	2	7	9	16
85+	36	4.8	26	1	1	3	6	15	15	70+	6	1.0							
SUBTOTAL	**465**	**5.4**	**45**	**1**	**1**	**2**	**7**	**14**	**22**		**380**	**4.6**	**35**	**1**	**2**	**2**	**5**	**14**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	415	1.8	2	1	1	1	2	4	5	0-17	0								
70-74	222	1.8	2	1	1	1	2	3	5	18-34	802	1.9	3	1	1	1	2	4	5
75-79	131	3.3	31	1	1	1	2	5	19	35-49	1247	1.8	3	1	1	1	2	3	5
80-84	82	1.9	2	1	1	1	3	4	5	50-69	873	1.9	3	1	1	1	2	3	4
85+	43	3.8	35	1	1	1	2	18	18	70+	29	1.4							
SUBTOTAL	**894**	**2.1**	**8**	**1**	**1**	**1**	**2**	**4**	**5**		**2950**	**1.8**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**1359**	**3.3**	**23**	**1**	**1**	**2**	**3**	**7**	**13**		**3330**	**2.2**	**7**	**1**	**1**	**1**	**2**	**4**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	29	4.9	8							18-34	65	8.3	56	1	1	4	16	20	21
35-49	18	2.0	1							35-49	22	5.8	34						
50-69	58	6.1	69	1	1	4	5	22	30	50-69	65	4.0	56	1	1	1	3	4	28
70+	12	3.0								70+	0								
SUBTOTAL	**116**	**4.9**	**38**	**1**	**2**	**3**	**5**	**9**	**23**		**153**	**6.1**	**56**	**1**	**1**	**3**	**9**	**20**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	182	3.9	59	1	1	1	2	9	27	18-34	410	3.3	12	1	1	2	4	8	13
35-49	98	1.9	4	1	1	1	2	4	9	35-49	377	2.4	9	1	1	1	3	5	7
50-69	40	3.3	10	< 1	1	2	6	10	10	50-69	332	2.9	8	1	1	2	3	7	11
70+	23	6.6	47							70+	12	2.0							
SUBTOTAL	**343**	**3.4**	**38**	**1**	**1**	**1**	**2**	**9**	**18**		**1130**	**2.9**	**10**	**1**	**1**	**2**	**3**	**7**	**11**
GRAND TOTAL	**459**	**3.8**	**38**	**1**	**1**	**2**	**4**	**9**	**18**		**1282**	**3.3**	**16**	**1**	**1**	**2**	**3**	**7**	**13**

DRG 54: Sinus & Mastoid Procedures Age 0-17

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	119	3.5	12	1	1	2	4	10	12
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**119**	**3.5**	**12**	**1**	**1**	**2**	**4**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	918	1.4	1	< 1	< 1	1	1	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**918**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**0**										**1038**	**1.6**	**3**	**< 1**	**< 1**	**1**	**1**	**3**	**5**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	51	8.0	47	< 1	2	6	13	19	19	0-17	40	9.0	46	< 1	< 1	8	17	20	20
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**51**	**8.0**	**47**	**< 1**	**2**	**6**	**13**	**19**	**19**		**40**	**9.0**	**46**	**< 1**	**< 1**	**8**	**17**	**20**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	194	1.5	1	< 1	< 1	1	1	3	5	0-17	229	3.2	42	< 1	1	1	2	7	13
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**194**	**1.5**	**1**	**< 1**	**< 1**	**1**	**1**	**3**	**5**		**229**	**3.2**	**42**	**< 1**	**1**	**1**	**2**	**7**	**13**
GRAND TOTAL	**245**	**2.9**	**18**	**< 1**	**1**	**1**	**3**	**6**	**14**		**268**	**4.0**	**47**	**< 1**	**1**	**1**	**3**	**11**	**17**

DRG 55: Miscellaneous Ear, Nose, Mouth & Throat Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	37	3.9	32	1	1	1	3	17	17	0-17	95	4.3	25	1	1	3	5	8	22
70-74	18	5.5	13							18-34	43	3.3	9	1	1	2	8	8	8
75-79	6	1.0								35-49	54	2.6	2	1	1	2	4	5	5
80-84	29	3.0	3							50-69	96	4.0	10	1	2	2	8	9	10
85 +	0									70 +	0								
SUBTOTAL	**89**	**3.8**	**18**	**1**	**1**	**2**	**6**	**9**	**17**		**289**	**3.7**	**14**	**1**	**1**	**2**	**5**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	156	1.9	1	1	1	2	2	3	4	0-17	932	1.3	1	< 1	< 1	1	1	2	3
70-74	90	1.6	2	1	1	1	1	5	6	18-34	664	1.5	1	1	1	1	2	3	3
75-79	19	2.3								35-49	652	1.4	1	1	1	1	1	2	3
80-84	6	1.0								50-69	384	1.2		1	1	1	1	2	2
85 +	0									70 +	34	1.2		< 1	1	1	1	2	2
SUBTOTAL	**271**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**5**		**2666**	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**360**	**2.3**	**6**	**1**	**1**	**1**	**2**	**5**	**7**		**2955**	**1.6**	**3**	**< 1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	52	8.6	86	1	2	4	12	29	29	0-17	17	4.3	7						
18-34	17	1.7	1							18-34	77	6.9	58	1	1	2	9	20	24
35-49	12	7.6	2							35-49	41	4.6	17	1	2	3	6	14	14
50-69	0									50-69	29	3.9	8						
70 +	0									70 +	13	7.0	17						
SUBTOTAL	**81**	**7.0**	**63**	**1**	**1**	**4**	**9**	**20**	**29**		**176**	**5.6**	**34**	**1**	**1**	**3**	**8**	**15**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	513	2.0	9	< 1	< 1	1	2	3	6	0-17	244	2.3	8	< 1	< 1	1	2	5	8
18-34	122	1.9	5	< 1	1	1	1	4	8	18-34	191	2.3	7	1	1	2	2	4	4
35-49	40	3.0	9	1	1	1	6	9	9	35-49	187	2.2	5	1	1	1	2	4	7
50-69	51	1.5	1	1	1	1	2	4	4	50-69	99	1.5	1	1	1	1	2	3	5
70 +	0									70 +	0								
SUBTOTAL	**727**	**2.0**	**8**	**< 1**	**< 1**	**1**	**2**	**4**	**7**		**722**	**2.2**	**6**	**< 1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**807**	**2.5**	**16**	**< 1**	**< 1**	**1**	**2**	**6**	**10**		**898**	**2.8**	**13**	**< 1**	**1**	**1**	**3**	**7**	**11**

DRG 56: Rhinoplasty

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	41	2.1	3	< 1	1	2	2	6	6	0-17	11	1.5							
70-74	24	2.0	3							18-34	30	1.2							
75-79	12	1.0								35-49	12	2.1	1						
80-84	6	2.0								50-69	30	1.6							
85 +	6	1.0								70 +	0								
SUBTOTAL	**90**	**1.9**	**2**	**1**	**1**	**1**	**2**	**5**	**6**		**83**	**1.5**		**1**	**1**	**1**	**2**	**2**	**3**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	56	2.0	1	1	1	2	3	4	4	0-17	127	1.6	1	1	1	1	2	2	4
70-74	24	1.0								18-34	273	1.3		< 1	1	1	2	2	2
75-79	13	4.0	10							35-49	243	1.5	1	< 1	1	1	2	3	3
80-84	13	3.5								50-69	101	1.3		1	1	1	1	2	3
85 +	6	2.0								70 +	18	2.0	1						
SUBTOTAL	**112**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**6**		**762**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**201**	**2.0**	**2**	**1**	**1**	**1**	**2**	**4**	**6**		**845**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	6	1.0								0-17	0								
18-34	0									18-34	36	2.4	5	1	1	1	3	7	7
35-49	6	2.0								35-49	6	6.0							
50-69	0									50-69	6	8.0							
70 +	0									70 +	0								
SUBTOTAL	**12**	**1.5**									**48**	**3.6**	**8**	**1**	**1**	**3**	**7**	**8**	**8**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	45	2.1	2	< 1	1	2	4	5	5	0-17	17	3.7	10						
18-34	110	1.6	2	< 1	1	1	2	2	6	18-34	113	2.3	10	1	1	1	2	7	13
35-49	24	1.8	1							35-49	69	1.5	1	1	1	1	2	3	4
50-69	0									50-69	24	2.3	1						
70 +	0									70 +	0								
SUBTOTAL	**179**	**1.7**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**		**223**	**2.1**	**7**	**1**	**1**	**1**	**2**	**4**	**8**
GRAND TOTAL	**191**	**1.7**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**		**271**	**2.4**	**7**	**1**	**1**	**1**	**2**	**7**	**8**

DRG 57: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	18	1.3							
70-74	0								
75-79	12	3.1	1						
80-84	0								
85 +	0								
SUBTOTAL	**30**	**2.0**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	25	3.8	3						
70-74	6	1.0							
75-79	6	1.0							
80-84	0								
85 +	0								
SUBTOTAL	**37**	**2.9**	**4**	**<1**	**1**	**4**	**5**	**5**	**5**
GRAND TOTAL	**67**	**2.5**	**3**	**1**	**1**	**2**	**4**	**5**	**5**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	80	3.0	3	1	2	3	4	4	8
35-49	48	6.1	38	1	2	3	7	20	20
50-69	18	2.0	2						
70 +	0								
	145	**3.9**	**17**	**1**	**2**	**3**	**4**	**8**	**12**
0-17	0								
18-34	325	1.7	1	1	1	2	2	3	3
35-49	168	1.9	2	1	1	1	3	3	6
50-69	78	2.0	1	1	1	2	3	3	4
70 +	0								
	571	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
	717	**2.2**	**5**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	24	3.4	7						
35-49	6	3.0							
50-69	6	4.0							
70 +	6	6.0							
SUBTOTAL	**41**	**3.8**	**5**	**1**	**2**	**3**	**6**	**8**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	66	2.4	1	1	1	2	3	4	4
35-49	18	2.0	1						
50-69	6	2.0							
70 +	0								
SUBTOTAL	**90**	**2.3**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**131**	**2.7**	**3**	**1**	**2**	**2**	**3**	**4**	**6**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	55	2.1	1	1	2	2	3	3	3
35-49	24	3.5	5						
50-69	18	4.1	5						
70 +	0								
	96	**2.8**	**3**	**1**	**2**	**2**	**3**	**7**	**7**
0-17	0								
18-34	239	2.6	9	1	1	2	3	4	5
35-49	89	2.8	2	1	2	2	4	5	6
50-69	36	2.0		1	2	2	2	3	3
70 +	0								
	364	**2.6**	**7**	**1**	**1**	**2**	**3**	**4**	**5**
	461	**2.6**	**6**	**1**	**2**	**2**	**3**	**4**	**6**

DRG 58: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	150	2.0	2	1	1	2	2	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**150**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**4**
2.PATIENTS W/OUT CCs									
0-17	1075	1.5	1	< 1	< 1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1075**	**1.5**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1224**	**1.6**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	59	3.1	8	1	1	2	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**59**	**3.1**	**8**	**1**	**1**	**2**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	448	1.6	3	< 1	< 1	1	1	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**448**	**1.6**	**3**	**< 1**	**< 1**	**1**	**1**	**3**	**4**
GRAND TOTAL	**508**	**1.8**	**4**	**< 1**	**< 1**	**1**	**2**	**4**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	29	5.0	4						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**29**	**5.0**	**4**						
2.PATIENTS W/OUT CCs									
0-17	294	1.8	2	1	1	1	2	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**294**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**322**	**2.1**	**3**	**1**	**1**	**1**	**2**	**5**	**7**

DRG 59: Tonsillectomy &/or Adenoidectomy Only, Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	19	1.3							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**19**	**1.3**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	12	1.9	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**12**	**1.9**	**1**						
GRAND TOTAL	**31**	**1.6**	**1**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	123	2.3	2	1	1	2	4	5	5
35-49	19	3.0	2						
50-69	0								
70 +	0								
	142	**2.4**	**2**	**1**	**1**	**2**	**4**	**4**	**5**
0-17	0								
18-34	841	1.4	1	1	1	1	1	2	3
35-49	114	2.0	3	< 1	1	1	2	5	7
50-69	25	1.3							
70 +	6	1.0							
	987	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**
	1128	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	12	3.6	2						
35-49	0								
50-69	6	1.0							
70 +	0								
SUBTOTAL	**18**	**2.7**	**3**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	91	1.1		1	1	1	1	2	2
35-49	24	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**115**	**1.1**		**1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**133**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**2**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	35	2.1		1	2	2	3	3	3
35-49	0								
50-69	0								
70 +	0								
	35	**2.1**		**1**	**2**	**2**	**3**	**3**	**3**
0-17	0								
18-34	370	1.3	1	1	1	1	1	2	4
35-49	19	1.0							
50-69	12	1.0							
70 +	0								
	401	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**4**
	436	**1.4**	**1**	**1**	**1**	**1**	**1**	**2**	**4**

DRG 60: Tonsillectomy &/or Adenoidectomy Only, Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	222	2.0	3	1	1	1	2	4	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**222**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	3586	1.1		< 1	< 1	1	1	1	1
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**3586**	**1.1**		**< 1**	**< 1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**0**										**3808**	**1.1**		**< 1**	**< 1**	**1**	**1**	**1**	**2**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	98	2.5	4	1	1	2	4	5	7	0-17	57	2.4	6	1	1	1	3	7	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**98**	**2.5**	**4**	**1**	**1**	**2**	**4**	**5**	**7**		**57**	**2.4**	**6**	**1**	**1**	**1**	**3**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1589	1.1		< 1	< 1	1	1	1	2	0-17	1083	1.1		< 1	< 1	1	1	1	2
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1589**	**1.1**		**< 1**	**< 1**	**1**	**1**	**1**	**2**		**1083**	**1.1**		**< 1**	**< 1**	**1**	**1**	**1**	**2**
GRAND TOTAL	**1687**	**1.2**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**2**		**1141**	**1.2**	**1**	**< 1**	**< 1**	**1**	**1**	**1**	**2**

DRG 61: Myringotomy w/ Tube Insertion Age >17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	6	2.0								18-34	12	6.5							
75-79	0									35-49	6	8.0							
80-84	6	11.0								50-69	11	7.5	13						
85 +	0									70 +	0								
SUBTOTAL	**12**	**6.8**	**22**								**29**	**7.2**	**5**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	37	1.5	1	1	1	1	2	3	3
75-79	24	2.0	2							35-49	24	1.3							
80-84	0									50-69	12	2.9	4						
85 +	6	1.0								70 +	0								
SUBTOTAL	**30**	**1.8**	**1**								**73**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**42**	**3.2**	**12**	**<1**	**1**	**2**	**4**	**11**	**11**		**103**	**3.2**	**9**	**1**	**1**	**2**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	12	5.6	2						
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**12**	**5.6**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	18	1.3								18-34	17	3.7	3						
35-49	0									35-49	13	2.0							
50-69	6	1.0								50-69	18	1.0							
70 +	0									70 +	0								
SUBTOTAL	**24**	**1.2**									**48**	**2.2**	**2**	**1**	**1**	**2**	**3**	**6**	**6**
GRAND TOTAL	**24**	**1.2**									**59**	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 62: Myringotomy w/ Tube Insertion Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	47	4.6	32	<1	1	3	5	19	19
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**47**	**4.6**	**32**	**<1**	**1**	**3**	**5**	**19**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	2233	1.1	1	<1	<1	<1	<1	<1	1
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**2233**	**1.1**	**1**	**<1**	**<1**	**<1**	**<1**	**<1**	**1**
GRAND TOTAL	**0**										**2280**	**1.2**	**2**	**<1**	**<1**	**<1**	**<1**	**1**	**1**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	41	6.0	25	<1	1	3	10	15	15	0-17	11	8.0	27						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**41**	**6.0**	**25**	**<1**	**1**	**3**	**10**	**15**	**15**		**11**	**8.0**	**27**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1008	1.3	4	<1	<1	<1	<1	<1	2	0-17	723	1.2	1	<1	<1	<1	<1	1	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**1008**	**1.3**	**4**	**<1**	**<1**	**<1**	**<1**	**<1**	**2**		**723**	**1.2**	**1**	**<1**	**<1**	**<1**	**<1**	**1**	**3**
GRAND TOTAL	**1048**	**1.5**	**5**	**<1**	**<1**	**<1**	**<1**	**1**	**3**		**734**	**1.3**	**2**	**<1**	**<1**	**<1**	**<1**	**1**	**4**

DRG 63: Other Ear, Nose, Mouth & Throat O.R. Procedures

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	192	7.2	36	2	3	5	9	16	19
70-74	88	5.6	13	1	3	5	7	11	15
75-79	109	10.3	57	3	4	10	14	16	34
80-84	73	7.8	26	3	5	7	9	14	21
85 +	36	5.6	10	3	3	4	7	12	12
SUBTOTAL	**498**	**7.6**	**36**	**2**	**3**	**6**	**10**	**16**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	250	3.0	4	1	1	3	4	6	6
70-74	71	2.9	6	1	1	2	4	7	9
75-79	54	2.4	2	1	1	2	3	5	5
80-84	41	4.0	11	1	2	2	7	11	11
85 +	43	2.7	1	1	2	3	4	4	4
SUBTOTAL	**459**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**957**	**5.4**	**26**	**1**	**2**	**4**	**7**	**12**	**16**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	191	4.2	9	1	2	4	5	8	12
18-34	627	3.7	8	1	2	3	5	8	9
35-49	272	3.4	7	1	2	3	4	7	8
50-69	213	4.8	9	1	2	5	6	9	10
70 +	36	16.9	740	1	3	5	13	79	79
	1339	**4.3**	**32**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	1622	1.9	1	1	1	2	2	3	4
18-34	3445	2.0	1	1	1	2	2	3	4
35-49	1939	2.0	1	1	1	2	2	3	4
50-69	444	2.6	4	1	1	2	3	5	6
70 +	18	4.6	6						
	7468	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
	8807	**2.4**	**7**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	34	10.8	43	3	5	9	16	22	22
18-34	101	9.7	108	2	3	7	13	19	45
35-49	66	5.3	36	2	2	4	6	6	24
50-69	62	7.7	42	2	2	6	14	16	22
70 +	0								
SUBTOTAL	**263**	**8.3**	**69**	**2**	**3**	**6**	**11**	**19**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	260	3.1	10	1	1	2	3	6	13
18-34	361	2.8	6	1	1	2	3	5	6
35-49	169	5.5	142	1	2	2	3	9	28
50-69	39	2.9	5	< 1	1	2	3	8	8
70 +	6	3.0							
SUBTOTAL	**836**	**3.4**	**36**	**1**	**1**	**2**	**3**	**5**	**10**
GRAND TOTAL	**1099**	**4.6**	**48**	**1**	**2**	**2**	**5**	**10**	**16**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	3.7	3	2	2	4	4	7	7
18-34	555	4.9	39	1	2	4	6	8	12
35-49	272	7.8	71	1	2	7	11	13	20
50-69	107	7.4	88	1	2	4	7	30	36
70 +	6	1.0							
	1018	**5.8**	**51**	**1**	**2**	**4**	**7**	**11**	**14**
0-17	466	2.7	17	1	1	2	3	4	6
18-34	2692	3.2	10	1	1	2	4	6	8
35-49	917	3.5	10	1	1	2	4	7	10
50-69	241	3.7	9	1	1	3	5	8	10
70 +	30	5.6	22						
	4346	**3.3**	**11**	**1**	**1**	**2**	**4**	**6**	**8**
	5364	**3.7**	**20**	**1**	**1**	**3**	**5**	**7**	**10**

DRG 64: Ear, Nose, Mouth & Throat Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	134	9.6	106	2	3	7	12	18	34	0-17	6	4.0							
70-74	71	4.1	10	1	2	3	6	10	11	18-34	0								
75-79	71	4.4	5	1	2	4	7	7	8	35-49	0								
80-84	53	11.8	55	4	6	9	15	25	25	50-69	127	11.4	136	2	4	7	15	23	38
85 +	30	7.8	44							70 +	11	6.0							
SUBTOTAL	**360**	**7.6**	**62**	**2**	**3**	**5**	**9**	**16**	**23**		**144**	**10.7**	**124**	**3**	**4**	**6**	**15**	**23**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	60	6.4	21	< 1	2	6	9	13	14	0-17	11	3.5							
70-74	36	2.7	3	< 1	< 1	4	4	5	5	18-34	0								
75-79	49	5.2	45	1	1	2	5	23	23	35-49	22	3.8	8						
80-84	12	1.5								50-69	53	5.0	40	1	1	2	6	22	22
85 +	18	10.6	86							70 +	6	4.0							
SUBTOTAL	**175**	**5.4**	**34**	**< 1**	**1**	**4**	**8**	**13**	**23**		**93**	**4.4**	**25**	**1**	**1**	**3**	**6**	**8**	**22**
GRAND TOTAL	**534**	**6.9**	**54**	**1**	**2**	**5**	**8**	**15**	**23**		**237**	**8.2**	**94**	**1**	**3**	**5**	**8**	**19**	**29**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	9.0								0-17	0								
18-34	18	18.5	278							18-34	12	10.5							
35-49	90	8.4	44	2	2	8	13	21	23	35-49	17	3.0	2						
50-69	142	13.1	121	3	7	10	16	31	37	50-69	81	4.9	20	1	1	3	8	11	16
70 +	0									70 +	13	4.5	2						
SUBTOTAL	**255**	**11.7**	**109**	**2**	**5**	**9**	**15**	**23**	**37**		**122**	**5.1**	**17**	**1**	**2**	**4**	**8**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	11	15.0	89							0-17	0								
18-34	17	6.0	9							18-34	6	4.0							
35-49	102	6.0	15	2	3	5	9	13	15	35-49	34	4.5	19	1	2	2	7	13	13
50-69	125	5.6	19	2	2	4	8	12	15	50-69	107	5.6	44	1	2	4	6	16	28
70 +	0									70 +	11	2.0							
SUBTOTAL	**255**	**6.2**	**23**	**2**	**3**	**5**	**9**	**13**	**15**		**158**	**5.1**	**35**	**1**	**2**	**2**	**6**	**14**	**16**
GRAND TOTAL	**510**	**9.0**	**74**	**2**	**3**	**7**	**11**	**17**	**24**		**280**	**5.1**	**27**	**1**	**2**	**3**	**6**	**13**	**16**

DRG 65: Dysequilibrium

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	496	3.5	10	1	2	2	4	8	11	0-17	0								
70-74	586	3.3	7	1	2	2	3	7	8	18-34	72	1.7	1	1	1	2	2	3	3
75-79	588	4.2	20	1	2	3	5	9	12	35-49	152	2.7	4	1	2	2	3	5	8
80-84	351	3.3	4	1	2	3	4	6	8	50-69	492	2.6	4	1	1	2	3	4	5
85 +	397	4.0	10	1	2	3	5	7	8	70 +	113	3.9	41	1	2	2	3	4	25
SUBTOTAL	**2418**	**3.7**	**11**	**1**	**2**	**3**	**4**	**7**	**10**		**829**	**2.7**	**9**	**1**	**1**	**2**	**3**	**4**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	608	2.3	2	1	1	2	3	4	5	0-17	30	1.2							
70-74	585	2.4	2	1	1	2	3	4	6	18-34	205	2.6	4	1	1	2	3	5	7
75-79	434	2.8	4	1	1	2	4	6	7	35-49	495	2.0	2	1	1	2	2	4	4
80-84	490	3.2	7	1	2	2	4	7	9	50-69	918	2.1	2	1	1	2	2	4	5
85 +	270	3.2	11	1	1	3	4	5	5	70 +	121	2.3	2	1	1	2	3	4	5
SUBTOTAL	**2387**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**		**1768**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**4805**	**3.2**	**8**	**1**	**2**	**2**	**4**	**6**	**8**		**2597**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	6	5.0							
18-34	6	1.0								18-34	29	2.2	3						
35-49	43	3.5	3	2	2	3	5	7	7	35-49	66	2.5	5	1	1	2	2	4	9
50-69	30	3.5	5							50-69	122	1.8	1	1	1	2	2	3	4
70 +	6	4.0								70 +	73	2.1	2	1	2	2	2	3	6
SUBTOTAL	**85**	**3.4**	**4**	**2**	**2**	**3**	**4**	**7**	**8**		**296**	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	13	3.0	1						
18-34	36	2.2	1	< 1	1	2	3	4	4	18-34	65	2.1	1	1	1	2	3	3	4
35-49	24	3.4	10							35-49	169	2.4	3	1	1	2	3	3	7
50-69	53	5.2	11	2	3	4	7	12	12	50-69	220	2.1	2	1	1	2	3	3	5
70 +	6	3.0								70 +	61	2.5	2	1	1	3	4	5	5
SUBTOTAL	**119**	**3.8**	**9**	**1**	**2**	**3**	**4**	**9**	**11**		**528**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**204**	**3.6**	**7**	**1**	**2**	**3**	**4**	**8**	**9**		**824**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 66: Epistaxis

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	159	3.4	3	2	2	3	5	6	7	0-17	19	1.0							
70-74	152	3.4	3	1	2	3	4	5	7	18-34	24	3.6	2						
75-79	189	3.7	5	2	2	3	5	7	9	35-49	50	2.3	1	< 1	2	2	3	4	4
80-84	119	3.8	3	1	2	4	5	6	7	50-69	157	4.0	4	2	3	4	5	7	7
85 +	108	3.5	4	1	2	3	4	7	8	70 +	6	3.0							
SUBTOTAL	**727**	**3.6**	**4**	**1**	**2**	**3**	**5**	**7**	**7**		**256**	**3.4**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	158	3.0	3	1	1	3	4	5	5	0-17	0								
70-74	145	2.8	2	1	2	2	3	5	6	18-34	37	2.2	2	1	1	2	4	4	4
75-79	68	2.7	1	2	2	3	3	4	4	35-49	152	2.6	2	1	1	2	3	5	6
80-84	98	3.3	8	1	2	3	3	7	13	50-69	268	2.8	2	1	1	3	4	5	5
85 +	49	2.9	2	< 1	2	2	4	6	6	70 +	35	3.3	3	1	1	4	4	6	6
SUBTOTAL	**518**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**		**492**	**2.7**	**2**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**1245**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**7**		**748**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	18	1.7								0-17	24	2.6	5						
18-34	6	2.0								18-34	18	3.9	6						
35-49	13	3.5	7							35-49	54	3.5	3	1	2	3	5	6	6
50-69	24	3.5	2							50-69	110	3.3	2	1	2	3	4	6	6
70 +	6	4.0								70 +	13	5.0	4						
SUBTOTAL	**66**	**2.9**	**3**	**1**	**2**	**2**	**4**	**6**	**6**		**219**	**3.4**	**3**	**1**	**2**	**3**	**5**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	12	1.5								0-17	0								
18-34	13	6.0	1							18-34	59	3.7	8	1	2	3	5	9	10
35-49	18	3.1	3							35-49	80	2.4	1	1	2	2	3	4	5
50-69	31	3.1	3							50-69	114	2.8	2	1	2	2	4	5	6
70 +	6	4.0								70 +	24	2.3	2						
SUBTOTAL	**78**	**3.4**	**4**	**1**	**2**	**3**	**5**	**6**	**7**		**277**	**2.8**	**3**	**1**	**2**	**2**	**4**	**5**	**6**
GRAND TOTAL	**144**	**3.2**	**3**	**1**	**2**	**3**	**5**	**6**	**6**		**496**	**3.1**	**3**	**1**	**2**	**3**	**4**	**6**	**6**

DRG 67: Epiglottitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	18	5.0	2							0-17	53	5.2	4	2	3	6	7	7	7
70-74	6	12.0								18-34	6	4.0							
75-79	6	3.0								35-49	18	4.0	2						
80-84	0									50-69	18	3.1	2						
85 +	6	12.0								70 +	6	2.0							
SUBTOTAL	36	6.9	14	3	3	6	12	12	12		99	4.3	4	2	2	5	6	7	7
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	37	2.5	1	2	2	2	3	4	4	0-17	85	3.0	3	< 1	1	3	4	4	7
70-74	0									18-34	90	2.6	2	1	2	2	3	5	5
75-79	0									35-49	105	3.4	3	1	2	3	4	6	8
80-84	12	2.0								50-69	104	2.9	3	1	2	2	4	5	7
85 +	6	2.0								70 +	0								
SUBTOTAL	55	2.3		2	2	2	2	4	4		384	3.0	3	1	2	3	4	5	6
GRAND TOTAL	92	4.1	11	2	2	3	6	12	12		484	3.3	3	1	2	3	4	6	7

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	18	2.3								0-17	0								
18-34	6	7.0								18-34	6	3.0							
35-49	0									35-49	12	3.5							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	24	3.6	5								18	3.4							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	23	2.9	3							0-17	18	1.7							
18-34	24	1.3								18-34	61	2.6		2	2	3	3	4	4
35-49	0									35-49	35	4.2	2	2	3	4	5	6	6
50-69	0									50-69	43	2.7	2	1	1	2	4	5	5
70 +	0									70 +	0								
SUBTOTAL	48	2.1	2	< 1	1	2	3	5	5		157	2.9	2	1	2	3	4	5	5
GRAND TOTAL	71	2.6	3	1	1	2	3	5	7		175	2.9	2	1	2	3	4	5	5

DRG 68: Otitis Media & URI Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	543	5.2	14	2	3	4	6	9	12	0-17	0								
70-74	365	4.5	8	2	2	4	6	8	12	18-34	868	2.8	7	1	2	2	3	5	6
75-79	335	4.7	9	2	3	4	5	9	11	35-49	545	3.4	7	1	2	3	4	5	7
80-84	233	4.8	8	2	3	4	6	8	9	50-69	491	4.1	9	2	2	3	5	8	11
85+	234	4.6	6	2	3	4	6	7	8	70+	77	5.4	12	3	3	4	7	9	14
SUBTOTAL	**1710**	**4.8**	**10**	**2**	**3**	**4**	**6**	**9**	**11**		**1981**	**3.4**	**8**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1710**	**4.8**	**10**	**2**	**3**	**4**	**6**	**9**	**11**		**1981**	**3.4**	**8**	**1**	**2**	**3**	**4**	**6**	**8**

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	291	2.8	2	1	2	2	4	5	5	18-34	479	3.5	34	1	2	2	3	6	8
35-49	71	5.4	30	2	2	3	6	7	23	35-49	273	3.3	4	1	2	3	4	8	8
50-69	66	4.0	2	3	3	4	5	6	6	50-69	232	3.7	5	1	2	3	5	7	7
70+	6	1.0								70+	61	3.8	7	<1	1	4	4	9	9
SUBTOTAL	**433**	**3.4**	**8**	**1**	**2**	**3**	**4**	**6**	**7**		**1044**	**3.5**	**18**	**1**	**2**	**3**	**4**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**433**	**3.4**	**8**	**1**	**2**	**3**	**4**	**6**	**7**		**1044**	**3.5**	**18**	**1**	**2**	**3**	**4**	**7**	**8**

DRG 69: Otitis Media & URI Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	207	3.1	2	1	2	3	4	5	6	0-17	0								
70-74	115	3.9	9	1	1	3	5	9	10	18-34	1022	2.8	4	1	2	2	3	4	5
75-79	63	4.0	4	2	2	3	5	7	8	35-49	676	2.5	2	1	2	2	3	4	5
80-84	50	4.0	3	2	2	4	5	7	7	50-69	386	3.0	6	1	2	2	4	6	8
85 +	85	2.3	2	1	1	2	3	5	6	70 +	12	2.9	4						
SUBTOTAL	**519**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**7**		**2096**	**2.7**	**4**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**519**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**7**		**2096**	**2.7**	**4**	**1**	**2**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	391	3.6	17	1	2	3	3	7	10	18-34	765	2.7	7	1	1	2	3	4	6
35-49	146	3.3	4	1	2	3	4	7	7	35-49	271	2.7	3	1	1	2	3	6	6
50-69	35	3.8	3	2	2	3	5	7	7	50-69	137	4.1	18	1	1	2	5	10	16
70 +	6	15.0								70 +	24	3.8	3						
SUBTOTAL	**577**	**3.7**	**14**	**1**	**2**	**3**	**4**	**7**	**10**		**1197**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**577**	**3.7**	**14**	**1**	**2**	**3**	**4**	**7**	**10**		**1197**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 70: Otitis Media & URI Age 0-17

MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	24	3.3	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**24**	**3.3**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	19	3.3	3						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**19**	**3.3**	**3**						
GRAND TOTAL	**43**	**3.3**	**2**	**1**	**2**	**3**	**5**	**5**	**5**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1709	2.5	3	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1709	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
0-17	2983	2.3	2	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2983	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	4691	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**6**

MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1185	3.1	7	1	2	3	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1185**	**3.1**	**7**	**1**	**2**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2731	2.8	5	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2731**	**2.8**	**5**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**3916**	**2.9**	**6**	**1**	**2**	**2**	**3**	**5**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	953	3.6	7	1	2	3	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	953	**3.6**	**7**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	1743	2.8	4	1	2	2	3	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1743	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**8**
	2696	**3.1**	**5**	**1**	**2**	**2**	**4**	**6**	**9**

DRG 71: Laryngotracheitis

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	6	6.0							
80-84	0								
85 +	0								
SUBTOTAL	6	6.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	1.0							
70-74	0								
75-79	18	2.8	3						
80-84	0								
85 +	0								
SUBTOTAL	24	2.3	3						
GRAND TOTAL	30	3.1	5						

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	310	2.5	3	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	310	2.5	3	1	1	2	3	4	6
0-17	3051	1.5	1	1	1	1	2	3	3
18-34	19	1.0							
35-49	31	3.4	4						
50-69	6	2.0							
70 +	0								
	3106	1.6	1	1	1	1	2	3	3
	3416	1.7	1	1	1	1	2	3	4

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	232	3.0	9	1	1	2	3	5	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	232	3.0	9	1	1	2	3	5	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1408	1.9	2	1	1	2	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1408	1.9	2	1	1	2	2	3	4
GRAND TOTAL	1640	2.1	3	1	1	2	2	4	4

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	146	3.5	11	1	1	2	4	10	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	146	3.5	11	1	1	2	4	10	11
0-17	1414	1.6	1	< 1	1	1	2	2	3
18-34	6	6.0							
35-49	6	4.0							
50-69	0								
70 +	0								
	1426	1.6	1	< 1	1	1	2	3	3
	1572	1.8	2	1	1	1	2	3	4

DRG 72: Nasal Trauma & Deformity

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	11	5.0	18							0-17	23	2.2							
70-74	6	2.0								18-34	71	2.1	1	1	1	2	3	4	4
75-79	13	2.5	2							35-49	24	3.1	4						
80-84	6	1.0								50-69	6	1.0							
85 +	0									70 +	0								
SUBTOTAL	**36**	**2.9**	**8**	**1**	**1**	**2**	**4**	**9**	**9**		**125**	**2.3**	**2**	**1**	**1**	**2**	**3**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	18	1.0								0-17	76	1.1		< 1	< 1	< 1	1	1	2
70-74	19	2.7	3							18-34	36	1.2		< 1	< 1	1	1	2	2
75-79	12	2.9	1							35-49	30	1.0							
80-84	6	9.0								50-69	12	1.5							
85 +	6	6.0								70 +	25	2.3	1						
SUBTOTAL	**61**	**3.2**	**7**	**< 1**	**1**	**2**	**5**	**7**	**9**		**179**	**1.3**		**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**97**	**3.1**	**7**	**1**	**1**	**2**	**4**	**9**	**9**		**304**	**1.7**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	1.0								0-17	0								
18-34	24	3.5	11							18-34	97	1.9	4	1	1	1	2	4	9
35-49	0									35-49	31	1.6	1						
50-69	0									50-69	12	1.5							
70 +	0									70 +	0								
SUBTOTAL	**31**	**3.0**	**10**								**140**	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	28	2.2	6							0-17	59	1.9	1	< 1	< 1	1	3	4	4
18-34	17	2.7	6							18-34	103	1.8	7	< 1	< 1	1	1	3	13
35-49	11	2.0	1							35-49	18	3.0	5						
50-69	0									50-69	18	2.0							
70 +	0									70 +	0								
SUBTOTAL	**56**	**2.3**	**5**	**< 1**	**< 1**	**1**	**3**	**7**	**7**		**198**	**2.0**	**5**	**< 1**	**< 1**	**1**	**2**	**3**	**6**
GRAND TOTAL	**87**	**2.6**	**7**	**< 1**	**< 1**	**1**	**3**	**7**	**9**		**338**	**1.9**	**4**	**< 1**	**1**	**1**	**2**	**3**	**6**

DRG 73: Other Ear, Nose, Mouth & Throat Diagnoses Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	168	4.7	8	2	2	4	6	9	11
70-74	115	6.4	14	2	4	6	8	14	15
75-79	103	4.6	15	1	2	4	7	8	18
80-84	71	6.1	29	1	2	5	8	14	19
85 +	123	5.4	12	2	3	5	6	9	14
SUBTOTAL	**580**	**5.3**	**14**	**2**	**2**	**4**	**7**	**9**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	127	3.2	6	< 1	1	3	4	7	8
70-74	48	2.7	5	1	1	2	5	6	6
75-79	48	2.4	2	1	1	2	3	5	5
80-84	79	3.8	11	1	1	3	5	8	13
85 +	11	2.0	1						
SUBTOTAL	**312**	**3.1**	**6**	**1**	**1**	**3**	**4**	**6**	**8**
GRAND TOTAL	**892**	**4.6**	**13**	**1**	**2**	**4**	**6**	**8**	**12**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	95	4.8	22	1	1	4	5	15	16
35-49	59	3.1	1	2	2	3	3	5	6
50-69	126	6.4	113	1	1	4	7	11	20
70 +	42	18.1	940	3	3	5	11	90	90
	322	**6.9**	**191**	**1**	**2**	**3**	**6**	**11**	**16**
0-17	0								
18-34	253	3.2	10	1	2	2	4	5	8
35-49	225	2.9	4	1	1	2	4	6	7
50-69	155	2.3	2	1	1	2	3	4	4
70 +	17	1.7	1						
	650	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**6**
	973	**4.2**	**71**	**1**	**2**	**3**	**4**	**7**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	42	7.1	40	4	4	5	6	23	23
35-49	48	5.2	17	< 1	2	4	7	15	15
50-69	57	5.4	11	2	2	5	9	10	11
70 +	0								
SUBTOTAL	**146**	**5.8**	**22**	**2**	**3**	**4**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	175	3.3	6	< 1	2	2	4	6	10
35-49	57	3.3	3	1	2	3	5	6	7
50-69	34	4.5	6	1	2	4	7	7	7
70 +	6	1.0							
SUBTOTAL	**272**	**3.4**	**6**	**< 1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**418**	**4.2**	**13**	**1**	**2**	**3**	**6**	**8**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	147	7.1	136	1	2	3	6	12	25
35-49	96	4.9	20	1	2	4	6	11	19
50-69	63	3.2	9	1	1	2	4	6	12
70 +	19	4.0	1						
	325	**5.5**	**71**	**1**	**2**	**3**	**5**	**11**	**19**
0-17	0								
18-34	472	3.7	7	1	2	3	5	7	8
35-49	242	3.3	4	1	1	3	4	7	7
50-69	167	3.3	8	< 1	2	2	4	6	9
70 +	24	2.8	2						
	906	**3.5**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
	1231	**4.0**	**24**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 74: Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	138	2.9	7	1	1	2	3	7	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**138**	**2.9**	**7**	**1**	**1**	**2**	**3**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	1.0								0-17	902	2.0	6	< 1	< 1	1	2	3	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**1.0**									**902**	**2.0**	**6**	**< 1**	**< 1**	**1**	**2**	**3**	**6**
GRAND TOTAL	**6**	**1.0**									**1040**	**2.1**	**6**	**< 1**	**< 1**	**1**	**2**	**4**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	124	2.9	4	1	1	3	4	6	7	0-17	107	4.0	16	1	2	3	4	10	17
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**124**	**2.9**	**4**	**1**	**1**	**3**	**4**	**6**	**7**		**107**	**4.0**	**16**	**1**	**2**	**3**	**4**	**10**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	652	2.9	20	< 1	< 1	1	3	6	9	0-17	480	2.3	6	< 1	1	2	2	4	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**652**	**2.9**	**20**	**< 1**	**< 1**	**1**	**3**	**6**	**9**		**480**	**2.3**	**6**	**< 1**	**1**	**2**	**2**	**4**	**7**
GRAND TOTAL	**775**	**2.9**	**18**	**< 1**	**1**	**2**	**3**	**6**	**8**		**587**	**2.6**	**8**	**< 1**	**1**	**2**	**3**	**5**	**8**

DRG 75: Major Chest Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1766	11.6	86	5	7	9	14	21	28
70-74	1347	11.6	76	5	7	9	14	20	25
75-79	868	12.4	51	6	7	10	15	22	29
80-84	316	12.7	47	6	8	11	16	19	31
85+	80	18.1	89	8	9	19	23	30	37
SUBTOTAL	**4377**	**12.0**	**74**	**5**	**7**	**9**	**14**	**22**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	508	6.4	11	4	4	6	8	9	11
70-74	296	6.9	14	4	5	6	8	10	12
75-79	269	6.8	9	4	5	6	8	10	12
80-84	90	7.5	6	5	6	7	8	10	15
85+	11	5.5							
SUBTOTAL	**1173**	**6.7**	**11**	**4**	**5**	**6**	**8**	**9**	**11**
GRAND TOTAL	**5551**	**10.9**	**65**	**5**	**6**	**8**	**13**	**20**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	177	9.0	58	4	5	8	10	14	47
18-34	293	10.0	54	4	6	7	13	19	24
35-49	709	10.2	50	4	6	8	13	19	22
50-69	2065	9.6	38	5	6	8	11	16	21
70+	154	13.1	54	6	7	12	15	24	24
	3398	**9.9**	**44**	**4**	**6**	**8**	**12**	**17**	**23**
0-17	243	5.3	6	3	4	5	7	8	10
18-34	144	8.6	30	3	4	7	12	18	19
35-49	424	5.8	5	4	4	5	7	8	10
50-69	705	6.3	9	4	4	6	8	9	12
70+	24	7.3	1						
	1540	**6.2**	**10**	**3**	**4**	**6**	**7**	**9**	**12**
	4938	**8.8**	**36**	**4**	**5**	**7**	**10**	**15**	**20**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	101	13.4	85	5	8	12	22	42	99+
18-34	112	16.7	197	6	8	10	21	37	57
35-49	188	17.1	99	6	9	17	25	30	37
50-69	200	16.4	141	5	7	11	24	36	41
70+	12	29.5							
SUBTOTAL	**612**	**16.4**	**131**	**5**	**8**	**12**	**24**	**37**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	102	8.2	42	2	4	7	9	12	32
18-34	53	10.5	74	4	5	6	12	32	32
35-49	53	11.7	210	3	6	7	9	53	53
50-69	126	13.1	221	4	5	8	14	30	48
70+	0	—							
SUBTOTAL	**334**	**11.0**	**144**	**4**	**5**	**7**	**11**	**30**	**46**
GRAND TOTAL	**946**	**14.5**	**142**	**5**	**7**	**9**	**19**	**35**	**42**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	109	12.8	47	6	7	11	17	25	28
18-34	304	13.5	101	5	7	10	18	27	37
35-49	334	13.8	161	5	6	10	17	23	42
50-69	686	10.5	59	4	6	8	11	22	27
70+	103	9.4	24	5	6	8	9	21	21
	1536	**11.9**	**89**	**5**	**6**	**8**	**15**	**23**	**28**
0-17	80	4.3	13	1	1	4	5	8	15
18-34	255	8.4	14	4	6	7	11	13	14
35-49	117	8.4	22	4	5	8	10	17	20
50-69	169	6.9	14	4	5	6	8	11	11
70+	24	7.7	15						
	645	**7.5**	**17**	**4**	**5**	**6**	**10**	**12**	**15**
	2181	**10.6**	**72**	**4**	**6**	**8**	**12**	**21**	**26**

DRG 76: Other Resp System O.R. Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1391	10.4	75	2	5	8	14	21	26
70-74	1118	10.2	67	2	5	9	13	19	27
75-79	1001	10.5	73	2	5	9	12	22	28
80-84	599	11.5	54	4	7	10	16	21	27
85 +	352	13.3	72	5	8	11	15	25	27
SUBTOTAL	**4462**	**10.7**	**70**	**3**	**5**	**9**	**14**	**21**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4462**	**10.7**	**70**	**3**	**5**	**9**	**14**	**21**	**27**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	58	7.9	79	1	2	6	13	32	99 +
18-34	142	7.8	46	1	3	5	15	16	21
35-49	417	8.5	36	2	4	7	12	16	19
50-69	1292	9.1	60	2	4	7	12	17	23
70 +	165	10.1	41	2	5	9	13	21	23
	2074	**8.9**	**54**	**2**	**4**	**7**	**12**	**17**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2074	**8.9**	**54**	**2**	**4**	**7**	**12**	**17**	**23**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	51	6.6	17	1	3	6	11	65	99 +
18-34	116	14.6	153	4	6	14	18	41	69
35-49	196	12.6	138	2	3	10	17	28	42
50-69	294	12.7	79	3	6	11	17	27	31
70 +	48	13.2	88	1	7	8	21	30	30
SUBTOTAL	**704**	**12.6**	**107**	**2**	**5**	**10**	**18**	**28**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**704**	**12.6**	**107**	**2**	**5**	**10**	**18**	**28**	**34**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	24	4.7	6						
18-34	83	10.3	87	4	5	9	12	13	42
35-49	255	9.1	46	2	4	8	11	22	23
50-69	461	8.1	31	1	4	7	12	16	20
70 +	115	9.4	80	2	4	7	11	30	34
	937	**8.6**	**46**	**2**	**4**	**7**	**11**	**17**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	937	**8.6**	**46**	**2**	**4**	**7**	**11**	**17**	**23**

DRG 77: Other Resp System O.R. Procedures w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	144	5.8	43	1	1	2	10	15	18
70-74	106	4.9	7	1	3	5	7	9	10
75-79	110	6.3	40	1	3	5	6	21	25
80-84	31	7.0	3						
85 +	25	14.5	77						
SUBTOTAL	417	6.3	37	1	2	5	8	15	22
GRAND TOTAL	417	6.3	37	1	2	5	8	15	22

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	68	1.8	1	< 1	1	1	3	4	4
18-34	157	4.1	14	1	1	3	7	10	11
35-49	240	3.5	10	1	1	2	6	8	9
50-69	302	3.9	13	1	1	3	5	9	13
70 +	18	9.5	52						
	784	3.8	13	1	1	2	5	9	11
	784	3.8	13	1	1	2	5	9	11

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	74	5.2	50	1	2	2	4	13	27
18-34	62	8.1	13	3	7	8	9	14	15
35-49	102	8.7	48	1	2	6	14	21	21
50-69	94	6.2	31	1	1	6	9	15	18
70 +	6	3.0							
SUBTOTAL	339	7.1	38	1	2	6	10	15	20
GRAND TOTAL	339	7.1	38	1	2	6	10	15	20

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	29	5.3	13						
18-34	71	6.2	45	1	1	4	8	14	25
35-49	100	4.4	25	1	1	3	5	13	21
50-69	162	7.0	41	< 1	2	6	10	18	19
70 +	12	4.9	1						
	375	6.0	35	1	1	4	8	18	19
	375	6.0	35	1	1	4	8	18	19

DRG 78: Pulmonary Embolism

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	982	8.3	12	5	6	8	10	12	14	0-17	12	9.6	7						
70-74	991	8.8	11	5	7	8	11	14	15	18-34	187	8.5	29	5	6	7	10	12	13
75-79	907	9.3	27	5	7	8	10	14	19	35-49	468	8.3	20	5	7	7	9	11	12
80-84	727	9.5	22	6	7	8	11	16	17	50-69	1009	8.5	14	5	6	8	9	13	16
85 +	602	9.8	24	5	7	9	11	14	18	70 +	173	8.3	10	6	7	7	9	12	13
SUBTOTAL	**4209**	**9.1**	**19**	**5**	**7**	**8**	**11**	**14**	**17**		**1850**	**8.4**	**17**	**5**	**6**	**7**	**9**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	323	6.9	6	3	6	7	8	10	10	0-17	18	6.3	2						
70-74	220	6.4	3	4	6	6	7	8	9	18-34	182	6.2	3	4	5	6	7	9	9
75-79	147	7.5	3	5	6	7	9	10	10	35-49	376	6.7	6	3	6	7	8	9	11
80-84	147	7.4	8	4	5	7	9	11	13	50-69	426	6.5	4	4	5	6	8	9	10
85 +	140	6.5	5	4	6	7	7	10	10	70 +	63	6.0	1	5	5	6	7	7	8
SUBTOTAL	**979**	**6.9**	**5**	**4**	**6**	**7**	**8**	**10**	**10**		**1066**	**6.5**	**4**	**4**	**5**	**6**	**8**	**9**	**10**
GRAND TOTAL	**5187**	**8.7**	**17**	**5**	**6**	**8**	**10**	**13**	**15**		**2915**	**7.7**	**13**	**5**	**6**	**7**	**9**	**11**	**13**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	11	11.0	18							0-17	0								
18-34	59	8.1	7	5	6	8	9	12	14	18-34	72	7.0	4	6	6	7	9	9	10
35-49	46	7.6	16	2	4	5	11	13	13	35-49	203	7.8	11	5	6	8	9	11	13
50-69	48	9.9	27	2	6	9	12	20	20	50-69	257	9.4	32	5	6	7	11	15	17
70 +	17	11.7	6							70 +	124	6.8	3	5	6	6	7	9	10
SUBTOTAL	**181**	**8.9**	**17**	**4**	**6**	**9**	**12**	**14**	**15**		**656**	**8.2**	**18**	**5**	**6**	**7**	**9**	**13**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	10.0								0-17	0								
18-34	58	6.9	4	4	5	6	9	10	10	18-34	155	6.6	7	4	5	7	8	9	10
35-49	59	7.8	3	6	7	7	8	10	12	35-49	83	7.8	4	5	6	8	9	11	11
50-69	29	9.3	23							50-69	154	6.5	9	3	5	6	8	12	13
70 +	12	10.9	4							70 +	18	5.4	3						
SUBTOTAL	**165**	**8.0**	**8**	**5**	**6**	**7**	**9**	**12**	**13**		**411**	**6.7**	**7**	**4**	**5**	**7**	**8**	**11**	**12**
GRAND TOTAL	**346**	**8.5**	**13**	**5**	**6**	**8**	**10**	**13**	**15**		**1067**	**7.6**	**14**	**5**	**6**	**7**	**9**	**11**	**15**

DRG 79: Respiratory Infections & Inflammations Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3408	10.0	58	3	5	8	12	18	24
70-74	2485	10.4	71	4	6	8	13	18	24
75-79	3155	9.9	47	4	5	8	12	18	25
80-84	3388	10.3	55	4	5	8	13	19	25
85 +	4159	9.7	36	4	6	8	12	17	22
SUBTOTAL	16595	10.0	52	4	5	8	12	18	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	16595	10.0	52	4	5	8	12	18	23

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	368	7.9	41	3	4	6	10	14	16
35-49	472	9.7	89	3	5	7	11	17	23
50-69	1227	8.9	53	3	4	7	11	15	20
70 +	556	8.4	27	3	5	7	10	14	19
	2622	8.8	53	3	5	7	11	15	20
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2622	8.8	53	3	5	7	11	15	20

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	621	9.9	43	4	5	8	14	20	27
35-49	403	10.1	68	3	5	8	14	20	22
50-69	600	10.2	74	3	5	8	12	20	31
70 +	192	12.0	136	4	5	9	13	19	42
SUBTOTAL	1816	10.3	69	3	5	8	13	20	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1816	10.3	69	3	5	8	13	20	27

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	553	8.0	42	2	4	6	10	16	23
35-49	552	10.2	59	3	5	8	14	21	28
50-69	575	9.0	50	3	4	7	11	16	25
70 +	406	8.7	69	3	4	7	11	14	17
	2085	9.0	55	3	4	7	11	17	24
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2085	9.0	55	3	4	7	11	17	24

DRG 80: Respiratory Infections & Inflammations Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	315	8.1	40	3	4	6	9	19	22	0-17	0									
70-74	205	6.4	6	3	4	6	8	10	11	18-34	203	4.7	4	2	3	5	6	8	8	
75-79	212	6.7	14	3	4	6	8	10	17	35-49	233	6.5	14	2	4	6	8	13	14	
80-84	231	7.7	25	3	5	7	10	15	16	50-69	226	5.3	10	2	3	5	6	8	15	
85 +	430	7.6	58	3	4	6	8	13	17	70 +	71	8.2	30	4	4	6	11	18	19	
SUBTOTAL	**1393**	**7.4**	**34**	**3**	**4**	**6**	**8**	**13**	**17**		**731**	**5.8**	**13**	**2**	**3**	**5**	**7**	**9**	**15**	
GRAND TOTAL	**1393**	**7.4**	**34**	**3**	**4**	**6**	**8**	**13**	**17**		**731**	**5.8**	**13**	**2**	**3**	**5**	**7**	**9**	**15**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	312	7.4	36	3	4	6	9	13	17	18-34	519	6.9	42	2	3	6	8	13	18	
35-49	179	8.1	37	2	3	6	11	18	22	35-49	450	7.6	24	2	4	6	11	14	17	
50-69	86	7.4	16	2	5	8	10	14	15	50-69	249	6.4	14	2	4	6	8	11	13	
70 +	71	6.6	18	2	3	6	10	12	14	70 +	105	5.7	13	3	3	5	7	16	91	
SUBTOTAL	**649**	**7.5**	**32**	**2**	**4**	**6**	**10**	**14**	**17**		**1323**	**7.0**	**29**	**2**	**4**	**6**	**9**	**14**	**16**	
GRAND TOTAL	**649**	**7.5**	**32**	**2**	**4**	**6**	**10**	**14**	**17**		**1323**	**7.0**	**29**	**2**	**4**	**6**	**9**	**14**	**16**	

DRG 81: Respiratory Infections & Inflammations Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	18	5.2	4							0-17	473	6.6	20	2	3	6	10	14	15
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**18**	**5.2**	**4**								**473**	**6.6**	**20**	**2**	**3**	**6**	**10**	**14**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	224	4.8	15	1	2	3	7	11	14
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**224**	**4.8**	**15**	**1**	**2**	**3**	**7**	**11**	**14**
GRAND TOTAL	**18**	**5.2**	**4**								**697**	**6.1**	**19**	**2**	**2**	**5**	**9**	**12**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	558	9.9	96	2	3	8	13	23	39	0-17	140	6.0	10	2	4	5	8	10	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**558**	**9.9**	**96**	**2**	**3**	**8**	**13**	**23**	**39**		**140**	**6.0**	**10**	**2**	**4**	**5**	**8**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	369	7.4	75	2	3	6	8	15	16	0-17	270	4.6	16	1	2	3	7	10	12
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**369**	**7.4**	**75**	**2**	**3**	**6**	**8**	**15**	**16**		**270**	**4.6**	**16**	**1**	**2**	**3**	**7**	**10**	**12**
GRAND TOTAL	**928**	**8.9**	**89**	**2**	**3**	**6**	**11**	**19**	**34**		**410**	**5.0**	**15**	**1**	**2**	**4**	**7**	**10**	**12**

DRG 82: Respiratory Neoplasms

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2006	7.3	43	2	4	5	9	14	19
70-74	1760	8.1	51	2	4	6	10	16	20
75-79	1464	8.0	36	2	4	6	10	16	18
80-84	1007	7.7	36	3	3	6	10	16	22
85 +	516	8.8	61	3	4	7	10	14	20
SUBTOTAL	**6752**	**7.8**	**44**	**2**	**4**	**6**	**10**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	270	5.6	32	1	2	5	7	11	13
70-74	199	7.2	85	2	3	4	8	12	41
75-79	171	7.0	155	1	2	4	6	14	15
80-84	97	5.1	18	1	2	3	6	12	17
85 +	36	5.1	6	3	3	4	8	9	9
SUBTOTAL	**773**	**6.2**	**71**	**1**	**2**	**4**	**7**	**11**	**17**
GRAND TOTAL	**7525**	**7.7**	**47**	**2**	**3**	**6**	**10**	**15**	**19**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	28	2.4	3						
18-34	66	7.8	36	1	3	8	12	18	18
35-49	551	6.8	19	2	3	6	9	12	16
50-69	2068	7.0	41	2	3	5	8	14	20
70 +	205	5.8	10	3	4	5	7	8	12
	2919	**6.8**	**35**	**2**	**3**	**5**	**8**	**14**	**18**
0-17	23	4.6	18						
18-34	13	6.5	7						
35-49	71	3.0	5	< 1	1	2	4	7	8
50-69	427	3.8	10	< 1	1	3	6	8	9
70 +	46	3.3	6	1	1	3	4	7	7
	580	**3.7**	**9**	**< 1**	**1**	**3**	**6**	**8**	**9**
	3498	**6.3**	**32**	**1**	**3**	**5**	**8**	**12**	**18**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	98	8.8	36	3	4	7	12	20	22
35-49	307	8.2	34	3	4	7	11	16	19
50-69	717	9.6	73	2	4	7	13	19	28
70 +	48	4.3	11	< 1	1	3	7	9	9
SUBTOTAL	**1170**	**8.9**	**58**	**2**	**4**	**7**	**12**	**17**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	18	5.5	23						
35-49	68	8.5	50	2	5	6	15	19	25
50-69	205	4.1	9	2	2	3	6	8	13
70 +	6	2.0							
SUBTOTAL	**297**	**5.1**	**23**	**2**	**2**	**4**	**6**	**13**	**15**
GRAND TOTAL	**1467**	**8.2**	**53**	**2**	**3**	**6**	**11**	**17**	**23**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	3.0							
18-34	40	8.5	17	3	3	8	13	14	14
35-49	255	7.5	38	1	3	6	9	18	18
50-69	1075	9.0	72	2	4	6	12	21	24
70 +	214	6.2	19	2	3	5	8	13	18
	1590	**8.4**	**59**	**2**	**3**	**6**	**11**	**18**	**23**
0-17	0								
18-34	6	2.0							
35-49	92	5.6	34	1	2	3	9	14	23
50-69	300	4.1	10	1	2	3	6	9	11
70 +	29	3.2	1						
	426	**4.3**	**15**	**1**	**2**	**3**	**5**	**9**	**12**
	2016	**7.5**	**52**	**1**	**3**	**5**	**9**	**17**	**22**

DRG 83: Major Chest Trauma w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	230	6.3	16	2	3	5	8	14	15	0-17	31	2.4	1						
70-74	208	7.6	47	2	4	6	10	13	16	18-34	175	4.8	13	1	2	4	6	10	12
75-79	153	6.6	37	2	3	4	7	20	21	35-49	397	4.8	11	2	2	4	6	9	11
80-84	288	7.2	23	3	4	6	9	14	17	50-69	422	6.6	18	2	3	6	9	11	13
85 +	362	6.8	21	3	4	5	10	12	18	70 +	247	6.2	24	2	3	5	9	10	16
SUBTOTAL	**1242**	**6.9**	**27**	**3**	**4**	**5**	**9**	**14**	**17**		**1272**	**5.6**	**17**	**2**	**3**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1242**	**6.9**	**27**	**3**	**4**	**5**	**9**	**14**	**17**		**1272**	**5.6**	**17**	**2**	**3**	**5**	**7**	**10**	**13**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	1.0								0-17	29	2.6	7						
18-34	0									18-34	185	5.0	12	1	2	4	8	10	11
35-49	24	9.1	14							35-49	209	5.7	31	2	2	4	7	9	21
50-69	61	4.9	8	1	3	5	7	9	10	50-69	194	5.9	26	2	3	4	7	14	17
70 +	0									70 +	92	5.7	20	2	3	5	7	11	19
SUBTOTAL	**91**	**5.8**	**14**	**1**	**3**	**6**	**8**	**12**	**13**		**710**	**5.5**	**23**	**1**	**2**	**4**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**91**	**5.8**	**14**	**1**	**3**	**6**	**8**	**12**	**13**		**710**	**5.5**	**23**	**1**	**2**	**4**	**7**	**11**	**14**

DRG 84: Major Chest Trauma w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	66	2.6	4	1	1	2	5	5	7
70-74	37	4.2	3	< 1	3	5	6	6	6
75-79	48	2.9	1	2	2	3	3	4	4
80-84	60	3.2	6	1	2	2	4	7	10
85 +	78	4.4	11	1	2	4	6	7	14
SUBTOTAL	**289**	**3.4**	**6**	**1**	**2**	**3**	**4**	**7**	**7**
GRAND TOTAL	**289**	**3.4**	**6**	**1**	**2**	**3**	**4**	**7**	**7**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	11	4.0	4						
18-34	160	2.1	4	< 1	1	1	2	4	7
35-49	308	2.6	3	1	1	2	4	5	6
50-69	222	3.4	6	1	2	3	4	7	8
70 +	115	3.7	11	1	2	2	6	10	11
	816	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**8**
	816	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	11	2.5							
18-34	42	3.9	8	2	2	3	5	10	10
35-49	18	2.0	1						
50-69	6	2.0							
70 +	0								
SUBTOTAL	**77**	**3.1**	**5**	**2**	**2**	**2**	**3**	**5**	**10**
GRAND TOTAL	**77**	**3.1**	**5**	**2**	**2**	**2**	**3**	**5**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	11	1.0							
18-34	90	2.1	1	1	1	2	3	4	5
35-49	101	2.3	4	1	1	1	2	5	7
50-69	76	2.5	2	1	1	3	3	4	5
70 +	12	4.9	4						
	291	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**5**
	291	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**5**

DRG 85: Pleural Effusion w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	491	6.7	97	2	3	4	7	11	19
70-74	462	7.3	44	3	4	5	9	13	15
75-79	443	6.8	32	2	3	5	9	11	17
80-84	423	6.1	14	3	4	5	7	11	13
85 +	404	7.0	24	2	4	5	9	15	18
SUBTOTAL	2222	6.8	44	2	3	5	8	12	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2222	6.8	44	2	3	5	8	12	16

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	17	11.0	66						
18-34	55	6.3	7	3	4	6	7	11	11
35-49	146	8.6	55	2	3	7	11	17	23
50-69	378	7.0	35	2	3	5	9	15	20
70 +	93	7.1	7	4	5	7	8	12	14
	689	7.4	35	2	3	6	9	15	21
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	689	7.4	35	2	3	6	9	15	21

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	5.7	6						
18-34	46	8.0	21	3	4	7	12	16	16
35-49	71	9.5	63	2	4	5	15	19	30
50-69	130	9.4	52	3	4	8	12	20	24
70 +	18	10.6	76						
SUBTOTAL	288	9.0	50	2	4	7	12	20	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	288	9.0	50	2	4	7	12	20	24

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	28	4.4	4						
18-34	94	7.1	10	3	5	7	8	13	13
35-49	121	7.2	76	1	2	4	9	17	25
50-69	104	7.8	68	1	2	6	11	15	37
70 +	75	7.6	11	4	6	7	8	13	14
	422	7.2	43	2	3	6	8	13	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	422	7.2	43	2	3	6	8	13	17

DRG 86: Pleural Effusion w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	83	3.7	7	1	2	3	5	9	10
70-74	53	3.1	5	< 1	2	2	4	8	8
75-79	78	4.0	6	1	2	3	5	8	8
80-84	23	2.8	1						
85 +	30	4.4	1						
SUBTOTAL	**267**	**3.7**	**5**	**1**	**2**	**3**	**5**	**8**	**8**
GRAND TOTAL	**267**	**3.7**	**5**	**1**	**2**	**3**	**5**	**8**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	23	2.9	7						
18-34	24	4.5	5						
35-49	48	2.6	3	1	1	2	4	6	6
50-69	189	3.0	4	1	2	2	4	7	8
70 +	12	3.8	10						
	296	**3.1**	**5**	**1**	**2**	**2**	**4**	**7**	**8**
	296	**3.1**	**5**	**1**	**2**	**2**	**4**	**7**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	8.0							
18-34	24	7.2	10						
35-49	6	2.0							
50-69	39	5.1	10	1	2	5	9	10	10
70 +	6	1.0							
SUBTOTAL	**81**	**5.5**	**11**	**1**	**2**	**5**	**9**	**10**	**11**
GRAND TOTAL	**81**	**5.5**	**11**	**1**	**2**	**5**	**9**	**10**	**11**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	34	4.1	10	< 1	1	3	7	9	9
35-49	46	3.5	7	1	1	2	6	8	8
50-69	92	3.4	4	< 1	2	3	4	7	9
70 +	6	4.0							
	179	**3.6**	**6**	**< 1**	**1**	**3**	**5**	**7**	**9**
	179	**3.6**	**6**	**< 1**	**1**	**3**	**5**	**7**	**9**

DRG 87: Pulmonary Edema & Respiratory Failure

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2323	7.1	26	3	4	6	9	13	16
70-74	1608	8.0	56	2	4	6	10	14	18
75-79	1562	7.5	23	3	4	6	9	13	18
80-84	771	7.7	20	3	5	7	10	14	15
85 +	625	7.3	15	3	4	7	10	14	14
SUBTOTAL	**6890**	**7.5**	**31**	**3**	**4**	**6**	**9**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	103	4.0	21	1	1	3	4	7	20
70-74	61	7.8	123	2	3	3	6	24	41
75-79	48	5.3	9	2	2	5	5	12	12
80-84	61	3.2	3	1	2	3	5	5	6
85 +	48	5.2	11	1	2	4	10	10	10
SUBTOTAL	**321**	**4.9**	**36**	**1**	**2**	**3**	**5**	**10**	**13**
GRAND TOTAL	**7211**	**7.4**	**31**	**3**	**4**	**6**	**9**	**13**	**17**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	9.4	189	1	2	4	37	99 +	99 +
18-34	59	5.4	24	2	3	4	5	14	19
35-49	189	5.6	15	1	2	5	7	13	14
50-69	1103	7.6	54	2	3	5	9	14	18
70 +	304	6.7	18	2	4	5	8	13	15
	1684	**7.1**	**45**	**2**	**3**	**5**	**9**	**14**	**18**
0-17	6	4.0							
18-34	18	2.0	2						
35-49	43	3.9	8	< 1	1	4	7	8	8
50-69	77	3.8	4	1	2	4	4	7	8
70 +	13	5.0							
	156	**3.8**	**5**	**1**	**1**	**4**	**5**	**7**	**8**
	1840	**6.9**	**42**	**2**	**3**	**5**	**8**	**13**	**18**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	83	7.1	57	1	1	4	10	14	30
18-34	35	6.4	10	2	4	6	10	11	11
35-49	142	8.7	65	2	4	6	12	21	28
50-69	323	6.2	22	2	3	5	8	13	16
70 +	25	5.5	3						
SUBTOTAL	**608**	**6.9**	**36**	**2**	**3**	**5**	**9**	**14**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	41	10.9	145	3	3	6	12	38	38
18-34	0								
35-49	6	4.0							
50-69	41	8.5	33	3	4	6	11	21	21
70 +	0								
SUBTOTAL	**88**	**9.3**	**85**	**3**	**4**	**6**	**11**	**21**	**38**
GRAND TOTAL	**696**	**7.2**	**43**	**2**	**3**	**6**	**9**	**14**	**21**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	9.6	70						
18-34	36	3.8	4	< 1	3	3	4	8	8
35-49	66	4.8	10	1	2	5	8	9	10
50-69	377	7.4	42	2	4	5	9	13	21
70 +	128	5.9	9	2	4	6	7	9	12
	620	**6.6**	**32**	**2**	**3**	**5**	**8**	**12**	**17**
0-17	6	1.0							
18-34	6	2.0							
35-49	6	1.0							
50-69	36	4.1	4	< 1	3	4	5	7	7
70 +	29	6.9	58						
	83	**4.5**	**26**	**1**	**2**	**3**	**5**	**7**	**22**
	702	**6.4**	**31**	**2**	**3**	**5**	**7**	**12**	**18**

DRG 88: Chronic Obstructive Pulmonary Disease

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4533	6.5	26	2	3	5	8	13	15
70-74	3765	6.2	22	2	3	5	8	11	15
75-79	2993	7.1	38	2	4	6	9	12	16
80-84	2137	6.7	24	2	3	5	8	12	15
85 +	987	6.5	33	2	3	5	8	12	16
SUBTOTAL	**14415**	**6.6**	**28**	**2**	**3**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3137	4.8	12	2	3	4	6	8	11
70-74	2132	5.0	11	2	3	4	6	9	12
75-79	1739	5.1	10	2	3	4	6	9	11
80-84	1142	4.8	10	2	3	4	6	9	12
85 +	439	5.0	13	2	3	4	6	9	15
SUBTOTAL	**8589**	**4.9**	**11**	**2**	**3**	**4**	**6**	**9**	**11**
GRAND TOTAL	**23004**	**6.0**	**22**	**2**	**3**	**5**	**7**	**11**	**14**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	7.7	10						
18-34	111	6.8	13	2	4	6	10	12	13
35-49	184	5.6	14	2	3	5	7	10	15
50-69	2126	5.8	14	2	3	5	7	11	13
70 +	568	5.7	16	2	3	4	7	12	14
	3019	**5.8**	**14**	**2**	**3**	**5**	**7**	**11**	**13**
0-17	48	1.9	1	< 1	< 1	2	3	3	3
18-34	44	4.6	8	2	3	3	9	9	9
35-49	291	3.8	6	1	2	3	5	8	9
50-69	2080	4.4	7	2	3	4	5	8	10
70 +	383	4.1	6	2	3	3	5	7	10
	2846	**4.3**	**7**	**2**	**2**	**4**	**5**	**8**	**10**
	5865	**5.1**	**11**	**2**	**3**	**4**	**7**	**10**	**12**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	42	4.7	6	2	3	4	6	10	10
18-34	43	5.9	12	2	2	6	9	11	11
35-49	278	7.2	77	2	3	6	7	12	19
50-69	942	6.2	17	2	3	5	8	11	13
70 +	168	4.9	7	2	3	5	7	8	9
SUBTOTAL	**1473**	**6.2**	**27**	**2**	**3**	**5**	**7**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	71	4.8	17	1	1	3	6	13	13
18-34	129	3.7	5	1	2	4	5	6	8
35-49	312	4.4	16	1	2	3	6	8	11
50-69	771	4.6	12	1	3	4	6	9	10
70 +	71	4.6	3	2	4	5	6	7	7
SUBTOTAL	**1353**	**4.5**	**12**	**1**	**2**	**4**	**6**	**8**	**10**
GRAND TOTAL	**2826**	**5.4**	**21**	**2**	**3**	**4**	**7**	**10**	**12**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	35	4.5	14	2	2	3	5	12	12
18-34	93	4.7	8	1	2	4	7	9	10
35-49	241	6.1	22	2	3	5	7	10	15
50-69	1093	4.8	14	2	3	4	6	8	11
70 +	317	6.3	16	2	4	5	9	11	13
	1779	**5.2**	**16**	**2**	**3**	**4**	**7**	**9**	**12**
0-17	40	2.3	1	1	1	2	4	4	4
18-34	167	3.4	7	1	1	3	5	8	9
35-49	326	3.3	5	1	2	3	4	6	7
50-69	1137	3.9	6	1	2	3	5	8	9
70 +	261	4.3	26	1	2	3	5	7	9
	1931	**3.7**	**9**	**1**	**2**	**3**	**5**	**7**	**9**
	3710	**4.4**	**13**	**1**	**2**	**4**	**6**	**8**	**10**

DRG 89: Simple Pneumonia & Pleurisy Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10598	6.7	19	3	4	6	8	12	14	0-17	0								
70-74	9313	6.8	20	3	4	6	8	12	14	18-34	1598	5.3	21	2	3	4	6	9	14
75-79	10763	7.0	17	3	4	6	9	12	15	35-49	2524	5.5	11	2	3	5	7	10	12
80-84	10463	7.4	22	3	4	6	9	12	15	50-69	5944	6.2	15	3	4	5	8	10	13
85 +	12258	7.5	20	3	5	7	9	13	16	70 +	1995	6.3	14	3	4	6	8	11	13
SUBTOTAL	**53395**	**7.1**	**20**	**3**	**4**	**6**	**9**	**12**	**15**		**12061**	**5.9**	**15**	**2**	**3**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**53395**	**7.1**	**20**	**3**	**4**	**6**	**9**	**12**	**15**		**12061**	**5.9**	**15**	**2**	**3**	**5**	**7**	**10**	**13**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	950	6.1	15	2	4	5	8	11	14	18-34	1309	5.6	19	2	3	5	7	10	13
35-49	1088	6.7	27	2	3	5	8	12	17	35-49	1782	5.7	22	2	3	5	7	10	14
50-69	2082	7.1	28	3	4	6	8	13	17	50-69	2484	5.9	21	2	3	5	7	10	13
70 +	535	7.8	39	3	4	6	10	13	16	70 +	1517	6.5	24	2	4	5	9	11	14
SUBTOTAL	**4654**	**6.9**	**27**	**2**	**4**	**6**	**8**	**13**	**17**		**7092**	**5.9**	**22**	**2**	**3**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4654**	**6.9**	**27**	**2**	**4**	**6**	**8**	**13**	**17**		**7092**	**5.9**	**22**	**2**	**3**	**5**	**7**	**10**	**13**

DRG 90: Simple Pneumonia & Pleurisy Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1443	4.5	6	2	3	4	6	7	9	0-17	0								
70-74	1120	4.9	8	2	3	4	6	8	10	18-34	2113	3.5	3	2	2	3	5	6	7
75-79	1258	5.0	6	2	3	5	6	8	10	35-49	2897	4.1	4	2	3	4	5	7	8
80-84	1329	5.4	11	3	3	5	7	9	12	50-69	2296	4.2	5	2	3	4	5	7	8
85 +	1652	5.8	10	2	4	5	7	9	11	70 +	418	4.5	4	2	3	4	6	7	8
SUBTOTAL	**6802**	**5.1**	**8**	**2**	**3**	**5**	**6**	**9**	**10**		**7722**	**4.0**	**4**	**2**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**6802**	**5.1**	**8**	**2**	**3**	**5**	**6**	**9**	**10**		**7722**	**4.0**	**4**	**2**	**3**	**4**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	785	4.4	15	1	2	4	6	7	11	18-34	1777	3.9	5	1	2	3	5	7	8
35-49	409	5.6	13	3	3	5	7	9	15	35-49	1434	4.2	8	2	3	4	5	7	9
50-69	373	5.3	13	2	3	4	7	11	14	50-69	1048	4.8	11	2	3	4	6	9	11
70 +	132	5.5	9	2	3	5	8	9	12	70 +	347	5.1	8	2	3	5	6	9	14
SUBTOTAL	**1698**	**5.0**	**14**	**2**	**3**	**4**	**6**	**9**	**12**		**4605**	**4.3**	**8**	**2**	**3**	**4**	**5**	**8**	**9**
GRAND TOTAL	**1698**	**5.0**	**14**	**2**	**3**	**4**	**6**	**9**	**12**		**4605**	**4.3**	**8**	**2**	**3**	**4**	**5**	**8**	**9**

DRG 91: Simple Pneumonia & Pleurisy Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	57	3.4	4	1	2	3	5	7	8	0-17	4142	3.9	11	2	2	3	4	7	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**57**	**3.4**	**4**	**1**	**2**	**3**	**5**	**7**	**8**		**4142**	**3.9**	**11**	**2**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	55	3.4	4	1	2	4	4	7	7	0-17	7817	3.0	3	1	2	3	4	5	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**55**	**3.4**	**4**	**1**	**2**	**4**	**4**	**7**	**7**		**7817**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**112**	**3.4**	**4**	**1**	**2**	**3**	**5**	**7**	**8**		**11959**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	4122	4.8	16	2	2	4	6	9	12	0-17	2252	4.5	12	1	2	4	6	9	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**4122**	**4.8**	**16**	**2**	**2**	**4**	**6**	**9**	**12**		**2252**	**4.5**	**12**	**1**	**2**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	8647	3.7	7	2	2	3	4	7	9	0-17	4305	3.5	5	1	2	3	4	7	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**8647**	**3.7**	**7**	**2**	**2**	**3**	**4**	**7**	**9**		**4305**	**3.5**	**5**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**12770**	**4.1**	**10**	**2**	**2**	**3**	**5**	**8**	**10**		**6557**	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**10**

DRG 92: Interstitial Lung Disease w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	413	7.3	38	2	3	5	10	15	17	0-17	76	3.9	6	1	2	4	4	8	10
70-74	249	7.5	29	3	4	6	10	14	16	18-34	41	4.7	11	1	1	4	7	11	11
75-79	268	7.3	37	1	3	6	10	15	18	35-49	85	5.1	8	2	3	5	8	8	10
80-84	217	7.0	30	2	3	5	9	18	21	50-69	201	5.6	13	2	3	5	7	11	12
85 +	194	7.7	32	2	4	7	10	15	18	70 +	60	7.5	21	3	4	5	13	14	16
SUBTOTAL	**1341**	**7.3**	**34**	**2**	**4**	**6**	**10**	**15**	**18**		**463**	**5.4**	**13**	**1**	**3**	**5**	**7**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1341**	**7.3**	**34**	**2**	**4**	**6**	**10**	**15**	**18**		**463**	**5.4**	**13**	**1**	**3**	**5**	**7**	**11**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	24	4.4	3							0-17	12	3.4	7						
18-34	58	11.7	215	3	5	6	11	34	55	18-34	53	6.7	16	2	3	5	10	13	13
35-49	111	7.6	21	2	5	7	9	15	19	35-49	88	7.7	58	1	1	6	9	21	29
50-69	88	7.0	18	3	4	5	11	14	16	50-69	92	5.4	18	1	2	5	8	10	17
70 +	29	5.2	25							70 +	36	14.1	224	4	6	9	12	48	48
SUBTOTAL	**309**	**7.7**	**59**	**2**	**4**	**6**	**10**	**14**	**16**		**280**	**7.4**	**63**	**1**	**3**	**6**	**10**	**13**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**309**	**7.7**	**59**	**2**	**4**	**6**	**10**	**14**	**16**		**280**	**7.4**	**63**	**1**	**3**	**6**	**10**	**13**	**21**

DRG 93: Interstitial Lung Disease w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	73	6.1	38	1	3	4	6	13	23	0-17	50	3.0	4	1	1	2	3	7	7
70-74	50	8.0	91	< 1	3	3	9	33	33	18-34	42	3.9	3	1	3	4	5	6	6
75-79	53	5.7	12	1	4	4	9	11	11	35-49	117	4.3	5	2	3	4	6	7	9
80-84	37	5.0	6	3	3	3	7	9	9	50-69	56	2.8	5	1	1	2	4	8	8
85 +	29	5.2	6							70 +	17	5.3	2						
SUBTOTAL	**242**	**6.1**	**35**	**2**	**3**	**4**	**8**	**11**	**17**		**281**	**3.7**	**5**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**242**	**6.1**	**35**	**2**	**3**	**4**	**8**	**11**	**17**		**281**	**3.7**	**5**	**1**	**2**	**3**	**5**	**7**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	59	4.0	6	1	2	3	7	7	7	0-17	23	6.5	3						
18-34	28	5.6	6							18-34	34	3.2	10	< 1	1	2	3	10	10
35-49	39	9.0	31	2	4	8	15	18	18	35-49	70	4.5	9	2	2	3	6	9	11
50-69	17	5.7	12							50-69	75	5.7	65	2	2	3	6	8	33
70 +	6	7.0								70 +	18	5.5	28						
SUBTOTAL	**149**	**5.9**	**17**	**2**	**2**	**6**	**7**	**11**	**15**		**219**	**5.0**	**30**	**1**	**2**	**3**	**6**	**10**	**13**
GRAND TOTAL	**149**	**5.9**	**17**	**2**	**2**	**6**	**7**	**11**	**15**		**219**	**5.0**	**30**	**1**	**2**	**3**	**6**	**10**	**13**

DRG 94: Pneumothorax w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	395	7.2	30	3	4	6	8	12	14
70-74	436	8.5	45	3	4	6	10	17	22
75-79	263	7.2	26	2	4	6	9	16	18
80-84	233	9.4	45	4	6	7	10	17	28
85 +	178	9.0	30	4	5	8	11	18	21
SUBTOTAL	**1505**	**8.1**	**37**	**3**	**4**	**6**	**10**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1505**	**8.1**	**37**	**3**	**4**	**6**	**10**	**16**	**21**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	67	4.6	4	2	3	5	6	7	8
18-34	268	5.9	20	2	3	5	7	10	13
35-49	330	5.3	7	2	3	5	7	9	11
50-69	426	6.2	16	3	4	5	7	12	16
70 +	100	8.2	25	3	4	7	12	15	19
	1191	**6.0**	**15**	**2**	**3**	**5**	**7**	**12**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1191	**6.0**	**15**	**2**	**3**	**5**	**7**	**12**	**14**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	53	8.5	41	1	3	10	10	22	22
18-34	173	6.9	32	3	3	5	8	19	22
35-49	65	6.9	12	4	5	5	9	13	14
50-69	65	8.3	96	1	2	6	9	12	38
70 +	0								
SUBTOTAL	**356**	**7.4**	**41**	**3**	**3**	**5**	**9**	**14**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**356**	**7.4**	**41**	**3**	**3**	**5**	**9**	**14**	**22**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	86	5.8	10	2	4	4	9	9	14
18-34	617	5.8	30	2	3	4	7	12	15
35-49	337	6.2	31	2	4	5	7	9	20
50-69	197	6.5	16	3	3	5	9	14	14
70 +	61	4.9	8	2	2	4	8	9	10
	1298	**6.0**	**26**	**2**	**3**	**4**	**7**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1298	**6.0**	**26**	**2**	**3**	**4**	**7**	**11**	**14**

DRG 95: Pneumothorax w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	121	3.6	3	2	2	3	5	6	7
70-74	66	4.1	9	1	2	3	6	8	11
75-79	66	4.7	8	2	2	4	6	9	11
80-84	19	6.0	3						
85 +	43	4.9	6	2	3	4	8	9	9
SUBTOTAL	**315**	**4.3**	**6**	**2**	**2**	**4**	**6**	**8**	**9**
GRAND TOTAL	**315**	**4.3**	**6**	**2**	**2**	**4**	**6**	**8**	**9**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	224	3.2	4	1	1	3	4	6	8
18-34	753	3.7	6	1	2	3	5	7	9
35-49	517	3.7	7	1	2	3	4	7	9
50-69	249	4.1	18	1	2	3	4	7	9
70 +	18	4.0	1						
	1761	**3.7**	**8**	**1**	**2**	**3**	**4**	**7**	**9**
	1761	**3.7**	**8**	**1**	**2**	**3**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	106	4.1	6	1	3	4	6	9	10
18-34	291	4.9	54	2	3	3	5	7	13
35-49	76	4.9	5	2	4	5	6	8	9
50-69	23	5.2	2						
70 +	0								
SUBTOTAL	**496**	**4.8**	**34**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**496**	**4.8**	**34**	**2**	**3**	**4**	**5**	**7**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	196	4.1	8	1	2	3	5	8	9
18-34	1463	3.9	8	1	2	3	5	7	9
35-49	391	4.9	11	2	3	4	6	9	11
50-69	72	3.9	6	2	3	3	4	6	11
70 +	18	5.0	1						
	2140	**4.1**	**8**	**1**	**2**	**4**	**5**	**8**	**10**
	2140	**4.1**	**8**	**1**	**2**	**4**	**5**	**8**	**10**

DRG 96: Bronchitis & Asthma Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	7333	5.9	17	2	3	5	7	10	13	0-17	0								
70-74	5076	6.2	19	2	3	5	8	11	14	18-34	1057	4.2	11	1	2	3	5	9	11
75-79	4687	6.1	14	2	3	5	8	11	14	35-49	1649	4.2	11	1	2	3	5	7	10
80-84	3360	5.9	14	2	3	5	7	10	13	50-69	3644	5.3	23	2	3	4	7	9	11
85+	2517	6.0	14	3	4	5	8	10	13	70+	630	4.7	7	2	3	4	6	9	10
SUBTOTAL	**22974**	**6.0**	**16**	**2**	**3**	**5**	**7**	**11**	**13**		**6979**	**4.8**	**17**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**22974**	**6.0**	**16**	**2**	**3**	**5**	**7**	**11**	**13**		**6979**	**4.8**	**17**	**2**	**3**	**4**	**6**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	606	4.6	29	2	2	3	6	8	9	18-34	844	4.0	13	1	2	3	5	8	12
35-49	829	4.7	20	2	2	4	5	8	11	35-49	1210	4.2	14	1	2	3	5	8	10
50-69	1415	5.1	13	2	3	4	7	9	11	50-69	1933	4.4	11	2	3	4	5	7	9
70+	231	4.9	8	1	3	4	6	9	11	70+	488	5.1	10	2	3	4	6	10	12
SUBTOTAL	**3081**	**4.9**	**17**	**2**	**3**	**4**	**6**	**9**	**11**		**4475**	**4.4**	**12**	**2**	**2**	**4**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3081**	**4.9**	**17**	**2**	**3**	**4**	**6**	**9**	**11**		**4475**	**4.4**	**12**	**2**	**2**	**4**	**5**	**8**	**10**

DRG 97: Bronchitis & Asthma Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1700	3.9	7	1	2	4	5	7	8	0-17	0								
70-74	910	3.9	6	1	2	3	5	7	9	18-34	3007	2.9	3	1	2	3	4	5	6
75-79	755	4.6	8	1	3	4	6	8	9	35-49	3182	3.0	3	1	2	3	4	5	6
80-84	488	4.0	6	2	2	3	5	7	8	50-69	2236	3.5	5	1	2	3	4	6	8
85+	418	4.5	5	2	3	4	6	8	9	70+	266	4.3	8	2	2	4	6	8	9
SUBTOTAL	**4271**	**4.1**	**7**	**1**	**2**	**4**	**5**	**7**	**9**		**8691**	**3.1**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**4271**	**4.1**	**7**	**1**	**2**	**4**	**5**	**7**	**9**		**8691**	**3.1**	**4**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	1307	2.8	4	1	1	2	3	6	6	18-34	2539	2.7	3	1	1	2	3	5	6
35-49	759	3.4	4	1	2	3	4	6	8	35-49	2099	3.0	3	1	2	3	4	6	7
50-69	610	3.9	8	1	2	3	5	8	10	50-69	1327	3.4	5	1	2	3	4	6	7
70+	128	2.7	2	1	1	3	4	5	5	70+	189	4.2	24	1	2	3	4	6	12
SUBTOTAL	**2804**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**8**		**6153**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**2804**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**8**		**6153**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**7**

DRG 98: Bronchitis & Asthma Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	19	4.3	4						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**19**	**4.3**	**4**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	87	2.1	1	1	1	2	3	4	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**87**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**106**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**7**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	3428	3.2	7	1	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3428	**3.2**	**7**	**1**	**2**	**3**	**4**	**6**	**7**
0-17	16485	2.4	3	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	16485	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	19913	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	3568	4.0	11	1	2	3	5	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3568**	**4.0**	**11**	**1**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	14318	2.9	5	1	2	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**14318**	**2.9**	**5**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**17886**	**3.1**	**7**	**1**	**2**	**3**	**4**	**6**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1646	3.3	5	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1646	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**8**
0-17	7860	2.5	2	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	7860	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	9506	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 99: Respiratory Signs & Symptoms w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	1729	3.8	11	1	2	3	5	8	10	0-17	307	4.1	11	1	2	3	5	8	11	
70-74	1077	3.8	8	1	2	3	5	7	10	18-34	139	1.9	2	1	1	1	2	4	4	
75-79	1006	4.2	10	1	2	3	5	8	11	35-49	443	2.5	4	1	1	2	3	5	7	
80-84	628	4.0	10	1	2	3	5	8	10	50-69	964	3.2	9	1	1	2	4	6	9	
85 +	543	4.0	6	1	2	4	5	7	9	70 +	221	3.6	5	1	2	3	4	7	10	
SUBTOTAL	**4984**	**3.9**	**9**	**1**	**2**	**3**	**5**	**8**	**10**		**2074**	**3.2**	**8**	**1**	**1**	**2**	**4**	**6**	**9**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**4984**	**3.9**	**9**	**1**	**2**	**3**	**5**	**8**	**10**		**2074**	**3.2**	**8**	**1**	**1**	**2**	**4**	**6**	**9**	

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	355	4.8	23	1	2	3	5	9	14	0-17	125	3.5	9	1	2	2	4	8	11	
18-34	54	2.7	16	1	1	1	2	14	14	18-34	143	2.7	7	1	1	2	3	4	5	
35-49	164	4.6	58	1	2	3	4	6	21	35-49	264	2.9	5	1	1	2	4	5	7	
50-69	338	3.4	8	1	2	3	4	7	11	50-69	457	3.9	17	1	2	3	5	7	11	
70 +	47	5.2	11	2	3	4	6	13	13	70 +	149	3.5	4	1	2	3	5	7	7	
SUBTOTAL	**957**	**4.2**	**23**	**1**	**2**	**3**	**5**	**8**	**13**		**1138**	**3.4**	**11**	**1**	**2**	**3**	**4**	**7**	**8**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**957**	**4.2**	**23**	**1**	**2**	**3**	**5**	**8**	**13**		**1138**	**3.4**	**11**	**1**	**2**	**3**	**4**	**7**	**8**	

DRG 100: Respiratory Signs & Symptoms w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	776	1.9	2	1	1	2	2	3	4	0-17	798	2.0	2	1	1	2	3	4	5
70-74	528	2.3	2	1	1	2	3	4	5	18-34	412	1.7	2	1	1	1	2	3	3
75-79	300	2.4	2	1	1	2	3	4	4	35-49	1559	1.7	1	1	1	1	2	3	4
80-84	206	2.1	2	1	1	2	2	4	5	50-69	1527	1.8	2	1	1	1	2	3	4
85 +	163	2.5	3	1	1	2	3	5	5	70 +	110	2.3	4	< 1	1	2	2	4	9
SUBTOTAL	**1973**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**4406**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1973**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**4406**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1075	2.6	7	1	1	2	3	5	8	0-17	402	2.8	9	1	1	2	3	5	7
18-34	83	1.9	2	< 1	1	1	2	5	6	18-34	213	2.3	2	1	1	2	3	4	6
35-49	155	1.6	1	< 1	1	1	2	3	3	35-49	563	2.4	8	1	1	1	2	5	9
50-69	244	2.3	2	1	1	2	3	5	5	50-69	594	2.2	3	1	1	2	3	5	6
70 +	29	3.0	2							70 +	48	1.1		< 1	1	1	1	2	2
SUBTOTAL	**1585**	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**6**		**1821**	**2.4**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**1585**	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**6**		**1821**	**2.4**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 101: Other Respiratory System Diagnoses w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	966	5.6	16	2	3	5	7	12	14	0-17	259	4.3	24	1	1	3	5	8	9
70-74	677	5.7	14	2	3	5	8	11	12	18-34	350	3.7	6	1	2	3	5	8	9
75-79	635	5.7	19	2	3	4	8	11	14	35-49	626	4.3	8	1	2	4	6	8	10
80-84	508	6.7	104	2	3	4	8	11	15	50-69	870	5.3	14	1	2	4	8	10	11
85+	492	5.8	13	2	3	5	8	11	12	70+	249	4.9	11	1	2	4	6	10	12
SUBTOTAL	**3278**	**5.9**	**29**	**2**	**3**	**5**	**8**	**11**	**14**		**2354**	**4.6**	**12**	**1**	**2**	**4**	**7**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3278**	**5.9**	**29**	**2**	**3**	**5**	**8**	**11**	**14**		**2354**	**4.6**	**12**	**1**	**2**	**4**	**7**	**9**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	250	7.3	128	1	2	4	7	19	43	0-17	108	3.2	9	1	1	2	4	6	14
18-34	109	4.7	24	1	1	3	7	14	19	18-34	366	4.0	14	1	2	3	5	8	10
35-49	93	5.5	9	2	3	5	7	10	13	35-49	287	3.9	14	1	2	3	4	9	13
50-69	110	4.8	19	1	2	3	6	11	19	50-69	250	6.5	49	1	2	4	7	15	16
70+	42	5.3	12	1	2	6	6	12	12	70+	98	4.2	5	2	3	4	5	7	10
SUBTOTAL	**604**	**6.0**	**64**	**1**	**2**	**4**	**7**	**13**	**19**		**1109**	**4.5**	**22**	**1**	**2**	**3**	**5**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**604**	**6.0**	**64**	**1**	**2**	**4**	**7**	**13**	**19**		**1109**	**4.5**	**22**	**1**	**2**	**3**	**5**	**10**	**14**

DRG 102: Other Respiratory System Diagnoses w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	221	2.7	3	1	1	2	4	6	7	0-17	764	1.9	3	< 1	1	1	2	3	4
70-74	133	3.5	5	1	2	3	5	6	8	18-34	232	2.4	6	1	1	2	2	6	9
75-79	97	2.7	2	1	2	2	4	5	5	35-49	411	2.2	2	1	1	2	3	5	5
80-84	84	4.3	5	1	2	5	6	7	9	50-69	413	3.0	6	1	1	2	4	6	7
85 +	117	4.4	8	2	2	4	5	8	12	70 +	86	2.9	8	< 1	1	1	4	8	10
SUBTOTAL	**652**	**3.4**	**5**	**1**	**2**	**3**	**5**	**6**	**7**		**1905**	**2.3**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**652**	**3.4**	**5**	**1**	**2**	**3**	**5**	**6**	**7**		**1905**	**2.3**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	487	2.0	2	1	1	1	3	5	5	0-17	381	2.5	7	< 1	1	1	3	5	7
18-34	71	6.1	106	< 1	1	2	8	11	39	18-34	342	2.1	2	1	1	2	2	4	4
35-49	81	3.8	16	1	1	2	4	10	15	35-49	260	2.9	7	1	1	2	3	6	9
50-69	64	4.9	56	1	1	3	4	8	28	50-69	217	2.1	2	1	1	2	2	4	6
70 +	11	2.0	1							70 +	59	6.6	159	1	1	2	5	22	45
SUBTOTAL	**714**	**2.9**	**21**	**1**	**1**	**1**	**3**	**6**	**10**		**1260**	**2.6**	**13**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**714**	**2.9**	**21**	**1**	**1**	**1**	**3**	**6**	**10**		**1260**	**2.6**	**13**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 103: Heart Transplant

MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	34	15.3	57	9	10	13	16	31	31	0-17	11	23.5	62						
70-74	0									18-34	0								
75-79	0									35-49	17	14.0	6						
80-84	0									50-69	67	13.8	24	9	10	12	19	21	22
85 +	0									70 +	0								
SUBTOTAL	**34**	**15.3**	**57**	**9**	**10**	**13**	**16**	**31**	**31**		**95**	**14.9**	**34**	**9**	**11**	**14**	**17**	**22**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	6	10.0							
75-79	0									35-49	6	16.0							
80-84	0									50-69	17	12.0	5						
85 +	0									70 +	0								
SUBTOTAL	**0**										**28**	**12.4**	**7**						
GRAND TOTAL	**34**	**15.3**	**57**	**9**	**10**	**13**	**16**	**31**	**31**		**123**	**14.4**	**29**	**10**	**10**	**14**	**17**	**21**	**24**

MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	6	16.0							
35-49	6	14.0								35-49	0								
50-69	6	78.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**11**	**46.0**	**1124**								**6**	**16.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	6	17.0								18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**6**	**17.0**									**0**								
GRAND TOTAL	**17**	**36.3**	**924**								**6**	**16.0**							

DRG 104: Cardiac Valve Procedures w/ Cardiac Cath

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	759	16.7	117	8	11	14	18	30	35	0-17	45	18.9	121	6	9	17	28	40	40
70-74	637	16.6	66	8	11	15	20	29	31	18-34	17	11.3	19						
75-79	629	17.6	111	8	11	14	20	29	41	35-49	145	20.3	203	8	10	16	23	48	49
80-84 -	203	18.3	71	10	13	15	21	28	33	50-69	765	15.4	68	8	10	13	19	25	32
85 +	47	19.9	113	9	11	16	24	44	44	70 +	115	13.7	14	9	12	14	16	18	22
SUBTOTAL	**2274**	**17.1**	**97**	**9**	**11**	**15**	**20**	**29**	**34**		**1087**	**16.0**	**85**	**8**	**10**	**13**	**19**	**27**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	59	16.5	46	8	10	16	22	26	30	0-17	6	10.0							
70-74	59	10.1	17	3	8	11	11	16	17	18-34	23	8.2	12						
75-79	50	10.8	5	7	9	12	12	14	14	35-49	28	8.6	6						
80-84	25	11.8	5							50-69	106	9.4	9	7	8	8	11	16	17
85 +	18	12.1	9							70 +	6	15.0							
SUBTOTAL	**210**	**12.4**	**27**	**8**	**10**	**11**	**15**	**21**	**22**		**168**	**9.3**	**9**	**6**	**7**	**8**	**11**	**15**	**16**
GRAND TOTAL	**2485**	**16.7**	**93**	**8**	**11**	**14**	**20**	**28**	**34**		**1255**	**15.1**	**80**	**8**	**9**	**12**	**18**	**24**	**36**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	34	23.5	355	8	9	23	32	60	60	0-17	22	14.8	12						
18-34	46	20.2	67	8	11	23	26	31	31	18-34	34	15.0	123	7	8	11	14	39	39
35-49	51	24.6	253	8	11	21	37	50	50	35-49	81	26.4	309	9	9	21	39	54	66
50-69	91	27.3	373	10	17	20	47	77	99 +	50-69	283	14.3	43	7	9	13	19	25	27
70 +	6	26.0								70 +	76	11.8	31	7	8	9	16	22	22
SUBTOTAL	**228**	**24.7**	**276**	**9**	**13**	**22**	**31**	**58**	**72**		**496**	**15.9**	**110**	**7**	**9**	**13**	**19**	**27**	**39**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	22	10.8	49							0-17	0								
18-34	6	6.0								18-34	0								
35-49	6	14.0								35-49	23	7.2	6						
50-69	0									50-69	41	8.1	3	6	7	8	10	11	11
70 +	11	26.0	10							70 +	6	7.0							
SUBTOTAL	**45**	**14.4**	**77**	**1**	**7**	**14**	**21**	**29**	**29**		**70**	**7.7**	**4**	**6**	**6**	**7**	**9**	**10**	**11**
GRAND TOTAL	**273**	**23.0**	**257**	**8**	**11**	**20**	**27**	**50**	**62**		**566**	**14.9**	**104**	**7**	**8**	**12**	**19**	**27**	**39**

DRG 105: Cardiac Valve Procedures w/o Cardiac Cath

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	992	11.7	41	7	8	10	13	18	24	0-17	210	13.7	294	5	7	8	12	43	97
70-74	703	11.9	59	7	8	10	13	19	27	18-34	98	12.0	56	7	7	8	13	27	28
75-79	506	12.2	31	8	9	10	14	20	24	35-49	368	9.5	18	6	7	8	11	14	23
80-84	247	11.8	19	7	8	11	14	19	21	50-69	952	10.7	35	6	7	9	11	18	23
85 +	41	10.7	3	8	9	11	12	14	14	70 +	109	10.8	9	7	9	10	13	15	16
SUBTOTAL	**2489**	**11.9**	**41**	**7**	**8**	**10**	**13**	**19**	**23**		**1737**	**10.9**	**64**	**6**	**7**	**9**	**11**	**18**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	92	8.6	8	6	7	8	9	14	16	0-17	79	6.7	2	5	5	7	8	8	9
70-74	85	8.5	2	7	7	8	9	11	11	18-34	28	7.0	1						
75-79	78	9.6	3	7	8	10	11	11	13	35-49	51	12.2	122	7	7	8	10	43	43
80-84	59	11.9	20	7	9	11	14	20	22	50-69	140	7.9	3	6	6	8	9	10	10
85 +	0									70 +	29	8.6	1						
SUBTOTAL	**314**	**9.4**	**9**	**7**	**8**	**8**	**11**	**13**	**16**		**327**	**8.3**	**24**	**6**	**7**	**8**	**8**	**10**	**12**
GRAND TOTAL	**2802**	**11.6**	**38**	**7**	**8**	**10**	**13**	**18**	**23**		**2063**	**10.5**	**58**	**6**	**7**	**8**	**11**	**16**	**23**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	67	11.2	46	6	7	8	14	25	25	0-17	79	9.6	21	6	7	8	9	16	22
18-34	74	12.8	29	7	8	11	16	20	24	18-34	86	10.0	34	6	6	8	11	16	29
35-49	93	14.9	131	7	8	10	16	40	47	35-49	167	13.3	106	6	7	9	14	26	27
50-69	125	15.4	356	7	7	10	12	21	48	50-69	385	10.6	38	6	7	8	11	18	23
70 +	22	22.0	53							70 +	87	12.3	65	6	7	9	14	22	36
SUBTOTAL	**382**	**14.4**	**171**	**7**	**8**	**11**	**16**	**25**	**40**		**804**	**11.2**	**54**	**6**	**7**	**9**	**12**	**19**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	8.0								0-17	17	16.0	120						
18-34	18	8.3	4							18-34	22	8.5	8						
35-49	17	18.7	50							35-49	73	10.5	42	5	6	8	12	15	30
50-69	28	14.0	51							50-69	99	8.2	3	6	7	8	9	11	12
70 +	0									70 +	6	8.0							
SUBTOTAL	**68**	**13.2**	**50**	**7**	**7**	**11**	**21**	**24**	**27**		**217**	**9.6**	**30**	**5**	**7**	**8**	**10**	**13**	**30**
GRAND TOTAL	**450**	**14.2**	**153**	**7**	**8**	**11**	**16**	**25**	**40**		**1020**	**10.9**	**49**	**6**	**7**	**9**	**12**	**19**	**27**

DRG 106: Coronary Bypass w/ Cardiac Cath

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3428	12.3	31	7	9	11	14	18	23
70-74	2761	13.6	63	8	9	11	15	21	29
75-79	1829	14.4	53	8	10	13	16	22	28
80-84	658	16.1	101	8	10	14	19	26	35
85 +	100	13.4	12	9	13	13	15	18	23
SUBTOTAL	**8776**	**13.5**	**52**	**8**	**9**	**12**	**15**	**21**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	840	10.0	12	7	8	9	12	13	16
70-74	576	10.6	14	7	8	10	12	14	21
75-79	358	9.9	9	7	8	9	11	14	17
80-84	103	12.5	20	7	10	12	15	21	22
85 +	24	12.2	5						
SUBTOTAL	**1901**	**10.3**	**13**	**7**	**8**	**10**	**12**	**14**	**17**
GRAND TOTAL	**10677**	**12.9**	**46**	**7**	**9**	**11**	**15**	**20**	**24**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	17	17.7	80						
35-49	953	9.6	13	6	7	8	11	14	19
50-69	4103	11.4	24	7	8	10	13	17	20
70 +	455	13.1	42	8	9	11	14	23	29
	5528	**11.2**	**24**	**7**	**8**	**10**	**13**	**17**	**20**
0-17	0								
18-34	18	7.7	2						
35-49	315	9.1	5	6	7	9	10	12	13
50-69	1009	9.7	11	6	7	9	12	14	16
70 +	77	10.4	4	8	9	10	11	14	14
	1419	**9.6**	**9**	**6**	**7**	**9**	**11**	**14**	**16**
	6947	**10.9**	**22**	**7**	**8**	**10**	**13**	**16**	**19**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	12	8.1	1						
35-49	90	16.3	158	7	7	11	25	34	51
50-69	369	19.6	188	8	11	15	25	39	46
70 +	30	15.1	102						
SUBTOTAL	**501**	**18.5**	**177**	**7**	**9**	**15**	**23**	**38**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	11	11.0	4						
50-69	70	19.1	135	9	9	13	27	39	44
70 +	6	19.0							
SUBTOTAL	**87**	**18.1**	**117**	**9**	**9**	**13**	**21**	**- 39**	**44**
GRAND TOTAL	**588**	**18.4**	**168**	**7**	**9**	**14**	**23**	**38**	**46**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	12	9.8	22						
35-49	277	9.3	23	5	6	8	12	14	14
50-69	1542	10.9	37	6	7	9	12	17	22
70 +	341	11.1	22	7	8	10	13	16	20
	2172	**10.7**	**33**	**6**	**7**	**9**	**12**	**17**	**22**
0-17	0								
18-34	11	10.5	13						
35-49	77	10.4	47	6	7	8	10	18	32
50-69	294	9.7	25	6	7	8	10	17	22
70 +	30	9.8	1						
	412	**9.8**	**27**	**6**	**7**	**8**	**10**	**18**	**22**
	2584	**10.6**	**32**	**6**	**7**	**9**	**12**	**17**	**22**

DRG 107: Coronary Bypass w/o Cardiac Cath

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	2347	9.9	28	6	7	8	11	15	19	0-17	0									
70-74	1742	10.3	28	7	7	9	11	15	17	18-34	41	7.6	2	6	7	7	8	11	11	
75-79	1090	10.9	28	7	8	9	12	15	20	35-49	751	7.7	6	5	6	7	8	11	13	
80-84	372	12.3	36	8	9	10	14	20	27	50-69	3475	8.8	12	6	7	8	10	12	14	
85 +	41	12.1	17	8	9	11	15	20	20	70 +	377	10.1	30	7	7	8	10	17	25	
SUBTOTAL	**5592**	**10.4**	**29**	**7**	**8**	**9**	**11**	**15**	**20**		**4645**	**8.7**	**13**	**6**	**7**	**8**	**10**	**12**	**15**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	530	7.8	3	6	6	8	9	10	11	0-17	0									
70-74	411	7.8	3	6	7	8	8	10	10	18-34	0									
75-79	167	8.7	6	6	7	8	10	13	13	35-49	210	7.0	2	5	6	7	8	9	9	
80-84	59	10.7	14	7	8	10	12	17	18	50-69	940	7.6	4	6	6	7	8	9	10	
85 +	12	8.0								70 +	34	6.5	3	4	4	8	8	8	8	
SUBTOTAL	**1180**	**8.0**	**4**	**6**	**7**	**8**	**9**	**11**	**12**		**1184**	**7.4**	**3**	**6**	**6**	**7**	**8**	**9**	**10**	
GRAND TOTAL	**6773**	**10.0**	**25**	**7**	**7**	**9**	**11**	**14**	**18**		**5829**	**8.5**	**11**	**6**	**7**	**8**	**9**	**11**	**14**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	12	11.2	33							18-34	24	7.7	10							
35-49	99	8.4	19	6	6	7	9	12	25	35-49	163	8.9	19	5	7	8	9	17	17	
50-69	298	10.4	28	7	7	9	10	18	26	50-69	965	8.7	21	5	6	8	10	13	17	
70 +	41	13.0	31	5	7	11	19	20	20	70 +	144	8.5	10	5	7	8	10	12	12	
SUBTOTAL	**450**	**10.2**	**28**	**6**	**7**	**9**	**11**	**19**	**25**		**1296**	**8.7**	**20**	**5**	**6**	**8**	**10**	**13**	**17**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	41	6.5	8	1	5	7	8	11	11	35-49	58	8.8	36	4	6	7	10	18	26	
50-69	57	9.9	17	5	8	9	12	17	20	50-69	297	8.6	30	4	5	6	11	17	18	
70 +	17	19.0	90							70 +	12	7.9	4							
SUBTOTAL	**115**	**10.0**	**40**	**5**	**6**	**8**	**12**	**19**	**28**		**367**	**8.6**	**30**	**4**	**5**	**6**	**10**	**17**	**19**	
GRAND TOTAL	**565**	**10.2**	**30**	**6**	**7**	**9**	**11**	**19**	**25**		**1663**	**8.7**	**22**	**5**	**6**	**8**	**10**	**13**	**17**	

DRG 108: Other Cardiothoracic Procedures

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	338	11.8	53	7	8	10	12	15	30
70-74	251	14.7	80	8	9	13	17	23	31
75-79	158	13.5	92	7	9	11	15	21	22
80-84	18	13.5	8						
85 +	6	13.0							
SUBTOTAL	**771**	**13.1**	**70**	**7**	**8**	**11**	**15**	**20**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	61	7.9	3	6	6	8	9	10	10
70-74	53	11.1	42	6	7	8	12	26	28
75-79	18	11.4	27						
80-84	0								
85 +	0								
SUBTOTAL	**132**	**9.7**	**24**	**6**	**7**	**8**	**10**	**15**	**19**
GRAND TOTAL	**903**	**12.6**	**65**	**7**	**8**	**10**	**15**	**19**	**29**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	883	12.4	117	5	6	9	14	28	39
18-34	46	7.0	2	5	6	7	8	9	9
35-49	222	11.4	70	5	6	9	11	24	37
50-69	500	9.1	30	6	6	7	10	14	22
70 +	31	15.6	37						
	1682	**11.2**	**83**	**5**	**6**	**8**	**11**	**22**	**34**
0-17	758	7.1	9	5	5	6	8	10	12
18-34	31	5.2	1						
35-49	93	8.0	10	5	6	7	9	14	17
50-69	53	8.4	7	6	6	7	10	14	14
70 +	0								
	935	**7.2**	**9**	**5**	**6**	**7**	**8**	**10**	**14**
	2617	**9.8**	**60**	**5**	**6**	**7**	**10**	**17**	**28**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	561	13.6	80	6	7	11	17	23	35
18-34	11	9.0	4						
35-49	29	15.1	74						
50-69	64	16.8	208	6	8	13	25	29	57
70 +	6	17.0							
SUBTOTAL	**672**	**13.9**	**91**	**6**	**7**	**11**	**17**	**24**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	461	7.5	10	5	6	7	8	11	15
18-34	18	7.0	1						
35-49	12	7.0							
50-69	17	9.3	7						
70 +	0								
SUBTOTAL	**507**	**7.5**	**9**	**5**	**6**	**7**	**8**	**12**	**14**
GRAND TOTAL	**1179**	**11.2**	**66**	**5**	**6**	**8**	**13**	**21**	**27**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	174	13.1	99	6	7	11	14	29	40
18-34	46	7.1	11	4	5	6	8	14	14
35-49	41	12.5	260	2	6	7	8	52	52
50-69	123	10.2	18	5	8	10	13	15	18
70 +	6	9.0							
	390	**11.4**	**82**	**5**	**7**	**9**	**13**	**18**	**30**
0-17	112	6.5	9	4	5	6	9	11	14
18-34	41	7.0	4	5	5	7	8	11	11
35-49	11	6.0							
50-69	29	11.9	41						
70 +	0								
	193	**7.3**	**16**	**5**	**5**	**6**	**8**	**11**	**15**
	583	**10.0**	**63**	**5**	**6**	**8**	**11**	**16**	**25**

DRG 110: Major Cardiovascular Procedures w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2487	10.6	61	5	7	9	11	17	25
70-74	2064	12.0	74	6	7	10	14	21	26
75-79	1404	12.3	77	6	7	10	14	22	32
80-84	713	13.3	108	6	7	10	16	24	34
85 +	219	12.2	32	5	9	11	15	21	25
SUBTOTAL	**6887**	**11.7**	**73**	**6**	**7**	**9**	**13**	**21**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6887**	**11.7**	**73**	**6**	**7**	**9**	**13**	**21**	**27**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	519	10.5	103	4	5	8	13	20	34
18-34	82	10.3	55	5	5	8	11	18	34
35-49	292	8.7	37	4	6	8	10	12	16
50-69	1740	10.0	47	5	7	8	11	17	21
70 +	299	11.6	27	6	8	11	14	18	23
	2932	**10.1**	**54**	**5**	**6**	**8**	**11**	**17**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2932	**10.1**	**54**	**5**	**6**	**8**	**11**	**17**	**23**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	259	11.7	103	5	6	8	14	27	40
18-34	51	10.9	89	3	7	7	10	36	36
35-49	81	21.9	337	6	7	15	26	59	61
50-69	266	12.4	59	5	7	9	17	23	32
70 +	24	23.3	100						
SUBTOTAL	**680**	**13.5**	**125**	**5**	**7**	**9**	**17**	**30**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**680**	**13.5**	**125**	**5**	**7**	**9**	**17**	**30**	**38**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	135	10.2	103	4	5	7	12	21	34
18-34	82	11.1	83	4	6	8	12	39	99 +
35-49	115	13.2	65	5	7	10	18	22	31
50-69	441	11.1	80	5	7	8	13	18	28
70 +	152	11.0	37	5	7	9	14	21	22
	926	**11.2**	**75**	**5**	**6**	**8**	**13**	**22**	**32**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	926	**11.2**	**75**	**5**	**6**	**8**	**13**	**22**	**32**

DRG 111: Major Cardiovascular Procedures w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	479	7.4	8	4	6	7	9	11	12	0-17	382	5.5	4	4	4	5	6	8	9
70-74	346	6.8	5	4	6	7	8	10	10	18-34	53	5.1	15	1	2	4	7	12	12
75-79	271	7.8	13	5	5	7	9	12	15	35-49	133	5.9	6	2	5	6	7	9	9
80-84	136	7.3	11	3	5	7	9	12	14	50-69	802	7.1	6	4	6	7	9	10	11
85 +	36	9.4	15	4	7	9	12	15	15	70 +	69	8.7	3	6	7	9	10	10	11
SUBTOTAL	**1268**	**7.4**	**9**	**4**	**6**	**7**	**9**	**11**	**13**		**1439**	**6.6**	**7**	**4**	**5**	**6**	**8**	**10**	**11**
GRAND TOTAL	**1268**	**7.4**	**9**	**4**	**6**	**7**	**9**	**11**	**13**		**1439**	**6.6**	**7**	**4**	**5**	**6**	**8**	**10**	**11**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	191	6.2	17	3	4	5	7	9	19	0-17	174	5.5	17	3	3	5	6	9	16
18-34	12	25.2	601							18-34	75	6.3	5	4	5	6	8	10	10
35-49	24	14.2	149							35-49	68	10.7	104	4	6	7	9	29	37
50-69	40	9.1	13	5	5	9	11	16	16	50-69	244	8.5	17	4	6	7	10	16	17
70 +	18	8.6	6							70 +	42	9.9	35	2	5	8	17	20	20
SUBTOTAL	**285**	**8.2**	**67**	**3**	**4**	**6**	**9**	**16**	**22**		**603**	**7.7**	**30**	**3**	**5**	**6**	**8**	**16**	**18**
GRAND TOTAL	**285**	**8.2**	**67**	**3**	**4**	**6**	**9**	**16**	**22**		**603**	**7.7**	**30**	**3**	**5**	**6**	**8**	**16**	**18**

DRG 112: Percutaneous Cardiovascular Procedures

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4757	5.7	24	2	2	4	7	11	15
70-74	3713	5.6	22	2	2	4	7	11	14
75-79	2722	6.1	24	2	3	5	8	12	16
80-84	1152	6.4	23	2	3	6	8	12	15
85 +	356	7.9	61	1	3	5	10	17	23
SUBTOTAL	**12701**	**5.8**	**25**	**2**	**2**	**4**	**8**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4215	3.7	6	1	2	3	5	7	8
70-74	3078	3.6	7	1	2	3	5	7	8
75-79	1954	3.7	6	1	2	3	5	7	9
80-84	852	4.2	7	1	2	4	6	8	9
85 +	209	4.9	6	2	3	5	7	8	9
SUBTOTAL	**10308**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**23009**	**4.9**	**18**	**1**	**2**	**4**	**6**	**9**	**12**

	BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	46	1.4		1	1	1	2	3	3
18-34	106	5.6	16	2	2	5	7	11	17
35-49	1836	4.3	9	1	2	3	6	9	10
50-69	6433	4.8	15	1	2	4	7	9	11
70 +	538	4.3	10	1	2	3	6	8	12
	8959	**4.6**	**13**	**1**	**2**	**4**	**6**	**9**	**11**
0-17	247	1.9	3	1	1	1	2	4	6
18-34	398	3.4	9	1	1	2	5	7	11
35-49	3647	3.5	5	1	2	3	5	7	8
50-69	8347	3.4	6	1	2	3	5	7	8
70 +	428	4.3	9	2	2	3	6	9	11
	13066	**3.5**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
	22025	**3.9**	**9**	**1**	**2**	**3**	**5**	**8**	**10**

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	34	2.0	2	1	1	2	2	5	5
18-34	46	5.8	9	1	3	6	7	10	10
35-49	225	6.3	46	2	2	5	8	12	17
50-69	690	11.2	144	2	4	7	14	30	38
70 +	60	9.3	39	3	4	6	13	18	22
SUBTOTAL	**1056**	**9.5**	**113**	**2**	**3**	**6**	**11**	**22**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	81	2.0	5	1	1	1	1	4	9
18-34	97	5.8	17	1	2	5	9	12	13
35-49	243	6.2	51	1	2	3	7	16	19
50-69	376	7.1	42	2	3	5	9	13	15
70 +	42	6.9	24	1	2	6	10	17	17
SUBTOTAL	**838**	**6.2**	**39**	**1**	**2**	**4**	**8**	**13**	**17**
GRAND TOTAL	**1894**	**8.0**	**83**	**2**	**3**	**5**	**10**	**17**	**29**

	NO INSURANCE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	17	3.3	3						
18-34	76	3.7	8	1	1	3	5	7	11
35-49	675	5.7	25	1	2	4	7	10	17
50-69	2075	5.1	27	1	2	4	6	10	13
70 +	405	5.0	33	2	2	3	6	11	14
	3248	**5.1**	**27**	**1**	**2**	**4**	**7**	**10**	**13**
0-17	39	1.4	1	1	1	1	2	3	3
18-34	196	2.9	14	1	1	1	3	7	11
35-49	1126	3.7	10	1	2	3	5	7	9
50-69	2594	3.7	11	1	2	3	5	8	9
70 +	243	4.4	13	1	2	3	5	10	12
	4199	**3.7**	**11**	**1**	**2**	**3**	**5**	**8**	**9**
	7447	**4.3**	**18**	**1**	**2**	**3**	**6**	**9**	**11**

DRG 113: Amputation for Circ System Disorders except Upper Limb & Toe

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1078	16.2	140	6	8	13	20	31	42	0-17	0								
70-74	567	14.2	102	5	7	12	18	26	37	18-34	18	8.1	40						
75-79	631	14.8	158	5	8	12	17	23	36	35-49	61	18.0	133	3	9	16	28	35	36
80-84	581	14.0	142	5	7	11	18	26	47	50-69	375	15.9	144	5	9	11	19	31	46
85 +	649	11.6	83	4	6	9	14	20	28	70 +	159	11.7	49	4	7	11	14	22	27
SUBTOTAL	**3506**	**14.4**	**129**	**5**	**7**	**11**	**18**	**27**	**37**		**612**	**14.8**	**120**	**5**	**8**	**11**	**18**	**30**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	37	8.1	35	1	4	7	10	20	20	0-17	6	4.0							
70-74	6	5.0								18-34	18	15.8	231						
75-79	38	7.7	8	3	5	9	9	11	11	35-49	0								
80-84	56	9.7	25	3	6	9	11	18	18	50-69	37	9.2	17	4	6	8	14	15	15
85 +	55	8.2	20	2	6	7	8	17	17	70 +	18	10.0	3						
SUBTOTAL	**191**	**8.4**	**22**	**3**	**5**	**8**	**11**	**17**	**18**		**78**	**10.6**	**70**	**4**	**6**	**8**	**12**	**15**	**36**
GRAND TOTAL	**3696**	**14.1**	**125**	**5**	**7**	**11**	**17**	**26**	**37**		**690**	**14.3**	**116**	**5**	**8**	**11**	**18**	**30**	**36**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	104	17.0	143	7	9	13	22	33	53	35-49	77	24.0	299	7	11	21	32	53	61
50-69	254	21.7	254	6	10	16	28	39	53	50-69	255	16.9	161	4	7	13	27	37	44
70 +	24	18.2	77							70 +	134	11.2	63	5	7	8	11	22	23
SUBTOTAL	**382**	**20.2**	**216**	**7**	**9**	**16**	**27**	**39**	**53**		**466**	**16.5**	**172**	**5**	**7**	**11**	**23**	**38**	**45**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	6	3.0							
18-34	0									18-34	0								
35-49	6	12.0								35-49	6	11.0							
50-69	13	11.0	53							50-69	11	26.5	79						
70 +	0									70 +	6	42.0							
SUBTOTAL	**18**	**11.3**	**36**								**28**	**21.8**	**221**						
GRAND TOTAL	**400**	**19.8**	**211**	**6**	**9**	**16**	**26**	**39**	**53**		**494**	**16.8**	**176**	**5**	**7**	**11**	**23**	**38**	**44**

DRG 114: Upper Limb & Toe Amputation for Circ System Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	473	11.0	121	3	4	8	14	24	29	0-17	0								
70-74	186	9.4	64	2	3	7	12	20	30	18-34	13	6.5	2						
75-79	140	8.0	35	2	4	6	11	15	15	35-49	43	8.3	14	3	4	8	11	14	14
80-84	102	11.2	80	4	5	7	19	23	34	50-69	155	9.5	89	1	4	7	12	28	30
85 +	72	9.0	47	2	4	10	11	14	28	70 +	34	10.2	58	2	4	9	13	25	25
SUBTOTAL	**973**	**10.1**	**89**	**2**	**4**	**8**	**13**	**23**	**29**		**245**	**9.2**	**67**	**2**	**4**	**8**	**11**	**16**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	12	9.8	17							0-17	6	2.0							
70-74	0									18-34	0								
75-79	6	3.0								35-49	0								
80-84	0									50-69	19	6.0	34						
85 +	12	4.0								70 +	0								
SUBTOTAL	**29**	**6.1**	**16**								**25**	**5.0**	**29**						
GRAND TOTAL	**1003**	**10.0**	**87**	**2**	**4**	**7**	**13**	**23**	**28**		**271**	**8.8**	**65**	**1**	**4**	**7**	**11**	**16**	**28**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	6	10.0								18-34	29	11.9	63						
35-49	46	12.8	74	3	6	9	19	27	27	35-49	78	12.3	69	2	7	11	18	27	28
50-69	93	10.6	51	3	6	9	12	23	28	50-69	143	11.5	52	4	6	10	19	29	99 +
70 +	11	12.0	1							70 +	36	9.9	55	1	3	9	16	22	22
SUBTOTAL	**156**	**11.3**	**53**	**3**	**6**	**10**	**13**	**26**	**27**		**287**	**11.5**	**58**	**3**	**5**	**10**	**18**	**26**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	4.0								0-17	0								
18-34	0									18-34	18	10.2	22						
35-49	0									35-49	18	8.6	7						
50-69	0									50-69	12	6.4	2						
70 +	0									70 +	0								
SUBTOTAL	**6**	**4.0**									**48**	**8.6**	**13**	**4**	**5**	**8**	**11**	**15**	**15**
GRAND TOTAL	**162**	**11.1**	**53**	**3**	**6**	**9**	**13**	**26**	**27**		**334**	**11.1**	**52**	**3**	**5**	**10**	**16**	**26**	**29**

DRG 115: Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	133	10.8	44	4	7	9	14	19	21		0-17	0								
70-74	214	10.9	41	3	5	10	14	20	26		18-34	6	20.0							
75-79	140	10.3	48	4	5	7	15	24	24		35-49	6	11.0							
80-84	201	10.1	21	5	7	10	13	15	17		50-69	48	7.6	6	3	6	7	9	12	12
85 +	228	9.1	18	3	6	9	12	15	15		70 +	18	7.7	2						
SUBTOTAL	**916**	**10.1**	**33**	**4**	**6**	**9**	**13**	**17**	**22**			**76**	**8.8**	**15**	**6**	**7**	**8**	**10**	**12**	**20**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0										0-17	0								
70-74	6	2.0									18-34	0								
75-79	0										35-49	0								
80-84	19	5.3	10								50-69	0								
85 +	24	4.8	4								70 +	0								
SUBTOTAL	**50**	**4.7**	**7**	**1**	**2**	**6**	**7**	**8**	**8**			**0**								
GRAND TOTAL	**966**	**9.9**	**33**	**3**	**6**	**9**	**13**	**17**	**21**			**76**	**8.8**	**15**	**6**	**7**	**8**	**10**	**12**	**20**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0										0-17	0								
18-34	0										18-34	0								
35-49	11	21.0	10								35-49	6	5.0							
50-69	18	15.3	45								50-69	55	11.2	35	5	7	10	11	22	23
70 +	0										70 +	31	14.6	125						
SUBTOTAL	**29**	**17.6**	**38**									**93**	**11.9**	**68**	**5**	**5**	**10**	**13**	**23**	**36**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	6	13.0							
SUBTOTAL	**0**											**6**	**13.0**							
GRAND TOTAL	**29**	**17.6**	**38**									**98**	**12.0**	**64**	**5**	**5**	**10**	**13**	**23**	**36**

DRG 116: Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	805	5.8	26	1	2	5	8	11	14	0-17	17	20.0	481						
70-74	998	5.4	15	2	3	4	7	11	14	18-34	36	3.8	5	2	3	3	3	9	9
75-79	1446	6.2	31	2	3	4	8	13	17	35-49	176	4.4	10	1	2	4	6	10	11
80-84	1301	6.1	23	2	3	5	7	11	17	50-69	479	4.8	15	1	2	4	6	10	12
85 +	1257	6.1	17	2	3	5	8	12	14	70 +	301	4.7	12	1	2	4	6	9	12
SUBTOTAL	**5807**	**5.9**	**23**	**2**	**3**	**5**	**8**	**11**	**15**		**1007**	**4.9**	**24**	**1**	**2**	**4**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	550	2.8	3	1	1	2	4	5	6	0-17	45	4.4	7	1	2	4	6	10	10
70-74	587	3.1	4	1	2	3	4	6	6	18-34	23	4.1	5						
75-79	698	3.1	6	1	2	3	4	6	7	35-49	77	3.5	5	1	2	3	6	6	8
80-84	715	3.8	7	1	2	3	5	8	9	50-69	392	3.0	3	1	2	3	4	5	7
85 +	723	3.8	7	1	2	3	4	7	9	70 +	127	3.2	2	1	2	3	5	5	6
SUBTOTAL	**3273**	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**8**		**664**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**9080**	**5.0**	**18**	**1**	**2**	**4**	**6**	**10**	**13**		**1671**	**4.2**	**17**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	3.0								0-17	6	2.0							
18-34	6	7.0								18-34	19	5.0	9						
35-49	18	32.4	1672							35-49	29	2.6	2						
50-69	76	10.6	114	2	6	8	12	17	45	50-69	188	5.3	14	2	3	4	7	10	12
70 +	36	14.6	246	2	6	7	23	47	47	70 +	258	5.1	13	1	2	4	8	11	12
SUBTOTAL	**141**	**13.8**	**374**	**2**	**6**	**7**	**13**	**45**	**47**		**500**	**5.0**	**13**	**1**	**2**	**4**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	22	7.3	35							0-17	6	2.0							
18-34	11	4.0	1							18-34	18	1.7							
35-49	24	9.1	46							35-49	24	2.7	2						
50-69	59	5.5	17	1	2	2	9	10	11	50-69	194	4.1	35	1	2	3	4	7	9
70 +	11	5.5	7							70 +	110	3.2	6	1	1	2	5	6	10
SUBTOTAL	**127**	**6.4**	**25**	**1**	**2**	**5**	**9**	**14**	**17**		**350**	**3.6**	**21**	**1**	**2**	**2**	**4**	**6**	**9**
GRAND TOTAL	**269**	**10.3**	**222**	**2**	**3**	**7**	**10**	**18**	**45**		**850**	**4.4**	**17**	**1**	**2**	**3**	**5**	**9**	**11**

DRG 117: Cardiac Pacemaker Revision except Device Replacement

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	90	6.7	21	3	3	5	9	15	18	0-17	17	2.3	4						
70-74	72	7.5	71	2	3	6	7	10	35	18-34	6	3.0							
75-79	55	6.8	21	2	3	6	9	16	16	35-49	12	2.0							
80-84	72	4.8	23	1	2	2	6	13	16	50-69	41	3.5	7	1	1	2	7	8	8
85 +	36	2.7		2	2	3	3	3	3	70 +	29	2.6	8						
SUBTOTAL	**324**	**6.0**	**32**	**2**	**2**	**4**	**7**	**13**	**16**		**104**	**2.9**	**6**	**1**	**1**	**2**	**3**	**8**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	42	2.6	1	1	2	3	3	3	3	0-17	0								
70-74	61	4.3	15	1	1	3	5	11	14	18-34	0								
75-79	72	1.8	1	1	1	1	3	4	4	35-49	12	1.0							
80-84	34	4.6	14	1	2	4	4	12	12	50-69	47	1.7	2	< 1	1	1	2	5	5
85 +	49	3.7	7	1	2	3	5	9	9	70 +	6	1.0							
SUBTOTAL	**258**	**3.2**	**8**	**1**	**1**	**3**	**4**	**6**	**9**		**64**	**1.5**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**5**
GRAND TOTAL	**582**	**4.8**	**24**	**1**	**2**	**3**	**6**	**11**	**15**		**169**	**2.3**	**5**	**< 1**	**1**	**1**	**3**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	8.0								0-17	6	6.0							
18-34	0									18-34	6	10.0							
35-49	0									35-49	6	1.0							
50-69	13	3.5								50-69	30	3.8	4						
70 +	0									70 +	12	3.5							
SUBTOTAL	**18**	**4.9**	**5**								**59**	**4.2**	**7**	**1**	**2**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	6	16.0							
70 +	0									70 +	0								
SUBTOTAL	**0**										**6**	**16.0**							
GRAND TOTAL	**18**	**4.9**	**5**								**65**	**5.3**	**17**	**1**	**2**	**4**	**6**	**10**	**16**

DRG 118: Cardiac Pacemaker Device Replacement

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	49	3.0	10	< 1	1	2	4	11	11	0-17	11	2.5	2						
70-74	101	3.8	11	1	2	3	5	10	14	18-34	6	1.0							
75-79	187	3.7	13	1	1	2	6	9	11	35-49	6	1.0							
80-84	221	3.0	9	1	1	2	3	7	12	50-69	78	3.2	14	1	1	2	3	5	16
85 +	222	3.2	13	1	1	2	3	8	15	70 +	29	2.5	10						
SUBTOTAL	**780**	**3.3**	**11**	**1**	**1**	**2**	**4**	**8**	**11**		**130**	**2.8**	**11**	**1**	**1**	**2**	**3**	**5**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	43	3.0	5	< 1	< 1	2	6	7	7	0-17	11	8.0	40						
70-74	66	2.1	4	1	1	1	2	5	7	18-34	23	2.0	1						
75-79	103	1.8	4	< 1	1	1	2	3	9	35-49	6	1.0							
80-84	160	2.3	2	1	1	2	3	5	5	50-69	78	1.8	1	< 1	1	1	2	4	5
85 +	165	2.0	2	1	1	1	3	4	5	70 +	41	1.3		< 1	1	1	2	2	2
SUBTOTAL	**536**	**2.1**	**3**	**1**	**1**	**1**	**2**	**5**	**6**		**159**	**2.1**	**6**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**1316**	**2.8**	**8**	**1**	**1**	**2**	**3**	**7**	**9**		**289**	**2.4**	**9**	**1**	**1**	**1**	**2**	**5**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	17	6.3	9							0-17	6	3.0							
18-34	6	1.0								18-34	0								
35-49	0									35-49	6	6.0							
50-69	6	6.0								50-69	41	4.5	11	1	1	5	9	9	9
70 +	12	1.5								70 +	43	4.8	15	1	1	4	10	11	11
SUBTOTAL	**40**	**4.1**	**10**	**1**	**1**	**3**	**6**	**10**	**10**		**95**	**4.7**	**12**	**1**	**1**	**5**	**6**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	11	3.5	2							0-17	0								
18-34	6	1.0								18-34	6	2.0							
35-49	6	6.0								35-49	6	1.0							
50-69	22	10.5	128							50-69	24	3.4	7						
70 +	11	12.5								70 +	18	6.9	82						
SUBTOTAL	**56**	**8.1**	**67**	**1**	**2**	**6**	**12**	**23**	**29**		**54**	**4.1**	**34**	**< 1**	**1**	**1**	**6**	**20**	**20**
GRAND TOTAL	**96**	**6.4**	**47**	**1**	**2**	**5**	**9**	**13**	**29**		**149**	**4.5**	**20**	**1**	**1**	**3**	**6**	**10**	**11**

DRG 119: Vein Ligation & Stripping

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	66	6.4	22	1	2	5	12	13	14	0-17	17	14.0	57						
70-74	56	5.3	14	1	2	5	7	11	11	18-34	18	1.6							
75-79	62	5.3	8	3	3	4	8	10	11	35-49	60	5.5	142	1	1	1	2	21	40
80-84	24	7.7	25							50-69	85	4.6	29	1	1	2	6	15	16
85 +	0									70 +	13	11.0	17						
SUBTOTAL	**207**	**5.9**	**16**	**1**	**3**	**5**	**8**	**12**	**14**		**192**	**5.9**	**72**	**1**	**1**	**2**	**6**	**15**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	164	3.6	20	1	1	2	5	7	16	0-17	17	6.0	53						
70-74	67	2.1	7	< 1	< 1	1	2	2	10	18-34	348	1.4		1	1	1	2	2	2
75-79	12	1.9	1							35-49	851	1.6	1	1	1	1	2	3	3
80-84	12	2.5								50-69	451	1.6	1	1	1	1	2	3	4
85 +	0									70 +	13	1.5							
SUBTOTAL	**254**	**3.1**	**15**	**1**	**1**	**2**	**3**	**6**	**10**		**1679**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**462**	**4.4**	**17**	**1**	**1**	**3**	**6**	**11**	**14**		**1870**	**2.0**	**11**	**1**	**1**	**1**	**2**	**3**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	10.0								0-17	0								
18-34	29	6.0	17							18-34	18	2.7	2						
35-49	6	6.0								35-49	24	3.6	5						
50-69	0									50-69	18	6.2	4						
70 +	6	36.0								70 +	0								
SUBTOTAL	**47**	**10.1**	**106**	**1**	**4**	**6**	**11**	**36**	**36**		**60**	**4.1**	**6**	**1**	**2**	**4**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	61	1.5		1	1	1	2	3	3	18-34	94	2.4	4	1	1	1	4	5	7
35-49	78	2.0	2	1	1	2	2	4	5	35-49	157	2.8	13	1	1	1	3	6	10
50-69	24	1.5	1							50-69	103	1.8	2	1	1	1	2	5	7
70 +	0									70 +	6	11.0							
SUBTOTAL	**163**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**		**360**	**2.6**	**9**	**1**	**1**	**1**	**3**	**6**	**8**
GRAND TOTAL	**210**	**3.6**	**36**	**1**	**1**	**2**	**4**	**10**	**12**		**420**	**2.8**	**9**	**1**	**1**	**2**	**3**	**6**	**9**

DRG 120: Other Circulatory System O.R. Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2165	8.1	83	1	2	5	10	18	26	0-17	17	4.0	6						
70-74	532	10.1	93	2	4	7	12	22	31	18-34	59	8.7	140	1	4	6	6	30	44
75-79	468	14.0	250	1	4	10	14	39	49	35-49	190	10.5	91	2	4	10	13	21	24
80-84	278	8.7	66	1	3	6	11	24	28	50-69	317	9.5	61	2	3	7	15	24	27
85+	214	12.2	178	3	4	8	16	22	51	70+	91	6.8	35	1	2	6	11	15	23
SUBTOTAL	**3657**	**9.4**	**114**	**1**	**3**	**6**	**12**	**21**	**30**		**674**	**9.2**	**73**	**1**	**3**	**6**	**13**	**21**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	138	4.9	13	1	2	4	7	11	12	0-17	0								
70-74	103	4.8	19	1	2	3	7	12	16	18-34	34	3.3	4	1	1	3	4	7	7
75-79	107	7.5	41	1	4	5	10	22	24	35-49	55	3.7	6	1	2	3	5	9	9
80-84	47	5.0	22	< 1	1	3	8	15	15	50-69	76	6.2	15	1	5	6	7	10	16
85+	36	8.9	133	1	1	4	11	34	34	70+	12	14.2	33						
SUBTOTAL	**430**	**5.9**	**34**	**1**	**2**	**4**	**7**	**12**	**16**		**177**	**5.4**	**18**	**1**	**2**	**5**	**7**	**10**	**16**
GRAND TOTAL	**4087**	**9.1**	**107**	**1**	**3**	**6**	**11**	**21**	**28**		**851**	**8.4**	**64**	**1**	**3**	**6**	**11**	**20**	**24**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	11	10.5	13							0-17	6	29.0							
18-34	98	10.9	209	2	3	5	10	44	55	18-34	89	10.7	230	2	2	5	10	47	52
35-49	132	12.7	203	2	3	6	16	36	48	35-49	134	10.9	87	2	4	8	15	28	30
50-69	141	8.9	39	2	5	8	14	15	19	50-69	189	11.4	146	1	4	8	14	25	44
70+	30	9.4	40							70+	24	5.1	30						
SUBTOTAL	**413**	**10.7**	**133**	**2**	**3**	**7**	**14**	**23**	**44**		**442**	**11.0**	**142**	**1**	**3**	**7**	**14**	**29**	**44**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	17	6.7	31							0-17	0								
18-34	18	6.2	4							18-34	18	3.6	7						
35-49	29	8.4	16							35-49	24	7.2	73						
50-69	53	11.6	63	2	7	10	17	28	28	50-69	29	2.6	4						
70+	0									70+	30	4.7	24						
SUBTOTAL	**116**	**9.2**	**42**	**2**	**5**	**8**	**13**	**18**	**24**		**100**	**4.5**	**29**	**1**	**1**	**2**	**5**	**14**	**22**
GRAND TOTAL	**529**	**10.4**	**113**	**2**	**4**	**7**	**14**	**22**	**36**		**542**	**9.8**	**127**	**1**	**2**	**6**	**14**	**25**	**40**

DRG 121: Circulatory Disorders w/ AMI & C.V. Comp Disch Alive

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3157	8.4	26	4	5	7	10	14	18
70-74	3831	8.2	20	4	5	7	10	13	15
75-79	3854	8.5	18	4	6	8	10	13	16
80-84	3331	9.0	23	5	6	8	11	15	17
85 +	3360	8.8	22	4	6	8	10	15	19
SUBTOTAL	**17532**	**8.6**	**22**	**4**	**6**	**8**	**10**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	116	5.7	6	2	4	7	7	8	9
70-74	85	6.3	4	4	4	6	8	8	10
75-79	55	4.6	6	1	3	5	6	8	8
80-84	91	6.5	7	4	4	6	8	11	12
85 +	67	6.2	8	3	4	6	7	9	13
SUBTOTAL	**414**	**5.9**	**6**	**3**	**4**	**6**	**8**	**9**	**10**
GRAND TOTAL	**17946**	**8.5**	**21**	**4**	**6**	**8**	**10**	**14**	**17**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	8.0							
18-34	35	6.6	3	4	6	6	7	10	10
35-49	647	7.4	12	3	6	7	9	11	13
50-69	2790	7.8	30	3	5	7	10	13	17
70 +	808	8.3	36	4	5	7	9	14	17
	4286	**7.8**	**29**	**3**	**5**	**7**	**9**	**13**	**17**
0-17	0								
18-34	0								
35-49	38	6.5	7	1	7	7	8	9	9
50-69	119	6.4	5	3	5	6	8	9	10
70 +	48	6.1	7	1	4	7	8	9	9
	205	**6.4**	**5**	**3**	**5**	**7**	**8**	**9**	**9**
	4491	**7.8**	**28**	**3**	**5**	**7**	**9**	**12**	**16**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	108	11.7	45	4	7	10	15	19	32
50-69	513	10.3	71	3	6	8	12	19	31
70 +	108	10.9	18	7	8	9	12	19	21
SUBTOTAL	**729**	**10.6**	**59**	**4**	**6**	**9**	**12**	**19**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	6	8.0							
50-69	13	6.5	7						
70 +	0								
SUBTOTAL	**19**	**7.0**	**5**						
GRAND TOTAL	**748**	**10.5**	**58**	**4**	**6**	**9**	**12**	**19**	**22**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	17	10.3	4						
35-49	301	6.3	6	3	5	6	8	9	10
50-69	1235	7.2	17	3	5	7	9	12	15
70 +	561	7.3	14	4	5	7	9	11	14
	2114	**7.2**	**15**	**3**	**5**	**7**	**9**	**11**	**14**
0-17	0								
18-34	0								
35-49	6	6.0							
50-69	55	6.1	6	2	5	6	7	11	11
70 +	13	4.5							
	73	**5.8**	**5**	**3**	**5**	**6**	**7**	**8**	**11**
	2187	**7.1**	**14**	**3**	**5**	**7**	**9**	**11**	**14**

DRG 122: Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1842	6.5	16	3	5	6	8	10	11	0-17	0								
70-74	1604	6.7	15	3	5	6	8	10	12	18-34	47	7.5	10	4	6	8	8	15	15
75-79	1188	7.0	10	3	5	7	8	11	14	35-49	687	5.4	6	2	4	5	7	9	9
80-84	969	7.3	14	3	5	7	9	11	14	50-69	2264	5.7	7	2	4	6	7	9	10
85 +	652	7.2	17	3	5	7	9	11	13	70 +	351	6.0	7	2	4	6	8	9	10
SUBTOTAL	**6254**	**6.9**	**14**	**3**	**5**	**6**	**8**	**10**	**12**		**3350**	**5.7**	**7**	**2**	**4**	**6**	**7**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2085	5.5	5	2	4	6	7	8	9	0-17	0								
70-74	1446	5.5	6	2	4	6	7	9	10	18-34	122	4.9	5	2	3	5	6	7	9
75-79	1249	6.0	6	3	4	6	7	9	10	35-49	1806	5.4	4	2	4	5	7	8	9
80-84	878	6.1	6	3	5	6	7	9	10	50-69	3738	5.5	6	2	4	6	7	8	9
85 +	745	6.1	6	3	5	6	7	9	11	70 +	351	5.8	5	3	4	6	7	9	9
SUBTOTAL	**6404**	**5.7**	**6**	**3**	**4**	**6**	**7**	**9**	**10**		**6017**	**5.5**	**5**	**2**	**4**	**6**	**7**	**8**	**9**
GRAND TOTAL	**12658**	**6.3**	**10**	**3**	**5**	**6**	**8**	**9**	**11**		**9367**	**5.6**	**6**	**2**	**4**	**6**	**7**	**8**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	4.0								0-17	0								
18-34	41	8.9	93	2	3	5	10	32	32	18-34	46	5.1	3	2	3	5	6	7	7
35-49	176	9.1	72	4	4	8	10	16	26	35-49	363	7.1	23	3	5	6	8	12	13
50-69	313	8.9	28	4	5	7	11	14	18	50-69	925	6.1	9	2	4	6	8	10	11
70 +	63	15.2	136	6	7	11	20	27	46	70 +	232	7.0	18	3	5	6	8	12	14
SUBTOTAL	**601**	**9.6**	**60**	**4**	**5**	**8**	**11**	**17**	**26**		**1566**	**6.5**	**14**	**3**	**5**	**6**	**8**	**10**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	18	5.0	1							18-34	90	6.9	19	1	4	6	9	15	17
35-49	246	7.5	33	3	4	6	8	13	20	35-49	768	5.7	8	3	4	5	7	9	12
50-69	224	6.9	13	4	4	6	8	12	15	50-69	1584	5.8	10	2	4	6	7	9	11
70 +	46	9.0	24	4	5	8	13	18	18	70 +	330	5.8	11	3	3	6	8	9	13
SUBTOTAL	**534**	**7.3**	**23**	**3**	**4**	**6**	**8**	**13**	**18**		**2773**	**5.8**	**10**	**2**	**4**	**6**	**7**	**9**	**12**
GRAND TOTAL	**1135**	**8.5**	**44**	**4**	**5**	**7**	**10**	**15**	**20**		**4339**	**6.1**	**11**	**2**	**4**	**6**	**7**	**10**	**12**

DRG 124: Circulatory Disorders except AMI, w/ Card Cath & Complex Diag

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3447	5.6	26	1	2	4	7	11	13	0-17	96	8.2	63	1	1	6	13	21	27
70-74	2241	5.3	26	1	2	4	7	10	15	18-34	91	4.6	19	1	1	3	8	10	16
75-79	1824	5.7	22	1	3	5	7	11	15	35-49	751	4.2	17	1	1	3	6	9	11
80-84	909	6.1	30	1	3	5	8	12	14	50-69	3167	4.0	12	1	1	3	6	8	11
85 +	327	6.1	13	3	4	5	8	13	13	70 +	298	4.5	14	1	2	3	6	9	11
SUBTOTAL	**8747**	**5.6**	**25**	**1**	**2**	**4**	**7**	**11**	**14**		**4403**	**4.2**	**14**	**1**	**1**	**3**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1567	3.3	6	1	2	3	4	6	8	0-17	17	2.0	2						
70-74	1029	3.7	10	1	2	3	5	7	9	18-34	41	3.6	2	1	3	4	5	5	5
75-79	814	3.5	7	1	2	3	4	6	8	35-49	660	2.6	3	1	1	2	3	5	6
80-84	366	4.0	5	2	2	4	5	7	8	50-69	2058	2.8	4	1	1	2	4	5	7
85 +	73	4.4	9	2	2	3	6	7	12	70 +	164	2.5	2	1	1	2	4	5	5
SUBTOTAL	**3849**	**3.6**	**7**	**1**	**2**	**3**	**5**	**7**	**8**		**2941**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**12596**	**5.0**	**21**	**1**	**2**	**4**	**6**	**10**	**13**		**7344**	**3.6**	**11**	**1**	**1**	**3**	**5**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	67	7.3	34	1	1	7	12	13	19	0-17	6	5.0							
18-34	34	12.2	99	1	3	9	24	27	27	18-34	88	9.7	90	1	2	7	14	29	33
35-49	216	8.1	54	1	3	6	13	20	25	35-49	532	4.9	19	1	2	4	6	10	16
50-69	509	9.2	86	2	3	7	11	20	29	50-69	1167	6.1	32	1	2	4	8	13	17
70 +	85	15.7	387	4	4	5	19	52	61	70 +	171	7.4	109	1	1	3	8	32	35
SUBTOTAL	**912**	**9.5**	**107**	**1**	**3**	**6**	**12**	**20**	**30**		**1963**	**6.0**	**39**	**1**	**2**	**4**	**7**	**13**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	1.0								0-17	0								
18-34	18	5.1	6							18-34	40	4.1	8	1	2	4	6	10	10
35-49	88	6.5	33	2	2	4	11	17	18	35-49	422	3.6	10	1	1	3	5	7	9
50-69	226	6.3	27	2	3	4	9	16	19	50-69	765	4.5	22	1	2	3	5	10	15
70 +	58	11.6	136	2	5	9	14	29	44	70 +	88	6.2	44	1	2	5	7	20	25
SUBTOTAL	**395**	**7.0**	**47**	**2**	**2**	**5**	**10**	**16**	**18**		**1314**	**4.3**	**19**	**1**	**2**	**3**	**5**	**8**	**14**
GRAND TOTAL	**1307**	**8.7**	**90**	**2**	**3**	**5**	**12**	**19**	**27**		**3278**	**5.3**	**32**	**1**	**2**	**4**	**6**	**12**	**17**

DRG 125: Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1983	3.0	7	1	1	2	4	7	9	0-17	350	1.3	1	< 1	< 1	1	1	2	3
70-74	1474	3.1	6	1	1	2	4	6	7	18-34	71	3.0	4	< 1	1	2	5	5	7
75-79	761	3.3	7	1	1	2	5	7	9	35-49	713	2.4	4	1	1	2	3	5	6
80-84	345	4.2	12	1	2	3	6	8	15	50-69	2470	2.3	10	1	1	1	3	4	6
85 +	71	4.7	8	1	2	4	7	7	10	70 +	320	2.3	4	1	1	1	3	6	7
SUBTOTAL	**4633**	**3.2**	7	**1**	**1**	**2**	**4**	**7**	**9**		**3924**	**2.3**	**7**	**< 1**	**1**	**1**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2460	2.2	3	1	1	2	3	5	5	0-17	669	1.3	1	< 1	< 1	< 1	1	1	4
70-74	1576	2.2	3	1	1	2	3	5	6	18-34	211	2.1	5	< 1	1	1	2	4	8
75-79	933	2.3	3	1	1	2	3	5	6	35-49	2709	2.0	2	1	1	1	2	4	5
80-84	311	2.5	5	1	1	2	4	5	5	50-69	5666	1.9	2	1	1	1	2	4	5
85 +	65	3.0	13	1	1	1	3	7	13	70 +	291	2.3	3	1	1	1	3	5	6
SUBTOTAL	**5344**	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**6**		**9546**	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**9977**	**2.7**	**5**	**1**	**1**	**2**	**4**	**6**	**7**		**13470**	**2.0**	**4**	**< 1**	**1**	**1**	**2**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	271	2.4	34	< 1	< 1	1	1	2	8	0-17	84	1.4	1	< 1	< 1	1	2	3	3
18-34	28	5.0	39							18-34	40	7.0	59	< 1	2	4	7	25	25
35-49	183	4.5	51	< 1	1	2	5	9	23	35-49	415	4.7	33	1	1	3	6	10	17
50-69	324	9.0	238	1	1	4	7	32	46	50-69	755	3.4	26	1	1	2	4	6	8
70 +	18	11.5	108							70 +	143	2.5	3	1	1	2	4	6	6
SUBTOTAL	**824**	**5.7**	**128**	**< 1**	**1**	**1**	**5**	**14**	**33**		**1437**	**3.7**	**26**	**1**	**1**	**2**	**4**	**6**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	364	1.4	1	< 1	< 1	1	1	2	4	0-17	174	1.4		< 1	< 1	1	2	2	2
18-34	76	4.2	47	1	1	1	2	12	26	18-34	158	2.4	2	1	1	2	4	5	5
35-49	250	5.5	70	1	1	2	6	15	17	35-49	1192	2.6	5	1	1	2	3	5	6
50-69	381	5.0	42	1	1	2	5	16	20	50-69	1882	2.8	8	1	1	2	3	6	8
70 +	23	8.3	46							70 +	129	2.0	4	1	1	1	2	6	7
SUBTOTAL	**1094**	**3.9**	**39**	**< 1**	**1**	**1**	**4**	**11**	**17**		**3535**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**1918**	**4.7**	**78**	**< 1**	**1**	**1**	**4**	**11**	**23**		**4972**	**2.9**	**12**	**1**	**1**	**2**	**3**	**6**	**8**

DRG 126: Acute & Subacute Endocarditis

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	142	16.1	174	3	5	12	21	29	43
70-74	71	11.2	46	5	6	10	13	19	29
75-79	96	16.7	56	10	11	13	22	29	33
80-84	71	17.8	74	8	10	16	25	30	32
85+	49	15.8	63	4	9	16	20	30	30
SUBTOTAL	429	15.7	101	4	9	13	20	29	32
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	12	9.8	17						
70-74	30	7.2	8						
75-79	13	18.0	1						
80-84	12	8.0							
85+	11	19.5	79						
SUBTOTAL	78	11.2	42	4	8	9	14	19	28
GRAND TOTAL	506	15.0	94	4	8	12	20	29	30

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	7.9	21						
18-34	72	14.2	158	5	5	8	22	33	40
35-49	90	14.5	110	4	6	11	21	37	38
50-69	148	16.9	144	6	7	14	24	38	41
70+	29	19.1	149						
	369	15.3	135	4	6	11	21	37	38
0-17	6	3.0							
18-34	12	3.4	7						
35-49	18	8.0	38						
50-69	19	6.0	1						
70+	6	11.0							
	60	6.2	18	2	3	5	7	13	16
	429	14.0	128	4	6	10	18	36	38

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	82	17.3	222	6	7	12	16	44	46
35-49	126	20.7	229	6	8	15	36	45	47
50-69	24	16.3	23						
70+	0								
SUBTOTAL	232	19.0	208	6	8	14	29	45	47
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	12	27.5							
18-34	18	6.8	18						
35-49	12	32.6	296						
50-69	6	34.0							
70+	0								
SUBTOTAL	48	21.7	219	2	9	22	31	50	50
GRAND TOTAL	279	19.5	210	6	8	14	29	45	47

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	21.9	1						
18-34	86	15.5	92	4	7	16	18	26	42
35-49	111	13.8	156	3	7	9	18	43	45
50-69	59	16.6	87	4	6	17	24	29	30
70+	6	26.0							
	275	15.6	116	4	7	14	21	29	42
0-17	0								
18-34	51	19.3	145	2	11	18	26	41	41
35-49	29	8.1	10						
50-69	6	28.0							
70+	0								
	86	16.1	126	5	6	13	26	33	41
	361	15.7	118	4	7	13	23	29	41

DRG 127: Heart Failure & Shock

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	12200	6.0	22	2	3	5	8	12	15
70-74	10246	6.1	20	2	3	5	8	11	15
75-79	12598	6.2	19	2	3	5	8	12	15
80-84	11965	6.2	22	2	3	5	8	11	14
85 +	13320	6.5	21	3	4	5	8	12	15
SUBTOTAL	**60329**	**6.2**	**21**	**2**	**3**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1696	4.1	6	1	2	4	5	7	9
70-74	1642	3.9	6	1	2	3	5	7	9
75-79	1995	4.2	7	2	2	3	5	8	9
80-84	1976	4.2	7	2	3	4	5	7	9
85 +	2305	4.1	5	2	3	4	5	7	8
SUBTOTAL	**9613**	**4.1**	**6**	**2**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**69943**	**5.9**	**19**	**2**	**3**	**5**	**7**	**11**	**14**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	4.2	30	1	2	3	4	6	26
18-34	143	5.7	15	3	3	5	7	10	16
35-49	684	4.9	11	2	3	4	6	9	11
50-69	4892	5.4	18	2	3	4	7	10	13
70 +	2438	5.6	24	2	3	4	7	10	12
	8267	**5.4**	**19**	**2**	**3**	**4**	**7**	**10**	**13**
0-17	42	3.6	18	< 1	1	2	4	14	14
18-34	11	4.5							
35-49	169	3.2	7	1	1	3	4	6	7
50-69	863	3.4	4	1	2	3	4	6	8
70 +	494	4.2	13	2	2	3	5	7	9
	1579	**3.6**	**8**	**1**	**2**	**3**	**4**	**6**	**8**
	9846	**5.1**	**18**	**2**	**3**	**4**	**6**	**10**	**12**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	143	7.7	60	2	3	5	9	19	24
18-34	211	5.9	27	2	2	4	8	13	19
35-49	843	5.7	19	2	3	4	7	11	15
50-69	2752	6.5	33	2	3	5	8	13	15
70 +	744	5.8	17	2	3	5	8	11	13
SUBTOTAL	**4693**	**6.3**	**29**	**2**	**3**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	42	3.7	14	1	1	2	4	12	12
18-34	46	4.9	16	2	3	3	6	15	15
35-49	205	4.4	16	1	1	3	7	10	14
50-69	574	4.0	10	1	2	3	5	8	10
70 +	207	3.8	5	1	2	3	6	7	8
SUBTOTAL	**1074**	**4.1**	**11**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**5768**	**5.8**	**26**	**2**	**3**	**5**	**7**	**11**	**15**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	3.6	6	1	2	3	5	6	11
18-34	170	6.7	12	3	4	6	10	12	13
35-49	861	5.6	17	2	3	4	7	11	13
50-69	3306	5.4	18	2	3	4	7	10	14
70 +	2243	5.0	13	2	3	4	6	9	11
	6671	**5.3**	**16**	**2**	**3**	**4**	**7**	**10**	**12**
0-17	12	3.8	10						
18-34	46	5.1	20	2	2	3	7	16	16
35-49	335	3.9	8	1	2	3	5	7	10
50-69	815	3.9	15	1	2	3	5	8	9
70 +	570	4.5	78	1	2	3	5	7	10
	1777	**4.1**	**34**	**1**	**2**	**3**	**5**	**7**	**9**
	8448	**5.0**	**20**	**2**	**2**	**4**	**6**	**9**	**12**

DRG 128: Deep Vein Thrombophlebitis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	599	7.3	17	4	5	7	8	11	15	0-17	0								
70-74	508	7.1	10	4	5	7	8	10	14	18-34	67	8.4	11	4	6	8	11	11	16
75-79	421	8.3	15	4	5	8	10	12	15	35-49	225	10.1	87	4	6	7	10	14	35
80-84	271	7.7	16	4	6	7	9	12	14	50-69	409	7.4	7	4	6	7	9	11	13
85 +	367	6.9	8	4	5	7	8	10	12	70 +	55	11.5	98	4	6	9	11	38	38
SUBTOTAL	**2166**	**7.4**	**13**	**4**	**5**	**7**	**8**	**12**	**14**		**756**	**8.6**	**40**	**4**	**6**	**7**	**10**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	481	6.4	5	4	5	6	8	9	10	0-17	31	5.7	7						
70-74	479	6.1	4	4	5	6	8	9	9	18-34	169	6.0	5	3	4	5	8	9	10
75-79	392	6.5	7	4	5	6	8	10	11	35-49	457	6.1	16	2	4	5	8	10	12
80-84	265	5.9	4	3	5	6	7	9	9	50-69	751	6.2	7	3	4	6	7	10	12
85 +	232	6.1	4	3	5	6	7	9	10	70 +	78	5.7	4	4	5	6	6	8	9
SUBTOTAL	**1849**	**6.2**	**5**	**3**	**5**	**6**	**7**	**9**	**10**		**1485**	**6.1**	**9**	**3**	**4**	**6**	**7**	**9**	**11**
GRAND TOTAL	**4016**	**6.9**	**10**	**4**	**5**	**6**	**8**	**10**	**12**		**2241**	**7.0**	**21**	**3**	**5**	**6**	**8**	**11**	**13**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	49	9.7	26	3	8	8	10	22	22	18-34	75	6.1	5	3	5	7	8	8	9
35-49	59	6.2	19	1	1	5	10	12	14	35-49	88	6.9	6	5	5	6	8	11	13
50-69	115	8.2	15	5	6	7	10	16	17	50-69	87	6.6	4	4	4	7	8	10	10
70 +	0									70 +	50	9.7	40	2	6	8	11	24	24
SUBTOTAL	**224**	**8.0**	**20**	**3**	**6**	**7**	**10**	**15**	**18**		**299**	**7.1**	**12**	**4**	**5**	**7**	**8**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	4.0								0-17	6	8.0							
18-34	122	7.3	13	3	5	7	10	12	14	18-34	56	6.2	6	2	5	6	7	11	11
35-49	55	6.3	5	3	4	6	8	10	10	35-49	112	5.7	5	3	4	5	7	9	10
50-69	12	3.6	2							50-69	209	6.7	8	4	5	6	8	11	13
70 +	0									70 +	50	5.4	3	2	4	6	6	8	8
SUBTOTAL	**195**	**6.7**	**11**	**3**	**4**	**6**	**9**	**10**	**14**		**433**	**6.3**	**6**	**3**	**5**	**6**	**8**	**10**	**11**
GRAND TOTAL	**419**	**7.4**	**16**	**3**	**5**	**7**	**9**	**13**	**15**		**732**	**6.6**	**9**	**4**	**5**	**6**	**8**	**10**	**11**

DRG 129: Cardiac Arrest, Unexplained

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	61	11.1	47	2	4	12	14	19	26
70-74	36	7.0	22	1	3	6	12	14	14
75-79	24	9.2	62						
80-84	19	9.7	30						
85+	6	5.0							
SUBTOTAL	**146**	**9.3**	**42**	**1**	**4**	**9**	**14**	**16**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	1.0							
70-74	6	1.0							
75-79	0								
80-84	6	7.0							
85+	0								
SUBTOTAL	**18**	**3.1**	**9**						
GRAND TOTAL	**164**	**8.6**	**42**	**1**	**3**	**7**	**14**	**16**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	9.0							
18-34	6	1.0							
35-49	12	3.5							
50-69	19	6.3	17						
70+	18	5.4	1						
	66	**5.5**	**10**	**3**	**3**	**4**	**9**	**9**	**12**
0-17	12	1.0							
18-34	6	1.0							
35-49	6	11.0							
50-69	13	4.0	4						
70+	0								
	36	**3.8**	**15**	**<1**	**1**	**2**	**6**	**11**	**11**
	102	**4.9**	**12**	**1**	**2**	**4**	**6**	**11**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	14.0							
18-34	12	10.0	79						
35-49	0								
50-69	12	3.1	4						
70+	6	5.0							
SUBTOTAL	**36**	**7.6**	**43**	**1**	**1**	**5**	**14**	**18**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	6	4.0							
SUBTOTAL	**6**	**4.0**							
GRAND TOTAL	**42**	**7.1**	**38**	**1**	**1**	**5**	**14**	**18**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	6.0							
35-49	0								
50-69	25	18.0	69						
70+	0								
	31	**15.6**	**78**						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	31	**15.6**	**78**						

DRG 130: Peripheral Vascular Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2562	7.2	27	2	4	6	9	12	15
70-74	2084	6.9	17	3	4	6	8	11	14
75-79	1795	6.8	17	2	4	7	9	11	14
80-84	1541	7.1	16	3	5	7	8	11	14
85 +	1556	7.3	14	3	5	7	9	11	14
SUBTOTAL	**9537**	**7.1**	**19**	**3**	**4**	**7**	**9**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9537**	**7.1**	**19**	**3**	**4**	**7**	**9**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	5.0	7						
18-34	318	7.0	13	3	5	6	9	12	13
35-49	818	6.9	20	3	5	6	8	10	13
50-69	2139	6.9	14	3	4	6	8	12	14
70 +	449	6.5	11	2	4	6	9	11	12
	3747	**6.9**	**15**	**3**	**5**	**6**	**8**	**11**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3747	**6.9**	**15**	**3**	**5**	**6**	**8**	**11**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	24	10.7	31						
18-34	127	6.2	24	2	3	6	7	12	19
35-49	262	5.8	12	2	3	5	7	10	13
50-69	599	8.7	59	2	4	6	10	17	27
70 +	99	10.0	101	1	3	7	9	31	36
SUBTOTAL	**1110**	**7.9**	**49**	**2**	**4**	**6**	**9**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1110**	**7.9**	**49**	**2**	**4**	**6**	**9**	**16**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	25.0							
18-34	237	6.4	9	2	4	7	9	10	11
35-49	580	7.4	32	2	4	6	9	12	17
50-69	807	6.3	16	2	3	6	8	11	14
70 +	277	5.8	9	2	3	5	7	8	13
	1907	**6.6**	**20**	**2**	**4**	**6**	**8**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1907	**6.6**	**20**	**2**	**4**	**6**	**8**	**11**	**14**

DRG 131: Peripheral Vascular Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1130	5.7	10	1	4	6	7	8	10	0-17	60	4.0	10	1	1	2	7	8	10
70-74	811	6.1	12	1	4	6	8	10	13	18-34	611	5.6	6	3	4	5	7	9	9
75-79	735	6.2	8	2	5	6	8	10	11	35-49	1266	5.7	6	3	4	6	7	9	10
80-84	532	5.4	8	1	3	5	7	8	10	50-69	1832	5.7	8	2	4	6	7	9	10
85 +	531	6.1	11	2	4	6	8	11	13	70 +	235	5.7	11	2	4	5	6	9	10
SUBTOTAL	**3738**	**5.9**	**10**	**2**	**4**	**6**	**7**	**9**	**11**		**4004**	**5.6**	**7**	**2**	**4**	**6**	**7**	**9**	**10**
GRAND TOTAL	**3738**	**5.9**	**10**	**2**	**4**	**6**	**7**	**9**	**11**		**4004**	**5.6**	**7**	**2**	**4**	**6**	**7**	**9**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	35	3.5	12	1	1	2	4	11	11	0-17	29	4.0	2						
18-34	195	6.6	8	3	5	6	8	11	13	18-34	448	5.0	8	1	2	5	6	9	11
35-49	198	7.3	19	3	4	7	8	15	17	35-49	551	5.4	11	1	3	5	7	9	13
50-69	270	6.2	47	1	2	5	8	11	12	50-69	944	5.0	11	1	3	5	6	9	11
70 +	41	8.9	42	1	4	7	15	21	21	70 +	127	6.4	11	2	4	6	9	11	12
SUBTOTAL	**740**	**6.6**	**28**	**2**	**3**	**6**	**8**	**12**	**15**		**2099**	**5.2**	**11**	**1**	**3**	**5**	**7**	**9**	**11**
GRAND TOTAL	**740**	**6.6**	**28**	**2**	**3**	**6**	**8**	**12**	**15**		**2099**	**5.2**	**11**	**1**	**3**	**5**	**7**	**9**	**11**

DRG 132: Atherosclerosis w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	459	4.3	19	1	2	3	5	9	11	0-17	6	2.0							
70-74	413	3.8	16	1	2	3	4	7	14	18-34	6	10.0							
75-79	387	3.7	11	1	1	2	4	8	10	35-49	74	3.0	6	< 1	1	2	4	4	10
80-84	369	4.7	11	2	2	4	7	10	12	50-69	370	3.2	7	1	2	2	4	6	8
85 +	243	5.8	16	2	3	5	8	11	13	70 +	130	6.4	73	2	3	3	5	11	31
SUBTOTAL	**1871**	**4.3**	**15**	**1**	**2**	**3**	**5**	**9**	**12**		**586**	**4.0**	**23**	**1**	**2**	**3**	**4**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1871**	**4.3**	**15**	**1**	**2**	**3**	**5**	**9**	**12**		**586**	**4.0**	**23**	**1**	**2**	**3**	**4**	**8**	**10**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	6	1.0							
18-34	17	3.0	9							18-34	11	3.0							
35-49	64	5.4	24	1	2	5	7	10	19	35-49	64	8.2	165	1	1	2	12	20	45
50-69	122	4.9	17	1	2	4	6	8	16	50-69	266	3.8	11	1	2	3	5	7	8
70 +	28	3.6	5							70 +	52	3.6	10	1	2	2	5	10	10
SUBTOTAL	**231**	**4.8**	**17**	**1**	**2**	**3**	**6**	**9**	**16**		**399**	**4.4**	**38**	**1**	**2**	**3**	**5**	**8**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**231**	**4.8**	**17**	**1**	**2**	**3**	**6**	**9**	**16**		**399**	**4.4**	**38**	**1**	**2**	**3**	**5**	**8**	**13**

DRG 133: Atherosclerosis w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0										0-17	0								
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	135	2.4	2	< 1	1	2	3	5	5		0-17	0								
70-74	142	4.3	62	1	1	2	5	6	6		18-34	6	5.0							
75-79	128	3.6	10	1	1	3	4	9	10		35-49	86	2.8	5	1	1	2	3	7	8
80-84	84	3.4	3	2	2	3	4	7	8		50-69	307	2.4	2	1	1	2	3	5	5
85 +	48	3.6	6	1	2	3	4	8	8		70 +	24	2.2	1						
SUBTOTAL	**537**	**3.5**	**21**	**1**	**1**	**2**	**4**	**7**	**9**			**423**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**537**	**3.5**	**21**	**1**	**1**	**2**	**4**	**7**	**9**			**423**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**7**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0										0-17	0								
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**0**											**0**								
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	6	1.0									0-17	0								
18-34	0										18-34	6	4.0							
35-49	36	4.5	15	2	2	2	5	13	13		35-49	151	2.9	6	1	1	2	4	6	7
50-69	97	3.2	7	1	1	2	4	9	9		50-69	232	3.5	10	< 1	1	3	5	9	11
70 +	11	9.0	1								70 +	29	4.3	29						
SUBTOTAL	**150**	**3.9**	**11**	**1**	**1**	**2**	**5**	**9**	**10**			**417**	**3.3**	**10**	**1**	**1**	**2**	**4**	**7**	**11**
GRAND TOTAL	**150**	**3.9**	**11**	**1**	**1**	**2**	**5**	**9**	**10**			**417**	**3.3**	**10**	**1**	**1**	**2**	**4**	**7**	**11**

DRG 134: Hypertension

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	539	3.8	8	1	2	3	5	7	9
70-74	435	4.5	13	2	2	3	5	8	14
75-79	315	4.0	10	1	2	3	5	8	10
80-84	328	4.0	5	2	2	3	5	7	9
85 +	194	4.2	5	1	3	4	6	7	9
SUBTOTAL	**1811**	**4.1**	**9**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	457	2.8	4	1	2	2	4	5	7
70-74	299	3.0	4	1	2	2	4	5	8
75-79	258	2.9	5	1	1	3	3	5	6
80-84	261	3.3	8	1	2	2	4	8	12
85 +	164	3.2	3	1	2	3	4	6	7
SUBTOTAL	**1439**	**3.0**	**5**	**1**	**2**	**2**	**4**	**6**	**8**
GRAND TOTAL	**3250**	**3.6**	**7**	**1**	**2**	**3**	**4**	**7**	**9**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	28	6.6	81						
18-34	47	4.1	7	1	1	4	7	8	8
35-49	272	4.0	7	2	2	3	5	7	10
50-69	636	4.2	12	1	2	3	5	9	10
70 +	71	4.4	16	1	2	3	6	10	15
	1054	**4.2**	**13**	**1**	**2**	**3**	**5**	**9**	**10**
0-17	18	3.7	4						
18-34	92	2.7	5	1	1	2	3	5	10
35-49	429	2.3	1	1	1	2	3	4	5
50-69	711	2.5	4	1	1	2	3	5	6
70 +	66	2.6	1	2	2	3	3	4	4
	1315	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	2369	**3.2**	**8**	**1**	**2**	**2**	**4**	**6**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	1.0							
18-34	41	4.5	8	1	2	4	8	9	9
35-49	155	4.3	17	1	2	3	6	10	12
50-69	195	5.3	23	1	2	4	7	12	16
70 +	18	3.0	1						
SUBTOTAL	**415**	**4.7**	**18**	**1**	**2**	**3**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	4.4	7						
18-34	41	2.9	6	1	1	2	5	8	8
35-49	121	4.8	27	1	2	2	6	9	18
50-69	265	3.8	12	1	2	3	5	7	10
70 +	40	2.0	1	1	1	2	3	3	3
SUBTOTAL	**490**	**3.8**	**15**	**1**	**2**	**2**	**5**	**8**	**10**
GRAND TOTAL	**905**	**4.2**	**16**	**1**	**2**	**3**	**5**	**9**	**14**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	5.0							
18-34	99	4.6	13	1	1	3	7	11	12
35-49	309	4.8	34	1	2	3	6	8	16
50-69	450	4.1	11	1	2	3	5	7	13
70 +	76	5.4	35	1	2	2	9	14	21
	940	**4.5**	**21**	**1**	**2**	**3**	**5**	**9**	**14**
0-17	11	1.5							
18-34	200	3.2	7	< 1	1	2	4	8	9
35-49	498	2.9	7	1	1	2	3	6	8
50-69	635	2.9	10	1	1	2	3	5	8
70 +	106	4.9	49	1	2	3	5	10	33
	1451	**3.1**	**12**	**1**	**1**	**2**	**3**	**6**	**8**
	2391	**3.6**	**16**	**1**	**2**	**2**	**4**	**7**	**10**

DRG 135: Cardiac Congenital & Valvular Disorders Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	174	5.7	20	< 1	2	5	8	11	12	0-17	0								
70-74	102	4.7	20	1	2	3	6	8	20	18-34	29	3.2	5						
75-79	121	5.4	21	2	3	4	6	12	18	35-49	61	4.8	45	< 1	2	2	5	15	24
80-84	201	5.7	13	2	3	4	8	11	12	50-69	144	3.3	4	1	2	3	4	6	7
85 +	205	7.8	190	1	3	4	7	13	17	70 +	29	3.7	2						
SUBTOTAL	**804**	**6.1**	**63**	**1**	**3**	**4**	**8**	**11**	**16**		**264**	**3.7**	**14**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**804**	**6.1**	**63**	**1**	**3**	**4**	**8**	**11**	**16**		**264**	**3.7**	**14**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	67	6.6	15	2	3	5	9	13	13	18-34	71	5.3	19	2	2	4	8	10	17
35-49	75	8.8	92	2	3	6	8	20	38	35-49	144	10.9	114	2	4	7	12	29	34
50-69	69	7.7	75	1	3	5	10	11	34	50-69	106	8.3	79	2	3	5	10	30	34
70 +	18	3.3	4							70 +	24	5.8	27						
SUBTOTAL	**229**	**7.4**	**59**	**1**	**3**	**6**	**10**	**13**	**34**		**345**	**8.6**	**82**	**2**	**3**	**5**	**10**	**24**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**229**	**7.4**	**59**	**1**	**3**	**6**	**10**	**13**	**34**		**345**	**8.6**	**82**	**2**	**3**	**5**	**10**	**24**	**31**

DRG 136: Cardiac Congenital & Valvular Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	68	3.4	11	1	1	2	5	7	12
70-74	29	3.6	11						
75-79	23	2.8	1						
80-84	49	3.0	1	1	2	3	4	5	5
85 +	60	2.3	1	1	2	2	3	4	4
SUBTOTAL	**229**	**3.0**	**5**	**1**	**2**	**2**	**3**	**5**	**10**
GRAND TOTAL	**229**	**3.0**	**5**	**1**	**2**	**2**	**3**	**5**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	59	1.8	1	1	1	2	2	3	3
35-49	130	2.0	1	< 1	1	2	3	3	3
50-69	83	2.3	4	1	1	2	3	3	9
70 +	0								
	272	**2.1**	**2**	**1**	**1**	**2**	**3**	**3**	**3**
	272	**2.1**	**2**	**1**	**1**	**2**	**3**	**3**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	68	7.2	45	1	3	5	11	14	25
35-49	41	3.5	3	2	2	3	5	7	7
50-69	18	3.0	1						
70 +	6	6.0							
SUBTOTAL	**133**	**5.4**	**28**	**1**	**2**	**4**	**6**	**11**	**14**
GRAND TOTAL	**133**	**5.4**	**28**	**1**	**2**	**4**	**6**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	111	4.2	20	1	1	2	6	12	17
35-49	77	4.3	19	1	2	2	6	9	17
50-69	104	3.6	9	1	2	3	4	10	12
70 +	6	2.0							
	298	**4.0**	**16**	**1**	**1**	**2**	**5**	**10**	**12**
	298	**4.0**	**16**	**1**	**1**	**2**	**5**	**10**	**12**

DRG 137: Cardiac Congenital & Valvular Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	217	5.4	57	<1	1	3	6	12	29
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	217	5.4	57	<1	1	3	6	12	29
0-17	205	3.2	37	<1	1	1	3	5	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	205	3.2	37	<1	1	1	3	5	9
	422	4.3	49	<1	1	2	4	9	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	227	6.9	100	1	2	4	8	15	33
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	227	6.9	100	1	2	4	8	15	33
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	177	3.1	7	1	1	2	4	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	177	3.1	7	1	1	2	4	7	9
GRAND TOTAL	405	5.2	62	1	1	2	7	11	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	152	8.6	192	1	2	4	11	24	73
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	152	8.6	192	1	2	4	11	24	73
0-17	142	3.6	12	<1	1	1	5	10	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	142	3.6	12	<1	1	1	5	10	10
	294	6.2	111	<1	1	3	8	13	24

DRG 138: Cardiac Arrhythmia & Conduction Disorders w/ CC

	MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs										
AGE GROUP										
0-69 (YRS.)	5333	3.9	11	1	2	3	5	8	10	
70-74	5391	4.4	14	1	2	3	5	9	11	
75-79	5403	4.5	16	1	2	3	6	8	12	
80-84	4579	4.8	18	1	2	4	6	9	13	
85 +	4089	4.7	12	2	2	4	6	9	11	
SUBTOTAL	24795	4.4	14	1	2	3	6	9	11	
2.PATIENTS W/OUT CCs										
AGE GROUP										
0-69	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTAL	0									
GRAND TOTAL	24795	4.4	14	1	2	3	6	9	11	

	BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	
0-17	145	7.1	96	1	2	3	8	19	28	
18-34	210	3.1	9	1	1	2	3	8	9	
35-49	755	2.7	5	1	1	2	3	5	7	
50-69	3401	3.4	9	1	2	3	4	7	9	
70 +	1255	4.2	48	1	2	3	4	8	12	
	5766	3.6	20	1	2	3	4	7	10	
0-17	0									
18-34	0									
35-49	0									
50-69	0									
70 +	0									
	0									
	5766	3.6	20	1	2	3	4	7	10	

	MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs										
AGE GROUP										
0-17 (YRS.)	108	3.7	16	1	1	2	5	11	16	
18-34	118	3.9	17	< 1	1	2	5	11	14	
35-49	303	4.5	44	1	1	3	5	8	17	
50-69	723	4.5	11	1	2	3	7	9	11	
70 +	232	5.5	15	1	3	4	8	10	14	
SUBTOTAL	1485	4.6	19	1	2	3	7	9	11	
2.PATIENTS W/OUT CCs										
AGE GROUP										
0-17	0									
18-34	0									
35-49	0									
50-69	0									
70 +	0									
SUBTOTAL	0									
GRAND TOTAL	1485	4.6	19	1	2	3	7	9	11	

	NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	
0-17	47	4.5	9	2	2	3	6	11	11	
18-34	160	3.3	13	< 1	1	2	3	8	14	
35-49	530	3.5	6	1	1	3	5	7	9	
50-69	1474	4.0	14	1	2	3	5	9	12	
70 +	866	4.4	21	1	2	3	6	9	11	
	3076	4.0	15	1	2	3	5	8	12	
0-17	0									
18-34	0									
35-49	0									
50-69	0									
70 +	0									
	0									
	3076	4.0	15	1	2	3	5	8	12	

DRG 139: Cardiac Arrhythmia & Conduction Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2917	2.4	4	1	1	2	3	4	5	0-17	351	2.7	5	< 1	1	2	3	6	8
70-74	2606	2.5	4	1	1	2	3	5	6	18-34	632	2.1	3	1	1	1	2	5	6
75-79	2402	2.8	4	1	1	2	3	5	6	35-49	1879	1.8	2	1	1	1	2	3	4
80-84	1796	2.9	3	1	2	2	4	5	7	50-69	4229	2.1	3	1	1	2	2	4	5
85 +	1484	3.3	5	1	2	3	4	6	8	70 +	609	2.3	2	1	1	2	3	4	5
SUBTOTAL	**11204**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**		**7700**	**2.1**	**3**	**1**	**1**	**2**	**2**	**4**	**5**
GRAND TOTAL	**11204**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**		**7700**	**2.1**	**3**	**1**	**1**	**2**	**2**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	177	2.7	5	1	1	2	4	6	8	0-17	143	2.6	4	< 1	1	2	3	5	7
18-34	204	3.0	6	1	1	3	4	6	10	18-34	464	2.3	4	1	1	1	3	5	7
35-49	207	2.8	4	1	1	2	4	5	6	35-49	919	2.2	3	1	1	2	3	4	6
50-69	283	3.2	8	1	1	2	4	8	10	50-69	1535	2.6	5	1	1	2	3	5	7
70 +	118	4.2	11	2	2	3	6	9	13	70 +	435	2.5	4	1	1	2	3	5	5
SUBTOTAL	**989**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**9**		**3496**	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**989**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**9**		**3496**	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 140: Angina Pectoris

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4735	3.3	6	1	2	3	4	6	8	0-17	0								
70-74	4127	3.6	7	1	2	3	4	6	8	18-34	48	2.8	4	1	1	2	4	6	6
75-79	4237	3.8	16	1	2	3	4	7	9	35-49	561	2.5	2	1	1	2	3	4	6
80-84	3683	4.1	17	2	2	3	5	7	9	50-69	2744	3.0	7	1	2	2	3	5	7
85 +	3613	3.9	9	1	2	3	5	7	9	70 +	846	3.2	4	1	2	3	4	6	7
SUBTOTAL	**20395**	**3.7**	**11**	**1**	**2**	**3**	**4**	**7**	**8**		**4200**	**2.9**	**6**	**1**	**2**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4314	2.5	3	1	1	2	3	4	5	0-17	0								
70-74	3365	2.6	2	1	2	2	3	4	5	18-34	117	2.1	1	1	1	2	3	4	5
75-79	3328	2.6	2	1	2	2	3	5	6	35-49	1668	1.9	2	1	1	2	2	3	4
80-84	2648	2.9	3	1	2	2	4	5	6	50-69	4593	2.2	3	1	1	2	3	4	4
85 +	1952	3.0	4	1	2	3	4	6	7	70 +	891	2.5	2	1	2	2	3	4	5
SUBTOTAL	**15606**	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**6**		**7268**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**36002**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**7**		**11468**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	6	1.0								18-34	53	4.5	32	1	2	2	3	20	20
35-49	383	3.6	7	1	2	3	4	7	8	35-49	566	3.4	7	1	2	2	5	7	8
50-69	1160	4.0	11	1	2	3	5	8	11	50-69	1807	3.2	5	1	2	2	4	6	8
70 +	160	4.9	37	2	2	3	5	10	10	70 +	1040	3.6	33	1	2	2	4	6	9
SUBTOTAL	**1707**	**4.0**	**13**	**1**	**2**	**3**	**5**	**8**	**11**		**3466**	**3.4**	**14**	**1**	**2**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	37	2.2	2	1	1	1	3	5	5	18-34	135	2.7	7	1	1	2	3	8	8
35-49	486	3.0	6	1	1	2	4	7	8	35-49	1344	2.4	5	1	1	2	3	4	6
50-69	1084	3.8	37	1	1	2	4	7	12	50-69	3003	2.6	6	1	1	2	3	5	6
70 +	152	3.2	7	1	2	3	4	5	8	70 +	758	2.5	3	1	1	2	3	5	6
SUBTOTAL	**1758**	**3.5**	**25**	**1**	**1**	**2**	**4**	**7**	**9**		**5240**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**3466**	**3.7**	**19**	**1**	**2**	**3**	**4**	**7**	**10**		**8706**	**2.9**	**9**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 141: Syncope & Collapse w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1726	3.3	10	1	2	2	4	7	8	0-17	84	1.8	1	1	1	2	2	3	4
70-74	1976	3.6	8	1	2	3	4	6	9	18-34	268	2.0	1	1	1	2	3	3	4
75-79	2430	3.5	6	1	2	3	5	6	8	35-49	435	2.8	17	1	1	2	3	4	6
80-84	2264	4.0	9	1	2	3	5	7	9	50-69	985	2.7	4	1	1	2	3	5	8
85 +	2591	4.4	12	1	2	3	5	9	11	70 +	458	4.0	10	1	2	3	5	7	13
SUBTOTAL	**10987**	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**9**		**2230**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**10987**	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**9**		**2230**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	30	2.6	2							0-17	30	1.8	1						
18-34	41	3.4	4	1	2	3	5	7	7	18-34	115	2.9	12	1	1	2	4	5	14
35-49	94	2.6	2	1	2	2	3	5	6	35-49	195	2.5	3	1	1	2	4	4	6
50-69	291	4.6	23	2	2	3	5	8	12	50-69	458	2.7	4	1	1	2	3	6	7
70 +	41	3.8	3	1	3	4	5	6	6	70 +	364	3.6	13	1	2	3	4	7	8
SUBTOTAL	**497**	**3.9**	**15**	**1**	**2**	**3**	**5**	**7**	**8**		**1162**	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**497**	**3.9**	**15**	**1**	**2**	**3**	**5**	**7**	**8**		**1162**	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 142: Syncope & Collapse w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1011	2.2	4	1	1	2	3	3	5	0-17	164	1.9	2	1	1	2	2	4	5
70-74	1050	2.4	2	1	1	2	3	4	5	18-34	322	2.1	5	1	1	1	2	3	6
75-79	1323	2.7	3	1	1	2	3	5	6	35-49	955	1.7	2	1	1	1	2	3	4
80-84	1133	2.8	3	1	2	3	4	5	6	50-69	1466	1.8	1	1	1	2	2	3	4
85 +	1303	2.9	6	1	1	2	4	5	6	70 +	320	2.0	1	1	1	2	2	3	4
SUBTOTAL	**5820**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**		**3228**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**5820**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**		**3228**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	70	2.2	2	1	1	2	3	4	5	0-17	30	1.2							
18-34	106	2.1	2	< 1	1	2	3	5	6	18-34	255	2.9	5	< 1	1	2	4	6	7
35-49	41	2.6	4	1	1	1	5	6	6	35-49	255	1.7	1	1	1	1	2	3	4
50-69	155	3.1	5	1	1	3	4	7	7	50-69	688	1.7	1	1	1	1	2	3	4
70 +	64	2.3	1	1	1	2	3	4	4	70 +	277	2.3	2	1	1	2	3	4	5
SUBTOTAL	**437**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**		**1506**	**2.0**	**2**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**437**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**		**1506**	**2.0**	**2**	**1**	**1**	**1**	**2**	**4**	**5**

DRG 143: Chest Pain

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3603	2.7	4	1	1	2	3	5	7
70-74	2097	2.9	6	1	1	2	3	6	8
75-79	1822	2.8	4	1	2	2	3	5	6
80-84	1237	3.3	14	1	2	2	4	5	7
85 +	913	3.3	9	1	2	3	4	7	8
SUBTOTAL	**9671**	**2.9**	**6**	**1**	**2**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4177	2.0	2	1	1	2	2	4	4
70-74	2392	2.0	2	1	1	2	2	3	4
75-79	1868	2.2	2	1	1	2	3	4	4
80-84	1224	2.4	2	1	1	2	3	4	6
85 +	729	2.3	2	1	1	2	3	4	5
SUBTOTAL	**10391**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**20062**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**6**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	24	1.7	1						
18-34	263	2.1	3	1	1	2	3	4	5
35-49	1588	2.1	1	1	1	2	3	4	4
50-69	3261	2.3	4	1	1	2	3	4	5
70 +	383	2.9	4	1	2	2	3	5	8
	5519	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
0-17	47	1.1		< 1	1	1	1	2	2
18-34	1178	1.6	1	1	1	1	2	3	3
35-49	7952	1.6	2	1	1	1	2	3	3
50-69	8928	1.7	1	1	1	1	2	3	3
70 +	695	1.9	1	1	1	2	2	3	4
	18800	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
	24319	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	2.5	1						
18-34	129	2.4	7	1	1	1	3	5	5
35-49	548	2.5	4	1	1	2	3	5	7
50-69	902	2.5	4	1	1	2	3	5	7
70 +	98	2.5	3	1	1	2	3	6	6
SUBTOTAL	**1701**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	18	1.7	1						
18-34	151	1.4		1	1	1	1	3	3
35-49	656	2.0	3	1	1	1	2	4	5
50-69	901	2.4	3	1	1	2	3	4	6
70 +	95	2.2	2	1	1	2	3	4	5
SUBTOTAL	**1821**	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**3521**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	374	2.1	2	< 1	1	2	3	4	5
35-49	1173	2.1	2	1	1	2	3	4	5
50-69	1762	2.6	6	1	1	2	3	5	7
70 +	238	2.7	3	1	1	2	4	5	7
	3546	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
0-17	18	1.3							
18-34	714	1.7	3	< 1	1	1	2	3	4
35-49	3945	1.7	2	1	1	1	2	3	4
50-69	4543	1.9	1	1	1	2	2	3	4
70 +	492	2.3	11	1	1	2	3	4	5
	9712	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
	13258	**2.0**	**3**	**1**	**1**	**2**	**2**	**4**	**5**

DRG 144: Other Circulatory System Diagnoses w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3523	6.1	28	1	3	5	8	12	16
70-74	1694	5.8	20	2	3	5	7	12	15
75-79	1580	6.4	35	2	3	5	8	13	18
80-84	1091	5.6	19	2	3	4	7	11	14
85 +	931	6.4	22	2	3	6	8	11	14
SUBTOTAL	**8818**	**6.1**	**26**	**2**	**3**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**8818**	**6.1**	**26**	**2**	**3**	**5**	**8**	**12**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	415	5.0	17	1	2	4	7	11	14
18-34	413	5.8	32	1	2	4	7	11	18
35-49	804	6.0	32	2	3	5	7	11	16
50-69	1865	5.7	26	1	2	4	8	11	15
70 +	284	5.1	10	2	2	4	7	9	12
	3782	**5.7**	**26**	**1**	**2**	**4**	**7**	**11**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3782	**5.7**	**26**	**1**	**2**	**4**	**7**	**11**	**15**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	363	7.0	40	1	3	5	10	14	18
18-34	314	8.3	47	2	3	6	12	18	26
35-49	440	7.8	64	2	3	5	9	18	24
50-69	466	7.5	76	2	3	6	9	14	21
70 +	70	10.0	39	4	5	9	14	19	22
SUBTOTAL	**1653**	**7.7**	**58**	**2**	**3**	**5**	**10**	**17**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1653**	**7.7**	**58**	**2**	**3**	**5**	**10**	**17**	**22**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	169	5.3	12	2	3	4	7	12	12
18-34	272	5.2	19	1	2	3	7	12	15
35-49	642	6.6	39	2	3	4	9	14	21
50-69	782	5.5	20	1	2	4	8	11	15
70 +	223	5.7	29	1	2	4	8	11	14
	2087	**5.8**	**26**	**1**	**2**	**4**	**8**	**12**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2087	**5.8**	**26**	**1**	**2**	**4**	**8**	**12**	**15**

DRG 145: Other Circulatory System Diagnoses w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	540	3.4	5	1	2	3	4	7	9	0-17	334	2.9	9	< 1	1	2	3	7	9
70-74	283	2.9	3	1	1	2	4	5	6	18-34	370	2.7	3	1	2	2	3	5	7
75-79	244	4.1	9	1	2	3	6	9	11	35-49	860	2.2	2	1	1	2	3	4	5
80-84	159	3.3	4	1	2	3	4	7	7	50-69	888	3.0	7	1	1	2	4	6	7
85 +	107	3.9	5	1	2	3	6	7	7	70 +	106	3.3	3	1	1	3	5	6	7
SUBTOTAL	**1333**	**3.4**	**5**	**1**	**2**	**3**	**5**	**7**	**8**		**2558**	**2.7**	**5**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**1333**	**3.4**	**5**	**1**	**2**	**3**	**5**	**7**	**8**		**2558**	**2.7**	**5**	**1**	**1**	**2**	**3**	**6**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	92	4.0	3	2	3	4	5	7	7	0-17	111	2.7	9	< 1	1	2	3	5	13
18-34	209	4.7	74	1	2	3	5	7	8	18-34	313	3.0	7	1	1	2	4	6	9
35-49	94	3.4	2	2	2	3	4	5	6	35-49	380	3.2	10	1	1	2	4	7	9
50-69	146	3.9	9	2	2	3	5	8	9	50-69	422	4.0	9	1	2	3	6	8	10
70 +	11	5.0								70 +	69	5.2	20	1	1	3	8	10	16
SUBTOTAL	**551**	**4.2**	**31**	**1**	**2**	**3**	**5**	**6**	**8**		**1295**	**3.5**	**10**	**1**	**1**	**2**	**5**	**8**	**10**
GRAND TOTAL	**551**	**4.2**	**31**	**1**	**2**	**3**	**5**	**6**	**8**		**1295**	**3.5**	**10**	**1**	**1**	**2**	**5**	**8**	**10**

DRG 146: Rectal Resection w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	286	12.7	89	7	8	10	14	22	26	0-17	17	7.0	1						
70-74	286	9.7	21	5	7	9	11	19	21	18-34	30	9.5	11						
75-79	263	10.7	19	7	8	9	13	17	19	35-49	101	8.1	6	6	7	8	9	11	13
80-84	219	12.4	24	6	9	13	15	18	20	50-69	333	10.4	28	7	8	9	12	15	22
85 +	68	11.8	10	8	9	11	14	17	18	70 +	48	12.0	15	8	9	10	15	19	19
SUBTOTAL	**1122**	**11.4**	**39**	**7**	**8**	**10**	**14**	**18**	**22**		**529**	**9.9**	**22**	**6**	**8**	**9**	**11**	**15**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1122**	**11.4**	**39**	**7**	**8**	**10**	**14**	**18**	**22**		**529**	**9.9**	**22**	**6**	**8**	**9**	**11**	**15**	**16**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	11	6.5	7							0-17	6	5.0							
18-34	6	16.0								18-34	6	11.0							
35-49	0									35-49	36	9.8	12	5	8	9	12	16	16
50-69	30	18.7	166							50-69	144	9.9	10	7	7	9	12	14	16
70 +	0									70 +	31	14.0	35						
SUBTOTAL	**48**	**15.5**	**131**	**4**	**8**	**10**	**24**	**37**	**37**		**224**	**10.4**	**16**	**6**	**8**	**9**	**12**	**16**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**48**	**15.5**	**131**	**4**	**8**	**10**	**24**	**37**	**37**		**224**	**10.4**	**16**	**6**	**8**	**9**	**12**	**16**	**18**

DRG 147: Rectal Resection w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	66	7.5	2	6	6	7	9	9	10
70-74	71	8.6	8	5	7	8	9	13	15
75-79	60	7.0	6	3	5	8	9	10	11
80-84	78	6.9	9	3	4	8	9	10	11
85+	48	7.9	13	2	5	8	9	15	15
SUBTOTAL	**323**	**7.6**	**8**	**4**	**6**	**8**	**9**	**10**	**13**
GRAND TOTAL	**323**	**7.6**	**8**	**4**	**6**	**8**	**9**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	90	7.7	1	6	7	8	8	9	9
18-34	35	5.7		5	5	6	6	6	6
35-49	61	6.7	15	2	3	6	9	12	15
50-69	158	8.0	10	4	6	8	10	12	14
70+	35	6.1	5	2	6	7	8	8	8
	379	**7.3**	**8**	**4**	**6**	**7**	**9**	**11**	**13**
	379	**7.3**	**8**	**4**	**6**	**7**	**9**	**11**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	119	6.7	5	4	5	7	8	9	11
18-34	0								
35-49	11	20.5	7						
50-69	22	10.0	18						
70+	0								
SUBTOTAL	**152**	**8.2**	**20**	**4**	**6**	**7**	**9**	**17**	**18**
GRAND TOTAL	**152**	**8.2**	**20**	**4**	**6**	**7**	**9**	**17**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	17	8.7	15						
18-34	24	7.1	9						
35-49	24	7.2	2						
50-69	70	7.6	26	1	3	8	9	11	20
70+	6	5.0							
	141	**7.5**	**17**	**2**	**5**	**8**	**9**	**11**	**14**
	141	**7.5**	**17**	**2**	**5**	**8**	**9**	**11**	**14**

DRG 148: Major Small & Large Bowel Procedures w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5273	12.8	80	6	8	10	15	23	31
70-74	5513	12.4	60	7	8	10	14	21	28
75-79	4804	13.2	70	7	8	10	15	24	31
80-84	3773	13.7	57	7	9	11	16	23	30
85 +	2772	15.1	95	7	9	12	17	27	33
SUBTOTAL	**22135**	**13.2**	**71**	**7**	**8**	**11**	**15**	**23**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**22135**	**13.2**	**71**	**7**	**8**	**11**	**15**	**23**	**30**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	625	11.9	148	4	5	8	14	28	38
18-34	971	10.4	79	5	6	8	11	18	23
35-49	2450	11.9	70	6	7	9	14	21	27
50-69	5695	11.4	70	6	7	9	13	18	27
70 +	779	13.7	93	6	8	11	15	24	32
	10519	**11.7**	**77**	**6**	**7**	**9**	**13**	**20**	**28**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	10519	**11.7**	**77**	**6**	**7**	**9**	**13**	**20**	**28**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	331	14.9	291	5	6	9	19	48	81
18-34	377	13.2	141	5	7	10	14	28	48
35-49	470	17.5	278	6	8	12	21	33	72
50-69	584	16.4	132	7	9	14	21	30	56
70 +	42	16.4	90	8	11	13	17	39	39
SUBTOTAL	**1804**	**15.7**	**202**	**6**	**8**	**11**	**19**	**31**	**58**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1804**	**15.7**	**202**	**6**	**8**	**11**	**19**	**31**	**58**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	253	11.6	195	4	6	8	11	18	28
18-34	1005	10.4	61	4	6	8	11	19	24
35-49	1176	13.1	113	6	8	10	14	26	36
50-69	1836	12.6	74	6	7	10	14	24	31
70 +	687	13.2	66	6	7	11	15	25	30
	4957	**12.3**	**87**	**6**	**7**	**9**	**14**	**23**	**31**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4957	**12.3**	**87**	**6**	**7**	**9**	**14**	**23**	**31**

DRG 149: Major Small & Large Bowel Procedures w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1192	7.9	11	5	6	7	9	12	14	0-17	424	6.1	20	3	3	6	7	8	10
70-74	1002	7.9	9	5	6	7	9	11	12	18-34	830	7.1	18	3	5	7	8	10	12
75-79	781	7.7	8	4	6	7	9	10	12	35-49	1707	7.0	9	4	5	7	8	10	11
80-84	526	8.4	23	5	6	8	10	12	12	50-69	2344	7.7	9	5	6	7	9	11	13
85 +	266	8.9	9	5	7	8	10	12	14	70 +	206	7.8	9	5	6	7	8	10	16
SUBTOTAL	**3766**	**8.0**	**12**	**5**	**6**	**8**	**9**	**11**	**13**		**5511**	**7.3**	**11**	**4**	**6**	**7**	**8**	**10**	**12**
GRAND TOTAL	**3766**	**8.0**	**12**	**5**	**6**	**8**	**9**	**11**	**13**		**5511**	**7.3**	**11**	**4**	**6**	**7**	**8**	**10**	**12**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	270	6.4	8	4	5	6	8	11	13	0-17	207	5.5	8	2	3	5	7	9	11
18-34	288	6.8	17	2	4	7	8	12	17	18-34	758	7.3	21	3	5	7	8	11	14
35-49	192	9.9	45	4	6	8	11	22	23	35-49	761	8.7	34	4	6	7	10	14	20
50-69	247	10.1	20	6	7	8	12	17	19	50-69	763	8.4	20	5	6	7	9	13	16
70 +	23	10.0	39							70 +	148	7.4	7	5	6	7	8	11	13
SUBTOTAL	**1020**	**8.2**	**24**	**4**	**5**	**7**	**9**	**14**	**19**		**2638**	**7.9**	**24**	**4**	**5**	**7**	**9**	**12**	**16**
GRAND TOTAL	**1020**	**8.2**	**24**	**4**	**5**	**7**	**9**	**14**	**19**		**2638**	**7.9**	**24**	**4**	**5**	**7**	**9**	**12**	**16**

DRG 150: Peritoneal Adhesiolysis w/ CC

	MEDICARE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs										
AGE GROUP										
0-69 (YRS.)	880	11.6	54	5	7	9	14	21	26	
70-74	717	11.7	41	6	8	10	14	20	24	
75-79	880	11.4	34	6	8	10	14	19	23	
80-84	641	12.9	48	6	9	12	15	19	25	
85 +	481	12.2	26	7	9	11	15	20	24	
SUBTOTAL	**3599**	**11.9**	**42**	**6**	**8**	**10**	**14**	**20**	**24**	
2.PATIENTS W/OUT CCs										
AGE GROUP										
0-69	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTAL	**0**									
GRAND TOTAL	**3599**	**11.9**	**42**	**6**	**8**	**10**	**14**	**20**	**24**	

	BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	
0-17	166	9.3	32	5	6	7	12	17	20	
18-34	342	10.0	68	3	5	7	12	20	22	
35-49	566	10.3	39	4	6	9	14	17	20	
50-69	1033	10.5	49	5	6	8	13	18	21	
70 +	111	11.1	17	5	8	11	14	16	20	
	2217	**10.3**	**46**	**5**	**6**	**9**	**13**	**18**	**21**	
0-17	0									
18-34	0									
35-49	0									
50-69	0									
70 +	0									
	0									
	2217	**10.3**	**46**	**5**	**6**	**9**	**13**	**18**	**21**	

	MEDICAID									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs										
AGE GROUP										
0-17 (YRS.)	62	9.1	67	4	5	6	9	21	33	
18-34	96	8.8	35	3	4	7	11	17	27	
35-49	61	12.4	44	5	8	10	17	23	27	
50-69	96	12.5	68	4	7	10	13	26	37	
70 +	30	10.3	14							
SUBTOTAL	**346**	**10.7**	**52**	**4**	**6**	**9**	**12**	**20**	**27**	
2.PATIENTS W/OUT CCs										
AGE GROUP										
0-17	0									
18-34	0									
35-49	0									
50-69	0									
70 +	0									
SUBTOTAL	**0**									
GRAND TOTAL	**346**	**10.7**	**52**	**4**	**6**	**9**	**12**	**20**	**27**	

	NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	
0-17	35	8.4	16	4	5	7	12	15	15	
18-34	137	10.4	72	3	5	8	14	20	30	
35-49	246	9.7	24	4	6	8	11	16	18	
50-69	284	10.9	37	5	6	10	12	19	21	
70 +	57	9.4	19	3	7	9	11	16	17	
	758	**10.2**	**37**	**4**	**6**	**9**	**12**	**18**	**20**	
0-17	0									
18-34	0									
35-49	0									
50-69	0									
70 +	0									
	0									
	758	**10.2**	**37**	**4**	**6**	**9**	**12**	**18**	**20**	

DRG 151: Peritoneal Adhesiolysis w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	365	7.7	53	3	4	6	10	12	15
70-74	261	8.1	12	4	6	8	10	11	16
75-79	220	8.3	11	4	6	7	10	13	15
80-84	118	8.4	15	4	6	8	9	13	18
85 +	25	7.3	14						
SUBTOTAL	**989**	**8.0**	**27**	**3**	**5**	**7**	**10**	**12**	**15**
GRAND TOTAL	**989**	**8.0**	**27**	**3**	**5**	**7**	**10**	**12**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	138	6.1	14	3	3	5	9	12	12
18-34	642	4.8	10	2	3	4	6	8	11
35-49	774	5.3	7	2	4	5	7	9	11
50-69	756	6.5	13	2	4	6	8	11	12
70 +	63	8.1	8	5	6	8	10	12	13
	2374	**5.7**	**11**	**2**	**3**	**5**	**7**	**10**	**12**
	2374	**5.7**	**11**	**2**	**3**	**5**	**7**	**10**	**12**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	76	6.4	9	3	5	6	7	11	14
18-34	122	5.0	5	2	3	5	6	8	9
35-49	84	4.7	18	1	2	3	5	9	18
50-69	48	9.8	63	3	4	7	13	28	28
70 +	0								
SUBTOTAL	**329**	**5.9**	**20**	**2**	**3**	**5**	**7**	**11**	**15**
GRAND TOTAL	**329**	**5.9**	**20**	**2**	**3**	**5**	**7**	**11**	**15**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	108	7.0	14	2	5	6	8	15	15
18-34	289	5.8	10	2	3	6	8	10	11
35-49	339	6.3	9	3	4	6	8	10	11
50-69	228	7.4	12	3	5	7	10	12	12
70 +	29	6.0	4						
	994	**6.5**	**11**	**2**	**4**	**6**	**8**	**11**	**12**
	994	**6.5**	**11**	**2**	**4**	**6**	**8**	**11**	**12**

DRG 152: Minor Small & Large Bowel Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	263	7.9	15	4	5	8	9	10	14	0-17	39	6.3	8	1	4	7	9	10	10
70-74	126	8.2	23	4	6	7	8	11	19	18-34	78	7.3	16	3	4	7	9	14	14
75-79	152	9.9	26	5	7	9	11	19	21	35-49	108	8.0	110	2	4	5	9	12	51
80-84	141	10.7	88	5	7	8	12	19	19	50-69	239	6.9	12	3	4	7	8	11	12
85 +	65	11.0	55	5	6	10	13	16	31	70 +	23	7.3	10						
SUBTOTAL	**747**	**9.1**	**37**	**4**	**6**	**8**	**10**	**16**	**20**		**488**	**7.2**	**34**	**3**	**4**	**6**	**9**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**747**	**9.1**	**37**	**4**	**6**	**8**	**10**	**16**	**20**		**488**	**7.2**	**34**	**3**	**4**	**6**	**9**	**12**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	22	12.5	85							0-17	11	7.0							
18-34	52	7.3	10	2	6	7	8	13	13	18-34	75	9.0	15	5	5	10	12	14	16
35-49	41	9.8	39	5	7	8	8	25	25	35-49	46	7.2	10	4	5	6	9	14	14
50-69	59	11.6	23	6	7	10	17	18	19	50-69	126	9.9	38	4	6	8	12	17	20
70 +	6	10.0								70 +	13	5.0	1						
SUBTOTAL	**181**	**10.0**	**33**	**5**	**7**	**8**	**13**	**18**	**25**		**271**	**8.8**	**25**	**4**	**5**	**8**	**12**	**16**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**181**	**10.0**	**33**	**5**	**7**	**8**	**13**	**18**	**25**		**271**	**8.8**	**25**	**4**	**5**	**8**	**12**	**16**	**17**

DRG 153: Minor Small & Large Bowel Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	187	5.6	4	2	4	6	7	8	8	0-17	189	7.0	60	4	4	6	7	8	9
70-74	43	5.9	3	4	4	5	8	9	9	18-34	183	5.2	5	2	4	5	7	8	8
75-79	53	7.8	4	5	6	7	9	11	11	35-49	341	5.6	7	2	4	5	7	9	11
80-84	66	7.7	5	5	6	8	9	10	12	50-69	250	5.7	7	2	3	6	8	9	9
85 +	6	6.0								70 +	24	5.8	4						
SUBTOTAL	**354**	**6.4**	**5**	**4**	**5**	**7**	**8**	**9**	**11**		**986**	**5.8**	**17**	**2**	**4**	**5**	**7**	**9**	**9**
GRAND TOTAL	**354**	**6.4**	**5**	**4**	**5**	**7**	**8**	**9**	**11**		**986**	**5.8**	**17**	**2**	**4**	**5**	**7**	**9**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	152	6.9	5	5	5	6	8	9	10	0-17	75	5.8	4	4	4	6	6	7	12
18-34	90	6.1	7	3	4	6	8	9	11	18-34	467	7.0	9	4	6	7	8	10	14
35-49	63	9.0	29	5	5	8	10	15	24	35-49	137	8.9	24	5	6	8	10	14	21
50-69	41	7.3	8	1	7	8	10	10	10	50-69	106	5.6	14	1	3	5	7	14	15
70 +	0									70 +	6	7.0							
SUBTOTAL	**346**	**7.1**	**11**	**4**	**5**	**7**	**8**	**10**	**12**		**792**	**7.0**	**12**	**4**	**5**	**6**	**8**	**10**	**14**
GRAND TOTAL	**346**	**7.1**	**11**	**4**	**5**	**7**	**8**	**10**	**12**		**792**	**7.0**	**12**	**4**	**5**	**6**	**8**	**10**	**14**

DRG 154: Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1996	13.9	132	5	7	11	17	26	35
70-74	1204	15.3	133	6	9	12	18	29	41
75-79	1302	16.4	146	7	9	12	19	30	46
80-84	988	14.8	96	7	9	12	18	25	32
85 +	688	17.1	125	7	10	14	21	29	34
SUBTOTAL	**6177**	**15.2**	**130**	**6**	**8**	**12**	**18**	**29**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6177**	**15.2**	**130**	**6**	**8**	**12**	**18**	**29**	**38**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	266	11.6	114	5	6	8	11	21	34
35-49	1131	10.5	52	5	6	9	13	19	24
50-69	1742	13.3	139	5	7	10	14	24	37
70 +	246	14.5	94	8	8	11	16	25	36
SUBTOTAL	**3385**	**12.3**	**107**	**5**	**7**	**9**	**14**	**22**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3385**	**12.3**	**107**	**5**	**7**	**9**	**14**	**22**	**32**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	176	9.6	28	5	6	9	12	15	32
35-49	282	12.6	91	5	6	10	13	32	36
50-69	309	18.0	158	8	9	13	26	35	46
70 +	59	19.1	82	10	11	15	27	33	38
SUBTOTAL	**825**	**14.5**	**114**	**5**	**8**	**11**	**17**	**32**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**825**	**14.5**	**114**	**5**	**8**	**11**	**17**	**32**	**38**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17	0								
18-34	395	10.3	50	4	6	8	13	21	28
35-49	546	12.4	101	4	7	9	15	26	32
50-69	747	12.5	93	5	7	9	15	25	34
70 +	116	18.0	331	6	7	9	20	60	64
SUBTOTAL	**1804**	**12.3**	**104**	**4**	**7**	**9**	**15**	**26**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1804**	**12.3**	**104**	**4**	**7**	**9**	**15**	**26**	**32**

DRG 155: Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	331	6.8	11	3	5	7	8	12	13	0-17	0								
70-74	213	6.7	18	3	4	6	7	12	18	18-34	264	5.8	5	4	5	5	7	8	9
75-79	176	5.6	9	2	3	5	7	10	12	35-49	886	6.3	7	4	5	6	7	9	12
80-84	106	9.1	61	3	4	6	10	19	35	50-69	759	6.8	13	3	5	6	8	11	14
85+	42	7.6	41	2	3	4	15	20	20	70+	17	7.7	3						
SUBTOTAL	**868**	**6.8**	**21**	**3**	**4**	**6**	**8**	**12**	**15**		**1926**	**6.4**	**9**	**4**	**5**	**6**	**8**	**10**	**12**
GRAND TOTAL	**868**	**6.8**	**21**	**3**	**4**	**6**	**8**	**12**	**15**		**1926**	**6.4**	**9**	**4**	**5**	**6**	**8**	**10**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	138	6.8	14	4	4	6	8	12	14	18-34	242	8.0	18	4	6	7	9	12	18
35-49	172	8.5	24	4	5	7	10	17	18	35-49	344	8.3	27	3	5	7	10	13	24
50-69	136	15.0	234	4	6	10	22	30	49	50-69	293	12.0	113	5	6	9	13	21	35
70+	6	27.0								70+	50	8.3	17	3	6	8	9	17	17
SUBTOTAL	**452**	**10.2**	**98**	**4**	**5**	**7**	**12**	**22**	**27**		**929**	**9.4**	**54**	**4**	**6**	**8**	**11**	**16**	**23**
GRAND TOTAL	**452**	**10.2**	**98**	**4**	**5**	**7**	**12**	**22**	**27**		**929**	**9.4**	**54**	**4**	**6**	**8**	**11**	**16**	**23**

DRG 156: Stomach, Esophageal & Duodenal Procedures Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	440	7.7	104	2	3	5	10	31	99 +
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**440**	**7.7**	**104**	**2**	**3**	**5**	**10**	**31**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1059	4.1	12	2	2	3	5	7	11
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1059**	**4.1**	**12**	**2**	**2**	**3**	**5**	**7**	**11**
GRAND TOTAL	**0**										**1500**	**5.1**	**42**	**2**	**2**	**3**	**6**	**11**	**19**

	MEDICAID										NO INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	526	8.9	97	3	5	7	11	18	24	0-17	295	5.4	24	2	3	4	6	10	15
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**526**	**8.9**	**97**	**3**	**5**	**7**	**11**	**18**	**24**		**295**	**5.4**	**24**	**2**	**3**	**4**	**6**	**10**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	736	4.6	9	2	2	3	6	9	11	0-17	499	3.4	4	2	2	3	4	6	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**736**	**4.6**	**9**	**2**	**2**	**3**	**6**	**9**	**11**		**499**	**3.4**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**1263**	**6.3**	**50**	**2**	**3**	**5**	**8**	**12**	**17**		**795**	**4.1**	**12**	**2**	**2**	**3**	**4**	**8**	**11**

DRG 157: Anal & Stomal Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	704	5.2	36	1	2	4	5	11	16	0-17	58	5.6	10	2	3	5	8	10	12
70-74	389	7.3	41	2	3	5	11	16	18	18-34	263	4.2	26	1	2	3	4	7	11
75-79	377	5.4	20	2	3	4	7	9	12	35-49	608	3.4	8	1	2	3	4	6	9
80-84	282	6.4	76	1	2	4	6	13	27	50-69	653	4.1	14	1	2	3	5	8	10
85 +	217	7.4	53	2	3	5	8	17	29	70 +	47	7.1	7	4	5	7	9	12	12
SUBTOTAL	**1969**	**6.0**	**42**	**2**	**2**	**4**	**7**	**13**	**17**		**1629**	**4.0**	**14**	**1**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1969**	**6.0**	**42**	**2**	**2**	**4**	**7**	**13**	**17**		**1629**	**4.0**	**14**	**1**	**2**	**3**	**5**	**8**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	69	9.4	125	4	4	6	8	12	46	0-17	34	6.8	12	1	4	7	10	11	11
18-34	65	5.9	26	2	2	4	8	15	17	18-34	89	6.1	25	1	3	4	8	11	22
35-49	60	6.5	40	2	3	4	6	18	23	35-49	255	4.1	13	1	2	3	5	9	10
50-69	64	5.9	10	2	3	5	9	11	11	50-69	170	6.3	40	1	2	4	10	15	19
70 +	6	47.0								70 +	13	3.5	7						
SUBTOTAL	**265**	**7.9**	**86**	**2**	**3**	**5**	**8**	**15**	**23**		**561**	**5.2**	**24**	**1**	**2**	**4**	**6**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**265**	**7.9**	**86**	**2**	**3**	**5**	**8**	**15**	**23**		**561**	**5.2**	**24**	**1**	**2**	**4**	**6**	**11**	**15**

DRG 158: Anal & Stomal Procedures w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	633	2.6	3	1	1	2	3	5	7
70-74	457	2.7	2	1	1	2	3	5	6
75-79	393	3.0	4	1	1	3	4	6	7
80-84	170	3.0	3	1	2	2	3	6	7
85 +	103	2.1	3	< 1	1	1	3	5	8
SUBTOTAL	**1757**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**1757**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**7**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	207	2.9	5	< 1	1	3	4	6	9
18-34	1317	2.1	2	1	1	2	3	4	5
35-49	2587	2.2	2	1	1	2	3	4	5
50-69	1951	2.2	3	1	1	2	3	4	5
70 +	71	3.2	5	1	1	3	4	7	8
	6134	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	6134	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	174	3.8	4	1	2	4	5	6	7
18-34	227	2.8	3	1	1	2	4	6	6
35-49	153	2.3	1	1	2	2	3	4	4
50-69	125	4.2	12	1	2	3	7	8	10
70 +	6	2.0							
SUBTOTAL	**684**	**3.2**	**5**	**1**	**2**	**2**	**4**	**6**	**8**
GRAND TOTAL	**684**	**3.2**	**5**	**1**	**2**	**2**	**4**	**6**	**8**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	97	3.7	19	< 1	< 1	2	3	10	19
18-34	686	3.0	5	1	1	2	4	5	8
35-49	810	2.7	3	1	1	2	4	5	7
50-69	467	2.8	4	1	1	2	3	6	8
70 +	78	3.2	8	1	1	2	5	8	8
	2139	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
	2139	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 159: Hernia Procedures except Inguinal & Femoral Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	986	5.0	36	2	2	4	6	9	12	0-17	0								
70-74	710	5.5	16	2	3	4	7	10	13	18-34	80	3.5	6	1	2	3	4	7	10
75-79	618	5.1	12	2	3	4	6	9	12	35-49	319	5.3	24	1	3	5	6	9	19
80-84	388	5.6	12	2	3	5	7	11	12	50 69	753	4.4	10	1	2	4	6	9	11
85 +	156	5.2	12	1	3	5	6	9	12	70 +	81	4.1	5	1	3	4	5	8	9
SUBTOTAL	**2858**	**5.2**	**21**	**2**	**3**	**4**	**6**	**9**	**12**		**1233**	**4.6**	**13**	**1**	**2**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2858**	**5.2**	**21**	**2**	**3**	**4**	**6**	**9**	**12**		**1233**	**4.6**	**13**	**1**	**2**	**4**	**6**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	48	5.5	9	1	3	4	8	10	10	18-34	34	5.7	5	3	3	6	7	9	9
35-49	137	6.8	44	2	3	4	8	14	24	35-49	164	6.3	42	1	2	4	9	14	14
50-69	197	4.9	8	2	3	4	6	8	11	50-69	259	4.6	7	2	3	4	7	9	9
70 +	6	4.0								70 +	98	5.9	58	1	2	2	5	20	29
SUBTOTAL	**388**	**5.6**	**21**	**2**	**3**	**4**	**7**	**10**	**14**		**556**	**5.4**	**26**	**2**	**2**	**4**	**7**	**9**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**388**	**5.6**	**21**	**2**	**3**	**4**	**7**	**10**	**14**		**556**	**5.4**	**26**	**2**	**2**	**4**	**7**	**9**	**14**

DRG 160: Hernia Procedures except Inguinal & Femoral Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	928	2.6	2	1	1	2	3	4	6
70-74	623	2.7	3	1	2	2	4	5	6
75-79	420	3.1	5	1	2	2	4	6	8
80-84	259	3.2	5	1	2	3	4	5	6
85 +	125	4.4	9	2	2	3	6	8	11
SUBTOTAL	**2356**	**2.9**	**4**	**1**	**2**	**2**	**4**	**5**	**7**
GRAND TOTAL	**2356**	**2.9**	**4**	**1**	**2**	**2**	**4**	**5**	**7**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	276	2.0	1	1	1	2	3	3	4
35-49	1244	2.6	3	1	1	2	3	5	5
50-69	1466	2.6	2	1	1	2	4	5	5
70 +	126	2.3	2	1	1	2	2	5	6
	3112	**2.5**	**2**	**1**	**1**	**2**	**3**	**5**	**5**
	3112	**2.5**	**2**	**1**	**1**	**2**	**3**	**5**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	227	2.9	2	1	2	3	4	5	6
35-49	256	3.2	3	1	2	3	4	5	6
50-69	239	3.5	4	1	2	3	4	6	8
70 +	6	5.0							
SUBTOTAL	**727**	**3.2**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**727**	**3.2**	**3**	**1**	**2**	**3**	**4**	**5**	**6**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	247	2.9	6	1	1	2	4	6	8
35-49	583	3.1	5	1	1	3	4	6	8
50-69	498	3.8	11	1	2	3	4	7	8
70 +	80	3.4	4	1	2	3	5	7	7
	1408	**3.3**	**7**	**1**	**2**	**3**	**4**	**6**	**8**
	1408	**3.3**	**7**	**1**	**2**	**3**	**4**	**6**	**8**

DRG 161: Inguinal & Femoral Hernia Procedures Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	641	3.3	6	1	2	3	4	7	9
70-74	501	3.2	10	1	1	2	4	7	8
75-79	639	3.9	13	1	1	3	5	7	10
80-84	410	4.0	11	1	2	3	5	8	11
85 +	532	7.0	67	2	3	4	8	15	24
SUBTOTAL	**2723**	**4.3**	**23**	**1**	**2**	**3**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2723**	**4.3**	**23**	**1**	**2**	**3**	**5**	**9**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	50	2.5	2	1	1	2	4	5	5
35-49	131	3.1	5	1	1	3	4	7	8
50-69	415	3.1	4	1	2	3	4	5	7
70 +	101	3.3	9	1	1	3	4	5	14
	697	**3.1**	**5**	**1**	**2**	**3**	**4**	**5**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	697	**3.1**	**5**	**1**	**2**	**3**	**4**	**5**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	4.0							
35-49	34	3.0	8	1	1	2	3	9	9
50-69	53	6.1	23	1	3	5	6	17	17
70 +	0								
SUBTOTAL	**92**	**4.8**	**18**	**1**	**2**	**3**	**6**	**12**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**92**	**4.8**	**18**	**1**	**2**	**3**	**6**	**12**	**17**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	29	1.8	1						
35-49	65	3.0	2	2	2	3	4	4	7
50-69	102	5.4	18	1	3	4	8	12	17
70 +	68	4.5	20	1	1	3	6	7	17
	264	**4.2**	**14**	**1**	**2**	**3**	**4**	**8**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	264	**4.2**	**14**	**1**	**2**	**3**	**4**	**8**	**13**

DRG 162: Inguinal & Femoral Hernia Procedures Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	595	1.9	2	< 1	1	1	2	3	4	0-17	0								
70-74	638	1.8	1	< 1	1	1	2	3	4	18-34	413	1.6	2	< 1	1	1	2	2	3
75-79	503	2.1	3	1	1	2	2	4	5	35-49	727	1.6	1	< 1	1	1	2	3	3
80-84	365	2.0	2	< 1	1	2	2	4	5	50-69	1317	1.6	1	< 1	1	1	2	3	4
85 +	308	2.5	2	1	1	2	3	4	5	70 +	145	1.9	2	< 1	1	1	2	4	4
SUBTOTAL	**2409**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**5**		**2601**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**2409**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**5**		**2601**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	94	1.8	1	< 1	1	1	3	4	4	18-34	351	2.6	7	1	1	2	3	5	10
35-49	90	2.2	3	1	1	1	4	4	7	35-49	381	2.5	8	1	1	1	3	5	6
50-69	94	2.0	2	1	1	2	3	3	7	50-69	323	2.0	5	1	1	1	2	4	5
70 +	57	3.2	9	1	1	2	4	9	11	70 +	75	2.0	1	< 1	< 1	1	3	3	4
SUBTOTAL	**336**	**2.2**	**3**	**1**	**1**	**1**	**3**	**4**	**6**		**1130**	**2.4**	**7**	**1**	**1**	**1**	**3**	**4**	**6**
GRAND TOTAL	**336**	**2.2**	**3**	**1**	**1**	**1**	**3**	**4**	**6**		**1130**	**2.4**	**7**	**1**	**1**	**1**	**3**	**4**	**6**

DRG 163: Hernia Procedures Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	1.0								0-17	196	1.9	4	< 1	1	1	2	3	8
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**1.0**									**196**	**1.9**	**4**	**< 1**	**1**	**1**	**2**	**3**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	24	1.0								0-17	2332	1.2		< 1	< 1	< 1	1	1	2
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**24**	**1.0**									**2332**	**1.2**		**< 1**	**< 1**	**< 1**	**1**	**1**	**2**
GRAND TOTAL	**31**	**1.0**									**2528**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**3**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	198	5.3	59	1	1	2	7	16	34	0-17	127	4.3	29	1	1	2	5	7	16
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**198**	**5.3**	**59**	**1**	**1**	**2**	**7**	**16**	**34**		**127**	**4.3**	**29**	**1**	**1**	**2**	**5**	**7**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1409	1.4	3	< 1	< 1	1	1	2	3	0-17	1067	1.2	1	< 1	< 1	< 1	1	2	2
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1409**	**1.4**	**3**	**< 1**	**< 1**	**1**	**1**	**2**	**3**		**1067**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**2**
GRAND TOTAL	**1607**	**1.9**	**12**	**< 1**	**< 1**	**1**	**1**	**3**	**5**		**1195**	**1.5**	**4**	**< 1**	**< 1**	**1**	**1**	**2**	**4**

DRG 164: Appendectomy w/ Complicated Principal Diag w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	283	9.6	26	4	6	9	11	16	20
70-74	251	9.0	21	5	6	8	11	14	15
75-79	108	9.7	13	4	7	11	13	14	15
80-84	147	10.3	30	5	7	9	13	17	23
85 +	83	10.3	19	6	7	9	14	16	18
SUBTOTAL	**873**	**9.6**	**23**	**5**	**6**	**9**	**11**	**15**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**873**	**9.6**	**23**	**5**	**6**	**9**	**11**	**15**	**17**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	669	8.9	30	4	6	8	10	14	19
18-34	320	7.2	17	3	5	7	9	11	13
35-49	416	8.6	21	4	6	8	10	13	18
50-69	480	9.2	24	4	6	8	11	16	17
70 +	13	7.0	10						
	1898	**8.6**	**25**	**4**	**6**	**7**	**10**	**14**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1898	**8.6**	**25**	**4**	**6**	**7**	**10**	**14**	**17**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	228	9.3	22	4	6	8	13	17	20
18-34	254	8.2	12	5	6	8	9	12	15
35-49	92	12.6	85	6	6	12	15	21	44
50-69	76	14.1	342	5	6	7	9	34	70
70 +	19	8.3							
SUBTOTAL	**669**	**9.9**	**66**	**5**	**6**	**8**	**11**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**669**	**9.9**	**66**	**5**	**6**	**8**	**11**	**16**	**21**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	394	9.1	31	5	6	7	10	15	20
18-34	620	10.2	34	5	7	8	12	16	23
35-49	267	7.7	10	4	6	7	9	12	13
50-69	128	11.5	59	6	8	9	14	15	23
70 +	18	17.4	285						
	1427	**9.6**	**36**	**5**	**6**	**8**	**11**	**15**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1427	**9.6**	**36**	**5**	**6**	**8**	**11**	**15**	**21**

DRG 165: Appendectomy w/ Complicated Principal Diag w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	219	6.0	5	3	4	6	7	10	10	0-17	2119	5.6	11	3	4	5	7	8	10
70-74	132	6.2	7	3	5	6	7	9	9	18-34	1433	4.8	6	2	3	4	6	8	9
75-79	55	7.7	10	5	6	7	8	15	16	35-49	1215	5.5	6	3	4	5	7	8	10
80-84	18	7.2	6							50-69	658	5.8	5	3	4	6	7	9	9
85 +	18	8.9	9							70 +	17	5.7	3						
SUBTOTAL	**442**	**6.4**	**7**	**3**	**5**	**6**	**8**	**10**	**11**		**5442**	**5.4**	**8**	**3**	**4**	**5**	**7**	**8**	**10**
GRAND TOTAL	**442**	**6.4**	**7**	**3**	**5**	**6**	**8**	**10**	**11**		**5442**	**5.4**	**8**	**3**	**4**	**5**	**7**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	787	6.0	7	2	4	6	8	9	10	0-17	1291	6.6	9	3	5	6	8	11	12
18-34	376	6.0	5	3	5	6	7	9	11	18-34	1975	5.9	7	3	4	6	7	9	11
35-49	99	5.5	3	3	5	6	6	7	9	35-49	825	5.9	6	3	4	6	7	9	10
50-69	48	7.8	12	2	5	8	9	14	14	50-69	336	5.7	6	3	4	5	7	9	11
70 +	11	7.5								70 +	6	5.0							
SUBTOTAL	**1322**	**6.0**	**6**	**3**	**4**	**6**	**7**	**9**	**10**		**4434**	**6.1**	**7**	**3**	**4**	**6**	**8**	**10**	**11**
GRAND TOTAL	**1322**	**6.0**	**6**	**3**	**4**	**6**	**7**	**9**	**10**		**4434**	**6.1**	**7**	**3**	**4**	**6**	**8**	**10**	**11**

DRG 166: Appendectomy w/o Complicated Principal Diag w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	216	4.5	5	3	3	4	5	8	9	0-17	586	3.8	4	2	3	3	5	6	8
70-74	117	6.2	14	3	3	6	8	11	15	18-34	838	3.9	4	2	3	3	5	6	8
75-79	105	7.1	64	2	4	5	7	9	38	35-49	674	4.7	6	2	3	4	6	8	10
80-84	48	6.2	6	3	4	6	8	11	11	50-69	275	5.1	7	3	4	4	6	8	10
85 +	31	5.4	6							70 +	29	8.1	30						
SUBTOTAL	**517**	**5.6**	**20**	**3**	**3**	**5**	**7**	**9**	**11**		**2402**	**4.3**	**6**	**2**	**3**	**4**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**517**	**5.6**	**20**	**3**	**3**	**5**	**7**	**9**	**11**		**2402**	**4.3**	**6**	**2**	**3**	**4**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	134	4.2	6	2	2	3	6	8	9	0-17	273	3.3	5	2	2	3	4	5	8
18-34	267	5.5	36	3	3	4	6	8	10	18-34	684	4.6	10	2	3	4	5	8	12
35-49	90	4.5	3	3	3	4	6	7	8	35-49	261	5.4	9	2	3	5	7	10	12
50-69	35	8.3	62	3	3	4	11	25	25	50-69	120	4.5	3	3	3	4	6	7	8
70 +	0									70 +	12	6.9	1						
SUBTOTAL	**526**	**5.2**	**25**	**2**	**3**	**4**	**6**	**8**	**10**		**1349**	**4.5**	**8**	**2**	**3**	**4**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**526**	**5.2**	**25**	**2**	**3**	**4**	**6**	**8**	**10**		**1349**	**4.5**	**8**	**2**	**3**	**4**	**5**	**8**	**11**

DRG 167: Appendectomy w/o Complicated Principal Diag w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	379	3.2	4	2	2	3	3	5	7
70-74	147	4.0	4	2	3	4	4	6	7
75-79	74	3.8	3	2	2	4	5	6	7
80-84	23	3.4	2						
85 +	12	9.7	27						
SUBTOTAL	**634**	**3.6**	**5**	**2**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**634**	**3.6**	**5**	**2**	**2**	**3**	**4**	**5**	**7**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	8652	2.5	1	1	2	2	3	4	4
18-34	8837	2.7	1	1	2	2	3	4	4
35-49	3778	2.9	2	2	2	3	4	5	5
50-69	1213	3.2	2	2	2	3	4	5	6
70 +	12	6.3	13						
	22492	**2.7**	**1**	**1**	**2**	**2**	**3**	**4**	**5**
	22492	**2.7**	**1**	**1**	**2**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1888	2.8	2	2	2	3	3	4	5
18-34	1841	3.2	2	2	2	3	4	5	6
35-49	274	3.6	5	2	2	3	4	6	9
50-69	90	3.9	2	2	3	4	5	5	7
70 +	6	5.0							
SUBTOTAL	**4097**	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**5**
GRAND TOTAL	**4097**	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**5**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	3334	2.7	2	1	2	2	3	4	5
18-34	7799	2.9	2	2	2	3	3	4	5
35-49	1890	3.1	2	2	2	3	4	5	6
50-69	486	3.5	3	2	2	3	4	5	7
70 +	18	3.0	3						
	13527	**2.9**	**2**	**2**	**2**	**3**	**3**	**4**	**5**
	13527	**2.9**	**2**	**2**	**2**	**3**	**3**	**4**	**5**

DRG 168: Mouth Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	116	4.0	36	1	2	3	3	5	21
70-74	76	4.2	16	1	2	3	5	7	16
75-79	52	5.3	33	1	3	4	5	21	21
80-84	48	3.9	5	1	2	4	5	8	8
85 +	55	3.6	5	1	2	3	5	8	8
SUBTOTAL	**346**	**4.1**	**22**	**1**	**2**	**3**	**5**	**7**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**346**	**4.1**	**22**	**1**	**2**	**3**	**5**	**7**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	5.1	7						
18-34	36	3.6	2	1	3	4	5	5	5
35-49	54	6.0	11	1	3	5	9	11	11
50-69	66	5.9	62	2	2	3	6	10	29
70 +	18	4.3	12						
	204	**5.2**	**26**	**1**	**2**	**4**	**7**	**10**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	204	**5.2**	**26**	**1**	**2**	**4**	**7**	**10**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	12	1.5							
18-34	35	5.9	16	1	2	6	8	13	13
35-49	24	7.0	12						
50-69	53	4.8	23	1	2	3	5	15	15
70 +	6	3.0							
SUBTOTAL	**129**	**5.1**	**18**	**1**	**2**	**3**	**7**	**12**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**129**	**5.1**	**18**	**1**	**2**	**3**	**7**	**12**	**13**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	5.5	33						
18-34	68	8.8	71	3	4	8	11	12	35
35-49	71	8.0	17	3	4	7	11	15	15
50-69	29	7.7	14						
70 +	6	3.0							
	197	**7.8**	**38**	**3**	**4**	**6**	**10**	**15**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	197	**7.8**	**38**	**3**	**4**	**6**	**10**	**15**	**15**

DRG 169: Mouth Procedures w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	108	2.1	1	1	1	2	3	4	5	0-17	255	1.5	1	< 1	1	1	2	2	3
70-74	42	1.9	1	1	1	2	3	3	3	18-34	125	2.5	7	1	1	2	2	5	8
75-79	53	3.6	11	1	1	2	6	9	9	35-49	144	3.0	10	1	1	1	4	7	9
80-84	18	2.3	2							50-69	137	2.2	2	1	1	2	3	4	5
85 +	31	2.0	1							70 +	22	2.5	2						
SUBTOTAL	**252**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**		**684**	**2.2**	**4**	**< 1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**252**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**		**684**	**2.2**	**4**	**< 1**	**1**	**1**	**2**	**4**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	105	2.2	3	< 1	1	1	3	6	7	0-17	87	2.7	3	< 1	< 1	2	5	6	6
18-34	23	5.5	3							18-34	180	4.4	8	2	2	4	6	8	12
35-49	53	3.5	12	< 1	2	2	4	13	13	35-49	75	4.9	8	1	3	5	7	8	9
50-69	17	3.0	1							50-69	88	1.8	1	1	1	1	2	4	4
70 +	0									70 +	13	2.0							
SUBTOTAL	**198**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**		**443**	**3.6**	**7**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**198**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**		**443**	**3.6**	**7**	**1**	**2**	**3**	**5**	**7**	**8**

DRG 170: Other Digestive System O.R. Procedures w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	576	12.9	97	4	6	10	17	26	34
70-74	429	16.0	239	4	7	11	20	34	51
75-79	242	15.8	131	4	8	13	18	31	41
80-84	215	14.4	148	2	8	11	18	30	34
85 +	158	13.6	100	5	8	10	16	25	36
SUBTOTAL	**1619**	**14.4**	**148**	**4**	**7**	**11**	**18**	**29**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1619**	**14.4**	**148**	**4**	**7**	**11**	**18**	**29**	**38**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	104	8.0	38	2	5	6	11	13	30
18-34	224	6.9	28	2	4	5	9	15	17
35-49	236	8.4	63	2	4	6	8	22	27
50-69	430	10.2	41	3	5	9	13	20	30
70 +	59	8.4	28	3	4	6	14	17	19
	1055	**8.8**	**44**	**3**	**4**	**7**	**12**	**17**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1055	**8.8**	**44**	**3**	**4**	**7**	**12**	**17**	**23**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	68	15.4	385	3	3	5	28	47	62
18-34	60	8.3	18	4	5	6	13	15	17
35-49	88	15.9	164	3	6	10	26	34	48
50-69	54	13.9	96	4	8	9	17	31	31
70 +	18	12.8	22						
SUBTOTAL	**288**	**13.6**	**171**	**3**	**5**	**8**	**17**	**34**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**288**	**13.6**	**171**	**3**	**5**	**8**	**17**	**34**	**47**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	7.5	12	4	5	8	9	10	16
18-34	195	9.4	115	3	4	6	11	16	31
35-49	191	10.5	104	4	5	7	13	18	22
50-69	148	11.6	51	4	7	11	14	19	24
70 +	43	11.7	20	6	6	11	17	18	18
	641	**10.2**	**82**	**3**	**5**	**8**	**13**	**18**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	641	**10.2**	**82**	**3**	**5**	**8**	**13**	**18**	**22**

DRG 171: Other Digestive System O.R. Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	170	5.4	15	1	3	5	6	10	16	0-17	192	5.1	20	2	3	4	6	11	17
70-74	55	4.7	9	1	3	4	6	11	11	18-34	628	3.3	6	1	1	3	4	7	9
75-79	46	4.3	10	1	2	4	7	10	10	35-49	459	4.5	8	2	3	4	5	8	12
80-84	37	4.6	11	1	2	3	7	11	11	50-69	211	4.3	7	2	2	4	5	9	10
85 +	30	5.4	2							70 +	0								
SUBTOTAL	**338**	**5.0**	**12**	**1**	**3**	**5**	**6**	**10**	**11**		**1491**	**4.0**	**9**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**338**	**5.0**	**12**	**1**	**3**	**5**	**6**	**10**	**11**		**1491**	**4.0**	**9**	**1**	**2**	**3**	**5**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	124	5.2	14	2	3	3	6	10	15	0-17	105	7.1	124	2	3	4	7	8	53
18-34	169	6.0	51	1	3	5	7	8	12	18-34	487	4.1	9	1	2	4	5	7	10
35-49	98	7.6	19	2	5	7	10	13	18	35-49	196	7.3	49	2	3	5	8	17	20
50-69	46	6.2	14	2	3	5	8	14	14	50-69	117	6.1	28	1	2	4	8	16	18
70 +	0									70 +	0								
SUBTOTAL	**437**	**6.1**	**30**	**2**	**3**	**5**	**7**	**12**	**14**		**905**	**5.4**	**36**	**1**	**3**	**4**	**6**	**10**	**17**
GRAND TOTAL	**437**	**6.1**	**30**	**2**	**3**	**5**	**7**	**12**	**14**		**905**	**5.4**	**36**	**1**	**3**	**4**	**6**	**10**	**17**

DRG 172: Digestive Malignancy w/ CC

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	863	8.3	62	2	3	6	10	18	27	0-17	17	6.7	1						
70-74	791	7.8	45	2	4	6	9	14	24	18-34	29	8.7	45						
75-79	786	7.4	54	2	3	5	9	16	20	35-49	167	4.7	11	1	2	4	6	11	12
80-84	599	6.6	28	2	3	5	9	13	17	50-69	731	6.6	40	2	2	5	9	15	22
85 +	750	7.3	35	2	4	5	9	14	18	70 +	125	8.1	121	3	3	5	9	10	21
SUBTOTAL	**3789**	**7.5**	**46**	**2**	**3**	**5**	**9**	**15**	**21**		**1068**	**6.5**	**45**	**2**	**2**	**5**	**8**	**12**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3789**	**7.5**	**46**	**2**	**3**	**5**	**9**	**15**	**21**		**1068**	**6.5**	**45**	**2**	**2**	**5**	**8**	**12**	**20**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	1.0								0-17	6	15.0							
18-34	51	6.8	31	2	3	6	7	21	21	18-34	6	9.0							
35-49	207	11.5	106	2	4	8	19	28	31	35-49	154	9.1	119	1	3	5	9	25	34
50-69	416	8.9	34	2	5	8	12	17	20	50-69	386	9.0	69	1	3	6	12	20	23
70 +	39	10.1	56	4	5	7	12	27	27	70 +	168	6.6	44	1	3	5	9	13	15
SUBTOTAL	**718**	**9.5**	**58**	**2**	**4**	**7**	**12**	**20**	**27**		**720**	**8.5**	**74**	**1**	**3**	**5**	**10**	**19**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**718**	**9.5**	**58**	**2**	**4**	**7**	**12**	**20**	**27**		**720**	**8.5**	**74**	**1**	**3**	**5**	**10**	**19**	**25**

DRG 173: Digestive Malignancy w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	75	11.9	255	1	3	7	12	28	62
70-74	67	7.5	184	< 1	< 1	4	5	7	49
75-79	113	8.6	177	< 1	1	4	10	43	76
80-84	68	3.5	4	1	2	3	5	6	8
85 +	62	3.2	10	< 1	< 1	1	4	8	11
SUBTOTAL	**385**	**7.3**	**145**	**< 1**	**1**	**4**	**7**	**13**	**49**
GRAND TOTAL	**335**	**7.3**	**145**	**< 1**	**1**	**4**	**7**	**13**	**49**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	29	2.9	7						
50-69	291	3.0	22	< 1	< 1	1	3	7	9
70 +	43	3.7	3	< 1	2	4	5	6	6
	364	**3.1**	**19**	**< 1**	**1**	**2**	**3**	**6**	**8**
	364	**3.1**	**19**	**< 1**	**1**	**2**	**3**	**6**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	12	5.5							
35-49	129	7.8	53	2	3	5	11	15	25
50-69	181	6.4	30	1	2	5	12	15	20
70 +	11	6.0							
SUBTOTAL	**333**	**6.9**	**37**	**1**	**2**	**5**	**11**	**15**	**25**
GRAND TOTAL	**333**	**6.9**	**37**	**1**	**2**	**5**	**11**	**15**	**25**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	6	1.0							
18-34	29	5.0	11						
35-49	57	4.6	18	< 1	1	3	7	13	15
50-69	166	5.3	18	1	2	4	7	12	15
70 +	18	4.1	14						
	276	**4.9**	**17**	**1**	**2**	**4**	**7**	**11**	**15**
	276	**4.9**	**17**	**1**	**2**	**4**	**7**	**11**	**15**

DRG 174: G.I. Hemorrhage w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	5618	4.9	15	2	3	4	6	9	11	0-17	159	4.6	40	1	1	2	4	17	21
70-74	4778	5.4	17	2	3	4	7	10	13	18-34	873	3.4	9	1	2	3	4	5	6
75-79	5373	5.4	17	2	3	4	6	9	12	35-49	2505	3.7	9	2	2	3	4	6	7
80-84	4900	5.6	14	2	3	5	7	10	12	50-69	4161	4.3	11	2	2	3	5	8	10
85 +	5514	6.1	16	2	4	5	8	11	14	70 +	973	4.9	9	2	3	4	6	9	11
SUBTOTAL	**26183**	**5.5**	**16**	**2**	**3**	**4**	**7**	**10**	**13**		**8671**	**4.1**	**11**	**2**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**26183**	**5.5**	**16**	**2**	**3**	**4**	**7**	**10**	**13**		**8671**	**4.1**	**11**	**2**	**2**	**3**	**5**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	129	3.9	5	1	2	3	6	7	7	0-17	71	2.4	5	1	1	1	3	5	9
18-34	440	5.3	115	1	2	4	5	8	9	18-34	1291	3.4	4	1	2	3	4	6	8
35-49	833	5.4	33	2	2	4	6	12	15	35-49	2142	4.0	8	1	2	3	5	7	8
50-69	1034	6.0	21	2	3	5	7	11	16	50-69	2089	4.4	13	2	3	4	5	7	10
70 +	157	5.8	15	3	4	5	6	8	9	70 +	714	5.7	33	2	3	4	6	11	18
SUBTOTAL	**2594**	**5.5**	**40**	**2**	**3**	**4**	**6**	**10**	**14**		**6307**	**4.1**	**12**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2594**	**5.5**	**40**	**2**	**3**	**4**	**6**	**10**	**14**		**6307**	**4.1**	**12**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 175: G.I. Hemorrhage w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	798	3.0	3	1	2	3	4	5	7
70-74	860	3.4	4	1	2	3	4	6	7
75-79	721	3.3	3	1	2	3	4	6	7
80-84	680	3.8	6	2	2	3	5	6	7
85 +	706	4.0	6	2	2	3	5	7	9
SUBTOTAL	**3765**	**3.5**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**3765**	**3.5**	**4**	**1**	**2**	**3**	**4**	**5**	**7**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	197	1.9	2	1	1	1	2	3	5
18-34	643	2.3	2	1	1	2	3	4	4
35-49	1249	2.5	2	1	2	2	3	4	5
50-69	1763	3.1	3	1	2	3	4	5	6
70 +	217	3.6	5	1	2	3	5	6	9
	4070	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**6**
	4070	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	139	2.4	1	1	2	2	3	4	4
18-34	171	3.5	3	1	2	3	4	7	8
35-49	176	3.5	5	1	2	3	4	7	8
50-69	190	4.3	72	1	2	3	3	5	7
70 +	57	6.3	83	1	2	3	5	25	33
SUBTOTAL	**733**	**3.7**	**28**	**1**	**2**	**3**	**4**	**5**	**8**
GRAND TOTAL	**733**	**3.7**	**28**	**1**	**2**	**3**	**4**	**5**	**8**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	112	1.8	1	1	1	2	2	4	5
18-34	766	2.6	4	1	1	2	3	5	6
35-49	866	3.1	5	1	2	2	4	6	7
50-69	955	2.8	4	1	2	2	4	5	5
70 +	194	2.8	2	1	2	3	4	4	4
	2892	**2.8**	**4**	**1**	**2**	**2**	**4**	**5**	**6**
	2892	**2.8**	**4**	**1**	**2**	**2**	**4**	**5**	**6**

DRG 176: Complicated Peptic Ulcer

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	432	6.9	39	2	3	5	8	14	21
70-74	435	6.1	26	2	3	4	7	11	18
75-79	273	6.7	35	2	3	5	8	15	17
80-84	300	6.1	13	2	4	5	8	12	14
85 +	316	7.4	25	3	4	5	10	12	22
SUBTOTAL	**1757**	**6.6**	**29**	**2**	**3**	**5**	**8**	**12**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	122	3.5	6	< 1	1	3	5	7	9
70-74	101	4.1	4	2	3	3	5	8	8
75-79	175	4.9	9	2	3	4	6	10	11
80-84	83	3.5	4	1	2	3	4	7	7
85 +	24	3.9	4						
SUBTOTAL	**504**	**4.1**	**7**	**1**	**2**	**4**	**5**	**8**	**10**
GRAND TOTAL	**2261**	**6.1**	**25**	**2**	**3**	**5**	**7**	**11**	**15**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	1.0							
18-34	31	6.7	36						
35-49	177	4.6	11	1	3	4	6	9	12
50-69	253	4.6	12	2	3	4	6	7	9
70 +	46	5.4	11	2	3	4	8	11	11
	513	**4.8**	**13**	**2**	**3**	**4**	**6**	**9**	**12**
0-17	6	3.0							
18-34	62	3.5	6	1	2	2	6	7	8
35-49	113	2.9	5	1	1	3	3	6	10
50-69	202	3.5	4	< 1	1	4	4	6	7
70 +	18	4.6	6						
	401	**3.4**	**5**	**1**	**2**	**3**	**4**	**7**	**8**
	914	**4.2**	**10**	**1**	**2**	**3**	**5**	**7**	**10**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	34	8.4	9	4	7	8	11	13	13
35-49	61	7.9	76	2	3	7	8	18	34
50-69	65	7.9	21	3	5	6	10	14	19
70 +	6	15.0							
SUBTOTAL	**167**	**8.3**	**39**	**3**	**5**	**7**	**9**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	8.0							
18-34	6	4.0							
35-49	29	2.8	1						
50-69	29	4.0	1						
70 +	11	1.5							
SUBTOTAL	**82**	**3.5**	**3**	**2**	**2**	**4**	**4**	**5**	**8**
GRAND TOTAL	**249**	**6.7**	**32**	**2**	**3**	**5**	**8**	**13**	**15**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	1.0							
18-34	43	5.1	11	2	2	4	9	11	11
35-49	78	4.9	9	2	3	4	7	7	13
50-69	96	6.1	54	2	2	3	4	20	29
70 +	25	10.5	74						
	254	**5.8**	**36**	**2**	**2**	**4**	**7**	**13**	**20**
0-17	23	3.2	6						
18-34	41	4.0	3	2	3	4	4	8	8
35-49	55	3.4	2	2	2	3	4	6	6
50-69	48	4.6	7	1	3	5	5	10	10
70 +	0								
	167	**3.8**	**4**	**1**	**2**	**4**	**5**	**7**	**8**
	421	**5.0**	**24**	**2**	**2**	**4**	**6**	**9**	**13**

DRG 177: Uncomplicated Peptic Ulcer w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	547	4.7	7	2	3	4	6	8	9
70-74	469	4.4	7	2	3	4	6	7	10
75-79	358	4.7	9	2	3	4	6	8	12
80-84	428	4.7	11	2	2	4	6	10	12
85 +	266	5.6	10	3	4	5	7	9	12
SUBTOTAL	**2068**	**4.7**	**9**	**2**	**3**	**4**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2068**	**4.7**	**9**	**2**	**3**	**4**	**6**	**8**	**11**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	1.9	1						
18-34	104	3.3	2	1	2	3	4	6	6
35-49	227	3.8	4	2	2	3	5	6	8
50-69	376	4.4	7	2	2	4	6	7	8
70 +	71	4.0	4	2	3	4	5	5	9
	790	**4.0**	**5**	**2**	**2**	**3**	**5**	**7**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	790	**4.0**	**5**	**2**	**2**	**3**	**5**	**7**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	13	3.5							
18-34	92	5.5	111	2	2	3	3	5	44
35-49	60	3.9	3	2	3	3	5	7	8
50-69	210	4.8	11	2	3	4	6	12	12
70 +	12	5.8	17						
SUBTOTAL	**387**	**4.8**	**34**	**2**	**3**	**3**	**5**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**387**	**4.8**	**34**	**2**	**3**	**3**	**5**	**10**	**12**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	87	4.0	6	2	2	3	5	8	10
35-49	225	4.3	8	2	2	3	5	10	10
50-69	166	4.2	7	2	3	3	6	10	10
70 +	56	2.6	3	1	2	2	3	6	7
	534	**4.0**	**7**	**2**	**2**	**3**	**5**	**9**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	534	**4.0**	**7**	**2**	**2**	**3**	**5**	**9**	**10**

DRG 178: Uncomplicated Peptic Ulcer w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	297	3.0	4	1	1	3	4	6	7	0-17	61	1.9	1	1	1	2	2	3	4
70-74	135	3.4	8	1	2	3	4	5	6	18-34	272	2.2	1	1	1	2	3	3	4
75-79	122	3.3	3	1	2	3	4	6	7	35-49	502	2.7	3	1	2	2	4	5	6
80-84	122	3.4	6	< 1	1	3	4	7	8	50-69	548	2.7	3	1	2	2	3	4	5
85 +	92	3.9	2	2	3	4	5	6	7	70 +	18	4.8	3						
SUBTOTAL	**768**	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**1401**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**768**	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**1401**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	12	3.0								0-17	19	1.7							
18-34	68	3.5	3	2	2	3	6	6	6	18-34	289	2.4	4	1	1	2	3	5	5
35-49	62	2.4	1	1	2	2	3	4	5	35-49	294	2.5	3	1	1	2	3	4	5
50-69	78	4.0	7	1	1	4	7	7	8	50-69	257	3.9	13	1	2	3	4	12	13
70 +	6	7.0								70 +	49	3.9	3	2	2	3	5	7	7
SUBTOTAL	**225**	**3.4**	**4**	**1**	**2**	**3**	**5**	**7**	**7**		**907**	**2.9**	**7**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**225**	**3.4**	**4**	**1**	**2**	**3**	**5**	**7**	**7**		**907**	**2.9**	**7**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 179: Inflammatory Bowel Disease

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	405	8.8	57	2	4	7	12	20	24
70-74	308	8.1	120	2	3	5	8	13	27
75-79	259	7.3	23	3	4	6	9	14	14
80-84	110	12.3	205	2	6	7	15	34	62
85 +	90	12.2	175	2	4	6	23	27	53
SUBTOTAL	**1172**	**8.9**	**91**	**2**	**4**	**6**	**9**	**19**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	78	5.6	30	1	2	4	6	17	18
70-74	48	5.2	3	3	4	5	6	9	9
75-79	47	10.4	98	< 1	4	8	11	35	35
80-84	18	9.5	17						
85 +	12	3.5							
SUBTOTAL	**202**	**6.8**	**41**	**2**	**3**	**4**	**9**	**14**	**18**
GRAND TOTAL	**1374**	**8.6**	**84**	**2**	**4**	**6**	**9**	**17**	**24**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	10.3	62	4	5	7	13	19	32
18-34	549	6.0	25	2	3	4	8	11	15
35-49	574	5.8	23	2	3	5	7	11	20
50-69	261	6.2	15	3	3	5	8	11	13
70 +	18	6.1	9						
	1470	**6.2**	**25**	**2**	**3**	**5**	**8**	**11**	**18**
0-17	129	7.0	47	1	3	5	8	15	25
18-34	546	5.7	22	2	3	4	7	12	14
35-49	475	5.7	18	2	3	5	7	10	14
50-69	257	5.0	16	2	3	4	6	10	10
70 +	11	5.0	1						
	1419	**5.7**	**22**	**2**	**3**	**4**	**7**	**11**	**15**
	2889	**5.9**	**23**	**2**	**3**	**5**	**7**	**11**	**15**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	41	11.0	71	1	5	6	19	26	-26
18-34	175	8.6	51	3	4	7	9	24	29
35-49	48	4.6	5	1	3	4	6	9	9
50-69	59	5.7	7	2	3	7	7	9	10
70 +	0								
SUBTOTAL	**323**	**7.8**	**42**	**3**	**4**	**6**	**8**	**15**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	58	3.8	11	1	2	3	5	10	13
18-34	109	5.5	8	2	3	5	7	10	12
35-49	18	5.1	5						
50-69	30	7.3	26						
70 +	0								
SUBTOTAL	**215**	**5.3**	**12**	**1**	**3**	**5**	**7**	**10**	**13**
GRAND TOTAL	**538**	**6.8**	**32**	**2**	**3**	**6**	**7**	**13**	**19**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	13	5.5	2						
18-34	253	6.8	26	2	4	5	8	13	17
35-49	281	6.7	23	1	4	6	9	14	15
50-69	168	7.2	30	2	4	5	8	18	19
70 +	19	4.3	4						
	733	**6.8**	**25**	**2**	**4**	**5**	**8**	**14**	**17**
0-17	22	4.8	16						
18-34	260	5.3	18	1	2	4	6	12	14
35-49	198	5.2	11	2	3	5	6	8	13
50-69	65	5.9	13	3	4	5	8	10	15
70 +	24	4.7	2						
	569	**5.3**	**14**	**1**	**3**	**5**	**6**	**12**	**14**
	1302	**6.1**	**21**	**2**	**3**	**5**	**7**	**12**	**15**

DRG 180: G.I. Obstruction w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2312	5.4	26	2	3	4	6	10	13	0-17	181	3.0	6	1	1	2	5	6	7
70-74	1838	5.2	11	2	3	4	7	9	12	18-34	210	4.3	8	1	2	4	5	8	12
75-79	2097	6.3	33	2	3	5	8	13	15	35-49	672	4.7	13	1	2	4	6	9	12
80-84	1945	5.8	18	2	3	5	7	10	14	50-69	1359	5.4	19	2	3	4	7	10	14
85 +	2218	6.4	24	2	3	5	8	13	16	70 +	320	6.2	20	2	3	5	7	13	18
SUBTOTAL	**10411**	**5.8**	**23**	**2**	**3**	**5**	**7**	**11**	**14**		**2743**	**5.1**	**16**	**1**	**2**	**4**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**10411**	**5.8**	**23**	**2**	**3**	**5**	**7**	**11**	**14**		**2743**	**5.1**	**16**	**1**	**2**	**4**	**7**	**10**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	139	3.8	9	1	2	3	5	9	9	0-17	49	2.9	6	1	1	2	3	9	9
18-34	95	6.5	18	2	4	5	9	14	15	18-34	138	3.6	7	1	1	3	5	8	8
35-49	182	6.3	48	2	3	5	6	11	22	35-49	227	6.1	41	2	3	4	7	12	21
50-69	316	7.0	40	2	2	5	9	14	21	50-69	419	4.9	13	2	2	4	6	10	13
70 +	61	6.4	26	2	4	5	7	13	20	70 +	230	4.1	10	1	2	3	6	8	13
SUBTOTAL	**794**	**6.2**	**34**	**2**	**3**	**4**	**8**	**13**	**18**		**1063**	**4.7**	**18**	**1**	**2**	**4**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**794**	**6.2**	**34**	**2**	**3**	**4**	**8**	**13**	**18**		**1063**	**4.7**	**18**	**1**	**2**	**4**	**6**	**10**	**13**

DRG 181: G.I. Obstruction w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1209	3.3	4	1	2	3	4	6	7	0-17	362	2.1	3	1	1	1	3	5	7
70-74	963	4.0	7	1	2	3	5	8	9	18-34	496	3.1	6	1	2	2	3	6	8
75-79	903	3.5	5	1	2	3	4	6	7	35-49	1285	3.1	5	1	2	3	4	6	7
80-84	739	3.9	5	2	2	3	5	7	8	50-69	1780	3.2	4	1	2	3	4	6	7
85 +	721	4.2	8	1	2	3	5	9	10	70 +	194	3.8	6	1	2	3	5	7	10
SUBTOTAL	**4535**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**8**		**4117**	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**4535**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**8**		**4117**	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	258	2.1	2	1	1	2	3	4	5	0-17	231	2.7	10	< 1	1	2	3	6	7
18-34	138	4.3	5	2	2	4	6	7	10	18-34	610	3.7	7	1	2	3	4	7	9
35-49	208	3.9	4	2	3	4	4	7	9	35-49	508	3.8	7	1	2	3	5	7	9
50-69	199	3.6	5	1	2	3	5	7	8	50-69	691	3.5	6	1	2	3	4	7	9
70 +	18	7.0	48							70 +	92	3.6	4	1	2	3	5	5	9
SUBTOTAL	**823**	**3.4**	**6**	**1**	**2**	**3**	**4**	**7**	**8**		**2131**	**3.5**	**7**	**1**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**823**	**3.4**	**6**	**1**	**2**	**3**	**4**	**7**	**8**		**2131**	**3.5**	**7**	**1**	**2**	**3**	**4**	**7**	**9**

DRG 182: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	10032	4.7	20	1	2	4	6	9	11	0-17	0								
70-74	7253	4.8	17	2	2	4	6	9	11	18-34	4324	3.0	15	1	1	2	3	5	7
75-79	7422	4.9	17	2	3	4	6	9	12	35-49	5755	3.5	12	1	2	3	4	7	9
80-84	6288	5.0	16	2	3	4	6	9	12	50-69	7256	3.9	19	1	2	3	5	7	10
85 +	6525	5.5	19	2	3	4	7	10	14	70 +	1283	4.1	9	2	2	3	5	7	9
SUBTOTAL	**37520**	**4.9**	**18**	**2**	**2**	**4**	**6**	**9**	**12**		**18618**	**3.6**	**15**	**1**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**37520**	**4.9**	**18**	**2**	**2**	**4**	**6**	**9**	**12**		**18618**	**3.6**	**15**	**1**	**2**	**3**	**4**	**7**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	1379	4.0	21	1	2	3	4	8	10	18-34	2703	3.0	8	1	1	2	4	6	8
35-49	1373	4.7	16	1	2	4	6	9	12	35-49	2830	3.6	11	1	2	3	4	7	10
50-69	1752	4.5	13	2	2	4	5	9	11	50-69	2504	4.2	13	1	2	3	5	8	11
70 +	275	5.3	16	1	2	4	7	11	15	70 +	1003	4.6	15	2	2	3	5	10	13
SUBTOTAL	**4779**	**4.4**	**17**	**1**	**2**	**3**	**5**	**9**	**11**		**9041**	**3.7**	**11**	**1**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4779**	**4.4**	**17**	**1**	**2**	**3**	**5**	**9**	**11**		**9041**	**3.7**	**11**	**1**	**2**	**3**	**5**	**7**	**10**

DRG 183: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4186	3.0	5	1	1	2	4	5	7	0-17	0								
70-74	2727	3.1	4	1	2	3	4	6	7	18-34	7408	2.2	3	1	1	2	3	4	5
75-79	2272	3.2	9	1	2	3	4	6	7	35-49	8340	2.6	4	1	1	2	3	5	6
80-84	1743	3.3	5	1	2	3	4	6	8	50-69	7672	2.7	4	1	1	2	4	5	6
85 +	1412	3.8	13	1	2	3	4	7	9	70 +	575	2.9	3	1	1	2	4	5	7
SUBTOTAL	**12340**	**3.2**	**6**	**1**	**2**	**3**	**4**	**6**	**7**		**23995**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**12340**	**3.2**	**6**	**1**	**2**	**3**	**4**	**6**	**7**		**23995**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	2158	2.7	5	1	1	2	3	5	7	18-34	4771	2.4	5	1	1	2	3	5	7
35-49	1004	3.5	11	1	2	3	4	7	8	35-49	3334	2.8	6	1	1	2	4	6	7
50-69	648	4.0	15	1	2	3	5	8	9	50-69	2562	3.1	7	1	1	2	4	6	8
70 +	135	3.6	10	1	1	3	5	8	9	70 +	393	3.4	7	1	2	3	4	6	8
SUBTOTAL	**3945**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**8**		**11061**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**3945**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**8**		**11061**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 184: Esophagitis, Gastroent & Misc Digest Disorders Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	73	2.2		1	2	2	3	3	3
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**73**	**2.2**		**1**	**2**	**2**	**3**	**3**	**3**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	25	1.3							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**25**	**1.3**							
GRAND TOTAL	**98**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6660	2.6	7	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6660	**2.6**	**7**	**1**	**1**	**2**	**3**	**4**	**6**
0-17	6326	2.0	3	1	1	2	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6326	**2.0**	**3**	**1**	**1**	**2**	**2**	**4**	**5**
	12986	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	4989	3.5	21	1	2	3	4	6	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4989**	**3.5**	**21**	**1**	**2**	**3**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	4100	2.6	6	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4100**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**9088**	**3.1**	**14**	**1**	**2**	**2**	**3**	**5**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	2740	2.8	7	1	1	2	3	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2740	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**8**
0-17	3188	2.1	5	1	1	1	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3188	**2.1**	**5**	**1**	**1**	**1**	**3**	**4**	**5**
	5928	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 185: Dental & Oral Dis except Extractions & Restorations, Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	131	9.2	279	1	2	4	9	19	20
70-74	61	6.6	61	1	3	4	6	19	30
75-79	126	7.9	60	2	3	5	8	16	26
80-84	50	5.4	3	3	4	5	6	9	9
85 +	48	13.1	92	3	6	10	18	31	31
SUBTOTAL	**415**	**8.4**	**130**	**2**	**3**	**5**	**9**	**20**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	90	2.6	3	1	1	3	3	5	6
70-74	43	2.9	4	1	2	2	4	7	7
75-79	36	3.6	18	1	1	2	3	13	13
80-84	13	2.5							
85 +	25	3.5	5						
SUBTOTAL	**206**	**2.9**	**6**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**621**	**6.6**	**95**	**1**	**2**	**4**	**7**	**13**	**24**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	273	2.7	9	1	1	1	3	5	8
35-49	168	4.5	14	1	2	3	6	11	13
50-69	185	6.1	25	1	2	4	9	12	13
70 +	19	5.3	12						
	645	**4.2**	**17**	**1**	**1**	**3**	**5**	**10**	**12**
0-17	0								
18-34	329	2.1	2	1	1	2	3	4	5
35-49	229	4.8	208	1	1	2	3	5	8
50-69	115	3.2	5	1	2	2	4	7	9
70 +	12	1.5							
	685	**3.2**	**73**	**1**	**1**	**2**	**3**	**5**	**6**
	1330	**3.7**	**46**	**1**	**1**	**2**	**4**	**8**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	90	4.4	20	1	1	3	5	12	18
35-49	23	4.2	3						
50-69	35	5.3	11	2	3	4	6	12	12
70 +	0								
SUBTOTAL	**148**	**4.6**	**15**	**1**	**2**	**4**	**5**	**12**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	213	2.6	3	1	1	2	3	5	7
35-49	29	2.8	1						
50-69	48	3.4	3	<1	2	3	5	6	6
70 +	6	9.0							
SUBTOTAL	**295**	**2.8**	**3**	**1**	**2**	**2**	**4**	**5**	**7**
GRAND TOTAL	**443**	**3.4**	**8**	**1**	**2**	**3**	**4**	**6**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	409	3.0	10	<1	1	2	4	6	8
35-49	198	3.8	15	1	1	3	5	9	12
50-69	48	6.8	14	3	4	6	9	14	14
70 +	6	1.0							
	661	**3.5**	**13**	**1**	**1**	**2**	**4**	**7**	**12**
0-17	0								
18-34	964	2.1	2	1	1	2	3	4	5
35-49	351	2.6	5	<1	1	2	3	5	8
50-69	51	3.9	5	1	3	4	4	9	9
70 +	19	1.7							
	1384	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
	2045	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 186: Dental & Oral Dis except Extractions & Restorations, Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	6	1.0							
GRAND TOTAL	6	1.0							

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	312	2.9	6	1	1	2	4	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	312	2.9	6	1	1	2	4	5	8
0-17	463	2.2	3	< 1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	463	2.2	3	< 1	1	2	3	5	6
	775	2.5	4	< 1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	213	3.3	3	1	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	213	3.3	3	1	2	3	4	6	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	301	2.7	7	< 1	1	2	3	5	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	301	2.7	7	< 1	1	2	3	5	10
GRAND TOTAL	514	2.9	5	1	1	2	4	6	9

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	135	4.0	15	1	2	2	5	10	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	135	4.0	15	1	2	2	5	10	11
0-17	351	2.4	5	< 1	1	2	3	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	351	2.4	5	< 1	1	2	3	5	8
	486	2.8	9	< 1	1	2	3	6	10

DRG 187: Dental Extractions & Restorations

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	48	2.5	3	1	1	2	3	6	6	0-17	80	1.3		< 1	< 1	< 1	1	2	3
70-74	12	3.1	1							18-34	23	1.5							
75-79	6	1.0								35-49	19	3.3							
80-84	17	1.7								50-69	6	10.0							
85 +	6	2.0								70 +	6	2.0							
SUBTOTAL	**89**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**6**		**134**	**2.0**	**4**	**< 1**	**< 1**	**1**	**2**	**3**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	1.0								0-17	475	1.1		< 1	< 1	< 1	< 1	1	1
70-74	0									18-34	77	2.0	2	1	1	1	3	4	5
75-79	0									35-49	35	1.3		1	1	1	2	2	2
80-84	0									50-69	12	1.0							
85 +	11	2.0								70 +	0								
SUBTOTAL	**18**	**1.6**									**599**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**
GRAND TOTAL	**106**	**2.2**	**2**	**1**	**1**	**2**	**2**	**4**	**6**		**732**	**1.4**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	118	1.9	3	< 1	< 1	1	2	5	6	0-17	52	2.4	1	< 1	1	3	3	4	4
18-34	22	9.5	9							18-34	88	2.3	1	1	1	2	3	4	5
35-49	11	4.5	2							35-49	12	6.1	4						
50-69	0									50-69	12	1.0							
70 +	0									70 +	0								
SUBTOTAL	**152**	**3.2**	**11**	**< 1**	**< 1**	**1**	**5**	**8**	**10**		**163**	**2.5**	**3**	**1**	**1**	**3**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1287	1.1		< 1	< 1	< 1	< 1	< 1	< 1	0-17	366	1.2		< 1	< 1	< 1	< 1	2	2
18-34	86	2.1	2	< 1	< 1	2	2	4	7	18-34	235	2.6	3	1	1	2	3	5	7
35-49	18	2.0	1							35-49	69	2.3	5	1	1	2	3	3	9
50-69	11	1.5								50-69	6	3.0							
70 +	0									70 +	0								
SUBTOTAL	**1403**	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**		**677**	**1.8**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**1555**	**1.3**	**2**	**< 1**	**< 1**	**< 1**	**< 1**	**2**	**4**		**840**	**1.9**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**5**

DRG 188: Other Digestive System Diagnoses Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1879	5.8	25	2	3	5	8	11	14
70-74	1364	6.3	44	2	3	4	7	12	16
75-79	1282	6.2	32	2	3	4	7	12	18
80-84	1157	6.9	50	2	3	5	8	15	21
85 +	1221	6.7	42	2	3	5	8	12	15
SUBTOTAL	**6904**	**6.3**	**38**	**2**	**3**	**5**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6904**	**6.3**	**38**	**2**	**3**	**5**	**8**	**12**	**17**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	495	4.3	14	1	2	3	5	7	13
35-49	713	4.7	17	1	2	4	6	8	13
50-69	1250	4.9	13	1	2	4	7	9	11
70 +	254	5.2	15	1	2	4	8	11	12
	2711	**4.7**	**14**	**1**	**2**	**4**	**6**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2711	**4.7**	**14**	**1**	**2**	**4**	**6**	**9**	**12**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	260	5.7	37	1	2	4	7	13	16
35-49	288	6.6	126	1	2	3	6	10	26
50-69	246	8.8	92	2	3	6	9	20	26
70 +	48	4.9	7	1	2	5	7	8	8
SUBTOTAL	**842**	**6.9**	**83**	**1**	**2**	**4**	**8**	**13**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**842**	**6.9**	**83**	**1**	**2**	**4**	**8**	**13**	**23**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	366	6.2	34	1	2	4	8	12	17
35-49	505	4.5	12	1	2	3	6	10	12
50-69	496	5.7	25	1	3	4	7	11	16
70 +	155	4.6	11	1	3	4	6	8	10
	1522	**5.3**	**22**	**1**	**2**	**4**	**7**	**10**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1522	**5.3**	**22**	**1**	**2**	**4**	**7**	**10**	**15**

DRG 189: Other Digestive System Diagnoses Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	448	2.6	5	< 1	< 1	2	3	5	7	0-17	0								
70-74	397	3.3	10	< 1	< 1	2	5	8	10	18-34	677	2.6	6	< 1	1	2	3	4	6
75-79	340	3.1	6	< 1	1	2	4	6	7	35-49	691	2.8	5	< 1	1	2	4	6	7
80-84	196	4.1	53	< 1	1	2	4	6	12	50-69	701	3.1	6	< 1	1	2	5	7	8
85 +	214	3.0	5	1	2	2	4	6	8	70 +	60	3.4	3	< 1	2	3	5	6	6
SUBTOTAL	**1596**	**3.1**	**12**	**< 1**	**1**	**2**	**4**	**6**	**8**		**2129**	**2.8**	**6**	**< 1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**1596**	**3.1**	**12**	**< 1**	**1**	**2**	**4**	**6**	**8**		**2129**	**2.8**	**6**	**< 1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	211	3.9	10	1	1	3	5	8	10	18-34	866	2.8	12	1	1	2	3	7	10
35-49	139	3.0	8	1	1	1	4	8	10	35-49	498	3.8	30	1	1	2	4	8	13
50-69	139	4.8	17	1	2	3	7	12	14	50-69	275	3.1	11	< 1	1	2	3	6	12
70 +	17	1.3								70 +	43	3.2	2	1	2	3	5	5	5
SUBTOTAL	**506**	**3.8**	**12**	**1**	**1**	**3**	**5**	**9**	**11**		**1682**	**3.2**	**17**	**1**	**1**	**2**	**3**	**7**	**10**
GRAND TOTAL	**506**	**3.8**	**12**	**1**	**1**	**3**	**5**	**9**	**11**		**1682**	**3.2**	**17**	**1**	**1**	**2**	**3**	**7**	**10**

DRG 190: Other Digestive System Diagnoses Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	4.0								0-17	351	4.8	59	1	1	2	5	11	14
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**6**	**4.0**									**351**	**4.8**	**59**	**1**	**1**	**2**	**5**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	4.0								0-17	1070	1.7	3	<1	1	1	2	3	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**6**	**4.0**									**1070**	**1.7**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**12**	**4.0**									**1421**	**2.5**	**18**	**<1**	**1**	**1**	**2**	**5**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	283	6.8	48	1	2	5	8	20	23	0-17	209	4.5	19	1	1	3	5	11	16
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**283**	**6.8**	**48**	**1**	**2**	**5**	**8**	**20**	**23**		**209**	**4.5**	**19**	**1**	**1**	**3**	**5**	**11**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	710	2.1	5	<1	1	1	2	4	7	0-17	734	1.9	4	<1	1	1	2	4	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**710**	**2.1**	**5**	**<1**	**1**	**1**	**2**	**4**	**7**		**734**	**1.9**	**4**	**<1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**994**	**3.4**	**22**	**<1**	**1**	**1**	**3**	**8**	**13**		**944**	**2.5**	**8**	**<1**	**1**	**1**	**2**	**5**	**9**

DRG 191: Pancreas, Liver & Shunt Procedures w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	459	18.2	300	5	8	11	22	43	67
70-74	324	16.5	97	7	9	15	22	29	38
75-79	273	17.1	204	6	8	12	21	39	49
80-84	168	17.0	128	6	9	15	23	30	44
85 +	133	18.2	133	9	11	13	24	34	45
SUBTOTAL	**1357**	**17.5**	**194**	**6**	**8**	**13**	**22**	**36**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1357**	**17.5**	**194**	**6**	**8**	**13**	**22**	**36**	**45**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	35	9.4	7	5	7	10	12	12	12
18-34	215	13.8	184	4	6	8	19	37	69
35-49	434	12.9	141	4	6	9	14	28	44
50-69	584	15.8	164	6	8	12	19	27	36
70 +	54	14.3	83	6	8	12	14	33	33
	1322	**14.3**	**155**	**5**	**7**	**11**	**18**	**27**	**38**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1322	**14.3**	**155**	**5**	**7**	**11**	**18**	**27**	**38**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	34	9.6	21	4	5	7	15	15	15
18-34	147	26.9	648	7	9	16	46	62	87
35-49	203	20.3	233	7	9	13	29	39	51
50-69	116	24.0	232	7	9	22	33	46	56
70 +	11	54.5	1713						
SUBTOTAL	**512**	**23.0**	**407**	**7**	**9**	**15**	**29**	**50**	**62**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**512**	**23.0**	**407**	**7**	**9**	**15**	**29**	**50**	**62**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	10.6	30						
18-34	289	10.6	75	4	5	8	11	22	35
35-49	237	21.1	260	4	9	15	30	42	58
50-69	277	19.3	286	4	8	13	31	54	61
70 +	43	16.1	121	6	7	11	28	37	37
	874	**16.5**	**213**	**4**	**7**	**11**	**23**	**39**	**57**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	874	**16.5**	**213**	**4**	**7**	**11**	**23**	**39**	**57**

DRG 192: Pancreas, Liver & Shunt Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	66	8.2	38	3	4	7	11	11	26
70-74	43	7.0	18	4	4	5	11	16	16
75-79	24	5.7	8						
80-84	18	7.8	10						
85 +	23	7.0	16						
SUBTOTAL	**173**	**7.4**	**24**	**3**	**4**	**7**	**9**	**12**	**16**
GRAND TOTAL	**173**	**7.4**	**24**	**3**	**4**	**7**	**9**	**12**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	47	7.5	6	2	6	8	10	10	10
18-34	115	6.9	11	4	5	6	10	12	15
35-49	160	6.3	10	2	4	6	8	11	12
50-69	204	7.3	10	3	5	7	9	12	13
70 +	6	8.0							
	532	**6.9**	**10**	**3**	**5**	**7**	**9**	**11**	**13**
	532	**6.9**	**10**	**3**	**5**	**7**	**9**	**11**	**13**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	46	9.7	29	4	6	9	10	23	23
35-49	22	12.8	36						
50-69	11	6.5	22						
70 +	6	14.0							
SUBTOTAL	**86**	**10.3**	**32**	**4**	**5**	**9**	**14**	**19**	**23**
GRAND TOTAL	**86**	**10.3**	**32**	**4**	**5**	**9**	**14**	**19**	**23**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	22	16.5	328						
18-34	182	9.4	38	4	5	7	13	18	26
35-49	87	12.9	127	4	4	8	23	30	41
50-69	52	10.5	97	1	6	8	10	37	37
70 +	35	22.4	473	6	7	15	27	68	68
	378	**12.0**	**136**	**4**	**5**	**8**	**13**	**28**	**37**
	378	**12.0**	**136**	**4**	**5**	**8**	**13**	**28**	**37**

DRG 193: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	354	11.8	40	6	8	10	14	20	24	0-17	6	6.0							
70-74	354	14.1	82	7	9	11	17	23	38	18-34	92	7.2	12	4	5	7	8	10	18
75-79	455	13.4	84	7	7	11	16	23	31	35-49	181	10.0	54	3	5	9	12	18	31
80-84	365	14.3	63	6	8	12	20	25	31	50-69	403	12.1	83	5	7	9	16	26	33
85 +	203	17.5	128	9	10	14	20	30	40	70 +	73	17.8	80	8	13	17	22	29	36
SUBTOTAL	**1730**	**13.9**	**78**	**6**	**8**	**11**	**16**	**24**	**30**		**754**	**11.5**	**73**	**4**	**6**	**8**	**14**	**24**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1730**	**13.9**	**78**	**6**	**8**	**11**	**16**	**24**	**30**		**754**	**11.5**	**73**	**4**	**6**	**8**	**14**	**24**	**31**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS)	45	18.8	183	10	11	15	20	53	53	0-17	11	19.5	79						
18-34	52	10.9	48	5	6	7	11	24	24	18-34	48	10.9	47	5	5	7	15	25	25
35-49	57	22.6	270	6	10	19	36	48	59	35-49	88	11.9	184	3	5	10	14	23	59
50-69	47	22.7	557	8	10	11	24	84	84	50-69	160	14.1	126	5	7	10	16	32	36
70 +	41	15.4	139	7	8	10	22	42	42	70 +	61	12.8	79	5	6	8	18	27	35
SUBTOTAL	**241**	**18.2**	**257**	**7**	**8**	**11**	**23**	**38**	**55**		**368**	**13.1**	**122**	**5**	**6**	**10**	**16**	**29**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**241**	**18.2**	**257**	**7**	**8**	**11**	**23**	**38**	**55**		**368**	**13.1**	**122**	**5**	**6**	**10**	**16**	**29**	**35**

DRG 194: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	**TOTAL PATIENTS**	**AVG. STAY**	**VARIANCE**	**PERCENTILES**						**TYPE OF PATIENT**	**TOTAL PATIENTS**	**AVG. STAY**	**VARIANCE**	**PERCENTILES**					
				10TH	**25TH**	**50TH**	**75TH**	**90TH**	**95TH**					**10TH**	**25TH**	**50TH**	**75TH**	**90TH**	**95TH**
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	92	6.7	10	2	4	7	9	10	14	0-17	22	6.8	12						
70-74	85	6.7	10	3	4	6	9	11	13	18-34	66	4.2	5	1	1	5	5	7	8
75-79	43	10.5	14	6	8	10	13	18	18	35-49	101	5.3	7	1	4	5	7	9	10
80-84	55	7.2	35	1	3	6	10	21	21	50-69	227	7.3	31	2	3	7	10	14	16
85 +	30	11.0	11							70 +	13	10.0							
SUBTOTAL	**305**	**7.7**	**18**	**3**	**5**	**7**	**10**	**13**	**16**		**429**	**6.4**	**21**	**1**	**4**	**6**	**9**	**11**	**14**
GRAND TOTAL	**305**	**7.7**	**18**	**3**	**5**	**7**	**10**	**13**	**16**		**429**	**6.4**	**21**	**1**	**4**	**6**	**9**	**11**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	**TOTAL PATIENTS**	**AVG. STAY**	**VARIANCE**	**PERCENTILES**						**TYPE OF PATIENT**	**TOTAL PATIENTS**	**AVG. STAY**	**VARIANCE**	**PERCENTILES**					
				10TH	**25TH**	**50TH**	**75TH**	**90TH**	**95TH**					**10TH**	**25TH**	**50TH**	**75TH**	**90TH**	**95TH**
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	11	10.0	27							0-17	17	7.3	4						
18-34	47	9.6	45	2	3	6	15	22	22	18-34	81	10.3	353	2	4	6	7	10	78
35-49	41	6.4	3	4	5	6	8	9	9	35-49	23	12.5	200						
50-69	24	18.1	256							50-69	71	8.4	19	2	6	7	13	14	14
70 +	0									70 +	6	10.0							
SUBTOTAL	**123**	**10.2**	**86**	**3**	**4**	**6**	**15**	**22**	**33**		**198**	**9.6**	**174**	**2**	**4**	**6**	**10**	**14**	**36**
GRAND TOTAL	**123**	**10.2**	**86**	**3**	**4**	**6**	**15**	**22**	**33**		**198**	**9.6**	**174**	**2**	**4**	**6**	**10**	**14**	**36**

DRG 195: Total Cholecystectomy w/ C.D.E. w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	765	8.9	39	5	5	8	10	14	16	0-17	6	12.0							
70-74	750	8.6	13	5	6	8	10	14	16	18-34	434	5.9	8	3	4	5	7	9	10
75-79	844	10.1	33	5	7	9	12	16	21	35-49	676	6.5	13	4	5	6	7	9	11
80-84	581	11.2	42	6	8	9	13	17	25	50-69	819	7.6	22	4	5	7	8	12	14
85 +	446	11.9	36	6	8	10	14	19	27	70 +	94	11.0	29	6	7	11	14	21	23
SUBTOTAL	**3385**	**9.9**	**33**	**5**	**7**	**9**	**12**	**16**	**19**		**2029**	**7.0**	**18**	**4**	**5**	**6**	**8**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3385**	**9.9**	**33**	**5**	**7**	**9**	**12**	**16**	**19**		**2029**	**7.0**	**18**	**4**	**5**	**6**	**8**	**11**	**13**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	19	5.7								0-17	29	8.0	11						
18-34	368	7.9	22	4	5	7	10	13	15	18-34	415	8.1	23	4	5	6	11	14	17
35-49	180	10.1	22	5	7	9	13	18	21	35-49	252	8.1	12	4	6	7	10	12	15
50-69	125	8.3	15	5	6	7	9	13	16	50-69	344	9.6	47	4	6	8	10	18	26
70 +	36	8.1	6	6	6	9	9	13	13	70 +	106	10.3	101	4	6	7	9	24	46
SUBTOTAL	**728**	**8.5**	**21**	**4**	**5**	**7**	**10**	**14**	**18**		**1148**	**8.8**	**35**	**4**	**5**	**7**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**728**	**8.5**	**21**	**4**	**5**	**7**	**10**	**14**	**18**		**1148**	**8.8**	**35**	**4**	**5**	**7**	**10**	**14**	**18**

DRG 196: Total Cholecystectomy w/ C.D.E. w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	145	6.7	7	4	5	6	7	10	12	0-17	13	5.0							
70-74	127	5.7	5	4	4	6	7	8	9	18-34	236	5.0	3	3	4	5	6	8	9
75-79	55	7.2	4	4	6	8	9	10	10	35-49	264	5.3	6	3	4	5	6	8	11
80-84	49	9.1	32	5	5	7	9	23	23	50-69	349	5.4	3	3	4	5	7	8	9
85 +	68	8.0	15	5	5	8	9	11	19	70 +	52	7.5	4	3	7	8	8	10	10
SUBTOTAL	**443**	**6.9**	**11**	**4**	**5**	**6**	**8**	**10**	**12**		**912**	**5.4**	**4**	**3**	**4**	**5**	**7**	**8**	**9**
GRAND TOTAL	**443**	**6.9**	**11**	**4**	**5**	**6**	**8**	**10**	**12**		**912**	**5.4**	**4**	**3**	**4**	**5**	**7**	**8**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	13	5.0	1							0-17	12	9.2	33						
18-34	364	6.7	12	3	4	6	9	11	12	18-34	295	7.0	13	3	4	6	10	12	13
35-49	118	7.8	10	4	6	8	9	13	14	35-49	235	6.6	10	4	4	6	8	11	12
50-69	87	10.4	30	6	6	9	12	19	26	50-69	210	7.2	12	4	4	6	10	13	14
70 +	22	14.0	4							70 +	36	7.2	10	5	5	6	10	13	13
SUBTOTAL	**604**	**7.7**	**17**	**4**	**4**	**7**	**9**	**12**	**15**		**787**	**7.0**	**12**	**3**	**4**	**6**	**10**	**12**	**13**
GRAND TOTAL	**604**	**7.7**	**17**	**4**	**4**	**7**	**9**	**12**	**15**		**787**	**7.0**	**12**	**3**	**4**	**6**	**10**	**12**	**13**

DRG 197: Total Cholecystectomy w/o C.D.E. w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	4174	6.5	26	2	4	5	8	12	15	0-17	37	4.8	5	1	4	5	6	8	8
70-74	2989	6.7	31	2	4	6	8	12	16	18-34	1279	4.9	15	2	3	4	6	8	10
75-79	1991	7.7	29	3	4	7	10	14	18	35-49	2826	4.8	15	1	3	4	6	8	10
80-84	1578	8.0	28	3	5	7	10	14	17	50-69	4084	5.8	26	2	3	5	7	10	13
85+	995	9.3	29	4	6	8	11	16	18	70+	388	7.0	66	2	4	5	7	11	18
SUBTOTAL	**11727**	**7.2**	**29**	**2**	**4**	**6**	**9**	**13**	**16**		**8614**	**5.4**	**22**	**2**	**3**	**5**	**7**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**11727**	**7.2**	**29**	**2**	**4**	**6**	**9**	**13**	**16**		**8614**	**5.4**	**22**	**2**	**3**	**5**	**7**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	18	10.3	165							0-17	24	5.6	18						
18-34	876	6.3	15	2	4	6	8	10	12	18-34	943	6.6	25	3	4	6	8	11	13
35-49	561	6.8	27	2	4	5	8	12	16	35-49	852	6.5	35	2	3	5	8	12	15
50-69	505	8.3	115	2	4	5	9	14	18	50-69	1373	6.4	16	2	4	6	8	11	13
70+	82	11.7	41	5	7	11	15	22	24	70+	285	7.2	13	3	5	7	9	12	14
SUBTOTAL	**2043**	**7.2**	**47**	**2**	**4**	**6**	**9**	**12**	**16**		**3477**	**6.5**	**23**	**2**	**4**	**6**	**8**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2043**	**7.2**	**47**	**2**	**4**	**6**	**9**	**12**	**16**		**3477**	**6.5**	**23**	**2**	**4**	**6**	**8**	**11**	**13**

DRG 198: Total Cholecystectomy w/o C.D.E. w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	3960	3.4	5	1	1	3	5	6	7	0-17	184	2.6	3	1	1	2	4	4	6
70-74	2221	3.4	5	1	1	3	5	6	8	18-34	7012	2.6	3	1	1	2	4	5	6
75-79	1432	3.4	5	1	1	3	5	6	7	35-49	11155	2.6	4	1	1	2	4	5	6
80-84	575	3.9	7	1	2	3	5	7	8	50-69	10048	2.9	4	1	1	3	4	5	6
85 +	178	5.1	7	2	3	5	6	9	11	70 +	340	3.9	5	1	2	4	5	7	8
SUBTOTAL	**8366**	**3.5**	**5**	**1**	**2**	**3**	**5**	**6**	**7**		**28738**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**8366**	**3.5**	**5**	**1**	**2**	**3**	**5**	**6**	**7**		**28738**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	131	2.5	2	1	1	2	4	4	5	0-17	119	2.7	2	1	2	3	3	5	6
18-34	3429	3.6	5	1	2	3	5	7	9	18-34	4257	3.6	6	1	2	3	5	7	9
35-49	1167	4.1	7	1	2	4	5	7	9	35-49	4284	3.4	5	1	2	3	4	6	8
50-69	627	4.5	11	1	2	4	6	10	11	50-69	3257	4.0	13	1	2	3	5	8	10
70 +	82	8.2	26	4	5	6	10	18	20	70 +	253	4.4	5	2	3	4	5	7	8
SUBTOTAL	**5437**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**9**		**12170**	**3.6**	**8**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**5437**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**9**		**12170**	**3.6**	**8**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 199: Hepatobiliary Diagnostic Procedure for Malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	138	14.1	286	5	7	9	16	22	22	0-17	6	4.0							
70-74	77	9.8	42	4	5	7	11	21	25	18-34	11	11.0	54						
75-79	36	13.4	25	9	9	11	16	23	23	35-49	36	7.3	1	7	7	7	7	9	9
80-84	31	13.2	91							50-69	85	10.2	65	3	6	8	11	24	33
85 +	25	10.5	20							70 +	23	8.0	4						
SUBTOTAL	**308**	**12.6**	**156**	**5**	**7**	**9**	**14**	**22**	**25**		**162**	**9.1**	**41**	**4**	**6**	**7**	**10**	**18**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	24	5.6	5							0-17	22	6.8	9						
70-74	6	3.0								18-34	0								
75-79	6	10.0								35-49	18	6.8	4						
80-84	6	6.0								50-69	35	8.9	48	5	5	5	10	24	24
85 +	0									70 +	12	3.4	7						
SUBTOTAL	**43**	**5.9**	**7**	**3**	**3**	**6**	**9**	**10**	**10**		**88**	**7.2**	**26**	**3**	**5**	**5**	**9**	**10**	**24**
GRAND TOTAL	**350**	**11.8**	**142**	**4**	**6**	**9**	**12**	**22**	**25**		**249**	**8.4**	**36**	**4**	**5**	**7**	**10**	**13**	**24**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	29	23.8	161							35-49	24	8.1	13						
50-69	11	19.0	89							50-69	48	11.3	49	4	4	9	14	27	27
70 +	6	12.0								70 +	31	9.0	17						
SUBTOTAL	**46**	**21.1**	**136**	**4**	**11**	**21**	**31**	**38**	**38**		**103**	**9.9**	**32**	**4**	**6**	**9**	**13**	**16**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	6.0								0-17	0								
18-34	6	1.0								18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	18	4.3	7						
70 +	0									70 +	0								
SUBTOTAL	**12**	**3.4**	**7**								**18**	**4.3**	**7**						
GRAND TOTAL	**58**	**17.4**	**161**	**2**	**6**	**13**	**28**	**36**	**38**		**121**	**9.1**	**32**	**3**	**4**	**8**	**13**	**15**	**20**

DRG 200: Hepatobiliary Diagnostic Procedure for Non-malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	42	13.1	28	3	9	14	18	20	20	0-17	29	12.4	377						
70-74	49	10.9	18	5	7	9	14	18	18	18-34	18	6.5	33						
75-79	66	8.7	40	3	4	8	13	13	24	35-49	71	11.5	49	2	6	10	17	21	23
80-84	12	10.6	53							50-69	118	10.8	102	3	4	9	11	24	38
85 +	12	18.9	279							70 +	6	13.0							
SUBTOTAL	**180**	**11.2**	**53**	**3**	**5**	**9**	**15**	**19**	**24**		**241**	**10.9**	**112**	**2**	**4**	**9**	**14**	**21**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	24	5.0	9							0-17	11	1.5							
70-74	12	3.9	1							18-34	29	3.5	6						
75-79	6	14.0								35-49	76	4.5	17	1	1	3	6	10	15
80-84	12	7.2	33							50-69	24	2.3	5						
85 +	0									70 +	6	10.0							
SUBTOTAL	**54**	**6.2**	**19**	**1**	**3**	**5**	**9**	**14**	**14**		**146**	**3.9**	**14**	**1**	**1**	**2**	**6**	**10**	**10**
GRAND TOTAL	**234**	**10.0**	**50**	**2**	**4**	**9**	**14**	**18**	**23**		**388**	**8.3**	**86**	**1**	**2**	**5**	**10**	**18**	**23**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	6	12.0							
18-34	24	9.4	90							18-34	47	13.9	157	3	6	10	27	36	36
35-49	17	19.3	408							35-49	48	13.3	128	3	6	11	27	99 +	99 +
50-69	22	12.5	42							50-69	29	11.4	18						
70 +	0									70 +	6	10.0							
SUBTOTAL	**63**	**13.2**	**168**	**4**	**5**	**8**	**25**	**47**	**99 +**		**135**	**12.9**	**103**	**3**	**7**	**10**	**19**	**36**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	18	5.1	3							0-17	11	4.0	1						
18-34	6	1.0								18-34	59	4.8	6	2	3	4	5	9	9
35-49	13	3.5	7							35-49	24	9.1	32						
50-69	12	3.4	7							50-69	34	5.9	47	1	2	4	4	21	21
70 +	6	7.0								70 +	0								
SUBTOTAL	**53**	**4.1**	**6**	**1**	**1**	**5**	**6**	**7**	**7**		**129**	**5.8**	**24**	**1**	**3**	**4**	**8**	**12**	**16**
GRAND TOTAL	**116**	**9.0**	**114**	**1**	**4**	**6**	**8**	**26**	**60**		**265**	**9.4**	**77**	**2**	**4**	**7**	**11**	**27**	**36**

DRG 201: Other Hepatobiliary or Pancreas O.R. Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	232	8.1	53	2	3	6	10	19	29	0-17	6	1.0							
70-74	103	7.4	12	3	5	7	11	13	14	18-34	54	4.7	8	1	1	5	6	10	10
75-79	36	11.4	25	4	8	10	15	19	19	35-49	116	5.8	19	3	3	4	6	14	17
80-84	60	9.0	15	3	6	9	11	14	15	50-69	209	6.4	22	2	3	5	9	15	22
85 +	38	11.2	40	4	8	9	12	24	24	70 +	6	4.0							
SUBTOTAL	**469**	**8.6**	**37**	**3**	**4**	**7**	**11**	**16**	**21**		**390**	**5.9**	**19**	**1**	**3**	**5**	**8**	**13**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	12	5.9	1							0-17	6	1.0							
70-74	0									18-34	6	1.0							
75-79	13	6.0	1							35-49	6	9.0							
80-84	0									50-69	6	2.0							
85 +	0									70 +	0								
SUBTOTAL	**24**	**6.0**	**1**								**22**	**3.3**	**12**						
GRAND TOTAL	**493**	**8.4**	**36**	**3**	**4**	**7**	**11**	**15**	**19**		**413**	**5.7**	**19**	**1**	**3**	**5**	**8**	**12**	**19**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	22	1.0								0-17	11	2.0	1						
18-34	58	10.1	192	4	4	4	14	51	99 +	18-34	42	5.9	6	< 1	5	6	7	10	10
35-49	108	6.0	12	2	4	5	7	9	18	35-49	129	7.2	39	2	4	5	8	13	23
50-69	42	7.6	16	2	5	6	11	15	15	50-69	152	8.4	108	2	3	5	8	19	27
70 +	0									70 +	12	5.6	7						
SUBTOTAL	**230**	**6.8**	**63**	**2**	**4**	**5**	**8**	**15**	**38**		**346**	**7.3**	**64**	**1**	**3**	**5**	**8**	**16**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	17	1.0								0-17	0								
18-34	6	7.0								18-34	0								
35-49	0									35-49	6	14.0							
50-69	0									50-69	6	9.0							
70 +	0									70 +	0								
SUBTOTAL	**23**	**2.6**	**7**								**11**	**11.5**	**7**						
GRAND TOTAL	**253**	**6.4**	**59**	**< 1**	**3**	**5**	**7**	**14**	**18**		**357**	**7.5**	**63**	**2**	**3**	**5**	**8**	**15**	**24**

DRG 202: Cirrhosis & Alcoholic Hepatitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1183	7.5	31	3	4	7	9	13	17	0-17	11	4.0	4						
70-74	389	6.5	18	2	3	5	8	13	15	18-34	115	7.4	43	2	3	4	13	20	23
75-79	240	9.5	46	2	3	8	13	22	23	35-49	432	7.1	29	2	4	6	8	12	20
80-84	253	8.0	40	2	4	6	11	15	17	50-69	711	7.8	33	2	3	7	11	17	21
85 +	90	10.0	27	4	6	9	14	18	20	70 +	71	7.7	18	3	4	7	12	13	15
SUBTOTAL	**2155**	**7.7**	**32**	**2**	**4**	**7**	**10**	**15**	**18**		**1341**	**7.5**	**32**	**2**	**3**	**6**	**10**	**16**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	31	3.7	2							0-17	22	3.0	9						
70-74	29	3.2	9							18-34	6	4.0							
75-79	6	3.0								35-49	11	5.0							
80-84	0									50-69	59	5.0	14	1	2	5	8	10	13
85 +	0									70 +	0								
SUBTOTAL	**66**	**3.4**	**5**	**1**	**1**	**3**	**5**	**5**	**9**		**99**	**4.5**	**11**	**1**	**2**	**4**	**6**	**8**	**13**
GRAND TOTAL	**2221**	**7.6**	**32**	**2**	**4**	**6**	**10**	**14**	**18**		**1440**	**7.3**	**31**	**2**	**3**	**6**	**9**	**15**	**20**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	2.0								0-17	17	3.7	6						
18-34	265	5.9	29	2	3	5	7	10	16	18-34	610	4.8	28	1	2	4	5	8	10
35-49	1022	6.3	32	2	3	5	7	11	18	35-49	1875	5.8	33	2	2	4	7	11	15
50-69	671	6.5	29	2	3	5	7	12	17	50-69	1215	6.6	32	2	3	5	8	15	19
70 +	36	7.3	13	4	5	6	7	15	15	70 +	50	6.8	17	4	4	5	7	17	17
SUBTOTAL	**2000**	**6.3**	**30**	**2**	**3**	**5**	**7**	**11**	**18**		**3767**	**5.9**	**32**	**2**	**3**	**4**	**7**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	1.0								0-17	22	1.8							
18-34	6	2.0								18-34	23	5.3	5						
35-49	29	3.8	2							35-49	124	4.8	11	2	2	4	7	8	11
50-69	29	3.6	3							50-69	107	4.5	19	< 1	1	4	6	7	20
70 +	6	3.0								70 +	0								
SUBTOTAL	**76**	**3.3**	**2**	**2**	**2**	**3**	**4**	**6**	**6**		**276**	**4.5**	**13**	**< 1**	**2**	**4**	**6**	**8**	**10**
GRAND TOTAL	**2075**	**6.2**	**30**	**2**	**3**	**5**	**7**	**11**	**17**		**4043**	**5.8**	**30**	**2**	**3**	**4**	**7**	**11**	**16**

DRG 203: Malignancy of Hepatobiliary System or Pancreas

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	651	7.8	45	2	3	6	10	16	22	0-17	0								
70-74	679	8.3	40	2	4	7	11	17	22	18-34	40	6.5	5	3	4	8	8	9	9
75-79	653	7.5	44	2	4	6	8	16	20	35-49	208	8.2	155	1	3	5	8	16	26
80-84	517	8.9	37	3	4	7	12	16	20	50-69	720	6.7	29	2	3	5	8	14	17
85 +	335	6.8	22	2	3	6	10	13	17	70 +	63	7.9	29	4	4	6	9	13	23
SUBTOTAL	**2836**	**7.9**	**40**	**2**	**4**	**6**	**10**	**16**	**21**		**1032**	**7.0**	**54**	**2**	**3**	**5**	**8**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	108	4.0	4	2	2	4	5	8	8	0-17	11	6.5	7						
70-74	85	5.4	7	2	4	6	7	9	11	18-34	18	3.0	1						
75-79	96	3.9	6	2	2	4	5	6	12	35-49	62	4.5	7	2	2	3	6	9	10
80-84	78	6.3	8	3	5	5	8	10	13	50-69	148	5.1	46	1	2	3	7	11	34
85 +	103	6.9	29	3	3	5	7	16	22	70 +	41	4.7	14	2	2	3	6	13	13
SUBTOTAL	**470**	**5.2**	**13**	**2**	**3**	**5**	**7**	**9**	**13**		**279**	**4.8**	**28**	**1**	**2**	**3**	**6**	**10**	**13**
GRAND TOTAL	**3305**	**7.5**	**37**	**2**	**4**	**6**	**9**	**15**	**20**		**1311**	**6.6**	**49**	**2**	**3**	**5**	**8**	**12**	**17**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	17	8.0	77							0-17	0								
18-34	40	8.7	32	2	3	7	14	19	19	18-34	18	3.3	5						
35-49	98	8.8	20	4	6	8	11	18	18	35-49	105	9.9	72	2	5	8	12	26	37
50-69	296	7.5	49	2	3	5	9	15	23	50-69	320	7.0	31	2	2	6	9	13	20
70 +	11	12.0	4							70 +	131	5.1	11	2	2	5	7	9	10
SUBTOTAL	**462**	**8.0**	**42**	**2**	**4**	**7**	**10**	**17**	**19**		**574**	**7.0**	**36**	**2**	**3**	**6**	**9**	**13**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	1.0								0-17	0								
18-34	24	2.8	4							18-34	12	6.9	4						
35-49	17	4.7	1							35-49	51	9.1	228	1	3	4	6	51	51
50-69	102	9.4	54	1	3	8	14	22	29	50-69	94	7.7	72	1	1	5	12	20	32
70 +	23	9.0	27							70 +	11	1.0							
SUBTOTAL	**172**	**7.7**	**44**	**1**	**2**	**7**	**12**	**16**	**22**		**167**	**7.6**	**112**	**1**	**1**	**5**	**8**	**20**	**32**
GRAND TOTAL	**634**	**7.9**	**42**	**2**	**3**	**7**	**11**	**17**	**20**		**742**	**7.1**	**53**	**1**	**2**	**6**	**9**	**14**	**20**

DRG 204: Disorders of Pancreas except Malignancy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1841	7.7	54	2	4	6	9	14	23	0-17	43	3.7	15	1	2	2	3	13	13
70-74	679	7.0	30	2	4	5	9	12	16	18-34	721	6.7	26	2	3	5	8	12	15
75-79	542	8.8	55	3	4	7	10	16	22	35-49	1365	6.7	36	2	3	5	8	13	20
80-84	370	7.2	39	3	4	5	8	12	16	50-69	1147	7.4	32	2	3	6	9	15	19
85 +	445	7.5	27	3	4	6	9	13	16	70 +	143	5.6	13	2	3	4	7	12	13
SUBTOTAL	**3877**	**7.7**	**46**	**3**	**4**	**6**	**9**	**14**	**19**		**3420**	**6.8**	**32**	**2**	**3**	**5**	**9**	**13**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	621	5.3	12	2	3	4	7	10	12	0-17	49	3.9	3	1	3	4	5	7	7
70-74	329	4.8	5	2	3	4	7	8	9	18-34	709	4.7	44	1	2	4	5	7	10
75-79	290	5.0	13	2	3	4	6	8	11	35-49	1123	4.7	12	2	3	4	6	9	11
80-84	96	5.3	17	2	3	4	5	9	19	50-69	945	5.2	26	1	3	4	6	10	13
85 +	137	4.8	7	2	3	4	6	8	11	70 +	59	5.8	9	1	4	5	9	10	10
SUBTOTAL	**1473**	**5.1**	**11**	**2**	**3**	**4**	**6**	**8**	**11**		**2885**	**4.9**	**24**	**1**	**3**	**4**	**6**	**9**	**11**
GRAND TOTAL	**5350**	**6.9**	**37**	**2**	**3**	**5**	**8**	**12**	**16**		**6304**	**5.9**	**29**	**2**	**3**	**4**	**7**	**11**	**15**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	19	4.3								0-17	30	4.4	1						
18-34	522	7.2	48	2	3	5	7	15	20	18-34	1770	6.1	31	2	3	5	7	12	16
35-49	925	7.9	38	3	4	6	10	15	21	35-49	1946	6.4	34	2	3	5	7	11	18
50-69	406	8.0	41	2	4	6	10	17	24	50-69	680	6.6	66	2	3	4	7	12	19
70 +	36	8.2	12	4	5	8	11	14	14	70 +	105	5.6	9	2	4	5	7	11	12
SUBTOTAL	**1908**	**7.7**	**40**	**3**	**4**	**6**	**10**	**15**	**20**		**4532**	**6.3**	**37**	**2**	**3**	**5**	**7**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	22	3.5	5							0-17	18	4.2	7						
18-34	290	5.0	15	2	3	4	6	8	11	18-34	826	5.2	26	2	3	4	6	11	13
35-49	292	6.0	39	2	3	4	7	13	14	35-49	806	5.8	26	2	3	4	7	11	15
50-69	162	4.5	23	2	2	3	5	8	9	50-69	500	5.0	15	2	3	4	6	10	15
70 +	34	5.2	1	4	4	5	6	7	7	70 +	54	5.0	6	2	3	5	6	11	11
SUBTOTAL	**800**	**5.2**	**25**	**2**	**3**	**4**	**6**	**9**	**13**		**2204**	**5.4**	**23**	**2**	**3**	**4**	**6**	**10**	**14**
GRAND TOTAL	**2708**	**7.0**	**37**	**2**	**3**	**5**	**8**	**14**	**19**		**6736**	**6.0**	**32**	**2**	**3**	**4**	**7**	**11**	**16**

DRG 205: Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1261	6.7	29	2	4	5	8	13	18
70-74	608	6.6	27	2	3	5	8	13	16
75-79	426	8.5	61	3	4	6	10	16	29
80-84	263	6.2	11	2	4	6	8	12	12
85 +	121	10.7	54	4	5	8	13	23	26
SUBTOTAL	**2679**	**7.1**	**34**	**2**	**4**	**5**	**9**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2679**	**7.1**	**34**	**2**	**4**	**5**	**9**	**13**	**18**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	241	4.9	61	1	1	3	4	10	25
18-34	305	5.3	24	2	3	4	7	10	11
35-49	535	6.3	36	2	2	4	7	15	21
50-69	770	6.5	42	2	2	4	8	13	21
70 +	83	9.8	102	3	3	6	9	22	40
	1935	**6.2**	**43**	**2**	**2**	**4**	**7**	**13**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1935	**6.2**	**43**	**2**	**2**	**4**	**7**	**13**	**21**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	196	6.0	30	2	2	4	7	11	17
18-34	317	5.9	28	2	3	4	7	13	17
35-49	414	6.6	63	1	2	4	7	13	21
50-69	456	5.5	29	1	2	4	6	11	15
70 +	30	8.4	45						
SUBTOTAL	**1413**	**6.0**	**40**	**2**	**2**	**4**	**7**	**12**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1413**	**6.0**	**40**	**2**	**2**	**4**	**7**	**12**	**19**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	88	3.2	15	1	1	2	4	5	17
18-34	454	6.2	74	1	2	3	7	13	26
35-49	646	6.1	35	2	2	4	8	13	18
50-69	538	5.9	37	1	2	4	7	12	15
70 +	42	8.0	24	2	4	7	12	17	17
	1767	**6.0**	**45**	**1**	**2**	**4**	**7**	**13**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1767	**6.0**	**45**	**1**	**2**	**4**	**7**	**13**	**18**

DRG 206: Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	201	4.9	11	2	3	4	6	8	12	0-17	379	2.4	3	1	1	2	3	5	7
70-74	68	5.4	16	2	3	4	7	12	14	18-34	256	3.6	7	1	2	3	5	7	8
75-79	36	5.4	8	2	3	5	8	9	9	35-49	304	3.8	16	1	1	3	5	9	11
80-84	6	3.0								50-69	271	3.6	6	1	1	3	6	7	8
85+	18	8.5	11							70+	18	9.3	41						
SUBTOTAL	**330**	**5.2**	**12**	**2**	**3**	**4**	**7**	**9**	**13**		**1229**	**3.4**	**9**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**330**	**5.2**	**12**	**2**	**3**	**4**	**7**	**9**	**13**		**1229**	**3.4**	**9**	**1**	**1**	**2**	**4**	**7**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	188	3.0	5	1	1	3	3	7	8	0-17	168	3.1	16	1	1	1	3	10	13
18-34	196	4.6	11	1	3	4	6	9	11	18-34	675	4.0	7	1	2	4	5	7	9
35-49	147	4.2	33	1	2	3	4	6	7	35-49	333	3.1	5	< 1	1	2	5	7	7
50-69	92	7.1	38	1	3	5	12	20	21	50-69	196	4.0	15	< 1	1	2	6	8	10
70+	6	11.0								70+	0								
SUBTOTAL	**629**	**4.4**	**20**	**1**	**2**	**3**	**5**	**9**	**12**		**1372**	**3.7**	**9**	**< 1**	**1**	**3**	**5**	**7**	**9**
GRAND TOTAL	**629**	**4.4**	**20**	**1**	**2**	**3**	**5**	**9**	**12**		**1372**	**3.7**	**9**	**< 1**	**1**	**3**	**5**	**7**	**9**

DRG 207: Disorders of the Biliary Tract w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1175	5.4	14	2	3	4	7	11	12
70-74	988	5.4	15	2	3	4	7	11	13
75-79	894	6.4	35	2	3	5	8	12	18
80-84	887	5.7	23	2	3	4	7	11	14
85 +	1248	6.6	48	2	3	5	8	12	17
SUBTOTAL	**5191**	**5.9**	**28**	**2**	**3**	**5**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5191**	**5.9**	**28**	**2**	**3**	**5**	**7**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	24	4.2	4						
18-34	243	3.9	9	1	1	3	5	7	10
35-49	444	3.8	10	1	2	3	5	7	10
50-69	923	4.6	12	1	2	4	6	10	11
70 +	171	6.1	35	2	3	4	6	12	19
	1805	**4.5**	**14**	**1**	**2**	**3**	**6**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1805	**4.5**	**14**	**1**	**2**	**3**	**6**	**9**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	34	6.0	60	2	2	3	4	23	23
18-34	191	4.2	19	1	2	3	4	7	9
35-49	119	6.1	18	2	3	5	9	13	15
50-69	215	7.0	34	2	3	6	10	13	23
70 +	94	9.9	31	5	5	8	11	18	23
SUBTOTAL	**653**	**6.4**	**31**	**2**	**3**	**4**	**8**	**13**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**653**	**6.4**	**31**	**2**	**3**	**4**	**8**	**13**	**20**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	5.6	2						
18-34	197	5.8	58	1	2	4	7	10	17
35-49	357	5.9	27	1	2	4	8	12	17
50-69	560	4.0	7	1	2	4	5	8	9
70 +	170	5.5	9	1	3	5	8	10	10
	1295	**5.0**	**21**	**1**	**2**	**4**	**7**	**10**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1295	**5.0**	**21**	**1**	**2**	**4**	**7**	**10**	**12**

DRG 208: Disorders of the Biliary Tract w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	590	2.7	5	1	1	2	3	4	7	0-17	112	3.9	7	1	2	4	6	8	9
70-74	537	3.0	4	< 1	1	3	4	5	7	18-34	722	2.5	4	1	1	2	3	4	6
75-79	334	3.0	4	1	2	2	4	5	7	35-49	1418	2.0	2	< 1	1	2	2	4	5
80-84	246	3.8	5	1	2	4	6	7	8	50-69	1415	2.2	2	1	1	2	3	5	5
85 +	254	4.3	9	2	3	3	4	7	10	70 +	76	2.7	1	1	2	3	3	4	5
SUBTOTAL	**1961**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**3743**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1961**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**		**3743**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	132	3.3	4	1	2	3	5	6	7	0-17	39	3.6	3	2	2	3	5	7	7
18-34	642	3.1	5	1	1	2	4	6	7	18-34	796	2.7	3	1	1	2	3	5	7
35-49	321	3.6	6	1	2	3	5	7	9	35-49	803	2.7	4	1	1	2	4	6	7
50-69	216	5.0	12	2	2	4	7	11	13	50-69	699	2.8	5	1	1	2	4	5	8
70 +	46	6.3	8	1	4	7	8	11	11	70 +	121	3.9	11	1	2	3	5	7	11
SUBTOTAL	**1356**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**9**		**2458**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**1356**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**9**		**2458**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 209: Major Joint & Limb Reattachment Procedures, Lower Extremity

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6755	8.6	17	5	6	8	10	12	14	0-17	22	7.8	3						
70-74	7354	8.7	14	6	7	8	10	13	15	18-34	165	6.9	4	5	6	6	9	10	11
75-79	7466	9.2	18	6	7	8	10	14	16	35-49	867	8.2	34	5	6	7	9	11	12
80-84	5245	9.7	25	6	7	8	11	15	18	50-69	4333	8.2	11	5	6	7	9	12	14
85 +	5131	10.0	26	6	7	9	11	16	20	70 +	1282	9.1	16	6	7	8	10	14	16
SUBTOTAL	**31951**	**9.2**	**20**	**6**	**7**	**8**	**10**	**14**	**16**		**6670**	**8.3**	**15**	**5**	**6**	**8**	**10**	**12**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6837	7.4	6	5	6	7	9	10	11	0-17	18	5.3	2						
70-74	6994	7.4	6	5	6	7	9	10	11	18-34	330	6.2	6	3	5	6	8	9	10
75-79	6040	7.6	7	5	6	7	9	11	12	35-49	1480	6.7	6	4	5	7	8	10	10
80-84	3915	8.0	10	5	6	8	9	11	13	50-69	6911	6.8	4	4	5	7	8	9	10
85 +	2338	8.2	9	5	6	8	9	12	13	70 +	1235	7.6	25	5	6	7	9	10	11
SUBTOTAL	**26124**	**7.6**	**7**	**5**	**6**	**7**	**9**	**10**	**12**		**9973**	**6.8**	**7**	**4**	**5**	**7**	**8**	**9**	**10**
GRAND TOTAL	**58075**	**8.5**	**15**	**5**	**6**	**8**	**10**	**12**	**14**		**16643**	**7.4**	**11**	**5**	**6**	**7**	**9**	**10**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	52	7.3	7	4	5	7	9	13	13	18-34	47	7.3	1	6	7	7	8	8	8
35-49	163	10.1	15	7	7	9	11	15	21	35-49	203	9.8	43	5	6	8	10	23	28
50-69	316	10.3	22	6	7	9	12	18	21	50-69	1060	8.8	30	5	6	7	10	14	18
70 +	138	12.2	67	6	8	9	13	19	26	70 +	787	7.8	27	4	5	7	9	11	13
SUBTOTAL	**669**	**10.4**	**30**	**6**	**7**	**9**	**12**	**18**	**21**		**2098**	**8.5**	**30**	**4**	**6**	**7**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	22	5.0	10							0-17	11	8.0	1						
18-34	99	7.6	9	4	6	7	9	13	14	18-34	108	8.4	33	4	5	6	10	22	24
35-49	148	8.5	26	4	5	7	10	13	18	35-49	445	7.3	8	4	6	7	9	10	13
50-69	382	8.5	14	5	6	8	10	12	16	50-69	1582	7.1	7	4	6	7	8	10	12
70 +	76	10.4	41	6	8	8	10	15	31	70 +	633	6.9	11	4	5	6	8	9	11
SUBTOTAL	**727**	**8.5**	**19**	**5**	**6**	**8**	**10**	**13**	**16**		**2780**	**7.1**	**9**	**4**	**5**	**7**	**8**	**10**	**12**
GRAND TOTAL	**1396**	**9.4**	**25**	**5**	**7**	**8**	**11**	**15**	**19**		**4877**	**7.7**	**18**	**4**	**6**	**7**	**8**	**11**	**14**

DRG 210: Hip & Femur Procedures except Major Joint Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	2250	10.2	87	4	6	8	11	17	23	0-17	0									
70-74	2115	9.4	37	5	6	8	11	14	18	18-34	381	8.4	22	3	5	7	11	16	16
75-79	3383	10.0	36	5	7	8	11	16	21	35-49	456	8.6	34	3	5	7	10	15	19
80-84	4555	9.8	27	5	7	9	11	15	18	50-69	987	10.1	46	5	6	8	12	16	20
85+	7982	9.4	19	5	7	8	11	15	18	70+	928	9.5	24	5	6	8	11	15	20
SUBTOTAL	**20283**	**9.7**	**33**	**5**	**7**	**8**	**11**	**15**	**19**		**2752**	**9.4**	**34**	**5**	**6**	**8**	**11**	**16**	**19**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85+	0									70+	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**20283**	**9.7**	**33**	**5**	**7**	**8**	**11**	**15**	**19**		**2752**	**9.4**	**34**	**5**	**6**	**8**	**11**	**16**	**19**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	0									
18-34	252	12.1	208	4	6	9	12	20	28	18-34	499	10.3	55	5	6	8	11	18	26
35-49	161	11.4	77	4	7	9	14	21	27	35-49	269	11.2	48	5	6	9	14	19	27
50-69	350	11.1	36	4	7	10	13	18	21	50-69	373	9.6	38	5	6	8	11	15	21
70+	185	12.3	31	6	8	11	16	20	24	70+	512	8.9	45	4	6	7	10	13	16
SUBTOTAL	**949**	**11.6**	**88**	**4**	**7**	**10**	**13**	**20**	**27**		**1652**	**9.8**	**48**	**5**	**6**	**8**	**11**	**16**	**21**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70+	0									70+	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**949**	**11.6**	**88**	**4**	**7**	**10**	**13**	**20**	**27**		**1652**	**9.8**	**48**	**5**	**6**	**8**	**11**	**16**	**21**

DRG 211: Hip & Femur Procedures except Major Joint Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	760	7.3	18	3	5	7	8	11	14	0-17	0								
70-74	848	7.3	17	4	5	7	9	11	12	18-34	784	5.7	14	2	3	5	7	9	11
75-79	1184	7.4	9	4	5	7	9	11	13	35-49	824	5.5	12	3	4	5	6	10	12
80-84	1227	7.5	9	4	6	7	9	11	13	50-69	1093	6.4	13	3	4	6	8	11	14
85 +	2180	7.7	12	4	6	7	9	12	13	70 +	398	8.1	31	5	6	7	9	12	15
SUBTOTAL	**6199**	**7.5**	**12**	**4**	**5**	**7**	**9**	**11**	**13**		**3099**	**6.2**	**16**	**3**	**4**	**5**	**8**	**10**	**13**
GRAND TOTAL	**6199**	**7.5**	**12**	**4**	**5**	**7**	**9**	**11**	**13**		**3099**	**6.2**	**16**	**3**	**4**	**5**	**8**	**10**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	243	7.8	25	3	4	7	10	16	18	18-34	975	7.1	17	3	4	6	9	13	14
35-49	123	9.3	118	3	4	6	8	18	33	35-49	430	7.1	24	3	3	5	10	16	17
50-69	169	8.8	16	4	7	8	11	14	17	50-69	410	6.5	14	3	4	6	7	13	14
70 +	81	11.0	15	6	8	9	15	16	17	70 +	247	10.8	86	4	6	7	12	21	29
SUBTOTAL	**616**	**8.8**	**40**	**3**	**5**	**7**	**11**	**17**	**18**		**2062**	**7.4**	**28**	**3**	**4**	**6**	**9**	**13**	**17**
GRAND TOTAL	**616**	**8.8**	**40**	**3**	**5**	**7**	**11**	**17**	**18**		**2062**	**7.4**	**28**	**3**	**4**	**6**	**9**	**13**	**17**

DRG 212: Hip & Femur Procedures except Major Joint Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	13	3.5	2							0-17	573	6.5	33	2	3	4	9	12	23
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**13**	**3.5**	**2**								**573**	**6.5**	**33**	**2**	**3**	**4**	**9**	**12**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	19	7.7	2							0-17	1955	4.7	30	1	2	3	5	10	18
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**19**	**7.7**	**2**								**1955**	**4.7**	**30**	**1**	**2**	**3**	**5**	**10**	**18**
GRAND TOTAL	**31**	**6.0**	**6**								**2528**	**5.1**	**31**	**1**	**2**	**3**	**6**	**11**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	487	5.5	34	2	2	3	6	13	19	0-17	125	7.6	58	2	3	4	10	15	26
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**487**	**5.5**	**34**	**2**	**2**	**3**	**6**	**13**	**19**		**125**	**7.6**	**58**	**2**	**3**	**4**	**10**	**15**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	972	5.5	36	1	2	3	7	14	19	0-17	725	4.8	22	1	2	3	7	10	13
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**972**	**5.5**	**36**	**1**	**2**	**3**	**7**	**14**	**19**		**725**	**4.8**	**22**	**1**	**2**	**3**	**7**	**10**	**13**
GRAND TOTAL	**1458**	**5.5**	**36**	**1**	**2**	**3**	**6**	**14**	**19**		**849**	**5.2**	**28**	**1**	**2**	**3**	**7**	**11**	**14**

DRG 213: Amputation for Musculoskeletal System & Conn Tissue Disorders

TYPE OF PATIENT	MEDICARE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs										
AGE GROUP										
0-69 (YRS.)	369	11.7	79	2	5	11	16	23	31	
70-74	159	11.1	143	2	4	8	12	19	48	
75-79	152	8.8	20	3	6	8	11	16	17	
80-84	98	11.4	26	5	8	11	14	20	22	
85 +	114	10.5	46	5	5	9	13	19	31	
SUBTOTAL	**891**	**10.9**	**71**	**3**	**5**	**9**	**14**	**19**	**30**	
2.PATIENTS W/OUT CCs										
AGE GROUP										
0-69	124	4.5	14	1	2	3	5	10	13	
70-74	24	2.7	1							
75-79	30	6.8	9							
80-84	24	5.9	21							
85 +	6	7.0								
SUBTOTAL	**208**	**4.9**	**14**	**1**	**2**	**4**	**7**	**11**	**13**	
GRAND TOTAL	**1099**	**9.8**	**66**	**2**	**4**	**8**	**13**	**18**	**23**	

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	35	5.0	1	4	4	5	6	6	6
35-49	13	6.0	17						
50-69	113	8.4	44	3	4	6	11	24	60
70 +	36	7.2	14	1	5	7	9	13	13
	196	**7.4**	**30**	**3**	**4**	**6**	**9**	**14**	**28**
0-17	74	4.7	27	1	2	4	4	6	21
18-34	48	4.0	2	2	3	3	5	6	6
35-49	23	5.1	23						
50-69	30	3.8	2						
70 +	11	6.5							
	186	**4.5**	**15**	**1**	**2**	**4**	**5**	**6**	**13**
	381	**6.0**	**25**	**2**	**3**	**5**	**7**	**13**	**21**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	6.0							
18-34	17	25.0	296						
35-49	42	13.5	60	1	8	14	21	24	24
50-69	73	11.3	67	3	6	8	14	21	32
70 +	6	28.0							
SUBTOTAL	**143**	**14.0**	**113**	**2**	**6**	**12**	**21**	**32**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	17	2.3	2						
18-34	36	6.3	28	1	3	4	7	17	17
35-49	11	6.5	2						
50-69	41	8.0	39	1	2	7	13	20	20
70 +	6	9.0							
SUBTOTAL	**110**	**6.5**	**27**	**1**	**2**	**5**	**9**	**17**	**19**
GRAND TOTAL	**253**	**10.7**	**89**	**1**	**4**	**8**	**15**	**24**	**32**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	17	40.3	805						
35-49	30	10.7	82						
50-69	40	22.7	220	3	13	23	26	54	54
70 +	6	5.0							
	93	**20.8**	**379**	**2**	**5**	**18**	**26**	**54**	**78**
0-17	6	2.0							
18-34	35	4.0	14	< 1	1	2	7	11	11
35-49	18	2.6	2						
50-69	23	8.6	60						
70 +	0								
	81	**4.9**	**29**	**1**	**2**	**3**	**5**	**11**	**21**
	174	**13.4**	**278**	**1**	**3**	**7**	**21**	**30**	**54**

DRG 214: Back & Neck Procedures w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3314	7.7	27	3	5	7	9	13	17	0-17	435	9.9	88	4	6	8	10	13	19
70-74	2652	8.4	48	3	5	7	10	14	19	18-34	1069	7.3	25	2	4	6	9	15	17
75-79	2217	8.6	29	4	5	8	10	15	18	35-49	2767	6.1	18	2	3	5	7	10	14
80-84	986	9.1	27	5	6	7	11	17	19	50-69	3926	7.1	37	3	4	6	8	12	18
85+	368	12.4	40	6	8	11	15	21	26	70+	297	8.6	26	4	5	7	10	15	17
SUBTOTAL	**9537**	**8.4**	**35**	**3**	**5**	**7**	**10**	**15**	**19**		**8494**	**7.0**	**32**	**3**	**4**	**6**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**9537**	**8.4**	**35**	**3**	**5**	**7**	**10**	**15**	**19**		**8494**	**7.0**	**32**	**3**	**4**	**6**	**8**	**12**	**16**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	142	9.5	41	6	7	8	12	15	38	0-17	87	10.3	20	5	7	11	12	15	22
18-34	226	8.7	59	4	4	7	9	18	25	18-34	301	7.1	26	3	4	5	9	15	18
35-49	315	8.6	67	3	4	7	10	15	20	35-49	550	6.8	38	2	3	5	8	13	18
50-69	205	9.8	97	3	5	8	11	29	55	50-69	541	7.2	24	2	4	7	9	13	16
70+	18	12.3	45							70+	111	8.3	33	3	6	7	9	11	30
SUBTOTAL	**907**	**9.1**	**68**	**3**	**5**	**7**	**10**	**18**	**29**		**1590**	**7.3**	**30**	**2**	**4**	**6**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**907**	**9.1**	**68**	**3**	**5**	**7**	**10**	**18**	**29**		**1590**	**7.3**	**30**	**2**	**4**	**6**	**9**	**14**	**18**

DRG 215: Back & Neck Procedures w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	4311	4.7	9	2	3	4	6	8	9	0-17	782	6.5	17	3	4	6	8	9	11
70-74	3128	5.1	8	2	3	4	6	8	10	18-34	7423	3.7	6	2	2	3	4	6	8
75-79	2066	5.3	9	2	3	5	6	9	11	35-49	17910	3.5	4	2	2	3	4	6	7
80-84	854	6.1	12	3	4	5	7	10	14	50-69	11240	4.0	6	2	2	3	5	7	9
85 +	208	6.9	19	3	4	5	8	13	19	70 +	436	5.1	7	3	3	4	7	9	10
SUBTOTAL	**10567**	**5.1**	**9**	**2**	**3**	**4**	**6**	**8**	**10**		**37792**	**3.7**	**6**	**2**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**10567**	**5.1**	**9**	**2**	**3**	**4**	**6**	**8**	**10**		**37792**	**3.7**	**6**	**2**	**2**	**3**	**4**	**6**	**8**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	182	7.5	26	2	5	6	8	15	19	0-17	220	7.0	18	3	5	6	8	14	15
18-34	862	4.2	9	2	2	3	5	7	10	18-34	2034	4.1	9	2	2	3	5	7	9
35-49	900	4.6	13	2	2	4	5	8	11	35-49	3990	3.8	7	2	2	3	4	7	8
50-69	419	5.6	14	2	3	5	6	11	14	50-69	1963	4.1	7	2	3	4	5	7	8
70 +	11	17.5	200							70 +	138	6.0	26	2	3	4	6	17	17
SUBTOTAL	**2373**	**4.9**	**15**	**2**	**3**	**4**	**6**	**8**	**13**		**8346**	**4.1**	**8**	**2**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**2373**	**4.9**	**15**	**2**	**3**	**4**	**6**	**8**	**13**		**8346**	**4.1**	**8**	**2**	**2**	**3**	**5**	**7**	**9**

DRG 216: Biopsies of Musculoskeletal System & Connective Tissue

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	227	12.9	236	1	5	8	16	29	48	0-17	24	4.6	7						
70-74	168	12.0	78	3	5	10	13	28	31	18-34	29	7.9	92						
75-79	161	12.1	81	3	7	9	13	30	30	35-49	73	6.5	29	1	2	4	13	13	18
80-84	140	11.3	58	5	5	9	17	18	19	50-69	133	9.7	47	3	4	9	11	18	20
85 +	80	14.7	100	3	5	12	22	26	35	70 +	17	12.3	58						
SUBTOTAL	**774**	**12.4**	**124**	**3**	**6**	**9**	**16**	**28**	**32**		**275**	**8.4**	**48**	**2**	**3**	**6**	**11**	**18**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	136	5.4	12	2	2	5	7	11	11	0-17	355	3.8	13	1	1	2	6	8	9
70-74	90	3.8	9	1	1	3	6	10	10	18-34	126	3.0	4	1	2	2	4	7	7
75-79	54	7.9	79	1	2	2	15	28	28	35-49	114	4.3	24	1	1	2	4	15	18
80-84	49	8.4	60	1	2	4	20	20	20	50-69	106	3.4	5	1	1	3	5	7	8
85 +	12	13.7	27							70 +	0								
SUBTOTAL	**341**	**6.1**	**34**	**1**	**2**	**4**	**8**	**15**	**20**		**701**	**3.7**	**12**	**1**	**1**	**2**	**5**	**7**	**9**
GRAND TOTAL	**1116**	**10.5**	**105**	**2**	**4**	**8**	**13**	**21**	**30**		**976**	**5.0**	**27**	**1**	**2**	**3**	**6**	**11**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	5.7	19	1	2	5	12	12	12	0-17	11	5.0	18						
18-34	17	23.0	134							18-34	29	8.8	46						
35-49	18	20.4	332							35-49	29	11.3	34						
50-69	59	16.5	322	2	4	8	24	50	56	50-69	31	11.4	42						
70 +	6	5.0								70 +	13	11.0	27						
SUBTOTAL	**139**	**14.2**	**237**	**2**	**5**	**8**	**20**	**42**	**46**		**113**	**10.0**	**40**	**1**	**5**	**9**	**16**	**19**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	123	5.1	9	2	3	4	6	9	11	0-17	109	7.9	258	1	2	3	7	19	71
18-34	29	7.4	10							18-34	58	6.5	65	1	1	4	5	22	24
35-49	18	2.0	2							35-49	36	7.0	56	2	3	3	6	24	24
50-69	24	10.3	80							50-69	35	7.1	56	1	2	4	8	23	23
70 +	0									70 +	18	8.4	44						
SUBTOTAL	**194**	**5.8**	**21**	**1**	**3**	**4**	**8**	**11**	**19**		**256**	**7.4**	**142**	**1**	**2**	**3**	**7**	**21**	**24**
GRAND TOTAL	**333**	**9.3**	**129**	**1**	**3**	**6**	**11**	**20**	**42**		**370**	**8.2**	**112**	**1**	**2**	**5**	**11**	**19**	**23**

DRG 217: Wnd Debrid & Skn Grft except Hand,for Muscskelet & Conn Tiss Dis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	634	16.3	272	3	6	11	21	37	47	0-17	120	6.2	11	2	3	6	9	11	11
70-74	212	16.6	123	6	8	14	24	35	37	18-34	413	14.0	189	2	5	9	16	36	50
75-79	262	17.6	199	3	6	15	24	45	46	35-49	414	15.7	149	3	8	13	19	34	44
80-84	202	12.8	99	4	6	11	17	26	32	50-69	301	12.3	246	3	5	9	12	20	44
85 +	126	16.0	140	5	8	11	18	28	44	70 +	35	13.7	185	1	3	6	31	33	33
SUBTOTAL	**1436**	**16.0**	**202**	**4**	**7**	**12**	**21**	**35**	**45**		**1282**	**13.4**	**179**	**2**	**5**	**10**	**16**	**31**	**44**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	269	8.3	43	2	4	7	13	16	21	0-17	396	4.3	18	1	1	3	6	9	11
70-74	97	5.7	37	1	2	3	7	13	25	18-34	741	5.9	33	1	2	4	8	16	18
75-79	58	11.7	203	1	4	7	9	38	48	35-49	546	5.6	34	1	2	4	7	12	15
80-84	68	5.3	7	2	3	6	7	9	9	50-69	235	6.4	40	1	2	4	9	15	21
85 +	24	4.9	4							70 +	30	7.4	16						
SUBTOTAL	**517**	**7.7**	**57**	**1**	**3**	**6**	**9**	**15**	**24**		**1948**	**5.6**	**31**	**1**	**2**	**4**	**7**	**12**	**16**
GRAND TOTAL	**1953**	**13.8**	**177**	**3**	**5**	**9**	**18**	**31**	**42**		**3230**	**8.7**	**105**	**1**	**3**	**5**	**11**	**18**	**28**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	54	12.7	133	2	5	6	18	34	34	0-17	73	13.5	111	5	5	10	12	28	37
18-34	209	22.1	213	7	10	19	27	50	56	18-34	493	15.7	251	3	5	11	22	34	44
35-49	181	25.2	356	11	13	19	33	42	69	35-49	279	16.2	166	5	6	13	24	44	49
50-69	204	18.9	193	4	10	14	27	45	48	50-69	166	20.6	323	3	7	14	30	54	76
70 +	18	26.1	318							70 +	19	13.3	81						
SUBTOTAL	**667**	**21.3**	**253**	**6**	**11**	**17**	**29**	**45**	**60**		**1030**	**16.4**	**229**	**3**	**6**	**12**	**23**	**41**	**54**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	141	4.6	26	1	2	3	5	11	12	0-17	241	5.1	26	1	2	4	6	12	17
18-34	451	10.9	105	2	4	7	16	27	32	18-34	1324	7.7	68	1	3	5	10	18	25
35-49	235	15.0	145	3	5	11	24	38	43	35-49	569	8.5	67	1	2	6	12	20	28
50-69	97	20.0	276	4	10	18	23	42	72	50-69	139	8.5	58	1	3	5	14	23	23
70 +	17	4.0	6							70 +	11	8.5	62						
SUBTOTAL	**941**	**11.8**	**138**	**2**	**3**	**7**	**18**	**28**	**40**		**2284**	**7.7**	**64**	**1**	**2**	**5**	**11**	**18**	**25**
GRAND TOTAL	**1608**	**15.7**	**207**	**3**	**5**	**12**	**22**	**37**	**47**		**3313**	**10.4**	**131**	**2**	**3**	**6**	**14**	**25**	**36**

DRG 218: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1036	7.0	24	3	4	6	8	13	18	0-17	0								
70-74	709	6.1	14	2	3	5	7	11	14	18-34	765	5.5	18	2	3	5	7	10	14
75-79	609	6.8	19	3	4	5	8	13	16	35-49	973	5.9	24	2	3	5	7	10	12
80-84	398	8.6	39	3	5	7	10	17	27	50-69	941	6.8	42	2	3	5	8	12	20
85 +	425	6.7	15	3	4	6	9	11	15	70 +	204	7.4	22	3	4	7	9	13	19
SUBTOTAL	**3177**	**6.9**	**22**	**3**	**4**	**6**	**9**	**13**	**16**		**2883**	**6.2**	**28**	**2**	**3**	**5**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3177**	**6.9**	**22**	**3**	**4**	**6**	**9**	**13**	**16**		**2883**	**6.2**	**28**	**2**	**3**	**5**	**7**	**11**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	265	7.0	46	2	3	5	7	16	21	18-34	662	7.8	47	2	3	6	9	14	22
35-49	232	6.5	17	3	3	6	8	13	15	35-49	555	7.5	47	2	3	5	9	14	19
50-69	170	11.9	163	4	4	8	15	27	41	50-69	376	7.0	31	3	4	5	8	14	15
70 +	24	8.1	15							70 +	67	6.9	14	3	4	7	11	11	14
SUBTOTAL	**691**	**8.1**	**68**	**2**	**4**	**6**	**9**	**17**	**21**		**1659**	**7.5**	**42**	**3**	**4**	**5**	**9**	**14**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**691**	**8.1**	**68**	**2**	**4**	**6**	**9**	**17**	**21**		**1659**	**7.5**	**42**	**3**	**4**	**5**	**9**	**14**	**19**

DRG 219: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1779	3.9	6	2	2	3	5	7	9	0-17	0								
70-74	991	3.9	5	2	3	3	4	7	8	18-34	4980	2.9	4	1	2	2	4	5	6
75-79	646	4.5	10	1	3	4	5	9	10	35-49	5167	3.1	4	1	2	3	4	5	7
80-84	315	5.4	9	2	3	5	6	10	11	50-69	3941	3.4	3	1	2	3	4	6	7
85 +	242	4.9	6	3	3	5	7	8	10	70 +	178	4.2	6	2	2	3	6	7	10
SUBTOTAL	**3974**	**4.2**	**7**	**2**	**3**	**3**	**5**	**8**	**10**		**14266**	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**3974**	**4.2**	**7**	**2**	**3**	**3**	**5**	**8**	**10**		**14266**	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	1276	5.3	25	1	2	4	6	10	16	18-34	4778	4.2	11	1	2	3	5	8	11
35-49	710	4.8	21	1	2	4	6	10	12	35-49	2753	4.3	15	1	2	3	5	8	11
50-69	327	4.8	13	2	3	4	6	9	11	50-69	1571	4.5	12	2	2	4	5	8	12
70 +	23	5.9	8							70 +	92	4.6	5	3	3	4	5	7	11
SUBTOTAL	**2336**	**5.1**	**22**	**1**	**2**	**4**	**6**	**10**	**13**		**9193**	**4.3**	**12**	**1**	**2**	**3**	**5**	**8**	**11**
GRAND TOTAL	**2336**	**5.1**	**22**	**1**	**2**	**4**	**6**	**10**	**13**		**9193**	**4.3**	**12**	**1**	**2**	**3**	**5**	**8**	**11**

DRG 220: Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	262	3.8	13	1	1	3	5	7	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**262**	**3.8**	**13**	**1**	**1**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	4110	2.4	12	1	1	2	3	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**4110**	**2.4**	**12**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**0**										**4373**	**2.5**	**12**	**1**	**1**	**2**	**3**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	86	3.0	8	1	1	2	4	7	11	0-17	107	4.6	18	1	2	3	6	10	18
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**86**	**3.0**	**8**	**1**	**1**	**2**	**4**	**7**	**11**		**107**	**4.6**	**18**	**1**	**2**	**3**	**6**	**10**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1035	2.2	4	1	1	2	3	4	6	0-17	1679	2.5	8	1	1	2	3	5	6
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1035**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**6**		**1679**	**2.5**	**8**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1121**	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**6**		**1786**	**2.7**	**9**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 221: Knee Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	313	6.3	21	2	3	5	10	15	16	0-17	197	3.1	3	1	2	3	4	5	7
70-74	264	8.2	35	2	4	6	11	15	18	18-34	743	3.8	5	2	2	3	4	7	9
75-79	177	7.6	38	1	4	6	10	17	20	35-49	571	4.0	17	2	2	3	4	8	11
80-84	96	10.6	365	1	3	4	9	14	81	50-69	278	6.8	31	2	4	6	8	12	14
85 +	41	10.6	31	3	7	8	17	20	20	70 +	73	7.3	20	2	3	7	10	11	18
SUBTOTAL	**891**	**7.8**	**67**	**2**	**3**	**6**	**11**	**15**	**19**		**1861**	**4.4**	**15**	**2**	**2**	**3**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**891**	**7.8**	**67**	**2**	**3**	**6**	**11**	**15**	**19**		**1861**	**4.4**	**15**	**2**	**2**	**3**	**5**	**9**	**11**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	31	2.6	2							0-17	31	6.1	15						
18-34	55	4.9	37	1	2	3	6	20	22	18-34	197	5.3	15	2	2	4	8	12	14
35-49	60	6.3	29	1	3	4	6	16	18	35-49	120	8.1	69	1	3	5	9	20	29
50-69	64	15.6	211	1	5	8	21	38	45	50-69	57	10.2	42	2	7	10	13	21	25
70 +	0									70 +	18	6.3	2						
SUBTOTAL	**210**	**8.3**	**107**	**1**	**2**	**5**	**8**	**21**	**38**		**423**	**6.9**	**36**	**2**	**3**	**5**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**210**	**8.3**	**107**	**1**	**2**	**5**	**8**	**21**	**38**		**423**	**6.9**	**36**	**2**	**3**	**5**	**9**	**13**	**16**

DRG 222: Knee Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	630	3.4	11	1	2	3	4	6	7
70-74	338	4.4	9	1	2	4	6	8	11
75-79	348	3.7	13	< 1	1	2	5	7	14
80-84	161	4.6	16	< 1	1	4	6	10	11
85 +	24	1.5	1						
SUBTOTAL	**1500**	**3.8**	**12**	**1**	**1**	**3**	**5**	**7**	**10**
GRAND TOTAL	**1500**	**3.8**	**12**	**1**	**1**	**3**	**5**	**7**	**10**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	3389	2.3	1	1	2	2	3	4	4
18-34	13104	2.5	2	1	2	2	3	4	4
35-49	6255	2.6	2	1	2	2	3	4	5
50-69	1715	2.9	4	< 1	1	2	4	6	7
70 +	85	3.8	3	2	2	3	5	7	7
	24548	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**5**
	24548	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	221	4.0	20	1	2	3	4	7	14
18-34	616	3.0	2	1	2	3	4	5	5
35-49	164	3.4	5	1	2	3	4	7	8
50-69	54	3.6	4	< 1	2	4	4	8	8
70 +	6	4.0							
SUBTOTAL	**1061**	**3.3**	**7**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**1061**	**3.3**	**7**	**1**	**2**	**3**	**4**	**5**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	429	3.3	11	1	2	2	3	5	11
18-34	2493	3.0	5	1	2	2	3	5	7
35-49	940	2.9	4	1	2	2	3	5	7
50-69	271	3.8	8	< 1	2	3	5	8	11
70 +	30	5.1	11						
	4164	**3.0**	**6**	**1**	**2**	**2**	**4**	**5**	**7**
	4164	**3.0**	**6**	**1**	**2**	**2**	**4**	**5**	**7**

DRG 223: Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	603	3.5	5	1	2	3	4	6	7	0-17	71	5.9	30	2	2	3	9	12	20
70-74	489	3.4	5	2	2	3	4	6	9	18-34	272	3.1	5	1	1	2	4	6	8
75-79	238	4.1	4	2	2	4	5	7	8	35-49	237	3.5	4	2	2	3	4	6	8
80-84	249	5.8	29	1	2	4	6	12	18	50-69	508	3.4	8	1	2	3	4	6	10
85 +	103	5.8	16	1	3	5	8	12	17	70 +	70	3.5	6	1	2	3	5	7	9
SUBTOTAL	**1683**	**4.0**	**10**	**1**	**2**	**3**	**5**	**8**	**10**		**1159**	**3.5**	**8**	**1**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	926	2.8	19	1	2	2	3	4	5	0-17	168	2.0	2	< 1	1	1	2	4	6
70-74	707	2.5	1	1	2	2	3	4	4	18-34	759	1.8	1	1	1	2	2	3	3
75-79	361	2.5	2	1	2	2	3	4	6	35-49	1381	1.8	1	1	1	2	2	3	3
80-84	143	3.1	3	1	2	3	4	5	5	50-69	1931	2.0	1	1	1	2	2	3	4
85 +	30	4.2	4							70 +	108	2.7	3	1	2	2	3	4	8
SUBTOTAL	**2168**	**2.7**	**9**	**1**	**2**	**2**	**3**	**4**	**5**		**4348**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**3850**	**3.3**	**10**	**1**	**2**	**3**	**4**	**6**	**8**		**5507**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	36	4.1	12	1	1	3	8	9	9	0-17	18	2.9	2						
18-34	46	8.6	38	2	4	6	13	20	20	18-34	259	5.2	32	1	3	4	6	8	11
35-49	73	4.6	28	1	1	3	3	14	18	35-49	190	5.3	35	2	2	4	5	15	20
50-69	46	6.3	26	2	3	3	12	15	15	50-69	117	3.5	6	1	2	3	4	6	9
70 +	13	16.5	228							70 +	18	5.1	18						
SUBTOTAL	**213**	**6.5**	**46**	**1**	**2**	**3**	**9**	**17**	**20**		**602**	**4.8**	**27**	**1**	**2**	**4**	**5**	**9**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	12	8.3	39							0-17	30	4.6	19						
18-34	36	3.4	11	1	2	2	3	11	11	18-34	224	2.2	3	1	1	2	2	5	7
35-49	35	4.4	12	< 1	1	4	6	11	11	35-49	304	2.1	4	1	1	2	2	3	4
50-69	61	1.5	1	1	1	1	2	3	4	50-69	359	2.0	2	1	1	2	3	4	5
70 +	0									70 +	31	2.0							
SUBTOTAL	**144**	**3.3**	**13**	**1**	**1**	**2**	**3**	**11**	**11**		**948**	**2.2**	**4**	**1**	**1**	**2**	**2**	**4**	**6**
GRAND TOTAL	**357**	**5.2**	**35**	**1**	**1**	**3**	**6**	**14**	**18**		**1550**	**3.2**	**14**	**1**	**1**	**2**	**4**	**6**	**9**

DRG 224: Shoulder, Elbow or Forearm Proc,exc Major Joint Proc, w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	837	2.3	2	1	1	2	3	4	5
70-74	592	2.5	2	1	2	2	3	4	6
75-79	450	2.5	3	1	1	2	3	4	5
80-84	192	3.1	5	1	1	2	4	6	9
85 +	78	3.1	2	1	3	3	4	5	5
SUBTOTAL	**2150**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**2150**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1417	1	3	1	1	1	2	3	4
18-34	3117	1.7	1	1	1	2	2	3	3
35-49	1668	1.9	1	1	1	2	2	3	4
50-69	2093	2.1	4	1	1	2	2	3	4
70 +	134	2.4	2	1	2	2	3	4	4
	8431	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**
	8431	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	286	2.5	6	1	1	2	3	5	6
18-34	413	3.1	4	1	2	3	4	5	6
35-49	104	4.3	6	1	2	4	6	8	9
50-69	90	3.0	2	1	2	3	4	5	6
70 +	24	3.4	7						
SUBTOTAL	**917**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**917**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	591	2.1	4	1	1	2	2	4	6
18-34	1767	3.1	7	1	1	2	4	6	8
35-49	702	2.7	5	1	1	2	3	5	6
50-69	601	2.6	4	1	1	2	3	5	7
70 +	43	3.4	2	2	2	3	4	6	6
	3704	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
	3704	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 225: Foot Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	284	6.4	41	1	2	4	8	19	20	0-17	86	3.0	16	1	1	1	4	5	17
70-74	128	4.9	11	2	2	3	7	8	12	18-34	149	5.7	37	1	2	3	8	14	15
75-79	89	6.0	18	2	2	5	8	10	18	35-49	159	5.2	15	1	2	4	8	11	12
80-84	82	5.5	6	2	3	6	8	9	9	50-69	288	4.9	23	1	1	3	7	11	13
85 +	24	8.8	9							70 +	11	10.0	40						
SUBTOTAL	**608**	**6.0**	**26**	**2**	**2**	**5**	**8**	**11**	**18**		**693**	**5.0**	**25**	**1**	**1**	**3**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	633	2.7	3	1	2	2	4	5	6	0-17	1011	1.8	1	1	1	1	2	3	4
70-74	357	3.0	5	1	2	2	3	6	8	18-34	1022	2.3	3	1	1	2	3	4	7
75-79	162	3.2	9	1	2	3	3	5	6	35-49	1174	2.2	2	1	1	2	3	4	5
80-84	152	3.3	10	1	2	2	4	5	13	50-69	1310	2.1	3	1	1	2	2	3	4
85 +	24	4.6	11							70 +	51	2.1	1	1	2	2	3	3	3
SUBTOTAL	**1327**	**2.9**	**5**	**1**	**2**	**2**	**4**	**5**	**7**		**4569**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1935**	**3.9**	**14**	**1**	**2**	**3**	**5**	**8**	**10**		**5262**	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	51	3.0	4	1	1	3	3	7	7	0-17	18	5.0	9						
18-34	36	5.0	17	1	3	4	5	14	14	18-34	57	6.2	10	3	3	5	9	12	13
35-49	41	5.6	18	2	2	4	7	15	15	35-49	83	12.2	123	2	4	8	16	26	42
50-69	34	6.8	25	2	3	5	7	17	17	50-69	36	4.2	5	< 1	2	4	6	7	7
70 +	0									70 +	24	6.3	52						
SUBTOTAL	**162**	**4.9**	**16**	**1**	**2**	**4**	**7**	**14**	**15**		**218**	**8.0**	**67**	**2**	**3**	**5**	**10**	**19**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	423	1.6	2	1	1	1	2	3	3	0-17	233	2.2	3	1	1	2	2	6	6
18-34	164	4.0	7	1	1	3	5	9	9	18-34	521	4.0	22	1	1	3	4	9	12
35-49	113	4.2	16	1	2	3	4	12	14	35-49	376	3.4	9	1	1	3	5	5	10
50-69	83	7.3	58	1	2	3	13	16	28	50-69	311	3.2	6	1	2	2	4	6	8
70 +	12	3.1	1							70 +	12	8.8	33						
SUBTOTAL	**796**	**3.1**	**14**	**1**	**1**	**2**	**3**	**8**	**12**		**1452**	**3.4**	**13**	**1**	**1**	**2**	**4**	**6**	**10**
GRAND TOTAL	**958**	**3.4**	**15**	**1**	**1**	**2**	**4**	**8**	**13**		**1670**	**4.0**	**22**	**1**	**2**	**3**	**5**	**9**	**12**

DRG 226: Soft Tissue Procedures w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	498	7.5	129	2	2	4	6	17	26
70-74	289	6.3	46	1	2	4	9	14	19
75-79	188	6.8	19	2	3	6	8	13	15
80-84	103	6.1	16	1	3	7	8	13	15
85 +	85	4.8	3	2	3	5	6	6	9
SUBTOTAL	**1164**	**6.8**	**72**	**2**	**2**	**4**	**8**	**14**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1164**	**6.8**	**72**	**2**	**2**	**4**	**8**	**14**	**20**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	313	2.9	12	1	1	2	3	5	9
18-34	246	4.6	17	1	2	3	6	10	14
35-49	326	6.4	139	2	2	4	7	10	15
50-69	293	3.6	8	1	2	2	4	8	9
70 +	23	5.6	7						
	1200	**4.4**	**48**	**1**	**2**	**3**	**5**	**9**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1200	**4.4**	**48**	**1**	**2**	**3**	**5**	**9**	**14**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	250	3.4	40	< 1	1	2	2	8	10
18-34	46	5.6	21	< 1	2	4	10	14	14
35-49	70	11.9	104	3	4	10	20	29	33
50-69	55	11.1	237	1	2	4	9	44	45
70 +	6	35.0							
SUBTOTAL	**426**	**6.5**	**96**	**1**	**1**	**2**	**8**	**21**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**426**	**6.5**	**96**	**1**	**1**	**2**	**8**	**21**	**34**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	1.0							
18-34	183	7.3	207	1	2	4	7	11	22
35-49	108	4.3	22	1	2	3	4	9	21
50-69	48	13.4	269	1	3	4	20	48	48
70 +	12	3.9	1						
	374	**6.7**	**151**	**1**	**2**	**3**	**6**	**11**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	374	**6.7**	**151**	**1**	**2**	**3**	**6**	**11**	**22**

DRG 227: Soft Tissue Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	684	3.5	42	1	1	2	4	5	7
70-74	498	3.1	7	1	1	2	3	6	10
75-79	275	2.9	9	1	2	2	3	5	6
80-84	138	3.6	6	1	1	4	5	7	8
85 +	74	3.5	7	< 1	1	2	4	7	9
SUBTOTAL	**1670**	**3.3**	**22**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**1670**	**3.3**	**22**	**1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1358	1.9	2	< 1	1	1	2	3	5
18-34	1473	2.1	3	1	1	2	2	3	5
35-49	2003	2.0	2	1	1	2	2	4	5
50-69	1680	2.2	3	1	1	2	3	4	5
70 +	59	2.0	1	< 1	1	2	3	3	3
	6574	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**
	6574	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	662	2.0	6	< 1	1	1	2	3	6
18-34	269	4.1	18	1	2	3	4	9	11
35-49	153	4.1	13	1	2	3	5	10	10
50-69	55	4.2	13	< 1	1	3	9	10	10
70 +	0								
SUBTOTAL	**1139**	**2.9**	**11**	**< 1**	**1**	**2**	**3**	**6**	**10**
GRAND TOTAL	**1139**	**2.9**	**11**	**< 1**	**1**	**2**	**3**	**6**	**10**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	328	2.2	4	< 1	1	2	2	4	8
18-34	871	3.1	12	1	1	2	3	6	11
35-49	672	2.8	8	1	1	2	3	7	11
50-69	400	2.5	4	1	1	2	3	5	6
70 +	74	3.7	6	1	1	3	5	7	9
	2345	**2.8**	**8**	**1**	**1**	**2**	**3**	**6**	**9**
	2345	**2.8**	**8**	**1**	**1**	**2**	**3**	**6**	**9**

DRG 228: Major Thumb or Joint Proc,or Oth Hand or Wrist Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	185	3.6	9	1	1	3	4	8	11	0-17	59	2.8	5	< 1	1	2	4	7	8
70-74	73	6.2	43	1	2	2	11	14	23	18-34	72	5.3	52	1	2	3	5	7	29
75-79	96	4.9	8	2	2	4	7	9	12	35-49	84	4.7	11	1	2	4	7	10	10
80-84	11	2.0								50-69	152	3.0	10	1	1	2	3	7	11
85 +	24	4.6	17							70 +	6	7.0							
SUBTOTAL	**389**	**4.4**	**16**	**1**	**2**	**3**	**6**	**11**	**12**		**373**	**3.8**	**18**	**1**	**1**	**2**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	276	2.2	4	1	1	2	2	4	5	0-17	30	2.2	1						
70-74	183	1.9	2	1	1	1	2	4	6	18-34	165	2.6	5	1	1	2	3	7	7
75-79	60	2.9	9	1	1	2	3	9	10	35-49	261	1.9	4	1	1	1	2	3	6
80-84	18	2.4	1							50-69	402	1.7	1	1	1	1	2	3	3
85 +	6	4.0								70 +	6	2.0							
SUBTOTAL	**543**	**2.2**	**4**	**1**	**1**	**2**	**2**	**4**	**7**		**863**	**2.0**	**3**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**932**	**3.1**	**10**	**1**	**1**	**2**	**4**	**7**	**11**		**1236**	**2.5**	**8**	**1**	**1**	**2**	**3**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	12	3.1	4							0-17	11	2.0	1						
18-34	36	3.8	7	2	2	2	7	8	8	18-34	111	2.8	5	1	1	2	3	7	8
35-49	35	3.0	2	1	1	3	4	5	5	35-49	90	4.5	38	< 1	1	2	4	10	26
50-69	18	5.4	12							50-69	83	6.3	28	2	3	5	7	16	18
70 +	0									70 +	13	5.5	22						
SUBTOTAL	**101**	**3.7**	**6**	**1**	**2**	**3**	**5**	**8**	**10**		**308**	**4.3**	**23**	**1**	**1**	**2**	**5**	**10**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	34	1.2		< 1	< 1	< 1	1	2	2	0-17	41	1.9	1	1	1	1	3	4	4
18-34	11	2.5	2							18-34	81	3.3	20	1	1	1	2	10	17
35-49	23	3.7	11							35-49	64	2.3	1	1	1	2	3	3	5
50-69	24	2.8	4							50-69	85	1.7	1	1	1	1	2	3	3
70 +	0									70 +	6	2.0							
SUBTOTAL	**92**	**2.4**	**5**	**< 1**	**1**	**1**	**3**	**6**	**9**		**277**	**2.3**	**7**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**193**	**3.1**	**6**	**< 1**	**1**	**2**	**4**	**7**	**9**		**585**	**3.4**	**16**	**1**	**1**	**2**	**3**	**7**	**13**

DRG 229: Hand or Wrist Proc, except Major Joint Proc, w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	198	1.9	5	< 1	1	1	2	4	5
70-74	105	2.2	5	< 1	< 1	1	2	6	10
75-79	72	3.1	11	1	1	2	3	5	13
80-84	49	1.1		< 1	< 1	1	1	2	2
85 +	6	2.0							
SUBTOTAL	**429**	**2.1**	**6**	**< 1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**429**	**2.1**	**6**	**< 1**	**1**	**1**	**2**	**4**	**6**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	472	1.5	2	< 1	< 1	1	1	2	5
18-34	799	1.9	3	< 1	1	1	2	3	5
35-49	604	1.8	2	< 1	1	1	2	4	4
50-69	533	1.5	1	< 1	1	1	2	2	4
70 +	18	2.9	5						
	2426	**1.7**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**
	2426	**1.7**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	282	1.8	2	< 1	1	1	2	4	5
18-34	286	3.0	6	1	2	3	4	5	8
35-49	81	4.6	13	1	2	4	5	10	14
50-69	64	3.5	19	1	1	2	6	7	16
70 +	6	6.0							
SUBTOTAL	**719**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**719**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**8**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	227	2.0	2	< 1	1	1	3	4	5
18-34	1221	3.1	21	1	1	2	4	5	7
35-49	477	2.5	4	< 1	1	2	3	6	6
50-69	262	3.1	17	< 1	1	2	3	5	9
70 +	24	2.2	1						
	2211	**2.9**	**15**	**< 1**	**1**	**2**	**4**	**5**	**7**
	2211	**2.9**	**15**	**< 1**	**1**	**2**	**4**	**5**	**7**

DRG 230: Local Excision & Removal of Int Fix Devices of Hip & Femur

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	108	6.1	45	1	2	4	8	12	30
70-74	62	7.5	33	2	3	5	13	17	18
75-79	61	5.4	13	3	3	4	5	10	15
80-84	43	4.3	8	< 1	2	5	5	10	10
85 +	74	7.7	30	2	3	5	12	14	19
SUBTOTAL	**349**	**6.3**	**31**	**2**	**3**	**5**	**8**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	127	3.7	15	< 1	1	3	4	6	14
70-74	100	2.4	2	1	1	2	4	5	5
75-79	48	2.1	1	1	2	2	3	4	4
80-84	68	2.6	1	1	2	3	4	4	4
85 +	78	2.8	4	1	2	2	3	4	9
SUBTOTAL	**421**	**2.9**	**7**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**770**	**4.5**	**20**	**1**	**2**	**3**	**5**	**10**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	93	2.8	18	< 1	1	1	2	8	17
18-34	29	3.9	8						
35-49	41	5.6	28	1	1	3	11	16	16
50-69	41	4.2	13	2	2	3	5	13	13
70 +	11	4.5	13						
	216	**3.8**	**18**	**< 1**	**1**	**2**	**5**	**11**	**16**
0-17	618	1.8	6	< 1	1	1	2	3	4
18-34	362	1.6	1	1	1	1	2	3	4
35-49	293	2.0	5	1	1	2	2	3	4
50-69	153	2.3	2	1	1	2	3	4	5
70 +	29	1.6							
	1455	**1.8**	**4**	**< 1**	**1**	**1**	**2**	**3**	**4**
	1672	**2.1**	**6**	**< 1**	**1**	**1**	**2**	**4**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	29	7.4	129						
18-34	11	5.0	18						
35-49	11	13.0	158						
50-69	11	5.5	22						
70 +	0								
SUBTOTAL	**62**	**7.7**	**99**	**1**	**1**	**2**	**10**	**25**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	145	2.8	12	< 1	1	1	2	9	12
18-34	113	3.0	16	1	1	2	3	7	16
35-49	29	7.9	79						
50-69	30	2.6	1						
70 +	12	3.4	7						
SUBTOTAL	**328**	**3.3**	**20**	**1**	**1**	**2**	**3**	**8**	**14**
GRAND TOTAL	**391**	**4.0**	**35**	**1**	**1**	**2**	**4**	**10**	**19**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	6.6	32						
18-34	24	9.5	97						
35-49	18	24.5	326						
50-69	6	19.0							
70 +	0								
	71	**13.2**	**177**	**1**	**2**	**10**	**20**	**26**	**49**
0-17	114	2.6	19	< 1	1	1	2	6	17
18-34	197	2.1	6	1	1	1	2	3	8
35-49	129	3.6	26	1	1	1	3	9	14
50-69	36	4.8	26	< 1	1	3	8	15	15
70 +	0								
	475	**2.8**	**17**	**1**	**1**	**1**	**2**	**6**	**14**
	546	**4.2**	**49**	**1**	**1**	**1**	**3**	**13**	**21**

DRG 231: Local Excision & Removal of Int Fix Devices except Hip & Femur

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	356	7.2	43	2	2	5	10	17	22	0-17	132	4.6	28	1	1	3	5	9	10
70-74	216	8.4	57	2	3	6	10	19	29	18-34	227	3.3	7	1	1	3	5	6	10
75-79	173	8.0	50	2	3	6	9	18	19	35-49	301	4.9	36	1	2	3	5	9	16
80-84	78	9.1	84	3	3	7	10	23	35	50-69	270	3.8	9	1	2	3	5	7	8
85 +	49	12.1	23	7	7	9	16	19	19	70 +	35	6.2	26	1	2	2	9	15	15
SUBTOTAL	**872**	**8.1**	**51**	**2**	**3**	**6**	**10**	**19**	**22**		**965**	**4.2**	**20**	**1**	**2**	**3**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	746	3.2	10	1	1	2	4	7	10	0-17	1120	2.0	4	< 1	1	1	2	4	7
70-74	394	2.6	5	1	1	2	3	5	6	18-34	1977	2.0	2	< 1	1	1	2	4	5
75-79	218	4.1	22	1	2	2	3	9	17	35-49	1913	2.3	22	< 1	1	2	3	4	5
80-84	153	5.7	51	1	2	3	8	11	14	50-69	1568	2.3	3	1	1	2	3	4	5
85 +	101	4.3	20	< 1	1	2	6	14	15	70 +	118	2.8	2	1	2	3	4	4	6
SUBTOTAL	**1613**	**3.5**	**16**	**1**	**1**	**2**	**4**	**8**	**11**		**6696**	**2.2**	**8**	**< 1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**2485**	**5.1**	**33**	**1**	**2**	**3**	**7**	**13**	**18**		**7661**	**2.4**	**10**	**< 1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	87	5.6	17	< 1	2	4	11	11	14	0-17	40	11.3	162	< 1	3	7	12	41	41
18-34	116	10.6	98	2	4	8	12	26	35	18-34	129	7.2	41	1	3	4	10	16	21
35-49	92	7.7	24	1	4	7	12	14	19	35-49	123	8.6	56	2	4	7	9	15	26
50-69	36	12.7	107	2	5	8	23	30	30	50-69	105	11.6	263	2	5	6	11	35	72
70 +	0									70 +	24	16.9	845						
SUBTOTAL	**330**	**8.7**	**62**	**2**	**3**	**6**	**11**	**19**	**27**		**422**	**9.6**	**162**	**1**	**3**	**6**	**11**	**22**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	343	3.4	18	< 1	1	2	5	6	10	0-17	251	2.8	20	< 1	1	1	3	7	10
18-34	364	4.1	15	1	2	3	5	8	12	18-34	950	3.4	16	1	1	2	4	8	10
35-49	182	3.2	9	1	1	2	4	6	10	35-49	579	3.4	10	1	1	2	4	7	11
50-69	116	3.0	4	< 1	2	3	4	6	7	50-69	322	4.3	32	1	2	2	5	9	14
70 +	0									70 +	18	4.0	1						
SUBTOTAL	**1005**	**3.6**	**14**	**1**	**1**	**3**	**5**	**8**	**10**		**2120**	**3.5**	**17**	**1**	**1**	**2**	**4**	**8**	**10**
GRAND TOTAL	**1336**	**4.9**	**30**	**1**	**2**	**3**	**6**	**10**	**15**		**2542**	**4.5**	**46**	**1**	**1**	**2**	**5**	**10**	**14**

DRG 232: Arthroscopy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	19	7.7	14							0-17	22	1.5	1						
70-74	6	14.0								18-34	12	2.9	4						
75-79	18	15.6	98							35-49	12	5.2	17						
80-84	12	6.5								50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**55**	**10.8**	**52**	**3**	**6**	**8**	**14**	**26**	**26**		**46**	**2.8**	**8**	**< 1**	**1**	**1**	**5**	**9**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	68	2.5	2	1	1	2	3	4	6	0-17	273	1.9	3	< 1	< 1	1	2	4	6
70-74	29	2.8	1							18-34	615	1.8	2	< 1	1	1	2	3	4
75-79	18	1.4								35-49	462	2.3	8	1	1	2	2	4	5
80-84	19	4.0	13							50-69	171	2.3	10	1	1	1	2	3	5
85 +	6	12.0								70 +	6	1.0							
SUBTOTAL	**140**	**3.1**	**7**	**1**	**1**	**2**	**3**	**6**	**9**		**1527**	**2.0**	**5**	**< 1**	**1**	**2**	**2**	**3**	**5**
GRAND TOTAL	**195**	**5.2**	**32**	**1**	**2**	**3**	**7**	**12**	**19**		**1573**	**2.0**	**5**	**< 1**	**1**	**2**	**2**	**3**	**5**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	6	9.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	12	4.3	13						
70 +	0									70 +	0								
SUBTOTAL	**0**										**18**	**5.9**	**14**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	66	7.7	66	1	1	3	17	21	22	0-17	75	2.7	6	< 1	< 1	2	3	6	9
18-34	41	2.5	8	< 1	1	1	4	9	9	18-34	219	2.6	5	< 1	1	2	3	6	8
35-49	6	4.0								35-49	122	2.7	16	1	1	2	2	5	11
50-69	6	2.0								50-69	77	1.7	1	1	1	1	2	3	3
70 +	0									70 +	0								
SUBTOTAL	**118**	**5.4**	**46**	**1**	**1**	**2**	**9**	**20**	**22**		**493**	**2.5**	**7**	**< 1**	**1**	**2**	**3**	**6**	**6**
GRAND TOTAL	**118**	**5.4**	**46**	**1**	**1**	**2**	**9**	**20**	**22**		**511**	**2.6**	**8**	**< 1**	**1**	**2**	**3**	**6**	**8**

DRG 233: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	282	9.1	42	2	4	8	13	16	23
70-74	180	7.8	28	3	3	6	12	15	17
75-79	181	10.7	64	2	6	8	15	22	24
80-84	103	10.9	43	3	6	10	14	22	24
85 +	85	8.5	27	3	4	8	11	13	22
SUBTOTAL	**831**	**9.3**	**43**	**2**	**4**	**8**	**13**	**20**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**831**	**9.3**	**43**	**2**	**4**	**8**	**13**	**20**	**24**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	194	4.3	8	2	3	4	5	9	10
18-34	286	9.3	109	2	3	6	11	15	37
35-49	247	11.5	163	2	4	7	10	35	40
50-69	231	10.9	62	3	6	9	16	20	23
70 +	29	8.0	7						
	987	**9.2**	**95**	**2**	**3**	**6**	**11**	**19**	**35**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	987	**9.2**	**95**	**2**	**3**	**6**	**11**	**19**	**35**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	90	6.9	20	3	4	6	8	14	21
18-34	83	11.0	50	5	7	10	14	18	31
35-49	59	10.0	91	1	6	7	10	28	37
50-69	59	15.6	501	2	4	6	17	55	79
70 +	0								
SUBTOTAL	**291**	**10.4**	**148**	**3**	**5**	**7**	**10**	**19**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**291**	**10.4**	**148**	**3**	**5**	**7**	**10**	**19**	**31**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	76	5.1	16	1	2	4	11	12	99 +
18-34	150	9.8	63	1	2	9	12	23	25
35-49	113	8.4	32	1	3	8	12	15	22
50-69	106	11.6	139	3	3	8	15	27	51
70 +	24	20.4	65						
	470	**9.7**	**75**	**2**	**3**	**8**	**12**	**23**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	470	**9.7**	**75**	**2**	**3**	**8**	**12**	**23**	**27**

DRG 234: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	209	3.5	10	1	1	3	4	5	15	0-17	1064	3.1	4	1	1	3	4	6	7
70-74	139	4.3	23	1	2	2	5	10	14	18-34	787	2.9	10	1	1	2	3	6	9
75-79	94	3.5	15	1	1	2	3	8	16	35-49	684	2.9	9	1	1	2	4	6	11
80-84	83	3.6	8	1	2	3	4	6	12	50-69	542	3.5	15	1	1	2	4	8	9
85+	50	9.6	111	2	3	6	9	36	36	70+	59	6.3	42	2	2	4	7	19	23
SUBTOTAL	**575**	**4.3**	**25**	**1**	**2**	**3**	**5**	**9**	**15**		**3136**	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**575**	**4.3**	**25**	**1**	**2**	**3**	**5**	**9**	**15**		**3136**	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	339	3.5	4	1	2	3	5	6	7	0-17	305	3.4	7	2	2	3	4	6	8
18-34	162	4.3	9	1	2	4	6	10	10	18-34	655	3.5	10	1	1	3	4	7	10
35-49	95	4.2	30	1	1	3	4	10	24	35-49	347	4.3	32	1	1	2	5	11	16
50-69	51	12.8	205	1	5	7	15	51	51	50-69	134	7.2	81	1	2	4	8	13	32
70+	0									70+	6	2.0							
SUBTOTAL	**648**	**4.6**	**31**	**1**	**2**	**3**	**5**	**9**	**11**		**1448**	**4.0**	**22**	**1**	**2**	**3**	**4**	**8**	**12**
GRAND TOTAL	**648**	**4.6**	**31**	**1**	**2**	**3**	**5**	**9**	**11**		**1448**	**4.0**	**22**	**1**	**2**	**3**	**4**	**8**	**12**

DRG 235: Fractures of Femur

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	97	11.8	181	3	4	7	13	32	55
70-74	118	7.5	21	3	5	6	9	13	18
75-79	108	7.9	26	2	3	9	10	16	20
80-84	169	14.6	271	3	5	8	14	45	57
85 +	321	12.8	151	3	5	8	15	31	46
SUBTOTAL	**814**	**11.6**	**150**	**3**	**4**	**8**	**13**	**23**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	72	6.2	42	2	3	3	6	13	25
70-74	79	8.9	43	2	5	7	10	22	23
75-79	85	4.2	5	2	3	3	5	7	10
80-84	111	5.8	81	1	2	4	5	7	40
85 +	197	6.7	30	2	3	5	9	13	21
SUBTOTAL	**543**	**6.4**	**41**	**2**	**3**	**5**	**7**	**13**	**22**
GRAND TOTAL	**1357**	**9.5**	**113**	**2**	**4**	**6**	**10**	**21**	**32**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	138	13.2	85	2	3	14	19	24	32
18-34	18	5.6	4						
35-49	11	17.0	133						
50-69	0								
70 +	41	9.3	62	2	3	7	15	26	26
	209	**12.0**	**82**	**2**	**3**	**8**	**18**	**26**	**32**
0-17	1146	8.7	82	1	2	4	16	23	25
18-34	67	3.6	12	1	1	3	5	5	14
35-49	13	2.0	1						
50-69	57	8.1	89	2	3	4	10	30	33
70 +	29	4.8	1						
	1312	**8.2**	**78**	**1**	**2**	**4**	**15**	**22**	**25**
	1521	**8.7**	**80**	**1**	**2**	**4**	**15**	**23**	**26**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	70	5.8	42	1	1	3	7	12	25
18-34	12	8.1	1						
35-49	11	10.0	18						
50-69	12	25.9	393						
70 +	12	8.2	33						
SUBTOTAL	**117**	**8.7**	**102**	**1**	**3**	**6**	**10**	**23**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	605	7.5	66	1	2	4	12	20	23
18-34	34	3.7	1	3	3	3	4	6	6
35-49	0								
50-69	18	16.1	292						
70 +	0								
SUBTOTAL	**657**	**7.5**	**71**	**1**	**2**	**3**	**11**	**21**	**23**
GRAND TOTAL	**774**	**7.7**	**76**	**1**	**2**	**4**	**11**	**21**	**24**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	89	12.6	115	2	2	6	20	29	34
18-34	23	2.7	2						
35-49	11	2.5	2						
50-69	6	1.0							
70 +	24	12.8	270						
	153	**10.0**	**129**	**<1**	**2**	**4**	**18**	**29**	**34**
0-17	610	9.4	100	1	1	4	17	24	30
18-34	149	4.2	9	1	2	3	4	9	9
35-49	18	8.0	21						
50-69	24	4.1	4						
70 +	24	10.6	209						
	825	**8.3**	**87**	**1**	**2**	**3**	**14**	**23**	**30**
	978	**8.6**	**94**	**1**	**2**	**4**	**14**	**24**	**30**

DRG 236: Fractures of Hip & Pelvis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	483	9.7	112	3	5	7	10	18	25	0-17	122	8.1	125	1	3	4	8	17	37
70-74	524	8.5	41	3	4	8	10	14	22	18-34	241	7.3	38	2	4	6	10	12	15
75-79	804	8.4	80	3	4	7	10	14	18	35-49	159	9.2	105	1	4	7	10	13	35
80-84	977	8.0	45	3	4	6	9	15	20	50-69	231	7.9	38	3	4	6	10	14	20
85 +	1860	7.8	35	3	4	6	9	15	19	70 +	233	6.8	26	3	4	6	7	12	18
SUBTOTAL	**4648**	**8.2**	**54**	**3**	**4**	**6**	**10**	**15**	**20**		**985**	**7.7**	**57**	**2**	**4**	**6**	**9**	**13**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	196	5.5	14	2	3	5	7	9	15	0-17	295	4.1	35	1	1	3	4	7	20
70-74	370	5.3	9	2	4	5	7	8	9	18-34	274	4.8	25	1	2	4	5	7	8
75-79	588	7.4	57	3	4	6	8	12	16	35-49	220	5.5	45	2	2	4	8	9	11
80-84	601	6.5	30	3	3	5	8	11	15	50-69	261	4.9	12	2	2	4	8	10	11
85 +	1341	6.3	37	2	4	5	8	11	13	70 +	129	7.1	33	2	4	5	9	17	18
SUBTOTAL	**3096**	**6.4**	**35**	**3**	**3**	**5**	**8**	**11**	**14**		**1179**	**5.0**	**30**	**1**	**2**	**4**	**5**	**9**	**16**
GRAND TOTAL	**7744**	**7.5**	**47**	**3**	**4**	**6**	**9**	**13**	**18**		**2165**	**6.2**	**44**	**1**	**3**	**4**	**7**	**11**	**18**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	18	12.3	158							0-17	53	3.1	3	< 1	2	2	5	6	6
18-34	83	7.6	61	2	3	5	7	18	31	18-34	276	8.2	97	2	3	4	9	18	26
35-49	29	6.3	18							35-49	126	9.3	128	3	4	5	10	12	36
50-69	73	11.7	91	2	5	9	11	31	32	50-69	72	7.7	34	3	3	6	12	12	23
70 +	12	4.6	7							70 +	135	9.9	162	2	3	6	11	18	20
SUBTOTAL	**214**	**9.0**	**75**	**2**	**3**	**7**	**10**	**30**	**31**		**662**	**8.3**	**104**	**2**	**3**	**5**	**10**	**18**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	41	5.2	41	1	2	3	4	21	21	0-17	167	5.5	62	1	2	3	5	17	21
18-34	52	6.1	62	2	2	3	6	28	28	18-34	396	4.0	8	1	2	3	5	7	9
35-49	47	11.7	50	4	5	10	16	26	26	35-49	131	6.6	36	1	2	4	13	15	18
50-69	53	11.3	162	1	3	4	17	34	34	50-69	103	3.9	3	2	3	4	5	7	7
70 +	24	8.3	27							70 +	115	10.0	147	3	4	6	11	33	45
SUBTOTAL	**216**	**8.6**	**82**	**2**	**2**	**4**	**11**	**26**	**32**		**913**	**5.4**	**43**	**1**	**2**	**3**	**6**	**11**	**17**
GRAND TOTAL	**430**	**8.8**	**78**	**2**	**3**	**5**	**11**	**26**	**31**		**1575**	**6.6**	**71**	**2**	**3**	**4**	**7**	**13**	**20**

DRG 237: Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	31	3.0	1							0-17	18	4.4	1						
70-74	6	2.0								18-34	36	4.4	10	1	3	4	5	11	11
75-79	30	4.9	10							35-49	0								
80-84	18	1.3								50-69	13	7.0	4						
85+	55	6.2	17	2	4	5	6	14	15	70+	0								
SUBTOTAL	**141**	**4.4**	**12**	**2**	**2**	**4**	**5**	**11**	**12**		**66**	**4.9**	**7**	**3**	**3**	**5**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	43	3.6	6	1	2	3	5	9	9	0-17	79	3.1	12	1	1	2	3	5	14
70-74	24	3.2	3							18-34	134	2.0	2	1	1	2	2	4	4
75-79	50	4.6	9	2	2	4	5	11	11	35-49	50	3.3	9	1	1	2	4	10	10
80-84	49	2.9	3	1	1	3	4	5	5	50-69	56	2.4	3	1	2	2	2	6	7
85+	36	3.3	6	1	1	3	5	7	7	70+	0								
SUBTOTAL	**201**	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**9**		**318**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**342**	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**11**		**385**	**3.0**	**7**	**1**	**1**	**2**	**4**	**5**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	18	11.7	21							0-17	6	1.0							
18-34	6	4.0								18-34	47	4.5	2	2	3	4	6	7	7
35-49	0									35-49	6	3.0							
50-69	13	3.5								50-69	13	17.5	120						
70+	0									70+	6	6.0							
SUBTOTAL	**36**	**7.5**	**26**	**3**	**4**	**4**	**12**	**17**	**17**		**77**	**6.3**	**45**	**2**	**3**	**5**	**6**	**7**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	41	2.9	3	1	2	2	4	6	6	0-17	71	4.1	11	1	1	2	7	8	11
18-34	18	2.8	3							18-34	95	3.2	5	1	2	3	4	8	9
35-49	0									35-49	24	5.7	6						
50-69	6	1.0								50-69	6	1.0							
70+	6	2.0								70+	13	3.5							
SUBTOTAL	**71**	**2.6**	**3**	**1**	**2**	**2**	**4**	**5**	**6**		**208**	**3.8**	**7**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**107**	**4.3**	**16**	**1**	**2**	**3**	**5**	**12**	**17**		**285**	**4.5**	**19**	**1**	**2**	**3**	**6**	**8**	**9**

DRG 238: Osteomyelitis

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	240	13.6	100	4	6	12	17	31	35
70-74	73	11.8	53	3	4	12	13	19	31
75-79	85	12.9	27	6	7	13	17	19	21
80-84	90	16.5	164	6	7	12	21	35	52
85 +	66	10.2	39	5	6	8	11	18	26
SUBTOTAL	**554**	**13.3**	**88**	**5**	**7**	**12**	**17**	**27**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	55	9.2	23	3	7	8	12	17	17
70-74	6	2.0							
75-79	43	5.4	4	2	4	5	7	9	9
80-84	12	5.6	7						
85 +	17	13.0	45						
SUBTOTAL	**131**	**7.8**	**25**	**2**	**5**	**7**	**9**	**17**	**17**
GRAND TOTAL	**686**	**12.2**	**81**	**4**	**6**	**10**	**16**	**22**	**33**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	71	13.8	164	4	5	7	17	38	43
18-34	18	8.1	34						
35-49	35	10.9	17	3	9	11	14	16	16
50-69	115	11.2	210	3	4	7	9	43	56
70 +	18	10.0	3						
	257	**11.6**	**146**	**3**	**5**	**8**	**12**	**21**	**43**
0-17	245	6.0	9	3	4	6	7	11	12
18-34	30	4.2	9						
35-49	60	3.5	7	1	1	3	4	8	8
50-69	73	5.9	17	< 1	2	5	9	11	14
70 +	18	4.9	9						
	427	**5.4**	**11**	**2**	**3**	**5**	**8**	**10**	**12**
	683	**7.8**	**70**	**2**	**3**	**6**	**9**	**13**	**18**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	46	13.4	66	4	7	10	20	29	29
18-34	71	18.0	259	2	7	15	18	49	49
35-49	64	16.2	202	2	3	15	25	39	45
50-69	97	16.0	157	3	5	11	23	38	40
70 +	18	11.6	6						
SUBTOTAL	**296**	**15.9**	**170**	**3**	**6**	**11**	**22**	**38**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	144	9.2	27	3	5	9	13	15	15
18-34	24	4.3	12						
35-49	6	8.0							
50-69	36	11.0	46	3	7	10	14	24	24
70 +	0								
SUBTOTAL	**211**	**8.9**	**30**	**2**	**5**	**8**	**13**	**15**	**23**
GRAND TOTAL	**507**	**13.0**	**124**	**3**	**5**	**10**	**16**	**33**	**39**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	20.7	141						
18-34	64	12.7	83	4	8	12	14	16	39
35-49	77	12.9	109	5	6	8	18	25	42
50-69	138	16.1	166	4	7	11	29	36	42
70 +	24	11.3	30						
	327	**14.6**	**129**	**4**	**6**	**11**	**18**	**36**	**42**
0-17	130	9.8	51	3	4	7	12	22	26
18-34	57	10.8	73	< 1	2	10	15	24	28
35-49	85	8.0	39	1	4	6	11	16	25
50-69	29	7.4	25						
70 +	11	14.5	200						
	312	**9.4**	**56**	**2**	**4**	**7**	**12**	**22**	**28**
	639	**12.1**	**100**	**3**	**5**	**10**	**16**	**28**	**36**

DRG 239: Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1484	9.2	76	3	4	6	11	18	25
70-74	1322	8.4	39	3	4	7	11	16	20
75-79	1486	8.0	37	3	4	7	9	14	20
80-84	1635	8.0	38	3	4	6	9	15	20
85 +	1490	7.3	22	3	4	6	10	13	16
SUBTOTAL	**7416**	**8.2**	**43**	**3**	**4**	**7**	**10**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	343	6.0	23	2	3	5	7	11	17
70-74	561	6.3	16	2	4	5	7	11	15
75-79	662	5.7	13	2	3	5	8	10	13
80-84	767	6.2	11	3	4	6	7	11	13
85 +	782	5.3	11	2	3	5	7	9	12
SUBTOTAL	**3116**	**5.9**	**14**	**2**	**3**	**5**	**7**	**10**	**13**
GRAND TOTAL	**10532**	**7.5**	**35**	**3**	**4**	**6**	**9**	**14**	**18**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	141	5.0	14	1	2	5	7	8	13
18-34	93	7.4	37	2	3	6	9	20	24
35-49	322	9.6	111	2	4	6	10	19	36
50-69	1154	8.9	49	2	4	7	12	16	22
70 +	261	6.8	18	3	3	6	8	12	16
	1971	**8.4**	**53**	**2**	**4**	**6**	**11**	**16**	**20**
0-17	227	2.9	6	1	1	2	5	8	8
18-34	70	3.2	9	1	1	2	4	6	12
35-49	150	9.0	85	2	4	6	10	21	27
50-69	264	7.0	42	3	4	5	7	16	18
70 +	105	6.2	29	2	3	5	7	11	25
	816	**5.8**	**40**	**1**	**2**	**4**	**7**	**11**	**18**
	2787	**7.6**	**51**	**1**	**3**	**6**	**10**	**16**	**20**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	113	7.4	37	2	3	7	10	13	26
18-34	110	7.6	112	2	2	5	9	11	47
35-49	172	12.9	369	2	4	8	10	38	59
50-69	171	10.4	97	3	3	9	12	27	33
70 +	29	6.5	7						
SUBTOTAL	**595**	**9.8**	**167**	**2**	**3**	**7**	**10**	**18**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	107	3.2	6	< 1	1	3	5	5	10
18-34	118	4.6	33	1	1	2	4	16	19
35-49	29	3.1	3						
50-69	64	3.5	4	1	2	3	6	6	7
70 +	18	28.0	848						
SUBTOTAL	**336**	**5.1**	**88**	**1**	**1**	**3**	**5**	**8**	**17**
GRAND TOTAL	**931**	**8.1**	**144**	**1**	**2**	**5**	**9**	**16**	**29**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	2.5	2						
18-34	22	7.3	20						
35-49	84	9.3	50	2	4	8	14	21	25
50-69	308	6.3	16	2	3	5	8	13	15
70 +	139	5.8	22	2	3	4	7	10	15
	564	**6.6**	**24**	**2**	**3**	**5**	**8**	**14**	**17**
0-17	34	4.5	9	< 1	2	4	6	10	10
18-34	58	2.7	3	1	1	2	3	6	6
35-49	35	2.8	8	1	1	2	3	9	9
50-69	114	5.4	14	1	2	4	7	12	13
70 +	71	6.1	15	2	3	5	8	11	15
	311	**4.7**	**13**	**1**	**2**	**4**	**6**	**10**	**12**
	876	**5.9**	**21**	**1**	**3**	**5**	**8**	**13**	**15**

DRG 240: Connective Tissue Disorders w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	582	7.7	53	2	4	6	9	14	21
70-74	367	8.3	40	3	4	7	10	16	18
75-79	250	7.1	32	3	4	5	8	17	18
80-84	270	6.1	10	2	4	5	8	11	11
85 +	166	7.2	28	2	3	5	11	15	16
SUBTOTAL	**1634**	**7.4**	**38**	**3**	**4**	**6**	**9**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1634**	**7.4**	**38**	**3**	**4**	**6**	**9**	**14**	**17**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	158	4.1	10	1	2	4	5	8	10
18-34	310	4.7	8	2	3	4	7	9	11
35-49	276	4.8	16	2	2	3	6	10	11
50-69	290	7.6	41	3	4	6	8	20	22
70 +	54	4.2	7	1	2	4	5	11	11
	1088	**5.4**	**21**	**2**	**2**	**4**	**7**	**10**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1088	**5.4**	**21**	**2**	**2**	**4**	**7**	**10**	**14**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	114	9.9	292	2	3	5	8	26	66
18-34	279	10.2	92	2	3	6	14	23	38
35-49	186	9.9	141	2	5	8	10	20	71
50-69	127	9.3	57	3	3	7	11	22	26
70 +	6	8.0							
SUBTOTAL	**712**	**9.9**	**129**	**2**	**4**	**7**	**12**	**22**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**712**	**9.9**	**129**	**2**	**4**	**7**	**12**	**22**	**33**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	116	4.5	5	2	3	4	6	8	9
18-34	226	7.5	56	1	3	6	9	18	30
35-49	202	9.0	58	2	3	7	14	17	23
50-69	139	8.5	68	3	5	6	10	12	17
70 +	31	7.0	34						
	714	**7.6**	**52**	**2**	**3**	**6**	**9**	**16**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	714	**7.6**	**52**	**2**	**3**	**6**	**9**	**16**	**22**

DRG 241: Connective Tissue Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	244	5.5	39	2	2	3	6	14	17
70-74	103	5.3	14	2	2	4	8	10	16
75-79	112	5.1	18	2	2	4	5	10	18
80-84	55	6.9	16	3	3	5	12	13	13
85 +	31	4.3	3						
SUBTOTAL	**545**	**5.4**	**26**	**2**	**2**	**4**	**6**	**11**	**14**
GRAND TOTAL	**545**	**5.4**	**26**	**2**	**2**	**4**	**6**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	545	3.2	7	1	2	2	4	6	7
18-34	275	4.1	8	1	2	3	5	7	8
35-49	180	3.8	6	1	2	3	5	6	9
50-69	173	3.2	7	1	2	2	4	7	8
70 +	11	7.5	7						
	1184	**3.5**	**7**	**1**	**2**	**3**	**5**	**7**	**8**
	1184	**3.5**	**7**	**1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	182	3.7	5	1	2	3	5	7	9
18-34	278	7.2	67	1	3	5	8	17	21
35-49	175	6.4	17	2	3	6	8	14	14
50-69	62	8.0	44	1	4	5	14	19	22
70 +	13	5.0	10						
SUBTOTAL	**710**	**6.1**	**38**	**1**	**2**	**5**	**7**	**14**	**17**
GRAND TOTAL	**710**	**6.1**	**38**	**1**	**2**	**5**	**7**	**14**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	307	3.3	7	1	1	3	4	6	8
18-34	325	5.3	31	1	2	3	7	13	20
35-49	217	4.6	14	1	2	4	6	10	12
50-69	106	3.8	9	1	1	4	5	9	12
70 +	6	1.0							
	961	**4.3**	**18**	**1**	**1**	**3**	**6**	**9**	**13**
	961	**4.3**	**18**	**1**	**1**	**3**	**6**	**9**	**13**

DRG 242: Septic Arthritis

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH		TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	78	8.9	18	4	5	8	13	14	17		0-17	59	9.1	52	2	3	8	15	21	23
70-74	31	12.0	19								18-34	18	5.4	7						
75-79	37	6.8	4	4	6	6	8	10	10		35-49	11	3.5							
80-84	43	6.3	6	4	4	6	8	11	11		50-69	58	5.9	5	2	4	6	7	9	9
85 +	73	7.7	25	2	3	7	10	15	19		70 +	11	5.5	2						
SUBTOTAL	**261**	**8.2**	**19**	**4**	**5**	**7**	**11**	**15**	**17**			**158**	**6.8**	**25**	**2**	**3**	**6**	**8**	**15**	**19**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	24	6.9	6								0-17	104	5.4	8	3	3	5	6	9	14
70-74	30	4.0	2								18-34	43	4.4	9	2	2	3	8	10	10
75-79	36	4.2	1	3	3	4	5	5	5		35-49	138	4.2	12	2	2	3	5	8	11
80-84	12	12.4	109								50-69	73	5.0	13	1	2	4	6	8	15
85 +	36	4.5	3	2	4	4	5	8	8		70 +	6	2.0							
SUBTOTAL	**138**	**5.4**	**17**	**3**	**3**	**5**	**5**	**8**	**11**			**364**	**4.7**	**11**	**2**	**3**	**3**	**6**	**8**	**12**
GRAND TOTAL	**399**	**7.2**	**20**	**3**	**4**	**6**	**9**	**14**	**17**			**522**	**5.3**	**16**	**2**	**3**	**4**	**7**	**10**	**15**

	MEDICAID										NO INSURANCE									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH		TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	6	20.0									0-17	17	10.0	34						
18-34	17	8.3	1								18-34	51	10.6	81	2	5	7	11	32	32
35-49	18	7.7	1								35-49	36	7.0	8	2	5	7	9	11	11
50-69	17	15.3	86								50-69	34	11.9	80	4	6	8	20	28	28
70 +	0										70 +	18	6.4	13						
SUBTOTAL	**57**	**11.5**	**45**	**5**	**7**	**9**	**16**	**24**	**26**			**156**	**9.5**	**54**	**3**	**5**	**7**	**11**	**20**	**28**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	72	8.3	25	3	6	7	10	12	23		0-17	89	5.0	13	2	2	4	7	9	15
18-34	51	7.0	10	1	7	7	9	12	12		18-34	193	7.8	15	3	4	7	10	14	16
35-49	22	9.5	26								35-49	46	5.1	13	1	2	5	7	13	13
50-69	11	4.0	1								50-69	6	1.0							
70 +	0										70 +	0								
SUBTOTAL	**157**	**7.7**	**20**	**3**	**5**	**7**	**10**	**12**	**17**			**334**	**6.6**	**16**	**2**	**3**	**6**	**9**	**13**	**15**
GRAND TOTAL	**214**	**8.7**	**29**	**3**	**6**	**7**	**10**	**17**	**23**			**490**	**7.5**	**30**	**2**	**4**	**6**	**10**	**14**	**18**

DRG 243: Medical Back Problems

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1601	6.2	19	2	3	5	8	12	14	0-17	151	5.8	42	1	2	3	7	12	13
70-74	1589	6.1	21	2	3	5	8	11	14	18-34	778	4.9	27	1	2	4	6	10	14
75-79	1947	6.6	30	2	4	5	8	12	15	35-49	958	5.2	28	1	2	4	7	11	14
80-84	1834	6.7	22	2	4	6	9	12	15	50-69	1159	5.2	16	2	2	4	7	10	13
85 +	2100	6.6	18	2	4	5	8	12	15	70 +	382	6.4	17	3	4	5	8	13	14
SUBTOTAL	**9071**	**6.5**	**22**	**2**	**3**	**5**	**8**	**12**	**15**		**3427**	**5.3**	**23**	**1**	**2**	**4**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2058	4.5	19	1	2	4	6	8	11	0-17	573	2.8	6	1	1	2	3	6	9
70-74	1395	5.0	41	1	2	4	6	10	13	18-34	3093	3.6	28	1	1	3	4	6	8
75-79	1414	5.0	16	2	3	4	6	9	10	35-49	4966	3.9	28	1	2	3	5	7	9
80-84	1236	5.3	19	1	3	4	7	10	12	50-69	3547	3.5	7	1	1	3	5	7	8
85 +	1083	5.2	14	2	3	4	7	9	12	70 +	359	4.0	6	1	2	4	5	7	8
SUBTOTAL	**7186**	**5.0**	**22**	**1**	**2**	**4**	**6**	**9**	**11**		**12538**	**3.7**	**21**	**1**	**1**	**3**	**5**	**7**	**9**
GRAND TOTAL	**16257**	**5.8**	**23**	**2**	**3**	**5**	**7**	**11**	**13**		**15966**	**4.0**	**22**	**1**	**2**	**3**	**5**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	29	5.5	14							0-17	66	7.5	150	1	2	3	6	11	44
18-34	159	4.8	16	1	2	3	8	13	13	18-34	578	4.6	19	1	2	4	6	9	11
35-49	181	5.4	13	2	3	4	8	11	14	35-49	377	6.0	36	1	2	5	8	11	14
50-69	217	5.8	13	2	4	5	8	11	15	50-69	284	5.2	23	1	2	4	7	9	20
70 +	48	6.3	10	1	4	6	8	12	12	70 +	268	5.6	21	2	3	4	7	9	15
SUBTOTAL	**634**	**5.5**	**14**	**1**	**3**	**4**	**8**	**11**	**13**		**1573**	**5.3**	**30**	**1**	**2**	**4**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	129	3.5	17	1	1	2	4	5	15	0-17	234	3.6	34	< 1	1	2	4	6	10
18-34	642	3.9	25	1	1	3	4	6	8	18-34	1545	3.8	27	1	1	3	4	7	9
35-49	469	4.8	24	1	2	3	6	9	17	35-49	1475	3.6	9	1	2	3	5	7	9
50-69	313	3.8	9	< 1	1	3	5	9	11	50-69	988	3.5	8	1	1	3	5	7	9
70 +	13	5.0	17							70 +	253	4.3	10	1	2	3	6	9	10
SUBTOTAL	**1565**	**4.1**	**21**	**1**	**1**	**3**	**5**	**8**	**11**		**4495**	**3.7**	**16**	**1**	**1**	**3**	**5**	**7**	**9**
GRAND TOTAL	**2199**	**4.5**	**19**	**1**	**2**	**3**	**6**	**9**	**12**		**6067**	**4.1**	**20**	**1**	**2**	**3**	**5**	**8**	**10**

DRG 244: Bone Diseases & Specific Arthropathies w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	285	5.6	29	1	3	4	7	10	17	0-17	12	8.9	61						
70-74	208	4.2	10	1	2	3	6	8	9	18-34	23	3.6	7						
75-79	387	4.9	8	2	3	4	7	9	10	35-49	43	3.3	2	1	2	4	5	5	5
80-84	327	5.3	12	1	3	5	7	9	13	50-69	130	3.8	9	< 1	1	3	5	8	10
85 +	422	6.9	29	3	3	6	9	14	18	70 +	59	4.4	7	1	2	4	6	8	11
SUBTOTAL	**1630**	**5.5**	**19**	**2**	**3**	**5**	**7**	**10**	**14**		**268**	**4.1**	**11**	**1**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1630**	**5.5**	**19**	**2**	**3**	**5**	**7**	**10**	**14**		**268**	**4.1**	**11**	**1**	**2**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	34	4.0	11	< 1	1	5	6	10	10	0-17	11	7.5	46						
18-34	13	12.5	79							18-34	6	5.0							
35-49	23	14.8	77							35-49	29	4.1	4						
50-69	71	7.6	35	2	4	7	9	14	24	50-69	97	3.5	4	1	2	4	4	6	9
70 +	34	10.3	25	4	7	11	14	19	19	70 +	53	5.6	15	1	3	4	8	13	13
SUBTOTAL	**175**	**8.7**	**48**	**1**	**4**	**7**	**11**	**20**	**24**		**195**	**4.4**	**10**	**1**	**2**	**4**	**6**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**175**	**8.7**	**48**	**1**	**4**	**7**	**11**	**20**	**24**		**195**	**4.4**	**10**	**1**	**2**	**4**	**6**	**9**	**13**

DRG 245: Bone Diseases & Specific Arthropathies w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	122	5.6	72	< 1	1	2	6	11	23
70-74	123	4.4	6	1	2	5	6	6	9
75-79	251	4.6	8	1	2	4	6	9	11
80-84	291	5.1	10	1	2	4	8	10	11
85 +	250	5.0	17	2	2	4	6	10	13
SUBTOTAL	**1036**	**4.9**	**18**	**1**	**2**	**4**	**6**	**10**	**11**
GRAND TOTAL	**1036**	**4.9**	**18**	**1**	**2**	**4**	**6**	**10**	**11**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	83	3.1	8	< 1	1	2	4	5	12
18-34	73	3.2	4	1	2	3	4	5	8
35-49	108	2.5	1	< 1	2	2	3	4	5
50-69	180	4.4	51	< 1	1	2	4	9	11
70 +	12	1.5							
	457	**3.4**	**23**	**< 1**	**1**	**2**	**4**	**8**	**9**
	457	**3.4**	**23**	**< 1**	**1**	**2**	**4**	**8**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	29	3.5	10						
18-34	23	3.4	3						
35-49	68	3.5	4	1	1	3	5	6	7
50-69	46	3.5	6	< 1	1	3	7	7	7
70 +	6	1.0							
SUBTOTAL	**172**	**3.4**	**5**	**< 1**	**1**	**3**	**5**	**7**	**7**
GRAND TOTAL	**172**	**3.4**	**5**	**< 1**	**1**	**3**	**5**	**7**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	41	1.9	1	< 1	1	1	3	4	4
18-34	34	4.5	9	2	3	4	4	11	11
35-49	74	3.9	7	1	2	4	5	6	11
50-69	127	3.9	7	1	2	3	5	8	9
70 +	31	3.4	4						
	308	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**9**
	308	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 246: Non-specific Arthropathies

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	18	3.8	3							0-17	0								
70-74	13	6.0	4							18-34	23	4.3	6						
75-79	36	3.5	7	1	1	2	7	7	7	35-49	12	2.9	1						
80-84	18	4.7								50-69	31	3.5	6						
85 +	43	5.0	12	2	3	4	5	13	13	70 +	12	3.9	1						
SUBTOTAL	**127**	**4.5**	**8**	**1**	**3**	**4**	**5**	**7**	**9**		**78**	**3.7**	**5**	**1**	**2**	**3**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	24	3.9	2							0-17	35	2.3	1	1	1	2	3	4	4
70-74	18	5.1	20							18-34	24	4.9	10						
75-79	24	2.8	4							35-49	25	2.3	1						
80-84	30	4.2	5							50-69	36	7.5	49	2	2	3	10	22	22
85 +	31	5.8	10							70 +	0								
SUBTOTAL	**127**	**4.4**	**8**	**2**	**2**	**4**	**5**	**10**	**11**		**120**	**4.4**	**22**	**1**	**2**	**3**	**4**	**10**	**16**
GRAND TOTAL	**254**	**4.4**	**8**	**2**	**2**	**4**	**5**	**8**	**11**		**198**	**4.1**	**15**	**1**	**2**	**3**	**5**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	8.0								0-17	0								
18-34	11	8.5	46							18-34	17	7.0	3						
35-49	0									35-49	12	5.3	13						
50-69	6	3.0								50-69	11	2.5	2						
70 +	6	2.0								70 +	0								
SUBTOTAL	**29**	**5.9**	**26**								**40**	**5.2**	**9**	**1**	**2**	**5**	**9**	**9**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	29	5.4	16							0-17	11	4.0	1						
18-34	28	4.8	4							18-34	74	6.1	13	2	3	5	8	12	12
35-49	18	5.5	29							35-49	69	4.5	17	1	2	4	8	10	15
50-69	6	8.0								50-69	28	2.2	2						
70 +	12	3.5								70 +	12	6.8	10						
SUBTOTAL	**92**	**5.1**	**12**	**1**	**3**	**4**	**7**	**12**	**13**		**194**	**4.9**	**14**	**1**	**2**	**4**	**8**	**11**	**12**
GRAND TOTAL	**121**	**5.3**	**15**	**1**	**2**	**4**	**8**	**12**	**14**		**234**	**5.0**	**13**	**1**	**2**	**4**	**8**	**10**	**12**

DRG 247: Signs & Symptoms of Musculoskeletal System & Conn Tissue

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	251	4.8	15	1	2	3	6	9	14	0-17	28	4.8	10							
70-74	167	5.4	112	1	2	3	4	8	17	18-34	85	5.4	17	2	3	4	6	11	17
75-79	125	4.8	15	1	2	3	6	9	14	35-49	133	4.4	11	1	2	4	6	6	11
80-84	138	4.5	7	1	2	4	6	8	9	50-69	141	2.6	4	1	1	2	3	6	6
85 +	175	5.1	13	2	2	4	8	10	12	70 +	59	5.2	13	1	2	4	8	11	12
SUBTOTAL	**857**	**4.9**	**32**	**1**	**2**	**3**	**6**	**9**	**13**		**446**	**4.2**	**11**	**1**	**2**	**3**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	276	4.4	42	1	1	2	5	8	15	0-17	167	2.4	3	< 1	1	2	3	5	6
70-74	230	3.9	17	1	2	3	4	7	10	18-34	244	4.0	83	1	1	2	3	5	13
75-79	188	6.4	81	1	2	3	7	21	41	35-49	378	2.5	9	1	1	2	2	4	6
80-84	108	4.1	8	1	2	3	5	8	13	50-69	416	3.7	83	1	1	2	2	5	13
85 +	194	4.8	16	1	2	4	5	13	14	70 +	22	2.8	1						
SUBTOTAL	**995**	**4.7**	**36**	**1**	**2**	**3**	**5**	**9**	**15**		**1228**	**3.2**	**48**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**1852**	**4.8**	**34**	**1**	**2**	**3**	**6**	**9**	**14**		**1674**	**3.4**	**38**	**1**	**1**	**2**	**4**	**6**	**10**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	23	4.0	3							0-17	6	1.0								
18-34	57	2.5	3	1	2	2	2	6	7	18-34	46	7.6	75	1	2	5	18	23	23
35-49	59	5.8	14	2	2	7	9	11	13	35-49	71	4.1	13	1	1	3	5	7	14
50-69	36	5.6	10	1	3	5	7	11	11	50-69	90	3.9	3	2	3	4	5	6	7
70 +	6	5.0								70 +	18	1.3								
SUBTOTAL	**181**	**4.5**	**10**	**1**	**2**	**3**	**7**	**9**	**11**		**231**	**4.4**	**23**	**1**	**1**	**3**	**5**	**7**	**21**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	41	2.5	8	< 1	< 1	1	4	9	9	0-17	83	3.8	13	1	1	2	6	8	14
18-34	106	5.6	56	1	2	3	6	11	35	18-34	143	3.1	8	1	1	2	4	8	9
35-49	59	2.6	3	1	2	2	3	5	7	35-49	183	2.8	13	< 1	1	2	3	5	12
50-69	28	2.0	1							50-69	117	2.5	4	1	1	2	3	7	8
70 +	17	2.7	3							70 +	30	5.2	26	1	2	4	15	99 +	99 +
SUBTOTAL	**250**	**3.8**	**28**	**1**	**1**	**2**	**4**	**7**	**9**		**557**	**3.1**	**11**	**1**	**1**	**2**	**4**	**8**	**12**
GRAND TOTAL	**431**	**4.1**	**21**	**1**	**2**	**3**	**5**	**9**	**11**		**788**	**3.5**	**15**	**1**	**1**	**2**	**4**	**7**	**14**

DRG 248: Tendonitis, Myositis & Bursitis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	127	6.9	36	2	3	6	7	13	22	0-17	24	2.5	1						
70-74	90	5.3	16	1	1	5	9	11	12	18-34	43	3.9	3	1	2	4	6	6	6
75-79	126	5.0	12	1	2	5	6	10	11	35-49	122	5.5	24	2	2	4	7	11	17
80-84	72	4.1	2	2	3	4	5	6	6	50-69	162	4.2	18	1	1	3	5	10	10
85 +	104	5.6	16	2	3	4	6	13	17	70 +	29	3.6	6						
SUBTOTAL	**519**	**5.5**	**18**	**2**	**3**	**5**	**7**	**11**	**13**		**380**	**4.4**	**17**	**1**	**2**	**3**	**6**	**8**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	174	3.6	5	1	2	3	5	7	9	0-17	189	2.0	2	< 1	1	1	2	4	4
70-74	72	6.1	107	1	2	4	5	39	99 +	18-34	110	2.8	3	1	1	2	4	5	7
75-79	96	4.5	16	1	2	3	6	11	16	35-49	385	3.3	30	1	1	2	3	6	7
80-84	85	6.3	47	2	3	3	7	12	29	50-69	363	3.8	37	1	1	2	4	8	12
85 +	36	7.7	54	2	2	4	11	23	23	70 +	35	2.2	2	1	1	2	2	5	5
SUBTOTAL	**464**	**5.0**	**36**	**1**	**2**	**3**	**5**	**11**	**23**		**1083**	**3.1**	**24**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**983**	**5.3**	**27**	**1**	**2**	**4**	**6**	**11**	**14**		**1462**	**3.5**	**22**	**1**	**1**	**2**	**4**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	18	1.7	1							0-17	6	6.0							
18-34	6	5.0								18-34	100	4.9	15	1	2	4	6	12	15
35-49	29	8.4	39							35-49	98	5.1	10	2	3	4	7	11	13
50-69	18	9.8	15							50-69	47	5.0	14	< 1	1	4	8	11	11
70 +	0									70 +	12	8.1	46						
SUBTOTAL	**70**	**6.8**	**30**	**1**	**3**	**5**	**10**	**14**	**20**		**263**	**5.1**	**14**	**1**	**3**	**4**	**7**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	96	2.9	11	1	1	2	3	7	15	0-17	122	6.6	93	1	2	3	8	11	28
18-34	63	4.9	12	3	3	3	6	7	15	18-34	192	3.9	19	1	2	3	4	7	12
35-49	23	7.3	117							35-49	151	3.7	11	1	1	2	5	8	11
50-69	6	4.0								50-69	107	2.9	5	1	1	2	4	7	8
70 +	6	4.0								70 +	24	2.4	2						
SUBTOTAL	**194**	**4.1**	**25**	**1**	**1**	**3**	**4**	**7**	**15**		**596**	**4.2**	**30**	**1**	**1**	**3**	**5**	**8**	**12**
GRAND TOTAL	**264**	**4.9**	**28**	**1**	**2**	**3**	**5**	**14**	**15**		**859**	**4.5**	**26**	**1**	**2**	**3**	**6**	**10**	**12**

DRG 249: Aftercare, Musculoskeletal System & Connective Tissue

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	155	4.0	15	1	1	3	6	8	15	0-17	17	4.0	5						
70-74	144	6.6	45	1	2	4	9	15	20	18-34	53	6.4	29	2	3	6	7	20	20
75-79	157	6.4	37	2	3	4	8	12	18	35-49	12	1.5							
80-84	137	8.2	72	2	3	5	12	17	20	50-69	83	5.4	12	1	3	6	6	7	16
85 +	140	8.9	54	1	3	7	10	21	23	70 +	23	2.7	6						
SUBTOTAL	**734**	**6.8**	**46**	**1**	**3**	**5**	**8**	**15**	**20**		**188**	**5.0**	**17**	**1**	**2**	**4**	**6**	**7**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	321	3.7	10	1	2	3	5	7	10	0-17	51	1.4	2	< 1	< 1	< 1	1	5	5
70-74	301	3.2	6	1	1	3	4	7	8	18-34	64	7.1	210	< 1	1	2	4	9	53
75-79	254	5.3	45	1	1	3	6	13	20	35-49	103	3.4	4	1	2	3	5	6	7
80-84	204	4.2	8	1	2	4	5	7	10	50-69	244	3.2	7	1	1	2	5	7	8
85 +	184	4.9	32	1	2	3	5	8	20	70 +	59	3.5	8	< 1	1	2	5	8	9
SUBTOTAL	**1264**	**4.1**	**19**	**1**	**2**	**3**	**5**	**8**	**12**		**521**	**3.6**	**33**	**< 1**	**1**	**2**	**5**	**7**	**9**
GRAND TOTAL	**1998**	**5.1**	**31**	**1**	**2**	**3**	**6**	**11**	**16**		**709**	**4.0**	**29**	**1**	**1**	**2**	**6**	**7**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	24	6.0	39						
18-34	23	5.0	9							18-34	13	1.0							
35-49	6	9.0								35-49	31	3.5	9						
50-69	29	3.8	5							50-69	41	8.6	57	3	3	5	11	25	25
70 +	0									70 +	18	5.8	18						
SUBTOTAL	**58**	**4.7**	**8**	**2**	**2**	**4**	**8**	**9**	**10**		**126**	**5.7**	**36**	**< 1**	**1**	**4**	**8**	**11**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	68	1.9	2	< 1	< 1	1	3	4	6	0-17	47	1.3		< 1	< 1	1	2	2	2
18-34	17	5.0	20							18-34	71	5.2	7	2	2	6	7	7	10
35-49	34	5.5	16	1	2	4	9	12	12	35-49	86	2.9	7	1	1	2	4	6	11
50-69	42	4.4	17	1	1	3	9	11	11	50-69	82	2.7	9	1	1	1	2	6	12
70 +	6	3.0								70 +	62	2.5	2	1	1	2	3	4	5
SUBTOTAL	**166**	**3.6**	**13**	**< 1**	**1**	**2**	**4**	**11**	**11**		**348**	**3.0**	**7**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**224**	**3.9**	**12**	**< 1**	**1**	**3**	**6**	**11**	**11**		**473**	**3.7**	**16**	**1**	**1**	**2**	**5**	**8**	**11**

DRG 250: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	96	4.4	6	2	2	4	6	8	10	0-17	0								
70-74	48	9.9	268	2	3	3	6	54	54	18-34	85	2.9	3	1	1	3	4	5	7
75-79	92	5.6	10	1	2	5	8	9	13	35-49	110	4.0	5	2	2	4	5	8	10
80-84	122	5.0	4	2	3	5	6	8	9	50-69	96	3.6	6	1	2	3	5	7	10
85+	103	4.7	5	3	3	4	5	8	10	70+	71	6.3	21	1	3	6	8	12	17
SUBTOTAL	**461**	**5.4**	**35**	**2**	**3**	**5**	**6**	**9**	**10**		**363**	**4.1**	**9**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**461**	**5.4**	**35**	**2**	**3**	**5**	**6**	**9**	**10**		**363**	**4.1**	**9**	**1**	**2**	**3**	**5**	**8**	**10**

	MEDICAID										NO INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	41	2.9	1	1	2	3	4	4	4	18-34	153	2.6	3	1	1	2	3	4	5
35-49	23	3.9	3							35-49	71	3.4	6	1	2	3	4	6	10
50-69	6	6.0								50-69	24	4.9	19						
70+	0									70+	6	3.0							
SUBTOTAL	**70**	**3.5**	**2**	**2**	**2**	**3**	**4**	**6**	**6**		**255**	**3.0**	**5**	**1**	**2**	**2**	**3**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**70**	**3.5**	**2**	**2**	**2**	**3**	**4**	**6**	**6**		**255**	**3.0**	**5**	**1**	**2**	**2**	**3**	**5**	**8**

DRG 251: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	92	2.9	3	1	1	3	5	5	6	0-17	0								
70-74	80	3.1	3	1	2	3	5	5	5	18-34	279	1.8	1	1	1	1	2	3	3
75-79	122	4.1	24	1	2	3	4	6	16	35-49	305	2.1	3	1	1	2	2	5	6
80-84	103	2.3	1	1	1	2	3	4	5	50-69	263	2.0	2	1	1	1	3	4	5
85 +	124	6.2	22	2	3	5	8	13	16	70 +	59	4.2	8	1	2	3	7	9	10
SUBTOTAL	**521**	**3.9**	**14**	**1**	**2**	**3**	**5**	**7**	**11**		**906**	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**521**	**3.9**	**14**	**1**	**2**	**3**	**5**	**7**	**11**		**906**	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	182	3.0	7	1	2	3	3	4	10	18-34	1165	2.0	2	1	1	2	3	3	4
35-49	54	2.3	2	< 1	1	2	4	5	5	35-49	303	2.5	3	1	1	2	3	5	6
50-69	34	4.8	17	2	2	3	7	13	13	50-69	197	2.7	5	1	1	2	4	6	8
70 +	11	5.0	1							70 +	31	3.0	3						
SUBTOTAL	**281**	**3.2**	**7**	**1**	**2**	**3**	**4**	**6**	**10**		**1696**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**281**	**3.2**	**7**	**1**	**2**	**3**	**4**	**6**	**10**		**1696**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 252: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	61	1.7	1	<1	1	2	2	3	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**61**	**1.7**	**1**	**<1**	**1**	**2**	**2**	**3**	**3**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1130	1.2		<1	1	1	1	2	2
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1130**	**1.2**		**<1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**0**										**1190**	**1.2**		**<1**	**1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	18	3.9	3							0-17	24	2.8	2						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**18**	**3.9**	**3**								**24**	**2.8**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	279	1.9	2	1	1	1	2	4	4	0-17	635	1.5	1	<1	1	1	2	3	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**279**	**1.9**	**2**	**1**	**1**	**1**	**2**	**4**	**4**		**635**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**296**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**		**660**	**1.6**	**1**	**<1**	**1**	**1**	**2**	**3**	**4**

DRG 253: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	621	6.2	34	1	3	5	8	11	16
70-74	449	5.3	22	2	3	4	6	9	16
75-79	584	5.5	16	2	3	4	6	11	13
80-84	539	5.9	19	2	3	5	7	10	16
85 +	713	6.0	23	1	3	5	7	13	16
SUBTOTAL	**2907**	**5.8**	**23**	**2**	**3**	**5**	**7**	**11**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2907**	**5.8**	**23**	**2**	**3**	**5**	**7**	**11**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	341	3.7	12	1	1	2	4	9	12
35-49	304	4.1	6	1	2	3	5	9	9
50-69	402	7.1	133	1	3	5	8	11	16
70 +	185	8.6	193	2	3	5	9	16	28
	1232	**5.6**	**81**	**1**	**2**	**3**	**6**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1232	**5.6**	**81**	**1**	**2**	**3**	**6**	**9**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	156	6.5	109	1	2	4	7	11	17
35-49	113	5.5	25	2	2	4	7	15	21
50-69	138	5.4	13	2	2	4	8	9	10
70 +	24	6.1	9						
SUBTOTAL	**431**	**5.9**	**51**	**2**	**2**	**4**	**7**	**10**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**431**	**5.9**	**51**	**2**	**2**	**4**	**7**	**10**	**16**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	523	3.2	11	1	1	2	4	6	11
35-49	260	5.0	46	1	2	3	5	8	13
50-69	175	4.9	13	2	2	3	7	12	12
70 +	117	4.6	18	1	2	3	5	10	16
	1075	**4.1**	**21**	**1**	**2**	**3**	**4**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1075	**4.1**	**21**	**1**	**2**	**3**	**4**	**9**	**12**

DRG 254: Fx, Sprn. Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	485	3.1	5	1	2	3	4	6	7	0-17	0								
70-74	370	5.0	93	1	2	3	5	8	11	18-34	1050	2.4	3	1	1	2	3	5	5
75-79	499	3.9	22	1	2	3	5	7	8	35-49	1164	3.0	40	1	1	2	3	4	6
80-84	479	4.8	18	1	2	4	6	10	14	50-69	786	3.0	10	1	1	2	3	6	7
85+	527	4.4	13	1	2	4	6	8	11	70+	133	4.1	16	1	2	3	5	6	8
SUBTOTAL	**2360**	**4.2**	**27**	**1**	**2**	**3**	**5**	**8**	**11**		**3133**	**2.9**	**19**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**2360**	**4.2**	**27**	**1**	**2**	**3**	**5**	**8**	**11**		**3133**	**2.9**	**19**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	406	3.4	8	1	2	3	4	6	7	18-34	2084	2.4	6	1	1	2	3	4	5
35-49	181	2.6	3	1	1	2	4	5	6	35-49	806	2.5	4	1	1	2	3	5	7
50-69	117	6.5	165	1	1	2	5	14	40	50-69	323	4.0	42	1	1	3	4	7	12
70+	28	7.4	14							70+	125	3.5	10	1	2	3	3	7	12
SUBTOTAL	**732**	**3.9**	**34**	**1**	**2**	**3**	**4**	**6**	**11**		**3338**	**2.6**	**9**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**732**	**3.9**	**34**	**1**	**2**	**3**	**4**	**6**	**11**		**3338**	**2.6**	**9**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 255: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	3.0								0-17	192	3.6	17	1	1	2	4	7	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**3.0**									**192**	**3.6**	**17**	**1**	**1**	**2**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	18	1.7	1							0-17	1824	1.7	2	<1	1	1	2	3	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**18**	**1.7**	**1**								**1824**	**1.7**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**24**	**2.0**	**1**								**2016**	**1.9**	**4**	**1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	88	3.3	13	1	1	3	3	6	16	0-17	123	3.2	4	1	1	3	5	6	7
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**88**	**3.3**	**13**	**1**	**1**	**3**	**3**	**6**	**16**		**123**	**3.2**	**4**	**1**	**1**	**3**	**5**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	740	2.0	3	<1	1	1	2	3	4	0-17	1320	1.8	2	<1	1	1	2	3	4
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**740**	**2.0**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**		**1320**	**1.8**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**827**	**2.1**	**4**	**<1**	**1**	**1**	**3**	**3**	**5**		**1443**	**1.9**	**3**	**<1**	**1**	**1**	**2**	**4**	**5**

DRG 256: Other Musculoskeletal System & Connective Tissue Diagnoses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	236	3.9	8	1	2	3	5	8	11	0-17	56	4.0	18	1	1	3	4	13	15
70-74	93	4.8	31	1	2	3	5	15	22	18-34	48	2.3	1	1	1	2	3	4	4
75-79	128	4.4	6	2	3	4	5	8	9	35-49	98	2.3	3	< 1	1	2	3	6	6
80-84	87	4.8	26	1	2	2	6	10	20	50-69	182	3.6	8	1	2	3	5	7	9
85 +	88	6.1	28	1	2	4	11	16	19	70 +	12	7.5							
SUBTOTAL	**631**	**4.6**	**17**	**1**	**2**	**3**	**5**	**10**	**13**		**396**	**3.3**	**8**	**1**	**1**	**2**	**4**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	212	6.5	81	1	2	3	6	17	32	0-17	360	2.4	11	< 1	< 1	1	2	7	10
70-74	140	2.7	3	1	1	2	4	5	6	18-34	170	2.2	3	< 1	1	1	3	5	6
75-79	98	6.7	69	1	2	3	6	18	31	35-49	424	1.9	3	< 1	1	1	2	3	4
80-84	101	3.8	14	1	2	2	4	11	14	50-69	415	3.2	42	1	1	2	3	5	6
85 +	87	4.1	25	1	2	3	3	7	21	70 +	18	1.7							
SUBTOTAL	**638**	**4.9**	**46**	**1**	**2**	**3**	**4**	**11**	**18**		**1388**	**2.5**	**17**	**< 1**	**1**	**1**	**2**	**5**	**7**
GRAND TOTAL	**1269**	**4.7**	**32**	**1**	**2**	**3**	**5**	**10**	**17**		**1783**	**2.7**	**15**	**< 1**	**1**	**2**	**3**	**5**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	104	4.0	10	1	1	4	6	10	11	0-17	36	1.2		< 1	1	1	1	2	2
18-34	24	5.7	21							18-34	76	3.9	14	< 1	2	3	4	6	16
35-49	101	5.2	61	1	2	2	4	10	35	35-49	133	2.8	4	1	1	3	4	5	8
50-69	76	7.5	93	1	2	2	9	25	31	50-69	85	3.7	18	1	1	2	4	7	18
70 +	0									70 +	31	2.0	1						
SUBTOTAL	**305**	**5.4**	**50**	**1**	**1**	**3**	**8**	**11**	**25**		**362**	**3.0**	**9**	**1**	**1**	**2**	**4**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	221	1.8	3	< 1	< 1	1	2	4	6	0-17	191	2.2	17	< 1	< 1	1	2	3	5
18-34	117	2.3	3	< 1	< 1	2	3	5	6	18-34	329	2.8	7	1	1	2	4	6	7
35-49	86	3.5	19	1	1	2	3	7	19	35-49	274	2.6	4	< 1	1	2	3	6	6
50-69	71	3.3	6	1	2	3	4	5	10	50-69	233	2.0	2	1	1	2	2	3	5
70 +	35	5.1	26	1	1	4	5	16	16	70 +	24	3.0	9						
SUBTOTAL	**530**	**2.6**	**8**	**< 1**	**< 1**	**2**	**3**	**5**	**7**		**1052**	**2.5**	**7**	**< 1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**834**	**3.6**	**25**	**< 1**	**1**	**2**	**4**	**8**	**12**		**1413**	**2.6**	**8**	**< 1**	**1**	**2**	**3**	**5**	**7**

DRG 257: Total Mastectomy for Malignancy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1259	3.7	16	2	2	3	4	5	7	0-17	0								
70-74	1274	3.7	5	2	2	3	4	6	7	18-34	145	2.9	1	2	2	3	3	4	4
75-79	1183	3.7	6	2	2	3	4	5	7	35-49	1212	2.8	3	2	2	3	3	5	5
80-84	886	4.4	9	2	3	3	5	7	13	50-69	1628	3.1	3	2	2	3	4	5	6
85 +	679	4.3	9	2	3	3	5	7	8	70 +	131	2.9	2	1	2	3	4	5	5
SUBTOTAL	**5282**	**3.9**	**9**	**2**	**2**	**3**	**4**	**6**	**8**		**3116**	**3.0**	**3**	**2**	**2**	**3**	**4**	**5**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**5282**	**3.9**	**9**	**2**	**2**	**3**	**4**	**6**	**8**		**3116**	**3.0**	**3**	**2**	**2**	**3**	**4**	**5**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	18	3.7	1							18-34	55	3.0	4	1	2	2	4	6	7
35-49	101	5.4	22	2	3	4	6	9	23	35-49	389	3.5	4	2	2	3	4	8	8
50-69	184	4.2	6	2	3	3	5	7	10	50-69	502	3.4	5	2	2	3	4	5	7
70 +	36	4.3	3	2	3	4	5	8	8	70 +	165	3.2	1	2	2	3	4	5	5
SUBTOTAL	**339**	**4.6**	**11**	**2**	**3**	**4**	**5**	**8**	**10**		**1111**	**3.4**	**4**	**2**	**2**	**3**	**4**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**339**	**4.6**	**11**	**2**	**3**	**4**	**5**	**8**	**10**		**1111**	**3.4**	**4**	**2**	**2**	**3**	**4**	**5**	**8**

DRG 258: Total Mastectomy for Malignancy w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1640	2.9	2	2	2	3	3	4	5	0-17	0								
70-74	1487	3.0	2	2	2	3	3	5	6	18-34	108	2.7	1	2	2	3	3	4	4
75-79	1390	3.0	2	2	2	3	4	5	5	35-49	2037	2.5	1	1	2	2	3	4	4
80-84	864	3.1	2	2	2	3	4	5	5	50-69	3133	2.6	1	2	2	2	3	4	5
85 +	340	3.2	5	1	2	2	4	6	7	70 +	218	2.7	2	1	2	2	4	5	6
SUBTOTAL	**5721**	**3.0**	**2**	**2**	**2**	**3**	**3**	**5**	**5**		**5495**	**2.6**	**1**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**5721**	**3.0**	**2**	**2**	**2**	**3**	**3**	**5**	**5**		**5495**	**2.6**	**1**	**1**	**2**	**2**	**3**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	6	5.0							
18-34	41	4.1	1	3	3	4	5	5	5	18-34	96	3.0	2	1	2	2	4	5	6
35-49	229	4.9	19	2	3	4	7	8	10	35-49	692	2.9	5	1	2	2	3	5	6
50-69	260	5.5	23	2	2	4	6	11	19	50-69	1183	2.8	4	1	2	2	3	4	6
70 +	18	4.7	2							70 +	186	2.6	2	1	2	2	3	4	6
SUBTOTAL	**548**	**5.1**	**19**	**2**	**3**	**4**	**6**	**8**	**16**		**2163**	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**548**	**5.1**	**19**	**2**	**3**	**4**	**6**	**8**	**16**		**2163**	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**6**

DRG 259: Subtotal Mastectomy for Malignancy w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	191	3.0	5	1	2	2	3	7	9	0-17	0								
70-74	146	3.7	12	1	2	3	4	9	13	18-34	24	1.8							
75-79	117	3.3	10	1	1	2	4	7	12	35-49	195	2.1	2	1	1	2	2	3	5
80-84	53	3.3	2	1	2	3	4	6	6	50-69	234	2.8	12	1	1	2	3	4	11
85 +	12	7.7	27							70 +	29	2.5	9						
SUBTOTAL	**518**	**3.4**	**9**	**1**	**2**	**2**	**4**	**8**	**10**		**482**	**2.5**	**7**	**1**	**1**	**2**	**3**	**3**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**518**	**3.4**	**9**	**1**	**2**	**2**	**4**	**8**	**10**		**482**	**2.5**	**7**	**1**	**1**	**2**	**3**	**3**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	11	5.5	13							18-34	11	1.5							
35-49	17	2.3	1							35-49	65	1.5	2	< 1	1	1	1	2	6
50-69	24	3.6	15							50-69	58	3.0	7	1	2	2	4	7	10
70 +	0									70 +	6	2.0							
SUBTOTAL	**52**	**3.6**	**11**	**< 1**	**1**	**2**	**3**	**10**	**10**		**141**	**2.2**	**4**	**1**	**1**	**1**	**2**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**52**	**3.6**	**11**	**< 1**	**1**	**2**	**3**	**10**	**10**		**141**	**2.2**	**4**	**1**	**1**	**1**	**2**	**5**	**6**

DRG 260: Subtotal Mastectomy for Malignancy w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	290	1.9	1	1	1	2	2	3	4	0-17	0								
70-74	264	1.9	1	1	1	2	2	3	4	18-34	49	1.5		1	1	1	2	2	2
75-79	219	1.9	1	1	1	2	2	3	4	35-49	522	1.7	1	1	1	2	2	3	3
80-84	64	1.7		< 1	1	2	2	2	3	50-69	794	1.8	1	1	1	2	2	3	3
85 +	54	1.5		1	1	1	2	2	2	70 +	59	2.2	3	1	1	2	2	5	6
SUBTOTAL	**891**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**		**1424**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
GRAND TOTAL	**891**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**		**1424**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	6	1.0							
18-34	29	1.4	1							18-34	29	2.4	1						
35-49	23	3.5	4							35-49	206	2.1	2	1	1	2	2	4	5
50-69	41	3.6	7	1	1	3	5	9	9	50-69	348	2.0	2	1	1	2	2	3	4
70 +	12	7.6	53							70 +	6	2.0							
SUBTOTAL	**104**	**3.4**	**12**	**1**	**1**	**2**	**4**	**9**	**15**		**595**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**
GRAND TOTAL	**104**	**3.4**	**12**	**1**	**1**	**2**	**4**	**9**	**15**		**595**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**

DRG 261: Breast Proc for Non-malignancy except Biopsy & Local Excision

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	61	2.9	2	1	2	3	3	5	6
70-74	80	2.7	2	1	2	2	3	6	6
75-79	18	5.2	7						
80-84	19	3.0	3						
85 +	6	4.0							
SUBTOTAL	**183**	**3.1**	**3**	**1**	**2**	**3**	**4**	**6**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	326	2.1	1	1	1	2	3	4	5
70-74	189	1.8	1	1	1	2	2	3	3
75-79	102	2.1	2	1	1	2	2	3	7
80-84	50	1.6	1	< 1	1	1	3	3	3
85 +	6	1.0							
SUBTOTAL	**674**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**857**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	4.0							
18-34	160	2.6	1	1	2	2	3	4	5
35-49	377	2.8	2	1	2	3	3	5	6
50-69	216	2.8	2	2	2	3	3	4	5
70 +	6	3.0							
	765	**2.8**	**2**	**1**	**2**	**3**	**3**	**5**	**5**
0-17	178	1.8	1	1	1	2	2	3	4
18-34	1860	1.9	1	1	1	2	2	3	3
35-49	2376	2.1	3	1	1	2	3	3	4
50-69	1518	2.1	1	1	1	2	2	3	4
70 +	17	1.7							
	5949	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**4**
	6713	**2.1**	**2**	**1**	**1**	**2**	**3**	**3**	**4**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	1.0							
18-34	29	2.2							
35-49	6	1.0							
50-69	6	3.0							
70 +	0								
SUBTOTAL	**48**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	18	1.3							
18-34	175	2.8	6	1	1	2	3	6	7
35-49	53	2.4	4	1	1	2	2	8	8
50-69	24	2.5	1						
70 +	0								
SUBTOTAL	**270**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**318**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	2.0							
18-34	37	2.7	1	2	2	2	3	5	5
35-49	67	2.8	3	1	2	2	3	4	7
50-69	31	2.8	1						
70 +	0								
	141	**2.7**	**2**	**2**	**2**	**2**	**3**	**4**	**5**
0-17	83	1.7		1	1	2	2	2	3
18-34	495	2.0	1	1	1	2	3	3	3
35-49	577	1.9	1	1	1	2	2	3	4
50-69	398	2.0	2	1	1	2	2	3	4
70 +	6	4.0							
	1558	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
	1699	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

DRG 262: Breast Biopsy & Local Excision for Non-malignancy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	60	6.3	55	< 1	1	4	8	17	26	0-17	0								
70-74	6	2.0								18-34	0								
75-79	24	7.9	131							35-49	18	2.0	1						
80-84	6	1.0								50-69	12	1.9	1						
85 +	0									70 +	0								
SUBTOTAL	**96**	**6.1**	**70**	**1**	**1**	**2**	**8**	**26**	**27**		**30**	**2.0**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	48	1.3		< 1	< 1	< 1	1	3	3	0-17	18	1.0							
70-74	36	1.5	1	< 1	< 1	< 1	2	3	3	18-34	43	1.3	1	< 1	< 1	< 1	1	3	3
75-79	30	1.9	4							35-49	161	2.1	8	< 1	< 1	< 1	1	5	10
80-84	13	1.5								50-69	153	1.3		< 1	< 1	< 1	1	3	3
85 +	0									70 +	6	1.0							
SUBTOTAL	**127**	**1.5**	**1**	**< 1**	**< 1**	**< 1**	**2**	**3**	**4**		**381**	**1.6**	**4**	**< 1**	**< 1**	**< 1**	**1**	**3**	**4**
GRAND TOTAL	**223**	**3.5**	**36**	**< 1**	**< 1**	**1**	**2**	**8**	**26**		**411**	**1.6**	**4**	**< 1**	**< 1**	**< 1**	**1**	**3**	**4**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	12	2.5								35-49	6	1.0							
50-69	0									50-69	6	2.0							
70 +	0									70 +	0								
SUBTOTAL	**12**	**2.5**									**13**	**1.5**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	1.0								0-17	6	1.0							
18-34	12	1.0								18-34	34	1.8		< 1	1	2	2	3	3
35-49	18	1.0								35-49	24	1.0							
50-69	6	1.0								50-69	36	1.3	1	< 1	< 1	1	1	3	3
70 +	0									70 +	12	1.0							
SUBTOTAL	**41**	**1.0**		**< 1**	**< 1**	**1**	**1**	**1**	**1**		**112**	**1.4**		**< 1**	**< 1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**53**	**1.3**		**< 1**	**< 1**	**1**	**1**	**3**	**3**		**125**	**1.4**		**< 1**	**< 1**	**1**	**2**	**2**	**3**

DRG 263: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1107	18.4	235	4	8	14	26	39	53	0-17	22	7.0	29						
70-74	463	15.9	137	5	7	13	23	34	42	18-34	94	24.3	476	5	8	19	25	72	73
75-79	354	17.5	255	4	7	13	22	38	52	35-49	267	17.3	226	3	6	13	22	42	50
80-84	305	16.5	239	4	6	10	22	35	52	50-69	256	15.1	231	2	4	11	22	32	42
85 +	493	14.3	84	5	8	12	19	27	31	70 +	69	18.3	114	9	12	15	22	29	47
SUBTOTAL	**2721**	**16.9**	**196**	**4**	**7**	**13**	**23**	**35**	**47**		**708**	**17.2**	**254**	**3**	**6**	**13**	**22**	**42**	**53**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2721**	**16.9**	**196**	**4**	**7**	**13**	**23**	**35**	**47**		**708**	**17.2**	**254**	**3**	**6**	**13**	**22**	**42**	**53**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	21.5	33							0-17	22	9.5	16						
18-34	274	21.3	398	4	8	14	32	53	82	18-34	161	11.6	88	3	5	9	15	26	34
35-49	237	15.4	115	5	8	14	18	30	41	35-49	303	10.8	39	4	7	10	13	19	24
50-69	201	20.7	371	5	6	13	29	56	71	50-69	261	15.1	185	5	8	11	18	31	37
70 +	12	8.9	1							70 +	36	14.0	31	9	10	12	16	25	25
SUBTOTAL	**747**	**19.1**	**291**	**5**	**8**	**14**	**24**	**47**	**71**		**784**	**12.5**	**100**	**4**	**7**	**10**	**15**	**24**	**33**
2.FATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**747**	**19.1**	**291**	**5**	**8**	**14**	**24**	**47**	**71**		**784**	**12.5**	**100**	**4**	**7**	**10**	**15**	**24**	**33**

DRG 264: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	246	16.5	204	2	6	11	26	39	43	0-17	65	6.7	19	3	3	5	10	14	15
70-74	83	7.2	24	1	4	6	12	12	18	18-34	144	7.4	35	1	3	7	10	14	22
75-79	84	10.6	33	3	6	10	12	19	24	35-49	184	6.7	25	2	3	5	9	16	16
80-84	101	8.0	39	3	4	7	8	20	27	50-69	155	8.7	31	2	4	7	13	18	19
85 +	96	5.4	10	1	4	5	9	10	11	70 +	36	8.9	30	4	5	8	8	21	21
SUBTOTAL	**610**	**11.3**	**118**	**2**	**5**	**7**	**12**	**27**	**36**		**585**	**7.6**	**29**	**2**	**3**	**6**	**12**	**16**	**20**
GRAND TOTAL	**610**	**11.3**	**118**	**2**	**5**	**7**	**12**	**27**	**36**		**585**	**7.6**	**29**	**2**	**3**	**6**	**12**	**16**	**20**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	57	5.0	15	1	2	4	5	13	14	0-17	28	11.2	237						
18-34	169	15.1	398	3	6	8	11	50	54	18-34	249	8.2	26	2	4	8	11	15	18
35-49	71	13.8	170	5	7	10	13	21	53	35-49	194	10.5	69	3	5	8	13	26	31
50-69	29	12.8	46							50-69	80	9.1	52	2	5	6	11	22	26
70 +	6	88.0								70 +	19	7.3	35						
SUBTOTAL	**332**	**14.1**	**352**	**3**	**5**	**8**	**13**	**44**	**54**		**569**	**9.2**	**56**	**2**	**5**	**7**	**11**	**21**	**26**
GRAND TOTAL	**332**	**14.1**	**352**	**3**	**5**	**8**	**13**	**44**	**54**		**569**	**9.2**	**56**	**2**	**5**	**7**	**11**	**21**	**26**

DRG 265: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	201	6.0	27	1	2	4	10	15	22	0-17	107	3.2	6	1	2	3	4	6	12
70-74	83	8.8	50	2	5	8	9	22	28	18-34	129	4.0	7	1	2	3	5	8	8
75-79	131	4.5	11	1	2	3	7	9	10	35-49	199	5.5	12	2	3	5	6	11	13
80-84	79	11.5	144	1	3	7	13	22	47	50-69	211	8.2	61	3	4	6	8	17	23
85+	131	6.7	49	2	3	6	9	9	9	70+	29	5.2	10						
SUBTOTAL	**626**	**6.9**	**50**	**1**	**2**	**5**	**9**	**13**	**22**		**674**	**5.7**	**29**	**1**	**3**	**4**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**626**	**6.9**	**50**	**1**	**2**	**5**	**9**	**13**	**22**		**674**	**5.7**	**29**	**1**	**3**	**4**	**7**	**11**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	23	6.2	34							0-17	41	4.7	22	<1	1	4	5	15	15
18-34	60	6.0	16	2	2	5	8	13	13	18-34	202	4.3	9	1	2	4	5	9	12
35-49	52	8.2	19	2	3	10	12	14	14	35-49	70	4.3	23	2	2	3	4	5	19
50-69	83	12.8	159	1	3	6	23	33	33	50-69	94	12.2	199	2	5	6	12	44	45
70+	6	10.0								70+	37	9.3	31	1	3	11	13	16	16
SUBTOTAL	**224**	**9.2**	**79**	**2**	**3**	**6**	**13**	**23**	**33**		**444**	**6.5**	**65**	**1**	**2**	**4**	**7**	**13**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**224**	**9.2**	**79**	**2**	**3**	**6**	**13**	**23**	**33**		**444**	**6.5**	**65**	**1**	**2**	**4**	**7**	**13**	**19**

DRG 266: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC

TYPE OF PATIENT	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	160	3.5	6	1	1	3	5	7	7	0-17	458	1.8	2	< 1	1	1	2	4	5
70-74	194	3.1	16	1	1	2	3	4	7	18-34	417	3.2	6	1	1	2	5	7	8
75-79	167	3.9	10	1	2	3	4	9	9	35-49	648	3.1	6	1	1	2	4	5	8
80-84	86	3.1	8	1	1	1	4	8	10	50-69	459	3.1	7	1	1	2	4	8	9
85 +	59	4.2	7	< 1	2	4	6	8	9	70 +	24	1.8	1						
SUBTOTAL	**666**	**3.5**	**10**	**1**	**1**	**3**	**4**	**7**	**9**		**2006**	**2.8**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**666**	**3.5**	**10**	**1**	**1**	**3**	**4**	**7**	**9**		**2006**	**2.8**	**6**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID										NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	156	3.3	11	1	1	2	4	9	10	0-17	177	2.2	5	1	1	1	3	6	7
18-34	253	7.4	137	1	1	4	7	15	25	18-34	790	4.2	11	1	2	3	5	8	10
35-49	109	7.0	78	1	2	5	7	29	34	35-49	408	4.6	22	1	2	3	5	9	16
50-69	24	11.8	116							50-69	175	4.3	27	1	1	3	5	7	13
70 +	28	3.4	4							70 +	18	2.7							
SUBTOTAL	**570**	**6.2**	**88**	**1**	**2**	**3**	**7**	**11**	**29**		**1568**	**4.1**	**15**	**1**	**1**	**3**	**5**	**8**	**11**
GRAND TOTAL	**570**	**6.2**	**88**	**1**	**2**	**3**	**7**	**11**	**29**		**1568**	**4.1**	**15**	**1**	**1**	**3**	**5**	**8**	**11**

DRG 267: Perianal & Pilonidal Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	12	3.5								0-17	5	2.0							
70-74	0									18-34	12	1.0							
75-79	0									35-49	0								
80-84	0									50-69	13	2.5							
85 +	0									70 +	0								
SUBTOTAL	**12**	**3.5**									**31**	**1.8**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	18	1.9	2							0-17	18	1.6	1						
70-74	0									18-34	173	1.7	1	< 1	1	1	2	3	3
75-79	6	2.0								35-49	96	2.0	1	1	1	2	3	4	4
80-84	0									50-69	24	1.5	1						
85 +	0									70 +	0								
SUBTOTAL	**24**	**1.9**	**2**								**312**	**1.7**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**36**	**2.5**	**2**	**1**	**1**	**2**	**4**	**4**	**4**		**343**	**1.8**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	11	2.5							
18-34	6	1.0								18-34	18	1.7	1						
35-49	6	1.0								35-49	6	1.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**11**	**1.0**									**35**	**1.8**	**1**	**1**	**1**	**2**	**3**	**3**	**3**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	23	1.3								0-17	17	1.7							
18-34	24	2.3	1							18-34	96	1.4		1	1	1	2	2	3
35-49	6	3.0								35-49	31	2.6	6						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**54**	**1.9**	**1**	**< 1**	**1**	**2**	**2**	**4**	**4**		**144**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**65**	**1.8**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**		**179**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**3**

DRG 268: Skin, Subcutaneous Tissue & Breast Plastic Procedures

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	24	4.8	5						
70-74	23	3.0	2						
75-79	6	7.0							
80-84	17	5.7	7						
85 +	12	2.9	4						
SUBTOTAL	83	4.4	6	2	2	5	7	7	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	41	1.9	1	< 1	1	2	2	4	4
70-74	85	2.3	5	1	1	2	3	3	10
75-79	24	5.1	36						
80-84	25	2.8	4						
85 +	12	4.1	1						
SUBTOTAL	187	2.7	9	1	1	2	3	5	10
GRAND TOTAL	270	3.2	8	1	1	2	4	7	9

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	3.3	13						
18-34	90	3.0	11	1	1	2	4	7	14
35-49	6	4.0							
50-69	41	2.3	2	1	1	2	2	6	6
70 +	6	3.0							
	173	2.9	9	1	1	2	3	7	10
0-17	153	1.3	1	< 1	< 1	1	1	2	2
18-34	71	2.8	6	1	1	2	3	5	10
35-49	85	2.3	1	1	1	3	3	4	4
50-69	83	1.6	1	1	1	1	2	3	3
70 +	12	1.5							
	404	1.9	2	< 1	1	1	2	3	4
	577	2.2	4	1	1	1	3	4	6

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	1.0							
18-34	24	3.6	1						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	29	3.1	2						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	86	3.2	23	< 1	1	1	3	7	20
18-34	28	3.2	6						
35-49	6	2.0							
50-69	6	1.0							
70 +	0								
SUBTOTAL	125	3.0	17	1	1	2	3	7	11
GRAND TOTAL	154	3.0	14	< 1	1	2	3	7	8

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	4.4	2						
18-34	68	1.8	2	< 1	< 1	1	2	3	6
35-49	41	2.8	2	1	2	2	4	6	6
50-69	30	2.2	1						
70 +	12	1.0							
	163	2.3	2	< 1	1	2	3	6	6
0-17	41	1.5	1	< 1	< 1	1	3	3	3
18-34	120	1.8	1	< 1	1	1	3	4	4
35-49	137	2.0	2	1	1	2	2	4	5
50-69	130	1.9	1	1	1	2	2	3	4
70 +	11	1.0							
	439	1.8	1	1	1	1	2	4	4
	602	2.0	2	< 1	1	2	3	4	5

DRG 269: Other Skin, Subcut Tiss & Breast Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	431	9.4	83	2	3	7	13	22	35	0-17	71	3.9	15	1	1	2	6	10	13
70-74	238	9.7	98	1	2	6	14	24	27	18-34	145	3.5	10	1	1	3	5	7	11
75-79	266	7.7	47	1	3	7	10	13	20	35-49	209	6.8	37	1	3	5	9	13	21
80-84	147	11.4	103	2	4	7	16	29	31	50-69	266	5.7	18	1	2	5	8	11	15
85 +	200	9.8	50	2	4	9	14	22	25	70 +	56	8.6	157	< 1	1	3	9	42	42
SUBTOTAL	**1280**	**9.4**	**76**	**2**	**3**	**7**	**13**	**22**	**29**		**746**	**5.7**	**34**	**1**	**2**	**4**	**8**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1280**	**9.4**	**76**	**2**	**3**	**7**	**13**	**22**	**29**		**746**	**5.7**	**34**	**1**	**2**	**4**	**8**	**11**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	98	8.5	116	2	3	5	7	22	46	0-17	62	4.4	4	2	3	5	6	7	7
18-34	139	7.7	58	2	4	5	9	15	25	18-34	464	6.3	32	1	3	5	8	12	16
35-49	110	10.8	86	3	4	9	14	28	40	35-49	328	7.7	75	2	3	4	9	19	25
50-69	105	12.7	138	2	3	9	17	25	49	50-69	163	8.2	88	1	3	6	10	20	31
70 +	11	6.5	2							70 +	56	8.2	27	2	5	5	12	17	17
SUBTOTAL	**463**	**9.7**	**97**	**2**	**3**	**6**	**12**	**22**	**35**		**1073**	**7.0**	**52**	**2**	**3**	**5**	**8**	**14**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**463**	**9.7**	**97**	**2**	**3**	**6**	**12**	**22**	**35**		**1073**	**7.0**	**52**	**2**	**3**	**5**	**8**	**14**	**20**

DRG 270: Other Skin, Subcut Tiss & Breast Proc w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	379	3.6	16	1	1	2	4	9	14	0-17	688	1.9	2	< 1	< 1	1	2	4	5
70-74	201	3.5	9	< 1	1	3	4	9	11	18-34	472	2.7	4	1	1	2	4	6	8
75-79	156	2.7	6	1	1	2	3	7	8	35-49	731	2.3	3	1	1	2	3	5	6
80-84	79	3.5	8	1	2	2	4	8	11	50-69	660	2.1	2	1	1	2	2	4	5
85 +	31	4.6	9							70 +	29	1.8	1						
SUBTOTAL	**846**	**3.5**	**12**	**1**	**1**	**2**	**4**	**8**	**10**		**2580**	**2.2**	**3**	**< 1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**846**	**3.5**	**12**	**1**	**1**	**2**	**4**	**8**	**10**		**2580**	**2.2**	**3**	**< 1**	**1**	**2**	**3**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	365	2.7	8	< 1	< 1	1	4	6	6	0-17	424	3.5	12	< 1	1	2	5	10	12
18-34	216	4.1	6	1	2	4	6	8	8	18-34	1109	4.1	11	1	2	3	6	7	9
35-49	158	4.1	12	1	1	3	5	9	12	35-49	459	4.9	25	1	2	4	6	11	14
50-69	59	3.4	8	< 1	1	2	5	8	9	50-69	342	4.0	19	1	1	2	4	12	14
70 +	17	5.0	9							70 +	36	6.5	23	< 1	3	5	9	15	15
SUBTOTAL	**815**	**3.4**	**8**	**< 1**	**1**	**3**	**5**	**7**	**9**		**2369**	**4.2**	**15**	**1**	**1**	**3**	**6**	**9**	**13**
GRAND TOTAL	**815**	**3.4**	**8**	**< 1**	**1**	**3**	**5**	**7**	**9**		**2369**	**4.2**	**15**	**1**	**1**	**3**	**6**	**9**	**13**

DRG 271: Skin Ulcers

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	441	9.8	69	2	4	7	13	25	28	0-17	11	5.0	10						
70-74	244	6.8	17	3	4	6	9	12	13	18-34	29	3.7	3						
75-79	219	8.8	32	4	5	7	11	17	21	35-49	59	6.8	22	2	3	5	10	15	17
80-84	279	9.7	90	3	5	8	10	15	16	50-69	103	11.5	145	3	4	6	16	23	52
85 +	435	8.2	28	3	5	7	10	14	20	70 +	35	7.2	10	4	5	5	10	13	13
SUBTOTAL	**1619**	**8.8**	**50**	**3**	**5**	**7**	**11**	**16**	**23**		**237**	**8.5**	**78**	**3**	**4**	**5**	**10**	**17**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	106	7.2	32	3	3	4	10	17	21	0-17	0								
70-74	37	8.4	19	4	4	7	11	16	16	18-34	24	6.1	18						
75-79	43	5.9	7	2	4	6	7	11	11	35-49	18	4.4	27						
80-84	43	7.5	18	3	3	7	10	16	16	50-69	24	1.5	1						
85 +	116	11.0	158	3	4	6	12	22	45	70 +	11	11.0	40						
SUBTOTAL	**345**	**8.5**	**71**	**3**	**4**	**6**	**10**	**17**	**21**		**78**	**5.0**	**27**	**<1**	**1**	**3**	**5**	**13**	**17**
GRAND TOTAL	**1964**	**8.7**	**53**	**3**	**4**	**7**	**11**	**16**	**22**		**315**	**7.6**	**68**	**1**	**3**	**5**	**10**	**17**	**18**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	29	14.2	204							0-17	11	7.0	1						
18-34	83	13.4	214	2	6	8	14	36	55	18-34	40	8.0	33	3	3	7	10	20	20
35-49	132	9.9	62	4	5	7	12	20	21	35-49	103	7.5	30	2	3	5	13	17	19
50-69	93	6.7	10	2	5	6	9	11	11	50-69	143	6.6	14	3	4	6	7	11	14
70 +	40	18.0	245	6	8	15	54	99 +	99 +	70 +	49	5.5	7	1	4	6	6	11	11
SUBTOTAL	**377**	**11.1**	**123**	**2**	**5**	**8**	**14**	**36**	**54**		**346**	**6.9**	**20**	**3**	**3**	**6**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	5.0								0-17	6	2.0							
18-34	69	19.9	454	1	4	10	33	60	64	18-34	6	11.0							
35-49	28	8.2	49							35-49	22	4.8	6						
50-69	45	7.4	20	2	4	7	10	17	17	50-69	40	5.4	14	<1	1	7	10	10	10
70 +	0									70 +	6	5.0							
SUBTOTAL	**148**	**13.3**	**265**	**1**	**4**	**8**	**15**	**34**	**60**		**79**	**5.3**	**12**	**1**	**2**	**4**	**9**	**10**	**11**
GRAND TOTAL	**525**	**11.7**	**164**	**2**	**5**	**8**	**14**	**34**	**55**		**425**	**6.6**	**19**	**2**	**3**	**6**	**9**	**13**	**17**

DRG 272: Major Skin Disorders w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	240	7.0	30	3	4	5	8	14	19	0-17	103	4.1	5	2	2	4	5	7	10
70-74	130	5.5	8	3	3	5	7	9	11	18-34	72	4.5	3	2	3	5	6	7	7
75-79	166	5.1	5	3	3	5	7	8	9	35-49	52	6.2	33	2	3	5	6	22	22
80-84	180	8.4	46	2	3	7	11	17	20	50-69	178	5.5	6	2	4	5	7	9	9
85 +	190	9.2	88	3	4	7	11	14	23	70 +	18	9.5	26						
SUBTOTAL	**905**	**7.2**	**40**	**3**	**3**	**6**	**8**	**13**	**18**		**422**	**5.2**	**11**	**2**	**3**	**5**	**7**	**9**	**10**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	0									0-17	0									
70-74	0									18-34	0									
75-79	0									35-49	0									
80-84	0									50-69	0									
85 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**905**	**7.2**	**40**	**3**	**3**	**6**	**8**	**13**	**18**		**422**	**5.2**	**11**	**2**	**3**	**5**	**7**	**9**	**10**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	110	3.7	5	2	2	3	5	7	9	0-17	35	6.8	62	2	2	3	8	24	24
18-34	64	10.3	42	3	4	9	17	18	22	18-34	71	8.1	28	4	5	5	10	16	21
35-49	36	4.9	6	2	3	4	7	9	9	35-49	88	4.1	9	1	2	3	7	8	12
50-69	34	5.2	27	2	2	3	4	16	16	50-69	41	3.5	11	1	1	1	6	10	10
70 +	0									70 +	25	9.3	11						
SUBTOTAL	**244**	**5.8**	**25**	**2**	**2**	**4**	**7**	**16**	**17**		**260**	**6.0**	**26**	**1**	**2**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	0									
18-34	0									18-34	0									
35-49	0									35-49	0									
50-69	0									50-69	0									
70 +	0									70 +	0									
SUBTOTAL	**0**										**0**									
GRAND TOTAL	**244**	**5.8**	**25**	**2**	**2**	**4**	**7**	**16**	**17**		**260**	**6.0**	**26**	**1**	**2**	**5**	**8**	**12**	**16**

DRG 273: Major Skin Disorders w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	55	4.4	4	1	3	5	6	7	7
70-74	73	5.2	19	2	2	4	5	7	19
75-79	68	2.5	3	1	1	2	3	4	7
80-84	18	21.6	698						
85 +	49	3.7	3	2	2	4	4	7	7
SUBTOTAL	**263**	**5.2**	**74**	**1**	**2**	**4**	**5**	**7**	**7**
GRAND TOTAL	**263**	**5.2**	**74**	**1**	**2**	**4**	**5**	**7**	**7**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	145	2.7	3	1	1	3	3	4	4
18-34	43	7.2	20	2	3	6	12	14	14
35-49	96	4.1	10	2	2	3	5	6	15
50-69	89	3.8	5	1	2	3	6	7	8
70 +	0								
	372	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**10**
	372	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	53	3.5	6	< 1	2	3	4	10	10
18-34	34	6.3	22	1	1	8	9	14	14
35-49	22	5.5	7						
50-69	24	4.6	15						
70 +	18	5.0	6						
SUBTOTAL	**150**	**4.8**	**12**	**1**	**2**	**4**	**8**	**10**	**10**
GRAND TOTAL	**150**	**4.8**	**12**	**1**	**2**	**4**	**8**	**10**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	46	3.5	2	2	3	3	4	7	7
18-34	81	5.5	11	2	3	4	7	12	13
35-49	45	2.8	5	1	1	2	5	6	6
50-69	34	3.0	3	1	1	2	4	6	6
70 +	18	1.7							
	225	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**12**
	225	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**12**

DRG 274: Malignant Breast Disorders w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	120	8.3	92	1	2	4	12	17	31	0-17	0								
70-74	119	9.2	143	2	3	7	11	15	35	18-34	24	3.3	2						
75-79	54	10.8	25	2	8	11	15	20	20	35-49	101	6.9	61	< 1	2	5	7	25	29
80-84	18	17.2	25							50-69	150	6.8	45	1	3	5	6	16	20
85 +	53	7.0	14	1	4	7	10	12	12	70 +	0								
SUBTOTAL	**364**	**9.2**	**88**	**2**	**3**	**7**	**12**	**17**	**21**		**276**	**6.5**	**48**	**1**	**3**	**5**	**6**	**16**	**25**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**364**	**9.2**	**88**	**2**	**3**	**7**	**12**	**17**	**21**		**276**	**6.5**	**48**	**1**	**3**	**5**	**6**	**16**	**25**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	5.0								0-17	0								
18-34	30	11.7	23							18-34	23	6.9	21						
35-49	177	9.4	84	3	4	7	10	21	30	35-49	81	6.6	38	2	3	4	7	14	26
50-69	159	8.7	52	1	4	6	13	22	25	50-69	102	8.2	55	1	2	8	9	13	35
70 +	6	7.0								70 +	6	1.0							
SUBTOTAL	**378**	**9.2**	**64**	**2**	**4**	**7**	**13**	**21**	**25**		**213**	**7.2**	**45**	**1**	**3**	**6**	**9**	**14**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**378**	**9.2**	**64**	**2**	**4**	**7**	**13**	**21**	**25**		**213**	**7.2**	**45**	**1**	**3**	**6**	**9**	**14**	**35**

DRG 275: Malignant Breast Disorders w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	47	8.2	83	< 1	1	6	9	31	31
70-74	6	11.0							
75-79	24	4.6	14						
80-84	19	4.7	6						
85 +	18	14.9	342						
SUBTOTAL	113	8.0	101	< 1	2	4	9	31	40
GRAND TOTAL	113	8.0	101	< 1	2	4	9	31	40

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	6	1.0							
35-49	48	5.7	96	< 1	< 1	2	4	32	32
50-69	58	8.7	205	< 1	< 1	1	5	38	40
70 +	0								
	112	7.0	150	< 1	< 1	1	4	35	39
	112	7.0	150	< 1	< 1	1	4	35	39

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	11	2.0	1						
35-49	29	3.5	7						
50-69	56	10.1	227	2	3	6	9	45	54
70 +	0								
SUBTOTAL	97	7.1	145	< 1	2	3	8	10	54
GRAND TOTAL	97	7.1	145	< 1	2	3	8	10	54

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	6	4.0							
18-34	17	7.0	26						
35-49	17	3.0	5						
50-69	73	4.4	11	< 1	1	5	5	6	14
70 +	0								
	112	4.6	13	< 1	1	4	6	13	14
	112	4.6	13	< 1	1	4	6	13	14

DRG 276: Non-maligant Breast Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	18	6.9	16							0-17	0								
70-74	6	3.0								18-34	0								
75-79	6	14.0								35-49	36	6.6	45	< 1	< 1	4	13	18	18
80-84	13	3.5	7							50-69	6	2.0							
85 +	6	4.0								70 +	0								
SUBTOTAL	48	6.1	20	1	3	5	10	14	14		41	6.0	42	< 1	< 1	2	13	18	18
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	29	1.6	1							0-17	36	2.9	1	2	2	3	3	5	5
70-74	6	2.0								18-34	78	3.2	4	1	2	3	4	4	9
75-79	6	4.0								35-49	54	3.5	10	< 1	1	1	7	8	8
80-84	0									50-69	44	1.6	1	< 1	< 1	1	3	3	3
85 +	0									70 +	0								
SUBTOTAL	41	2.0	2	< 1	1	1	4	4	4		212	2.9	5	< 1	1	2	4	7	8
GRAND TOTAL	89	4.2	15	1	1	3	5	12	14		254	3.4	12	< 1	1	2	4	8	9

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	17	6.7	12							0-17	0								
18-34	0									18-34	11	3.5							
35-49	6	7.0								35-49	17	4.3	3						
50-69	24	5.5	6							50-69	17	8.0	66						
70 +	6	2.0								70 +	0								
SUBTOTAL	52	5.6	8	2	3	6	7	11	11		45	5.5	29	1	2	4	6	19	19
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	3.0								0-17	17	4.0	5						
18-34	86	3.5	8	1	1	2	5	10	10	18-34	99	3.8	10	1	2	3	4	7	15
35-49	42	2.8	4	< 1	< 1	2	4	7	7	35-49	104	2.4	4	< 1	1	1	3	6	8
50-69	28	4.4	3							50-69	23	3.5	4						
70 +	0									70 +	0								
SUBTOTAL	162	3.4	6	< 1	2	3	4	7	10		242	3.2	7	1	1	3	4	6	7
GRAND TOTAL	214	4.0	8	1	2	3	5	8	10		287	3.6	11	1	1	3	4	7	8

DRG 277: Cellulitis Age >17 w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2945	6.5	22	2	3	5	8	12	15
70-74	1267	7.3	25	3	4	6	8	12	18
75-79	1422	7.6	28	3	4	6	9	15	18
80-84	1059	7.0	15	3	4	6	9	12	15
85 +	1440	8.1	54	3	4	6	9	14	20
SUBTOTAL	**8133**	**7.2**	**29**	**3**	**4**	**6**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**8133**	**7.2**	**29**	**3**	**4**	**6**	**9**	**13**	**17**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	395	5.6	11	2	4	5	7	9	13
35-49	756	5.0	13	2	2	4	6	9	12
50-69	1523	6.3	27	2	3	5	8	12	14
70 +	249	6.7	19	3	3	5	10	13	16
	2924	**5.9**	**21**	**2**	**3**	**5**	**7**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2924	**5.9**	**21**	**2**	**3**	**5**	**7**	**11**	**14**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	561	5.5	19	2	3	4	7	10	17
35-49	903	7.1	24	3	4	6	8	12	16
50-69	834	7.0	28	2	3	6	9	14	18
70 +	64	10.2	52	3	5	10	12	22	26
SUBTOTAL	**2362**	**6.7**	**26**	**2**	**3**	**6**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2362**	**6.7**	**26**	**2**	**3**	**6**	**8**	**13**	**17**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1625	5.4	15	2	3	5	7	10	13
35-49	1714	5.8	13	2	3	5	7	11	13
50-69	1193	6.4	24	2	3	5	8	11	14
70 +	201	6.3	26	2	4	5	7	10	21
	4733	**5.8**	**17**	**2**	**3**	**5**	**7**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4733	**5.8**	**17**	**2**	**3**	**5**	**7**	**11**	**14**

DRG 278: Cellulitis Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1231	5.0	10	2	3	4	7	9	10	0-17	0								
70-74	679	5.1	12	2	3	4	6	9	12	18-34	1275	3.6	5	1	2	3	4	7	8
75-79	581	5.2	9	2	3	4	7	9	10	35-49	1606	3.9	22	2	2	3	4	7	9
80-84	516	5.7	14	2	3	5	6	11	13	50-69	1385	4.2	7	2	2	4	5	7	9
85 +	538	5.7	12	3	3	5	7	10	12	70 +	88	4.9	7	2	3	4	7	10	10
SUBTOTAL	**3545**	**5.3**	**11**	**2**	**3**	**5**	**7**	**9**	**12**		**4354**	**3.9**	**12**	**2**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**3545**	**5.3**	**11**	**2**	**3**	**5**	**7**	**9**	**12**		**4354**	**3.9**	**12**	**2**	**2**	**3**	**5**	**7**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	725	4.1	7	2	2	3	5	7	10	18-34	2752	4.1	8	2	2	4	5	7	8
35-49	592	5.8	20	2	3	4	7	10	13	35-49	2120	5.0	18	2	3	4	6	9	11
50-69	392	6.2	32	2	3	5	8	12	12	50-69	1130	5.3	18	2	3	4	6	10	13
70 +	29	4.0	1							70 +	114	4.3	7	1	2	4	6	9	10
SUBTOTAL	**1738**	**5.1**	**17**	**2**	**3**	**4**	**6**	**10**	**12**		**6115**	**4.7**	**14**	**2**	**2**	**4**	**6**	**8**	**11**
GRAND TOTAL	**1738**	**5.1**	**17**	**2**	**3**	**4**	**6**	**10**	**12**		**6115**	**4.7**	**14**	**2**	**2**	**4**	**6**	**8**	**11**

DRG 279: Cellulitis Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	0										0-17	381	3.7	9	1	2	3	4	7	11
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**0**											**381**	**3.7**	**9**	**1**	**2**	**3**	**4**	**7**	**11**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	13	4.0	1								0-17	1478	2.8	2	1	2	3	3	5	5
70-74	0										18-34	0								
75-79	0										35-49	0								
80-84	0										50-69	0								
85 +	0										70 +	0								
SUBTOTAL	**13**	**4.0**	**1**									**1478**	**2.8**	**2**	**1**	**2**	**3**	**3**	**5**	**5**
GRAND TOTAL	**13**	**4.0**	**1**									**1860**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH						10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	359	4.8	17	2	2	3	6	10	11		0-17	223	4.0	9	1	2	3	5	9	10
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**359**	**4.8**	**17**	**2**	**2**	**3**	**6**	**10**	**11**			**223**	**4.0**	**9**	**1**	**2**	**3**	**5**	**9**	**10**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	1401	3.6	6	1	2	3	4	7	8		0-17	1558	3.6	6	1	2	3	4	7	8
18-34	0										18-34	0								
35-49	0										35-49	0								
50-69	0										50-69	0								
70 +	0										70 +	0								
SUBTOTAL	**1401**	**3.6**	**6**	**1**	**2**	**3**	**4**	**7**	**8**			**1558**	**3.6**	**6**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**1761**	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**10**			**1781**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 280: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	487	5.5	28	1	2	4	7	12	18	0-17	0								
70-74	204	3.8	6	1	2	3	5	6	8	18-34	777	2.2	5	< 1	1	1	2	4	6
75-79	432	4.8	13	1	3	4	5	11	13	35-49	311	2.5	8	< 1	1	2	3	4	8
80-84	527	4.6	13	1	2	4	6	9	11	50-69	372	4.3	18	1	2	3	5	8	15
85 +	789	5.6	14	2	3	4	7	11	13	70 +	260	4.1	15	1	1	3	5	8	12
SUBTOTAL	**2438**	**5.1**	**16**	**1**	**2**	**4**	**6**	**11**	**13**		**1720**	**3.0**	**11**	**1**	**1**	**2**	**3**	**6**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2438**	**5.1**	**16**	**1**	**2**	**4**	**6**	**11**	**13**		**1720**	**3.0**	**11**	**1**	**1**	**2**	**3**	**6**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	368	2.4	3	1	1	2	3	5	6	18-34	2343	2.3	5	< 1	1	2	3	5	6
35-49	244	2.4	4	< 1	1	2	3	6	7	35-49	855	3.0	11	1	1	2	4	6	8
50-69	90	4.7	14	1	1	4	9	9	13	50-69	312	4.0	81	1	1	2	4	5	7
70 +	0									70 +	104	2.9	3	1	1	3	4	6	6
SUBTOTAL	**701**	**2.7**	**5**	**< 1**	**1**	**2**	**4**	**6**	**8**		**3613**	**2.6**	**13**	**< 1**	**1**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**701**	**2.7**	**5**	**< 1**	**1**	**2**	**4**	**6**	**8**		**3613**	**2.6**	**13**	**< 1**	**1**	**2**	**3**	**5**	**7**

DRG 281: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	252	2.5	5	< 1	1	2	3	4	6
70-74	151	2.5	1	1	2	3	3	4	4
75-79	209	3.7	9	1	2	3	5	7	8
80-84	265	3.6	4	1	2	3	5	7	7
85 +	409	3.7	5	1	2	3	5	7	8
SUBTOTAL	**1286**	**3.3**	**5**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**1286**	**3.3**	**5**	**1**	**2**	**3**	**4**	**7**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1696	1.7	2	< 1	1	1	2	3	4
35-49	847	2.0	2	1	1	2	2	3	5
50-69	638	2.0	2	1	1	1	2	4	5
70 +	269	3.5	24	1	1	2	4	6	8
	3451	**2.0**	**4**	**1**	**1**	**1**	**2**	**4**	**5**
	3451	**2.0**	**4**	**1**	**1**	**1**	**2**	**4**	**5**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1020	1.9	4	1	1	1	2	3	5
35-49	235	2.7	7	1	1	2	3	6	9
50-69	64	1.7	1	1	1	1	2	3	4
70 +	18	1.4							
SUBTOTAL	**1336**	**2.0**	**4**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**1336**	**2.0**	**4**	**1**	**1**	**1**	**2**	**3**	**5**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	6535	1.9	4	< 1	1	1	2	3	4
35-49	1749	1.9	2	1	1	2	2	3	4
50-69	496	2.4	12	1	1	1	2	4	7
70 +	92	4.1	19	1	1	2	6	9	18
	8872	**1.9**	**4**	**1**	**1**	**1**	**2**	**3**	**5**
	8872	**1.9**	**4**	**1**	**1**	**1**	**2**	**3**	**5**

DRG 282: Trauma to the Skin, Subcut Tiss & Breast Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	6	1.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	6	1.0							

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	246	2.0	1	1	1	2	3	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	246	2.0	1	1	1	2	3	3	4
0-17	1174	1.8	7	1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1174	1.8	7	1	1	1	2	3	4
	1420	1.8	6	1	1	1	2	3	4

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	148	1.8	1	1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	148	1.8	1	1	1	1	2	3	4
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	934	1.8	2	1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	934	1.8	2	1	1	1	2	3	4
GRAND TOTAL	1082	1.8	2	1	1	1	2	3	4

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	305	2.4	4	<1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	305	2.4	4	<1	1	2	3	5	6
0-17	1486	1.9	7	<1	1	1	2	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1486	1.9	7	<1	1	1	2	3	5
	1790	2.0	6	<1	1	1	2	4	5

DRG 283: Minor Skin Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	242	6.3	42	2	3	5	7	12	15
70-74	147	8.7	86	2	3	8	10	15	24
75-79	137	6.3	22	2	3	5	8	12	16
80-84	162	6.7	18	2	4	6	7	11	15
85 +	127	5.6	15	2	3	3	9	12	13
SUBTOTAL	815	6.7	38	2	3	5	8	13	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	815	6.7	38	2	3	5	8	13	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	77	2.9	4	1	2	2	3	7	7
18-34	74	5.2	81	1	1	2	3	7	34
35-49	181	3.4	6	1	2	3	5	6	8
50-69	236	6.6	83	1	2	4	7	12	21
70 +	48	7.3	22	3	4	6	9	18	18
	616	5.1	48	1	2	3	6	10	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	616	5.1	48	1	2	3	6	10	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	89	4.1	17	1	1	2	6	11	16
18-34	219	7.5	33	2	3	6	9	17	21
35-49	144	11.8	471	2	3	4	8	17	78
50-69	69	5.9	23	2	2	3	7	16	16
70 +	23	6.3	28						
SUBTOTAL	544	7.8	151	2	3	5	8	16	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	544	7.8	151	2	3	5	8	16	21

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	70	5.4	22	2	2	4	7	10	19
18-34	147	5.7	76	1	2	3	5	13	20
35-49	146	5.6	16	1	2	5	7	11	14
50-69	81	4.9	10	1	1	5	8	9	10
70 +	24	4.8	12						
	468	5.4	34	1	2	4	7	10	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	468	5.4	34	1	2	4	7	10	16

DRG 284: Minor Skin Disorders w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	106	3.2	5	1	1	3	5	8	8
70-74	83	6.1	103	1	2	3	5	8	43
75-79	66	3.2	3	1	2	3	5	5	7
80-84	66	2.3	2	< 1	1	2	4	5	5
85 +	31	3.4	1						
SUBTOTAL	**353**	**3.7**	**29**	**1**	**1**	**3**	**5**	**6**	**8**
GRAND TOTAL	**353**	**3.7**	**29**	**1**	**1**	**3**	**5**	**6**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	325	1.9	2	< 1	1	1	3	4	5
18-34	273	3.0	4	< 1	1	2	4	6	7
35-49	250	3.3	5	1	2	3	4	6	8
50-69	189	2.6	3	1	1	2	4	5	6
70 +	18	4.9	2						
	1055	**2.7**	**4**	**< 1**	**1**	**2**	**4**	**5**	**7**
	1055	**2.7**	**4**	**< 1**	**1**	**2**	**4**	**5**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	307	4.0	61	< 1	1	2	4	6	12
18-34	81	4.4	38	1	1	2	5	9	25
35-49	86	4.3	11	1	2	4	5	8	14
50-69	46	8.0	47	1	5	6	16	22	22
70 +	6	4.0							
SUBTOTAL	**525**	**4.4**	**48**	**1**	**1**	**3**	**5**	**8**	**16**
GRAND TOTAL	**525**	**4.4**	**48**	**1**	**1**	**3**	**5**	**8**	**16**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	191	3.3	12	< 1	1	2	4	6	10
18-34	226	2.7	4	< 1	1	2	3	4	8
35-49	176	4.2	11	1	2	3	5	8	8
50-69	71	2.5	2	< 1	1	2	4	4	4
70 +	12	1.0							
	676	**3.2**	**8**	**1**	**1**	**3**	**4**	**7**	**8**
	676	**3.2**	**8**	**1**	**1**	**3**	**4**	**7**	**8**

DRG 285: Amputat of Lower Limb for Endocrine, Nutrit,& Metabol Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	340	14.4	147	3	6	12	18	26	40	0-17	0								
70-74	158	18.3	200	7	8	15	22	40	40	18-34	23	23.0	707						
75-79	139	13.1	89	3	6	10	18	25	29	35-49	46	10.2	34	1	5	11	16	18	18
80-84	72	22.0	388	7	8	12	30	47	70	50-69	72	10.7	26	3	8	9	15	17	20
85 +	23	13.7	22							70 +	24	9.0	8						
SUBTOTAL	**732**	**15.7**	**174**	**4**	**7**	**13**	**19**	**34**	**40**		**165**	**12.0**	**137**	**3**	**6**	**10**	**16**	**18**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	18	5.3	10							0-17	0								
70-74	0									18-34	6	3.0							
75-79	13	5.5	2							35-49	6	2.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**31**	**5.4**	**7**								**12**	**2.5**							
GRAND TOTAL	**762**	**15.3**	**171**	**3**	**7**	**12**	**18**	**33**	**40**		**177**	**11.4**	**133**	**3**	**5**	**9**	**15**	**18**	**20**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	6	3.0								18-34	31	6.8	8						
35-49	36	13.4	8	9	11	13	16	17	17	35-49	53	14.3	142	3	9	12	13	46	46
50-69	110	20.7	361	7	12	16	23	40	84	50-69	81	16.8	133	7	10	12	19	37	43
70 +	6	7.0								70 +	12	28.0	315						
SUBTOTAL	**158**	**17.8**	**275**	**7**	**9**	**14**	**20**	**26**	**40**		**177**	**15.0**	**148**	**4**	**9**	**11**	**18**	**37**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	17	10.3	14						
70 +	0									70 +	0								
SUBTOTAL	**0**										**17**	**10.3**	**14**						
GRAND TOTAL	**158**	**17.8**	**275**	**7**	**9**	**14**	**20**	**26**	**40**		**194**	**14.6**	**138**	**5**	**8**	**11**	**15**	**37**	**46**

DRG 286: Adrenal & Pituitary Procedures

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	83	9.9	56	4	7	8	9	14	34	0-17	56	12.4	36	5	6	12	18	21	21
70-74	30	15.6	96							18-34	71	7.7	13	5	5	6	11	14	15
75-79	18	11.8	9							35-49	111	6.4	4	4	5	6	7	9	11
80-84	11	8.5	2							50-69	132	6.6	10	3	4	6	9	12	12
85+	0									70+	0								
SUBTOTAL	**141**	**11.3**	**60**	**5**	**7**	**9**	**14**	**22**	**30**		**370**	**7.6**	**17**	**4**	**5**	**6**	**9**	**12**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	57	5.3	3	4	4	5	6	9	9	0-17	17	5.3	1						
70-74	6	6.0								18-34	103	5.1	2	4	4	5	6	7	7
75-79	12	4.9	1							35-49	195	4.6	3	3	4	5	5	6	9
80-84	0									50-69	111	5.5	1	4	5	6	6	7	8
85+	0									70+	0								
SUBTOTAL	**75**	**5.3**	**3**	**4**	**4**	**5**	**6**	**8**	**9**		**425**	**5.0**	**2**	**3**	**4**	**5**	**6**	**7**	**7**
GRAND TOTAL	**216**	**9.2**	**48**	**4**	**5**	**7**	**10**	**15**	**30**		**796**	**6.2**	**11**	**3**	**4**	**5**	**7**	**9**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	11	7.0								0-17	0								
18-34	41	13.3	66	7	7	9	22	29	29	18-34	48	12.5	128	6	7	8	10	41	41
35-49	22	9.5	15							35-49	36	6.6	6	3	5	6	8	11	11
50-69	34	13.5	38	5	7	14	18	23	23	50-69	48	10.3	44	5	5	7	14	23	23
70+	0									70+	0								
SUBTOTAL	**109**	**11.9**	**45**	**6**	**7**	**8**	**16**	**23**	**28**		**131**	**10.1**	**69**	**5**	**5**	**7**	**11**	**18**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	18	5.8	7							0-17	6	4.0							
18-34	34	8.3	14	4	6	8	8	16	16	18-34	83	6.8	10	4	5	6	8	10	16
35-49	39	6.4	4	4	5	6	9	10	10	35-49	78	4.7	2	3	4	5	5	6	8
50-69	29	10.7	53							50-69	52	8.4	6	4	7	8	10	12	12
70+	0									70+	0								
SUBTOTAL	**120**	**7.9**	**22**	**4**	**5**	**6**	**9**	**14**	**19**		**219**	**6.4**	**8**	**3**	**5**	**5**	**8**	**10**	**12**
GRAND TOTAL	**229**	**9.8**	**37**	**5**	**6**	**8**	**12**	**22**	**24**		**350**	**7.8**	**34**	**4**	**5**	**6**	**9**	**12**	**18**

DRG 287: Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	275	12.5	165	2	5	7	17	34	40	0-17	6	7.0							
70-74	83	6.8	14	2	4	7	10	11	14	18-34	31	7.8	12						
75-79	103	12.7	139	2	5	9	11	28	48	35-49	107	6.1	35	2	3	4	6	14	27
80-84	56	20.0	527	6	7	13	17	75	81	50-69	185	6.1	18	3	3	4	8	11	15
85 +	44	9.7	15	4	6	11	13	15	15	70 +	17	14.7	220						
SUBTOTAL	**561**	**12.2**	**172**	**3**	**5**	**8**	**14**	**27**	**40**		**346**	**6.7**	**35**	**3**	**3**	**5**	**8**	**14**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	19	3.7	2							0-17	0								
70-74	12	14.4	53							18-34	6	6.0							
75-79	13	7.5	2							35-49	36	5.4	7	2	3	5	7	10	10
80-84	0									50-69	6	7.0							
85 +	0									70 +	0								
SUBTOTAL	**43**	**7.7**	**35**	**2**	**4**	**6**	**9**	**21**	**21**		**48**	**5.7**	**6**	**2**	**4**	**6**	**7**	**10**	**10**
GRAND TOTAL	**604**	**11.9**	**163**	**3**	**5**	**8**	**14**	**24**	**38**		**394**	**6.6**	**32**	**3**	**3**	**5**	**8**	**14**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	11	29.5	2							18-34	35	9.7	9	5	9	9	13	14	14
35-49	40	14.1	107	1	6	13	22	33	33	35-49	71	15.4	221	6	7	11	16	53	99 +
50-69	75	8.9	44	3	3	8	12	20	25	50-69	86	7.7	73	1	3	7	8	10	38
70 +	12	16.9	61							70 +	6	64.0							
SUBTOTAL	**138**	**12.8**	**92**	**3**	**5**	**9**	**22**	**28**	**31**		**199**	**12.6**	**210**	**2**	**6**	**9**	**13**	**40**	**64**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	6	5.0								35-49	12	8.0							
50-69	0									50-69	6	14.0							
70 +	0									70 +	0								
SUBTOTAL	**6**	**5.0**									**18**	**10.1**	**9**						
GRAND TOTAL	**144**	**12.5**	**91**	**3**	**5**	**9**	**20**	**28**	**31**		**217**	**12.4**	**194**	**2**	**6**	**8**	**13**	**40**	**64**

DRG 288: O.R. Procedures for Obesity

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	86	7.5	16	3	4	5	11	13	16	0-17	11	51.0	1756						
70-74	0									18-34	36	11.8	63	5	5	7	14	28	28
75-79	0									35-49	115	6.2	15	3	4	6	7	8	18
80-84	0									50-69	48	6.9	4	5	5	6	8	11	11
85+	0									70+	0								
SUBTOTAL	**86**	**7.5**	**16**	**3**	**4**	**5**	**11**	**13**	**16**		**211**	**9.7**	**206**	**4**	**5**	**7**	**8**	**14**	**28**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	43	4.1	8	1	2	4	5	10	10	0-17	0								
70-74	13	3.0	1							18-34	88	5.8	2	5	5	6	7	8	8
75-79	0									35-49	241	4.8	5	2	3	5	7	7	7
80-84	0									50-69	92	4.3	5	2	2	4	6	8	8
85+	0									70+	0								
SUBTOTAL	**55**	**3.8**	**6**	**1**	**2**	**4**	**5**	**9**	**10**		**420**	**4.9**	**4**	**2**	**3**	**5**	**6**	**7**	**8**
GRAND TOTAL	**141**	**6.1**	**15**	**2**	**3**	**5**	**9**	**11**	**13**		**632**	**6.5**	**77**	**2**	**4**	**5**	**7**	**8**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	13	6.0	1							18-34	6	9.0							
35-49	23	13.6	104							35-49	31	4.9	5						
50-69	0									50-69	6	8.0							
70+	0									70+	0								
SUBTOTAL	**36**	**10.9**	**80**	**5**	**7**	**7**	**10**	**31**	**31**		**43**	**5.9**	**6**	**2**	**4**	**5**	**9**	**9**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	46	6.8	11	2	5	6	8	14	14	18-34	53	4.0	12	1	1	2	6	12	12
35-49	18	5.5	8							35-49	97	4.3	8	1	2	4	6	8	11
50-69	11	5.0	10							50-69	37	2.4	2	1	1	3	3	5	5
70+	0									70+	0								
SUBTOTAL	**75**	**6.3**	**10**	**2**	**5**	**6**	**8**	**9**	**14**		**187**	**3.8**	**9**	**1**	**1**	**3**	**6**	**7**	**11**
GRAND TOTAL	**111**	**7.8**	**37**	**2**	**5**	**7**	**8**	**14**	**28**		**230**	**4.2**	**9**	**1**	**1**	**3**	**6**	**9**	**11**

DRG 289: Parathyroid Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	140	8.8	149	2	3	5	8	21	27	0-17	0								
70-74	48	6.5	57	1	2	3	7	26	26	18-34	0								
75-79	55	5.6	16	2	3	4	6	16	16	35-49	42	3.6	8	2	2	2	4	10	10
80-84	18	9.8	125							50-69	48	2.6	1	1	2	3	3	5	5
85 +	6	3.0								70 +	0								
SUBTOTAL	**267**	**7.6**	**102**	**2**	**3**	**5**	**7**	**21**	**26**		**90**	**3.1**	**4**	**2**	**2**	**2**	**3**	**5**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	224	3.0	6	1	2	2	3	6	10	0-17	0								
70-74	106	2.7	2	2	2	2	3	5	6	18-34	64	2.5	1	1	2	2	3	4	5
75-79	120	3.4	12	1	2	2	3	6	12	35-49	314	2.1	1	1	2	2	2	3	4
80-84	18	8.5	67							50-69	464	2.3	1	1	2	2	3	3	4
85 +	13	6.0	17							70 +	28	2.4	1						
SUBTOTAL	**481**	**3.3**	**10**	**1**	**2**	**2**	**3**	**6**	**10**		**870**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**748**	**4.9**	**47**	**2**	**2**	**3**	**5**	**10**	**18**		**961**	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	6	6.0								18-34	0								
35-49	17	16.0	283							35-49	18	2.0	1						
50-69	18	34.7	1961							50-69	53	4.9	46	1	2	2	4	23	23
70 +	0									70 +	0								
SUBTOTAL	**41**	**23.0**	**1088**	**3**	**3**	**6**	**39**	**99**	**99**		**70**	**4.2**	**36**	**1**	**2**	**2**	**3**	**4**	**23**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	29	4.7	9							18-34	76	4.8	37	2	3	3	4	5	26
35-49	28	3.6	1							35-49	99	2.5	4	1	1	2	3	4	10
50-69	43	3.5	2	2	2	4	4	6	6	50-69	93	4.8	24	2	2	2	7	8	21
70 +	0									70 +	12	1.9	1						
SUBTOTAL	**99**	**3.9**	**4**	**2**	**2**	**4**	**4**	**6**	**10**		**281**	**3.8**	**21**	**1**	**2**	**2**	**3**	**8**	**10**
GRAND TOTAL	**140**	**9.4**	**388**	**2**	**3**	**4**	**6**	**10**	**39**		**351**	**3.9**	**24**	**1**	**2**	**2**	**3**	**7**	**21**

DRG 290: Thyroid Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	194	4.0	18	2	2	3	4	7	15	0-17	12	2.0							
70-74	108	3.1	3	1	2	3	3	6	8	18-34	225	2.7	1	2	2	3	3	4	5
75-79	115	3.6	17	1	2	2	4	6	16	35-49	297	2.7	4	1	1	2	3	5	7
80-84	58	7.4	45	2	2	4	11	20	23	50-69	229	3.2	3	2	2	3	4	5	6
85 +	42	6.0	8	2	4	6	8	11	11	70 +	52	3.3	3	1	2	3	4	7	7
SUBTOTAL	**517**	**4.3**	**19**	**2**	**2**	**3**	**4**	**10**	**14**		**814**	**2.9**	**3**	**1**	**2**	**2**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	528	2.1	1	1	2	2	2	3	4	0-17	84	2.3	2	1	1	2	3	5	5
70-74	299	2.1	1	1	2	2	2	3	4	18-34	1386	1.9	1	1	1	2	2	3	3
75-79	220	2.0	1	1	1	2	3	3	3	35-49	2473	1.8	1	1	1	2	2	3	3
80-84	91	2.0	1	1	1	2	3	3	4	50-69	1626	1.9	1	1	1	2	2	3	3
85 +	24	2.3	1							70 +	59	2.0	1	1	1	2	3	4	4
SUBTOTAL	**1162**	**2.1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**		**5629**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
GRAND TOTAL	**1679**	**2.8**	**7**	**1**	**2**	**2**	**3**	**4**	**6**		**6443**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	2.0								0-17	13	2.5	2						
18-34	48	4.0	5	< 1	2	3	6	8	8	18-34	96	2.6	1	1	2	3	3	4	5
35-49	18	8.6	47							35-49	113	2.6	1	2	2	2	3	4	5
50-69	41	7.1	35	2	2	4	13	18	18	50-69	53	4.5	4	2	2	5	6	7	7
70 +	0									70 +	13	5.5	7						
SUBTOTAL	**111**	**5.8**	**26**	**2**	**2**	**4**	**7**	**18**	**18**		**287**	**3.1**	**3**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	36	2.1	1	1	2	2	2	4	4	0-17	48	1.8	1	1	1	2	3	4	4
18-34	248	2.7	8	1	2	2	3	4	5	18-34	444	2.1	1	1	1	2	3	4	4
35-49	195	2.5	1	1	2	2	3	4	5	35-49	801	1.9	1	1	1	2	2	3	4
50-69	98	4.6	54	2	2	3	4	5	34	50-69	477	2.4	3	1	1	2	3	5	5
70 +	0									70 +	50	2.1		1	2	2	3	3	3
SUBTOTAL	**577**	**2.9**	**14**	**1**	**2**	**2**	**3**	**4**	**5**		**1820**	**2.1**	**1**	**1**	**1**	**2**	**2**	**4**	**4**
GRAND TOTAL	**688**	**3.4**	**17**	**1**	**2**	**2**	**3**	**5**	**8**		**2107**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 291: Thyroglossal Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	6	3.0							
70-74	6	2.0								18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	6	2.0							
85 +	0									70 +	0								
SUBTOTAL	**6**	**2.0**									**12**	**2.5**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	24	1.5								0-17	139	1.3	1	< 1	1	1	1	2	3
70-74	6	1.0								18-34	50	1.6		1	1	2	2	3	3
75-79	0									35-49	56	1.2		1	1	1	1	2	2
80-84	0									50-69	18	1.0							
85 +	0									70 +	0								
SUBTOTAL	**31**	**1.4**									**263**	**1.3**		**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**36**	**1.5**		**1**	**1**	**1**	**2**	**2**	**2**		**275**	**1.4**		**< 1**	**1**	**1**	**2**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	6	1.0							
35-49	0									35-49	6	1.0							
50-69	0									50-69	6	1.0							
70 +	0									70 +	0								
SUBTOTAL	**0**										**18**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	34	1.2		1	1	1	1	2	2	0-17	58	1.4	1	< 1	1	1	1	3	3
18-34	18	2.3	4							18-34	53	2.0	1	1	1	2	2	4	4
35-49	6	1.0								35-49	6	3.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**57**	**1.5**	**1**	**1**	**1**	**1**	**1**	**4**	**5**		**117**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**57**	**1.5**	**1**	**1**	**1**	**1**	**1**	**4**	**5**		**134**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**

DRG 292: Other Endocrine, Nutrit & Metab O.R. Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	350	9.5	60	2	4	7	13	24	26	0-17	17	5.0	2						
70-74	89	10.4	29	6	8	9	13	14	27	18-34	24	4.4	14						
75-79	103	19.2	116	6	12	17	22	37	40	35-49	58	8.6	75	2	3	5	12	23	32
80-84	47	10.5	37	3	7	10	11	25	25	50-69	99	9.6	62	2	4	8	13	22	32
85 +	73	13.1	98	1	7	10	20	26	35	70 +	24	6.5	29						
SUBTOTAL	**661**	**11.6**	**79**	**3**	**5**	**9**	**15**	**25**	**34**		**223**	**8.1**	**55**	**2**	**4**	**5**	**11**	**17**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**661**	**11.6**	**79**	**3**	**5**	**9**	**15**	**25**	**34**		**223**	**8.1**	**55**	**2**	**4**	**5**	**11**	**17**	**32**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	1.0								0-17	11	14.0	18						
18-34	46	15.4	116	6	6	15	20	40	40	18-34	80	7.7	28	2	5	7	9	10	23
35-49	40	11.2	63	< 1	5	11	17	26	26	35-49	118	7.5	31	2	4	6	11	18	19
50-69	88	10.9	50	3	3	9	17	23	23	50-69	72	6.7	15	2	4	6	8	9	17
70 +	0									70 +	6	10.0							
SUBTOTAL	**179**	**11.7**	**75**	**2**	**5**	**11**	**17**	**23**	**26**		**286**	**7.7**	**27**	**2**	**4**	**7**	**10**	**17**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**179**	**11.7**	**75**	**2**	**5**	**11**	**17**	**23**	**26**		**286**	**7.7**	**27**	**2**	**4**	**7**	**10**	**17**	**18**

DRG 293: Other Endocrine, Nutrit & Metab O.R. Proc w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	24	2.5							
70-74	12	2.6	2						
75-79	36	5.7	30	1	2	4	5	17	17
80-84	6	7.0							
85 +	6	5.0							
SUBTOTAL	**84**	**4.4**	**16**	**1**	**2**	**4**	**5**	**7**	**17**
GRAND TOTAL	**84**	**4.4**	**16**	**1**	**2**	**4**	**5**	**7**	**17**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	22	8.5	27						
18-34	30	5.0	3						
35-49	48	4.0	7	1	2	3	6	9	9
50-69	72	4.1	12	1	2	3	4	10	12
70 +	0								
	173	**4.8**	**13**	**1**	**2**	**3**	**7**	**11**	**12**
	173	**4.8**	**13**	**1**	**2**	**3**	**7**	**11**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	67	6.8	17	3	3	6	9	10	17
35-49	17	4.7	2						
50-69	0								
70 +	6	6.0							
SUBTOTAL	**90**	**6.3**	**14**	**3**	**3**	**6**	**9**	**10**	**17**
GRAND TOTAL	**90**	**6.3**	**14**	**3**	**3**	**6**	**9**	**10**	**17**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	11	6.5	22						
18-34	56	2.5	1	1	1	3	3	4	4
35-49	68	3.8	2	2	3	4	5	5	6
50-69	35	4.8	5	2	3	4	5	9	9
70 +	6	1.0							
	176	**3.7**	**5**	**1**	**2**	**3**	**5**	**6**	**9**
	176	**3.7**	**5**	**1**	**2**	**3**	**5**	**6**	**9**

DRG 294: Diabetes Age >35

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2578	6.1	24	2	3	5	8	11	14	0-17	0								
70-74	1272	6.5	26	2	3	5	8	12	14	18-34	0								
75-79	1255	6.4	22	2	3	5	8	12	17	35-49	1212	4.7	10	2	3	4	6	9	10
80-84	1021	7.3	37	3	4	6	9	15	17	50-69	1750	5.4	12	2	3	4	7	10	11
85 +	761	7.1	47	3	4	6	8	12	16	70 +	149	4.1	5	2	2	4	5	8	8
SUBTOTAL	**6887**	**6.5**	**29**	**2**	**3**	**5**	**8**	**12**	**16**		**3111**	**5.0**	**11**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1069	4.3	7	1	3	4	6	7	9	0-17	0								
70-74	617	4.5	8	2	3	4	5	8	11	18-34	0								
75-79	444	4.5	7	2	3	4	5	8	9	35-49	1020	3.4	7	1	2	3	4	5	6
80-84	365	4.5	5	3	3	4	5	7	10	50-69	1125	3.7	3	2	2	3	4	6	7
85 +	171	5.1	2	3	4	5	7	7	8	70 +	53	4.5	7	1	2	5	6	9	9
SUBTOTAL	**2666**	**4.5**	**7**	**2**	**3**	**4**	**6**	**8**	**9**		**2197**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**9553**	**6.0**	**23**	**2**	**3**	**5**	**7**	**11**	**14**		**5308**	**4.4**	**9**	**2**	**3**	**4**	**5**	**8**	**10**

	MEDICAID									NO INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	971	6.1	51	2	3	4	7	11	15	35-49	1688	5.6	25	2	3	4	7	11	14
50-69	1022	6.4	35	2	3	5	8	13	17	50-69	1501	6.3	32	2	3	5	8	12	17
70 +	163	5.1	6	2	3	5	7	8	9	70 +	277	5.6	26	2	3	5	7	8	19
SUBTOTAL	**2156**	**6.1**	**40**	**2**	**3**	**5**	**7**	**12**	**16**		**3466**	**5.9**	**28**	**2**	**3**	**5**	**7**	**11**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	504	4.4	7	1	2	4	6	8	10	35-49	1248	3.0	4	1	2	3	4	5	6
50-69	539	4.8	29	1	2	3	5	9	18	50-69	1601	3.5	17	1	1	2	4	6	9
70 +	88	4.8	10	2	3	4	6	7	15	70 +	83	4.5	7	2	2	4	7	8	9
SUBTOTAL	**1131**	**4.6**	**18**	**1**	**2**	**4**	**6**	**8**	**12**		**2933**	**3.3**	**11**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**3287**	**5.6**	**33**	**2**	**2**	**4**	**6**	**11**	**15**		**6399**	**4.7**	**22**	**1**	**2**	**3**	**6**	**9**	**12**

DRG 295: Diabetes Age 0-35

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	325	4.4	7	2	2	4	6	8	10
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**325**	**4.4**	**7**	**2**	**2**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	196	4.1	22	1	2	3	4	8	10
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**196**	**4.1**	**22**	**1**	**2**	**3**	**4**	**8**	**10**
GRAND TOTAL	**521**	**4.3**	**12**	**1**	**2**	**3**	**6**	**8**	**10**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	1211	3.1	3	1	2	3	4	5	6
18-34	1244	3.6	9	1	2	3	4	6	7
35-49	98	3.8	11	1	1	3	4	9	13
50-69	0								
70 +	0								
SUBTOTAL	**2553**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs									
0-17	1996	3.1	3	1	2	3	4	5	6
18-34	1362	3.0	3	1	2	3	4	5	6
35-49	78	2.4	2	1	1	2	4	4	5
50-69	0								
70 +	0								
SUBTOTAL	**3436**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**5989**	**3.2**	**5**	**1**	**2**	**3**	**4**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	293	4.8	46	1	2	3	5	9	10
18-34	896	5.5	28	2	2	4	6	10	15
35-49	48	3.8	2	2	2	4	5	6	6
50-69	0								
70 +	0								
SUBTOTAL	**1236**	**5.3**	**31**	**2**	**2**	**4**	**6**	**9**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	446	4.2	10	1	2	4	6	7	10
18-34	752	3.4	12	1	2	3	4	6	7
35-49	35	2.9	1	1	2	3	4	4	4
50-69	0								
70 +	0								
SUBTOTAL	**1232**	**3.7**	**11**	**1**	**2**	**3**	**5**	**6**	**9**
GRAND TOTAL	**2469**	**4.5**	**22**	**1**	**2**	**3**	**5**	**8**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	346	3.5	5	1	2	3	5	7	9
18-34	1615	4.7	21	1	2	4	6	8	11
35-49	83	3.9	4	1	2	4	6	6	7
50-69	0								
70 +	0								
SUBTOTAL	**2044**	**4.4**	**17**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs									
0-17	731	3.7	7	1	2	3	4	6	9
18-34	1821	3.4	15	1	2	3	4	6	7
35-49	111	2.1	1	1	1	2	3	4	5
50-69	0								
70 +	0								
SUBTOTAL	**2663**	**3.4**	**12**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**4707**	**3.9**	**15**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 296: Nutritional & Misc Metabolic Disorders Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6459	5.9	36	2	2	4	7	13	16	0-17	0								
70-74	4611	5.5	20	2	3	4	7	10	13	18-34	1044	7.2	40	2	2	4	12	16	20
75-79	5296	6.4	40	2	3	5	8	12	15	35-49	1430	5.4	50	1	2	3	6	11	18
80-84	5193	6.0	24	2	3	5	7	12	15	50-69	2947	4.8	19	2	2	4	6	9	12
85 +	6035	6.5	28	2	3	5	8	12	15	70 +	990	5.3	14	2	3	4	7	11	14
SUBTOTAL	**27594**	**6.1**	**30**	**2**	**3**	**5**	**7**	**12**	**15**		**6412**	**5.4**	**29**	**2**	**2**	**4**	**7**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**27594**	**6.1**	**30**	**2**	**3**	**5**	**7**	**12**	**15**		**6412**	**5.4**	**29**	**2**	**2**	**4**	**7**	**12**	**15**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	722	8.4	75	2	3	5	12	17	26	18-34	471	4.0	13	1	1	3	5	11	12
35-49	689	5.4	26	1	2	4	7	12	15	35-49	813	4.5	30	1	2	3	5	9	13
50-69	1165	4.9	18	1	2	4	6	9	12	50-69	1370	4.7	17	2	2	4	6	9	13
70 +	309	6.4	111	2	3	4	6	11	19	70 +	738	5.1	17	2	2	4	6	9	13
SUBTOTAL	**2884**	**6.1**	**46**	**2**	**2**	**4**	**7**	**12**	**17**		**3393**	**4.7**	**19**	**1**	**2**	**4**	**6**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2884**	**6.1**	**46**	**2**	**2**	**4**	**7**	**12**	**17**		**3393**	**4.7**	**19**	**1**	**2**	**4**	**6**	**9**	**13**

DRG 297: Nutritional & Misc Metabolic Disorders Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1323	3.5	7	1	2	3	5	7	9
70-74	1159	3.3	5	1	2	3	4	6	8
75-79	1394	4.0	11	1	2	3	5	7	8
80-84	1289	4.2	8	1	3	4	5	8	9
85 +	1866	4.7	23	2	2	4	5	8	10
SUBTOTAL	**7031**	**4.0**	**12**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**7031**	**4.0**	**12**	**1**	**2**	**3**	**5**	**7**	**9**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1341	2.5	5	1	1	2	3	4	6
35-49	1204	2.7	6	1	1	2	3	5	6
50-69	1196	3.3	7	1	2	3	4	7	8
70 +	279	3.0	3	1	2	3	4	5	6
	4020	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
	4020	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	372	4.4	27	1	2	3	5	8	9
35-49	228	4.0	10	1	2	3	5	8	11
50-69	328	3.2	6	1	2	2	4	7	9
70 +	90	4.8	17	2	2	4	6	10	18
SUBTOTAL	**1018**	**3.9**	**16**	**1**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**1018**	**3.9**	**16**	**1**	**2**	**3**	**5**	**7**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	779	2.4	4	1	1	2	3	4	6
35-49	617	3.1	9	1	1	2	4	6	9
50-69	686	2.7	5	1	1	2	3	5	6
70 +	242	3.1	5	1	2	2	4	6	7
	2325	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
	2325	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 298: Nutritional & Misc Metabolic Disorders Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	29	4.9	13							0-17	1570	6.2	63	1	2	3	8	14	19
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**29**	**4.9**	**13**								**1570**	**6.2**	**63**	**1**	**2**	**3**	**8**	**14**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	18	3.7	3							0-17	5130	2.9	13	1	1	2	3	6	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**18**	**3.7**	**3**								**5130**	**2.9**	**13**	**1**	**1**	**2**	**3**	**6**	**10**
GRAND TOTAL	**48**	**4.4**	**9**	**1**	**2**	**3**	**6**	**11**	**11**		**6700**	**3.7**	**27**	**1**	**1**	**2**	**3**	**9**	**13**

	MEDICAID										NO INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1719	6.3	59	1	2	4	8	12	19	0-17	883	4.5	28	1	2	3	5	9	12
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1719**	**6.3**	**59**	**1**	**2**	**4**	**8**	**12**	**19**		**883**	**4.5**	**28**	**1**	**2**	**3**	**5**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3960	3.7	11	1	2	3	4	8	10	0-17	2734	2.9	11	1	1	2	3	5	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**3960**	**3.7**	**11**	**1**	**2**	**3**	**4**	**8**	**10**		**2734**	**2.9**	**11**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**5678**	**4.5**	**27**	**1**	**2**	**3**	**5**	**9**	**13**		**3617**	**3.3**	**16**	**1**	**1**	**2**	**3**	**7**	**9**

DRG 299: Inborn Errors of Metabolism

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	48	7.1	19	1	3	7	11	13	13
70-74	25	3.3	5						
75-79	18	4.3	2						
80-84	6	2.0							
85 +	0								
SUBTOTAL	**97**	**5.3**	**14**	**2**	**2**	**3**	**8**	**12**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	18	3.0	1						
70-74	0								
75-79	6	4.0							
80-84	0								
85 +	0								
SUBTOTAL	**24**	**3.2**	**1**						
GRAND TOTAL	**122**	**4.9**	**12**	**2**	**2**	**3**	**6**	**11**	**12**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	92	4.0	12	2	2	3	4	10	14
18-34	22	4.3	2						
35-49	29	5.5	10						
50-69	18	11.0	162						
70 +	0								
	162	**5.1**	**31**	**2**	**2**	**3**	**6**	**10**	**14**
0-17	102	2.7	5	1	1	2	3	7	9
18-34	57	3.0	8	< 1	1	2	3	8	8
35-49	53	1.8	2	1	1	1	2	5	5
50-69	18	1.3							
70 +	0								
	230	**2.4**	**5**	**1**	**1**	**2**	**3**	**7**	**8**
	392	**3.5**	**17**	**1**	**1**	**2**	**4**	**8**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	114	11.8	316	1	3	5	13	49	65
18-34	25	3.3	5						
35-49	11	4.5	7						
50-69	0								
70 +	0								
SUBTOTAL	**151**	**9.8**	**253**	**1**	**2**	**5**	**7**	**20**	**49**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	107	7.0	102	1	2	3	7	30	40
18-34	23	3.5	4						
35-49	11	2.5	2						
50-69	11	42.5	1383						
70 +	0								
SUBTOTAL	**153**	**8.7**	**259**	**1**	**2**	**3**	**7**	**30**	**40**
GRAND TOTAL	**303**	**9.3**	**255**	**1**	**2**	**4**	**7**	**20**	**49**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	3.4	8	1	2	2	3	11	11
18-34	36	8.0	14	1	7	8	11	13	13
35-49	6	2.0							
50-69	12	9.7	27						
70 +	0								
	104	**5.6**	**19**	**1**	**2**	**5**	**8**	**13**	**15**
0-17	152	1.9	2	1	1	2	2	3	4
18-34	29	2.0	2						
35-49	12	1.9	1						
50-69	18	5.4	10						
70 +	0								
	210	**2.2**	**3**	**1**	**1**	**2**	**2**	**5**	**7**
	314	**3.3**	**11**	**1**	**1**	**2**	**4**	**8**	**11**

DRG 300: Endocrine Disorders w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	538	7.3	41	2	3	6	9	13	23	0-17	127	5.1	28	1	1	4	7	10	14
70-74	465	6.8	41	2	3	5	8	13	16	18-34	126	3.7	9	1	2	3	3	9	10
75-79	461	7.4	24	3	4	6	9	15	21	35-49	247	3.8	8	1	2	3	5	9	9
80-84	315	7.3	16	3	4	7	10	12	16	50-69	334	5.5	18	2	2	4	8	11	15
85 +	297	7.6	24	3	5	6	8	13	17	70 +	78	5.0	6	2	3	5	7	9	9
SUBTOTAL	**2077**	**7.3**	**31**	**2**	**4**	**6**	**9**	**13**	**17**		**912**	**4.7**	**15**	**1**	**2**	**3**	**7**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2077**	**7.3**	**31**	**2**	**4**	**6**	**9**	**13**	**17**		**912**	**4.7**	**15**	**1**	**2**	**3**	**7**	**9**	**11**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	177	7.4	66	1	2	5	9	14	21	0-17	90	7.5	141	1	1	3	8	28	46
18-34	99	4.9	12	1	2	4	6	12	13	18-34	57	5.2	8	2	3	4	7	10	12
35-49	113	7.6	67	2	3	4	10	22	31	35-49	146	6.9	37	1	3	5	8	15	16
50-69	140	6.7	30	2	3	4	9	16	17	50-69	252	4.8	17	1	2	4	6	9	12
70 +	17	11.7	61							70 +	6	5.0							
SUBTOTAL	**546**	**6.9**	**48**	**1**	**3**	**5**	**9**	**15**	**21**		**553**	**5.9**	**43**	**1**	**2**	**4**	**7**	**12**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**546**	**6.9**	**48**	**1**	**3**	**5**	**9**	**15**	**21**		**553**	**5.9**	**43**	**1**	**2**	**4**	**7**	**12**	**17**

DRG 301: Endocrine Disorders w/o CC

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	160	4.0	11	1	2	3	5	9	11	0-17	154	3.2	32	1	1	1	2	8	12
70-74	152	2.7	5	1	1	2	3	7	8	18-34	273	2.4	5	1	1	2	3	5	7
75-79	67	4.4	19	1	2	3	6	6	17	35-49	313	2.6	3	1	1	2	3	5	7
80-84	19	9.7	41							50-69	245	3.5	16	1	1	2	4	5	11
85 +	75	4.5	8	2	3	4	6	6	12	70 +	6	3.0							
SUBTOTAL	**472**	**3.9**	**13**	**1**	**2**	**3**	**5**	**9**	**12**		**990**	**2.9**	**11**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**472**	**3.9**	**13**	**1**	**2**	**3**	**5**	**9**	**12**		**990**	**2.9**	**11**	**1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	119	3.0	4	1	2	2	3	6	8	0-17	186	1.9	4	1	1	1	2	3	9
18-34	133	3.4	4	2	2	3	5	7	8	18-34	252	3.5	52	1	1	2	3	5	7
35-49	97	3.1	3	2	2	3	3	6	7	35-49	293	3.2	13	1	1	2	4	6	8
50-69	57	4.1	6	< 1	2	4	6	8	8	50-69	154	2.1	1	< 1	1	2	3	4	4
70 +	0									70 +	24	2.5	1						
SUBTOTAL	**406**	**3.3**	**4**	**1**	**2**	**3**	**4**	**7**	**8**		**909**	**2.8**	**20**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**406**	**3.3**	**4**	**1**	**2**	**3**	**4**	**7**	**8**		**909**	**2.8**	**20**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 302: Kidney Transplant

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	807	16.3	152	8	9	13	19	25	44	0-17	11	14.5	46						
70-74	6	14.0								18-34	67	12.8	27	8	9	11	19	20	22
75-79	0									35-49	153	12.4	138	7	8	9	12	18	20
80-84	0									50-69	62	12.8	46	7	9	11	15	21	31
85 +	0									70 +	0								
SUBTOTAL	**812**	**16.3**	**151**	**8**	**9**	**13**	**19**	**25**	**43**		**294**	**12.6**	**89**	**7**	**8**	**10**	**14**	**20**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	273	11.0	27	6	8	10	13	15	17	0-17	0								
70-74	12	8.0								18-34	29	15.5	22						
75-79	0									35-49	52	9.2	3	7	8	9	11	12	12
80-84	0									50-69	11	10.0	1						
85 +	0									70 +	0								
SUBTOTAL	**285**	**10.9**	**26**	**6**	**8**	**10**	**12**	**15**	**17**		**92**	**11.3**	**17**	**7**	**8**	**11**	**12**	**19**	**20**
GRAND TOTAL	**1098**	**14.9**	**124**	**7**	**9**	**12**	**16**	**23**	**37**		**386**	**12.3**	**72**	**7**	**8**	**10**	**12**	**20**	**21**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	14.0								0-17	6	6.0							
18-34	40	12.3	35	5	8	11	14	25	25	18-34	39	9.4	16	7	8	8	8	19	19
35-49	34	18.3	199	6	8	11	28	45	45	35-49	17	10.3	12						
50-69	18	13.2	18							50-69	34	11.0	8	8	9	10	13	16	16
70 +	0									70 +	0								
SUBTOTAL	**97**	**14.6**	**93**	**6**	**8**	**12**	**14**	**28**	**45**		**95**	**9.9**	**13**	**7**	**8**	**8**	**11**	**16**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	34	11.2	15	6	9	11	13	18	18	18-34	11	17.0	110						
35-49	22	9.8	2							35-49	11	9.5	2						
50-69	0									50-69	6	8.0							
70 +	0									70 +	0								
SUBTOTAL	**57**	**10.6**	**10**	**7**	**9**	**10**	**12**	**17**	**18**		**29**	**12.1**	**58**						
GRAND TOTAL	**154**	**13.2**	**66**	**6**	**8**	**11**	**14**	**25**	**28**		**124**	**10.4**	**23**	**7**	**8**	**8**	**11**	**16**	**20**

DRG 303: Kidney, Ureter & Major Bladder Procedures for Neoplasm

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	592	9.9	41	5	6	8	11	18	22
70-74	628	11.9	64	5	6	10	14	21	29
75-79	459	12.3	60	6	7	10	15	22	28
80-84	220	10.2	18	6	7	9	12	18	20
85 +	109	12.9	21	8	10	11	17	22	23
SUBTOTAL	**2008**	**11.3**	**50**	**5**	**7**	**9**	**14**	**21**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	177	8.8	18	5	6	8	10	14	20
70-74	156	7.0	7	4	5	6	9	12	12
75-79	134	8.6	15	4	6	8	10	13	14
80-84	43	10.1	28	5	5	7	16	19	19
85 +	29	5.4	5						
SUBTOTAL	**540**	**8.1**	**16**	**4**	**5**	**7**	**10**	**13**	**16**
GRAND TOTAL	**2548**	**10.6**	**44**	**5**	**6**	**9**	**12**	**20**	**23**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	10.1	12	5	8	9	11	16	16
18-34	18	15.1	81						
35-49	223	7.8	17	4	5	6	9	15	17
50-69	647	10.8	60	5	7	9	12	18	23
70 +	109	11.2	59	4	6	9	15	29	30
	1048	**10.3**	**51**	**5**	**6**	**8**	**12**	**17**	**23**
0-17	34	7.0	1	6	6	7	8	8	8
18-34	24	5.3	1						
35-49	164	5.8	2	4	5	6	7	8	8
50-69	352	7.3	8	4	5	7	9	11	14
70 +	18	7.6	5						
	591	**6.8**	**6**	**4**	**5**	**6**	**8**	**10**	**12**
	1639	**9.0**	**37**	**5**	**6**	**7**	**10**	**15**	**20**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	17	9.0	18						
18-34	12	10.8	17						
35-49	35	16.6	192	4	8	9	29	42	42
50-69	80	12.7	47	6	7	10	18	22	28
70 +	22	15.5	53						
SUBTOTAL	**166**	**13.4**	**77**	**4**	**8**	**10**	**18**	**28**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	17	9.0	5						
18-34	11	8.5							
35-49	17	7.3							
50-69	52	8.8	6	4	7	10	10	12	12
70 +	11	13.5	7						
SUBTOTAL	**108**	**9.0**	**7**	**6**	**7**	**9**	**10**	**12**	**16**
GRAND TOTAL	**274**	**11.7**	**54**	**6**	**7**	**10**	**14**	**22**	**28**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	5.0							
35-49	42	7.9	15	4	4	8	11	15	15
50-69	179	9.9	58	5	6	7	11	20	25
70 +	24	11.7	5						
	252	**9.7**	**46**	**5**	**6**	**7**	**11**	**15**	**22**
0-17	17	7.3	2						
18-34	12	9.8	10						
35-49	59	8.0	9	6	6	6	10	13	14
50-69	145	7.4	10	5	6	6	9	11	14
70 +	29	14.3	163						
	262	**8.4**	**31**	**5**	**6**	**6**	**10**	**13**	**14**
	514	**9.0**	**38**	**5**	**6**	**7**	**10**	**15**	**18**

DRG 304: Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	958	10.4	98	4	5	8	11	19	29	0-17	435	6.6	70	3	4	5	7	9	16
70-74	511	11.6	131	3	6	8	13	23	30	18-34	424	7.7	38	3	4	6	9	14	18
75-79	278	11.9	70	3	6	10	14	27	28	35-49	550	7.2	37	2	4	6	8	13	17
80-84	181	10.1	39	4	6	8	12	21	24	50-69	632	9.3	75	3	4	6	10	22	35
85 +	154	12.2	57	3	8	11	14	23	28	70 +	108	8.7	39	3	4	8	10	16	30
SUBTOTAL	**2082**	**11.0**	**94**	**4**	**5**	**8**	**13**	**23**	**28**		**2148**	**7.9**	**56**	**3**	**4**	**6**	**9**	**14**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2082**	**11.0**	**94**	**4**	**5**	**8**	**13**	**23**	**28**		**2148**	**7.9**	**56**	**3**	**4**	**6**	**9**	**14**	**22**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	237	8.4	43	3	4	6	10	22	27	0-17	110	11.3	357	3	5	6	9	15	83
18-34	259	8.5	47	3	5	6	11	17	19	18-34	204	6.8	19	3	4	6	8	10	16
35-49	189	9.9	38	3	6	9	12	16	25	35-49	211	7.7	22	4	5	7	8	12	20
50-69	125	14.7	188	3	5	10	23	30	47	50-69	336	9.3	68	3	4	7	11	19	30
70 +	11	13.5	46							70 +	61	9.2	30	3	4	7	15	17	19
SUBTOTAL	**821**	**9.8**	**70**	**3**	**5**	**7**	**11**	**22**	**30**		**923**	**8.6**	**80**	**3**	**5**	**6**	**9**	**15**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**821**	**9.8**	**70**	**3**	**5**	**7**	**11**	**22**	**30**		**923**	**8.6**	**80**	**3**	**5**	**6**	**9**	**15**	**20**

DRG 305: Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	351	6.3	98	2	3	5	6	9	12
70-74	112	5.5	4	1	4	6	7	8	8
75-79	92	9.3	40	3	5	7	11	21	23
80-84	30	5.4	3						
85 +	19	4.3	7						
SUBTOTAL	**604**	**6.5**	**65**	**2**	**4**	**5**	**7**	**9**	**12**
GRAND TOTAL	**604**	**6.5**	**65**	**2**	**4**	**5**	**7**	**9**	**12**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1424	3.9	6	< 1	2	4	5	7	8
18-34	519	4.6	10	1	3	4	6	8	9
35-49	633	4.2	7	1	2	4	6	7	8
50-69	590	4.3	12	1	2	4	6	7	10
70 +	36	5.8	16	1	1	5	10	11	11
	3202	**4.2**	**8**	**1**	**2**	**4**	**5**	**7**	**9**
	3202	**4.2**	**8**	**1**	**2**	**4**	**5**	**7**	**9**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	592	5.3	14	2	3	4	6	10	12
18-34	214	5.1	9	2	3	4	7	9	11
35-49	134	6.0	7	3	4	6	8	10	11
50-69	161	7.0	31	1	3	5	11	16	17
70 +	18	10.3	42						
SUBTOTAL	**1119**	**5.7**	**16**	**2**	**3**	**5**	**7**	**11**	**14**
GRAND TOTAL	**1119**	**5.7**	**16**	**2**	**3**	**5**	**7**	**11**	**14**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	393	3.3	5	< 1	1	3	4	6	8
18-34	441	5.0	6	1	3	5	6	7	9
35-49	315	4.8	7	2	3	5	6	7	10
50-69	258	5.3	12	1	3	5	7	9	13
70 +	12	6.0							
	1419	**4.5**	**8**	**1**	**3**	**4**	**6**	**7**	**10**
	1419	**4.5**	**8**	**1**	**3**	**4**	**6**	**7**	**10**

DRG 306: Prostatectomy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	269	6.1	55	2	2	3	4	15	26	0-17	0								
70-74	479	5.6	27	2	2	3	8	13	17	18-34	0								
75-79	485	5.1	16	2	2	4	7	10	13	35-49	12	2.5							
80-84	384	7.3	64	2	3	4	8	18	23	50-69	204	3.7	5	2	2	3	5	7	9
85 +	243	8.0	94	2	3	6	8	15	21	70 +	79	4.9	10	2	3	4	5	11	11
SUBTOTAL	**1860**	**6.2**	**46**	**2**	**2**	**4**	**7**	**14**	**19**		**295**	**4.0**	**6**	**2**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1860**	**6.2**	**46**	**2**	**2**	**4**	**7**	**14**	**19**		**295**	**4.0**	**6**	**2**	**2**	**3**	**5**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	6	3.0								35-49	6	2.0							
50-69	25	3.0								50-69	55	6.1	20	2	3	5	8	16	17
70 +	6	2.0								70 +	37	4.5	33	1	1	2	3	17	17
SUBTOTAL	**38**	**2.8**		**2**	**3**	**3**	**3**	**3**	**3**		**98**	**5.2**	**25**	**1**	**2**	**3**	**7**	**17**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**38**	**2.8**		**2**	**3**	**3**	**3**	**3**	**3**		**98**	**5.2**	**25**	**1**	**2**	**3**	**7**	**17**	**17**

DRG 307: Prostatectomy w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	296	3.2	1	2	2	3	4	5	5	0-17	0								
70-74	221	3.4	3	2	2	3	4	5	9	18-34	0								
75-79	276	3.1	4	1	2	3	4	4	8	35-49	31	3.0	3						
80-84	124	3.4	2	2	3	3	3	5	7	50-69	329	2.8	3	1	2	2	3	4	6
85 +	60	3.7	3	1	2	4	5	6	6	70 +	30	3.1	7						
SUBTOTAL	**976**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**6**		**391**	**2.8**	**3**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**976**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**6**		**391**	**2.8**	**3**	**1**	**2**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	12	2.0							
50-69	31	4.0								50-69	42	2.7		2	2	3	3	4	4
70 +	0									70 +	24	2.4	1						
SUBTOTAL	**31**	**4.0**									**78**	**2.5**	**1**	**2**	**2**	**2**	**3**	**4**	**4**
GRAND TOTAL	**31**	**4.0**									**78**	**2.5**	**1**	**2**	**2**	**2**	**3**	**4**	**4**

DRG 308: Minor Bladder Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	366	6.4	51	1	2	4	8	13	21	0-17	74	5.8	10	3	4	5	8	8	14
70-74	350	5.2	22	2	3	4	6	8	17	18-34	18	2.7	6						
75-79	345	6.4	53	1	2	4	8	15	20	35-49	96	8.4	106	3	4	6	8	11	46
80-84	317	6.5	50	1	2	3	9	13	23	50-69	245	4.7	14	1	2	4	6	11	13
85 +	210	5.7	13	2	3	5	8	11	14	70 +	24	2.0	1						
SUBTOTAL	**1589**	**6.1**	**40**	**1**	**2**	**4**	**8**	**13**	**19**		**457**	**5.4**	**35**	**1**	**2**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1589**	**6.1**	**40**	**1**	**2**	**4**	**8**	**13**	**19**		**457**	**5.4**	**35**	**1**	**2**	**5**	**7**	**10**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	57	5.2	8	2	3	5	6	10	12	0-17	28	5.2	5						
18-34	36	5.4	10	3	4	4	5	12	12	18-34	40	4.7	7	2	2	5	7	9	9
35-49	18	12.8	34							35-49	41	6.8	26	1	4	6	8	18	18
50-69	24	4.9	12							50-69	82	11.3	260	1	3	6	9	24	62
70 +	18	8.6	74							70 +	13	5.0	4						
SUBTOTAL	**153**	**6.5**	**26**	**2**	**3**	**4**	**8**	**12**	**21**		**203**	**7.9**	**120**	**2**	**3**	**5**	**7**	**18**	**24**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**153**	**6.5**	**26**	**2**	**3**	**4**	**8**	**12**	**21**		**203**	**7.9**	**120**	**2**	**3**	**5**	**7**	**18**	**24**

DRG 309: Minor Bladder Procedures w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	364	2.6	7	1	1	2	3	4	8
70-74	250	2.8	4	1	1	2	4	5	7
75-79	264	2.1	2	1	1	2	3	4	5
80-84	147	2.7	2	1	2	2	4	5	6
85 +	79	2.5	1	2	2	2	3	4	5
SUBTOTAL	**1105**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1105**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	114	4.0	11	< 1	1	3	7	10	11
18-34	36	3.0	2	1	2	3	4	5	5
35-49	141	3.3	4	1	2	2	5	6	6
50-69	331	2.6	4	1	1	2	4	5	7
70 +	24	2.3	1						
	645	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
	645	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	62	5.0	9	2	3	4	8	9	11
18-34	52	5.8	8	1	3	7	8	10	10
35-49	18	2.3	1						
50-69	29	2.9	2						
70 +	11	5.5	13						
SUBTOTAL	**173**	**4.6**	**9**	**1**	**2**	**4**	**7**	**9**	**10**
GRAND TOTAL	**173**	**4.6**	**9**	**1**	**2**	**4**	**7**	**9**	**10**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	17	3.7	10						
18-34	29	3.5	15						
35-49	52	4.3	5	2	3	4	5	8	8
50-69	83	3.8	10	1	2	2	5	9	12
70 +	24	2.0	1						
	205	**3.7**	**9**	**1**	**1**	**3**	**5**	**8**	**11**
	205	**3.7**	**9**	**1**	**1**	**3**	**5**	**8**	**11**

DRG 310: Transurethral Procedures w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1064	3.3	13	1	1	2	4	6	9
70-74	1033	3.5	11	1	2	2	4	7	11
75-79	1191	3.9	14	1	2	3	5	8	12
80-84	795	4.3	19	1	2	3	5	9	13
85 +	667	5.4	31	2	2	4	7	10	15
SUBTOTAL	**4750**	**4.0**	**17**	**1**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4750**	**4.0**	**17**	**1**	**2**	**3**	**5**	**8**	**11**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	13	1.5							
18-34	226	2.8	3	1	1	2	4	6	7
35-49	454	3.9	28	1	1	3	4	7	8
50-69	831	3.0	8	1	1	2	4	6	8
70 +	221	3.9	20	1	1	3	4	9	12
	1745	**3.3**	**14**	**1**	**1**	**2**	**4**	**6**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1745	**3.3**	**14**	**1**	**1**	**2**	**4**	**6**	**8**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	77	2.7	4	1	1	2	4	4	8
35-49	46	7.2	89	2	3	4	5	32	32
50-69	83	7.5	60	1	3	5	8	15	32
70 +	12	3.0							
SUBTOTAL	**218**	**5.5**	**48**	**1**	**2**	**3**	**5**	**13**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**218**	**5.5**	**48**	**1**	**2**	**3**	**5**	**13**	**26**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	2.5							
18-34	67	3.6	5	2	2	3	4	7	9
35-49	127	3.6	5	1	2	3	5	7	8
50-69	256	2.6	4	1	1	2	3	6	7
70 +	98	2.5	2	1	1	2	4	5	5
	560	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**7**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	560	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 311: Transurethral Procedures w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1041	2.0	1	1	1	2	3	4	4	0-17	80	2.8	2	1	1	3	4	4	4
70-74	755	2.2	4	1	1	2	3	4	5	18-34	904	2.0	2	1	1	2	2	4	4
75-79	826	2.2	5	1	1	2	2	4	6	35-49	1667	2.0	2	1	1	2	2	4	5
80-84	485	2.1	2	1	1	2	3	4	5	50-69	2073	2.0	2	1	1	2	3	3	4
85 +	385	2.5	3	1	1	2	3	4	5	70 +	173	1.6	1	1	1	1	2	3	3
SUBTOTAL	**3492**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**		**4897**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**4**
GRAND TOTAL	**3492**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**		**4897**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**4**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	6	1.0							
18-34	170	2.2	2	1	1	2	3	4	5	18-34	486	1.5	1	1	1	1	2	3	3
35-49	103	3.0	3	1	2	3	4	6	8	35-49	437	2.4	4	1	1	2	3	5	7
50-69	109	2.6	8	1	1	2	3	7	13	50-69	518	2.3	5	1	1	2	2	4	7
70 +	22	1.5	1							70 +	97	2.4	5	1	1	1	3	7	8
SUBTOTAL	**404**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**6**		**1544**	**2.1**	**3**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**404**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**6**		**1544**	**2.1**	**3**	**1**	**1**	**1**	**2**	**4**	**6**

DRG 312: Urethral Procedures, Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	90	5.2	65	1	1	3	6	8	35
70-74	73	4.1	12	1	2	3	6	8	13
75-79	84	7.1	68	1	2	3	9	21	28
80-84	59	5.3	44	1	1	2	7	18	20
85+	41	6.6	14	2	2	6	11	12	12
SUBTOTAL	**348**	**5.6**	**46**	**1**	**1**	**3**	**7**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**348**	**5.6**	**46**	**1**	**1**	**3**	**7**	**16**	**21**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	98	2.3	3	1	1	1	3	5	8
35-49	49	2.1	5	<1	1	1	2	7	7
50-69	101	2.3	3	1	1	2	4	5	6
70+	29	2.4	1						
	278	**2.3**	**3**	**1**	**1**	**1**	**3**	**5**	**6**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	278	**2.3**	**3**	**1**	**1**	**1**	**3**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	12	6.2	17						
35-49	18	3.3	2						
50-69	12	2.1	1						
70+	0								
SUBTOTAL	**41**	**3.8**	**8**	**1**	**2**	**3**	**5**	**10**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**41**	**3.8**	**8**	**1**	**2**	**3**	**5**	**10**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	12	3.5							
35-49	30	2.2							
50-69	19	4.0	2						
70+	12	2.0							
	73	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**6**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	73	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**6**

DRG 313: Urethral Procedures, Age >17 w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	91	2.3	3	1	1	2	3	4	7	0-17	0								
70-74	114	1.6	1	1	1	1	2	2	3	18-34	116	1.7	1	1	1	1	2	4	4
75-79	43	2.3	2	1	1	2	4	5	5	35-49	134	1.9	1	1	1	1	3	3	4
80-84	61	2.4	2	1	1	2	4	4	4	50-69	144	1.5	1	1	1	1	1	3	4
85 +	43	2.9	2	1	2	3	4	5	5	70 +	18	1.6	1						
SUBTOTAL	**352**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**412**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**352**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**		**412**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	11	4.0								18-34	70	3.5	4	1	2	3	4	5	8
35-49	11	3.0								35-49	42	2.5	4	< 1	1	2	2	7	7
50-69	12	2.5								50-69	17	3.7	15						
70 +	11	5.5	7							70 +	6	2.0							
SUBTOTAL	**46**	**3.7**	**3**	**2**	**3**	**3**	**4**	**8**	**8**		**135**	**3.1**	**5**	**1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**46**	**3.7**	**3**	**2**	**3**	**3**	**4**	**8**	**8**		**135**	**3.1**	**5**	**1**	**1**	**2**	**4**	**7**	**8**

DRG 314: Urethral Procedures, Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	8.0								0-17	11	1.0							
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**8.0**									**11**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	102	1.4	1	< 1	< 1	< 1	1	2	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**102**	**1.4**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**5**
GRAND TOTAL	**6**	**8.0**									**113**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**4**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	1.0								0-17	12	2.1	1						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**6**	**1.0**									**12**	**2.1**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	39	2.6	7	< 1	< 1	2	2	9	9	0-17	28	1.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**39**	**2.6**	**7**	**< 1**	**< 1**	**2**	**2**	**9**	**9**		**28**	**1.0**							
GRAND TOTAL	**45**	**2.4**	**7**	**< 1**	**< 1**	**1**	**2**	**9**	**9**		**40**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**3**	**3**

DRG 315: Other Kidney & Urinary Tract O.R. Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1550	8.1	73	2	3	6	10	15	24	0-17	29	11.2	89						
70-74	495	9.8	87	1	3	7	13	25	28	18-34	127	5.8	9	2	3	6	8	10	11
75-79	475	11.0	142	2	4	7	15	25	29	35-49	338	7.9	91	1	2	5	8	23	34
80-84	206	15.5	108	2	7	16	22	27	32	50-69	473	9.1	89	2	3	7	11	21	25
85+	125	11.3	61	4	5	7	18	23	26	70+	60	7.4	40	1	2	4	14	17	19
SUBTOTAL	**2851**	**9.5**	**93**	**2**	**3**	**7**	**12**	**22**	**27**		**1028**	**8.3**	**78**	**1**	**3**	**6**	**9**	**20**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	472	3.8	14	1	1	2	5	8	11	0-17	22	3.8	9						
70-74	141	2.4	6	1	1	2	2	8	8	18-34	137	4.0	10	1	2	3	7	8	10
75-79	117	3.7	13	1	1	2	4	10	12	35-49	178	4.2	12	1	2	3	5	10	12
80-84	78	3.9	17	1	1	1	6	7	16	50-69	328	3.2	10	1	1	2	4	9	11
85+	24	4.1	23							70+	40	3.0	15	1	1	1	4	12	12
SUBTOTAL	**833**	**3.6**	**13**	**1**	**1**	**2**	**5**	**8**	**10**		**706**	**3.6**	**11**	**1**	**1**	**2**	**5**	**9**	**11**
GRAND TOTAL	**3683**	**8.2**	**81**	**1**	**2**	**6**	**10**	**19**	**25**		**1733**	**6.4**	**56**	**1**	**2**	**4**	**8**	**14**	**21**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	12	4.9	1							0-17	34	14.2	124	5	8	10	15	38	38
18-34	139	9.7	77	2	4	9	12	19	28	18-34	191	13.0	92	2	5	11	19	25	34
35-49	214	11.0	79	4	4	9	13	24	36	35-49	205	11.8	116	2	4	8	15	22	38
50-69	362	15.5	276	2	6	10	17	45	53	50-69	273	10.9	109	2	6	8	13	25	52
70+	29	13.0	55							70+	24	13.1	109						
SUBTOTAL	**755**	**12.9**	**178**	**2**	**4**	**9**	**15**	**28**	**45**		**727**	**11.9**	**108**	**2**	**5**	**9**	**15**	**25**	**36**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	29	8.6	49							0-17	35	3.3	10	1	1	2	3	10	10
18-34	121	7.0	28	2	3	6	9	17	18	18-34	148	4.3	9	1	2	4	6	8	10
35-49	154	6.7	27	2	2	4	11	15	18	35-49	81	6.4	41	1	2	4	8	16	23
50-69	126	5.7	27	1	2	4	7	15	16	50-69	104	4.0	9	1	2	3	5	9	14
70+	0									70+	6	2.0							
SUBTOTAL	**430**	**6.6**	**29**	**1**	**2**	**5**	**9**	**15**	**18**		**373**	**4.6**	**17**	**1**	**2**	**3**	**5**	**10**	**14**
GRAND TOTAL	**1185**	**10.6**	**133**	**2**	**4**	**8**	**13**	**22**	**37**		**1100**	**9.4**	**89**	**2**	**3**	**7**	**13**	**22**	**31**

DRG 316: Renal Failure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1560	7.6	79	2	3	5	9	15	20	0-17	39	5.4	13	1	3	4	7	13	13
70-74	768	7.9	28	2	4	7	11	15	18	18-34	132	4.5	11	1	2	4	7	9	10
75-79	924	8.5	47	2	4	6	11	17	23	35-49	260	7.4	38	2	3	6	9	14	20
80-84	829	8.8	37	3	5	7	11	17	21	50-69	585	7.5	74	2	3	5	10	13	22
85 +	757	9.2	73	3	5	7	11	16	19	70 +	135	9.1	40	3	4	8	11	19	21
SUBTOTAL	**4838**	**8.2**	**57**	**2**	**4**	**6**	**11**	**16**	**20**		**1151**	**7.2**	**54**	**2**	**3**	**5**	**9**	**13**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	195	3.7	15	1	1	2	4	9	16	0-17	29	2.4	1						
70-74	108	5.1	12	1	3	4	6	10	14	18-34	66	3.9	4	2	2	3	6	6	7
75-79	96	5.4	12	3	3	4	6	13	14	35-49	73	3.3	6	1	1	2	5	6	9
80-84	85	7.9	71	3	4	6	9	14	37	50-69	108	4.6	13	1	2	4	5	11	15
85 +	73	6.5	28	2	3	4	8	15	17	70 +	23	6.7	10						
SUBTOTAL	**557**	**5.3**	**26**	**1**	**2**	**4**	**6**	**13**	**15**		**299**	**4.1**	**9**	**1**	**2**	**3**	**5**	**9**	**11**
GRAND TOTAL	**5395**	**7.9**	**55**	**2**	**4**	**6**	**10**	**16**	**20**		**1449**	**6.6**	**46**	**1**	**3**	**5**	**9**	**13**	**16**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	39	9.3	56	< 1	6	6	11	26	26	0-17	34	12.7	79	< 1	6	11	18	28	28
18-34	286	5.7	20	1	2	4	10	14	16	18-34	217	5.3	14	2	3	3	8	11	13
35-49	263	6.3	22	1	2	5	9	14	15	35-49	235	6.3	31	1	3	4	9	15	17
50-69	497	7.4	35	2	3	6	8	17	21	50-69	486	6.6	37	1	2	5	9	12	17
70 +	124	5.8	16	2	3	5	7	9	14	70 +	167	8.2	54	2	3	6	10	16	25
SUBTOTAL	**1209**	**6.7**	**28**	**1**	**3**	**5**	**9**	**15**	**19**		**1139**	**6.7**	**37**	**1**	**3**	**5**	**9**	**14**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	18	3.3	2							0-17	22	2.0	3						
18-34	125	4.0	16	< 1	1	2	7	9	11	18-34	170	3.2	8	< 1	< 1	2	4	7	9
35-49	114	4.4	14	1	2	3	6	8	15	35-49	191	5.2	44	< 1	1	3	7	10	18
50-69	212	5.8	34	< 1	1	4	7	16	19	50-69	225	3.3	36	< 1	< 1	1	3	7	17
70 +	12	3.9	1							70 +	18	5.9	18						
SUBTOTAL	**480**	**4.8**	**23**	**1**	**1**	**3**	**6**	**11**	**17**		**626**	**3.9**	**30**	**< 1**	**< 1**	**2**	**5**	**8**	**13**
GRAND TOTAL	**1690**	**6.1**	**27**	**1**	**2**	**5**	**8**	**15**	**17**		**1765**	**5.7**	**36**	**< 1**	**2**	**4**	**8**	**13**	**16**

DRG 317: Admit for Renal Dialysis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	34	5.1	45	1	2	3	3	20	20
70-74	11	3.5							
75-79	6	1.0							
80-84	12	7.3	39						
85 +	0								
SUBTOTAL	**63**	**4.9**	**34**	**1**	**1**	**3**	**4**	**14**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	5.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**5.0**							
GRAND TOTAL	**69**	**4.9**	**31**	**1**	**2**	**3**	**5**	**13**	**20**

BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	24	2.9	5						
35-49	12	1.0							
50-69	24	2.3	1						
70 +	0								
	59	**2.3**	**3**	**1**	**1**	**2**	**2**	**6**	**7**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	59	**2.3**	**3**	**1**	**1**	**2**	**2**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	23	1.8	2						
35-49	11	4.0	1						
50-69	34	1.0		< 1	< 1	< 1	< 1	< 1	< 1
70 +	0								
SUBTOTAL	**68**	**1.8**	**2**	**< 1**	**< 1**	**< 1**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	6	3.0							
50-69	0								
70 +	0								
SUBTOTAL	**6**	**3.0**							
GRAND TOTAL	**74**	**1.9**	**2**	**< 1**	**< 1**	**< 1**	**3**	**4**	**5**

NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	34	1.0		< 1	< 1	< 1	< 1	< 1	< 1
35-49	11	1.0							
50-69	34	1.0		< 1	< 1	< 1	< 1	< 1	< 1
70 +	0								
	79	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**
0-17	0								
18-34	6	1.0							
35-49	0								
50-69	6	1.0							
70 +	0								
	11	**1.0**							
	90	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**

DRG 318: Kidney & Urinary Tract Neoplasms w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	182	6.1	27	1	3	5	7	13	22
70-74	108	6.9	43	1	3	4	9	17	27
75-79	162	6.8	29	1	3	6	9	15	15
80-84	156	4.7	9	2	2	4	6	8	11
85 +	159	5.3	30	1	2	3	6	15	16
SUBTOTAL	**765**	**5.9**	**27**	**1**	**2**	**5**	**7**	**13**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**765**	**5.9**	**27**	**1**	**2**	**5**	**7**	**13**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	34	6.7	16	3	3	7	9	14	14
18-34	13	18.0	4						
35-49	66	5.3	17	1	3	5	6	8	17
50-69	168	7.0	73	1	2	4	9	19	28
70 +	29	4.9	11						
	310	**6.8**	**52**	**1**	**3**	**4**	**9**	**16**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	310	**6.8**	**52**	**1**	**3**	**4**	**9**	**16**	**20**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	29	6.4	7						
18-34	0								
35-49	18	4.6	3						
50-69	62	10.7	228	2	3	6	11	11	57
70 +	29	8.1	19						
SUBTOTAL	**137**	**8.5**	**113**	**3**	**4**	**6**	**10**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**137**	**8.5**	**113**	**3**	**4**	**6**	**10**	**11**	**15**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	6.0							
18-34	6	5.0							
35-49	29	7.4	56						
50-69	63	6.2	29	1	1	5	9	13	18
70 +	18	4.0	1						
	123	**6.1**	**29**	**1**	**3**	**5**	**7**	**13**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	123	**6.1**	**29**	**1**	**3**	**5**	**7**	**13**	**19**

DRG 319: Kidney & Urinary Tract Neoplasms w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	36	7.0	163	< 1	< 1	1	4	36	36	0-17	22	3.8	24						
70-74	18	3.1	3							18-34	0								
75-79	18	2.3	1							35-49	18	3.2	5						
80-84	31	2.6	1							50-69	48	2.3	5	1	1	2	3	8	8
85 +	12	9.6	53							70 +	0								
SUBTOTAL	**114**	**4.7**	**63**	**< 1**	**1**	**3**	**3**	**17**	**32**		**88**	**2.9**	**10**	**< 1**	**1**	**1**	**3**	**8**	**12**
GRAND TOTAL	**114**	**4.7**	**63**	**< 1**	**1**	**3**	**3**	**17**	**32**		**88**	**2.9**	**10**	**< 1**	**1**	**1**	**3**	**8**	**12**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	6.0								0-17	11	2.5	2						
18-34	6	4.0								18-34	34	3.3	3	1	1	4	4	6	6
35-49	0									35-49	29	1.4							
50-69	51	3.1	3	1	2	3	4	7	7	50-69	45	5.4	34	1	2	3	8	19	19
70 +	0									70 +	0								
SUBTOTAL	**62**	**3.5**	**3**	**2**	**2**	**3**	**4**	**6**	**7**		**119**	**3.6**	**16**	**1**	**1**	**2**	**4**	**8**	**14**
GRAND TOTAL	**62**	**3.5**	**3**	**2**	**2**	**3**	**4**	**6**	**7**		**119**	**3.6**	**16**	**1**	**1**	**2**	**4**	**8**	**14**

DRG 320: Kidney & Urinary Tract Infections Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3729	6.1	26	2	3	5	7	10	13	0-17	0								
70-74	2464	6.3	28	3	3	5	8	11	14	18-34	1349	4.2	13	1	2	3	5	7	8
75-79	3128	6.8	26	3	4	6	8	12	16	35-49	1166	4.7	20	2	2	4	6	7	9
80-84	3081	6.7	36	3	4	5	8	12	15	50-69	1692	4.8	9	2	3	4	6	9	11
85+	4390	6.7	22	3	4	6	8	12	15	70+	484	5.2	11	2	3	5	7	9	11
SUBTOTAL	**16791**	**6.5**	**27**	**3**	**4**	**5**	**8**	**11**	**15**		**4691**	**4.7**	**13**	**2**	**3**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**16791**	**6.5**	**27**	**3**	**4**	**5**	**8**	**11**	**15**		**4691**	**4.7**	**13**	**2**	**3**	**4**	**6**	**8**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	1188	4.7	16	2	3	4	6	8	10	18-34	1167	3.9	5	2	2	3	5	7	9
35-49	680	7.0	55	2	3	5	8	13	21	35-49	746	5.0	8	2	3	5	6	8	11
50-69	934	6.8	30	2	4	6	8	12	15	50-69	1100	5.8	23	2	3	5	7	10	14
70+	254	6.0	9	3	4	5	8	10	11	70+	522	5.9	15	2	3	5	7	10	13
SUBTOTAL	**3056**	**6.0**	**29**	**2**	**3**	**5**	**7**	**10**	**14**		**3534**	**5.0**	**14**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**3056**	**6.0**	**29**	**2**	**3**	**5**	**7**	**10**	**14**		**3534**	**5.0**	**14**	**2**	**3**	**4**	**6**	**9**	**11**

DRG 321: Kidney & Urinary Tract Infections Age >17 w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	769	4.1	6	2	3	4	5	7	9	0-17	0								
70-74	703	4.3	11	1	2	4	5	7	10	18-34	2439	3.1	2	1	2	3	4	5	6
75-79	740	4.1	6	2	3	4	5	6	9	35-49	1486	3.5	3	1	2	3	4	6	7
80-84	632	4.1	5	2	2	4	5	7	8	50-69	878	3.6	4	1	2	3	5	6	8
85 +	727	4.3	6	2	3	4	6	7	8	70 +	228	3.8	4	2	2	3	5	7	8
SUBTOTAL	**3571**	**4.2**	**7**	**2**	**3**	**4**	**5**	**7**	**8**		**5031**	**3.3**	**3**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**3571**	**4.2**	**7**	**2**	**3**	**4**	**5**	**7**	**8**		**5031**	**3.3**	**3**	**1**	**2**	**3**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	1509	3.4	2	2	2	3	4	5	6	18-34	2358	3.2	3	1	2	3	4	5	6
35-49	383	5.0	16	2	3	4	6	8	10	35-49	903	3.9	6	1	2	3	5	7	9
50-69	255	4.7	11	1	2	4	6	9	12	50-69	634	4.3	8	2	3	4	5	7	9
70 +	154	5.2	10	2	3	4	7	9	11	70 +	236	4.4	7	1	3	4	6	7	9
SUBTOTAL	**2300**	**3.9**	**7**	**2**	**2**	**3**	**5**	**6**	**8**		**4131**	**3.6**	**5**	**1**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**2300**	**3.9**	**7**	**2**	**2**	**3**	**5**	**6**	**8**		**4131**	**3.6**	**5**	**1**	**2**	**3**	**5**	**6**	**7**

DRG 322: Kidney & Urinary Tract Infections Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	36	4.8	4	2	3	5	7	7	7
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**36**	**4.8**	**4**	**2**	**3**	**5**	**7**	**7**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**1.0**							
GRAND TOTAL	**42**	**4.3**	**5**	**1**	**2**	**4**	**7**	**7**	**7**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	744	3.3	5	1	2	3	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	744	**3.3**	**5**	**1**	**2**	**3**	**4**	**5**	**7**
0-17	2081	3.3	3	1	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2081	**3.3**	**3**	**1**	**2**	**3**	**4**	**6**	**7**
	2825	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	655	4.4	8	2	2	4	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**655**	**4.4**	**8**	**2**	**2**	**4**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1731	4.1	6	2	2	4	5	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1731**	**4.1**	**6**	**2**	**2**	**4**	**5**	**7**	**9**
GRAND TOTAL	**2386**	**4.2**	**6**	**2**	**2**	**4**	**5**	**8**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	379	4.9	19	2	2	4	6	10	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	379	**4.9**	**19**	**2**	**2**	**4**	**6**	**10**	**11**
0-17	1477	3.6	6	1	2	3	4	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1477	**3.6**	**6**	**1**	**2**	**3**	**4**	**7**	**9**
	1856	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**10**

DRG 323: Urinary Stones w/ CC, &/or ESW Lithotripsy

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	848	3.2	5	1	2	2	4	6	7	0-17	61	3.4	8	1	1	2	6	8	9
70-74	473	3.1	7	1	1	2	4	6	8	18-34	700	2.4	[illegible]	1	1	2	3	5	6
75-79	466	4.1	14	1	2	3	5	8	10	35-49	1232	2.3	3	1	1	2	3	4	5
80-84	263	5.0	33	1	2	3	5	13	15	50-69	1090	2.8	6	1	1	2	3	5	7
85 +	193	4.4	16	2	2	4	4	7	12	70 +	72	4.1	5	2	2	4	6	7	8
SUBTOTAL	**2243**	**3.7**	**12**	**1**	**2**	**3**	**4**	**7**	**10**		**3156**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	18	1.3								0-17	12	3.0							
70-74	18	1.0								18-34	36	3.3	5	1	1	2	5	7	7
75-79	0									35-49	86	2.3	3	1	1	2	2	5	7
80-84	12	1.9	1							50-69	96	1.7	1	< 1	1	1	2	3	4
85 +	0									70 +	0								
SUBTOTAL	**48**	**1.3**		**1**	**1**	**1**	**2**	**3**	**3**		**230**	**2.2**	**3**	**< 1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**2291**	**3.6**	**12**	**1**	**2**	**3**	**4**	**7**	**10**		**3386**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	18	7.5	9							0-17	24	4.6	26						
18-34	187	2.6	2	1	1	3	4	5	5	18-34	435	3.3	11	1	1	2	4	9	10
35-49	123	3.3	7	1	1	2	4	7	9	35-49	479	2.9	9	1	1	2	3	6	8
50-69	65	5.4	27	1	1	3	11	11	17	50-69	376	3.7	11	1	1	3	5	8	11
70 +	0									70 +	43	3.1	1	2	2	3	3	6	6
SUBTOTAL	**392**	**3.5**	**10**	**1**	**1**	**3**	**4**	**8**	**11**		**1358**	**3.3**	**10**	**1**	**1**	**2**	**4**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	19	2.0	1							18-34	13	3.0	4						
35-49	6	2.0								35-49	24	3.0	3						
50-69	0									50-69	19	1.3							
70 +	0									70 +	0								
SUBTOTAL	**25**	**2.0**	**1**								**56**	**2.4**	**3**	**1**	**1**	**2**	**4**	**5**	**5**
GRAND TOTAL	**418**	**3.4**	**9**	**1**	**1**	**3**	**4**	**8**	**11**		**1414**	**3.3**	**10**	**1**	**1**	**2**	**4**	**8**	**10**

DRG 324: Urinary Stones w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	949	2.0	1	1	1	2	2	3	4
70-74	506	1.7	1	1	1	1	2	3	4
75-79	268	2.1	2	1	1	1	3	4	5
80-84	170	2.5	4	1	1	2	3	6	7
85+	133	2.6	7	1	1	2	3	3	6
SUBTOTAL	**2025**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**
GRAND TOTAL	**2025**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	202	1.4	1	<1	1	1	2	2	3
18-34	2954	1.7	1	<1	1	1	2	3	4
35-49	5718	1.6	1	<1	1	1	2	3	3
50-69	3456	1.7	2	1	1	1	2	3	4
70+	97	2.5	3	<1	1	2	4	5	7
	12427	**1.7**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**
	12427	**1.7**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	29	1.8	1						
18-34	473	2.3	3	1	1	2	3	4	5
35-49	187	2.4	3	1	1	2	3	6	6
50-69	78	2.7	4	1	2	2	3	5	9
70+	0								
SUBTOTAL	**767**	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**767**	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	71	4.0	23	1	1	2	4	13	16
18-34	1738	1.8	1	<1	1	1	2	3	4
35-49	1750	1.7	1	<1	1	1	2	3	4
50-69	824	1.7	1	1	1	1	2	3	4
70+	43	1.9	2	1	1	1	2	5	5
	4425	**1.8**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**
	4425	**1.8**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**

DRG 325: Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	152	4.5	14	1	2	3	5	10	13
70-74	146	4.0	14	1	2	3	6	6	7
75-79	175	5.4	11	2	3	5	6	11	12
80-84	153	4.7	12	1	2	4	6	11	11
85 +	196	4.8	14	2	2	3	7	9	13
SUBTOTAL	**822**	**4.7**	**13**	**1**	**2**	**4**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**822**	**4.7**	**13**	**1**	**2**	**4**	**6**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	24	1.7	1						
35-49	79	3.8	9	1	1	3	4	8	12
50-69	179	2.6	3	1	1	2	4	5	7
70 +	36	5.1	21	1	2	4	5	15	15
	317	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	317	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	36	2.7	2	1	1	2	4	5	5
35-49	18	4.6	5						
50-69	30	2.0							
70 +	18	1.7							
SUBTOTAL	**102**	**2.6**	**3**	**1**	**2**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**102**	**2.6**	**3**	**1**	**2**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	35	2.5	1	1	2	2	4	4	4
35-49	41	4.1	17	1	1	2	7	13	13
50-69	55	3.9	7	1	2	3	6	9	9
70 +	42	7.5	79	1	2	6	8	29	29
	173	**4.5**	**28**	**1**	**2**	**2**	**6**	**9**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	173	**4.5**	**28**	**1**	**2**	**2**	**6**	**9**	**13**

DRG 326: Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	68	2.2	3	< 1	1	1	3	4	7
70-74	56	2.1	2	< 1	1	2	2	6	6
75-79	73	2.7	3	1	1	2	4	5	6
80-84	43	2.4	1	1	2	2	3	4	4
85 +	68	3.2	9	< 1	1	2	5	6	11
SUBTOTAL	**308**	**2.6**	**4**	**< 1**	**1**	**2**	**3**	**6**	**6**
GRAND TOTAL	**308**	**2.6**	**4**	**< 1**	**1**	**2**	**3**	**6**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	55	2.2	2	< 1	1	2	3	5	5
35-49	115	2.6	3	1	1	2	3	6	7
50-69	36	1.5		1	1	2	2	2	2
70 +	29	2.0	1						
	235	**2.3**	**2**	**1**	**1**	**2**	**3**	**5**	**6**
	235	**2.3**	**2**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	23	1.5							
35-49	2[illegible]	2.7	4						
50-69	12	1.5							
70 +	0								
SUBTOTAL	**64**	**2.0**	**2**	**1**	**1**	**2**	**2**	**5**	**6**
GRAND TOTAL	**64**	**2.0**	**2**	**1**	**1**	**2**	**2**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	105	3.7	23	1	1	2	3	16	18
35-49	24	2.0	1						
50-69	48	2.0	1	< 1	1	2	2	5	5
70 +	30	2.8	2						
	207	**3.0**	**13**	**1**	**1**	**2**	**3**	**5**	**16**
	207	**3.0**	**13**	**1**	**1**	**2**	**3**	**5**	**16**

DRG 327: Kidney & Urinary Tract Signs & Symptoms Age 0-17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	48	2.9	9	1	2	2	3	11	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	48	**2.9**	**9**	**1**	**2**	**2**	**3**	**11**	**11**
0-17	104	2.0	2	< 1	1	1	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	104	**2.0**	**2**	**< 1**	**1**	**1**	**3**	**4**	**6**
	153	**2.3**	**4**	**< 1**	**1**	**2**	**3**	**4**	**6**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	12	1.5							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**12**	**1.5**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	41	8.7	313	1	1	1	2	50	50
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**41**	**8.7**	**313**	**1**	**1**	**1**	**2**	**50**	**50**
GRAND TOTAL	**53**	**7.1**	**251**	**< 1**	**1**	**1**	**2**	**50**	**50**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6	**1.0**							
0-17	52	1.6	2	< 1	< 1	1	1	5	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	52	**1.6**	**2**	**< 1**	**< 1**	**1**	**1**	**5**	**5**
	57	**1.5**	**2**	**< 1**	**< 1**	**1**	**1**	**4**	**5**

DRG 328: Urethral Stricture Age >17 w/ CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	12	5.5							
70-74	19	4.0	6						
75-79	6	1.0							
80-84	6	4.0							
85 +	18	4.3	12						
SUBTOTAL	61	4.1	7	<1	1	4	6	8	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	61	4.1	7	<1	1	4	6	8	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	12	1.5							
35-49	19	3.3	4						
50-69	41	4.0	16	1	1	2	7	12	12
70 +	6	2.0							
	78	3.3	10	1	1	2	4	7	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	78	3.3	10	1	1	2	4	7	12

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	6	2.0							
50-69	0								
70 +	0								
SUBTOTAL	6	2.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	6	2.0							

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	2.0							
35-49	6	7.0							
50-69	12	1.0							
70 +	6	4.0							
	31	3.0	5						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	31	3.0	5						

DRG 329: Urethral Stricture Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	4.0							
70-74	6	2.0							
75-79	6	1.0							
80-84	6	1.0							
85 +	13	11.0	88						
SUBTOTAL	**36**	**5.1**	**48**	**< 1**	**1**	**2**	**4**	**20**	**20**
GRAND TOTAL	**36**	**5.1**	**48**	**< 1**	**1**	**2**	**4**	**20**	**20**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	37	1.5		< 1	< 1	2	2	2	2
35-49	12	2.6	2						
50-69	18	1.6	1						
70 +	6	2.0							
	73	**1.8**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**
	73	**1.8**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	12	5.7	27						
50-69	0								
70 +	6	2.0							
SUBTOTAL	**18**	**4.5**	**21**						
GRAND TOTAL	**18**	**4.5**	**21**						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	13	1.0							
35-49	0								
50-69	0								
70 +	6	1.0							
	19	**1.0**							
	19	**1.0**							

DRG 330: Urethral Stricture Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	12	17.2	213						
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**12**	**17.2**	**213**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	34	1.5	1	< 1	< 1	1	2	3	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**34**	**1.5**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**0**										**46**	**5.5**	**100**	**< 1**	**1**	**2**	**4**	**32**	**32**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	6	8.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**6**	**8.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	11	1.5							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**11**	**1.5**							
GRAND TOTAL	**0**										**17**	**3.7**	**10**						

DRG 331: Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1868	5.5	28	1	2	4	7	12	17
70-74	649	5.0	19	1	2	4	6	10	14
75-79	722	5.9	44	1	3	4	7	10	19
80-84	557	5.3	12	2	3	5	7	9	12
85 +	623	5.8	21	2	3	5	8	10	13
SUBTOTAL	**4419**	**5.5**	**26**	**1**	**2**	**4**	**7**	**11**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4419**	**5.5**	**26**	**1**	**2**	**4**	**7**	**11**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	431	4.2	15	1	2	3	5	9	13
35-49	502	4.6	15	1	2	4	7	10	12
50-69	606	5.0	19	1	2	4	6	10	15
70 +	109	4.4	14	1	2	3	7	11	14
	1649	**4.6**	**16**	**1**	**2**	**3**	**6**	**10**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1649	**4.6**	**16**	**1**	**2**	**3**	**6**	**10**	**14**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	345	5.7	37	1	2	4	6	14	25
35-49	265	7.8	87	2	3	6	8	14	18
50-69	342	7.4	35	2	3	6	9	14	20
70 +	46	10.5	92	1	3	7	16	29	29
SUBTOTAL	**999**	**7.1**	**54**	**2**	**3**	**5**	**9**	**14**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**999**	**7.1**	**54**	**2**	**3**	**5**	**9**	**14**	**22**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	309	4.8	32	1	1	3	6	11	14
35-49	314	5.7	25	2	2	4	7	14	17
50-69	393	5.5	16	2	2	5	8	10	12
70 +	120	6.4	41	2	3	5	7	16	24
	1137	**5.4**	**26**	**1**	**2**	**4**	**7**	**11**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1137	**5.4**	**26**	**1**	**2**	**4**	**7**	**11**	**15**

DRG 332: Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	339	3.9	25	1	1	2	4	8	11
70-74	201	2.9	7	1	1	2	4	6	9
75-79	203	2.9	4	1	1	3	4	5	8
80-84	102	2.5	2	<1	1	2	3	5	6
85 +	85	3.4	12	1	1	2	4	8	13
SUBTOTAL	929	3.3	13	1	1	2	4	6	10
GRAND TOTAL	929	3.3	13	1	1	2	4	6	10

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	433	2.0	2	1	1	1	2	4	6
35-49	539	2.5	7	<1	1	2	3	4	6
50-69	345	1.8	5	1	1	1	2	4	6
70 +	36	2.2	1	1	1	2	3	4	4
	1352	2.1	5	1	1	1	3	4	6
	1352	2.1	5	1	1	1	3	4	6

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	193	4.0	12	1	1	3	6	8	12
35-49	107	4.2	12	1	1	4	6	9	14
50-69	148	5.6	22	1	2	4	7	13	17
70 +	28	4.4	12						
SUBTOTAL	476	4.6	15	1	1	4	6	9	13
GRAND TOTAL	476	4.6	15	1	1	4	6	9	13

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	524	3.9	25	1	1	2	5	8	14
35-49	557	2.6	6	1	1	2	3	5	7
50-69	291	3.8	29	<1	1	2	4	8	20
70 +	69	2.8	5	<1	1	2	4	6	9
	1440	3.3	18	<1	1	2	4	7	9
	1440	3.3	18	<1	1	2	4	7	9

DRG 333: Other Kidney & Urinary Tract Diagnoses Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	51	7.2	124	< 1	2	4	5	38	38
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**51**	**7.2**	**124**	**< 1**	**2**	**4**	**5**	**38**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	17	4.7	6						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**17**	**4.7**	**6**						
GRAND TOTAL	**67**	**6.6**	**95**	**1**	**2**	**4**	**6**	**8**	**38**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	384	3.2	7	1	1	2	5	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	384	**3.2**	**7**	**1**	**1**	**2**	**5**	**7**	**9**
0-17	669	2.2	3	< 1	< 1	1	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	669	**2.2**	**3**	**< 1**	**< 1**	**1**	**3**	**5**	**6**
	1054	**2.6**	**4**	**< 1**	**1**	**2**	**4**	**6**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	143	5.7	33	1	1	3	7	16	20
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**143**	**5.7**	**33**	**1**	**1**	**3**	**7**	**16**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	273	3.9	10	< 1	1	3	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**273**	**3.9**	**10**	**< 1**	**1**	**3**	**5**	**8**	**10**
GRAND TOTAL	**416**	**4.5**	**19**	**1**	**1**	**3**	**6**	**10**	**16**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	119	3.2	3	1	1	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	119	**3.2**	**3**	**1**	**1**	**3**	**4**	**6**	**7**
0-17	279	3.1	4	1	2	2	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	279	**3.1**	**4**	**1**	**2**	**2**	**4**	**6**	**7**
	398	**3.1**	**4**	**1**	**2**	**3**	**4**	**6**	**7**

DRG 334: Major Male Pelvic Procedures w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1743	7.0	7	4	5	7	8	10	13	0-17	0								
70-74	1629	7.3	10	4	5	7	8	11	13	18-34	6	6.0							
75-79	793	8.1	18	4	5	7	10	14	17	35-49	60	6.4	10	3	4	6	8	12	13
80-84	163	8.7	11	5	6	8	10	14	16	50-69	1358	7.0	10	4	5	7	8	11	12
85 +	85	9.8	19	4	6	8	15	15	16	70 +	131	7.6	7	5	6	7	9	10	14
SUBTOTAL	**4414**	**7.4**	**11**	**4**	**5**	**7**	**8**	**11**	**14**		**1555**	**7.0**	**10**	**4**	**5**	**7**	**8**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4414**	**7.4**	**11**	**4**	**5**	**7**	**8**	**11**	**14**		**1555**	**7.0**	**10**	**4**	**5**	**7**	**8**	**11**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	6	4.0							
18-34	6	7.0								18-34	22	7.5	11						
35-49	6	6.0								35-49	13	4.5							
50-69	62	8.6	12	6	7	8	9	12	19	50-69	282	6.6	17	4	5	6	7	9	12
70 +	40	8.5	15	4	4	8	12	15	15	70 +	112	8.6	11	5	5	8	11	14	15
SUBTOTAL	**114**	**8.4**	**12**	**4**	**6**	**8**	**9**	**15**	**18**		**435**	**7.0**	**16**	**4**	**5**	**6**	**8**	**11**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**114**	**8.4**	**12**	**4**	**6**	**8**	**9**	**15**	**18**		**435**	**7.0**	**16**	**4**	**5**	**6**	**8**	**11**	**14**

DRG 335: Major Male Pelvic Procedures w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1100	6.1	4	4	5	6	7	8	9	0-17	6	1.0							
70-74	935	6.3	4	4	5	6	7	9	9	18-34	6	4.0							
75-79	352	6.7	5	4	5	7	8	9	11	35-49	24	4.7	2						
80-84	80	6.7	2	5	6	7	8	8	9	50-69	1558	5.8	3	4	5	6	7	8	9
85 +	18	8.9	5							70 +	118	6.6	9	3	5	6	8	12	14
SUBTOTAL	**2484**	**6.3**	**4**	**4**	**5**	**6**	**7**	**8**	**9**		**1712**	**5.8**	**3**	**4**	**5**	**6**	**7**	**8**	**9**
GRAND TOTAL	**2484**	**6.3**	**4**	**4**	**5**	**6**	**7**	**8**	**9**		**1712**	**5.8**	**3**	**4**	**5**	**6**	**7**	**8**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	18	1.4							
18-34	6	6.0								18-34	28	7.6	6						
35-49	6	8.0								35-49	24	4.3							
50-69	45	7.0	3	4	5	8	8	9	9	50-69	481	6.1	4	4	5	6	7	8	8
70 +	22	7.5	2							70 +	55	6.0	4	4	4	6	7	10	11
SUBTOTAL	**79**	**7.1**	**2**	**5**	**6**	**8**	**8**	**9**	**9**		**606**	**5.9**	**5**	**4**	**4**	**6**	**7**	**8**	**8**
GRAND TOTAL	**79**	**7.1**	**2**	**5**	**6**	**8**	**8**	**9**	**9**		**606**	**5.9**	**5**	**4**	**4**	**6**	**7**	**8**	**8**

DRG 336: Transurethral Prostatectomy w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	3508	3.6	7	2	2	3	4	5	7	0-17	6	3.0							
70-74	4588	3.8	6	2	3	3	4	6	8	18-34	0								
75-79	4380	4.1	7	2	3	3	5	7	9	35-49	31	3.8	3						
80-84	2981	4.6	12	2	3	4	5	8	12	50-69	2092	3.3	5	2	2	3	4	5	6
85 +	1853	5.1	10	2	3	4	6	9	12	70 +	640	3.8	9	2	3	3	4	6	7
SUBTOTAL	**17310**	**4.1**	**8**	**2**	**3**	**3**	**5**	**7**	**9**		**2769**	**3.4**	**6**	**2**	**2**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**17310**	**4.1**	**8**	**2**	**3**	**3**	**5**	**7**	**9**		**2769**	**3.4**	**6**	**2**	**2**	**3**	**4**	**5**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	121	6.2	51	2	2	3	5	15	24	50-69	462	3.4	4	2	2	3	4	5	8
70 +	82	6.7	31	2	4	5	7	11	25	70 +	353	3.9	21	2	2	3	4	6	8
SUBTOTAL	**203**	**6.4**	**43**	**2**	**3**	**4**	**6**	**13**	**25**		**815**	**3.6**	**12**	**2**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**203**	**6.4**	**43**	**2**	**3**	**4**	**6**	**13**	**25**		**815**	**3.6**	**12**	**2**	**2**	**3**	**4**	**6**	**8**

DRG 337: Transurethral Prostatectomy w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	5933	2.7	2	2	2	3	3	4	5	0-17	0								
70-74	5643	2.9	2	2	2	3	3	4	5	18-34	12	1.5							
75-79	4674	2.9	1	2	2	3	3	4	5	35-49	251	2.9	1	1	2	3	4	5	5
80-84	2530	3.2	6	2	2	3	4	5	6	50-69	6486	2.6	2	1	2	2	3	4	4
85 +	1063	3.6	4	2	2	3	4	5	8	70 +	966	3.0	2	2	2	3	3	4	6
SUBTOTAL	**19843**	**2.9**	**2**	**2**	**2**	**3**	**3**	**4**	**5**		**7715**	**2.7**	**2**	**2**	**2**	**3**	**3**	**4**	**5**
GRAND TOTAL	**19843**	**2.9**	**2**	**2**	**2**	**3**	**3**	**4**	**5**		**7715**	**2.7**	**2**	**2**	**2**	**3**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	11	2.5	2							35-49	50	2.2	1	1	2	2	2	5	5
50-69	261	3.4	2	2	2	3	4	5	5	50-69	1616	2.6	1	2	2	2	3	4	5
70 +	89	3.1	2	2	2	3	3	5	8	70 +	596	2.8	2	1	2	2	3	4	5
SUBTOTAL	**361**	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**6**		**2262**	**2.6**	**2**	**2**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**361**	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**6**		**2262**	**2.6**	**2**	**2**	**2**	**2**	**3**	**4**	**5**

DRG 338: Testes Procedures, for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	84	7.7	42	1	1	6	12	19	19	0-17	6	13.0							
70-74	145	7.3	88	1	2	4	8	23	23	18-34	37	6.1	51	1	1	1	12	20	20
75-79	147	7.0	104	1	1	2	7	19	24	35-49	13	3.0	4						
80-84	122	4.0	21	1	1	2	5	11	15	50-69	66	3.9	10	1	1	4	7	7	11
85 +	122	8.3	64	2	2	4	15	20	24	70 +	6	1.0							
SUBTOTAL	619	6.8	69	1	1	4	8	19	23		127	4.8	26	1	1	3	7	12	14
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	13	1.0								0-17	13	2.0	1						
70-74	73	1.4	1	< 1	< 1	1	1	2	4	18-34	85	2.0	5	< 1	1	1	2	2	10
75-79	48	1.0		1	1	1	1	1	1	35-49	85	1.6	1	< 1	1	1	2	3	4
80-84	54	2.5	8	1	1	1	2	10	10	50-69	24	2.3	2						
85 +	13	1.0								70 +	18	1.0							
SUBTOTAL	201	1.6	3	< 1	1	1	1	2	4		223	1.8	3	< 1	1	1	2	3	4
GRAND TOTAL	820	5.5	58	1	1	2	6	17	21		350	2.9	13	1	1	1	3	7	12

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	6	16.0								18-34	6	4.0							
35-49	0									35-49	0								
50-69	11	15.0	158							50-69	6	6.0							
70 +	12	13.5								70 +	24	6.6	15						
SUBTOTAL	29	14.6	59								36	6.1	11	3	4	5	7	13	13
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	28	3.2	3							18-34	97	3.4	15	1	1	2	4	9	17
35-49	6	10.0								35-49	36	2.6	11	1	1	1	2	10	10
50-69	0									50-69	23	3.7	18						
70 +	11	2.5	2							70 +	13	2.5							
SUBTOTAL	45	3.9	8	1	2	3	6	10	10		169	3.2	14	1	1	2	3	10	11
GRAND TOTAL	74	8.0	55	2	2	4	13	16	27		204	3.7	14	1	1	2	4	10	13

DRG 339: Testes Procedures, Non-malignancy Age >17

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	43	2.6	2	1	1	3	4	5	5
70-74	12	2.0							
75-79	18	2.3	2						
80-84	29	7.3	7						
85 +	13	1.5							
SUBTOTAL	**115**	**3.6**	**8**	**1**	**1**	**3**	**5**	**9**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	77	2.1	4	< 1	1	1	2	6	7
70-74	24	1.3							
75-79	31	2.0							
80-84	13	3.0	1						
85 +	6	1.0							
SUBTOTAL	**150**	**2.0**	**2**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**266**	**2.7**	**5**	**1**	**1**	**2**	**4**	**6**	**8**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	24	8.3	92						
35-49	31	5.6	20						
50-69	25	7.0	13						
70 +	12	6.7	39						
	93	**6.8**	**39**	**1**	**2**	**5**	**12**	**14**	**24**
0-17	0								
18-34	261	1.4	1	1	1	1	2	2	3
35-49	178	1.5	1	1	1	1	1	3	4
50-69	188	1.7	2	1	1	1	2	3	5
70 +	23	1.5							
	651	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
	743	**2.2**	**9**	**1**	**1**	**1**	**2**	**4**	**7**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	4.0							
35-49	18	4.7	10						
50-69	0								
70 +	0								
SUBTOTAL	**24**	**4.6**	**8**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	57	1.9	1	1	1	1	3	4	4
35-49	18	3.3	1						
50-69	0								
70 +	0								
SUBTOTAL	**75**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**99**	**2.8**	**4**	**1**	**1**	**3**	**4**	**4**	**9**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	18	2.6	2						
35-49	29	3.7	9						
50-69	18	3.6	2						
70 +	0								
	65	**3.4**	**5**	**1**	**2**	**3**	**5**	**5**	**9**
0-17	0								
18-34	329	1.8	2	1	1	1	2	3	5
35-49	84	4.4	48	1	1	2	3	14	27
50-69	53	1.9	1	< 1	1	2	2	5	5
70 +	13	2.0	1						
	478	**2.3**	**11**	**1**	**1**	**1**	**2**	**4**	**6**
	543	**2.4**	**10**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 340: Testes Procedures, Non-malignancy Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	30	2.0	1						
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**30**	**2.0**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	1088	1.1		< 1	< 1	1	1	2	2
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**1088**	**1.1**		**< 1**	**< 1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**0**										**1118**	**1.2**		**< 1**	**< 1**	**1**	**1**	**2**	**2**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	36	3.0	1	2	2	3	4	4	4	0-17	18	2.7	2						
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**36**	**3.0**	**1**	**2**	**2**	**3**	**4**	**4**	**4**		**18**	**2.7**	**2**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	355	1.1		< 1	< 1	1	1	1	3	0-17	594	1.2		< 1	< 1	1	1	2	2
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**355**	**1.1**		**< 1**	**< 1**	**1**	**1**	**1**	**3**		**594**	**1.2**		**< 1**	**< 1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**391**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**3**	**3**		**611**	**1.2**		**< 1**	**< 1**	**1**	**1**	**2**	**2**

DRG 341: Penis Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	275	4.0	122	1	2	2	3	4	5
70-74	217	4.8	117	2	2	2	4	5	18
75-79	251	3.7	6	1	2	3	4	6	10
80-84	108	4.7	8	2	3	4	5	9	14
85 +	60	3.4	2	2	2	3	5	6	6
SUBTOTAL	**911**	**4.2**	**67**	**1**	**2**	**3**	**4**	**5**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	519	2.2	2	1	1	2	3	4	4
70-74	417	2.4	1	1	1	2	3	4	4
75-79	358	2.7	3	1	2	2	3	5	6
80-84	129	3.0	5	1	2	2	3	4	9
85 +	85	3.4	3	1	2	3	4	5	8
SUBTOTAL	**1509**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**2421**	**3.2**	**28**	**1**	**2**	**2**	**4**	**5**	**6**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	41	2.2	2	1	1	1	4	4	4
18-34	48	8.2	70	1	1	3	14	25	25
35-49	48	2.8	3	1	1	2	4	5	5
50-69	238	2.6	4	1	1	2	3	4	5
70 +	36	2.7	2	1	2	2	3	5	5
	410	**3.2**	**14**	**1**	**1**	**2**	**4**	**5**	**13**
0-17	860	1.7	2	< 1	< 1	1	2	4	6
18-34	72	1.8	1	1	1	1	3	3	3
35-49	127	1.9	2	1	1	1	3	3	4
50-69	763	2.1	2	1	1	2	3	4	5
70 +	48	2.4	1	1	2	2	3	4	4
	1870	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**
	2280	**2.2**	**5**	**< 1**	**1**	**1**	**3**	**4**	**5**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	12	2.1	1						
18-34	18	11.5	239						
35-49	11	36.5	1307						
50-69	17	46.3	40						
70 +	0								
SUBTOTAL	**58**	**24.5**	**644**	**1**	**2**	**3**	**42**	**65**	**71**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	283	1.8	2	< 1	< 1	1	2	4	6
18-34	17	2.3	1						
35-49	11	3.5	2						
50-69	35	3.0	2	1	2	2	4	5	5
70 +	18	2.7							
SUBTOTAL	**363**	**2.1**	**2**	**< 1**	**< 1**	**1**	**3**	**4**	**6**
GRAND TOTAL	**421**	**5.2**	**150**	**< 1**	**1**	**2**	**3**	**6**	**42**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	1.0							
18-34	11	9.0	18						
35-49	18	8.5	79						
50-69	48	5.6	101	1	2	2	3	33	33
70 +	13	2.5							
	96	**5.8**	**72**	**1**	**2**	**2**	**3**	**21**	**33**
0-17	299	1.8	2	< 1	< 1	1	2	4	6
18-34	59	2.5	2	< 1	1	2	4	5	5
35-49	76	4.6	59	1	1	2	5	6	31
50-69	157	2.7	5	1	2	2	3	4	9
70 +	31	1.4							
	623	**2.4**	**10**	**< 1**	**1**	**1**	**3**	**5**	**6**
	719	**2.9**	**20**	**< 1**	**1**	**2**	**3**	**5**	**8**

DRG 342: Circumcision Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	4.0								0-17	0								
70-74	6	4.0								18-34	0								
75-79	6	3.0								35-49	6	1.0							
80-84	0									50-69	0								
85 +	6	2.0								70 +	0								
SUBTOTAL	**24**	**3.2**	**1**								**6**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	13	4.0	10							0-17	0								
70-74	0									18-34	6	1.0							
75-79	0									35-49	6	1.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**13**	**4.0**	**10**								**13**	**1.0**							
GRAND TOTAL	**37**	**3.5**	**4**	**1**	**2**	**3**	**4**	**7**	**7**		**19**	**1.0**							

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	6	3.0								35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**6**	**3.0**									**0**								
GRAND TOTAL	**6**	**3.0**									**0**								

DRG 343: Circumcision Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	6	1.0							
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**6**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	167	1.0		<1	<1	<1	<1	1	1
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**167**	**1.0**		**<1**	**<1**	**<1**	**<1**	**1**	**1**
GRAND TOTAL	**0**										**172**	**1.0**		**<1**	**<1**	**<1**	**<1**	**1**	**1**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	1.0								0-17	6	2.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**6**	**1.0**									**6**	**2.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	182	1.0		<1	<1	<1	<1	<1	1	0-17	147	1.0		<1	<1	<1	<1	<1	1
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**182**	**1.0**		**<1**	**<1**	**<1**	**<1**	**<1**	**1**		**147**	**1.0**		**<1**	**<1**	**<1**	**<1**	**<1**	**1**
GRAND TOTAL	**187**	**1.0**		**<1**	**<1**	**<1**	**<1**	**<1**	**1**		**152**	**1.0**		**<1**	**<1**	**<1**	**<1**	**1**	**1**

DRG 344: Other Male Reproductive System O.R. Procedures for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	85	3.9	2	2	3	4	5	6	6	0-17	0								
70-74	142	3.7	4	1	3	3	5	6	6	18-34	0								
75-79	97	4.8	6	1	3	5	6	9	9	35-49	11	8.0	1						
80-84	49	6.9	58	1	3	4	4	25	25	50-69	108	5.2	12	2	3	4	6	9	17
85 +	24	16.6	26							70 +	0								
SUBTOTAL	**397**	**5.2**	**22**	**1**	**3**	**4**	**6**	**10**	**14**		**119**	**5.5**	**12**	**2**	**3**	**4**	**6**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	48	3.6	2	2	3	3	4	6	6	0-17	6	6.0							
70-74	123	2.6	1	1	2	3	3	4	5	18-34	18	4.9	2						
75-79	44	4.1	10	1	1	4	5	11	11	35-49	17	6.7	4						
80-84	19	3.0	1							50-69	66	2.9	1	2	2	3	4	4	5
85 +	0									70 +	6	1.0							
SUBTOTAL	**233**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**		**112**	**3.9**	**4**	**1**	**2**	**4**	**5**	**7**	**8**
GRAND TOTAL	**630**	**4.4**	**16**	**1**	**2**	**3**	**5**	**7**	**12**		**231**	**4.7**	**9**	**2**	**3**	**4**	**6**	**8**	**9**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	17	5.3	1							18-34	13	9.0	1						
35-49	0									35-49	6	15.0							
50-69	6	4.0								50-69	18	3.7	3						
70 +	0									70 +	13	3.0							
SUBTOTAL	**22**	**5.0**	**1**								**49**	**6.2**	**18**	**2**	**3**	**5**	**9**	**15**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	37	3.1	5	1	1	2	5	7	7
70 +	0									70 +	6	1.0							
SUBTOTAL	**0**										**43**	**2.8**	**5**	**1**	**1**	**2**	**5**	**7**	**7**
GRAND TOTAL	**22**	**5.0**	**1**								**92**	**4.6**	**14**	**1**	**2**	**3**	**7**	**10**	**15**

DRG 345: Other Male Reproductive System O.R. Proc except for Malignancy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	37	3.5	5	2	2	3	4	8	8
70-74	6	2.0							
75-79	38	3.8	5	1	2	3	5	8	8
80-84	13	1.5							
85 +	0								
SUBTOTAL	**94**	**3.3**	**5**	**1**	**2**	**2**	**4**	**8**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	50	1.6		1	1	1	2	3	3
70-74	24	3.6	7						
75-79	24	1.8	2						
80-84	25	3.0	1						
85 +	0								
SUBTOTAL	**124**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**217**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	4.0							
35-49	6	2.0							
50-69	11	4.5	13						
70 +	0								
	22	**3.8**	**8**						
0-17	6	1.0							
18-34	6	3.0							
35-49	12	1.0							
50-69	125	1.3		1	1	1	2	2	2
70 +	12	2.5							
	161	**1.5**		**1**	**1**	**1**	**2**	**2**	**3**
	183	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	6	5.0							
50-69	6	7.0							
70 +	0								
SUBTOTAL	**13**	**6.0**	**1**						
GRAND TOTAL	**13**	**6.0**	**1**						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	6	9.0							
70 +	6	2.0							
	12	**5.3**	**13**						
0-17	0								
18-34	0								
35-49	18	1.6	1						
50-69	29	2.6	4						
70 +	0								
	46	**2.2**	**3**	**< 1**	**1**	**1**	**3**	**5**	**5**
	58	**2.8**	**6**	**< 1**	**1**	**1**	**5**	**7**	**9**

DRG 346: Malignancy, Male Reproductive System, w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	117	6.7	40	2	3	5	8	17	25
70-74	181	6.9	30	1	2	6	9	17	19
75-79	199	6.8	22	3	3	6	8	13	16
80-84	171	6.5	14	2	4	6	9	12	12
85 +	172	5.8	20	2	2	5	7	11	15
SUBTOTAL	**840**	**6.6**	**24**	**2**	**3**	**5**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**840**	**6.6**	**24**	**2**	**3**	**5**	**8**	**13**	**17**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	4.0							
18-34	28	8.2	63						
35-49	0								
50-69	145	6.2	21	2	3	5	7	12	15
70 +	11	3.5	2						
	195	**6.2**	**25**	**2**	**3**	**5**	**7**	**12**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	195	**6.2**	**25**	**2**	**3**	**5**	**7**	**12**	**20**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	67	11.5	125	1	3	8	20	23	40
35-49	11	6.5	7						
50-69	29	9.7	19						
70 +	24	5.3	9						
SUBTOTAL	**131**	**9.5**	**76**	**2**	**3**	**8**	**14**	**20**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**131**	**9.5**	**76**	**2**	**3**	**8**	**14**	**20**	**23**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	51	7.8	63	1	1	6	9	25	25
35-49	6	2.0							
50-69	57	7.3	26	2	5	6	7	18	20
70 +	31	5.4	13						
	144	**6.9**	**36**	**1**	**2**	**5**	**8**	**17**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	144	**6.9**	**36**	**1**	**2**	**5**	**8**	**17**	**20**

DRG 347: Malignancy, Male Reproductive System, w/o CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	24	1.0								0-17	17	2.0	1						
70-74	54	11.8	312	< 1	2	4	7	49	50	18-34	12	1.5							
75-79	47	8.9	250	< 1	< 1	3	6	51	51	35-49	0								
80-84	24	26.1	681							50-69	30	1.6	1						
85 +	12	1.5								70 +	0								
SUBTOTAL	**161**	**10.7**	**329**	**< 1**	**1**	**2**	**6**	**50**	**51**		**59**	**1.7**	**1**	**< 1**	**1**	**2**	**2**	**3**	**3**
GRAND TOTAL	**161**	**10.7**	**329**	**< 1**	**1**	**2**	**6**	**50**	**51**		**59**	**1.7**	**1**	**< 1**	**1**	**2**	**2**	**3**	**3**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	6	1.0							
18-34	34	2.5	3	1	1	2	3	6	6	18-34	56	5.2	24	1	2	5	5	16	19
35-49	11	2.0								35-49	11	5.0							
50-69	11	7.5								50-69	57	5.0	25	1	1	3	5	15	15
70 +	11	4.0	4							70 +	6	1.0							
SUBTOTAL	**67**	**3.5**	**6**	**1**	**2**	**2**	**6**	**7**	**8**		**137**	**4.7**	**22**	**1**	**1**	**5**	**5**	**14**	**15**
GRAND TOTAL	**67**	**3.5**	**6**	**1**	**2**	**2**	**6**	**7**	**8**		**137**	**4.7**	**22**	**1**	**1**	**5**	**5**	**14**	**15**

DRG 348: Benign Prostatic Hypertrophy w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	90	2.8	2	1	2	3	4	4	7	0-17	0								
70-74	86	2.9	3	< 1	2	2	4	5	7	18-34	0								
75-79	142	3.7	7	1	2	3	5	6	6	35-49	0								
80-84	73	2.8	3	1	1	3	4	5	7	50-69	66	2.4	3	1	1	1	5	5	5
85 +	91	5.4	19	1	2	4	8	13	15	70 +	28	5.2	4						
SUBTOTAL	**482**	**3.6**	**8**	**1**	**2**	**3**	**4**	**7**	**10**		**94**	**3.3**	**5**	**1**	**1**	**4**	**5**	**5**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**482**	**3.6**	**8**	**1**	**2**	**3**	**4**	**7**	**10**		**94**	**3.3**	**5**	**1**	**1**	**4**	**5**	**5**	**9**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	6	7.0							
50-69	28	4.8	8							50-69	23	3.6	3						
70 +	11	4.5	2							70 +	30	2.5	3						
SUBTOTAL	**39**	**4.7**	**6**	**1**	**2**	**6**	**7**	**8**	**8**		**59**	**3.4**	**5**	**< 1**	**1**	**3**	**6**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**39**	**4.7**	**6**	**1**	**2**	**6**	**7**	**8**	**8**		**59**	**3.4**	**5**	**< 1**	**1**	**3**	**6**	**7**	**7**

DRG 349: Benign Prostatic Hypertrophy w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	80	1.1		< 1	< 1	< 1	1	1	3
70-74	72	2.3	4	< 1	1	1	3	5	7
75-79	49	2.1	1	1	1	2	3	4	4
80-84	43	1.7	1	< 1	< 1	< 1	3	3	3
85 +	18	1.7							
SUBTOTAL	**261**	**1.8**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**261**	**1.8**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**4**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	6	1.0							
50-69	86	1.8	1	1	1	2	2	3	3
70 +	6	2.0							
	98	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
	98	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	57	1.3	1	< 1	< 1	1	1	3	4
70 +	22	2.0	2						
SUBTOTAL	**79**	**1.5**	**1**	**< 1**	**< 1**	**1**	**1**	**4**	**4**
GRAND TOTAL	**79**	**1.5**	**1**	**< 1**	**< 1**	**1**	**1**	**4**	**4**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	69	2.0	3	< 1	1	1	3	4	7
70 +	0								
	69	**2.0**	**3**	**< 1**	**1**	**1**	**3**	**4**	**7**
	69	**2.0**	**3**	**< 1**	**1**	**1**	**3**	**4**	**7**

DRG 350: Inflammation of the Male Reproductive System

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	238	5.5	48	2	3	4	6	9	14	0-17	19	3.0	5						
70-74	103	4.4	7	2	2	4	5	9	11	18-34	54	4.0	4	1	3	4	5	8	8
75-79	149	6.0	13	3	4	5	7	9	11	35-49	145	4.0	7	2	2	3	4	8	11
80-84	86	4.8	7	3	3	4	5	9	12	50-69	226	4.2	4	2	3	4	5	7	8
85 +	86	6.4	15	3	4	5	8	11	17	70 +	69	3.7	1	2	2	4	5	5	5
SUBTOTAL	**662**	**5.5**	**25**	**2**	**3**	**4**	**6**	**9**	**12**		**513**	**4.0**	**4**	**2**	**2**	**4**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	120	3.6	4	2	3	3	4	7	8	0-17	102	2.7	4	1	1	2	4	5	9
70-74	73	4.5	2	3	4	4	5	6	8	18-34	177	2.9	2	1	2	2	4	5	5
75-79	69	4.1	2	3	3	4	5	5	7	35-49	253	3.2	3	1	2	3	4	5	6
80-84	43	3.9	4	2	3	3	5	8	8	50-69	190	3.2	2	1	2	3	4	5	5
85 +	13	3.5	2							70 +	6	3.0							
SUBTOTAL	**318**	**4.0**	**3**	**2**	**3**	**4**	**5**	**7**	**8**		**728**	**3.0**	**2**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**980**	**5.0**	**18**	**2**	**3**	**4**	**6**	**8**	**11**		**1241**	**3.5**	**4**	**1**	**2**	**3**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	19	2.7	1							0-17	17	6.7	14						
18-34	29	5.5	5							18-34	58	5.9	68	< 1	2	3	4	17	29
35-49	13	3.5	7							35-49	115	3.7	4	1	2	3	5	7	8
50-69	36	6.7	4	4	5	6	8	10	10	50-69	66	4.5	9	3	3	3	4	8	13
70 +	0									70 +	24	3.5	1						
SUBTOTAL	**96**	**5.1**	**6**	**2**	**3**	**5**	**7**	**9**	**10**		**280**	**4.5**	**20**	**2**	**2**	**4**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	88	2.3	1	< 1	1	2	3	4	4	0-17	93	2.4	2	< 1	1	2	3	4	5
18-34	29	2.4	1							18-34	178	3.6	8	1	2	3	5	8	10
35-49	22	4.0	6							35-49	144	3.5	5	1	2	3	4	7	8
50-69	18	2.9	3							50-69	111	3.4	9	1	2	3	5	5	14
70 +	0									70 +	6	4.0							
SUBTOTAL	**158**	**2.6**	**2**	**< 1**	**2**	**2**	**3**	**4**	**5**		**532**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**254**	**3.6**	**5**	**1**	**2**	**3**	**5**	**7**	**8**		**812**	**3.7**	**11**	**1**	**2**	**3**	**4**	**7**	**9**

DRG 351: Sterilization, Male

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	0								

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	0								

DRG 352: Other Male Reproductive System Diagnoses

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	37	2.5	1	1	2	3	3	3	3	0-17	6	1.0							
70-74	13	3.0	1							18-34	6	3.0							
75-79	11	3.0								35-49	17	4.7	10						
80-84	13	5.0								50-69	13	4.5	2						
85 +	0									70 +	0								
SUBTOTAL	**73**	**3.1**	**1**	**2**	**2**	**3**	**4**	**5**	**5**		**41**	**3.8**	**6**	**< 1**	**2**	**3**	**6**	**9**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	3.0								0-17	66	1.5	1	< 1	1	1	1	3	4
70-74	0									18-34	43	1.4	1	< 1	1	1	1	4	4
75-79	12	3.6	2							35-49	19	1.0							
80-84	6	2.0								50-69	24	2.9	3						
85 +	0									70 +	6	4.0							
SUBTOTAL	**24**	**3.0**	**2**								**157**	**1.7**	**2**	**< 1**	**1**	**1**	**2**	**4**	**4**
GRAND TOTAL	**98**	**3.1**	**1**	**2**	**2**	**3**	**4**	**5**	**5**		**198**	**2.2**	**3**	**< 1**	**1**	**1**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	24	3.9	17							0-17	11	9.0	70						
18-34	6	8.0								18-34	41	4.5	4	2	2	5	6	8	8
35-49	0									35-49	22	2.8	3						
50-69	11	12.5	99							50-69	6	2.0							
70 +	0									70 +	0								
SUBTOTAL	**41**	**6.8**	**50**	**1**	**2**	**3**	**11**	**22**	**22**		**81**	**4.4**	**16**	**< 1**	**2**	**4**	**5**	**8**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	52	1.6	1	< 1	1	1	2	3	3	0-17	52	1.2		< 1	< 1	1	1	3	3
18-34	12	4.2	10							18-34	81	2.3	2	1	1	2	3	5	5
35-49	6	4.0								35-49	57	2.6	11	< 1	1	1	3	9	12
50-69	0									50-69	6	5.0							
70 +	0									70 +	0								
SUBTOTAL	**69**	**2.2**	**3**	**1**	**1**	**1**	**3**	**4**	**7**		**195**	**2.2**	**4**	**< 1**	**1**	**1**	**3**	**5**	**5**
GRAND TOTAL	**110**	**3.9**	**25**	**1**	**1**	**2**	**4**	**11**	**20**		**275**	**2.8**	**9**	**< 1**	**1**	**2**	**4**	**5**	**8**

DRG 353: Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	73	11.4	45	6	7	8	15	19	28	0-17	0								
70-74	57	9.9	67	4	4	8	9	26	32	18-34	67	7.0	6	5	5	6	7	11	13
75-79	29	8.5	8							35-49	137	7.3	6	5	6	7	8	9	13
80-84	17	13.0	57							50-69	102	12.1	45	6	8	9	18	25	27
85 +	17	6.3								70 +	6	8.0							
SUBTOTAL	**193**	**10.2**	**46**	**4**	**6**	**8**	**13**	**19**	**28**		**312**	**8.8**	**24**	**5**	**6**	**7**	**9**	**15**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	5.0								0-17	0								
70-74	23	4.7	2							18-34	39	6.7	2	4	6	7	8	8	8
75-79	22	5.8	2							35-49	154	5.8	3	3	5	6	7	8	9
80-84	6	6.0								50-69	88	5.5	4	3	4	5	7	8	9
85 +	6	5.0								70 +	0								
SUBTOTAL	**64**	**5.3**	**2**	**4**	**4**	**5**	**6**	**7**	**8**		**280**	**5.8**	**3**	**3**	**4**	**6**	**7**	**8**	**9**
GRAND TOTAL	**257**	**9.0**	**39**	**4**	**5**	**7**	**10**	**18**	**22**		**592**	**7.4**	**16**	**4**	**6**	**7**	**8**	**11**	**17**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	24	6.7	2							18-34	24	5.3							
35-49	46	9.3	6	6	8	9	10	15	15	35-49	81	11.8	123	5	5	8	13	22	48
50-69	18	12.1	32							50-69	63	10.1	48	5	6	8	10	16	31
70 +	0									70 +	6	5.0							
SUBTOTAL	**88**	**9.2**	**13**	**6**	**7**	**9**	**10**	**15**	**20**		**174**	**10.0**	**80**	**5**	**5**	**7**	**10**	**21**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	34	6.1	14	2	3	5	8	13	13	18-34	54	5.5	4	2	5	5	6	10	10
35-49	41	6.0	3	3	5	6	7	9	9	35-49	68	7.5	10	6	6	7	7	10	17
50-69	6	5.0								50-69	74	6.9	9	4	5	6	7	10	16
70 +	6	6.0								70 +	6	4.0							
SUBTOTAL	**87**	**6.0**	**7**	**3**	**4**	**6**	**7**	**9**	**13**		**202**	**6.6**	**8**	**4**	**5**	**6**	**7**	**10**	**16**
GRAND TOTAL	**175**	**7.6**	**13**	**3**	**6**	**7**	**9**	**12**	**15**		**376**	**8.2**	**44**	**5**	**5**	**6**	**8**	**13**	**17**

DRG 354: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	516	6.0	14	4	4	5	7	9	12	0-17	0								
70-74	430	5.6	5	4	4	5	7	9	10	18-34	120	3.8	2	2	3	4	4	6	7
75-79	365	6.0	8	4	4	5	7	9	10	35-49	319	4.4	3	2	3	4	5	7	9
80-84	189	10.3	109	4	5	7	11	20	28	50-69	504	5.4	7	4	4	5	6	8	9
85 +	128	8.2	24	3	5	6	11	14	19	70 +	57	6.8	12	4	4	5	9	13	13
SUBTOTAL	**1629**	**6.6**	**24**	**4**	**4**	**5**	**7**	**10**	**14**		**1000**	**5.0**	**6**	**3**	**4**	**4**	**5**	**8**	**9**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1629**	**6.6**	**24**	**4**	**4**	**5**	**7**	**10**	**14**		**1000**	**5.0**	**6**	**3**	**4**	**4**	**5**	**8**	**9**

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	68	4.5	4	3	3	4	6	6	9	18-34	43	5.1	5	3	3	5	6	10	10
35-49	43	4.4	3	2	3	4	6	8	8	35-49	155	4.6	6	3	3	4	5	8	10
50-69	47	7.8	24	3	5	6	9	20	20	50-69	201	5.6	6	3	4	5	7	9	11
70 +	29	12.5	111							70 +	55	6.9	4	4	5	7	8	10	10
SUBTOTAL	**188**	**6.5**	**34**	**3**	**4**	**5**	**7**	**10**	**20**		**454**	**5.4**	**6**	**3**	**4**	**5**	**7**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**188**	**6.5**	**34**	**3**	**4**	**5**	**7**	**10**	**20**		**454**	**5.4**	**6**	**3**	**4**	**5**	**7**	**9**	**10**

DRG 355: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	574	4.0	1	3	3	4	4	5	6	0-17	6	4.0							
70-74	455	3.9	1	2	3	4	5	5	6	18-34	538	3.2	1	2	3	3	4	4	4
75-79	249	4.6	1	4	4	4	5	6	6	35-49	1130	3.5	1	2	3	3	4	4	5
80-84	103	5.1	4	3	4	5	5	7	12	50-69	1101	3.9	1	3	3	4	4	5	5
85 +	65	5.5	2	4	5	5	7	7	9	70 +	48	4.5		4	4	4	5	5	5
SUBTOTAL	**1445**	**4.2**	**2**	**3**	**4**	**4**	**5**	**5**	**6**		**2821**	**3.6**	**1**	**2**	**3**	**4**	**4**	**5**	**5**
GRAND TOTAL	**1445**	**4.2**	**2**	**3**	**4**	**4**	**5**	**5**	**6**		**2821**	**3.6**	**1**	**2**	**3**	**4**	**4**	**5**	**5**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	222	3.2	1	2	3	3	4	5	5	18-34	271	3.2	2	2	2	3	4	5	5
35-49	126	3.6	1	2	3	4	4	5	5	35-49	427	3.3	1	2	3	3	4	4	5
50-69	78	3.5	1	2	3	3	4	5	6	50-69	242	4.3	3	3	3	4	4	6	9
70 +	6	4.0								70 +	37	4.3	2	3	3	4	5	7	7
SUBTOTAL	**433**	**3.4**	**1**	**2**	**3**	**3**	**4**	**5**	**5**		**977**	**3.6**	**2**	**2**	**3**	**3**	**4**	**5**	**6**
GRAND TOTAL	**433**	**3.4**	**1**	**2**	**3**	**3**	**4**	**5**	**5**		**977**	**3.6**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

DRG 356: Female Reproductive System Reconstructive Procedures

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	788	4.0	3	2	3	4	5	6	7	0-17	6	1.0							
70-74	659	4.6	8	2	3	4	5	8	11	18-34	85	4.3	7	2	3	4	5	5	13
75-79	458	4.9	6	3	3	4	6	8	12	35-49	442	4.0	2	2	3	4	5	6	7
80-84	246	4.7	4	2	3	4	5	7	8	50-69	890	4.1	3	2	3	4	5	7	7
85 +	55	5.0	3	3	4	4	6	8	8	70 +	71	3.3	1	2	3	3	4	5	5
SUBTOTAL	**2208**	**4.5**	**5**	**2**	**3**	**4**	**5**	**7**	**9**		**1494**	**4.0**	**3**	**2**	**3**	**4**	**5**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2018	3.3	2	2	3	3	4	5	5	0-17	6	2.0							
70-74	1558	3.3	2	2	2	3	4	5	5	18-34	423	3.0	1	2	2	3	4	4	6
75-79	1039	3.7	3	2	3	3	4	6	7	35-49	2678	3.1	1	2	2	3	4	4	5
80-84	341	3.4	3	2	2	3	4	6	7	50-69	4106	3.1	1	2	2	3	4	4	5
85 +	92	4.4	4	3	3	3	6	8	9	70 +	165	4.4	36	2	3	3	4	5	5
SUBTOTAL	**5048**	**3.4**	**2**	**2**	**3**	**3**	**4**	**5**	**6**		**7378**	**3.1**	**2**	**2**	**2**	**3**	**4**	**4**	**5**
GRAND TOTAL	**7255**	**3.7**	**3**	**2**	**3**	**3**	**4**	**6**	**7**		**8872**	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**5**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	19	3.7								18-34	6	3.0							
35-49	80	4.1	3	3	3	4	5	7	8	35-49	79	3.3	1	2	3	3	4	5	5
50-69	50	4.4	2	3	3	5	6	6	6	50-69	249	4.1	3	2	3	4	5	7	7
70 +	0									70 +	44	3.9	6	1	2	3	5	9	9
SUBTOTAL	**148**	**4.1**	**2**	**3**	**3**	**4**	**5**	**6**	**7**		**379**	**3.9**	**3**	**2**	**3**	**4**	**5**	**7**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	10.0								0-17	0								
18-34	91	2.6	1	1	2	2	3	4	5	18-34	95	2.9	1	2	3	3	3	4	4
35-49	168	3.8	9	1	2	3	4	6	6	35-49	543	3.1	1	2	2	3	4	4	5
50-69	139	3.3	2	2	2	3	4	5	6	50-69	1032	3.3	1	2	2	3	4	5	5
70 +	18	3.0	2							70 +	103	3.4	1	2	3	4	4	5	5
SUBTOTAL	**422**	**3.4**	**5**	**2**	**2**	**3**	**4**	**5**	**6**		**1774**	**3.2**	**1**	**2**	**2**	**3**	**4**	**5**	**5**
GRAND TOTAL	**570**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**7**		**2152**	**3.4**	**2**	**2**	**3**	**3**	**4**	**5**	**5**

DRG 357: Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	401	9.5	38	4	6	8	11	18	23	0-17	6	4.0							
70-74	277	11.7	44	5	7	10	14	20	21	18-34	65	6.5	3	4	5	7	8	8	10
75-79	250	11.5	72	4	7	9	13	27	30	35-49	282	6.2	8	3	4	5	8	10	11
80-84	129	12.5	95	5	6	10	13	24	28	50-69	513	8.0	18	4	5	7	9	14	17
85 +	55	14.9	106	5	9	13	14	35	35	70 +	30	7.8	6						
SUBTOTAL	**1111**	**11.1**	**59**	**4**	**6**	**9**	**13**	**20**	**29**		**897**	**7.3**	**14**	**4**	**5**	**6**	**9**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	129	4.8	7	2	3	4	5	6	8	0-17	43	3.6		3	3	4	4	4	4
70-74	55	6.6	3	4	5	6	7	10	10	18-34	102	3.9	2	3	3	3	5	6	8
75-79	43	6.0	7	3	4	5	8	11	11	35-49	317	4.2	2	3	3	4	5	6	8
80-84	31	6.6	5							50-69	202	5.3	8	3	4	4	6	9	13
85 +	17	4.3								70 +	6	4.0							
SUBTOTAL	**275**	**5.5**	**6**	**3**	**4**	**5**	**6**	**9**	**10**		**670**	**4.4**	**4**	**3**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**1386**	**10.0**	**54**	**4**	**5**	**8**	**11**	**19**	**25**		**1566**	**6.1**	**12**	**3**	**4**	**5**	**7**	**10**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	6	5.0							
18-34	41	7.3	18	4	5	5	13	15	15	18-34	23	7.4	7						
35-49	36	8.1	12	3	4	9	11	12	12	35-49	100	9.0	46	3	5	7	13	17	29
50-69	68	9.9	10	6	7	10	13	14	15	50-69	227	7.4	20	4	5	6	9	13	14
70 +	0									70 +	56	8.3	13	3	5	8	12	13	13
SUBTOTAL	**145**	**8.7**	**14**	**4**	**5**	**9**	**11**	**14**	**15**		**413**	**7.9**	**25**	**4**	**5**	**6**	**10**	**13**	**16**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	18	5.4	7						
18-34	12	3.5								18-34	95	4.4	10	3	3	3	5	6	16
35-49	6	5.0								35-49	96	4.2	1	3	4	4	4	5	7
50-69	0									50-69	108	5.3	7	3	4	4	6	11	12
70 +	6	8.0								70 +	0								
SUBTOTAL	**23**	**4.9**	**4**								**317**	**4.7**	**6**	**3**	**3**	**4**	**5**	**7**	**11**
GRAND TOTAL	**168**	**8.2**	**14**	**4**	**5**	**8**	**11**	**14**	**15**		**730**	**6.5**	**19**	**3**	**4**	**5**	**8**	**12**	**14**

DRG 358: Uterine & Adnexa Proc for Non-malignancy w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1736	5.2	6	3	4	5	6	8	10
70-74	953	5.5	7	3	4	5	6	9	10
75-79	870	6.3	12	3	4	5	7	12	14
80-84	237	6.0	8	3	5	5	6	9	12
85 +	129	8.0	25	4	5	6	9	13	17
SUBTOTAL	**3924**	**5.6**	**9**	**3**	**4**	**5**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3924**	**5.6**	**9**	**3**	**4**	**5**	**6**	**9**	**12**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	138	3.0	2	1	2	3	4	5	5
18-34	4308	4.0	3	3	3	4	4	6	7
35-49	12622	4.2	4	3	3	4	5	6	7
50-69	2919	4.6	6	3	3	4	5	7	8
70 +	73	8.0	44	4	4	4	10	21	23
	20059	**4.2**	**4**	**3**	**3**	**4**	**5**	**6**	**7**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	20059	**4.2**	**4**	**3**	**3**	**4**	**5**	**6**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	43	5.2	7	3	3	4	8	10	10
18-34	1049	4.5	5	3	3	4	5	7	8
35-49	743	5.0	8	3	4	4	6	7	9
50-69	193	5.7	10	3	4	5	6	8	13
70 +	18	4.3							
SUBTOTAL	**2046**	**4.8**	**7**	**3**	**3**	**4**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2046**	**4.8**	**7**	**3**	**3**	**4**	**5**	**7**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	73	4.6	5	2	3	4	6	8	9
18-34	1351	4.3	14	3	3	4	5	6	7
35-49	3047	4.5	5	3	3	4	5	6	8
50-69	690	5.2	7	3	4	4	6	8	12
70 +	36	3.7	1	3	3	4	4	5	5
	5197	**4.5**	**7**	**3**	**3**	**4**	**5**	**7**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5197	**4.5**	**7**	**3**	**3**	**4**	**5**	**7**	**8**

DRG 359: Uterine & Adnexa Proc for Non-malignancy w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	2637	3.9	1	3	3	4	4	5	6	0-17	756	3.0	2	1	2	3	4	4	5
70-74	1378	4.1	1	3	3	4	5	5	6	18-34	20154	3.2	1	2	3	3	4	4	5
75-79	754	4.1	1	3	4	4	5	5	6	35-49	44543	3.4	1	2	3	3	4	4	5
80-84	280	4.5	1	3	4	5	5	6	6	50-69	10347	3.7	1	3	3	4	4	5	5
85 +	79	5.2	3	3	4	5	6	8	9	70 +	242	3.9	1	3	3	4	5	5	6
SUBTOTAL	**5128**	**4.0**	**1**	**3**	**3**	**4**	**5**	**5**	**6**		**76042**	**3.4**	**1**	**2**	**3**	**3**	**4**	**4**	**5**
GRAND TOTAL	**5128**	**4.0**	**1**	**3**	**3**	**4**	**5**	**5**	**6**		**76042**	**3.4**	**1**	**2**	**3**	**3**	**4**	**4**	**5**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	150	2.9	1	2	2	3	3	4	5	0-17	237	3.3	3	1	2	3	4	5	6
18-34	3562	3.3	1	2	3	3	4	4	5	18-34	6284	3.3	3	2	3	3	4	4	5
35-49	1936	3.7	1	2	3	4	4	5	5	35-49	10967	3.6	2	3	3	4	4	5	5
50-69	354	4.1	2	3	3	4	4	6	7	50-69	2651	3.9	2	3	3	4	4	5	6
70 +	29	4.4	1							70 +	86	4.0	1	3	3	4	5	5	6
SUBTOTAL	**6030**	**3.5**	**1**	**2**	**3**	**3**	**4**	**5**	**6**		**20225**	**3.5**	**2**	**2**	**3**	**3**	**4**	**5**	**5**
GRAND TOTAL	**6030**	**3.5**	**1**	**2**	**3**	**3**	**4**	**5**	**6**		**20225**	**3.5**	**2**	**2**	**3**	**3**	**4**	**5**	**5**

DRG 360: Vagina, Cervix & Vulva Procedures

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	236	3.9	3	2	3	4	4	6	7	0-17	18	1.7							
70-74	182	4.7	4	2	3	4	6	7	8	18-34	59	6.4	93	< 1	1	3	8	21	35
75-79	146	4.7	4	3	3	4	6	8	9	35-49	181	4.4	9	2	3	3	5	9	12
80-84	122	7.4	42	2	3	5	9	16	24	50-69	256	5.4	23	2	3	4	5	10	12
85 +	65	4.9	5	2	2	6	6	8	8	70 +	29	4.5	4						
SUBTOTAL	**751**	**4.9**	**11**	**2**	**3**	**4**	**6**	**8**	**9**		**543**	**5.0**	**25**	**2**	**3**	**4**	**5**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	385	3.5	2	2	3	3	4	5	6	0-17	88	1.7	2	< 1	1	1	4	5	99 +
70-74	323	3.8	4	2	3	4	4	6	6	18-34	212	2.4	2	1	1	2	3	4	5
75-79	286	3.4	3	2	2	3	4	5	5	35-49	702	2.8	1	1	2	3	4	4	5
80-84	104	3.3	2	1	2	3	5	5	6	50-69	842	3.3	2	2	3	3	4	5	5
85 +	92	2.3	1	1	2	2	4	4	4	70 +	59	3.5	4	2	2	3	5	7	8
SUBTOTAL	**1191**	**3.5**	**3**	**2**	**2**	**3**	**4**	**5**	**6**		**1904**	**2.9**	**2**	**1**	**2**	**3**	**4**	**5**	**5**
GRAND TOTAL	**1941**	**4.0**	**6**	**2**	**3**	**4**	**5**	**6**	**8**		**2448**	**3.4**	**8**	**1**	**2**	**3**	**4**	**5**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13	1.0								0-17	6	2.0							
18-34	47	3.6	2	1	2	4	5	6	6	18-34	41	3.8	7	1	1	2	7	7	7
35-49	48	4.8	7	1	3	4	6	10	10	35-49	47	6.9	51	3	4	4	5	26	26
50-69	30	5.8	17							50-69	85	3.1	3	1	2	4	4	5	8
70 +	0									70 +	6	8.0							
SUBTOTAL	**138**	**4.3**	**9**	**1**	**2**	**4**	**5**	**7**	**10**		**184**	**4.4**	**19**	**1**	**2**	**4**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	46	2.2	2	< 1	< 1	2	4	4	4	0-17	64	2.4	14	< 1	< 1	1	2	3	14
18-34	93	2.9	2	1	2	3	3	5	6	18-34	161	2.5	5	1	1	2	3	6	8
35-49	36	2.6	2	1	1	2	4	5	5	35-49	148	2.6	2	1	2	2	3	4	4
50-69	34	4.5	3	2	3	4	6	7	7	50-69	154	3.1	3	< 1	2	3	4	5	6
70 +	0									70 +	44	2.6	1	1	1	3	4	4	4
SUBTOTAL	**208**	**2.9**	**2**	**< 1**	**2**	**3**	**4**	**5**	**6**		**570**	**2.7**	**4**	**< 1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**346**	**3.5**	**5**	**1**	**2**	**3**	**5**	**6**	**7**		**754**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 361: Laparoscopy & Incisional Tubal Interruption

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	25	3.0	4						
70-74	13	8.0	27						
75-79	6	5.0							
80-84	0								
85 +	0								
SUBTOTAL	**44**	**4.7**	**15**	**1**	**1**	**5**	**5**	**13**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	18	2.0	1						
70-74	6	1.0							
75-79	0								
80-84	0								
85 +	6	3.0							
SUBTOTAL	**29**	**2.0**	**1**						
GRAND TOTAL	**73**	**3.6**	**11**	**1**	**1**	**3**	**5**	**5**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	24	3.0	1						
18-34	184	3.3	3	1	2	3	5	6	6
35-49	113	3.4	8	< 1	1	2	5	7	11
50-69	13	3.5	7						
70 +	0								
	334	**3.3**	**5**	**1**	**2**	**3**	**5**	**6**	**7**
0-17	159	2.1	4	1	1	2	3	4	4
18-34	1205	2.5	4	< 1	1	2	3	5	6
35-49	508	2.3	3	< 1	1	2	3	5	5
50-69	18	2.4	1						
70 +	0								
	1890	**2.4**	**4**	**< 1**	**1**	**2**	**3**	**5**	**6**
	2224	**2.5**	**4**	**< 1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	12	15.2	245						
18-34	55	3.7	4	1	2	4	5	6	6
35-49	18	4.2	7						
50-69	6	7.0							
70 +	6	18.0							
SUBTOTAL	**97**	**6.3**	**54**	**1**	**2**	**4**	**6**	**18**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	43	3.0	4	1	1	3	4	7	7
18-34	470	2.3	3	< 1	< 1	2	3	4	6
35-49	98	2.1	3	< 1	< 1	1	3	5	6
50-69	0								
70 +	0								
SUBTOTAL	**610**	**2.3**	**3**	**< 1**	**< 1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**707**	**2.9**	**12**	**< 1**	**1**	**2**	**4**	**6**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	2.0							
18-34	113	3.2	4	1	2	2	5	6	7
35-49	60	2.7	3	< 1	1	2	4	5	5
50-69	0								
70 +	0								
	185	**3.0**	**3**	**1**	**2**	**2**	**4**	**5**	**6**
0-17	73	3.0	2	1	2	3	5	5	5
18-34	658	2.5	4	< 1	1	2	4	5	6
35-49	187	2.6	3	< 1	1	2	4	5	6
50-69	0								
70 +	0								
	917	**2.6**	**3**	**< 1**	**1**	**2**	**4**	**5**	**6**
	1102	**2.6**	**3**	**< 1**	**1**	**2**	**4**	**5**	**6**

DRG 362: Endoscopic Tubal Interruption

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	BLUE CROSS/PRIVATE INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	2.0								0-17	0								
70-74	0									18-34	31	1.4	1						
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**2.0**									**31**	**1.4**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	126	1.0		< 1	< 1	< 1	< 1	< 1	< 1
75-79	0									35-49	81	1.1		< 1	< 1	< 1	< 1	< 1	2
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**207**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**2**
GRAND TOTAL	**6**	**2.0**									**238**	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	NO INSURANCE TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	24	3.0	6							18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**24**	**3.0**	**6**								**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	194	1.1		< 1	< 1	< 1	< 1	1	2	18-34	13	1.0							
35-49	6	1.0								35-49	18	1.0							
50-69	6	1.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**207**	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**		**31**	**1.0**							
GRAND TOTAL	**231**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**2**	**3**		**31**	**1.0**							

DRG 363: D&C, Conization & Radio-implant, for Malignancy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	84	3.2	7	2	2	2	3	6	12	0-17	0								
70-74	66	4.2	18	2	2	3	3	10	15	18-34	0								
75-79	67	4.9	7	3	3	3	7	9	10	35-49	19	12.3	65						
80-84	66	2.5	2	1	1	2	3	5	5	50-69	66	3.6	5	2	2	3	5	5	9
85 +	54	6.1	62	1	2	3	5	28	28	70 +	6	1.0							
SUBTOTAL	**337**	**4.1**	**18**	**1**	**2**	**3**	**4**	**9**	**12**		**90**	**5.3**	**30**	**1**	**2**	**3**	**5**	**14**	**21**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	129	2.1	1	1	1	2	3	3	3	0-17	0								
70-74	108	1.9		1	2	2	2	3	3	18-34	36	1.3		< 1	< 1	< 1	2	2	2
75-79	78	2.0		1	2	2	2	3	3	35-49	140	2.5	1	1	2	2	3	4	4
80-84	120	2.2	1	1	1	2	3	3	5	50-69	147	1.9	1	1	1	2	2	3	3
85 +	36	3.9	3	2	2	3	5	7	7	70 +	0								
SUBTOTAL	**471**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**5**		**323**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**808**	**3.0**	**9**	**1**	**2**	**2**	**3**	**5**	**9**		**413**	**2.8**	**9**	**1**	**2**	**2**	**3**	**5**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	6	26.0							
35-49	24	5.7	47							35-49	23	2.7	1						
50-69	34	2.8	3	1	2	2	4	6	6	50-69	60	6.6	82	2	3	3	4	19	34
70 +	0									70 +	6	6.0							
SUBTOTAL	**58**	**4.0**	**23**	**1**	**2**	**2**	**4**	**12**	**18**		**95**	**6.7**	**78**	**2**	**3**	**3**	**5**	**26**	**34**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	29	1.8	1							18-34	6	1.0							
35-49	18	2.3	1							35-49	53	2.4	4	< 1	1	2	3	8	8
50-69	37	3.2	3	2	2	3	3	7	7	50-69	64	2.8	3	1	1	3	3	5	7
70 +	0									70 +	19	2.3							
SUBTOTAL	**84**	**2.5**	**2**	**1**	**1**	**2**	**3**	**3**	**7**		**142**	**2.5**	**3**	**< 1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**142**	**3.1**	**11**	**1**	**2**	**2**	**3**	**6**	**7**		**237**	**4.2**	**37**	**1**	**2**	**3**	**4**	**7**	**17**

DRG 364: D&C, Conization except for Malignancy

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	44	1.7	3	< 1	1	1	1	6	6
70-74	36	2.8	3	1	1	2	4	6	6
75-79	30	2.6	1						
80-84	13	7.0	1						
85 +	18	7.0	1						
SUBTOTAL	**140**	**3.3**	**6**	**1**	**1**	**3**	**6**	**7**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	98	2.1	9	< 1	< 1	< 1	1	7	12
70-74	44	2.6	6	< 1	< 1	2	3	8	8
75-79	44	2.7	5	< 1	1	2	6	6	6
80-84	6	6.0							
85 +	13	3.0	4						
SUBTOTAL	**205**	**2.5**	**7**	**< 1**	**< 1**	**1**	**2**	**6**	**8**
GRAND TOTAL	**345**	**2.8**	**7**	**< 1**	**< 1**	**1**	**4**	**7**	**8**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	13	1.5							
18-34	97	1.7	1	1	1	2	2	3	4
35-49	216	2.0	2	< 1	1	2	3	3	5
50-69	87	2.1	4	1	1	2	2	2	9
70 +	6	2.0							
	419	**2.0**	**2**	**< 1**	**1**	**2**	**2**	**3**	**4**
0-17	13	6.0	10						
18-34	189	2.0	3	< 1	< 1	1	3	5	5
35-49	347	1.3	1	< 1	< 1	< 1	1	2	4
50-69	129	1.0		< 1	< 1	< 1	1	1	1
70 +	0								
	677	**1.5**	**2**	**< 1**	**< 1**	**< 1**	**1**	**3**	**5**
	1096	**1.7**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	36	1.8	1	< 1	1	1	3	3	3
35-49	18	2.8	3						
50-69	18	3.0	2						
70 +	6	3.0							
SUBTOTAL	**78**	**2.4**	**2**	**1**	**1**	**2**	**3**	**5**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	87	1.7	2	< 1	1	1	2	3	6
35-49	66	1.8	1	< 1	< 1	2	2	3	4
50-69	13	2.5							
70 +	0								
SUBTOTAL	**166**	**1.8**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**243**	**2.0**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	3.0							
18-34	71	2.2	1	1	1	2	3	3	4
35-49	115	2.6	10	< 1	1	2	3	4	12
50-69	49	1.5		< 1	1	1	2	3	3
70 +	6	1.0							
	248	**2.2**	**5**	**1**	**1**	**2**	**3**	**4**	**4**
0-17	0								
18-34	109	2.2	7	< 1	< 1	1	2	9	10
35-49	96	1.5	1	< 1	1	1	2	3	4
50-69	11	2.5							
70 +	0								
	216	**1.9**	**4**	**< 1**	**< 1**	**1**	**2**	**3**	**9**
	464	**2.1**	**5**	**< 1**	**1**	**1**	**2**	**4**	**4**

DRG 365: Other Female Reproductive System O.R. Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	131	9.2	86	2	4	6	12	16	19
70-74	97	9.9	63	2	4	7	12	24	28
75-79	36	11.0	42	2	6	11	15	22	22
80-84	29	12.6	73						
85 +	23	16.0	103						
SUBTOTAL	**316**	**10.4**	**77**	**2**	**4**	**8**	**14**	**23**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	110	4.2	8	1	3	4	5	11	12
70-74	48	3.7	1	2	3	4	4	5	5
75-79	12	3.1	1						
80-84	24	3.0	2						
85 +	0								
SUBTOTAL	**194**	**3.9**	**5**	**2**	**3**	**4**	**4**	**5**	**11**
GRAND TOTAL	**510**	**7.9**	**60**	**2**	**3**	**5**	**11**	**19**	**24**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	5.0							
18-34	71	6.1	13	3	3	5	7	10	16
35-49	142	7.8	31	3	4	6	10	15	18
50-69	130	9.9	22	6	7	9	11	14	15
70 +	11	7.5	2						
	360	**8.1**	**25**	**3**	**5**	**7**	**10**	**14**	**17**
0-17	42	3.1	1	2	2	3	4	5	5
18-34	312	3.3	2	1	2	3	4	5	7
35-49	387	3.4	4	2	2	3	4	6	8
50-69	180	3.9	4	2	2	3	4	6	9
70 +	0								
	920	**3.4**	**3**	**2**	**2**	**3**	**4**	**6**	**8**
	1279	**4.8**	**14**	**2**	**3**	**3**	**6**	**10**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	10.0							
18-34	36	4.8	2	3	4	5	6	7	7
35-49	39	9.3	37	2	5	8	13	22	22
50-69	12	5.4	2						
70 +	6	19.0							
SUBTOTAL	**99**	**7.8**	**29**	**3**	**4**	**7**	**8**	**19**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	12	2.5							
18-34	78	2.9	2	1	2	3	4	5	5
35-49	24	3.0	4						
50-69	28	6.6	20						
70 +	0								
SUBTOTAL	**143**	**3.6**	**8**	**1**	**2**	**3**	**4**	**6**	**9**
GRAND TOTAL	**242**	**5.4**	**20**	**2**	**3**	**4**	**7**	**10**	**15**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	22.0							
18-34	40	8.9	62	2	2	4	20	21	21
35-49	51	14.5	177	4	6	8	18	47	47
50-69	52	7.0	20	1	3	7	10	15	15
70 +	13	20.5	198						
	161	**11.4**	**113**	**2**	**4**	**8**	**18**	**25**	**34**
0-17	6	4.0							
18-34	237	3.8	2	2	3	4	4	6	7
35-49	125	4.5	15	1	2	3	5	10	14
50-69	84	3.9	5	2	2	3	5	6	10
70 +	6	2.0							
	458	**4.0**	**6**	**2**	**2**	**3**	**5**	**6**	**9**
	619	**5.9**	**45**	**2**	**3**	**4**	**6**	**13**	**20**

Western Region, July 1990 - June 1991

DRG 366: Malignancy, Female Reproductive System w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	127	6.3	30	1	2	5	12	14	16
70-74	155	7.4	47	2	3	4	11	16	25
75-79	80	11.5	182	3	5	7	9	22	54
80-84	64	7.9	78	1	2	4	13	15	31
85 +	61	7.7	28	3	4	6	11	14	21
SUBTOTAL	**487**	**7.9**	**69**	**2**	**3**	**5**	**11**	**15**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**487**	**7.9**	**69**	**2**	**3**	**5**	**11**	**15**	**23**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	2.0							
18-34	6	10.0							
35-49	72	7.1	121	1	2	2	7	15	42
50-69	157	9.1	91	2	4	6	10	21	21
70 +	18	6.3	27						
	257	**8.2**	**92**	**2**	**2**	**5**	**10**	**17**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	257	**8.2**	**92**	**2**	**2**	**5**	**10**	**17**	**21**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	22	7.8	17						
35-49	62	7.8	91	1	3	4	6	21	35
50-69	64	5.6	28	1	1	4	8	13	18
70 +	6	11.0							
SUBTOTAL	**155**	**7.0**	**52**	**1**	**2**	**5**	**11**	**17**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**155**	**7.0**	**52**	**1**	**2**	**5**	**11**	**17**	**18**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	22	4.5	4						
35-49	57	9.3	183	1	2	5	10	37	49
50-69	97	4.9	14	1	2	4	6	11	15
70 +	18	9.0							
	196	**6.5**	**66**	**1**	**2**	**4**	**9**	**11**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	196	**6.5**	**66**	**1**	**2**	**4**	**9**	**11**	**15**

DRG 367: Malignancy, Female Reproductive System w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	29	3.3	8						
70-74	18	2.0	1						
75-79	11	1.5							
80-84	18	3.6	3						
85 +	0								
SUBTOTAL	**75**	**2.8**	**5**	**1**	**2**	**2**	**3**	**6**	**9**
GRAND TOTAL	**75**	**2.8**	**5**	**1**	**2**	**2**	**3**	**6**	**9**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	11	4.0	10						
18-34	6	1.0							
35-49	30	12.9	174						
50-69	41	2.3	1	1	2	2	2	5	5
70 +	6	1.0							
	94	**5.8**	**81**	**1**	**1**	**2**	**4**	**23**	**35**
	94	**5.8**	**81**	**1**	**1**	**2**	**4**	**23**	**35**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	17	6.3	2						
18-34	18	1.7							
35-49	22	1.8	1						
50-69	141	2.1	2	1	1	2	3	4	5
70 +	0								
SUBTOTAL	**198**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**198**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**7**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	6	2.0							
18-34	51	3.2	9	< 1	1	2	4	11	11
35-49	109	3.1	21	< 1	1	2	3	5	22
50-69	152	3.5	27	1	1	1	3	10	10
70 +	13	2.0							
	331	**3.2**	**21**	**1**	**1**	**2**	**3**	**8**	**11**
	331	**3.2**	**21**	**1**	**1**	**2**	**3**	**8**	**11**

DRG 368: Infections, Female Reproductive System

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	59	6.1	29	3	4	4	5	16	22	0-17	66	3.4	3	2	2	3	4	5	8
70-74	6	4.0								18-34	322	4.1	5	2	3	4	5	6	7
75-79	31	8.5	39							35-49	133	4.3	2	2	4	4	5	7	7
80-84	0									50-69	31	4.5	11						
85 +	18	4.0	1							70 +	13	5.0	17						
SUBTOTAL	**114**	**6.3**	**27**	**3**	**4**	**4**	**5**	**20**	**21**		**565**	**4.1**	**5**	**2**	**3**	**4**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	36	4.0	12	1	2	2	5	11	11	0-17	302	3.3	2	2	2	3	4	5	5
70-74	6	4.0								18-34	1758	3.3	3	1	2	3	4	5	6
75-79	0									35-49	476	3.9	3	2	2	4	5	7	7
80-84	6	1.0								50-69	31	3.6	2						
85 +	0									70 +	6	2.0							
SUBTOTAL	**49**	**3.6**	**10**	**1**	**1**	**2**	**4**	**11**	**11**		**2573**	**3.4**	**3**	**2**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**163**	**5.5**	**24**	**2**	**3**	**4**	**5**	**11**	**20**		**3137**	**3.5**	**4**	**2**	**2**	**3**	**4**	**6**	**7**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	76	3.8	2	2	3	4	5	5	6	0-17	36	4.0	1	2	4	4	4	6	6
18-34	287	4.0	7	2	3	3	4	6	7	18-34	268	3.8	6	1	2	3	5	6	9
35-49	59	4.4	7	1	2	4	6	8	9	35-49	112	4.2	7	1	2	4	5	8	11
50-69	6	6.0								50-69	6	14.0							
70 +	0									70 +	12	5.0							
SUBTOTAL	**428**	**4.0**	**6**	**2**	**2**	**4**	**5**	**6**	**8**		**433**	**4.1**	**7**	**2**	**2**	**4**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	231	3.6	5	2	2	3	4	5	7	0-17	270	2.8	2	1	2	3	4	5	5
18-34	989	3.5	3	2	2	3	4	6	7	18-34	1758	3.3	3	1	2	3	4	5	7
35-49	79	3.4	1	2	3	3	4	5	5	35-49	310	3.7	4	1	2	3	5	6	7
50-69	11	3.5								50-69	12	5.4	2						
70 +	6	2.0								70 +	0								
SUBTOTAL	**1315**	**3.5**	**3**	**2**	**2**	**3**	**4**	**6**	**7**		**2350**	**3.3**	**3**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**1743**	**3.6**	**4**	**2**	**2**	**3**	**4**	**6**	**7**		**2783**	**3.4**	**4**	**1**	**2**	**3**	**4**	**6**	**7**

DRG 369: Menstrual & Other Female Reproductive System Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	73	2.4	2	1	1	2	3	4	5	0-17	98	2.0	1	1	1	2	2	4	4
70-74	31	3.8	3							18-34	295	2.7	5	1	1	2	4	5	7
75-79	19	8.3	35							35-49	254	2.1	4	< 1	1	1	3	4	5
80-84	54	5.6	10	2	4	4	7	12	12	50-69	73	1.9	1	< 1	1	1	3	3	4
85 +	18	5.0	1							70 +	6	7.0							
SUBTOTAL	194	4.3	11	1	2	4	6	9	12		726	2.4	4	< 1	1	2	3	5	6
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	36	1.7	1	< 1	< 1	1	2	4	4	0-17	367	1.9	2	1	1	1	2	3	4
70-74	13	2.0	1							18-34	1252	1.8	1	1	1	1	2	4	4
75-79	37	1.8	2	< 1	< 1	1	3	4	4	35-49	717	1.9	1	< 1	1	1	2	4	5
80-84	13	3.5								50-69	117	2.6	4	< 1	1	2	4	5	7
85 +	13	3.5	2							70 +	6	1.0							
SUBTOTAL	111	2.2	2	< 1	< 1	2	3	4	5		2459	1.9	2	< 1	1	1	2	4	5
GRAND TOTAL	305	3.6	8	< 1	1	3	4	7	9		3185	2.0	2	< 1	1	1	2	4	5

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	18	1.7								0-17	38	1.8	1	1	1	2	3	3	3
18-34	125	3.3	7	1	2	3	4	6	9	18-34	269	2.4	4	< 1	1	2	3	6	7
35-49	95	2.3	3	< 1	1	2	3	5	7	35-49	120	3.9	24	1	1	2	4	12	18
50-69	6	1.0								50-69	48	2.0	1	< 1	1	2	3	3	3
70 +	6	8.0								70 +	12	3.1	4						
SUBTOTAL	248	2.9	6	1	1	2	4	6	8		486	2.7	9	< 1	1	2	3	5	7
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	125	2.0	2	< 1	1	1	3	3	6	0-17	250	1.7	1	< 1	1	1	2	3	3
18-34	465	2.0	3	< 1	1	1	3	3	4	18-34	831	1.8	2	< 1	1	1	2	3	4
35-49	71	2.0	2	< 1	< 1	1	3	4	4	35-49	335	2.4	4	< 1	1	1	3	5	7
50-69	22	2.5	1							50-69	111	2.3	4	< 1	< 1	1	4	5	7
70 +	0									70 +	0								
SUBTOTAL	683	2.0	3	< 1	1	1	3	3	4		1527	1.9	2	< 1	1	1	2	4	5
GRAND TOTAL	932	2.2	4	< 1	1	2	3	4	6		2013	2.1	4	< 1	1	1	3	4	6

DRG 370: Cesarean Section w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	191	5.0	13	3	3	4	5	8	14	0-17	293	5.4	7	3	3	5	6	8	12
70-74	0									18-34	12103	4.8	17	3	3	4	5	6	9
75-79	0									35-49	2545	5.2	19	3	3	4	5	7	12
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**191**	**5.0**	**13**	**3**	**3**	**4**	**5**	**8**	**14**		**14941**	**4.9**	**18**	**3**	**3**	**4**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**191**	**5.0**	**13**	**3**	**3**	**4**	**5**	**8**	**14**		**14941**	**4.9**	**18**	**3**	**3**	**4**	**5**	**7**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	835	5.3	9	3	3	5	6	9	10	0-17	352	4.8	5	3	4	4	5	8	9
18-34	9796	5.0	15	3	3	4	5	7	9	18-34	7574	4.8	14	3	3	4	5	7	9
35-49	1038	5.5	34	3	3	4	5	9	11	35-49	1370	5.3	48	3	3	4	5	8	12
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**11670**	**5.0**	**16**	**3**	**3**	**4**	**5**	**7**	**10**		**9296**	**4.9**	**19**	**3**	**3**	**4**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**11670**	**5.0**	**16**	**3**	**3**	**4**	**5**	**7**	**10**		**9296**	**4.9**	**19**	**3**	**3**	**4**	**5**	**7**	**10**

DRG 371: Cesarean Section w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	482	3.9	6	3	3	3	4	5	8
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**482**	**3.9**	**6**	**3**	**3**	**3**	**4**	**5**	**8**
GRAND TOTAL	**482**	**3.9**	**6**	**3**	**3**	**3**	**4**	**5**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	518	3.5	1	3	3	3	4	4	5
18-34	51536	3.7	4	3	3	3	4	5	5
35-49	10818	3.8	4	3	3	4	4	5	5
50-69	0								
70 +	0								
	62872	**3.7**	**4**	**3**	**3**	**4**	**4**	**5**	**5**
	62872	**3.7**	**4**	**3**	**3**	**4**	**4**	**5**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1779	4.0	5	3	3	3	4	5	7
18-34	31149	3.7	4	3	3	3	4	5	5
35-49	2519	3.9	5	3	3	3	4	5	6
50-69	0								
70 +	0								
SUBTOTAL	**35447**	**3.7**	**4**	**3**	**3**	**3**	**4**	**5**	**6**
GRAND TOTAL	**35447**	**3.7**	**4**	**3**	**3**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	882	3.8	2	3	3	3	4	5	7
18-34	30304	3.6	4	3	3	3	4	5	5
35-49	5213	3.7	10	3	3	3	4	5	5
50-69	6	4.0							
70 +	0								
	36404	**3.7**	**5**	**3**	**3**	**3**	**4**	**5**	**5**
	36404	**3.7**	**5**	**3**	**3**	**3**	**4**	**5**	**5**

DRG 372: Vaginal Delivery w/ Complicating Diagnoses

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	115	3.5	8	1	2	2	4	8	11	0-17	164	3.2	9	1	2	2	4	6	7
70-74	0									18-34	5982	2.9	12	1	2	2	3	4	5
75-79	0									35-49	973	3.0	4	1	2	2	3	5	7
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**115**	**3.5**	**8**	**1**	**2**	**2**	**4**	**8**	**11**		**7119**	**2.9**	**10**	**1**	**2**	**2**	**3**	**4**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	92	3.1	9	1	1	2	3	7	13	0-17	489	2.5	3	1	1	2	3	5	6
70-74	0									18-34	13645	2.2	3	1	1	2	3	3	4
75-79	0									35-49	2202	2.1	2	1	1	2	2	3	4
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**92**	**3.1**	**9**	**1**	**1**	**2**	**3**	**7**	**13**		**16335**	**2.2**	**3**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**207**	**3.3**	**8**	**1**	**2**	**2**	**4**	**7**	**12**		**23455**	**2.4**	**6**	**1**	**2**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	827	3.2	16	1	2	2	3	5	7	0-17	347	3.1	18	1	2	2	3	5	5
18-34	5512	2.8	7	1	2	2	3	5	6	18-34	3517	2.8	6	1	2	2	3	5	7
35-49	403	2.9	11	1	1	2	3	4	10	35-49	481	3.0	6	1	2	2	3	6	7
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**6743**	**2.8**	**8**	**1**	**2**	**2**	**3**	**5**	**6**		**4344**	**2.8**	**7**	**1**	**2**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1061	2.4	5	1	1	2	3	4	6	0-17	392	2.9	18	1	1	2	3	4	4
18-34	9590	2.2	5	1	1	2	3	3	4	18-34	7029	2.1	8	1	1	2	2	3	4
35-49	705	2.5	4	1	1	2	3	4	6	35-49	879	2.3	5	1	1	2	2	3	4
50-69	6	2.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**11362**	**2.2**	**5**	**1**	**1**	**2**	**3**	**4**	**5**		**8301**	**2.2**	**8**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**18105**	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**5**		**12645**	**2.4**	**8**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 373: Vaginal Delivery w/o Complicating Diagnoses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	225	2.4	7	1	1	2	2	3	6	0-17	537	1.7	1	1	1	2	2	2	3
70-74	0									18-34	11463	2.1	2	1	1	2	2	3	3
75-79	0									35-49	1666	2.3	3	1	2	2	3	3	4
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**225**	**2.4**	**7**	**1**	**1**	**2**	**2**	**3**	**6**		**13666**	**2.1**	**2**	**1**	**1**	**2**	**2**	**3**	**3**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1604	1.6		1	1	2	2	2	3	0-17	3937	1.7	2	1	1	2	2	2	3
70-74	0									18-34	194095	1.7	1	1	1	2	2	2	3
75-79	0									35-49	26408	1.7	1	1	1	2	2	3	3
80-84	0									50-69	6	2.0							
85 +	0									70 +	0								
SUBTOTAL	**1604**	**1.6**		**1**	**1**	**2**	**2**	**2**	**3**		**224446**	**1.7**	**1**	**1**	**1**	**2**	**2**	**2**	**3**
GRAND TOTAL	**1829**	**1.7**	**1**	**1**	**1**	**2**	**2**	**2**	**3**		**238113**	**1.7**	**1**	**1**	**1**	**2**	**2**	**2**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1782	2.1	2	1	1	2	2	3	4	0-17	770	1.8	1	1	1	2	2	3	4
18-34	14045	1.9	3	1	1	2	2	3	4	18-34	10355	1.8	3	1	1	2	2	3	4
35-49	683	1.9	1	1	1	2	2	3	4	35-49	808	2.0	3	1	1	2	2	3	4
50-69	6	1.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**16517**	**1.9**	**3**	**1**	**1**	**2**	**2**	**3**	**4**		**11933**	**1.9**	**3**	**1**	**1**	**2**	**2**	**3**	**4**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	15171	1.6	1	1	1	1	2	2	3	0-17	7615	1.6	1	1	1	1	2	2	3
18-34	149976	1.5	1	1	1	1	2	2	3	18-34	142723	1.5	1	1	1	1	2	2	3
35-49	7587	1.6	2	1	1	1	2	2	3	35-49	14123	1.6	1	1	1	1	2	2	3
50-69	6	2.0								50-69	24	1.5							
70 +	0									70 +	0								
SUBTOTAL	**172740**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**		**164485**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**189257**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**		**176419**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**

DRG 374: Vaginal Delivery w/ Sterilization &/or D&C

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	61	6.4	161	1	2	2	3	21	46	0-17	13	3.0	1						
70-74	0									18-34	1662	3.0	19	1	2	2	3	4	5
75-79	0									35-49	378	2.7	2	1	2	2	3	4	5
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**61**	**6.4**	**161**	**1**	**2**	**2**	**3**	**21**	**46**		**2053**	**3.0**	**15**	**1**	**2**	**2**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	364	1.9		1	2	2	2	3	3	0-17	79	2.1	1	1	2	2	2	3	4
70-74	0									18-34	12490	2.1	1	1	2	2	2	3	3
75-79	0									35-49	2985	2.1	1	1	2	2	2	3	3
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**364**	**1.9**		**1**	**2**	**2**	**2**	**3**	**3**		**15554**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**
GRAND TOTAL	**426**	**2.6**	**26**	**1**	**2**	**2**	**2**	**3**	**3**		**17607**	**2.2**	**3**	**1**	**2**	**2**	**3**	**3**	**3**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	24	2.0	1							0-17	18	2.7							
18-34	1928	3.2	26	1	2	2	3	4	8	18-34	749	2.6	2	1	2	2	3	4	5
35-49	150	3.2	3	2	2	3	3	6	8	35-49	186	2.9	5	1	2	2	4	5	6
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**2102**	**3.2**	**24**	**1**	**2**	**2**	**3**	**4**	**8**		**953**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	78	2.2	1	1	2	2	3	3	4	0-17	6	7.0							
18-34	13002	2.1	2	1	2	2	2	3	3	18-34	5685	2.0	2	1	1	2	2	3	3
35-49	1564	2.4	3	1	2	2	3	3	4	35-49	1442	2.2	2	1	2	2	2	3	4
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**14644**	**2.1**	**2**	**1**	**2**	**2**	**2**	**3**	**3**		**7133**	**2.1**	**2**	**1**	**1**	**2**	**2**	**3**	**3**
GRAND TOTAL	**16746**	**2.3**	**5**	**1**	**2**	**2**	**2**	**3**	**4**		**8086**	**2.1**	**2**	**1**	**2**	**2**	**2**	**3**	**4**

DRG 375: Vaginal Delivery w/ O.R. Proc except Steril &/or D&C

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	92	5.5	36	2	2	3	7	13	26
75-79	0									35-49	11	4.0	1						
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										104	5.3	32	2	2	3	5	13	26
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	324	2.0	1	1	1	2	2	3	3
75-79	0									35-49	61	2.9	2	1	2	2	5	5	5
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										385	2.1	1	1	1	2	3	3	5
GRAND TOTAL	0										489	2.8	9	1	2	2	3	5	5

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	85	3.7	7	1	2	3	5	7	10	18-34	22	7.3	10						
35-49	6	5.0								35-49	11	13.5	172						
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	90	3.8	7	1	2	3	5	7	10		34	9.3	69	1	2	8	10	26	26
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	2.4	1							0-17	0								
18-34	193	2.5	10	1	1	2	3	4	4	18-34	103	2.0	2	< 1	1	2	2	4	6
35-49	11	1.5								35-49	18	1.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	236	2.4	9	1	1	2	3	4	4		121	1.9	2	< 1	1	2	2	3	5
GRAND TOTAL	326	2.8	8	1	1	2	3	5	7		155	3.5	25	< 1	1	2	3	9	10

DRG 376: Postpartum & Post Abortion Diagnoses w/o O.R. Procedure

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	31	5.2	23						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**31**	**5.2**	**23**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	11	1.5							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**11**	**1.5**							
GRAND TOTAL	**42**	**4.2**	**19**	**< 1**	**1**	**2**	**5**	**14**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	1.8		1	1	2	2	3	3
18-34	632	3.2	5	1	2	3	4	6	8
35-49	145	4.7	13	1	2	4	6	9	13
50-69	0								
70 +	0								
	815	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**8**
0-17	55	2.7	6	1	2	2	2	9	9
18-34	1296	2.6	3	1	1	2	3	5	7
35-49	257	2.4	2	1	1	2	3	4	5
50-69	0								
70 +	0								
	1607	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**7**
	2422	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	55	3.3	5	1	2	3	4	9	9
18-34	741	3.1	7	1	1	3	4	5	8
35-49	29	2.2	1						
50-69	0								
70 +	0								
SUBTOTAL	**824**	**3.1**	**7**	**1**	**1**	**3**	**4**	**5**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	101	2.7	2	1	2	2	3	4	7
18-34	1626	2.4	4	1	1	2	3	5	6
35-49	106	2.2	2	1	1	2	3	3	7
50-69	0								
70 +	0								
SUBTOTAL	**1832**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**2656**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	3.5	9	1	1	2	5	7	11
18-34	598	2.8	8	1	1	2	3	7	9
35-49	55	3.6	4	1	2	3	5	8	8
50-69	0								
70 +	0								
	716	**3.0**	**8**	**1**	**1**	**2**	**3**	**7**	**9**
0-17	92	1.9	1	1	1	2	2	3	5
18-34	1488	1.9	3	< 1	1	1	2	3	4
35-49	204	2.3	5	< 1	1	1	3	5	9
50-69	0								
70 +	0								
	1785	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**3**	**5**
	2501	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 377: Postpartum & Post Abortion Diagnoses w/ O.R. Procedure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	9.0								0-17	24	2.0	1						
70-74	0									18-34	320	5.3	80	1	1	3	5	11	17
75-79	0									35-49	75	3.7	8	1	1	3	4	9	10
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**9.0**									**419**	**4.8**	**63**	**1**	**1**	**3**	**5**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	383	2.0	2	1	1	1	3	4	5
75-79	0									35-49	36	1.2		< 1	< 1	1	1	2	2
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**420**	**2.0**	**2**	**< 1**	**1**	**1**	**3**	**4**	**4**
GRAND TOTAL	**6**	**9.0**									**838**	**3.4**	**34**	**1**	**1**	**2**	**3**	**6**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	36	3.7	15	2	2	2	2	12	12	0-17	18	2.7	2						
18-34	223	3.3	6	1	1	2	4	7	7	18-34	220	4.9	35	1	2	3	5	12	19
35-49	29	3.3	9							35-49	42	3.6	13	1	1	2	6	11	11
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**289**	**3.4**	**8**	**1**	**1**	**2**	**4**	**7**	**9**		**280**	**4.5**	**30**	**1**	**1**	**3**	**5**	**11**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	17	1.0								0-17	17	1.7	1						
18-34	412	2.7	6	1	1	2	3	6	9	18-34	423	1.9	2	< 1	1	1	2	4	5
35-49	17	1.3								35-49	47	3.3	8	1	1	2	5	10	10
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**446**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**9**		**487**	**2.1**	**3**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**734**	**2.9**	**7**	**1**	**1**	**2**	**4**	**7**	**9**		**766**	**3.0**	**14**	**1**	**1**	**2**	**3**	**6**	**10**

DRG 378: Ectopic Pregnancy

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	12	3.5							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**12**	**3.5**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	44	2.6		2	2	3	3	3	3
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**44**	**2.6**		**2**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**56**	**2.8**		**2**	**2**	**3**	**3**	**4**	**4**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	24	3.0	1						
18-34	1344	3.3	2	2	3	3	4	5	6
35-49	379	3.5	3	1	3	3	4	5	8
50-69	0								
70 +	0								
	1747	**3.3**	**2**	**2**	**3**	**3**	**4**	**5**	**6**
0-17	66	2.5	1	1	2	3	3	3	4
18-34	3528	2.7	1	1	2	3	3	4	4
35-49	984	2.7	1	1	2	3	3	4	4
50-69	6	3.0							
70 +	0								
	4583	**2.7**	**1**	**1**	**2**	**3**	**3**	**4**	**4**
	6331	**2.9**	**2**	**1**	**2**	**3**	**4**	**4**	**5**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	28	5.8	15						
18-34	609	3.8	2	2	3	4	4	6	7
35-49	90	3.5	1	2	3	3	5	5	6
50-69	0								
70 +	0								
SUBTOTAL	**727**	**3.9**	**3**	**2**	**3**	**4**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	59	2.7		2	2	3	3	3	3
18-34	1345	3.0	4	1	2	3	4	4	5
35-49	95	2.8	1	1	2	3	3	4	4
50-69	0								
70 +	0								
SUBTOTAL	**1499**	**3.0**	**4**	**1**	**2**	**3**	**3**	**4**	**5**
GRAND TOTAL	**2226**	**3.3**	**4**	**1**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	24	3.0	1						
18-34	1346	3.2	1	2	2	3	4	4	5
35-49	340	3.3	2	2	3	3	4	5	5
50-69	0								
70 +	0								
	1710	**3.2**	**2**	**2**	**3**	**3**	**4**	**4**	**5**
0-17	47	3.0	1	2	2	3	3	5	5
18-34	3209	2.7	1	1	2	3	3	4	4
35-49	543	2.9	1	1	2	3	4	4	4
50-69	0								
70 +	0								
	3799	**2.7**	**1**	**1**	**2**	**3**	**3**	**4**	**4**
	5509	**2.9**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

DRG 379: Threatened Abortion

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	36	2.7	3	< 1	< 1	3	3	6	6
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**36**	**2.7**	**3**	**< 1**	**< 1**	**3**	**3**	**6**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	67	4.5	64	1	1	2	3	4	29
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**67**	**4.5**	**64**	**1**	**1**	**2**	**3**	**4**	**29**
GRAND TOTAL	**103**	**3.9**	**43**	**< 1**	**1**	**2**	**3**	**6**	**29**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	91	2.2	2	1	1	1	3	4	6
18-34	1911	3.1	13	1	1	2	3	6	8
35-49	222	5.4	79	1	1	3	5	11	34
50-69	0								
70 +	0								
	2224	**3.3**	**20**	**1**	**1**	**2**	**4**	**6**	**9**
0-17	315	2.1	5	< 1	1	1	2	3	8
18-34	7437	2.6	14	1	1	2	3	5	7
35-49	965	3.6	23	< 1	1	2	4	7	15
50-69	0								
70 +	0								
	8717	**2.7**	**15**	**1**	**1**	**2**	**3**	**5**	**8**
	10941	**2.8**	**16**	**1**	**1**	**2**	**3**	**6**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	279	3.0	11	1	1	2	3	4	7
18-34	1915	3.2	18	1	1	2	4	6	8
35-49	53	3.9	10	< 1	1	3	6	9	9
50-69	0								
70 +	0								
SUBTOTAL	**2247**	**3.2**	**17**	**1**	**1**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	847	2.8	16	< 1	1	2	3	6	10
18-34	6788	2.2	7	< 1	1	1	2	4	6
35-49	215	3.1	25	1	1	2	3	6	21
50-69	0								
70 +	0								
SUBTOTAL	**7851**	**2.3**	**8**	**< 1**	**1**	**1**	**3**	**4**	**7**
GRAND TOTAL	**10098**	**2.5**	**10**	**< 1**	**1**	**2**	**3**	**5**	**7**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	71	2.5	3	1	2	2	3	3	8
18-34	1081	3.3	17	1	1	2	4	6	11
35-49	53	4.1	26	< 1	< 1	2	5	18	18
50-69	0								
70 +	0								
	1205	**3.2**	**16**	**1**	**1**	**2**	**3**	**6**	**11**
0-17	309	2.0	4	< 1	1	1	3	4	5
18-34	4049	2.3	8	< 1	1	1	3	4	7
35-49	382	3.3	21	< 1	1	2	4	6	10
50-69	0								
70 +	0								
	4740	**2.4**	**9**	**< 1**	**1**	**1**	**3**	**5**	**7**
	5945	**2.6**	**10**	**< 1**	**1**	**2**	**3**	**5**	**7**

DRG 380: Abortion w/o D&C

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	13	1.5							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**13**	**1.5**							
GRAND TOTAL	**13**	**1.5**							

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	13	1.5							
18-34	64	2.9	6	< 1	1	2	6	6	8
35-49	24	3.4	7						
50-69	0								
70 +	0								
	101	**2.9**	**6**	**< 1**	**1**	**2**	**4**	**6**	**8**
0-17	71	1.2		< 1	< 1	1	1	1	3
18-34	653	1.3	1	< 1	1	1	1	2	3
35-49	120	1.3		< 1	< 1	< 1	1	3	3
50-69	0								
70 +	0								
	846	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**
	946	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	12	1.0							
18-34	82	3.5	10	1	1	2	4	10	11
35-49	22	2.5	1						
50-69	0								
70 +	0								
SUBTOTAL	**116**	**3.0**	**7**	**1**	**1**	**2**	**3**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	83	1.7	2	< 1	< 1	1	1	4	5
18-34	563	1.6	2	1	1	1	2	3	4
35-49	71	1.4		< 1	1	1	2	2	2
50-69	0								
70 +	0								
SUBTOTAL	**717**	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**833**	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**3**	**5**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	1.0							
18-34	119	2.4	7	1	1	2	3	3	8
35-49	19	2.0	2						
50-69	0								
70 +	0								
	149	**2.3**	**6**	**1**	**1**	**2**	**3**	**3**	**4**
0-17	59	1.2		< 1	1	1	1	2	2
18-34	782	1.3	1	< 1	1	1	1	2	3
35-49	158	1.4	1	< 1	1	1	2	2	3
50-69	0								
70 +	0								
	1000	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**
	1148	**1.5**	**2**	**< 1**	**1**	**1**	**1**	**2**	**3**

DRG 381: Abortion w/ D&C, Aspiration Curettage or Hysterotomy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	12	4.3	13							0-17	30	4.7	11						
70-74	0									18-34	284	2.2	3	1	1	2	3	5	5
75-79	0									35-49	133	2.8	8	1	1	1	4	7	9
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**12**	**4.3**	**13**								**448**	**2.5**	**5**	**1**	**1**	**1**	**3**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	43	1.9	1	< 1	1	1	3	3	3	0-17	129	1.7	1	< 1	1	1	2	4	4
70-74	0									18-34	1817	1.3	1	< 1	< 1	1	1	2	3
75-79	0									35-49	600	1.3	1	< 1	< 1	1	1	2	3
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**43**	**1.9**	**1**	**< 1**	**1**	**1**	**3**	**3**	**3**		**2546**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**55**	**2.4**	**5**	**< 1**	**1**	**1**	**3**	**8**	**8**		**2994**	**1.5**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	36	1.5		1	1	1	2	2	2	0-17	29	2.2	1						
18-34	408	2.6	7	1	1	2	3	5	7	18-34	528	2.3	6	< 1	1	1	3	4	6
35-49	46	2.2	3	< 1	< 1	1	3	6	6	35-49	106	2.0	2	< 1	< 1	1	3	5	6
50-69	0									50-69	6	3.0							
70 +	0									70 +	0								
SUBTOTAL	**490**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**6**		**670**	**2.3**	**5**	**< 1**	**1**	**1**	**3**	**4**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	159	1.6	2	< 1	< 1	1	2	2	4	0-17	286	1.2		< 1	< 1	1	1	2	2
18-34	1515	1.4	1	< 1	1	1	1	2	3	18-34	4266	1.3	2	< 1	< 1	1	1	2	3
35-49	195	1.6	1	< 1	1	1	2	3	4	35-49	867	1.2		< 1	< 1	1	1	2	3
50-69	0									50-69	6	1.0							
70 +	0									70 +	0								
SUBTOTAL	**1868**	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**		**5425**	**1.3**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**2358**	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**		**6095**	**1.4**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

DRG 382: False Labor

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**2.0**							
GRAND TOTAL	**6**	**2.0**							

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	1.0							
18-34	103	2.4	13	< 1	< 1	1	2	5	16
35-49	6	2.0							
50-69	0								
70 +	0								
	115	**2.3**	**12**	**< 1**	**< 1**	**1**	**2**	**4**	**13**
0-17	43	1.0		< 1	1	1	1	1	1
18-34	1535	1.3	7	< 1	< 1	1	1	1	2
35-49	170	1.2	1	< 1	< 1	1	1	1	2
50-69	0								
70 +	0								
	1749	**1.3**	**6**	**< 1**	**< 1**	**1**	**1**	**1**	**2**
	1864	**1.4**	**7**	**< 1**	**< 1**	**1**	**1**	**1**	**2**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	24	1.7	1						
18-34	171	2.9	32	< 1	1	1	2	6	11
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**195**	**2.7**	**29**	**< 1**	**1**	**1**	**2**	**3**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	201	1.0		< 1	< 1	< 1	1	1	1
18-34	1899	1.2	2	< 1	< 1	1	1	1	2
35-49	48	1.0		< 1	< 1	1	1	1	1
50-69	0								
70 +	0								
SUBTOTAL	**2148**	**1.2**	**2**	**< 1**	**< 1**	**1**	**1**	**1**	**2**
GRAND TOTAL	**2342**	**1.3**	**4**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	3.0							
18-34	78	2.0	3	< 1	< 1	1	3	5	6
35-49	6	1.0							
50-69	0								
70 +	0								
	90	**2.0**	**3**	**< 1**	**< 1**	**1**	**3**	**5**	**6**
0-17	98	1.0		< 1	< 1	1	1	1	1
18-34	1018	1.2		< 1	< 1	< 1	1	1	2
35-49	80	1.2		< 1	< 1	1	1	1	3
50-69	0								
70 +	0								
	1196	**1.1**		**< 1**	**< 1**	**1**	**1**	**1**	**2**
	1286	**1.2**	**1**	**< 1**	**< 1**	**1**	**1**	**1**	**3**

DRG 383: Other Antepartum Diagnoses w/ Medical Complications

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	64	4.7	15	2	2	3	7	11	13
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**64**	**4.7**	**15**	**2**	**2**	**3**	**7**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	61	2.0	1	1	1	2	3	3	3
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**61**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**
GRAND TOTAL	**126**	**3.4**	**10**	**1**	**2**	**2**	**3**	**7**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	244	3.4	5	1	2	3	4	6	8
18-34	4608	3.1	6	1	2	2	4	6	7
35-49	471	2.9	5	1	2	2	3	6	9
50-69	0								
70 +	0								
	5323	**3.1**	**6**	**1**	**2**	**2**	**4**	**6**	**7**
0-17	148	2.6	5	1	1	2	3	4	9
18-34	4996	2.3	2	1	1	2	3	4	5
35-49	765	2.4	3	< 1	1	2	3	5	6
50-69	0								
70 +	0								
	5910	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	11233	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	578	2.9	4	1	2	3	3	5	7
18-34	5130	3.4	7	1	2	3	4	6	8
35-49	281	3.6	6	1	2	3	5	6	8
50-69	0								
70 +	0								
SUBTOTAL	**5989**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	589	2.2	2	1	1	2	3	4	5
18-34	5334	2.7	5	1	1	2	3	5	6
35-49	416	2.6	2	< 1	1	2	3	5	6
50-69	0								
70 +	0								
SUBTOTAL	**6339**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**12327**	**3.0**	**6**	**1**	**1**	**2**	**4**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	367	3.2	4	1	2	3	4	5	7
18-34	4185	3.2	5	1	2	3	4	6	7
35-49	407	3.9	12	1	2	3	4	8	10
50-69	0								
70 +	0								
	4958	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**7**
0-17	341	3.0	6	1	1	2	4	6	7
18-34	4202	2.9	6	1	1	2	4	5	7
35-49	539	2.7	4	1	1	2	3	5	7
50-69	0								
70 +	0								
	5081	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**7**
	10039	**3.1**	**6**	**1**	**2**	**2**	**4**	**6**	**7**

DRG 384: Other Antepartum Diagnoses w/o Medical Complications

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	23	2.7	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**23**	**2.7**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	12	1.5							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**12**	**1.5**							
GRAND TOTAL	**35**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**4**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	1.0							
18-34	617	4.6	59	1	1	2	4	10	16
35-49	119	3.1	9	1	1	2	4	7	11
50-69	0								
70 +	0								
	748	**4.3**	**51**	**1**	**1**	**2**	**4**	**9**	**14**
0-17	66	2.4	5	< 1	< 1	1	2	6	8
18-34	4315	1.9	6	< 1	< 1	1	2	3	6
35-49	798	1.8	3	< 1	1	1	2	3	5
50-69	0								
70 +	0								
	5178	**1.9**	**5**	**< 1**	**< 1**	**1**	**2**	**3**	**6**
	5926	**2.2**	**12**	**< 1**	**< 1**	**1**	**2**	**4**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	53	3.5	8	< 1	1	2	6	9	9
18-34	397	2.9	9	1	1	2	4	7	9
35-49	42	1.9		1	1	2	2	3	3
50-69	0								
70 +	0								
SUBTOTAL	**492**	**2.9**	**8**	**1**	**1**	**2**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	237	2.9	51	< 1	< 1	1	2	3	11
18-34	3227	2.0	6	< 1	1	1	2	4	6
35-49	239	1.7	1	< 1	1	1	2	3	3
50-69	6	4.0							
70 +	0								
SUBTOTAL	**3709**	**2.1**	**8**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**4201**	**2.2**	**8**	**< 1**	**1**	**1**	**2**	**4**	**6**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	4.0	4						
18-34	332	3.5	17	1	1	2	4	6	12
35-49	60	4.6	23	1	2	3	6	10	18
50-69	0								
70 +	0								
	404	**3.7**	**17**	**1**	**1**	**2**	**4**	**7**	**12**
0-17	157	2.9	32	< 1	1	1	2	6	7
18-34	2594	2.1	6	< 1	1	1	2	4	5
35-49	452	2.3	4	< 1	1	1	3	5	7
50-69	6	1.0							
70 +	0								
	3208	**2.2**	**7**	**< 1**	**1**	**1**	**2**	**4**	**6**
	3612	**2.3**	**8**	**< 1**	**1**	**1**	**3**	**5**	**6**

DRG 386: Extreme Immaturity or Respiratory Distress Syndrome, Neonate

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	0									1-999	125	72.6	133	63	71	82	99 +	99 +	99 +
1000-1499	6	21.0								1000-1499	160	50.3	357	28	38	57	63	75	95
1500-1749	0									1500-1749	85	31.2	86	20	22	32	42	42	42
1750-2499	0									1750-2499	411	12.5	52	1	7	12	17	22	23
2500 +	0									2500 +	730	7.1	36	2	3	6	10	13	16
SUBTOTAL	**6**	**21.0**									**1509**	**19.9**	**513**	**2**	**6**	**11**	**32**	**77**	**99 +**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	0									1750-2499	0								
2500 +	0									2500 +	40	4.4	3	2	3	4	6	7	7
SUBTOTAL	**0**										**40**	**4.4**	**3**	**2**	**3**	**4**	**6**	**7**	**7**
GRAND TOTAL	**6**	**21.0**									**1549**	**19.5**	**506**	**2**	**5**	**11**	**32**	**77**	**99 +**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
BIRTHWEIGHT																			
1-999 (GMS.)	238	73.5	136	61	68	81	99 +	99 +	99 +	1-999	135	70.4	278	55	67	89	99 +	99 +	99 +
1000-1499	195	47.7	305	27	36	48	62	88	99 +	1000-1499	289	47.1	257	30	34	45	59	73	95
1500-1749	127	29.1	210	17	19	28	36	56	75	1500-1749	159	26.1	69	16	21	24	28	37	44
1750-2499	502	14.9	100	3	7	12	25	30	35	1750-2499	424	15.1	99	2	8	14	22	26	28
2500 +	465	7.4	89	2	3	6	8	14	26	2500 +	691	8.5	100	2	4	7	10	15	18
SUBTOTAL	**1527**	**27.1**	**695**	**3**	**7**	**21**	**60**	**95**	**99 +**		**1698**	**23.3**	**517**	**3**	**7**	**16**	**37**	**73**	**99 +**
2.PATIENTS W/OUT CCs																			
BIRTHWEIGHT																			
1-999	0									1-999	0								
1000-1499	0									1000-1499	0								
1500-1749	0									1500-1749	0								
1750-2499	6	14.0								1750-2499	0								
2500 +	67	4.6	5	2	3	4	6	8	9	2500 +	22	18.0	382						
SUBTOTAL	**73**	**5.3**	**11**	**2**	**3**	**4**	**6**	**9**	**14**		**22**	**18.0**	**382**						
GRAND TOTAL	**1600**	**26.1**	**684**	**3**	**6**	**19**	**57**	**94**	**99 +**		**1720**	**23.2**	**515**	**3**	**7**	**16**	**37**	**73**	**99 +**

Western Region, July 1990 - June 1991

DRG 387: Prematurity w/ Major Problems

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	6	4.0							
SUBTOTAL	**6**	**4.0**							
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6**	**4.0**							

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	6	61.0							
1000-1499	148	37.5	186	22	27	35	43	54	68
1500-1749	180	22.9	52	12	18	22	27	32	34
1750-2499	1356	9.1	50	3	4	7	12	17	21
2500 +	1128	5.1	15	2	3	4	6	9	12
	2818	**10.0**	**109**	**3**	**4**	**6**	**12**	**23**	**32**
1-999	0								
1000-1499	12	34.7	229						
1500-1749	30	25.6	24						
1750-2499	162	10.0	78	1	2	9	16	26	34
2500 +	189	3.5	5	1	2	3	5	5	6
	393	**8.8**	**99**	**1**	**2**	**5**	**14**	**25**	**34**
	3211	**9.9**	**108**	**2**	**4**	**6**	**12**	**23**	**32**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	13	54.0	27						
1000-1499	131	41.9	286	26	29	42	58	60	91
1500-1749	176	22.5	77	13	17	22	29	37	45
1750-2499	1065	10.6	53	3	5	9	14	21	24
2500 +	531	6.6	24	2	4	6	8	12	19
SUBTOTAL	**1916**	**13.0**	**154**	**3**	**5**	**9**	**18**	**30**	**42**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	58	41.3	513	18	25	37	49	74	98
1500-1749	43	24.6	56	16	17	25	26	40	40
1750-2499	210	9.2	57	3	3	6	12	21	24
2500 +	129	4.2	6	2	3	3	6	7	9
SUBTOTAL	**440**	**13.5**	**250**	**2**	**3**	**6**	**21**	**33**	**40**
GRAND TOTAL	**2356**	**13.1**	**172**	**3**	**5**	**8**	**18**	**30**	**42**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	11	80.0	1						
1000-1499	138	41.0	175	24	30	38	47	60	60
1500-1749	253	24.6	48	17	20	24	29	31	32
1750-2499	1439	10.0	50	3	5	8	13	18	22
2500 +	737	5.3	19	2	3	4	6	10	11
	2578	**12.1**	**143**	**3**	**4**	**8**	**16**	**28**	**37**
1-999	0								
1000-1499	28	22.2	91						
1500-1749	23	34.9	124						
1750-2499	308	9.3	34	2	4	8	14	16	19
2500 +	124	3.3	4	1	1	3	5	6	7
	483	**9.7**	**84**	**1**	**3**	**6**	**14**	**21**	**30**
	3061	**11.7**	**134**	**3**	**4**	**8**	**15**	**27**	**35**

DRG 388: Prematurity w/o Major Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	6	3.0							
2500 +	0								
SUBTOTAL	**6**	**3.0**							
GRAND TOTAL	**6**	**3.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	13	14.5	33						
1750-2499	72	10.6	26	5	5	10	12	16	23
2500 +	73	5.7	27	1	2	4	8	11	19
	157	**8.6**	**35**	**2**	**4**	**8**	**11**	**19**	**20**
1-999	0								
1000-1499	24	24.5	14						
1500-1749	30	18.5	32						
1750-2499	1551	4.1	11	1	2	3	5	8	13
2500 +	2275	2.7	3	1	2	2	3	5	5
	3880	**3.5**	**12**	**1**	**2**	**3**	**4**	**6**	**9**
	4038	**3.7**	**14**	**1**	**2**	**3**	**4**	**7**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	13	20.5	7						
1750-2499	90	8.7	40	1	4	5	14	17	21
2500 +	18	7.3	47						
SUBTOTAL	**121**	**9.7**	**51**	**1**	**4**	**5**	**17**	**19**	**22**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	39	27.4	48	21	22	26	32	42	42
1500-1749	55	14.3	21	7	12	15	18	21	21
1750-2499	1487	4.5	19	1	2	3	5	11	15
2500 +	1149	2.5	5	1	1	2	3	5	6
SUBTOTAL	**2730**	**4.2**	**25**	**1**	**1**	**3**	**4**	**10**	**16**
GRAND TOTAL	**2851**	**4.4**	**27**	**1**	**1**	**3**	**5**	**11**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	6	31.0							
1500-1749	11	23.5	2						
1750-2499	98	13.0	262	2	4	8	14	41	67
2500 +	29	7.0	12						
	144	**13.3**	**209**	**2**	**4**	**9**	**15**	**31**	**41**
1-999	0								
1000-1499	28	32.0	229						
1500-1749	109	22.2	59	13	17	23	28	31	38
1750-2499	1803	4.6	20	1	2	3	6	11	14
2500 +	1358	2.6	9	1	1	2	3	4	5
	3298	**4.6**	**36**	**1**	**1**	**3**	**5**	**11**	**17**
	3442	**5.0**	**47**	**1**	**1**	**3**	**5**	**12**	**18**

DRG 389: Full Term Neonate w/ Major Problems

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	6	24.0							
2500 +	36	3.5	9	< 1	1	2	4	10	10
SUBTOTAL	**41**	**6.2**	**59**	**< 1**	**1**	**3**	**10**	**24**	**24**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	23	4.7	13						
SUBTOTAL	**23**	**4.7**	**13**						
GRAND TOTAL	**64**	**5.7**	**43**	**1**	**2**	**3**	**10**	**11**	**24**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	12	23.9	1						
1750-2499	419	6.1	28	2	3	5	7	12	20
2500 +	9416	3.4	6	1	2	3	4	6	8
	9846	**3.6**	**8**	**1**	**2**	**3**	**4**	**7**	**9**
1-999	0								
1000 1499	0								
1500-1749	0								
1750-2499	97	3.2	10	1	1	2	4	5	14
2500 +	3981	2.6	2	1	1	3	3	4	5
	4078	**2.6**	**2**	**1**	**1**	**3**	**3**	**4**	**5**
	13924	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	11	25.5							
1500-1749	48	23.3	178	11	18	20	25	57	57
1750-2499	509	4.8	12	2	2	3	6	10	12
2500 +	8284	3.6	10	1	2	3	4	7	10
SUBTOTAL	**8853**	**3.8**	**14**	**1**	**2**	**3**	**4**	**8**	**11**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	221	4.8	66	1	2	3	4	10	14
2500 +	4038	3.0	6	1	2	3	3	4	6
SUBTOTAL	**4259**	**3.1**	**9**	**1**	**2**	**3**	**3**	**5**	**6**
GRAND TOTAL	**13112**	**3.6**	**13**	**1**	**2**	**3**	**4**	**7**	**10**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	6	77.0							
1000-1499	95	35.7	105	24	30	36	41	52	54
1500-1749	67	25.5	219	16	18	22	30	34	69
1750-2499	665	8.2	48	2	3	6	11	16	26
2500 +	11417	4.6	29	1	2	3	6	9	11
	12250	**5.2**	**44**	**1**	**2**	**3**	**6**	**10**	**14**
1-999	0								
1000-1499	6	30.0							
1500-1749	6	22.0							
1750-2499	165	6.3	19	1	3	5	7	12	13
2500 +	3816	3.6	7	1	2	3	4	6	8
	3992	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**9**
	16242	**4.9**	**36**	**1**	**2**	**3**	**6**	**9**	**12**

DRG 390: Neonate w/ Other Significant Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	41	1.8	1	< 1	1	2	3	3	3
SUBTOTAL	**41**	**1.8**	**1**	**< 1**	**1**	**2**	**3**	**3**	**3**
GRAND TOTAL	**41**	**1.8**	**1**	**< 1**	**1**	**2**	**3**	**3**	**3**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	6	12.0							
1750-2499	42	3.9	6	2	2	3	4	10	10
2500 +	637	2.8	3	1	2	2	3	5	7
	685	**3.0**	**4**	**1**	**2**	**2**	**3**	**6**	**8**
1-999	0								
1000-1499	6	26.0							
1500-1749	0								
1750-2499	1117	2.7	4	1	2	2	3	5	6
2500 +	22350	2.1	1	1	1	2	3	4	4
	23473	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
	24158	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	68	8.5	196	2	2	4	8	11	51
2500 +	443	3.5	15	1	2	3	4	5	7
SUBTOTAL	**510**	**4.1**	**42**	**1**	**2**	**3**	**4**	**5**	**8**
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	6	17.0							
1500-1749	0								
1750-2499	1240	2.6	4	1	1	2	3	5	6
2500 +	23184	2.1	3	1	1	2	3	4	4
SUBTOTAL	**24430**	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**24941**	**2.1**	**4**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	46	7.4	85	2	2	5	8	31	31
2500 +	645	3.7	10	1	2	3	5	6	8
	692	**4.0**	**15**	**1**	**2**	**3**	**5**	**7**	**9**
1-999	0								
1000-1499	23	23.3	31						
1500-1749	53	17.5	43	9	14	18	20	29	29
1750-2499	1113	3.2	14	1	1	2	4	6	10
2500 +	27164	2.1	4	1	1	2	3	4	4
	28353	**2.2**	**5**	**1**	**1**	**2**	**3**	**4**	**5**
	29045	**2.3**	**6**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 391: Normal Newborn

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	12	1.5							
2500 +	278	1.5	1	1	1	1	2	3	3
SUBTOTAL	**289**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**289**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
	0								
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	1405	2.1	1	1	1	2	3	4	4
2500 +	133988	1.8	1	1	1	2	2	3	4
	135394	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
	135394	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	6	7.0							
1750-2499	1582	2.1	2	1	1	2	3	3	4
2500 +	91074	1.7	1	1	1	1	2	3	4
SUBTOTAL	**92661**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**92661**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
	0								
1-999	0								
1000-1499	0								
1500-1749	6	19.0							
1750-2499	1766	2.0	3	1	1	2	2	4	4
2500 +	122855	1.7	1	1	1	1	2	3	3
	124626	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
	124626	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**

DRG 392: Splenectomy Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	135	8.6	13	5	6	7	10	15	15
70-74	85	8.7	9	5	6	8	11	14	14
75-79	59	17.4	546	4	8	11	13	47	88
80-84	25	25.5	724						
85 +	18	7.9	5						
SUBTOTAL	**323**	**11.5**	**189**	**5**	**6**	**8**	**12**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	43	6.1	16	2	3	5	6	15	15
70-74	41	6.6	17	4	4	5	7	16	16
75-79	13	8.5	13						
80-84	6	10.0							
85 +	0								
SUBTOTAL	**103**	**6.8**	**16**	**3**	**4**	**5**	**7**	**15**	**16**
GRAND TOTAL	**426**	**10.4**	**152**	**4**	**6**	**8**	**11**	**15**	**16**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	140	8.5	35	4	5	6	9	15	15
35-49	154	8.0	14	4	6	7	10	10	14
50-69	109	11.1	215	4	5	7	9	20	68
70 +	0								
	403	**9.0**	**77**	**4**	**5**	**7**	**10**	**14**	**20**
0-17	0								
18-34	196	5.2	8	3	4	4	5	9	12
35-49	167	4.7	2	3	3	4	6	7	7
50-69	96	7.2	23	4	5	6	7	14	23
70 +	0								
	459	**5.4**	**10**	**3**	**4**	**5**	**6**	**8**	**12**
	863	**7.1**	**44**	**3**	**4**	**6**	**8**	**12**	**15**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	47	6.0	6	4	4	5	7	12	12
35-49	6	5.0							
50-69	6	14.0							
70 +	0								
SUBTOTAL	**59**	**6.6**	**11**	**4**	**4**	**5**	**7**	**13**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	36	4.1	2	3	3	3	5	7	7
35-49	23	5.2	2						
50-69	6	23.0							
70 +	0								
SUBTOTAL	**65**	**6.1**	**29**	**3**	**3**	**5**	**6**	**7**	**23**
GRAND TOTAL	**124**	**6.4**	**20**	**3**	**4**	**5**	**6**	**12**	**16**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	173	8.2	11	5	6	8	9	12	17
35-49	73	11.0	55	5	5	7	15	21	27
50-69	78	10.0	18	5	8	9	12	17	19
70 +	6	7.0							
	331	**9.2**	**23**	**5**	**6**	**8**	**11**	**17**	**19**
0-17	0								
18-34	108	5.9	10	3	4	5	7	11	15
35-49	70	7.3	52	3	4	5	7	8	31
50-69	23	7.7	19						
70 +	0								
	201	**6.6**	**26**	**3**	**4**	**5**	**7**	**11**	**15**
	532	**8.2**	**26**	**4**	**5**	**7**	**9**	**15**	**19**

DRG 393: Splenectomy Age 0-17

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	95	6.3	5	3	5	6	8	10	10
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**95**	**6.3**	**5**	**3**	**5**	**6**	**8**	**10**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	211	4.8	6	3	3	5	5	6	9
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**211**	**4.8**	**6**	**3**	**3**	**5**	**5**	**6**	**9**
GRAND TOTAL	**0**										**306**	**5.3**	**6**	**3**	**4**	**5**	**6**	**8**	**10**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	24	7.1	6							0-17	11	5.5							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**24**	**7.1**	**6**								**11**	**5.5**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	59	4.0		3	4	4	4	5	5	0-17	72	5.2	4	3	4	4	7	9	9
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**59**	**4.0**		**3**	**4**	**4**	**4**	**5**	**5**		**72**	**5.2**	**4**	**3**	**4**	**4**	**7**	**9**	**9**
GRAND TOTAL	**83**	**4.9**	**4**	**3**	**4**	**4**	**5**	**7**	**11**		**83**	**5.3**	**4**	**3**	**4**	**4**	**6**	**9**	**9**

DRG 394: Other O.R. Procedures of the Blood And Blood Forming Organs

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	66	11.1	150	2	4	6	13	30	43
70-74	19	6.0	34						
75-79	42	9.2	22	3	5	8	15	16	16
80-84	18	8.8	14						
85 +	11	15.5	121						
SUBTOTAL	**157**	**10.0**	**87**	**2**	**5**	**6**	**14**	**26**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	60	2.1	4	< 1	1	1	2	6	7
70-74	17	1.0							
75-79	18	3.4	5						
80-84	0								
85 +	6	1.0							
SUBTOTAL	**101**	**2.1**	**4**	**< 1**	**1**	**1**	**2**	**6**	**7**
GRAND TOTAL	**257**	**6.9**	**69**	**1**	**1**	**5**	**8**	**15**	**26**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	3.2	2						
18-34	59	3.1	3	1	2	4	4	6	6
35-49	54	2.9	10	< 1	1	1	2	10	10
50-69	78	7.2	59	1	4	5	6	23	26
70 +	0								
	213	**4.6**	**29**	**1**	**1**	**4**	**5**	**8**	**23**
0-17	267	2.5	7	< 1	1	2	3	5	7
18-34	97	3.2	7	1	1	3	4	9	10
35-49	106	2.1	2	< 1	1	2	3	5	6
50-69	73	2.1	2	< 1	< 1	1	3	4	4
70 +	6	1.0							
	549	**2.5**	**5**	**< 1**	**1**	**2**	**3**	**5**	**7**
	762	**3.1**	**13**	**< 1**	**1**	**2**	**4**	**6**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	22	29.0	129						
18-34	6	9.0							
35-49	0								
50-69	17	27.3	270						
70 +	0								
SUBTOTAL	**46**	**25.6**	**204**	**8**	**11**	**24**	**28**	**47**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	159	3.3	6	< 1	1	3	5	7	7
18-34	34	8.2	69	< 1	2	5	11	25	25
35-49	34	8.7	21	1	5	9	13	14	14
50-69	11	3.0	4						
70 +	0								
SUBTOTAL	**238**	**4.7**	**22**	**< 1**	**1**	**3**	**6**	**11**	**14**
GRAND TOTAL	**283**	**8.1**	**110**	**< 1**	**2**	**5**	**9**	**25**	**28**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	4.7	2						
18-34	41	6.5	14	3	3	5	9	14	14
35-49	23	4.9	5						
50-69	11	5.0	1						
70 +	12	4.3	13						
	105	**5.4**	**9**	**2**	**3**	**5**	**7**	**9**	**14**
0-17	149	3.7	11	< 1	1	2	5	8	9
18-34	34	4.7	6	2	2	6	7	8	8
35-49	108	3.1	4	1	1	3	4	7	8
50-69	43	5.6	21	1	2	4	11	14	14
70 +	6	1.0							
	340	**3.8**	**10**	**1**	**2**	**3**	**5**	**8**	**11**
	445	**4.2**	**10**	**1**	**2**	**3**	**5**	**8**	**11**

DRG 395: Red Blood Cell Disorders Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1492	5.3	24	1	2	4	7	10	15
70-74	922	5.2	25	1	2	3	7	11	16
75-79	1189	4.8	17	1	2	4	6	10	12
80-84	1104	5.4	37	1	2	4	6	10	15
85+	1093	4.9	14	1	2	4	7	10	13
SUBTOTAL	**5800**	**5.1**	**23**	**1**	**2**	**4**	**7**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	636	4.8	30	1	2	4	6	8	10
70-74	218	4.4	8	2	2	4	6	8	10
75-79	358	3.5	7	< 1	1	3	5	8	9
80-84	297	3.2	5	1	1	3	5	5	6
85+	198	3.7	13	1	2	3	4	6	11
SUBTOTAL	**1707**	**4.1**	**16**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**7507**	**4.9**	**22**	**1**	**2**	**4**	**6**	**10**	**13**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	330	8.1	149	< 1	1	4	10	18	30
35-49	653	4.5	26	1	1	3	6	9	13
50-69	1037	4.2	16	1	2	3	5	8	10
70+	232	5.7	37	1	2	4	6	12	21
	2252	**5.0**	**42**	**1**	**1**	**3**	**6**	**10**	**16**
0-17	0								
18-34	359	2.8	10	< 1	1	1	4	5	9
35-49	312	2.6	5	1	1	2	3	6	7
50-69	334	3.2	5	1	1	3	4	7	7
70+	41	3.5	3	1	1	4	5	6	6
	1046	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**7**
	3298	**4.3**	**32**	**1**	**1**	**3**	**5**	**8**	**14**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	703	5.7	38	< 1	2	4	7	11	15
35-49	305	5.4	14	1	3	5	8	9	16
50-69	258	9.2	191	1	3	6	10	13	28
70+	24	2.5	1						
SUBTOTAL	**1289**	**6.3**	**64**	**1**	**2**	**4**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1274	4.5	11	1	2	4	6	9	11
35-49	448	5.7	19	2	3	5	7	13	16
50-69	128	5.5	18	1	2	4	8	10	14
70+	42	7.1	38	1	3	6	9	21	21
SUBTOTAL	**1893**	**4.9**	**14**	**1**	**2**	**4**	**6**	**9**	**13**
GRAND TOTAL	**3181**	**5.5**	**35**	**1**	**2**	**4**	**7**	**10**	**14**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	366	5.6	16	1	3	5	7	10	14
35-49	269	6.0	29	1	2	4	8	14	18
50-69	400	4.1	9	1	2	3	6	9	11
70+	278	4.5	11	2	2	4	6	11	12
	1313	**5.0**	**16**	**1**	**2**	**4**	**6**	**11**	**13**
0-17	0								
18-34	748	4.7	14	1	2	4	6	9	10
35-49	338	3.3	4	1	2	3	5	6	7
50-69	220	3.2	11	< 1	1	2	4	7	14
70+	37	2.0	2	< 1	1	1	4	4	4
	1343	**4.0**	**11**	**1**	**2**	**3**	**5**	**8**	**10**
	2656	**4.5**	**14**	**1**	**2**	**3**	**6**	**9**	**12**

DRG 396: Red Blood Cell Disorders Age 0-17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**2.0**							
GRAND TOTAL	**6**	**2.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	527	4.1	25	< 1	1	3	5	9	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	527	**4.1**	**25**	**< 1**	**1**	**3**	**5**	**9**	**12**
0-17	691	3.1	5	1	1	2	4	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	691	**3.1**	**5**	**1**	**1**	**2**	**4**	**7**	**8**
	1217	**3.5**	**14**	**< 1**	**1**	**2**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1127	3.2	21	< 1	< 1	< 1	4	8	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1127**	**3.2**	**21**	**< 1**	**< 1**	**< 1**	**4**	**8**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1229	2.8	5	< 1	1	2	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1229**	**2.8**	**5**	**< 1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**2356**	**3.0**	**13**	**< 1**	**< 1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	204	5.2	32	1	2	4	6	8	23
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	204	**5.2**	**32**	**1**	**2**	**4**	**6**	**8**	**23**
0-17	446	3.2	6	1	2	2	4	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	446	**3.2**	**6**	**1**	**2**	**2**	**4**	**7**	**8**
	650	**3.8**	**15**	**1**	**2**	**2**	**5**	**7**	**8**

DRG 397: Coagulation Disorders

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	439	6.6	47	2	2	5	8	13	20
70-74	246	4.9	7	2	2	5	6	9	12
75-79	361	6.9	33	2	3	5	9	13	18
80-84	157	7.1	39	1	3	6	9	17	22
85 +	238	6.1	14	2	3	6	9	10	13
SUBTOTAL	**1440**	**6.4**	**31**	**2**	**3**	**5**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	138	5.4	57	1	2	3	6	9	13
70-74	86	2.9	5	1	1	2	4	6	8
75-79	47	6.6	22	2	3	5	10	16	16
80-84	74	4.3	37	1	1	2	3	7	23
85 +	41	4.3	7	1	2	4	7	8	8
SUBTOTAL	**386**	**4.6**	**33**	**1**	**2**	**3**	**6**	**8**	**13**
GRAND TOTAL	**1826**	**6.0**	**32**	**2**	**2**	**5**	**7**	**12**	**17**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	223	2.8	2	1	2	3	4	5	5
18-34	88	5.2	13	2	2	4	8	9	15
35-49	176	4.6	12	1	2	4	5	9	12
50-69	280	5.6	18	2	3	5	8	12	14
70 +	59	7.6	24	2	4	7	11	15	18
	827	**4.7**	**14**	**1**	**2**	**4**	**6**	**9**	**14**
0-17	520	2.3	2	1	1	2	3	4	5
18-34	164	3.1	5	1	1	3	4	7	8
35-49	153	4.1	8	1	2	4	5	9	10
50-69	217	3.9	8	1	2	3	5	8	9
70 +	0								
	1055	**3.0**	**5**	**1**	**2**	**2**	**4**	**6**	**8**
	1882	**3.8**	**10**	**1**	**2**	**3**	**5**	**8**	**10**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	247	3.2	13	< 1	1	2	4	7	11
18-34	68	5.5	17	2	2	4	8	10	16
35-49	76	6.6	16	1	4	6	11	12	13
50-69	83	6.1	20	2	2	4	11	12	14
70 +	13	7.0	4						
SUBTOTAL	**486**	**4.6**	**17**	**< 1**	**1**	**3**	**7**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	315	2.9	6	1	2	2	4	5	7
18-34	80	4.1	9	< 1	2	3	6	8	12
35-49	48	4.9	9	2	2	4	7	10	10
50-69	45	4.4	14	1	2	5	6	13	13
70 +	0								
SUBTOTAL	**488**	**3.4**	**8**	**1**	**2**	**2**	**4**	**6**	**9**
GRAND TOTAL	**974**	**4.0**	**13**	**1**	**2**	**3**	**5**	**10**	**12**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	97	3.6	6	1	2	3	4	9	9
18-34	128	5.4	13	2	3	5	6	7	11
35-49	129	4.5	7	1	2	4	7	8	10
50-69	147	6.3	13	2	3	5	10	12	12
70 +	31	8.0	44						
	531	**5.3**	**13**	**1**	**3**	**4**	**7**	**10**	**12**
0-17	420	2.2	2	1	1	2	3	4	6
18-34	179	4.6	26	1	2	3	5	9	11
35-49	64	3.4	2	2	2	3	4	5	6
50-69	35	4.0	3	2	2	4	5	7	7
70 +	18	3.3	1						
	716	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**7**
	1247	**4.0**	**12**	**1**	**2**	**3**	**5**	**8**	**10**

DRG 398: Reticuloendothelial & Immunity Disorders w/ CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES										PERCENTILES							
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	622	7.4	24	2	4	6	10	15	17	0-17	773	5.6	16	2	3	5	7	12	15
70-74	483	6.8	20	3	4	5	8	13	16	18-34	287	6.9	28	2	4	5	8	14	14
75-79	428	7.4	27	2	4	6	9	14	18	35-49	329	6.6	18	2	3	6	8	13	16
80-84	260	7.4	40	3	4	5	8	14	21	50-69	580	6.7	24	2	3	6	9	11	15
85 +	129	7.0	20	2	3	6	10	11	15	70 +	99	8.2	76	1	4	6	8	20	39
SUBTOTAL	**1921**	**7.2**	**25**	**3**	**4**	**6**	**9**	**14**	**18**		**2068**	**6.4**	**24**	**2**	**3**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1921**	**7.2**	**25**	**3**	**4**	**6**	**9**	**14**	**18**		**2068**	**6.4**	**24**	**2**	**3**	**5**	**8**	**12**	**15**

	MEDICAID										NO INSURANCE										
				PERCENTILES										PERCENTILES							
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	528	6.9	41	2	3	5	7	13	24	0-17	237	5.2	7	2	3	5	7	10	10
18-34	104	8.7	22	4	6	8	9	19	20	18-34	129	8.5	154	2	3	5	8	12	26
35-49	70	6.1	9	3	4	6	9	9	12	35-49	150	6.8	20	2	3	6	9	13	16
50-69	113	5.6	14	3	3	4	6	13	14	50-69	218	7.8	57	3	4	6	9	13	15
70 +	12	5.1	1							70 +	50	4.6	9	1	2	4	6	11	11
SUBTOTAL	**826**	**6.8**	**32**	**3**	**4**	**5**	**8**	**13**	**20**		**783**	**6.7**	**49**	**2**	**3**	**6**	**8**	**11**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**826**	**6.8**	**32**	**3**	**4**	**5**	**8**	**13**	**20**		**783**	**6.7**	**49**	**2**	**3**	**6**	**8**	**11**	**15**

DRG 399: Reticuloendothelial & Immunity Disorders w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	90	4.0	4	2	3	3	6	7	8	0-17	825	3.5	8	1	2	3	4	6	8
70-74	55	3.9	5	1	2	4	5	8	8	18-34	347	2.5	4	< 1	< 1	2	4	5	7
75-79	77	5.0	14	1	2	4	7	7	16	35-49	155	3.1	2	1	2	3	5	5	6
80-84	44	3.9	12	1	1	3	4	12	12	50-69	97	3.7	10	1	1	3	5	7	13
85 +	18	2.7								70 +	12	3.8	10						
SUBTOTAL	**284**	**4.1**	**8**	**1**	**2**	**3**	**5**	**7**	**8**		**1436**	**3.2**	**6**	**< 1**	**1**	**3**	**4**	**6**	**7**
GRAND TOTAL	**284**	**4.1**	**8**	**1**	**2**	**3**	**5**	**7**	**8**		**1436**	**3.2**	**6**	**< 1**	**1**	**3**	**4**	**6**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	445	4.2	9	< 1	2	3	5	8	11	0-17	479	4.3	8	2	2	4	5	7	8
18-34	70	5.4	25	2	2	4	8	9	20	18-34	186	4.6	15	1	2	3	5	11	14
35-49	29	3.4	3							35-49	59	4.6	10	2	2	4	5	11	11
50-69	36	5.3	5	3	4	5	5	10	10	50-69	39	4.0	7	1	2	3	7	9	9
70 +	0									70 +	11	6.5	2						
SUBTOTAL	**580**	**4.4**	**11**	**1**	**2**	**4**	**5**	**8**	**11**		**775**	**4.4**	**10**	**1**	**2**	**4**	**5**	**8**	**11**
GRAND TOTAL	**580**	**4.4**	**11**	**1**	**2**	**4**	**5**	**8**	**11**		**775**	**4.4**	**10**	**1**	**2**	**4**	**5**	**8**	**11**

DRG 400: Lymphoma & Leukemia w/ Major O.R. Procedure

	MEDICARE								
TYPE OF PATIENT	**TOTAL PATIENTS**	**AVG. STAY**	**VARIANCE**	**PERCENTILES**					
				10TH	**25TH**	**50TH**	**75TH**	**90TH**	**95TH**
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	253	12.3	115	3	5	9	16	29	38
70-74	201	9.3	35	3	4	8	13	15	18
75-79	138	15.0	303	5	7	8	12	44	46
80-84	86	15.1	166	5	6	10	24	35	49
85 +	57	9.9	57	3	4	8	15	25	27
SUBTOTAL	**735**	**12.1**	**134**	**3**	**5**	**9**	**14**	**27**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	193	5.3	18	1	3	5	7	8	9
70-74	168	5.1	8	1	3	5	7	9	9
75-79	86	5.9	14	1	3	6	7	8	16
80-84	31	5.7	8						
85 +	18	10.6	62						
SUBTOTAL	**496**	**5.5**	**15**	**1**	**3**	**5**	**7**	**9**	**9**
GRAND TOTAL	**1231**	**9.5**	**97**	**2**	**4**	**7**	**11**	**18**	**30**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	**TOTAL PATIENTS**	**AVG. STAY**	**VARIANCE**	**PERCENTILES**					
				10TH	**25TH**	**50TH**	**75TH**	**90TH**	**95TH**
0-17	29	17.8	143						
18-34	128	10.0	79	4	5	8	11	14	33
35-49	155	11.9	153	4	5	7	11	27	48
50-69	269	8.3	38	2	4	7	10	16	20
70 +	29	10.5	23						
	610	**10.1**	**84**	**3**	**5**	**8**	**11**	**20**	**33**
0-17	36	3.6	3	1	1	5	5	5	5
18-34	255	4.9	18	1	2	4	6	8	8
35-49	266	4.7	6	1	3	5	6	8	8
50-69	278	4.6	12	1	2	4	6	9	11
70 +	23	2.7	1						
	858	**4.6**	**11**	**1**	**2**	**4**	**6**	**8**	**9**
	1468	**6.9**	**49**	**1**	**3**	**5**	**8**	**12**	**17**

	MEDICAID								
TYPE OF PATIENT	**TOTAL PATIENTS**	**AVG. STAY**	**VARIANCE**	**PERCENTILES**					
				10TH	**25TH**	**50TH**	**75TH**	**90TH**	**95TH**
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	15.0							
18-34	23	38.1	409						
35-49	29	30.7	576						
50-69	39	25.9	474	4	8	17	48	66	66
70 +	0								
SUBTOTAL	**97**	**29.6**	**487**	**8**	**10**	**26**	**48**	**67**	**73**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	18	7.7	2						
18-34	64	7.3	40	2	2	6	8	17	23
35-49	22	11.3	103						
50-69	6	5.0							
70 +	6	13.0							
SUBTOTAL	**116**	**8.3**	**46**	**2**	**4**	**7**	**9**	**22**	**26**
GRAND TOTAL	**212**	**18.0**	**359**	**2**	**6**	**9**	**26**	**51**	**67**

	NO INSURANCE								
TYPE OF PATIENT	**TOTAL PATIENTS**	**AVG. STAY**	**VARIANCE**	**PERCENTILES**					
				10TH	**25TH**	**50TH**	**75TH**	**90TH**	**95TH**
0-17	11	21.5	62						
18-34	44	9.4	103	1	3	5	17	31	31
35-49	72	13.5	130	6	7	10	14	32	44
50-69	110	11.4	30	5	8	11	13	17	28
70 +	25	8.0	55						
	263	**11.7**	**79**	**3**	**6**	**10**	**14**	**28**	**31**
0-17	0								
18-34	55	6.5	7	2	6	7	7	10	11
35-49	95	4.7	11	1	2	3	7	10	12
50-69	89	4.5	6	1	2	5	6	7	10
70 +	12	2.9	1						
	250	**4.9**	**9**	**1**	**2**	**5**	**7**	**9**	**10**
	513	**8.4**	**56**	**1**	**4**	**7**	**11**	**14**	**28**

DRG 401: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs										
AGE GROUP										
0-69 (YRS.)	150	10.4	88	1	4	7	16	28	32
70-74	173	11.1	101	2	3	8	17	31	35
75-79	174	10.1	51	2	4	10	14	19	24
80-84	120	9.5	30	2	5	11	14	16	18
85 +	127	9.3	36	2	5	10	12	15	17
SUBTOTAL	**744**	**10.2**	**64**	**2**	**4**	**9**	**15**	**19**	**28**
2.PATIENTS W/OUT CCs										
AGE GROUP										
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**744**	**10.2**	**64**	**2**	**4**	**9**	**15**	**19**	**28**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	34	12.4	108	< 1	4	10	15	33	33
18-34	53	11.8	85	3	5	9	13	30	30
35-49	76	9.5	58	3	3	7	12	24	26
50-69	212	9.8	145	1	3	8	11	20	39
70 +	24	3.7	3						
	399	**9.9**	**111**	**1**	**3**	**7**	**12**	**24**	**30**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	399	**9.9**	**111**	**1**	**3**	**7**	**12**	**24**	**30**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	6.0	16						
18-34	46	12.5	38	4	8	9	17	24	24
35-49	36	15.3	79	5	6	14	23	30	30
50-69	45	19.4	87	5	13	18	26	34	34
70 +	6	6.0							
SUBTOTAL	**156**	**13.9**	**77**	**5**	**6**	**13**	**19**	**30**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**156**	**13.9**	**77**	**5**	**6**	**13**	**19**	**30**	**32**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	9.0							
18-34	17	14.3	58						
35-49	23	7.9	35						
50-69	75	8.4	43	1	4	8	10	18	25
70 +	18	11.6	100						
	144	**9.5**	**51**	**3**	**4**	**8**	**11**	**23**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	144	**9.5**	**51**	**3**	**4**	**8**	**11**	**23**	**25**

DRG 402: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	116	3.5	7	1	1	3	5	8	10
70-74	137	5.5	28	1	2	5	7	9	10
75-79	90	3.1	4	1	1	3	4	5	9
80-84	54	3.3	6	1	1	2	5	7	7
85 +	6	3.0							
SUBTOTAL	**403**	**4.1**	**14**	**1**	**1**	**3**	**5**	**9**	**9**
GRAND TOTAL	**403**	**4.1**	**14**	**1**	**1**	**3**	**5**	**9**	**9**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	79	5.1	19	< 1	2	4	7	14	15
18-34	54	1.5	2	< 1	1	1	1	5	5
35-49	80	2.3	6	1	1	1	2	4	10
50-69	209	3.7	10	1	1	3	5	8	13
70 +	12	8.1	46						
	434	**3.6**	**13**	**1**	**1**	**2**	**5**	**8**	**14**
	434	**3.6**	**13**	**1**	**1**	**2**	**5**	**8**	**14**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	2.0							
18-34	28	12.8	65						
35-49	18	7.1	49						
50-69	23	15.1	35						
70 +	6	12.0							
SUBTOTAL	**81**	**11.3**	**58**	**2**	**3**	**10**	**17**	**22**	**24**
GRAND TOTAL	**81**	**11.3**	**58**	**2**	**3**	**10**	**17**	**22**	**24**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	40	3.0	3	< 1	2	2	4	7	7
18-34	58	8.2	60	1	2	5	18	20	22
35-49	42	2.6	3	< 1	1	2	4	6	6
50-69	101	4.8	28	1	1	3	5	12	22
70 +	6	1.0							
	248	**4.9**	**31**	**1**	**1**	**3**	**6**	**12**	**19**
	248	**4.9**	**31**	**1**	**1**	**3**	**6**	**12**	**19**

DRG 403: Lymphoma & Non-acute Leukemia w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	749	10.0	92	3	4	8	11	22	29
70-74	761	8.8	50	2	4	7	12	17	21
75-79	802	9.1	55	2	4	7	12	17	25
80-84	611	9.5	61	3	5	7	11	20	24
85 +	523	8.7	45	2	4	7	12	20	22
SUBTOTAL	**3447**	**9.3**	**61**	**2**	**4**	**7**	**12**	**19**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3447**	**9.3**	**61**	**2**	**4**	**7**	**12**	**19**	**25**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	125	9.1	84	1	3	7	12	19	30
18-34	93	9.1	128	1	2	4	15	29	40
35-49	327	9.3	73	1	3	6	14	24	26
50-69	622	9.5	90	1	3	6	12	23	31
70 +	112	14.0	455	4	5	8	13	35	86
	1279	**9.7**	**121**	**1**	**3**	**6**	**12**	**23**	**31**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1279	**9.7**	**121**	**1**	**3**	**6**	**12**	**23**	**31**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	91	7.1	39	1	3	6	10	14	27
18-34	113	12.9	154	2	3	7	26	32	40
35-49	109	14.9	165	3	5	14	22	31	53
50-69	289	11.4	127	2	4	8	15	33	40
70 +	35	16.5	141	4	5	15	25	37	37
SUBTOTAL	**637**	**11.9**	**132**	**2**	**4**	**7**	**15**	**30**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**637**	**11.9**	**132**	**2**	**4**	**7**	**15**	**30**	**39**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	5.6	23	< 1	1	5	7	16	16
18-34	76	17.2	164	5	9	14	16	38	43
35-49	160	9.1	73	2	3	7	12	21	25
50-69	320	9.9	100	2	3	7	13	22	29
70 +	68	7.5	16	3	4	8	10	12	15
	662	**10.1**	**95**	**2**	**4**	**8**	**13**	**21**	**36**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	662	**10.1**	**95**	**2**	**4**	**8**	**13**	**21**	**36**

DRG 404: Lymphoma & Non-acute Leukemia w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	224	5.4	14	1	2	5	8	11	14	0-17	88	3.1	5	< 1	< 1	3	5	6	8
70-74	148	4.8	13	1	3	4	6	8	14	18-34	58	11.1	570	1	2	2	6	54	83
75-79	133	5.9	57	1	3	4	6	7	23	35-49	225	5.0	16	2	2	4	6	12	15
80-84	96	4.6	7	1	3	4	7	8	10	50-69	304	6.0	37	1	2	4	8	13	20
85 +	48	9.8	110	1	3	6	13	35	35	70 +	48	5.7	10	1	3	6	7	12	12
SUBTOTAL	**650**	**5.6**	**30**	**1**	**3**	**4**	**7**	**11**	**15**		**723**	**5.7**	**71**	**1**	**2**	**4**	**6**	**12**	**14**
GRAND TOTAL	**650**	**5.6**	**30**	**1**	**3**	**4**	**7**	**11**	**15**		**723**	**5.7**	**71**	**1**	**2**	**4**	**6**	**12**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	80	4.7	8	1	2	5	6	9	10	0-17	56	2.6	2	1	2	2	4	5	6
18-34	79	6.7	55	2	2	4	6	21	27	18-34	84	9.0	72	2	3	6	14	18	34
35-49	88	6.0	15	2	3	6	8	10	17	35-49	85	6.9	61	1	1	3	9	23	26
50-69	123	8.6	35	3	4	7	12	15	20	50-69	110	9.3	102	2	4	6	9	28	40
70 +	22	8.5	23							70 +	6	2.0							
SUBTOTAL	**393**	**6.8**	**30**	**2**	**3**	**5**	**8**	**15**	**18**		**341**	**7.4**	**72**	**1**	**2**	**4**	**9**	**22**	**28**
GRAND TOTAL	**393**	**6.8**	**30**	**2**	**3**	**5**	**8**	**15**	**18**		**341**	**7.4**	**72**	**1**	**2**	**4**	**9**	**22**	**28**

DRG 405: Acute Leukemia w/o Major O.R. Procedure Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	550	11.6	101	2	4	8	16	24	34
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	550	**11.6**	**101**	**2**	**4**	**8**	**16**	**24**	**34**
0-17	402	4.3	32	< 1	1	3	5	8	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	402	**4.3**	**32**	**< 1**	**1**	**3**	**5**	**8**	**12**
	952	**8.5**	**84**	**1**	**3**	**5**	**11**	**21**	**29**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	340	11.8	196	1	4	7	14	29	52
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**340**	**11.8**	**196**	**1**	**4**	**7**	**14**	**29**	**52**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	208	4.0	19	< 1	1	2	5	11	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**208**	**4.0**	**19**	**< 1**	**1**	**2**	**5**	**11**	**14**
GRAND TOTAL	**549**	**8.8**	**142**	**< 1**	**2**	**5**	**11**	**20**	**34**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	147	9.4	81	2	5	7	11	18	24
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	147	**9.4**	**81**	**2**	**5**	**7**	**11**	**18**	**24**
0-17	180	6.7	41	2	4	5	7	11	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	180	**6.7**	**41**	**2**	**4**	**5**	**7**	**11**	**14**
	327	**7.9**	**61**	**2**	**4**	**6**	**9**	**14**	**24**

DRG 406: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R.Proc w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	178	11.1	46	4	7	10	14	22	26	0-17	34	24.1	409	5	10	13	46	58	58
70-74	127	10.6	59	2	5	10	13	22	25	18-34	47	12.4	131	3	5	11	14	41	41
75-79	83	10.4	80	3	4	8	13	27	33	35-49	120	10.2	43	4	6	9	13	22	24
80-84	24	16.7	144							50-69	284	9.9	77	3	4	7	12	22	23
85 +	62	11.5	59	4	6	7	16	22	29	70 +	12	10.6	7						
SUBTOTAL	**475**	**11.2**	**63**	**2**	**6**	**9**	**14**	**25**	**29**		**497**	**11.2**	**107**	**3**	**5**	**8**	**13**	**22**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**475**	**11.2**	**63**	**2**	**6**	**9**	**14**	**25**	**29**		**497**	**11.2**	**107**	**3**	**5**	**8**	**13**	**22**	**32**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	11	22.5	172							0-17	6	7.0							
18-34	6	5.0								18-34	13	11.5	61						
35-49	12	21.3	157							35-49	6	9.0							
50-69	46	10.1	28	3	4	9	16	17	17	50-69	24	11.1	15						
70 +	0									70 +	12	18.5	88						
SUBTOTAL	**76**	**13.3**	**98**	**4**	**8**	**10**	**16**	**34**	**35**		**60**	**12.1**	**46**	**5**	**9**	**9**	**18**	**23**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**76**	**13.3**	**98**	**4**	**8**	**10**	**16**	**34**	**35**		**60**	**12.1**	**46**	**5**	**9**	**9**	**18**	**23**	**27**

DRG 407: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R.Proc w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	59	5.3	9	1	2	6	7	10	10
70-74	49	5.5	12	1	1	5	8	11	11
75-79	36	8.0	57	3	4	5	6	24	24
80-84	18	3.2	11						
85 +	6	5.0							
SUBTOTAL	**168**	**5.7**	**22**	**1**	**2**	**5**	**7**	**10**	**11**
GRAND TOTAL	**168**	**5.7**	**22**	**1**	**2**	**5**	**7**	**10**	**11**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	6	12.0							
18-34	73	3.5	2	1	3	4	4	5	7
35-49	107	4.9	6	2	3	4	7	9	10
50-69	148	6.2	54	2	2	4	6	9	17
70 +	11	6.0	1						
	345	**5.3**	**27**	**2**	**3**	**4**	**6**	**9**	**12**
	345	**5.3**	**27**	**2**	**3**	**4**	**6**	**9**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	17	9.7	75						
18-34	23	5.4	12						
35-49	29	3.5	4						
50-69	28	7.4	7						
70 +	6	20.0							
SUBTOTAL	**103**	**6.9**	**32**	**2**	**3**	**5**	**8**	**20**	**21**
GRAND TOTAL	**103**	**6.9**	**32**	**2**	**3**	**5**	**8**	**20**	**21**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	6	8.0							
18-34	12	6.8	17						
35-49	34	15.7	400	3	7	8	11	60	60
50-69	36	8.0	26	1	5	7	14	15	15
70 +	12	8.2	22						
	99	**10.6**	**164**	**3**	**4**	**8**	**11**	**15**	**60**
	99	**10.6**	**164**	**3**	**4**	**8**	**11**	**15**	**60**

DRG 408: Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R.Proc

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	188	6.5	67	1	2	4	9	11	13	0-17	39	4.6	32	1	1	3	3	18	18
70-74	92	7.6	85	2	2	3	11	23	36	18-34	29	2.2	1						
75-79	92	6.9	31	1	2	8	10	15	22	35-49	128	6.9	26	2	4	5	8	11	15
80-84	66	10.1	148	2	2	7	14	14	46	50-69	199	6.8	64	1	2	5	7	13	31
85 +	61	7.0	27	2	3	4	11	14	18	70 +	11	2.0	1						
SUBTOTAL	**500**	**7.3**	**70**	**1**	**2**	**4**	**10**	**14**	**22**		**407**	**6.1**	**44**	**1**	**2**	**4**	**8**	**13**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	122	3.1	8	1	2	2	4	5	10	0-17	51	2.0	2	< 1	< 1	1	3	5	5
70-74	73	2.2	1	1	2	2	3	3	5	18-34	29	1.6	1						
75-79	102	2.2	3	1	1	2	2	4	8	35-49	145	2.5	2	1	2	2	3	4	5
80-84	24	3.3	5							50-69	153	3.9	15	1	1	2	6	7	13
85 +	6	1.0								70 +	18	1.7	1						
SUBTOTAL	**326**	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**7**		**397**	**2.9**	**7**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**826**	**5.5**	**50**	**1**	**2**	**3**	**7**	**12**	**15**		**803**	**4.5**	**29**	**1**	**2**	**3**	**6**	**9**	**14**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	17	16.3	82							0-17	22	6.8	9						
18-34	0									18-34	6	5.0							
35-49	46	16.4	194	3	6	17	20	49	49	35-49	23	4.2	5						
50-69	46	14.4	81	3	9	10	21	32	32	50-69	29	6.4	95						
70 +	0									70 +	0								
SUBTOTAL	**109**	**15.5**	**128**	**3**	**6**	**14**	**21**	**32**	**48**		**81**	**5.8**	**38**	**1**	**2**	**4**	**8**	**10**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	11	1.0								0-17	6	2.0							
18-34	12	1.5								18-34	40	3.0	8	1	2	2	2	10	10
35-49	35	3.6	9	1	2	2	4	10	10	35-49	65	3.2	3	2	2	3	3	5	8
50-69	11	2.5								50-69	64	5.1	54	1	1	2	4	11	27
70 +	11	9.0	4							70 +	6	3.0							
SUBTOTAL	**81**	**3.5**	**10**	**1**	**1**	**2**	**4**	**10**	**11**		**181**	**3.7**	**23**	**1**	**2**	**2**	**3**	**9**	**11**
GRAND TOTAL	**190**	**10.4**	**113**	**1**	**3**	**7**	**17**	**21**	**32**		**263**	**4.4**	**28**	**1**	**2**	**3**	**4**	**10**	**11**

DRG 409: Radiotherapy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	301	13.7	245	2	4	5	22	32	51	0-17	0									
70-74	303	9.0	96	2	4	5	13	26	34	18-34	72	4.0	21	1	2	3	3	19	99+	
75-79	265	12.1	157	3	4	4	16	35	43	35-49	183	6.7	77	2	2	4	6	16	26	
80-84	101	10.6	147	2	3	5	10	32	45	50-69	381	8.5	103	2	3	4	9	25	28	
85+	53	14.4	90	1	5	19	23	27	27	70+	22	6.8	36							
SUBTOTAL	**1023**	**11.6**	**164**	**2**	**4**	**5**	**15**	**31**	**44**		**659**	**7.4**	**87**	**2**	**2**	**4**	**9**	**23**	**28**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	95	23.9	592	2	3	19	39	63	84	0-17	6	1.0								
70-74	120	23.7	434	3	4	14	44	54	57	18-34	106	3.6	56	1	1	2	2	4	35	
75-79	29	23.1	743							35-49	167	7.9	162	1	2	2	4	32	35	
80-84	22	28.0	390							50-69	111	9.8	256	1	1	2	4	46	47	
85+	28	37.0	414							70+	0									
SUBTOTAL	**295**	**25.3**	**519**	**2**	**3**	**22**	**44**	**57**	**62**		**389**	**7.1**	**163**	**1**	**1**	**2**	**3**	**32**	**39**	
GRAND TOTAL	**1317**	**14.7**	**275**	**2**	**4**	**5**	**22**	**43**	**51**		**1048**	**7.3**	**115**	**1**	**2**	**3**	**7**	**26**	**35**	

	MEDICAID									NO INSURANCE										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH	
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	0									0-17	6	2.0								
18-34	13	2.5								18-34	6	2.0								
35-49	18	21.6	205							35-49	55	3.1	3	1	2	3	4	7	7	
50-69	23	6.0	22							50-69	48	4.4	7	2	3	4	5	11	11	
70+	0									70+	11	9.0	40							
SUBTOTAL	**53**	**10.3**	**140**	**2**	**2**	**4**	**13**	**37**	**37**		**126**	**4.1**	**10**	**2**	**2**	**3**	**4**	**7**	**12**	
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	0									0-17	6	6.0								
18-34	18	2.7								18-34	35	1.7		1	1	2	2	2	2	
35-49	22	2.3								35-49	57	2.5	1	1	2	2	3	5	5	
50-69	34	25.7	1189	1	2	3	63	83	83	50-69	23	1.8	1							
70+	0									70+	0									
SUBTOTAL	**74**	**13.1**	**671**	**2**	**2**	**2**	**3**	**63**	**83**		**121**	**2.3**	**2**	**1**	**2**	**2**	**2**	**4**	**5**	
GRAND TOTAL	**127**	**11.9**	**447**	**2**	**2**	**3**	**6**	**37**	**65**		**247**	**3.2**	**7**	**1**	**2**	**2**	**4**	**5**	**8**	

DRG 410: Chemotherapy w/o Acute Leukemia As Secondary Diagnosis

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6026	3.1	5	1	2	3	4	5	6	0-17	2340	2.9	4	1	1	2	5	6	6
70-74	3934	3.0	6	1	1	2	4	5	6	18-34	1570	3.8	12	1	2	4	5	6	6
75-79	2389	3.6	12	1	2	3	5	6	8	35-49	3249	3.2	7	1	2	3	4	5	6
80-84	600	3.9	14	1	2	4	4	6	9	50-69	6771	3.0	6	1	1	2	4	5	6
85 +	200	3.6	12	1	2	2	5	6	8	70 +	143	4.6	47	1	2	3	5	6	9
SUBTOTAL	**13148**	**3.2**	**7**	**1**	**2**	**3**	**4**	**5**	**7**		**14074**	**3.1**	**7**	**1**	**1**	**2**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	810	2.6	3	1	1	2	4	5	6	0-17	2049	3.3	3	1	2	3	5	5	6
70-74	763	2.6	3	1	1	2	4	5	5	18-34	583	3.4	3	1	2	4	5	5	6
75-79	370	2.3	3	1	1	2	3	5	6	35-49	983	2.3	2	1	1	2	4	4	5
80-84	91	2.0	1	1	1	2	3	4	4	50-69	1221	2.1	3	1	1	1	3	5	6
85 +	115	1.1		1	1	1	1	2	3	70 +	22	2.0	3						
SUBTOTAL	**2148**	**2.4**	**3**	**1**	**1**	**2**	**4**	**5**	**6**		**4857**	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**15297**	**3.1**	**6**	**1**	**1**	**2**	**4**	**5**	**7**		**18931**	**3.0**	**6**	**1**	**1**	**2**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1286	3.1	7	1	1	3	4	5	6	0-17	608	2.7	3	1	1	2	4	5	5
18-34	685	3.9	18	1	2	3	4	7	11	18-34	672	3.2	7	1	1	2	4	5	6
35-49	1155	4.3	9	1	2	4	5	7	9	35-49	831	4.1	13	1	2	4	5	7	12
50-69	1623	4.1	8	1	2	4	5	8	10	50-69	2131	3.0	6	1	1	2	4	5	7
70 +	35	2.8	3	1	1	2	5	5	5	70 +	200	3.2	33	1	1	2	3	4	7
SUBTOTAL	**4785**	**3.9**	**10**	**1**	**2**	**3**	**5**	**7**	**9**		**4442**	**3.2**	**8**	**1**	**1**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	654	3.2	3	1	1	3	5	5	6	0-17	511	2.8	3	1	1	3	4	5	5
18-34	442	3.8	4	1	2	4	5	6	8	18-34	323	3.7	5	1	2	4	5	6	7
35-49	390	3.2	5	1	1	3	5	7	8	35-49	312	2.3	3	1	1	2	3	4	6
50-69	388	2.7	3	1	1	2	4	6	6	50-69	516	2.6	4	1	1	2	4	5	7
70 +	17	2.3	2							70 +	43	1.9	3	1	1	1	2	6	6
SUBTOTAL	**1891**	**3.3**	**4**	**1**	**1**	**3**	**5**	**6**	**7**		**1705**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**6676**	**3.7**	**8**	**1**	**2**	**3**	**5**	**6**	**8**		**6146**	**3.1**	**7**	**1**	**1**	**2**	**4**	**5**	**7**

DRG 411: History of Malignancy w/o Endoscopy

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	9.0								0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**6**	**9.0**									**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	3.0								0-17	11	1.0							
70-74	0									18-34	0								
75-79	0									35-49	6	1.0							
80-84	0									50-69	25	1.3							
85+	0									70+	0								
SUBTOTAL	**6**	**3.0**									**43**	**1.1**		**<1**	**<1**	**<1**	**1**	**2**	**2**
GRAND TOTAL	**11**	**6.0**	**10**								**43**	**1.1**		**<1**	**<1**	**<1**	**1**	**2**	**2**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	11	3.0	1						
70+	6	1.0								70+	0								
SUBTOTAL	**6**	**1.0**									**11**	**3.0**	**1**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	2.0								0-17	0								
18-34	6	12.0								18-34	11	1.0							
35-49	6	2.0								35-49	6	1.0							
50-69	6	2.0								50-69	12	1.0							
70+	0									70+	6	1.0							
SUBTOTAL	**22**	**4.5**	**20**								**34**	**1.0**		**<1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**28**	**3.8**	**18**								**46**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**4**	**4**

DRG 412: History of Malignancy w/ Endoscopy

	MEDICARE								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	6	1.0							
80-84	0								
85 +	0								
SUBTOTAL	**6**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	1.0							
70-74	6	1.0							
75-79	18	1.3							
80-84	0								
85 +	6	3.0							
SUBTOTAL	**36**	**1.5**	**1**	**<1**	**<1**	**<1**	**2**	**3**	**3**
GRAND TOTAL	**42**	**1.4**	**1**	**<1**	**<1**	**<1**	**2**	**3**	**3**

BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	6	1.0							
35-49	12	1.0							
50-69	6	1.0							
70 +	0								
	24	**1.0**							
	24	**1.0**							

	MEDICAID								
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	6	5.0							
70 +	0								
SUBTOTAL	**6**	**5.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6**	**5.0**							

NO INSURANCE									
				PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	6	4.0							
70 +	0								
	6	**4.0**							
	6	**4.0**							

DRG 413: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	305	8.7	41	3	5	7	11	17	23
70-74	340	10.8	117	3	4	7	11	27	32
75-79	234	9.6	44	2	4	9	14	20	24
80-84	121	7.1	15	2	3	8	10	12	13
85 +	102	6.3	7	2	4	6	8	9	11
SUBTOTAL	**1102**	**9.1**	**61**	**2**	**4**	**7**	**11**	**19**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1102**	**9.1**	**61**	**2**	**4**	**7**	**11**	**19**	**26**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	24	4.3	5						
18-34	24	8.2	35						
35-49	76	7.8	35	3	5	6	9	11	25
50-69	250	8.5	37	1	3	8	11	15	20
70 +	61	10.7	62	3	6	6	19	23	25
	435	**8.4**	**40**	**2**	**4**	**7**	**10**	**18**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	435	**8.4**	**40**	**2**	**4**	**7**	**10**	**18**	**25**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	4.0							
18-34	30	6.6	82						
35-49	52	6.8	19	2	2	6	11	13	13
50-69	115	10.9	105	2	3	9	13	32	38
70 +	6	9.0							
SUBTOTAL	**208**	**9.0**	**79**	**1**	**3**	**7**	**11**	**17**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**208**	**9.0**	**79**	**1**	**3**	**7**	**11**	**17**	**36**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	4.5	7						
18-34	6	50.0							
35-49	42	8.3	50	4	4	5	11	25	25
50-69	119	9.4	45	3	4	9	12	18	26
70 +	43	6.8	24	2	3	6	9	18	18
	220	**9.5**	**83**	**3**	**4**	**6**	**11**	**25**	**28**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	220	**9.5**	**83**	**3**	**4**	**6**	**11**	**25**	**28**

DRG 414: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	98	5.6	22	1	2	4	8	12	18
70-74	49	6.4	22	1	2	7	8	16	16
75-79	43	3.2	9	< 1	< 1	2	5	10	10
80-84	18	4.1	5						
85 +	6	3.0							
SUBTOTAL	**214**	**5.1**	**19**	**1**	**2**	**4**	**7**	**11**	**16**
GRAND TOTAL	**214**	**5.1**	**19**	**1**	**2**	**4**	**7**	**11**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	23	2.5	1						
35-49	101	4.4	18	1	2	3	6	12	17
50-69	114	3.8	10	1	1	2	5	10	12
70 +	6	1.0							
	245	**3.8**	**13**	**1**	**2**	**2**	**5**	**8**	**12**
	245	**3.8**	**13**	**1**	**2**	**2**	**5**	**8**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	1.5							
18-34	30	2.8	4						
35-49	41	7.3	16	3	4	6	13	14	14
50-69	80	6.7	84	1	2	4	8	10	38
70 +	11	8.0	4						
SUBTOTAL	**185**	**5.6**	**45**	**1**	**2**	**4**	**6**	**10**	**14**
GRAND TOTAL	**185**	**5.6**	**45**	**1**	**2**	**4**	**6**	**10**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	17	2.0	2						
18-34	23	1.2							
35-49	81	4.8	7	2	3	5	6	7	12
50-69	73	9.6	61	2	4	4	15	21	24
70 +	6	5.0							
	200	**5.9**	**34**	**1**	**2**	**4**	**7**	**15**	**21**
	200	**5.9**	**34**	**1**	**2**	**4**	**7**	**15**	**21**

DRG 415: O.R. Procedure for Infectious & Parasitic Diseases

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1202	19.2	274	5	8	14	26	46	56	0-17	151	19.5	434	4	6	10	23	56	70
70-74	608	18.2	186	5	9	14	24	39	47	18-34	294	11.1	188	2	3	6	10	23	41
75-79	602	17.8	209	6	10	14	20	35	50	35-49	419	12.6	111	3	5	10	17	27	34
80-84	476	15.3	166	4	8	12	19	30	39	50-69	769	16.0	248	4	7	11	19	31	55
85 +	377	16.0	113	7	11	13	19	26	31	70 +	99	12.9	65	5	8	12	16	18	40
SUBTOTAL	**3266**	**17.8**	**213**	**5**	**9**	**13**	**22**	**38**	**49**		**1733**	**14.5**	**216**	**3**	**5**	**10**	**17**	**31**	**42**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	168	6.3	35	2	3	5	7	12	18	0-17	197	6.4	24	1	2	6	9	11	12
70-74	157	10.5	63	3	5	8	12	18	28	18-34	391	4.6	9	1	3	4	6	8	9
75-79	98	7.1	11	4	5	6	8	12	15	35-49	383	6.8	30	2	3	5	8	17	19
80-84	60	6.7	14	3	3	6	9	13	13	50-69	359	8.1	30	2	4	7	11	14	19
85 +	19	7.3	21							70 +	0								
SUBTOTAL	**501**	**7.9**	**39**	**3**	**4**	**6**	**10**	**14**	**18**		**1329**	**6.4**	**25**	**2**	**3**	**5**	**8**	**12**	**18**
GRAND TOTAL	**3767**	**16.5**	**201**	**4**	**8**	**12**	**20**	**35**	**48**		**3062**	**11.0**	**149**	**2**	**4**	**7**	**14**	**23**	**32**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	109	23.5	353	2	12	16	39	66	67	0-17	111	17.5	207	4	7	13	22	37	60
18-34	164	14.9	227	2	5	11	16	48	61	18-34	184	12.1	112	4	5	9	14	31	35
35-49	148	16.8	204	3	6	13	22	30	40	35-49	222	18.2	430	3	7	12	25	67	88
50-69	172	22.2	374	5	9	18	31	48	96	50-69	252	18.5	267	6	9	11	29	45	61
70 +	22	22.8	178							70 +	97	15.4	115	6	7	10	22	33	43
SUBTOTAL	**616**	**19.2**	**294**	**3**	**7**	**15**	**26**	**46**	**66**		**866**	**16.6**	**256**	**4**	**7**	**11**	**22**	**38**	**61**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	59	4.8	7	2	3	5	7	8	10	0-17	88	7.7	14	3	5	7	12	14	14
18-34	146	10.9	70	3	6	8	11	25	28	18-34	249	8.7	39	2	4	8	12	15	21
35-49	24	15.0	17							35-49	147	10.6	81	1	6	9	14	19	28
50-69	35	13.0	70	3	5	11	22	26	26	50-69	125	7.0	33	2	3	5	9	15	21
70 +	0									70 +	6	9.0							
SUBTOTAL	**265**	**10.2**	**60**	**3**	**5**	**8**	**12**	**22**	**26**		**614**	**8.7**	**46**	**2**	**4**	**7**	**12**	**15**	**21**
GRAND TOTAL	**881**	**16.6**	**241**	**3**	**6**	**12**	**23**	**39**	**55**		**1480**	**13.3**	**184**	**3**	**5**	**9**	**15**	**32**	**44**

DRG 416: Septicemia Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3666	9.0	48	3	5	7	11	17	22
70-74	2680	9.0	42	3	5	7	11	17	21
75-79	2996	9.1	42	4	5	8	11	16	20
80-84	2670	8.9	39	3	5	7	11	17	20
85 +	3015	9.0	45	4	5	8	11	16	20
SUBTOTAL	**15027**	**9.0**	**43**	**3**	**5**	**7**	**11**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	117	8.0	43	3	4	5	9	18	26
70-74	116	5.4	18	2	3	4	7	9	18
75-79	189	5.3	11	2	3	4	8	10	11
80-84	196	7.1	30	2	3	5	8	18	19
85 +	213	9.2	99	3	4	7	10	18	24
SUBTOTAL	**831**	**7.1**	**46**	**2**	**3**	**5**	**8**	**13**	**19**
GRAND TOTAL	**15858**	**8.9**	**44**	**3**	**5**	**7**	**11**	**16**	**21**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	422	7.0	21	2	4	5	9	15	18
35-49	972	7.6	36	3	4	6	9	13	19
50-69	1970	7.8	25	3	4	7	10	15	18
70 +	452	8.5	33	4	5	7	10	14	18
	3816	**7.7**	**28**	**3**	**4**	**6**	**10**	**14**	**18**
0-17	0								
18-34	97	3.2	2	2	2	3	4	5	8
35-49	134	5.9	38	2	3	3	7	11	14
50-69	163	5.5	6	2	3	6	7	8	8
70 +	53	7.3	25	1	4	5	12	16	16
	447	**5.3**	**18**	**2**	**3**	**4**	**7**	**9**	**14**
	4262	**7.5**	**28**	**3**	**4**	**6**	**9**	**14**	**18**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	406	8.4	40	3	4	7	10	16	23
35-49	324	8.9	67	4	5	7	10	16	30
50-69	500	8.7	21	4	6	8	10	14	16
70 +	118	12.7	67	4	6	10	16	27	30
SUBTOTAL	**1348**	**9.0**	**43**	**4**	**5**	**8**	**11**	**16**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	59	5.3	9	1	3	5	9	10	10
35-49	6	7.0							
50-69	18	7.0	1						
70 +	6	16.0							
SUBTOTAL	**89**	**6.5**	**13**	**2**	**4**	**6**	**9**	**10**	**16**
GRAND TOTAL	**1437**	**8.9**	**42**	**4**	**5**	**7**	**10**	**16**	**22**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	389	9.3	76	2	4	7	13	20	25
35-49	385	8.6	34	3	5	7	11	16	22
50-69	573	9.8	62	3	5	7	12	19	25
70 +	352	7.6	18	3	5	7	9	12	15
	1698	**9.0**	**50**	**3**	**5**	**7**	**11**	**17**	**23**
0-17	0								
18-34	66	7.7	26	2	2	7	13	13	17
35-49	66	4.1	5	2	3	3	6	7	9
50-69	66	5.9	13	2	3	5	9	10	13
70 +	24	5.8	1						
	222	**5.9**	**15**	**2**	**3**	**5**	**8**	**13**	**13**
	1921	**8.6**	**47**	**3**	**5**	**7**	**11**	**16**	**22**

DRG 417: Septicemia Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	24	4.5	3						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**24**	**4.5**	**3**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	5.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**5.0**							
GRAND TOTAL	**30**	**4.6**	**2**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	847	5.6	24	2	3	4	8	10	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	847	**5.6**	**24**	**2**	**3**	**4**	**8**	**10**	**13**
0-17	953	3.4	5	1	2	3	4	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	953	**3.4**	**5**	**1**	**2**	**3**	**4**	**7**	**9**
	1800	**4.4**	**15**	**2**	**2**	**3**	**5**	**9**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	930	6.4	28	2	3	4	9	13	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**930**	**6.4**	**28**	**2**	**3**	**4**	**9**	**13**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	995	4.4	11	2	2	3	5	10	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**995**	**4.4**	**11**	**2**	**2**	**3**	**5**	**10**	**12**
GRAND TOTAL	**1925**	**5.4**	**20**	**2**	**3**	**4**	**7**	**12**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	416	6.4	30	2	3	5	9	11	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	416	**6.4**	**30**	**2**	**3**	**5**	**9**	**11**	**15**
0-17	653	4.1	10	2	2	3	5	10	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	653	**4.1**	**10**	**2**	**2**	**3**	**5**	**10**	**11**
	1069	**5.0**	**19**	**2**	**2**	**3**	**6**	**10**	**12**

DRG 418: Postoperative & Post-traumatic Infections

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	560	7.5	31	3	4	6	9	14	20	0-17	97	8.3	27	2	5	7	11	15	22
70-74	372	9.1	85	3	4	6	11	17	26	18-34	188	5.2	10	2	3	5	7	10	12
75-79	262	6.8	44	2	3	4	8	13	17	35-49	322	6.2	41	2	3	5	7	9	16
80-84	175	11.5	282	3	5	6	9	23	34	50-69	427	5.9	16	2	3	5	7	13	15
85 +	128	8.7	43	3	5	7	9	18	20	70 +	51	8.0	83	3	3	5	6	33	33
SUBTOTAL	**1497**	**8.4**	**79**	**3**	**4**	**6**	**9**	**15**	**21**		**1085**	**6.2**	**27**	**2**	**3**	**5**	**7**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	428	6.0	14	2	3	6	8	11	13	0-17	234	3.0	3	1	2	3	4	6	7
70-74	208	5.8	10	3	4	5	7	9	10	18-34	380	3.8	4	2	2	3	5	7	8
75-79	142	6.9	22	2	3	6	9	13	16	35-49	586	4.2	9	1	2	4	5	8	10
80-84	110	7.7	30	3	4	6	9	18	21	50-69	487	4.4	10	2	3	4	5	8	12
85 +	73	5.4	3	4	4	5	7	7	9	70 +	18	3.7	4						
SUBTOTAL	**961**	**6.2**	**16**	**2**	**4**	**5**	**8**	**11**	**14**		**1703**	**4.0**	**7**	**2**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**2459**	**7.5**	**55**	**2**	**4**	**6**	**9**	**13**	**19**		**2788**	**4.9**	**16**	**2**	**3**	**4**	**6**	**9**	**12**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	71	7.5	100	2	2	4	8	10	38	0-17	41	6.6	25	1	2	7	12	15	15
18-34	131	5.8	18	2	3	5	7	10	12	18-34	123	6.5	30	2	2	5	9	13	19
35-49	110	6.4	18	2	3	5	10	13	16	35-49	205	6.0	16	2	3	5	8	11	17
50-69	129	6.1	14	2	3	7	8	12	12	50-69	174	11.4	175	2	4	7	11	35	38
70 +	11	9.5								70 +	62	7.4	62	1	4	6	6	16	30
SUBTOTAL	**452**	**6.4**	**29**	**2**	**3**	**5**	**9**	**12**	**14**		**606**	**7.8**	**75**	**2**	**3**	**6**	**9**	**15**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	173	4.3	13	1	2	3	6	8	15	0-17	154	3.6	5	1	2	3	5	8	9
18-34	201	5.0	9	2	3	4	7	10	11	18-34	423	4.3	7	2	2	4	6	8	10
35-49	118	4.2	5	2	3	4	5	7	9	35-49	270	4.8	13	2	2	4	6	10	11
50-69	104	5.5	9	2	3	5	8	11	11	50-69	210	6.5	16	2	3	6	8	11	16
70 +	11	6.5	2							70 +	18	14.8	120						
SUBTOTAL	**606**	**4.8**	**9**	**2**	**2**	**4**	**7**	**9**	**11**		**1074**	**4.9**	**14**	**2**	**2**	**4**	**7**	**10**	**11**
GRAND TOTAL	**1059**	**5.5**	**18**	**2**	**3**	**4**	**7**	**10**	**12**		**1680**	**6.0**	**38**	**2**	**2**	**4**	**7**	**11**	**15**

Western Region, July 1990 - June 1991

DRG 419: Fever of Unknown Origin Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	834	6.2	23	2	3	5	7	12	16	0-17	0								
70-74	670	5.2	12	2	3	4	6	8	14	18-34	317	4.3	5	2	3	4	6	7	8
75-79	604	7.1	41	2	3	5	8	12	19	35-49	436	5.8	19	2	3	5	7	12	14
80-84	411	5.4	14	2	3	5	6	10	15	50-69	704	5.8	18	2	3	5	8	10	16
85 +	354	5.9	14	2	3	5	7	12	15	70 +	101	6.8	24	3	4	5	8	19	19
SUBTOTAL	**2874**	**6.0**	**22**	**2**	**3**	**5**	**7**	**12**	**15**		**1559**	**5.5**	**16**	**2**	**3**	**4**	**7**	**10**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2874**	**6.0**	**22**	**2**	**3**	**5**	**7**	**12**	**15**		**1559**	**5.5**	**16**	**2**	**3**	**4**	**7**	**10**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	126	4.3	6	2	2	4	6	7	8	18-34	166	5.1	31	1	2	3	6	9	13
35-49	49	5.8	12	2	3	4	8	12	12	35-49	135	7.4	58	2	3	4	10	16	28
50-69	71	8.0	49	2	5	6	8	11	30	50-69	192	5.9	10	3	4	5	7	11	13
70 +	12	4.4	7							70 +	61	6.3	22	1	2	4	12	13	14
SUBTOTAL	**257**	**5.6**	**21**	**2**	**3**	**5**	**7**	**10**	**11**		**555**	**6.1**	**30**	**2**	**3**	**4**	**7**	**13**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**257**	**5.6**	**21**	**2**	**3**	**5**	**7**	**10**	**11**		**555**	**6.1**	**30**	**2**	**3**	**4**	**7**	**13**	**15**

DRG 420: Fever of Unknown Origin Age >17 w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	153	4.1	5	2	3	3	5	8	8
70-74	171	3.5	5	2	2	3	5	7	7
75-79	177	4.9	7	2	3	4	7	9	10
80-84	104	5.1	18	2	3	4	5	10	20
85 +	96	5.1	8	2	2	5	6	10	12
SUBTOTAL	**702**	**4.4**	**8**	**2**	**2**	**4**	**6**	**8**	**10**
GRAND TOTAL	**702**	**4.4**	**8**	**2**	**2**	**4**	**6**	**8**	**10**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	317	3.5	7	1	2	3	5	7	9
35-49	219	3.9	5	2	2	3	5	8	8
50-69	285	3.4	4	1	2	3	4	7	7
70 +	36	3.8	2	1	4	4	5	5	5
	858	**3.6**	**5**	**1**	**2**	**3**	**5**	**7**	**8**
	858	**3.6**	**5**	**1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	78	5.7	68	2	3	3	5	6	33
35-49	18	3.7	10						
50-69	6	3.0							
70 +	12	3.4	2						
SUBTOTAL	**114**	**5.0**	**49**	**1**	**2**	**3**	**5**	**8**	**27**
GRAND TOTAL	**114**	**5.0**	**49**	**1**	**2**	**3**	**5**	**8**	**27**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	148	3.5	5	1	2	3	5	6	8
35-49	95	3.5	7	1	2	3	5	7	11
50-69	71	5.8	21	2	3	4	8	11	17
70 +	17	3.3	2						
	331	**4.0**	**9**	**1**	**2**	**3**	**5**	**8**	**11**
	331	**4.0**	**9**	**1**	**2**	**3**	**5**	**8**	**11**

DRG 421: Viral Illness Age >17

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	491	4.5	7	2	3	4	5	7	10
70-74	312	4.6	6	2	3	4	6	7	10
75-79	228	3.8	5	1	2	3	5	6	7
80-84	202	6.8	48	2	3	5	8	15	36
85 +	308	4.3	8	2	2	4	5	7	9
SUBTOTAL	**1541**	**4.7**	**13**	**2**	**3**	**4**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	147	3.7	4	2	2	3	4	7	7
70-74	117	2.9	3	1	1	3	5	6	6
75-79	124	2.5	2	1	2	2	3	5	5
80-84	68	4.8	20	2	3	4	5	6	18
85 +	74	3.7	5	2	2	3	4	8	8
SUBTOTAL	**529**	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**2069**	**4.3**	**11**	**2**	**2**	**4**	**5**	**7**	**10**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	879	3.3	8	1	2	3	4	6	9
35-49	469	3.4	6	1	2	3	4	7	9
50-69	365	4.0	10	2	2	3	5	7	11
70 +	46	3.6	8	< 1	1	3	5	10	10
	1760	**3.5**	**8**	**1**	**2**	**3**	**4**	**6**	**9**
0-17	0								
18-34	790	2.6	3	1	1	2	3	5	5
35-49	493	2.9	9	1	1	2	3	5	8
50-69	305	2.6	3	1	1	2	3	5	7
70 +	24	1.8	1						
	1612	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
	3372	**3.1**	**7**	**1**	**2**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	136	3.9	13	1	2	3	4	7	14
35-49	66	3.7	2	2	3	3	5	5	7
50-69	48	4.4	7	1	2	4	6	9	9
70 +	12	3.6	7						
SUBTOTAL	**261**	**3.9**	**9**	**1**	**2**	**3**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	175	3.1	8	1	1	2	3	7	11
35-49	59	4.6	5	2	3	4	5	9	9
50-69	24	4.2	5						
70 +	12	3.9	4						
SUBTOTAL	**269**	**3.6**	**7**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**530**	**3.8**	**8**	**1**	**2**	**3**	**5**	**8**	**9**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	446	3.5	8	1	2	3	4	7	10
35-49	206	4.5	12	1	2	4	5	11	13
50-69	120	6.0	62	1	2	2	6	19	28
70 +	13	4.0	1						
	786	**4.2**	**18**	**1**	**2**	**3**	**5**	**9**	**13**
0-17	0								
18-34	561	2.9	6	1	1	2	4	5	7
35-49	239	2.7	7	1	1	2	3	5	5
50-69	131	3.2	22	1	1	2	3	7	10
70 +	13	3.5	7						
	943	**2.9**	**9**	**1**	**1**	**2**	**3**	**5**	**7**
	1729	**3.5**	**13**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 422: Viral Illness & Fever of Unknown Origin Age 0-17

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	24	1.9	1							0-17	2491	3.3	6	1	2	3	4	6	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	24	1.9	1								2491	3.3	6	1	2	3	4	6	7
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	44	1.7	1	1	1	2	2	3	3	0-17	4322	2.6	3	1	2	2	3	4	5
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	44	1.7	1	1	1	2	2	3	3		4322	2.6	3	1	2	2	3	4	5
GRAND TOTAL	66	1.8	1	1	1	2	2	3	4		6813	2.8	4	1	2	2	3	5	6

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	1807	3.9	12	2	2	3	4	7	10	0-17	1230	3.4	10	1	2	3	4	6	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	1807	3.9	12	2	2	3	4	7	10		1230	3.4	10	1	2	3	4	6	8
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	3810	2.7	2	1	2	3	3	4	5	0-17	2549	2.6	2	1	2	2	3	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	3810	2.7	2	1	2	3	3	4	5		2549	2.6	2	1	2	2	3	4	5
GRAND TOTAL	5617	3.1	5	1	2	3	4	5	7		3779	2.9	5	1	2	3	3	4	6

DRG 423: Other Infectious & Parasitic Diseases Diagnoses

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	217	7.7	27	2	5	6	11	15	21
70-74	133	9.1	28	3	6	8	11	17	19
75-79	184	8.2	21	4	5	7	11	14	17
80-84	153	9.1	74	3	4	7	9	29	29
85 +	154	7.0	13	3	5	7	8	11	16
SUBTOTAL	**840**	**8.2**	**32**	**3**	**4**	**7**	**10**	**16**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	79	6.0	8	3	4	6	8	9	12
70-74	18	6.3	12						
75-79	18	9.1	25						
80-84	22	12.8	81						
85 +	13	4.0							
SUBTOTAL	**150**	**7.3**	**27**	**3**	**4**	**6**	**9**	**15**	**15**
GRAND TOTAL	**991**	**8.0**	**31**	**3**	**4**	**7**	**10**	**15**	**19**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	209	8.6	102	1	3	5	13	22	56
18-34	187	7.5	45	2	3	6	8	14	21
35-49	170	9.5	91	2	3	7	12	23	28
50-69	128	8.1	41	2	4	7	9	21	22
70 +	24	7.6	11						
	717	**8.4**	**71**	**2**	**3**	**6**	**11**	**21**	**23**
0-17	139	4.4	18	1	2	3	5	7	15
18-34	260	4.0	9	2	2	3	5	7	11
35-49	150	5.1	17	2	2	3	7	11	14
50-69	66	5.4	12	2	2	5	8	9	13
70 +	6	2.0							
	620	**4.8**	**13**	**1**	**2**	**3**	**6**	**9**	**13**
	1338	**6.6**	**48**	**2**	**3**	**4**	**8**	**14**	**21**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	82	8.3	47	1	3	6	12	20	23
18-34	140	12.5	239	4	5	6	11	32	48
35-49	69	9.1	35	4	4	7	13	17	23
50-69	74	9.1	111	3	3	7	10	12	44
70 +	18	3.9	13						
SUBTOTAL	**382**	**10.0**	**130**	**2**	**4**	**7**	**11**	**23**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	99	8.3	110	2	4	5	10	13	48
18-34	81	5.8	14	3	3	4	9	13	14
35-49	46	8.3	79	2	2	5	10	30	30
50-69	22	7.0	16						
70 +	6	7.0							
SUBTOTAL	**254**	**7.3**	**63**	**2**	**3**	**5**	**10**	**13**	**14**
GRAND TOTAL	**637**	**8.9**	**105**	**2**	**3**	**6**	**10**	**19**	**30**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	7.2	79	2	4	4	7	16	40
18-34	204	7.5	66	2	3	5	11	14	17
35-49	120	12.6	234	2	4	7	11	37	49
50-69	106	11.4	198	1	4	8	15	28	64
70 +	42	9.8	67	4	4	7	11	28	28
	582	**9.4**	**132**	**2**	**4**	**6**	**10**	**17**	**38**
0-17	155	7.3	54	1	3	4	10	18	24
18-34	227	4.0	9	1	2	3	6	8	11
35-49	98	5.2	8	2	3	5	8	8	12
50-69	29	3.2	2						
70 +	13	2.0	1						
	521	**5.1**	**24**	**1**	**2**	**3**	**6**	**10**	**15**
	1104	**7.3**	**85**	**1**	**3**	**4**	**9**	**15**	**24**

DRG 424: O.R. Procedure w/ Principal Diagnoses of Mental Illness

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	108	16.6	267	5	6	13	21	78	94
70-74	25	10.5	5						
75-79	48	18.7	84	8	11	16	26	35	35
80-84	53	20.8	101	9	12	17	31	37	37
85 +	43	11.1	28	4	7	11	18	19	19
SUBTOTAL	**277**	**16.4**	**154**	**6**	**8**	**13**	**21**	**34**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	64	22.8	364	10	11	13	33	44	73
70-74	19	8.0	2						
75-79	12	38.6	70						
80-84	11	7.0	4						
85 +	0								
SUBTOTAL	**106**	**20.3**	**314**	**7**	**9**	**13**	**33**	**70**	**92**
GRAND TOTAL	**383**	**17.5**	**201**	**6**	**9**	**13**	**22**	**37**	**73**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	3.0							
18-34	18	12.2	52						
35-49	24	25.0	423						
50-69	60	23.7	418	4	9	18	35	57	74
70 +	6	34.0							
	113	**21.5**	**359**	**4**	**9**	**19**	**35**	**94**	**99 +**
0-17	17	2.0	1						
18-34	30	19.7	196						
35-49	49	8.4	83	1	1	3	21	21	21
50-69	47	8.3	101	1	2	4	20	29	29
70 +	0								
	143	**10.0**	**130**	**1**	**1**	**3**	**20**	**25**	**29**
	256	**15.1**	**263**	**1**	**3**	**10**	**22**	**42**	**74**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	11	12.5	2						
18-34	23	15.8	60						
35-49	18	29.2	25						
50-69	35	23.9	178	10	10	30	32	45	45
70 +	0								
SUBTOTAL	**88**	**21.4**	**124**	**10**	**10**	**17**	**30**	**35**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	41.6	337						
18-34	36	23.4	472	5	5	14	29	69	69
35-49	6	19.0							
50-69	29	17.2	38						
70 +	0								
SUBTOTAL	**94**	**25.7**	**359**	**5**	**13**	**19**	**29**	**69**	**69**
GRAND TOTAL	**182**	**23.6**	**250**	**9**	**12**	**19**	**30**	**42**	**69**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	30	7.4	31						
35-49	18	2.4	2						
50-69	23	17.8	85						
70 +	18	11.5	26						
	89	**9.9**	**68**	**2**	**3**	**9**	**16**	**20**	**32**
0-17	0								
18-34	54	5.4	16	< 1	3	4	7	13	13
35-49	84	15.3	619	2	2	4	18	47	97
50-69	24	7.4	33						
70 +	0								
	162	**10.8**	**350**	**1**	**2**	**4**	**11**	**19**	**47**
	251	**10.5**	**250**	**1**	**2**	**5**	**11**	**19**	**32**

DRG 425: Acute Adjust React & Disturbances of Psychosocial Dysfunction

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	587	7.3	65	1	2	5	9	18	26	0-17	41	5.5	27	<1	2	5	6	17	17
70-74	305	6.6	61	1	2	4	8	10	29	18-34	258	6.5	72	1	2	4	8	12	21
75-79	393	7.1	48	2	3	5	8	13	23	35-49	284	5.8	45	1	2	3	8	15	20
80-84	328	5.6	23	2	3	5	6	11	13	50-69	289	5.7	42	1	2	3	9	14	16
85+	360	5.4	12	2	3	5	7	11	13	70+	65	3.5	3	2	2	3	4	6	7
SUBTOTAL	**1973**	**6.5**	**45**	**2**	**3**	**5**	**8**	**13**	**20**		**938**	**5.8**	**48**	**1**	**2**	**3**	**6**	**13**	**20**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	493	4.8	28	1	2	3	6	10	11	0-17	338	7.4	117	1	1	3	7	28	39
70-74	173	6.6	158	1	2	4	5	16	22	18-34	806	5.4	51	1	1	3	7	12	19
75-79	232	5.2	22	1	2	4	7	14	15	35-49	762	4.1	22	1	1	2	5	11	13
80-84	185	7.4	92	1	2	4	9	14	30	50-69	347	6.1	48	1	2	3	7	18	23
85+	170	4.6	14	1	3	4	5	7	13	70+	6	2.0							
SUBTOTAL	**1253**	**5.5**	**53**	**1**	**2**	**3**	**6**	**13**	**17**		**2259**	**5.4**	**51**	**1**	**1**	**3**	**6**	**13**	**19**
GRAND TOTAL	**3226**	**6.1**	**48**	**1**	**2**	**4**	**7**	**12**	**20**		**3197**	**5.5**	**51**	**1**	**1**	**3**	**6**	**13**	**19**

	MEDICAID										NO INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	36	4.7	12	2	3	3	5	12	12	0-17	24	7.4	68						
18-34	166	3.9	9	<1	2	3	5	8	10	18-34	327	2.9	7	<1	1	2	5	6	9
35-49	125	4.8	12	1	2	4	7	10	12	35-49	234	4.8	38	1	1	3	6	13	19
50-69	108	4.8	13	1	2	3	6	11	13	50-69	155	4.2	6	1	2	4	5	8	9
70+	23	4.9	7							70+	92	6.3	19	3	4	5	8	11	20
SUBTOTAL	**458**	**4.5**	**11**	**1**	**2**	**3**	**7**	**10**	**12**		**831**	**4.2**	**20**	**1**	**1**	**3**	**5**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	261	9.2	160	1	2	3	12	25	34	0-17	162	3.6	23	1	1	2	4	8	11
18-34	450	4.9	33	1	2	3	6	10	20	18-34	663	3.1	14	1	1	2	3	7	9
35-49	243	4.7	42	1	2	2	5	8	24	35-49	376	3.8	25	<1	1	2	5	7	10
50-69	72	5.1	17	<1	2	4	5	14	14	50-69	167	3.7	26	1	1	2	3	9	14
70+	12	6.8	22							70+	41	3.1	8	1	1	2	9	99+	99+
SUBTOTAL	**1039**	**6.0**	**69**	**1**	**2**	**3**	**6**	**14**	**24**		**1410**	**3.4**	**19**	**1**	**1**	**2**	**4**	**6**	**13**
GRAND TOTAL	**1496**	**5.5**	**52**	**1**	**2**	**3**	**6**	**12**	**20**		**2241**	**3.7**	**20**	**1**	**1**	**2**	**5**	**8**	**12**

DRG 426: Depressive Neuroses

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	673	7.4	54	2	3	5	10	17	21
70-74	109	7.7	61	2	3	5	9	17	36
75-79	107	8.2	34	2	3	7	11	17	23
80-84	120	7.7	39	2	3	6	9	17	22
85 +	112	10.8	220	2	3	7	9	36	61
SUBTOTAL	**1121**	**7.9**	**69**	**2**	**3**	**5**	**10**	**17**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	758	7.5	80	1	2	5	9	15	26
70-74	123	10.8	143	3	4	7	12	23	38
75-79	145	6.5	28	1	3	5	9	11	17
80-84	138	6.6	75	2	3	3	8	12	23
85 +	79	11.4	127	2	3	11	15	17	46
SUBTOTAL	**1243**	**7.9**	**85**	**1**	**3**	**5**	**10**	**16**	**26**
GRAND TOTAL	**2364**	**7.9**	**77**	**2**	**3**	**5**	**10**	**17**	**24**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	715	17.6	359	3	6	11	25	40	90
18-34	741	9.0	97	1	2	5	12	28	29
35-49	652	6.3	55	1	2	3	8	19	26
50-69	246	4.5	10	1	2	3	6	9	9
70 +	11	8.0	10						
	2365	**10.4**	**179**	**1**	**2**	**5**	**13**	**28**	**32**
0-17	2281	15.8	214	2	5	10	25	38	45
18-34	2241	5.7	65	1	2	3	7	13	18
35-49	1569	5.7	32	1	2	4	8	13	18
50-69	544	5.7	35	1	2	4	8	13	19
70 +	23	4.3	3						
	6659	**9.1**	**128**	**1**	**2**	**5**	**11**	**25**	**32**
	9024	**9.5**	**142**	**1**	**2**	**5**	**11**	**27**	**32**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	319	20.4	168	7	12	16	31	36	52
18-34	376	5.7	20	1	3	4	7	13	15
35-49	202	5.7	28	2	2	4	7	11	16
50-69	60	6.0	36	1	1	4	10	17	18
70 +	0								
SUBTOTAL	**957**	**10.6**	**120**	**1**	**3**	**7**	**14**	**27**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1260	21.9	317	4	10	15	32	46	61
18-34	874	4.9	26	1	2	3	6	12	15
35-49	302	5.2	18	1	3	4	6	12	14
50-69	94	7.0	19	2	3	6	10	14	15
70 +	0								
SUBTOTAL	**2530**	**13.5**	**240**	**1**	**3**	**7**	**17**	**35**	**45**
GRAND TOTAL	**3487**	**12.7**	**209**	**1**	**3**	**7**	**16**	**32**	**42**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	133	12.7	136	2	5	9	15	27	31
18-34	706	4.8	56	1	2	3	5	8	21
35-49	388	5.3	35	1	2	3	6	13	21
50-69	59	5.8	50	1	2	4	5	17	26
70 +	31	4.9	24						
	1317	**5.8**	**62**	**1**	**2**	**3**	**6**	**14**	**24**
0-17	385	5.2	38	1	2	3	5	14	20
18-34	1593	3.8	17	1	1	2	5	8	13
35-49	649	5.7	37	1	2	3	7	13	18
50-69	171	3.3	8	1	1	2	4	8	11
70 +	6	66.0							
	2804	**4.5**	**32**	**1**	**1**	**3**	**5**	**10**	**15**
	4121	**4.9**	**42**	**1**	**1**	**3**	**5**	**11**	**18**

DRG 427: Neuroses except Depressive

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	313	7.4	67	2	3	5	9	15	26	0-17	255	8.5	58	1	3	7	11	21	26
70-74	73	10.5	19	5	7	10	13	18	18	18-34	354	5.0	53	1	1	2	5	11	28
75-79	65	9.0	52	3	3	8	14	18	26	35-49	248	7.3	80	2	3	5	8	11	26
80-84	17	13.7	29							50-69	78	6.8	31	2	3	6	9	11	22
85 +	24	6.9	8							70 +	6	9.0							
SUBTOTAL	**493**	**8.3**	**56**	**2**	**3**	**6**	**10**	**18**	**21**		**942**	**6.7**	**61**	**1**	**2**	**4**	**9**	**15**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	384	7.6	66	1	2	4	9	22	26	0-17	1454	10.8	133	2	3	7	13	28	37
70-74	66	9.0	80	2	3	8	14	14	33	18-34	1156	5.9	72	1	1	3	7	14	20
75-79	72	6.5	19	2	2	6	9	11	17	35-49	821	7.8	81	1	2	5	9	18	29
80-84	113	6.4	17	2	3	6	8	9	18	50-69	228	6.6	35	1	2	5	7	17	21
85 +	47	11.1	59	< 1	6	10	15	26	26	70 +	11	7.0	27						
SUBTOTAL	**681**	**7.7**	**55**	**1**	**3**	**6**	**9**	**19**	**26**		**3670**	**8.3**	**100**	**1**	**2**	**5**	**10**	**20**	**32**
GRAND TOTAL	**1174**	**7.9**	**55**	**2**	**3**	**6**	**10**	**18**	**26**		**4612**	**8.0**	**93**	**1**	**2**	**5**	**10**	**19**	**30**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	208	10.0	156	2	3	5	12	30	42	0-17	96	4.5	40	< 1	2	3	4	10	28
18-34	278	4.9	20	1	2	3	6	13	14	18-34	361	3.7	13	1	1	2	5	9	12
35-49	194	5.8	46	1	2	4	8	13	14	35-49	147	4.1	23	1	1	3	4	10	14
50-69	29	8.9	21							50-69	29	3.7	6						
70 +	6	4.0								70 +	0								
SUBTOTAL	**715**	**6.8**	**71**	**1**	**3**	**4**	**8**	**14**	**22**		**634**	**3.9**	**19**	**1**	**1**	**2**	**4**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	936	15.3	241	3	4	10	25	38	50	0-17	209	7.9	66	1	3	5	10	28	29
18-34	638	6.5	77	1	2	4	8	13	16	18-34	860	4.0	18	1	1	2	5	9	13
35-49	228	4.7	15	1	2	3	6	12	15	35-49	391	5.5	41	1	1	3	8	15	19
50-69	53	3.9	8	1	3	3	4	11	11	50-69	76	4.9	5	2	3	5	7	8	9
70 +	0									70 +	6	1.0							
SUBTOTAL	**1855**	**10.6**	**173**	**2**	**3**	**6**	**13**	**32**	**43**		**1542**	**4.9**	**31**	**1**	**1**	**3**	**6**	**11**	**19**
GRAND TOTAL	**2570**	**9.6**	**148**	**2**	**3**	**5**	**12**	**29**	**37**		**2175**	**4.6**	**28**	**1**	**1**	**3**	**5**	**10**	**16**

DRG 428: Disorders of Personality & Impulse Control

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	240	11.3	144	2	5	10	13	21	33	0-17	94	22.9	394	5	9	18	31	36	89
70-74	13	28.0	27							18-34	220	8.5	93	1	2	5	12	29	39
75-79	6	6.0								35-49	88	10.0	60	2	3	9	16	21	27
80-84	0									50-69	43	8.8	84	1	3	4	18	27	27
85 +	0									70 +	12	4.5							
SUBTOTAL	**258**	**12.0**	**149**	**2**	**5**	**10**	**14**	**23**	**33**		**456**	**11.7**	**178**	**1**	**3**	**6**	**18**	**30**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	518	9.2	107	2	3	6	12	19	24	0-17	289	16.6	349	1	4	11	24	34	63
70-74	18	3.5	6							18-34	618	8.9	94	1	3	4	13	23	29
75-79	24	7.5	8							35-49	352	9.3	143	1	2	4	14	27	34
80-84	6	2.0								50-69	12	15.1	144						
85 +	0									70 +	0								
SUBTOTAL	**566**	**8.9**	**100**	**2**	**3**	**6**	**12**	**18**	**24**		**1271**	**10.8**	**176**	**1**	**3**	**5**	**15**	**28**	**34**
GRAND TOTAL	**824**	**9.9**	**117**	**2**	**3**	**7**	**13**	**21**	**26**		**1727**	**11.1**	**176**	**1**	**3**	**5**	**16**	**29**	**34**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	57	23.2	399	5	7	13	35	57	60	0-17	23	25.8	283						
18-34	239	6.6	45	1	2	5	7	14	21	18-34	191	6.0	124	1	1	2	4	14	33
35-49	76	8.5	116	< 1	1	5	12	16	42	35-49	71	8.7	95	1	2	5	14	24	31
50-69	19	4.3	4							50-69	6	5.0							
70 +	0									70 +	6	17.0							
SUBTOTAL	**391**	**9.3**	**142**	**1**	**2**	**5**	**11**	**25**	**35**		**298**	**8.4**	**152**	**1**	**1**	**3**	**9**	**24**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	224	23.1	503	2	6	16	45	61	83	0-17	63	17.8	181	2	6	12	28	30	46
18-34	415	7.2	107	1	3	4	9	13	26	18-34	435	6.9	121	1	2	4	8	15	22
35-49	152	8.5	135	2	3	4	9	23	28	35-49	169	5.9	56	1	2	4	6	23	35
50-69	12	4.4	2							50-69	51	10.9	205	1	2	5	12	49	49
70 +	0									70 +	0								
SUBTOTAL	**803**	**11.8**	**270**	**2**	**3**	**5**	**12**	**36**	**58**		**718**	**7.9**	**127**	**1**	**2**	**4**	**9**	**22**	**28**
GRAND TOTAL	**1193**	**11.0**	**229**	**1**	**3**	**5**	**12**	**34**	**53**		**1016**	**8.0**	**134**	**1**	**2**	**4**	**9**	**23**	**31**

DRG 429: Organic Disturbances & Mental Retardation

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	651	11.6	118	3	5	9	15	28	47
70-74	580	11.7	119	3	5	8	15	29	36
75-79	887	9.1	42	2	5	8	12	19	24
80-84	929	9.3	51	3	4	7	12	18	23
85 +	1215	7.9	47	3	4	6	10	15	18
SUBTOTAL	**4263**	**9.5**	**70**	**3**	**4**	**7**	**12**	**20**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
.0-69	627	11.4	183	2	4	8	13	22	42
70-74	505	9.0	42	3	5	7	11	17	23
75-79	729	8.4	41	2	4	7	12	16	20
80-84	848	8.7	60	2	3	6	12	19	26
85 +	896	7.7	43	2	4	6	10	18	23
SUBTOTAL	**3605**	**8.9**	**72**	**2**	**4**	**7**	**11**	**19**	**24**
GRAND TOTAL	**7868**	**9.2**	**71**	**2**	**4**	**7**	**12**	**19**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	18.5	156	1	10	15	29	43	43
18-34	60	8.4	44	1	3	6	13	18	23
35-49	90	17.1	258	1	8	15	23	70	99 +
50-69	180	9.2	84	2	3	5	14	23	34
70 +	205	9.4	88	2	4	7	11	15	31
	588	**11.2**	**127**	**2**	**4**	**8**	**15**	**25**	**36**
0-17	53	13.9	319	< 1	2	7	15	57	57
18-34	90	7.8	55	< 1	2	7	9	16	29
35-49	106	8.8	72	1	2	6	13	23	32
50-69	157	9.0	97	1	3	7	13	15	37
70 +	118	9.4	64	3	5	7	13	25	31
	525	**9.4**	**102**	**1**	**3**	**7**	**13**	**23**	**32**
	1113	**10.3**	**116**	**1**	**3**	**7**	**14**	**25**	**34**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	79	11.9	182	1	3	8	14	27	51
18-34	132	14.6	192	3	5	12	21	55	99 +
35-49	134	12.1	186	3	3	7	17	24	48
50-69	57	8.9	21	4	4	10	15	16	99 +
70 +	88	18.1	363	3	6	12	23	39	79
SUBTOTAL	**490**	**13.4**	**205**	**3**	**4**	**9**	**20**	**48**	**56**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	85	17.7	259	2	3	12	36	43	46
18-34	177	11.1	213	1	3	6	12	43	66
35-49	46	13.1	101	3	5	15	23	32	32
50-69	103	14.3	152	2	5	11	24	31	49
70 +	91	7.8	45	2	3	7	11	23	24
SUBTOTAL	**502**	**12.5**	**176**	**2**	**3**	**7**	**16**	**36**	**46**
GRAND TOTAL	**993**	**12.9**	**191**	**2**	**4**	**8**	**18**	**39**	**63**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	4.5	9						
18-34	165	12.6	87	2	5	11	18	28	32
35-49	109	12.4	237	1	3	7	14	33	58
50-69	145	13.4	290	2	4	11	18	26	89
70 +	145	9.5	150	2	4	5	14	60	99 +
	586	**11.7**	**181**	**2**	**4**	**7**	**16**	**28**	**60**
0-17	36	11.4	384	1	3	4	56	99 +	99 +
18-34	174	7.5	52	1	1	5	12	21	22
35-49	86	16.7	407	3	5	9	21	40	83
50-69	127	14.2	191	1	3	10	18	36	44
70 +	233	8.8	146	1	2	7	37	99 +	99 +
	657	**10.7**	**187**	**1**	**2**	**7**	**16**	**56**	**99 +**
	1242	**11.2**	**184**	**1**	**3**	**7**	**16**	**44**	**99 +**

DRG 430: Psychoses

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6203	12.0	114	3	5	9	16	25	31	0-17	884	17.1	248	3	7	13	27	42	99
70-74	1444	15.1	143	3	7	11	20	33	36	18-34	2090	10.9	90	2	4	8	15	26	29
75-79	1242	13.0	139	3	5	9	18	29	33	35-49	2544	10.5	79	2	4	8	13	22	28
80-84	1005	13.6	114	3	6	11	18	28	35	50-69	1481	11.9	89	3	6	10	15	22	30
85 +	547	12.9	104	4	5	10	19	27	30	70 +	219	11.0	58	2	5	10	18	21	26
SUBTOTAL	10441	12.8	121	3	5	9	17	27	34		7218	11.7	108	2	5	9	15	26	32
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	11816	12.2	135	3	5	9	15	25	35	0-17	3067	18.1	232	4	7	14	25	38	56
70-74	1430	13.6	108	3	6	11	18	25	32	18-34	7046	10.9	111	2	4	8	14	24	30
75-79	1089	12.6	90	3	6	11	16	23	28	35-49	7943	10.6	79	2	4	8	14	22	28
80-84	813	13.7	121	4	6	11	17	30	38	50-69	3191	11.0	72	3	5	9	14	22	29
85 +	496	14.3	139	4	6	10	19	30	37	70 +	247	10.7	52	2	6	9	16	18	20
SUBTOTAL	15644	12.5	129	3	5	9	16	26	35		21493	11.8	117	2	5	9	16	25	32
GRAND TOTAL	26085	12.6	126	3	5	9	16	26	34		28711	11.8	115	2	5	9	15	25	32

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	950	17.2	190	7	10	12	19	37	54	0-17	164	12.2	125	2	4	11	16	29	42
18-34	2593	11.0	123	3	4	8	13	23	33	18-34	2133	10.9	144	1	3	7	15	25	36
35-49	2136	10.8	147	2	4	7	13	22	31	35-49	1477	11.0	135	2	4	8	14	24	32
50-69	1176	13.7	148	3	6	10	19	27	41	50-69	723	14.5	198	3	5	11	20	35	42
70 +	53	10.7	78	1	3	7	14	26	26	70 +	125	10.6	119	2	3	9	11	20	30
SUBTOTAL	6908	12.3	148	3	5	9	14	25	37		4621	11.5	150	2	4	7	15	25	37
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	2792	17.4	218	5	9	13	20	40	55	0-17	501	17.4	274	2	5	11	27	42	46
18-34	6459	11.0	111	2	4	8	14	25	36	18-34	6342	11.5	147	1	3	7	15	27	39
35-49	4185	11.6	143	2	4	8	14	24	33	35-49	4701	10.2	112	2	3	7	14	21	30
50-69	1591	13.1	152	3	5	9	16	27	40	50-69	1477	13.1	155	2	5	10	17	29	39
70 +	59	14.7	205	3	4	12	19	43	48	70 +	163	12.2	152	1	4	8	21	33	39
SUBTOTAL	15085	12.6	150	3	5	9	15	28	40		13183	11.5	142	2	4	8	15	26	37
GRAND TOTAL	21994	12.5	149	3	5	9	15	27	39		17804	11.5	144	2	4	8	15	26	37

DRG 431: Childhood Mental Disorders

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	12	3.6	7							0-17	369	15.0	308	3	5	9	18	32	35
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	6	7.0							
85 +	12	4.4	2							70 +	0								
SUBTOTAL	**24**	**4.0**	**5**								**376**	**14.9**	**304**	**3**	**5**	**8**	**18**	**32**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	55	5.3	13	< 1	2	5	6	13	13	0-17	1308	16.3	253	3	6	11	23	42	49
70-74	0									18-34	48	4.2	14	< 1	1	2	7	11	11
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**55**	**5.3**	**13**	**< 1**	**2**	**5**	**6**	**13**	**13**		**1356**	**15.8**	**249**	**2**	**5**	**10**	**22**	**41**	**49**
GRAND TOTAL	**79**	**4.9**	**10**	**< 1**	**2**	**5**	**6**	**8**	**13**		**1731**	**15.6**	**261**	**2**	**5**	**10**	**21**	**41**	**49**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	220	17.6	241	3	6	12	26	37	57	0-17	49	9.0	97	2	2	4	12	32	32
18-34	12	10.3	13							18-34	17	9.3	21						
35-49	6	1.0								35-49	6	1.0							
50-69	0									50-69	6	3.0							
70 +	0									70 +	6	1.0							
SUBTOTAL	**238**	**16.9**	**232**	**3**	**6**	**12**	**26**	**36**	**49**		**85**	**7.4**	**69**	**< 1**	**2**	**4**	**10**	**15**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1646	23.8	315	3	9	21	37	48	59	0-17	350	10.8	144	< 1	2	6	15	32	39
18-34	108	5.0	8	2	3	5	7	7	14	18-34	64	13.6	543	2	2	4	17	22	85
35-49	0									35-49	12	5.1	1						
50-69	6	1.0								50-69	6	1.0							
70 +	0									70 +	6	4.0							
SUBTOTAL	**1759**	**22.5**	**317**	**3**	**7**	**17**	**36**	**48**	**56**		**438**	**10.9**	**197**	**< 1**	**2**	**5**	**14**	**28**	**40**
GRAND TOTAL	**1997**	**21.9**	**310**	**3**	**7**	**16**	**35**	**47**	**56**		**522**	**10.3**	**178**	**< 1**	**2**	**5**	**14**	**28**	**38**

DRG 432: Other Mental Disorder Diagnoses

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	28	4.4	6							0-17	43	20.3	147	3	5	22	30	38	38
70-74	0									18-34	65	18.6	159	5	9	16	24	37	44
75-79	6	5.0								35-49	24	11.9	72						
80-84	6	1.0								50-69	6	10.0							
85 +	12	2.6	2							70 +	0								
SUBTOTAL	**53**	**3.7**	**5**	**1**	**1**	**4**	**6**	**7**	**7**		**138**	**17.6**	**142**	**3**	**7**	**16**	**24**	**37**	**38**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	60	2.1	2	1	1	1	2	5	5	0-17	130	12.6	131	1	3	12	16	27	29
70-74	12	2.4	2							18-34	247	15.9	105	3	7	14	22	29	31
75-79	6	2.0								35-49	80	15.4	144	3	7	13	20	39	39
80-84	0									50-69	0								
85 +	12	3.4	7							70 +	6	8.0							
SUBTOTAL	**90**	**2.3**	**3**	**1**	**1**	**2**	**4**	**5**	**6**		**463**	**14.8**	**120**	**3**	**7**	**14**	**21**	**29**	**39**
GRAND TOTAL	**142**	**2.8**	**4**	**1**	**1**	**2**	**5**	**6**	**6**		**601**	**15.4**	**126**	**3**	**7**	**14**	**22**	**30**	**39**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	18	7.7	15							0-17	0								
18-34	13	3.0	4							18-34	6	2.0							
35-49	13	1.5								35-49	18	7.6	22						
50-69	0									50-69	6	1.0							
70 +	0									70 +	0								
SUBTOTAL	**43**	**4.5**	**15**	**<1**	**1**	**3**	**8**	**12**	**12**		**29**	**5.1**	**22**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	69	19.2	547	2	5	9	23	53	82	0-17	28	12.0	458						
18-34	42	7.3	45	1	2	5	12	21	21	18-34	65	8.1	91	1	2	3	12	27	27
35-49	0									35-49	36	9.2	147	1	1	2	20	32	32
50-69	12	4.3	13							50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**123**	**13.7**	**362**	**1**	**3**	**7**	**14**	**30**	**58**		**129**	**9.3**	**185**	**1**	**1**	**2**	**12**	**27**	**32**
GRAND TOTAL	**166**	**11.3**	**288**	**1**	**2**	**6**	**12**	**30**	**53**		**159**	**8.5**	**157**	**1**	**1**	**2**	**12**	**27**	**32**

DRG 434: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2187	5.9	27	1	2	4	8	13	16
70-74	578	6.7	25	2	3	5	9	15	18
75-79	582	7.4	74	2	3	5	9	15	25
80-84	349	6.5	16	3	4	5	8	12	16
85 +	202	6.0	13	2	3	5	8	12	14
SUBTOTAL	**3897**	**6.3**	**32**	**2**	**3**	**5**	**8**	**13**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3897**	**6.3**	**32**	**2**	**3**	**5**	**8**	**13**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	122	4.5	51	< 1	1	1	3	15	21
18-34	451	5.0	36	1	2	3	5	10	22
35-49	1118	5.5	31	1	2	4	6	10	18
50-69	1150	5.8	25	2	3	4	7	11	17
70 +	126	5.4	6	2	3	5	7	9	10
	2967	**5.5**	**29**	**1**	**2**	**4**	**6**	**10**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2967	**5.5**	**29**	**1**	**2**	**4**	**6**	**10**	**18**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	54	5.3	20	1	1	5	11	56	99 +
18-34	579	5.6	43	1	2	4	6	9	27
35-49	891	5.3	47	2	2	3	6	10	14
50-69	492	7.8	64	2	3	5	9	21	27
70 +	29	4.5	13						
SUBTOTAL	**2045**	**6.0**	**50**	**1**	**2**	**4**	**7**	**13**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2045**	**6.0**	**50**	**1**	**2**	**4**	**7**	**13**	**22**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	66	3.6	41	< 1	1	1	2	5	23
18-34	1568	4.3	20	1	2	3	5	9	15
35-49	2609	5.2	58	1	2	3	6	9	16
50-69	1150	5.7	27	1	2	4	7	11	16
70 +	98	7.2	66	2	3	4	8	16	35
	5491	**5.1**	**41**	**1**	**2**	**3**	**6**	**10**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5491	**5.1**	**41**	**1**	**2**	**3**	**6**	**10**	**16**

DRG 435: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1782	6.9	62	1	2	4	8	17	27	0-17	1610	18.5	297	1	3	15	29	43	53
70-74	349	7.6	80	2	2	4	8	21	28	18-34	3159	8.9	118	1	2	4	11	28	32
75-79	221	6.0	35	2	3	5	6	14	20	35-49	3803	6.8	73	1	2	3	7	21	28
80-84	137	3.5	7	1	2	3	4	7	8	50-69	1379	7.2	81	1	2	3	7	25	29
85 +	61	5.7	11	2	3	6	9	10	12	70 +	75	4.7	3	3	4	4	6	7	8
SUBTOTAL	**2550**	**6.7**	**58**	**1**	**2**	**4**	**7**	**15**	**25**		**10026**	**9.4**	**140**	**1**	**2**	**4**	**12**	**28**	**34**
GRAND TOTAL	**2550**	**6.7**	**58**	**1**	**2**	**4**	**7**	**15**	**25**		**10026**	**9.4**	**140**	**1**	**2**	**4**	**12**	**28**	**34**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	380	16.8	280	1	3	11	22	42	42	0-17	478	9.0	155	< 1	1	3	10	31	42
18-34	1107	4.6	25	1	2	3	6	11	16	18-34	4384	4.2	35	1	1	2	5	8	14
35-49	910	4.9	35	1	2	3	5	10	20	35-49	4670	4.0	23	1	2	3	4	7	11
50-69	307	4.8	24	1	2	3	6	8	17	50-69	1275	5.0	32	1	2	3	5	11	17
70 +	18	16.3	106							70 +	55	3.8	6	1	2	3	5	9	9
SUBTOTAL	**2720**	**6.5**	**82**	**1**	**2**	**3**	**7**	**15**	**27**		**10862**	**4.4**	**36**	**1**	**2**	**3**	**5**	**8**	**15**
GRAND TOTAL	**2720**	**6.5**	**82**	**1**	**2**	**3**	**7**	**15**	**27**		**10862**	**4.4**	**36**	**1**	**2**	**3**	**5**	**8**	**15**

DRG 436: Alc/Drug Dependence w/ Rehabilitation Therapy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	162	16.5	67	5	11	17	21	28	28	0-17	6	33.0							
70-74	43	17.1	43	7	13	14	22	27	27	18-34	149	19.9	68	5	15	21	27	29	29
75-79	49	13.3	110	1	5	11	18	35	35	35-49	82	19.8	113	9	9	20	27	35	36
80-84	12	12.6	70							50-69	126	21.3	89	9	10	21	28	31	34
85 +	6	31.0								70 +	11	18.0	18						
SUBTOTAL	**272**	**16.2**	**76**	**5**	**9**	**14**	**22**	**28**	**29**		**374**	**20.5**	**85**	**9**	**14**	**21**	**28**	**30**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	219	20.8	65	9	16	23	28	28	29	0-17	532	31.4	203	13	21	29	42	51	55
70-74	50	22.9	74	4	21	28	28	29	29	18-34	1606	19.4	79	7	13	21	27	28	30
75-79	18	17.1	84							35-49	896	18.9	61	8	13	21	27	28	28
80-84	0									50-69	290	18.5	54	7	13	20	26	28	28
85 +	0									70 +	6	28.0							
SUBTOTAL	**287**	**20.9**	**69**	**6**	**15**	**24**	**28**	**28**	**29**		**3330**	**21.1**	**112**	**8**	**13**	**21**	**28**	**30**	**41**
GRAND TOTAL	**559**	**18.6**	**78**	**5**	**13**	**18**	**28**	**28**	**29**		**3704**	**21.1**	**109**	**8**	**13**	**21**	**28**	**30**	**39**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	14.0								0-17	0								
18-34	19	25.7								18-34	25	27.0	29						
35-49	43	18.1	93	1	10	21	28	28	28	35-49	18	21.1	173						
50-69	0									50-69	19	12.0	19						
70 +	0									70 +	0								
SUBTOTAL	**68**	**19.8**	**73**	**10**	**13**	**24**	**26**	**28**	**28**		**61**	**20.7**	**105**	**5**	**15**	**21**	**28**	**34**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	68	26.8	149	7	14	28	38	42	42	0-17	68	33.4	124	25	27	33	41	48	49
18-34	160	20.0	82	8	12	21	26	28	34	18-34	348	21.4	66	10	14	26	28	28	28
35-49	24	14.8	123							35-49	166	21.9	52	9	18	24	28	28	28
50-69	0									50-69	55	19.1	91	7	9	26	28	28	28
70 +	0									70 +	0								
SUBTOTAL	**252**	**21.3**	**117**	**6**	**12**	**22**	**28**	**35**	**42**		**636**	**22.6**	**85**	**9**	**16**	**26**	**28**	**29**	**34**
GRAND TOTAL	**320**	**21.0**	**107**	**6**	**13**	**23**	**28**	**33**	**42**		**698**	**22.5**	**86**	**9**	**15**	**26**	**28**	**30**	**35**

DRG 437: Alc/Drug Dependence, Combined Rehab & Detox Therapy

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	601	18.0	56	11	14	15	24	28	31	0-17	6	27.0							
70-74	124	21.1	69	11	13	25	29	30	30	18-34	289	23.5	74	13	18	26	28	32	37
75-79	80	16.4	33	12	14	14	17	26	28	35-49	434	21.3	65	7	17	23	28	30	31
80-84	36	15.8	41	8	10	15	19	27	27	50-69	360	19.5	94	5	11	20	28	31	34
85 +	0									70 +	11	20.5	62						
SUBTOTAL	**841**	**18.2**	**57**	**10**	**14**	**15**	**26**	**29**	**30**		**1101**	**21.3**	**79**	**7**	**14**	**23**	**28**	**30**	**33**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	1095	17.1	56	8	13	15	22	28	29	0-17	188	28.5	120	18	20	28	35	45	49
70-74	187	17.6	49	9	14	15	26	28	28	18-34	3143	20.1	78	7	13	21	28	29	31
75-79	86	14.9	14	10	12	14	18	21	22	35-49	2993	18.4	75	6	11	20	27	29	30
80-84	0									50-69	920	19.9	69	7	12	21	28	28	30
85 +	0									70 +	23	18.6	14						
SUBTOTAL	**1368**	**17.0**	**53**	**8**	**14**	**15**	**21**	**28**	**28**		**7268**	**19.6**	**79**	**7**	**12**	**21**	**27**	**29**	**30**
GRAND TOTAL	**2209**	**17.5**	**55**	**9**	**14**	**15**	**24**	**28**	**30**		**8369**	**19.8**	**79**	**7**	**13**	**21**	**28**	**29**	**31**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	13	17.0	53							0-17	13	35.0	109						
18-34	60	21.2	84	4	18	25	28	30	32	18-34	123	23.9	57	12	22	24	29	31	36
35-49	55	11.3	118	1	2	5	20	28	28	35-49	208	18.2	108	6	10	19	25	29	35
50-69	25	18.0	40							50-69	83	17.7	86	5	9	22	26	27	29
70 +	0									70 +	0								
SUBTOTAL	**153**	**16.8**	**104**	**2**	**6**	**18**	**26**	**28**	**28**		**427**	**20.3**	**102**	**6**	**11**	**22**	**26**	**29**	**35**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	31	20.0	98							0-17	57	27.6	137	5	26	28	36	44	44
18-34	191	18.2	63	7	12	20	26	28	29	18-34	1154	18.5	74	7	12	21	25	28	30
35-49	117	23.1	50	13	18	26	28	29	30	35-49	702	17.9	95	5	8	21	27	28	30
50-69	12	18.1	120							50-69	197	21.1	32	13	17	21	25	28	30
70 +	0									70 +	0								
SUBTOTAL	**351**	**20.0**	**68**	**7**	**14**	**21**	**28**	**29**	**29**		**2110**	**18.8**	**81**	**6**	**11**	**21**	**26**	**28**	**30**
GRAND TOTAL	**504**	**19.0**	**81**	**5**	**13**	**21**	**28**	**29**	**29**		**2537**	**19.0**	**85**	**6**	**11**	**21**	**26**	**29**	**30**

DRG 439: Skin Grafts for Injuries

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	42	9.9	13	6	6	10	12	17	17	0-17	18	10.1	15						
70-74	18	10.8	14							18-34	11	7.5	2						
75-79	19	7.7	37							35-49	29	5.7	39						
80-84	12	9.8	10							50-69	29	2.7	4						
85 +	6	2.0								70 +	0								
SUBTOTAL	**96**	**9.1**	**21**	**3**	**6**	**8**	**13**	**16**	**17**		**88**	**5.8**	**25**	**1**	**2**	**6**	**9**	**15**	**17**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	23	6.9	42							0-17	70	3.5	9	1	1	3	5	6	12
70-74	18	6.1	6							18-34	59	4.6	10	1	2	4	7	10	11
75-79	0									35-49	97	3.8	12	1	1	3	6	8	14
80-84	0									50-69	61	5.9	67	1	2	3	5	17	29
85 +	18	9.1	23							70 +	6	3.0							
SUBTOTAL	**59**	**7.3**	**26**	**2**	**4**	**5**	**9**	**17**	**18**		**293**	**4.3**	**23**	**1**	**2**	**3**	**5**	**9**	**12**
GRAND TOTAL	**156**	**8.4**	**23**	**3**	**4**	**7**	**13**	**16**	**17**		**381**	**4.7**	**23**	**1**	**2**	**3**	**6**	**9**	**14**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	4.0								0-17	6	20.0							
18-34	0									18-34	23	14.1	110						
35-49	18	9.7	47							35-49	12	14.2	17						
50-69	29	18.6	145							50-69	17	22.3	68						
70 +	0									70 +	0								
SUBTOTAL	**53**	**14.1**	**124**	**2**	**4**	**17**	**28**	**74**	**99 +**		**57**	**17.1**	**80**	**4**	**11**	**17**	**28**	**29**	**29**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	11	1.0								0-17	22	21.8	920						
18-34	29	6.0	11							18-34	76	7.8	20	3	4	7	12	14	17
35-49	18	2.5	6							35-49	53	7.2	20	2	3	9	10	15	15
50-69	29	7.9	13							50-69	23	4.3	8						
70 +	0									70 +	6	6.0							
SUBTOTAL	**88**	**5.3**	**16**	**1**	**1**	**5**	**10**	**11**	**11**		**180**	**8.9**	**151**	**2**	**3**	**7**	**10**	**14**	**17**
GRAND TOTAL	**140**	**8.6**	**74**	**1**	**2**	**6**	**11**	**28**	**36**		**237**	**10.9**	**146**	**2**	**4**	**7**	**12**	**20**	**29**

DRG 440: Wound Debridements for Injuries

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	208	13.3	103	3	6	9	22	29	38	0-17	53	5.6	18	2	2	4	9	14	14
70-74	120	11.4	173	2	3	7	14	27	46	18-34	128	7.8	30	1	4	7	10	16	18
75-79	92	13.6	109	2	4	12	25	26	36	35-49	115	6.3	10	3	3	6	8	12	13
80-84	41	10.3	74	2	4	7	13	30	30	50-69	106	13.5	102	1	5	12	22	28	34
85 +	61	13.5	105	2	6	10	21	30	31	70 +	41	11.1	36	3	6	9	18	20	20
SUBTOTAL	**521**	**12.7**	**118**	**2**	**4**	**9**	**18**	**30**	**36**		**443**	**8.8**	**50**	**2**	**3**	**7**	**12**	**18**	**26**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	195	5.1	18	1	2	4	6	8	17	0-17	210	4.1	21	1	1	3	5	9	11
70-74	61	7.6	27	1	3	7	12	15	17	18-34	348	4.6	36	1	2	3	5	9	11
75-79	42	5.0	4	1	4	6	7	7	7	35-49	238	3.1	7	1	1	3	4	7	9
80-84	24	6.0	11							50-69	130	6.4	40	1	2	4	9	18	20
85 +	19	10.3	41							70 +	6	4.0							
SUBTOTAL	**341**	**5.9**	**21**	**1**	**2**	**5**	**7**	**13**	**17**		**932**	**4.3**	**26**	**1**	**1**	**3**	**5**	**9**	**12**
GRAND TOTAL	**862**	**10.0**	**91**	**2**	**4**	**7**	**13**	**24**	**30**		**1374**	**5.8**	**38**	**1**	**2**	**4**	**8**	**12**	**18**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	22	18.0	188							0-17	35	6.1	10	3	3	5	10	11	11
18-34	113	14.2	277	4	7	12	15	53	91	18-34	279	10.2	84	2	5	8	13	20	24
35-49	51	17.8	199	1	4	18	23	49	49	35-49	152	8.5	63	2	3	5	12	21	23
50-69	24	6.8	24							50-69	76	14.3	349	2	5	7	13	44	65
70 +	6	14.0								70 +	6	16.0							
SUBTOTAL	**216**	**14.6**	**222**	**4**	**6**	**12**	**18**	**40**	**83**		**548**	**10.1**	**113**	**2**	**4**	**7**	**12**	**20**	**32**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	87	8.4	59	1	3	6	13	17	31	0-17	139	5.4	47	1	1	3	6	10	25
18-34	229	9.7	152	2	4	6	11	18	47	18-34	661	7.0	32	1	3	5	9	15	20
35-49	64	9.0	191	2	2	3	9	11	52	35-49	223	6.4	19	2	3	5	10	11	15
50-69	41	6.8	24	< 1	1	5	11	14	14	50-69	79	3.7	8	1	2	2	6	8	10
70 +	0									70 +	0								
SUBTOTAL	**421**	**9.0**	**126**	**1**	**3**	**6**	**11**	**17**	**31**		**1102**	**6.5**	**30**	**1**	**2**	**5**	**9**	**13**	**18**
GRAND TOTAL	**637**	**10.9**	**165**	**2**	**4**	**7**	**14**	**22**	**49**		**1650**	**7.7**	**61**	**1**	**3**	**6**	**10**	**16**	**21**

DRG 441: Hand Procedures for Injuries

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	31	6.3	21						
70-74	12	6.2	17						
75-79	18	6.5	19						
80-84	6	5.0							
85 +	0								
SUBTOTAL	**67**	**6.2**	**17**	**2**	**3**	**5**	**10**	**12**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	78	3.8	11	1	1	3	3	8	12
70-74	31	2.6	5						
75-79	6	3.0							
80-84	0								
85 +	6	1.0							
SUBTOTAL	**120**	**3.3**	**9**	**1**	**1**	**2**	**3**	**8**	**10**
GRAND TOTAL	**187**	**4.3**	**14**	**1**	**1**	**3**	**7**	**11**	**12**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	7.0							
18-34	29	5.4	11						
35-49	24	5.3	13						
50-69	36	2.8	2	1	2	3	4	5	5
70 +	0								
	99	**4.6**	**9**	**2**	**2**	**4**	**6**	**11**	**11**
0-17	101	3.5	8	1	2	3	4	8	12
18-34	151	2.8	7	1	1	2	4	5	9
35-49	164	3.5	8	< 1	2	2	5	7	8
50-69	62	1.7	1	< 1	1	2	2	3	3
70 +	6	3.0							
	484	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**9**
	583	**3.3**	**8**	**1**	**1**	**2**	**4**	**7**	**11**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	4.0							
35-49	0								
50-69	12	9.3	27						
70 +	0								
SUBTOTAL	**18**	**7.5**	**24**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	40	4.3	7	< 1	1	5	7	8	8
18-34	40	7.6	34	2	3	8	10	20	20
35-49	24	9.1	23						
50-69	6	7.0							
70 +	0								
SUBTOTAL	**109**	**6.7**	**24**	**1**	**3**	**6**	**8**	**15**	**19**
GRAND TOTAL	**127**	**6.8**	**24**	**2**	**3**	**6**	**8**	**14**	**16**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	9.4	49						
18-34	35	3.4	5	1	1	4	5	7	7
35-49	18	5.2	9						
50-69	0								
70 +	0								
	70	**5.3**	**22**	**1**	**2**	**4**	**7**	**9**	**19**
0-17	76	4.5	59	< 1	1	2	3	5	31
18-34	245	5.2	16	1	2	4	8	9	14
35-49	71	3.4	9	< 1	1	2	4	9	10
50-69	36	4.0	9	< 1	1	4	5	10	10
70 +	6	1.0							
	435	**4.6**	**22**	**1**	**2**	**3**	**6**	**9**	**14**
	505	**4.7**	**22**	**1**	**2**	**3**	**6**	**9**	**14**

DRG 442: Other O.R. Procedures for Injuries w/ CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	757	8.6	108	1	3	6	9	19	31
70-74	507	9.2	107	2	3	7	11	17	24
75-79	400	8.3	56	2	3	6	12	17	23
80-84	294	9.1	86	2	3	5	12	23	26
85 +	176	9.9	125	1	2	5	12	27	35
SUBTOTAL	**2135**	**8.8**	**96**	**2**	**3**	**6**	**11**	**19**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2135**	**8.8**	**96**	**2**	**3**	**6**	**11**	**19**	**28**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	248	5.2	56	< 1	1	2	4	20	20
18-34	480	5.9	40	1	2	4	8	14	20
35-49	411	6.3	59	1	2	4	8	12	15
50-69	499	9.5	148	2	3	6	13	19	25
70 +	100	9.4	62	2	3	6	15	24	24
	1739	**7.1**	**82**	**1**	**2**	**4**	**9**	**18**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1739	**7.1**	**82**	**1**	**2**	**4**	**9**	**18**	**22**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	89	12.7	402	2	4	5	12	31	84
18-34	162	6.6	77	1	2	4	7	16	18
35-49	124	11.0	119	3	4	6	15	31	36
50-69	99	9.3	205	2	4	6	6	17	65
70 +	0								
SUBTOTAL	**474**	**9.5**	**180**	**1**	**3**	**5**	**8**	**23**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**474**	**9.5**	**180**	**1**	**3**	**5**	**8**	**23**	**36**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	106	7.4	40	2	3	5	14	17	23
18-34	493	5.6	28	1	3	4	7	13	15
35-49	255	7.5	49	1	2	5	9	16	17
50-69	140	10.0	179	1	4	6	14	16	19
70 +	72	5.6	15	2	4	5	6	8	17
	1066	**6.8**	**55**	**1**	**3**	**5**	**8**	**15**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1066	**6.8**	**55**	**1**	**3**	**5**	**8**	**15**	**17**

DRG 443: Other O.R. Procedures for Injuries w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	419	3.7	10	1	1	3	6	8	12	0-17	478	2.2	9	1	1	1	2	4	6
70-74	257	3.6	26	1	1	2	4	6	7	18-34	796	2.7	5	1	1	2	4	5	7
75-79	230	3.5	11	1	1	2	5	8	14	35-49	871	2.7	10	1	1	2	3	5	8
80-84	165	3.4	5	1	2	3	4	7	7	50-69	706	3.0	9	1	1	2	4	6	11
85 +	99	3.1	6	1	2	2	4	7	11	70 +	109	4.2	12	1	2	3	7	8	15
SUBTOTAL	**1170**	**3.6**	**13**	**1**	**1**	**2**	**4**	**7**	**10**		**2959**	**2.8**	**8**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**1170**	**3.6**	**13**	**1**	**1**	**2**	**4**	**7**	**10**		**2959**	**2.8**	**8**	**1**	**1**	**2**	**3**	**6**	**8**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	184	3.5	6	1	1	3	5	7	8	0-17	291	2.9	13	< 1	< 1	2	3	6	11
18-34	186	4.2	7	1	2	4	6	7	12	18-34	984	3.7	9	1	1	3	5	7	9
35-49	92	3.9	8	1	1	3	6	8	11	35-49	414	3.8	10	1	1	3	5	7	9
50-69	41	4.0	5	1	2	3	6	7	7	50-69	225	3.8	11	1	1	3	5	8	12
70 +	6	2.0								70 +	53	2.1	2	1	1	2	3	5	5
SUBTOTAL	**510**	**3.9**	**7**	**1**	**2**	**3**	**6**	**7**	**8**		**1967**	**3.5**	**10**	**1**	**1**	**3**	**5**	**7**	**9**
GRAND TOTAL	**510**	**3.9**	**7**	**1**	**2**	**3**	**6**	**7**	**8**		**1967**	**3.5**	**10**	**1**	**1**	**3**	**5**	**7**	**9**

DRG 444: Traumatic Injury Age >17 w/ CC

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	232	5.3	15	2	2	5	6	12	13	0-17	0								
70-74	87	4.3	7	1	2	4	6	8	10	18-34	279	2.9	9	< 1	1	2	4	6	6
75-79	146	5.2	9	2	3	5	8	10	11	35-49	214	3.7	4	1	2	3	5	6	8
80-84	79	5.7	14	2	3	5	7	9	16	50-69	105	4.0	6	1	2	4	5	8	9
85 +	138	6.6	18	3	4	5	8	14	16	70 +	36	5.1	5	2	4	5	8	8	8
SUBTOTAL	**681**	**5.5**	**13**	**2**	**3**	**5**	**7**	**11**	**13**		**635**	**3.5**	**7**	**1**	**1**	**3**	**5**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**681**	**5.5**	**13**	**2**	**3**	**5**	**7**	**11**	**13**		**635**	**3.5**	**7**	**1**	**1**	**3**	**5**	**6**	**8**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	118	5.4	26	1	2	3	7	14	17	18-34	939	3.3	11	1	1	2	4	7	9
35-49	77	3.6	7	1	1	3	5	6	10	35-49	383	4.3	9	1	2	4	6	8	10
50-69	76	6.4	9	3	4	6	8	10	13	50-69	119	5.0	28	1	1	3	7	14	18
70 +	0									70 +	44	4.0	4	1	2	5	6	6	6
SUBTOTAL	**271**	**5.2**	**17**	**1**	**2**	**4**	**7**	**10**	**14**		**1486**	**3.7**	**12**	**1**	**1**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**271**	**5.2**	**17**	**1**	**2**	**4**	**7**	**10**	**14**		**1486**	**3.7**	**12**	**1**	**1**	**3**	**5**	**8**	**10**

DRG 445: Traumatic Injury Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	102	3.1	3	1	2	3	4	5	8
70-74	24	2.5							
75-79	57	4.3	15	1	2	3	6	12	14
80-84	62	4.2	13	1	2	3	5	7	14
85 +	73	5.2	7	2	3	5	7	9	10
SUBTOTAL	**318**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**318**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**10**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	699	2.1	3	1	1	2	3	4	6
35-49	549	2.5	7	1	1	2	3	5	7
50-69	248	2.8	5	1	2	2	4	5	6
70 +	59	2.5	2	1	1	2	4	5	5
	1556	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	1556	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	341	2.4	2	1	1	2	3	5	5
35-49	100	8.0	393	1	1	2	4	10	88
50-69	28	2.8	2						
70 +	0								
SUBTOTAL	**469**	**3.7**	**90**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**469**	**3.7**	**90**	**1**	**1**	**2**	**4**	**5**	**7**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1759	2.5	8	1	1	2	3	5	7
35-49	605	3.2	8	1	2	2	4	6	8
50-69	234	3.3	48	1	1	2	3	5	6
70 +	49	2.0	1	1	1	2	3	4	4
	2648	**2.7**	**12**	**1**	**1**	**2**	**3**	**5**	**7**
	2648	**2.7**	**12**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 446: Traumatic Injury Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	3.0								0-17	147	2.4	6	< 1	1	2	3	5	7
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**3.0**									**147**	**2.4**	**6**	**< 1**	**1**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	455	2.2	3	< 1	1	2	3	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**455**	**2.2**	**3**	**< 1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**6**	**3.0**									**602**	**2.3**	**4**	**< 1**	**1**	**2**	**3**	**4**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	113	4.1	10	1	2	3	6	9	13	0-17	125	4.1	15	1	1	2	6	9	11
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**113**	**4.1**	**10**	**1**	**2**	**3**	**6**	**9**	**13**		**125**	**4.1**	**15**	**1**	**1**	**2**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	301	2.1	1	1	1	2	3	4	5	0-17	618	2.0	3	1	1	1	2	4	5
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**301**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**5**		**618**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**414**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**		**743**	**2.3**	**5**	**1**	**1**	**1**	**3**	**5**	**7**

DRG 447: Allergic Reactions Age >17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	105	2.5	4	1	1	2	3	6	7	0-17	0								
70-74	42	4.0	14	1	1	2	6	12	12	18-34	55	2.9	6	1	2	2	3	9	9
75-79	55	3.4	12	< 1	1	1	5	11	11	35-49	98	2.0	2	1	1	1	2	6	6
80-84	6	19.0								50-69	85	2.8	3	< 1	1	3	4	5	6
85 +	13	4.0								70 +	12	1.5							
SUBTOTAL	**220**	**3.6**	**15**	**1**	**1**	**2**	**5**	**8**	**12**		**250**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	109	1.4		< 1	1	1	2	2	3	0-17	0								
70-74	31	2.0	1							18-34	201	1.9	3	1	1	1	2	4	5
75-79	43	2.4	4	1	1	1	5	6	6	35-49	177	1.6	1	1	1	1	2	3	3
80-84	63	1.5	1	< 1	1	1	2	3	3	50-69	231	2.0	4	< 1	1	1	2	4	6
85 +	0									70 +	18	2.0	2						
SUBTOTAL	**246**	**1.7**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**		**627**	**1.8**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**466**	**2.6**	**9**	**1**	**1**	**1**	**3**	**6**	**8**		**877**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	12	3.0								18-34	29	4.1	12						
35-49	18	2.0								35-49	31	3.1	9						
50-69	19	5.7	1							50-69	25	2.0	2						
70 +	0									70 +	0								
SUBTOTAL	**49**	**3.7**	**3**	**2**	**2**	**3**	**5**	**7**	**7**		**85**	**3.1**	**8**	**1**	**1**	**2**	**4**	**9**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	18	2.4	4							18-34	157	1.8	1	< 1	1	1	2	4	5
35-49	18	2.6	1							35-49	61	2.3	3	< 1	1	2	3	5	7
50-69	12	3.4	2							50-69	75	1.5	1	1	1	1	1	3	4
70 +	0									70 +	6	1.0							
SUBTOTAL	**48**	**2.8**	**2**	**1**	**2**	**2**	**4**	**5**	**5**		**300**	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**96**	**3.2**	**3**	**1**	**2**	**3**	**5**	**5**	**7**		**385**	**2.1**	**3**	**1**	**1**	**1**	**3**	**4**	**6**

DRG 448: Allergic Reactions Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	36	4.6	21	1	1	2	7	14	14
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**36**	**4.6**	**21**	**1**	**1**	**2**	**7**	**14**	**14**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	149	1.3		< 1	1	1	2	2	3
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**149**	**1.3**		**< 1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**0**										**185**	**2.0**	**6**	**1**	**1**	**1**	**2**	**3**	**7**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	17	2.3								0-17	11	1.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**17**	**2.3**									**11**	**1.0**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	55	2.4	1	< 1	2	2	3	4	4	0-17	31	1.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**55**	**2.4**	**1**	**< 1**	**2**	**2**	**3**	**4**	**4**		**31**	**1.0**							
GRAND TOTAL	**72**	**2.4**	**1**	**1**	**2**	**2**	**3**	**3**	**4**		**42**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**

DRG 449: Poisoning & Toxic Effects of Drugs Age >17 w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2228	4.4	27	1	2	3	5	9	12	0-17	0								
70-74	729	4.2	11	1	2	3	5	9	10	18-34	1647	2.9	12	1	1	2	3	6	8
75-79	799	4.9	23	1	2	4	6	9	12	35-49	1305	3.1	11	1	1	2	4	7	10
80-84	631	5.3	28	2	2	4	6	10	13	50-69	831	4.3	34	1	1	3	4	8	14
85 +	587	6.0	108	2	2	4	6	12	14	70 +	206	6.0	219	1	1	3	4	8	18
SUBTOTAL	**4975**	**4.7**	**34**	**1**	**2**	**3**	**6**	**9**	**13**		**3988**	**3.4**	**27**	**1**	**1**	**2**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**4975**	**4.7**	**34**	**1**	**2**	**3**	**6**	**9**	**13**		**3988**	**3.4**	**27**	**1**	**1**	**2**	**4**	**7**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	1239	4.0	24	1	1	2	5	8	14	18-34	2916	2.7	18	1	1	2	3	5	7
35-49	983	3.6	9	1	1	3	4	8	10	35-49	1918	3.0	16	1	1	2	3	6	9
50-69	373	4.1	11	1	2	3	5	9	11	50-69	538	3.0	6	1	1	2	3	6	8
70 +	42	3.8	6	1	1	3	6	8	8	70 +	177	2.8	3	1	1	2	3	6	7
SUBTOTAL	**2637**	**3.9**	**16**	**1**	**1**	**3**	**5**	**8**	**11**		**5550**	**2.9**	**16**	**1**	**1**	**2**	**3**	**6**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2637**	**3.9**	**16**	**1**	**1**	**3**	**5**	**8**	**11**		**5550**	**2.9**	**16**	**1**	**1**	**2**	**3**	**6**	**8**

DRG 450: Poisoning & Toxic Effects of Drugs Age >17 w/o CC

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	659	2.4	9	1	1	2	3	5	5
70-74	189	2.5	4	1	1	2	4	6	6
75-79	129	3.9	38	1	2	2	3	5	9
80-84	149	4.7	18	1	1	3	6	12	14
85 +	96	6.0	67	1	1	3	5	24	28
SUBTOTAL	**1221**	**3.1**	**18**	**1**	**1**	**2**	**4**	**6**	**10**
GRAND TOTAL	**1221**	**3.1**	**18**	**1**	**1**	**2**	**4**	**6**	**10**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2839	2.1	6	< 1	1	1	2	4	5
35-49	1805	2.0	4	< 1	1	1	2	4	6
50-69	464	1.9	4	< 1	1	1	2	4	7
70 +	35	2.9	3	1	1	3	4	6	6
	5143	**2.1**	**5**	**< 1**	**1**	**1**	**2**	**4**	**6**
	5143	**2.1**	**5**	**< 1**	**1**	**1**	**2**	**4**	**6**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1355	2.4	8	< 1	1	2	3	4	7
35-49	474	2.5	4	1	1	2	3	5	6
50-69	130	2.8	9	< 1	1	2	4	5	7
70 +	0								
SUBTOTAL	**1959**	**2.5**	**7**	**< 1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**1959**	**2.5**	**7**	**< 1**	**1**	**2**	**3**	**5**	**7**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	3708	1.8	3	< 1	1	1	2	3	4
35-49	1494	2.0	4	< 1	1	1	2	4	5
50-69	414	2.7	24	1	1	2	3	4	5
70 +	41	1.6	1	1	1	1	3	3	3
	5657	**1.9**	**5**	**< 1**	**1**	**1**	**2**	**3**	**5**
	5657	**1.9**	**5**	**< 1**	**1**	**1**	**2**	**3**	**5**

DRG 451: Poisoning & Toxic Effects of Drugs Age 0-17

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	12	1.5								0-17	695	2.1	5	< 1	1	1	2	4	6
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**12**	**1.5**									**695**	**2.1**	**5**	**< 1**	**1**	**1**	**2**	**4**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	1.0								0-17	3080	1.8	6	< 1	1	1	2	3	4
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**1.0**									**3080**	**1.8**	**6**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**18**	**1.3**									**3775**	**1.9**	**6**	**< 1**	**1**	**1**	**2**	**3**	**4**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	594	2.7	11	1	1	2	3	5	10	0-17	573	2.8	13	1	1	2	3	5	8
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**594**	**2.7**	**11**	**1**	**1**	**2**	**3**	**5**	**10**		**573**	**2.8**	**13**	**1**	**1**	**2**	**3**	**5**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	1737	1.7	3	1	1	1	2	3	4	0-17	2071	1.6	3	< 1	1	1	2	3	3
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**1737**	**1.7**	**3**	**1**	**1**	**1**	**2**	**3**	**4**		**2071**	**1.6**	**3**	**< 1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**2331**	**2.0**	**5**	**1**	**1**	**1**	**2**	**4**	**5**		**2644**	**1.9**	**5**	**< 1**	**1**	**1**	**2**	**3**	**4**

DRG 452: Complications of Treatment w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	1125	5.0	19	1	2	4	6	10	13	0-17	250	2.4	6	1	1	2	3	4	5
70-74	655	5.0	30	1	2	3	6	10	15	18-34	264	4.5	44	1	2	3	4	6	10
75-79	489	4.3	9	1	2	4	6	8	10	35-49	596	4.6	18	1	2	3	6	9	13
80-84	427	4.7	32	2	2	3	5	8	13	50-69	767	4.7	29	1	2	3	5	10	15
85 +	253	5.1	28	1	2	3	7	9	18	70 +	100	5.3	24	1	2	3	8	11	20
SUBTOTAL	**2949**	**4.9**	**23**	**1**	**2**	**4**	**6**	**9**	**13**		**1977**	**4.4**	**25**	**1**	**2**	**3**	**5**	**9**	**13**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**2949**	**4.9**	**23**	**1**	**2**	**4**	**6**	**9**	**13**		**1977**	**4.4**	**25**	**1**	**2**	**3**	**5**	**9**	**13**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	146	4.4	12	1	2	4	6	9	10	0-17	42	2.1	1	1	1	2	3	4	4
18-34	143	4.2	15	1	2	3	5	12	14	18-34	150	4.9	19	1	2	4	7	9	14
35-49	118	6.8	44	1	2	5	8	16	22	35-49	114	3.7	18	1	1	2	4	8	17
50-69	167	5.2	17	1	3	4	7	9	9	50-69	246	4.6	29	1	2	2	6	10	20
70 +	18	9.3	106							70 +	89	6.4	58	1	2	3	8	19	29
SUBTOTAL	**592**	**5.2**	**24**	**1**	**2**	**4**	**7**	**11**	**16**		**641**	**4.6**	**28**	**1**	**2**	**3**	**5**	**9**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**592**	**5.2**	**24**	**1**	**2**	**4**	**7**	**11**	**16**		**641**	**4.6**	**28**	**1**	**2**	**3**	**5**	**9**	**19**

DRG 453: Complications of Treatment w/o CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	370	3.3	9	1	2	3	4	6	6	0-17	164	1.4	1	< 1	1	1	2	2	2
70-74	314	3.6	19	1	2	2	4	6	10	18-34	596	2.3	4	1	1	2	3	4	7
75-79	218	3.4	5	2	2	3	4	6	9	35-49	566	2.7	6	1	1	2	3	5	6
80-84	101	3.6	14	2	2	2	3	7	17	50-69	728	2.6	6	1	1	2	3	5	6
85 +	103	5.6	10	1	3	6	7	9	14	70 +	59	3.3	3	1	2	3	5	6	6
SUBTOTAL	**1105**	**3.6**	**12**	**1**	**2**	**3**	**4**	**7**	**9**		**2112**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1105**	**3.6**	**12**	**1**	**2**	**3**	**4**	**7**	**9**		**2112**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	151	2.6	10	< 1	< 1	1	2	9	10	0-17	64	2.0	2	< 1	< 1	1	4	4	5
18-34	136	2.8	4	1	1	2	4	6	7	18-34	239	3.4	26	1	1	2	3	6	11
35-49	127	5.6	33	1	2	4	7	9	14	35-49	179	3.0	7	1	1	2	4	5	7
50-69	83	3.1	3	1	2	3	4	5	8	50-69	156	2.2	2	1	1	2	3	3	5
70 +	6	4.0								70 +	19	2.7	1						
SUBTOTAL	**503**	**3.5**	**14**	**1**	**1**	**2**	**4**	**8**	**9**		**658**	**2.8**	**12**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**503**	**3.5**	**14**	**1**	**1**	**2**	**4**	**8**	**9**		**658**	**2.8**	**12**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 454: Other Injury, Poisoning & Toxic Effect Diag w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	271	4.0	48	1	1	2	5	7	8
70-74	89	4.4	22	1	1	3	5	11	18
75-79	152	6.0	30	2	3	4	7	12	22
80-84	98	7.8	54	2	3	4	11	21	26
85 +	188	5.4	17	1	3	5	7	10	11
SUBTOTAL	**798**	**5.2**	**37**	**1**	**2**	**4**	**6**	**10**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**798**	**5.2**	**37**	**1**	**2**	**4**	**6**	**10**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	263	2.1	7	1	1	1	2	3	9
18-34	300	1.9	4	< 1	1	1	2	3	5
35-49	153	3.4	19	1	1	2	3	6	17
50-69	190	3.7	16	1	1	2	5	8	13
70 +	46	3.5	8	1	2	2	4	10	10
SUBTOTAL	**953**	**2.6**	**10**	**1**	**1**	**1**	**3**	**5**	**10**
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**953**	**2.6**	**10**	**1**	**1**	**1**	**3**	**5**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	202	5.6	87	1	1	2	5	15	35
18-34	88	2.8	23	1	1	1	2	3	20
35-49	24	3.3	2						
50-69	49	5.3	23	2	2	3	6	17	17
70 +	12	3.6	2						
SUBTOTAL	**374**	**4.7**	**57**	**1**	**1**	**2**	**5**	**8**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**374**	**4.7**	**57**	**1**	**1**	**2**	**5**	**8**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	178	2.7	10	< 1	1	1	2	8	11
18-34	452	1.7	2	< 1	1	1	2	3	4
35-49	225	2.3	6	< 1	1	1	2	5	10
50-69	145	3.3	8	1	1	2	4	8	8
70 +	24	3.6	2						
SUBTOTAL	**1024**	**2.3**	**6**	**< 1**	**1**	**1**	**2**	**5**	**8**
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1024**	**2.3**	**6**	**< 1**	**1**	**1**	**2**	**5**	**8**

DRG 455: Other Injury, Poisoning & Toxic Effect Diag w/o CC

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	59	2.0	7	1	1	1	1	6	10	0-17	703	1.6	6	1	1	1	1	2	4
70-74	59	1.1		< 1	1	1	1	2	2	18-34	644	1.4		< 1	1	1	2	2	3
75-79	58	2.6	4	1	1	2	3	6	8	35-49	433	1.7	1	1	1	1	2	3	4
80-84	37	1.8	1	1	1	2	3	3	3	50-69	268	1.5	1	1	1	1	2	2	3
85 +	56	3.6	3	1	2	3	5	6	6	70 +	59	2.9	2	1	2	3	4	5	5
SUBTOTAL	**270**	**2.2**	**4**	**1**	**1**	**1**	**3**	**5**	**6**		**2106**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**270**	**2.2**	**4**	**1**	**1**	**1**	**3**	**5**	**6**		**2106**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**3**

	MEDICAID										NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	578	2.2	14	1	1	1	2	4	7	0-17	368	1.6	3	1	1	1	2	3	4
18-34	179	1.5		1	1	1	2	2	3	18-34	975	1.6	3	< 1	1	1	2	2	3
35-49	59	1.8	1	< 1	1	1	2	3	4	35-49	378	2.0	10	1	1	1	2	3	4
50-69	28	1.4								50-69	113	1.9	1	1	1	2	2	4	5
70 +	6	1.0								70 +	31	1.0							
SUBTOTAL	**850**	**2.0**	**10**	**1**	**1**	**1**	**2**	**3**	**5**		**1865**	**1.7**	**4**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**850**	**2.0**	**10**	**1**	**1**	**1**	**2**	**3**	**5**		**1865**	**1.7**	**4**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 457: Extensive Burns w/o O.R. Procedure

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	10.0								0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**10.0**									**0**								
GRAND TOTAL	**6**	**10.0**									**0**								

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	50.0								0-17	0								
18-34	0									18-34	0								
35-49	12	11.0	79							35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**18**	**23.5**	**403**								**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	8.0								0-17	11	4.5	2						
18-34	6	14.0								18-34	6	1.0							
35-49	0									35-49	6	7.0							
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**11**	**11.0**	**10**								**23**	**4.2**	**6**						
GRAND TOTAL	**29**	**18.6**	**282**								**23**	**4.2**	**6**						

DRG 458: Non-extensive Burns w/ Skin Graft

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	49	15.9	124	5	5	10	28	33	33	0-17	35	10.1	52	1	2	11	17	17	17
70-74	34	20.1	174	6	10	16	30	43	43	18-34	52	16.1	75	2	13	15	20	33	33
75-79	17	33.0	66							35-49	47	16.3	81	3	9	15	25	30	30
80-84	18	31.6	438							50-69	41	26.1	411	4	10	24	54	99 +	99 +
85 +	23	19.4	15							70 +	0								
SUBTOTAL	**141**	**21.5**	**186**	**5**	**10**	**18**	**31**	**43**	**45**		**175**	**17.3**	**178**	**3**	**9**	**15**	**25**	**35**	**62**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	28	15.8	95							0-17	202	5.0	27	< 1	< 1	3	6	15	17
70-74	24	10.3	77							18-34	94	9.8	60	2	3	7	15	24	24
75-79	0									35-49	100	7.7	48	1	2	5	12	21	23
80-84	0									50-69	36	9.6	86	3	4	6	8	29	29
85 +	13	17.5	98							70 +	12	14.4	132						
SUBTOTAL	**65**	**14.1**	**95**	**5**	**5**	**10**	**26**	**27**	**31**		**444**	**7.2**	**51**	**< 1**	**2**	**5**	**10**	**21**	**24**
GRAND TOTAL	**206**	**19.1**	**169**	**5**	**7**	**17**	**30**	**40**	**45**		**619**	**10.1**	**107**	**< 1**	**2**	**6**	**15**	**25**	**29**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	29	33.9	816							0-17	6	1.0							
18-34	51	22.1	201	7	11	21	32	51	51	18-34	35	13.3	46	2	8	15	17	22	22
35-49	22	20.0	42							35-49	53	18.5	155	5	11	15	18	46	46
50-69	41	30.8	265	3	20	38	41	53	53	50-69	6	17.0							
70 +	0									70 +	0								
SUBTOTAL	**143**	**26.7**	**344**	**9**	**12**	**21**	**38**	**53**	**87**		**99**	**15.5**	**116**	**2**	**9**	**15**	**17**	**34**	**46**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	147	9.3	75	< 1	1	10	14	22	29	0-17	105	7.4	54	< 1	1	3	15	20	20
18-34	75	14.9	121	5	8	14	18	19	48	18-34	103	9.3	45	2	3	10	15	21	21
35-49	12	5.1	4							35-49	63	13.1	43	5	12	13	18	20	27
50-69	22	15.0	59							50-69	22	14.5	48						
70 +	0									70 +	6	1.0							
SUBTOTAL	**257**	**11.2**	**92**	**1**	**3**	**11**	**16**	**22**	**29**		**300**	**9.7**	**54**	**1**	**2**	**11**	**15**	**20**	**21**
GRAND TOTAL	**400**	**16.8**	**236**	**1**	**6**	**14**	**21**	**40**	**51**		**399**	**11.1**	**76**	**1**	**3**	**12**	**16**	**21**	**23**

DRG 459: Non-extensive Burns w/ Wound Debridement or Other O.R. Proc

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	12	10.2	22						
70-74	0								
75-79	12	6.3	13						
80-84	0								
85 +	6	8.0							
SUBTOTAL	30	8.2	16						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	30	8.2	16						

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	4.0							
18-34	24	11.1	83						
35-49	12	21.5	373						
50-69	12	8.0							
70 +	0								
	54	12.0	144	1	4	8	14	41	41
0-17	64	2.9	12	< 1	< 1	1	3	5	13
18-34	30	6.9	34						
35-49	18	3.7	4						
50-69	0								
70 +	0								
	111	4.1	20	< 1	1	2	5	13	15
	165	6.7	73	< 1	1	4	8	16	25

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	43.0							
18-34	11	19.0	54						
35-49	6	19.0							
50-69	6	26.0							
70 +	0								
SUBTOTAL	28	25.2	110						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	79	4.1	11	< 1	< 1	3	8	9	10
18-34	17	1.7	1						
35-49	0								
50-69	6	3.0							
70 +	0								
SUBTOTAL	101	3.7	10	< 1	< 1	3	5	9	10
GRAND TOTAL	129	8.3	110	< 1	1	3	10	26	26

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	11	15.5	22						
18-34	18	16.3	41						
35-49	11	8.0	4						
50-69	30	19.4	355						
70 +	0								
	70	16.7	180	5	7	18	20	25	55
0-17	81	2.4	7	< 1	< 1	1	3	5	11
18-34	50	5.5	15	1	2	4	8	12	12
35-49	18	4.1	6						
50-69	18	6.3	25						
70 +	0								
	165	4.0	13	< 1	< 1	3	5	11	12
	235	7.7	96	< 1	1	5	11	20	24

DRG 460: Non-extensive Burns w/o O.R. Procedure

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	140	8.8	80	2	3	6	10	22	29
70-74	50	6.3	16	2	3	4	8	15	15
75-79	50	8.7	8	3	8	9	10	14	14
80-84	35	7.7	5	5	6	7	9	12	12
85 +	43	9.0	21	4	6	6	12	18	18
SUBTOTAL	**317**	**8.3**	**43**	**2**	**4**	**7**	**10**	**15**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	36	3.5	7	1	1	3	5	8	8
70-74	38	7.3	47	1	1	4	12	20	20
75-79	6	6.0							
80-84	37	4.8	4	3	3	4	6	9	9
85 +	25	7.8	2						
SUBTOTAL	**142**	**5.7**	**18**	**1**	**3**	**5**	**8**	**10**	**12**
GRAND TOTAL	**459**	**7.5**	**37**	**2**	**4**	**6**	**9**	**14**	**20**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	6.6	25	2	3	3	11	14	15
18-34	42	6.5	26	1	2	6	10	17	17
35-49	43	2.8	2	1	1	3	4	5	5
50-69	68	6.0	43	2	2	3	5	19	20
70 +	6	9.0							
	219	**5.7**	**27**	**2**	**2**	**3**	**8**	**15**	**19**
0-17	433	3.6	12	1	1	2	4	9	11
18-34	299	4.1	13	1	1	3	6	10	12
35-49	178	3.3	15	1	1	2	8	10	11
50-69	87	5.2	15	2	2	3	9	10	13
70 +	0								
	998	**3.9**	**13**	**1**	**1**	**2**	**6**	**10**	**11**
	1217	**4.3**	**16**	**1**	**1**	**3**	**6**	**10**	**13**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	52	7.3	18	2	3	7	11	15	15
18-34	58	4.3	11	1	2	3	5	11	12
35-49	69	7.5	22	3	4	6	9	17	17
50-69	53	6.7	20	1	4	5	8	16	16
70 +	0								
SUBTOTAL	**232**	**6.5**	**19**	**2**	**3**	**5**	**8**	**13**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	481	4.5	25	1	2	3	5	9	11
18-34	99	4.6	21	1	1	3	4	14	14
35-49	29	11.4	415						
50-69	17	4.7	16						
70 +	0								
SUBTOTAL	**625**	**4.9**	**44**	**1**	**2**	**3**	**5**	**10**	**13**
GRAND TOTAL	**857**	**5.3**	**38**	**1**	**2**	**3**	**7**	**11**	**14**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	46	4.4	8	1	2	3	7	9	9
18-34	117	4.4	11	1	2	3	6	11	13
35-49	64	3.9	6	1	2	3	5	8	9
50-69	58	4.4	9	1	2	4	6	10	11
70 +	6	5.0							
	291	**4.3**	**9**	**1**	**2**	**3**	**6**	**9**	**11**
0-17	333	2.6	3	1	1	2	3	5	7
18-34	279	2.4	4	1	1	2	3	5	7
35-49	159	3.7	9	1	1	2	7	8	9
50-69	64	6.2	25	1	2	5	8	15	16
70 +	6	5.0							
	841	**3.0**	**7**	**1**	**1**	**2**	**4**	**7**	**8**
	1132	**3.3**	**8**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 461: O.R. Proc w/ Diagnoses of Other Contact w/ Health Services

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-69 (YRS.)	222	16.6	318	1	3	9	25	51	57	0-17	51	27.3	807	1	18	39	99+	99+	99+
70-74	152	20.0	425	1	2	13	38	49	50	18-34	89	5.7	70	1	2	3	7	36	99+
75-79	97	13.7	192	1	3	10	15	44	51	35-49	115	4.4	27	1	1	3	4	13	19
80-84	82	18.6	272	2	2	18	28	37	60	50-69	150	10.8	243	1	1	4	20	29	32
85+	41	13.5	61	2	8	13	16	29	29	70+	23	27.6	65						
SUBTOTAL	**594**	**17.1**	**304**	**1**	**3**	**12**	**25**	**47**	**53**		**427**	**10.9**	**268**	**1**	**2**	**4**	**22**	**51**	**99+**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-69	133	4.8	39	1	1	2	5	16	20	0-17	185	2.3	32	<1	<1	1	2	2	4
70-74	71	9.7	211	1	1	1	13	37	43	18-34	207	5.0	141	1	2	3	4	7	9
75-79	43	5.6	50	1	2	2	7	23	23	35-49	320	4.8	126	1	1	2	3	6	18
80-84	36	11.5	147	1	1	7	22	33	33	50-69	177	6.4	159	1	1	2	5	16	35
85+	25	5.5	26							70+	0								
SUBTOTAL	**308**	**6.9**	**97**	**1**	**1**	**2**	**8**	**22**	**33**		**889**	**4.6**	**118**	**1**	**1**	**2**	**3**	**7**	**18**
GRAND TOTAL	**902**	**13.6**	**257**	**1**	**2**	**7**	**18**	**42**	**50**		**1317**	**6.7**	**175**	**1**	**1**	**2**	**4**	**24**	**51**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																				
AGE GROUP																				
0-17 (YRS.)	34	3.6	31	1	1	1	16	99+	99+	0-17	29	3.2	12	<1	1	3	10	99+	99+
18-34	59	28.0	845	1	3	12	42	72	91	18-34	38	17.3	370	1	1	3	32	52	52
35-49	6	1.0								35-49	36	8.2	65	1	2	5	15	22	22
50-69	22	34.5	521							50-69	29	16.6	178						
70+	0									70+	6	20.0							
SUBTOTAL	**122**	**21.1**	**672**	**1**	**1**	**12**	**42**	**62**	**91**		**138**	**12.0**	**191**	**1**	**1**	**7**	**19**	**39**	**52**
2.PATIENTS W/OUT CCs																				
AGE GROUP																				
0-17	92	6.0	87	<1	1	2	13	99+	99+	0-17	58	2.2	3	<1	<1	2	2	5	7
18-34	64	7.0	123	1	1	2	4	27	34	18-34	140	2.2	4	1	1	1	3	4	6
35-49	54	3.7	13	1	1	4	4	13	13	35-49	113	4.1	52	1	1	1	3	12	28
50-69	23	10.2	241							50-69	55	1.6	1	1	1	1	2	4	4
70+	6	3.0								70+	24	1.5	1						
SUBTOTAL	**238**	**6.1**	**94**	**1**	**1**	**2**	**5**	**30**	**37**		**391**	**2.6**	**18**	**1**	**1**	**1**	**2**	**6**	**8**
GRAND TOTAL	**360**	**11.2**	**339**	**1**	**1**	**3**	**17**	**49**	**91**		**529**	**5.1**	**80**	**1**	**1**	**1**	**4**	**15**	**31**

DRG 462: Rehabilitation

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3279	18.5	139	6	10	16	25	36	43
70-74	3053	19.3	178	7	9	16	25	38	44
75-79	3424	18.9	155	7	10	16	24	34	43
80-84	3135	18.4	128	7	11	16	23	32	39
85 +	3358	17.5	105	7	10	16	22	30	37
SUBTOTAL	**16248**	**18.5**	**141**	**7**	**10**	**16**	**23**	**34**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1457	18.4	166	6	9	15	25	37	51
70-74	1587	15.7	151	5	7	13	20	30	37
75-79	1929	16.3	127	6	8	14	21	29	39
80-84	1548	15.7	105	6	9	14	20	28	39
85 +	1459	15.3	88	6	8	14	20	28	32
SUBTOTAL	**7980**	**16.3**	**128**	**6**	**8**	**14**	**21**	**30**	**39**
GRAND TOTAL	**24228**	**17.8**	**138**	**6**	**10**	**15**	**22**	**33**	**41**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	337	25.4	504	4	8	19	41	72	81
18-34	494	21.5	425	4	7	14	30	63	81
35-49	654	21.3	271	5	10	16	29	45	51
50-69	1478	20.6	218	6	9	17	28	45	54
70 +	844	19.1	152	8	10	15	25	37	44
	3807	**20.9**	**267**	**6**	**9**	**16**	**29**	**46**	**60**
0-17	247	25.4	466	7	10	18	35	56	70
18-34	284	21.9	267	4	9	20	28	43	56
35-49	508	25.4	364	7	12	20	32	59	75
50-69	977	21.0	248	5	10	17	30	41	52
70 +	330	14.9	84	4	8	14	20	30	32
	2346	**21.7**	**286**	**6**	**9**	**18**	**30**	**42**	**59**
	6152	**21.2**	**274**	**6**	**9**	**17**	**29**	**46**	**59**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	191	29.2	470	9	14	23	51	70	99 +
18-34	307	31.8	360	13	17	28	44	70	81
35-49	165	25.1	221	8	12	25	34	53	57
50-69	267	25.1	187	11	16	21	33	45	64
70 +	17	15.3	102						
SUBTOTAL	**947**	**27.9**	**315**	**10**	**15**	**24**	**42**	**63**	**80**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	63	24.5	389	8	9	16	49	55	60
18-34	135	25.8	159	13	18	23	39	54	99 +
35-49	90	19.3	76	7	11	21	26	30	33
50-69	103	17.2	115	5	8	14	24	37	40
70 +	13	21.0							
SUBTOTAL	**404**	**21.8**	**172**	**8**	**12**	**18**	**31**	**43**	**55**
GRAND TOTAL	**1351**	**26.1**	**280**	**9**	**14**	**22**	**37**	**56**	**71**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	22.8	191	13	15	18	49	99 +	99 +
18-34	93	25.7	271	8	15	25	34	63	99 +
35-49	182	17.5	159	4	10	15	22	30	37
50-69	371	20.1	224	4	8	17	28	44	50
70 +	333	18.6	172	6	10	15	24	38	50
	1009	**19.7**	**202**	**5**	**10**	**16**	**28**	**43**	**53**
0-17	23	37.9	1257						
18-34	69	25.1	316	8	15	18	31	54	68
35-49	85	24.4	243	7	12	26	32	60	99 +
50-69	172	19.3	86	9	12	17	26	35	37
70 +	127	16.0	68	7	9	16	21	28	33
	476	**21.1**	**222**	**8**	**12**	**17**	**28**	**37**	**55**
	1486	**20.2**	**209**	**6**	**11**	**16**	**28**	**42**	**54**

DRG 463: Signs & Symptoms w/ CC

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	322	5.1	16	1	2	4	6	10	12	0-17	57	4.0	6	1	2	3	6	8	9
70-74	300	5.6	35	1	3	4	6	11	22	18-34	24	1.8	1						
75-79	240	8.3	243	2	2	5	8	16	38	35-49	125	4.0	13	1	1	2	6	10	12
80-84	212	6.2	23	2	2	4	10	13	17	50-69	275	4.0	12	1	2	3	5	9	12
85+	284	4.5	7	2	2	4	7	8	9	70+	70	5.7	15	3	3	5	8	8	17
SUBTOTAL	**1359**	**5.8**	**61**	**2**	**2**	**4**	**7**	**11**	**14**		**551**	**4.1**	**12**	**1**	**2**	**3**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**1359**	**5.8**	**61**	**2**	**2**	**4**	**7**	**11**	**14**		**551**	**4.1**	**12**	**1**	**2**	**3**	**6**	**9**	**12**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	47	3.0	2	1	1	3	4	5	5	0-17	36	2.0	1	1	1	2	2	4	4
18-34	46	6.7	36	1	2	5	8	21	21	18-34	53	4.5	19	<1	1	3	7	15	15
35-49	46	4.8	7	2	2	4	7	10	10	35-49	134	5.5	19	2	3	4	7	12	15
50-69	111	5.3	11	2	3	4	10	11	11	50-69	94	4.9	17	1	2	4	6	10	18
70+	0									70+	24	6.2	15						
SUBTOTAL	**250**	**5.0**	**15**	**1**	**3**	**4**	**6**	**10**	**11**		**342**	**4.9**	**17**	**1**	**2**	**4**	**7**	**12**	**15**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70+	0									70+	0								
SUBTOTAL	**0**										**0**								
GRAND TOTAL	**250**	**5.0**	**15**	**1**	**3**	**4**	**6**	**10**	**11**		**342**	**4.9**	**17**	**1**	**2**	**4**	**7**	**12**	**15**

DRG 464: Signs & Symptoms w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	138	2.5	2	1	1	2	4	5	5
70-74	131	2.9	8	1	1	2	3	5	6
75-79	94	3.5	15	1	1	2	4	9	16
80-84	79	3.5	10	1	2	2	4	5	14
85 +	137	3.6	7	1	2	3	4	8	8
SUBTOTAL	**579**	**3.2**	**8**	**1**	**1**	**2**	**4**	**6**	**9**
GRAND TOTAL	**579**	**3.2**	**8**	**1**	**1**	**2**	**4**	**6**	**9**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	118	2.0	1	1	1	2	3	4	4
18-34	46	1.9	2	< 1	1	2	2	5	5
35-49	183	1.8	1	< 1	1	1	2	3	4
50-69	197	2.2	6	< 1	1	1	2	4	7
70 +	34	2.8	1	1	2	3	4	4	4
	578	**2.0**	**3**	**< 1**	**1**	**1**	**3**	**4**	**4**
	578	**2.0**	**3**	**< 1**	**1**	**1**	**3**	**4**	**4**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	81	2.8	15	1	1	2	2	6	16
18-34	6	4.0							
35-49	17	1.3							
50-69	30	4.5	25						
70 +	11	7.5	33						
SUBTOTAL	**145**	**3.4**	**18**	**1**	**1**	**2**	**3**	**13**	**14**
GRAND TOTAL	**145**	**3.4**	**18**	**1**	**1**	**2**	**3**	**13**	**14**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	57	2.6	1	1	2	2	3	5	5
18-34	54	2.1	2	< 1	1	2	2	6	6
35-49	105	4.0	10	1	2	3	6	9	13
50-69	106	2.5	6	1	1	2	3	5	11
70 +	13	2.5	2						
	335	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**9**
	335	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**9**

DRG 465: Aftercare w/ History of Malignancy As Secondary Diagnosis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	17	12.3	135							0-17	6	2.0							
70-74	0									18-34	0								
75-79	17	14.3	31							35-49	0								
80-84	0									50-69	6	3.0							
85 +	0									70 +	0								
SUBTOTAL	**34**	**13.3**	**82**	**2**	**7**	**16**	**20**	**28**	**28**		**11**	**2.5**							
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	12	1.9	1							0-17	0								
70-74	6	1.0								18-34	0								
75-79	13	1.0								35-49	6	1.0							
80-84	6	19.0								50-69	6	12.0							
85 +	6	1.0								70 +	0								
SUBTOTAL	**43**	**3.6**	**37**	**<1**	**<1**	**<1**	**3**	**19**	**19**		**13**	**6.5**	**33**						
GRAND TOTAL	**76**	**7.9**	**79**	**<1**	**<1**	**3**	**16**	**20**	**28**		**24**	**4.6**	**21**						

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	6	1.0								0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	6	1.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**11**	**1.0**									**0**								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	6	1.0							
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	6	1.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**6**	**1.0**									**6**	**1.0**							
GRAND TOTAL	**17**	**1.0**									**6**	**1.0**							

DRG 466: Aftercare w/o History of Malignancy As Secondary Diagnosis

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	277	9.3	131	3	4	5	11	22	29	0-17	96	2.6	6	< 1	< 1	1	3	7	9
70-74	222	6.4	20	3	3	5	8	14	18	18-34	46	4.8	23	1	1	2	11	12	12
75-79	169	6.2	24	1	3	5	9	13	19	35-49	53	3.3	7	< 1	1	2	5	8	8
80-84	100	11.0	84	1	5	10	15	29	35	50-69	53	4.4	9	1	2	3	7	10	10
85 +	64	15.1	80	6	8	15	21	24	35	70 +	17	9.7	126						
SUBTOTAL	**832**	**8.5**	**76**	**2**	**3**	**5**	**11**	**19**	**24**		**265**	**3.9**	**20**	**< 1**	**1**	**2**	**5**	**10**	**11**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	119	7.0	167	< 1	1	3	8	13	41	0-17	109	3.8	16	< 1	1	2	7	11	16
70-74	110	3.6	5	1	2	3	4	8	8	18-34	93	2.6	2	1	2	2	3	4	7
75-79	88	4.2	6	< 1	2	4	6	8	8	35-49	116	3.0	4	1	1	3	4	6	8
80-84	56	15.5	254	2	3	5	24	49	49	50-69	112	1.7	1	< 1	< 1	< 1	2	4	4
85 +	25	6.5	24							70 +	6	10.0							
SUBTOTAL	**397**	**6.6**	**104**	**< 1**	**2**	**3**	**7**	**14**	**24**		**435**	**2.9**	**7**	**< 1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**1229**	**7.9**	**86**	**1**	**3**	**5**	**9**	**19**	**24**		**700**	**3.3**	**12**	**< 1**	**1**	**2**	**4**	**7**	**10**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	79	6.8	103	< 1	< 1	5	7	39	99 +	0-17	135	2.3	2	< 1	< 1	2	3	4	4
18-34	12	6.4	2							18-34	52	4.3	33	< 1	1	2	3	19	19
35-49	6	3.0								35-49	80	6.1	48	1	2	3	5	21	22
50-69	18	3.1	5							50-69	344	4.0	6	2	3	3	5	7	11
70 +	6	11.0								70 +	18	29.7	209						
SUBTOTAL	**120**	**6.3**	**72**	**< 1**	**1**	**5**	**7**	**14**	**42**		**628**	**4.7**	**38**	**1**	**2**	**3**	**4**	**10**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	46	2.6	6	< 1	1	1	5	8	8	0-17	124	2.0	1	1	1	2	3	4	4
18-34	23	2.5	3							18-34	84	2.9	2	1	2	3	4	5	6
35-49	6	1.0								35-49	92	2.2	1	1	2	2	3	4	5
50-69	11	3.0	4							50-69	228	2.7	1	1	2	3	3	4	5
70 +	0									70 +	0								
SUBTOTAL	**86**	**2.5**	**5**	**1**	**1**	**1**	**5**	**5**	**8**		**528**	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**206**	**4.7**	**47**	**< 1**	**1**	**3**	**6**	**11**	**39**		**1157**	**3.7**	**23**	**1**	**2**	**3**	**4**	**5**	**11**

DRG 471: Bilateral or Multiple Major Joint Procs of Lower Extremity

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	219	11.6	57	6	7	10	13	18	33	0-17	0								
70-74	178	10.1	24	6	7	8	11	20	21	18-34	11	15.5	33						
75-79	172	9.7	13	5	8	9	12	14	15	35-49	43	7.9	3	5	6	8	9	10	10
80-84	236	10.7	47	6	7	9	11	18	32	50-69	218	9.5	10	6	8	9	12	14	18
85 +	116	10.9	8	7	8	11	13	15	16	70 +	51	9.6	8	7	8	8	11	16	16
SUBTOTAL	**921**	**10.6**	**34**	**6**	**7**	**9**	**12**	**15**	**22**		**322**	**9.5**	**11**	**6**	**8**	**9**	**11**	**14**	**18**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	216	9.8	20	7	8	8	10	15	23	0-17	6	9.0							
70-74	160	8.5	8	6	7	8	9	11	13	18-34	6	6.0							
75-79	89	8.7	7	6	6	9	10	14	14	35-49	42	5.9	10	2	3	5	8	12	12
80-84	59	8.7	11	6	6	8	10	14	18	50-69	216	8.5	8	6	6	8	10	11	14
85 +	54	7.8	6	3	7	7	10	11	11	70 +	62	8.4	6	7	7	8	8	11	16
SUBTOTAL	**578**	**9.0**	**13**	**6**	**7**	**8**	**10**	**12**	**17**		**333**	**8.1**	**8**	**6**	**6**	**8**	**9**	**11**	**14**
GRAND TOTAL	**1499**	**10.0**	**27**	**6**	**7**	**9**	**11**	**15**	**20**		**655**	**8.8**	**10**	**6**	**7**	**8**	**10**	**13**	**16**

	MEDICAID									NO INSURANCE									
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	12	15.0								18-34	0								
35-49	0									35-49	17	13.3	17						
50-69	6	5.0								50-69	36	8.8	10	3	8	10	12	12	12
70 +	0									70 +	12	6.9	4						
SUBTOTAL	**18**	**11.8**	**23**								**64**	**9.6**	**16**	**5**	**8**	**10**	**12**	**12**	**19**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	6	13.0							
35-49	0									35-49	6	7.0							
50-69	0									50-69	41	7.8	2	5	7	8	9	9	9
70 +	6	27.0								70 +	0								
SUBTOTAL	**6**	**27.0**									**53**	**8.3**	**4**	**5**	**7**	**8**	**9**	**13**	**13**
GRAND TOTAL	**23**	**15.5**	**62**								**118**	**9.0**	**11**	**5**	**8**	**9**	**11**	**13**	**17**

DRG 472: Extensive Burns w/ O.R. Procedure

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	48.0								0-17	6	22.0							
70-74	0									18-34	6	31.0							
75-79	0									35-49	6	24.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**6**	**48.0**									**18**	**25.6**	**15**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	6	68.0								0-17	0								
70-74	6	29.0								18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	6	45.0							
85 +	0									70 +	0								
SUBTOTAL	**11**	**48.5**	**417**								**6**	**45.0**							
GRAND TOTAL	**17**	**48.3**	**270**								**23**	**30.3**	**84**						

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	11	32.0	581							18-34	23	56.4	565						
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**11**	**32.0**	**581**								**23**	**56.4**	**565**						
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	11	17.5	2							0-17	0								
18-34	6	74.0								18-34	11	22.5	461						
35-49	6	4.0								35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**22**	**28.3**	**763**								**11**	**22.5**	**461**						
GRAND TOTAL	**34**	**29.5**	**686**	**4**	**9**	**17**	**55**	**74**	**74**		**34**	**45.3**	**776**	**2**	**34**	**39**	**71**	**88**	**88**

DRG 473: Acute Leukemia w/o Major O.R. Procedure Age >17

TYPE OF PATIENT	MEDICARE									TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	318	22.9	288	3	6	22	37	45	50	0-17	0								
70-74	145	18.4	255	2	3	11	30	37	49	18-34	150	21.1	301	4	6	20	31	37	56
75-79	166	9.9	89	2	4	7	9	31	31	35-49	111	19.4	242	2	6	21	29	49	77
80-84	92	9.1	22	2	6	8	12	13	21	50-69	286	23.4	309	3	8	24	34	57	59
85+	71	7.6	15	4	5	6	11	12	16	70+	48	25.7	312	3	8	29	40	54	54
SUBTOTAL	**792**	**16.4**	**224**	**2**	**5**	**10**	**29**	**38**	**49**		**596**	**22.3**	**297**	**3**	**7**	**23**	**33**	**47**	**58**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	43	7.0	35	<1	3	5	10	20	20	0-17	0								
70-74	50	5.8	31	1	2	2	8	19	19	18-34	29	17.9	437						
75-79	25	8.5	120							35-49	53	14.5	136	<1	1	18	24	29	29
80-84	6	3.0								50-69	29	1.9	3						
85+	31	7.9	40							70+	6	2.0							
SUBTOTAL	**154**	**6.9**	**47**	**1**	**3**	**5**	**8**	**20**	**20**		**118**	**11.6**	**210**	**<1**	**1**	**5**	**24**	**31**	**43**
GRAND TOTAL	**946**	**14.9**	**207**	**2**	**4**	**8**	**25**	**37**	**45**		**713**	**20.5**	**298**	**1**	**5**	**18**	**32**	**45**	**58**

TYPE OF PATIENT	MEDICAID									TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	162	21.4	392	3	7	13	34	51	65	18-34	137	31.3	212	7	25	32	41	52	52
35-49	68	34.6	283	12	18	38	48	57	59	35-49	99	28.2	408	4	13	27	47	58	71
50-69	109	22.6	278	2	9	25	40	45	55	50-69	87	26.6	406	5	9	27	35	64	76
70+	0									70+	13	5.5	2						
SUBTOTAL	**339**	**24.5**	**358**	**4**	**8**	**19**	**40**	**51**	**59**		**336**	**28.2**	**334**	**4**	**14**	**28**	**40**	**56**	**64**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	119	11.1	160	2	2	3	20	30	40	18-34	28	9.8	208						
35-49	17	8.0	77							35-49	11	7.0	4						
50-69	29	12.2	295							50-69	11	2.5							
70+	0									70+	6	3.0							
SUBTOTAL	**165**	**11.0**	**174**	**1**	**2**	**3**	**20**	**34**	**46**		**56**	**7.1**	**113**	**1**	**2**	**3**	**5**	**32**	**38**
GRAND TOTAL	**504**	**20.1**	**337**	**2**	**4**	**12**	**35**	**46**	**57**		**392**	**25.2**	**357**	**3**	**7**	**26**	**36**	**52**	**58**

DRG 475: Respiratory System Diagnosis with Ventilator Support

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	2379	13.0	103	4	7	11	17	25	28	0-17	192	12.9	157	4	5	9	14	34	47
70-74	1379	13.7	79	5	7	12	18	26	33	18-34	192	9.2	54	1	3	7	14	20	24
75-79	1239	12.7	59	5	7	11	16	23	29	35-49	345	10.4	82	3	4	7	15	21	24
80-84	813	13.9	131	4	6	10	18	30	35	50-69	1105	12.9	109	4	6	10	16	24	34
85 +	683	13.0	66	5	7	11	17	23	31	70 +	327	11.7	57	4	7	10	15	24	31
SUBTOTAL	**6493**	**13.2**	**89**	**5**	**7**	**11**	**17**	**25**	**31**		**2161**	**12.0**	**98**	**3**	**6**	**10**	**15**	**23**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	35	7.4	47	2	3	5	9	21	21	0-17	76	7.2	38	2	3	5	9	11	26
70-74	35	8.2	23	3	6	7	10	18	18	18-34	24	3.2	4						
75-79	18	6.2	12							35-49	24	5.7	4						
80-84	6	15.0								50-69	36	8.9	29	4	4	7	18	99 +	99 +
85 +	36	6.7	18	1	5	6	7	15	15	70 +	19	5.3	9						
SUBTOTAL	**129**	**7.6**	**28**	**3**	**3**	**6**	**10**	**15**	**18**		**178**	**6.6**	**27**	**2**	**3**	**5**	**9**	**14**	**26**
GRAND TOTAL	**6622**	**13.1**	**89**	**4**	**7**	**11**	**17**	**25**	**31**		**2340**	**11.6**	**94**	**3**	**5**	**9**	**15**	**23**	**31**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	348	17.0	318	3	5	12	26	51	67	0-17	172	9.5	89	3	4	8	11	18	25
18-34	195	13.3	83	4	5	11	20	24	31	18-34	293	8.8	74	2	4	6	10	22	25
35-49	255	11.8	56	4	7	10	16	22	24	35-49	301	11.8	122	3	5	9	13	24	33
50-69	479	12.9	62	4	7	11	17	22	27	50-69	693	10.3	70	2	4	8	13	21	27
70 +	88	17.6	286	4	7	10	22	47	65	70 +	182	11.8	50	3	7	11	15	21	26
SUBTOTAL	**1365**	**14.1**	**147**	**4**	**6**	**11**	**18**	**28**	**39**		**1641**	**10.4**	**81**	**2**	**4**	**8**	**13**	**21**	**27**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	114	7.6	45	3	4	6	9	15	29	0-17	204	5.2	16	1	2	5	6	9	12
18-34	30	8.0	45							18-34	131	3.6	3	1	2	4	5	6	6
35-49	6	18.0								35-49	62	3.9	11	1	2	3	5	7	13
50-69	29	5.7	12							50-69	80	6.1	17	2	4	5	8	14	14
70 +	0									70 +	0								
SUBTOTAL	**179**	**7.7**	**42**	**2**	**4**	**5**	**9**	**16**	**18**		**477**	**4.7**	**13**	**1**	**2**	**4**	**6**	**9**	**12**
GRAND TOTAL	**1544**	**13.3**	**139**	**3**	**5**	**10**	**17**	**27**	**37**		**2118**	**9.1**	**71**	**2**	**4**	**7**	**12**	**19**	**26**

DRG 478: Other Vascular Procedures w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5633	7.0	55	1	3	5	9	15	20
70-74	3279	7.7	43	2	3	6	10	15	20
75-79	2921	8.2	71	2	4	6	10	17	22
80-84	1526	8.5	40	2	4	7	11	17	20
85 +	1085	8.9	34	3	5	7	11	16	20
SUBTOTAL	**14444**	**7.7**	**53**	**2**	**3**	**6**	**10**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**14444**	**7.7**	**53**	**2**	**3**	**6**	**10**	**16**	**21**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	73	5.4	12	1	1	6	8	10	11
18-34	94	5.4	39	1	1	3	6	18	24
35-49	432	7.0	108	1	2	4	8	12	23
50-69	2187	7.4	50	2	3	6	9	14	19
70 +	365	7.8	36	2	4	6	10	14	22
	3151	**7.3**	**55**	**1**	**3**	**6**	**9**	**14**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3151	**7.3**	**55**	**1**	**3**	**6**	**9**	**14**	**20**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	56	5.9	32	1	2	3	11	16	17
18-34	103	4.5	9	2	3	3	7	9	12
35-49	263	7.8	55	2	2	6	10	18	24
50-69	610	10.0	121	1	2	7	15	24	31
70 +	111	18.2	344	1	5	16	27	49	72
SUBTOTAL	**1144**	**9.6**	**124**	**1**	**2**	**6**	**13**	**24**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1144**	**9.6**	**124**	**1**	**2**	**6**	**13**	**24**	**30**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	28	10.6	62						
18-34	99	8.3	61	2	2	6	11	21	28
35-49	118	10.2	81	1	4	8	17	24	43
50-69	737	7.6	43	2	4	6	9	15	20
70 +	423	7.1	42	1	3	6	8	13	15
	1406	**7.8**	**48**	**2**	**3**	**6**	**10**	**16**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1406	**7.8**	**48**	**2**	**3**	**6**	**10**	**16**	**23**

DRG 479: Other Vascular Procedures w/o CC

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1318	4.2	11	1	2	3	5	8	10
70-74	984	3.8	9	1	2	4	5	6	8
75-79	753	4.3	8	1	2	4	6	8	10
80-84	378	4.6	30	1	2	4	6	8	9
85 +	239	5.7	12	1	3	5	7	11	14
SUBTOTAL	**3672**	**4.2**	**12**	**1**	**2**	**4**	**6**	**7**	**10**
GRAND TOTAL	**3672**	**4.2**	**12**	**1**	**2**	**4**	**6**	**7**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	147	2.1	3	1	1	1	3	5	5
18-34	94	6.1	27	1	2	5	9	15	18
35-49	336	3.5	7	1	1	3	5	7	8
50-69	1458	3.7	9	1	2	3	5	6	9
70 +	115	5.3	9	3	3	5	7	12	12
	2150	**3.7**	**9**	**1**	**2**	**3**	**5**	**7**	**10**
	2150	**3.7**	**9**	**1**	**2**	**3**	**5**	**7**	**10**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	56	3.6	12	1	1	2	7	10	11
18-34	34	2.8	3	1	2	2	3	6	6
35-49	34	3.4	4	1	2	3	5	7	7
50-69	228	7.1	44	1	3	4	9	18	22
70 +	40	19.4	190	5	9	17	22	50	50
SUBTOTAL	**392**	**7.1**	**67**	**1**	**2**	**4**	**9**	**21**	**22**
GRAND TOTAL	**392**	**7.1**	**67**	**1**	**2**	**4**	**9**	**21**	**22**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	34	3.5	6	1	1	3	4	8	8
18-34	81	6.0	25	1	2	5	8	16	17
35-49	123	6.4	149	1	2	4	5	9	28
50-69	429	5.0	22	1	2	3	6	13	16
70 +	113	3.4	7	1	2	2	5	6	12
	778	**5.0**	**40**	**1**	**2**	**3**	**6**	**10**	**16**
	778	**5.0**	**40**	**1**	**2**	**3**	**6**	**10**	**16**

DRG 480: Liver Transplant

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	11	17.5	2						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**11**	**17.5**	**2**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**11**	**17.5**	**2**						

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	17	33.0	213						
18-34	28	38.4	532						
35-49	84	33.5	514	16	19	25	51	87	99 +
50-69	73	33.1	246	20	22	27	37	56	68
70 +	0								
	202	**34.0**	**393**	**16**	**19**	**26**	**47**	**79**	**87**
0-17	6	17.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6	**17.0**							
	208	**33.5**	**390**	**16**	**19**	**26**	**44**	**79**	**87**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	91.0							
18-34	0								
35-49	6	19.0							
50-69	11	26.0	40						
70 +	0								
SUBTOTAL	**22**	**40.5**	**917**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**22**	**40.5**	**917**						

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	44.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6	**44.0**							
0-17	0								
18-34	0								
35-49	6	2.0							
50-69	0								
70 +	0								
	6	**2.0**							
	11	**23.0**	**484**						

DRG 481: Bone Marrow Transplant

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	6	25.0								0-17	28	48.2	258						
70-74	0									18-34	39	32.1	18	24	30	32	36	38	38
75-79	0									35-49	131	38.8	114	25	33	36	47	58	67
80-84	0									50-69	28	45.6	286						
85 +	0									70 +	0								
SUBTOTAL	**6**	**25.0**									**227**	**39.6**	**158**	**25**	**32**	**36**	**47**	**64**	**73**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	6	41.0							
75-79	0									35-49	6	1.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**11**	**21.0**	**439**						
GRAND TOTAL	**6**	**25.0**									**238**	**38.8**	**185**	**25**	**32**	**36**	**47**	**58**	**72**

	MEDICAID									NO INSURANCE										
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	28	39.2	35							0-17	6	38.0							
18-34	11	46.5	22							18-34	17	43.0	362						
35-49	0									35-49	6	52.0							
50-69	0									50-69	12	38.8	10						
70 +	0									70 +	0								
SUBTOTAL	**39**	**41.3**	**42**	**32**	**35**	**41**	**49**	**51**	**51**		**40**	**42.3**	**170**	**28**	**32**	**38**	**52**	**69**	**69**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	6	35.0								0-17	0								
18-34	0									18-34	6	36.0							
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**6**	**35.0**									**6**	**36.0**							
GRAND TOTAL	**45**	**40.5**	**41**	**32**	**35**	**41**	**47**	**51**	**51**		**46**	**41.5**	**153**	**28**	**34**	**37**	**47**	**69**	**69**

DRG 482: Tracheostomy w/ Mouth, Larynx or Pharynx Disorder

TYPE OF PATIENT	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	254	14.8	55	8	10	12	17	27	30	0-17	62	14.2	75	6	7	10	24	25	30
70-74	176	14.8	51	8	10	14	17	27	31	18-34	24	7.2	5						
75-79	123	12.7	73	5	8	10	14	25	32	35-49	64	9.9	28	3	6	9	16	16	18
80-84	49	24.5	310	6	12	18	35	62	62	50-69	298	15.0	122	6	8	11	17	33	43
85 +	29	13.2	26							70 +	23	13.0	16						
SUBTOTAL	**631**	**15.1**	**83**	**7**	**9**	**13**	**17**	**28**	**31**		**471**	**13.7**	**97**	**5**	**8**	**10**	**16**	**25**	**40**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	85	10.1	18	4	7	10	13	16	18	0-17	28	6.0	12						
70-74	54	5.8	4	2	4	7	7	8	8	18-34	6	15.0							
75-79	53	11.7	37	6	7	10	16	23	23	35-49	57	6.8	24	2	5	6	8	16	20
80-84	0									50-69	94	6.8	14	3	4	7	8	10	18
85 +	6	7.0								70 +	13	13.5	22						
SUBTOTAL	**198**	**9.3**	**24**	**4**	**6**	**8**	**12**	**16**	**20**		**198**	**7.3**	**21**	**3**	**4**	**7**	**9**	**15**	**18**
GRAND TOTAL	**828**	**13.7**	**75**	**6**	**8**	**11**	**17**	**26**	**31**		**669**	**11.8**	**82**	**4**	**6**	**9**	**14**	**24**	**30**

TYPE OF PATIENT	MEDICAID									NO INSURANCE									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	22	32.3	1522							0-17	11	28.0	247						
18-34	40	16.2	215	6	6	11	16	51	51	18-34	76	13.2	63	5	7	11	18	24	29
35-49	62	21.1	270	7	8	16	38	48	53	35-49	63	16.5	65	10	11	14	18	26	37
50-69	181	20.6	303	7	12	16	23	37	50	50-69	129	14.2	122	6	8	10	15	27	32
70 +	17	16.3	92							70 +	24	12.2	20						
SUBTOTAL	**322**	**20.7**	**366**	**6**	**9**	**16**	**24**	**50**	**97**		**303**	**14.8**	**99**	**6**	**8**	**11**	**18**	**27**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	11	42.5	1463						
18-34	11	7.5	13							18-34	90	9.1	13	6	6	8	11	14	19
35-49	46	17.0	271	7	9	12	14	60	60	35-49	63	14.9	282	1	3	10	28	32	58
50-69	67	20.8	301	9	11	15	21	31	74	50-69	121	10.6	23	5	6	11	13	18	21
70 +	17	15.3	97							70 +	6	6.0							
SUBTOTAL	**141**	**17.8**	**254**	**7**	**10**	**13**	**19**	**31**	**60**		**291**	**12.2**	**168**	**5**	**6**	**9**	**13**	**23**	**32**
GRAND TOTAL	**463**	**19.8**	**333**	**6**	**9**	**15**	**22**	**50**	**71**		**593**	**13.5**	**134**	**6**	**7**	**11**	**15**	**26**	**35**

DRG 483: Tracheostomy except for Mouth, Larynx or Pharynx Disorder

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	821	43.2	606	12	25	46	62	92	99 +	0-17	141	39.9	470	14	33	57	99 +	99 +	99 +
70-74	510	43.2	513	17	27	43	62	85	99 +	18-34	364	34.5	485	11	16	33	50	70	90
75-79	364	39.5	464	13	24	40	65	93	99 +	35-49	360	27.5	364	6	11	28	40	63	89
80-84	253	41.4	503	17	24	44	64	81	99 +	50-69	556	43.7	634	13	24	44	66	93	99 +
85 +	97	29.9	134	18	25	30	37	99 +	99 +	70 +	102	44.8	316	25	31	40	69	73	99 +
SUBTOTAL	**2045**	**41.7**	**531**	**14**	**25**	**42**	**62**	**91**	**99 +**		**1523**	**37.4**	**541**	**10**	**22**	**37**	**61**	**99**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	36	5.8	33	1	2	3	9	17	17	0-17	23	8.4	17						
70-74	23	5.0	4							18-34	34	14.4	116	5	5	14	18	36	36
75-79	0									35-49	34	3.8	5	1	2	3	5	8	8
80-84	0									50-69	24	11.7	231						
85 +	0									70 +	0								
SUBTOTAL	**59**	**5.5**	**22**	**1**	**2**	**4**	**7**	**13**	**17**		**116**	**9.5**	**103**	**2**	**4**	**6**	**14**	**36**	**59**
GRAND TOTAL	**2104**	**40.7**	**552**	**12**	**24**	**41**	**61**	**90**	**99 +**		**1639**	**35.4**	**561**	**7**	**17**	**35**	**58**	**98**	**99 +**

	MEDICAID										NO INSURANCE								
				PERCENTILES										PERCENTILES					
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	143	40.8	775	10	27	53	99 +	99 +	99 +	0-17	69	39.7	810	8	16	54	99 +	99 +	99 +
18-34	294	42.5	460	22	31	44	78	99 +	99 +	18-34	404	37.1	656	8	17	33	62	90	99 +
35-49	202	38.3	336	12	24	44	62	99 +	99 +	35-49	217	32.2	472	7	10	38	55	81	99 +
50-69	180	39.7	672	8	25	35	75	99 +	99 +	50-69	295	37.5	426	8	23	40	52	71	90
70 +	29	47.3	168	34	41	46	71	99 +	99 +	70 +	78	35.5	410	17	20	35	65	99 +	99 +
SUBTOTAL	**847**	**40.8**	**521**	**13**	**27**	**44**	**76**	**99 +**	**99 +**		**1063**	**36.2**	**549**	**8**	**17**	**38**	**56**	**90**	**99 +**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	18	11.2	59							0-17	34	14.8	83	1	8	14	23	28	28
18-34	23	22.7	106	7	21	29	99 +	99 +	99 +	18-34	132	12.7	269	4	6	7	13	17	30
35-49	22	9.0	17							35-49	34	10.3	34	1	7	8	15	17	17
50-69	29	11.9	63							50-69	23	9.3	18						
70 +	0									70 +	6	48.0							
SUBTOTAL	**92**	**13.8**	**88**	**4**	**7**	**15**	**29**	**99 +**	**99 +**		**229**	**13.2**	**206**	**4**	**6**	**10**	**15**	**28**	**44**
GRAND TOTAL	**939**	**38.1**	**543**	**9**	**24**	**42**	**75**	**99 +**	**99 +**		**1292**	**32.2**	**566**	**6**	**12**	**32**	**54**	**87**	**99 +**

DRG 484: Craniotomy for Multiple Significant Trauma

	MEDICARE									BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	74	20.9	122	10	15	17	24	33	51
70-74	0									18-34	88	24.1	185	8	9	22	33	47	51
75-79	0									35-49	59	25.4	324	7	13	17	33	57	57
80-84	0									50-69	11	10.5	13						
85 +	0									70 +	6	30.0							
SUBTOTAL	**0**										**239**	**22.9**	**197**	**8**	**13**	**20**	**30**	**48**	**53**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	6	17.0							
80-84	0									50-69	6	8.0							
85 +	0									70 +	0								
SUBTOTAL	**0**										**12**	**12.8**	**22**						
GRAND TOTAL	**0**										**251**	**22.5**	**193**	**8**	**13**	**17**	**30**	**47**	**51**

	MEDICAID									NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	34	25.7	241	8	9	26	37	47	47	0-17	24	17.4	33						
18-34	51	27.7	178	7	17	29	36	54	54	18-34	59	15.1	136	2	6	13	22	35	38
35-49	6	18.0								35-49	28	15.2	80						
50-69	6	18.0								50-69	11	28.0	70						
70 +	0									70 +	0								
SUBTOTAL	**98**	**25.7**	**185**	**8**	**16**	**21**	**37**	**47**	**54**		**122**	**16.8**	**109**	**4**	**10**	**17**	**22**	**32**	**37**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	6	7.0								18-34	6	32.0							
35-49	0									35-49	0								
50-69	0									50-69	6	7.0							
70 +	0									70 +	0								
SUBTOTAL	**6**	**7.0**									**12**	**18.8**	**170**						
GRAND TOTAL	**104**	**24.7**	**193**	**7**	**15**	**20**	**37**	**47**	**54**		**134**	**16.9**	**113**	**4**	**8**	**17**	**26**	**32**	**36**

DRG 485: Limb Reattachment, Hip And Femur Proc for Multiple Significant Trauma

	MEDICARE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	66	14.1	51	10	10	11	14	18	36
70-74	53	11.3	20	5	8	11	14	21	21
75-79	103	12.6	58	5	7	10	17	22	33
80-84	108	10.0	15	7	8	9	12	15	21
85 +	140	10.6	36	6	6	9	13	17	24
SUBTOTAL	**472**	**11.5**	**38**	**6**	**8**	**10**	**14**	**21**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	13	9.0	17						
70-74	6	11.0							
75-79	0								
80-84	0								
85 +	6	7.0							
SUBTOTAL	**24**	**8.9**	**11**						
GRAND TOTAL	**496**	**11.3**	**37**	**6**	**8**	**10**	**14**	**19**	**22**

	BLUE CROSS/PRIVATE INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	200	17.3	332	6	8	11	19	27	66
18-34	352	16.1	124	6	9	13	19	28	37
35-49	197	17.2	69	9	12	14	21	26	36
50-69	101	23.9	303	9	11	15	31	50	65
70 +	94	21.2	302	8	10	12	27	55	58
	944	**17.9**	**199**	**7**	**9**	**13**	**21**	**32**	**50**
0-17	6	15.0							
18-34	6	8.0							
35-49	6	9.0							
50-69	0								
70 +	0								
	18	**10.6**	**10**						
	962	**17.8**	**197**	**7**	**9**	**13**	**21**	**32**	**50**

	MEDICAID								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	24	14.9	24						
18-34	149	17.2	89	6	10	16	23	31	36
35-49	46	21.7	97	14	16	20	22	45	45
50-69	12	17.7	39						
70 +	0								
SUBTOTAL	**231**	**17.9**	**85**	**8**	**12**	**17**	**22**	**31**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	4.0							
18-34	6	5.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**13**	**4.5**							
GRAND TOTAL	**243**	**17.2**	**89**	**6**	**11**	**16**	**22**	**30**	**37**

	NO INSURANCE								
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	76	16.2	93	7	10	13	19	27	40
18-34	313	14.7	82	7	9	11	19	29	35
35-49	153	21.7	333	8	8	16	29	45	45
50-69	34	12.7	30	5	9	11	15	22	22
70 +	0								
	576	**16.6**	**156**	**7**	**9**	**12**	**22**	**33**	**39**
0-17	0								
18-34	6	10.0							
35-49	18	12.9	57						
50-69	0								
70 +	0								
	23	**12.2**	**44**						
	599	**16.5**	**153**	**7**	**9**	**12**	**22**	**33**	**39**

DRG 486: Other O.R. Procedures for Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	150	13.6	46	6	8	13	19	26	28
70-74	24	16.2	91						
75-79	43	20.6	242	6	11	14	25	57	57
80-84	31	18.9	193						
85 +	6	9.0							
SUBTOTAL	**253**	**15.5**	**107**	**6**	**9**	**13**	**20**	**26**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	4.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**4.0**							
GRAND TOTAL	**259**	**15.3**	**108**	**6**	**9**	**13**	**19**	**26**	**45**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	450	12.6	105	4	6	9	15	26	41
18-34	969	12.7	131	4	6	10	16	25	33
35-49	444	12.8	114	4	7	9	16	24	33
50-69	217	18.8	195	7	9	14	26	37	52
70 +	96	18.7	99	8	10	18	24	36	38
	2176	**13.6**	**131**	**4**	**6**	**10**	**17**	**27**	**37**
0-17	11	20.5	99						
18-34	35	11.8	22	6	8	10	16	19	19
35-49	13	5.0	1						
50-69	6	1.0							
70 +	0								
	65	**10.9**	**61**	**4**	**6**	**9**	**16**	**19**	**30**
	2241	**13.5**	**130**	**4**	**6**	**10**	**17**	**27**	**37**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	189	19.1	373	4	6	12	24	46	67
18-34	471	17.3	204	6	8	11	23	41	47
35-49	134	17.0	146	6	9	16	26	47	99 +
50-69	47	15.4	65	3	10	14	24	29	29
70 +	0								
SUBTOTAL	**840**	**17.5**	**225**	**5**	**8**	**12**	**24**	**42**	**55**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	22	9.8	39						
35-49	6	12.0							
50-69	0								
70 +	0								
SUBTOTAL	**28**	**10.2**	**32**						
GRAND TOTAL	**868**	**17.3**	**221**	**5**	**8**	**12**	**23**	**42**	**55**

TYPE OF PATIENT	NO INSURANCE								
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	240	12.1	127	3	5	7	16	29	41
18-34	2118	11.6	83	5	6	8	13	23	32
35-49	528	13.6	136	4	6	10	17	34	39
50-69	141	15.9	193	4	8	10	20	38	50
70 +	42	11.6	29	5	8	10	13	23	23
	3069	**12.2**	**101**	**5**	**6**	**9**	**14**	**26**	**37**
0-17	34	5.8	4	3	4	6	7	9	9
18-34	120	9.2	63	4	5	7	8	18	29
35-49	36	8.1	13	4	6	7	10	15	15
50-69	6	11.0							
70 +	0								
	196	**8.4**	**43**	**4**	**5**	**7**	**9**	**15**	**23**
	3265	**11.9**	**99**	**4**	**6**	**9**	**14**	**25**	**36**

DRG 487: Other Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	68	6.9	21	1	3	6	12	13	15
70-74	48	10.4	125	3	3	7	9	38	38
75-79	62	11.7	40	4	7	11	18	21	24
80-84	48	9.7	19	4	7	7	14	16	16
85 +	74	11.2	110	3	4	5	15	26	34
SUBTOTAL	**300**	**10.0**	**66**	**3**	**4**	**7**	**13**	**24**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**300**	**10.0**	**66**	**3**	**4**	**7**	**13**	**24**	**26**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	368	9.1	79	2	3	6	11	20	23
18-34	591	8.5	95	2	3	5	10	22	34
35-49	439	8.9	47	2	4	8	12	17	21
50-69	260	9.7	50	3	5	8	12	18	26
70 +	94	13.6	109	4	6	10	19	33	41
	1752	**9.2**	**75**	**2**	**4**	**7**	**11**	**19**	**26**
0-17	29	8.0	50						
18-34	36	11.1	30	4	6	11	17	19	19
35-49	12	3.8	10						
50-69	12	3.9	1						
70 +	0								
	89	**8.1**	**38**	**1**	**3**	**6**	**12**	**19**	**20**
	1841	**9.1**	**73**	**2**	**4**	**6**	**11**	**19**	**25**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	129	12.1	89	3	4	10	21	25	26
18-34	124	8.5	52	2	4	7	10	22	32
35-49	50	16.5	97	2	8	17	24	31	31
50-69	37	17.8	87	9	11	14	22	36	36
70 +	13	9.0	4						
SUBTOTAL	**352**	**11.9**	**84**	**3**	**5**	**10**	**16**	**28**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	46	7.9	82	1	2	3	21	24	24
18-34	11	6.0	1						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**57**	**7.6**	**67**	**1**	**2**	**4**	**7**	**23**	**24**
GRAND TOTAL	**410**	**11.3**	**84**	**2**	**4**	**9**	**16**	**26**	**32**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	203	7.9	51	1	2	6	13	22	27
18-34	567	6.5	24	2	3	5	8	13	16
35-49	268	7.7	55	2	4	6	9	16	26
50-69	128	13.3	331	1	4	6	14	28	55
70 +	43	17.1	431	1	3	8	32	61	61
	1209	**8.1**	**89**	**2**	**3**	**5**	**10**	**16**	**26**
0-17	6	1.0							
18-34	35	8.0	13	3	5	8	11	13	13
35-49	23	9.6	24						
50-69	0								
70 +	0								
	64	**8.0**	**21**	**3**	**4**	**6**	**13**	**14**	**15**
	1273	**8.1**	**86**	**2**	**3**	**6**	**10**	**16**	**26**

DRG 488: HIV w/ Extensive O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	29	14.7	19						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**29**	**14.7**	**19**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**29**	**14.7**	**19**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	164	13.4	142	3	6	10	17	36	53
35-49	254	16.6	248	6	8	12	19	26	54
50-69	65	11.7	35	8	9	10	15	18	25
70 +	6	6.0							
	490	**14.7**	**185**	**5**	**7**	**11**	**18**	**29**	**54**
0-17	0								
18-34	6	8.0							
35-49	0								
50-69	0								
70 +	0								
	6	**8.0**							
	495	**14.7**	**183**	**5**	**7**	**11**	**17**	**28**	**53**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	253	17.1	126	7	8	14	24	32	37
35-49	210	20.7	209	9	13	17	22	37	44
50-69	18	19.8	10						
70 +	0								
SUBTOTAL	**481**	**18.8**	**161**	**7**	**11**	**16**	**22**	**34**	**40**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	6	2.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**6**	**2.0**							
GRAND TOTAL	**487**	**18.5**	**162**	**7**	**10**	**15**	**22**	**34**	**39**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	118	14.1	58	3	9	13	19	26	29
35-49	145	14.3	31	6	10	15	18	22	23
50-69	6	19.0							
70 +	0								
	268	**14.3**	**42**	**6**	**10**	**14**	**19**	**23**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	268	**14.3**	**42**	**6**	**10**	**14**	**19**	**23**	**25**

DRG 489: HIV w/ Major Related Condition

	MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	439	11.6	96	3	5	9	13	27	36	0-17	52	6.7	55	1	3	4	7	27	27
70-74	6	16.0								18-34	681	7.7	33	2	4	6	10	15	19
75-79	0									35-49	920	10.0	46	3	5	8	14	18	23
80-84	0									50-69	177	10.7	101	2	4	8	13	22	40
85 +	0									70 +	6	3.0							
SUBTOTAL	**445**	**11.7**	**95**	**3**	**5**	**9**	**15**	**27**	**36**		**1836**	**9.1**	**48**	**3**	**4**	**7**	**13**	**17**	**22**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	19	2.0	1						
75-79	0									35-49	12	3.0							
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	**0**										**31**	**2.4**	**1**						
GRAND TOTAL	**445**	**11.7**	**95**	**3**	**5**	**9**	**15**	**27**	**36**		**1867**	**9.0**	**48**	**2**	**4**	**7**	**13**	**17**	**22**

	MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	90	12.4	282	< 1	4	6	19	24	71	0-17	11	6.0	18						
18-34	2006	12.3	120	3	6	10	15	23	35	18-34	1326	11.7	90	3	5	9	15	22	30
35-49	1598	12.6	122	3	5	9	15	25	32	35-49	1050	11.4	78	3	5	9	16	22	30
50-69	154	13.5	88	4	7	11	17	28	30	50-69	215	16.1	301	4	5	12	20	43	66
70 +	0									70 +	0								
SUBTOTAL	**3847**	**12.5**	**123**	**3**	**5**	**10**	**15**	**24**	**33**		**2602**	**11.9**	**104**	**3**	**5**	**9**	**16**	**22**	**31**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	29	14.7	367							18-34	28	13.6	113						
35-49	29	9.8	52							35-49	39	14.4	279	4	5	8	15	54	54
50-69	6	3.0								50-69	0								
70 +	0									70 +	0								
SUBTOTAL	**64**	**11.4**	**198**	**1**	**3**	**6**	**14**	**20**	**52**		**67**	**14.1**	**207**	**2**	**5**	**8**	**22**	**28**	**54**
GRAND TOTAL	**3911**	**12.4**	**125**	**3**	**5**	**10**	**15**	**24**	**34**		**2670**	**12.0**	**107**	**3**	**5**	**9**	**16**	**22**	**31**

DRG 490: HIV w/ or w/o Other Related Condition

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	154	8.3	56	1	2	6	12	20	25
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**154**	**8.3**	**56**	**1**	**2**	**6**	**12**	**20**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**154**	**8.3**	**56**	**1**	**2**	**6**	**12**	**20**	**25**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	46	2.8	4	< 1	1	2	4	7	7
18-34	272	6.5	23	2	3	5	8	15	18
35-49	355	6.6	49	2	3	5	8	12	23
50-69	96	4.6	7	2	3	3	7	9	10
70 +	0								
	769	**6.1**	**33**	**2**	**3**	**4**	**7**	**11**	**18**
0-17	0								
18-34	36	4.9	16	3	3	3	4	14	14
35-49	23	2.5	1						
50-69	6	4.0							
70 +	0								
	65	**3.9**	**10**	**2**	**2**	**3**	**4**	**4**	**14**
	834	**5.9**	**31**	**2**	**3**	**4**	**7**	**11**	**15**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	57	3.6	12	< 1	1	2	5	10	13
18-34	514	7.0	36	1	3	5	10	15	21
35-49	451	4.7	26	1	2	3	6	9	14
50-69	57	8.8	168	2	2	3	10	35	44
70 +	0								
SUBTOTAL	**1080**	**6.0**	**39**	**1**	**2**	**4**	**7**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	1.0							
18-34	68	7.6	33	1	2	8	14	14	19
35-49	79	5.7	41	2	2	4	5	11	27
50-69	0								
70 +	0								
SUBTOTAL	**153**	**6.4**	**38**	**1**	**2**	**4**	**10**	**14**	**19**
GRAND TOTAL	**1233**	**6.0**	**39**	**1**	**2**	**4**	**7**	**14**	**19**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	3.0							
18-34	320	6.2	19	1	3	5	9	13	14
35-49	303	9.0	135	2	2	6	11	19	50
50-69	48	10.9	165	< 1	3	5	22	39	39
70 +	0								
	676	**7.8**	**83**	**1**	**2**	**5**	**9**	**15**	**21**
0-17	0								
18-34	67	6.0	12	2	3	6	9	10	13
35-49	51	7.0	43	1	2	2	13	19	19
50-69	6	18.0							
70 +	0								
	123	**7.0**	**30**	**1**	**2**	**6**	**10**	**14**	**18**
	800	**7.6**	**75**	**1**	**2**	**5**	**9**	**15**	**21**

DRG 491: Major Joint And Limb Reattachment Procedures, Upper Extremity

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	187	6.2	15	3	4	6	8	9	13
70-74	194	7.7	39	3	4	6	7	13	26
75-79	140	6.7	16	3	4	6	8	12	15
80-84	114	9.2	86	3	5	7	8	30	37
85 +	46	7.2	17	2	3	7	10	15	15
SUBTOTAL	**681**	**7.3**	**35**	**3**	**4**	**6**	**8**	**12**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	306	3.9	3	2	3	4	5	6	7
70-74	235	5.0	4	3	4	5	6	8	9
75-79	192	5.2	5	3	3	5	7	8	10
80-84	128	5.1	6	3	3	5	6	9	10
85 +	34	5.5	9	1	4	5	8	10	10
SUBTOTAL	**896**	**4.7**	**4**	**2**	**3**	**4**	**6**	**8**	**9**
GRAND TOTAL	**1576**	**5.8**	**19**	**2**	**4**	**5**	**7**	**9**	**11**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	6	6.0							
35-49	41	4.4	3	3	3	4	5	8	8
50-69	116	4.7	5	3	3	4	6	9	9
70 +	52	5.4	8	2	3	5	6	12	12
SUBTOTAL	**215**	**4.8**	**5**	**3**	**3**	**4**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs									
0-17	0								
18-34	66	2.2	3	1	1	1	3	4	7
35-49	115	2.9	2	1	2	2	3	6	6
50-69	269	3.1	2	1	2	3	4	5	6
70 +	57	3.6	3	2	2	3	5	6	6
SUBTOTAL	**507**	**3.0**	**2**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**722**	**3.5**	**4**	**1**	**2**	**3**	**5**	**6**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	6	7.0							
50-69	17	12.7	14						
70 +	0								
SUBTOTAL	**22**	**11.3**	**17**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	18	3.6	4						
35-49	18	10.8	63						
50-69	31	4.6	1						
70 +	0								
SUBTOTAL	**66**	**6.0**	**26**	**4**	**4**	**5**	**6**	**6**	**22**
GRAND TOTAL	**89**	**7.3**	**29**	**4**	**4**	**5**	**8**	**17**	**22**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
0-17	0								
18-34	0								
35-49	6	3.0							
50-69	48	6.0	5	3	4	5	8	9	9
70 +	13	6.5	2						
SUBTOTAL	**66**	**5.8**	**5**	**3**	**4**	**5**	**8**	**9**	**9**
2.PATIENTS W/OUT CCs									
0-17	6	3.0							
18-34	11	1.5							
35-49	30	4.9	6						
50-69	54	3.3	3	1	2	3	4	7	7
70 +	13	7.0							
SUBTOTAL	**113**	**3.9**	**5**	**1**	**2**	**3**	**6**	**7**	**8**
GRAND TOTAL	**180**	**4.6**	**6**	**1**	**3**	**5**	**7**	**8**	**9**

DRG 492: Chemotherapy w/ Acute Leukemia As Secondary Diagnosis

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	83	10.5	168	2	3	5	10	31	47
70-74	29	11.1	114						
75-79	37	25.7	348	5	5	24	34	59	59
80-84	0								
85 +	0								
SUBTOTAL	**150**	**14.4**	**241**	**2**	**4**	**6**	**24**	**34**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**150**	**14.4**	**241**	**2**	**4**	**6**	**24**	**34**	**47**

BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	1260	2.4	2	< 1	1	2	3	5	5
18-34	140	4.2	22	1	1	2	7	8	12
35-49	71	11.0	170	2	2	5	18	33	41
50-69	78	12.9	110	4	5	6	22	28	33
70 +	0								
	1548	**3.5**	**25**	**< 1**	**1**	**2**	**3**	**5**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1548	**3.5**	**25**	**< 1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	MEDICAID								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	713	3.2	11	1	1	2	4	6	8
18-34	103	8.5	57	3	5	6	8	22	34
35-49	23	28.7	750						
50-69	55	10.0	106	2	3	5	16	33	33
70 +	0								
SUBTOTAL	**895**	**4.9**	**60**	**1**	**1**	**3**	**5**	**8**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**895**	**4.9**	**60**	**1**	**1**	**3**	**5**	**8**	**16**

NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
0-17	466	3.2	8	1	2	2	4	5	7
18-34	76	8.7	117	2	3	5	7	34	34
35-49	12	13.9	120						
50-69	31	24.8	184						
70 +	6	6.0							
	590	**5.3**	**59**	**1**	**2**	**3**	**5**	**8**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	590	**5.3**	**59**	**1**	**2**	**3**	**5**	**8**	**25**

Appendices

Appendix 1

1990-91 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

HOSPITAL CATEGORY	UNIVERSE TOTAL[2]	LOS BY DRG SAMPLE	%
Region			
Northeastern	759	91	12.0
North Central	1,554	311	20.0
Southern	2,020	176	8.7
Western	1,003	233	23.2
Total	5,336	811	15.2
Location[3]			
Urban	2,811	491	17.5
Rural	2,525	320	12.7
Teaching Intensity[4]			
High/Medium	975	219	22.5
Low	4,361	592	13.6

---

[1] Hospitals with average stay less than 30 days

[2] 1989 Annual Survey of Hospitals, magnetic tape, American Hospital Association

[3] Urban hospitals are those with a metropolitan statistical area designation on the AHA Annual Survey of Hospitals. Hospitals without a metropolitan statistical area designation represent rural hospitals.

[4] The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.

Appendix 2

STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texas	
		Virginia	
		West Virginia	


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

Appendix 3

DIAGNOSIS RELATED GROUPS

DRG	Description
1	Craniotomy Age >17 except for Trauma
2	Craniotomy for Trauma Age > 17
3	Craniotomy Age 0-17
4	Spinal Procedures
5	Extracranial Vascular Procedures
6	Carpal Tunnel Release
7	Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC
8	Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC
9	Spinal Disorders & Injuries
10	Nervous System Neoplasms w/ CC
11	Nervous System Neoplasms w/o CC
12	Degenerative Nervous System Disorders
13	Multiple Sclerosis & Cerebellar Ataxia
14	Specific Cerebrovascular Disorders except TIA
15	Transient Ischemic Attack & Precerebral Occlusions
16	Nonspecific Cerebrovascular Disorders w/ CC
17	Nonspecific Cerebrovascular Disorders w/o CC
18	Cranial & Peripheral Nerve Disorders w/ CC
19	Cranial & Peripheral Nerve Disorders w/o CC
20	Nervous System Infection except Viral Meningitis
21	Viral Meningitis
22	Hypertensive Encephalopathy
23	Nontraumatic Stupor & Coma
24	Seizure & Headache Age >17 w/ CC
25	Seizure & Headache Age >17 w/o CC
26	Seizure & Headache Age 0-17
27	Traumatic Stupor & Coma, Coma >1 Hr
28	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC
29	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC
30	Traumatic Stupor & Coma, Coma <1 Hr Age 0-17
31	Concussion Age >17 w/ CC
32	Concussion Age >17 w/o CC
33	Concussion Age 0-17
34	Other Disorders of Nervous System w/ CC
35	Other Disorders of Nervous System w/o CC
36	Retinal Procedures
37	Orbital Procedures
38	Primary Iris Procedures
39	Lens Procedures with or without Vitrectomy
40	Extraocular Procedures except Orbit Age > 17
41	Extraocular Procedures except Orbit Age 0-17
42	Intraocular Procedures except Retina, Iris & Lens
43	Hyphema
44	Acute Major Eye Infections
45	Neurological Eye Disorders
46	Other Disorders of the Eye Age >17 w/ CC
47	Other Disorders of the Eye Age >17 w/o CC
48	Other Disorders of the Eye Age 0-17
49	Major Head & Neck Procedures
50	Sialoadenectomy
51	Salivary Gland Procedures except Sialoadenectomy
52	Cleft Lip & Palate Repair

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
53	Sinus & Mastoid Procedures Age > 17
54	Sinus & Mastoid Procedures Age 0-17
55	Miscellaneous Ear, Nose, Mouth & Throat Procedures
56	Rhinoplasty
57	T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17
58	T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17
59	Tonsillectomy &/or Adenoidectomy Only, Age > 17
60	Tonsillectomy &/or Adenoidectomy Only, Age 0-17
61	Myringotomy w/ Tube Insertion Age > 17
62	Myringotomy w/ Tube Insertion Age 0-17
63	Other Ear, Nose, Mouth & Throat O.R. Procedures
64	Ear, Nose, Mouth & Throat Malignancy
65	Dysequilibrium
66	Epistaxis
67	Epiglottitis
68	Otitis Media & URI Age >17 w/ CC
69	Otitis Media & URI Age >17 w/o CC
70	Otitis Media & URI Age 0-17
71	Laryngotracheitis
72	Nasal Trauma & Deformity
73	Other Ear, Nose, Mouth & Throat Diagnoses Age > 17
74	Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17
75	Major Chest Procedures
76	Other Resp System O.R. Procedures w/ CC
77	Other Resp System O.R. Procedures w/o CC
78	Pulmonary Embolism
79	Respiratory Infections & Inflammations Age >17 w/ CC
80	Respiratory Infections & Inflammations Age >17 w/o CC
81	Respiratory Infections & Inflammations Age 0-17
82	Respiratory Neoplasms
83	Major Chest Trauma w/ CC
84	Major Chest Trauma w/o CC
85	Pleural Effusion w/ CC
86	Pleural Effusion w/o CC
87	Pulmonary Edema & Respiratory Failure
88	Chronic Obstructive Pulmonary Disease
89	Simple Pneumonia & Pleurisy Age >17 w/ CC
90	Simple Pneumonia & Pleurisy Age >17 w/o CC
91	Simple Pneumonia & Pleurisy Age 0-17
92	Interstitial Lung Disease w/ CC
93	Interstitial Lung Disease w/o CC
94	Pneumothorax w/ CC
95	Pneumothorax w/o CC
96	Bronchitis & Asthma Age >17 w/ CC
97	Bronchitis & Asthma Age >17 w/o CC
98	Bronchitis & Asthma Age 0-17
99	Respiratory Signs & Symptoms w/ CC
100	Respiratory Signs & Symptoms w/o CC
101	Other Respiratory System Diagnoses w/ CC
102	Other Respiratory System Diagnoses w/o CC
103	Heart Transplant
104	Cardiac Valve Procedures w/ Cardiac Cath
105	Cardiac Valve Procedures w/o Cardiac Cath
106	Coronary Bypass w/ Cardiac Cath
107	Coronary Bypass w/o Cardiac Cath
108	Other Cardiothoracic Procedures

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
109	No Longer Valid (Table Excluded)
110	Major Cardiovascular Procedures w/ CC
111	Major Cardiovascular Procedures w/o CC
112	Percutaneous Cardiovascular Procedures
113	Amputation for Circ System Disorders except Upper Limb & Toe
114	Upper Limb & Toe Amputation for Circ System Disorders
115	Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock
116	Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock
117	Cardiac Pacemaker Revision except Device Replacement
118	Cardiac Pacemaker Device Replacement
119	Vein Ligation & Stripping
120	Other Circulatory System O.R. Procedures
121	Circulatory Disorders w/ AMI & C.V. Comp Disch Alive
122	Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive
123	Circulatory Disorders w/ AMI, Expired (Table Excluded)
124	Circulatory Disorders except AMI, w/ Card Cath & Complex Diag
125	Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag
126	Acute & Subacute Endocarditis
127	Heart Failure & Shock
128	Deep Vein Thrombophlebitis
129	Cardiac Arrest, Unexplained
130	Peripheral Vascular Disorders w/ CC
131	Peripheral Vascular Disorders w/o CC
132	Atherosclerosis w/ CC
133	Atherosclerosis w/o CC
134	Hypertension
135	Cardiac Congenital & Valvular Disorders Age >17 w/ CC
136	Cardiac Congenital & Valvular Disorders Age >17 w/o CC
137	Cardiac Congenital & Valvular Disorders Age 0-17
138	Cardiac Arrhythmia & Conduction Disorders w/ CC
139	Cardiac Arrhythmia & Conduction Disorders w/o CC
140	Angina Pectoris
141	Syncope & Collapse w/ CC
142	Syncope & Collapse w/o CC
143	Chest Pain
144	Other Circulatory System Diagnoses w/ CC
145	Other Circulatory System Diagnoses w/o CC
146	Rectal Resection w/ CC
147	Rectal Resection w/o CC
148	Major Small & Large Bowel Procedures w/ CC
149	Major Small & Large Bowel Procedures w/o CC
150	Peritoneal Adhesiolysis w/ CC
151	Peritoneal Adhesiolysis w/o CC
152	Minor Small & Large Bowel Procedures w/ CC
153	Minor Small & Large Bowel Procedures w/o CC
154	Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC
155	Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC
156	Stomach, Esophageal & Duodenal Procedures Age 0-17
157	Anal & Stomal Procedures w/ CC
158	Anal & Stomal Procedures w/o CC
159	Hernia Procedures except Inguinal & Femoral Age >17 w/ CC
160	Hernia Procedures except Inguinal & Femoral Age >17 w/o CC
161	Inguinal & Femoral Hernia Procedures Age >17 w/ CC
162	Inguinal & Femoral Hernia Procedures Age >17 w/o CC
163	Hernia Procedures Age 0-17
164	Appendectomy w/ Complicated Principal Diag w/ CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
165	Appendectomy w/ Complicated Principal Diag w/o CC
166	Appendectomy w/o Complicated Principal Diag w/ CC
167	Appendectomy w/o Complicated Principal Diag w/o CC
168	Mouth Procedures w/ CC
169	Mouth Procedures w/o CC
170	Other Digestive System O.R. Procedures w/ CC
171	Other Digestive System O.R. Procedures w/o CC
172	Digestive Malignancy w/ CC
173	Digestive Malignancy w/o CC
174	G.I. Hemorrhage w/ CC
175	G.I. Hemorrhage w/o CC
176	Complicated Peptic Ulcer
177	Uncomplicated Peptic Ulcer w/ CC
178	Uncomplicated Peptic Ulcer w/o CC
179	Inflammatory Bowel Disease
180	G.I. Obstruction w/ CC
181	G.I. Obstruction w/o CC
182	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/ CC
183	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/o CC
184	Esophagitis, Gastroent & Misc Digest Disorders Age 0-17
185	Dental & Oral Dis except Extractions & Restorations, Age >17
186	Dental & Oral Dis except Extractions & Restorations, Age 0-17
187	Dental Extractions & Restorations
188	Other Digestive System Diagnoses Age >17 w/ CC
189	Other Digestive System Diagnoses Age >17 w/o CC
190	Other Digestive System Diagnoses Age 0-17
191	Pancreas, Liver & Shunt Procedures w/ CC
192	Pancreas, Liver & Shunt Procedures w/o CC
193	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC
194	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC
195	Total Cholecystectomy w/ C.D.E. w/ CC
196	Total Cholecystectomy w/ C.D.E. w/o CC
197	Total Cholecystectomy w/o C.D.E. w/ CC
198	Total Cholecystectomy w/o C.D.E. w/o CC
199	Hepatobiliary Diagnostic Procedure for Malignancy
200	Hepatobiliary Diagnostic Procedure for Non-malignancy
201	Other Hepatobiliary or Pancreas O.R. Procedures
202	Cirrhosis & Alcoholic Hepatitis
203	Malignancy of Hepatobiliary System or Pancreas
204	Disorders of Pancreas except Malignancy
205	Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC
206	Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC
207	Disorders of the Biliary Tract w/ CC
208	Disorders of the Biliary Tract w/o CC
209	Major Joint & Limb Reattachment Procedures, Lower Extremity
210	Hip & Femur Procedures except Major Joint Age >17 w/ CC
211	Hip & Femur Procedures except Major Joint Age >17 w/o CC
212	Hip & Femur Procedures except Major Joint Age 0-17
213	Amputation for Musculoskeletal System & Conn Tissue Disorders
214	Back & Neck Procedures w/ CC
215	Back & Neck Procedures w/o CC
216	Biopsies of Musculoskeletal System & Connective Tissue
217	Wnd Debrid & Skn Grft except Hand, for Muscskelet & Conn Tiss Dis
218	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC
219	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC
220	Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
221	Knee Procedures w/ CC
222	Knee Procedures w/o CC
223	Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC
224	Shoulder, Elbow or Forearm Proc, exc Major Joint Proc, w/o CC
225	Foot Procedures
226	Soft Tissue Procedures w/ CC
227	Soft Tissue Procedures w/o CC
228	Major Thumb or Joint Proc, or Oth Hand or Wrist Proc w/ CC
229	Hand or Wrist Proc, except Major Joint Proc, w/o CC
230	Local Excision & Removal of Int Fix Devices of Hip & Femur
231	Local Excision & Removal of Int Fix Devices except Hip & Femur
232	Arthroscopy
233	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC
234	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC
235	Fractures of Femur
236	Fractures of Hip & Pelvis
237	Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh
238	Osteomyelitis
239	Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy
240	Connective Tissue Disorders w/ CC
241	Connective Tissue Disorders w/o CC
242	Septic Arthritis
243	Medical Back Problems
244	Bone Diseases & Specific Arthropathies w/ CC
245	Bone Diseases & Specific Arthropathies w/o CC
246	Non-specific Arthropathies
247	Signs & Symptoms of Musculoskeletal System & Conn Tissue
248	Tendonitis, Myositis & Bursitis
249	Aftercare, Musculoskeletal System & Connective Tissue
250	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC
251	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC
252	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17
253	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/ CC
254	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/o CC
255	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17
256	Other Musculoskeletal System & Connective Tissue Diagnoses
257	Total Mastectomy for Malignancy w/ CC
258	Total Mastectomy for Malignancy w/o CC
259	Subtotal Mastectomy for Malignancy w/ CC
260	Subtotal Mastectomy for Malignancy w/o CC
261	Breast Proc for Non-malignancy except Biopsy & Local Excision
262	Breast Biopsy & Local Excision for Non-malignancy
263	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC
264	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC
265	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC
266	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC
267	Perianal & Pilonidal Procedures
268	Skin, Subcutaneous Tissue & Breast Plastic Procedures
269	Other Skin, Subcut Tiss & Breast Proc w/ CC
270	Other Skin, Subcut Tiss & Breast Proc w/o CC
271	Skin Ulcers
272	Major Skin Disorders w/ CC
273	Major Skin Disorders w/o CC
274	Malignant Breast Disorders w/ CC
275	Malignant Breast Disorders w/o CC
276	Non-malignant Breast Disorders

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
277	Cellulitis Age >17 w/ CC
278	Cellulitis Age >17 w/o CC
279	Cellulitis Age 0-17
280	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC
281	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC
282	Trauma to the Skin, Subcut Tiss & Breast Age 0-17
283	Minor Skin Disorders w/ CC
284	Minor Skin Disorders w/o CC
285	Amputat of Lower Limb for Endocrine, Nutrit & Metabol Disorders
286	Adrenal & Pituitary Procedures
287	Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders
288	O.R. Procedures for Obesity
289	Parathyroid Procedures
290	Thyroid Procedures
291	Thyroglossal Procedures
292	Other Endocrine, Nutrit & Metab O.R. Proc w/ CC
293	Other Endocrine, Nutrit & Metab O.R. Proc w/o CC
294	Diabetes Age > 35
295	Diabetes Age 0-35
296	Nutritional & Misc Metabolic Disorders Age >17 w/ CC
297	Nutritional & Misc Metabolic Disorders Age >17 w/o CC
298	Nutritional & Misc Metabolic Disorders Age 0-17
299	Inborn Errors of Metabolism
300	Endocrine Disorders w/ CC
301	Endocrine Disorders w/o CC
302	Kidney Transplant
303	Kidney, Ureter & Major Bladder Procedures for Neoplasm
304	Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC
305	Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC
306	Prostatectomy w/ CC
307	Prostatectomy w/o CC
308	Minor Bladder Procedures w/ CC
309	Minor Bladder Procedures w/o CC
310	Transurethral Procedures w/ CC
311	Transurethral Procedures w/o CC
312	Urethral Procedures Age >17 w/ CC
313	Urethral Procedures Age >17 w/o CC
314	Urethral Procedures Age 0-17
315	Other Kidney & Urinary Tract O.R. Procedures
316	Renal Failure
317	Admit for Renal Dialysis
318	Kidney & Urinary Tract Neoplasms w/ CC
319	Kidney & Urinary Tract Neoplasms w/o CC
320	Kidney & Urinary Tract Infections Age >17 w/ CC
321	Kidney & Urinary Tract Infections Age >17 w/o CC
322	Kidney & Urinary Tract Infections Age 0-17
323	Urinary Stones w/ CC, &/or ESW Lithotripsy
324	Urinary Stones w/o CC
325	Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC
326	Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC
327	Kidney & Urinary Tract Signs & Symptoms Age 0-17
328	Urethral Stricture Age >17 w/ CC
329	Urethral Stricture Age >17 w/o CC
330	Urethral Stricture Age 0-17
331	Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC
332	Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
333	Other Kidney & Urinary Tract Diagnoses Age 0-17
334	Major Male Pelvic Procedures w/ CC
335	Major Male Pelvic Procedures w/o CC
336	Transurethral Prostatectomy w/ CC
337	Transurethral Prostatectomy w/o CC
338	Testes Procedures, for Malignancy
339	Testes Procedures, Non-malignancy Age > 17
340	Testes Procedures, Non-malignancy Age 0-17
341	Penis Procedures
342	Circumcision Age > 17
343	Circumcision Age 0-17
344	Other Male Reproductive System O.R. Procedures for Malignancy
345	Other Male Reproductive System O.R. Proc except for Malignancy
346	Malignancy, Male Reproductive System, w/ CC
347	Malignancy, Male Reproductive System, w/o CC
348	Benign Prostatic Hypertrophy w/ CC
349	Benign Prostatic Hypertrophy w/o CC
350	Inflammation of the Male Reproductive System
351	Sterilization, Male
352	Other Male Reproductive System Diagnoses
353	Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy
354	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC
355	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC
356	Female Reproductive System Reconstructive Procedures
357	Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy
358	Uterine & Adnexa Proc for Non-malignancy w/ CC
359	Uterine & Adnexa Proc for Non-malignancy w/o CC
360	Vagina, Cervix & Vulva Procedures
361	Laparoscopy & Incisional Tubal Interruption
362	Endoscopic Tubal Interruption
363	D&C, Conization & Radio-implant, for Malignancy
364	D&C, Conization except for Malignancy
365	Other Female Reproductive System O.R. Procedures
366	Malignancy, Female Reproductive System w/ CC
367	Malignancy, Female Reproductive System w/o CC
368	Infections, Female Reproductive System
369	Menstrual & Other Female Reproductive System Disorders
370	Cesarean Section w/ CC
371	Cesarean Section w/o CC
372	Vaginal Delivery w/ Complicating Diagnoses
373	Vaginal Delivery w/o Complicating Diagnoses
374	Vaginal Delivery w/ Sterilization &/or D&C
375	Vaginal Delivery w/ O.R. Proc except Steril &/or D&C
376	Postpartum & Post Abortion Diagnoses w/o O.R. Procedure
377	Postpartum & Post Abortion Diagnoses w/ O.R. Procedure
378	Ectopic Pregnancy
379	Threatened Abortion
380	Abortion w/o D&C
381	Abortion w/ D&C, Aspiration Curettage or Hysterotomy
382	False Labor
383	Other Antepartum Diagnoses w/ Medical Complications
384	Other Antepartum Diagnoses w/o Medical Complications
385	Neonates, Died or Transferred to Another Acute Care Facility (Table Excluded)
386	Extreme Immaturity or Respiratory Distress Syndrome, Neonate
387	Prematurity w/ Major Problems

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
388	Prematurity w/o Major Problems
389	Full Term Neonate w/ Major Problems
390	Neonate w/ Other Significant Problems
391	Normal Newborn
392	Splenectomy Age > 17
393	Splenectomy Age 0-17
394	Other O.R. Procedures of the Blood And Blood Forming Organs
395	Red Blood Cell Disorders Age > 17
396	Red Blood Cell Disorders Age 0-17
397	Coagulation Disorders
398	Reticuloendothelial & Immunity Disorders w/ CC
399	Reticuloendothelial & Immunity Disorders w/o CC
400	Lymphoma & Leukemia w/ Major O.R. Procedure
401	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC
402	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC
403	Lymphoma & Non-acute Leukemia w/ CC
404	Lymphoma & Non-acute Leukemia w/o CC
405	Acute Leukemia w/o Major O.R. Procedure Age 0-17
406	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/ CC
407	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/o CC
408	Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R. Proc
409	Radiotherapy
410	Chemotherapy Without Acute Leukemia as Secondary Diagnosis
411	History of Malignancy w/o Endoscopy
412	History of Malignancy w/ Endoscopy
413	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC
414	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC
415	O.R. Procedure for Infectious & Parasitic Diseases
416	Septicemia Age > 17
417	Septicemia Age 0-17
418	Postoperative & Post-traumatic Infections
419	Fever of Unknown Origin Age >17 w/ CC
420	Fever of Unknown Origin Age >17 w/o CC
421	Viral Illness Age > 17
422	Viral Illness & Fever of Unknown Origin Age 0-17
423	Other Infectious & Parasitic Diseases Diagnoses
424	O.R. Procedure w/ Principal Diagnoses of Mental Illness
425	Acute Adjust React & Disturbances of Psychosocial Dysfunction
426	Depressive Neuroses
427	Neuroses except Depressive
428	Disorders of Personality & Impulse Control
429	Organic Disturbances & Mental Retardation
430	Psychoses
431	Childhood Mental Disorders
432	Other Mental Disorder Diagnoses
433	Alcohol/Drug Abuse or Dependence, Left AMA (Table Excluded)
434	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC
435	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC
436	Alc/Drug Dependence w/ Rehabilitation Therapy
437	Alc/Drug Dependence, Combined Rehab & Detox Therapy
438	No Longer Valid (Table Excluded)
439	Skin Grafts for Injuries
440	Wound Debridements for Injuries
441	Hand Procedures for Injuries
442	Other O.R. Procedures for Injuries w/ CC
443	Other O.R. Procedures for Injuries w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	**Description**
444	Traumatic Injury Age >17 w/ CC
445	Traumatic Injury Age >17 w/o CC
446	Traumatic Injury Age 0-17
447	Allergic Reactions Age >17
448	Allergic Reactions Age 0-17
449	Poisoning & Toxic Effects of Drugs Age >17 w/ CC
450	Poisoning & Toxic Effects of Drugs Age >17 w/o CC
451	Poisoning & Toxic Effects of Drugs Age 0-17
452	Complications of Treatment w/ CC
453	Complications of Treatment w/o CC
454	Other Injury, Poisoning & Toxic Effect Diag w/ CC
455	Other Injury, Poisoning & Toxic Effect Diag w/o CC
456	Burns, Transferred to Another Acute Care Facility (Table Excluded)
457	Extensive Burns w/o O.R. Procedure
458	Non-extensive Burns w/ Skin Graft
459	Non-extensive Burns w/ Wound Debridement or Other O.R. Proc
460	Non-extensive Burns w/o O.R. Procedure
461	O.R. Proc w/ Diagnoses of Other Contact w/ Health Services
462	Rehabilitation
463	Signs & Symptoms w/ CC
464	Signs & Symptoms w/o CC
465	Aftercare w/ History of Malignancy As Secondary Diagnosis
466	Aftercare w/o History of Malignancy As Secondary Diagnosis
467	Other Factors Influencing Health Status (Table Excluded)
468	Extensive O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
469	Principal Diagnosis Invalid As Discharge Diagnosis (Table Excluded)
470	Ungroupable (Table Excluded)
471	Bilateral or Multiple Major Joint Procs of Lower Extremity
472	Extensive Burns w/ O.R. Procedure
473	Acute Leukemia w/o Major O.R. Procedure Age > 17
474	No Longer Valid (Table Excluded)
475	Respiratory System Diagnosis with Ventilator Support
476	Prostatic O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
477	Non-extensive O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
478	Other Vascular Procedures w/ CC
479	Other Vascular Procedures w/o CC
480	Liver Transplant
481	Bone Marrow Transplant
482	Tracheostomy w/ Mouth, Larynx or Pharynx Disorder
483	Tracheostomy Except for Mouth, Larynx or Pharynx Disorder
484	Craniotomy for Multiple Significant Trauma
485	Limb Reattach., Hip and Femur Procs for Multi Sign Trauma
486	Other O.R. Procedures for Multiple Significant Trauma
487	Other Multiple Significant Trauma
488	HIV w/ Extensive O.R. Procedure
489	HIV w/ Major Related Condition
490	HIV w/ or w/o Other Related Condition
491	Major Joint and Limb Reattachment Procedures, Upper Extremity
492	Chemotherapy with Acute Leukemia as Secondary Diagnosis